

Apx. 3 Result of whole Rock Chemical Analyses

Sample No.	Ab-6	Ad-1	Ad-6	Af-2	Ca-4	Ca-13	Gb-56	Gb-58	Gb-72	Gb-74		
Rock Name	quartz diorite	hornblende andesite	glassy andesite	altered rock	quartz diorite	welded tuff	rhyolite	hornblende andesite	pyroxene andesite	hornblende andesite		
Coordinate	689.4-8319.8	677.5-8321.8	679.1-8326.6	679.3-8320.9	740.3-8326.6	740.9-8323.8	752.4-8301.0	757.1-8298.9	760.4-8293.6	748.6-8290.5		
Chemical Composition	wt%	SiO <sub>2</sub>	68.25	61.97	61.13	76.08	54.76	70.01	72.31	61.59	59.48	63.97
	TiO <sub>2</sub>	0.370	0.590	0.970	0.120	0.530	0.380	0.340	0.970	1.050	0.700	
	Al <sub>2</sub> O <sub>3</sub>	15.73	16.51	16.85	12.41	16.73	15.31	14.97	16.41	17.35	15.86	
	Fe <sub>2</sub> O <sub>3</sub>	1.31	5.08	5.03	0.63	4.04	1.75	1.72	3.46	3.65	3.91	
	FeO	1.56	0.80	0.80	0.19	2.80	0.12	0.17	2.42	2.80	0.89	
	MnO	0.03	0.15	0.09	0.04	0.16	0.04	0.07	0.08	0.09	0.07	
	MgO	1.44	2.04	1.99	0.20	1.72	0.26	0.30	2.23	2.65	1.89	
	CaO	2.84	3.93	5.20	0.47	6.21	0.87	0.93	5.00	5.32	3.99	
	Na <sub>2</sub> O	3.80	3.69	4.99	3.68	3.36	4.42	4.44	4.41	3.90	3.47	
	K <sub>2</sub> O	2.72	2.63	2.82	4.54	2.08	5.75	4.78	2.77	2.36	3.25	
	P <sub>2</sub> O <sub>5</sub>	0.01	0.22	0.53	0.07	0.32	0.01	0.01	0.34	0.45	0.22	
BaO	0.15	0.08	0.17	0.08	0.08	0.14	0.13	0.12	0.14	0.10		
LOI	1.89	1.87	0.15	0.79	0.81	0.96	0.77	0.28	2.04	2.49		
Total	100.09	99.56	100.72	99.30	93.60	100.01	100.93	100.08	101.28	100.81		
C.I.P.W. Norm	wt%	quartz	26.95	19.60	10.23	36.19	12.66	20.04	25.75	13.45	13.56	20.66
	corundum	1.37	0.97	-	0.75	-	0.23	0.80	16.37	-	-	
	orthoclase	16.07	15.54	16.66	26.83	12.29	33.97	28.24	--	13.94	19.20	
	albite	32.15	31.22	42.22	31.14	28.43	37.40	37.57	37.32	33.00	29.36	
	anorthite	14.09	18.06	15.25	1.87	24.42	4.32	4.61	16.80	22.86	18.10	
	wo-di	-	-	2.96	-	1.79	-	-	2.42	0.25	0.11	
	en-di	-	-	2.56	-	1.27	-	-	2.05	0.20	0.09	
	fs-di	-	-	0	-	0.36	-	-	0.05	0.02	0	
	en-hy	3.59	5.08	2.40	0.50	3.01	0.65	0.75	3.50	6.40	4.62	
	fs-hy	1.23	0	0	0	0.86	0	0	0.08	0.54	0	
	magnetite	1.90	1.36	0.06	0.39	5.86	-	-	5.02	5.29	1.07	
	hematite	-	4.14	4.99	0.36	-	1.75	1.72	-	-	3.17	
	ilmenite	0.70	1.12q	1.84	0.23	1.01	0.34	0.51	1.84	1.99	1.33	
	rutile	-	-	-	-	-	0.20	0.07	-	-	-	
apatite	-	0.51	1.23	0.16	0.74	-	-	0.79	1.04	0.51		
Total	98.05	97.61	100.40	98.43	92.71	98.90	100.03	99.68	99.10	98.22		

wo: wollastonite , di: diopside , en: enstatite , fs: ferrosilite , hy: hypersthene

## ( Apx.3 — Continued )

Sample No.	Gb-93	Gb-108	Gb-110	Gc-47	Gc-304	Gd-32	Gd-46	Gf-36	Gf-52	Gi-83	
Rock Name	rhyolite	glassy andesite	quartz diorite	perlite	hornblende andesite	granodiorite	pyroxene andesite	hornblende andesite	biotite andesite	rhyolite	
Coordinate	688.5-8324.9	691.9-8292.2	688.4-8292.9	746.9-8325.3	675.8-8300.5	733.8-8285.5	700.8-8333.4	746.6-8309.2	715.0-8297.3	667.8-8332.6	
Chemical Composition	wt%										
	SiO <sub>2</sub>	70.77	60.73	61.81	75.43	70.96	66.75	58.45	63.05	67.35	74.56
	TiO <sub>2</sub>	0.250	0.910	0.480	0.150	0.330	0.400	0.830	0.740	0.500	0.260
	Al <sub>2</sub> O <sub>3</sub>	13.69	16.87	14.59	13.27	15.01	16.02	17.53	16.27	15.55	13.84
	Fe <sub>2</sub> O <sub>3</sub>	1.67	3.04	3.01	0.70	1.99	2.51	3.63	3.13	2.13	1.28
	FeO	0.20	2.11	2.98	0.22	0.08	1.87	3.54	1.53	1.03	0.48
	MnO	0.06	0.07	0.11	0.06	0.31	0.12	0.15	0.07	0.05	0.08
	MgO	0.29	2.15	4.10	0.12	0.34	1.47	2.69	1.75	1.04	0.39
	CaO	1.18	4.87	5.33	0.69	0.96	4.12	5.69	4.04	2.88	1.38
	Na <sub>2</sub> O	4.13	4.94	3.37	4.15	4.73	3.30	4.44	5.14	4.62	4.44
	K <sub>2</sub> O	3.85	2.89	2.60	4.60	4.82	3.92	2.16	3.58	3.57	3.80
	P <sub>2</sub> O <sub>5</sub>	0.11	0.77	0.14	0.01	0.07	0.19	0.42	0.50	0.27	0.04
BaO	0.08	0.14	0.06	0.10	0.16	0.09	0.06	0.14	0.12	0.09	
LOI	1.00	0.38	0.84	2.08	0.87	0.72	0.29	0.13	0.87	0.62	
Total	97.28	99.87	99.42	101.57	100.63	101.48	99.88	100.07	99.98	101.26	
C.I.P.W.Norm	wt%										
	quartz	29.36	10.29	15.87	32.03	22.63	22.05	9.10	10.90	20.15	30.77
	corundum	0.85	-	-	0.21	0.43	-	-	-	-	0.01
	orthoclase	22.75	17.08	15.36	27.18	28.48	23.16	12.76	21.15	21.09	22.45
	albite	34.95	41.80	28.52	35.12	40.02	27.92	37.57	43.49	39.09	37.57
	anorthite	5.14	15.32	17.00	3.42	4.31	17.32	21.52	10.75	11.15	6.58
	wo-di	-	1.59	3.56	-	-	0.78	1.65	2.52	0.57	-
	en-di	-	1.37	2.61	-	-	0.57	1.12	2.17	0.50	-
	fs-di	-	0	0.61	-	-	0.14	0.40	0	0	-
	en-hy	0.72	3.98	7.60	0.30	0.85	3.09	5.58	2.18	2.09	0.97
	fs-hy	0	0	1.78	0	0	0.78	2.01	0	0	0
	magnetite	0.12	4.39	4.36	0.47	0.31	3.64	5.26	3.01	2.03	1.05
	hematite	1.59	0.01	-	0.38	1.77	-	-	1.05	0.73	0.55
	ilmenite	0.47	1.73	0.91	0.28	0.62	0.76	1.58	1.41	0.95	0.49
	rutile	-	-	-	-	-	-	-	-	-	-
apatite	0.25	1.78	0.32	-	0.16	0.44	0.97	1.16	0.63	0.09	
Total	96.20	99.35	98.52	99.39	99.60	100.67	99.53	99.80	98.99	100.55	

wo: wollastonite , di: diopside , en: enstatite , fs: ferrosilite , hy: hypersthene

ApX-4 Whole-Rock K-Ar Datings

No.	Sample No.	Coordinates		Rock name and stratigraphic unit	Isotopic Age (Ma)	<sup>40</sup> Ar* (sec/gm x 10 <sup>-5</sup> )	% <sup>40</sup> Ar*	% K
		X (Km)	Y (Km)					
1	Ca-4	740.3	8326.6	Hornblende-augite quartz diorite (Di)	53.7 <sup>+2.7</sup>	0.384 0.404	84.3 82.0	1.85 1.87
2	Ca-13	740.9	8323.8	Welded tuff (Al)	4.8 <sup>+0.2</sup>	0.082 0.083	57.8 46.7	4.44 4.45
3	Gb-58	757.1	8298.9	Hornblende andesite (Vbl)	1.30 <sup>+0.11</sup>	0.011 0.012	25.9 16.5	2.26 2.30
4	Gb-110	688.4	8292.9	Hornblende-biotite quartz diorite (CB)	80.3 <sup>+4.0</sup>	0.695 0.739	71.1 63.1	2.24 2.25
5	Gd-32	733.8	8285.5	Hornblende-biotite granodiorite (CB)	57.1 <sup>+2.9</sup>	0.659 0.694	92.6 95.0	3.00 3.00

$\lambda_e = 0.581 \times 10^{-10} \text{ yr}^{-1}$ ,  $\lambda_\beta = 4.962 \times 10^{-10} \text{ yr}^{-1}$ ,  $^{40}\text{K}/\text{K} = 1.167 \times 10^{-4}$  atom %,  $^{40}\text{Ar}^*$ , radiogenic argon 40

All samples were analyzed in duplicate.

APX-5 X-ray Diffractive Analyses

No.	Sample No.	Coordinates		Occurrence	Detected Minerals																									
		X (km)	Y (km)		cr	qz	pl	or	hal	kn	mon	sr	s/m	ch	mor	al	jar	dia	ca	ba	py	goe	sco	mg	ga	sph	and	hb	di	
1	Ae-22	681.6	8313.5	Limonite stained quartzite		⊙																○								
2	AF-7	685.1	8321.6	White altered andesite		⊙					○																			
3	Bb-9	700.2	8305.9	Dark grey quartzite		○					●?						○	○												
4	Bb-10	700.2	8306.1	White altered andesite		⊙					○																			
5	Bf-1	698.3	8301.4	White altered (partially silicified) andesite		⊙											⊙													
6	Bf-2	698.5	8300.2	"		⊙					●	○																		
7	Bg-8 (P.X)	705.5	8309.9	Garnet skarn		⊙												●		⊙				●	⊙					
8	Bg-8 (T.X)	705.5	8309.9	Skarn, Pb-Zn ore		○												○								⊙	○			
9	BgM-10	705.5	8309.9	"		○												○	○?	●				⊙	⊙					
10	Cb-11	732.5	8337.6	Quartz vein		⊙			●																					
11	Cb-13	732.6	8336.8	"		⊙					●																			
12	Gb-38	752.1	8334.2	White altered andesite		⊙											⊙													
13	Gb-99	696.9	8324.3	"	⊙					○	●						⊙													
14	Gb-102	695.6	8321.6	White altered rock		⊙						○																		
15	Gc-306	668.4	8296.6	"		⊙																								
16	Ge-36	762.0	8312.8	Silicified rock limonite stained		⊙											⊙													
17	Ge-68	680.1	8331.0	Silicified rock		⊙		⊙			●																			
18	Ge-76	678.9	8329.9	Andesite (pyrite dissemination)		○	⊙																							
19	Ge-96	674.4	8289.6	Argillized tuff		⊙					●		○																	
20	Ge-98	678.5	8292.0	Silicified rock		⊙				⊙	●								●?											
21	Gi-25	719.9	8318.4	Magnetite rich green skarn							●			●				⊙						⊙			●	⊙		
22	Gi-104	677.6	8295.5	Oxidized ore (Fe)		⊙																○								
23	Gi-106	675.9	8294.5	White altered rock (silicified)		⊙				⊙							⊙													
24	Gi-108	674.0	8295.9	White altered tuff		⊙											⊙													
25	Gi-113	677.5	8295.5	Oxidized ore (Fe)		⊙																○								

Abbreviations cr: α-Cristobalite qz: Quartz pl: Plagioclase or: Orthoclase hal: Halloysite kn: Kaolinite mon: Montmorillonite  
 sr: Sericite s/m: Sericite-Montmorillonite mixed layer ch: Chlorite mor: Mordenite al: Alunite  
 jar: Jarosite dia: Diaspore ca: Calcite ba: Barite py: Pyrite goe: Goethite sco: Scorodite  
 mg: Magnetite ga: Galena sph: Sphalerite and: Andradite hb: Hornblende di: Diopside

⊙: Abundant ○: Common ●: Rare

## Apx. 6 Microscopic Observations of Polished Sections

### Abbreviations

#### Ore minerals

py: pyrite  
hm: hematite  
cp: chalcopyrite  
gn: galena  
sp: sphalerite  
Au: native gold  
mg: magnetite  
il: ilmenite  
po: pyrrhotite

#### Gangue minerals

pl: plagioclase  
qz: quartz  
or: orthoclase  
ga: garnet  
ca: calcite  
ch: chlorite  
sr: sericite  
ab: albite

Apx. 6 Microscopic Observations of Polished Sections

No.	Sample No.	Coordinates		Name of Ore Deposit	Ore Name	Occurrence	Ore Mineral								Gangue Mineral							Remarks							
		X (Km)	Y (Km)				Ore Mineral								Pheno-cryst		Secondary mineral												
							Py	hm	cp	gn	sp	Au	mg	il	po	pl	qz	sr	ab	qz	or		ga	ca	ch				
1	Ab-2B	695.1	8322.3	Oyolo	Silicified rock	rhyolitic tuff	⊙	○								⊙	⊙	⊙	⊙	⊙									
2	Bb-4	700.5	8305.9	Tanisca	Au ore	quartzite		⊙									⊙												
3	Bb-8	700.3	8305.8	Tanisca	Au ore	quartz vein	⊙	⊙												⊙									
4	Bg-8	705.5	8309.9	Mina Picha	Cu. Pb. Zn ore	contact of diorite and limestone														⊙		⊙	⊙						
5	BgM-10	705.5	8309.9	Mina Picha	Cu. Pb. Zn ore	contact of diorite and limestone	○		○	⊙	⊙	•								⊙	⊙	⊙	○						
6	Bi-1000	704.3	8294.5	South of Tanisca	Au ore	Alluvial gold						⊙	⊙	⊙		•	•					○				Zr	ru	epz	bi
7	Ca-10	738.5	8325.2	East of Alca	oxidized ore	diorite	○		○							⊙						⊙	○		hd	seo			
8	Cb-5	740.8	8327.4	Northeast of Alca	Py disseminated rock	altered rock	⊙	•					•			⊙	○	⊙	○	○				⊙					
9	Cb-14	732.6	8336.8	Pararapa	Au ore	quartz vein	○									⊙		○	○	⊙					⊙				
10	Cb-18	732.9	8336.6	Pararapa	Au ore	quartz vein	⊙									⊙		⊙	○	⊙					⊙				
11	Cb-19	732.9	8336.6	Pararapa	Au ore	quartz vein	○		•		•									⊙									
12	Cb-20	732.9	8336.6	Pararapa	Au ore	quartz vein	•									⊙?	•			⊙									
13	Ce-1	738.4	8324.3	West of Alca	magnetite ore	sediment (contact?)	•	⊙					⊙							⊙			○	○					
14	Ga-7	710.0	8312.1	East of Tanisca	Py disseminated ore	quartz diorite	⊙		•		•				•	⊙	○	○							○	bi			
15	Ge-88	681.1	8295.3	South of Maran	Au ore	quartz vein	•	○												⊙			⊙						
16	Ge-104	682.4	8295.5	South of Maran	Au ore	quartz vein	○									⊙	○	⊙		⊙								Greisen?	
17	Ge-104'	682.4	8295.5	South of Maran	Au ore	quartz vein	○													⊙									
18	Gf-25	719.9	8318.4	South of Huarhua	skarn with magnetite	contact of tonalite and limestone		•					⊙							○			○		hd				
19	Gi-102	678.1	8295.6	Pirca	silicified rock	tuff breccia		○												⊙					gt				
20	Gi-104	677.6	8295.5	Pirca	silicified rock	volcanic rocks	•	○												⊙					gt				
21	Gi-113	677.5	8295.5	Pirca	iron oxides	altered rock		⊙												⊙					gt				
22	Gk-13	681.6	8294.8	South of Maran	Py disseminated rock	diorite	⊙	○								⊙		⊙		⊙				○	ep				

## Apx. 7 Photomicrographs of Polished Sections


### Abbreviations

py: pyrite  
hm: hematite  
cp: chalcopyrite  
tnn: tennantite  
th: tetrahedrite  
gn: galena  
sp: sphalerite  
mg: magnetite  
il: ilmenite  
ru: rutile  
Au: gold  
Cu: capper  
Pb: lead  
Zn: zinc



( 1 ) Sample No.: Cb-18  
Location: Mina Pararapa  
x=732.9 y=8336.6  
Ore name: Au ore  
Remarks: quartz vein, py

open nicol  
0      scal bar      0.2 mm



( 2 ) Sample No.: Cb-19  
Location: Mina Pararapa  
x=732.9 y=8336.6  
Ore name: Au ore  
Remarks: quartz vein, py


open nicol  
0      scal bar      0.2 mm



( 3 ) Sample No.: Cb-20  
Location: Mina Pararapa  
x=732.9 y=8336.6  
Ore name: Au ore  
Remarks: quartz vein, py


open nicol  
0      scal bar      0.2 mm






( 4 ) Sample No.: Gi-113  
Location: Pirca alteration  
zone x=677.5 y=8295.5  
Ore name: Oxidized ore  
Remarks: altered rock,  
gt>hm

open nicol  
0      scal bar      0.2 mm



( 5 ) Sample No.: Ge-104  
Location: South of Maran  
x=682.4 y=8295.5  
Ore name: Au ore  
Remarks: quartz vein, py

open nicol  
0      scal bar      0.2 mm




( 6 ) Sample No.: Ge-88  
Location: South of Maran  
x=681.1 y=8295.3  
Ore name: Au ore  
Remarks: quartz vein,  
hm>py

open nicol  
0      scal bar      0.2 mm




( 7 ) Sample No.: Ca-10  
 Location: East of Alca  
 x=738.5 y=8325.2  
 Ore name: Oxidized ore  
 Remarks: altered diorite,  
 py > cp

open nicol  
 0      seal bar      0.2 mm




( 8 ) Sample No.: Bg-8PX  
 Location: Mina Picha  
 x=705.5 y=8309.9  
 Ore name: Cu, Pb, Zn Ore  
 Remarks: garnet skarn  
 py > th, tnn

open nicol  
 0      seal bar      0.2 mm



( 9 ) Sample No.: BgM-10  
 Location: Mina Picha  
 x=705.5 y=8309.9  
 Ore name: Cu, Pb, Zn Ore  
 Remarks: garnet skarn,  
 gn > sp > cp > py ≫ Au


open nicol  
 0      seal bar      0.2 mm



(10) Sample No.: GF-25  
Location: South of Huarhua  
x=719.9 y=8318.4  
Ore name: Magnetite ore  
Remarks: skarn, mg > hm

open nicol


0      scale bar      0.2 mm



(11) Sample No.: Ce-1  
Location: West of Alca  
x=738.4 y=8324.3  
Ore name: Magnetite ore  
Remarks: hornfels, ma > hm

open nicol

0      scale bar      0.2 mm



(12) Sample No.: Bi-1000  
Location: South of Tanizca  
x=704.3 y=8294.5  
Ore name: Native gold  
Remarks: alluvial gold,  
Au, mg, il, zr

open nicol

0      scale bar      0.2 mm



Apx-8 Results of Chemical Analyses of Ore Samples



No.	Sample No.	Coordinates		Name os mine and Alteration Zone	Au g/t	Ag g/t	Cu %	Pb %	Zn %
		X(Km)	Y(Km)						
1	Ae-20	681.5	8313.5	Mina Luicho	9.8	30.2	<0.01	0.03	<0.01
2	Ae-22	681.6	8313.5	"	26.0	114	0.05	0.02	<0.01
3	Bb-6	700.4	8305.9	Minas de Huayllura	1.9	7.2	<0.01	0.03	0.02
4	Bb-9	700.2	8305.9	"	0.37	5.0	<0.01	0.08	<0.01
5	Bb-12	701.0	8305.8	"	0.06	2.5	<0.01	0.35	0.05
6	Bf-2	698.5	8300.2	W. of Tanisca	0.06	0.31	<0.01	<0.01	<0.01
7	BgM-1	706.0	8307.9	Mina Picha	0.06	87.1	<0.01	0.15	<0.01
8	BgM-2	704.8	8310.3	"	0.12	51.7	0.03	0.01	0.02
9	BgM-3	705.8	8309.1	"	0.12	345	0.36	0.06	0.06
10	BgM-7	705.5	8309.9	"	0.06	3.1	<0.01	<0.01	0.03
11	BgM-10	705.5	8309.9	"	7.7	777	1.38	23.4	21.6
12	Cb-11	732.5	8337.6	Mina Pararapa	4.6	288	0.01	0.03	0.01
13	Cb-12	732.5	8337.1	"	0.19	12.8	<0.01	<0.01	<0.01
14	Cb-13	732.6	8336.8	"	1.4	132	<0.01	0.01	<0.01
15	Cb-19	732.9	8336.6	"	< 0.06	23.0	0.18	0.08	0.02
16	Gb-36	752.1	8335.0	Puica alteration zone	< 0.06	0.93	<0.01	<0.01	<0.01
17	Gb-38	752.1	8334.2	"	< 0.06	< 0.31	<0.01	<0.01	<0.01
18	Gb-100B	698.3	8323.8	Oyolo alteration zone	< 0.06	0.31	<0.01	<0.01	<0.01
19	Ge-36	762.0	8312.8	Algodon Pascana alteration zone	< 0.06	< 0.31	<0.01	<0.01	<0.01
20	Ge-68	680.1	8331.0	Sequello alteration zone	0.19	16.5	<0.01	0.01	<0.01
21	Ge-104	682.4	8295.5	S. of Maran	1.1	0.31	<0.01	<0.01	<0.01
22	Gi-102	678.1	8295.6	Pirca alteration zone	< 0.06	< 0.31	<0.01	<0.01	<0.01
23	Gi-104	677.6	8295.5	"	< 0.06	0.62	<0.01	<0.01	<0.01
24	Gi-113	677.5	8295.5	"	< 0.06	1.6	0.01	<0.01	<0.01



## Apx. 9 X-ray Powder Diffraction Charts

### Abbreviations



cr:  $\alpha$ -Cristobalite  
qz: Quartz  
pl: Plagioclase  
or: Orthoclase  
hal: Halloysite  
kn: Kaolinite  
mon: Montmorillonite  
sr: Sericite  
s/m: Sericite-Montmorillonite mixed layer  
ch: Chlorite  
mor: Mordenite  
al: Alunite  
jar: Jarosite  
dia: Diaspore  
Ca: Calcite  
ba: Barite  
py: Pyrite  
goe: Goethite  
sco: Scorodite  
Mg: Magnetite  
ga: Galena  
Sph: Sphalerite  
and: Andradite  
hb: Hornblende  
di: Diopside















































**Apx 10 Assay Results of Geochemical Samples**

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		As	Au
		X	Y				Ag			
1	A A	677.19	8315.82	21	7	80	0.1	6	0	
2	A A	677.24	8315.92	19	10	62	0.1	9	162	
3	A A	676.71	8317.25	14	6	177	0.1	9	0	
4	A A	676.65	8317.19	27	9	78	0.1	7	0	
5	A A	677.47	8318.53	22	10	55	0.1	9	0	
6	A A	677.37	8318.53	20	8	85	0.1	7	0	
7	A A	677.12	8318.86	14	9	56	0.1	5	0	
8	A A	678.74	8317.89	21	7	49	0.1	4	0	
9	A A	678.05	8316.78	36	10	49	0.1	9	0	
10	A A	678.92	8315.24	24	6	174	0.1	11	0	
11	A A	678.91	8315.08	21	6	79	0.1	11	0	
12	A A	678.85	8314.99	15	6	67	0.1	16	40	
13	A B	680.47	8311.99	31	2	43	0.1	10	0	
14	A B	680.61	8312.04	27	4	63	0.1	17	0	
15	A B	680.84	8311.35	20	1	59	0.1	9	0	
16	A B	680.61	8312.10	20	21	191	0.1	14	0	
17	A B	680.56	8312.18	73	16	107	0.2	25	13	
18	A B	680.60	8312.46	57	22	183	0.3	41	20	
19	A B	680.53	8312.35	238	33	112	2.6	38	22	
20	A B	680.35	8312.98	193	34	199	3.3	125	64	
21	A B	680.46	8313.38	21	55	59	3.9	135	200	
22	A B	680.28	8314.11	27	30	285	6.9	17	287	
23	A B	684.73	8322.50	27	9	83	0.1	9	0	
24	A B	684.78	8322.42	23	12	117	0.1	16	0	
25	A B	684.80	8322.18	24	16	128	0.1	9	0	
26	A B	685.20	8322.18	27	3	61	0.1	10	0	
27	A B	685.49	8322.32	40	5	91	0.1	9	0	
28	A B	685.55	8322.73	23	4	82	0.1	7	0	
29	A B	685.71	8322.73	23	3	57	0.1	6	0	
30	A B	685.89	8322.70	22	8	80	0.1	6	5	
31	A B	686.04	8322.89	26	8	85	0.1	3	5	
32	A B	686.09	8322.89	43	9	85	0.1	3	41	
33	A B	686.10	8323.14	7	5	90	1.0	12	66	
34	A B	686.59	8323.39	18	8	55	0.1	11	0	
35	A B	686.58	8324.04	10	8	49	0.1	6	0	
36	A B	686.88	8324.38	14	7	58	0.1	15	0	
37	A B	695.00	8322.02	18	6	38	0.1	17	0	
38	A B	694.59	8322.22	22	15	44	0.1	25	4	
39	A B	694.79	8322.32	16	8	57	0.1	30	0	
40	A B	694.40	8322.32	39	7	41	0.1	10	0	
41	A B	693.98	8321.89	9	4	64	0.1	4	0	
42	A B	693.93	8321.87	10	5	55	0.1	14	0	
43	A B	693.65	8321.65	15	4	61	0.1	14	0	
44	A B	693.43	8321.51	11	15	58	0.1	24	0	
45	A B	693.23	8321.43	11	12	36	0.1	7	0	
46	A B	692.13	8321.28	18	6	63	0.1	11	0	
47	A B	692.57	8321.19	16	9	52	0.1	10	0	
48	A B	692.85	8321.12	18	7	67	0.1	6	0	
49	A B	692.77	8321.04	12	3	47	0.1	7	0	
50	A B	692.70	8320.61	15	6	63	0.1	7	0	
51	A B	692.43	8320.60	14	8	55	0.1	4	0	
52	A B	692.23	8320.51	18	5	42	0.1	4	0	
53	A B	691.02	8320.36	14	4	51	0.1	4	0	
54	A B	691.8	8320.42	6	5	43	0.1	3	0	

Serial No.	Sample No.	LO-ORIGINATES		Cu	Pb	ELEMENTS		As	mu
		X	Y			Zn	Ag		
55	A B 43	691.82	8320.46	7	6	32	0.1	3	0
56	A B 44	691.73	8320.45	7	5	36	0.1	3	0
57	A B 45	691.48	8320.42	16	8	51	0.1	5	0
58	A B 46	691.26	8320.45	14	8	51	0.1	5	0
59	A B 47	690.93	8320.54	12	8	40	0.1	3	2
60	A B 48	690.72	8320.45	13	6	34	0.1	4	0
61	A B 49	691.01	8321.42	14	6	46	0.5	4	0
62	A B 50	689.97	8320.19	34	7	61	0.1	3	1
63	A B 51	689.78	8319.83	27	5	63	0.1	5	0
64	A B 52	689.78	8319.76	20	8	50	0.1	19	0
65	A B 53	689.50	8319.80	15	10	40	0.1	15	0
66	A B 54	689.44	8319.78	16	8	59	0.1	4	0
67	A B 55	689.40	8319.76	25	5	50	0.1	4	0
68	A B 56	689.43	8319.78	36	9	117	0.1	6	0
69	A B 57	689.30	8319.66	26	8	58	0.1	4	0
70	A B 58	689.08	8319.54	12	8	44	0.1	7	0
71	A B 59	688.66	8319.48	31	2	27	0.1	25	1
72	A B 60	687.90	8319.65	32	8	83	0.1	48	0
73	A B 61	687.80	8319.64	95	9	54	0.1	73	0
74	A B 62	687.42	8320.70	42	10	51	0.1	39	8
75	A B 63	687.21	8320.71	38	9	69	0.1	32	11
76	A B 64	687.12	8321.04	24	7	62	0.1	11	0
77	A B 65	687.32	8322.21	22	6	68	0.1	5	13
78	A B 66	687.28	8322.19	20	6	42	0.1	11	0
79	A B 67	685.54	8321.78	27	1	71	0.1	9	0
80	A B 68	685.43	8322.07	22	5	59	0.1	9	0
81	A B 69	684.56	8322.88	30	7	77	0.1	5	0
82	A B 70	683.89	8323.33	28	6	63	0.1	6	0
83	A B 71	683.73	8323.44	20	7	63	0.1	6	0
84	A C C 1	678.53	8326.40	96	7	121	1.0	14	21
85	A C C 2	677.70	8325.55	79	168	158	0.4	36	102
86	A C C 3	677.25	8324.70	20	9	63	0.1	7	27
87	A C C 4	677.41	8323.73	23	15	51	0.1	30	1
88	A C C 5	677.31	8323.27	12	2	86	0.1	6	0
89	A C C 6	677.52	8322.12	15	5	46	0.1	10	0
90	A C C 7	676.85	8321.48	15	6	64	0.1	16	0
91	A C C 8	677.08	8320.67	20	2	150	0.1	7	0
92	A C C 9	677.49	8320.15	31	8	61	0.1	7	0
93	A C C 10	677.10	8320.11	19	7	69	0.1	7	0
94	A C C 11	677.09	8319.97	20	7	62	0.1	7	2
95	A C C 12	676.57	8319.74	13	5	53	0.1	6	5
96	A C C 13	676.37	8319.60	20	8	57	0.1	4	0
97	A C C 14	676.33	8319.42	19	11	63	0.1	4	0
98	A C C 15	676.35	8319.27	23	6	55	0.1	6	0
99	A C C 16	676.35	8319.11	11	17	55	0.1	6	0
100	A C C 17	677.59	8324.30	11	19	63	0.1	4	0
101	A C C 18	677.66	8324.49	17	18	61	0.1	10	0
102	A C C 19	678.00	8325.00	22	16	80	0.1	10	0
103	A C C 20	677.96	8325.25	22	10	75	0.1	9	13
104	A C C 21	678.05	8325.52	27	7	126	0.1	7	4
105	A C C 22	678.15	8325.83	31	62	101	0.1	10	4
106	A C C 23	678.10	8326.21	31	22	148	0.1	14	2
107	A C C 24	678.06	8326.85	36	25	408	0.1	17	4
108	A C C 25	677.90	8327.28	33	20	79	0.1	15	1

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			Au
		X	Y				Ag	As		
109	A C 26	677.36	8327.32	35	10	54	0.1	14	1	
110	A C 27	677.35	8327.59	22	6	41	0.1	11	0	
111	A D 1	677.45	8316.80	23	8	64	0.1	10	0	
112	A D 2	677.82	8318.49	17	10	51	0.1	6	0	
113	A D 3	677.85	8318.62	12	5	61	0.1	4	0	
114	A D 4	677.64	8320.44	21	7	51	0.1	9	0	
115	A D 5	677.39	8321.66	16	7	50	0.1	7	0	
116	A D 6	677.14	8323.20	11	4	56	0.1	6	0	
117	A D 7	676.96	8323.31	13	6	73	0.1	6	0	
118	A D 8	677.99	8323.42	6	3	44	0.1	6	0	
119	A D 9	677.84	8324.24	19	3	84	0.1	6	0	
120	A D 10	678.71	8325.71	11	8	65	0.1	6	0	
121	A D 11	678.78	8325.98	47	36	94	0.2	24	4	
122	A D 12	679.06	8326.48	25	36	63	0.1	17	0	
123	A D 13	678.94	8326.78	18	12	89	0.1	11	0	
124	A D 14	679.27	8327.51	16	14	95	0.1	12	2	
125	A D 15	682.54	8324.59	12	13	62	0.1	4	4	
126	A D 16	682.59	8324.80	15	14	59	0.1	6	0	
127	A D 17	682.68	8325.73	12	25	75	0.1	6	0	
128	A D 18	682.49	8325.92	11	9	57	0.1	3	0	
129	A D 19	682.74	8326.32	13	18	61	0.1	3	0	
130	A D 20	683.50	8327.08	13	20	75	0.1	3	0	
131	A D 21	683.85	8327.25	14	8	63	0.1	2	0	
132	A D 22	695.07	8322.09	29	18	52	0.1	45	3	
133	A D 23	695.06	8322.25	16	9	33	0.1	22	2	
134	A D 24	695.00	8322.32	21	14	40	0.1	22	0	
135	A D 25	694.82	8322.45	20	13	75	0.1	43	0	
136	A D 26	694.72	8322.47	12	8	40	0.1	38	0	
137	A D 27	693.92	8322.40	11	6	61	0.1	5	0	
138	A D 28	693.79	8322.41	10	6	58	0.1	3	0	
139	A D 29	693.57	8322.08	10	7	40	0.1	4	0	
140	A D 30	693.05	8322.01	16	10	68	0.1	4	0	
141	A D 31	692.14	8321.76	19	10	61	0.1	6	7	
142	A D 32	690.83	8321.44	19	7	56	0.1	7	0	
143	A D 33	690.69	8321.46	20	10	63	0.1	11	0	
144	A D 34	690.45	8321.49	18	9	56	0.1	3	0	
145	A D 35	690.33	8321.45	6	4	23	0.1	3	0	
146	A D 36	689.93	8321.59	18	9	46	0.1	5	0	
147	A D 37	689.83	8321.64	13	6	35	0.1	5	0	
148	A D 38	689.71	8321.62	11	8	33	0.1	5	0	
149	A D 39	689.48	8321.67	12	11	36	0.1	5	0	
150	A D 40	689.39	8321.69	12	8	38	0.1	5	0	
151	A D 41	689.18	8321.66	10	12	36	0.1	11	0	
152	A D 42	688.80	8321.52	7	12	36	0.1	19	0	
153	A D 43	688.23	8322.70	18	14	51	0.1	5	0	
154	A D 44	688.19	8322.96	18	13	33	0.1	12	0	
155	A D 45	688.14	8323.12	15	12	29	0.1	6	2	
156	A D 46	691.96	8324.25	14	11	36	0.1	4	0	
157	A D 47	687.24	8324.64	14	7	35	0.1	9	0	
158	A D 48	687.65	8323.52	18	9	58	0.1	11	0	
159	A D 49	687.26	8323.51	17	10	47	0.1	11	0	
160	A D 50	687.09	8323.47	20	8	46	0.1	7	0	
161	A D 51	686.22	8323.09	14	9	53	0.1	7	0	
162	A D 52	685.10	8311.78	19	12	71	0.1	50	0	

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		As	Au
		X	Y				Ag			
163	A D 53	685.01	8311.83	21	17	71	0.1	0	20	0
164	A D 54	685.28	8311.91	23	11	56	0.1	0	29	0
165	A D 55	685.47	8312.30	27	12	111	0.1	0	48	0
166	A D 56	686.53	8313.29	17	10	31	0.1	0	59	0
167	A D 57	686.84	8313.22	17	10	37	0.1	0	41	0
168	A D 58	687.11	8313.33	20	9	45	0.1	0	25	0
169	A D 59	687.32	8313.22	24	9	44	0.1	0	14	0
170	A D 60	688.21	8312.58	30	12	69	0.1	0	9	0
171	A D 61	688.47	8313.05	26	10	73	0.1	0	6	0
172	A D 62	689.14	8313.12	26	15	54	0.1	0	8	0
173	A D 63	690.10	8311.94	38	13	80	0.1	0	10	0
174	A D 64	690.67	8311.93	30	11	83	0.1	0	12	0
175	A D 65	691.51	8311.87	24	11	54	0.1	0	9	0
176	A D 66	692.23	8312.01	22	11	52	0.2	0	6	0
177	A D 67	692.36	8311.95	13	5	46	0.1	0	4	0
178	A D 68	693.16	8311.60	20	3	43	0.1	0	4	0
179	A D 69	693.16	8311.60	18	6	49	0.1	0	4	0
180	A D 70	693.39	8311.80	18	15	47	0.1	0	11	0
181	A D 71	693.87	8311.28	10	13	60	0.1	0	6	0
182	A D 72	693.84	8311.14	19	14	57	0.1	0	9	0
183	A E E 1	679.83	8325.27	12	31	98	0.1	0	7	0
184	A E E 2	679.80	8326.08	26	20	55	0.1	0	22	0
185	A E E 3	681.98	8323.46	18	13	34	0.1	0	15	0
186	A E E 4	681.81	8323.82	14	16	56	0.1	0	45	0
187	A E E 5	681.90	8325.46	12	24	81	0.1	0	6	0
188	A E E 6	681.79	8325.73	10	8	81	0.1	0	4	0
189	A E E 7	681.76	8326.84	11	6	52	0.1	0	4	0
190	A E E 8	682.42	8323.42	21	18	62	0.1	0	22	0
191	A E E 9	682.42	8323.44	13	11	60	0.1	0	10	0
192	A E E 10	682.54	8323.27	21	14	66	0.1	0	10	0
193	A E E 11	682.43	8323.65	23	10	50	0.1	0	6	0
194	A E E 12	680.30	8323.69	22	20	53	0.1	0	19	0
195	A E E 13	680.14	8324.46	15	8	46	0.1	0	14	0
196	A E E 14	679.25	8326.65	17	12	126	0.1	0	14	0
197	A E E 15	679.69	8327.21	40	17	60	0.4	0	15	0
198	A E E 16	679.73	8327.34	22	16	55	0.1	0	24	0
199	A E E 17	679.89	8327.70	33	19	53	0.3	0	22	0
200	A E E 18	683.56	8321.92	31	17	72	0.1	0	15	0
201	A E E 19	683.56	8321.24	24	19	104	0.1	0	13	0
202	A E E 20	683.54	8320.59	25	73	152	0.2	0	1	0
203	A E E 21	683.42	8320.59	37	9	48	0.1	0	27	0
204	A E E 22	683.24	8320.04	28	17	47	0.1	0	35	0
205	A E E 23	683.34	8319.33	28	14	59	0.1	0	22	0
206	A E E 24	683.53	8319.33	25	9	38	0.1	0	23	0
207	A E E 25	683.56	8319.22	25	9	30	0.1	0	16	0
208	A E E 26	683.27	8318.73	12	97	8	0.5	0	5	0
209	A E E 27	683.93	8318.45	20	93	29	1.5	0	6	0
210	A E E 28	680.87	8314.59	31	66	37	0.1	0	153	0
211	A F F 1	679.20	8320.87	21	6	48	0.1	0	9	0
212	A F F 2	683.78	8323.34	20	4	63	0.1	0	10	0
213	A F F 3	683.82	8323.12	26	10	96	0.1	0	6	0
214	A F F 4	683.73	8323.38	35	18	106	0.1	0	6	0
215	A F F 5	683.73	8323.24	22	9	105	0.1	0	6	0
216	A F F 6	684.29	8321.62	23	15	105	0.1	0	11	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
217	A F 7	684.57	8321.30	27	26	35	0.1	15	3
218	A F 8	686.68	8321.21	15	13	30	0.1	14	0
219	A F 9	686.76	8321.26	23	13	58	0.1	19	0
220	A F 10	687.30	8320.75	28	12	69	0.1	45	1
221	A F 11	687.75	8320.08	22	9	51	0.1	81	6
222	A F 12	688.22	8319.46	18	6	74	0.1	10	0
223	A F 13	688.66	8319.42	25	7	46	0.1	45	0
224	A F 14	689.26	8319.27	22	7	55	0.1	7	0
225	A F 15	689.49	8319.34	14	7	34	0.1	11	0
226	A F 16	689.82	8319.24	27	12	32	0.1	19	2
227	A F 17	690.52	8319.00	28	12	60	0.1	11	0
228	A F 18	690.89	8318.73	18	8	55	0.1	19	0
229	A F 19	691.09	8318.55	24	8	55	0.1	4	0
230	A F 20	692.12	8317.86	22	9	98	0.1	5	0
231	A F 21	692.51	8318.31	21	7	72	0.1	4	0
232	A F 22	692.98	8318.33	10	3	31	0.1	3	0
233	A F 23	694.13	8318.64	15	4	42	0.1	2	0
234	A F 24	694.14	8318.86	15	7	44	0.1	2	0
235	A F 25	694.31	8319.54	10	5	32	0.1	4	0
236	A F 26	694.60	8319.89	22	2	91	0.1	2	54
237	A F 27	694.95	8320.05	27	2	64	0.1	2	0
238	A F 28	695.07	8319.78	23	9	55	0.1	2	0
239	A F 29	695.20	8319.49	20	6	49	0.1	4	0
240	A F 30	694.95	8319.31	12	8	26	0.1	4	0
241	A F 31	694.88	8318.34	12	3	43	0.1	2	0
242	A F 32	694.82	8318.01	17	6	40	0.1	2	0
243	A F 33	694.76	8317.90	37	13	86	0.1	5	9
244	A F 34	694.29	8316.63	33	8	67	0.1	5	0
245	A F 35	694.21	8316.37	16	4	53	0.1	3	0
246	A F 36	694.00	8316.14	32	8	64	0.1	6	1
247	A F 37	693.25	8315.54	31	9	75	0.1	7	14
248	A F 38	694.17	8314.69	30	12	82	0.1	9	0
249	A F 39	694.83	8312.37	17	10	45	0.1	5	0
250	A F 40	693.96	8312.37	32	5	39	0.1	3	2
251	A F 41	692.68	8312.88	32	3	129	0.1	3	0
252	A F 42	692.55	8312.91	36	4	59	0.1	3	0
253	A F 43	692.49	8313.05	30	4	96	0.1	4	0
254	A F 44	692.49	8313.17	32	6	86	0.1	4	0
255	A F 45	692.35	8313.39	32	8	94	0.1	4	0
256	A F 46	692.26	8313.78	31	8	76	0.1	4	0
257	A F 47	691.53	8314.33	26	4	36	0.1	5	0
258	A F 48	690.62	8315.89	23	12	56	0.1	7	0
259	A F 49	690.83	8316.72	22	11	48	0.1	9	0
260	A F 50	690.67	8317.46	30	5	41	0.1	5	0
261	A F 51	690.67	8317.48	32	10	65	0.1	5	0
262	A F 52	690.84	8317.75	36	5	47	0.1	6	1
263	A F 53	691.09	8317.52	18	10	73	0.1	7	2
264	A F 54	691.28	8318.02	21	9	63	0.1	1	0
265	A G 1	689.03	8310.72	25	1	68	0.1	9	0
266	A G 2	689.19	8311.03	24	8	74	0.1	7	0
267	A G 3	689.05	8311.69	25	17	89	0.1	2	0
268	A G 4	689.09	8312.05	20	7	68	0.1	6	0
269	A G 5	689.06	8312.35	21	13	65	0.1	6	0
270	A	689.06	8312.60	21	9	58	0.1	6	0



Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
271	A G 7	685.04	8311.57	32	27	48	0.1	53	0
272	A G 8	684.93	8311.70	31	9	55	0.1	23	0
273	A G 9	684.87	8311.77	35	1	76	0.1	4	0
274	A G 10	679.39	8326.18	17	11	47	0.1	11	0
275	A G 11	679.45	8325.94	35	2	58	0.1	3	0
276	A G 12	679.49	8325.70	24	22	50	0.1	12	0
277	A G 13	679.42	8325.42	23	13	55	0.1	22	6
278	A G 14	679.44	8325.16	23	13	54	0.1	51	8
279	A G 15	679.21	8324.72	18	10	49	0.1	20	2
280	A G 16	679.32	8324.83	20	12	53	0.1	20	3
281	A G 17	679.23	8324.59	27	14	49	0.1	12	9
282	A G 18	679.13	8324.49	26	13	61	0.1	41	8
283	A G 19	679.02	8324.40	41	9	56	0.1	24	3
284	A G 20	678.93	8324.23	20	11	47	0.1	12	0
285	A G 21	678.82	8324.01	19	12	64	0.1	9	0
286	A G 22	678.83	8323.81	22	8	54	0.1	11	0
287	A G 23	678.86	8323.61	21	8	63	0.1	11	0
288	A G 24	678.88	8323.37	26	10	59	0.1	15	0
289	A G 25	678.72	8323.63	19	34	216	0.2	14	0
290	A G 26	679.32	8325.12	15	19	137	0.1	16	0
291	A I 1	679.29	8324.99	14	21	144	0.1	11	0
292	A I 2	678.60	8324.14	16	6	68	0.1	12	0
293	A I 3	678.62	8323.53	12	4	43	0.1	6	0
294	A I 4	678.83	8322.75	15	12	103	0.1	14	0
295	A I 5	679.25	8321.08	16	14	121	0.1	16	0
296	A I 6	679.05	8320.65	14	5	34	0.1	5	0
297	A K 1	679.83	8325.29	18	11	39	0.1	30	0
298	A K 2	679.98	8324.99	27	10	61	0.1	27	0
299	A K 3	682.69	8323.44	18	5	53	0.1	17	0
300	A K 4	681.91	8323.57	19	13	46	0.1	12	0
301	A K 5	681.91	8324.83	13	12	40	0.1	5	0
302	A K 6	681.54	8327.04	25	10	49	0.1	15	0
303	A K 7	681.37	8323.08	24	14	105	0.1	17	0
304	A K 8	680.66	8323.48	20	13	104	0.1	9	0
305	A K 9	680.07	8324.12	25	13	72	0.1	11	0
306	A K 10	680.10	8324.69	21	16	51	0.1	14	0
307	A K 11	679.80	8327.55	17	8	58	0.1	20	0
308	A K 12	679.97	8327.55	14	13	43	0.1	46	0
309	A K 13	683.55	8321.70	33	38	78	0.3	23	3
310	A K 14	683.50	8321.08	33	22	79	0.2	23	3
311	A K 15	683.21	8320.45	27	16	49	0.2	25	3
312	A K 16	683.28	8320.13	32	15	53	0.1	16	0
313	A K 17	683.45	8319.41	13	4	29	0.2	20	0
314	A K 18	683.54	8319.05	24	21	48	0.2	20	0
315	A K 19	683.34	8318.58	35	15	25	0.1	20	0
316	A K 20	683.24	8318.22	35	19	25	0.1	59	0
317	A K 21	680.83	8314.43	52	70	90	1.5	57	10
318	B A 1	708.47	8316.04	28	4	78	0.1	10	0
319	B A 2	707.97	8315.75	19	7	85	0.1	2	0
320	B A 3	707.82	8315.56	44	9	108	0.1	6	0
321	B A 4	706.90	8314.64	18	7	63	0.1	3	0
322	B A 5	706.67	8314.52	20	3	80	0.1	1	0
323	B A 6	705.77	8314.17	16	2	73	0.1	1	0
324	B A 7	705.52	8314.11	21	6	84	0.1	3	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		Au
		X	Y				Ag	As	
325	B A 8	704.64	8313.37	18	8	62	0.1	3	0
326	B A 9	704.49	8313.26	10	9	73	0.1	2	0
327	B A 10	701.47	8310.58	17	6	53	0.1	2	0
328	B A 11	701.28	8308.54	22	15	75	0.1	4	0
329	B A 12	701.16	8308.46	21	13	58	0.1	4	0
330	B A 13	701.55	8308.05	36	10	44	0.1	24	0
331	B A 14	700.51	8307.72	27	17	48	0.1	16	12
332	B A 15	700.37	8307.83	26	8	65	0.1	3	0
333	B A 16	700.22	8307.78	25	9	58	0.1	6	0
334	B A 17	700.28	8307.67	18	9	52	0.1	6	0
335	B A 18	700.33	8307.32	37	44	50	0.2	11	9
336	B A 19	699.55	8306.96	21	14	34	0.1	7	0
337	B A 20	699.19	8306.18	30	15	90	0.1	5	0
338	B A 21	699.24	8305.92	25	10	75	0.1	5	0
339	B A 22	698.50	8305.95	13	11	38	0.1	5	0
340	B A 23	698.31	8305.90	20	12	38	0.1	3	0
341	B A 24	698.25	8304.32	36	5	52	0.1	3	0
342	B A 25	697.59	8303.84	38	4	60	0.1	4	0
343	B A 26	698.64	8303.98	35	6	55	0.1	4	0
344	B A 27	698.76	8303.99	35	5	54	0.1	4	0
345	B A 28	699.27	8304.15	32	6	50	0.1	5	0
346	B A 29	700.09	8304.32	27	11	66	0.1	7	19
347	B A 30	700.91	8305.40	31	11	46	0.1	7	19
348	B B 1	705.05	8307.39	38	50	125	0.6	71	38
349	B B 2	705.83	8307.40	26	22	100	0.1	29	5
350	B B 3	705.63	8307.43	26	33	82	0.1	45	10
351	B B 4	704.56	8307.65	17	23	112	0.2	16	9
352	B B 5	704.74	8307.68	27	20	105	0.2	27	6
353	B B 6	703.77	8308.01	23	53	275	1.6	188	18
354	B B 7	703.77	8307.93	24	52	188	0.1	125	16
355	B B 8	703.72	8307.96	20	30	140	0.1	9	0
356	B B 9	703.60	8307.79	17	12	100	0.1	5	0
357	B B 10	703.26	8307.75	29	48	158	0.1	6	0
358	B B 11	703.30	8307.65	20	12	76	0.1	2	0
359	B B 12	703.34	8307.64	20	10	60	0.2	4	0
360	B B 13	703.41	8307.49	19	12	96	0.1	2	0
361	B B 14	703.50	8307.01	31	12	118	0.1	4	0
362	B B 15	702.55	8306.72	26	33	115	0.1	4	8
363	B B 16	702.40	8305.69	33	31	135	0.1	7	0
364	B B 17	701.27	8305.98	30	13	68	0.1	10	0
365	B B 18	700.47	8305.78	25	13	82	0.1	4	130
366	B B 19	700.32	8305.67	28	30	73	0.3	10	429
367	B B 20	700.25	8305.90	25	13	80	0.1	4	181
368	B B 21	700.64	8305.83	31	24	70	0.1	15	8
369	B B 22	701.29	8305.77	21	19	52	0.1	15	15
370	B B 23	701.10	8305.70	31	27	108	0.3	32	22
371	B B 24	701.09	8305.30	37	25	37	0.2	11	226
372	B B 25	701.05	8305.25	26	25	35	0.1	16	78
373	B B 26	701.08	8305.19	29	26	53	0.1	23	37
374	B B 27	701.07	8305.12	45	26	72	0.6	23	182
375	B B 28	701.07	8305.05	36	100	155	1.4	23	850
376	B B 29	700.78	8304.26	21	52	80	0.3	31	31
377	B B 30	700.79	8304.17	41	55	133	0.7	24	169
378	B B 31	701.43	8305.73	52	610	190	0.6	16	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			As	Au
		X	Y				Ag	Pb	Au		
379	B B 32	708.54	8304.92	27	13	68	0.1	12	1	1	
380	B B 33	708.50	8304.82	38	16	72	0.2	7	0	0	
381	B B 34	708.59	8304.65	30	4	42	0.1	2	0	0	
382	B B 35	708.46	8304.60	25	37	75	0.2	25	9	0	
383	B B 36	708.49	8304.41	23	7	53	0.1	5	0	0	
384	B B 37	708.57	8304.41	40	6	48	0.1	5	0	0	
385	B B 38	708.26	8304.36	40	3	51	0.1	3	0	0	
386	B B 39	708.11	8304.17	34	4	61	0.1	3	0	0	
387	B B 40	708.12	8304.09	24	4	36	0.1	3	0	0	
388	B B 41	708.08	8304.06	30	4	52	0.1	4	0	0	
389	B B 42	707.59	8303.92	39	70	48	0.9	71	147	0	
390	B B 43	707.93	8303.80	28	21	41	0.3	23	2	3	
391	B B 44	707.72	8302.87	25	36	70	0.1	22	3	1	
392	B B 45	707.73	8302.72	23	13	62	0.1	6	5	0	
393	B B 46	707.73	8302.62	17	10	71	0.1	5	0	0	
394	B B 47	707.59	8302.62	18	6	50	0.1	5	0	0	
395	B B 48	707.25	8302.23	15	8	68	0.1	6	0	0	
396	B B 49	707.16	8302.15	15	7	60	0.1	6	15	0	
397	B B 50	707.06	8301.80	18	7	145	0.1	27	3	0	
398	B B 51	707.25	8301.85	30	35	45	0.1	4	0	0	
399	B B 52	708.78	8300.04	29	5	60	0.2	5	0	0	
400	B B 53	708.29	8299.97	36	10	66	0.1	7	0	0	
401	B B 54	708.29	8299.84	42	10	66	0.1	9	0	0	
402	B B 55	707.33	8300.10	39	9	88	0.1	7	0	0	
403	B B 56	707.35	8299.94	23	2	47	0.1	2	0	0	
404	B B 57	706.04	8299.83	30	2	425	0.1	4	4	0	
405	B B 58	705.94	8299.64	50	8	48	0.1	4	0	0	
406	B B 59	705.84	8299.66	21	15	100	0.1	4	0	0	
407	B B 60	705.87	8299.59	20	37	115	0.2	10	3330	7	
408	B B 61	706.51	8299.09	284	58	107	0.2	7	27	0	
409	B B 62	706.66	8298.69	119	14	82	0.1	7	0	0	
410	B B 63	706.69	8297.89	21	16	108	0.1	6	0	0	
411	B B 64	706.83	8297.61	27	9	43	0.1	1	0	0	
412	B B 65	706.88	8297.48	32	5	48	0.1	3	0	0	
413	B B 66	706.15	8300.18	22	4	130	0.1	24	0	0	
414	B B 67	706.23	8300.40	27	2	84	0.1	7	0	0	
415	B B 68	706.67	8300.55	65	30	335	0.1	22	0	0	
416	B B 69	706.75	8301.02	47	14	350	0.2	23	0	0	
417	B B 70	706.84	8301.13	40	14	280	0.1	29	0	0	
418	B B 71	707.99	8301.23	44	23	205	0.1	14	0	0	
419	B B 72	707.79	8300.09	38	8	68	0.1	6	0	0	
420	B B 73	707.83	8300.23	43	8	60	0.1	6	0	0	
421	B B 74	707.91	8300.61	36	8	64	0.1	9	1	0	
422	B B 75	707.94	8301.11	44	9	83	0.1	16	0	0	
423	B B 76	708.07	8301.21	25	5	50	0.1	4	0	0	
424	B B 77	708.20	8301.73	43	3	43	0.1	5	0	0	
425	B B 78	708.72	8301.95	31	1	155	0.1	1	0	0	
426	B B 79	709.14	8302.22	28	11	80	0.2	1	0	0	
427	B B 80	708.02	8304.84	19	25	87	0.1	27	18	0	
428	B B 81	707.32	8303.55	42	23	110	0.1	20	0	0	
429	B B 82	707.13	8303.40	35	15	75	0.1	15	0	0	
430	B B 83	706.50	8303.26	38	20	65	0.1	12	3	0	
431	B B 84	706.83	8303.19	25	19	35	0.1	36	22	0	
432	B B 85	706.72	8303.20	34	14	50	0.6	10	4	131	
432	B B 86	706.55	8303.14	30	25	103	0.2	41	0	0	

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			As	Au
		X	Y				Ag				
433	B D 8	706.98	8303.18	28	95	197	0.7		39	5	
434	B D 9	707.45	8303.32	26	16	60	0.1		30	0	
435	B D 10	707.57	8303.37	27	73	490	0.1		7	244	
436	B D 11	707.67	8302.86	31	27	95	0.1		23	8	
437	B D 12	707.44	8302.75	27	40	125	0.2		19	55	
438	B D 13	707.18	8302.34	39	23	105	0.1		23	2	
439	B D 14	707.30	8302.36	18	7	75	0.1		9	0	
440	B D 15	705.70	8301.86	33	16	78	0.1		19	2	
441	B D 16	705.51	8301.64	54	24	225	0.1		39	1	
442	B D 17	706.62	8301.67	17	16	115	0.1		9	0	
443	B D 18	706.38	8301.48	29	10	155	0.1		9	0	
444	B D 19	706.33	8301.36	50	18	390	0.3		12	0	
445	B D 20	706.14	8300.77	54	17	375	0.1		50	10	
446	B D 21	706.04	8300.49	47	33	310	0.2		41	0	
447	B D 22	705.82	8299.96	21	28	100	0.3		110	0	
448	B D 23	705.75	8299.56	82	28	360	0.1		38	17	
449	B D 24	705.76	8299.46	151	67	360	0.1		59	4	
450	B D 25	705.87	8299.33	325	64	155	0.5		125	14	
451	B D 26	705.87	8299.43	20	19	145	0.1		110	38	
452	B D 27	707.42	8303.95	47	37	100	0.1		9	0	
453	B D 28	707.64	8304.23	46	25	172	0.1		22	0	
454	B D 29	707.55	8304.37	73	64	180	0.7		9	2	
455	B D 30	707.67	8304.57	29	13	43	0.1		16	11	
456	B D 31	707.71	8304.74	31	11	45	0.1		12	0	
457	B D 32	707.68	8305.14	25	56	230	0.4		7	0	
458	B D 33	707.82	8305.09	33	180	158	1.2		36	86	
459	B D 34	708.10	8305.21	32	54	150	0.3		218	2	
460	B D 35	708.32	8305.29	38	17	31	0.2		45	36	
461	B D 36	708.45	8305.36	52	28	43	0.3		57	26	
462	B D 37	708.16	8304.71	17	15	110	0.1		69	7	
463	B D 38	708.82	8305.31	20	18	73	0.1		11	0	
464	B D 39	709.06	8305.44	17	25	70	0.1		22	9	
465	B E 1	706.26	8301.26	46	19	440	0.1		61	2	
466	B E 2	706.24	8301.17	44	32	300	0.1		61	0	
467	B E 3	705.19	8301.07	62	13	400	0.1		20	0	
468	B E 4	705.18	8300.95	78	23	780	0.1		26	2	
469	B E 5	705.92	8300.04	16	12	85	0.1		48	0	
470	B E 6	706.06	8299.84	54	33	715	0.7		7	4	
471	B E 7	705.49	8300.14	45	16	350	0.3		195	0	
472	B E 8	705.44	8300.21	22	29	115	0.3		45	0	
473	B E 9	705.78	8300.16	60	16	410	0.1		36	1	
474	B E 10	705.38	8300.40	45	19	180	0.1		36	0	
475	B E 11	705.01	8300.42	52	12	245	0.1		25	0	
476	B E 12	704.67	8300.48	51	12	315	0.1		27	0	
477	B E 13	704.50	8300.43	48	10	205	0.1		17	0	
478	B E 14	704.26	8300.54	45	13	190	0.1		20	0	
479	B E 15	704.05	8300.59	46	19	200	0.1		23	0	
480	B E 16	703.92	8300.82	70	22	290	0.1		23	0	
481	B E 17	703.65	8301.19	52	22	225	0.1		20	0	
482	B E 18	703.50	8301.31	47	27	120	0.1		19	0	
483	B E 19	703.41	8301.36	39	24	110	0.1		19	0	
484	B E 20	703.30	8301.64	42	24	220	0.1		19	0	
485	B E 21	703.22	8301.99	40	18	220	0.1		19	0	
486	B F 1	697.16	8315.29	30	12	76	0.1		10	0	

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
487	B F 2	696.99	8315.24	32	11	78	0.1	0	0
488	B F 3	697.33	8315.33	24	8	63	0.1	0	0
489	B F 4	698.04	8315.19	35	8	71	0.1	0	0
490	B F 5	698.51	8315.37	25	5	83	0.1	0	2
491	B F 6	698.94	8315.36	13	6	36	0.1	0	0
492	B F 7	699.11	8315.44	17	8	51	0.1	0	0
493	B F 8	697.75	8315.09	23	10	50	0.1	0	0
494	B F 9	697.49	8314.96	18	9	36	0.1	0	4
495	B F 10	697.16	8314.42	31	9	65	0.1	0	0
496	B F 11	696.99	8314.09	9	6	45	0.1	0	0
497	B F 12	696.94	8313.68	11	8	32	0.1	0	0
498	B F 13	696.98	8313.72	9	8	34	0.1	0	0
499	B F 14	697.20	8313.47	9	9	38	0.1	0	0
500	B F 15	697.14	8313.17	16	8	42	0.1	0	0
501	B F 16	698.26	8301.65	34	10	47	0.1	25	0
502	B F 17	698.38	8300.96	37	19	43	0.1	158	5
503	B F 18	698.45	8300.78	41	10	41	0.1	5	0
504	B F 19	698.43	8300.52	47	10	63	0.1	430	0
505	B F 20	698.56	8300.03	32	10	21	0.1	1	0
506	B F 21	698.59	8299.78	45	11	47	0.1	22	7
507	B F 22	698.48	8299.40	36	13	20	0.1	0	0
508	B F 23	698.84	8298.84	26	16	18	0.1	0	4
509	B F 24	699.19	8298.22	36	30	30	0.1	6	0
510	B F 25	697.79	8300.59	34	12	46	0.1	12	7
511	B G 1	707.87	8305.84	41	46	115	0.4	127	0
512	B G 2	707.75	8305.87	48	38	105	0.2	84	0
513	B G 3	707.62	8306.38	50	52	95	0.3	20	0
514	B G 4	707.38	8306.75	63	42	155	0.3	54	0
515	B G 5	707.27	8306.92	46	37	83	0.2	50	0
516	B G 6	707.05	8307.07	38	46	145	0.4	9	0
517	B G 7	706.53	8307.17	30	37	93	0.7	41	0
518	B G 8	706.44	8307.26	41	72	150	0.9	219	0
519	B G 9	705.90	8307.75	55	112	220	1.1	85	0
520	B G 10	705.49	8309.27	94	80	203	1.1	340	0
521	B G 11	705.32	8309.56	96	140	250	1.3	66	0
522	B G 12	704.90	8309.33	13	10	60	1.7	25	0
523	B G 13	704.10	8308.73	17	10	95	0.1	14	0
524	B G 14	704.95	8310.09	19	12	38	0.1	10	0
525	B G 15	703.78	8310.64	22	20	90	1.4	3	0
526	B G 16	703.70	8310.58	64	19	130	0.1	17	0
527	B G 17	703.22	8310.81	13	15	82	0.1	15	0
528	B G 18	702.86	8310.86	13	11	115	0.1	39	0
529	B G 19	702.78	8310.76	13	7	75	0.1	0	0
530	B G 20	702.62	8310.81	14	5	53	0.1	0	0
531	B G 21	702.62	8310.71	14	7	62	0.1	0	0
532	B G 22	701.89	8310.72	22	9	58	0.1	0	0
533	B G 23	701.97	8310.63	23	9	47	0.1	0	0
534	B G 24	702.10	8310.94	9	7	42	0.1	0	0
535	B G 25	701.98	8311.13	13	8	43	0.1	0	0
536	B G 26	702.56	8311.63	22	8	48	0.1	0	0
537	B G 27	703.11	8312.08	21	9	64	0.1	0	0
538	B G 28	703.03	8312.28	18	9	48	0.1	0	0
539	B G 29	703.29	8312.28	13	8	65	0.1	0	0
540	B G 30	703.52	8312.58	15	6	54	0.1	0	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			Au
		X	Y				Ag	As	Au	
541	B G G 31	703.51	8312.75	11	5	55	0.1	1	0	0
542	B G G 32	703.90	8312.61	11	9	120	0.1	1	0	0
543	B G G 33	704.12	8312.84	13	4	48	0.1	1	0	0
544	B G G 34	706.97	8313.85	21	6	58	0.1	1	0	0
545	B G G 35	706.58	8313.37	34	8	52	0.1	5	0	0
546	B G G 36	706.59	8312.96	17	7	50	0.1	2	0	0
547	B G G 37	707.43	8311.95	21	12	88	0.1	5	18	0
548	B G G 38	707.64	8311.75	45	20	73	0.1	27	2	0
549	B G G 39	708.15	8311.47	30	16	58	0.1	27	2	0
550	B G G 40	708.27	8311.04	26	18	55	0.1	36	5	0
551	B G G 41	707.92	8310.24	17	21	72	0.1	36	2	0
552	B G G 42	707.75	8309.79	25	25	85	0.1	36	11	0
553	B G G 43	707.40	8309.63	23	38	94	0.1	36	14	0
554	B G G 44	706.91	8309.36	144	54	158	0.5	43	8	0
555	B G G 45	706.63	8309.16	107	49	120	0.3	77	79	0
556	B G G 46	706.07	8308.79	44	27	115	0.1	24	4	0
557	B G G 47	706.26	8308.67	38	35	112	0.1	23	1	0
558	B G G 48	706.96	8308.89	63	34	122	0.1	29	4	0
559	B G G 49	708.88	8304.82	18	17	50	0.2	39	12	0
560	B G G 50	708.82	8304.48	32	22	68	0.1	17	0	0
561	B G G 51	708.65	8304.34	28	25	57	0.1	14	0	0
562	B G G 52	708.56	8304.14	23	46	43	0.1	14	0	0
563	B G G 53	708.90	8303.33	27	18	42	0.1	12	3	0
564	B G G 54	708.24	8305.25	29	82	76	0.1	33	17	0
565	B I I 1	706.89	8288.21	53	8	58	0.1	6	1	0
566	B I I 2	706.95	8287.44	111	5	52	0.1	9	27	0
567	B I I 3	706.61	8287.68	109	16	45	0.1	9	0	0
568	B I I 4	706.45	8288.13	59	8	112	0.1	12	2	0
569	B I I 5	705.48	8289.32	175	8	55	0.1	7	2	0
570	B I I 6	704.78	8290.55	271	21	88	0.1	7	2	0
571	B I I 7	704.76	8290.52	450	72	620	0.6	10	23	0
572	B I I 8	704.82	8291.00	530	46	340	0.3	19	11	0
573	B I I 9	704.85	8292.13	500	24	218	0.2	9	27	0
574	B I I 10	704.97	8293.05	88	120	368	0.2	75	27	0
575	B I I 11	704.97	8293.17	78	223	410	0.5	160	221	0
576	B I I 12	704.10	8294.41	21	14	87	0.1	14	0	0
577	B I I 13	704.65	8293.72	81	10	55	0.1	5	8	0
578	B I I 14	705.00	8291.87	65	3	54	0.1	3	15	0
579	B I I 15	705.46	8289.59	23	27	130	0.1	5	15	0
580	B I I 16	705.49	8288.46	35	31	125	0.1	5	15	0
581	B I I 17	706.79	8287.33	38	20	95	0.1	17	37	0
582	B I I 18	705.83	8289.39	52	30	192	0.1	15	37	0
583	B I I 19	704.40	8294.39	30	62	170	0.1	20	63	0
584	B I I 20	704.81	8293.72	54	22	198	0.1	19	2	0
585	B I I 21	705.23	8293.14	19	22	60	0.1	20	7	0
586	B I I 22	706.43	8288.99	46	1	48	0.1	5	14	0
587	B I I 23	707.22	8292.26	30	6	110	0.1	3	0	0
588	B I I 24	708.12	8293.56	40	11	62	0.1	7	0	0
589	B I I 25	708.11	8293.80	33	8	46	0.1	5	0	0
590	B I I 26	708.34	8294.23	36	9	52	0.1	7	0	0
591	B I I 27	708.72	8294.48	34	10	52	0.1	6	0	0
592	B I I 28	708.75	8294.96	33	6	55	0.1	6	0	0
593	B I I 29	708.79	8295.27	33	8	48	0.1	5	0	0
594	B I I 30	739.71	8328.03	23	2	63	0.2	1	0	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			As	Au
		X	Y				Ag	Ag	Ag		
595	C A 2	739.54	8327.45	40	7	51	0.1	17	2		
596	C A 3	739.52	8327.52	24	7	56	0.2	11	0		
597	C A 4	739.35	8325.50	65	9	68	0.3	11	0		
598	C A 5	738.27	8325.00	42	2	43	0.2	9	0		
599	C A 6	737.70	8325.22	21	2	55	0.2	4	0		
600	C A 7	737.35	8325.35	21	3	69	0.3	6	0		
601	C A 8	736.65	8324.95	234	3	46	0.3	15	4		
602	C A 9	736.19	8324.91	30	1	90	0.3	10	0		
603	C A 10	735.37	8324.54	19	2	81	0.2	6	0		
604	C A 11	734.67	8324.42	14	2	97	0.2	3	0		
605	C A 12	741.18	8323.48	7	2	36	0.1	3	0		
606	C B 1	740.23	8328.66	12	3	138	0.1	5	0		
607	C B 2	740.48	8329.69	17	6	542	0.1	1	0		
608	C B 3	740.46	8330.00	10	1	86	0.1	2	0		
609	C B 4	740.81	8331.04	13	2	165	0.2	4	0		
610	C B 5	741.23	8331.22	8	3	100	0.1	6	0		
611	C B 6	742.61	8330.15	12	1	38	0.1	2	0		
612	C B 7	741.32	8329.31	19	10	45	0.1	4	26		
613	C B 8	740.64	8327.38	22	7	66	0.1	5	0		
614	C B 9	740.59	8326.76	11	1	51	0.1	1	0		
615	C B 10	734.46	8328.79	11	3	157	0.1	1	75		
616	C B 11	734.46	8329.27	13	4	141	0.1	1	0		
617	C B 12	734.54	8329.57	12	1	247	0.1	2	0		
618	C B 13	732.85	8329.64	12	4	41	0.1	2	0		
619	C B 14	732.85	8326.67	9	14	76	0.1	20	127		
620	C B 15	732.22	8327.77	8	9	102	0.8	6	1640		
621	C B 16	732.84	8327.08	7	8	64	0.8	5	480		
622	C B 17	732.76	8327.52	17	42	71	1.2	45	5		
623	C B 18	732.86	8327.53	6	25	21	0.3	3	21		
624	C B 19	732.46	8327.66	20	25	86	1.1	35	16		
625	C B 20	732.44	8327.52	17	51	61	2.1	50	2830		
626	C B 21	732.81	8326.40	13	20	55	0.1	7	111		
627	C B 22	732.59	8326.19	12	15	89	4.1	15	338		
628	C B 23	732.56	8325.98	18	24	90	2.2	53	173		
629	C B 24	732.40	8325.87	13	19	74	0.3	29	9		
630	C B 25	732.46	8325.50	13	21	95	3.3	16	258		
631	C B 26	732.45	8325.25	24	18	77	3.5	18	187		
632	C B 27	732.53	8325.00	21	18	69	1.0	65	298		
633	C B 28	732.44	8324.63	30	11	90	0.8	44	2		
634	C B 29	732.00	8324.86	15	8	47	0.1	24	2		
635	C B 30	731.88	8324.98	11	16	61	0.1	12	0		
636	C B 31	731.87	8324.95	10	21	87	0.1	26	0		
637	C B 32	732.11	8325.02	19	18	95	2.8	36	102		
638	C C 1	739.88	8328.55	24	3	52	0.6	7	28		
639	C C 2	739.98	8329.32	24	1	89	0.1	4	2		
640	C C 3	740.46	8329.00	19	2	62	0.1	3	0		
641	C C 4	740.95	8329.31	15	2	77	0.1	3	0		
642	C C 5	740.17	8330.21	9	3	47	0.1	4	0		
643	C C 6	740.21	8330.77	22	2	91	0.2	4	0		
644	C C 7	740.29	8331.14	23	2	82	0.1	2	0		
645	C C 8	740.38	8331.16	8	3	47	0.1	3	0		
646	C C 9	740.23	8331.38	9	1	63	0.1	3	0		
647	C C 10	737.58	8323.38	7	1	50	0.1	3	0		
648	C C 11	736.85	8323.89	4	1	12	0.1	3	0		

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			Au
		X	Y				Ag	As	Au	
649	C	738.62	8324.06	10	2	62	0.1	3	0	0
650	C	735.75	8327.89	14	3	73	0.1	5	0	0
651	C	736.05	8327.89	21	1	53	0.1	5	0	0
652	C	736.63	8328.01	19	5	39	0.1	3	0	0
653	C	736.99	8327.76	31	6	53	0.1	2	0	0
654	C	737.25	8327.29	26	3	56	0.1	3	0	0
655	C	732.33	8331.96	11	6	84	0.2	10	188	0
656	C	733.33	8332.47	8	3	180	0.4	7	53	0
657	C	733.81	8333.29	10	4	83	0.1	12	1220	0
658	C	733.70	8333.37	8	6	83	0.1	12	0	0
659	C	733.70	8333.61	7	7	110	0.7	4	9	0
660	C	733.79	8333.59	14	10	76	0.1	14	75	0
661	C	733.67	8334.00	16	7	78	0.1	4	42	0
662	C	733.54	8333.94	10	7	66	0.1	12	0	0
663	C	733.86	8334.46	8	7	68	0.1	4	5	0
664	C	733.77	8334.47	10	7	68	0.1	6	0	0
665	C	734.94	8335.05	7	10	58	0.1	4	29	0
666	C	735.24	8336.24	7	4	72	0.1	4	0	0
667	C	735.08	8336.50	8	8	57	0.1	3	0	0
668	C	735.56	8336.32	8	8	52	0.1	4	0	0
669	C	735.67	8335.41	12	3	55	0.1	9	0	0
670	C	735.27	8335.42	17	9	85	0.1	11	0	0
671	C	735.67	8334.97	8	6	73	0.1	12	0	0
672	C	735.37	8335.04	8	6	121	0.1	20	0	0
673	C	735.26	8334.79	10	11	85	0.1	25	0	0
674	C	735.34	8334.71	13	12	80	0.1	33	0	0
675	C	734.61	8333.84	21	9	46	0.1	1	95	0
676	C	734.56	8333.93	9	6	69	0.1	3	0	0
677	C	734.50	8332.49	13	3	52	0.2	3	0	0
678	C	732.80	8322.50	46	2	152	0.1	2	0	0
679	C	733.20	8322.96	12	2	40	0.1	3	0	0
680	C	733.82	8324.43	8	4	68	0.1	2	0	0
681	C	734.47	8324.89	12	3	50	0.1	2	0	0
682	C	742.87	8329.64	23	4	51	0.1	2	0	0
683	C	743.03	8329.76	18	6	60	0.1	3	0	0
684	C	740.85	8326.21	10	6	58	0.1	3	0	0
685	E	740.79	8324.76	9	5	41	0.1	2	0	0
686	E	738.53	8323.92	8	5	44	0.1	2	0	0
687	E	737.68	8324.43	12	10	71	0.1	5	0	0
688	E	735.11	8323.91	15	3	62	0.1	6	0	0
689	E	734.82	8324.19	23	3	55	0.1	7	840	0
690	E	733.52	8322.14	29	6	61	0.1	4	0	0
691	E	741.37	8331.62	12	6	52	0.1	1	0	0
692	F	741.93	8332.11	20	9	68	0.1	1	0	0
693	G	743.62	8326.70	15	8	44	0.1	1	0	0
694	G	736.48	8326.76	15	3	101	0.1	1	15	0
695	G	734.50	8327.81	20	3	40	0.1	1	0	0
696	G	733.57	8327.82	12	4	31	0.1	1	0	0
697	G	742.36	8327.76	16	4	52	0.1	1	0	0
698	G	742.41	8327.50	3	8	26	0.1	1	0	0
699	G	743.59	8326.72	16	1	54	0.1	1	0	0
700	G	742.62	8326.40	12	1	60	0.1	1	0	0
701	C	732.61	8328.40	11	2	55	0.1	1	0	0
702	C	732.69	8328.57	6	6	50	0.1	1	0	0



Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			As	Au
		X	Y				Ag				
703	CG 11	732.77	8328.72	4	1	170	0.1	0	1	0	
704	CG 12	733.40	8328.24	19	3	99	0.1	29	2	0	
705	CG 13	734.05	8328.33	13	3	68	0.1	0	3	0	
706	CG 14	732.27	8329.27	7	4	225	0.1	0	2	0	
707	CG 15	732.29	8329.37	5	3	135	0.1	0	1	0	
708	CG 16	732.10	8329.56	7	3	90	0.1	0	2	0	
709	CG 17	731.59	8333.69	20	11	113	0.1	41	45	0	
710	CG 18	731.80	8334.01	8	14	48	0.1	0	16	0	
711	CG 19	731.87	8334.25	28	8	115	0.1	67	110	0	
712	CG 20	731.87	8334.49	21	10	85	0.1	94	35	0	
713	CG 21	731.70	8334.68	17	14	75	0.1	31	48	0	
714	CG 22	732.44	8334.63	28	13	91	0.1	261	190	0	
715	CG 23	732.19	8336.13	19	14	74	0.1	179	27	0	
716	CG 24	732.11	8336.04	22	10	69	0.1	0	12	0	
717	CG 25	732.06	8335.61	22	8	67	0.1	0	12	0	
718	CG 26	730.82	8335.75	8	10	41	0.1	0	5	0	
719	CG 27	729.64	8336.01	16	11	64	0.1	0	29	0	
720	CG 28	732.09	8335.65	13	13	58	0.1	0	29	0	
721	CG 29	729.27	8337.46	13	11	58	0.1	0	25	0	
722	CG 30	729.25	8337.71	13	10	59	0.1	0	5	0	
723	CG 31	729.31	8338.03	15	10	60	0.1	0	4	0	
724	CG 32	729.66	8338.05	15	5	63	0.1	0	4	0	
725	CG 33	731.95	8337.32	14	10	72	0.1	0	6	0	
726	CG 34	729.45	8338.13	12	12	54	0.1	0	5	0	
727	CG 35	729.67	8339.54	8	8	46	0.1	0	3	0	
728	CG 36	730.06	8339.29	15	10	75	0.1	0	9	0	
729	CG 37	730.28	8339.22	12	8	66	0.1	0	10	0	
730	CG 38	730.41	8339.55	18	12	115	0.1	0	27	0	
731	CG 39	729.09	8339.33	21	10	88	0.1	0	16	0	
732	CG 40	730.62	8339.01	16	15	89	0.1	0	63	0	
733	CG 41	731.14	8338.70	19	14	71	0.1	0	57	0	
734	CG 42	730.76	8338.84	15	13	57	0.1	0	10	0	
735	CG 43	728.59	8340.04	20	9	93	0.1	0	5	0	
736	CG 44	724.57	8312.49	8	8	210	0.1	0	5	0	
737	CG 45	728.42	8340.90	3	6	23	0.1	0	2	0	
738	CG 46	727.20	8339.46	12	11	132	0.1	0	4	0	
739	CG 47	726.86	8338.87	35	11	43	0.1	0	5	0	
740	CG 48	727.12	8338.10	39	11	43	0.1	0	9	0	
741	CG 49	727.21	8337.71	19	9	74	0.1	0	4	0	
742	CG 50	727.47	8336.91	10	8	75	0.1	0	7	0	
743	CG 51	727.82	8336.28	16	11	57	0.1	0	12	0	
744	CG 52	729.87	8336.97	9	8	54	0.1	0	17	0	
745	CG 53	728.56	8336.34	11	8	56	0.1	0	17	0	
746	CG 54	733.86	8331.82	15	4	27	0.1	0	5	0	
747	CG 55	734.19	8331.73	10	1	69	0.1	0	2	0	
748	CG 56	736.06	8332.29	8	3	74	0.1	0	2	0	
749	CG 57	736.87	8331.80	3	3	26	0.1	0	2	0	
750	CG 58	736.32	8331.84	8	3	68	0.1	0	2	0	
751	CG 59	735.40	8331.65	7	3	65	0.1	0	2	0	
752	CG 60	734.95	8330.95	9	3	128	0.1	0	2	0	
753	CG 61	735.28	8330.80	25	10	85	0.1	0	1	0	
754	CG 62	735.52	8330.53	17	6	76	0.1	0	2	0	
755	CG 63	731.73	8332.32	7	2	70	0.1	0	10	0	
756	CG 64	729.83	8332.35	23	7	57	0.1	0	5	0	

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
757	I 3	728.86	8331.78	17	8	50	0.1	10	0
758	I 4	729.45	8331.74	11	8	48	0.1	5	0
759	C I 5	730.35	8331.34	9	9	46	0.1	11	0
760	C I 6	730.25	8330.99	8	8	64	0.1	4	0
761	C I 7	730.51	8330.61	16	8	50	0.1	4	3
762	C I 8	731.89	8332.19	14	4	54	0.1	2	0
763	C I 9	729.69	8335.55	13	12	49	0.1	15	0
764	C I 10	731.30	8335.45	10	9	49	0.1	14	0
765	C I 11	729.81	8335.43	9	10	47	0.1	16	7
766	C I 12	729.05	8335.04	9	16	48	0.1	3	0
767	C I 13	729.29	8334.63	17	5	65	0.1	4	0
768	C I 14	729.18	8333.85	10	10	38	0.1	6	0
769	C I 15	729.72	8333.29	8	10	43	0.1	6	0
770	C I 16	730.10	8332.95	7	10	56	0.1	6	0
771	C I 17	729.27	8331.92	18	12	82	0.1	4	0
772	C I 18	729.04	8332.00	12	10	60	2.0	17	2
773	C I 19	729.19	8332.02	19	8	60	0.1	3	0
774	C I 20	729.41	8332.16	20	8	61	0.1	4	0
775	C I 21	729.57	8332.26	18	8	50	0.1	4	0
776	C I 22	729.91	8331.92	8	8	55	0.1	4	0
777	C I 23	729.13	8331.99	26	8	66	0.1	5	0
778	C I 24	729.75	8332.38	15	4	126	1.6	19	6
779	C I 25	730.57	8332.49	28	16	78	0.1	4	0
780	C I 26	729.92	8332.16	14	12	86	1.2	15	1
781	C I 27	731.11	8332.53	14	14	136	9.1	22	1
782	C J 1	733.91	8337.62	8	23	93	0.1	5	4
783	C J 2	734.15	8337.78	8	17	126	0.1	4	0
784	C J 3	732.76	8338.73	11	9	74	0.1	3	0
785	C J 4	735.50	8337.81	15	6	118	0.1	3	0
786	C J 5	738.23	8337.70	18	8	107	0.1	3	0
787	C J 6	737.80	8338.44	15	8	44	0.1	7	4
788	C J 7	737.00	8338.87	14	10	47	0.1	4	0
789	C J 8	736.28	8338.59	10	7	43	0.1	4	0
790	C J 9	731.58	8313.07	8	10	61	0.1	2	0
791	C J 10	735.63	8338.31	7	2	112	0.1	1	0
792	C J 11	734.56	8338.04	8	6	136	0.1	1	0
793	C J 12	734.11	8337.95	8	6	113	0.1	1	0
794	C J 13	733.71	8337.82	17	9	59	0.1	2	4
795	C J 14	733.61	8337.96	8	10	110	0.1	4	1
796	C J 15	737.06	8334.75	5	3	34	0.1	1	0
797	C J 16	737.17	8335.16	8	2	80	0.1	2	4
798	C J 17	737.56	8335.57	9	4	53	0.1	4	0
799	C J 18	737.76	8334.88	6	4	30	0.1	1	0
800	C J 19	737.81	8334.78	8	1	46	0.1	2	2
801	C J 20	738.13	8335.02	8	1	46	0.1	2	2
802	C J 21	738.07	8335.10	7	1	36	0.1	2	1
803	C J 22	738.49	8335.09	4	1	36	0.1	2	1
804	C J 23	738.51	8335.21	12	3	44	0.1	2	1
805	C J 24	738.86	8334.98	5	3	31	0.1	2	1
806	C J 25	739.00	8334.99	4	6	12	0.1	2	1
807	C J 26	739.26	8335.11	7	5	21	0.1	2	3
808	C J 27	739.15	8335.23	16	7	41	0.1	3	3
809	C J 28	738.07	8336.31	18	4	45	0.1	3	3
810	C J 29	738.00	8336.46	12	6	39	0.1	3	3

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			As	Au
		X	Y				Ag	Zn	Ag		
811	J 30	737.87	8336.36	6	5	32	0.1	0	0	0	0
812	J 31	737.92	8330.40	12	6	57	0.1	0	2	0	0
813	J 32	737.46	8330.49	5	7	25	0.1	0	1	0	0
814	J 33	737.63	8330.55	6	7	19	0.1	0	1	0	0
815	J 34	737.91	8330.35	8	7	42	0.1	0	2	0	0
816	G A 1	742.40	8323.85	8	9	39	0.1	0	5	0	0
818	G A 2	742.44	8324.04	12	9	39	0.1	0	1	0	0
819	G A 3	742.87	8322.94	12	1	23	0.1	0	2	0	0
820	G A 4	742.68	8322.79	7	1	65	0.1	0	2	0	0
821	G A 5	712.63	8311.79	14	21	86	0.1	0	9	0	0
822	G A 6	712.12	8311.52	59	22	42	0.1	0	130	6	0
823	G A 7	710.23	8311.79	315	1	89	0.1	0	15	0	0
824	G A 8	710.00	8312.31	75	15	69	0.1	0	150	26	0
825	G A 9	709.75	8312.44	22	1	55	0.1	0	14	0	0
826	G A 10	709.88	8312.81	22	9	52	0.1	0	32	11	0
827	G A 11	709.74	8312.89	25	14	43	0.1	0	22	0	0
828	G A 12	709.58	8312.98	18	6	41	0.1	0	190	0	0
829	G A 13	710.47	8314.01	13	2	27	0.1	0	35	0	0
830	G A 14	709.91	8314.10	14	4	62	0.1	0	150	0	0
831	G A 15	709.43	8314.83	28	20	63	0.1	0	50	0	0
832	G A 16	709.47	8315.17	29	16	94	0.1	0	53	2	0
833	G A 17	709.33	8315.56	17	8	42	0.1	0	6	0	0
834	G A 18	696.79	8304.30	22	2	47	0.1	0	3	0	0
835	G A 19	711.27	8314.34	27	2	47	0.1	0	14	0	0
836	G A 20	711.71	8314.43	25	9	48	0.1	0	77	18	0
837	G A 21	712.14	8314.48	26	10	47	0.1	0	160	17	0
838	G A 22	712.57	8314.54	27	8	56	0.1	0	100	12	0
839	G A 23	713.82	8315.34	26	7	57	0.1	0	77	12	0
840	G A 24	713.78	8316.13	24	16	57	0.1	0	73	7	0
841	G A 25	713.86	8316.27	23	10	58	0.1	0	67	6	0
842	G A 26	713.94	8316.36	21	9	57	0.1	0	57	6	0
843	G A 27	714.79	8317.43	15	8	53	0.1	0	22	0	0
844	G A 28	715.16	8317.56	21	9	52	0.1	0	41	0	0
845	G A 29	715.56	8317.18	19	7	54	0.1	0	38	0	0
846	G A 30	716.96	8315.19	23	7	54	0.1	0	30	0	0
847	G A 31	716.68	8315.57	21	8	53	0.1	0	30	0	0
848	G A 32	717.32	8315.01	24	11	42	0.1	0	19	0	0
849	G A 33	717.80	8315.51	24	10	51	0.1	0	12	0	0
850	G A 34	718.84	8315.62	21	9	54	0.1	0	11	0	0
851	G A 35	719.47	8315.77	19	10	54	0.1	0	10	0	0
852	G A 36	719.67	8315.76	20	11	108	0.1	0	9	0	0
853	G A 37	660.39	8302.72	30	3	73	0.1	0	3	0	0
854	G A 38	662.54	8302.68	28	3	88	0.1	0	5	0	0
855	G A 39	663.23	8302.32	24	3	69	0.1	0	4	0	0
856	G A 40	663.80	8302.29	23	3	69	0.1	0	4	0	0
857	G A 41	666.64	8302.61	21	3	46	0.1	0	6	0	0
858	G A 42	666.64	8302.24	35	3	40	0.1	0	10	0	0
859	G A 43	667.22	8301.50	44	3	42	0.1	0	9	0	0
860	G A 44	668.87	8303.07	21	6	55	0.1	0	7	0	0
861	G A 45	670.40	8305.57	23	6	75	0.1	0	5	0	0
862	G A 46	670.52	8306.46	21	3	37	0.1	0	5	0	0
863	G A 47	671.90	8306.99	22	3	31	0.1	0	5	0	0
864	G A 48	673.16	8307.11	23	4	69	0.1	0	5	0	0
	G A 49			27	4	69	0.1	0	5	0	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Elements			Au
		X	Y			Zn	Ag	As	
865	G A 50	675.57	8307.40	35	4	76	0.1	39	0
866	G A 51	677.18	8313.70	28	2	28	0.1	7	0
867	G B 1	726.33	8319.32	24	3	46	0.1	20	0
868	G B 2	728.36	8320.77	17	58	190	0.1	88	20
869	G B 3	728.70	8320.77	15	24	157	0.1	30	0
870	G B 4	729.48	8320.80	21	8	56	0.1	10	0
871	G B 5	729.60	8320.93	15	10	42	0.1	14	0
872	G B 6	730.35	8321.56	18	19	62	0.1	6	0
873	G B 7	731.95	8321.93	12	5	39	0.1	4	0
874	G B 8	732.00	8322.02	7	4	40	0.1	4	0
875	G B 9	748.54	8334.52	29	10	62	0.1	9	0
876	G B 10	748.94	8334.61	27	2	55	0.1	2	0
877	G B 11	749.41	8334.58	21	11	52	0.1	16	0
878	G B 12	749.70	8334.53	24	7	62	0.1	9	0
879	G B 13	750.11	8334.42	13	14	42	0.1	22	0
880	G B 14	751.32	8334.68	18	11	54	0.1	5	0
881	G B 15	751.48	8334.91	17	23	52	0.1	11	0
882	G B 16	751.80	8334.99	8	5	44	0.1	1	0
883	G B 17	752.09	8334.09	13	16	33	0.1	7	0
884	G B 18	752.62	8334.24	5	8	19	0.1	2	0
885	G B 19	753.94	8334.93	22	5	59	0.1	4	0
886	G B 20	754.23	8335.56	20	5	93	0.1	7	0
887	G B 21	754.81	8335.90	18	9	64	0.1	14	0
888	G B 22	756.03	8335.53	29	7	93	0.1	9	0
889	G B 23	756.84	8335.83	26	6	89	0.1	7	0
890	G B 24	758.95	8336.91	17	3	63	0.1	17	0
891	G B 25	759.24	8337.28	26	5	95	0.1	12	0
892	G B 26	761.01	8338.01	25	8	58	0.1	57	67
893	G B 27	762.64	8339.00	27	4	65	0.1	14	0
894	G B 28	763.24	8339.22	25	2	121	0.1	4	0
895	G B 29	764.06	8338.79	15	8	78	0.1	7	0
896	G B 30	763.52	8337.33	23	2	67	0.1	1	0
897	G B 31	763.64	8335.15	23	1	44	0.1	1	0
898	G B 32	763.65	8334.88	12	4	37	0.1	5	0
899	G B 33	763.41	8334.81	14	13	74	0.1	3	0
900	G B 34	762.84	8333.73	10	8	37	0.1	3	0
901	G B 35	762.60	8333.04	21	5	71	0.1	2	0
902	G B 36	761.22	8333.82	22	8	61	0.1	1	0
903	G B 37	760.12	8332.82	15	5	72	0.1	1	0
904	G B 38	755.32	8330.90	15	3	61	0.1	4	0
905	G B 39	754.04	8330.24	29	12	77	0.1	4	0
906	G B 40	752.70	8329.76	26	4	42	0.1	4	0
907	G B 41	752.20	8329.73	20	6	41	0.1	16	0
908	G B 42	749.58	8329.40	7	1	35	0.1	1	0
909	G B 43	748.93	8329.45	19	5	23	0.1	1	0
910	G B 44	749.20	8300.46	17	2	51	0.1	1	0
911	G B 45	749.75	8301.63	10	5	28	0.1	2	0
912	G B 46	750.24	8301.20	24	9	90	0.1	2	0
913	G B 47	750.99	8301.23	13	10	42	0.1	1	0
914	G B 48	751.74	8301.11	12	8	62	0.1	1	0
915	G B 49	753.73	8300.52	15	5	72	0.1	1	0
916	G B 50	755.94	8299.74	13	8	78	0.1	1	0
917	G B 51	755.94	8299.74	15	7	73	0.1	1	0
918	G B 52	756.47	8299.22	12	5	64	0.1	1	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Elements			
		X	Y			Zn	Ag	As	Au
919	53	757.13	8299.47	21	9	84	0.1	22	0
920	54	758.75	8298.92	16	10	76	0.1	1	0
921	55	758.80	8298.64	11	4	56	0.1	1	0
922	56	759.44	8298.81	15	12	61	0.1	1	0
923	57	760.49	8298.85	14	5	48	0.1	1	0
924	58	760.49	8298.78	15	5	61	0.1	1	0
925	59	761.39	8298.78	8	9	23	0.1	1	0
926	60	762.94	8299.75	25	7	59	0.1	1	0
927	61	763.28	8299.91	16	5	60	0.1	1	0
928	62	763.71	8300.06	25	7	60	0.1	1	0
929	63	764.17	8300.76	17	4	59	0.1	1	0
930	64	764.61	8301.35	12	7	61	0.1	1	0
931	65	765.27	8302.26	15	13	47	0.1	6	0
932	66	766.72	8303.69	10	10	62	0.1	1	0
933	67	766.57	8303.87	12	11	53	0.1	2	0
934	68	766.95	8303.85	13	10	50	0.1	1	0
935	69	766.04	8300.61	15	6	79	0.1	1	0
936	70	764.87	8299.71	13	6	48	0.1	1	0
937	71	764.76	8299.71	17	6	61	0.1	1	0
938	72	764.77	8298.79	14	5	47	0.1	1	0
939	73	764.96	8297.85	12	7	51	0.1	1	0
940	74	765.76	8297.47	16	6	56	0.1	1	0
941	75	766.49	8297.53	18	9	65	0.1	1	0
942	76	767.51	8297.80	14	7	54	0.1	2	0
943	77	763.11	8297.11	23	7	83	0.1	1	0
944	78	761.15	8294.06	33	11	12	0.1	3	0
945	79	760.37	8293.91	38	14	90	0.1	6	2
946	80	759.23	8292.65	26	11	81	0.1	3	0
947	81	758.59	8292.32	30	5	97	0.1	2	0
948	82	759.42	8291.70	20	2	90	0.1	1	0
949	83	752.39	8291.89	24	5	65	0.1	1	0
950	84	751.82	8291.89	25	1	80	0.1	1	0
951	85	751.13	8291.71	29	4	68	0.1	1	0
952	86	750.05	8291.28	30	6	42	0.1	1	0
953	87	749.30	8290.82	35	4	87	0.1	1	0
954	88	748.28	8290.10	31	6	48	0.1	1	0
955	89	747.52	8289.72	33	6	67	0.1	3	0
956	90	747.19	8289.50	28	10	63	0.1	1	0
957	91	746.33	8289.21	29	9	57	0.1	1	0
958	92	745.75	8288.45	21	1	33	0.1	1	0
959	93	745.10	8287.90	31	6	67	0.1	4	0
960	94	744.60	8287.36	23	1	45	0.1	1	0
961	95	743.00	8285.93	35	5	51	0.1	4	0
962	96	742.17	8285.51	35	4	64	0.1	2	0
963	97	741.35	8285.40	25	3	57	0.1	5	0
964	98	709.13	8305.66	15	3	49	0.1	4	0
965	99	709.15	8305.92	15	3	49	0.1	4	0
966	100	709.08	8306.08	21	9	51	0.1	3	0
967	101	708.99	8306.03	21	30	55	0.1	27	16
968	102	709.10	8306.43	18	37	88	0.1	30	14
969	103	709.21	8307.24	20	57	71	0.1	41	30
970	104	709.37	8307.78	26	45	115	0.1	46	46
971	105	709.60	8308.02	26	32	81	0.1	45	10
972	106	710.77	8308.89	17	2	56	0.1	30	4

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			As	Au
		X	Y				Ag	Ag	Ag		
973	G B107	710.91	8309.49	21	1	71	0.1	0.1	7	0	
974	G B108	711.12	8309.43	27	17	315	0.1	0.1	4	0	
975	G B109	711.47	8309.50	17	12	30	0.1	0.1	25	0	
976	G B110	711.86	8309.85	22	18	14	0.1	0.1	11	0	
977	G B111	712.21	8310.13	18	15	41	0.1	0.1	11	0	
978	G B112	712.72	8311.02	25	42	76	0.1	0.1	27	107	
979	G B113	712.56	8311.31	20	9	56	0.1	0.1	12	0	
980	G B114	712.66	8311.49	24	21	39	0.1	0.1	16	0	
981	G B115	712.91	8311.70	28	7	53	0.1	0.1	9	0	
982	G B116	713.32	8311.90	22	8	49	0.1	0.1	14	24	
983	G B117	713.46	8311.97	20	3	42	0.1	0.1	4	0	
984	G B118	713.57	8312.12	19	11	49	0.1	0.1	11	0	
985	G B119	713.85	8312.14	16	20	55	0.1	0.1	20	0	
986	G B120	713.97	8312.23	27	27	63	0.1	0.1	32	0	
987	G B121	714.21	8312.22	15	13	48	0.1	0.1	12	0	
988	G B122	714.58	8312.43	25	14	56	0.1	0.1	15	0	
989	G B123	714.90	8312.19	27	13	43	0.1	0.1	10	0	
990	G B124	715.15	8312.30	32	12	45	0.1	0.1	17	19	
991	G B125	716.44	8312.52	27	15	54	0.1	0.1	10	0	
992	G B126	718.03	8313.42	31	5	26	0.1	0.1	9	0	
993	G B127	718.43	8313.52	28	6	27	0.1	0.1	12	0	
994	G B128	718.78	8313.69	19	2	66	0.1	0.1	3	0	
995	G B129	719.01	8313.74	31	6	38	0.1	0.1	7	0	
996	G B130	720.16	8314.64	24	6	45	0.1	0.1	6	0	
997	G B131	720.46	8314.70	24	4	29	0.1	0.1	9	0	
998	G B132	715.08	8322.28	23	9	31	0.1	0.1	4	0	
999	G B133	714.25	8321.90	24	3	57	0.1	0.1	1	0	
1000	G B134	713.90	8321.69	28	12	76	0.1	0.1	10	0	
1001	G B135	712.56	8321.03	31	12	90	0.1	0.1	10	0	
1002	G B136	712.15	8320.70	24	8	72	0.1	0.1	9	0	
1003	G B137	710.98	8319.75	24	3	71	0.1	0.1	9	0	
1004	G B138	711.05	8319.26	32	4	84	0.1	0.1	9	0	
1005	G B139	710.62	8319.38	29	3	99	0.1	0.1	7	0	
1006	G B140	709.42	8321.62	35	3	153	0.1	0.1	1	0	
1007	G B141	709.19	8322.47	9	1	25	0.1	0.1	1	0	
1008	G B142	709.38	8322.66	17	5	49	0.1	0.1	2	0	
1009	G B143	709.55	8322.76	20	5	48	0.1	0.1	2	0	
1010	G B144	713.30	8317.37	20	8	59	0.1	0.1	6	0	
1011	G B145	713.74	8317.06	19	13	47	0.1	0.1	55	0	
1012	G B146	678.50	8312.48	43	8	71	0.1	0.1	12	0	
1013	G B147	678.76	8312.79	33	8	85	0.1	0.1	9	0	
1014	G B148	679.81	8312.99	23	2	85	0.1	0.1	9	0	
1015	G B149	680.17	8312.77	30	2	70	0.1	0.1	23	0	
1016	G B150	680.14	8312.61	30	250	158	10.3	10.3	290	559	
1017	G B151	680.24	8312.33	27	2	38	0.1	0.1	15	0	
1018	G B152	680.11	8312.03	36	2	100	0.1	0.1	19	0	
1019	G B153	687.25	8324.64	17	3	88	0.1	0.1	19	0	
1020	G B154	688.13	8324.81	12	3	125	0.1	0.1	9	0	
1021	G B155	688.51	8324.81	12	3	45	0.1	0.1	7	0	
1022	G B156	688.66	8324.59	11	3	29	0.1	0.1	4	0	
1023	G B157	688.64	8324.67	29	3	48	0.1	0.1	10	0	
1024	G B158	688.81	8324.42	11	3	118	0.1	0.1	15	0	
1025	G B159	688.96	8324.38	23	12	73	0.1	0.1	10	0	
1026	G B160	689.16	8324.02	26	9	90	0.1	0.1	15	0	

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			Au
		X	Y				Ag	As		
1027	G B161	689.21	8224.07	16	6	100	0	1	7	0
1028	G B162	689.40	8223.94	14	4	90	0	1	6	0
1029	G B163	691.16	8223.99	14	4	72	0	0	4	0
1030	G B164	691.55	8324.08	11	4	70	0	0	5	4
1031	G B165	692.55	8324.35	11	6	43	0	0	4	0
1032	G B166	693.13	8324.90	18	10	52	0	0	9	0
1033	G B167	693.22	8325.30	14	4	63	0	0	5	0
1034	G B168	693.08	8325.49	13	8	39	0	0	5	0
1035	G B169	693.80	8326.43	11	4	50	0	0	4	0
1036	G B170	693.59	8326.63	10	4	65	0	0	4	0
1037	G B171	693.79	8327.61	20	3	49	0	0	9	0
1038	G B172	694.01	8327.74	10	5	42	0	0	4	0
1039	G B173	694.08	8328.20	8	2	20	0	0	4	0
1040	G B174	694.24	8328.51	9	3	42	0	0	5	0
1041	G B175	694.41	8328.45	9	2	68	0	0	4	0
1042	G B176	694.69	8328.85	17	8	65	0	0	5	0
1043	G B177	695.25	8329.47	12	4	105	0	0	4	0
1044	G B178	695.29	8329.70	11	4	62	0	0	3	0
1045	G B179	695.50	8329.91	25	12	65	0	0	11	0
1046	G B180	695.84	8330.11	16	5	28	0	0	2	0
1047	G B181	697.57	8333.90	24	12	72	0	0	11	0
1048	G B182	697.94	8334.67	17	11	55	0	0	6	0
1049	G B183	698.31	8334.94	11	3	168	0	0	2	0
1050	G B184	699.67	8335.37	11	0	106	0	0	2	0
1051	G B185	699.62	8331.72	26	5	62	0	0	4	0
1052	G B186	700.81	8331.84	34	4	88	0	0	4	0
1053	G B187	701.53	8331.58	27	5	52	0	0	3	0
1054	G B188	702.08	8328.81	17	6	19	0	0	14	0
1055	G B189	698.90	8323.75	12	6	19	0	0	4	0
1056	G B190	702.58	8328.53	16	9	65	0	0	6	0
1057	G B191	701.23	8325.21	33	6	75	0	0	6	0
1058	G B192	700.30	8324.40	28	12	58	0	0	6	0
1059	G B193	698.82	8323.82	19	3	56	0	0	3	0
1060	G B194	698.00	8323.65	15	6	17	0	0	5	0
1061	G B195	697.66	8323.62	23	10	28	0	0	5	0
1062	G B196	696.48	8323.22	15	18	21	0	0	2	0
1063	G B197	695.68	8321.04	16	10	42	0	0	9	0
1064	G B198	695.80	8320.81	19	4	42	0	0	9	0
1065	G B199	695.59	8320.38	20	6	59	0	0	9	0
1066	G B200	695.32	8320.23	19	5	51	0	0	4	0
1067	G B201	695.18	8320.14	35	8	67	0	0	0	0
1068	G B202	695.08	8320.04	27	10	64	0	0	4	0
1069	G B203	695.03	8319.89	28	11	54	0	0	5	0
1070	G B204	695.09	8319.50	17	3	35	0	0	2	0
1071	G B205	684.40	8299.51	21	8	60	0	0	17	0
1072	G B206	684.48	8299.57	68	14	103	0	0	61	0
1073	G B207	684.62	8299.61	68	18	88	0	0	32	0
1074	G B208	684.68	8299.55	51	30	158	0	0	32	0
1075	G B209	684.80	8299.44	22	8	48	0	0	7	0
1076	G B210	685.07	8299.38	36	10	85	0	0	11	0
1077	G B211	685.18	8299.32	25	16	71	0	0	9	0
1078	G B212	685.07	8299.25	33	12	67	0	0	9	0
1079	G B213	685.32	8299.11	47	6	82	0	0	7	0
1080	G B214	685.46	8299.16	33	8	88	0	0	12	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			Au
		X	Y				Ag	As	Au	
1081	G B215	685.55	8299.30	35	12	83	0.1	11	20	
1082	G B216	685.70	8299.37	35	13	137	0.2	17	0	
1083	G B217	685.20	8300.09	25	6	41	0.1	16	0	
1084	G B218	687.62	8300.84	37	26	127	0.1	32	1	
1085	G B219	687.74	8300.74	47	26	128	0.4	35	2	
1086	G B220	687.83	8300.55	36	18	130	0.1	36	4	
1087	G B221	687.98	8300.51	30	30	127	0.3	36	4	
1088	G B222	687.92	8300.37	35	11	88	0.2	22	3	
1089	G B223	689.86	8300.81	31	7	75	0.1	9	0	
1090	G B224	690.05	8300.78	34	5	90	0.1	4	0	
1091	G B225	690.20	8300.70	29	4	53	0.1	5	0	
1092	G B226	690.43	8300.56	31	4	88	0.1	4	0	
1093	G B227	690.75	8300.03	36	4	100	0.1	4	0	
1094	G B228	691.19	8299.60	31	3	95	0.1	4	0	
1095	G B229	691.82	8298.95	25	6	64	0.1	5	0	
1096	G B230	690.97	8298.39	55	10	130	0.1	16	1	
1097	G B231	691.01	8297.06	39	42	180	0.1	38	3	
1098	G B232	690.85	8297.06	39	22	195	0.1	33	0	
1099	G B233	690.75	8296.99	31	16	95	0.1	16	0	
1100	G B234	691.42	8296.54	50	18	180	0.2	19	2	
1101	G B235	691.63	8296.56	37	5	78	0.2	7	0	
1102	G B236	691.95	8296.48	66	20	113	0.1	11	0	
1103	G B237	693.15	8294.99	56	12	71	0.1	9	0	
1104	G B238	692.81	8294.60	44	8	68	0.1	4	2	
1105	G B239	693.06	8294.11	41	6	65	0.1	5	0	
1106	G B240	692.58	8293.39	73	9	65	0.1	9	0	
1107	G B241	692.98	8293.47	38	8	57	0.1	5	0	
1108	G B242	691.85	8292.37	66	5	58	0.1	6	0	
1109	G B243	693.11	8293.29	40	8	65	0.1	7	0	
1110	G B244	691.77	8291.55	60	9	61	0.1	9	0	
1111	G B245	693.15	8293.05	72	66	113	0.3	55	14	
1112	G B246	691.39	8291.63	54	40	70	0.1	36	7	
1113	G B247	691.31	8291.73	76	10	108	0.1	5	0	
1114	G B248	690.23	8290.01	86	6	57	0.1	11	0	
1115	G B249	689.79	8290.13	91	10	57	0.1	10	4	
1116	G B250	688.54	8290.62	72	26	95	0.1	23	4	
1117	G B251	688.31	8292.72	150	6	62	0.2	17	5	
1118	G B252	688.24	8292.98	98	4	46	0.1	7	3	
1119	G B253	688.09	8293.28	180	1	44	0.1	5	4	
1120	G B254	687.85	8293.70	163	10	64	0.1	12	3	
1121	G B255	687.77	8293.53	130	5	85	0.2	6	9	
1122	G B256	687.89	8294.02	23	18	95	0.2	9	0	
1123	G B257	687.58	8294.58	92	11	144	0.2	11	0	
1124	G B258	687.48	8294.72	72	18	94	0.1	15	0	
1125	G B259	687.18	8295.31	55	10	65	0.1	15	0	
1126	G B260	686.86	8295.80	22	11	81	0.3	19	0	
1127	G B261	686.85	8296.56	70	36	185	0.3	19	0	
1128	G B262	686.61	8296.72	43	40	171	0.3	115	0	
1129	G B263	685.91	8296.91	73	128	180	0.1	12	0	
1130	G B264	685.85	8297.05	43	32	125	0.1	11	0	
1131	G B265	685.56	8297.50	22	3	80	0.1	6	0	
1132	G B266	685.26	8297.40	60	3	77	0.1	22	0	
1133	G C 1	740.22	8322.73	20	3	63	0.1	2	1	
1134	G C 2	739.71	8322.44	7	3	41	0.1	1	0	



Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		As	Au
		X	Y				Ag			
1135	G	739.00	8322.68	11	11	42	0.1	0.1	3	0
1136	G	732.00	8322.03	13	12	90	0.1	0.1	4	0
1137	G	743.97	8330.41	7	4	34	0.1	0.1	1	0
1138	G	744.87	8330.93	12	4	45	0.1	0.1	1	0
1139	G	745.05	8331.11	6	5	42	0.1	0.1	1	0
1140	G	746.62	8331.27	17	2	23	0.1	0.1	1	0
1141	G	746.89	8332.13	17	4	36	0.1	0.1	9	0
1142	G	747.11	8332.42	18	7	77	0.1	0.1	5	0
1143	G	748.77	8333.88	31	7	61	0.1	0.1	3	0
1144	G	749.21	8334.07	12	7	46	0.1	0.1	6	0
1145	G	749.33	8334.02	11	5	35	0.1	0.1	9	0
1146	G	749.15	8333.59	26	14	50	0.1	0.1	2	0
1147	G	750.19	8333.32	11	9	34	0.1	0.1	22	0
1148	G	751.62	8329.70	25	10	54	0.1	0.1	77	0
1149	G	751.86	8329.85	30	6	57	0.1	0.1	30	0
1150	G	749.67	8330.63	14	4	35	0.1	0.1	1	0
1151	G	749.59	8330.72	7	6	25	0.1	0.1	1	0
1152	G	749.52	8329.72	11	20	34	0.1	0.1	1	0
1153	G	749.35	8329.16	7	1	31	0.1	0.1	1	0
1154	G	749.05	8329.20	7	1	22	0.1	0.1	1	0
1155	G	745.87	8329.03	9	4	38	0.1	0.1	1	0
1156	G	744.18	8328.84	20	7	51	0.1	0.1	4	0
1157	G	744.14	8327.34	20	1	35	0.1	0.1	1	0
1158	G	744.42	8326.51	7	1	31	0.1	0.1	1	0
1159	G	744.33	8326.55	16	1	40	0.1	0.1	1	0
1160	G	744.29	8326.11	12	1	31	0.1	0.1	1	0
1161	G	744.26	8326.11	12	1	32	0.1	0.1	1	0
1162	G	721.24	8316.51	29	1	33	0.1	0.1	1	0
1163	G	721.36	8316.42	15	2	59	0.1	0.1	2	0
1164	G	720.56	8315.24	16	8	41	0.1	0.1	2	0
1165	G	720.73	8313.37	14	1	35	0.1	0.1	1	0
1166	G	721.23	8313.56	19	14	53	0.1	0.1	1	0
1167	G	721.33	8313.36	15	2	44	0.1	0.1	1	0
1168	G	721.51	8313.07	12	1	31	0.1	0.1	1	0
1169	G	721.95	8311.62	17	1	52	0.1	0.1	1	0
1170	G	722.27	8311.03	20	1	57	0.1	0.1	2	0
1171	G	722.17	8310.84	22	1	55	0.1	0.1	2	0
1172	G	722.22	8310.71	22	5	36	0.1	0.1	2	0
1173	G	722.07	8310.60	26	4	51	0.1	0.1	3	0
1174	G	722.15	8310.48	16	3	55	0.1	0.1	0	0
1175	G	722.10	8310.33	19	3	56	0.1	0.1	1	0
1176	G	722.22	8310.34	18	3	39	0.1	0.1	1	0
1177	G	722.32	8310.63	20	3	37	0.1	0.1	3	0
1178	G	722.81	8310.84	18	8	39	0.1	0.1	1	0
1179	G	723.48	8311.09	21	4	53	0.1	0.1	1	0
1180	G	723.73	8311.20	22	4	61	0.1	0.1	4	0
1181	G	723.92	8311.51	23	6	51	0.1	0.1	4	0
1182	G	723.98	8312.05	20	6	49	0.1	0.1	1	0
1183	G	724.57	8312.19	27	3	10	0.1	0.1	1	0
1184	G	724.70	8312.63	17	4	43	0.1	0.1	1	0
1185	G	722.78	8312.63	16	4	39	0.1	0.1	3	0
1186	G	744.89	8335.72	11	3	51	0.1	0.1	1	0
1187	G	745.06	8335.71	11	3	58	0.1	0.1	1	0
1188	G	746.38	8335.11	32	5	59	0.1	0.1	3	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
1189	G C 57	746.57	8338.42	30	5	85	0.1	1	0
1190	G C 58	746.72	8339.23	28	4	106	0.1	1	0
1191	G C 59	746.82	8339.51	29	5	112	0.1	2	0
1192	G C 60	747.36	8300.73	36	10	85	0.1	4	0
1193	G C 61	748.69	8302.97	27	1	30	0.1	4	0
1194	G C 62	749.13	8303.66	7	3	12	0.1	1	0
1195	G C 63	748.91	8304.04	5	4	12	0.1	1	0
1196	G C 64	749.06	8304.05	4	4	34	0.1	1	0
1197	G C 65	747.90	8304.45	15	5	9	0.1	1	0
1198	G C 66	749.73	8306.43	7	5	52	0.1	1	0
1199	G C 67	749.60	8306.58	20	5	60	0.1	1	0
1200	G C 68	749.74	8306.65	21	3	91	0.1	1	0
1201	G C 69	749.76	8308.36	25	9	80	0.1	4	0
1202	G C 70	749.30	8309.22	33	3	61	0.1	6	0
1203	G C 71	749.35	8310.62	23	4	68	0.1	6	0
1204	G C 72	749.20	8311.11	34	9	69	0.1	7	0
1205	G C 73	748.96	8312.91	41	10	54	0.1	5	0
1206	G C 74	749.16	8312.92	33	7	55	0.1	6	0
1207	G C 75	750.01	8315.38	28	4	55	0.1	6	0
1208	G C 76	751.70	8321.15	34	11	51	0.1	2	0
1209	G C 77	752.21	8325.96	16	8	51	0.1	6	0
1210	G C 78	749.65	8326.61	31	6	72	0.1	4	0
1211	G C 79	749.62	8326.14	21	8	54	0.1	4	0
1212	G C 80	748.82	8326.46	16	5	36	0.1	3	0
1213	G C 81	748.79	8326.56	11	7	22	0.1	1	0
1214	G C 82	748.51	8325.91	13	3	38	0.1	1	0
1215	G C 83	748.01	8325.81	5	2	19	0.1	1	0
1216	G C 84	747.72	8325.72	7	2	26	0.1	1	0
1217	G C 85	746.77	8325.83	12	1	53	0.1	1	0
1218	G C 86	746.58	8325.66	13	1	50	0.1	1	0
1219	G C 87	746.29	8325.66	11	2	33	0.1	1	0
1220	G C 88	745.86	8325.57	21	3	41	0.1	2	0
1221	G C 89	745.75	8325.07	30	6	64	0.1	1	0
1222	G C 90	744.16	8325.31	14	2	55	0.1	1	0
1223	G C 91	750.02	8325.90	22	6	52	0.1	1	1
1224	G C 92	749.70	8325.84	12	3	45	0.1	1	0
1225	G C 93	749.45	8325.97	14	2	66	0.1	1	0
1226	G C 94	748.78	8325.83	20	6	44	0.1	1	0
1227	G C 95	748.27	8325.84	10	1	51	0.1	1	0
1228	G C 96	747.25	8325.27	13	1	35	0.1	1	0
1229	G C 97	746.89	8324.98	7	1	26	0.1	1	0
1230	G C 98	746.24	8324.24	12	1	54	0.1	1	0
1231	G C 99	748.41	8325.36	12	1	79	0.1	1	0
1232	G C 100	745.75	8324.05	18	1	59	0.1	1	0
1233	G C 101	745.78	8323.62	12	1	35	0.1	3	0
1234	G C 102	745.37	8323.53	11	6	39	0.1	1	0
1235	G C 103	745.34	8322.51	7	3	46	0.1	1	0
1236	G C 104	745.12	8322.10	7	2	101	0.1	1	0
1237	G C 105	709.90	8299.87	31	5	55	0.1	2	0
1238	G C 106	709.29	8300.04	29	6	87	0.1	4	0
1239	G C 107	709.38	8302.21	27	1	57	0.1	7	0
1240	G C 108	711.43	8299.34	27	4	65	0.1	1	0
1241	G C 109	713.12	8300.12	21	6	68	0.1	1	0
1242	G C 110	713.69	8300.57	36	9		0.1	3	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
1243	G C111	714.30	8301.14	30	7	68	0	0	0
1244	G C112	666.18	8316.20	34	4	83	0	0	0
1245	G C113	666.74	8316.69	37	2	75	0	0	0
1246	G C114	665.58	8316.90	20	3	108	0	0	9
1247	G C115	665.56	8317.17	27	3	45	0	0	5
1248	G C116	664.98	8317.62	38	4	62	0	0	7
1249	G C117	665.53	8316.99	35	4	54	0	0	6
1250	G C118	666.68	8316.89	36	4	54	0	0	9
1251	G C119	666.88	8316.75	38	4	62	0	0	9
1252	G C120	667.09	8316.69	23	4	94	0	0	5
1253	G C121	668.20	8316.11	41	1	70	0	0	12
1254	G C122	668.45	8316.08	52	8	73	0	0	11
1255	G C123	668.80	8315.98	50	8	65	0	0	12
1256	G C124	669.02	8315.95	40	6	48	0	0	9
1257	G C125	669.17	8315.97	41	4	43	0	0	10
1258	G C126	669.29	8315.99	46	6	50	0	0	10
1259	G C127	669.58	8316.04	34	6	42	0	0	15
1260	G C128	669.74	8316.08	30	15	48	0	0	12
1261	G C129	670.04	8315.77	35	6	57	0	0	11
1262	G C130	670.56	8315.27	30	10	72	0	0	14
1263	G C131	670.71	8315.18	35	8	87	0	0	14
1264	G C132	670.91	8315.02	22	9	52	0	0	11
1265	G C133	670.94	8314.87	22	9	52	0	0	11
1266	G C134	671.12	8314.81	23	10	64	0	0	10
1267	G C135	671.37	8314.71	24	12	77	0	0	14
1268	G C136	671.49	8314.58	25	10	54	0	0	6
1269	G C137	671.53	8314.43	19	9	49	0	0	7
1270	G C138	671.59	8314.28	25	10	52	0	0	7
1271	G C139	671.46	8314.18	27	12	83	0	0	7
1272	G C140	671.60	8313.95	24	12	68	0	0	7
1273	G C141	672.10	8313.91	22	9	62	0	0	7
1274	G C142	672.55	8314.05	46	7	143	0	0	10
1275	G C143	672.95	8314.06	37	8	105	0	0	6
1276	G C144	673.04	8314.08	31	8	70	0	0	7
1277	G C145	673.29	8314.01	22	9	78	0	0	9
1278	G C146	674.09	8313.87	35	5	70	0	0	2
1279	G C147	674.84	8313.98	23	8	70	0	0	6
1280	G C148	675.01	8313.77	31	8	70	0	0	6
1281	G C149	675.29	8313.87	108	2	120	0	0	10
1282	G C150	675.58	8313.90	58	2	62	0	0	15
1283	G C151	675.91	8314.02	30	3	55	0	0	5
1284	G C152	676.36	8313.99	28	4	68	0	0	7
1285	G C153	676.84	8313.76	51	7	71	0	0	9
1286	G C154	675.97	8313.56	23	3	55	0	0	4
1287	G C155	675.10	8313.68	20	3	55	0	0	4
1288	G C156	674.71	8313.86	11	3	48	0	0	6
1289	G C157	674.24	8320.35	10	6	43	0	0	7
1290	G C158	673.43	8324.52	15	3	90	0	0	10
1291	G C159	668.26	8327.61	14	4	52	0	0	6
1292	G C160	668.22	8327.21	18	7	58	0	0	5
1293	G C161	665.52	8327.35	20	5	58	0	0	5
1294	G C162	664.89	8328.35	21	4	56	0	0	5
1295	G C163	664.72	8328.38	18	4	47	0	0	6
1296	G C164	664.43	8328.34	10	3	30	0	0	6

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Elements		As	Au
		X	Y			Zn	Ag		
1297	G C165	664.61	8329.25	18	4	43	0.1	6	0
1298	G C166	664.72	8329.33	11	3	28	0.1	6	0
1299	G C167	664.30	8330.35	17	4	35	0.1	14	0
1300	G C168	664.04	8330.56	16	6	49	0.1	11	0
1301	G C169	664.06	8330.75	14	5	44	0.1	10	0
1302	G C170	663.47	8331.54	12	6	88	0.1	6	0
1303	G C171	663.98	8331.99	13	10	53	0.1	11	0
1304	G C172	663.39	8332.22	11	4	100	0.1	14	0
1305	G C173	670.30	8333.02	19	8	52	0.1	10	0
1306	G C174	670.24	8332.79	13	5	40	0.1	7	0
1307	G C175	671.64	8333.30	11	2	36	0.1	9	0
1308	G C176	672.18	8333.88	10	6	43	0.1	7	0
1309	G C177	672.08	8333.59	11	6	50	0.1	6	0
1310	G C178	672.85	8333.59	7	4	37	0.1	6	0
1311	G C179	672.97	8334.12	13	6	47	0.1	9	0
1312	G C180	674.58	8333.95	7	2	28	0.1	5	0
1313	G C181	674.45	8333.73	12	4	50	0.1	10	0
1314	G C182	674.80	8333.77	12	7	41	0.1	9	0
1315	G C183	675.51	8333.93	20	9	53	0.1	10	0
1316	G C184	675.91	8334.03	18	8	55	0.1	11	0
1317	G C185	676.19	8333.96	23	12	65	0.1	10	0
1318	G C186	676.92	8333.68	15	8	40	0.1	9	0
1319	G C187	677.43	8333.87	18	12	45	0.1	11	0
1320	G C188	678.15	8333.73	12	4	46	0.1	7	0
1321	G C189	678.98	8333.10	10	5	45	0.1	7	0
1322	G C190	677.33	8338.46	39	6	48	0.1	6	0
1323	G C191	677.34	8308.29	35	9	52	0.1	19	0
1324	G C192	677.43	8308.17	31	3	78	0.1	79	0
1325	G C193	677.56	8308.10	35	4	77	0.1	45	0
1326	G C194	677.70	8308.10	36	5	75	0.1	24	0
1327	G C195	677.66	8307.91	34	4	100	0.1	61	0
1328	G C196	677.50	8307.55	27	2	93	0.1	43	0
1329	G C197	677.65	8307.22	64	4	64	0.1	15	0
1330	G C198	678.35	8306.72	36	4	58	0.1	9	0
1331	G C199	678.57	8306.69	33	4	44	0.1	7	0
1332	G C200	678.54	8306.29	33	3	69	0.1	10	0
1333	G C201	678.75	8305.80	35	9	60	0.1	10	0
1334	G C202	677.62	8304.75	37	10	60	0.1	11	0
1335	G C203	677.15	8304.71	31	4	54	0.1	9	0
1336	G C204	676.84	8304.70	28	2	57	0.1	5	0
1337	G C205	676.49	8304.51	22	1	100	0.1	5	0
1338	G C206	676.69	8304.42	54	6	73	0.1	14	0
1339	G C207	676.44	8303.81	25	4	63	0.1	7	0
1340	G C208	676.36	8303.62	33	3	64	0.1	10	0
1341	G C209	676.44	8303.52	50	4	65	0.1	7	0
1342	G C210	676.51	8303.43	41	4	66	0.1	9	0
1343	G C211	676.59	8303.29	41	6	55	0.1	23	0
1344	G C212	676.51	8303.06	44	4	78	0.1	15	0
1345	G C213	676.52	8302.86	48	6	65	0.1	6	0
1346	G C214	676.50	8302.57	63	3	50	0.1	17	0
1347	G C215	676.31	8301.77	27	1	150	0.1	3	0
1348	G C216	676.27	8301.85	26	1	69	0.1	3	0
1349	G C217	676.26	8302.00	29	1	113	0.1	0	0
1350	G C218	676.25	8302.15	38	5	60	0.1	4	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		As	Au
		X	Y				Ag	Ag		
1351	G C219	675.40	8301.75	36	1	120	0.1	0.1	3	0
1352	G C220	675.32	8301.33	28	1	84	0.1	0.1	3	0
1353	G C221	675.17	8301.28	27	1	420	0.3	0.3	2	0
1354	G C222	674.94	8300.69	29	1	120	0.1	0.1	2	0
1355	G C223	673.49	8299.20	38	6	110	0.1	0.2	3	0
1356	G C224	673.00	8298.84	43	4	163	0.2	0.2	5	0
1357	G C225	670.61	8297.27	25	2	60	0.1	0.1	4	0
1358	G C226	668.91	8296.99	35	2	38	0.1	0.1	6	0
1359	G C227	668.36	8296.61	70	8	44	0.1	0.1	3	0
1360	G C228	666.26	8294.29	48	5	102	0.1	0.1	6	0
1361	G C229	665.08	8293.30	38	5	83	0.1	0.1	6	0
1362	G C230	665.25	8293.18	50	6	75	0.1	0.1	6	0
1363	G C231	662.30	8291.09	33	5	63	0.1	0.3	7	0
1364	G C232	661.98	8290.54	30	2	62	0.1	0.3	5	0
1365	G C233	661.90	8290.40	21	3	47	0.1	0.1	4	4
1366	G C234	662.01	8289.85	25	2	57	0.1	0.1	3	0
1367	G C235	662.23	8289.56	12	1	21	0.1	0.1	4	0
1368	G C236	661.99	8289.32	32	1	53	0.1	0.2	5	0
1369	G C237	662.27	8288.88	23	10	75	0.1	0.2	5	0
1370	G C238	662.45	8288.49	49	8	65	0.2	0.2	20	0
1371	G C239	663.21	8287.32	40	6	92	0.2	0.2	1	0
1372	G C240	663.64	8286.77	53	4	75	0.2	0.2	5	0
1373	G C241	677.12	8306.69	30	4	58	0.1	0.1	9	0
1374	G C242	676.88	8307.10	27	4	83	0.1	0.1	9	0
1375	G C243	676.00	8306.23	27	8	75	0.1	0.1	9	0
1376	G C244	675.34	8306.86	24	2	90	0.1	0.1	10	0
1377	G C245	675.19	8306.99	20	2	120	0.1	0.1	19	0
1378	G C246	675.03	8307.41	22	3	72	0.1	0.1	10	0
1379	G C247	674.56	8306.35	25	4	68	0.1	0.1	6	0
1380	G C248	674.75	8306.27	35	6	114	0.1	0.1	14	0
1381	G C249	675.05	8305.94	31	7	57	0.2	0.2	6	0
1382	G C250	675.18	8305.89	32	8	64	0.1	0.1	7	0
1383	G C251	675.20	8305.37	34	8	62	0.1	0.1	5	0
1384	G C252	674.95	8304.31	18	1	54	0.1	0.1	3	0
1385	G C253	675.21	8304.17	22	1	60	0.1	0.1	3	0
1386	G C254	674.71	8303.56	21	2	48	0.1	0.1	2	0
1387	G C255	675.50	8303.14	34	1	565	0.1	0.1	2	0
1388	G C256	675.61	8299.34	24	2	108	0.2	0.2	2	0
1389	G C257	675.74	8299.01	33	2	180	0.2	0.2	2	0
1390	G C258	675.81	8298.74	34	2	190	0.2	0.2	2	0
1391	G C259	676.08	8298.42	29	3	135	0.1	0.2	2	0
1392	G C260	676.24	8298.01	33	1	285	0.2	0.2	2	0
1393	G C261	676.60	8296.96	23	1	130	0.1	0.3	2	0
1394	G C262	676.47	8296.81	28	1	213	0.1	0.3	2	0
1395	G C263	677.27	8296.31	37	1	280	0.3	0.3	1	0
1396	G D 1	724.51	8317.92	7	2	128	0.1	0.1	2	0
1397	G D 2	729.97	8319.44	15	6	77	0.1	0.1	2	0
1398	G D 3	729.91	8320.24	50	35	198	0.1	0.1	2	0
1399	G D 4	730.71	8320.58	17	8	128	0.1	0.1	1	0
1400	G D 5	728.17	8320.68	17	8	152	0.1	0.1	2	0
1401	G D 6	733.00	8321.47	26	5	116	0.1	0.1	1	0
1402	G D 7	727.85	8313.16	25	5	141	0.1	0.1	1	0
1403	G D 8	727.48	8312.89	24	4	54	0.1	0.1	1	0
1404	G D 9	727.15	8312.38	24	6	58	0.1	0.1	1	0

Spec. No.	Sample No.	W-VALUES		ELEMENTS			
		X	Y	Cu	Pb	Zn	Ag
1405	G D 10	726.90	8312.36	31	2	101	0.1
1406	G D 11	735.40	8311.64	26	3	88	0.1
1407	G D 12	724.08	8311.33	19	7	41	0.1
1408	G D 13	724.32	8310.69	17	3	89	0.1
1409	G D 14	725.97	8311.28	20	2	51	0.1
1410	G D 15	731.60	8313.82	14	2	47	0.1
1411	G D 16	729.97	8315.22	20	2	107	0.1
1412	G D 17	729.96	8316.60	17	8	137	0.1
1413	G D 18	727.96	8318.98	10	6	95	0.1
1414	G D 19	740.38	8285.37	16	1	118	0.1
1415	G D 20	741.11	8285.43	23	5	51	0.1
1416	G D 21	742.21	8290.86	32	1	280	0.1
1417	G D 22	742.85	8280.14	18	1	30	0.1
1418	G D 23	742.64	8289.97	32	3	94	0.1
1419	G D 24	742.37	8290.78	23	1	109	0.1
1420	G D 25	742.68	8294.85	21	1	271	0.1
1421	G D 26	740.33	8297.14	9	2	41	0.1
1422	G D 27	739.12	8297.38	15	3	110	0.1
1423	G D 28	742.21	8291.36	19	1	48	0.1
1424	G D 29	742.08	8291.36	27	1	78	0.1
1425	G D 30	741.19	8290.75	30	6	78	0.1
1426	G D 31	740.37	8290.12	19	5	67	0.1
1427	G D 32	739.68	8289.77	35	5	104	0.1
1428	G D 33	739.41	8289.50	33	10	78	0.1
1429	G D 34	738.43	8288.50	21	7	51	0.1
1430	G D 35	738.00	8288.04	25	7	63	0.1
1431	G D 36	736.65	8286.88	24	9	56	0.1
1432	G D 37	736.35	8286.44	18	5	121	0.1
1433	G D 38	735.18	8286.20	22	2	38	0.1
1434	G D 39	735.17	8286.37	15	2	42	0.1
1435	G D 40	734.15	8285.47	12	2	39	0.1
1436	G D 41	733.01	8285.30	13	3	24	0.1
1437	G D 42	733.21	8285.91	21	5	40	0.1
1438	G D 43	734.11	8286.41	25	1	57	0.1
1439	G D 44	734.25	8286.55	15	1	61	0.1
1440	G D 45	734.77	8285.97	15	1	95	0.1
1441	G D 46	734.87	8287.39	15	1	72	0.1
1442	G D 47	734.97	8287.84	23	1	36	0.1
1443	G D 48	735.74	8289.78	23	4	54	0.1
1444	G D 49	736.22	8291.13	31	7	68	0.1
1445	G D 50	736.11	8292.26	25	5	60	0.1
1446	G D 51	736.02	8292.99	29	6	73	0.1
1447	G D 52	735.82	8294.16	17	4	64	0.1
1448	G D 53	735.26	8295.85	20	3	108	0.1
1449	G D 54	734.73	8297.07	20	3	111	0.1
1450	G D 55	733.70	8299.95	22	5	106	0.1
1451	G D 56	733.22	8300.68	26	6	71	0.1
1452	G D 57	732.80	8301.98	23	7	66	0.1
1453	G D 58	709.27	8305.04	24	4	41	0.1
1454	G D 59	710.28	8305.35	13	15	63	0.1
1455	G D 60	710.33	8305.46	17	15	66	0.1
1456	G D 61	710.50	8305.48	12	14	79	0.1
1457	G D 62	725.82	8323.21	21	16	83	0.1
1458	G D 63	725.73	8323.75	11	11	455	0.1

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		As	Au
		X	Y				Ag			
1459	G D 64	725.24	8326.19	6	9	43	0.1		1	0
1460	G D 65	725.83	8328.25	6	3	41	0.1		1	29
1461	G D 66	725.76	8328.61	7	3	118	0.1		1	3
1462	G D 67	726.20	8328.84	7	5	66	0.1		1	5
1463	G D 68	726.30	8328.02	24	8	62	0.1		2	4
1464	G D 69	726.47	8329.16	7	4	485	0.1		2	0
1465	G D 70	726.71	8330.95	8	8	74	0.1		2	0
1466	G D 71	726.45	8331.27	13	7	67	0.1		2	0
1467	G D 72	726.41	8331.79	31	11	69	0.1		4	0
1468	G D 73	726.60	8332.32	30	8	68	0.1		1	0
1469	G D 74	726.83	8332.59	19	9	62	0.3		1	0
1470	G D 75	726.07	8333.15	19	13	60	0.1		9	0
1471	G D 76	724.57	8334.33	31	9	77	0.1		4	0
1472	G D 77	724.40	8334.53	27	8	61	0.1		3	0
1473	G D 78	724.22	8334.70	15	4	127	0.1		1	6
1474	G D 79	723.87	8335.66	26	1	113	0.1		1	0
1475	G D 80	721.83	8332.37	10	9	271	0.1		1	0
1476	G D 81	721.36	8330.82	19	19	81	0.1		5	0
1477	G D 82	720.91	8329.01	25	20	87	0.1		9	0
1478	G D 83	720.94	8328.28	19	16	67	0.1		4	0
1479	G D 84	721.79	8327.69	10	10	67	0.1		2	0
1480	G D 85	722.21	8327.17	7	7	111	0.1		1	0
1481	G D 86	723.65	8326.20	12	12	83	0.1		1	0
1482	G D 87	677.20	8311.02	22	3	52	0.1		3	0
1483	G D 88	676.87	8311.52	29	40	85	0.3		1	0
1484	G D 89	676.82	8311.72	33	12	82	0.3		2	0
1485	G D 90	676.80	8313.71	22	5	50	0.2		1	0
1486	G D 91	679.38	8328.44	22	10	50	0.2		5	0
1487	G D 92	679.49	8329.16	41	62	103	0.5		1	0
1488	G D 93	679.44	8329.43	18	56	91	0.1		1	0
1489	G D 94	684.37	8327.52	13	14	105	0.1		1	0
1490	G D 95	684.52	8327.83	11	12	220	0.3		3	0
1491	G D 96	684.17	8328.38	10	22	82	0.1		4	0
1492	G D 97	690.93	8330.05	11	4	165	0.1		5	0
1493	G D 98	692.29	8333.18	9	6	43	0.1		9	0
1494	G D 99	696.99	8336.13	12	10	72	0.1		4	0
1495	G D 100	697.20	8335.97	17	4	98	0.1		6	0
1496	G D 101	697.91	8336.46	10	6	43	0.1		5	0
1497	G D 102	699.21	8337.10	11	7	73	0.1		3	0
1498	G D 103	700.31	8337.63	12	5	130	0.1		3	0
1499	G D 104	703.33	8338.19	8	8	235	0.2		2	0
1500	G D 105	703.55	8338.14	9	8	48	0.1		3	0
1501	G D 106	703.63	8337.95	16	2	110	0.1		4	0
1502	G D 107	703.53	8337.70	14	6	100	0.1		3	0
1503	G D 108	703.41	8337.57	16	7	230	0.3		4	0
1504	G D 109	702.93	8337.82	12	4	232	0.3		2	0
1505	G D 110	701.38	8334.06	10	6	234	0.3		2	0
1506	G D 111	700.18	8332.64	12	11	33	0.1		3	0
1507	G D 112	699.62	8330.96	11	11	143	0.1		4	0
1508	G D 113	699.67	8329.27	11	5	50	0.1		4	0
1509	G D 114	699.58	8328.95	14	6	71	0.1		3	0
1510	G D 115	699.15	8328.08	20	6	72	0.1		3	0
1511	G D 116	699.09	8327.89	18	5	50	0.1		4	0
1512	G D 117	697.66	8325.35	21	4	65	0.1		3	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		As	Au
		X	Y				Ag			
1513	G D118	697.15	8324.18	17	6	36	0.1	11	0	
1514	G D119	697.10	8323.92	22	3	46	0.1	15	0	
1515	G D120	696.58	8323.26	21	10	40	0.1	10	0	
1516	G D121	696.53	8323.10	32	14	70	0.2	24	10	
1517	G D122	696.36	8322.89	29	20	41	0.1	14	3	
1518	G D123	695.92	8322.20	21	30	37	0.1	16	3	
1519	G D124	693.80	8307.41	27	6	65	0.1	3	0	
1520	G D125	693.74	8307.17	37	5	55	0.1	3	0	
1521	G D126	693.88	8306.91	24	3	50	0.1	3	0	
1522	G D127	693.37	8307.25	11	4	38	0.1	5	0	
1523	G D128	692.46	8306.60	21	4	62	0.2	3	0	
1524	G D129	690.88	8305.83	26	4	59	0.1	4	0	
1525	G D130	690.42	8305.78	25	3	90	0.1	5	0	
1526	G E 1	689.34	8306.37	20	8	62	0.1	1	0	
1528	G E 2	737.90	8299.19	16	3	200	0.1	1	0	
1529	G E 3	736.48	8300.76	12	2	70	0.1	1	0	
1530	G E 4	735.52	8300.93	15	2	43	0.1	1	0	
1531	G E 5	734.29	8300.81	26	8	83	0.1	2	0	
1532	G E 6	732.60	8303.25	27	9	77	0.1	3	0	
1533	G E 7	731.16	8303.60	25	9	71	0.1	3	0	
1534	G E 8	731.23	8304.55	26	10	58	0.1	5	0	
1535	G E 9	726.56	8320.95	20	5	56	0.1	1	0	
1536	G E 10	725.99	8322.77	13	17	380	0.1	1	0	
1537	G E 11	726.53	8322.80	13	9	49	0.1	1	0	
1538	G E 12	724.51	8317.92	14	15	126	0.1	1	0	
1539	G E 13	722.54	8317.11	20	6	58	0.1	1	0	
1540	G E 14	721.84	8316.74	18	4	111	0.1	2	0	
1541	G E 15	722.28	8318.71	29	5	50	0.1	7	0	
1542	G E 16	723.51	8320.33	20	5	131	0.1	2	0	
1543	G E 17	731.07	8310.21	17	1	161	0.1	24	0	
1544	G E 18	731.45	8310.15	16	5	116	0.1	1	0	
1545	G E 19	731.56	8310.34	26	4	85	0.1	1	0	
1546	G E 20	732.66	8310.49	21	10	57	0.1	1	0	
1547	G E 21	733.97	8309.82	15	8	60	0.1	1	0	
1548	G E 22	735.46	8309.64	31	13	61	0.1	6	0	
1549	G E 23	736.20	8309.87	20	6	61	0.1	2	0	
1550	G E 24	736.46	8309.82	17	8	51	0.1	6	0	
1551	G E 25	737.33	8309.72	29	12	60	0.1	6	0	
1552	G E 26	732.55	8304.01	25	10	71	0.1	4	0	
1553	G E 27	734.05	8304.57	37	13	100	0.1	6	0	
1554	G E 28	734.39	8304.91	24	9	68	0.1	5	0	
1555	G E 29	735.33	8305.02	31	14	84	0.1	5	0	
1556	G E 30	736.13	8305.10	23	9	98	0.1	2	0	
1557	G E 31	737.93	8305.68	26	12	60	0.1	5	0	
1558	G E 32	738.04	8305.43	16	5	83	0.1	3	0	
1559	G E 33	738.65	8305.91	16	6	58	0.1	1	0	
1560	G E 34	739.64	8307.77	21	7	57	0.1	1	0	
1561	G E 35	730.03	8308.07	21	10	81	0.1	3	0	
1562	G E 36	730.41	8308.18	28	8	38	0.1	1	0	
1563	G E 37	730.40	8309.23	26	7	62	0.1	3	0	
1564	G E 38	730.32	8310.47	21	10	55	0.1	1	0	
1565	G E 39	730.43	8311.25	24	10	53	0.1	1	0	
1566	G E 40	730.16	8311.57	23	7	51	0.1	3	0	



Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
1567	G E 41	729.62	8312.03	23	8	47	0.1	0	0
1568	G E 42	731.17	8305.46	21	9	61	0.1	0	0
1569	G E 43	747.06	8296.14	23	5	57	0.1	0	0
1570	G E 44	746.88	8296.57	20	1	170	0.1	0	0
1571	G E 45	747.94	8296.98	29	6	170	0.1	0	0
1572	G E 46	748.31	8297.56	17	2	149	0.1	0	0
1573	G E 47	748.87	8297.70	21	2	176	0.1	0	0
1574	G E 48	749.41	8298.53	14	4	110	0.1	0	0
1575	G E 49	750.26	8299.05	27	4	500	0.1	0	0
1576	G E 50	753.38	8301.33	10	5	40	0.1	0	0
1577	G E 51	754.03	8302.07	11	6	59	0.1	0	0
1578	G E 52	754.10	8303.17	11	7	140	0.1	0	0
1579	G E 53	753.94	8303.23	10	5	56	0.1	0	0
1580	G E 54	759.97	8308.17	8	7	52	0.1	0	0
1581	G E 55	759.65	8308.84	18	5	91	0.1	0	0
1582	G E 56	759.91	8309.93	25	8	66	0.1	0	0
1583	G E 57	760.11	8309.95	16	4	51	0.1	0	0
1584	G E 58	761.80	8312.56	18	4	81	0.1	0	0
1585	G E 59	762.53	8312.77	24	10	59	0.1	0	0
1586	G E 60	763.24	8313.12	17	5	65	0.1	0	0
1587	G E 61	763.22	8313.29	19	6	52	0.1	0	0
1588	G E 62	762.65	8319.26	15	4	96	0.1	0	0
1589	G E 63	762.50	8320.72	18	5	46	0.1	0	0
1590	G E 64	762.01	8321.05	7	3	23	0.1	0	0
1591	G E 65	762.77	8324.53	14	9	38	0.1	0	0
1592	G E 66	762.14	8325.05	14	11	67	0.1	0	0
1593	G E 67	760.16	8325.73	19	5	62	0.1	0	0
1594	G E 68	758.93	8325.90	15	5	41	0.1	0	0
1595	G E 69	757.23	8326.23	6	3	29	0.1	0	0
1596	G E 70	710.00	8305.38	21	6	51	0.1	0	0
1597	G E 71	709.56	8305.67	24	22	100	0.1	5	0
1598	G E 72	726.58	8332.61	24	6	30	0.1	0	0
1599	G E 73	723.34	8333.49	20	11	60	0.1	0	0
1600	G E 74	723.23	8333.43	12	10	74	0.1	0	0
1601	G E 75	722.36	8332.70	12	10	170	0.1	0	0
1602	G E 76	721.36	8331.86	10	14	290	0.1	0	0
1603	G E 77	721.25	8331.69	9	14	215	0.1	0	0
1604	G E 78	721.73	8328.00	8	8	221	0.1	0	0
1605	G E 79	721.66	8327.63	10	8	121	0.1	0	0
1606	G E 80	722.52	8326.68	11	8	46	0.1	0	0
1607	G E 81	661.64	8312.94	64	9	90	0.1	0	0
1608	G E 82	662.00	8313.33	55	6	100	0.1	0	0
1609	G E 83	663.32	8313.33	62	4	97	0.1	0	0
1610	G E 84	663.76	8313.83	28	4	125	0.1	0	0
1611	G E 85	664.87	8315.44	43	4	100	0.1	0	0
1612	G E 86	665.30	8315.00	21	5	170	0.1	0	0
1613	G E 87	665.66	8314.63	29	5	138	0.1	0	0
1614	G E 88	666.89	8314.19	26	1	81	0.1	0	0
1615	G E 89	667.39	8313.07	27	1	53	0.1	0	0
1616	G E 90	667.73	8313.07	20	1	59	0.1	0	0
1617	G E 91	668.21	8313.17	37	3	86	0.1	0	0
1618	G E 92	668.61	8313.35	29	6	88	0.1	0	0
1619	G E 93	669.74	8313.35	34	3	160	0.1	0	0
1620	G E 94	665.73	8312.59	21	1	115	0.1	0	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Elements			Au
		X	Y			Zn	Ag	As	
1621	G E 95	686.73	8312.49	29	7	90	0.1	7	0
1622	G E 96	667.21	8312.00	24	4	70	0.1	4	0
1623	G E 97	667.45	8311.55	27	1	184	0.1	2	0
1624	G E 98	667.70	8311.86	28	5	61	0.1	9	0
1625	G E 99	668.00	8311.83	25	2	52	0.1	5	0
1626	G E 100	669.28	8311.79	37	4	56	0.1	5	0
1627	G E 101	669.56	8312.02	24	1	35	0.1	3	0
1628	G E 102	670.20	8310.91	27	6	51	0.1	6	0
1629	G E 103	670.45	8310.66	24	4	62	0.1	5	0
1630	G E 104	671.97	8310.06	32	1	269	0.1	6	0
1631	G E 105	671.81	8308.99	23	1	52	0.1	6	0
1632	G E 106	679.99	8328.13	16	12	49	0.1	33	5
1633	G E 107	680.06	8328.50	9	18	34	0.1	9	6
1634	G E 108	680.03	8329.85	13	17	58	0.2	20	0
1635	G E 109	680.01	8331.52	13	14	47	0.1	14	0
1636	G E 110	680.32	8333.04	17	14	57	0.1	10	0
1637	G E 111	680.46	8333.43	10	14	38	0.1	12	0
1638	G E 112	680.60	8334.34	5	7	26	0.1	11	0
1639	G E 113	680.28	8335.44	9	18	81	0.1	22	0
1640	G E 114	680.28	8337.43	16	13	53	0.1	28	0
1641	G E 115	680.23	8337.56	15	12	51	0.1	38	0
1642	G E 116	679.87	8338.06	15	27	400	0.1	17	0
1643	G E 117	679.78	8338.18	12	16	61	0.1	14	0
1644	G E 118	679.52	8339.59	12	15	58	0.1	12	0
1645	G E 119	679.35	8340.15	13	16	54	0.1	13	0
1646	G E 120	679.31	8340.27	15	14	42	0.1	20	0
1647	G E 121	679.91	8333.01	15	16	189	0.1	23	0
1648	G E 122	679.53	8332.89	13	10	48	0.1	12	0
1649	G E 123	679.25	8332.08	30	10	61	0.1	9	0
1650	G E 124	679.36	8331.78	38	15	60	0.1	19	0
1651	G E 125	679.48	8331.21	33	10	53	0.1	19	0
1652	G E 126	679.55	8330.62	28	11	59	0.1	29	0
1653	G E 127	679.24	8329.94	69	51	85	0.1	36	0
1654	G E 128	679.16	8329.70	48	15	74	0.1	11	0
1655	G E 129	679.21	8306.82	30	4	42	0.1	7	0
1656	G E 130	679.48	8306.19	35	8	48	0.1	9	0
1657	G E 131	679.64	8305.88	34	6	48	0.1	6	0
1658	G E 132	679.61	8305.37	31	8	41	0.1	6	0
1659	G E 133	679.56	8305.06	38	11	52	0.1	9	0
1660	G E 134	679.70	8304.97	36	10	41	0.1	9	0
1661	G E 135	680.14	8304.52	34	6	46	0.1	6	0
1662	G E 136	680.22	8304.01	38	10	55	0.1	6	0
1663	G E 137	681.75	8301.75	23	1	57	0.1	5	0
1664	G E 138	682.31	8301.31	141	94	290	0.1	15	0
1665	G E 139	682.73	8301.10	88	63	204	0.1	41	0
1666	G E 140	682.92	8300.81	57	73	182	0.1	63	0
1667	G E 141	683.01	8300.54	59	59	148	0.1	59	0
1668	G E 142	683.04	8300.33	30	16	71	0.1	19	0
1669	G E 143	682.94	8300.01	39	7	57	0.1	15	0
1670	G E 144	682.86	8299.76	31	3	37	0.1	15	0
1671	G E 145	682.86	8299.20	87	44	81	0.1	15	0
1672	G E 146	683.00	8298.83	103	54	93	0.1	310	0
1673	G E 147	683.42	8297.86	57	38	83	0.1	18	0
1674	G E 148	683.34	8297.43	56	20	81	0.1	30	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			Au
		X	Y				Ag	As	Au	
1675	E149	683.21	8297.21	35	7	58	0.1	0	0	0
1676	E150	682.88	8296.43	37	43	59	0.1	0	8	0
1677	E151	682.58	8295.02	97	20	97	0.1	0	10	0
1678	E152	682.36	8295.82	228	28	139	0.1	0	30	5
1679	E153	682.27	8295.71	845	26	95	0.1	116	15	5
1680	E154	681.95	8295.51	168	7	58	0.1	0	16	5
1681	E155	681.24	8295.27	39	2	157	0.1	0	22	0
1682	E156	678.30	8293.35	44	13	101	0.1	0	0	0
1683	E157	677.56	8293.06	25	5	144	0.1	0	4	0
1684	E158	675.97	8291.57	30	6	60	0.1	0	6	0
1685	E159	675.71	8291.58	41	2	149	0.1	0	5	0
1686	E160	675.60	8291.23	41	3	80	0.1	0	0	0
1687	E161	675.68	8291.16	32	3	57	0.1	0	0	0
1688	E162	673.89	8290.27	51	2	97	0.1	0	5	0
1689	E163	674.44	8289.64	57	2	96	0.1	0	6	0
1690	E164	679.99	8293.99	42	11	61	0.1	0	0	0
1691	E165	681.65	8294.53	127	65	218	0.2	14	29	0
1692	E166	681.64	8294.30	278	12	415	0.1	17	22	0
1693	E167	681.74	8294.27	83	10	113	0.1	22	20	5
1694	E168	681.86	8294.33	300	12	191	0.1	14	22	0
1695	E169	681.95	8294.51	223	28	305	0.1	10	14	5
1696	E170	682.05	8294.64	285	12	210	0.1	15	15	5
1697	E171	683.24	8295.94	345	3	95	0.1	12	9	0
1698	E172	683.98	8295.95	210	32	140	0.1	16	19	0
1699	E173	684.57	8295.77	246	20	110	0.1	19	19	0
1700	E174	684.84	8295.86	217	58	235	0.1	22	22	0
1701	E175	684.99	8295.89	84	17	72	0.1	14	14	0
1702	E176	684.65	8297.86	100	85	149	0.2	85	85	0
1703	E177	684.12	8298.97	104	73	148	0.1	80	77	0
1704	E178	670.97	8312.91	43	7	61	0.1	7	7	0
1705	E179	671.21	8312.82	33	6	78	0.1	10	10	0
1706	E180	671.50	8312.86	31	11	70	0.1	9	9	0
1707	E181	671.78	8312.78	36	6	67	0.1	10	10	0
1708	E182	672.03	8312.85	36	11	69	0.1	12	12	0
1709	E183	672.18	8312.92	28	14	77	0.1	22	22	0
1710	E184	673.09	8312.97	34	11	93	0.1	14	14	0
1711	E185	673.18	8312.89	32	8	74	0.1	20	20	0
1712	E186	673.64	8313.08	27	10	59	0.1	22	22	0
1713	E187	674.21	8312.77	25	18	65	0.1	20	20	0
1714	E188	675.37	8312.99	27	12	63	0.1	14	14	0
1715	E189	733.20	8320.89	26	5	101	0.1	4	4	0
1716	E190	736.35	8319.28	24	7	90	0.1	5	5	0
1717	E191	735.49	8319.35	20	4	84	0.1	1	1	0
1718	E192	735.05	8318.77	26	4	141	0.1	4	4	0
1719	E193	742.84	8332.56	10	7	105	0.1	1	1	0
1720	E194	742.31	8332.11	10	17	41	0.1	1	1	0
1721	E195	744.40	8332.39	12	3	174	0.1	3	3	0
1722	E196	744.79	8332.75	11	3	91	0.1	3	3	0
1723	E197	744.81	8332.65	15	3	49	0.1	9	9	0
1724	E198	747.21	8334.71	13	1	113	0.1	1	1	0
1725	E199	747.67	8319.50	15	4	82	0.1	3	3	0
1726	E200	747.89	8320.78	21	2	25	0.1	2	2	0
1727	E201	749.22	8320.49	22	6	83	0.1	3	3	0
1728	E202	749.43	8320.59	17	8	74	0.1	1	1	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		As	Au
		X	Y				Ag			
1729	G F 15	719.57	8320.54	17	3	88	0.1	0	0	0
1730	G F 16	745.20	8300.99	34	10	87	0.1	0	0	0
1731	G F 17	747.52	8305.13	36	10	84	0.1	0	0	0
1732	G F 18	747.22	8305.04	35	8	82	0.1	0	0	0
1733	G F 19	746.91	8305.07	28	5	81	0.1	0	0	0
1734	G F 20	746.16	8305.03	16	6	81	0.1	0	0	0
1735	G F 21	744.38	8304.68	40	9	80	0.1	0	0	0
1736	G F 22	747.26	8305.77	29	4	73	0.1	0	0	0
1737	G F 23	746.94	8306.51	22	6	52	0.1	0	0	0
1738	G F 24	745.87	8314.48	25	7	47	0.1	0	0	0
1739	G F 25	744.20	8316.99	20	3	54	0.1	0	0	0
1740	G F 26	742.80	8315.35	22	8	47	0.1	0	0	0
1741	G F 27	742.07	8315.89	25	9	50	0.1	0	0	0
1742	G F 28	741.09	8315.17	19	9	51	0.1	0	0	0
1743	G F 29	739.60	8314.04	28	10	71	0.1	0	0	0
1744	G F 30	739.93	8312.94	25	11	62	0.1	0	0	0
1745	G F 31	740.16	8310.63	18	4	50	0.1	0	0	0
1746	G F 32	740.01	8308.22	32	8	75	0.1	0	0	0
1747	G F 33	731.21	8303.68	24	7	74	0.1	0	0	0
1748	G F 34	729.52	8303.70	27	5	76	0.1	0	0	0
1749	G F 35	729.34	8303.70	30	10	77	0.1	0	0	0
1750	G F 36	728.34	8303.95	29	8	57	0.1	0	0	0
1751	G F 37	728.52	8304.15	33	9	58	0.1	0	0	0
1752	G F 38	725.55	8303.71	24	1	64	0.1	0	0	0
1753	G F 39	724.09	8303.75	26	6	63	0.1	0	0	0
1754	G F 40	723.18	8303.61	36	3	67	0.1	0	0	0
1755	G F 41	723.36	8305.08	26	4	365	0.1	0	0	0
1756	G F 42	723.47	8306.60	31	7	122	0.1	0	0	0
1757	G F 43	724.87	8308.51	24	5	93	0.1	0	0	0
1758	G F 44	725.03	8309.26	21	2	52	0.1	0	0	0
1759	G F 45	725.35	8309.62	28	6	77	0.1	0	0	0
1760	G F 46	725.70	8309.63	26	8	65	0.1	0	0	0
1761	G F 47	691.53	8314.07	22	6	74	0.1	0	0	0
1762	G F 48	727.39	8311.77	23	8	49	0.1	0	0	0
1763	G F 49	727.56	8311.82	22	4	50	0.1	0	0	0
1764	G F 50	720.79	8304.24	27	9	67	0.1	0	0	0
1765	G F 51	720.49	8303.78	30	7	67	0.1	0	0	0
1766	G F 52	720.29	8303.55	27	4	68	0.1	0	0	0
1767	G F 53	719.33	8303.09	26	6	61	0.1	0	0	0
1768	G F 54	719.10	8303.04	24	5	52	0.1	0	0	0
1769	G F 55	718.54	8302.90	24	4	54	0.1	0	0	0
1770	G F 56	718.05	8302.70	27	4	50	0.1	0	0	0
1771	G F 57	717.42	8302.57	27	6	56	0.1	0	0	0
1772	G F 58	717.09	8302.46	30	6	65	0.1	0	0	0
1773	G F 59	716.26	8302.15	31	6	66	0.1	0	0	0
1774	G F 60	715.76	8301.51	37	10	73	0.1	0	0	0
1775	G F 61	715.62	8300.36	32	9	77	0.1	0	0	0
1776	G F 62	715.55	8299.90	30	9	74	0.1	0	0	0
1777	G F 63	715.64	8299.64	30	6	76	0.1	0	0	0
1778	G F 64	715.69	8299.32	26	4	74	0.1	0	0	0
1779	G F 65	715.70	8298.94	27	4	61	0.1	0	0	0
1780	G F 66	715.47	8298.53	19	4	75	0.1	0	0	0
1781	G F 67	715.38	8297.86	21	3	72	0.1	0	0	0
1782	G F 68	714.87	8296.64	18	3	63	0.1	0	0	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			
		X	Y				Ag	As	Au	
1783	G F 69	714.47	8234.48	30	5	66	0	1	0	0
1784	G F 70	714.35	8233.46	19	2	104	0	1	0	0
1785	G F 71	714.45	8233.26	26	6	56	0	1	0	0
1786	G F 72	714.37	8232.74	33	6	131	0	1	0	0
1787	G F 73	714.24	8231.51	28	4	106	0	1	0	0
1788	G F 74	714.48	8230.73	29	6	69	0	1	0	0
1789	G F 75	714.80	8230.20	28	3	19	0	1	0	0
1790	G F 76	715.04	8229.06	35	7	61	0	1	0	0
1791	G F 77	712.08	8228.13	26	4	70	0	1	0	0
1792	G F 78	711.76	8226.83	32	6	78	0	1	0	0
1793	G F 79	711.64	8226.43	24	3	81	0	1	0	0
1794	G F 80	713.74	8222.26	20	1	145	0	1	0	0
1795	G F 81	712.05	8223.22	20	2	86	0	1	0	0
1796	G F 82	711.67	8224.52	25	2	98	0	1	0	0
1797	G F 83	710.13	8225.22	24	3	109	0	1	0	0
1798	G F 84	709.97	8225.46	26	5	49	0	1	0	0
1799	G F 85	709.35	8225.89	27	7	47	0	1	0	0
1800	G F 86	709.61	8226.37	28	7	47	0	1	0	0
1801	G F 87	709.63	8226.61	33	7	52	0	1	0	0
1802	G F 88	709.64	8226.77	22	2	193	0	1	0	0
1803	G F 89	710.51	8227.75	32	2	119	0	1	0	0
1804	G F 90	710.79	8228.30	30	5	115	0	1	0	0
1805	G F 91	711.33	8228.63	30	3	55	0	1	0	0
1806	G F 92	710.93	8229.59	31	2	73	0	1	0	0
1807	G F 93	711.06	8230.07	26	4	98	0	1	0	0
1808	G F 94	711.09	8301.93	31	2	64	0	1	15	0
1809	G F 95	711.09	8302.43	26	11	70	0	1	10	0
1810	G F 96	711.96	8304.31	32	30	87	0	1	28	0
1811	G F 97	713.16	8304.38	9	2	41	0	1	1	0
1812	G F 98	713.29	8304.42	15	1	63	0	1	1	0
1813	G F 99	714.03	8304.75	21	7	45	0	1	1	0
1814	G F 100	714.10	8305.57	22	2	125	0	1	1	0
1815	G F 101	714.20	8306.94	17	7	39	0	1	1	0
1816	G F 102	714.55	8308.64	13	8	41	0	1	1	0
1817	G F 103	714.84	8309.66	21	8	55	0	1	1	0
1818	G F 104	715.57	8310.02	22	6	51	0	1	1	0
1819	G F 105	717.36	8310.13	24	6	67	0	1	3	0
1820	G F 106	718.15	8310.35	17	1	147	0	1	1	0
1821	G F 107	718.33	8311.02	14	1	53	0	1	1	0
1822	G F 108	719.37	8312.00	13	3	50	0	1	1	0
1823	G F 109	720.80	8312.48	16	4	47	0	1	1	0
1824	G F 110	718.68	8321.04	28	7	200	0	1	1	0
1825	G F 111	717.59	8322.06	24	5	68	0	1	1	0
1826	G F 112	717.18	8322.03	28	3	87	0	1	1	0
1827	G F 113	715.74	8322.34	27	9	81	0	1	1	0
1828	G F 114	716.69	8323.43	25	6	71	0	1	1	0
1829	G F 115	716.60	8323.56	23	5	63	0	1	1	0
1830	G F 116	715.91	8326.39	30	7	72	0	1	1	0
1831	G F 117	714.29	8331.33	29	5	71	0	1	1	0
1832	G F 118	715.89	8326.43	26	4	77	0	1	1	0
1833	G F 119	716.33	8331.71	22	4	56	0	1	1	0
1834	G F 120	716.46	8332.03	22	4	97	0	1	1	0
1835	G F 121	718.51	8331.28	14	3	171	0	1	1	0
1836	G F 122	718.53	8331.21	14	7	156	0	1	1	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
1837	G F123	718.52	8330.99	20	5	44	0.1	9	0
1838	G F124	718.85	8329.99	14	5	43	0.1	1	0
1839	G F125	719.14	8328.57	7	2	32	0.1	1	0
1840	G F126	720.43	8326.74	24	13	80	0.1	9	0
1841	G F127	720.87	8323.96	22	11	49	0.1	4	0
1842	G F128	720.29	8323.01	21	10	57	0.1	4	0
1843	G F129	719.36	8321.96	26	7	74	0.1	3	0
1844	G F130	669.90	8312.91	22	2	41	0.1	5	0
1845	G F131	669.99	8313.02	25	1	32	0.1	5	0
1846	G F132	671.26	8312.01	40	9	72	0.1	9	0
1847	G F133	671.76	8312.13	45	8	196	0.1	5	0
1848	G F134	671.87	8312.17	43	11	141	0.1	11	0
1849	G F135	672.22	8312.20	38	10	99	0.1	7	0
1850	G F136	672.66	8312.18	26	9	64	0.1	4	0
1851	G F137	672.84	8312.23	31	9	113	0.1	4	0
1852	G F138	673.97	8312.11	39	12	81	0.1	20	0
1853	G F139	675.83	8311.67	42	9	76	0.1	41	0
1854	G F140	675.84	8311.22	39	13	60	0.1	45	0
1855	G F141	676.03	8310.74	35	7	93	0.1	15	0
1856	G F142	675.56	8310.32	31	6	60	0.1	22	0
1857	G F143	675.82	8309.92	26	4	69	0.1	14	0
1858	G F144	676.10	8309.73	28	4	69	0.2	19	0
1859	G F145	695.59	8321.08	19	13	49	0.1	12	0
1860	G F146	695.44	8320.74	18	3	52	0.1	7	0
1861	G F147	695.59	8320.47	11	4	83	0.1	2	0
1862	G F148	695.25	8320.28	32	10	71	0.2	9	0
1863	G F149	696.76	8315.31	11	2	54	0.1	1	0
1864	G F150	696.19	8315.30	37	15	90	0.1	15	0
1865	G F151	696.52	8313.02	11	5	37	0.1	2	0
1866	G F152	696.12	8312.98	13	8	45	0.1	7	0
1867	G F153	696.08	8312.78	7	10	47	0.1	4	0
1868	G F154	695.99	8312.66	10	12	48	0.1	27	0
1869	G F155	695.68	8312.45	11	9	43	0.1	41	0
1870	G F156	687.68	8301.82	33	20	124	0.1	46	0
1871	G F157	687.73	8301.62	47	8	65	0.2	11	0
1872	G F158	687.73	8302.06	24	4	80	0.2	9	0
1873	G F159	687.93	8302.61	31	9	68	0.1	4	0
1874	G F160	688.19	8302.94	29	15	80	0.1	1	0
1875	G F161	688.29	8303.50	17	4	48	0.1	1	0
1876	G F162	688.54	8304.21	32	5	39	0.1	4	0
1877	G F163	689.84	8305.89	18	6	40	0.1	4	0
1878	G F164	689.91	8305.83	22	4	34	0.1	3	0
1879	G F165	690.87	8305.96	24	4	54	0.1	4	0
1880	G F166	691.79	8305.39	14	4	39	0.1	2	0
1881	G F167	691.82	8305.21	14	8	41	0.1	2	0
1882	G F168	692.37	8304.98	26	10	54	0.1	2	0
1883	G F169	692.35	8304.14	32	6	67	0.1	5	0
1884	G F170	692.18	8303.81	21	1	57	0.1	2	0
1885	G F171	692.35	8303.45	28	5	82	0.1	3	0
1886	G F172	693.55	8302.89	34	6	65	0.1	3	0
1887	G F173	695.25	8302.04	39	8	93	0.1	3	0
1888	G F174	695.52	8301.89	37	7	75	0.1	4	0
1889	G F175	694.06	8301.49	43	1	61	0.1	3	0
1890	G F176	693.80	8299.51	34	11	61	0.1	7	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
1891	F177	693.34	8298.82	37	14	65	0.2	11	0
1892	F178	692.77	8298.75	25	5	61	0.1	4	0
1893	G	730.82	8314.16	14	47	47	0.1	1	0
1894	G	729.73	8315.05	20	4	45	0.1	1	0
1895	G	729.69	8315.47	17	7	156	0.1	1	0
1896	G	729.57	8319.31	18	8	92	0.1	1	0
1897	G	730.52	8314.05	9	3	23	0.1	1	0
1898	G	764.27	8285.25	25	4	46	0.1	1	0
1899	G	763.45	8285.84	18	1	56	0.1	1	0
1900	G	757.11	8291.52	21	6	115	0.1	1	0
1901	G	753.81	8292.20	24	1	166	0.1	1	0
1902	G	744.41	8295.24	22	1	320	0.1	1	0
1903	G	747.25	8296.33	21	1	109	0.1	1	0
1904	G	747.84	8296.72	20	1	71	0.1	1	0
1905	G	748.45	8297.40	13	1	44	0.1	1	0
1906	G	748.99	8297.87	7	1	35	0.1	1	0
1907	G	749.57	8298.37	12	7	180	0.1	1	0
1908	G	749.96	8298.40	6	1	17	0.1	1	0
1909	G	750.18	8298.68	14	1	340	0.1	1	0
1910	G	752.03	8300.25	16	1	220	0.1	1	0
1911	G	753.84	8301.68	12	6	63	0.1	1	0
1912	G	754.29	8301.65	17	7	305	0.1	1	0
1913	G	755.99	8304.14	14	7	104	0.1	1	0
1914	G	756.22	8304.40	25	7	44	0.1	3	0
1915	G	756.68	8304.73	17	9	56	0.1	1	0
1916	G	757.31	8304.03	10	9	51	0.1	1	0
1917	G	757.96	8304.14	10	11	56	0.1	5	0
1918	G	757.95	8304.68	7	11	49	0.1	3	0
1919	G	759.45	8306.85	9	8	54	0.1	3	0
1920	G	759.74	8307.01	12	4	53	0.1	1	0
1921	G	760.11	8307.86	14	4	48	0.1	1	0
1922	G	759.94	8308.00	17	4	120	0.1	1	0
1923	G	759.72	8308.15	12	7	45	0.1	1	0
1924	G	760.43	8308.94	21	6	67	0.1	3	2
1925	G	760.18	8309.62	15	4	44	0.1	1	0
1926	G	761.04	8310.95	15	5	54	0.1	1	0
1927	G	761.27	8311.34	16	5	53	0.1	1	0
1928	G	761.96	8312.29	12	6	84	0.1	2	0
1929	G	763.43	8312.69	15	6	56	0.1	1	0
1930	G	763.64	8312.76	13	6	55	0.1	1	0
1931	G	763.45	8317.27	15	6	55	0.1	1	0
1932	G	762.92	8319.12	13	9	129	0.1	1	0
1933	G	762.78	8319.54	16	9	47	0.1	2	0
1934	G	762.59	8321.36	11	1	47	0.1	1	0
1935	G	762.93	8321.57	17	5	93	0.1	1	0
1936	G	763.02	8322.23	14	5	255	0.1	1	0
1937	G	762.80	8323.68	8	2	101	0.1	1	0
1938	G	762.22	8324.88	6	4	56	0.1	1	0
1939	G	761.03	8325.34	8	4	43	0.1	1	0
1940	G	759.23	8325.69	12	1	62	0.1	1	0
1941	G	757.69	8326.05	17	4	165	0.1	1	0
1942	G	757.50	8325.37	15	4	34	0.1	1	0
1943	G	752.58	8325.71	16	7	56	0.1	4	0
1944	G	688.77	8307.45	14	6	41	0.1	4	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
1945	G 53	688.30	8309.10	21	5	59	0.1	4	0
1946	G 1	707.01	8287.26	23	3	39	0.1	1	0
1947	G 2	707.08	8287.45	24	3	69	0.1	1	0
1948	G 3	707.46	8285.77	28	3	63	0.1	2	0
1949	G 4	706.50	8288.10	70	3	53	0.1	6	19
1950	G 5	706.63	8286.66	47	8	58	0.1	5	15
1951	G 6	706.63	8286.66	47	8	44	0.1	5	15
1952	G 7	707.42	8285.60	36	10	121	0.2	9	1
1953	G 8	709.05	8296.15	32	3	57	0.1	4	0
1954	G 9	709.20	8296.50	26	8	51	0.1	4	0
1955	G 10	709.08	8297.05	26	8	55	0.1	4	0
1956	G 11	709.41	8297.95	25	6	66	0.1	3	0
1957	G 12	710.75	8298.68	36	5	54	0.1	4	0
1958	G 13	711.57	8298.61	35	9	120	0.1	3	0
1959	G 14	711.85	8299.04	35	3	61	0.1	3	0
1960	G 15	676.81	8301.23	29	3	63	0.1	12	0
1961	G 16	676.99	8301.29	29	3	62	0.1	5	0
1962	G 17	677.22	8301.36	42	2	52	0.1	4	0
1963	G 18	677.48	8301.42	52	5	61	0.1	9	0
1964	G 19	677.66	8301.50	52	4	71	0.1	7	0
1965	G 20	677.76	8301.31	41	6	70	0.1	9	0
1966	G 21	677.87	8301.12	38	4	235	0.1	7	0
1967	G 22	677.91	8300.95	31	2	49	0.1	10	0
1968	G 23	678.71	8300.64	36	6	70	0.1	6	0
1969	G 24	679.40	8300.28	43	6	56	0.1	11	0
1970	G 25	679.51	8299.38	64	2	48	0.1	4	0
1971	G 26	679.54	8299.23	35	4	59	0.1	7	0
1972	G 27	679.60	8299.11	30	5	59	0.1	2	0
1973	G 28	679.62	8298.96	35	6	67	0.1	7	0
1974	G 29	679.78	8298.71	34	4	135	0.1	4	33
1975	G 30	679.92	8297.29	45	4	119	0.1	7	0
1976	G 31	678.92	8297.17	45	4	81	0.1	4	0
1977	G 32	678.79	8296.95	60	9	94	0.1	5	0
1978	G 33	678.91	8296.53	30	1	300	0.1	5	0
1979	G 34	678.77	8296.26	29	1	97	0.1	3	0
1980	G 35	678.08	8295.64	30	2	215	0.1	5	0
1981	G 36	677.35	8295.32	33	2	135	0.1	3	0
1982	G 37	677.22	8295.22	50	8	111	0.1	17	0
1983	G 38	677.19	8295.00	51	8	220	0.1	43	0
1984	G 39	677.20	8294.87	37	6	95	0.1	20	0
1985	G 40	677.50	8294.68	40	3	121	0.1	33	0
1986	G 41	676.54	8294.49	31	2	210	0.1	9	0
1987	G 42	675.19	8294.41	54	3	85	0.1	30	0
1988	G 43	675.86	8294.41	50	4	65	0.1	36	0
1989	G 44	675.46	8294.59	43	3	107	0.1	32	0
1990	G 45	675.23	8293.94	28	3	139	0.1	5	0
1991	G 46	675.07	8293.65	21	4	49	0.1	4	0
1992	G 47	675.03	8293.26	38	6	107	0.1	9	0
1993	G 48	674.29	8293.28	43	3	80	0.1	9	0
1994	G 49	672.80	8292.80	40	4	57	0.1	6	0
1995	G 50	671.63	8292.44	43	2	180	0.1	10	0
1996	G 51	670.96	8291.98	40	2	119	0.1	7	0
1997	G 52	670.79	8291.02	47	7	82	0.1	23	0
1998	G 53	670.49	8290.47	48	5	78	0.1	12	0



Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements			Au
		X	Y				Ag	As	Au	
1999	I 54	670.51	8290.30	43	5	119	0	1	4	0
2000	I 55	670.24	8290.17	53	3	82	0	1	14	0
2001	I 56	670.25	8289.99	57	5	100	0	1	3	0
2002	I 57	670.38	8289.93	64	4	83	0	1	9	0
2003	I 58	669.90	8289.36	54	4	95	0	1	1	0
2004	I 59	669.67	8289.55	57	5	75	0	1	4	0
2005	I 60	668.42	8289.11	45	2	72	0	1	2	0
2006	I 61	668.57	8288.77	49	4	71	0	1	2	0
2007	I 62	667.77	8289.02	50	3	73	0	1	1	0
2008	I 63	666.07	8287.12	45	5	80	0	1	3	0
2009	I 64	674.29	8298.06	34	3	190	0	1	1	0
2010	I 65	674.17	8297.30	29	3	56	0	1	2	0
2011	I 66	674.09	8296.70	30	4	68	0	1	3	0
2012	I 67	673.86	8296.06	32	4	320	0	1	5	0
2013	I 68	673.60	8295.73	36	1	86	0	1	4	0
2014	I 69	673.47	8295.30	36	3	171	0	1	3	0
2015	I 70	674.04	8294.45	34	3	94	0	1	4	0
2016	I 71	673.90	8293.99	23	4	80	0	1	3	0
2017	J 1	678.87	8307.57	35	11	50	0	1	10	0
2018	J 2	679.57	8308.12	31	6	72	0	1	5	0
2019	J 3	679.88	8308.42	32	3	65	0	1	4	0
2020	J 4	680.00	8308.14	30	2	93	0	1	4	0
2021	J 5	680.16	8308.44	25	2	59	0	1	4	0
2022	J 6	680.54	8308.52	23	2	43	0	1	4	0
2023	J 7	680.69	8308.46	25	1	78	0	1	4	0
2024	J 8	680.95	8308.40	34	2	90	0	1	5	0
2025	J 9	681.19	8308.33	34	2	66	0	1	4	0
2026	J 10	681.40	8307.84	34	2	65	0	1	4	0
2027	J 11	681.33	8307.72	49	2	72	0	1	7	0
2028	K 1	661.90	8313.19	49	2	285	0	1	2	0
2029	K 2	662.49	8312.97	50	7	55	0	1	4	0
2030	K 3	664.14	8315.43	34	7	23	0	1	2	0
2031	K 4	667.12	8313.92	27	5	79	0	1	4	0
2032	K 5	668.04	8313.09	23	6	67	0	1	5	0
2033	K 6	668.39	8313.25	24	6	34	0	1	4	0
2034	K 7	669.47	8313.52	28	5	68	0	1	5	0
2035	K 8	670.12	8313.27	23	2	47	0	1	3	0
2036	K 9	665.91	8312.60	18	1	62	0	1	2	0
2037	K 10	666.84	8312.43	23	1	121	0	1	10	0
2038	K 11	667.41	8311.67	28	3	359	0	1	3	0
2039	K 12	667.55	8311.58	18	3	44	0	1	3	0
2040	K 13	667.66	8311.75	28	2	57	0	1	6	0
2041	K 14	669.11	8311.76	35	2	39	0	1	2	0
2042	K 15	669.45	8311.78	36	2	68	0	1	3	0
2043	K 16	669.61	8311.63	31	4	77	0	1	5	0
2044	K 17	670.41	8311.37	40	1	130	0	1	3	0
2045	K 18	670.99	8310.79	40	1	81	0	1	5	0
2046	K 19	671.60	8309.18	27	1	62	0	1	5	0
2047	K 20	673.79	8309.55	28	8	63	0	1	10	0
2048	K 21	680.01	8327.99	22	18	154	0	2	23	0
2049	K 22	680.02	8328.37	9	27	45	0	1	15	0
2050	K 23	680.12	8330.52	24	220	155	0	1	15	0
2051	K 24	680.08	8331.15	16	16	52	0	1	14	0
2052	K 25	680.09	8333.97	10	24	48	0	1	19	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		As	Au
		X	Y				Ag			
2053	G	679.77	8334.82	15	14	53	0	1	17	0
2054	K	679.66	8335.05	10	14	48	0	1	53	0
2055	K	679.33	8335.53	10	12	44	0	1	12	0
2056	G	679.34	8335.76	10	9	52	0	1	109	0
2057	K	679.32	8335.91	10	12	49	0	1	15	0
2058	G	679.35	8336.49	10	5	47	0	1	41	0
2059	G	678.98	8337.27	15	25	63	0	1	27	0
2060	G	678.72	8338.08	10	9	57	0	1	6	0
2061	G	678.41	8338.63	8	10	43	0	1	7	0
2062	G	678.49	8338.92	17	13	58	0	1	6	0
2063	G	678.13	8340.13	11	9	67	0	1	10	0
2064	G	677.66	8340.62	8	12	45	0	1	4	0
2065	G	679.97	8333.34	12	17	45	0	1	14	0
2066	G	679.08	8332.43	20	13	50	0	1	14	0
2067	G	679.29	8331.93	21	13	57	0	1	9	0
2068	G	679.44	8331.49	31	12	62	0	1	9	0
2069	G	679.57	8330.83	31	15	68	0	1	15	0
2070	G	679.43	8330.33	19	10	70	0	1	9	0
2071	G	677.98	8307.29	32	6	49	0	1	9	0
2072	G	678.81	8306.92	32	7	47	0	1	3	0
2073	G	679.52	8306.58	31	6	47	0	1	2	0
2074	G	679.61	8305.56	32	10	47	0	1	4	0
2075	G	679.55	8305.24	39	11	58	0	1	5	0
2076	G	679.80	8304.88	45	11	59	0	1	5	0
2077	G	680.07	8304.65	36	9	56	0	1	5	0
2078	G	680.22	8304.33	34	7	47	0	1	3	0
2079	G	680.23	8304.18	43	10	54	0	1	4	0
2080	G	680.07	8303.71	41	11	62	0	1	7	0
2081	G	680.43	8303.46	26	6	44	0	1	7	0
2082	G	681.82	8301.63	71	97	400	0	1	33	322
2083	G	682.58	8301.47	94	26	143	0	1	20	0
2084	G	682.80	8300.95	71	115	245	0	1	79	17
2085	G	683.05	8300.43	64	38	110	0	1	17	0
2086	G	683.04	8300.19	50	20	77	0	1	14	0
2087	G	682.89	8299.99	77	50	78	0	1	22	0
2088	G	683.12	8298.72	300	55	107	0	1	22	7
2089	G	683.34	8298.38	84	206	102	0	1	81	5
2090	G	683.29	8297.53	58	38	83	0	1	5	4
2091	G	683.28	8297.33	58	31	83	0	1	5	0
2092	G	683.28	8297.08	45	13	57	0	1	1	0
2093	G	682.41	8295.90	46	3	45	0	1	23	0
2094	G	682.14	8295.62	56	9	54	0	1	17	0
2095	G	681.83	8295.27	42	3	171	0	1	2	0
2096	G	679.20	8293.65	46	4	155	0	1	5	0
2097	G	678.12	8292.10	37	8	103	0	1	9	0
2098	G	676.24	8292.59	44	5	103	0	1	9	0
2099	G	676.30	8292.51	42	4	67	0	1	4	0
2100	G	673.80	8290.56	48	3	68	0	1	3	0
2101	G	673.82	8290.48	46	5	74	0	1	3	0
2102	G	674.44	8289.46	62	3	81	0	1	1	0
2103	G	674.96	8288.05	49	3	81	0	1	2	0
2104	G	675.04	8288.99	42	3	65	0	1	3	0
2105	G	681.53	8284.75	42	14	95	0	1	2	0
2106	G	681.96	8295.14	75	8	99	0	1	14	2

Serial No.	Sample No.	Co-ordinates		Elements					
		X	Y	Cu	Pb	Zn	Ag	As	Au
2107	G K 80	682.17	8255.24	50	5	58	0.1	5	0
2108	G K 81	683.48	8235.88	94	15	105	0.1	6	5
2109	G K 82	683.75	8235.95	355	38	194	0.1	75	84
2110	G K 83	684.15	8235.74	160	8	89	0.1	10	2
2111	G K 84	685.12	8236.00	97	9	38	0.1	5	2
2112	G K 85	685.25	8236.08	91	20	87	0.1	4	0
2113	G K 86	685.30	8237.51	119	8	63	0.1	0	0
2114	G K 87	684.30	8238.59	123	32	135	0.1	23	0
2115	G K 88	684.17	8238.81	181	20	137	0.1	0	0
2116	G K 89	683.91	8238.36	81	20	78	0.1	2	0
2117	G K 90	671.07	8312.84	32	12	67	0.1	10	0
2118	G K 91	671.33	8312.85	34	4	149	0.1	0	0
2119	G K 92	671.92	8312.82	35	13	109	0.1	0	0
2120	G K 93	672.94	8313.06	29	14	66	0.1	0	0
2121	G K 94	673.40	8313.06	21	11	56	0.1	0	0
2122	G K 95	673.83	8313.08	27	22	106	0.1	0	0
2123	G K 96	674.81	8312.81	30	12	59	0.1	0	0
2124	G K 97	675.73	8312.67	27	16	74	0.1	14	0
2125	D K 1	779.00	8238.50	19	9	66	0.1	11	0
2126	D K 2	779.00	8238.54	15	14	47	0.1	6	0
2127	D K 3	778.69	8301.04	16	7	47	0.1	0	0
2128	D K 4	778.48	8301.74	16	24	35	0.1	40	0
2129	D K 5	778.98	8303.16	19	19	57	0.1	4	0
2130	D K 6	779.07	8303.46	17	17	70	0.1	0	0
2131	D K 7	780.60	8303.23	22	16	74	0.1	17	0
2132	D K 8	780.60	8316.02	22	14	96	0.1	6	5
2133	D K 9	789.43	8316.17	57	31	110	0.1	11	83
2134	D K 10	788.90	8316.47	11	15	31	0.9	5	83
2135	D K 11	787.81	8312.50	16	7	4	0.1	4	0
2136	D K 12	787.99	8312.73	20	10	66	0.3	5	4
2137	D K 13	788.23	8313.25	21	10	55	0.4	4	4
2138	D K 14	788.41	8313.52	23	16	72	0.8	4	4
2139	D K 15	788.23	8314.48	15	15	76	1.2	4	2
2140	D K 16	788.30	8315.97	24	31	56	6.3	2	6
2141	D K 17	784.31	8313.28	21	11	71	0.1	11	0
2142	D K 18	783.55	8314.55	21	15	71	0.2	5	0
2143	D K 19	782.47	8314.75	18	12	49	0.3	1	0
2144	D K 20	782.37	8313.75	14	3	78	1.0	1	0
2145	D K 21	781.99	8313.12	13	11	163	0.1	46	0
2146	D K 22	782.86	8311.35	19	5	171	2.6	2	0
2147	D K 23	782.72	8310.64	19	11	41	0.1	12	0
2148	D K 24	782.47	8309.25	19	14	65	0.1	9	0
2149	D K 25	781.68	8308.91	47	20	65	0.9	7	11
2150	D K 26	781.23	8308.63	40	58	97	7.4	2	6
2151	D K 27	781.90	8308.28	27	13	56	0.1	9	5
2152	D K 28	782.34	8307.63	20	11	61	0.1	6	0
2153	D K 29	782.59	8306.02	19	14	61	0.1	17	5
2154	D K 30	785.86	8314.00	19	8	67	0.1	5	0
2155	D K 31	786.73	8314.79	21	6	55	0.1	10	0
2156	D K 32	788.33	8315.78	31	19	83	0.2	27	0
2157	D K 33	788.69	8305.23	28	13	101	0.7	27	2
2158	D K 34	788.54	8304.58	19	13	162	0.1	24	0
2159	D K 35	788.24	8304.62	17	11	157	0.1	14	0
2160	D K 36	787.45	8305.05	15	6	99	0.1	10	0

Serial No.	Sample No.	Co-ordinates		Cu	Pb	Zn	Elements		
		X	Y				Ag	As	Au
2161	O K 37	784.70	8304.98	25	10	87	0.1	4	0
2162	O K 38	783.07	8302.14	25	14	97	0.1	14	0
2163	O K 39	783.39	8301.08	18	33	137	0.1	33	5
2164	O K 40	783.16	8305.79	19	13	268	0.3	3	66
2165	O K 41	783.39	8305.38	24	20	245	6.0	11	105
2166	O K 42	779.32	8298.65	20	16	168	3.6	4	96
2167	O K 43	785.51	8307.85	29	3	225	6.0	15	94
2168	O K 44	787.06	8307.57	79	36	203	10.0	50	8
2169	O K 45	786.06	8306.44	22	18	99	0.5	22	29
2170	O K 46	785.02	8306.74	28	17	124	0.8	27	6
2171	O K 47	784.54	8306.62	32	39	345	12.2	19	309
2172	O K 48	785.92	8307.73	40	52	155	8.8	16	175
2173	O K 49	785.75	8307.49	30	28	92	4.6	12	19
2174	D K 50	784.20	8309.03	23	22	141	2.8	2	34