



CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation pressure p_0 (kg/cm ²)	Compression index C_c	Symbol
S-1	1.10m - 0.90m	75.1	2.058	---	0.58	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation pressure p_0 (kg/cm ²)	Compression index C_c	Symbol
S-2	1.00m - 1.80m	80.9	2.210	0.20	0.67	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e ₀	Preconsolidation pressure σ'_p (kg/cm ²)	Compression Index C _c	Symbol
S-3	2.00m-2.73m	77.5	1.924	0.58	0.59	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e ₀	Preconsolidation pressure σ'_p (kg/cm ²)	Compression Index C _c	Symbol
S-1	1.0m-1.80m	76.2	2.576	—	0.59	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
S-2	2.00 ~ 2.80 m	83.6	2.503	0.17	0.64	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
S-3	3.00 ~ 3.80 m	87.9	2.350	0.66	0.66	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e _i	Preconsolidation pressure p _p (kg/cm ²)	Compression Index C _c	Symbol
5-4	5.00m-5.80m	63.0	2.035	0.25	0.63	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e _i	Preconsolidation pressure p _p (kg/cm ²)	Compression Index C _c	Symbol
5-5 Bottom	6.40m-6.80m	59.2	1.71	0.38	0.89	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
5-7	8.50m ~ 9.10m	56.7	1.621	0.93	0.56	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
5-6	7.50m ~ 8.10m	67.0	1.841	0.50	0.54	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
S-8	9.50m-10.30m	56.5	1.268	1.3	0.519	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
S-9 Top	10.50m-11.00m	68.1	1.469	1.3	0.53	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
L10.1	1.00 ~ 1.30 m	78.7	1.057	—	0.70	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
L10.2	1.00 ~ 1.30 m	85.4	1.178	0.13	0.80	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation pressure C_p (kg/cm ²)	Compression Index C_c	Symbol
410-V	5.00 ~ 5.80 m	71.3	2.180	0.19	0.66	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation pressure C_p (kg/cm ²)	Compression Index C_c	Symbol
410-V	7.00 ~ 7.80 m	69.9	1.997	0.125	0.50	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
10.5	0.00 ~ 0.80m	43.0	1.200	(0.60)	0.35	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
10.6	1.00 ~ 1.80m	39.5	1.077	—	0.31	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e _i	Preconsolidation pressure p _p (kg/cm ²)	Compression Index C _c	Symbol
10.7	1.00-1.20	41.8	1.017	-	0.29	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e _i	Preconsolidation Pressure p _p (kg/cm ²)	Compression Index C _c	Symbol
10.8	1.50-1.60	43.5	1.030	-	0.26	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e _i	Preconsolidation pressure σ'_p (kg/cm ²)	Compression index C _c	Symbol
UD-2	3.00 ~ 3.80	77.8	2.478	0.4	0.74	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e _i	Preconsolidation pressure σ'_p (kg/cm ²)	Compression index C _c	Symbol
UD-1	1.00 ~ 1.80	88.0	2.868	0.11	0.88	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
UD-3	5.00 ~ 5.80	70.0	1.926	0.19	0.60	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
UD-4	7.00 ~ 7.80	59.3	1.548	--	0.48	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
LD-6	11.00 - 11.80	42.5	1.022	(1.2)	0.30	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
LD-5	4.00 - 4.80	56.9	1.331	0.42	0.38	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e _i	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C _c	Symbol
110-7	13.00 ~ 13.80	36.3	0.881	—	0.22	⊙




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e _i	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C _c	Symbol
110-10	20.00 ~ 20.80	37.8	0.841	0.15	0.63	⊙




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
UD-5	4.00-4.80	82.4	2.466	0.16	0.68	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
UD-4	3.00-3.80	79.2	2.643	0.16	0.63	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e _i	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C _c	Symbol
UD-6	5.00 ~ 5.80	89.0	2.311	0.16	0.68	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e _i	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C _c	Symbol
UD-7	6.20 ~ 6.40	74.0	2.135	0.72	0.88	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
UD-9	8.00 ~ 8.80	60.0	1.890	0.36	0.55	⊙




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
UD-8	7.00 ~ 7.70	68.7	1.941	0.92	0.81	⊙




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
UD-10	9.00-9.80	51.1	1.577	--	0.15	⊙
						Δ




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ_p (kg/cm ²)	Compression Index C_c	Symbol
UD-11	10.00-10.80	49.7	1.370	0.58	0.39	⊙
						Δ




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
UD-13	12.00-12.80	44.3	1.070	0.76	0.33	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
UD-12	11.00-11.80	45.2	1.392	---	0.42	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure C_p (kg/cm ²)	Compression Index C_c	Symbol
UD-14	13.00-13.80	42.9	1.114	—	0.34	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure C_p (kg/cm ²)	Compression Index C_c	Symbol
UD-15	14.00-14.80	44.4	1.092	—	0.35	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
10-4774	4.00 ~ 4.20		2.145		0.55	⊙




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
10-16	15.00 ~ 15.30	57.2	1.066		0.34	⊙




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
UD-6704	8.00 ~ 8.40	10.1	1.459	0.32	0.55	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
UD-6705	8.00 ~ 8.80	64.0	1.770	1.44	0.15	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
10-8	2.00 ~ 2.30	48.5	0.878	0.98	0.24	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure σ'_p (kg/cm ²)	Compression Index C_c	Symbol
10-7	10.00 ~ 10.30	47.8	1.128	0.67	0.26	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void Ratio e_0	Preconsolidation Pressure p_0 (kg/cm ²)	Compression Index C_c	Symbol
10.4	1.00 ~ 1.50 m	42.7	0.967	(0.95)	0.27	⊙
						Δ




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of sample (m)	Liquid Limit LL (%)	Initial void ratio e_0	Preconsolidation pressure p_0 (kg/cm ²)	Compression Index C_c	Symbol
10.9	2.00 ~ 3.00 m	78.8	2.180	(0.29)	0.69	⊙
						Δ




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of sample (m)	Liquid limit LL (%)	Initial void ratio e_0	Preconsolidation pressure p_0 (kg/cm ²)	Compression index C_c	Symbol
10.7	5.00 ~ 5.55 m	69.9	2.576	0.11	0.76	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of sample (m)	Liquid limit LL (%)	Initial void ratio e_0	Preconsolidation pressure p_0 (kg/cm ²)	Compression index C_c	Symbol
10.9	6.50 ~ 7.05 m	70.0	2.257	0.8	0.66	⊙
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of sample (m)	Liquid limit LL (%)	Initial void ratio e_0	Preconsolidation pressure p_p (kg/cm ²)	Compression index C_c	Symbol
10.6	5.5 ~ 6.85	61.9	2.004	0.36	0.55	⊙
Bottom						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of sample (m)	Liquid limit LL (%)	Initial void ratio e_0	Preconsolidation pressure p_p (kg/cm ²)	Compression index C_c	Symbol
10.7	9.30 ~ 10.35	48.9	1.542	0.90	0.46	⊙
						△



CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of sample (m)	Liquid limit LL (%)	Initial void ratio e_0	Preconsolidation pressure (kg/cm^2)	Compression index C_c	Symbol
10.8	11.00-11.85 m	46.0	1.065	-	0.25	⊙
						Δ



CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of sample (m)	Liquid limit LL (%)	Initial void ratio e_0	Preconsolidation pressure (kg/cm^2)	Compression index C_c	Symbol
10.9	12.50-13.35 m	42.8	1.137	0.8	0.32	⊙
						Δ

