


TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project _____ 267
 Condition of drainage U-U


Boring No. SBH-2 Sample No. L10-1
 Depth of Sample 7.00 m. 7.80 m
 Angle of Internal friction 0°
 Cohesion _____ 0.06 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project _____ 267
 Condition of drainage U-U


Boring No. SBH-2 Sample No. L10-5
 Depth of Sample 9.00 m. 9.80 m
 Angle of Internal friction 0°
 Cohesion _____ 0.10 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SB42 Sample No. LD-6
 Depth of Sample 11.00 m. 11.80 m
 Angle of internal friction 0°
 Cohesion 0.18 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SB42 Sample No. LD-7
 Depth of Sample 13.00 m. 13.80 m
 Angle of internal friction 0°
 Cohesion 0.18 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-3 Sample No. UD-6
 Depth of Sample 5.00 m. 5.80 m
 Angle of internal friction 0°
 Cohesion 0.030 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-3 Sample No. UD-7
 Depth of Sample 6.00 m. 6.80 m
 Angle of internal friction 0°
 Cohesion 0.05 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
Condition of drainage U-U


Boring No. SBH-3 Sample No. UD-8
Depth of Sample 7.00 m - 7.80 m
Angle of internal friction 0°
Cohesion 0.055 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
Condition of drainage U-U


Boring No. SBH-3 Sample No. UD-9
Depth of Sample 8.00 m - 8.80 m
Angle of internal friction 0°
Cohesion 0.050 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-3 Sample No. UD-11
 Depth of Sample 10.00 m. 10.80 m
 Angle of Internal friction 0°
 Cohesion 0.10 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-3 Sample No. UD-12
 Depth of Sample 11.00 m. 11.80 m
 Angle of Internal friction 0°
 Cohesion 0.12 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-3 Sample No. UD-14
 Depth of Sample 13.00 m - 13.80 m
 Angle of Internal friction 0°
 Cohesion 0.16 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-3 Sample No. UD-15
 Depth of Sample 14.00 m - 14.80 m
 Angle of Internal friction 0°
 Cohesion 0.23 kg/cm²



TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 267
Condition of drainage U-U


Boring No. SBH-3 Sample No. UD-16
Depth of Sample 15.00 m. 15.00 m
Angle of internal friction 0°
Cohesion 0.25 kg/cm²



TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 267
Condition of drainage U-U


Boring No. SBH-4 Sample No. UD-5
Depth of Sample 6.00 m. 6.00 m
Angle of internal friction 0°
Cohesion 0.050 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
Condition of drainage U-U


Boring No. SBH-4 Sample No. UD-61^{op}
Depth of Sample 8.00 m - 8.40 m
Angle of internal friction 0°
Cohesion 0.060 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
Condition of drainage U-U

Boring No. SBH-4 Sample No. UD-68^{cor.}
Depth of Sample 8.40 m - 8.80 m
Angle of internal friction 0°
Cohesion 0.065 kg/cm²




TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 267

Condition of drainage U-U

Boring No. SBH-4 Sample No. UD-7
 Depth of Sample 10.00 m - 10.80 m
 Angle of Internal friction 2°
 Cohesion 0.07 kg/cm²




TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 267

Condition of drainage U-U


Boring No. SBH-4 Sample No. UD-8
 Depth of Sample 12.00 m - 12.80 m
 Angle of Internal friction 0°
 Cohesion 0.30 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-4 Sample No. UD-9
 Depth of Sample 14.00 m. 14.80 m
 Angle of internal friction 0°
 Cohesion 0.35 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-5 Sample No. UD-18
 Depth of Sample .80 m. 1.35 m
 Angle of internal friction 10°
 Cohesion (2.0) kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-5 Sample No. UD-5
 Depth of Sample 6.50 m 7.35 m
 Angle of internal friction 0°
 Cohesion 0.040 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U

Boring No. SBH-5 Sample No. UD-5B at 1cm
 Depth of Sample 8.15 m 8.85 m
 Angle of internal friction 0°
 Cohesion 0.035 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267


Condition of drainage U-U

Boring No. SBH-5 Sample No. UD-7

Depth of Sample 9.50 m - 10.35 m

Angle of internal friction 0°

Cohesion 0.070 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267


Condition of drainage U-U

Boring No. SBH-5 Sample No. UD-8

Depth of Sample 11.00 m - 11.85 m

Angle of internal friction 0°


Cohesion 0.060 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No SBH-5 Sample No UD-9
 Depth of Sample 12.50 m 13.35
 Angle of internal friction 0°
 Cohesion 0.14 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No SBH-5 Sample No UD-10
 Depth of Sample 14.00 m 14.85
 Angle of internal friction 0°
 Cohesion 0.18 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Boring No. SBH-5 Sample No. UD-11
 Depth of Sample 15.50 m 16.35 m
 Angle of internal friction 0°
 Cohesion 0.18 kg/cm²


Project 267
 Condition of storage U-U



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Boring No. SBH-6 Sample No. UD-3
 Depth of Sample 5.00 m 5.85 m
 Angle of internal friction 0°
 Cohesion 0.050 kg/cm²


Project 267
 Condition of storage U-U



TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-6 Sample No. UD-4
 Depth of Sample 6.50 m - 7.35 m
 Angle of internal friction 0°
 Cohesion 0.050 kg/cm²



TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-6 Sample No. UG-51cp
 Depth of Sample 8.00 m - 8.30 m
 Angle of internal friction 0°
 Cohesion 0.085 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-6 Sample No. UD-5 Bottom
 Depth of Sample 8.30 m 8.85 m
 Angle of internal friction 0°
 Cohesion 0.11 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-6 Sample No. UD-6
 Depth of Sample 9.50 m 10.35 m
 Angle of internal friction 0°
 Cohesion 0.14 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
Condition of drainage U-U


Boring No. SBH-6 Sample No. U0-7
Depth of Sample 11.00 m ~ 11.85 m
Angle of internal friction 0°
Cohesion 0.19 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
Condition of drainage U-U


Boring No. SBH-6 Sample No. U0-8
Depth of Sample 12.50 m ~ 13.35 m
Angle of internal friction 0°
Cohesion 0.29 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-6 Sample No. UD-9
 Depth of Sample 14.00 m ~ 14.85 m
 Angle of internal friction 0°
 Cohesion 0.30 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage U-U


Boring No. SBH-6 Sample No. UD-10
 Depth of Sample 15.50 m ~ 16.30 m
 Angle of internal friction 0°
 Cohesion 0.25 kg/cm²



TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 224 Sample No. Sub-section A", S-2
 Location of project _____ Condition of storage C-U


Depth of Sample 1.00 ~ 1.20 g
 Angle of internal friction 9°
 Cohesion 0.070 kg/cm²



TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 224 Sample No. Sub-section A", S-3
 Location of project _____ Condition of storage C-U

Depth of Sample 2.00 ~ 2.73 g
 Angle of internal friction 9°
 Cohesion 0.09 kg/cm²




TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 224
 Location of project _____

Sample No Sub-section B, S-3
 Condition of storage C-U

Depth of Sample 11.00 ~ 11.90 m
 Angle of internal friction 7°
 Cohesion 0.10 kg/cm²




TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 224
 Location of project _____

Sample No Sub-section B, S-5 Top
 Condition of storage C-U

Depth of Sample 6.00 ~ 6.10 m
 Angle of internal friction 11°
 Cohesion 0.05 kg/cm²



TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 224

Sample No Sub-section B,S-8


Depth of Sample 9.50 ~ 10.30 m

Location of project _____

Condition of drainage C-U

Angle of internal friction 14°


Cohesion 0.13 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage C-U


Boring No. SRM 1 Sample No. LD-1
 Depth of Sample 7.00 m. 7.80 m
 Angle of Internal Friction 10°
 Cohesion 0.18 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage C-U


Boring No. SRM 2 Sample No. LD-1
 Depth of Sample 7.00 m. 7.80 m
 Angle of Internal Friction 9°
 Cohesion 0.28 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage C-U


Boring No. SBH-3 Sample No. UG-8
 Depth of Sample 7.00 m - 7.80 m
 Angle of internal friction 15°
 Cohesion 0.15 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage C-U


Boring No. SBH-3 Sample No. UD-10
 Depth of Sample 9.00 m - 9.80 m
 Angle of internal friction 15.5°
 Cohesion 0.04 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 257
 Condition of drainage C-U


Boring No. SBH-3 Sample No. UD-12
 Depth of Sample 11.00 m. 11.00 m
 Angle of internal friction 15°
 Cohesion 0.10 kg/cm²



TRIAXIAL COMPRESSION TEST (Mohr's circle)

Project 257
 Condition of drainage C-U


Boring No. SBR-3 Sample No. UD-13
 Depth of Sample 12.00 m. 12.00 m
 Angle of internal friction 15°
 Cohesion 0 kg/cm²



TRIAxIAL COMPRESSION TEST (Mohr's circle)

Project 267
 Condition of drainage C-U


Boring No. SBH-3 Sample No. UD-14
 Depth of Sample 13.00 m - 13.80 m
 Angle of internal friction 16°
 Cohesion 0 kg/cm²



TRIAxIAL COMPRESSION TEST (Mohr's circle)


Project 257
 Condition of drainage C-U

Boring No. SSH-3 Sample No. UD-15
 Depth of Sample 14.00 m - 14.80 m
 Angle of internal friction 15°
 Cohesion 0.10 kg/cm²




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation pressure p_p (kg/cm ²)	Compression Index C_c	Symbol
S-2	1.00m ~ 1.20m	80.9	2.210	0.20	0.67	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation pressure p_p (kg/cm ²)	Compression Index C_c	Symbol
S-1	0.10m ~ 0.90m	75.1	2.055	-	0.54	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e _i	Preconsolidation pressure σ_p (kg/cm ²)	Compression Index C _c	Symbol
S-3	2.00m-2.75m	77.5	1.924	0.52	0.59	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e _i	Preconsolidation pressure σ_p (kg/cm ²)	Compression Index C _c	Symbol
S-1	1.0m-1.80m	76.3	2.546	—	0.59	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure p_0 (kg/cm ²)	Compression Index C_c	Symbol
S-2	2.00m-2.80m	83.6	2.503	0.17	0.64	○
						△




CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure p_0 (kg/cm ²)	Compression Index C_c	Symbol
S-3	3.00m-3.80m	87.9	2.350	0.45	0.66	○
						△



CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure P_p (kg/cm ²)	Compression Index C_c	Symbol
S-4	5.00m-5.80m	63.0	2.035	0.25	0.63	○
						△



CONSOLIDATION TEST (e-log p curves)

Sample No.	Depth of Sample (m)	Liquid Limit LL (%)	Initial Void ratio e_0	Preconsolidation Pressure P_p (kg/cm ²)	Compression Index C_c	Symbol
S-5 Bottom	6.40m-6.80m	59.2	1.717	0.28	0.79	○
						△

