






























卷末資料 2 - 2 - 2 鉍石研磨薄片顯微鏡写真 (15/20)























卷末資料 2 - 2 - 2 鉍石研磨薄片顯微鏡写真 (19/20)





卷末資料 3 化学分析結果一覽表

卷末資料3 化学分析結果一覽表

Serial No.	Sample No.	Locality		Description	Au (ppm)	Ag (ppm)	Cu (%)	Pb (%)	Zn (%)	Fe (%)	Ni (ppm)	Co (ppm)	As (ppm)	Cd (ppm)	Hg (ppm)	Labo. tests
		District	Locality													
1	Y092201	Ashele	W part	Ser-skarnized sandstone, Qz vein(3-5cm)	0.0157	0.059	0.0051	0.0015	0.0620	1.46	13.0	12.0	2.3	2.29	0.012	
2	N092601	Ashele	Duolanasayi	Qz-diorite(Au ore), wht altered, Py	0.19	0.077	0.0075	0.0015	0.0111	1.32	12.3	15.0	48	0.17	0.010	
3	N092605	Ashele	Duolanasayi	Qz-diorite, a few Py	0.20	0.120	0.0043	0.0010	0.0084	1.62	5.00	15.0	11	0.14	0.323	PX
4	N092606	Ashele	Duolanasayi	Qz-diorite(Au ore), very strong argillization	4.31	3.400	0.0037	0.0015	0.0085	3.70	26.9	27.0	4.1	0.20	0.018	
5	A092501	Ashele	Ashele	Qz-Mn oxide vein, w=70cm	0.11	0.246	0.0051	0.0015	0.0109	0.83	5.00	44.0	11	0.59	0.011	
6	A092502	Ashele	Ashele	Qz-Limo rock, sheared, w=10m+	0.0065	0.060	0.0022	0.0015	0.0036	2.18	5.00	57.0	13	0.26	0.013	
7	N092505	Ashele	Ashele	Py-Cp-Sp banded ore	0.41	80.5	7.3	1.29	6.56	35.60	61.2	71.0	8100	0.63	14.8	P
8	N092508	Ashele	Ashele	Py-Cp-Sp ore, banded	0.28	67.5	6.6	0.76	3.52	40.90	54.0	90.0	2000	0.63	15.9	
9	N092510	Ashele	Ashele	Py ore, fng	0.23	13.0	4.7	0.0015	1.34	42.75	465	123	700	3.29	0.362	
10	A092601	Ashele	Ashele	Silicified Fe oxide rock, w=1m	0.0102	0.560	0.0191	0.0010	0.0035	2.27	5.00	24.0	12	0.33	0.012	
11	A092602	Ashele	Ashele	Py-clay rock, sheared, w=5cm	0.0590	0.061	0.0006	0.0010	0.0047	3.74	13.9	14.0	8.7	2.80	0.012	
12	H092506	Ashele	E of Ashele	Limonitized Qz-porphry, wht/bm, w=1m	0.0061	0.065	0.00050	0.0016	0.0131	9.76	26.3	36.0	5.9	0.10	0.020	
13	Y092705	Ashele	E part	Limo-Ser-Qz vein	0.28	0.113	0.0054	0.0010	0.0025	2.69	5.00	37.0	2.3	0.10	0.010	
14	Y092706	Ashele	E part	Limo-Ser-Qz vein	0.30	0.570	0.0223	0.0010	0.0046	3.40	5.00	54.0	5.0	0.16	0.011	
15	Y092703	Ashele	E part	Clay, shear zone, l-yel-wht	0.0031	0.050	0.00050	0.0010	0.0147	2.33	39.8	13.0	1.9	0.17	0.011	X
16	A092702	Habahe	N of Habahe	Qz-Py vein, w=30cm	1.03	3.200	0.0030	0.0028	0.0033	5.03	35.0	75.0	1.8	0.18	0.011	
17	A092701	Habahe	N of Habahe	Qt-Limo rock, sheared, w=10m	0.0025	0.057	0.0044	0.0010	0.0071	1.70	20.0	13.0	4.6	0.13	0.011	
18	N092804	NE of Habahe	Saidu	Qz-diorite with Qz vein	0.92	0.210	0.00030	0.0018	0.0105	1.09	5.00	23.0	3.4	0.12	0.012	PF
19	H082805	Kaiyinbulake	Kaiyinbulake West	Calcareous schist, Limo, w=30cm	0.0105	0.360	0.0204	0.0015	0.0061	3.61	61.42	65.73	4.2	0.28	0.007	
20	H082803	Kaiyinbulake	Kaiyinbulake West	Silicified schist, Limo, w=20cm	0.0238	0.300	0.0507	0.0015	0.0145	4.88	64.62	27.69	1.4	0.18	0.008	
21	A082802	Kaiyinbulake	Kaiyinbulake	Limo(Py)-Qz vein(w=5cm)	0.00469	0.400	0.0043	0.0185	0.0037	5.67	5.00	32.42	42	0.15	0.008	
22	N082601	Kaiyinbulake	Kaiyinbulake	Qz vein, Limo gossan	0.0947	0.200	0.1000	0.0010	0.0333	38.10	232.1	71.04	70	0.37	0.008	F
23	N082506	Kaiyinbulake	Kaiyinbulake	Schist, gossan, gm Cu, Limo, Qz(No.4 vein)	0.15	0.200	0.65	0.0050	0.18	8.35	189.7	56.31	5.2	2.51	0.008	X
24	N082505	Kaiyinbulake	Kaiyinbulake	Schist, Limo gossan(No.4 vein)	0.18	10.90	0.39	0.13	1.59	13.45	74.49	37.94	24	0.57	0.294	
25	N082503	Kaiyinbulake	Kaiyinbulake	Oxide ore, Limo(No.4 vein)	0.36	7.90	0.0566	0.59	1.02	11.85	11.50	26.67	5.5	2.32	0.028	
26	N082901	Altay	Wulasigou	Limo gossan Qz lens(trench, 2m channel sample)	0.0233	6.40	0.15	0.25	0.65	22.40	5.0	29.82	14	3.28	2.11	
27	N082902	Altay	Wulasigou	Limo gossan Qz lens(trench, 2m channel sample)	0.21	4.500	0.24	0.0160	0.19	13.15	5.0	49.17	47	1.67	0.91	
28	N082904	Altay	Wulasigou	Mt-Limo-Qz ore(trench, 1.1m channel sample)	0.12	1.050	0.17	0.0016	0.0612	18.95	5.0	37.43	6.4	0.27	0.014	
29	H081205	Altay	Wulasigou	gm Cu-Mt oxide ore, w=20cm	0.0153	1.050	2.83	0.0025	0.16	48.75	5.00	35.89	2.1	2.58	0.024	
30	H081206	Altay	Wulasigou	gm Cu-Qz ore, Qz=csg, secondary enrichment	4.55	15.20	16.3	0.0013	0.1000	3.24	9.60	58.83	9.1	1.26	0.227	F
31	A092102	Altay	Hongling	Qz-Mt-Bt-Ga lens, w=50cm	0.34	0.235	0.0371	0.0016	0.0073	17.60	25.3	58.0	32	0.10	0.010	P
32	A092104	Altay	Hongling	Qz-Mt vein, w=30cm	0.19	1.300	0.0535	0.0019	0.0031	16.00	63.0	64.0	86	0.10	0.011	
33	A092101	Altay	Hongling	Qz-Ser-Py vein, w=55cm	0.0144	0.083	0.0102	0.0010	0.0012	3.01	5.00	28.0	11	0.10	0.010	
34	A092901	Altay	NW of Sarekuobu	Qz-Limo rock, sheared, w=3m	0.0112	1.050	0.15	0.0015	0.0708	8.79	27.0	38.0	13	1.19	0.018	
35	A092902	Altay	NW of Qiaxia	Mt-Chl skarn, w=5.5m	0.0066	1.100	0.0110	0.0040	0.0504	33.45	77.0	81.0	1.7	0.15	0.011	

(78)

卷末資料3 化学分析結果一覽表

2/3

Serial No.	Sample No.	Locality		Description	Au (ppm)	Ag (ppm)	Cu (%)	Pb (%)	Zn (%)	Fe (%)	Ni (ppm)	Co (ppm)	As (ppm)	Cd (ppm)	Hg (ppm)	Labo. tests
		District	Locality													
36	A092903	Altay	NW of Qiaxia	Qz-Py-Cu vein, w=40cm	0.0145	0.465	0.0874	0.0023	0.0502	2.38	6.10	58.0	1.6	1.19	0.012	
37	A081201	Altay	W of Qiaxia	Cp-Qz rock, w=15cm, l=1.5m	0.21	1.050	0.32	0.0014	0.0268	6.52	11.05	42.86	176	0.80	0.008	F
38	H082105	Altay	W of Qiaxia	Mt-argillized rock, wht, w=10cm	0.0569	0.890	0.0532	0.0024	0.0987	11.40	5.00	40.80	3.6	0.63	0.010	X
39	H082106	Altay	W of Qiaxia	Limo-Mt-Qz ore, w=50cm	0.14	0.870	0.0919	0.0016	0.0345	32.10	5.00	76.02	79	0.25	0.019	
40	H082107	Altay	W of Qiaxia	Act-Mt-Qz skarn lens, w=20cm	0.0389	0.720	0.46	0.0015	0.0566	46.00	5.00	55.35	1.7	0.45	0.052	F
42	A081203	Altay	Qiaxia	Cp-Mt-Act skarn, d-gm, csg	0.0998	0.260	1.48	0.0016	0.0825	39.05	5.00	30.06	13	1.13	0.008	P
43	A100203	Altay	Qiaxia	Py-Chl vein w=10cm, in Mt skarn w=2.9m	0.0121	1.700	0.0929	0.0030	0.0196	30.75	124	183	11	0.13	0.011	
44	A100204	Altay	Qiaxia	Mt skarn, Cu, w=1m	0.13	0.650	0.14	0.0012	0.0109	15.25	26.0	48.0	3.2	0.13	0.010	
41	H082205	Altay	Qiaxia	Ga-Act-Qz skarn, gm Cu, w=20cm	0.66	10.80	0.63	0.0012	0.0468	7.65	11.26	31.51	1.6	0.21	0.007	
45	A100304	Altay	Qiaxia	Qz-Cal-Mt vein in shear zone	0.12	0.205	0.0639	0.0016	0.0183	38.30	116	103	5.0	0.29	0.023	
46	A100301	Altay	Qiaxia	Mt ore	0.14	3.200	0.15	0.0019	0.0600	59.15	147	139	19	1.06	0.076	
47	A100302	Altay	Qiaxia	Mt-Qz-Cal-Py-Cp vein	0.17	2.600	0.15	0.0010	0.0235	41.65	77.0	107	3.6	0.46	0.015	
48	A100303	Altay	Qiaxia	Cal-Qz-Py-Cp-Chl vein	0.17	3.200	0.17	0.0015	0.0156	23.65	61.9	78.0	2.3	0.32	0.013	
49	A100206	Altay	Qiaxia	Mt-Hb skarn, Py, w=3.5m	0.0145	1.050	0.0716	0.0064	0.0308	33.70	56.8	91.0	14	0.60	0.019	
50	A100305	Altay	Qiaxia	Qz-Mt vein, w=70cm	0.56	0.300	0.0490	0.0015	0.0032	8.95	10.1	54.0	16	0.10	0.013	
51	Y082102	Altay	Qiaxia	Mt vein	0.0147	0.130	0.14	0.0015	0.0487	24.65	5.00	36.17	1.1	0.24	0.007	
52	Y082101	Altay	Qiaxia	Mt vein	0.0165	6.20	0.0391	0.59	0.0561	34.10	5.00	17.00	1.6	0.24	0.007	
53	A100306	Altay	SE of Qiaxia	Sheared rock, Cu, w=4m	0.28	1.500	1.12	0.0016	0.0165	30.60	39.0	84.0	5.5	0.37	0.082	
54	N082201	Altay	Sarekuobu	Au ore(Mt-Ga-Act vein, No.1 tunnel)	28.43	0.615	0.0253	0.0100	0.0598	18.95	5.00	49.42	1.7	0.59	0.009	
55	N082202	Altay	Sarekuobu	Au ore(Mt-Ga-Act vein, No.1 tunnel)	57.37	12.90	0.0880	0.0240	0.0950	19.40	5.00	39.07	4.3	1.31	0.008	
56	A082202	Altay	Sarekuobu	Chl-schist with Qz vein, sheared	0.00741	0.110	0.0660	0.0023	0.0185	7.65	5.11	42.71	7.2	0.14	0.008	
57	H081601	Altay	E of Sarekuobu	Limo-Qz vein ore, brecciated, w=30cm	0.22	1.050	0.75	0.0015	0.0087	6.83	5.00	36.31	27	0.13	0.036	
58	H081602	Altay	E of Sarekuobu	Limo-Hm-Qz vein ore, w=50cm	0.68	16.50	0.0485	0.0022	0.0050	7.74	5.00	38.62	54	0.10	0.031	
59	H081605	Altay	Tiemerte	Py-Mt-Qz banded ore, taken from shaft waste(w=10cm)	0.0679	56.4	1.35	0.86	1.97	35.00	6.65	100.3	45	2.19	0.80	P
60	H081606	Altay	Tiemerte	Py-Mt ore, taken from shaft waste(w=10cm)	0.0212	1.200	0.17	0.0024	0.41	52.40	5.00	69.65	10	3.47	0.173	
61	H081607	Altay	Tiemerte	Cp-Py-Mt banded ore, taken from shaft waste(w=10cm)	0.0999	37.90	1.2	0.23	3.86	42.50	5.00	305.7	18	2.49	0.342	
62	N081704	Altay	Tiemerte	Cp-Mt-Py ore, Sp-Gn	1.01	40.50	5.7	0.30	1.4	42.50	5.00	265.3	22	1.63	1.46	P
63	N081706	Altay	Tiemerte	Hm-Mt ore	0.24	10.60	0.0115	0.29	0.69	23.20	10.00	39.60	86	2.84	0.016	
64	H081901	Altay	E of Tiemerte	Limo-Qz ore, w=30cm	0.0465	11.70	0.13	0.0215	0.32	16.60	55.41	94.84	7.1	2.31	0.048	
65	H081504	Altay	Eastern part	Qz-Mt vein ore, w=10cm	0.0102	15.20	0.0584	0.0600	0.0196	22.80	5.00	12.86	4.1	0.11	0.071	
66	N081901	Altay	Abagong	Mt-Limo ore	1.56	7.90	0.0222	4.14	0.24	32.05	5.00	19.69	2.5	3.93	0.150	
67	N090703	Maizi	Monku	Mt ore	0.0255	0.100	0.0211	0.0010	0.0158	64.60	92.2	213	71	0.14	0.010	
68	A090702	Maizi	B-5 anomaly	Mt-Qz carbonate skarn, w=1m	0.0032	0.183	0.0177	0.0018	0.13	39.20	67.0	95.0	1.9	1.45	0.024	P
69	A090704	Maizi	B-5 anomaly	Mt-Hm-Qz vein, green Cu, w=1.8m	0.0083	0.260	0.0963	0.0016	0.12	43.40	62.2	103	1.8	2.26	0.264	
70	A090703	Maizi	B-5 anomaly	Mt-Px skarn ore, d-green, w=0.4m	0.0069	6.00	0.0199	0.0200	2.88	19.20	38.8	51.0	2.9	2.23	0.384	

Serial No.	Sample No.	Locality		Description	Au (ppm)	Ag (ppm)	Cu (%)	Pb (%)	Zn (%)	Fe (%)	Ni (ppm)	Co (ppm)	As (ppm)	Cd (ppm)	Hg (ppm)	Labo. tests
		District	Locality													
71	A090802	Maizi	B-5 anomaly	Ga-Cpx skarn, gossan, w=6m	0.0392	12.5	0.0254	0.28	1.40	7.19	34.2	54.0	37	3.17	0.048	P
72	A090801	Maizi	B-5 anomaly	Px-Ep-Bt-Qz-Mt skarn, blk, fng, w=90cm	0.0081	0.092	0.0062	0.0013	0.0268	18.25	77.0	60.0	12	0.10	0.010	
73	N090706	Maizi	B-5 anomaly	Mt-gossan	0.14	10.0	0.22	0.0014	0.11	36.40	57.0	94.0	73	0.91	0.010	
74	A090903	Maizi	B-5 anomaly	Mt-Px-Ga skarn, d-gm, w=2m	0.0082	0.167	0.0017	0.0015	0.0659	55.15	83.8	125	7.0	0.98	0.012	
75	A090905	Maizi	B-5 anomaly	Mt-Chl skarn, w=12m	0.0181	4.600	0.0668	0.0040	1.9	17.30	70.8	63.0	11	1.69	0.236	
76	Y091305	Maizi	B-5 anomaly	Limo-Mt skarn	0.0022	1.100	0.0339	0.0024	0.11	14.60	57.0	51.0	21	2.72	0.134	
77	Y091306	Maizi	B-5 anomaly	Limo-Mt skarn	0.0038	1.050	0.0576	0.0031	1.6	22.00	61.2	57.0	3.3	1.67	0.114	
78	A090901	Maizi	B-5 anomaly	Ep-Ga-Mt skarn, w=9m	0.0102	5.90	0.0035	0.0165	2.17	9.30	39.0	55.0	23	2.11	0.382	
79	H090707	Maizi	Central part	Qz-Pl rock, w=50cm	0.0012	0.590	0.0670	0.0100	0.0026	1.02	8.99	51.0	1.5	0.53	0.011	P
80	H091705	Maizi	Central part	Limo-Mt ore, w=1.5m	0.0109	2.400	0.0046	0.14	0.30	41.50	66.0	96.0	49	0.60	1.51	
81	A091709	Maizi	88-15 anomaly	Py-Ba? vein, w=50cm	0.0233	11.1	0.0256	0.0500	0.0490	18.35	72.1	66.0	66	0.88	0.014	
82	A091902	Maizi	88-15 anomaly	Mt-Ga-Qz lens, w=1.9m	0.0035	0.240	0.0047	0.0014	0.0150	27.90	55.0	97.0	5.8	0.14	0.011	P
83	A091702	Maizi	88-15 anomaly	Qz-porphry, gm Cu, silicified, wht, fng	0.0064	9.90	0.78	0.0015	0.0039	0.86	5.00	14.0	41	0.12	0.034	
84	A091903	Maizi	88-15 anomaly	Qz-porphry, gm Cu, silicified, p-brn/wht, fng	0.0089	2.100	0.15	0.0043	0.0010	1.61	5.00	34.0	115	0.10	0.010	
85	N092303	W of Fuyun	Saerbulake	Au ore, high grade?, brn, silicified, gossan	2.8	0.081	0.0027	0.0010	0.0114	4.44	46.2	40.0	12000	0.14	0.078	
86	N092302	W of Fuyun	Saerbulake	Mineralized muddy phyllite	7.84	0.089	0.0053	0.0014	0.0079	4.10	42.0	34.0	24700	0.14	0.024	P
87	N092301	W of Fuyun	Saerbulake	Au ore, sheared phyllite/sandstone, w=2.5m	1.59	0.070	0.0052	0.0010	0.0126	4.77	60.8	45.0	4400	0.19	0.025	
88	Y080316	SE of Fuyun	Kaialongke	Ni-Cu high grade ore	0.25	15.5	3.00	0.0023	0.15	54.55	38300	1200	91	3.34	0.085	

[Abbreviations]

Act: Actinolite
 Ap: Apatite
 Asp: Arsenopyrite
 Aug: Augite
 Ba: Barite
 Be: Beryl
 Bi-Te: Bi-Te mineral
 Bt: Biotite
 Cal: Calcite
 Cc: Chalcocite
 Chl: Chlorite
 Chr: Chrysocolta

Cord: Cordierite
 Cp: Chalcopyrite
 Cpx: Clinopyroxene
 El: Electrum
 Ep: Epidote
 Ga: Garnet
 Gn: Galena
 Goe: Goethite
 Gr: Graphite
 Hb: Hornblende
 Hm: Hematite
 Ilm: Ilmenite

Jar: Jarosite
 Kf: K-feldspar
 Limo: Limonite
 Ms: Muscovite
 Mt: Magnetite
 Ol: Olivine
 Opx: Orthopyroxene
 Pl: Plagioclase
 Pn: Pentlandite
 Po: Pyrrhotite
 Px: Pyroxene
 Py: Pyrite

Qz: Quartz
 Ser: Sericite
 Sd: Siderite
 Sill: Sillimanite
 Sp: Sphalerite
 Sph: Sphene
 Srp: Serpentine
 Sta: Staurolite
 Td: Tetrahedrite
 Tm: Tourmaline
 Zr: Zircon

blk: black
 brn: brown
 csg: coarse grain
 d-: deep
 fng: fine grain
 grn: green
 gry: gray
 l: length
 l-: light
 mdg: medium grain
 w: width
 wht: white

yel: yellow
 F: Fluid inclusion homogenization temp. measurement
 P: Polished thin section
 X: X-ray diffraction analysis

卷末資料 4 粉末 X 線回折結果一覽表

卷末資料 4 粉末X線回折分析結果一覽表

Sample no.	District	Locality	Rock description	Qz	Fd	Mi	Hb	Chl	Mix	Py	Mt	Gn	Sp	Gy	Ep	Ka	Sill	Px	Remarks	Labo. tests
1	H092718	Ashele	Duolanasayi	White clay	○		·									○				D(220Ma) PA
2	N092605	Ashele	Duolanasayi	Qz-diorite, a few Py	◎	○	△	·	·											
3	N092502	Ashele	Ashele	Argillized tuff	○	△	○	△	·											T
4	N092503	Ashele	Ashele	Meta-rhyolite	◎															TD(307.6Ma)
5	H092707	Ashele	Ashele	Pyritized meta-rhyolite	◎	·	△	△												
6	H092507	Ashele	E of Ashele	Argillized lapilli tuff, l-grn/gry	◎	△	△	·												A
7	Y092703	Ashele	Eastern part	Clay, shear zone, l-yel-wht			△		△					○					NW of No.4 vein	A
8	N082506	Kaiyinbulake	Kaiyinbulake	Schist, gossan, grn Cu, Limo, Qz	·		◎													T
9	H081201	Altay	Wulasigou	Bt-Chl-Ms schist from rhyolite	◎	○	○	·												P
10	H081202	Altay	Wulasigou	Ep-Chl-Act rock	◎	·	△													R
11	A081202	Altay	W of Qiaxia	Chl-Qz-Hb schist	△			○	△											TR
12	A081204	Altay	W of Qiaxia	Amphibolite	△	△		○		△										
13	A081205	Altay	W of Qiaxia	Ms-Bt-Qz schistose granodiorite	◎	○	○	·												TR
14	H082110	Altay	W of Qiaxia	Bt-Ms-Chl schist	○	○	·	○												PR
15	H082104	Altay	W of Qiaxia	Bt-Qz schist, gry, mdg, Cp	◎	○	○	·												A
16	H082105a	Altay	W of Qiaxia	Mt-argillized rock, wht part, w=10cm	◎						△									A
17	H082105b	Altay	W of Qiaxia	Mt-argillized rock, gry part, w=10cm	○						△									
18	H082109	Altay	Qiaxia	Doleritic dike		○		○	·											TFR
19	H082202	Altay	Qiaxia	Act-Ep skarn	○	△		△												TR
20	A082205	Altay	E of Qiaxia	Ep amphibolite		·		○		△										PR
21	N082203a	Altay	Sarekuobu	El-Mt-Ga-Act vein ore, brn part	△		◎		△											PR
22	N082203b	Altay	Sarekuobu	El-Mt-Ga-Act vein ore, grn part	○		·	○												TR
23	N082204	Altay	Sarekuobu	Ga-Ms-Bt schist	△		◎													P
24	A081501a	Altay	NE of Sarekuobu	Act-Chl-Ga schist, d-grn part, fng	◎				○											P
25	A081501b	Altay	NE of Sarekuobu	Act-Chl-Ga schist, gry part, fng	◎				△											D(202Ma)
26	H100306	Altay	E of Temirt	Bt-Qz porphyry	◎	○	△													T
27	H081902	Altay	E of Tiemierte	Meta-tonalite porphyry	○	◎		·												T
28	H081507	Altay	Eastern part	Ep-Hb skarn		○		○	·											T
29	H081502	Altay	Eastern part	Hb gabbro		○		○												T
30	H081503	Altay	Eastern part	Ep-Hb skarn		·		○												T
31	A091302	Maizi	B-5 anomaly	To-Hb schist	○	○		○										◎		T
32	Y091304	Maizi	B-5 anomaly	Ga-Sill-Ms-Bt schist	○	△	○													T
33	N090807	Maizi	Akeharen	Gn ore								○	○							P
34	H100409	Maizi	W of Keketale	Sill-Bt schist	◎	·	○													T
35	H100406	Maizi	Keketale	Ms-Bt schistose skarn	◎	○	·													T
36	A091901	Maizi	SE part	Ms-Bt schist	◎	○	△													T

(82)

[Abundance]

◎ : Abundant, ○ : Common, △ : Poor, · : Rare

A: Assay

D: Isotope dating

F: Fluid inclusion

P: Polished thin section

R: Resistivity & chargeability test

T: Thin section

[Abbreviations]

Chl: Chlorite Ga: Garnet

Ep: Epidote Gy: Gypsum

Fd: Feldspar Hb: Hornblende

Ka: Kaoline

Mi: Mica

Mix: Mixed layer minerals Py: Pyrite

Mt: Magnetite Qz: Quartz

Px: Pyroxene Sill: Sillimanite

Sp: Sphalerite

卷末資料 5 流体包有物均質化温度測定結果一覽表

卷末資料5 流体包有物均質化溫度測定結果一覽表

(84)

Sample no.	Locality		Rock description		Labo. Tests														
	District	Locality																	
1	N092607	Ashele	Duolanasayi	Qz vein	p	257	227												
2	N092802	NE of Habahe	Saidu	Au-Qz ore, Qz=csg, Limo in joints	s	305	294	278	257	254	251	249	238	216	207	201			
3	N092804	NE of Habahe	Saidu	Qz-diorite with Qz vein	p	423	406	405	402	395	395	390	387	383					
					s	391	344	267											
4	A092702	Habahe	N of Habahe	Qz-Limo rock, sheared, w=10m	p	330	302	301	274	274	268	267	267	255	231	A			
5	N082601	Kaiyinbulake	Kaiyinbulake	Qz vein, Limo gossan	p	417	354	336	335	322	321	300	225			A			
					s	242	174	169	166										
6	N082507	Kaiyinbulake	Kaiyinbulake	Qz vein	p	385	381	368	368	366	354	346	345	334	316				
					s	297	292	239	177										
7	H081206	Altay	Wulasigou	grn Cu-Qz ore, Qz=csg, taken from ore pile	p	440	435	427	416	413	374	367	316	309	308	305	302	295	
					p	290	285	280	280	237	226	225	225	224	222	220			
8	A081201	Altay	W of Qiaxia	Cp-Qz rock, w=15cm, l=1.5m	p	325	310	304	303	303	299	298	296	292	291	291	287	284	
					p	254	254	252	247	238	235	196	196						
					s	291	287	243	239	238	226								
9	H082107	Altay	W of Qiaxia	Act-Mt-Qz skarn lens, w=20cm	p	402	401	399	398	391	386	382	374	372			A		
					s	382	349	294											
10	H082202	Altay	Qiaxia	Act-Ep skarn	p	475	421	397	392	345	341	326	322	317	305			TXR	
					?	218													
11	H082207	Altay	Qiaxia	Qz vein, grn Cu	s	263	261	257	244	238	221	204	202	184	180	172	167	165	
					s	152	149	140											
12	N081701	Altay	Sarekuobu	Mt-Qz vein	p	433	370	365	355										P
13	H100301	Altay	Tiemierte	Py-Chl(Px?)-Qz rock	p	404	386	375	374	374	373	366	352						
					s	309	302												
14	H100302	Altay	Tiemierte	Py-Gn-Chl(Px?)-Ba?-Qz rock	p	558	545	512	489	487	486	472	454	450	442	441	440	395	
					p	388	384	384	380	380	346								
					s	198	165	140											
15	H090705	Maizi	Central part	Mt-Px-Qz skarn	s	245	235	218	201	201	198	195	191	180	179	174	160	145	
16	N091006	Maizi	Keketale	Recrystallized limestone, csg, Py-Po	s	303	276	264	256	251	243	241	240	237	225	148			
17	H100401	Maizi	Keketale	Qz-Ep-Py skarn vein, w=2cm	no inclusion for measurement														
18	N091010	Maizi	Keketale	Ga-Py-Px-Qz skarn	s	408	401	395	394	387	386	377	366	362	353	352	320		
19	N091904	SW of Fuyun	Qiaxiahala	Qz-Cal vein	no inclusion for measurement														

[Abbreviations]

p: primary inclusion
s: secondary inclusion
Act: Actinolite
Ba: Barite
Chl: Chlorite
Cp: Chalcopyrite
Ep: Epidote
Gn: Galena
Limo: Limonite
Mt: Magnetite

300: homogenized as liquid fase
300: homogenized as gas fase
Po: Pyrrhotite
Px: Pyroxene
Py: Pyrite
Qz: Quartz
csg: coarse grain
grn: green
l: length
w: width

A: Assay
P: Polished thin section
R: Resistivity & chargability test
T: Thin section
X: X-ray diffraction analysis

卷末資料 6 放射年代測定 (Rb-Sr 法) 結果一覽表

卷末資料 6 放射年代測定 (Rb-Sr) 結果一覽表

Sample no.	Locality		Rock description	Analyzed material	Analysis data				Age(Ma)	87Sr/86Sr initial ratio	Labo. tests	
	District	Locality			Rb ppm	Sr ppm	87Rb/86Sr	87Sr/86Sr				
1	H092718	Ashele	Duolanasayi	White clay	wr(H092718)#	72.3	114.1	1.838	0.71326	220±20	0.7086	X
					wr(H092719)#	95.4	44.12	6.273	0.72837			
					wr(H092722)#	28.6	379.7	0.218	0.70916			
					wr(H092723)#	8.9	22.16	1.161	0.71336			
2	H092710	Ashele	Central part	Aug-Hb-Bt tonalite	wr	77.0	335	0.666	0.70794	293	0.70558	T
					fng Bt	224.8	86.28	7.554	0.73765			
					csg Bt	313.9	37.27	24.608	0.80799			
3	H092707	Ashele	Ashele	Pyritized meta-rhyolite	wr(H092707)*	51.3	9.2	16.233	0.77967	307.6	0.7086	TX
					wr(H092708)*	37.5	10.68	10.198	0.75324			
					wr(H092709)*							
4	N082504	Kaiyinbulake	Kaiyinbulake	Ep-Ms-Bt gneissose granite	wr	92.5	254.3	1.054	0.710997	219.7	0.7077	T
					Bt	322.7	71.42	13.126	0.74872			
5	H100307	Altay	W of Qiaxia	Ep-Qz-Hb skarn(Hb rich part)	wr	4.8	21.71	0.638	0.71042	(230)	0.7085	T
					Hb	5.7	37.35	0.4419	0.70999			
6	H100306	Altay	E of Tiemierte	Bt-Qz porphyry	wr	157.5	29.34	15.649	0.78476	202	0.7395	X
					wr repeat	156.5	28.62	15.941	0.78498			
					Fd	138	43.35	9.264	0.76624			
					Fd repeat	193.9	48.11	12.249	0.77424			
7	H100411	Maizi	Western part	Gneissose Ms-Bt granite	wr	280.8	78.39	9.672	0.74541	218.4	0.71536	T
					Bt	1176.4	14.42	254.5	1.50591			
					Ms	608.2	8.42	224.2	1.49143			
8	H100601	Maizi	Northwestern part	Ga-Qz-Tm-Be-Fd pegmatite vein	wr	16.5	14.75	3.239	0.73316	245.7	0.7219	TX
					wr repeat	17.0	14.97	3.299	0.73341			
					Fd	7.0	53.08	0.384	0.72322			
					Ms	552.1	3.08	609.4	2.5002			
					Ga	0.4	0.068	16.125	0.74274			
9	H100409	Maizi	W of Keketale	Sill-Bt schist	wr	166.7	87.44	5.537	0.73736	214	0.7205	T
					Bt	408.2	9.4	130.7	1.11839			
10	H100402	Maizi	Keketale	Cal-Ep-Bt-Di-Dol skarn	Ep	36.3	653	0.161	0.72073	227±3	0.7202	T
					Bt	214.9	266	2.342	0.72777			
					Dol	2.2	505	0.0127	0.71994			

samples were taken from a same open pit

*samples were taken from a same wast pile of a shaft

[Abbreviations]

Aug: Augite Di: Diopside
Be: Beryl Dol: Dolomite
Bt: Biotite Ep: Epidote

Fd: Feldspar
Ga: Garnet
Hb: Hornblende

Ms: Muscovite
Qz: Quartz
Sill: Sillimanite

Tm: Tourmaline
wr: whole rock
csg: coarse grain
fng: fine grain

T: Thin section
X: X-ray diffraction

卷末資料 7 IP 探査測定値一覽表

チャシヤ地区IP測定データ

Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs./V)	ARes(ohm-m)
A1	1	2	3	4	1	0.70	-126.34	3.27	3.14	2.99	2.82	2.64	2.42	2.21	2.07	1.96	1.82	19	340
A1	1	2	4	5	2	0.70	-65.02	2.33	2.21	2.09	1.95	1.87	1.73	1.59	1.49	1.39	1.31	26	700
A1	1	2	5	6	3	0.70	-30.96	1.12	1.07	1.01	0.93	0.90	0.84	0.77	0.71	0.69	0.66	26	834
A1	1	2	6	7	4	0.70	-16.60	0.54	0.53	0.50	0.45	0.45	0.41	0.36	0.33	0.31	0.30	23	894
A1	2	3	4	5	1	0.80	-331.48	8.56	8.08	7.64	7.29	6.85	6.22	5.73	5.34	4.98	4.61	18	781
A1	2	3	5	6	2	0.80	-118.57	3.59	3.39	3.21	3.07	2.90	2.64	2.42	2.26	2.11	1.95	22	1118
A1	2	3	6	7	3	0.80	-54.99	1.49	1.41	1.31	1.25	1.19	1.08	0.98	0.91	0.84	0.77	19	1296
A1	2	3	7	8	4	0.80	-24.69	0.67	0.63	0.60	0.57	0.53	0.48	0.42	0.40	0.40	0.37	19	1164
A1	3	4	5	6	1	0.90	-450.74	10.31	9.63	9.05	8.54	7.88	7.01	6.28	5.77	5.29	4.86	15	944
A1	3	4	6	7	2	0.90	-115.16	2.21	2.05	1.93	1.83	1.70	1.49	1.29	1.19	1.09	1.00	12	965
A1	3	4	7	8	3	0.90	-43.04	0.80	0.74	0.69	0.67	0.62	0.54	0.45	0.42	0.39	0.36	12	901
A1	3	4	8	9	4	0.90	-56.51	1.39	1.26	1.18	1.12	1.05	0.94	0.82	0.79	0.71	0.62	16	2367
A1	4	5	6	7	1	0.60	-781.95	15.54	14.59	13.70	12.80	11.70	10.51	9.48	8.62	8.05	7.65	13	2457
A1	4	5	7	8	2	0.60	-215.05	4.59	4.32	4.06	3.80	3.49	3.14	2.83	2.57	2.41	2.32	14	2702
A1	4	5	8	9	3	0.60	-252.05	6.85	6.49	6.10	5.75	5.33	4.84	4.39	4.06	3.81	3.63	19	7918
A1	4	5	9	10	4	0.60	-158.57	7.21	6.79	6.50	6.19	5.83	5.39	4.97	4.62	4.35	4.06	33	9963
A1	5	6	7	8	1	0.60	-386.01	8.51	7.97	7.53	7.17	6.69	6.07	5.56	5.14	4.78	4.42	15	1213
A1	5	6	8	9	2	0.60	-290.92	8.47	7.98	7.59	7.23	6.76	6.18	5.69	5.29	4.91	4.55	21	3656
A1	5	6	9	10	3	0.60	-167.39	7.98	7.56	7.23	6.91	6.48	5.96	5.52	5.14	4.78	4.45	35	5259
A1	5	6	10	11	4	0.60	-21.03	1.42	1.38	1.34	1.31	1.21	1.09	1.04	0.96	0.89	0.80	51	1321
A1	6	7	8	9	1	0.70	-617.56	16.09	15.02	14.22	13.46	12.47	11.32	10.35	9.57	8.82	8.16	18	1663
A1	6	7	9	10	2	0.70	-280.66	13.94	13.21	12.66	12.14	11.43	10.62	9.93	9.36	8.82	8.32	37	3023
A1	6	7	10	11	3	0.70	-31.13	2.20	2.08	1.98	1.90	1.78	1.65	1.55	1.47	1.38	1.30	52	838
A1	6	7	11	12	4	0.70	-10.82	0.67	0.65	0.61	0.58	0.54	0.51	0.48	0.44	0.38	0.36	45	583
A1	7	8	9	10	1	0.50	-360.87	14.28	13.56	12.92	12.31	11.57	10.62	9.83	9.14	8.48	8.02	29	1360
A1	7	8	10	11	2	0.50	-25.85	1.94	1.86	1.78	1.69	1.59	1.48	1.37	1.28	1.20	1.13	55	390
A1	7	8	11	12	3	0.50	-7.65	0.54	0.52	0.50	0.48	0.46	0.42	0.39	0.37	0.34	0.32	53	289
A1	7	8	12	13	4	0.50	-6.12	0.20	0.20	0.18	0.16	0.15	0.15	0.21	0.21	0.09	0.03	26	461
A1	8	9	10	11	1	0.70	-158.96	11.62	11.03	10.50	10.02	9.38	8.75	8.23	7.62	7.10	6.62	53	428
A1	8	9	11	12	2	0.70	-31.23	1.79	1.70	1.62	1.57	1.47	1.40	1.39	1.32	1.25	1.19	45	336
A1	8	9	12	13	3	0.70	-26.05	1.34	1.25	1.18	1.13	1.05	1.07	1.09	1.02	0.98	0.91	41	701
A1	8	9	13	14	4	0.70	-13.91	0.86	0.85	0.79	0.77	0.69	0.62	0.55	0.53	0.51	0.47	44	749
A1	9	10	11	12	1	1.20	-156.84	11.42	10.89	10.40	9.99	9.45	8.76	8.11	7.59	7.13	6.71	54	246
A1	9	10	12	13	2	1.20	-110.89	8.08	7.74	7.42	7.14	6.76	6.23	5.74	5.39	5.07	4.77	54	697
A1	9	10	13	14	3	1.20	-55.29	4.29	4.14	3.98	3.82	3.62	3.31	3.04	2.88	2.72	2.57	58	869
A1	9	10	14	15	4	1.20	-24.87	2.44	2.36	2.32	2.26	2.11	1.95	1.82	1.69	1.61	1.54	76	781
A1	10	11	12	13	1	0.35	-508.96	20.99	19.84	18.83	17.95	16.75	15.36	14.18	13.15	12.27	11.45	29	2741
A1	10	11	13	14	2	0.70	-246.01	12.56	11.90	11.31	10.80	10.10	9.29	8.60	7.97	7.45	6.97	37	2650
A1	10	11	14	15	3	0.70	-79.92	5.91	5.62	5.35	5.09	4.76	4.38	4.06	3.79	3.49	3.27	53	2152
A1	10	11	15	16	4	0.70	-43.98	3.43	3.23	3.06	2.93	2.74	2.50	2.30	2.13	1.96	1.82	55	2369
A1	11	12	13	14	1	0.20	-505.81	16.36	15.52	14.71	14.01	13.09	12.01	11.07	10.27	9.56	8.91	23	4767
A1	11	12	14	15	2	0.40	-237.80	13.37	12.73	12.09	11.54	10.82	9.96	9.21	8.56	7.99	7.46	41	4482
A1	11	12	15	16	3	0.40	-112.62	7.21	6.85	6.52	6.22	5.84	5.37	4.95	4.61	4.30	4.02	46	5307
A1	11	12	16	17	4	0.40	-35.89	2.99	2.84	2.70	2.57	2.41	2.22	2.06	1.90	1.79	1.68	60	3383
A1	12	13	14	15	1	0.40	-784.61	37.40	35.38	33.56	31.98	29.86	27.45	25.32	23.45	21.79	20.38	34	3697
A1	12	13	15	16	2	0.40	-256.24	15.52	14.69	13.95	13.30	12.44	11.44	10.56	9.77	9.10	8.52	43	4830

チャシャ地区IP測定データ

A1	12	13	16	17	3	0.40	-69.61	6.25	5.94	5.67	5.42	5.10	4.70	4.36	4.05	3.78	3.56	66	3280
A1	12	13	17	18	4	0.40	-20.60	1.83	1.71	1.61	1.53	1.44	1.32	1.22	1.13	1.07	1.00	62	1941
A1	13	14	15	16	1	0.35	-622.18	35.85	33.88	32.15	30.61	28.57	26.15	24.03	22.14	20.52	19.10	41	3351
A1	13	14	16	17	2	0.35	-109.20	10.28	9.76	9.28	8.87	8.31	7.65	7.06	6.53	6.09	5.69	68	2352
A1	13	14	17	18	3	0.35	-27.15	2.49	2.36	2.24	2.14	2.00	1.84	1.69	1.56	1.45	1.36	65	1462
A1	13	14	18	19	4	0.35	-9.32	0.54	0.48	0.45	0.41	0.39	0.32	0.27	0.24	0.20	0.21	33	1003
A1	14	15	16	17	1	0.25	-274.26	17.72	16.77	15.94	15.17	14.15	12.99	12.05	11.22	10.42	9.77	46	2068
A1	14	15	17	18	2	0.25	-41.83	2.58	2.44	2.31	2.20	2.05	1.87	1.73	1.61	1.48	1.39	44	1261
A1	14	15	18	19	3	0.25	-12.65	0.87	0.82	0.77	0.73	0.68	0.62	0.57	0.53	0.48	0.45	48	954
A1	14	15	19	20	4	0.25	-6.93	0.53	0.50	0.48	0.45	0.42	0.37	0.34	0.35	0.34	0.32	55	1046
A1	15	16	17	18	1	0.35	-195.59	14.52	13.72	13.03	12.43	11.60	10.65	9.86	9.14	8.47	7.91	53	1053
A1	15	16	18	19	2	0.35	-42.80	3.39	3.19	3.03	2.89	2.71	2.48	2.29	2.12	1.95	1.84	56	922
A1	15	16	19	20	3	0.35	-20.50	1.84	1.73	1.66	1.60	1.51	1.38	1.29	1.19	1.09	1.05	65	1104
A1	15	16	20	21	4	0.35	-8.48	0.71	0.66	0.63	0.59	0.55	0.49	0.45	0.44	0.39	0.35	57	913
A1	16	17	18	19	1	0.70	-318.91	24.07	22.75	21.58	20.55	19.24	17.73	16.35	15.15	14.09	13.14	54	859
A1	16	17	19	20	2	0.70	-92.80	6.97	6.61	6.28	5.99	5.62	5.18	4.79	4.44	4.15	3.87	54	1000
A1	16	17	20	21	3	0.70	-31.36	2.06	1.95	1.85	1.76	1.63	1.51	1.38	1.28	1.20	1.12	47	845
A1	16	17	21	22	4	0.70	-11.70	0.63	0.60	0.57	0.54	0.49	0.45	0.42	0.39	0.38	0.35	38	630
A1	17	18	19	20	1	0.70	-253.65	17.16	16.25	15.43	14.67	13.69	12.55	11.56	10.70	9.93	9.24	48	683
A1	17	18	20	21	2	0.70	-45.63	3.44	3.27	3.12	2.96	2.77	2.55	2.36	2.19	2.03	1.90	54	491
A1	17	18	21	22	3	0.70	-14.27	0.91	0.87	0.82	0.78	0.72	0.67	0.62	0.58	0.53	0.49	46	384
A1	17	18	22	23	4	0.70	-3.46	0.22	0.21	0.20	0.19	0.18	0.17	0.16	0.15	0.14	0.13	48	186
A1	18	19	20	21	1	0.60	-232.81	18.19	17.24	16.39	15.63	14.63	13.45	12.45	11.58	10.83	10.11	56	731
A1	18	19	21	22	2	0.60	-45.68	3.00	2.85	2.71	2.58	2.40	2.21	2.05	1.90	1.77	1.65	47	574
A1	18	19	22	23	3	0.60	-8.91	0.63	0.59	0.57	0.54	0.51	0.46	0.43	0.41	0.38	0.36	51	280
A1	18	19	23	24	4	0.60	-2.34	0.15	0.14	0.13	0.13	0.14	0.13	0.12	0.12	0.11	0.10	52	147
A1	19	20	21	22	1	0.60	-172.13	3.68	3.44	3.22	3.03	2.77	2.51	2.30	2.11	1.91	1.76	14	541
A1	19	20	22	23	2	0.60	-23.31	0.65	0.61	0.58	0.54	0.50	0.45	0.41	0.37	0.34	0.31	19	293
A1	19	20	23	24	3	0.60	-4.20	0.15	0.14	0.14	0.13	0.12	0.11	0.10	0.10	0.10	0.09	27	132
A1	19	20	24	25	4	0.60	-9.36	0.34	0.33	0.32	0.31	0.29	0.28	0.28	0.28	0.26	0.22	30	588
A1	20	21	22	23	1	0.70	-53.06	0.78	0.82	0.84	0.86	0.88	0.90	0.91	0.91	0.89	0.89	17	143
A1	20	21	23	24	2	0.70	-8.06	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.13	0.13	0.13	17	87
A1	20	21	24	25	3	0.70	-12.01	0.19	0.19	0.20	0.21	0.20	0.21	0.21	0.22	0.21	0.20	17	323
A1	20	21	25	26	4	0.70	-8.93	0.05	0.06	0.07	0.08	0.08	0.09	0.10	0.10	0.10	0.10	10	481
A1	21	22	23	24	1	0.70	-18.24	0.26	0.26	0.27	0.28	0.28	0.29	0.28	0.28	0.29	0.29	16	49
A1	21	22	24	25	2	0.70	-14.84	0.59	0.58	0.58	0.59	0.59	0.58	0.54	0.54	0.53	0.52	38	160
A1	21	22	25	26	3	0.70	-9.07	0.15	0.14	0.14	0.14	0.15	0.14	0.14	0.14	0.13	0.13	15	244
A1	21	22	26	27	4	0.70	-3.28	0.15	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	43	176
A1	22	23	24	25	1	1.20	-69.15	0.85	0.80	0.77	0.73	0.72	0.67	0.64	0.63	0.59	0.55	10	109
A1	22	23	25	26	2	1.20	-27.71	0.61	0.60	0.60	0.57	0.53	0.49	0.47	0.45	0.43	0.42	18	174
A1	22	23	26	27	3	1.20	-7.72	0.39	0.38	0.37	0.34	0.34	0.32	0.29	0.28	0.29	0.27	40	121
A1	22	23	27	28	4	1.20	-6.15	0.23	0.22	0.21	0.21	0.19	0.17	0.15	0.14	0.12	0.11	26	193
A1	23	24	25	26	1	1.20	-168.24	2.95	2.75	2.52	2.37	2.17	1.91	1.77	1.62	1.41	1.27	11	264
A1	23	24	26	27	2	1.20	-26.35	0.99	0.94	0.88	0.83	0.77	0.69	0.65	0.60	0.54	0.49	26	166
A1	23	24	27	28	3	1.20	-15.02	0.68	0.65	0.61	0.58	0.54	0.49	0.46	0.44	0.39	0.36	32	236
A1	23	24	28	29	4	1.20	-6.87	0.41	0.39	0.38	0.36	0.33	0.30	0.29	0.28	0.25	0.22	44	216
A1	24	25	26	27	1	1.00	-239.39	9.62	9.11	8.66	8.27	7.76	7.12	6.57	6.14	5.73	5.35	29	451

チャシャ地区IP測定データ

Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A1	24	25	27	28	2	1.00	-93.59	3.87	3.68	3.49	3.34	3.13	2.87	2.66	2.49	2.32	2.18	30	706
A1	24	25	28	29	3	1.00	-37.10	1.79	1.71	1.63	1.56	1.46	1.34	1.25	1.17	1.10	1.04	35	699
A1	24	25	29	30	4	1.00	-29.30	0.89	0.87	0.83	0.81	0.75	0.69	0.65	0.62	0.59	0.57	23	1104
A1	25	26	27	28	1	1.00	-476.69	3.04	2.33	1.78	1.01	0.06	0.73	1.47	1.72	1.94	2.42	3	899
A1	25	26	28	29	2	1.00	-122.72	2.72	2.47	2.25	1.97	1.61	1.28	1.00	0.84	0.69	0.49	10	925
A1	25	26	29	30	3	1.00	-57.26	1.75	1.60	1.51	1.40	1.27	1.09	0.96	0.77	0.58	0.48	17	1079
A1	25	26	30	31	4	1.00	-21.67	0.89	0.83	0.80	0.76	0.71	0.63	0.56	0.46	0.38	0.35	27	817
A1	26	27	28	29	1	1.00	-263.63	2.50	2.05	1.65	1.33	0.89	0.40	0.09	0.23	0.47	0.52	2	497
A1	26	27	29	30	2	1.00	-56.81	0.98	1.00	1.03	1.05	1.07	1.09	1.08	1.09	1.08	1.02	19	428
A1	26	27	30	31	3	1.00	-17.90	0.41	0.41	0.42	0.42	0.43	0.43	0.42	0.42	0.41	0.39	23	337
A1	27	28	29	30	1	0.90	-214.10	1.91	1.64	1.41	1.25	1.03	0.82	0.61	0.42	0.27	0.17	3	448
A1	27	28	30	31	2	0.90	-40.41	0.11	0.07	0.05	0.03	0.02	0.01	0.03	0.07	0.08	0.08	1	339
A1	28	29	30	31	1	0.70	-155.77	1.53	1.42	1.34	1.26	1.18	1.06	0.94	0.87	0.76	0.64	6	419
A2	0	1	2	3	1	0.90	-156.84	2.29	2.12	2.02	1.94	1.81	1.66	1.56	1.43	1.31	1.24	10	328
A2	0	1	3	4	2	0.90	-69.69	2.32	2.10	2.04	1.99	1.92	1.74	1.62	1.51	1.43	1.35	24	584
A2	0	1	4	5	3	0.90	-28.33	0.73	0.65	0.66	0.65	0.57	0.49	0.41	0.39	0.37	0.31	17	593
A2	0	1	5	6	4	0.90	-11.21	0.30	0.26	0.26	0.25	0.22	0.19	0.13	0.12	0.14	0.11	15	470
A2	1	2	3	4	1	0.90	-146.74	3.94	3.71	3.50	3.22	2.94	2.74	2.66	2.57	2.36	1.98	19	307
A2	1	2	4	5	2	0.90	-58.89	1.86	1.76	1.71	1.59	1.49	1.37	1.30	1.20	1.10	1.07	23	493
A2	1	2	5	6	3	0.90	-21.86	0.70	0.66	0.63	0.59	0.55	0.53	0.52	0.47	0.43	0.40	24	458
A2	1	2	6	7	4	0.90	-21.56	0.62	0.58	0.53	0.50	0.48	0.46	0.40	0.35	0.35	0.32	20	903
A2	2	3	4	5	1	0.70	-144.00	4.41	4.17	3.98	3.73	3.55	3.26	3.03	2.81	2.60	2.37	22	388
A2	2	3	5	6	2	0.70	-41.35	1.34	1.26	1.20	1.12	1.08	0.99	0.92	0.85	0.79	0.71	23	445
A2	2	3	6	7	3	0.70	-35.06	1.02	0.96	0.92	0.83	0.82	0.75	0.69	0.64	0.60	0.53	21	944
A2	2	3	7	8	4	0.70	-32.36	1.71	1.61	1.57	1.50	1.39	1.28	1.23	1.12	1.05	1.02	39	1743
A2	3	4	5	6	1	0.70	-578.97	9.90	9.30	8.73	8.27	7.69	7.01	6.43	5.92	5.43	5.02	12	1559
A2	3	4	6	7	2	0.70	-289.14	4.98	4.67	4.37	4.14	3.87	3.54	3.25	3.00	2.75	2.55	12	3114
A2	3	4	7	8	3	0.70	-225.90	8.90	8.44	8.07	7.70	7.22	6.67	6.21	5.80	5.38	4.97	29	6083
A2	3	4	8	9	4	0.70	-36.59	2.03	1.95	1.87	1.80	1.70	1.57	1.46	1.36	1.28	1.19	42	1971
A2	4	5	6	7	1	0.60	-404.32	7.03	6.63	6.26	5.94	5.57	5.10	4.62	4.22	3.93	3.69	12	1270
A2	4	5	7	8	2	0.60	-223.45	9.38	8.90	8.45	8.06	7.61	7.02	6.47	6.01	5.64	5.33	30	2808
A2	4	5	8	9	3	0.60	-29.16	1.88	1.77	1.66	1.60	1.50	1.37	1.28	1.18	1.10	1.04	46	916
A2	4	5	9	10	4	0.60	-6.61	0.45	0.43	0.41	0.39	0.36	0.33	0.30	0.28	0.25	0.24	48	415
A2	5	6	7	8	1	0.60	-426.18	19.35	18.32	17.44	16.69	15.60	14.33	13.29	12.36	11.55	10.87	33	1339
A2	5	6	8	9	2	0.60	-36.49	2.75	2.61	2.47	2.37	2.22	2.05	1.91	1.79	1.65	1.55	55	459
A2	5	6	9	10	3	0.60	-6.45	0.51	0.48	0.46	0.44	0.41	0.37	0.36	0.34	0.31	0.29	57	203
A2	5	6	10	11	4	0.60	-4.34	0.24	0.24	0.23	0.22	0.18	0.17	0.16	0.14	0.14	0.14	39	273
A2	6	7	8	9	1	0.50	-139.49	10.87	10.35	9.89	9.44	8.88	8.22	7.64	7.14	6.69	6.28	57	526
A2	6	7	9	10	2	0.50	-14.85	1.27	1.21	1.15	1.10	1.04	0.96	0.89	0.84	0.79	0.75	63	224
A2	6	7	10	11	3	0.50	-7.84	0.46	0.44	0.41	0.39	0.38	0.35	0.31	0.28	0.26	0.25	42	296
A2	6	7	11	12	4	0.50	-7.49	0.33	0.32	0.28	0.27	0.26	0.25	0.20	0.16	0.14	0.15	28	565
A2	7	8	9	10	1	0.50	-199.87	13.75	13.04	12.42	11.90	11.16	10.30	9.59	8.95	8.37	7.83	50	753
A2	7	8	10	11	2	0.50	-67.90	4.56	4.32	4.10	3.95	3.72	3.44	3.22	3.01	2.81	2.63	49	1024
A2	7	8	11	12	3	0.50	-46.74	2.52	2.38	2.28	2.22	2.06	1.90	1.75	1.64	1.59	1.47	40	1762
A2	7	8	12	13	4	0.50	-23.41	1.35	1.32	1.26	1.18	1.11	1.02	0.96	0.88	0.80	0.76	42	1765
A2	8	9	10	11	1	0.50	-552.92	18.67	17.69	16.81	16.08	15.09	13.91	12.92	12.01	11.20	10.55	24	2084

(06)

チャンヤ地区IP測定データ

A2	8	9	11	12	2	0.50	-173.76	8.38	7.94	7.54	7.22	6.78	6.27	5.81	5.44	5.09	4.78	35	2620
A2	8	9	12	13	3	0.50	-58.26	3.79	3.60	3.42	3.27	3.03	2.79	2.61	2.43	2.29	2.08	47	2196
A2	8	9	13	14	4	0.50	-59.58	5.02	4.72	4.54	4.32	4.05	3.74	3.47	3.22	3.01	2.82	61	4492
A2	9	10	11	12	1	0.40	-592.44	15.17	14.13	13.23	12.49	11.44	10.25	9.29	8.37	7.68	7.04	17	2792
A2	9	10	12	13	2	0.40	-99.79	4.76	4.49	4.24	4.05	3.74	3.40	3.11	2.86	2.65	2.45	33	1881
A2	9	10	13	14	3	0.40	-89.70	6.14	5.80	5.54	5.29	4.96	4.55	4.19	3.89	3.64	3.35	49	4227
A2	9	10	14	15	4	0.40	-22.47	1.56	1.47	1.41	1.36	1.28	1.17	1.07	1.01	0.95	0.86	51	2118
A2	10	11	12	13	1	0.35	-355.09	16.04	15.29	14.62	13.99	13.13	12.08	11.16	10.30	9.57	8.94	33	1912
A2	10	11	13	14	2	0.35	-263.15	17.92	17.06	16.31	15.61	14.66	13.52	12.51	11.59	10.79	10.08	50	5669
A2	10	11	14	15	3	0.35	-52.97	3.61	3.43	3.27	3.14	2.96	2.76	2.59	2.43	2.31	2.19	51	2853
A2	10	11	15	16	4	0.35	-17.21	1.81	1.73	1.64	1.57	1.48	1.39	1.33	1.24	1.18	1.15	79	1854
A2	11	12	13	14	1	0.25	-981.19	57.62	54.95	52.52	50.41	47.52	44.23	41.55	38.90	36.44	34.39	44	7398
A2	11	12	14	15	2	0.50	-263.62	16.92	16.09	15.33	14.68	13.79	12.76	11.92	11.14	10.40	9.77	47	3975
A2	11	12	15	16	3	0.50	-68.73	7.11	6.75	6.44	6.18	5.80	5.34	4.98	4.63	4.36	4.12	76	2591
A2	11	12	16	17	4	0.50	-16.29	1.47	1.40	1.35	1.31	1.22	1.11	1.04	0.97	0.93	0.88	67	1228
A2	12	13	14	15	1	0.50	-599.14	24.85	23.51	22.36	21.25	19.86	18.24	16.86	15.66	14.60	13.67	30	2259
A2	12	13	15	16	2	0.50	-105.07	10.01	9.50	9.08	8.65	8.11	7.48	6.94	6.45	6.01	5.65	69	1584
A2	12	13	16	17	3	0.50	-20.67	2.04	1.95	1.87	1.80	1.69	1.57	1.47	1.40	1.32	1.25	74	779
A2	12	13	17	18	4	0.50	-10.58	0.92	0.87	0.84	0.81	0.75	0.69	0.65	0.63	0.59	0.54	65	798
A2	13	14	15	16	1	0.45	-517.34	47.95	45.44	43.18	41.12	38.45	35.36	32.70	30.30	28.29	26.44	66	2167
A2	13	14	16	17	2	0.45	-70.27	6.39	6.06	5.75	5.48	5.13	4.72	4.37	4.05	3.78	3.49	65	1177
A2	13	14	17	18	3	0.45	-29.91	2.71	2.55	2.43	2.33	2.19	2.01	1.86	1.71	1.60	1.50	65	1253
A2	13	14	18	19	4	0.45	-19.48	1.96	1.84	1.75	1.68	1.59	1.44	1.34	1.24	1.15	1.08	72	1632
A2	14	15	16	17	1	0.45	-193.45	12.48	11.75	11.10	10.53	9.74	8.87	8.16	7.52	6.96	6.47	45	810
A2	14	15	17	18	2	0.45	-53.56	4.22	3.97	3.76	3.57	3.29	3.00	2.77	2.56	2.37	2.21	55	897
A2	14	15	18	19	3	0.45	-27.73	2.46	2.33	2.20	2.09	1.95	1.82	1.66	1.51	1.41	1.30	63	1162
A2	14	15	19	20	4	0.45	-7.80	0.51	0.48	0.45	0.42	0.38	0.37	0.32	0.28	0.27	0.26	44	653
A2	15	16	17	18	1	0.50	-338.76	16.71	15.82	15.01	14.27	13.34	12.26	11.32	10.49	9.78	9.15	35	1277
A2	15	16	18	19	2	0.50	-97.38	6.83	6.49	6.18	5.89	5.53	5.10	4.73	4.40	4.11	3.85	51	1468
A2	15	16	19	20	3	0.50	-21.61	1.05	1.00	0.95	0.93	0.91	0.82	0.71	0.65	0.62	0.57	35	815
A2	15	16	20	21	4	0.50	-4.20	0.18	0.17	0.16	0.19	0.21	0.16	0.12	0.13	0.13	0.11	35	317
A2	16	17	18	19	1	0.40	-159.38	14.12	13.42	12.78	12.21	11.46	10.58	9.84	9.19	8.59	8.05	65	751
A2	16	17	19	20	2	0.40	-21.57	1.07	0.99	0.93	0.87	0.79	0.68	0.60	0.53	0.47	0.40	30	407
A2	16	17	20	21	3	0.40	-3.51	0.24	0.22	0.21	0.20	0.19	0.18	0.16	0.15	0.14	0.13	48	166
A2	16	17	21	22	4	0.40	-1.54	0.08	0.07	0.07	0.06	0.06	0.06	0.05	0.05	0.05	0.04	36	146
A2	17	18	19	20	1	0.40	-97.98	5.93	5.60	5.31	5.04	4.72	4.33	3.99	3.71	3.44	3.21	43	462
A2	17	18	20	21	2	0.40	-11.80	0.79	0.74	0.70	0.66	0.62	0.58	0.53	0.50	0.46	0.43	47	222
A2	17	18	21	22	3	0.40	-3.60	0.23	0.21	0.20	0.19	0.18	0.17	0.16	0.15	0.14	0.12	46	170
A2	17	18	22	23	4	0.40	-2.21	0.09	0.08	0.07	0.07	0.06	0.06	0.06	0.06	0.05	0.05	28	209
A2	18	19	20	21	1	0.80	-117.81	3.95	3.73	3.53	3.34	3.07	2.77	2.52	2.29	2.10	1.93	23	278
A2	18	19	21	22	2	0.80	-20.57	1.08	1.03	0.98	0.94	0.88	0.80	0.74	0.68	0.62	0.58	38	194
A2	18	19	22	23	3	0.80	-8.19	0.32	0.31	0.29	0.28	0.26	0.24	0.22	0.20	0.19	0.17	28	193
A2	18	19	23	24	4	0.80	-11.99	0.62	0.60	0.56	0.53	0.49	0.45	0.41	0.40	0.33	0.30	36	565
A2	19	20	21	22	1	1.00	-48.61	2.15	2.03	1.93	1.84	1.74	1.60	1.48	1.38	1.28	1.18	32	92
A2	19	20	22	23	2	1.00	-9.49	0.16	0.16	0.14	0.13	0.12	0.11	0.11	0.10	0.09	0.09	12	72
A2	19	20	23	24	3	1.00	-10.55	0.24	0.22	0.21	0.20	0.19	0.17	0.16	0.15	0.12	0.11	15	199
A2	19	20	24	25	4	1.00	-7.91	0.17	0.16	0.16	0.15	0.14	0.12	0.10	0.09	0.10	0.09	15	298

チャシャ地区IP測定データ

(92)

A2	20	21	22	23	1	1.00	-66.64	4.34	4.10	3.89	3.70	3.46	3.18	2.93	2.71	2.52	2.36	46	126
A2	20	21	23	24	2	1.00	-20.21	1.27	1.20	1.15	1.10	1.04	0.95	0.87	0.80	0.75	0.71	45	152
A2	20	21	24	25	3	1.00	-6.51	0.27	0.25	0.24	0.24	0.22	0.21	0.19	0.17	0.17	0.16	30	123
A2	20	21	25	26	4	1.00	-4.32	0.21	0.20	0.19	0.19	0.18	0.17	0.15	0.13	0.12	0.12	36	163
A2	21	22	23	24	1	1.40	-299.11	8.19	7.70	7.25	6.87	6.37	5.80	5.32	4.87	4.46	4.09	19	403
A2	21	22	24	25	2	1.40	-59.54	0.94	0.87	0.81	0.75	0.68	0.60	0.54	0.47	0.42	0.36	10	321
A2	21	22	25	26	3	1.40	-29.01	0.78	0.74	0.69	0.67	0.62	0.58	0.53	0.47	0.45	0.41	19	391
A2	21	22	26	27	4	1.40	-14.55	0.58	0.55	0.53	0.51	0.47	0.45	0.41	0.36	0.35	0.33	29	392
A2	22	23	24	25	1	1.40	-251.70	1.91	1.73	1.58	1.46	1.28	1.12	0.98	0.80	0.67	0.60	4	339
A2	22	23	25	26	2	1.40	-93.82	1.58	1.46	1.36	1.28	1.18	1.06	0.97	0.85	0.75	0.70	11	505
A2	22	23	26	27	3	1.40	-42.84	1.31	1.24	1.18	1.12	1.03	0.96	0.88	0.80	0.75	0.71	22	577
A2	22	23	27	28	4	1.40	-22.79	0.59	0.58	0.57	0.55	0.51	0.49	0.46	0.41	0.38	0.37	20	614
A2	23	24	25	26	1	1.20	-321.22	9.22	8.69	8.22	7.80	7.28	6.67	6.14	5.70	5.30	4.95	20	505
A2	23	24	26	27	2	1.20	-119.14	4.90	4.64	4.42	4.21	3.95	3.63	3.35	3.11	2.90	2.72	30	749
A2	23	24	27	28	3	1.20	-54.22	1.97	1.88	1.77	1.70	1.60	1.48	1.36	1.26	1.19	1.11	26	852
A2	23	24	28	29	4	1.20	-23.73	0.90	0.85	0.80	0.77	0.73	0.67	0.62	0.57	0.55	0.51	27	745
A2	24	25	26	27	1	1.00	-354.71	9.80	9.18	8.65	8.20	7.68	6.98	6.36	5.88	5.48	5.12	19	669
A2	24	25	27	28	2	1.00	-95.54	2.27	2.12	2.07	1.98	1.84	1.71	1.60	1.46	1.36	1.28	17	720
A2	24	25	28	29	3	1.00	-36.73	0.89	0.84	0.79	0.75	0.70	0.63	0.56	0.52	0.48	0.46	17	692
A2	24	25	29	30	4	1.00	-15.48	0.24	0.22	0.21	0.20	0.18	0.15	0.14	0.13	0.11	0.11	10	583
A2	25	26	27	28	1	1.00	-228.19	3.39	3.15	2.94	2.80	2.58	2.29	2.07	1.88	1.75	1.66	10	430
A2	25	26	28	29	2	1.00	-66.52	1.10	1.04	0.98	0.92	0.85	0.78	0.73	0.68	0.62	0.59	12	502
A2	25	26	29	30	3	1.00	-25.28	0.29	0.27	0.26	0.25	0.22	0.18	0.16	0.14	0.12	0.10	7	477
A2	26	27	28	29	1	0.50	-97.07	1.89	1.78	1.69	1.61	1.48	1.35	1.25	1.15	1.08	1.01	14	366
A2	26	27	29	30	2	0.50	-24.86	0.36	0.34	0.33	0.31	0.28	0.25	0.23	0.21	0.20	0.19	10	375
A2	27	28	29	30	1	0.50	-46.37	2.96	2.83	2.71	2.59	2.43	2.25	2.10	1.97	1.84	1.73	47	175
Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A3	0	1	2	3	1	0.90	-208.06	5.62	5.39	5.15	4.88	4.59	4.14	3.78	3.54	3.31	3.05	19	436
A3	0	1	3	4	2	0.90	-106.83	3.75	3.61	3.48	3.26	3.15	2.78	2.44	2.33	2.18	2.00	25	895
A3	0	1	4	5	3	0.90	-61.47	3.28	3.15	3.04	2.87	2.74	2.45	2.19	2.09	1.96	1.81	39	1287
A3	0	1	5	6	4	0.90	-27.09	1.14	1.11	1.08	1.01	0.99	0.86	0.73	0.71	0.66	0.58	30	1135
A3	1	2	3	4	1	0.70	-268.88	9.44	9.00	8.62	8.21	7.67	7.13	6.60	6.13	5.79	5.40	26	724
A3	1	2	4	5	2	0.70	-67.74	2.28	2.16	2.06	1.93	1.79	1.68	1.55	1.45	1.37	1.29	24	730
A3	1	2	5	6	3	0.70	-38.42	1.50	1.44	1.38	1.32	1.21	1.13	1.08	1.02	0.92	0.86	29	1035
A3	1	2	6	7	4	0.70	-18.23	0.74	0.70	0.68	0.65	0.59	0.55	0.53	0.50	0.45	0.43	30	982
A3	2	3	4	5	1	0.50	-304.35	6.20	5.88	5.57	5.29	4.98	4.61	4.29	4.02	3.77	3.47	15	1147
A3	2	3	5	6	2	0.50	-96.18	2.65	2.51	2.39	2.25	2.12	1.97	1.87	1.79	1.66	1.53	20	1450
A3	2	3	6	7	3	0.50	-38.96	1.15	1.11	1.06	0.98	0.94	0.85	0.77	0.73	0.68	0.64	21	1469
A3	2	3	7	8	4	0.50	-22.22	0.99	0.96	0.93	0.88	0.82	0.77	0.71	0.64	0.61	0.57	33	1675
A3	3	4	5	6	1	0.40	-286.27	6.05	5.72	5.42	5.17	4.87	4.49	4.13	3.74	3.56	3.38	15	1349
A3	3	4	6	7	2	0.40	-87.34	2.13	2.02	1.93	1.85	1.76	1.63	1.51	1.38	1.32	1.26	18	1646
A3	3	4	7	8	3	0.40	-44.98	1.81	1.72	1.64	1.57	1.49	1.38	1.28	1.19	1.11	1.04	30	2119
A3	3	4	8	9	4	0.40	-19.94	0.84	0.79	0.76	0.73	0.70	0.66	0.60	0.55	0.50	0.47	31	1880
A3	4	5	6	7	1	0.70	-241.27	6.15	5.83	5.50	5.28	4.86	4.48	4.21	3.98	3.75	3.47	18	650
A3	4	5	7	8	2	0.70	-86.01	3.80	3.67	3.46	3.30	3.07	2.90	2.72	2.51	2.30	2.15	33	926
A3	4	5	8	9	3	0.70	-31.26	1.55	1.48	1.40	1.35	1.21	1.12	1.08	0.99	0.92	0.86	36	842
A3	4	5	9	10	4	0.70	-8.67	0.55	0.51	0.52	0.45	0.49	0.46	0.38	0.32	0.31	0.34	47	467

チャシヤ地区IP測定データ

A3	5	6	7	8	1	0.90	-455.36	17.65	16.79	16.08	15.20	14.44	13.44	12.37	11.35	10.64	10.09	28	954
A3	5	6	8	9	2	0.90	-123.98	6.04	5.73	5.50	5.17	4.95	4.59	4.21	3.85	3.61	3.46	35	1039
A3	5	6	9	10	3	0.90	-28.54	1.67	1.60	1.53	1.45	1.35	1.29	1.21	1.09	0.99	0.94	43	598
A3	5	6	10	11	4	0.90	-17.32	1.26	0.94	1.06	1.02	1.02	0.70	0.55	0.68	0.88	0.87	47	726
A3	6	7	8	9	1	0.60	-229.56	8.91	8.39	8.03	7.64	7.23	6.63	6.12	5.72	5.40	5.07	28	721
A3	6	7	9	10	2	0.60	-39.34	1.93	1.88	1.74	1.70	1.56	1.47	1.40	1.31	1.19	1.08	36	494
A3	6	7	10	11	3	0.60	-18.71	0.87	0.81	0.97	0.59	0.92	0.95	0.66	0.32	0.24	0.45	33	588
A3	6	7	11	12	4	0.60	-13.16	0.58	0.58	0.75	0.39	0.72	0.81	0.56	0.18	0.08	0.33	35	827
A3	7	8	9	10	1	0.70	-168.22	7.30	6.95	6.60	6.31	5.94	5.52	5.14	4.80	4.50	4.19	32	453
A3	7	8	10	11	2	0.70	-60.01	3.38	3.26	3.07	2.93	2.77	2.61	2.45	2.27	2.07	1.90	42	646
A3	7	8	11	12	3	0.70	-37.16	2.38	2.18	2.21	1.98	1.99	1.85	1.66	1.49	1.37	1.35	46	1001
A3	7	8	12	13	4	0.70	-37.59	2.40	1.93	2.23	1.80	2.10	1.84	1.52	1.25	1.24	1.42	43	2025
A3	8	9	10	11	1	0.70	-274.93	9.85	9.36	8.89	8.47	7.90	7.25	6.71	6.20	5.79	5.40	26	740
A3	8	9	11	12	2	0.70	-112.98	5.87	5.59	5.32	5.07	4.74	4.35	4.04	3.75	3.49	3.27	37	1217
A3	8	9	12	13	3	0.70	-89.88	4.64	4.43	4.23	4.04	3.78	3.47	3.23	3.00	2.81	2.64	38	2420
A3	8	9	13	14	4	0.70	-51.15	2.55	2.43	2.31	2.21	2.07	1.92	1.77	1.54	1.49	1.47	36	2755
A3	9	10	11	12	1	1.00	-613.26	21.49	20.23	19.11	18.15	16.87	15.34	14.05	12.97	12.02	11.09	24	1156
A3	9	10	12	13	2	1.00	-312.56	11.01	10.39	9.85	9.36	8.72	7.95	7.33	6.78	6.30	5.82	25	2357
A3	9	10	13	14	3	1.00	-144.15	5.36	5.06	4.79	4.56	4.25	3.88	3.56	3.29	3.07	2.83	26	2717
A3	9	10	14	15	4	1.00	-79.66	4.33	4.11	3.90	3.69	3.44	3.13	2.90	2.72	2.51	2.35	39	3003
A3	10	11	12	13	1	0.70	-981.90	21.80	20.61	19.62	18.80	17.62	16.24	15.15	14.15	13.28	12.45	16	2644
A3	10	11	13	14	2	0.70	-331.16	7.88	7.47	7.11	6.82	6.40	5.90	5.49	5.12	4.81	4.52	17	3567
A3	10	11	14	15	3	0.70	-169.78	6.51	6.17	5.86	5.60	5.24	4.81	4.46	4.15	3.83	3.57	28	4572
A3	10	11	15	16	4	0.70	-45.38	4.23	4.02	3.81	3.64	3.40	3.13	2.92	2.73	2.54	2.36	67	2444
A3	11	12	13	14	1	0.70	-754.12	11.77	10.86	10.13	9.43	8.75	7.77	6.88	6.29	5.84	5.37	10	2031
A3	11	12	14	15	2	0.70	-313.29	8.65	8.08	7.60	7.14	6.65	6.00	5.43	5.01	4.64	4.31	19	3375
A3	11	12	15	16	3	0.70	-71.87	6.44	6.04	5.74	5.46	5.09	4.61	4.23	3.93	3.62	3.35	62	1935
A3	11	12	16	17	4	0.70	-29.30	1.87	1.79	1.71	1.64	1.50	1.35	1.27	1.20	1.11	1.04	46	1578
A3	12	13	14	15	1	0.50	-796.78	22.75	21.49	20.34	19.33	18.06	16.57	15.29	14.18	13.22	12.33	20	3004
A3	12	13	15	16	2	0.50	-124.05	12.05	11.45	10.88	10.36	9.69	8.91	8.23	7.64	7.14	6.67	70	1871
A3	12	13	16	17	3	0.50	-42.06	3.05	2.89	2.76	2.63	2.46	2.26	2.10	1.95	1.83	1.67	52	1585
A3	12	13	17	18	4	0.50	-17.25	1.28	1.21	1.15	1.09	1.02	0.93	0.86	0.82	0.76	0.70	53	1300
A3	13	14	15	16	1	0.70	-385.03	39.61	37.44	35.50	33.77	31.52	28.90	26.64	24.71	22.99	21.42	73	1037
A3	13	14	16	17	2	0.70	-94.60	7.47	7.08	6.71	6.37	5.94	5.47	5.04	4.68	4.35	4.06	56	1019
A3	13	14	17	18	3	0.70	-32.84	2.53	2.40	2.29	2.17	2.02	1.84	1.70	1.59	1.46	1.36	55	884
A3	13	14	18	19	4	0.70	-16.97	1.74	1.65	1.58	1.52	1.43	1.31	1.21	1.14	1.04	0.96	75	914
A3	14	15	16	17	1	0.70	-370.05	11.77	11.04	10.45	9.88	9.17	8.39	7.70	7.06	6.50	6.06	22	996
A3	14	15	17	18	2	0.70	-79.80	4.17	3.91	3.74	3.54	3.30	3.03	2.80	2.58	2.37	2.23	37	860
A3	14	15	18	19	3	0.70	-33.45	2.86	2.70	2.57	2.44	2.30	2.14	1.97	1.82	1.73	1.60	62	901
A3	14	15	19	20	4	0.70	-8.74	0.62	0.60	0.59	0.60	0.56	0.44	0.39	0.39	0.36	0.37	52	471
A3	15	16	17	18	1	0.60	-258.99	12.56	11.84	11.19	10.60	9.90	9.08	8.36	7.75	7.20	6.69	34	814
A3	15	16	18	19	2	0.60	-71.44	5.91	5.63	5.38	5.13	4.80	4.45	4.14	3.85	3.61	3.36	61	898
A3	15	16	19	20	3	0.60	-13.42	0.88	0.83	0.79	0.75	0.70	0.65	0.59	0.54	0.51	0.48	46	422
A3	15	16	20	21	4	0.60	-12.59	0.38	0.26	0.25	0.32	0.25	0.21	0.22	0.19	0.19	0.16	17	791
A3	16	17	18	19	1	0.80	-349.69	25.74	24.19	22.84	21.57	19.93	18.02	16.35	14.86	13.61	12.47	50	824
A3	16	17	19	20	2	0.80	-31.64	2.62	2.45	2.31	2.18	2.01	1.81	1.66	1.52	1.40	1.27	56	298
A3	16	17	20	21	3	0.80	-21.66	1.43	1.36	1.30	1.23	1.13	1.02	0.94	0.85	0.78	0.73	46	510

チャシャ地区IP測定データ

(94)

Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A3	16	17	21	22	4	0.80	-4.48	0.20	0.18	0.16	0.14	0.12	0.11	0.11	0.10	0.08	0.07	25	211
A3	17	18	19	20	1	0.40	-34.82	3.17	3.00	2.85	2.71	2.53	2.33	2.15	2.01	1.88	1.75	65	164
A3	17	18	20	21	2	0.40	-15.03	1.06	1.00	0.96	0.90	0.84	0.79	0.74	0.67	0.62	0.59	51	263
A3	17	18	21	22	3	0.40	-2.29	0.08	0.08	0.06	0.04	0.06	0.07	0.06	0.04	0.04	0.03	23	108
A3	17	18	22	23	4	0.40	-6.13	0.27	0.27	0.24	0.22	0.19	0.14	0.14	0.15	0.16	0.12	28	577
A3	18	19	20	21	1	0.40	-281.81	37.80	35.99	34.33	32.81	30.72	28.28	26.23	24.57	23.09	21.66	98	1328
A3	18	19	21	22	2	0.40	-5.09	0.37	0.35	0.33	0.31	0.30	0.28	0.26	0.23	0.22	0.21	52	96
A3	18	19	22	23	3	0.40	-8.49	0.49	0.49	0.47	0.45	0.43	0.39	0.34	0.31	0.31	0.32	44	400
A3	18	19	23	24	4	0.40	-3.04	0.13	0.11	0.11	0.12	0.13	0.11	0.07	0.06	0.07	0.08	30	286
A3	19	20	21	22	1	0.45	-22.48	0.99	0.93	0.88	0.83	0.72	0.64	0.62	0.59	0.55	0.52	30	94
A3	19	20	22	23	2	0.45	-10.45	0.49	0.43	0.41	0.39	0.35	0.32	0.33	0.27	0.24	0.22	30	175
A3	19	20	23	24	3	0.45	-2.74	0.10	0.11	0.12	0.11	0.08	0.05	0.07	0.07	0.06	0.05	27	115
A3	19	20	24	25	4	0.45	-0.66	0.06	0.09	0.07	0.02	0.02	0.04	0.03	0.02	0.04	0.02	54	55
A3	20	21	22	23	1	0.45	-89.04	4.01	3.77	3.55	3.35	3.11	2.85	2.65	2.45	2.27	2.10	31	373
A3	20	21	23	24	2	0.45	-11.22	0.61	0.58	0.55	0.51	0.47	0.43	0.41	0.38	0.36	0.34	38	188
A3	20	21	24	25	3	0.45	-3.13	0.18	0.18	0.17	0.17	0.15	0.13	0.13	0.13	0.11	0.10	44	131
A3	20	21	25	26	4	0.45	-3.38	0.18	0.19	0.18	0.19	0.16	0.15	0.13	0.12	0.11	0.10	42	284
A3	21	22	23	24	1	0.70	-64.11	3.27	3.15	3.04	2.90	2.71	2.50	2.31	2.16	2.02	1.90	38	173
A3	21	22	24	25	2	0.70	-11.33	0.71	0.67	0.65	0.64	0.59	0.54	0.50	0.47	0.44	0.42	47	122
A3	21	22	25	26	3	0.70	-9.23	0.58	0.55	0.51	0.48	0.47	0.43	0.42	0.40	0.35	0.31	46	249
A3	21	22	26	27	4	0.70	-4.74	0.27	0.25	0.22	0.21	0.21	0.20	0.18	0.18	0.14	0.13	39	255
A3	22	23	24	25	1	1.00	-300.16	8.52	8.09	7.68	7.30	6.81	6.29	5.79	5.34	4.95	4.65	20	566
A3	22	23	25	26	2	1.00	-217.11	7.16	6.79	6.46	6.15	5.74	5.32	4.90	4.53	4.21	3.95	24	1637
A3	22	23	26	27	3	1.00	-93.78	2.44	2.29	2.15	2.04	1.91	1.78	1.64	1.50	1.40	1.37	18	1768
A3	22	23	27	28	4	1.00	-41.99	1.38	1.31	1.26	1.20	1.12	1.05	0.95	0.87	0.81	0.70	24	1583
A3	23	24	25	26	1	0.80	-871.17	18.32	17.29	16.49	15.78	14.73	13.36	12.42	11.65	10.76	10.00	15	2053
A3	23	24	26	27	2	0.80	-221.85	3.20	3.01	2.87	2.73	2.55	2.31	2.14	2.00	1.83	1.68	10	2091
A3	23	24	27	28	3	0.80	-75.90	1.74	1.63	1.53	1.44	1.34	1.25	1.15	1.08	1.03	0.96	16	1788
A3	23	24	28	29	4	0.80	-22.03	0.18	0.16	0.15	0.13	0.14	0.15	0.14	0.11	0.10	0.08	6	1038
A3	24	25	26	27	1	0.80	-215.38	1.39	1.14	0.95	0.89	0.81	0.71	0.70	0.57	0.45	0.45	3	507
A3	24	25	27	28	2	0.80	-57.64	0.90	0.80	0.73	0.69	0.64	0.58	0.55	0.48	0.43	0.41	10	543
A3	24	25	28	29	3	0.80	-18.64	0.07	0.09	0.10	0.10	0.10	0.11	0.11	0.10	0.11	0.11	6	439
A3	24	25	29	30	4	0.80	-19.91	0.02	0.00	0.02	0.04	0.03	0.05	0.05	0.05	0.07	0.08	2	938
A3	25	26	27	28	1	0.70	-217.18	5.63	5.32	5.02	4.80	4.47	4.12	3.81	3.52	3.26	3.03	18	585
A3	25	26	28	29	2	0.70	-50.84	0.64	0.60	0.55	0.53	0.48	0.44	0.42	0.38	0.35	0.32	9	548
A3	25	26	29	30	3	0.70	-48.06	0.80	0.75	0.71	0.68	0.63	0.56	0.53	0.50	0.46	0.42	12	1294
A3	26	27	28	29	1	0.60	-201.74	2.05	1.91	1.79	1.68	1.54	1.37	1.21	1.11	1.00	0.90	7	634
A3	26	27	29	30	2	0.60	-137.49	1.83	1.71	1.62	1.53	1.41	1.26	1.11	1.02	0.93	0.85	9	1728
A3	27	28	29	30	1	0.80	-401.13	12.76	12.17	11.63	11.13	10.48	9.78	9.20	8.62	8.09	7.63	24	945
A4	0	1	2	3	1	0.70	-166.31	6.76	6.37	6.01	5.73	5.33	4.96	4.61	4.18	3.91	3.70	29	448
A4	0	1	3	4	2	0.70	-63.19	2.07	1.95	1.82	1.74	1.60	1.53	1.45	1.27	1.19	1.17	23	681
A4	0	1	4	5	3	0.70	-23.37	1.18	1.11	1.09	1.05	0.99	0.92	0.89	0.83	0.75	0.71	39	629
A4	0	1	5	6	4	0.70	-52.51	2.94	2.79	2.69	2.60	2.54	2.20	1.92	1.83	1.58	1.33	40	2828
A4	1	2	3	4	1	0.90	-224.03	6.39	6.02	5.80	5.53	5.12	4.67	4.23	3.91	3.57	3.34	20	469
A4	1	2	4	5	2	0.90	-71.61	2.53	2.40	2.31	2.19	2.00	1.82	1.67	1.55	1.40	1.28	25	600
A4	1	2	5	6	3	0.90	-57.17	1.84	1.75	1.72	1.64	1.51	1.37	1.24	1.14	1.01	0.94	23	1197

チャジャ地区IP測定データ

(95)

A4	1	2	6	7	4	0.90	-80.08	3.26	3.11	3.02	2.87	2.64	2.31	2.04	1.94	1.77	1.67	28	3354
A4	2	3	4	5	1	0.60	-498.06	14.04	13.25	12.56	11.95	11.15	10.24	9.46	8.75	8.13	7.61	20	1565
A4	2	3	5	6	2	0.60	-225.15	5.48	5.20	4.96	4.74	4.41	4.06	3.78	3.51	3.26	3.08	18	2829
A4	2	3	6	7	3	0.60	-87.27	3.40	3.23	3.09	2.96	2.76	2.55	2.38	2.21	2.05	1.93	28	2742
A4	2	3	7	8	4	0.60	-62.66	3.30	3.16	3.01	2.90	2.72	2.51	2.33	2.20	2.06	1.93	39	3937
A4	3	4	5	6	1	0.50	-280.57	1.72	1.63	1.52	1.43	1.32	1.18	1.06	0.99	0.85	0.85	4	1058
A4	3	4	6	7	2	0.50	-81.83	1.47	1.40	1.32	1.27	1.17	1.06	0.99	0.92	0.82	0.82	13	1234
A4	3	4	7	8	3	0.50	-50.76	1.71	1.63	1.54	1.47	1.39	1.27	1.17	1.10	0.98	0.99	24	1914
A4	3	4	8	9	4	0.50	-12.99	0.51	0.49	0.45	0.43	0.41	0.39	0.37	0.34	0.32	0.30	29	980
A4	4	5	6	7	1	0.50	-124.79	1.88	1.80	1.72	1.61	1.50	1.40	1.32	1.19	1.09	1.01	11	470
A4	4	5	7	8	2	0.50	-51.20	1.89	1.81	1.73	1.62	1.52	1.44	1.36	1.23	1.13	1.05	27	772
A4	4	5	8	9	3	0.50	-11.65	0.52	0.50	0.48	0.44	0.42	0.40	0.39	0.35	0.31	0.27	33	439
A4	4	5	9	10	4	0.50	-6.31	0.37	0.34	0.33	0.33	0.32	0.29	0.27	0.25	0.24	0.21	44	476
A4	5	6	7	8	1	0.70	-275.85	6.58	6.29	5.98	5.71	5.31	4.88	4.55	4.26	3.98	3.75	17	743
A4	5	6	8	9	2	0.70	-45.00	1.46	1.46	1.41	1.33	1.19	1.09	1.01	0.95	0.88	0.82	24	485
A4	5	6	9	10	3	0.70	-20.96	1.00	0.98	0.95	0.90	0.82	0.76	0.70	0.65	0.60	0.57	35	565
A4	5	6	10	11	4	0.70	-11.28	0.50	0.47	0.43	0.41	0.38	0.36	0.33	0.30	0.26	0.26	30	607
A4	6	7	8	9	1	0.90	-179.87	5.13	4.83	4.57	4.32	4.00	3.66	3.40	3.10	2.85	2.69	20	377
A4	6	7	9	10	2	0.90	-59.96	2.62	2.47	2.36	2.24	2.09	1.93	1.78	1.64	1.52	1.44	31	502
A4	6	7	10	11	3	0.90	-24.31	1.13	1.07	1.04	0.99	0.92	0.84	0.77	0.70	0.67	0.63	33	509
A4	6	7	11	12	4	0.90	-23.36	1.18	1.09	1.02	0.96	0.90	0.88	0.87	0.75	0.65	0.63	36	978
A4	7	8	9	10	1	0.90	-362.76	10.72	10.06	9.46	8.97	8.41	7.75	7.23	6.67	6.16	5.89	21	760
A4	7	8	10	11	2	0.90	-6.39	0.70	0.68	0.72	0.76	0.69	0.58	0.58	0.53	0.49	0.39	92	54
A4	7	8	11	12	3	0.90	-49.54	2.43	2.29	2.19	2.10	1.95	1.80	1.69	1.53	1.43	1.39	35	1038
A4	7	8	12	13	4	0.90	-55.91	3.13	2.97	2.91	2.86	2.64	2.38	2.26	2.05	1.89	1.76	42	2342
A4	8	9	10	11	1	0.80	-172.01	8.10	7.68	7.35	7.02	6.60	6.11	5.68	5.26	4.89	4.60	34	405
A4	8	9	11	12	2	0.80	-77.04	4.48	4.24	4.09	3.90	3.65	3.38	3.15	2.91	2.71	2.55	43	726
A4	8	9	12	13	3	0.80	-54.84	3.00	2.83	2.76	2.64	2.46	2.29	2.15	1.97	1.83	1.73	40	1292
A4	8	9	13	14	4	0.80	-22.00	1.06	1.07	1.00	0.99	0.90	0.74	0.70	0.72	0.72	0.68	36	1037
A4	9	10	11	12	1	0.70	-653.88	21.80	20.64	19.57	18.59	17.28	15.78	14.47	13.40	12.39	11.52	23	1761
A4	9	10	12	13	2	0.70	-260.76	9.87	9.38	8.92	8.49	7.91	7.24	6.66	6.21	5.75	5.37	27	2809
A4	9	10	13	14	3	0.70	-81.43	3.01	2.87	2.72	2.59	2.41	2.21	2.03	1.90	1.76	1.64	26	2193
A4	9	10	14	15	4	0.70	-49.56	2.97	2.82	2.67	2.54	2.37	2.17	2.04	1.89	1.68	1.62	43	2669
A4	10	11	12	13	1	0.60	-721.68	15.11	14.20	13.44	12.77	11.79	10.72	9.90	9.16	8.48	7.88	15	2267
A4	10	11	13	14	2	0.60	-174.03	3.06	2.87	2.72	2.59	2.36	2.14	1.98	1.82	1.67	1.56	12	2187
A4	10	11	14	15	3	0.60	-131.22	6.31	6.04	5.74	5.48	4.99	4.59	4.32	4.00	3.63	3.35	34	4122
A4	10	11	15	16	4	0.60	-96.93	3.62	3.41	3.23	3.08	2.93	2.69	2.44	2.27	2.12	1.95	27	6091
A4	11	12	13	14	1	0.70	-606.86	9.03	7.34	6.35	6.75	5.20	2.61	1.98	0.15	1.25	1.77	5	1634
A4	11	12	14	15	2	0.70	-41.10	3.95	4.82	5.18	4.26	4.95	6.51	6.27	7.33	8.18	8.18	157	443
A4	11	12	15	16	3	0.70	-38.06	0.88	1.16	1.15	0.96	1.13	1.48	1.47	1.54	1.60	1.67	37	1025
A4	11	12	16	17	4	0.70	-31.32	1.44	1.34	1.26	1.19	1.10	1.01	0.93	0.88	0.81	0.73	31	1687
A4	12	13	14	15	1	0.50	-466.04	15.76	15.01	14.34	13.65	12.66	11.64	10.73	9.88	9.23	8.69	24	1757
A4	12	13	15	16	2	0.50	-93.73	5.95	5.66	5.41	5.15	4.79	4.41	4.06	3.78	3.57	3.33	46	1413
A4	12	13	16	17	3	0.50	-43.09	2.58	2.16	1.86	1.84	1.93	1.77	1.72	1.61	1.47	1.40	40	1624
A4	12	13	17	18	4	0.50	-16.03	1.47	1.44	1.40	1.32	1.19	1.11	1.03	0.94	0.89	0.84	68	1209
A4	13	14	15	16	1	0.40	-161.98	10.00	9.46	8.98	8.56	8.00	7.35	6.80	6.32	5.87	5.46	44	763
A4	13	14	16	17	2	0.40	-44.78	2.22	2.10	1.99	1.90	1.77	1.62	1.50	1.39	1.29	1.18	35	844

チャジャ地区IP測定データ

A4	13	14	17	18	3	0.40	-5.62	0.92	0.88	0.85	0.82	0.77	0.72	0.69	0.66	0.60	0.56	126	265
A4	13	14	18	19	4	0.40	-5.88	0.37	0.35	0.33	0.32	0.29	0.27	0.25	0.24	0.22	0.20	45	554
A4	14	15	16	17	1	0.60	-276.52	6.93	6.51	6.13	5.82	5.37	4.88	4.49	4.10	3.77	3.47	17	869
A4	14	15	17	18	2	0.60	-57.07	4.16	3.96	3.76	3.57	3.33	3.07	2.84	2.63	2.44	2.25	52	717
A4	14	15	18	19	3	0.60	-2.70	0.42	0.42	0.40	0.37	0.34	0.33	0.31	0.29	0.27	0.25	119	85
A4	14	15	19	20	4	0.60	-16.31	1.19	1.14	1.06	1.01	0.93	0.87	0.81	0.75	0.67	0.61	51	1025
A4	15	16	17	18	1	0.60	-172.92	11.38	10.79	10.27	9.80	9.17	8.45	7.82	7.27	6.80	6.36	47	543
A4	15	16	18	19	2	0.60	-31.03	1.85	1.76	1.67	1.59	1.49	1.37	1.27	1.18	1.10	1.03	43	390
A4	15	16	19	20	3	0.70	-23.36	1.56	1.50	1.42	1.33	1.26	1.17	1.06	0.99	0.92	0.83	48	629
A4	15	16	20	21	4	0.60	-10.37	0.43	0.41	0.38	0.36	0.35	0.35	0.31	0.28	0.27	0.26	31	652
A4	16	17	18	19	1	0.90	-155.48	12.54	11.87	11.28	10.74	10.04	9.20	8.47	7.86	7.30	6.80	57	326
A4	16	17	19	20	2	0.90	-56.21	4.62	4.37	4.16	3.96	3.71	3.40	3.13	2.90	2.68	2.50	59	471
A4	16	17	20	21	3	0.90	-19.01	0.81	0.76	0.72	0.71	0.65	0.58	0.53	0.48	0.43	0.41	29	398
A4	16	17	21	22	4	0.90	-17.99	1.59	1.22	0.73	0.40	0.77	0.45	0.37	0.02	0.32	0.37	24	754
A4	17	18	19	20	1	0.90	-305.06	29.24	27.80	26.54	25.35	23.78	21.98	20.39	19.02	17.82	16.73	70	639
A4	17	18	20	21	2	0.90	-34.62	3.39	3.25	3.10	2.95	2.76	2.56	2.35	2.20	2.06	1.94	72	290
A4	17	18	21	22	3	0.90	-19.39	1.72	1.66	1.58	1.51	1.40	1.30	1.19	1.12	1.05	0.99	65	406
A4	17	18	22	23	4	0.90	-59.05	5.63	5.38	5.15	4.93	4.62	4.28	3.95	3.70	3.47	3.29	70	2474
A4	18	19	20	21	1	0.90	-179.87	16.65	15.72	14.94	14.25	13.32	12.18	11.19	10.40	9.70	9.05	66	377
A4	18	19	21	22	2	0.90	-73.36	6.39	6.03	5.75	5.53	5.19	4.71	4.30	4.03	3.75	3.50	62	615
A4	18	19	22	23	3	0.90	-7.75	1.13	1.07	1.03	0.98	0.92	0.85	0.79	0.73	0.68	0.64	106	162
A4	18	19	23	24	4	0.90	-5.11	0.45	0.41	0.38	0.37	0.36	0.33	0.31	0.29	0.27	0.25	62	214
A4	19	20	21	22	1	0.70	-783.13	38.40	36.37	34.55	32.90	30.71	28.18	26.09	24.19	22.48	20.97	35	2109
A4	19	20	22	23	2	0.70	-94.84	7.44	7.06	6.72	6.41	6.01	5.53	5.13	4.76	4.43	4.14	57	1022
A4	19	20	23	24	3	0.70	-79.89	4.16	3.94	3.73	3.58	3.34	3.06	2.86	2.60	2.38	2.28	37	2151
A4	19	20	24	25	4	0.70	-31.53	2.36	2.26	2.21	2.17	1.97	1.87	1.89	1.47	1.25	1.44	56	1698
A4	20	21	22	23	1	0.90	-231.21	7.79	7.36	6.97	6.62	6.15	5.60	5.18	4.79	4.43	4.10	24	484
A4	20	21	23	24	2	0.90	-58.91	2.11	1.99	1.88	1.80	1.67	1.52	1.40	1.31	1.21	1.11	25	493
A4	20	21	24	25	3	0.90	-52.03	1.70	1.61	1.51	1.46	1.36	1.24	1.14	1.06	0.99	0.90	23	1090
A4	20	21	25	26	4	0.90	-17.68	0.65	0.62	0.58	0.56	0.53	0.48	0.44	0.41	0.39	0.35	26	741
A4	21	22	23	24	1	0.90	-170.08	3.51	3.30	3.12	2.96	2.73	2.44	2.21	2.06	1.92	1.76	14	356
A4	21	22	24	25	2	0.90	-103.68	2.21	2.08	1.95	1.79	1.68	1.57	1.43	1.31	1.21	1.12	15	869
A4	21	22	25	26	3	0.90	-29.28	0.77	0.72	0.68	0.65	0.60	0.55	0.50	0.46	0.43	0.40	18	613
A4	21	22	26	27	4	0.90	-28.55	0.74	0.69	0.65	0.62	0.57	0.53	0.50	0.46	0.43	0.38	18	1196
A4	22	23	24	25	1	0.70	-320.34	7.08	6.66	6.33	6.01	5.54	5.05	4.63	4.26	3.94	3.63	15	863
A4	22	23	25	26	2	0.70	-43.82	0.60	0.54	0.49	0.43	0.36	0.28	0.24	0.23	0.21	0.17	7	472
A4	22	23	26	27	3	0.70	-28.43	0.70	0.66	0.64	0.61	0.55	0.50	0.47	0.43	0.41	0.35	17	766
A4	22	23	27	28	4	0.70	-6.55	0.15	0.14	0.14	0.13	0.12	0.11	0.11	0.09	0.09	0.09	17	353
A4	23	24	25	26	1	0.50	-263.72	6.14	5.79	5.48	5.21	4.82	4.38	4.01	3.67	3.39	3.16	16	994
A4	23	24	26	27	2	0.50	-104.09	2.38	2.23	2.11	2.02	1.86	1.70	1.58	1.45	1.33	1.23	16	1570
A4	23	24	27	28	3	0.50	-19.81	0.43	0.42	0.39	0.38	0.35	0.32	0.29	0.27	0.26	0.24	16	747
A4	23	24	28	29	4	0.50	-19.14	0.33	0.36	0.26	0.30	0.24	0.20	0.37	0.27	0.19	0.20	14	1443
A4	24	25	26	27	1	0.60	-496.17	8.21	7.72	7.28	6.91	6.39	5.92	5.46	5.01	4.69	4.45	12	1559
A4	24	25	27	28	2	0.60	-72.52	1.20	1.13	1.06	1.01	0.94	0.86	0.79	0.73	0.68	0.64	12	911
A4	24	25	28	29	3	0.60	-41.47	0.91	0.86	0.80	0.76	0.71	0.66	0.61	0.56	0.53	0.50	15	1303
A4	24	25	29	30	4	0.60	-35.62	0.52	0.71	0.83	0.74	0.66	0.65	0.84	0.62	0.56	0.72	19	2238
A4	25	26	27	28	1	0.90	-308.90	4.55	4.29	4.06	3.85	3.55	3.23	2.97	2.76	2.59	2.42	10	647

チャンヤ地区IP測定データ

Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A4	25	26	28	29	2	0.90	-97.58	1.76	1.65	1.56	1.47	1.35	1.23	1.12	1.05	0.99	0.92	12	817
A4	25	26	29	30	3	0.90	-113.86	2.34	2.77	3.13	3.40	3.48	3.41	3.53	3.31	1.82	0.81	26	2385
A4	26	27	28	29	1	0.90	-426.62	8.40	7.92	7.53	7.14	6.63	6.01	5.50	5.05	4.67	4.37	14	894
A4	26	27	29	30	2	0.90	-235.52	10.62	9.79	10.14	10.32	9.21	7.45	7.59	8.77	8.61	8.15	37	1973
A4	27	28	29	30	1	0.90	-231.43	2.66	2.47	2.30	2.15	1.91	1.66	1.46	1.30	1.17	1.05	7	485
A5	0	1	2	3	1	2.20	-335.40	13.92	13.24	12.59	11.91	11.17	10.47	9.66	9.10	8.71	8.05	30	287
A5	0	1	3	4	2	2.20	-166.06	6.89	6.57	6.26	5.91	5.52	5.13	4.69	4.44	4.26	3.99	30	569
A5	0	1	4	5	3	2.20	-97.44	3.85	3.68	3.48	3.27	3.06	2.84	2.60	2.49	2.39	2.24	29	835
A5	0	1	5	6	4	2.20	-113.99	5.78	5.51	5.22	4.93	4.65	4.34	3.90	3.66	3.61	3.40	37	1953
A5	1	2	3	4	1	2.20	-704.80	25.46	24.12	23.04	21.99	20.61	18.97	17.54	16.28	15.21	14.23	26	604
A5	1	2	4	5	2	2.20	-363.36	12.90	12.22	11.69	11.12	10.43	9.63	8.91	8.23	7.66	7.20	26	1245
A5	1	2	5	6	3	2.20	-186.90	6.73	6.37	6.12	5.83	5.48	5.06	4.70	4.34	4.04	3.80	26	1601
A5	1	2	6	7	4	2.20	-97.12	3.98	3.77	3.60	3.39	3.15	3.05	2.87	2.54	2.42	2.47	30	1664
A5	2	3	4	5	1	1.00	-781.21	16.45	15.52	14.69	13.98	13.06	11.94	10.92	10.12	9.44	8.70	15	1473
A5	2	3	5	6	2	2.00	-594.19	11.39	10.77	10.19	9.69	9.06	8.29	7.56	6.99	6.55	6.03	13	2240
A5	2	3	6	7	3	2.00	-270.22	5.94	5.63	5.34	5.09	4.78	4.38	4.00	3.70	3.49	3.20	16	2547
A5	2	3	7	8	4	2.00	-174.78	8.05	7.67	7.31	6.98	6.57	6.08	5.56	5.21	4.95	4.56	34	3295
A5	3	4	5	6	1	1.00	-678.95	11.86	11.20	10.61	10.09	9.50	8.69	7.92	7.38	6.87	6.37	12	1280
A5	3	4	6	7	2	2.00	-478.24	9.14	8.66	8.21	7.80	7.34	6.75	6.22	5.78	5.36	5.00	14	1803
A5	3	4	7	8	3	2.00	-224.09	9.81	9.35	8.92	8.52	8.03	7.42	6.89	6.43	6.01	5.61	32	2112
A5	3	4	8	9	4	2.00	-89.47	5.00	4.77	4.54	4.33	4.14	3.84	3.53	3.28	3.09	2.87	41	1686
A5	4	5	6	7	1	1.00	-842.94	13.29	12.54	11.89	11.29	10.55	9.64	8.87	8.22	7.62	7.06	11	1589
A5	4	5	7	8	2	2.00	-446.50	19.35	18.43	17.61	16.79	15.78	14.53	13.54	12.62	11.73	11.00	32	1683
A5	4	5	8	9	3	2.00	-96.36	5.78	5.52	5.27	5.02	4.72	4.34	4.06	3.79	3.53	3.31	44	908
A5	4	5	9	10	4	2.00	-361.24	17.95	17.17	16.34	15.61	14.50	13.41	12.68	11.85	11.00	10.21	36	6809
A5	5	6	7	8	1	1.00	-597.98	12.72	11.96	11.19	10.45	9.58	8.56	7.59	6.77	6.32	5.64	14	1127
A5	5	6	8	9	2	2.00	-120.61	5.56	5.27	4.99	4.72	4.40	4.04	3.67	3.36	3.14	2.92	32	455
A5	5	6	9	10	3	2.00	-32.97	1.30	1.23	1.16	1.09	1.02	0.94	0.83	0.76	0.73	0.70	27	311
A5	5	6	10	11	4	2.00	-41.27	1.62	1.50	1.41	1.35	1.25	1.14	1.05	0.93	0.90	0.90	27	778
A5	6	7	8	9	1	2.20	-355.84	24.10	22.98	21.97	21.03	19.76	18.30	17.11	16.16	15.17	14.23	50	305
A5	6	7	9	10	2	2.20	-59.65	3.04	2.90	2.78	2.65	2.45	2.25	2.08	1.93	1.80	1.69	37	204
A5	6	7	10	11	3	2.20	-58.71	2.88	2.76	2.64	2.53	2.45	2.20	2.01	1.88	1.71	1.60	36	503
A5	6	7	11	12	4	2.20	-33.23	1.56	1.51	1.44	1.38	1.35	1.24	1.13	1.03	0.95	0.89	35	569
A5	7	8	9	10	1	0.70	-241.29	15.69	14.92	14.23	13.60	12.78	11.88	10.99	10.18	9.52	8.92	48	650
A5	7	8	10	11	2	0.70	-104.56	6.34	6.08	5.81	5.53	5.26	4.89	4.50	4.16	3.90	3.70	45	1126
A5	7	8	11	12	3	0.70	-49.73	2.70	2.60	2.48	2.36	2.24	2.03	1.86	1.74	1.63	1.55	40	1339
A5	7	8	12	13	4	0.70	-42.68	2.32	2.23	2.12	2.01	1.92	1.86	1.68	1.50	1.40	1.33	40	2298
A5	8	9	10	11	1	0.40	-114.91	8.74	8.34	8.01	7.65	7.23	6.77	6.36	5.88	5.60	5.25	57	542
A5	8	9	11	12	2	0.40	-25.28	1.84	1.76	1.69	1.60	1.52	1.46	1.38	1.24	1.21	1.12	55	477
A5	8	9	12	13	3	0.40	-18.26	1.32	1.27	1.22	1.14	1.10	1.06	1.01	0.89	0.89	0.82	56	861
A5	8	9	13	14	4	0.40	-8.94	0.62	0.60	0.59	0.55	0.54	0.52	0.47	0.37	0.43	0.42	54	842
A5	9	10	11	12	1	0.40	-91.05	5.94	5.62	5.36	5.14	4.88	4.49	4.16	3.88	3.62	3.41	48	429
A5	9	10	12	13	2	0.40	-49.48	3.28	3.08	2.92	2.79	2.64	2.42	2.25	2.07	1.94	1.84	47	933
A5	9	10	13	14	3	0.40	-20.71	1.36	1.27	1.20	1.13	1.06	0.97	0.91	0.86	0.81	0.74	46	976
A5	9	10	14	15	4	0.40	-8.15	0.64	0.59	0.55	0.52	0.48	0.45	0.43	0.38	0.35	0.35	54	768
A5	10	11	12	13	1	0.40	-624.51	23.03	21.74	20.60	19.60	18.26	16.74	15.44	14.29	13.25	12.42	26	2943

チャンヤ地区IP測定データ

A5	10	11	13	14	2	0.40	-156.28	6.20	5.85	5.55	5.28	4.90	4.51	4.15	3.81	3.55	3.33	28	2946
A5	10	11	14	15	3	0.40	-47.51	2.47	2.33	2.21	2.10	1.95	1.81	1.66	1.51	1.43	1.35	37	2239
A5	10	11	15	16	4	0.40	-64.00	4.18	3.93	3.65	3.41	3.21	3.04	2.73	2.46	2.38	2.25	45	6032
A5	11	12	13	14	1	0.20	-167.13	4.66	4.38	4.10	3.87	3.71	3.47	3.08	2.83	2.61	2.45	19	1575
A5	11	12	14	15	2	0.20	-28.03	1.39	1.30	1.18	1.11	1.11	1.07	0.91	0.84	0.77	0.72	34	1057
A5	11	12	15	16	3	0.20	-23.78	1.24	1.16	1.05	0.99	1.03	1.01	0.82	0.74	0.68	0.66	37	2241
A5	11	12	16	17	4	0.20	-6.20	0.37	0.34	0.29	0.27	0.29	0.29	0.24	0.19	0.17	0.18	39	1168
A5	12	13	14	15	1	0.15	-82.80	3.95	3.73	3.56	3.39	3.16	2.91	2.68	2.48	2.32	2.18	34	1040
A5	12	13	15	16	2	0.15	-42.18	2.24	2.10	2.00	1.92	1.80	1.66	1.54	1.41	1.30	1.21	38	2120
A5	12	13	16	17	3	0.15	-8.78	0.42	0.39	0.37	0.36	0.34	0.31	0.28	0.26	0.24	0.22	34	1103
A5	12	13	17	18	4	0.15	-3.38	0.22	0.21	0.19	0.18	0.17	0.16	0.15	0.14	0.13	0.12	46	849
A5	13	14	15	16	1	0.15	-96.01	4.26	3.99	3.81	3.64	3.40	3.11	2.88	2.66	2.46	2.30	31	1206
A5	13	14	16	17	2	0.15	-12.70	0.53	0.50	0.47	0.46	0.42	0.38	0.36	0.33	0.30	0.28	29	638
A5	13	14	17	18	3	0.15	-4.00	0.25	0.23	0.22	0.21	0.19	0.18	0.17	0.16	0.14	0.14	44	503
A5	13	14	18	19	4	0.15	-3.95	0.21	0.18	0.19	0.21	0.21	0.19	0.16	0.13	0.10	0.11	41	992
A5	14	15	16	17	1	0.15	-36.22	0.89	0.85	0.81	0.76	0.71	0.65	0.60	0.56	0.53	0.49	18	455
A5	14	15	17	18	2	0.15	-7.75	0.38	0.36	0.34	0.33	0.31	0.28	0.26	0.25	0.23	0.21	35	389
A5	14	15	18	19	3	0.15	-5.70	0.26	0.25	0.23	0.23	0.22	0.19	0.17	0.17	0.20	0.15	34	717
A5	14	15	19	20	4	0.15	-9.34	0.47	0.43	0.41	0.39	0.37	0.32	0.29	0.27	0.27	0.24	34	2348
A5	15	16	17	18	1	2.40	-711.53	34.93	33.03	31.33	29.82	27.84	25.61	23.72	21.98	20.42	19.10	35	559
A5	15	16	18	19	2	2.40	-308.45	16.47	15.57	14.72	13.97	13.04	12.01	11.08	10.27	9.55	8.92	38	969
A5	15	16	19	20	3	2.40	-156.98	9.45	8.95	8.44	8.00	7.49	6.93	6.39	5.94	5.55	5.20	43	1233
A5	15	16	20	21	4	2.40	-55.99	3.81	3.61	3.42	3.28	3.06	2.82	2.61	2.44	2.28	2.16	49	879
A5	16	17	18	19	1	2.40	-370.31	14.38	13.59	12.92	12.28	11.48	10.54	9.72	9.01	8.38	7.83	28	291
A5	16	17	19	20	2	2.40	-136.64	7.09	6.72	6.44	6.12	5.73	5.28	4.90	4.56	4.23	3.97	38	429
A5	16	17	20	21	3	2.40	-41.48	2.54	2.44	2.34	2.23	2.07	1.90	1.79	1.67	1.55	1.47	45	326
A5	16	17	21	22	4	2.40	-3.37	0.19	0.19	0.18	0.17	0.16	0.15	0.15	0.14	0.12	0.11	44	53
A5	17	18	19	20	1	2.00	-344.76	21.01	19.97	18.99	18.12	17.03	15.76	14.59	13.59	12.73	11.91	44	325
A5	17	18	20	21	2	2.00	-47.81	3.46	3.28	3.12	2.97	2.82	2.63	2.45	2.28	2.14	2.00	53	180
A5	17	18	21	22	3	2.00	-3.30	0.20	0.18	0.17	0.16	0.16	0.16	0.15	0.14	0.13	0.12	45	31
A5	17	18	22	23	4	2.00	-3.11	0.17	0.15	0.14	0.13	0.14	0.15	0.14	0.12	0.13	0.11	43	59
A5	18	19	20	21	1	0.90	-544.63	51.85	49.27	46.99	44.90	42.19	39.06	36.33	33.94	31.82	29.87	70	1141
A5	18	19	21	22	2	0.90	-22.14	1.54	1.46	1.38	1.31	1.22	1.13	1.05	0.98	0.92	0.86	50	186
A5	18	19	22	23	3	0.90	-11.59	0.78	0.74	0.70	0.64	0.61	0.57	0.52	0.49	0.47	0.44	48	243
A5	18	19	23	24	4	0.90	-30.90	4.44	4.23	4.05	3.88	3.68	3.41	3.20	2.99	2.83	2.69	108	1295
A5	19	20	21	22	1	0.70	-89.09	6.54	6.22	5.94	5.67	5.33	4.93	4.59	4.29	4.04	3.79	54	240
A5	19	20	22	23	2	0.70	-25.32	1.70	1.63	1.56	1.48	1.38	1.27	1.17	1.11	1.04	0.97	49	273
A5	19	20	23	24	3	0.70	-23.40	1.35	1.30	1.25	1.18	1.11	1.01	0.93	0.89	0.84	0.79	43	630
A5	19	20	24	25	4	0.70	-11.67	0.79	0.77	0.74	0.70	0.66	0.60	0.56	0.53	0.50	0.46	51	629
A5	20	21	22	23	1	0.80	-164.94	7.33	6.93	6.58	6.28	5.87	5.38	5.00	4.65	4.32	4.04	32	389
A5	20	21	23	24	2	0.80	-117.60	4.53	4.30	4.10	3.93	3.69	3.37	3.13	2.92	2.71	2.55	28	1108
A5	20	21	24	25	3	0.80	-51.07	2.72	2.57	2.45	2.35	2.20	2.00	1.86	1.75	1.61	1.51	38	1203
A5	20	21	25	26	4	0.80	-59.86	3.55	3.37	3.22	3.09	2.91	2.65	2.45	2.26	2.05	1.90	43	2821
A5	21	22	23	24	1	0.90	-337.48	6.01	5.65	5.35	5.06	4.71	4.30	3.93	3.67	3.42	3.19	12	707
A5	21	22	24	25	2	0.90	-87.51	2.57	2.43	2.31	2.18	2.03	1.85	1.70	1.59	1.47	1.37	21	733
A5	21	22	25	26	3	0.90	-53.28	1.10	1.05	1.01	0.94	0.87	0.79	0.71	0.69	0.63	0.59	15	1116
A5	21	22	26	27	4	0.90	-20.44	0.30	0.30	0.28	0.26	0.24	0.21	0.18	0.18	0.16	0.15	10	856

チャンヤ地区IP測定データ

Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A5	22	23	24	25	1	0.60	-358.95	10.83	10.19	9.63	9.12	8.52	7.81	7.16	6.61	6.16	5.76	21	1128
A5	22	23	25	26	2	0.60	-138.59	3.10	2.90	2.74	2.59	2.42	2.22	2.04	1.89	1.75	1.63	16	1742
A5	22	23	26	27	3	0.60	-45.86	0.77	0.72	0.67	0.63	0.59	0.53	0.50	0.46	0.43	0.39	11	1441
A5	22	23	27	28	4	0.60	-19.45	0.39	0.35	0.32	0.31	0.30	0.28	0.26	0.24	0.22	0.21	14	1222
A5	23	24	25	26	1	0.90	-449.18	5.27	5.00	4.75	4.48	4.13	3.79	3.48	3.11	2.78	2.53	8	941
A5	23	24	26	27	2	0.90	-134.77	0.89	0.83	0.76	0.70	0.63	0.56	0.52	0.48	0.42	0.37	4	1129
A5	23	24	27	28	3	0.90	-48.62	0.37	0.35	0.33	0.30	0.27	0.25	0.23	0.20	0.17	0.16	5	1018
A5	23	24	28	29	4	0.90	-31.33	0.44	0.43	0.40	0.37	0.34	0.33	0.31	0.28	0.25	0.22	10	1312
A5	24	25	26	27	1	0.90	-195.55	2.90	2.74	2.58	2.45	2.24	2.06	1.91	1.76	1.62	1.50	10	410
A5	24	25	27	28	2	0.90	-44.86	0.74	0.72	0.68	0.65	0.58	0.48	0.44	0.41	0.38	0.36	11	376
A5	24	25	28	29	3	0.90	-21.72	0.49	0.46	0.44	0.40	0.37	0.34	0.30	0.29	0.28	0.24	15	455
A5	24	25	29	30	4	0.90	-11.53	0.06	0.07	0.17	0.24	0.22	0.15	0.09	0.10	0.06	0.02	10	483
A5	25	26	27	28	1	0.40	-171.60	2.81	2.62	2.47	2.33	2.12	1.90	1.73	1.54	1.40	1.29	11	809
A5	25	26	28	29	2	0.40	-47.72	0.85	0.78	0.75	0.72	0.65	0.59	0.54	0.47	0.42	0.39	12	899
A5	25	26	29	30	3	0.40	-19.91	0.27	0.25	0.26	0.26	0.21	0.15	0.17	0.14	0.13	0.12	9	938
A5	26	27	28	29	1	0.50	-138.91	1.95	1.84	1.75	1.66	1.54	1.41	1.30	1.18	1.08	1.02	10	524
A5	26	27	29	30	2	0.50	-43.02	0.74	0.69	0.64	0.60	0.46	0.31	0.43	0.50	0.32	0.21	10	649
A5	27	28	29	30	1	0.35	-179.69	2.66	2.58	2.47	2.30	1.99	1.76	1.65	1.47	1.33	1.20	10	968
Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A6	12	13	14	15	1	1.10	-604.68	16.18	15.26	14.45	13.71	12.77	11.66	10.73	9.90	9.18	8.55	19	1036
A6	12	13	15	16	2	2.20	-215.59	5.91	5.56	5.27	5.02	4.68	4.28	3.93	3.63	3.38	3.14	19	739
A6	12	13	16	17	3	2.20	-184.88	8.49	8.00	7.58	7.21	6.72	6.16	5.65	5.23	4.85	4.51	32	1584
A6	12	13	17	18	4	2.20	-49.06	2.25	2.12	2.01	1.91	1.78	1.63	1.51	1.41	1.29	1.20	32	841
A6	13	14	15	16	1	2.90	-655.44	17.20	16.24	15.38	14.61	13.60	12.51	11.54	10.69	9.95	9.24	19	426
A6	13	14	16	17	2	2.90	-372.26	13.72	12.95	12.27	11.66	10.86	9.95	9.14	8.45	7.89	7.35	26	968
A6	13	14	17	18	3	2.90	-94.87	3.87	3.64	3.45	3.29	3.07	2.81	2.58	2.39	2.23	2.08	29	617
A6	13	14	18	19	4	2.90	-73.95	3.73	3.54	3.37	3.19	2.97	2.76	2.53	2.32	2.20	2.05	36	961
A6	14	15	16	17	1	2.00	-891.85	22.20	20.97	19.84	18.85	17.56	16.05	14.78	13.65	12.60	11.79	17	841
A6	14	15	17	18	2	2.00	-149.69	4.40	4.17	3.96	3.78	3.53	3.24	2.99	2.77	2.57	2.41	21	564
A6	14	15	18	19	3	2.00	-89.48	3.73	3.54	3.36	3.19	2.96	2.70	2.51	2.34	2.13	1.98	29	843
A6	14	15	19	20	4	2.00	-50.61	3.82	3.63	3.44	3.27	3.06	2.80	2.60	2.48	2.27	2.10	54	954
A6	15	16	17	18	1	2.00	-289.82	7.15	6.78	6.44	6.14	5.74	5.28	4.87	4.51	4.20	3.95	18	273
A6	15	16	18	19	2	2.00	-97.28	2.67	2.53	2.41	2.30	2.13	1.95	1.80	1.68	1.57	1.46	20	367
A6	15	16	19	20	3	2.00	-45.93	2.98	2.85	2.72	2.61	2.42	2.23	2.05	1.91	1.79	1.66	47	433
A6	15	16	20	21	4	2.00	-15.13	1.30	1.23	1.17	1.12	1.05	0.97	0.90	0.84	0.79	0.75	62	285
A6	16	17	18	19	1	2.90	-650.28	24.24	22.94	21.75	20.67	19.28	17.63	16.22	15.01	13.94	13.07	26	423
A6	16	17	19	20	2	2.90	-240.84	17.17	16.31	15.50	14.79	13.85	12.72	11.78	10.97	10.24	9.60	51	626
A6	16	17	20	21	3	2.90	-48.46	4.72	4.49	4.30	4.11	3.86	3.55	3.29	3.08	2.90	2.72	71	315
A6	16	17	21	22	4	2.90	-14.76	1.11	1.06	1.00	0.94	0.85	0.82	0.75	0.69	0.69	0.63	54	192
A6	17	18	19	20	1	2.60	-421.01	24.58	23.28	22.11	21.06	19.73	18.17	16.80	15.58	14.54	13.63	42	305
A6	17	18	20	21	2	2.60	-56.74	5.43	5.14	4.90	4.70	4.42	4.09	3.80	3.54	3.31	3.12	70	165
A6	17	18	21	22	3	2.60	-7.60	0.73	0.66	0.60	0.57	0.53	0.51	0.48	0.45	0.41	0.39	65	55
A6	17	18	22	23	4	2.60	-3.48	0.21	0.18	0.16	0.15	0.16	0.14	0.13	0.12	0.12	0.12	39	51
A6	18	19	20	21	1	1.00	-593.80	63.89	60.82	58.07	55.57	52.26	48.35	44.93	41.95	39.27	36.83	79	1119
A6	18	19	21	22	2	2.00	-99.70	11.03	10.51	10.02	9.57	9.01	8.35	7.75	7.19	6.75	6.36	81	376
A6	18	19	22	23	3	2.00	-25.05	1.99	1.89	1.79	1.72	1.63	1.50	1.39	1.30	1.23	1.15	58	236
A6	18	19	23	24	4	2.00	-19.45	0.97	0.91	0.89	0.87	0.82	0.71	0.60	0.68	0.72	0.61	38	367

チャシャ地区IP測定データ

(100)

A6	19	20	21	22	1	2.00	-483.11	53.29	50.76	48.51	46.41	43.71	40.54	37.67	35.15	32.97	30.89	81	455
A6	19	20	22	23	2	2.00	-69.51	6.79	6.46	6.17	5.89	5.52	5.10	4.74	4.43	4.13	3.87	71	262
A6	19	20	23	24	3	2.00	-104.34	11.54	11.02	10.49	9.95	9.38	8.91	8.15	7.46	7.12	6.62	81	983
A6	19	20	24	25	4	2.00	-166.07	17.43	16.64	15.86	15.07	14.19	13.45	12.36	11.32	10.73	10.04	77	3130
A6	20	21	22	23	1	1.20	-845.60	38.85	36.74	34.93	33.34	31.38	29.01	26.83	24.98	23.45	21.89	33	1328
A6	20	21	23	24	2	1.20	-266.31	12.67	12.01	11.44	10.92	10.28	9.53	8.85	8.23	7.74	7.22	35	1673
A6	20	21	24	25	3	1.20	-252.83	12.29	11.52	10.88	10.57	10.15	9.47	8.54	7.97	7.70	7.26	36	3971
A6	20	21	25	26	4	1.20	-381.77	15.05	14.09	13.27	12.82	12.35	11.53	10.36	9.65	9.26	8.72	29	11994
A6	21	22	23	24	1	0.65	-527.04	5.31	4.96	4.64	4.34	3.98	3.52	3.15	2.86	2.65	2.42	6	1528
A6	21	22	24	25	2	1.30	-169.84	2.34	2.18	2.03	1.88	1.72	1.54	1.37	1.23	1.14	1.04	9	985
A6	21	22	25	26	3	1.30	-105.50	1.92	1.81	1.69	1.58	1.45	1.30	1.18	1.07	1.00	0.92	12	1530
A6	21	22	26	27	4	1.30	-85.74	1.37	1.31	1.23	1.14	1.06	0.97	0.89	0.81	0.76	0.71	11	2486
A6	22	23	24	25	1	1.00	-459.56	11.06	10.42	9.89	9.42	8.81	8.09	7.45	6.90	6.42	5.96	17	866
A6	22	23	25	26	2	1.00	-124.31	2.77	2.61	2.46	2.34	2.19	2.02	1.86	1.71	1.59	1.49	16	937
A6	22	23	26	27	3	1.00	-103.36	2.69	2.55	2.41	2.32	2.19	2.02	1.86	1.71	1.59	1.49	19	1948
A6	22	23	27	28	4	1.00	-38.56	0.82	0.78	0.73	0.71	0.67	0.62	0.58	0.49	0.44	0.44	15	1454
A6	23	24	25	26	1	0.80	-537.63	7.46	6.99	6.58	6.17	5.68	5.15	4.73	4.37	4.00	3.66	9	1267
A6	23	24	26	27	2	0.80	-237.33	3.56	3.38	3.21	3.03	2.72	2.50	2.39	2.22	2.05	1.88	11	2237
A6	23	24	27	28	3	0.80	-79.63	1.01	0.96	0.91	0.85	0.79	0.73	0.69	0.64	0.60	0.54	9	1876
A6	24	25	26	27	1	1.20	-623.37	12.56	11.82	11.18	10.62	9.88	9.07	8.36	7.70	7.13	6.66	14	979
A6	24	25	27	28	2	1.20	-132.45	2.61	2.44	2.32	2.20	2.05	1.87	1.71	1.57	1.45	1.37	14	832
A6	25	26	27	28	1	1.23	-389.44	12.49	11.94	11.46	11.03	10.40	9.67	9.01	8.42	7.94	7.56	24	597
Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A7	2	3	0	1	1	0.40	-33.53	0.92	0.88	0.84	0.81	0.77	0.72	0.68	0.63	0.60	0.56	21	158
A7	3	4	0	1	2	1.00	-216.41	10.01	9.56	9.10	8.63	8.11	7.54	6.89	6.26	5.75	5.36	33	1632
A7	4	5	0	1	3	1.00	-118.57	4.99	4.75	4.50	4.26	3.94	3.67	3.40	3.23	3.13	2.85	30	2235
A7	5	6	0	1	4	1.00	-45.92	2.75	2.54	2.40	2.26	2.24	2.11	1.83	1.67	1.59	1.44	42	1731
A7	3	4	1	2	1	0.50	-673.66	12.75	12.08	11.41	10.80	10.10	9.28	8.14	7.04	6.17	5.55	13	2540
A7	4	5	1	2	2	1.00	-430.34	5.92	5.58	5.29	4.97	4.51	4.14	3.78	3.58	3.52	3.13	10	3245
A7	5	6	1	2	3	1.00	-133.50	4.05	3.73	3.53	3.38	3.30	3.05	2.64	2.42	2.33	2.15	21	2516
A7	6	7	1	2	4	1.00	-96.10	6.96	6.52	6.23	5.91	5.63	5.12	4.64	4.49	4.17	3.90	52	3623
A7	4	5	2	3	1	1.00	-692.19	14.18	13.36	12.69	12.02	11.11	10.32	9.44	8.76	8.41	7.75	14	1305
A7	5	6	2	3	2	1.00	-148.29	4.72	4.42	4.20	4.02	3.83	3.55	3.20	2.94	2.79	2.61	23	1118
A7	6	7	2	3	3	1.00	-56.25	2.38	2.17	2.08	1.95	1.89	1.71	1.47	1.48	1.37	1.28	29	1060
A7	7	8	2	3	4	1.00	-33.58	3.04	2.88	2.83	2.76	2.57	2.36	2.30	2.25	2.14	1.92	71	1266
A7	5	6	3	4	1	1.00	-506.63	13.35	12.64	12.04	11.49	10.81	10.06	9.24	8.50	8.00	7.52	19	955
A7	6	7	3	4	2	1.00	-104.67	5.17	4.83	4.61	4.38	4.20	3.86	3.51	3.39	3.13	2.92	36	789
A7	7	8	3	4	3	1.00	-53.48	2.28	2.12	2.07	2.00	1.80	1.57	1.51	1.47	1.36	1.20	30	1008
A7	8	9	3	4	4	0.85	-25.17	1.29	1.19	1.15	1.09	1.04	0.98	0.88	0.81	0.82	0.82	37	1116
A7	6	7	4	5	1	1.00	-274.12	12.95	12.25	11.69	11.18	10.55	9.70	8.91	8.36	7.80	7.35	34	517
A7	7	8	4	5	2	1.00	-73.61	3.81	3.61	3.50	3.41	3.17	2.88	2.74	2.60	2.46	2.26	39	555
A7	8	9	4	5	3	0.85	-47.27	2.01	1.90	1.82	1.73	1.64	1.53	1.39	1.28	1.23	1.17	31	1048
A7	9	10	4	5	4	0.50	-26.28	1.27	1.22	1.17	1.13	1.07	1.02	0.93	0.87	0.79	0.80	37	1982
A7	7	8	5	6	1	1.00	-268.35	15.59	14.81	14.14	13.53	12.67	11.69	10.91	10.19	9.52	8.90	42	506
A7	8	9	5	6	2	0.85	-71.70	3.65	3.47	3.33	3.18	3.01	2.78	2.56	2.42	2.31	2.15	38	636
A7	9	10	5	6	3	0.50	-47.70	5.44	5.31	5.19	4.86	4.18	3.82	3.75	3.44	3.12	3.01	82	1798
A7	10	11	5	6	4	0.75	-59.40	2.64	2.51	2.39	2.31	2.16	1.99	1.86	1.72	1.60	1.50	33	2986

チャンヤ地区IP測定データ

A7	8	9	6	7	1	0.85	-634.55	20.05	19.03	18.19	17.36	16.29	15.06	13.91	12.94	12.21	11.49	23	1407
A7	9	10	6	7	2	0.50	-213.65	5.82	5.35	4.95	4.82	4.88	4.51	3.92	3.68	3.52	3.25	20	3222
A7	10	11	6	7	3	0.75	-234.92	7.95	7.50	7.18	6.90	6.47	5.90	5.46	5.04	4.64	4.37	24	5904
A7	11	12	6	7	4	1.00	-131.69	5.54	5.31	5.09	4.79	4.37	4.05	3.86	3.62	3.33	3.09	30	4965
A7	9	10	7	8	1	0.50	-822.15	20.23	19.14	18.16	17.27	16.07	14.77	13.66	12.65	11.77	11.04	17	3099
A7	10	11	7	8	2	0.75	-392.93	15.63	14.80	14.02	13.27	12.17	11.06	10.21	9.47	8.80	8.18	28	3950
A7	11	12	7	8	3	1.00	-172.81	6.73	6.32	6.01	5.78	5.45	4.87	4.46	4.09	3.77	3.73	27	3257
A7	12	13	7	8	4	1.00	-81.28	3.88	3.56	3.32	3.17	2.88	2.66	2.58	2.43	2.24	2.04	33	3064
A7	10	11	8	9	1	0.38	-613.40	16.54	15.63	14.79	13.99	12.81	11.60	10.70	9.87	9.12	8.47	19	3083
A7	11	12	8	9	2	1.00	-314.19	9.02	8.42	7.94	7.50	7.02	6.30	5.75	5.34	4.88	4.69	20	2369
A7	12	13	8	9	3	1.00	-154.77	6.38	5.82	5.01	4.77	4.53	4.12	4.02	4.09	3.70	3.00	27	2917
A7	13	14	8	9	4	1.20	-57.53	0.44	0.40	0.38	0.34	0.38	0.39	0.33	0.31	0.30	0.27	6	1807
A7	11	12	9	10	1	0.50	-598.87	17.52	16.52	15.60	14.73	13.73	12.48	11.60	10.64	9.62	9.43	20	2258
A7	12	13	9	10	2	1.00	-273.75	10.17	9.69	9.66	9.19	8.39	7.71	6.98	6.14	5.82	5.82	27	2064
A7	13	14	9	10	3	1.20	-133.38	4.35	4.08	3.86	3.65	3.47	3.16	2.85	2.69	2.47	2.25	23	2095
A7	14	15	9	10	4	1.40	-117.80	3.86	3.61	3.42	3.22	2.98	2.70	2.54	2.43	2.09	1.91	23	3172
A7	12	13	10	11	1	1.00	-273.38	10.17	9.69	9.65	9.19	8.39	7.71	6.95	6.10	5.79	5.83	27	515
A7	13	14	10	11	2	1.20	-269.18	9.26	8.67	8.20	7.76	7.24	6.58	6.01	5.60	5.16	4.72	24	1691
A7	14	15	10	11	3	1.40	-203.46	7.00	6.55	6.18	5.81	5.38	4.87	4.50	4.29	3.78	3.45	23	2739
A7	15	16	10	11	4	1.50	-96.87	4.41	4.15	3.94	3.79	3.51	3.23	3.02	2.73	2.52	2.34	32	2435
A7	13	14	11	12	1	1.20	-806.28	28.25	26.52	25.12	23.79	22.16	20.11	18.45	17.15	15.77	14.43	24	1267
A7	14	15	11	12	2	1.40	-334.03	11.48	10.73	10.09	9.48	8.75	7.92	7.24	6.77	6.16	5.62	23	1799
A7	15	16	11	12	3	1.50	-116.93	5.84	5.52	5.23	5.00	4.65	4.28	3.96	3.63	3.38	3.14	35	1469
A7	16	17	11	12	4	1.80	-150.21	7.11	6.68	6.37	6.10	5.72	5.25	4.88	4.56	4.29	4.03	34	3146
A7	14	15	12	13	1	0.70	-502.77	10.84	10.06	9.38	8.76	8.01	7.21	6.58	6.10	5.56	5.03	14	1354
A7	15	16	12	13	2	1.50	-193.20	8.55	8.07	7.66	7.31	6.81	6.26	5.79	5.31	4.94	4.60	31	971
A7	16	17	12	13	3	1.80	-40.61	2.98	2.84	2.72	2.60	2.44	2.26	2.10	1.96	1.85	1.77	54	425
A7	17	18	12	13	4	1.80	-128.83	5.02	4.84	4.71	4.12	3.34	3.20	3.31	3.45	2.98	2.93	27	2698
A7	15	16	13	14	1	1.50	-520.39	23.16	21.90	20.81	19.83	18.53	17.05	15.75	14.54	13.52	12.61	32	654
A7	16	17	13	14	2	1.80	-121.76	4.18	3.92	3.71	3.53	3.28	3.00	2.76	2.55	2.39	2.27	24	510
A7	17	18	13	14	3	1.80	-75.17	3.39	3.29	3.26	2.81	2.12	2.08	2.25	2.47	2.11	2.10	32	787
A7	18	19	13	14	4	1.80	-125.86	4.69	5.58	5.76	5.24	3.44	3.21	5.07	5.18	3.61	3.21	35	2636
A7	16	17	14	15	1	1.80	-593.95	16.48	15.51	14.67	13.95	12.99	11.90	10.96	10.13	9.42	8.79	19	622
A7	17	18	14	15	2	1.80	-86.97	1.91	1.79	1.68	1.58	1.46	1.31	1.19	1.08	0.98	0.91	15	364
A7	18	19	14	15	3	1.80	-44.42	4.82	5.50	5.84	5.57	5.24	5.25	5.44	5.84	5.79	5.51	125	465
A7	19	20	14	15	4	1.80	-80.37	7.65	7.26	6.90	6.58	6.19	5.69	5.36	5.02	4.64	4.39	69	1683
A7	17	18	15	16	1	1.80	-294.93	6.69	6.28	5.94	5.61	5.20	4.72	4.29	3.91	3.59	3.34	15	309
A7	18	19	15	16	2	1.80	-87.83	5.65	5.19	4.73	4.63	4.67	4.10	3.99	4.86	5.23	4.98	53	368
A7	19	20	15	16	3	1.80	-8.09	1.65	1.59	1.53	1.47	1.38	1.29	1.24	1.16	1.06	1.00	156	85
A7	20	21	15	16	4	0.80	-17.18	2.19	2.09	1.99	1.86	1.72	1.61	1.52	1.43	1.37	1.32	93	810
A7	18	19	16	17	1	1.80	-117.42	19.87	27.50	31.92	30.88	28.13	30.55	33.18	32.67	30.48	29.07	263	123
A7	19	20	16	17	2	1.80	-50.59	4.38	4.16	3.97	3.79	3.56	3.28	3.06	2.86	2.67	2.50	63	212
A7	20	21	16	17	3	0.80	-2.02	0.61	0.59	0.55	0.51	0.49	0.47	0.43	0.43	0.40	0.36	227	47
A7	21	22	16	17	4	1.00	-13.23	2.62	2.51	2.42	2.32	2.19	2.04	1.94	1.83	1.67	1.60	151	499
A7	19	20	17	18	1	1.80	-305.62	19.72	18.73	17.87	17.07	16.03	14.80	13.75	12.82	11.98	11.22	47	320
A7	20	21	17	18	2	0.80	-22.20	2.90	2.77	2.65	2.56	2.41	2.21	2.05	1.92	1.81	1.71	97	209
A7	21	22	17	18	3	1.00	-7.67	2.18	2.09	2.01	1.94	1.84	1.72	1.61	1.52	1.44	1.36	218	145

チャシャ地区IP測定データ

A7	22	23	17	18	4	1.20	-28.56	5.03	4.71	4.50	4.27	4.05	3.81	3.53	3.27	3.11	2.94	129	897
A7	20	21	18	19	1	0.80	-170.82	21.31	20.32	19.42	18.65	17.54	16.21	15.11	14.17	13.33	12.53	93	402
A7	21	22	18	19	2	1.00	-15.30	1.70	1.61	1.55	1.49	1.40	1.29	1.21	1.13	1.03	0.99	82	115
A7	22	23	18	19	3	1.20	-19.14	4.18	3.93	3.74	3.59	3.42	3.17	2.95	2.76	2.59	2.43	160	301
A7	23	24	18	19	4	1.20	-99.70	9.68	9.08	8.64	8.25	7.79	7.36	6.76	6.22	5.82	5.43	70	3132
A7	21	22	19	20	1	1.00	-378.79	34.50	32.87	31.44	30.12	28.33	26.21	24.40	22.79	21.28	19.99	67	714
A7	22	23	19	20	2	1.20	-105.99	11.52	10.96	10.47	10.00	9.38	8.69	8.03	7.49	7.06	6.63	80	666
A7	23	24	19	20	3	1.20	-60.04	5.72	5.34	5.12	4.93	4.69	4.42	4.05	3.79	3.64	3.39	71	943
A7	24	25	19	20	4	1.20	-248.74	9.20	8.73	7.54	7.19	7.03	6.58	5.90	5.28	4.98	4.85	25	7814
A7	22	23	20	21	1	0.92	-928.46	35.12	33.26	31.68	30.21	27.98	25.41	23.55	21.87	20.31	19.02	27	1896
A7	23	24	20	21	2	1.20	-311.14	11.89	11.20	10.59	10.06	9.40	8.59	7.81	7.13	6.61	6.13	27	1955
A7	24	25	20	21	3	1.20	-116.87	2.55	2.43	1.70	1.63	1.71	1.60	1.43	1.19	1.09	1.17	12	1836
A7	25	26	20	21	4	1.00	-47.85	2.21	2.11	2.02	1.93	1.80	1.66	1.53	1.43	1.32	1.23	34	1804
A7	23	24	21	22	1	1.20	-563.39	8.79	8.19	7.65	7.19	6.69	5.96	5.29	4.74	4.30	3.91	10	885
A7	24	25	21	22	2	1.20	-146.08	2.94	2.77	2.54	2.40	2.27	2.10	1.89	1.75	1.64	1.51	14	918
A7	25	26	21	22	3	1.00	-54.79	1.20	1.13	1.07	1.02	0.96	0.89	0.82	0.77	0.71	0.65	16	1033
A7	26	27	21	22	4	0.90	-41.66	0.84	0.78	0.75	0.70	0.65	0.59	0.53	0.47	0.43	0.39	13	1745
A7	24	25	22	23	1	1.20	-563.15	5.94	5.56	5.12	4.78	4.44	4.04	3.66	3.37	3.13	2.96	7	885
A7	25	26	22	23	2	1.00	-137.67	1.59	1.49	1.40	1.34	1.25	1.16	1.06	0.97	0.91	0.86	8	1038
A7	26	27	22	23	3	0.90	-88.19	0.86	0.76	0.71	0.65	0.59	0.51	0.46	0.41	0.37	0.33	6	1847
A7	27	28	22	23	4	0.80	-49.32	0.46	0.44	0.40	0.37	0.33	0.28	0.25	0.23	0.24	0.20	6	2324
A7	25	26	23	24	1	1.00	-449.03	7.26	6.83	6.50	6.21	5.80	5.37	4.92	4.51	4.24	4.01	12	846
A7	26	27	23	24	2	0.90	-173.52	2.35	2.14	1.99	1.85	1.71	1.54	1.38	1.24	1.14	1.02	9	1454
A7	27	28	23	24	3	0.80	-125.77	1.49	1.40	1.27	1.20	1.09	0.96	0.87	0.80	0.68	0.64	7	2963
A7	28	29	23	24	4	0.80	-46.72	0.50	0.47	0.42	0.38	0.35	0.32	0.27	0.25	0.23	0.20	6	2202
A7	26	27	24	25	1	0.90	-637.40	9.43	8.67	8.07	7.53	7.01	6.33	5.65	5.10	4.70	4.24	9	1335
A7	27	28	24	25	2	0.80	-148.65	2.28	2.13	1.97	1.86	1.72	1.54	1.39	1.27	1.16	1.07	10	1401
A7	28	29	24	25	3	0.80	-73.20	0.97	0.92	0.86	0.81	0.75	0.67	0.60	0.56	0.51	0.46	9	1725
A7	29	30	24	25	4	1.00	-37.04	0.47	0.44	0.42	0.41	0.38	0.32	0.29	0.26	0.25	0.23	9	1396
A7	27	28	25	26	1	0.80	-428.35	3.66	3.39	3.12	2.91	2.66	2.36	2.07	1.88	1.75	1.63	5	1009
A7	28	29	25	26	2	0.80	-165.19	1.21	1.14	1.07	1.01	0.91	0.76	0.65	0.59	0.53	0.47	4	1557
A7	29	30	25	26	3	1.00	-69.46	0.49	0.46	0.44	0.43	0.40	0.30	0.26	0.26	0.23	0.19	4	1309
A7	28	29	26	27	1	0.80	-731.87	7.64	7.23	6.86	6.47	5.86	5.05	4.47	4.07	3.72	3.40	7	1724
A7	29	30	26	27	2	1.00	-204.08	2.36	2.21	2.13	2.07	1.90	1.56	1.41	1.33	1.21	1.07	8	1539
A7	29	30	27	28	1	1.00	-899.65	13.45	12.72	12.24	11.83	10.86	9.20	8.40	7.92	7.25	6.56	10	1696
Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A8	14	15	12	13	1	0.80	-471.48	5.09	5.49	5.97	6.38	6.85	7.21	7.55	7.77	8.04	8.25	15	1111
A8	15	16	12	13	2	1.00	-179.91	4.53	4.18	3.97	3.83	3.64	3.34	3.16	3.00	2.73	2.60	18	1356
A8	16	17	12	13	3	1.20	-126.17	5.23	4.98	4.70	4.44	4.12	3.82	3.61	3.35	3.04	2.82	30	1982
A8	17	18	12	13	4	1.20	-46.95	1.71	1.66	1.58	1.49	1.36	1.26	1.05	0.98	0.90	0.83	25	1475
A8	15	16	13	14	1	1.00	-278.00	5.24	5.11	5.00	4.75	4.50	4.20	3.87	3.56	3.36	3.27	15	524
A8	16	17	13	14	2	1.20	-174.97	5.03	4.77	4.56	4.37	4.07	3.64	3.28	3.05	2.81	2.60	20	1099
A8	17	18	13	14	3	1.20	-56.04	1.44	1.33	1.23	1.19	1.14	1.02	0.82	0.76	0.73	0.64	17	880
A8	18	19	13	14	4	1.20	-25.66	0.75	0.71	0.69	0.72	0.69	0.58	0.56	0.58	0.52	0.45	23	806
A8	16	17	14	15	1	1.20	-278.26	6.56	6.21	5.90	5.62	5.24	4.80	4.41	4.09	3.76	3.48	17	437
A8	17	18	14	15	2	1.20	-72.49	1.67	1.58	1.48	1.41	1.30	1.17	0.99	0.90	0.83	0.75	15	455
A8	18	19	14	15	3	1.20	-29.39	0.89	0.85	0.83	0.80	0.70	0.63	0.62	0.59	0.51	0.46	22	462

チャシヤ地区IP測定データ

A8	19	20	14	15	4	1.00	-40.57	5.41	5.24	5.09	4.95	4.74	4.50	4.34	4.17	3.96	3.81	109	1529
A8	17	18	15	16	1	1.20	-163.46	3.65	3.42	3.21	3.04	2.80	2.50	2.18	1.99	1.80	1.62	15	257
A8	18	19	15	16	2	1.20	-46.09	1.53	1.46	1.40	1.34	1.22	1.11	1.06	0.99	0.89	0.83	24	290
A8	19	20	15	16	3	1.00	-53.27	3.21	2.99	2.79	2.60	2.33	2.00	1.75	1.54	1.31	1.11	36	1004
A8	20	21	15	16	4	1.00	-4.33	0.36	0.38	0.37	0.33	0.32	0.29	0.26	0.26	0.24	0.22	66	163
A8	18	19	16	17	1	1.20	-122.05	4.89	4.61	4.38	4.18	3.89	3.58	3.31	3.07	2.83	2.61	28	192
A8	19	20	16	17	2	1.00	-81.05	7.49	7.14	6.83	6.54	6.15	5.68	5.29	4.95	4.61	4.31	68	611
A8	20	21	16	17	3	1.00	-4.94	0.50	0.50	0.47	0.44	0.42	0.39	0.36	0.34	0.32	0.30	77	93
A8	21	22	16	17	4	0.70	-1.50	0.10	0.10	0.10	0.09	0.09	0.06	0.06	0.06	0.05	0.05	47	81
A8	19	20	17	18	1	1.00	-316.04	19.65	18.71	17.86	17.09	16.07	14.86	13.77	12.89	12.07	11.24	46	596
A8	20	21	17	18	2	1.00	-11.29	1.17	1.14	1.08	1.03	0.97	0.90	0.83	0.78	0.74	0.69	77	85
A8	21	22	17	18	3	0.70	-2.32	0.19	0.19	0.18	0.17	0.15	0.13	0.12	0.12	0.12	0.10	58	63
A8	22	23	17	18	4	0.80	-1.74	0.08	0.08	0.06	0.07	0.06	0.05	0.05	0.04	0.05	0.04	30	82
A8	20	21	18	19	1	1.00	-25.83	2.81	2.69	2.57	2.45	2.31	2.14	1.98	1.86	1.73	1.63	80	49
A8	21	22	18	19	2	0.70	-3.20	0.29	0.28	0.27	0.26	0.24	0.22	0.20	0.19	0.18	0.16	67	34
A8	22	23	18	19	3	0.80	-1.99	0.09	0.08	0.07	0.07	0.07	0.06	0.05	0.05	0.05	0.05	30	47
A8	23	24	18	19	4	1.00	-1.25	0.06	0.06	0.06	0.05	0.04	0.03	0.03	0.01	0.01	0.02	25	47
A8	21	22	19	20	1	0.70	-120.33	12.84	12.27	11.71	11.23	10.57	9.79	9.12	8.51	7.96	7.43	79	324
A8	22	23	19	20	2	0.80	-19.83	2.06	1.95	1.85	1.79	1.67	1.52	1.43	1.34	1.26	1.19	76	187
A8	23	24	19	20	3	1.00	-7.95	0.69	0.66	0.63	0.60	0.55	0.50	0.45	0.39	0.38	0.38	60	150
A8	24	25	19	20	4	1.10	-9.58	0.71	0.69	0.67	0.63	0.63	0.57	0.49	0.43	0.41	0.40	55	328
A8	22	23	20	21	1	0.80	-18.72	1.80	1.70	1.62	1.56	1.47	1.34	1.25	1.17	1.09	1.03	70	44
A8	23	24	20	21	2	1.00	-77.87	3.20	3.02	2.88	2.71	2.45	2.16	1.95	1.77	1.62	1.49	27	587
A8	24	25	20	21	3	1.10	-71.14	2.29	2.14	2.01	1.91	1.77	1.54	1.36	1.23	1.12	1.00	21	1219
A8	25	26	20	21	4	1.10	-61.75	5.38	5.10	4.86	4.64	4.37	4.05	3.76	3.49	3.23	3.02	63	2116
A8	23	24	21	22	1	1.00	-76.12	3.03	2.83	2.68	2.53	2.31	2.05	1.86	1.68	1.54	1.40	26	143
A8	24	25	21	22	2	1.10	-263.58	0.12	0.03	0.18	0.31	0.47	0.69	0.84	0.93	1.02	1.13	3	1807
A8	25	26	21	22	3	1.10	-166.10	1.76	1.73	1.68	1.62	1.55	1.46	1.37	1.29	1.24	1.18	9	2846
A8	26	27	21	22	4	1.10	-77.68	0.47	0.41	0.36	0.33	0.26	0.20	0.12	0.05	0.02	0.01	2	2662
A8	24	25	22	23	1	1.10	-258.41	0.04	0.10	0.24	0.36	0.51	0.73	0.85	0.97	1.10	1.19	3	443
A8	25	26	22	23	2	1.10	-343.82	2.23	2.05	1.92	1.79	1.63	1.43	1.28	1.16	1.01	0.92	4	2357
A8	26	27	22	23	3	1.10	-124.89	0.21	0.12	0.06	0.01	0.06	0.15	0.22	0.28	0.33	0.35	2	2140
A8	27	28	22	23	4	1.20	-81.88	1.56	1.49	1.43	1.39	1.29	1.20	1.12	1.04	0.96	0.89	14	2572
A8	25	26	23	24	1	1.10	-330.14	1.67	1.39	1.18	1.09	0.91	0.69	0.81	0.80	0.71	0.66	3	566
A8	26	27	23	24	2	1.10	-132.63	1.35	1.20	1.08	0.98	0.84	0.68	0.54	0.42	0.32	0.25	5	909
A8	27	28	23	24	3	1.20	-76.23	2.06	1.96	1.87	1.80	1.68	1.55	1.44	1.34	1.24	1.15	20	1197
A8	26	27	24	25	1	1.10	-146.44	1.78	1.58	1.43	1.36	1.18	1.05	1.06	0.83	0.64	0.47	7	251
A8	27	28	24	25	2	1.20	-254.17	5.44	5.17	4.93	4.75	4.45	4.12	3.83	3.55	3.29	3.05	16	1597
A8	27	28	25	26	1	1.20	-253.05	5.32	5.05	4.80	4.60	4.31	4.00	3.70	3.43	3.18	2.94	15	397
Line	C1	C2	P1	P2	n	I(A)	VO(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A9	14	15	12	13	1	0.25	-765.43	3.48	3.43	3.31	3.27	3.25	3.21	3.14	3.07	3.02	2.96	4	5771
A9	15	16	12	13	2	0.80	-455.61	1.93	1.72	1.60	1.47	1.21	0.86	0.67	0.59	0.67	0.57	2	4294
A9	16	17	12	13	3	1.30	-519.70	17.82	16.81	15.81	14.85	13.88	12.80	11.78	10.89	10.03	9.36	24	7535
A9	17	18	12	13	4	1.30	-180.21	8.85	8.33	7.97	7.66	7.22	6.66	6.03	5.47	5.10	4.77	35	5226
A9	15	16	13	14	1	0.80	-554.97	17.23	16.28	15.53	14.86	13.89	12.66	11.63	10.80	10.11	9.55	22	1308
A9	16	17	13	14	2	1.30	-496.26	18.18	17.24	16.31	15.45	14.46	13.35	12.31	11.42	10.56	9.83	26	2878
A9	17	18	13	14	3	1.30	-161.86	8.18	7.72	7.36	7.06	6.67	6.16	5.60	5.11	4.75	4.44	36	2347

チャンヤ地区IP測定データ

A9	18	19	13	14	4	1.30	-92.01	6.68	6.32	6.04	5.83	5.51	5.09	4.70	4.38	4.08	3.86	53	2668
A9	16	17	14	15	1	1.30	-532.64	17.52	16.53	15.64	14.83	13.83	12.67	11.64	10.81	10.01	9.29	23	772
A9	17	18	14	15	2	1.30	-125.71	5.91	5.59	5.32	5.08	4.76	4.38	4.01	3.68	3.42	3.19	33	729
A9	18	19	14	15	3	1.30	-62.12	4.59	4.36	4.16	3.99	3.75	3.45	3.20	2.98	2.78	2.62	54	901
A9	19	20	14	15	4	1.80	-93.57	10.22	9.74	9.25	8.79	8.34	7.78	7.31	6.88	6.37	5.94	81	1960
A9	17	18	15	16	1	1.30	-133.16	6.43	6.09	5.80	5.51	5.16	4.78	4.39	4.03	3.75	3.50	35	193
A9	18	19	15	16	2	1.30	-132.42	9.31	8.86	8.45	8.08	7.57	6.97	6.47	6.03	5.64	5.30	51	768
A9	19	20	15	16	3	1.80	-50.68	5.17	4.96	4.73	4.49	4.21	3.91	3.66	3.44	3.19	2.98	75	531
A9	20	21	15	16	4	1.50	-4.90	0.53	0.49	0.46	0.44	0.45	0.44	0.42	0.38	0.37	0.36	85	123
A9	18	19	16	17	1	1.30	-133.48	9.54	9.04	8.62	8.19	7.68	7.12	6.61	6.18	5.78	5.42	52	194
A9	19	20	16	17	2	1.80	-285.55	28.93	27.72	26.52	25.26	23.64	21.98	20.65	19.32	17.96	16.90	75	1196
A9	20	21	16	17	3	1.50	-16.75	1.96	1.86	1.77	1.69	1.61	1.50	1.41	1.28	1.18	1.12	86	211
A9	21	22	16	17	4	1.80	-5.86	0.46	0.42	0.38	0.35	0.38	0.41	0.37	0.34	0.30	0.30	61	123
A9	19	20	17	18	1	1.80	-276.47	27.27	26.19	25.07	23.86	22.24	20.65	19.38	18.14	16.88	15.88	73	290
A9	20	21	17	18	2	1.50	-28.78	3.06	2.91	2.77	2.66	2.51	2.33	2.19	2.01	1.87	1.76	78	145
A9	21	22	17	18	3	1.80	-6.78	0.61	0.56	0.51	0.47	0.48	0.50	0.44	0.39	0.36	0.35	65	71
A9	22	23	17	18	4	1.30	-2.51	0.18	0.19	0.18	0.16	0.13	0.11	0.13	0.13	0.13	0.13	54	73
A9	20	21	18	19	1	1.50	-28.86	3.16	3.00	2.83	2.71	2.57	2.38	2.22	2.02	1.90	1.79	79	36
A9	21	22	18	19	2	1.80	-20.90	2.24	2.10	1.98	1.89	1.81	1.75	1.60	1.47	1.37	1.31	79	88
A9	22	23	18	19	3	1.30	-5.94	0.51	0.51	0.50	0.45	0.37	0.31	0.32	0.34	0.32	0.31	61	86
A9	23	24	18	19	4	1.00	-6.29	0.54	0.50	0.48	0.47	0.44	0.43	0.38	0.35	0.32	0.30	63	237
A9	21	22	19	20	1	1.80	-18.77	2.06	1.88	1.76	1.74	1.52	1.37	1.36	1.17	1.27	1.29	76	20
A9	22	23	19	20	2	1.30	-54.78	3.88	3.67	3.48	3.27	3.02	2.71	2.52	2.32	2.15	2.00	49	318
A9	23	24	19	20	3	1.00	-41.39	3.13	2.96	2.82	2.71	2.56	2.38	2.21	2.05	1.92	1.80	55	780
A9	24	25	19	20	4	1.00	-28.30	2.33	2.22	2.11	2.02	1.89	1.72	1.59	1.50	1.40	1.31	60	1067
A9	22	23	20	21	1	1.30	-52.75	3.60	3.41	3.22	3.04	2.81	2.53	2.32	2.11	1.94	1.82	47	76
A9	23	24	20	21	2	1.00	-240.66	6.81	6.40	6.06	5.76	5.37	4.92	4.51	4.14	3.85	3.59	20	1815
A9	24	25	20	21	3	1.00	-135.66	4.86	4.60	4.37	4.16	3.92	3.63	3.36	3.15	2.95	2.76	26	2557
A9	25	26	20	21	4	1.20	-86.86	2.31	2.19	2.09	1.99	1.87	1.72	1.54	1.41	1.35	1.29	19	2729
A9	23	24	21	22	1	1.00	-238.88	5.92	5.56	5.25	4.97	4.63	4.22	3.85	3.52	3.27	3.05	17	450
A9	24	25	21	22	2	1.00	-236.01	5.55	5.25	4.99	4.75	4.45	4.11	3.79	3.52	3.30	3.10	17	1779
A9	25	26	21	22	3	1.20	-125.06	1.54	1.44	1.35	1.28	1.19	1.08	0.95	0.88	0.82	0.77	8	1964
A9	26	27	21	22	4	1.20	-51.63	0.38	0.34	0.32	0.30	0.25	0.20	0.16	0.13	0.12	0.12	4	1622
A9	24	25	22	23	1	1.00	-235.18	5.57	5.27	5.00	4.76	4.47	4.15	3.83	3.54	3.32	3.12	17	443
A9	25	26	22	23	2	1.20	-166.24	2.42	2.27	2.13	2.02	1.88	1.70	1.53	1.41	1.31	1.22	10	1044
A9	26	27	22	23	3	1.20	-58.55	0.67	0.62	0.59	0.55	0.50	0.44	0.39	0.36	0.31	0.27	7	920
A9	27	28	22	23	4	0.80	-23.87	0.49	0.47	0.48	0.47	0.41	0.36	0.32	0.28	0.28	0.30	15	1125
A9	25	26	23	24	1	1.20	-170.20	3.16	2.98	2.75	2.59	2.45	2.32	2.11	1.91	1.78	1.65	13	267
A9	26	27	23	24	2	1.20	-205.91	1.71	1.56	1.46	1.36	1.22	1.04	0.91	0.83	0.73	0.63	5	1294
A9	27	28	23	24	3	0.80	-69.63	0.87	0.80	0.78	0.74	0.66	0.59	0.52	0.41	0.37	0.37	8	1641
A9	26	27	24	25	1	1.20	-204.89	1.52	1.37	1.26	1.16	1.04	0.89	0.76	0.68	0.58	0.48	4	322
A9	27	28	24	25	2	0.80	-155.61	3.77	3.55	3.40	3.23	2.98	2.69	2.45	2.18	2.02	1.92	17	1467
A9	27	28	25	26	1	0.80	-152.71	3.24	3.04	2.87	2.70	2.51	2.28	2.07	1.90	1.74	1.61	14	360
Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A10	0	1	2	3	1	0.35	-758.86	17.37	16.30	15.44	14.60	13.59	12.36	11.28	10.34	9.57	8.90	16	4087
A10	0	1	3	4	2	0.70	-598.54	26.09	24.61	23.32	22.20	20.73	18.94	17.42	16.11	14.95	13.95	31	6447
A10	0	1	4	5	3	0.70	-108.76	4.61	4.35	4.11	3.92	3.66	3.34	3.06	2.83	2.62	2.45	30	2929

チャシヤ地区IP測定データ

A10	0	1	5	6	4	0.70	-32.97	0.59	0.55	0.51	0.48	0.44	0.39	0.34	0.29	0.26	0.25	11	1776
A10	1	2	3	4	1	0.50	-862.31	28.68	27.11	25.70	24.39	22.76	20.85	19.07	17.55	16.27	15.19	23	3251
A10	1	2	4	5	2	0.50	-100.28	2.79	2.62	2.48	2.35	2.20	2.01	1.83	1.69	1.57	1.46	19	1512
A10	1	2	5	6	3	0.50	-25.81	1.12	1.05	1.00	0.95	0.89	0.82	0.74	0.70	0.66	0.60	31	973
A10	1	2	6	7	4	0.50	-10.28	0.49	0.45	0.43	0.41	0.40	0.37	0.32	0.30	0.28	0.26	33	775
A10	2	3	4	5	1	0.30	-441.55	12.51	11.75	11.00	10.33	9.42	8.45	7.69	6.88	6.29	5.77	19	2774
A10	2	3	5	6	2	0.30	-58.38	3.25	3.12	2.91	2.78	2.56	2.35	2.16	1.99	1.85	1.73	39	1467
A10	2	3	6	7	3	0.30	-16.02	1.26	1.25	1.13	1.10	1.00	0.93	0.86	0.81	0.76	0.72	57	1006
A10	2	3	7	8	4	0.30	-13.03	0.90	0.92	0.80	0.79	0.70	0.65	0.61	0.57	0.54	0.53	50	1637
A10	3	4	5	6	1	0.45	-123.87	6.40	6.10	5.83	5.55	5.21	4.82	4.48	4.18	3.90	3.65	38	519
A10	3	4	6	7	2	0.45	-25.87	1.93	1.85	1.78	1.68	1.57	1.47	1.36	1.28	1.19	1.10	55	434
A10	3	4	7	8	3	0.45	-19.86	1.34	1.29	1.24	1.16	1.08	1.01	0.94	0.89	0.82	0.76	50	832
A10	3	4	8	9	4	0.45	-20.49	1.48	1.43	1.38	1.29	1.20	1.12	1.04	0.99	0.92	0.85	53	1717
A10	4	5	6	7	1	1.00	-198.96	9.96	9.48	8.96	8.51	7.90	7.25	6.77	6.19	5.74	5.46	36	375
A10	4	5	7	8	2	1.00	-107.91	4.80	4.58	4.30	4.07	3.76	3.46	3.23	2.94	2.72	2.58	31	814
A10	4	5	8	9	3	1.00	-71.62	3.02	2.89	2.70	2.55	2.35	2.17	2.03	1.84	1.69	1.62	29	1350
A10	4	5	9	10	4	1.00	-39.35	1.15	1.11	1.03	0.96	0.87	0.81	0.77	0.69	0.63	0.60	20	1483
A10	5	6	7	8	1	0.90	-370.12	6.89	6.27	5.74	5.30	4.73	4.06	3.56	3.17	2.74	2.40	11	775
A10	5	6	8	9	2	0.90	-168.01	3.34	3.05	2.81	2.60	2.33	2.02	1.78	1.62	1.39	1.23	12	1408
A10	5	6	9	10	3	0.90	-77.38	1.27	1.16	1.07	0.99	0.87	0.74	0.65	0.60	0.50	0.43	9	1621
A10	5	6	10	11	4	0.90	-76.42	1.83	1.70	1.59	1.49	1.34	1.18	1.08	1.02	0.87	0.78	15	3201
A10	6	7	8	9	1	0.50	-887.01	14.53	13.43	12.72	11.85	10.87	9.90	8.76	8.03	7.50	6.60	11	3344
A10	6	7	9	10	2	1.00	-504.27	8.79	8.11	7.67	7.15	6.63	6.05	5.31	4.85	4.55	4.03	11	3802
A10	6	7	10	11	3	1.00	-387.16	12.60	11.83	11.27	10.59	9.87	9.04	8.11	7.48	7.06	6.44	22	7298
A10	6	7	11	12	4	1.00	-189.86	6.63	6.24	5.96	5.62	5.30	4.85	4.34	4.01	3.79	3.47	24	7158
A10	7	8	9	10	1	0.50	-861.77	10.15	9.58	9.07	8.61	7.97	7.17	6.55	6.08	5.54	5.11	8	3249
A10	7	8	10	11	2	1.00	-904.11	24.45	22.96	21.74	20.71	19.23	17.39	15.97	14.75	13.50	12.54	19	6817
A10	7	8	11	12	3	1.00	-399.10	13.50	12.66	11.99	11.40	10.57	9.56	8.78	8.12	7.41	6.85	23	7523
A10	7	8	12	13	4	1.00	-138.20	4.16	3.91	3.73	3.56	3.31	2.98	2.73	2.51	2.30	2.14	21	5210
A10	8	9	10	11	1	0.45	-774.23	17.83	16.66	15.81	15.06	14.15	12.99	11.71	10.54	9.56	8.93	16	3243
A10	8	9	11	12	2	0.90	-481.08	14.70	13.78	13.07	12.47	11.71	10.76	9.78	8.83	8.12	7.61	21	4030
A10	8	9	12	13	3	0.90	-136.67	3.47	3.24	3.06	2.93	2.76	2.55	2.33	2.09	1.93	1.80	18	2862
A10	8	9	13	14	4	0.90	-50.85	0.99	0.93	0.86	0.85	0.80	0.74	0.66	0.56	0.54	0.52	13	2130
A10	9	10	11	12	1	0.25	-504.85	17.01	16.05	15.19	14.44	13.45	12.31	11.30	10.40	9.70	9.06	24	3806
A10	9	10	12	13	2	0.50	-169.70	4.54	4.34	4.15	3.98	3.68	3.36	3.10	2.80	2.62	2.47	19	2559
A10	9	10	13	14	3	0.50	-44.97	0.97	0.95	0.94	0.91	0.84	0.79	0.72	0.62	0.58	0.56	16	1695
A10	9	10	14	15	4	0.50	-20.00	0.45	0.46	0.47	0.47	0.44	0.41	0.36	0.30	0.28	0.27	19	1508
A10	10	11	12	13	1	0.50	-662.05	19.07	17.98	17.00	16.08	14.94	13.65	12.55	11.54	10.66	9.96	20	2496
A10	10	11	13	14	2	0.50	-124.67	3.81	3.60	3.40	3.22	2.99	2.74	2.51	2.31	2.16	2.02	21	1880
A10	10	11	14	15	3	0.50	-48.46	1.67	1.58	1.49	1.41	1.31	1.20	1.10	1.01	0.95	0.89	24	1827
A10	10	11	15	16	4	0.50	-22.76	0.64	0.60	0.56	0.53	0.49	0.45	0.41	0.38	0.37	0.35	19	1716
A10	11	12	13	14	1	0.80	-461.05	4.99	4.66	4.36	4.09	3.80	3.29	2.82	2.54	2.29	2.03	7	1086
A10	11	12	14	15	2	0.80	-128.82	2.51	2.35	2.23	2.11	1.94	1.72	1.55	1.42	1.32	1.21	13	1214
A10	11	12	15	16	3	0.80	-53.52	0.83	0.77	0.73	0.69	0.63	0.54	0.48	0.44	0.41	0.37	10	1261
A10	11	12	16	17	4	0.80	-63.26	1.34	1.26	1.20	1.15	1.04	0.90	0.82	0.76	0.71	0.64	14	2981
A10	12	13	14	15	1	0.60	-256.19	7.94	7.48	7.07	6.71	6.19	5.67	5.20	4.78	4.42	4.14	21	805
A10	12	13	15	16	2	0.60	-72.59	2.15	2.02	1.91	1.81	1.66	1.52	1.39	1.27	1.17	1.11	20	912

チャンヤ地区IP測定データ

A10	12	13	16	17	3	0.60	-70.12	2.35	2.21	2.11	1.98	1.81	1.68	1.55	1.41	1.31	1.24	23	2203
A10	12	13	17	18	4	0.60	-22.05	1.82	1.72	1.67	1.59	1.45	1.35	1.27	1.18	1.10	1.03	60	1385
A10	13	14	15	16	1	0.45	-265.47	7.37	6.95	6.56	6.23	5.77	5.25	4.84	4.47	4.16	3.87	19	1112
A10	13	14	16	17	2	0.45	-143.40	4.16	3.94	3.73	3.55	3.25	2.94	2.72	2.50	2.31	2.14	20	2403
A10	13	14	17	18	3	0.45	-34.30	2.77	2.65	2.54	2.43	2.24	2.05	1.92	1.79	1.66	1.53	59	1437
A10	13	14	18	19	4	0.45	-13.88	1.12	1.09	1.05	1.01	0.91	0.82	0.78	0.73	0.68	0.62	59	1163
A10	14	15	16	17	1	0.60	-421.82	10.93	10.20	9.56	9.04	8.32	7.49	6.89	6.33	5.81	5.37	17	1325
A10	14	15	17	18	2	0.60	-72.24	6.07	5.72	5.42	5.20	4.87	4.46	4.14	3.85	3.59	3.35	60	908
A10	14	15	18	19	3	0.60	-22.88	2.03	1.90	1.79	1.71	1.62	1.46	1.35	1.24	1.17	1.08	62	719
A10	14	15	19	20	4	0.60	-8.23	0.73	0.71	0.68	0.60	0.56	0.51	0.47	0.45	0.41	0.34	61	517
A10	15	16	17	18	1	1.00	-464.91	34.29	32.85	31.62	30.23	28.38	26.10	23.96	22.22	20.83	19.51	54	876
A10	15	16	18	19	2	1.00	-82.06	6.80	6.49	6.22	5.94	5.56	5.11	4.69	4.33	4.05	3.77	60	619
A10	15	16	19	20	3	1.00	-23.04	2.02	1.95	1.90	1.84	1.70	1.54	1.41	1.32	1.25	1.17	65	434
A10	15	16	20	21	4	1.00	-3.54	0.29	0.31	0.33	0.34	0.30	0.24	0.21	0.22	0.22	0.21	71	134
A10	16	17	18	19	1	0.80	-357.38	31.33	29.82	28.48	27.25	25.60	23.65	21.96	20.45	19.11	17.94	64	842
A10	16	17	19	20	2	0.80	-72.59	6.94	6.59	6.33	6.06	5.69	5.26	4.87	4.54	4.26	3.99	70	684
A10	16	17	20	21	3	0.80	-8.84	0.73	0.67	0.67	0.64	0.60	0.54	0.49	0.45	0.44	0.40	59	208
A10	16	17	21	22	4	0.80	-3.68	0.23	0.21	0.22	0.21	0.19	0.17	0.14	0.13	0.13	0.11	44	173
A10	17	18	19	20	1	0.80	-322.37	23.89	22.83	21.92	21.00	19.63	18.04	16.78	15.59	14.55	13.69	54	760
A10	17	18	20	21	2	0.80	-22.18	1.74	1.72	1.72	1.66	1.48	1.30	1.20	1.10	1.05	1.00	58	209
A10	17	18	21	22	3	0.80	-6.43	0.52	0.55	0.59	0.56	0.47	0.38	0.35	0.31	0.30	0.30	61	151
A10	17	18	22	23	4	0.80	-3.44	0.23	0.26	0.30	0.28	0.22	0.17	0.15	0.13	0.13	0.13	52	162
A10	18	19	20	21	1	0.90	-144.25	11.35	10.81	10.31	9.89	9.32	8.60	8.00	7.47	6.97	6.52	58	302
A10	18	19	21	22	2	0.90	-21.84	1.89	1.79	1.70	1.64	1.56	1.44	1.35	1.26	1.17	1.10	64	183
A10	18	19	22	23	3	0.90	-9.02	0.71	0.67	0.63	0.61	0.59	0.55	0.52	0.48	0.45	0.42	59	189
A10	18	19	23	24	4	0.90	-5.77	0.48	0.46	0.43	0.42	0.40	0.38	0.36	0.33	0.31	0.28	63	242
A10	19	20	21	22	1	1.10	-280.43	14.09	13.36	12.80	12.17	11.43	10.55	9.69	9.06	8.43	7.84	36	481
A10	19	20	22	23	2	1.10	-79.33	3.83	3.63	3.49	3.29	3.10	2.87	2.64	2.48	2.32	2.17	35	544
A10	19	20	23	24	3	1.10	-43.00	2.53	2.41	2.31	2.17	2.05	1.90	1.76	1.66	1.55	1.45	43	737
A10	19	20	24	25	4	1.10	-32.22	1.91	1.80	1.72	1.59	1.50	1.37	1.27	1.23	1.19	1.13	43	1104
A10	20	21	22	23	1	0.90	-313.46	3.10	2.82	2.59	2.42	2.20	1.91	1.71	1.52	1.33	1.18	6	657
A10	20	21	23	24	2	0.90	-118.49	2.26	2.10	1.97	1.86	1.73	1.53	1.40	1.28	1.15	1.06	13	993
A10	20	21	24	25	3	0.90	-73.02	1.48	1.37	1.28	1.22	1.13	1.00	0.91	0.84	0.75	0.69	13	1529
A10	20	21	25	26	4	0.90	-76.39	2.18	2.04	1.93	1.84	1.72	1.55	1.43	1.33	1.22	1.14	20	3200
A10	21	22	23	24	1	1.00	-388.91	6.35	5.89	5.52	5.21	4.75	4.16	3.70	3.31	2.95	2.64	10	733
A10	21	22	24	25	2	1.00	-150.37	1.84	1.68	1.56	1.46	1.31	1.12	0.96	0.82	0.69	0.61	7	1134
A10	21	22	25	26	3	1.00	-74.13	0.59	0.53	0.49	0.46	0.40	0.33	0.28	0.22	0.17	0.14	4	1397
A10	21	22	26	27	4	1.00	-71.87	0.96	0.88	0.84	0.79	0.72	0.64	0.56	0.48	0.41	0.35	8	2709
A10	22	23	24	25	1	0.90	-376.17	4.25	3.93	3.67	3.41	3.11	2.86	2.61	2.35	2.16	1.99	7	788
A10	22	23	25	26	2	0.90	-129.81	0.59	0.54	0.50	0.44	0.38	0.35	0.32	0.28	0.24	0.20	3	1087
A10	22	23	26	27	3	0.90	-99.10	1.08	1.00	0.95	0.88	0.81	0.75	0.69	0.62	0.55	0.52	7	2075
A10	22	23	27	28	4	0.90	-29.14	0.27	0.25	0.24	0.23	0.21	0.20	0.18	0.18	0.15	0.13	7	1221
A10	23	24	25	26	1	0.70	-386.27	6.86	6.44	6.05	5.73	5.31	4.81	4.34	3.96	3.63	3.36	12	1040
A10	23	24	26	27	2	0.70	-173.20	4.06	3.81	3.59	3.41	3.17	2.89	2.62	2.41	2.22	2.06	16	1866
A10	23	24	27	28	3	0.70	-40.27	0.84	0.78	0.73	0.69	0.64	0.59	0.54	0.50	0.45	0.43	14	1084
A10	23	24	28	29	4	0.70	-26.92	0.76	0.70	0.66	0.64	0.62	0.56	0.49	0.46	0.42	0.40	20	1450
A10	24	25	26	27	1	1.00	-938.58	23.85	22.30	21.23	20.36	19.02	17.33	15.95	14.79	13.43	12.46	18	1769

チャンヤ地区IP測定データ

A10	24	25	27	28	2	1.00	-134.95	2.77	2.58	2.45	2.36	2.20	1.99	1.84	1.71	1.54	1.43	14	1018
A10	24	25	28	29	3	1.00	-83.45	3.16	3.01	2.88	2.77	2.60	2.37	2.20	2.07	1.93	1.79	28	1573
A10	24	25	29	30	4	1.00	-33.42	1.05	0.98	0.93	0.90	0.85	0.78	0.69	0.63	0.60	0.58	22	1260
A10	25	26	27	28	1	0.90	-243.13	1.32	1.19	1.08	0.98	0.87	0.76	0.65	0.53	0.45	0.38	3	509
A10	25	26	28	29	2	0.90	-91.67	1.29	1.21	1.09	1.02	0.96	0.90	0.82	0.74	0.67	0.62	9	768
A10	25	26	29	30	3	0.90	-36.92	0.67	0.63	0.60	0.57	0.53	0.47	0.44	0.40	0.37	0.34	13	773
A10	26	27	28	29	1	0.70	-531.40	13.50	12.68	12.03	11.34	10.18	8.93	8.45	8.09	7.55	6.91	17	1431
A10	26	27	29	30	2	0.70	-157.87	5.09	4.81	4.56	4.32	4.05	3.71	3.39	3.17	2.99	2.77	23	1700
A10	27	28	29	30	1	0.60	-279.43	10.24	9.72	9.21	8.78	8.18	7.52	6.95	6.44	6.00	5.60	26	878
Line	C1	C2	P1	P2	n	K(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A11	12	13	14	15	1	0.50	-211.71	4.64	4.36	4.12	3.91	3.62	3.29	3.00	2.74	2.53	2.34	15	798
A11	12	13	15	16	2	0.50	-53.95	1.12	1.03	0.97	0.93	0.86	0.78	0.73	0.66	0.61	0.57	14	814
A11	12	13	16	17	3	0.50	-27.40	0.75	0.73	0.69	0.65	0.59	0.54	0.49	0.45	0.41	0.38	19	1033
A11	12	13	17	18	4	0.50	-25.46	1.12	1.07	1.02	0.97	0.90	0.82	0.75	0.68	0.63	0.60	31	1920
A11	13	14	15	16	1	0.60	-352.22	12.56	11.91	11.29	10.71	10.00	9.18	8.42	7.82	7.24	6.72	25	1107
A11	13	14	16	17	2	0.60	-89.08	2.05	1.93	1.81	1.70	1.58	1.44	1.30	1.21	1.11	1.01	16	1119
A11	13	14	17	18	3	0.60	-73.56	3.56	3.38	3.21	3.05	2.86	2.64	2.44	2.27	2.11	1.95	35	2311
A11	13	14	18	19	4	0.60	-40.11	2.93	2.78	2.64	2.52	2.37	2.20	2.05	1.92	1.78	1.65	53	2520
A11	14	15	16	17	1	1.40	-577.37	7.22	6.73	6.24	5.79	5.33	4.90	4.52	4.18	4.04	3.70	8	777
A11	14	15	17	18	2	1.40	-329.48	11.69	11.05	10.46	9.91	9.24	8.54	7.91	7.38	7.03	6.55	25	1774
A11	14	15	18	19	3	1.40	-159.38	10.37	9.87	9.40	8.96	8.40	7.79	7.24	6.76	6.39	5.98	48	2146
A11	14	15	19	20	4	1.40	-15.34	1.32	1.26	1.20	1.14	1.08	1.01	0.94	0.87	0.81	0.76	63	413
A11	15	16	17	18	1	1.30	-554.49	23.58	22.25	21.18	20.14	18.89	17.40	15.97	14.90	13.92	12.90	30	804
A11	15	16	18	19	2	1.30	-196.25	14.83	14.08	13.44	12.84	12.10	11.19	10.35	9.68	9.07	8.46	55	1138
A11	15	16	19	20	3	1.30	-13.51	1.31	1.24	1.19	1.14	1.07	0.99	0.92	0.85	0.79	0.74	71	196
A11	15	16	20	21	4	1.30	-2.35	0.26	0.25	0.25	0.25	0.21	0.20	0.21	0.18	0.16	0.15	85	68
A11	16	17	18	19	1	1.40	-334.16	24.15	22.97	21.97	21.06	19.84	18.41	17.11	15.94	14.87	13.86	53	450
A11	16	17	19	20	2	1.40	-18.93	1.73	1.65	1.58	1.52	1.43	1.33	1.25	1.16	1.09	1.02	68	102
A11	16	17	20	21	3	1.40	-5.36	0.32	0.32	0.30	0.30	0.27	0.26	0.22	0.20	0.20	0.19	45	72
A11	16	17	21	22	4	1.40	-1.34	0.06	0.05	0.04	0.04	0.03	0.02	0.01	0.01	0.02	0.03	17	36
A11	17	18	19	20	1	1.30	-139.55	14.87	14.22	13.61	13.05	12.35	11.53	10.76	10.05	9.45	8.83	80	202
A11	17	18	20	21	2	1.30	-44.20	3.86	3.67	3.55	3.41	3.26	3.03	2.76	2.53	2.39	2.23	65	256
A11	17	18	21	22	3	1.30	-5.11	0.28	0.27	0.27	0.26	0.25	0.24	0.22	0.19	0.18	0.17	43	74
A11	17	18	22	23	4	1.30	-3.93	0.20	0.20	0.19	0.18	0.18	0.17	0.17	0.14	0.12	0.11	40	114
A11	18	19	20	21	1	1.30	-380.61	35.69	33.95	32.46	31.06	29.27	27.21	25.33	23.65	22.15	20.75	69	552
A11	18	19	21	22	2	1.30	-20.38	1.75	1.65	1.59	1.52	1.44	1.33	1.23	1.15	1.08	1.01	63	118
A11	18	19	22	23	3	1.30	-12.84	0.99	0.93	0.90	0.86	0.81	0.75	0.70	0.65	0.61	0.57	57	186
A11	18	19	23	24	4	1.30	-5.96	0.48	0.45	0.43	0.42	0.40	0.36	0.34	0.32	0.30	0.28	59	173
A11	19	20	21	22	1	1.40	-97.37	5.99	5.67	5.39	5.16	4.80	4.37	4.08	3.83	3.58	3.36	44	131
A11	19	20	22	23	2	1.40	-39.37	2.33	2.20	2.09	2.00	1.86	1.68	1.58	1.48	1.39	1.31	42	212
A11	19	20	23	24	3	1.40	-20.32	1.00	0.94	0.89	0.85	0.79	0.71	0.67	0.63	0.59	0.56	35	274
A11	19	20	24	25	4	1.40	-21.54	1.09	1.03	0.98	0.93	0.87	0.78	0.73	0.69	0.64	0.62	36	580
A11	20	21	22	23	1	1.30	-365.55	7.17	6.89	6.57	6.28	5.93	5.51	5.18	4.85	4.60	4.24	15	530
A11	20	21	23	24	2	1.30	-130.39	1.72	1.66	1.58	1.52	1.43	1.32	1.25	1.17	1.12	1.02	10	756
A11	20	21	24	25	3	1.30	-116.41	1.96	1.88	1.79	1.73	1.62	1.48	1.38	1.30	1.23	1.12	12	1688
A11	20	21	25	26	4	1.30	-58.38	1.13	1.10	1.06	1.05	0.98	0.88	0.83	0.79	0.74	0.68	15	1693
A11	21	22	23	24	1	0.90	-321.96	6.44	6.03	5.68	5.36	4.93	4.47	4.08	3.73	3.47	3.23	13	674

チャシャ地区IP測定データ

Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A11	21	22	24	25	2	0.90	-163.55	3.65	3.43	3.24	3.06	2.82	2.57	2.35	2.15	2.01	1.88	15	1370
A11	21	22	25	26	3	0.90	-61.10	1.28	1.20	1.12	1.07	0.98	0.90	0.83	0.75	0.69	0.66	14	1280
A11	21	22	26	27	4	0.90	-48.19	1.35	1.28	1.22	1.17	1.08	0.96	0.87	0.82	0.78	0.71	20	2018
A11	22	23	24	25	1	1.00	-455.42	9.19	8.62	8.02	7.55	6.93	6.10	5.55	5.09	4.57	4.24	13	858
A11	22	23	25	26	2	1.00	-102.57	1.85	1.76	1.66	1.58	1.43	1.23	1.10	1.03	0.94	0.89	12	773
A11	22	23	26	27	3	1.00	-69.05	1.75	1.67	1.58	1.50	1.38	1.22	1.14	1.05	0.93	0.86	17	1302
A11	22	23	27	28	4	1.00	-35.24	0.27	0.30	0.30	0.26	0.17	0.08	0.09	0.12	0.12	0.16	4	1329
A11	23	24	25	26	1	1.30	-350.55	4.82	4.51	4.24	4.05	3.77	3.37	3.02	2.78	2.51	2.25	9	508
A11	23	24	26	27	2	1.30	-146.62	3.03	2.85	2.69	2.57	2.39	2.15	1.94	1.80	1.64	1.49	14	850
A11	23	24	27	28	3	1.30	-76.97	1.36	1.28	1.21	1.16	1.07	0.95	0.84	0.78	0.72	0.63	12	1116
A11	24	25	26	27	1	1.10	-580.09	13.31	12.61	11.93	11.38	10.66	9.79	9.08	8.41	7.87	7.37	16	994
A11	24	25	27	28	2	1.10	-187.68	3.64	3.44	3.26	3.11	2.92	2.67	2.47	2.29	2.14	2.00	14	1286
A11	25	26	27	28	1	0.70	-401.38	4.48	4.22	3.98	3.73	3.47	3.14	2.88	2.65	2.40	2.18	8	1081
A12	12	13	14	15	1	1.07	-367.10	0.92	0.64	0.41	0.18	0.08	0.44	0.73	0.98	1.25	1.43	2	647
A12	12	13	15	16	2	1.07	-86.99	0.19	0.12	0.06	0.00	0.06	0.14	0.20	0.26	0.34	0.38	2	613
A12	12	13	16	17	3	1.07	-54.75	0.27	0.22	0.17	0.13	0.09	0.03	0.03	0.07	0.12	0.16	2	964
A12	12	13	17	18	4	1.07	-58.95	1.32	1.22	1.13	1.05	0.96	0.83	0.72	0.62	0.53	0.45	13	2077
A12	13	14	15	16	1	1.00	-160.54	1.84	1.74	1.66	1.57	1.46	1.33	1.18	1.12	1.06	0.95	8	303
A12	13	14	16	17	2	1.00	-85.46	1.02	0.96	0.91	0.86	0.81	0.74	0.66	0.63	0.59	0.53	8	644
A12	13	14	17	18	3	1.00	-88.39	1.28	1.20	1.15	1.08	1.02	0.94	0.83	0.80	0.76	0.70	10	1666
A12	13	14	18	19	4	1.00	-89.44	1.57	1.48	1.41	1.34	1.27	1.17	1.05	1.00	0.95	0.88	13	3372
A12	14	15	16	17	1	1.10	-407.95	2.38	2.16	1.94	1.79	1.66	1.58	1.51	1.36	1.21	1.20	4	699
A12	14	15	17	18	2	1.10	-227.15	1.61	1.45	1.29	1.18	1.10	1.02	0.96	0.86	0.76	0.74	4	1557
A12	14	15	18	19	3	1.10	-129.62	3.41	3.20	2.99	2.82	2.65	2.46	2.28	2.10	1.94	1.83	18	2221
A12	14	15	19	20	4	1.10	-204.35	3.65	3.40	3.16	2.96	2.77	2.56	2.36	2.15	1.98	1.89	12	7003
A12	15	16	17	18	1	1.20	-227.22	0.82	0.80	0.78	0.74	0.66	0.61	0.57	0.58	0.54	0.42	3	357
A12	15	16	18	19	2	1.20	-76.29	1.39	1.33	1.27	1.21	1.13	1.05	0.98	0.93	0.87	0.78	13	479
A12	15	16	19	20	3	1.20	-25.90	1.35	1.28	1.23	1.17	1.11	1.02	0.95	0.88	0.81	0.78	38	407
A12	15	16	20	21	4	1.20	-27.03	1.87	1.78	1.70	1.63	1.54	1.42	1.32	1.23	1.14	1.09	51	849
A12	16	17	18	19	1	1.20	-141.48	4.25	4.03	3.83	3.69	3.48	3.22	2.94	2.72	2.57	2.54	22	222
A12	16	17	19	20	2	1.20	-27.30	1.52	1.45	1.38	1.33	1.26	1.17	1.08	1.01	0.95	0.92	41	172
A12	16	17	20	21	3	1.20	-15.93	0.83	0.80	0.76	0.74	0.69	0.64	0.60	0.55	0.52	0.52	39	250
A12	16	17	21	22	4	1.20	-16.29	0.90	0.87	0.83	0.80	0.74	0.69	0.65	0.61	0.60	0.59	42	512
A12	17	18	19	20	1	1.40	-293.03	15.69	14.81	13.98	13.27	12.32	11.22	10.39	9.64	8.91	8.33	37	395
A12	17	18	20	21	2	1.40	-50.76	3.36	3.19	3.01	2.86	2.67	2.45	2.28	2.13	1.98	1.85	47	273
A12	17	18	21	22	3	1.40	-4.86	0.24	0.24	0.22	0.21	0.19	0.18	0.17	0.17	0.15	0.14	37	65
A12	17	18	22	23	4	1.40	-6.94	0.72	0.68	0.65	0.62	0.59	0.55	0.51	0.49	0.47	0.44	78	187
A12	18	19	20	21	1	1.50	-442.13	19.54	18.67	17.80	17.02	15.96	14.81	13.75	12.85	12.09	11.17	33	556
A12	18	19	21	22	2	1.50	-25.97	1.19	1.14	1.08	1.02	0.96	0.90	0.82	0.76	0.71	0.65	33	131
A12	18	19	22	23	3	1.50	-11.37	0.45	0.44	0.41	0.39	0.36	0.35	0.32	0.29	0.27	0.25	29	143
A12	18	19	23	24	4	1.50	-13.61	1.03	1.00	0.95	0.90	0.85	0.79	0.73	0.68	0.63	0.59	56	342
A12	19	20	21	22	1	1.50	-297.07	6.19	5.83	5.52	5.25	4.85	4.44	4.10	3.78	3.53	3.30	15	373
A12	19	20	22	23	2	1.50	-58.18	0.94	0.88	0.82	0.78	0.73	0.67	0.61	0.55	0.51	0.48	11	292
A12	19	20	23	24	3	1.50	-36.69	0.11	0.10	0.07	0.07	0.07	0.06	0.05	0.03	0.02	0.03	1	461
A12	19	20	24	25	4	1.50	-37.36	0.43	0.39	0.36	0.34	0.33	0.31	0.28	0.25	0.23	0.22	8	939
A12	20	21	22	23	1	1.40	-384.31	5.33	4.93	4.60	4.42	4.16	3.88	3.57	3.19	2.98	2.86	10	517

(801)

チャシャ地区IP測定データ

A12	20	21	23	24	2	1.40	-116.07	1.49	1.40	1.29	1.21	1.13	1.04	0.96	0.87	0.80	0.75	9	625
A12	20	21	24	25	3	1.40	-87.43	1.01	0.96	0.88	0.83	0.78	0.72	0.65	0.59	0.54	0.51	8	1177
A12	20	21	25	26	4	1.40	-104.95	2.25	2.22	2.08	1.92	1.72	1.53	1.37	1.32	1.19	1.04	14	2826
A12	21	22	23	24	1	1.50	-616.95	14.75	13.88	13.15	12.51	11.61	10.52	9.64	8.95	8.30	7.63	17	775
A12	21	22	24	25	2	1.50	-163.55	3.88	3.66	3.47	3.30	3.07	2.77	2.53	2.36	2.21	2.04	17	822
A12	21	22	25	26	3	1.50	-66.49	1.49	1.40	1.34	1.27	1.17	1.05	0.96	0.90	0.85	0.78	16	836
A12	21	22	26	27	4	1.50	-72.11	2.04	1.92	1.82	1.73	1.59	1.43	1.32	1.25	1.18	1.10	20	1812
A12	22	23	24	25	1	1.20	-495.26	12.56	11.77	11.13	10.52	9.71	8.81	8.01	7.17	6.54	6.07	17	778
A12	22	23	25	26	2	1.20	-140.27	3.51	3.31	3.14	2.98	2.76	2.51	2.29	2.00	1.81	1.69	17	881
A12	22	23	26	27	3	1.20	-52.97	2.41	2.28	2.18	2.08	1.95	1.81	1.67	1.47	1.33	1.25	32	832
A12	22	23	27	28	4	1.20	-30.67	1.01	0.96	0.94	0.90	0.85	0.77	0.70	0.57	0.49	0.46	23	964
A12	23	24	25	26	1	1.00	-439.44	10.41	9.85	9.33	8.86	8.26	7.55	6.94	6.44	5.98	5.53	17	828
A12	23	24	26	27	2	1.00	-93.09	2.63	2.51	2.39	2.27	2.13	1.96	1.80	1.67	1.55	1.44	20	702
A12	23	24	27	28	3	1.00	-140.14	4.03	3.82	3.62	3.43	3.19	2.91	2.65	2.48	2.31	2.13	20	2642
A12	24	25	26	27	1	0.50	-225.27	5.64	5.32	5.02	4.77	4.41	4.03	3.69	3.38	3.11	2.86	17	849
A12	24	25	27	28	2	0.50	-70.89	1.41	1.33	1.25	1.18	1.08	0.98	0.89	0.81	0.73	0.68	13	1069
A12	25	26	27	28	1	0.50	-136.15	4.63	4.67	4.71	4.76	4.79	4.81	4.80	4.76	4.70	4.64	35	513
Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A13	0	1	2	3	1	0.30	-302.62	6.00	5.73	5.42	5.10	4.80	4.35	4.00	3.72	3.43	3.16	14	1901
A13	0	1	3	4	2	0.30	-67.85	1.51	1.41	1.30	1.22	1.17	1.08	0.98	0.90	0.85	0.80	15	1705
A13	0	1	4	5	3	0.30	-25.01	0.16	0.15	0.14	0.12	0.12	0.10	0.10	0.09	0.07	0.06	4	1572
A13	0	1	5	6	4	0.30	-13.16	0.53	0.50	0.50	0.48	0.45	0.44	0.44	0.41	0.35	0.28	32	1653
A13	1	2	3	4	1	0.30	-315.01	9.84	9.41	8.96	8.48	7.95	7.41	6.69	5.93	5.53	5.24	22	1979
A13	1	2	4	5	2	0.30	-82.38	1.25	1.18	1.13	1.08	1.03	0.92	0.81	0.75	0.68	0.63	11	2070
A13	1	2	5	6	3	0.30	-28.43	1.32	1.27	1.21	1.16	1.08	0.98	0.91	0.86	0.80	0.74	34	1787
A13	1	2	6	7	4	0.30	-21.76	1.41	1.37	1.30	1.26	1.20	1.09	1.02	0.99	0.93	0.87	50	2734
A13	2	3	4	5	1	0.25	-363.83	7.54	7.15	6.83	6.58	6.12	5.59	5.19	4.86	4.49	4.10	15	2743
A13	2	3	5	6	2	0.25	-37.10	1.44	1.38	1.31	1.27	1.18	1.09	1.02	0.97	0.90	0.84	29	1119
A13	2	3	6	7	3	0.25	-21.85	1.10	1.07	1.01	0.98	0.89	0.79	0.75	0.71	0.67	0.63	37	1647
A13	2	3	7	8	4	0.25	-7.47	0.31	0.34	0.32	0.34	0.30	0.27	0.28	0.27	0.23	0.20	37	1127
A13	3	4	5	6	1	0.30	-83.87	2.59	2.45	2.27	2.14	1.98	1.83	1.71	1.59	1.49	1.36	21	527
A13	3	4	6	7	2	0.30	-34.30	1.60	1.56	1.47	1.40	1.30	1.19	1.10	0.99	0.94	0.87	34	862
A13	3	4	7	8	3	0.30	-8.64	0.42	0.46	0.42	0.38	0.38	0.38	0.35	0.30	0.28	0.26	40	543
A13	3	4	8	9	4	0.30	-5.40	0.35	0.39	0.36	0.31	0.32	0.26	0.19	0.17	0.18	0.19	45	678
A13	4	5	6	7	1	1.00	-186.64	7.63	7.72	7.61	7.13	6.35	5.91	5.65	5.16	4.75	4.50	31	352
A13	4	5	7	8	2	1.00	-28.67	1.12	1.06	1.02	0.97	0.91	0.83	0.75	0.69	0.63	0.59	28	216
A13	4	5	8	9	3	1.00	-15.82	0.86	0.82	0.78	0.74	0.68	0.66	0.61	0.56	0.51	0.47	40	298
A13	4	5	9	10	4	1.00	-8.78	0.56	0.51	0.49	0.49	0.48	0.45	0.40	0.35	0.31	0.30	46	331
A13	5	6	7	8	1	1.00	-185.84	5.16	4.86	4.58	4.38	4.06	3.71	3.46	3.24	3.00	2.77	20	350
A13	5	6	8	9	2	1.00	-73.02	3.01	2.84	2.67	2.58	2.45	2.27	2.11	1.99	1.86	1.73	30	551
A13	5	6	9	10	3	1.00	-35.57	1.86	1.76	1.66	1.59	1.50	1.36	1.24	1.16	1.08	0.99	37	671
A13	5	6	10	11	4	1.00	-21.04	1.14	1.07	1.00	0.97	0.91	0.82	0.74	0.68	0.63	0.59	38	793
A13	6	7	8	9	1	1.30	-616.00	11.91	11.27	10.75	10.28	9.67	8.75	7.98	7.45	7.05	6.57	14	893
A13	6	7	9	10	2	1.30	-218.78	7.45	7.08	6.73	6.43	6.04	5.52	5.10	4.76	4.44	4.16	25	1269
A13	6	7	10	11	3	1.30	-105.98	3.54	3.36	3.19	3.06	2.86	2.62	2.40	2.26	2.14	2.01	24	1537
A13	6	7	11	12	4	1.30	-62.50	2.35	2.22	2.10	2.00	1.87	1.72	1.58	1.49	1.41	1.32	27	1812
A13	7	8	9	10	1	1.30	-876.85	28.29	26.80	25.54	24.39	22.87	21.07	19.51	18.11	16.86	15.78	23	1271

チャシャ地区IP測定データ

(110)

A13	7	8	10	11	2	2.60	-433.82	12.87	12.23	11.71	11.19	10.49	9.67	8.99	8.34	7.71	7.20	22	1258
A13	7	8	11	12	3	2.60	-293.55	9.35	8.86	8.48	8.06	7.57	6.97	6.44	5.99	5.54	5.17	23	2128
A13	7	8	12	13	4	2.60	-86.10	2.10	1.99	1.91	1.81	1.71	1.58	1.47	1.37	1.26	1.17	18	1248
A13	8	9	10	11	1	1.00	-858.25	8.55	8.17	7.81	7.43	6.94	6.42	5.94	5.48	5.10	4.80	7	1618
A13	8	9	11	12	2	2.00	-714.38	19.53	18.45	17.51	16.66	15.55	14.25	13.16	12.18	11.30	10.55	19	2693
A13	8	9	12	13	3	2.00	-181.74	3.98	3.78	3.59	3.41	3.18	2.92	2.70	2.50	2.33	2.19	16	1713
A13	8	9	13	14	4	2.00	-112.01	2.51	2.49	2.36	2.24	2.08	1.91	1.76	1.63	1.53	1.44	17	2111
A13	9	10	11	12	1	0.67	-726.50	10.83	10.29	9.63	8.98	8.50	7.88	6.98	6.33	6.16	5.92	10	2054
A13	9	10	12	13	2	2.00	-279.67	2.25	2.16	1.96	1.75	1.68	1.58	1.31	1.14	1.22	1.21	5	1054
A13	9	10	13	14	3	2.00	-149.73	0.71	0.63	0.61	0.63	0.64	0.59	0.45	0.35	0.42	0.38	3	1411
A13	9	10	14	15	4	2.00	-131.06	1.11	1.02	0.98	0.98	0.96	0.88	0.73	0.62	0.67	0.61	6	2470
A13	10	11	12	13	1	0.30	-82.08	0.64	0.60	0.57	0.55	0.53	0.50	0.46	0.43	0.41	0.38	6	516
A13	10	11	13	14	2	0.30	-27.88	0.24	0.23	0.23	0.23	0.24	0.24	0.24	0.23	0.23	0.22	8	701
A13	10	11	14	15	3	0.30	-21.39	0.12	0.12	0.12	0.10	0.08	0.06	0.06	0.09	0.08	0.07	4	1344
A13	10	11	15	16	4	0.30	-16.02	0.20	0.20	0.20	0.18	0.15	0.12	0.11	0.14	0.14	0.12	9	2013
A13	11	12	13	14	1	1.00	-208.91	0.37	0.36	0.39	0.39	0.39	0.42	0.38	0.40	0.43	0.37	2	394
A13	11	12	14	15	2	1.00	-119.54	0.00	0.02	0.04	0.04	0.05	0.08	0.07	0.10	0.13	0.10	1	901
A13	11	12	15	16	3	1.00	-83.05	0.62	0.57	0.53	0.50	0.45	0.41	0.36	0.32	0.30	0.26	5	1565
A13	11	12	16	17	4	1.00	-60.20	0.61	0.57	0.53	0.50	0.45	0.41	0.37	0.33	0.31	0.27	7	2269
A13	12	13	14	15	1	1.20	-129.35	0.73	0.72	0.70	0.66	0.67	0.64	0.58	0.60	0.56	0.52	5	203
A13	12	13	15	16	2	1.20	-58.45	0.11	0.13	0.12	0.10	0.12	0.12	0.09	0.14	0.13	0.13	2	367
A13	12	13	16	17	3	1.20	-38.09	0.04	0.07	0.06	0.07	0.04	0.04	0.06	0.08	0.06	0.07	2	598
A13	12	13	17	18	4	1.20	-21.57	0.06	0.09	0.07	0.08	0.05	0.04	0.06	0.08	0.06	0.07	3	678
A13	13	14	15	16	1	2.00	-181.67	1.12	1.04	0.98	0.93	0.85	0.76	0.72	0.65	0.55	0.52	4	171
A13	13	14	16	17	2	2.00	-75.43	0.30	0.27	0.26	0.25	0.23	0.20	0.19	0.18	0.15	0.16	3	284
A13	13	14	17	18	3	2.00	-36.39	0.03	0.03	0.03	0.06	0.05	0.01	0.03	0.04	0.01	0.04	1	343
A13	13	14	18	19	4	2.00	-19.50	0.16	0.16	0.16	0.14	0.13	0.13	0.11	0.11	0.12	0.10	6	368
A13	14	15	16	17	1	2.00	-279.43	1.86	1.72	1.60	1.48	1.32	1.11	0.93	0.81	0.68	0.55	4	263
A13	14	15	17	18	2	2.00	-61.12	0.02	0.03	0.03	0.02	0.00	0.02	0.04	0.05	0.06	0.09	1	230
A13	14	15	18	19	3	2.00	-23.05	0.18	0.18	0.18	0.18	0.20	0.21	0.21	0.20	0.21	0.22	9	217
A13	14	15	19	20	4	2.00	-17.37	0.05	0.04	0.04	0.03	0.00	0.02	0.03	0.03	0.05	0.06	2	327
A13	15	16	17	18	1	1.50	-341.72	3.82	3.53	3.28	3.10	2.79	2.46	2.21	2.02	1.82	1.62	7	429
A13	15	16	18	19	2	1.50	-48.62	0.49	0.46	0.43	0.40	0.38	0.33	0.30	0.29	0.27	0.24	7	244
A13	15	16	19	20	3	1.50	-18.01	0.07	0.07	0.06	0.05	0.05	0.04	0.03	0.02	0.02	0.02	2	226
A13	15	16	20	21	4	1.50	-7.92	0.04	0.04	0.04	0.05	0.04	0.04	0.04	0.04	0.04	0.04	5	199
A13	16	17	18	19	1	1.20	-183.25	5.72	5.38	5.08	4.81	4.46	4.08	3.74	3.44	3.20	2.98	22	288
A13	16	17	19	20	2	1.20	-27.05	0.49	0.46	0.44	0.42	0.38	0.35	0.32	0.28	0.25	0.25	12	170
A13	16	17	20	21	3	1.20	-5.82	0.08	0.07	0.07	0.06	0.06	0.06	0.06	0.04	0.04	0.04	9	91
A13	16	17	21	22	4	1.20	-4.54	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	3	143
A13	17	18	19	20	1	2.15	-533.89	17.60	16.68	15.87	15.17	14.20	13.05	12.13	11.32	10.53	9.84	24	468
A13	17	18	20	21	2	4.30	-93.11	2.07	1.96	1.85	1.77	1.65	1.51	1.39	1.29	1.20	1.12	16	163
A13	17	18	21	22	3	4.30	-29.05	0.52	0.48	0.44	0.43	0.40	0.35	0.32	0.31	0.29	0.26	12	127
A13	17	18	22	23	4	4.30	-27.67	0.63	0.60	0.56	0.54	0.51	0.48	0.44	0.40	0.37	0.35	16	243
A13	18	19	20	21	1	3.90	-489.70	11.88	11.22	10.62	10.08	9.40	8.60	7.93	7.36	6.82	6.34	17	237
A13	18	19	21	22	2	3.90	-55.57	0.96	0.92	0.87	0.83	0.77	0.70	0.64	0.58	0.53	0.49	12	107
A13	18	19	22	23	3	3.90	-40.17	0.85	0.81	0.77	0.73	0.69	0.63	0.59	0.55	0.52	0.50	15	194
A13	18	19	23	24	4	3.90	-56.13	1.76	1.67	1.59	1.50	1.40	1.29	1.19	1.11	1.03	0.96	22	543

チャシャ地区IP測定データ

A13	19	20	21	22	1	4.30	-567.21	14.80	14.15	13.56	13.04	12.21	10.92	9.70	8.90	8.39	7.97	18	249
A13	19	20	22	23	2	4.30	-145.25	0.91	0.85	0.80	0.75	0.86	1.20	1.19	1.09	1.06	1.03	7	255
A13	19	20	23	24	3	4.30	-142.05	1.22	1.13	1.05	0.98	0.90	0.77	0.58	0.45	0.41	0.38	5	623
A13	19	20	24	25	4	4.30	-100.23	0.33	0.33	0.34	0.34	0.33	0.34	0.40	0.44	0.43	0.40	4	879
A13	20	21	22	23	1	3.90	-319.03	4.72	4.43	4.17	3.94	3.66	3.33	3.06	2.83	2.61	2.43	10	154
A13	20	21	23	24	2	3.90	-152.53	2.18	2.05	1.95	1.82	1.69	1.53	1.39	1.28	1.18	1.10	10	295
A13	20	21	24	25	3	3.90	-93.07	0.47	0.44	0.42	0.38	0.36	0.32	0.26	0.22	0.20	0.18	3	450
A13	20	21	25	26	4	3.90	-98.93	1.21	1.15	1.10	1.04	0.99	0.91	0.82	0.75	0.69	0.64	9	956
A13	21	22	23	24	1	3.20	-395.22	7.51	7.07	6.66	6.31	5.86	5.34	4.93	4.56	4.21	3.91	13	233
A13	21	22	24	25	2	3.20	-178.82	1.99	1.86	1.75	1.66	1.53	1.38	1.24	1.13	1.06	0.97	7	421
A13	21	22	25	26	3	3.20	-83.61	1.33	1.25	1.18	1.12	1.03	0.93	0.85	0.78	0.74	0.69	11	493
A13	21	22	26	27	4	3.20	-100.64	4.05	3.85	3.69	3.55	3.34	3.08	2.86	2.68	2.53	2.36	30	1186
A13	22	23	24	25	1	3.20	-956.21	13.22	12.43	11.71	11.08	10.29	9.37	8.65	7.99	7.35	6.81	10	563
A13	22	23	25	26	2	3.20	-279.77	4.81	4.56	4.32	4.11	3.82	3.49	3.22	2.97	2.76	2.56	12	659
A13	22	23	26	27	3	3.20	-141.36	4.09	3.89	3.69	3.52	3.29	3.02	2.80	2.60	2.42	2.25	21	833
A13	22	23	27	28	4	3.20	-148.14	5.19	4.94	4.71	4.50	4.22	3.90	3.62	3.37	3.15	2.95	26	1745
A13	23	24	25	26	1	1.45	-566.03	13.61	12.79	12.10	11.48	10.61	9.61	8.81	8.11	7.47	6.92	16	736
A13	23	24	26	27	2	2.90	-390.50	13.63	12.88	12.15	11.55	10.77	9.84	9.04	8.35	7.74	7.20	24	1015
A13	23	24	27	28	3	2.90	-171.19	6.27	5.92	5.56	5.29	4.93	4.50	4.14	3.82	3.54	3.31	26	1113
A13	23	24	28	29	4	2.90	-34.31	1.13	1.07	0.99	0.95	0.89	0.81	0.74	0.68	0.64	0.59	23	446
A13	24	25	26	27	1	1.30	-545.87	16.20	15.32	14.55	13.87	12.97	11.94	11.06	10.28	9.55	8.95	21	791
A13	24	25	27	28	2	2.60	-330.39	9.78	9.23	8.79	8.40	7.84	7.19	6.63	6.14	5.72	5.30	21	958
A13	24	25	28	29	3	2.60	-56.43	1.49	1.40	1.33	1.28	1.19	1.09	1.01	0.94	0.88	0.81	19	409
A13	24	25	29	30	4	2.60	-72.52	2.17	2.04	1.95	1.88	1.76	1.62	1.49	1.37	1.28	1.19	22	1051
A13	25	26	27	28	1	1.00	-806.90	18.29	17.23	16.27	15.44	14.40	13.18	12.15	11.25	10.38	9.63	16	1521
A13	25	26	28	29	2	2.00	-133.93	2.35	2.21	2.10	1.99	1.85	1.70	1.55	1.44	1.33	1.24	12	505
A13	25	26	29	30	3	2.00	-132.51	3.18	3.00	2.84	2.70	2.52	2.34	2.15	1.98	1.84	1.71	17	1249
A13	26	27	28	29	1	2.20	-595.05	10.30	9.72	9.19	8.74	8.18	7.50	6.94	6.44	5.94	5.53	12	510
A13	26	27	29	30	2	2.20	-404.18	9.82	9.30	8.82	8.42	7.88	7.24	6.67	6.21	5.76	5.37	17	1385
A13	27	28	29	30	1	2.60	-492.44	54.35	52.47	50.73	49.13	46.98	44.35	41.96	39.80	37.75	35.86	88	357
Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A14	4	5	6	7	1	0.50	-4.60	0.27	0.23	0.22	0.22	0.19	0.16	0.13	0.12	0.14	0.13	35	17
A14	4	5	7	8	2	0.50	-25.58	0.86	0.73	0.67	0.61	0.52	0.41	0.32	0.24	0.26	0.21	15	386
A14	4	5	8	9	3	0.50	-21.40	0.41	0.34	0.27	0.25	0.16	0.05	0.01	0.04	0.10	0.14	6	807
A14	4	5	9	10	4	0.50	-84.71	0.29	0.19	0.10	0.04	0.07	0.20	0.28	0.37	0.45	0.51	3	6387
A14	5	6	7	8	1	1.20	-386.60	18.02	16.98	16.23	15.59	14.74	13.64	12.64	11.88	11.07	10.44	34	607
A14	5	6	8	9	2	1.20	-216.28	11.48	10.83	10.37	9.94	9.40	8.69	8.08	7.58	7.06	6.64	39	1359
A14	5	6	9	10	3	1.20	-33.15	2.67	2.54	2.42	2.29	2.17	2.01	1.87	1.72	1.60	1.50	58	521
A14	5	6	10	11	4	1.20	-18.32	1.35	1.27	1.20	1.12	1.07	1.01	0.96	0.88	0.80	0.75	53	575
A14	6	7	8	9	1	1.00	-459.57	15.36	14.56	13.86	13.20	12.35	11.35	10.47	9.72	9.07	8.42	24	866
A14	6	7	9	10	2	1.00	-48.52	2.93	2.80	2.63	2.48	2.31	2.13	1.99	1.87	1.74	1.62	43	366
A14	6	7	10	11	3	1.00	-20.38	1.10	1.04	0.98	0.94	0.88	0.81	0.74	0.70	0.67	0.61	39	384
A14	6	7	11	12	4	1.00	-11.86	0.64	0.60	0.56	0.53	0.49	0.45	0.40	0.38	0.38	0.34	37	447
A14	7	8	9	10	1	0.70	-217.18	10.70	10.17	9.66	9.19	8.60	7.92	7.30	6.78	6.32	5.87	35	585
A14	7	8	10	11	2	0.70	-51.35	2.34	2.23	2.11	1.99	1.87	1.73	1.60	1.48	1.39	1.29	33	553
A14	7	8	11	12	3	0.70	-26.05	1.19	1.15	1.09	1.03	0.98	0.89	0.81	0.75	0.71	0.67	33	702
A14	7	8	12	13	4	0.70	-28.86	1.22	1.17	1.10	1.02	0.99	0.90	0.83	0.75	0.71	0.68	30	1554

Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs./V)	ARes(ohm-m)
A14	8	9	10	11	1	0.35	-249.77	10.51	9.95	9.46	9.01	8.41	7.72	7.13	6.61	6.14	5.73	30	1345
A14	8	9	11	12	2	0.35	-83.23	4.19	3.99	3.82	3.65	3.40	3.11	2.88	2.67	2.48	2.32	36	1793
A14	8	9	12	13	3	0.35	-75.19	4.18	3.97	3.77	3.59	3.34	3.07	2.82	2.62	2.43	2.26	40	4050
A14	8	9	13	14	4	0.35	-37.25	2.29	2.17	2.06	1.96	1.82	1.68	1.54	1.43	1.33	1.23	44	4013
A14	9	10	11	12	1	0.35	-154.18	2.71	2.57	2.44	2.32	2.17	1.99	1.82	1.68	1.56	1.45	12	830
A14	9	10	12	13	2	0.35	-103.41	2.24	2.13	2.03	1.94	1.83	1.67	1.53	1.43	1.33	1.24	16	2228
A14	9	10	13	14	3	0.35	-42.81	1.25	1.18	1.11	1.07	0.99	0.90	0.84	0.77	0.74	0.66	21	2306
A14	9	10	14	15	4	0.35	-23.20	0.95	0.91	0.85	0.81	0.75	0.69	0.64	0.58	0.56	0.50	29	2499
A14	10	11	12	13	1	0.60	-646.17	10.43	9.50	8.77	8.08	7.24	6.36	5.59	4.94	4.42	3.98	9	2030
A14	10	11	13	14	2	0.60	-176.05	3.80	3.49	3.27	3.05	2.78	2.47	2.20	1.98	1.80	1.65	14	2212
A14	10	11	14	15	3	0.60	-60.69	2.00	1.86	1.75	1.66	1.52	1.38	1.24	1.12	1.01	0.92	22	1907
A14	10	11	15	16	4	0.60	-9.54	0.43	0.40	0.38	0.38	0.35	0.32	0.29	0.27	0.24	0.22	32	599
A14	11	12	13	14	1	0.70	-755.90	19.30	17.97	16.93	16.02	14.74	13.46	12.38	11.45	10.48	9.54	17	2035
A14	11	12	14	15	2	0.70	-12.06	1.01	1.08	1.04	0.94	0.93	0.72	0.57	0.43	0.44	0.60	57	130
A14	11	12	15	16	3	0.70	-16.82	0.81	0.77	0.71	0.69	0.65	0.60	0.55	0.50	0.48	0.44	34	453
A14	11	12	16	17	4	0.70	-6.37	0.26	0.25	0.22	0.23	0.21	0.19	0.17	0.15	0.15	0.15	28	343
A14	12	13	14	15	1	0.70	-576.26	19.32	18.31	17.36	16.45	15.26	13.94	12.85	11.94	11.06	10.20	24	1552
A14	12	13	15	16	2	0.70	-61.07	2.69	2.57	2.45	2.32	2.17	1.98	1.81	1.71	1.59	1.46	32	658
A14	12	13	16	17	3	0.70	-18.67	0.79	0.74	0.70	0.66	0.62	0.58	0.55	0.50	0.47	0.41	30	503
A14	12	13	17	18	4	0.70	-12.16	0.48	0.46	0.45	0.43	0.40	0.36	0.33	0.30	0.30	0.27	29	655
A14	13	14	15	16	1	0.90	-213.10	8.25	7.86	7.55	7.14	6.70	6.21	5.69	5.35	5.03	4.65	28	446
A14	13	14	16	17	2	0.90	-46.66	1.74	1.66	1.60	1.52	1.43	1.32	1.21	1.14	1.07	0.98	27	391
A14	13	14	17	18	3	0.80	-21.97	0.73	0.70	0.66	0.63	0.59	0.54	0.49	0.46	0.44	0.41	24	518
A14	13	14	18	19	4	0.80	-8.67	0.28	0.29	0.27	0.26	0.24	0.22	0.20	0.19	0.18	0.17	25	408
A14	14	15	16	17	1	0.80	-308.08	9.59	9.03	8.52	8.02	7.40	6.66	6.03	5.49	5.03	4.58	21	726
A14	14	15	17	18	2	0.80	-102.96	3.90	3.68	3.49	3.30	3.06	2.78	2.53	2.32	2.14	1.96	26	970
A14	14	15	18	19	3	0.80	-25.28	1.05	1.00	0.96	0.91	0.87	0.79	0.72	0.65	0.61	0.60	30	596
A14	14	15	19	20	4	0.80	-13.27	0.43	0.43	0.42	0.41	0.41	0.37	0.33	0.30	0.28	0.26	26	625
A14	15	16	17	18	1	0.80	-358.21	8.91	8.35	7.85	7.40	6.88	6.32	5.72	5.19	4.89	4.62	17	844
A14	15	16	18	19	2	0.80	-194.37	3.31	3.06	2.85	2.66	2.45	2.23	1.99	1.77	1.66	1.56	11	1832
A14	15	16	19	20	3	0.80	-27.84	0.32	0.28	0.27	0.24	0.22	0.21	0.19	0.16	0.14	0.14	7	656
A14	16	17	18	19	1	0.70	-106.11	5.20	4.94	4.71	4.51	4.23	3.89	3.60	3.33	3.10	2.89	35	286
A14	16	17	19	20	2	0.70	-40.94	1.17	1.10	1.04	0.99	0.91	0.83	0.77	0.72	0.67	0.62	20	441
A14	17	18	19	20	1	0.70	-216.05	15.89	15.09	14.40	13.80	13.04	12.12	11.26	10.45	9.78	9.18	54	582
								411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs./V)	ARes(ohm-m)
A15	12	13	14	15	1	0.60	-363.89	18.98	17.99	17.12	16.32	15.33	14.18	13.06	12.10	11.37	10.64	38	1143
A15	12	13	15	16	2	0.60	-112.19	5.79	5.48	5.21	4.96	4.66	4.30	3.96	3.67	3.46	3.24	37	1410
A15	12	13	16	17	3	0.60	-50.20	3.17	3.00	2.85	2.73	2.56	2.36	2.18	2.01	1.89	1.77	45	1577
A15	12	13	17	18	4	0.60	-30.63	2.03	1.94	1.85	1.79	1.69	1.51	1.38	1.28	1.23	1.17	48	1924
A15	13	14	15	16	1	1.00	-763.43	4.04	3.48	2.98	2.59	2.09	1.52	1.19	0.98	0.79	0.55	2	1439
A15	13	14	16	17	2	1.00	-205.70	5.10	4.77	4.46	4.19	3.84	3.45	3.14	2.87	2.64	2.41	16	1551
A15	13	14	17	18	3	1.00	-93.21	4.00	3.80	3.57	3.39	3.15	2.88	2.64	2.41	2.26	2.07	30	1757
A15	13	14	18	19	4	1.00	-47.93	1.79	1.71	1.61	1.52	1.40	1.28	1.17	1.06	0.99	0.89	26	1807
A15	14	15	16	17	1	0.70	-238.08	5.45	5.11	4.82	4.60	4.29	3.88	3.53	3.27	3.00	2.77	16	641
A15	14	15	17	18	2	0.70	-89.74	3.53	3.29	3.12	2.98	2.80	2.56	2.34	2.16	2.02	1.85	28	967
A15	14	15	18	19	3	0.70	-42.42	1.46	1.38	1.32	1.26	1.18	1.07	0.96	0.89	0.84	0.78	24	1142
A15	14	15	19	20	4	0.70	-21.48	0.71	0.67	0.63	0.59	0.56	0.51	0.45	0.43	0.42	0.38	23	1157

(112)

チャシャ地区IP測定データ

(113)

A15	15	16	17	18	1	0.60	-272.51	16.91	16.00	15.18	14.43	13.43	12.30	11.33	10.48	9.76	9.08	44	856
A15	15	16	18	19	2	0.60	-102.18	5.89	5.58	5.29	5.02	4.67	4.28	3.95	3.65	3.39	3.15	41	1284
A15	15	16	19	20	3	0.60	-44.68	2.61	2.45	2.34	2.21	2.07	1.91	1.76	1.62	1.53	1.42	41	1404
A15	15	16	20	21	4	0.60	-7.00	0.32	0.29	0.27	0.26	0.26	0.24	0.22	0.20	0.17	0.16	32	440
A15	16	17	18	19	1	0.60	-292.87	12.01	11.39	10.86	10.40	9.76	9.01	8.32	7.72	7.19	6.75	30	920
A15	16	17	19	20	2	0.60	-97.41	4.43	4.20	4.01	3.84	3.60	3.33	3.08	2.85	2.65	2.48	33	1224
A15	16	17	20	21	3	0.60	-13.26	0.49	0.46	0.44	0.42	0.39	0.36	0.33	0.31	0.29	0.27	26	417
A15	16	17	21	22	4	0.60	-16.36	0.71	0.68	0.64	0.61	0.56	0.53	0.48	0.44	0.41	0.39	31	1028
A15	17	18	19	20	1	0.70	-642.03	10.95	10.24	9.62	9.04	8.26	7.39	6.64	5.98	5.47	5.01	11	1729
A15	17	18	20	21	2	0.70	-59.85	0.49	0.45	0.41	0.38	0.34	0.29	0.26	0.24	0.21	0.19	5	645
A15	17	18	21	22	3	0.70	-57.54	0.72	0.67	0.66	0.60	0.55	0.47	0.42	0.38	0.35	0.33	8	1550
A15	17	18	22	23	4	0.70	-24.49	0.41	0.38	0.37	0.34	0.32	0.28	0.25	0.22	0.20	0.18	11	1319
A15	18	19	20	21	1	0.80	-196.53	0.11	0.07	0.02	0.03	0.08	0.12	0.17	0.21	0.19	0.17	1	463
A15	18	19	21	22	2	0.80	-129.56	0.48	0.43	0.38	0.31	0.24	0.21	0.17	0.12	0.08	0.07	2	1221
A15	18	19	22	23	3	0.80	-43.61	0.33	0.32	0.32	0.27	0.25	0.21	0.17	0.16	0.12	0.10	4	1028
A15	18	19	23	24	4	0.80	-11.51	0.05	0.05	0.04	0.05	0.05	0.06	0.06	0.04	0.04	0.04	4	543
A15	19	20	21	22	1	1.00	-419.21	6.97	6.65	6.33	6.10	5.75	5.13	4.52	4.24	3.84	3.35	12	790
A15	19	20	22	23	2	1.00	-94.46	2.17	2.08	1.98	1.90	1.78	1.61	1.45	1.36	1.22	1.09	16	712
A15	19	20	23	24	3	1.00	-19.25	0.20	0.18	0.18	0.17	0.16	0.14	0.13	0.12	0.10	0.10	7	363
A15	19	20	24	25	4	1.00	-9.68	0.11	0.11	0.10	0.10	0.09	0.07	0.07	0.06	0.05	0.04	7	365
A15	20	21	22	23	1	1.10	-89.39	0.44	0.38	0.33	0.28	0.21	0.16	0.09	0.05	0.01	0.02	2	153
A15	20	21	23	24	2	1.10	-12.66	0.09	0.09	0.09	0.08	0.08	0.08	0.07	0.07	0.07	0.08	6	87
A15	20	21	24	25	3	1.10	-4.59	0.05	0.04	0.05	0.04	0.04	0.04	0.04	0.04	0.03	0.03	9	79
A15	20	21	25	26	4	1.10	-3.30	0.03	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	5	113
A15	21	22	23	24	1	1.20	-75.12	0.13	0.10	0.06	0.03	0.01	0.01	0.04	0.05	0.06	0.09	1	118
A15	21	22	24	25	2	1.20	-21.39	0.03	0.02	0.01	0.00	0.00	0.01	0.02	0.02	0.02	0.03	1	134
A15	21	22	25	26	3	1.20	-13.71	0.01	0.00	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	1	215
A15	21	22	26	27	4	1.20	-25.19	0.09	0.07	0.07	0.05	0.05	0.03	0.02	0.02	0.00	0.01	1	791
A15	22	23	24	25	1	1.20	-65.75	0.13	0.14	0.15	0.15	0.16	0.18	0.19	0.18	0.18	0.18	3	103
A15	22	23	25	26	2	1.20	-34.46	0.05	0.06	0.07	0.08	0.08	0.08	0.08	0.08	0.09	0.08	2	217
A15	22	23	26	27	3	1.20	-57.12	0.08	0.07	0.04	0.01	0.01	0.03	0.06	0.05	0.06	0.08	1	897
A15	22	23	27	28	4	1.20	-44.71	0.51	0.47	0.42	0.38	0.35	0.30	0.26	0.24	0.21	0.17	6	1405
A15	23	24	25	26	1	1.30	-34.23	0.10	0.11	0.11	0.11	0.12	0.12	0.11	0.12	0.13	0.12	3	50
A15	23	24	26	27	2	1.30	-63.16	0.24	0.25	0.25	0.24	0.25	0.22	0.20	0.22	0.24	0.22	4	366
A15	23	24	27	28	3	1.30	-38.57	0.19	0.17	0.14	0.13	0.11	0.10	0.10	0.06	0.03	0.03	2	559
A15	24	25	26	27	1	0.70	-37.19	0.54	0.52	0.50	0.50	0.48	0.46	0.45	0.44	0.44	0.43	12	100
A15	24	25	27	28	2	0.70	-21.32	0.18	0.17	0.16	0.17	0.16	0.16	0.17	0.17	0.18	0.18	8	230
A15	25	26	27	28	1	0.70	-56.96	0.27	0.29	0.31	0.32	0.32	0.32	0.31	0.33	0.35	0.33	6	153
Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A16	4	5	6	7	1	0.50	-249.89	5.73	5.37	5.02	4.75	4.39	3.95	3.58	3.28	3.01	2.75	15	942
A16	4	5	7	8	2	0.50	-329.39	9.50	8.89	8.32	7.84	7.22	6.49	5.88	5.36	4.88	4.46	19	4967
A16	4	5	8	9	3	0.50	-228.54	3.51	3.20	2.95	2.67	2.34	1.98	1.66	1.39	1.16	1.01	8	8616
A16	4	5	9	10	4	0.50	-9.19	0.36	0.34	0.34	0.29	0.26	0.23	0.20	0.20	0.18	0.17	25	693
A16	5	6	7	8	1	0.50	-51.79	4.57	4.15	3.72	3.43	3.34	3.26	2.71	2.42	2.20	1.94	56	195
A16	5	6	8	9	2	0.50	-150.21	5.85	5.76	5.61	5.41	4.86	4.22	4.14	3.96	3.71	3.50	29	2265
A16	5	6	9	10	3	0.50	-15.84	1.32	1.30	1.23	1.16	1.07	0.98	0.91	0.87	0.82	0.75	61	597
A16	5	6	10	11	4	0.50	-4.68	0.39	0.37	0.34	0.33	0.31	0.30	0.28	0.26	0.23	0.22	61	353

チャンヤ地区IP測定データ

A16	6	7	8	9	1	0.60	-873.91	56.91	54.09	51.51	49.27	46.28	42.68	39.59	36.88	34.91	33.11	48	2745
A16	6	7	9	10	2	0.60	-96.32	8.78	8.35	7.96	7.61	7.20	6.67	6.19	5.75	5.42	5.12	67	1210
A16	6	7	10	11	3	0.60	-28.92	2.53	2.37	2.24	2.16	2.02	1.86	1.74	1.63	1.52	1.44	63	908
A16	6	7	11	12	4	0.60	-8.85	0.82	0.76	0.72	0.68	0.64	0.62	0.58	0.51	0.47	0.46	66	556
A16	7	8	9	10	1	0.60	-389.42	27.12	25.72	24.45	23.35	21.94	20.23	18.74	17.38	16.13	15.06	50	1223
A16	7	8	10	11	2	0.60	-82.89	6.09	5.77	5.51	5.27	4.96	4.57	4.23	3.94	3.66	3.42	53	1042
A16	7	8	11	12	3	0.60	-20.89	1.78	1.68	1.61	1.55	1.46	1.34	1.23	1.14	1.08	1.02	62	656
A16	7	8	12	13	4	0.60	-3.52	0.25	0.23	0.22	0.22	0.22	0.20	0.17	0.14	0.13	0.13	50	221
A16	8	9	10	11	1	0.50	-430.35	29.25	27.87	26.61	25.46	23.92	22.11	20.52	19.10	17.86	16.74	50	1622
A16	8	9	11	12	2	0.50	-56.37	5.82	5.53	5.28	5.06	4.75	4.39	4.08	3.79	3.55	3.32	76	850
A16	8	9	12	13	3	0.50	-5.70	0.48	0.47	0.47	0.44	0.41	0.38	0.34	0.32	0.30	0.28	64	215
A16	8	9	13	14	4	0.50	-5.72	0.44	0.44	0.45	0.42	0.38	0.34	0.29	0.28	0.27	0.23	58	431
A16	9	10	11	12	1	0.50	-260.97	23.75	22.60	21.59	20.65	19.41	17.93	16.62	15.52	14.55	13.65	67	984
A16	9	10	12	13	2	0.50	-14.27	1.53	1.47	1.43	1.39	1.32	1.25	1.18	1.13	1.08	1.04	86	215
A16	9	10	13	14	3	0.50	-9.40	0.66	0.58	0.54	0.53	0.52	0.49	0.46	0.42	0.39	0.36	49	355
A16	9	10	14	15	4	0.50	-5.12	0.34	0.30	0.28	0.28	0.27	0.24	0.23	0.21	0.20	0.19	46	386
A16	10	11	12	13	1	0.70	-83.09	6.99	6.65	6.35	6.08	5.72	5.28	4.90	4.58	4.29	4.01	62	224
A16	10	11	13	14	2	0.70	-39.18	2.56	2.44	2.33	2.24	2.10	1.93	1.78	1.67	1.59	1.48	48	422
A16	10	11	14	15	3	0.70	-15.81	0.99	0.93	0.88	0.84	0.80	0.73	0.66	0.65	0.63	0.56	45	426
A16	10	11	15	16	4	0.70	-12.52	0.68	0.64	0.60	0.57	0.56	0.51	0.46	0.48	0.48	0.40	41	674
A16	11	12	13	14	1	0.35	-228.82	12.86	12.27	11.72	11.23	10.53	9.73	9.02	8.40	7.85	7.32	41	1232
A16	11	12	14	15	2	0.35	-65.52	3.86	3.68	3.51	3.36	3.15	2.90	2.68	2.50	2.34	2.18	43	1411
A16	11	12	15	16	3	0.35	-40.68	2.32	2.23	2.13	2.01	1.90	1.77	1.64	1.52	1.42	1.33	42	2191
A16	11	12	16	17	4	0.35	-16.84	0.95	0.92	0.87	0.81	0.77	0.72	0.67	0.61	0.58	0.54	41	1814
A16	12	13	14	15	1	0.30	-304.16	6.36	5.99	5.65	5.36	4.96	4.48	4.07	3.72	3.45	3.25	14	1911
A16	12	13	15	16	2	0.30	-114.26	2.48	2.34	2.22	2.09	1.93	1.75	1.59	1.45	1.34	1.26	15	2872
A16	12	13	16	17	3	0.30	-33.59	0.68	0.65	0.60	0.57	0.53	0.47	0.44	0.43	0.40	0.35	14	2110
A16	12	13	17	18	4	0.30	-8.96	0.39	0.38	0.35	0.33	0.31	0.27	0.24	0.24	0.24	0.22	30	1126
A16	13	14	15	16	1	0.50	-852.14	10.95	10.26	9.63	9.06	8.38	7.53	6.81	6.25	5.77	5.37	9	3212
A16	13	14	16	17	2	0.50	-151.69	1.57	1.50	1.42	1.31	1.20	1.08	0.98	0.90	0.83	0.78	7	2287
A16	13	14	17	18	3	0.50	-33.72	1.10	1.03	0.97	0.93	0.86	0.79	0.73	0.67	0.62	0.58	23	1271
A16	13	14	18	19	4	0.50	-35.58	1.16	1.10	1.04	1.00	0.93	0.86	0.79	0.72	0.67	0.61	23	2683
A16	14	15	16	17	1	0.60	-277.10	3.02	2.81	2.65	2.51	2.32	2.03	1.85	1.72	1.59	1.41	7	871
A16	14	15	17	18	2	0.60	-40.22	1.21	1.14	1.08	1.03	0.96	0.86	0.80	0.74	0.69	0.63	21	505
A16	14	15	18	19	3	0.60	-38.03	1.11	1.05	0.98	0.95	0.87	0.81	0.74	0.68	0.64	0.59	21	1195
A16	14	15	19	20	4	0.60	-26.53	0.73	0.69	0.63	0.61	0.56	0.53	0.48	0.45	0.43	0.39	19	1667
A16	15	16	17	18	1	0.70	-182.48	4.98	4.69	4.46	4.23	3.93	3.57	3.29	3.05	2.81	2.60	19	491
A16	15	16	18	19	2	0.70	-131.43	3.69	3.49	3.32	3.16	2.93	2.67	2.47	2.30	2.11	1.95	20	1416
A16	15	16	19	20	3	0.70	-79.70	2.22	2.09	1.95	1.86	1.73	1.56	1.45	1.33	1.24	1.16	19	2146
A16	15	16	20	21	4	0.70	-23.24	0.54	0.51	0.47	0.45	0.42	0.37	0.35	0.32	0.29	0.27	16	1251
A16	16	17	18	19	1	0.90	-533.70	4.60	4.12	3.69	3.38	2.94	2.29	1.85	1.56	1.21	1.02	4	1118
A16	16	17	19	20	2	0.90	-225.50	2.33	2.10	1.90	1.75	1.52	1.22	1.06	0.90	0.71	0.63	5	1889
A16	16	17	20	21	3	0.90	-55.63	0.34	0.30	0.26	0.23	0.18	0.13	0.11	0.07	0.03	0.03	2	1165
A16	16	17	21	22	4	0.90	-16.29	0.06	0.06	0.05	0.05	0.06	0.05	0.02	0.03	0.02	0.02	2	683
A16	17	18	19	20	1	0.50	-379.71	7.30	6.92	6.56	6.22	5.82	5.36	4.92	4.51	4.23	4.01	14	1431
A16	17	18	20	21	2	0.50	-64.83	0.86	0.82	0.78	0.74	0.68	0.62	0.58	0.53	0.48	0.45	9	978
A16	17	18	21	22	3	0.50	-16.96	0.22	0.21	0.20	0.20	0.18	0.15	0.14	0.14	0.14	0.12	9	639

チャシャ地区IP測定データ

Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A16	17	18	22	23	4	0.50	-14.43	0.24	0.23	0.22	0.21	0.20	0.18	0.16	0.16	0.14	0.13	12	1088
A16	18	19	20	21	1	0.60	-236.41	3.53	3.32	3.11	2.92	2.73	2.50	2.24	2.07	1.93	1.79	10	743
A16	18	19	21	22	2	0.60	-46.03	0.58	0.54	0.51	0.48	0.45	0.41	0.37	0.34	0.32	0.29	9	578
A16	18	19	22	23	3	0.60	-35.35	0.56	0.52	0.49	0.47	0.44	0.39	0.35	0.32	0.30	0.27	11	1111
A16	18	19	23	24	4	0.60	-21.61	0.40	0.38	0.35	0.33	0.30	0.27	0.24	0.23	0.22	0.20	12	1358
A16	19	20	21	22	1	0.70	-130.41	0.61	0.56	0.53	0.49	0.44	0.39	0.35	0.31	0.27	0.25	3	351
A16	19	20	22	23	2	0.70	-73.16	0.61	0.56	0.53	0.50	0.46	0.41	0.38	0.34	0.30	0.28	5	788
A16	19	20	23	24	3	0.70	-37.52	0.44	0.41	0.38	0.36	0.33	0.29	0.26	0.24	0.22	0.20	8	1010
A16	20	21	22	23	1	0.70	-214.60	0.95	1.03	1.10	1.15	1.22	1.30	1.35	1.40	1.45	1.46	6	578
A16	20	21	23	24	2	0.70	-23.96	0.18	0.16	0.16	0.14	0.13	0.12	0.10	0.09	0.08	0.08	5	258
A16	21	22	23	24	1	1.00	-38.02	0.86	0.82	0.78	0.75	0.70	0.65	0.60	0.56	0.52	0.49	17	72
A17	6	7	4	5	1	2.00	-37.88	0.37	0.37	0.36	0.35	0.33	0.32	0.31	0.29	0.28	0.26	8	36
A17	7	8	4	5	2	2.00	-360.46	6.68	6.03	5.42	5.06	4.58	4.11	3.98	3.75	3.33	2.97	12	1359
A17	8	9	4	5	3	2.00	-81.31	2.08	1.94	1.84	1.76	1.66	1.51	1.39	1.30	1.21	1.12	18	766
A17	9	10	4	5	4	2.00	-29.81	1.52	1.45	1.40	1.34	1.25	1.15	1.07	1.00	0.93	0.88	38	562
A17	7	8	5	6	1	2.00	-841.81	13.24	11.84	10.56	9.80	8.79	7.84	7.66	7.22	6.33	5.58	9	793
A17	8	9	5	6	2	2.00	-119.72	2.88	2.69	2.56	2.46	2.31	2.11	1.95	1.82	1.71	1.58	17	451
A17	9	10	5	6	3	2.00	-37.37	1.79	1.70	1.63	1.56	1.46	1.35	1.24	1.15	1.08	1.01	35	352
A17	10	11	5	6	4	2.90	-37.01	2.53	2.40	2.29	2.19	2.06	1.90	1.76	1.64	1.54	1.45	50	481
A17	8	9	6	7	1	2.00	-233.95	6.86	6.43	6.10	5.86	5.48	4.98	4.58	4.26	3.97	3.69	21	220
A17	9	10	6	7	2	2.00	-56.09	3.07	2.91	2.78	2.65	2.47	2.27	2.11	1.96	1.82	1.71	39	211
A17	10	11	6	7	3	2.90	-49.09	3.55	3.37	3.21	3.07	2.89	2.66	2.47	2.30	2.15	2.02	53	319
A17	11	12	6	7	4	2.90	-13.16	0.93	0.88	0.85	0.82	0.78	0.72	0.66	0.61	0.56	0.54	52	171
A17	9	10	7	8	1	2.00	-786.35	35.81	33.96	32.36	30.86	28.92	26.66	24.70	22.97	21.38	20.02	33	741
A17	10	11	7	8	2	2.90	-479.41	30.86	29.33	27.98	26.75	25.11	23.15	21.47	20.03	18.71	17.52	47	1246
A17	11	12	7	8	3	2.90	-111.04	7.11	6.77	6.48	6.20	5.83	5.38	4.98	4.64	4.35	4.10	47	722
A17	12	13	7	8	4	2.20	-42.35	3.40	3.23	3.08	2.96	2.78	2.55	2.35	2.21	2.08	1.94	59	726
A17	10	11	8	9	1	1.45	-888.65	41.76	39.60	37.71	36.00	33.75	31.10	28.77	26.73	24.97	23.38	34	1155
A17	11	12	8	9	2	2.90	-286.88	14.39	13.70	13.07	12.52	11.78	10.89	10.14	9.45	8.85	8.29	37	746
A17	12	13	8	9	3	2.20	-113.91	7.55	7.18	6.85	6.56	6.17	5.68	5.26	4.92	4.61	4.31	48	976
A17	13	14	8	9	4	2.40	-40.85	3.49	3.38	3.37	3.37	3.25	3.01	2.77	2.54	2.32	2.12	69	642
A17	11	12	9	10	1	2.90	-628.71	22.97	21.81	20.76	19.82	18.58	17.09	15.83	14.72	13.75	12.85	26	409
A17	12	13	9	10	2	2.20	-199.58	10.77	10.22	9.73	9.28	8.67	7.98	7.39	6.86	6.40	5.98	39	584
A17	13	14	9	10	3	2.40	-60.39	4.96	4.70	4.61	4.65	4.57	4.25	3.90	3.55	3.24	2.96	65	474
A17	14	15	9	10	4	2.40	-28.31	2.31	2.20	2.11	2.01	1.88	1.74	1.62	1.51	1.38	1.28	60	445
A17	12	13	10	11	1	2.20	-934.82	32.13	30.41	28.88	27.49	25.65	23.58	21.81	20.25	18.82	17.53	25	801
A17	13	14	10	11	2	2.40	-207.31	15.50	14.70	13.99	13.36	12.52	11.53	10.67	9.92	9.26	8.67	54	651
A17	14	15	10	11	3	2.40	-89.03	6.30	5.99	5.74	5.48	5.20	4.85	4.50	4.18	3.89	3.67	52	699
A17	15	16	10	11	4	2.00	-33.30	2.11	1.99	1.90	1.81	1.69	1.57	1.44	1.32	1.24	1.18	45	628
A17	13	14	11	12	1	2.40	-246.80	11.96	11.31	10.75	10.24	9.58	8.80	8.12	7.52	7.00	6.53	35	194
A17	14	15	11	12	2	2.40	-78.16	3.90	3.71	3.53	3.36	3.15	2.91	2.70	2.51	2.34	2.18	36	246
A17	15	16	11	12	3	2.00	-25.57	1.13	1.07	1.02	0.96	0.89	0.82	0.76	0.70	0.65	0.61	31	241
A17	16	17	11	12	4	2.00	-22.35	1.07	1.00	0.94	0.88	0.84	0.77	0.70	0.66	0.62	0.57	33	421
A17	14	15	12	13	1	2.40	-382.32	8.67	8.18	7.75	7.36	6.87	6.27	5.76	5.32	4.94	4.58	16	300
A17	15	16	12	13	2	2.00	-97.36	1.75	1.64	1.56	1.49	1.39	1.28	1.22	1.14	1.07	0.92	13	367
A17	16	17	12	13	3	2.00	-78.51	1.96	1.84	1.74	1.66	1.56	1.43	1.31	1.21	1.13	1.05	18	740

チャシヤ地区IP測定データ

A17	17	18	12	13	4	2.40	-46.47	1.45	1.38	1.31	1.25	1.16	1.07	0.98	0.92	0.86	0.81	22	730
A17	15	16	13	14	1	2.00	-980.96	8.33	7.81	7.47	7.22	6.66	5.87	5.71	5.43	5.04	3.94	6	925
A17	16	17	13	14	2	2.00	-491.82	6.62	6.23	5.86	5.52	5.08	4.62	4.22	3.89	3.60	3.32	9	1854
A17	17	18	13	14	3	2.40	-227.63	3.91	3.68	3.49	3.31	3.09	2.82	2.58	2.40	2.22	2.08	12	1788
A17	18	19	13	14	4	2.00	-116.01	2.02	1.96	1.82	1.54	1.28	1.19	1.11	0.94	0.76	0.65	10	2187
A17	16	17	14	15	1	2.00	-990.46	12.64	11.87	11.15	10.52	9.77	8.89	8.08	7.39	6.80	6.30	9	933
A17	17	18	14	15	2	2.40	-42.71	4.81	4.58	4.26	3.91	3.71	3.81	3.59	3.11	2.89	2.98	83	134
A17	18	19	14	15	3	2.00	-132.50	1.47	1.42	1.29	1.00	0.76	0.71	0.64	0.46	0.30	0.21	5	1249
A17	19	20	14	15	4	2.00	-82.20	1.47	1.40	1.33	1.27	1.18	1.08	1.00	0.92	0.85	0.79	13	1549
A17	17	18	15	16	1	1.20	-855.82	14.26	13.40	12.69	12.10	11.20	10.00	9.09	8.45	7.80	7.12	11	1344
A17	18	19	15	16	2	2.00	-402.34	6.95	6.54	6.30	6.42	6.54	5.98	4.97	4.84	4.73	4.61	14	1517
A17	19	20	15	16	3	2.00	-183.34	4.36	4.13	3.93	3.74	3.49	3.19	2.93	2.70	2.51	2.33	17	1728
A17	20	21	15	16	4	2.00	-84.94	2.29	2.19	2.08	1.98	1.83	1.68	1.53	1.40	1.31	1.22	19	1601
A17	18	19	16	17	1	1.00	-664.17	7.80	7.31	7.13	7.48	7.90	7.22	5.77	5.73	5.71	5.68	10	1252
A17	19	20	16	17	2	2.00	-429.51	8.18	7.73	7.33	6.96	6.48	5.93	5.47	5.07	4.69	4.37	13	1619
A17	20	21	16	17	3	2.00	-183.64	4.34	4.12	3.91	3.70	3.40	3.10	2.84	2.61	2.41	2.23	16	1731
A17	21	22	16	17	4	2.40	-15.49	0.17	0.14	0.14	0.14	0.12	0.12	0.11	0.08	0.08	0.07	7	243
A17	19	20	17	18	1	0.67	-718.87	8.66	8.16	7.71	7.30	6.78	6.19	5.69	5.23	4.82	4.51	8	2033
A17	20	21	17	18	2	2.00	-629.97	13.62	12.91	12.23	11.64	10.83	9.93	9.14	8.46	7.86	7.31	15	2375
A17	21	22	17	18	3	2.40	-47.71	0.51	0.46	0.45	0.43	0.39	0.37	0.35	0.30	0.28	0.25	7	375
A17	22	23	17	18	4	2.00	-7.34	0.00	0.01	0.02	0.02	0.03	0.03	0.02	0.04	0.04	0.04	4	138
A17	20	21	18	19	1	1.00	-822.60	21.28	20.09	19.08	18.16	16.97	15.55	14.32	13.24	12.30	11.50	18	1551
A17	21	22	18	19	2	2.40	-100.02	1.57	1.50	1.42	1.36	1.26	1.16	1.09	1.01	0.93	0.88	11	314
A17	22	23	18	19	3	2.00	-13.78	0.12	0.11	0.10	0.09	0.08	0.07	0.06	0.05	0.05	0.05	5	130
A17	23	24	18	19	4	2.40	-11.37	0.09	0.09	0.08	0.07	0.05	0.06	0.06	0.06	0.06	0.05	5	179
A17	21	22	19	20	1	2.40	-545.82	10.02	9.47	8.98	8.56	7.99	7.32	6.76	6.26	5.82	5.44	13	429
A17	22	23	19	20	2	2.00	-60.50	0.92	0.88	0.84	0.80	0.75	0.70	0.65	0.62	0.58	0.53	11	228
A17	23	24	19	20	3	2.40	-38.69	0.34	0.32	0.30	0.28	0.25	0.24	0.23	0.23	0.22	0.20	6	304
A17	22	23	20	21	1	2.00	-149.54	0.51	0.49	0.46	0.44	0.40	0.37	0.33	0.32	0.30	0.27	2	141
A17	23	24	20	21	2	2.40	-58.97	0.22	0.21	0.20	0.18	0.17	0.16	0.15	0.15	0.14	0.13	3	185
A17	23	24	21	22	1	2.40	-35.03	0.11	0.11	0.10	0.10	0.09	0.08	0.07	0.07	0.07	0.07	2	28
Line	C1	C2	P1	P2	n	I(A)	V0(mV)	411.20	462.60	514.00	565.40	616.80	693.90	796.70	899.50	1002.30	1105.10	IP(mVs/V)	ARes(ohm-m)
A18	2	3	0	1	1	0.23	-602.32	11.28	10.64	10.01	9.44	8.79	7.97	7.28	6.67	6.11	5.62	13	4936
A18	3	4	0	1	2	0.30	-143.99	2.76	2.59	2.47	2.36	2.19	2.03	1.89	1.76	1.72	1.70	14	3619
A18	4	5	0	1	3	0.30	-70.45	1.36	1.30	1.20	1.12	1.04	0.95	0.87	0.81	0.75	0.70	13	4427
A18	5	6	0	1	4	0.35	-35.30	0.52	0.49	0.47	0.43	0.39	0.36	0.35	0.34	0.31	0.29	10	3802
A18	3	4	1	2	1	0.30	-750.26	17.76	16.68	15.84	15.11	14.00	12.93	11.96	11.06	10.45	9.97	17	4714
A18	4	5	1	2	2	0.30	-223.39	5.69	5.40	5.07	4.79	4.48	4.07	3.73	3.44	3.22	3.03	18	5614
A18	5	6	1	2	3	0.35	-84.07	1.94	1.85	1.76	1.68	1.57	1.46	1.37	1.28	1.20	1.13	17	4528
A18	6	7	1	2	4	0.70	-25.14	0.35	0.34	0.32	0.29	0.26	0.25	0.23	0.21	0.19	0.18	10	1354
A18	4	5	2	3	1	0.30	-996.45	19.42	18.40	17.20	16.26	15.13	13.69	12.50	11.46	10.73	10.07	13	6261
A18	5	6	2	3	2	0.35	-260.99	4.05	3.83	3.62	3.41	3.17	2.91	2.68	2.49	2.30	2.15	11	5622
A18	6	7	2	3	3	0.70	-65.03	0.50	0.49	0.45	0.41	0.37	0.35	0.32	0.28	0.25	0.24	5	1751
A18	7	8	2	3	4	1.00	-40.51	0.16	0.15	0.14	0.12	0.12	0.11	0.08	0.06	0.05	0.04	2	1527
A18	5	6	3	4	1	0.35	-734.07	13.22	12.48	11.80	11.18	10.42	9.57	8.83	8.17	7.59	7.08	13	3953
A18	6	7	3	4	2	0.70	-126.96	1.26	1.20	1.12	1.05	0.97	0.90	0.80	0.71	0.67	0.63	7	1367
A18	7	8	3	4	3	1.00	-65.10	0.38	0.35	0.32	0.29	0.25	0.23	0.19	0.17	0.16	0.12	3	1227