Appendix 12 Description of thin sections for drilling survey

Ser. No.	Sample No.	District	Coordination		Rock Name	Texture	Phenocrysts, crystals									Secondary Minerals																Remarks
			S	W			quartz	K-feldspar	plagioclase	biotite	hornblende	apatite	zircon	titanite	magnetite	quartz	albite	muscovite	biotite	sericite	chlorite	epidote	phengite	carbonate	rutile	leucoxene	chalcopyrite	pyrite	magnetite	ilmenite	titanite	
1	MJBA-14-42.00	Block B	9°22'31"	57°29'05"	Biotite leucogranite	Inequigranular texture	○	◎	◎	●			·	·	·			·			·	·		·	·	·		·				
2	MJBA-15-77.50	Block B	9°22'22"	57°28'56"	Biotite granite	Inequigranular texture	○	◎	◎	●		·	·	·	·			·			·	·		·	·	·		·				
3	MJBA-16-62.10	Block B	9°22'17"	57°28'51"	Biotite granite	Inequigranular texture	○	◎	◎	●		·	·	·	·			·			·	·		·	·	·						
4	MJBA-17-38.00	Block B	9°24'03"	57°27'17"	Porphyritic biotite leucogranite	Inequigranular and porphyritic texture	○	◎	◎	●			·	·	·			·			·	·		·	·	·	·	·				
5	MJBA-18-80.20	Block C	9°30'26"	56°34'56"	Biotite monzonite	Granitic texture	◎	○	◎	●		·	·	●	·				·	·	·			·	·			·	·		·	
6	MJBA-19-76.30	Block C	9°30'24"	56°35'13"	Biotite granite with biotitization and epidotization	Granitic texture	○	◎	◎	●		·	·	●	·	·			·	·				·	·			·	·		·	
7	MJBA-20-58.90	Block C	9°30'06"	56°35'14"	Hornblende-biotite granite	Granitic texture	◎	○	◎	●	●	·	·	●	●	·				·	·			·	·			·			·	
8	MJBA-21-72.90	Block C	9°30'04"	56°35'12"	Granitic rock with albitization and biotitization	Granitic texture	●	○	◎	○		·	·	●	●	·	·		·	·		·		·				·	·		·	
9	MJBA-22-75.40	Block C	9°30'03"	56°35'11"	Hornblende-biotite granite strongly altered	Granitic texture	●	◎	◎	●	●	·	·	●	·	·				·	·	·		·	·			·			·	
10	MJBA-23-66.70	Block C	9°30'00"	56°35'24"	Altered biotite granite	Granitic texture	◎	○	◎	○		·	·	●		·	·		·	·			·		·			·		·	·	
11	MJBA-24-41.00	Block G	9°57'23"	55°18'34"	Biotite monzonite to granodiorite strongly altered	Inequigranular to porphyritic texture	◎	○	◎	○		·	·	·	·	·	·		·	·	·			·	·			·	·	·		
12	MJBA-24-81.00	Block G	9°57'23"	55°18'34"	Biotite granodiorite	Inequigranular to porphyritic texture	○	○	◎	●		·	·	●		·	·		·	·	·			·	·		·	·		·		
13	MJBA-25-74.00	Block G	9°57'12"	55°18'41"	Leucogranite	Granitic texture	◎	◎	◎							·	·						·	·	·			·				
14	MJBA-25-98.00	Block G	9°57'12"	55°18'41"	Hydrothermalized granite	Brecciated aspect and incipient orientation	○	◎	◎				·	·		·				·	·	·		·				·				
15	MJBA-26-68.20	Block G	9°57'09"	55°18'53"	Biotite granite granodiorite deformed and strongly altered	Altered and deformed with granitic texture	○	○	·	●			·	·						·	·			·	·			·		·		
16	MJBA-26-95.00	Block G	9°57'09"	55°18'53"	Altered andesite	Porphyritic texture		●	◎		○									·	·							·				

◎: abundant, ○: common, ●: a little, ·: rare

Appendix 13 Description of polished ores for drilling survey

Ser. No.	Sample No.	District	Coordination		Description	Phenocrysts, crystals																		Gangue Minerals						Remarks
			S	W		pyrite	goethite	hematite	limonite	magnetite	ilmenite	chalcopyrite	chalcocite	covellite	bornite	sphalerite	galena	bismuthinite	bismuth	pyrrhotite	telluride	gold grain	quartz	feldspar	phyllosilicates	zircon	titanite	rutile/anatase	
1	MJBA-14-44.05	Block B	9°22'31"	57°29'05"	Pyrite dissemination in sheared zone with strong chlorite along the shearing in granite.	◎				●		●				●							◎	○	●				
2	MJBA-15-99.30	Block B	9°22'22"	57°28'56"	Pyrite dissemination in sheared zone with strong chlorite along the shearing and fracture in granite.	◎				●		●				●				●	?		◎	○	●				
3	MJBA-16-64.15	Block B	9°22'17"	57°28'51"	Pyrite dissemination in sheared zone with strong chlorite along the shearing and fracture in granite.	◎				●													◎	○	●				
4	MJBA-17-38.05	Block B	9°24'03"	57°27'17"	Pyrite dissemination in silicified granite and fracture.	◎				●		●											◎	○	●			·	
5	MJBA-18-83.10	Block C	9°30'26"	56°34'56"	Pyrite dissemination in granite with strong chlorite.	◎					●	●				●		●		●		·						·	
6	MJBA-19-76.40	Block C	9°30'24"	56°35'13"	Strong pyrite dissemination along shearing with strong epidote-chlorite, silicification.	◎					●	●					●												·	
7	MJBA-20-54.80	Block C	9°30'06"	56°35'14"	Pyrite dissemination in silicified and altered rock with oxidized minerals (hematite).	◎	●		●			●	●	●		●	●													
8	MJBA-21-43.95	Block C	9°30'04"	56°35'12"	Pyrite and Chalcopyrite dissemination in sheared zone with strong silicification.	◎					●	●	●			●	●						◎						·	
9	MJBA-21-73.30	Block C	9°30'04"	56°35'12"	Pyrite and Chalcopyrite dissemination and veins in potassium alteration.	◎						●						●	●	●			◎	○	●			·	
10	MJBA-22-75.80	Block C	9°30'03"	56°35'11"	Pyrite dissemination in strong sheared rock with strong potassium-alteration, chloritization, silicification,.	◎					●	●				●	●												·	
11	MJBA-23-68.25	Block C	9°30'00"	56°35'24"	Pyrite dissemination in altered rock with strong silicification sericitization and chloritization.	◎					●																			
12	MJBA-24-54.00	Block G	9°57'23"	55°18'34"	Shearing in granite with films and dissemination of pyrite.	◎	●		●			●																	·	
13	MJBA-24-71.00	Block G	9°57'23"	55°18'34"	Shearing in granite with films and dissemination of pyrite.	◎						●																	·	
14	MJBA-24-98.00	Block G	9°57'23"	55°18'34"	Shearing in granite with films and dissemination of pyrite	◎	●		●			●																	·	
15	MJBA-25-36.30	Block G	9°57'12"	55°18'41"	Dark milky quartz. Vein with cubic pyrite and fine pyrite dissemination.	◎	●		●			●																		
16	MJBA-25-64.00	Block G	9°57'12"	55°18'41"	Sheared granite with pyrite and chalcopyrite dissemination.	◎		●		●		●	●		●	●						·							·	
17	MJBA-26-82.00	Block G	9°57'09"	55°18'53"	Shearing in granite with films of pyrite.	◎																								

◎: abundant, ○: common, ●: a little, ·: rare

Appendix 14 Results of X-ray diffraction analyses for drilling survey

Ser. No.	Sample No.	District	Coordination		Descriptions	Detected Minerals										Remarks
			S	W		quartz	K-feldspar	albite	kaolinite	smectite	chlorite	calcite	muscovite	hornblende	pyrite	
1	MJBA- 14 - 44.35 m	Block B	9°22'31"	57°29'05"	pyrite disseminated in sheared granite	◎	◎	◎			·		◎		·	
2	MJBA- 15 - 92.00 m	Block B	9°22'22"	57°28'56"	epidote-chlorite-clay in sheared granite	◎	○	◎		●			◎			
3	MJBA- 16 - 64.15 m	Block B	9°22'17"	57°28'51"	weak pyrite disseminated in sheared granite	◎	○	◎			●		◎		●	
4	MJBA- 17 - 38.00 m	Block B	9°24'03"	57°27'17"	pyrite dissemination and films in sheared granite	◎	○	◎					○		·	
5	MJBA- 18 - 83.10 m	Block C	9°30'26"	56°34'56"	pyrite dissemination in fractured granite	◎	◎	◎					◎		·	
6	MJBA- 19 - 76.40 m	Block C	9°30'24"	56°35'13"	quartz veinlets in fractured granite	◎						·	◎		·	
7	MJBA- 19 - 82.85 m	Block C	9°30'24"	56°35'13"	strongly silicified and breached rock with pyrite dissemination	◎	◎	◎					◎			
8	MJBA- 20 - 55.10 m	Block C	9°30'06"	56°35'14"	strongly silicified and argillized rock with pyrite dissemination	◎			●				◎			
9	MJBA- 21 - 73.30 m	Block C	9°30'04"	56°35'12"	strongly sheared and K-altered zone with pyrite and chalcopyrite dissemination		◎	◎					◎		○	
10	MJBA- 22 - 75.80 m	Block C	9°30'03"	56°35'11"	sheared zone with K-alteration and pyrite dissemination		◎	◎					◎		·	
11	MJBA- 23 - 68.25 m	Block C	9°30'00"	56°35'24"	strongly sheared zone with silicification and epidote and chlorite films	◎					tr		◎		●	
12	MJBA- 24 - 36.20 m	Block G	9°57'23"	55°18'34"	strongly sheared, brecciaed and silicified granite with spotted pyrite	◎	○	●	●	●			◎			
13	MJBA- 24 - 71.00 m	Block G	9°57'23"	55°18'34"	strongly sheared, brecciaed and silicified granite with spotted pyrite	●	◎	◎			○		◎		○	
14	MJBA- 25 - 54.50 m	Block G	9°57'12"	55°18'41"	weathered diabase	◎	●	◎	●	○			○	○	●	
15	MJBA- 25 - 74.00 m	Block G	9°57'12"	55°18'41"	pyrite dissemination and films in fine grained granite	◎	◎	◎			◎		·			
16	MJBA- 25 - 98.00 m	Block G	9°57'12"	55°18'41"	sheared granite with pyrite dissemination	◎	○	◎			◎				·	
17	MJBA- 26 - 68.20 m	Block G	9°57'09"	55°18'53"	sheared and silicified granite with epidote and K-alteration and pyrite dissemination	◎	◎	◎			◎		·		·	
18	MJBA- 26 - 82.00 m	Block G	9°57'09"	55°18'53"	strongly sheared and brecciaed granite with epidote-K-alteration	◎	◎	◎					◎			

◎: abundant, ○: common, ●: a little, ·: rare

Appendix 15 Analytical results and histogram of fluid inclusion for the drilling survey

Ser. No.	Sample No.	District	Coordination		Rock Name	Temperature (°C)			Salinity (%)		Au
			S	W		Number	Range	Average	Number	Nacl eq.	(g/t)
1	MJBA-16-51.00M	Block B	9°22'17"	57°28'51"	Quartz vein	30	72.5 - 238.8	140.2		14.9	0.06
2	MJBA-21-43.95m	Block C	9°30'04"	56°35'12"	Quartz vein	20	280.5 - 349.8	315.2		15	<0.01
3	MJBA-22-66.35m	Block C	9°30'03"	56°35'11"	Quartz vein	30	103.8 - 123.3	115		>23.2	0.01
4	MJBA-25-33.20m	Block G	9°57'12"	55°18'41"	Quartz vein	30	113.8 - 306.8	199.1		17.6	0.03

Temperatures and Salinities of Fluid Inclusions

Type of fluid inclusion	Sample No.	Th: L+V			Tm: Ice									Salinity(%) (NaCl eq.)
		Num.	Range	Ave.	Num.	Range	Ave.							
H_2O	MJBA-16-51.00m	30	72.5 - 238.8	140.2	10	-15.0 - -5.0	-10.9							14.9
H_2O	MJBA-22-66.35m	30	103.8 - 123.3	115.0	11	-27.1 - -19.2	-22.2							>23.2 *
H_2O	MJBA-25-33.20m	30	113.8 - 306.8	199.1	10	-14.9 - -12.7	-13.8							17.6
		Th: CO_2+H_2O			Th: CO_2(L)+CO_2(V)			Tm: CO_2 Clathrate			Tm: Dryice			
		Num.	Range	Ave.	Num.	Range	Ave.	Num.	Range	Ave.	Num.	Range	Ave.	
H_2O-CO_2	MJBA-21-43.95m	20	280.5 - 349.8	315.2	5	21.3 - 28.7	26.4	5	0.1 - 1.0	0.5	5	-60.3 - -59.0	-59.5	15.0

*：本文参照


MJBA-16-51.00m
Furequency
0
2
4
6
8
50
100
150
200
250
300
350
400
Temperature of Homogenization (℃)


MJBA-22-66.35m
Furequency
0
5
10
15
20
25
30
50
100
150
200
250
300
350
400
Temperature of Homogenization (℃)


MJBA-25-33.20m
Furequency
0
2
4
6
50
100
150
200
250
300
350
400
Temperature of Homogenization (℃)


Furequency
6
4
2
0
MJBA-21-43.95m
50
100
150
200
250
300
350
400
Temperature of Homogenization (℃)

MJBA-16-51.00m

Area%:V	Th:L-V	Tm:Ice
10	104.0	-15.0
15	109.1	-14.5
10	88.5	-14.1
10	94.6	-13.2
10	139.6	-12.7
10	80.5	-12.8
20	238.8	-7.1
20	235.6	-7.0
25	241.6	-7.8
20	149.4	-5.0
10	112.4	
10	86.2	
10	92.3	
10	72.5	
10	82.1	
15	135.7	
15	162.7	
20	197.4	
10	97.1	
10	117.5	
10	135.4	
10	139.4	
20	166.7	
10	111.7	
15	136.0	
15	139.0	
20	175.4	
20	182.2	
20	188.9	
20	194.5	

MJBA-22-66.35m

Area%:V	Th:L-V	Tm:Ice
10	113.2	-19.2
10	119.1	-19.6
10	111.5	-19.4
10	116.3	-19.6
10	106.6	-19.5
10	115.5	-24.3
10	118.2	-25.1
10	105.0	-27.1
10	114.9	-24.4
10	117.1	-25.0
10	118.4	-21.0
10	114.0	
10	114.7	
10	115.8	
10	117.6	
10	118.0	
10	103.8	
10	115.8	
10	117.2	
10	117.4	
10	114.6	
10	119.2	
10	107.2	
10	115.6	
10	117.8	
10	119.0	
10	112.4	
10	123.3	
10	113.3	
10	116.4	

MJBA-25-33.20m

Area%:V	Th:L-V	Tm:Ice
20	238.0	-13.0
20	274.4	-13.5
25	281.4	-12.7
25	295.8	-14.1
10	118.1	-14.0
10	127.6	-14.2
20	226.9	-14.9
20	246.8	-13.1
15	206.9	-14.8
15	203.5	-14.0
15	189.3	
15	192.7	
20	194.4	
20	253.2	
20	256.8	
25	281.1	
25	288.0	
25	306.8	
15	175.1	
10	107.9	
10	113.8	
10	117.2	
10	126.9	
10	130.7	
10	132.8	
10	137.7	
10	140.5	
15	192.4	
15	216.9	
15	199.1	

MJBA-21-43.95m				
Area%:CO_2	Th:H_2O-CO_2	Th:CO_2 L-V	Td:CO_2 clath.	Tm: dryice
80	330.3	28.7	0.3	-59.0
60	318.2	28.1	0.1	-59.1
70	323.2	28.4	0.5	-59.1
60	291.7	21.3	0.8	-60.3
70	287.5	25.6	1.0	-59.9
60	306.7			
70	315.1			
70	317.9			
50	317.3			
40	291.0			
60	293.0			
60	325.1			
60	337.0			
60	342.3			
60	280.5			
50	292.7			
60	306.7			
50	316.4			
60	349.8			
60	362.5			

Appendix 16 Ore assay and check analysis results for RC drilling

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
1	B1-01	0.0	2.0	2.0	37	101	B1-05	0.0	2.0	2.0	7	201	B1-09	0.0	2.0	2.0	11
2		2.0	4.0	2.0	30	102		2.0	4.0	2.0	7	202		2.0	4.0	2.0	< 5
3		4.0	6.0	2.0	11	103		4.0	6.0	2.0	11	203		4.0	6.0	2.0	< 5
4		6.0	8.0	2.0	19	104		6.0	8.0	2.0	11	204		6.0	8.0	2.0	< 5
5		8.0	10.0	2.0	15	105		8.0	10.0	2.0	7	205		8.0	10.0	2.0	< 5
6		10.0	12.0	2.0	19	106		10.0	12.0	2.0	11	206		10.0	12.0	2.0	11
7		12.0	14.0	2.0	7	107		12.0	14.0	2.0	7	207		12.0	14.0	2.0	7
8		14.0	16.0	2.0	< 5	108		14.0	16.0	2.0	7	208		14.0	16.0	2.0	< 5
9		16.0	18.0	2.0	< 5	109		16.0	18.0	2.0	< 5	209		16.0	18.0	2.0	< 5
10		18.0	20.0	2.0	< 5	110		18.0	20.0	2.0	< 5	210		18.0	20.0	2.0	78
11		20.0	22.0	2.0	< 5	111		20.0	22.0	2.0	< 5	211		20.0	22.0	2.0	71
12		22.0	24.0	2.0	< 5	112		22.0	24.0	2.0	< 5	212		22.0	24.0	2.0	19
13		24.0	26.0	2.0	< 5	113		24.0	26.0	2.0	< 5	213		24.0	26.0	2.0	30
14		26.0	28.0	2.0	< 5	114		26.0	28.0	2.0	< 5	214		26.0	28.0	2.0	45
15		28.0	30.0	2.0	< 5	115		28.0	30.0	2.0	< 5	215		28.0	30.0	2.0	74
16		30.0	32.0	2.0	11	116		30.0	32.0	2.0	< 5	216		30.0	32.0	2.0	253
17		32.0	34.0	2.0	< 5	117		32.0	34.0	2.0	< 5	217		32.0	34.0	2.0	132
18		34.0	36.0	2.0	< 5	118		34.0	36.0	2.0	< 5	218		34.0	36.0	2.0	85
19		36.0	38.0	2.0	93	119		36.0	38.0	2.0	< 5	219		36.0	38.0	2.0	22
20		38.0	40.0	2.0	< 5	120		38.0	40.0	2.0	< 5	220		38.0	40.0	2.0	78
21		40.0	42.0	2.0	< 5	121		40.0	42.0	2.0	< 5	221		40.0	42.0	2.0	7
22		42.0	44.0	2.0	7	122		42.0	44.0	2.0	< 5	222		42.0	44.0	2.0	22
23		44.0	46.0	2.0	< 5	123		44.0	46.0	2.0	< 5	223		44.0	46.0	2.0	11
24		46.0	48.0	2.0	< 5	124		46.0	48.0	2.0	< 5	224		46.0	48.0	2.0	7
25		48.0	50.0	2.0	< 5	125		48.0	50.0	2.0	< 5	225		48.0	50.0	2.0	< 5
26	B1-02	0.0	2.0	2.0	63	126	B1-06	0.0	2.0	2.0	< 5	226	B1-10	0.0	2.0	2.0	19
27		2.0	4.0	2.0	41	127		2.0	4.0	2.0	< 5	227		2.0	4.0	2.0	19
28		4.0	6.0	2.0	< 5	128		4.0	6.0	2.0	< 5	228		4.0	6.0	2.0	11
29		6.0	8.0	2.0	< 5	129		6.0	8.0	2.0	< 5	229		6.0	8.0	2.0	15
30		8.0	10.0	2.0	< 5	130		8.0	10.0	2.0	< 5	230		8.0	10.0	2.0	19
31		10.0	12.0	2.0	7	131		10.0	12.0	2.0	< 5	231		10.0	12.0	2.0	< 5
32		12.0	14.0	2.0	< 5	132		12.0	14.0	2.0	< 5	232		12.0	14.0	2.0	< 5
33		14.0	16.0	2.0	< 5	133		14.0	16.0	2.0	< 5	233		14.0	16.0	2.0	19
34		16.0	18.0	2.0	< 5	134		16.0	18.0	2.0	< 5	234		16.0	18.0	2.0	< 5
35		18.0	20.0	2.0	< 5	135		18.0	20.0	2.0	< 5	235		18.0	20.0	2.0	< 5
36		20.0	22.0	2.0	< 5	136		20.0	22.0	2.0	< 5	236		20.0	22.0	2.0	< 5
37		22.0	24.0	2.0	19	137		22.0	24.0	2.0	< 5	237		22.0	24.0	2.0	< 5
38		24.0	26.0	2.0	< 5	138		24.0	26.0	2.0	< 5	238		24.0	26.0	2.0	< 5
39		26.0	28.0	2.0	< 5	139		26.0	28.0	2.0	< 5	239		26.0	28.0	2.0	11
40		28.0	30.0	2.0	26	140		28.0	30.0	2.0	< 5	240		28.0	30.0	2.0	19
41		30.0	32.0	2.0	< 5	141		30.0	32.0	2.0	< 5	241		30.0	32.0	2.0	56
42		32.0	34.0	2.0	< 5	142		32.0	34.0	2.0	< 5	242		32.0	34.0	2.0	< 5
43		34.0	36.0	2.0	< 5	143		34.0	36.0	2.0	7	243		34.0	36.0	2.0	< 5
44		36.0	38.0	2.0	< 5	144		36.0	38.0	2.0	30	244		36.0	38.0	2.0	7
45		38.0	40.0	2.0	< 5	145		38.0	40.0	2.0	82	245		38.0	40.0	2.0	< 5
46		40.0	42.0	2.0	< 5	146		40.0	42.0	2.0	< 5	246		40.0	42.0	2.0	< 5
47		42.0	44.0	2.0	< 5	147		42.0	44.0	2.0	< 5	247		42.0	44.0	2.0	< 5
48		44.0	46.0	2.0	< 5	148		44.0	46.0	2.0	15	248		44.0	46.0	2.0	< 5
49		46.0	48.0	2.0	< 5	149		46.0	48.0	2.0	< 5	249		46.0	48.0	2.0	37
50		48.0	50.0	2.0	111	150		48.0	50.0	2.0	< 5	250		48.0	50.0	2.0	< 5
51	B1-03	0.0	2.0	2.0	30	151	B1-07	0.0	2.0	2.0	15	251	B1-11	0.0	2.0	2.0	7
52		2.0	4.0	2.0	37	152		2.0	4.0	2.0	7	252		2.0	4.0	2.0	7
53		4.0	6.0	2.0	< 5	153		4.0	6.0	2.0	< 5	253		4.0	6.0	2.0	11
54		6.0	8.0	2.0	7	154		6.0	8.0	2.0	< 5	254		6.0	8.0	2.0	7
55		8.0	10.0	2.0	< 5	155		8.0	10.0	2.0	< 5	255		8.0	10.0	2.0	56
56		10.0	12.0	2.0	< 5	156		10.0	12.0	2.0	22	256		10.0	12.0	2.0	147
57		12.0	14.0	2.0	< 5	157		12.0	14.0	2.0	< 5	257		12.0	14.0	2.0	42
58		14.0	16.0	2.0	< 5	158		14.0	16.0	2.0	< 5	258		14.0	16.0	2.0	15
59		16.0	18.0	2.0	< 5	159		16.0	18.0	2.0	< 5	259		16.0	18.0	2.0	26
60		18.0	20.0	2.0	< 5	160		18.0	20.0	2.0	< 5	260		18.0	20.0	2.0	19
61		20.0	22.0	2.0	< 5	161		20.0	22.0	2.0	< 5	261		20.0	22.0	2.0	19
62		22.0	24.0	2.0	< 5	162		22.0	24.0	2.0	< 5	262		22.0	24.0	2.0	86
63		24.0	26.0	2.0	< 5	163		24.0	26.0	2.0	< 5	263		24.0	26.0	2.0	63
64		26.0	28.0	2.0	< 5	164		26.0	28.0	2.0	< 5	264		26.0	28.0	2.0	30
65		28.0	30.0	2.0	< 5	165		28.0	30.0	2.0	< 5	265		28.0	30.0	2.0	< 5
66		30.0	32.0	2.0	19	166		30.0	32.0	2.0	< 5	266		30.0	32.0	2.0	< 5
67		32.0	34.0	2.0	< 5	167		32.0	34.0	2.0	< 5	267		32.0	34.0	2.0	< 5
68		34.0	36.0	2.0	< 5	168		34.0	36.0	2.0	< 5	268		34.0	36.0	2.0	< 5
69		36.0	38.0	2.0	< 5	169		36.0	38.0	2.0	< 5	269		36.0	38.0	2.0	< 5
70		38.0	40.0	2.0	< 5	170		38.0	40.0	2.0	< 5	270		38.0	40.0	2.0	7
71		40.0	42.0	2.0	< 5	171		40.0	42.0	2.0	< 5	271		40.0	42.0	2.0	15
72		42.0	44.0	2.0	< 5	172		42.0	44.0	2.0	< 5	272		42.0	44.0	2.0	< 5
73		44.0	46.0	2.0	< 5	173		44.0	46.0	2.0	< 5	273		44.0	46.0	2.0	22
74		46.0	48.0	2.0	< 5	174		46.0	48.0	2.0	< 5	274		46.0	48.0	2.0	67
75		48.0	50.0	2.0	< 5	175		48.0	50.0	2.0	< 5	275		48.0	50.0	2.0	37
76	B1-04	0.0	2.0	2.0	< 5	176	B1-08	0.0	2.0	2.0	< 5	276	B1-12	0.0	2.0	2.0	19
77		2.0	4.0	2.0	< 5	177		2.0	4.0	2.0	166	277		2.0	4.0	2.0	7
78		4.0	6.0	2.0	189	178		4.0	6.0	2.0	22	278		4.0	6.0	2.0	15
79		6.0	8.0	2.0	548	179		6.0	8.0	2.0	7	279		6.0	8.0	2.0	15
80		8.0	10.0	2.0	< 5	180		8.0	10.0	2.0	< 5	280		8.0	10.0	2.0	7
81		10.0	12.0	2.0	< 5	181		10.0	12.0	2.0	< 5	281		10.0	12.0	2.0	26
82		12.0	14.0	2.0	< 5	182		12.0	14.0	2.0	11	282		12.0	14.0	2.0	< 5
83		14.0	16.0	2.0	< 5	183		14.0	16.0	2.0	< 5	283		14.0	16.0	2.0	< 5
84		16.0	18.0	2.0	< 5	184		16.0	18.0	2.0	< 5	284		16.0	18.0	2.0	< 5
85		18.0	20.0	2.0	< 5	185		18.0	20.0	2.0	< 5	285		18.0	20.0	2.0	11
86		20.0	22.0	2.0	< 5	186		20.0	22.0	2.0	< 5	286		20.0	22.0	2.0	7
87		22.0	24.0	2.0	< 5	187		22.0	24.0	2.0	< 5	287		22.0	24.0	2.0	< 5
88		24.0	26.0	2.0	< 5	188		24.0	26.0	2.0	< 5	288		24.0	26.0	2.0	< 5
89		26.0	28.0	2.0	19	189		26.0	28.0	2.0	< 5	289		26.0	28.0	2.0	< 5
90		28.0	30.0	2.0	< 5	190		28.0	30.0	2.0	19	290		28.0	30.0	2.0	< 5
91		30.0	32.0	2.0	< 5	191		30.0	32.0	2.0	< 5	291		30.0	32.0	2.0	< 5
92		32.0	34.0	2.0	7	192		32.0	34.0	2.0	< 5	292		32.0	34.0	2.0	30
93		34.0	36.0	2.0	< 5	193		34.0	36.0	2.0	< 5	293		34.0	36.0	2.0	19
94		36.0	38.0	2.0	< 5	194		36.0	38.0	2.0	< 5	294		36.0	38.0	2.0	37
95		38.0	40.0	2.0	< 5	195		38.0	40.0	2.0	< 5	295		38.0	40.0	2.0	59
96		40.0	42.0	2.0	< 5	196		40.0	42.0	2.0	< 5	296		40.0	42.0	2.0	7
97		42.0	44.0	2.0	< 5	197		42.0	44.0	2.0	< 5	297		42.0	44.0	2.0	< 5
98		44.0	46.0	2.0	< 5	198		44.0	46.0	2.0	< 5	298		44.0	46.0	2.0	< 5
99		46.0	48.0	2.0	< 5	199		46.0	48.0	2.0	< 5	299		46.0	48.0	2.0	7
100		48.0	50.0	2.0	< 5	200		48.0	50.0	2.0	< 5	300		48.0	50.0	2.0	< 5

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	Depth(m) To	Length (m)	Au (ppb)
301	B1-13	0.0	2.0	2.0	22
302		2.0	4.0	2.0	19
303		4.0	6.0	2.0	11
304		6.0	8.0	2.0	22
305		8.0	10.0	2.0	19
306		10.0	12.0	2.0	< 5
307		12.0	14.0	2.0	11
308		14.0	16.0	2.0	15
309		16.0	18.0	2.0	11
310		18.0	20.0	2.0	11
311		20.0	22.0	2.0	11
312		22.0	24.0	2.0	11
313		24.0	26.0	2.0	< 5
314		26.0	28.0	2.0	< 5
315		28.0	30.0	2.0	30
316		30.0	32.0	2.0	< 5
317		32.0	34.0	2.0	< 5
318		34.0	36.0	2.0	41
319		36.0	38.0	2.0	269
320		38.0	40.0	2.0	67
321		40.0	42.0	2.0	< 5
322		42.0	44.0	2.0	< 5
323		44.0	46.0	2.0	< 5
324		46.0	48.0	2.0	< 5
325		48.0	50.0	2.0	< 5
326	B1-14	0.0	2.0	2.0	67
327		2.0	4.0	2.0	15
328		4.0	6.0	2.0	< 5
329		6.0	8.0	2.0	22
330		8.0	10.0	2.0	19
331		10.0	12.0	2.0	19
332		12.0	14.0	2.0	56
333		14.0	16.0	2.0	26
334		16.0	18.0	2.0	< 5
335		18.0	20.0	2.0	< 5
336		20.0	22.0	2.0	< 5
337		22.0	24.0	2.0	< 5
338		24.0	26.0	2.0	< 5
339		26.0	28.0	2.0	< 5
340		28.0	30.0	2.0	< 5
341		30.0	32.0	2.0	< 5
342		32.0	34.0	2.0	< 5
343		34.0	36.0	2.0	< 5
344		36.0	38.0	2.0	< 5
345		38.0	40.0	2.0	< 5
346		40.0	42.0	2.0	< 5
347		42.0	44.0	2.0	< 5
348		44.0	46.0	2.0	< 5
349		46.0	48.0	2.0	< 5
350		48.0	50.0	2.0	< 5
351	B1-15	0.0	2.0	2.0	15
352		2.0	4.0	2.0	15
353		4.0	6.0	2.0	7
354		6.0	8.0	2.0	26
355		8.0	10.0	2.0	30
356		10.0	12.0	2.0	< 5
357		12.0	14.0	2.0	< 5
358		14.0	16.0	2.0	< 5
359		16.0	18.0	2.0	< 5
360		18.0	20.0	2.0	< 5
361		20.0	22.0	2.0	< 5
362		22.0	24.0	2.0	< 5
363		24.0	26.0	2.0	< 5
364		26.0	28.0	2.0	< 5
365		28.0	30.0	2.0	< 5
366		30.0	32.0	2.0	15
367		32.0	34.0	2.0	< 5
368		34.0	36.0	2.0	< 5
369		36.0	38.0	2.0	< 5
370		38.0	40.0	2.0	< 5
371		40.0	42.0	2.0	< 5
372		42.0	44.0	2.0	< 5
373		44.0	46.0	2.0	< 5
374		46.0	48.0	2.0	< 5
375		48.0	50.0	2.0	< 5
376	B2-01	0.0	2.0	2.0	< 5
377		2.0	4.0	2.0	< 5
378		4.0	6.0	2.0	< 5
379		6.0	8.0	2.0	< 5
380		8.0	10.0	2.0	< 5
381		10.0	12.0	2.0	< 5
382		12.0	14.0	2.0	< 5
383		14.0	16.0	2.0	< 5
384		16.0	18.0	2.0	< 5
385		18.0	20.0	2.0	29
386		20.0	22.0	2.0	12
387		22.0	24.0	2.0	< 5
388		24.0	26.0	2.0	< 5
389		26.0	28.0	2.0	< 5
390		28.0	30.0	2.0	< 5
391		30.0	32.0	2.0	< 5
392		32.0	34.0	2.0	< 5
393		34.0	36.0	2.0	< 5
394		36.0	38.0	2.0	12
395		38.0	40.0	2.0	8
396		40.0	42.0	2.0	< 5
397		42.0	44.0	2.0	< 5
398		44.0	46.0	2.0	< 5
399		46.0	48.0	2.0	< 5
400		48.0	50.0	2.0	< 5
401	B2-02	0.0	2.0	2.0	< 5
402		2.0	4.0	2.0	8
403		4.0	6.0	2.0	< 5
404		6.0	8.0	2.0	< 5
405		8.0	10.0	2.0	< 5
406		10.0	12.0	2.0	< 5
407		12.0	14.0	2.0	< 5
408		14.0	16.0	2.0	< 5
409		16.0	18.0	2.0	< 5
410		18.0	20.0	2.0	< 5
411		20.0	22.0	2.0	< 5
412		22.0	24.0	2.0	12
413		24.0	26.0	2.0	< 5
414		26.0	28.0	2.0	< 5
415		28.0	30.0	2.0	< 5
416		30.0	32.0	2.0	< 5
417		32.0	34.0	2.0	< 5
418		34.0	36.0	2.0	< 5
419		36.0	38.0	2.0	< 5
420		38.0	40.0	2.0	29
421		40.0	42.0	2.0	< 5
422		42.0	44.0	2.0	< 5
423		44.0	46.0	2.0	< 5
424		46.0	48.0	2.0	< 5
425		48.0	50.0	2.0	< 5
426	B2-03	0.0	2.0	2.0	< 5
427		2.0	4.0	2.0	< 5
428		4.0	6.0	2.0	12
429		6.0	8.0	2.0	< 5
430		8.0	10.0	2.0	12
431		10.0	12.0	2.0	< 5
432		12.0	14.0	2.0	8
433		14.0	16.0	2.0	< 5
434		16.0	18.0	2.0	< 5
435		18.0	20.0	2.0	< 5
436		20.0	22.0	2.0	< 5
437		22.0	24.0	2.0	< 5
438		24.0	26.0	2.0	< 5
439		26.0	28.0	2.0	< 5
440		28.0	30.0	2.0	< 5
441		30.0	32.0	2.0	< 5
442		32.0	34.0	2.0	< 5
443		34.0	36.0	2.0	< 5
444		36.0	38.0	2.0	< 5
445		38.0	40.0	2.0	< 5
446		40.0	42.0	2.0	8
447		42.0	44.0	2.0	< 5
448		44.0	46.0	2.0	< 5
449		46.0	48.0	2.0	< 5
450		48.0	50.0	2.0	25
451	B2-04	0.0	2.0	2.0	83
452		2.0	4.0	2.0	108
453		4.0	6.0	2.0	168
454		6.0	8.0	2.0	120
455		8.0	10.0	2.0	225
456		10.0	12.0	2.0	8
457		12.0	14.0	2.0	33
458		14.0	16.0	2.0	21
459		16.0	18.0	2.0	21
460		18.0	20.0	2.0	13
461		20.0	22.0	2.0	8
462		22.0	24.0	2.0	< 5
463		24.0	26.0	2.0	< 5
464		26.0	28.0	2.0	75
465		28.0	30.0	2.0	< 5
466		30.0	32.0	2.0	< 5
467		32.0	34.0	2.0	< 5
468		34.0	36.0	2.0	17
469		36.0	38.0	2.0	8
470		38.0	40.0	2.0	17
471		40.0	42.0	2.0	< 5
472		42.0	44.0	2.0	12
473		44.0	46.0	2.0	8
474		46.0	48.0	2.0	8
475		48.0	50.0	2.0	8
476	B2-05	0.0	2.0	2.0	54
477		2.0	4.0	2.0	12
478		4.0	6.0	2.0	46
479		6.0	8.0	2.0	21
480		8.0	10.0	2.0	17
481		10.0	12.0	2.0	8
482		12.0	14.0	2.0	< 5
483		14.0	16.0	2.0	< 5
484		16.0	18.0	2.0	< 5
485		18.0	20.0	2.0	< 5
486		20.0	22.0	2.0	8
487		22.0	24.0	2.0	8
488		24.0	26.0	2.0	12
489		26.0	28.0	2.0	< 5
490		28.0	30.0	2.0	< 5
491		30.0	32.0	2.0	< 5
492		32.0	34.0	2.0	< 5
493		34.0	36.0	2.0	< 5
494		36.0	38.0	2.0	< 5
495		38.0	40.0	2.0	< 5
496		40.0	42.0	2.0	< 5
497		42.0	44.0	2.0	< 5
498		44.0	46.0	2.0	< 5
499		46.0	48.0	2.0	< 5
500		48.0	50.0	2.0	13
501	B2-06	0.0	2.0	2.0	8
502		2.0	4.0	2.0	< 5
503		4.0	6.0	2.0	8
504		6.0	8.0	2.0	< 5
505		8.0	10.0	2.0	< 5
506		10.0	12.0	2.0	< 5
507		12.0	14.0	2.0	< 5
508		14.0	16.0	2.0	8
509		16.0	18.0	2.0	< 5
510		18.0	20.0	2.0	< 5
511		20.0	22.0	2.0	< 5
512		22.0	24.0	2.0	< 5
513		24.0	26.0	2.0	< 5
514		26.0	28.0	2.0	< 5
515		28.0	30.0	2.0	< 5
516		30.0	32.0	2.0	< 5
517		32.0	34.0	2.0	< 5
518		34.0	36.0	2.0	< 5
519		36.0	38.0	2.0	< 5
520		38.0	40.0	2.0	< 5
521		40.0	42.0	2.0	< 5
522		42.0	44.0	2.0	< 5
523		44.0	46.0	2.0	< 5
524		46.0	48.0	2.0	< 5
525		48.0	50.0	2.0	< 5
526	B2-07	0.0	2.0	2.0	58
527		2.0	4.0	2.0	427
528		4.0	6.0	2.0	112
529		6.0	8.0	2.0	37
530		8.0	10.0	2.0	8
531		10.0	12.0	2.0	25
532		12.0	14.0	2.0	< 5
533		14.0	16.0	2.0	< 5
534		16.0	18.0	2.0	< 5
535		18.0	20.0	2.0	< 5
536		20.0	22.0	2.0	< 5
537		22.0	24.0	2.0	< 5
538		24.0	26.0	2.0	< 5
539		26.0	28.0	2.0	< 5
540		28.0	30.0	2.0	< 5
541		30.0	32.0	2.0	< 5
542		32.0	34.0	2.0	< 5
543		34.0	36.0	2.0	< 5
544		36.0	38.0	2.0	< 5
545		38.0	40.0	2.0	< 5
546		40.0	42.0	2.0	< 5
547		42.0	44.0	2.0	< 5
548		44.0	46.0	2.0	< 5
549		46.0	48.0	2.0	< 5
550		48.0	50.0	2.0	< 5
551	B2-08	0.0	2.0	2.0	12
552		2.0	4.0	2.0	8
553		4.0	6.0	2.0	33
554		6.0	8.0	2.0	17
555		8.0	10.0	2.0	12
556		10.0	12.0	2.0	8
557		12.0	14.0	2.0	21
558		14.0	16.0	2.0	< 5
559		16.0	18.0	2.0	< 5
560		18.0	20.0	2.0	< 5
561		20.0	22.0	2.0	< 5
562		22.0	24.0	2.0	< 5
563		24.0	26.0	2.0	< 5
564		26.0	28.0	2.0	8
565		28.0	30.0	2.0	< 5
566		30.0	32.0	2.0	< 5
567		32.0	34.0	2.0	274
568		34.0	36.0	2.0	12
569		36.0	38.0	2.0	< 5
570		38.0	40.0	2.0	50
571		40.0	42.0	2.0	25
572		42.0	44.0	2.0	21
573		44.0	46.0	2.0	33
574		46.0	48.0	2.0	71
575		48.0	50.0	2.0	282
576	B2-09	0.0	2.0	2.0	44
577		2.0	4.0	2.0	78
578		4.0	6.0	2.0	281
579		6.0	8.0	2.0	285
580		8.0	10.0	2.0	15
581		10.0	12.0	2.0	557
582		12.0	14.0	2.0	137
583		14.0	16.0	2.0	< 5
584		16.0	18.0	2.0	< 5
585		18.0	20.0	2.0	< 5
586		20.0	22.0	2.0	< 5
587		22.0	24.0	2.0	< 5
588		24.0	26.0	2.0	< 5
589		26.0	28.0	2.0	< 5
590		28.0	30.0	2.0	7
591		30.0	32.0	2.0	160
592		32.0	34.0	2.0	< 5
593		34.0	36.0	2.0	< 5
594		36.0	38.0	2.0	< 5
595		38.0	40.0	2.0	< 5
596		40.0	42.0	2.0	15
597		42.0	44.0	2.0	< 5
598		44.0	46.0	2.0	< 5
599		46.0	48.0	2.0	< 5
600		48.0	50.0	2.0	< 5

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
601	B2-10	0.0	2.0	2.0	30	701	B2-14	0.0	2.0	2.0	26	801	B3-03	0.0	2.0	2.0	44
602		2.0	4.0	2.0	30	702		2.0	4.0	2.0	19	802		2.0	4.0	2.0	7
603		4.0	6.0	2.0	15	703		4.0	6.0	2.0	11	803		4.0	6.0	2.0	55
604		6.0	8.0	2.0	15	704		6.0	8.0	2.0	< 5	804		6.0	8.0	2.0	11
605		8.0	10.0	2.0	< 5	705		8.0	10.0	2.0	< 5	805		8.0	10.0	2.0	22
606		10.0	12.0	2.0	< 5	706		10.0	12.0	2.0	< 5	806		10.0	12.0	2.0	15
607		12.0	14.0	2.0	< 5	707		12.0	14.0	2.0	< 5	807		12.0	14.0	2.0	115
608		14.0	16.0	2.0	7	708		14.0	16.0	2.0	< 5	808		14.0	16.0	2.0	30
609		16.0	18.0	2.0	< 5	709		16.0	18.0	2.0	< 5	809		16.0	18.0	2.0	15
610		18.0	20.0	2.0	37	710		18.0	20.0	2.0	< 5	810		18.0	20.0	2.0	63
611		20.0	22.0	2.0	< 5	711		20.0	22.0	2.0	< 5	811		20.0	22.0	2.0	185
612		22.0	24.0	2.0	19	712		22.0	24.0	2.0	< 5	812		22.0	24.0	2.0	145
613		24.0	26.0	2.0	11	713		24.0	26.0	2.0	< 5	813		24.0	26.0	2.0	500
614		26.0	28.0	2.0	19	714		26.0	28.0	2.0	< 5	814		26.0	28.0	2.0	48
615		28.0	30.0	2.0	11	715		28.0	30.0	2.0	< 5	815		28.0	30.0	2.0	7
616		30.0	32.0	2.0	45	716		30.0	32.0	2.0	< 5	816		30.0	32.0	2.0	7
617		32.0	34.0	2.0	33	717		32.0	34.0	2.0	< 5	817		32.0	34.0	2.0	< 5
618		34.0	36.0	2.0	30	718		34.0	36.0	2.0	< 5	818		34.0	36.0	2.0	< 5
619		36.0	38.0	2.0	19	719		36.0	38.0	2.0	< 5	819		36.0	38.0	2.0	< 5
620		38.0	40.0	2.0	67	720		38.0	40.0	2.0	< 5	820		38.0	40.0	2.0	< 5
621		40.0	42.0	2.0	56	721		40.0	42.0	2.0	< 5	821		40.0	42.0	2.0	< 5
622		42.0	44.0	2.0	< 5	722		42.0	44.0	2.0	< 5	822		42.0	44.0	2.0	< 5
623		44.0	46.0	2.0	< 5	723		44.0	46.0	2.0	< 5	823		44.0	46.0	2.0	< 5
624		46.0	48.0	2.0	7	724		46.0	48.0	2.0	< 5	824		46.0	48.0	2.0	< 5
625		48.0	50.0	2.0	< 5	725		48.0	50.0	2.0	< 5	825		48.0	50.0	2.0	< 5
626	B2-11	0.0	2.0	2.0	45	726	B2-15	0.0	2.0	2.0	< 5	826	B3-04	0.0	2.0	2.0	41
627		2.0	4.0	2.0	37	727		2.0	4.0	2.0	15	827		2.0	4.0	2.0	33
628		4.0	6.0	2.0	45	728		4.0	6.0	2.0	41	828		4.0	6.0	2.0	< 5
629		6.0	8.0	2.0	< 5	729		6.0	8.0	2.0	7	829		6.0	8.0	2.0	< 5
630		8.0	10.0	2.0	22	730		8.0	10.0	2.0	22	830		8.0	10.0	2.0	< 5
631		10.0	12.0	2.0	< 5	731		10.0	12.0	2.0	< 5	831		10.0	12.0	2.0	21
632		12.0	14.0	2.0	7	732		12.0	14.0	2.0	< 5	832		12.0	14.0	2.0	2540
633		14.0	16.0	2.0	< 5	733		14.0	16.0	2.0	1715	833		14.0	16.0	2.0	67
634		16.0	18.0	2.0	11	734		16.0	18.0	2.0	< 5	834		16.0	18.0	2.0	< 5
635		18.0	20.0	2.0	7	735		18.0	20.0	2.0	< 5	835		18.0	20.0	2.0	12
636		20.0	22.0	2.0	< 5	736		20.0	22.0	2.0	< 5	836		20.0	22.0	2.0	8
637		22.0	24.0	2.0	26	737		22.0	24.0	2.0	< 5	837		22.0	24.0	2.0	< 5
638		24.0	26.0	2.0	< 5	738		24.0	26.0	2.0	< 5	838		24.0	26.0	2.0	< 5
639		26.0	28.0	2.0	< 5	739		26.0	28.0	2.0	< 5	839		26.0	28.0	2.0	< 5
640		28.0	30.0	2.0	< 5	740		28.0	30.0	2.0	< 5	840		28.0	30.0	2.0	< 5
641		30.0	32.0	2.0	< 5	741		30.0	32.0	2.0	< 5	841		30.0	32.0	2.0	< 5
642		32.0	34.0	2.0	< 5	742		32.0	34.0	2.0	< 5	842		32.0	34.0	2.0	< 5
643		34.0	36.0	2.0	7	743		34.0	36.0	2.0	< 5	843		34.0	36.0	2.0	< 5
644		36.0	38.0	2.0	15	744		36.0	38.0	2.0	< 5	844		36.0	38.0	2.0	< 5
645		38.0	40.0	2.0	< 5	745		38.0	40.0	2.0	< 5	845		38.0	40.0	2.0	< 5
646		40.0	42.0	2.0	19	746		40.0	42.0	2.0	< 5	846		40.0	42.0	2.0	< 5
647		42.0	44.0	2.0	30	747		42.0	44.0	2.0	< 5	847		42.0	44.0	2.0	< 5
648		44.0	46.0	2.0	30	748		44.0	46.0	2.0	< 5	848		44.0	46.0	2.0	8
649		46.0	48.0	2.0	15	749		46.0	48.0	2.0	< 5	849		46.0	48.0	2.0	< 5
650		48.0	50.0	2.0	7	750		48.0	50.0	2.0	< 5	850		48.0	50.0	2.0	< 5
651	B2-12	0.0	2.0	2.0	71	751	B3-01	0.0	2.0	2.0	26	851	B3-05	0.0	2.0	2.0	33
652		2.0	4.0	2.0	30	752		2.0	4.0	2.0	22	852		2.0	4.0	2.0	< 5
653		4.0	6.0	2.0	41	753		4.0	6.0	2.0	11	853		4.0	6.0	2.0	12
654		6.0	8.0	2.0	30	754		6.0	8.0	2.0	< 5	854		6.0	8.0	2.0	17
655		8.0	10.0	2.0	26	755		8.0	10.0	2.0	< 5	855		8.0	10.0	2.0	< 5
656		10.0	12.0	2.0	7	756		10.0	12.0	2.0	7	856		10.0	12.0	2.0	17
657		12.0	14.0	2.0	30	757		12.0	14.0	2.0	< 5	857		12.0	14.0	2.0	< 5
658		14.0	16.0	2.0	342	758		14.0	16.0	2.0	22	858		14.0	16.0	2.0	< 5
659		16.0	18.0	2.0	82	759		16.0	18.0	2.0	11	859		16.0	18.0	2.0	< 5
660		18.0	20.0	2.0	< 5	760		18.0	20.0	2.0	18	860		18.0	20.0	2.0	54
661		20.0	22.0	2.0	< 5	761		20.0	22.0	2.0	< 5	861		20.0	22.0	2.0	< 5
662		22.0	24.0	2.0	< 5	762		22.0	24.0	2.0	< 5	862		22.0	24.0	2.0	< 5
663		24.0	26.0	2.0	< 5	763		24.0	26.0	2.0	< 5	863		24.0	26.0	2.0	602
664		26.0	28.0	2.0	< 5	764		26.0	28.0	2.0	111	864		26.0	28.0	2.0	467
665		28.0	30.0	2.0	< 5	765		28.0	30.0	2.0	37	865		28.0	30.0	2.0	654
666		30.0	32.0	2.0	< 5	766		30.0	32.0	2.0	< 5	866		30.0	32.0	2.0	112
667		32.0	34.0	2.0	< 5	767		32.0	34.0	2.0	< 5	867		32.0	34.0	2.0	166
668		34.0	36.0	2.0	< 5	768		34.0	36.0	2.0	< 5	868		34.0	36.0	2.0	29
669		36.0	38.0	2.0	< 5	769		36.0	38.0	2.0	< 5	869		36.0	38.0	2.0	25
670		38.0	40.0	2.0	11	770		38.0	40.0	2.0	< 5	870		38.0	40.0	2.0	58
671		40.0	42.0	2.0	< 5	771		40.0	42.0	2.0	< 5	871		40.0	42.0	2.0	29
672		42.0	44.0	2.0	< 5	772		42.0	44.0	2.0	< 5	872		42.0	44.0	2.0	12
673		44.0	46.0	2.0	< 5	773		44.0	46.0	2.0	7	873		44.0	46.0	2.0	21
674		46.0	48.0	2.0	7	774		46.0	48.0	2.0	< 5	874		46.0	48.0	2.0	12
675		48.0	50.0	2.0	< 5	775		48.0	50.0	2.0	< 5	875		48.0	50.0	2.0	< 5
676	B2-13	0.0	2.0	2.0	26	776	B3-02	0.0	2.0	2.0	< 5	876	B3-06	0.0	2.0	2.0	37
677		2.0	4.0	2.0	19	777		2.0	4.0	2.0	< 5	877		2.0	4.0	2.0	21
678		4.0	6.0	2.0	11	778		4.0	6.0	2.0	< 5	878		4.0	6.0	2.0	25
679		6.0	8.0	2.0	< 5	779		6.0	8.0	2.0	< 5	879		6.0	8.0	2.0	8
680		8.0	10.0	2.0	7	780		8.0	10.0	2.0	< 5	880		8.0	10.0	2.0	< 5
681		10.0	12.0	2.0	< 5	781		10.0	12.0	2.0	11	881		10.0	12.0	2.0	< 5
682		12.0	14.0	2.0	11	782		12.0	14.0	2.0	< 5	882		12.0	14.0	2.0	< 5
683		14.0	16.0	2.0	< 5	783		14.0	16.0	2.0	19	883		14.0	16.0	2.0	< 5
684		16.0	18.0	2.0	< 5	784		16.0	18.0	2.0	< 5	884		16.0	18.0	2.0	< 5
685		18.0	20.0	2.0	< 5	785		18.0	20.0	2.0	< 5	885		18.0	20.0	2.0	< 5
686		20.0	22.0	2.0	11	786		20.0	22.0	2.0	< 5	886		20.0	22.0	2.0	< 5
687		22.0	24.0	2.0	11	787		22.0	24.0	2.0	< 5	887		22.0	24.0	2.0	< 5
688		24.0	26.0	2.0	26	788		24.0	26.0	2.0	< 5	888		24.0	26.0	2.0	< 5
689		26.0	28.0	2.0	< 5	789		26.0	28.0	2.0	< 5	889		26.0	28.0	2.0	< 5
690		28.0	30.0	2.0	< 5	790		28.0	30.0	2.0	< 5	890		28.0	30.0	2.0	< 5
691		30.0	32.0	2.0	< 5	791		30.0	32.0	2.0	19	891		30.0	32.0	2.0	< 5
692		32.0	34.0	2.0	< 5	792		32.0	34.0	2.0	< 5	892		32.0	34.0	2.0	< 5
693		34.0	36.0	2.0	< 5	793		34.0	36.0	2.0	22	893		34.0	36.0	2.0	< 5
694		36.0	38.0	2.0	< 5	794		36.0	38.0	2.0	< 5	894		36.0	38.0	2.0	< 5
695		38.0	40.0	2.0	< 5	795		38.0	40.0	2.0	< 5	895		38.0	40.0	2.0	< 5
696		40.0	42.0	2.0	26	796		40.0	42.0	2.0	< 5	896		40.0	42.0	2.0	< 5
697		42.0	44.0	2.0	< 5	797		42.0	44.0	2.0	< 5	897		42.0	44.0	2.0	< 5
698		44.0	46.0	2.0	< 5	798		44.0	46.0	2.0	< 5	898		44.0	46.0	2.0	< 5
699		46.0	48.0	2.0	< 5	799		46.0	48.0	2.0	< 5	899		46.0	48.0	2.0	257
700		48.0	50.0	2.0	< 5	800		48.0	50.0	2.0	< 5	900		48.0	50.0	2.0	29

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	Depth(m) To	Length (m)	Au (ppb)
901	B3-07	0.0	2.0	2.0	33
902		2.0	4.0	2.0	25
903		4.0	6.0	2.0	42
904		6.0	8.0	2.0	83
905		8.0	10.0	2.0	33
906		10.0	12.0	2.0	33
907		12.0	14.0	2.0	29
908		14.0	16.0	2.0	58
909		16.0	18.0	2.0	17
910		18.0	20.0	2.0	< 5
911		20.0	22.0	2.0	< 5
912		22.0	24.0	2.0	17
913		24.0	26.0	2.0	12
914		26.0	28.0	2.0	12
915		28.0	30.0	2.0	12
916		30.0	32.0	2.0	12
917		32.0	34.0	2.0	< 5
918		34.0	36.0	2.0	< 5
919		36.0	38.0	2.0	< 5
920		38.0	40.0	2.0	8
921		40.0	42.0	2.0	< 5
922		42.0	44.0	2.0	37
923		44.0	46.0	2.0	46
924		46.0	48.0	2.0	25
925		48.0	50.0	2.0	< 5
926	B3-08	0.0	2.0	2.0	33
927		2.0	4.0	2.0	25
928		4.0	6.0	2.0	41
929		6.0	8.0	2.0	46
930		8.0	10.0	2.0	37
931		10.0	12.0	2.0	29
932		12.0	14.0	2.0	21
933		14.0	16.0	2.0	13
934		16.0	18.0	2.0	37
935		18.0	20.0	2.0	17
936		20.0	22.0	2.0	< 5
937		22.0	24.0	2.0	87
938		24.0	26.0	2.0	< 5
939		26.0	28.0	2.0	21
940		28.0	30.0	2.0	< 5
941		30.0	32.0	2.0	< 5
942		32.0	34.0	2.0	12
943		34.0	36.0	2.0	58
944		36.0	38.0	2.0	50
945		38.0	40.0	2.0	50
946		40.0	42.0	2.0	17
947		42.0	44.0	2.0	33
948		44.0	46.0	2.0	12
949		46.0	48.0	2.0	29
950		48.0	50.0	2.0	33
951	B3-09	0.0	2.0	2.0	41
952		2.0	4.0	2.0	58
953		4.0	6.0	2.0	71
954		6.0	8.0	2.0	29
955		8.0	10.0	2.0	12
956		10.0	12.0	2.0	< 5
957		12.0	14.0	2.0	41
958		14.0	16.0	2.0	17
959		16.0	18.0	2.0	46
960		18.0	20.0	2.0	25
961		20.0	22.0	2.0	21
962		22.0	24.0	2.0	25
963		24.0	26.0	2.0	158
964		26.0	28.0	2.0	54
965		28.0	30.0	2.0	21
966		30.0	32.0	2.0	21
967		32.0	34.0	2.0	7
968		34.0	36.0	2.0	< 5
969		36.0	38.0	2.0	< 5
970		38.0	40.0	2.0	< 5
971		40.0	42.0	2.0	< 5
972		42.0	44.0	2.0	< 5
973		44.0	46.0	2.0	< 5
974		46.0	48.0	2.0	< 5
975		48.0	50.0	2.0	< 5
976	B3-10	0.0	2.0	2.0	41
977		2.0	4.0	2.0	33
978		4.0	6.0	2.0	17
979		6.0	8.0	2.0	25
980		8.0	10.0	2.0	83
981		10.0	12.0	2.0	29
982		12.0	14.0	2.0	12
983		14.0	16.0	2.0	< 5
984		16.0	18.0	2.0	50
985		18.0	20.0	2.0	37
986		20.0	22.0	2.0	41
987		22.0	24.0	2.0	25
988		24.0	26.0	2.0	41
989		26.0	28.0	2.0	25
990		28.0	30.0	2.0	17
991		30.0	32.0	2.0	21
992		32.0	34.0	2.0	12
993		34.0	36.0	2.0	< 5
994		36.0	38.0	2.0	< 5
995		38.0	40.0	2.0	17
996		40.0	42.0	2.0	54
997		42.0	44.0	2.0	128
998		44.0	46.0	2.0	21
999		46.0	48.0	2.0	46
1000		48.0	50.0	2.0	12
1001	B3-11	0.0	2.0	2.0	17
1002		2.0	4.0	2.0	46
1003		4.0	6.0	2.0	38
1004		6.0	8.0	2.0	50
1005		8.0	10.0	2.0	21
1006		10.0	12.0	2.0	21
1007		12.0	14.0	2.0	71
1008		14.0	16.0	2.0	158
1009		16.0	18.0	2.0	158
1010		18.0	20.0	2.0	33
1011		20.0	22.0	2.0	42
1012		22.0	24.0	2.0	50
1013		24.0	26.0	2.0	17
1014		26.0	28.0	2.0	17
1015		28.0	30.0	2.0	< 5
1016		30.0	32.0	2.0	< 5
1017		32.0	34.0	2.0	< 5
1018		34.0	36.0	2.0	8
1019		36.0	38.0	2.0	25
1020		38.0	40.0	2.0	58
1021		40.0	42.0	2.0	17
1022		42.0	44.0	2.0	< 5
1023		44.0	46.0	2.0	46
1024		46.0	48.0	2.0	8
1025		48.0	50.0	2.0	604
1026	B3-12	0.0	2.0	2.0	50
1027		2.0	4.0	2.0	29
1028		4.0	6.0	2.0	< 5
1029		6.0	8.0	2.0	8
1030		8.0	10.0	2.0	< 5
1031		10.0	12.0	2.0	< 5
1032		12.0	14.0	2.0	< 5
1033		14.0	16.0	2.0	21
1034		16.0	18.0	2.0	17
1035		18.0	20.0	2.0	38
1036		20.0	22.0	2.0	25
1037		22.0	24.0	2.0	< 5
1038		24.0	26.0	2.0	13
1039		26.0	28.0	2.0	< 5
1040		28.0	30.0	2.0	< 5
1041		30.0	32.0	2.0	< 5
1042		32.0	34.0	2.0	< 5
1043		34.0	36.0	2.0	< 5
1044		36.0	38.0	2.0	< 5
1045		38.0	40.0	2.0	< 5
1046		40.0	42.0	2.0	< 5
1047		42.0	44.0	2.0	< 5
1048		44.0	46.0	2.0	< 5
1049		46.0	48.0	2.0	< 5
1050		48.0	50.0	2.0	< 5
1051	B3-13	0.0	2.0	2.0	21
1052		2.0	4.0	2.0	21
1053		4.0	6.0	2.0	8
1054		6.0	8.0	2.0	< 5
1055		8.0	10.0	2.0	< 5
1056		10.0	12.0	2.0	50
1057		12.0	14.0	2.0	< 5
1058		14.0	16.0	2.0	< 5
1059		16.0	18.0	2.0	< 5
1060		18.0	20.0	2.0	< 5
1061		20.0	22.0	2.0	< 5
1062		22.0	24.0	2.0	< 5
1063		24.0	26.0	2.0	< 5
1064		26.0	28.0	2.0	< 5
1065		28.0	30.0	2.0	< 5
1066		30.0	32.0	2.0	< 5
1067		32.0	34.0	2.0	< 5
1068		34.0	36.0	2.0	< 5
1069		36.0	38.0	2.0	< 5
1070		38.0	40.0	2.0	< 5
1071		40.0	42.0	2.0	< 5
1072		42.0	44.0	2.0	< 5
1073		44.0	46.0	2.0	< 5
1074		46.0	48.0	2.0	< 5
1075		48.0	50.0	2.0	< 5
1076	B3-14	0.0	2.0	2.0	8
1077		2.0	4.0	2.0	13
1078		4.0	6.0	2.0	8
1079		6.0	8.0	2.0	< 5
1080		8.0	10.0	2.0	< 5
1081		10.0	12.0	2.0	< 5
1082		12.0	14.0	2.0	< 5
1083		14.0	16.0	2.0	< 5
1084		16.0	18.0	2.0	< 5
1085		18.0	20.0	2.0	< 5
1086		20.0	22.0	2.0	< 5
1087		22.0	24.0	2.0	< 5
1088		24.0	26.0	2.0	< 5
1089		26.0	28.0	2.0	< 5
1090		28.0	30.0	2.0	< 5
1091		30.0	32.0	2.0	< 5
1092		32.0	34.0	2.0	< 5
1093		34.0	36.0	2.0	< 5
1094		36.0	38.0	2.0	< 5
1095		38.0	40.0	2.0	< 5
1096		40.0	42.0	2.0	< 5
1097		42.0	44.0	2.0	< 5
1098		44.0	46.0	2.0	< 5
1099		46.0	48.0	2.0	< 5
1100		48.0	50.0	2.0	< 5
1101	B3-15	0.0	2.0	2.0	17
1102		2.0	4.0	2.0	8
1103		4.0	6.0	2.0	12
1104		6.0	8.0	2.0	< 5
1105		8.0	10.0	2.0	< 5
1106		10.0	12.0	2.0	< 5
1107		12.0	14.0	2.0	< 5
1108		14.0	16.0	2.0	< 5
1109		16.0	18.0	2.0	< 5
1110		18.0	20.0	2.0	< 5
1111		20.0	22.0	2.0	< 5
1112		22.0	24.0	2.0	< 5
1113		24.0	26.0	2.0	< 5
1114		26.0	28.0	2.0	< 5
1115		28.0	30.0	2.0	< 5
1116		30.0	32.0	2.0	< 5
1117		32.0	34.0	2.0	< 5
1118		34.0	36.0	2.0	< 5
1119		36.0	38.0	2.0	< 5
1120		38.0	40.0	2.0	< 5
1121		40.0	42.0	2.0	< 5
1122		42.0	44.0	2.0	< 5
1123		44.0	46.0	2.0	< 5
1124		46.0	48.0	2.0	< 5
1125		48.0	50.0	2.0	< 5
1126	B4-01	0.0	2.0	2.0	8
1127		2.0	4.0	2.0	< 5
1128		4.0	6.0	2.0	12
1129		6.0	8.0	2.0	29
1130		8.0	10.0	2.0	23
1131		10.0	12.0	2.0	8
1132		12.0	14.0	2.0	< 5
1133		14.0	16.0	2.0	< 5
1134		16.0	18.0	2.0	< 5
1135		18.0	20.0	2.0	< 5
1136		20.0	22.0	2.0	< 5
1137		22.0	24.0	2.0	< 5
1138		24.0	26.0	2.0	< 5
1139		26.0	28.0	2.0	< 5
1140		28.0	30.0	2.0	12
1141		30.0	32.0	2.0	< 5
1142		32.0	34.0	2.0	< 5
1143		34.0	36.0	2.0	< 5
1144		36.0	38.0	2.0	< 5
1145		38.0	40.0	2.0	8
1146		40.0	42.0	2.0	54
1147		42.0	44.0	2.0	8
1148		44.0	46.0	2.0	25
1149		46.0	48.0	2.0	8
1150		48.0	50.0	2.0	12
1151	B4-02	0.0	2.0	2.0	< 5
1152		2.0	4.0	2.0	8
1153		4.0	6.0	2.0	21
1154		6.0	8.0	2.0	17
1155		8.0	10.0	2.0	8
1156		10.0	12.0	2.0	< 5
1157		12.0	14.0	2.0	< 5
1158		14.0	16.0	2.0	< 5
1159		16.0	18.0	2.0	< 5
1160		18.0	20.0	2.0	< 5
1161		20.0	22.0	2.0	< 5
1162		22.0	24.0	2.0	< 5
1163		24.0	26.0	2.0	< 5
1164		26.0	28.0	2.0	< 5
1165		28.0	30.0	2.0	8
1166		30.0	32.0	2.0	< 5
1167		32.0	34.0	2.0	12
1168		34.0	36.0	2.0	8
1169		36.0	38.0	2.0	8
1170		38.0	40.0	2.0	< 5
1171		40.0	42.0	2.0	< 5
1172		42.0	44.0	2.0	< 5
1173		44.0	46.0	2.0	< 5
1174		46.0	48.0	2.0	< 5
1175		48.0	50.0	2.0	< 5
1176	B4-03	0.0	2.0	2.0	54
1177		2.0	4.0	2.0	42
1178		4.0	6.0	2.0	33
1179		6.0	8.0	2.0	21
1180		8.0	10.0	2.0	54
1181		10.0	12.0	2.0	46
1182		12.0	14.0	2.0	25
1183		14.0	16.0	2.0	8
1184		16.0	18.0	2.0	21
1185		18.0	20.0	2.0	8
1186		20.0	22.0	2.0	199
1187		22.0	24.0	2.0	75
1188		24.0	26.0	2.0	41
1189		26.0	28.0	2.0	33
1190		28.0	30.0	2.0	21
1191		30.0	32.0	2.0	17
1192		32.0	34.0	2.0	12
1193		34.0	36.0	2.0	8
1194		36.0	38.0	2.0	< 5
1195		38.0	40.0	2.0	50
1196		40.0	42.0	2.0	42
1197		42.0	44.0	2.0	25
1198		44.0	46.0	2.0	33
1199		46.0	48.0	2.0	79
1200		48.0	50.0	2.0	21

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
1201	B4-04	0.0	2.0	2.0	29	1301	B4-08	0.0	2.0	2.0	229	1401	B5-02	0.0	2.0	2.0	25
1202		2.0	4.0	2.0	50	1302		2.0	4.0	2.0	75	1402		2.0	4.0	2.0	62
1203		4.0	6.0	2.0	29	1303		4.0	6.0	2.0	91	1403		4.0	6.0	2.0	12
1204		6.0	8.0	2.0	37	1304		6.0	8.0	2.0	50	1404		6.0	8.0	2.0	46
1205		8.0	10.0	2.0	17	1305		8.0	10.0	2.0	21	1405		8.0	10.0	2.0	< 5
1206		10.0	12.0	2.0	17	1306		10.0	12.0	2.0	8	1406		10.0	12.0	2.0	< 5
1207		12.0	14.0	2.0	21	1307		12.0	14.0	2.0	33	1407		12.0	14.0	2.0	< 5
1208		14.0	16.0	2.0	< 5	1308		14.0	16.0	2.0	46	1408		14.0	16.0	2.0	< 5
1209		16.0	18.0	2.0	< 5	1309		16.0	18.0	2.0	46	1409		16.0	18.0	2.0	< 5
1210		18.0	20.0	2.0	< 5	1310		18.0	20.0	2.0	42	1410		18.0	20.0	2.0	< 5
1211		20.0	22.0	2.0	< 5	1311		20.0	22.0	2.0	21	1411		20.0	22.0	2.0	< 5
1212		22.0	24.0	2.0	29	1312		22.0	24.0	2.0	17	1412		22.0	24.0	2.0	< 5
1213		24.0	26.0	2.0	66	1313		24.0	26.0	2.0	12	1413		24.0	26.0	2.0	< 5
1214		26.0	28.0	2.0	121	1314		26.0	28.0	2.0	25	1414		26.0	28.0	2.0	< 5
1215		28.0	30.0	2.0	25	1315		28.0	30.0	2.0	8	1415		28.0	30.0	2.0	< 5
1216		30.0	32.0	2.0	< 5	1316		30.0	32.0	2.0	17	1416		30.0	32.0	2.0	< 5
1217		32.0	34.0	2.0	54	1317		32.0	34.0	2.0	< 5	1417		32.0	34.0	2.0	< 5
1218		34.0	36.0	2.0	< 5	1318		34.0	36.0	2.0	< 5	1418		34.0	36.0	2.0	< 5
1219		36.0	38.0	2.0	54	1319		36.0	38.0	2.0	< 5	1419		36.0	38.0	2.0	< 5
1220		38.0	40.0	2.0	< 5	1320		38.0	40.0	2.0	< 5	1420		38.0	40.0	2.0	< 5
1221		40.0	42.0	2.0	< 5	1321		40.0	42.0	2.0	< 5	1421		40.0	42.0	2.0	< 5
1222		42.0	44.0	2.0	< 5	1322		42.0	44.0	2.0	< 5	1422		42.0	44.0	2.0	79
1223		44.0	46.0	2.0	17	1323		44.0	46.0	2.0	< 5	1423		44.0	46.0	2.0	< 5
1224		46.0	48.0	2.0	< 5	1324		46.0	48.0	2.0	21	1424		46.0	48.0	2.0	12
1225		48.0	50.0	2.0	< 5	1325		48.0	50.0	2.0	21	1425		48.0	50.0	2.0	< 5
1226	B4-05	0.0	2.0	2.0	42	1326	B4-09	0.0	2.0	2.0	25	1426	B5-03	0.0	2.0	2.0	133
1227		2.0	4.0	2.0	29	1327		2.0	4.0	2.0	25	1427		2.0	4.0	2.0	25
1228		4.0	6.0	2.0	29	1328		4.0	6.0	2.0	33	1428		4.0	6.0	2.0	8
1229		6.0	8.0	2.0	42	1329		6.0	8.0	2.0	66	1429		6.0	8.0	2.0	8
1230		8.0	10.0	2.0	33	1330		8.0	10.0	2.0	46	1430		8.0	10.0	2.0	8
1231		10.0	12.0	2.0	29	1331		10.0	12.0	2.0	17	1431		10.0	12.0	2.0	< 5
1232		12.0	14.0	2.0	21	1332		12.0	14.0	2.0	25	1432		12.0	14.0	2.0	< 5
1233		14.0	16.0	2.0	125	1333		14.0	16.0	2.0	29	1433		14.0	16.0	2.0	< 5
1234		16.0	18.0	2.0	21	1334		16.0	18.0	2.0	13	1434		16.0	18.0	2.0	17
1235		18.0	20.0	2.0	< 5	1335		18.0	20.0	2.0	8	1435		18.0	20.0	2.0	8
1236		20.0	22.0	2.0	< 5	1336		20.0	22.0	2.0	21	1436		20.0	22.0	2.0	< 5
1237		22.0	24.0	2.0	117	1337		22.0	24.0	2.0	< 5	1437		22.0	24.0	2.0	54
1238		24.0	26.0	2.0	< 5	1338		24.0	26.0	2.0	< 5	1438		24.0	26.0	2.0	< 5
1239		26.0	28.0	2.0	83	1339		26.0	28.0	2.0	< 5	1439		26.0	28.0	2.0	540
1240		28.0	30.0	2.0	125	1340		28.0	30.0	2.0	< 5	1440		28.0	30.0	2.0	12
1241		30.0	32.0	2.0	12	1341		30.0	32.0	2.0	< 5	1441		30.0	32.0	2.0	12
1242		32.0	34.0	2.0	12	1342		32.0	34.0	2.0	8	1442		32.0	34.0	2.0	< 5
1243		34.0	36.0	2.0	96	1343		34.0	36.0	2.0	8	1443		34.0	36.0	2.0	8
1244		36.0	38.0	2.0	29	1344		36.0	38.0	2.0	8	1444		36.0	38.0	2.0	25
1245		38.0	40.0	2.0	46	1345		38.0	40.0	2.0	5	1445		38.0	40.0	2.0	977
1246		40.0	42.0	2.0	< 5	1346		40.0	42.0	2.0	< 5	1446		40.0	42.0	2.0	< 5
1247		42.0	44.0	2.0	100	1347		42.0	44.0	2.0	< 5	1447		42.0	44.0	2.0	8
1248		44.0	46.0	2.0	42	1348		44.0	46.0	2.0	< 5	1448		44.0	46.0	2.0	< 5
1249		46.0	48.0	2.0	17	1349		46.0	48.0	2.0	8	1449		46.0	48.0	2.0	8
1250		48.0	50.0	2.0	33	1350		48.0	50.0	2.0	< 5	1450		48.0	50.0	2.0	< 5
1251	B4-06	0.0	2.0	2.0	83	1351	B4-10	0.0	2.0	2.0	46	1451	B5-04	0.0	2.0	2.0	12
1252		2.0	4.0	2.0	58	1352		2.0	4.0	2.0	29	1452		2.0	4.0	2.0	< 5
1253		4.0	6.0	2.0	25	1353		4.0	6.0	2.0	198	1453		4.0	6.0	2.0	125
1254		6.0	8.0	2.0	25	1354		6.0	8.0	2.0	25	1454		6.0	8.0	2.0	62
1255		8.0	10.0	2.0	21	1355		8.0	10.0	2.0	13	1455		8.0	10.0	2.0	12
1256		10.0	12.0	2.0	21	1356		10.0	12.0	2.0	8	1456		10.0	12.0	2.0	17
1257		12.0	14.0	2.0	8	1357		12.0	14.0	2.0	< 5	1457		12.0	14.0	2.0	< 5
1258		14.0	16.0	2.0	< 5	1358		14.0	16.0	2.0	< 5	1458		14.0	16.0	2.0	< 5
1259		16.0	18.0	2.0	< 5	1359		16.0	18.0	2.0	< 5	1459		16.0	18.0	2.0	< 5
1260		18.0	20.0	2.0	< 5	1360		18.0	20.0	2.0	< 5	1460		18.0	20.0	2.0	< 5
1261		20.0	22.0	2.0	< 5	1361		20.0	22.0	2.0	8	1461		20.0	22.0	2.0	< 5
1262		22.0	24.0	2.0	8	1362		22.0	24.0	2.0	< 5	1462		22.0	24.0	2.0	< 5
1263		24.0	26.0	2.0	44	1363		24.0	26.0	2.0	< 5	1463		24.0	26.0	2.0	12
1264		26.0	28.0	2.0	< 5	1364		26.0	28.0	2.0	< 5	1464		26.0	28.0	2.0	17
1265		28.0	30.0	2.0	8	1365		28.0	30.0	2.0	< 5	1465		28.0	30.0	2.0	21
1266		30.0	32.0	2.0	12	1366		30.0	32.0	2.0	< 5	1466		30.0	32.0	2.0	8
1267		32.0	34.0	2.0	< 5	1367		32.0	34.0	2.0	< 5	1467		32.0	34.0	2.0	< 5
1268		34.0	36.0	2.0	< 5	1368		34.0	36.0	2.0	< 5	1468		34.0	36.0	2.0	42
1269		36.0	38.0	2.0	< 5	1369		36.0	38.0	2.0	< 5	1469		36.0	38.0	2.0	25
1270		38.0	40.0	2.0	< 5	1370		38.0	40.0	2.0	< 5	1470		38.0	40.0	2.0	29
1271		40.0	42.0	2.0	< 5	1371		40.0	42.0	2.0	< 5	1471		40.0	42.0	2.0	12
1272		42.0	44.0	2.0	< 5	1372		42.0	44.0	2.0	< 5	1472		42.0	44.0	2.0	12
1273		44.0	46.0	2.0	< 5	1373		44.0	46.0	2.0	< 5	1473		44.0	46.0	2.0	< 5
1274		46.0	48.0	2.0	< 5	1374		46.0	48.0	2.0	< 5	1474		46.0	48.0	2.0	12
1275		48.0	50.0	2.0	< 5	1375		48.0	50.0	2.0	< 5	1475		48.0	50.0	2.0	12
1276	B4-07	0.0	2.0	2.0	58	1376	B5-01	0.0	2.0	2.0	29	1476	B5-05	0.0	2.0	2.0	29
1277		2.0	4.0	2.0	50	1377		2.0	4.0	2.0	25	1477		2.0	4.0	2.0	25
1278		4.0	6.0	2.0	29	1378		4.0	6.0	2.0	12	1478		4.0	6.0	2.0	37
1279		6.0	8.0	2.0	341	1379		6.0	8.0	2.0	8	1479		6.0	8.0	2.0	8
1280		8.0	10.0	2.0	179	1380		8.0	10.0	2.0	< 5	1480		8.0	10.0	2.0	25
1281		10.0	12.0	2.0	29	1381		10.0	12.0	2.0	< 5	1481		10.0	12.0	2.0	12
1282		12.0	14.0	2.0	12	1382		12.0	14.0	2.0	8	1482		12.0	14.0	2.0	17
1283		14.0	16.0	2.0	< 5	1383		14.0	16.0	2.0	< 5	1483		14.0	16.0	2.0	< 5
1284		16.0	18.0	2.0	< 5	1384		16.0	18.0	2.0	< 5	1484		16.0	18.0	2.0	< 5
1285		18.0	20.0	2.0	8	1385		18.0	20.0	2.0	< 5	1485		18.0	20.0	2.0	8
1286		20.0	22.0	2.0	29	1386		20.0	22.0	2.0	< 5	1486		20.0	22.0	2.0	< 5
1287		22.0	24.0	2.0	37	1387		22.0	24.0	2.0	< 5	1487		22.0	24.0	2.0	< 5
1288		24.0	26.0	2.0	33	1388		24.0	26.0	2.0	< 5	1488		24.0	26.0	2.0	< 5
1289		26.0	28.0	2.0	8	1389		26.0	28.0	2.0	< 5	1489		26.0	28.0	2.0	8
1290		28.0	30.0	2.0	8	1390		28.0	30.0	2.0	8	1490		28.0	30.0	2.0	< 5
1291		30.0	32.0	2.0	12	1391		30.0	32.0	2.0	231	1491		30.0	32.0	2.0	< 5
1292		32.0	34.0	2.0	21	1392		32.0	34.0	2.0	50	1492		32.0	34.0	2.0	8
1293		34.0	36.0	2.0	< 5	1393		34.0	36.0	2.0	12	1493		34.0	36.0	2.0	131
1294		36.0	38.0	2.0	< 5	1394		36.0	38.0	2.0	41	1494		36.0	38.0	2.0	133
1295		38.0	40.0	2.0	< 5	1395		38.0	40.0	2.0	33	1495		38.0	40.0	2.0	8
1296		40.0	42.0	2.0	< 5	1396		40.0	42.0	2.0	< 5	1496		40.0	42.0	2.0	< 5
1297		42.0	44.0	2.0	54	1397		42.0	44.0	2.0	< 5	1497		42.0	44.0	2.0	183
1298		44.0	46.0	2.0	58	1398		44.0	46.0	2.0	< 5	1498		44.0	46.0	2.0	315
1299		46.0	48.0	2.0	8	1399		46.0	48.0	2.0	< 5	1499		46.0	48.0	2.0	183
1300		48.0	50.0	2.0	< 5	1400		48.0	50.0	2.0	< 5	1500		48.0	50.0	2.0	91

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
1501	B5-06	0.0	2.0	2.0	95
1502		2.0	4.0	2.0	37
1503		4.0	6.0	2.0	116
1504		6.0	8.0	2.0	108
1505		8.0	10.0	2.0	29
1506		10.0	12.0	2.0	17
1507		12.0	14.0	2.0	17
1508		14.0	16.0	2.0	< 5
1509		16.0	18.0	2.0	< 5
1510		18.0	20.0	2.0	25
1511		20.0	22.0	2.0	104
1512		22.0	24.0	2.0	12
1513		24.0	26.0	2.0	37
1514		26.0	28.0	2.0	33
1515		28.0	30.0	2.0	202
1516		30.0	32.0	2.0	29
1517		32.0	34.0	2.0	1060
1518		34.0	36.0	2.0	1230
1519		36.0	38.0	2.0	191
1520		38.0	40.0	2.0	749
1521		40.0	42.0	2.0	66
1522		42.0	44.0	2.0	< 5
1523		44.0	46.0	2.0	166
1524		46.0	48.0	2.0	< 5
1525		48.0	50.0	2.0	29
1526	B5-07	0.0	2.0	2.0	46
1527		2.0	4.0	2.0	17
1528		4.0	6.0	2.0	< 5
1529		6.0	8.0	2.0	< 5
1530		8.0	10.0	2.0	142
1531		10.0	12.0	2.0	25
1532		12.0	14.0	2.0	8
1533		14.0	16.0	2.0	< 5
1534		16.0	18.0	2.0	< 5
1535		18.0	20.0	2.0	< 5
1536		20.0	22.0	2.0	< 5
1537		22.0	24.0	2.0	< 5
1538		24.0	26.0	2.0	< 5
1539		26.0	28.0	2.0	< 5
1540		28.0	30.0	2.0	< 5
1541		30.0	32.0	2.0	< 5
1542		32.0	34.0	2.0	8
1543		34.0	36.0	2.0	< 5
1544		36.0	38.0	2.0	< 5
1545		38.0	40.0	2.0	59
1546		40.0	42.0	2.0	21
1547		42.0	44.0	2.0	29
1548		44.0	46.0	2.0	8
1549		46.0	48.0	2.0	33
1550		48.0	50.0	2.0	8
1551	B5-08	0.0	2.0	2.0	87
1552		2.0	4.0	2.0	12
1553		4.0	6.0	2.0	8
1554		6.0	8.0	2.0	< 5
1555		8.0	10.0	2.0	< 5
1556		10.0	12.0	2.0	< 5
1557		12.0	14.0	2.0	< 5
1558		14.0	16.0	2.0	< 5
1559		16.0	18.0	2.0	< 5
1560		18.0	20.0	2.0	< 5
1561		20.0	22.0	2.0	< 5
1562		22.0	24.0	2.0	< 5
1563		24.0	26.0	2.0	< 5
1564		26.0	28.0	2.0	< 5
1565		28.0	30.0	2.0	< 5
1566		30.0	32.0	2.0	< 5
1567		32.0	34.0	2.0	12
1568		34.0	36.0	2.0	< 5
1569		36.0	38.0	2.0	< 5
1570		38.0	40.0	2.0	< 5
1571		40.0	42.0	2.0	< 5
1572		42.0	44.0	2.0	< 5
1573		44.0	46.0	2.0	< 5
1574		46.0	48.0	2.0	< 5
1575		48.0	50.0	2.0	< 5
1576	B5-09	0.0	2.0	2.0	62
1577		2.0	4.0	2.0	17
1578		4.0	6.0	2.0	37
1579		6.0	8.0	2.0	25
1580		8.0	10.0	2.0	< 5
1581		10.0	12.0	2.0	< 5
1582		12.0	14.0	2.0	< 5
1583		14.0	16.0	2.0	< 5
1584		16.0	18.0	2.0	< 5
1585		18.0	20.0	2.0	< 5
1586		20.0	22.0	2.0	17
1587		22.0	24.0	2.0	< 5
1588		24.0	26.0	2.0	< 5
1589		26.0	28.0	2.0	< 5
1590		28.0	30.0	2.0	< 5
1591		30.0	32.0	2.0	33
1592		32.0	34.0	2.0	8
1593		34.0	36.0	2.0	196
1594		36.0	38.0	2.0	< 5
1595		38.0	40.0	2.0	< 5
1596		40.0	42.0	2.0	< 5
1597		42.0	44.0	2.0	< 5
1598		44.0	46.0	2.0	46
1599		46.0	48.0	2.0	29
1600		48.0	50.0	2.0	< 5
1601	B5-10	0.0	2.0	2.0	< 5
1602		2.0	4.0	2.0	< 5
1603		4.0	6.0	2.0	< 5
1604		6.0	8.0	2.0	< 5
1605		8.0	10.0	2.0	< 5
1606		10.0	12.0	2.0	< 5
1607		12.0	14.0	2.0	< 5
1608		14.0	16.0	2.0	< 5
1609		16.0	18.0	2.0	< 5
1610		18.0	20.0	2.0	< 5
1611		20.0	22.0	2.0	< 5
1612		22.0	24.0	2.0	< 5
1613		24.0	26.0	2.0	< 5
1614		26.0	28.0	2.0	< 5
1615		28.0	30.0	2.0	< 5
1616		30.0	32.0	2.0	< 5
1617		32.0	34.0	2.0	< 5
1618		34.0	36.0	2.0	< 5
1619		36.0	38.0	2.0	8
1620		38.0	40.0	2.0	< 5
1621		40.0	42.0	2.0	< 5
1622		42.0	44.0	2.0	< 5
1623		44.0	46.0	2.0	< 5
1624		46.0	48.0	2.0	< 5
1625		48.0	50.0	2.0	< 5
1626	B5-11	0.0	2.0	2.0	< 5
1627		2.0	4.0	2.0	< 5
1628		4.0	6.0	2.0	< 5
1629		6.0	8.0	2.0	8
1630		8.0	10.0	2.0	12
1631		10.0	12.0	2.0	104
1632		12.0	14.0	2.0	< 5
1633		14.0	16.0	2.0	158
1634		16.0	18.0	2.0	484
1635		18.0	20.0	2.0	4420
1636		20.0	22.0	2.0	33
1637		22.0	24.0	2.0	< 5
1638		24.0	26.0	2.0	< 5
1639		26.0	28.0	2.0	< 5
1640		28.0	30.0	2.0	353
1641		30.0	32.0	2.0	< 5
1642		32.0	34.0	2.0	25
1643		34.0	36.0	2.0	29
1644		36.0	38.0	2.0	< 5
1645		38.0	40.0	2.0	< 5
1646		40.0	42.0	2.0	< 5
1647		42.0	44.0	2.0	71
1648		44.0	46.0	2.0	< 5
1649		46.0	48.0	2.0	< 5
1650		48.0	50.0	2.0	< 5
1651	B5-12	0.0	2.0	2.0	50
1652		2.0	4.0	2.0	29
1653		4.0	6.0	2.0	17
1654		6.0	8.0	2.0	21
1655		8.0	10.0	2.0	< 5
1656		10.0	12.0	2.0	< 5
1657		12.0	14.0	2.0	< 5
1658		14.0	16.0	2.0	< 5
1659		16.0	18.0	2.0	37
1660		18.0	20.0	2.0	< 5
1661		20.0	22.0	2.0	< 5
1662		22.0	24.0	2.0	< 5
1663		24.0	26.0	2.0	< 5
1664		26.0	28.0	2.0	< 5
1665		28.0	30.0	2.0	< 5
1666		30.0	32.0	2.0	< 5
1667		32.0	34.0	2.0	< 5
1668		34.0	36.0	2.0	935
1669		36.0	38.0	2.0	235
1670		38.0	40.0	2.0	150
1671		40.0	42.0	2.0	< 5
1672		42.0	44.0	2.0	46
1673		44.0	46.0	2.0	< 5
1674		46.0	48.0	2.0	< 5
1675		48.0	50.0	2.0	< 5
1676	B5-13	0.0	2.0	2.0	25
1677		2.0	4.0	2.0	33
1678		4.0	6.0	2.0	25
1679		6.0	8.0	2.0	17
1680		8.0	10.0	2.0	8
1681		10.0	12.0	2.0	< 5
1682		12.0	14.0	2.0	< 5
1683		14.0	16.0	2.0	< 5
1684		16.0	18.0	2.0	< 5
1685		18.0	20.0	2.0	37
1686		20.0	22.0	2.0	< 5
1687		22.0	24.0	2.0	8
1688		24.0	26.0	2.0	< 5
1689		26.0	28.0	2.0	473
1690		28.0	30.0	2.0	< 5
1691		30.0	32.0	2.0	< 5
1692		32.0	34.0	2.0	< 5
1693		34.0	36.0	2.0	< 5
1694		36.0	38.0	2.0	< 5
1695		38.0	40.0	2.0	520
1696		40.0	42.0	2.0	50
1697		42.0	44.0	2.0	< 5
1698		44.0	46.0	2.0	175
1699		46.0	48.0	2.0	935
1700		48.0	50.0	2.0	50
1701	B5-14	0.0	2.0	2.0	33
1702		2.0	4.0	2.0	25
1703		4.0	6.0	2.0	33
1704		6.0	8.0	2.0	33
1705		8.0	10.0	2.0	33
1706		10.0	12.0	2.0	29
1707		12.0	14.0	2.0	8
1708		14.0	16.0	2.0	8
1709		16.0	18.0	2.0	8
1710		18.0	20.0	2.0	12
1711		20.0	22.0	2.0	166
1712		22.0	24.0	2.0	< 5
1713		24.0	26.0	2.0	33
1714		26.0	28.0	2.0	33
1715		28.0	30.0	2.0	165
1716		30.0	32.0	2.0	244
1717		32.0	34.0	2.0	37
1718		34.0	36.0	2.0	37
1719		36.0	38.0	2.0	< 5
1720		38.0	40.0	2.0	< 5
1721		40.0	42.0	2.0	< 5
1722		42.0	44.0	2.0	< 5
1723		44.0	46.0	2.0	< 5
1724		46.0	48.0	2.0	< 5
1725		48.0	50.0	2.0	< 5
1726	B5-15	0.0	2.0	2.0	29
1727		2.0	4.0	2.0	42
1728		4.0	6.0	2.0	29
1729		6.0	8.0	2.0	< 5
1730		8.0	10.0	2.0	< 5
1731		10.0	12.0	2.0	33
1732		12.0	14.0	2.0	21
1733		14.0	16.0	2.0	< 5
1734		16.0	18.0	2.0	< 5
1735		18.0	20.0	2.0	< 5
1736		20.0	22.0	2.0	< 5
1737		22.0	24.0	2.0	< 5
1738		24.0	26.0	2.0	< 5
1739		26.0	28.0	2.0	< 5
1740		28.0	30.0	2.0	< 5
1741		30.0	32.0	2.0	< 5
1742		32.0	34.0	2.0	< 5
1743		34.0	36.0	2.0	< 5
1744		36.0	38.0	2.0	< 5
1745		38.0	40.0	2.0	< 5
1746		40.0	42.0	2.0	< 5
1747		42.0	44.0	2.0	< 5
1748		44.0	46.0	2.0	< 5
1749		46.0	48.0	2.0	21
1750		48.0	50.0	2.0	< 5
1751	B5-16	0.0	2.0	2.0	17
1752		2.0	4.0	2.0	21
1753		4.0	6.0	2.0	< 5
1754		6.0	8.0	2.0	< 5
1755		8.0	10.0	2.0	< 5
1756		10.0	12.0	2.0	< 5
1757		12.0	14.0	2.0	< 5
1758		14.0	16.0	2.0	< 5
1759		16.0	18.0	2.0	< 5
1760		18.0	20.0	2.0	< 5
1761		20.0	22.0	2.0	< 5
1762		22.0	24.0	2.0	< 5
1763		24.0	26.0	2.0	< 5
1764		26.0	28.0	2.0	< 5
1765		28.0	30.0	2.0	< 5
1766		30.0	32.0	2.0	< 5
1767		32.0	34.0	2.0	< 5
1768		34.0	36.0	2.0	50
1769		36.0	38.0	2.0	311
1770		38.0	40.0	2.0	41
1771		40.0	42.0	2.0	25
1772		42.0	44.0	2.0	25
1773		44.0	46.0	2.0	< 5
1774		46.0	48.0	2.0	< 5
1775		48.0	50.0	2.0	< 5
1776	B5-17	0.0	2.0	2.0	21
1777		2.0	4.0	2.0	25
1778		4.0	6.0	2.0	58
1779		6.0	8.0	2.0	37
1780		8.0	10.0	2.0	29
1781		10.0	12.0	2.0	37
1782		12.0	14.0	2.0	79
1783		14.0	16.0	2.0	91
1784		16.0	18.0	2.0	178
1785		18.0	20.0	2.0	202
1786		20.0	22.0	2.0	8
1787		22.0	24.0	2.0	29
1788		24.0	26.0	2.0	< 5
1789		26.0	28.0	2.0	29
1790		28.0	30.0	2.0	58
1791		30.0	32.0	2.0	25
1792		32.0	34.0	2.0	108
1793		34.0	36.0	2.0	37
1794		36.0	38.0	2.0	< 5
1795		38.0	40.0	2.0	29
1796		40.0	42.0	2.0	< 5
1797		42.0	44.0	2.0	12
1798		44.0	46.0	2.0	< 5
1799		46.0	48.0	2.0	8
1800		48.0	50.0	2.0	< 5

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
1801	B5-18	0.0	2.0	2.0	29	1901	C1-02	0.0	2.0	2.0	25	2001	C1-06	0.0	2.0	2.0	104
1802		2.0	4.0	2.0	17	1902		2.0	4.0	2.0	141	2002		2.0	4.0	2.0	29
1803		4.0	6.0	2.0	25	1903		4.0	6.0	2.0	362	2003		4.0	6.0	2.0	21
1804		6.0	8.0	2.0	8	1904		6.0	8.0	2.0	66	2004		6.0	8.0	2.0	< 5
1805		8.0	10.0	2.0	< 5	1905		8.0	10.0	2.0	21	2005		8.0	10.0	2.0	< 5
1806		10.0	12.0	2.0	< 5	1906		10.0	12.0	2.0	29	2006		10.0	12.0	2.0	< 5
1807		12.0	14.0	2.0	< 5	1907		12.0	14.0	2.0	< 5	2007		12.0	14.0	2.0	< 5
1808		14.0	16.0	2.0	< 5	1908		14.0	16.0	2.0	< 5	2008		14.0	16.0	2.0	< 5
1809		16.0	18.0	2.0	< 5	1909		16.0	18.0	2.0	< 5	2009		16.0	18.0	2.0	< 5
1810		18.0	20.0	2.0	< 5	1910		18.0	20.0	2.0	< 5	2010		18.0	20.0	2.0	< 5
1811		20.0	22.0	2.0	< 5	1911		20.0	22.0	2.0	< 5	2011		20.0	22.0	2.0	12
1812		22.0	24.0	2.0	< 5	1912		22.0	24.0	2.0	< 5	2012		22.0	24.0	2.0	< 5
1813		24.0	26.0	2.0	< 5	1913		24.0	26.0	2.0	< 5	2013		24.0	26.0	2.0	< 5
1814		26.0	28.0	2.0	< 5	1914		26.0	28.0	2.0	< 5	2014		26.0	28.0	2.0	< 5
1815		28.0	30.0	2.0	< 5	1915		28.0	30.0	2.0	< 5	2015		28.0	30.0	2.0	42
1816		30.0	32.0	2.0	< 5	1916		30.0	32.0	2.0	8	2016		30.0	32.0	2.0	< 5
1817		32.0	34.0	2.0	< 5	1917		32.0	34.0	2.0	< 5	2017		32.0	34.0	2.0	< 5
1818		34.0	36.0	2.0	359	1918		34.0	36.0	2.0	195	2018		34.0	36.0	2.0	< 5
1819		36.0	38.0	2.0	327	1919		36.0	38.0	2.0	< 5	2019		36.0	38.0	2.0	< 5
1820		38.0	40.0	2.0	137	1920		38.0	40.0	2.0	< 5	2020		38.0	40.0	2.0	< 5
1821		40.0	42.0	2.0	25	1921		40.0	42.0	2.0	< 5	2021		40.0	42.0	2.0	< 5
1822		42.0	44.0	2.0	2830	1922		42.0	44.0	2.0	< 5	2022		42.0	44.0	2.0	< 5
1823		44.0	46.0	2.0	< 5	1923		44.0	46.0	2.0	< 5	2023		44.0	46.0	2.0	12
1824		46.0	48.0	2.0	< 5	1924		46.0	48.0	2.0	< 5	2024		46.0	48.0	2.0	< 5
1825		48.0	50.0	2.0	< 5	1925		48.0	50.0	2.0	< 5	2025		48.0	50.0	2.0	237
1826	B5-19	0.0	2.0	2.0	11	1926	C1-03	0.0	2.0	2.0	25	2026	C1-07	0.0	2.0	2.0	1920
1827		2.0	4.0	2.0	19	1927		2.0	4.0	2.0	< 5	2027		2.0	4.0	2.0	179
1828		4.0	6.0	2.0	11	1928		4.0	6.0	2.0	13	2028		4.0	6.0	2.0	33
1829		6.0	8.0	2.0	7	1929		6.0	8.0	2.0	12	2029		6.0	8.0	2.0	42
1830		8.0	10.0	2.0	< 5	1930		8.0	10.0	2.0	< 5	2030		8.0	10.0	2.0	< 5
1831		10.0	12.0	2.0	< 5	1931		10.0	12.0	2.0	< 5	2031		10.0	12.0	2.0	41
1832		12.0	14.0	2.0	< 5	1932		12.0	14.0	2.0	< 5	2032		12.0	14.0	2.0	17
1833		14.0	16.0	2.0	22	1933		14.0	16.0	2.0	< 5	2033		14.0	16.0	2.0	33
1834		16.0	18.0	2.0	19	1934		16.0	18.0	2.0	< 5	2034		16.0	18.0	2.0	104
1835		18.0	20.0	2.0	7	1935		18.0	20.0	2.0	< 5	2035		18.0	20.0	2.0	12
1836		20.0	22.0	2.0	< 5	1936		20.0	22.0	2.0	< 5	2036		20.0	22.0	2.0	< 5
1837		22.0	24.0	2.0	< 5	1937		22.0	24.0	2.0	< 5	2037		22.0	24.0	2.0	< 5
1838		24.0	26.0	2.0	< 5	1938		24.0	26.0	2.0	< 5	2038		24.0	26.0	2.0	< 5
1839		26.0	28.0	2.0	< 5	1939		26.0	28.0	2.0	< 5	2039		26.0	28.0	2.0	< 5
1840		28.0	30.0	2.0	< 5	1940		28.0	30.0	2.0	< 5	2040		28.0	30.0	2.0	< 5
1841		30.0	32.0	2.0	< 5	1941		30.0	32.0	2.0	< 5	2041		30.0	32.0	2.0	< 5
1842		32.0	34.0	2.0	< 5	1942		32.0	34.0	2.0	< 5	2042		32.0	34.0	2.0	< 5
1843		34.0	36.0	2.0	< 5	1943		34.0	36.0	2.0	< 5	2043		34.0	36.0	2.0	< 5
1844		36.0	38.0	2.0	< 5	1944		36.0	38.0	2.0	< 5	2044		36.0	38.0	2.0	< 5
1845		38.0	40.0	2.0	< 5	1945		38.0	40.0	2.0	< 5	2045		38.0	40.0	2.0	< 5
1846		40.0	42.0	2.0	< 5	1946		40.0	42.0	2.0	< 5	2046		40.0	42.0	2.0	529
1847		42.0	44.0	2.0	< 5	1947		42.0	44.0	2.0	< 5	2047		42.0	44.0	2.0	25
1848		44.0	46.0	2.0	< 5	1948		44.0	46.0	2.0	< 5	2048		44.0	46.0	2.0	< 5
1849		46.0	48.0	2.0	< 5	1949		46.0	48.0	2.0	< 5	2049		46.0	48.0	2.0	< 5
1850		48.0	50.0	2.0	< 5	1950		48.0	50.0	2.0	< 5	2050		48.0	50.0	2.0	< 5
1851	B5-20	0.0	2.0	2.0	67	1951	C1-04	0.0	2.0	2.0	79	2051	C1-08	0.0	2.0	2.0	33
1852		2.0	4.0	2.0	30	1952		2.0	4.0	2.0	21	2052		2.0	4.0	2.0	129
1853		4.0	6.0	2.0	33	1953		4.0	6.0	2.0	50	2053		4.0	6.0	2.0	17
1854		6.0	8.0	2.0	30	1954		6.0	8.0	2.0	141	2054		6.0	8.0	2.0	12
1855		8.0	10.0	2.0	19	1955		8.0	10.0	2.0	17	2055		8.0	10.0	2.0	12
1856		10.0	12.0	2.0	7	1956		10.0	12.0	2.0	21	2056		10.0	12.0	2.0	< 5
1857		12.0	14.0	2.0	26	1957		12.0	14.0	2.0	37	2057		12.0	14.0	2.0	< 5
1858		14.0	16.0	2.0	< 5	1958		14.0	16.0	2.0	108	2058		14.0	16.0	2.0	< 5
1859		16.0	18.0	2.0	22	1959		16.0	18.0	2.0	58	2059		16.0	18.0	2.0	8
1860		18.0	20.0	2.0	41	1960		18.0	20.0	2.0	37	2060		18.0	20.0	2.0	8
1861		20.0	22.0	2.0	< 5	1961		20.0	22.0	2.0	70	2061		20.0	22.0	2.0	< 5
1862		22.0	24.0	2.0	< 5	1962		22.0	24.0	2.0	8	2062		22.0	24.0	2.0	< 5
1863		24.0	26.0	2.0	33	1963		24.0	26.0	2.0	17	2063		24.0	26.0	2.0	< 5
1864		26.0	28.0	2.0	< 5	1964		26.0	28.0	2.0	12	2064		26.0	28.0	2.0	< 5
1865		28.0	30.0	2.0	< 5	1965		28.0	30.0	2.0	12	2065		28.0	30.0	2.0	< 5
1866		30.0	32.0	2.0	11	1966		30.0	32.0	2.0	< 5	2066		30.0	32.0	2.0	< 5
1867		32.0	34.0	2.0	11	1967		32.0	34.0	2.0	< 5	2067		32.0	34.0	2.0	< 5
1868		34.0	36.0	2.0	< 5	1968		34.0	36.0	2.0	< 5	2068		34.0	36.0	2.0	< 5
1869		36.0	38.0	2.0	56	1969		36.0	38.0	2.0	< 5	2069		36.0	38.0	2.0	< 5
1870		38.0	40.0	2.0	74	1970		38.0	40.0	2.0	< 5	2070		38.0	40.0	2.0	< 5
1871		40.0	42.0	2.0	85	1971		40.0	42.0	2.0	< 5	2071		40.0	42.0	2.0	29
1872		42.0	44.0	2.0	26	1972		42.0	44.0	2.0	33	2072		42.0	44.0	2.0	17
1873		44.0	46.0	2.0	30	1973		44.0	46.0	2.0	< 5	2073		44.0	46.0	2.0	8
1874		46.0	48.0	2.0	48	1974		46.0	48.0	2.0	< 5	2074		46.0	48.0	2.0	< 5
1875		48.0	50.0	2.0	37	1975		48.0	50.0	2.0	< 5	2075		48.0	50.0	2.0	< 5
1876	C1-01	0.0	2.0	2.0	< 5	1976	C1-05	0.0	2.0	2.0	95	2076	C1-09	0.0	2.0	2.0	203
1877		2.0	4.0	2.0	< 5	1977		2.0	4.0	2.0	232	2077		2.0	4.0	2.0	21
1878		4.0	6.0	2.0	< 5	1978		4.0	6.0	2.0	33	2078		4.0	6.0	2.0	54
1879		6.0	8.0	2.0	< 5	1979		6.0	8.0	2.0	42	2079		6.0	8.0	2.0	21
1880		8.0	10.0	2.0	< 5	1980		8.0	10.0	2.0	29	2080		8.0	10.0	2.0	8
1881		10.0	12.0	2.0	< 5	1981		10.0	12.0	2.0	17	2081		10.0	12.0	2.0	8
1882		12.0	14.0	2.0	< 5	1982		12.0	14.0	2.0	29	2082		12.0	14.0	2.0	< 5
1883		14.0	16.0	2.0	< 5	1983		14.0	16.0	2.0	< 5	2083		14.0	16.0	2.0	< 5
1884		16.0	18.0	2.0	< 5	1984		16.0	18.0	2.0	< 5	2084		16.0	18.0	2.0	50
1885		18.0	20.0	2.0	< 5	1985		18.0	20.0	2.0	< 5	2085		18.0	20.0	2.0	25
1886		20.0	22.0	2.0	< 5	1986		20.0	22.0	2.0	< 5	2086		20.0	22.0	2.0	8
1887		22.0	24.0	2.0	< 5	1987		22.0	24.0	2.0	< 5	2087		22.0	24.0	2.0	21
1888		24.0	26.0	2.0	< 5	1988		24.0	26.0	2.0	41	2088		24.0	26.0	2.0	25
1889		26.0	28.0	2.0	< 5	1989		26.0	28.0	2.0	< 5	2089		26.0	28.0	2.0	8
1890		28.0	30.0	2.0	< 5	1990		28.0	30.0	2.0	< 5	2090		28.0	30.0	2.0	< 5
1891		30.0	32.0	2.0	< 5	1991		30.0	32.0	2.0	8	2091		30.0	32.0	2.0	< 5
1892		32.0	34.0	2.0	< 5	1992		32.0	34.0	2.0	< 5	2092		32.0	34.0	2.0	< 5
1893		34.0	36.0	2.0	< 5	1993		34.0	36.0	2.0	< 5	2093		34.0	36.0	2.0	< 5
1894		36.0	38.0	2.0	< 5	1994		36.0	38.0	2.0	62	2094		36.0	38.0	2.0	8
1895		38.0	40.0	2.0	< 5	1995		38.0	40.0	2.0	< 5	2095		38.0	40.0	2.0	12
1896		40.0	42.0	2.0	< 5	1996		40.0	42.0	2.0	< 5	2096		40.0	42.0	2.0	< 5
1897		42.0	44.0	2.0	< 5	1997		42.0	44.0	2.0	< 5	2097		42.0	44.0	2.0	8
1898		44.0	46.0	2.0	< 5	1998		44.0	46.0	2.0	< 5	2098		44.0	46.0	2.0	< 5
1899		46.0	48.0	2.0	< 5	1999		46.0	48.0	2.0	< 5	2099		46.0	48.0	2.0	8
1900		48.0	50.0	2.0	< 5	2000		48.0	50.0	2.0	21	2100		48.0	50.0	2.0	< 5

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
2101	C1-10	0.0	2.0	2.0	141	2201	C1-14	0.0	2.0	2.0	8	2301	C1-18	0.0	2.0	2.0	120
2102		2.0	4.0	2.0	33	2202		2.0	4.0	2.0	8	2302		2.0	4.0	2.0	191
2103		4.0	6.0	2.0	108	2203		4.0	6.0	2.0	17	2303		4.0	6.0	2.0	< 5
2104		6.0	8.0	2.0	46	2204		6.0	8.0	2.0	17	2304		6.0	8.0	2.0	12
2105		8.0	10.0	2.0	153	2205		8.0	10.0	2.0	< 5	2305		8.0	10.0	2.0	25
2106		10.0	12.0	2.0	199	2206		10.0	12.0	2.0	1140	2306		10.0	12.0	2.0	< 5
2107		12.0	14.0	2.0	174	2207		12.0	14.0	2.0	33	2307		12.0	14.0	2.0	< 5
2108		14.0	16.0	2.0	21	2208		14.0	16.0	2.0	33	2308		14.0	16.0	2.0	< 5
2109		16.0	18.0	2.0	8	2209		16.0	18.0	2.0	< 5	2309		16.0	18.0	2.0	< 5
2110		18.0	20.0	2.0	8	2210		18.0	20.0	2.0	< 5	2310		18.0	20.0	2.0	< 5
2111		20.0	22.0	2.0	12	2211		20.0	22.0	2.0	< 5	2311		20.0	22.0	2.0	< 5
2112		22.0	24.0	2.0	174	2212		22.0	24.0	2.0	< 5	2312		22.0	24.0	2.0	< 5
2113		24.0	26.0	2.0	29	2213		24.0	26.0	2.0	< 5	2313		24.0	26.0	2.0	< 5
2114		26.0	28.0	2.0	58	2214		26.0	28.0	2.0	< 5	2314		26.0	28.0	2.0	< 5
2115		28.0	30.0	2.0	8	2215		28.0	30.0	2.0	< 5	2315		28.0	30.0	2.0	< 5
2116		30.0	32.0	2.0	< 5	2216		30.0	32.0	2.0	8	2316		30.0	32.0	2.0	< 5
2117		32.0	34.0	2.0	< 5	2217		32.0	34.0	2.0	< 5	2317		32.0	34.0	2.0	< 5
2118		34.0	36.0	2.0	21	2218		34.0	36.0	2.0	< 5	2318		34.0	36.0	2.0	< 5
2119		36.0	38.0	2.0	8	2219		36.0	38.0	2.0	< 5	2319		36.0	38.0	2.0	< 5
2120		38.0	40.0	2.0	< 5	2220		38.0	40.0	2.0	< 5	2320		38.0	40.0	2.0	< 5
2121		40.0	42.0	2.0	50	2221		40.0	42.0	2.0	< 5	2321		40.0	42.0	2.0	< 5
2122		42.0	44.0	2.0	< 5	2222		42.0	44.0	2.0	8	2322		42.0	44.0	2.0	< 5
2123		44.0	46.0	2.0	17	2223		44.0	46.0	2.0	8	2323		44.0	46.0	2.0	< 5
2124		46.0	48.0	2.0	< 5	2224		46.0	48.0	2.0	< 5	2324		46.0	48.0	2.0	< 5
2125		48.0	50.0	2.0	< 5	2225		48.0	50.0	2.0	< 5	2325		48.0	50.0	2.0	< 5
2126	C1-11	0.0	2.0	2.0	< 5	2226	C1-15	0.0	2.0	2.0	75	2326	C1-19	0.0	2.0	2.0	29
2127		2.0	4.0	2.0	8	2227		2.0	4.0	2.0	191	2327		2.0	4.0	2.0	12
2128		4.0	6.0	2.0	8	2228		4.0	6.0	2.0	236	2328		4.0	6.0	2.0	25
2129		6.0	8.0	2.0	191	2229		6.0	8.0	2.0	171	2329		6.0	8.0	2.0	8
2130		8.0	10.0	2.0	154	2230		8.0	10.0	2.0	75	2330		8.0	10.0	2.0	< 5
2131		10.0	12.0	2.0	96	2231		10.0	12.0	2.0	12	2331		10.0	12.0	2.0	< 5
2132		12.0	14.0	2.0	8	2232		12.0	14.0	2.0	12	2332		12.0	14.0	2.0	< 5
2133		14.0	16.0	2.0	33	2233		14.0	16.0	2.0	12	2333		14.0	16.0	2.0	< 5
2134		16.0	18.0	2.0	21	2234		16.0	18.0	2.0	8	2334		16.0	18.0	2.0	< 5
2135		18.0	20.0	2.0	< 5	2235		18.0	20.0	2.0	12	2335		18.0	20.0	2.0	< 5
2136		20.0	22.0	2.0	< 5	2236		20.0	22.0	2.0	21	2336		20.0	22.0	2.0	< 5
2137		22.0	24.0	2.0	< 5	2237		22.0	24.0	2.0	46	2337		22.0	24.0	2.0	< 5
2138		24.0	26.0	2.0	8	2238		24.0	26.0	2.0	154	2338		24.0	26.0	2.0	< 5
2139		26.0	28.0	2.0	< 5	2239		26.0	28.0	2.0	95	2339		26.0	28.0	2.0	< 5
2140		28.0	30.0	2.0	17	2240		28.0	30.0	2.0	99	2340		28.0	30.0	2.0	< 5
2141		30.0	32.0	2.0	< 5	2241		30.0	32.0	2.0	191	2341		30.0	32.0	2.0	< 5
2142		32.0	34.0	2.0	71	2242		32.0	34.0	2.0	203	2342		32.0	34.0	2.0	< 5
2143		34.0	36.0	2.0	12	2243		34.0	36.0	2.0	391	2343		34.0	36.0	2.0	< 5
2144		36.0	38.0	2.0	< 5	2244		36.0	38.0	2.0	581	2344		36.0	38.0	2.0	< 5
2145		38.0	40.0	2.0	< 5	2245		38.0	40.0	2.0	228	2345		38.0	40.0	2.0	< 5
2146		40.0	42.0	2.0	< 5	2246		40.0	42.0	2.0	191	2346		40.0	42.0	2.0	< 5
2147		42.0	44.0	2.0	< 5	2247		42.0	44.0	2.0	265	2347		42.0	44.0	2.0	< 5
2148		44.0	46.0	2.0	< 5	2248		44.0	46.0	2.0	116	2348		44.0	46.0	2.0	< 5
2149		46.0	48.0	2.0	< 5	2249		46.0	48.0	2.0	220	2349		46.0	48.0	2.0	< 5
2150		48.0	50.0	2.0	< 5	2250		48.0	50.0	2.0	329	2350		48.0	50.0	2.0	< 5
2151	C1-12	0.0	2.0	2.0	< 5	2251	C1-16	0.0	2.0	2.0	83	2351	C1-20	0.0	2.0	2.0	17
2152		2.0	4.0	2.0	< 5	2252		2.0	4.0	2.0	83	2352		2.0	4.0	2.0	12
2153		4.0	6.0	2.0	< 5	2253		4.0	6.0	2.0	29	2353		4.0	6.0	2.0	12
2154		6.0	8.0	2.0	< 5	2254		6.0	8.0	2.0	17	2354		6.0	8.0	2.0	< 5
2155		8.0	10.0	2.0	< 5	2255		8.0	10.0	2.0	21	2355		8.0	10.0	2.0	< 5
2156		10.0	12.0	2.0	< 5	2256		10.0	12.0	2.0	41	2356		10.0	12.0	2.0	< 5
2157		12.0	14.0	2.0	< 5	2257		12.0	14.0	2.0	25	2357		12.0	14.0	2.0	< 5
2158		14.0	16.0	2.0	< 5	2258		14.0	16.0	2.0	25	2358		14.0	16.0	2.0	< 5
2159		16.0	18.0	2.0	< 5	2259		16.0	18.0	2.0	12	2359		16.0	18.0	2.0	< 5
2160		18.0	20.0	2.0	< 5	2260		18.0	20.0	2.0	29	2360		18.0	20.0	2.0	< 5
2161		20.0	22.0	2.0	< 5	2261		20.0	22.0	2.0	54	2361		20.0	22.0	2.0	< 5
2162		22.0	24.0	2.0	< 5	2262		22.0	24.0	2.0	< 5	2362		22.0	24.0	2.0	< 5
2163		24.0	26.0	2.0	< 5	2263		24.0	26.0	2.0	8	2363		24.0	26.0	2.0	< 5
2164		26.0	28.0	2.0	< 5	2264		26.0	28.0	2.0	< 5	2364		26.0	28.0	2.0	< 5
2165		28.0	30.0	2.0	< 5	2265		28.0	30.0	2.0	< 5	2365		28.0	30.0	2.0	< 5
2166		30.0	32.0	2.0	< 5	2266		30.0	32.0	2.0	< 5	2366		30.0	32.0	2.0	< 5
2167		32.0	34.0	2.0	< 5	2267		32.0	34.0	2.0	< 5	2367		32.0	34.0	2.0	< 5
2168		34.0	36.0	2.0	< 5	2268		34.0	36.0	2.0	< 5	2368		34.0	36.0	2.0	< 5
2169		36.0	38.0	2.0	< 5	2269		36.0	38.0	2.0	< 5	2369		36.0	38.0	2.0	< 5
2170		38.0	40.0	2.0	< 5	2270		38.0	40.0	2.0	8	2370		38.0	40.0	2.0	< 5
2171		40.0	42.0	2.0	< 5	2271		40.0	42.0	2.0	< 5	2371		40.0	42.0	2.0	< 5
2172		42.0	44.0	2.0	< 5	2272		42.0	44.0	2.0	< 5	2372		42.0	44.0	2.0	< 5
2173		44.0	46.0	2.0	21	2273		44.0	46.0	2.0	< 5	2373		44.0	46.0	2.0	< 5
2174		46.0	48.0	2.0	42	2274		46.0	48.0	2.0	< 5	2374		46.0	48.0	2.0	< 5
2175		48.0	50.0	2.0	8	2275		48.0	50.0	2.0	< 5	2375		48.0	50.0	2.0	< 5
2176	C1-13	0.0	2.0	2.0	< 5	2276	C1-17	0.0	2.0	2.0	8	2376	C1-21	0.0	2.0	2.0	< 5
2177		2.0	4.0	2.0	12	2277		2.0	4.0	2.0	8	2377		2.0	4.0	2.0	21
2178		4.0	6.0	2.0	8	2278		4.0	6.0	2.0	8	2378		4.0	6.0	2.0	96
2179		6.0	8.0	2.0	< 5	2279		6.0	8.0	2.0	12	2379		6.0	8.0	2.0	8
2180		8.0	10.0	2.0	< 5	2280		8.0	10.0	2.0	12	2380		8.0	10.0	2.0	< 5
2181		10.0	12.0	2.0	< 5	2281		10.0	12.0	2.0	8	2381		10.0	12.0	2.0	< 5
2182		12.0	14.0	2.0	< 5	2282		12.0	14.0	2.0	< 5	2382		12.0	14.0	2.0	< 5
2183		14.0	16.0	2.0	< 5	2283		14.0	16.0	2.0	29	2383		14.0	16.0	2.0	< 5
2184		16.0	18.0	2.0	< 5	2284		16.0	18.0	2.0	8	2384		16.0	18.0	2.0	< 5
2185		18.0	20.0	2.0	< 5	2285		18.0	20.0	2.0	< 5	2385		18.0	20.0	2.0	< 5
2186		20.0	22.0	2.0	< 5	2286		20.0	22.0	2.0	< 5	2386		20.0	22.0	2.0	< 5
2187		22.0	24.0	2.0	< 5	2287		22.0	24.0	2.0	25	2387		22.0	24.0	2.0	< 5
2188		24.0	26.0	2.0	< 5	2288		24.0	26.0	2.0	< 5	2388		24.0	26.0	2.0	< 5
2189		26.0	28.0	2.0	< 5	2289		26.0	28.0	2.0	< 5	2389		26.0	28.0	2.0	< 5
2190		28.0	30.0	2.0	< 5	2290		28.0	30.0	2.0	< 5	2390		28.0	30.0	2.0	< 5
2191		30.0	32.0	2.0	< 5	2291		30.0	32.0	2.0	8	2391		30.0	32.0	2.0	< 5
2192		32.0	34.0	2.0	< 5	2292		32.0	34.0	2.0	< 5	2392		32.0	34.0	2.0	< 5
2193		34.0	36.0	2.0	< 5	2293		34.0	36.0	2.0	< 5	2393		34.0	36.0	2.0	< 5
2194		36.0	38.0	2.0	< 5	2294		36.0	38.0	2.0	62	2394		36.0	38.0	2.0	< 5
2195		38.0	40.0	2.0	< 5	2295		38.0	40.0	2.0	< 5	2395		38.0	40.0	2.0	< 5
2196		40.0	42.0	2.0	< 5	2296		40.0	42.0	2.0	< 5	2396		40.0	42.0	2.0	< 5
2197		42.0	44.0	2.0	< 5	2297		42.0	44.0	2.0	17	2397		42.0	44.0	2.0	< 5
2198		44.0	46.0	2.0	< 5	2298		44.0	46.0	2.0	33	2398		44.0	46.0	2.0	< 5
2199		46.0	48.0	2.0	< 5	2299		46.0	48.0	2.0	8	2399		46.0	48.0	2.0	< 5
2200		48.0	50.0	2.0	< 5	2300		48.0	50.0	2.0	< 5	2400		48.0	50.0	2.0	< 5

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
2401	C1-22	0.0	2.0	2.0	< 5
2402		2.0	4.0	2.0	< 5
2403		4.0	6.0	2.0	< 5
2404		6.0	8.0	2.0	< 5
2405		8.0	10.0	2.0	< 5
2406		10.0	12.0	2.0	< 5
2407		12.0	14.0	2.0	< 5
2408		14.0	16.0	2.0	< 5
2409		16.0	18.0	2.0	< 5
2410		18.0	20.0	2.0	< 5
2411		20.0	22.0	2.0	< 5
2412		22.0	24.0	2.0	< 5
2413		24.0	26.0	2.0	< 5
2414		26.0	28.0	2.0	< 5
2415		28.0	30.0	2.0	< 5
2416		30.0	32.0	2.0	< 5
2417		32.0	34.0	2.0	< 5
2418		34.0	36.0	2.0	< 5
2419		36.0	38.0	2.0	< 5
2420		38.0	40.0	2.0	< 5
2421		40.0	42.0	2.0	< 5
2422		42.0	44.0	2.0	< 5
2423		44.0	46.0	2.0	< 5
2424		46.0	48.0	2.0	< 5
2425		48.0	50.0	2.0	< 5
2426	C1-23	0.0	2.0	2.0	< 5
2427		2.0	4.0	2.0	< 5
2428		4.0	6.0	2.0	< 5
2429		6.0	8.0	2.0	< 5
2430		8.0	10.0	2.0	< 5
2431		10.0	12.0	2.0	< 5
2432		12.0	14.0	2.0	< 5
2433		14.0	16.0	2.0	< 5
2434		16.0	18.0	2.0	< 5
2435		18.0	20.0	2.0	< 5
2436		20.0	22.0	2.0	< 5
2437		22.0	24.0	2.0	< 5
2438		24.0	26.0	2.0	< 5
2439		26.0	28.0	2.0	< 5
2440		28.0	30.0	2.0	< 5
2441		30.0	32.0	2.0	< 5
2442		32.0	34.0	2.0	< 5
2443		34.0	36.0	2.0	< 5
2444		36.0	38.0	2.0	< 5
2445		38.0	40.0	2.0	< 5
2446		40.0	42.0	2.0	< 5
2447		42.0	44.0	2.0	< 5
2448		44.0	46.0	2.0	< 5
2449		46.0	48.0	2.0	< 5
2450		48.0	50.0	2.0	< 5
2451	C2-01	0.0	2.0	2.0	< 5
2452		2.0	4.0	2.0	12
2453		4.0	6.0	2.0	8
2454		6.0	8.0	2.0	< 5
2455		8.0	10.0	2.0	< 5
2456		10.0	12.0	2.0	71
2457		12.0	14.0	2.0	< 5
2458		14.0	16.0	2.0	785
2459		16.0	18.0	2.0	71
2460		18.0	20.0	2.0	8
2461		20.0	22.0	2.0	8
2462		22.0	24.0	2.0	17
2463		24.0	26.0	2.0	< 5
2464		26.0	28.0	2.0	33
2465		28.0	30.0	2.0	17
2466		30.0	32.0	2.0	21
2467		32.0	34.0	2.0	50
2468		34.0	36.0	2.0	< 5
2469		36.0	38.0	2.0	< 5
2470		38.0	40.0	2.0	< 5
2471		40.0	42.0	2.0	21
2472		42.0	44.0	2.0	< 5
2473		44.0	46.0	2.0	< 5
2474		46.0	48.0	2.0	12
2475		48.0	50.0	2.0	< 5
2476	C2-02	0.0	2.0	2.0	145
2477		2.0	4.0	2.0	83
2478		4.0	6.0	2.0	< 5
2479		6.0	8.0	2.0	12
2480		8.0	10.0	2.0	< 5
2481		10.0	12.0	2.0	< 5
2482		12.0	14.0	2.0	< 5
2483		14.0	16.0	2.0	< 5
2484		16.0	18.0	2.0	< 5
2485		18.0	20.0	2.0	< 5
2486		20.0	22.0	2.0	< 5
2487		22.0	24.0	2.0	< 5
2488		24.0	26.0	2.0	< 5
2489		26.0	28.0	2.0	< 5
2490		28.0	30.0	2.0	< 5
2491		30.0	32.0	2.0	< 5
2492		32.0	34.0	2.0	12
2493		34.0	36.0	2.0	< 5
2494		36.0	38.0	2.0	< 5
2495		38.0	40.0	2.0	< 5
2496		40.0	42.0	2.0	< 5
2497		42.0	44.0	2.0	< 5
2498		44.0	46.0	2.0	< 5
2499		46.0	48.0	2.0	33
2500		48.0	50.0	2.0	< 5
2501	C2-03	0.0	2.0	2.0	< 5
2502		2.0	4.0	2.0	25
2503		4.0	6.0	2.0	12
2504		6.0	8.0	2.0	< 5
2505		8.0	10.0	2.0	< 5
2506		10.0	12.0	2.0	17
2507		12.0	14.0	2.0	8
2508		14.0	16.0	2.0	< 5
2509		16.0	18.0	2.0	< 5
2510		18.0	20.0	2.0	< 5
2511		20.0	22.0	2.0	< 5
2512		22.0	24.0	2.0	< 5
2513		24.0	26.0	2.0	< 5
2514		26.0	28.0	2.0	< 5
2515		28.0	30.0	2.0	< 5
2516		30.0	32.0	2.0	< 5
2517		32.0	34.0	2.0	< 5
2518		34.0	36.0	2.0	< 5
2519		36.0	38.0	2.0	< 5
2520		38.0	40.0	2.0	< 5
2521		40.0	42.0	2.0	< 5
2522		42.0	44.0	2.0	< 5
2523		44.0	46.0	2.0	< 5
2524		46.0	48.0	2.0	< 5
2525		48.0	50.0	2.0	< 5
2526	C2-04	0.0	2.0	2.0	83
2527		2.0	4.0	2.0	< 5
2528		4.0	6.0	2.0	42
2529		6.0	8.0	2.0	17
2530		8.0	10.0	2.0	12
2531		10.0	12.0	2.0	< 5
2532		12.0	14.0	2.0	< 5
2533		14.0	16.0	2.0	3380
2534		16.0	18.0	2.0	83
2535		18.0	20.0	2.0	33
2536		20.0	22.0	2.0	402
2537		22.0	24.0	2.0	66
2538		24.0	26.0	2.0	29
2539		26.0	28.0	2.0	112
2540		28.0	30.0	2.0	46
2541		30.0	32.0	2.0	96
2542		32.0	34.0	2.0	21
2543		34.0	36.0	2.0	< 5
2544		36.0	38.0	2.0	21
2545		38.0	40.0	2.0	< 5
2546		40.0	42.0	2.0	12
2547		42.0	44.0	2.0	8
2548		44.0	46.0	2.0	25
2549		46.0	48.0	2.0	17
2550		48.0	50.0	2.0	< 5
2551	C2-05	0.0	2.0	2.0	21
2552		2.0	4.0	2.0	25
2553		4.0	6.0	2.0	37
2554		6.0	8.0	2.0	17
2555		8.0	10.0	2.0	< 5
2556		10.0	12.0	2.0	< 5
2557		12.0	14.0	2.0	< 5
2558		14.0	16.0	2.0	698
2559		16.0	18.0	2.0	17
2560		18.0	20.0	2.0	< 5
2561		20.0	22.0	2.0	< 5
2562		22.0	24.0	2.0	< 5
2563		24.0	26.0	2.0	< 5
2564		26.0	28.0	2.0	< 5
2565		28.0	30.0	2.0	< 5
2566		30.0	32.0	2.0	< 5
2567		32.0	34.0	2.0	< 5
2568		34.0	36.0	2.0	< 5
2569		36.0	38.0	2.0	467
2570		38.0	40.0	2.0	33
2571		40.0	42.0	2.0	< 5
2572		42.0	44.0	2.0	< 5
2573		44.0	46.0	2.0	37
2574		46.0	48.0	2.0	12
2575		48.0	50.0	2.0	21
2576	C2-06	0.0	2.0	2.0	21
2577		2.0	4.0	2.0	8
2578		4.0	6.0	2.0	< 5
2579		6.0	8.0	2.0	< 5
2580		8.0	10.0	2.0	< 5
2581		10.0	12.0	2.0	< 5
2582		12.0	14.0	2.0	2690
2583		14.0	16.0	2.0	21
2584		16.0	18.0	2.0	< 5
2585		18.0	20.0	2.0	8
2586		20.0	22.0	2.0	< 5
2587		22.0	24.0	2.0	< 5
2588		24.0	26.0	2.0	< 5
2589		26.0	28.0	2.0	< 5
2590		28.0	30.0	2.0	< 5
2591		30.0	32.0	2.0	< 5
2592		32.0	34.0	2.0	307
2593		34.0	36.0	2.0	< 5
2594		36.0	38.0	2.0	< 5
2595		38.0	40.0	2.0	< 5
2596		40.0	42.0	2.0	< 5
2597		42.0	44.0	2.0	8
2598		44.0	46.0	2.0	179
2599		46.0	48.0	2.0	17
2600		48.0	50.0	2.0	8
2601	C2-07	0.0	2.0	2.0	108
2602		2.0	4.0	2.0	< 5
2603		4.0	6.0	2.0	12
2604		6.0	8.0	2.0	8
2605		8.0	10.0	2.0	33
2606		10.0	12.0	2.0	8
2607		12.0	14.0	2.0	133
2608		14.0	16.0	2.0	< 5
2609		16.0	18.0	2.0	< 5
2610		18.0	20.0	2.0	< 5
2611		20.0	22.0	2.0	< 5
2612		22.0	24.0	2.0	< 5
2613		24.0	26.0	2.0	< 5
2614		26.0	28.0	2.0	< 5
2615		28.0	30.0	2.0	< 5
2616		30.0	32.0	2.0	< 5
2617		32.0	34.0	2.0	< 5
2618		34.0	36.0	2.0	< 5
2619		36.0	38.0	2.0	< 5
2620		38.0	40.0	2.0	< 5
2621		40.0	42.0	2.0	< 5
2622		42.0	44.0	2.0	62
2623		44.0	46.0	2.0	< 5
2624		46.0	48.0	2.0	< 5
2625		48.0	50.0	2.0	12
2626	C2-08	0.0	2.0	2.0	71
2627		2.0	4.0	2.0	71
2628		4.0	6.0	2.0	95
2629		6.0	8.0	2.0	21
2630		8.0	10.0	2.0	8
2631		10.0	12.0	2.0	8
2632		12.0	14.0	2.0	116
2633		14.0	16.0	2.0	< 5
2634		16.0	18.0	2.0	< 5
2635		18.0	20.0	2.0	< 5
2636		20.0	22.0	2.0	< 5
2637		22.0	24.0	2.0	< 5
2638		24.0	26.0	2.0	< 5
2639		26.0	28.0	2.0	< 5
2640		28.0	30.0	2.0	< 5
2641		30.0	32.0	2.0	< 5
2642		32.0	34.0	2.0	< 5
2643		34.0	36.0	2.0	< 5
2644		36.0	38.0	2.0	< 5
2645		38.0	40.0	2.0	< 5
2646		40.0	42.0	2.0	< 5
2647		42.0	44.0	2.0	8
2648		44.0	46.0	2.0	< 5
2649		46.0	48.0	2.0	< 5
2650		48.0	50.0	2.0	< 5
2651	C2-09	0.0	2.0	2.0	87
2652		2.0	4.0	2.0	66
2653		4.0	6.0	2.0	87
2654		6.0	8.0	2.0	8
2655		8.0	10.0	2.0	< 5
2656		10.0	12.0	2.0	< 5
2657		12.0	14.0	2.0	17
2658		14.0	16.0	2.0	< 5
2659		16.0	18.0	2.0	< 5
2660		18.0	20.0	2.0	< 5
2661		20.0	22.0	2.0	< 5
2662		22.0	24.0	2.0	< 5
2663		24.0	26.0	2.0	< 5
2664		26.0	28.0	2.0	< 5
2665		28.0	30.0	2.0	< 5
2666		30.0	32.0	2.0	< 5
2667		32.0	34.0	2.0	158
2668		34.0	36.0	2.0	< 5
2669		36.0	38.0	2.0	< 5
2670		38.0	40.0	2.0	< 5
2671		40.0	42.0	2.0	< 5
2672		42.0	44.0	2.0	25
2673		44.0	46.0	2.0	< 5
2674		46.0	48.0	2.0	< 5
2675		48.0	50.0	2.0	< 5
2676	C2-10	0.0	2.0	2.0	25
2677		2.0	4.0	2.0	12
2678		4.0	6.0	2.0	21
2679		6.0	8.0	2.0	8
2680		8.0	10.0	2.0	91
2681		10.0	12.0	2.0	< 5
2682		12.0	14.0	2.0	21
2683		14.0	16.0	2.0	21
2684		16.0	18.0	2.0	325
2685		18.0	20.0	2.0	< 5
2686		20.0	22.0	2.0	< 5
2687		22.0	24.0	2.0	< 5
2688		24.0	26.0	2.0	< 5
2689		26.0	28.0	2.0	< 5
2690		28.0	30.0	2.0	21
2691		30.0	32.0	2.0	17
2692		32.0	34.0	2.0	8
2693		34.0	36.0	2.0	< 5
2694		36.0	38.0	2.0	< 5
2695		38.0	40.0	2.0	12
2696		40.0	42.0	2.0	29
2697		42.0	44.0	2.0	8
2698		44.0	46.0	2.0	46
2699		46.0	48.0	2.0	< 5
2700		48.0	50.0	2.0	< 5

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
2701	C2-11	0.0	2.0	2.0	58
2702		2.0	4.0	2.0	33
2703		4.0	6.0	2.0	17
2704		6.0	8.0	2.0	21
2705		8.0	10.0	2.0	< 5
2706		10.0	12.0	2.0	< 5
2707		12.0	14.0	2.0	< 5
2708		14.0	16.0	2.0	< 5
2709		16.0	18.0	2.0	< 5
2710		18.0	20.0	2.0	< 5
2711		20.0	22.0	2.0	46
2712		22.0	24.0	2.0	< 5
2713		24.0	26.0	2.0	< 5
2714		26.0	28.0	2.0	< 5
2715		28.0	30.0	2.0	< 5
2716		30.0	32.0	2.0	< 5
2717		32.0	34.0	2.0	< 5
2718		34.0	36.0	2.0	< 5
2719		36.0	38.0	2.0	< 5
2720		38.0	40.0	2.0	< 5
2721		40.0	42.0	2.0	< 5
2722		42.0	44.0	2.0	< 5
2723		44.0	46.0	2.0	< 5
2724		46.0	48.0	2.0	< 5
2725		48.0	50.0	2.0	< 5
2726	C2-12	0.0	2.0	2.0	< 5
2727		2.0	4.0	2.0	< 5
2728		4.0	6.0	2.0	8
2729		6.0	8.0	2.0	< 5
2730		8.0	10.0	2.0	< 5
2731		10.0	12.0	2.0	191
2732		12.0	14.0	2.0	62
2733		14.0	16.0	2.0	41
2734		16.0	18.0	2.0	12
2735		18.0	20.0	2.0	< 5
2736		20.0	22.0	2.0	< 5
2737		22.0	24.0	2.0	< 5
2738		24.0	26.0	2.0	< 5
2739		26.0	28.0	2.0	< 5
2740		28.0	30.0	2.0	< 5
2741		30.0	32.0	2.0	< 5
2742		32.0	34.0	2.0	< 5
2743		34.0	36.0	2.0	< 5
2744		36.0	38.0	2.0	< 5
2745		38.0	40.0	2.0	< 5
2746		40.0	42.0	2.0	< 5
2747		42.0	44.0	2.0	< 5
2748		44.0	46.0	2.0	< 5
2749		46.0	48.0	2.0	< 5
2750		48.0	50.0	2.0	< 5
2751	C2-13	0.0	2.0	2.0	25
2752		2.0	4.0	2.0	< 5
2753		4.0	6.0	2.0	8
2754		6.0	8.0	2.0	12
2755		8.0	10.0	2.0	< 5
2756		10.0	12.0	2.0	< 5
2757		12.0	14.0	2.0	< 5
2758		14.0	16.0	2.0	< 5
2759		16.0	18.0	2.0	< 5
2760		18.0	20.0	2.0	< 5
2761		20.0	22.0	2.0	< 5
2762		22.0	24.0	2.0	< 5
2763		24.0	26.0	2.0	< 5
2764		26.0	28.0	2.0	< 5
2765		28.0	30.0	2.0	< 5
2766		30.0	32.0	2.0	< 5
2767		32.0	34.0	2.0	< 5
2768		34.0	36.0	2.0	< 5
2769		36.0	38.0	2.0	266
2770		38.0	40.0	2.0	< 5
2771		40.0	42.0	2.0	< 5
2772		42.0	44.0	2.0	< 5
2773		44.0	46.0	2.0	17
2774		46.0	48.0	2.0	79
2775		48.0	50.0	2.0	25
2776	C2-14	0.0	2.0	2.0	58
2777		2.0	4.0	2.0	37
2778		4.0	6.0	2.0	< 5
2779		6.0	8.0	2.0	33
2780		8.0	10.0	2.0	42
2781		10.0	12.0	2.0	8
2782		12.0	14.0	2.0	8
2783		14.0	16.0	2.0	8
2784		16.0	18.0	2.0	< 5
2785		18.0	20.0	2.0	< 5
2786		20.0	22.0	2.0	< 5
2787		22.0	24.0	2.0	12
2788		24.0	26.0	2.0	42
2789		26.0	28.0	2.0	8
2790		28.0	30.0	2.0	17
2791		30.0	32.0	2.0	< 5
2792		32.0	34.0	2.0	< 5
2793		34.0	36.0	2.0	< 5
2794		36.0	38.0	2.0	12
2795		38.0	40.0	2.0	8
2796		40.0	42.0	2.0	< 5
2797		42.0	44.0	2.0	< 5
2798		44.0	46.0	2.0	< 5
2799		46.0	48.0	2.0	< 5
2800		48.0	50.0	2.0	< 5
2801	C2-15	0.0	2.0	2.0	42
2802		2.0	4.0	2.0	17
2803		4.0	6.0	2.0	8
2804		6.0	8.0	2.0	8
2805		8.0	10.0	2.0	< 5
2806		10.0	12.0	2.0	33
2807		12.0	14.0	2.0	46
2808		14.0	16.0	2.0	17
2809		16.0	18.0	2.0	< 5
2810		18.0	20.0	2.0	< 5
2811		20.0	22.0	2.0	< 5
2812		22.0	24.0	2.0	< 5
2813		24.0	26.0	2.0	< 5
2814		26.0	28.0	2.0	< 5
2815		28.0	30.0	2.0	< 5
2816		30.0	32.0	2.0	< 5
2817		32.0	34.0	2.0	< 5
2818		34.0	36.0	2.0	< 5
2819		36.0	38.0	2.0	< 5
2820		38.0	40.0	2.0	< 5
2821		40.0	42.0	2.0	< 5
2822		42.0	44.0	2.0	< 5
2823		44.0	46.0	2.0	< 5
2824		46.0	48.0	2.0	< 5
2825		48.0	50.0	2.0	< 5
2826	C2-16	0.0	2.0	2.0	92
2827		2.0	4.0	2.0	9
2828		4.0	6.0	2.0	5
2829		6.0	8.0	2.0	5
2830		8.0	10.0	2.0	< 5
2831		10.0	12.0	2.0	< 5
2832		12.0	14.0	2.0	< 5
2833		14.0	16.0	2.0	< 5
2834		16.0	18.0	2.0	< 5
2835		18.0	20.0	2.0	< 5
2836		20.0	22.0	2.0	< 5
2837		22.0	24.0	2.0	5
2838		24.0	26.0	2.0	< 5
2839		26.0	28.0	2.0	< 5
2840		28.0	30.0	2.0	< 5
2841		30.0	32.0	2.0	< 5
2842		32.0	34.0	2.0	< 5
2843		34.0	36.0	2.0	< 5
2844		36.0	38.0	2.0	< 5
2845		38.0	40.0	2.0	< 5
2846		40.0	42.0	2.0	< 5
2847		42.0	44.0	2.0	162
2848		44.0	46.0	2.0	51
2849		46.0	48.0	2.0	< 5
2850		48.0	50.0	2.0	< 5
2851	C2-17	0.0	2.0	2.0	23
2852		2.0	4.0	2.0	23
2853		4.0	6.0	2.0	28
2854		6.0	8.0	2.0	18
2855		8.0	10.0	2.0	28
2856		10.0	12.0	2.0	37
2857		12.0	14.0	2.0	18
2858		14.0	16.0	2.0	9
2859		16.0	18.0	2.0	< 5
2860		18.0	20.0	2.0	9
2861		20.0	22.0	2.0	5
2862		22.0	24.0	2.0	5
2863		24.0	26.0	2.0	9
2864		26.0	28.0	2.0	9
2865		28.0	30.0	2.0	9
2866		30.0	32.0	2.0	5
2867		32.0	34.0	2.0	< 5
2868		34.0	36.0	2.0	< 5
2869		36.0	38.0	2.0	< 5
2870		38.0	40.0	2.0	< 5
2871		40.0	42.0	2.0	< 5
2872		42.0	44.0	2.0	23
2873		44.0	46.0	2.0	9
2874		46.0	48.0	2.0	106
2875		48.0	50.0	2.0	< 5
2876	C2-18	0.0	2.0	2.0	23
2877		2.0	4.0	2.0	9
2878		4.0	6.0	2.0	14
2879		6.0	8.0	2.0	9
2880		8.0	10.0	2.0	< 5
2881		10.0	12.0	2.0	< 5
2882		12.0	14.0	2.0	5
2883		14.0	16.0	2.0	5
2884		16.0	18.0	2.0	< 5
2885		18.0	20.0	2.0	< 5
2886		20.0	22.0	2.0	< 5
2887		22.0	24.0	2.0	< 5
2888		24.0	26.0	2.0	< 5
2889		26.0	28.0	2.0	< 5
2890		28.0	30.0	2.0	14
2891		30.0	32.0	2.0	< 5
2892		32.0	34.0	2.0	< 5
2893		34.0	36.0	2.0	< 5
2894		36.0	38.0	2.0	< 5
2895		38.0	40.0	2.0	< 5
2896		40.0	42.0	2.0	< 5
2897		42.0	44.0	2.0	9
2898		44.0	46.0	2.0	< 5
2899		46.0	48.0	2.0	< 5
2900		48.0	50.0	2.0	< 5
2901	C2-19	0.0	2.0	2.0	< 5
2902		2.0	4.0	2.0	14
2903		4.0	6.0	2.0	18
2904		6.0	8.0	2.0	9
2905		8.0	10.0	2.0	< 5
2906		10.0	12.0	2.0	< 5
2907		12.0	14.0	2.0	< 5
2908		14.0	16.0	2.0	< 5
2909		16.0	18.0	2.0	< 5
2910		18.0	20.0	2.0	< 5
2911		20.0	22.0	2.0	< 5
2912		22.0	24.0	2.0	< 5
2913		24.0	26.0	2.0	< 5
2914		26.0	28.0	2.0	< 5
2915		28.0	30.0	2.0	< 5
2916		30.0	32.0	2.0	< 5
2917		32.0	34.0	2.0	< 5
2918		34.0	36.0	2.0	< 5
2919		36.0	38.0	2.0	< 5
2920		38.0	40.0	2.0	< 5
2921		40.0	42.0	2.0	< 5
2922		42.0	44.0	2.0	< 5
2923		44.0	46.0	2.0	< 5
2924		46.0	48.0	2.0	< 5
2925		48.0	50.0	2.0	< 5
2926	C2-20	0.0	2.0	2.0	55
2927		2.0	4.0	2.0	46
2928		4.0	6.0	2.0	32
2929		6.0	8.0	2.0	32
2930		8.0	10.0	2.0	2310
2931		10.0	12.0	2.0	28
2932		12.0	14.0	2.0	< 5
2933		14.0	16.0	2.0	< 5
2934		16.0	18.0	2.0	< 5
2935		18.0	20.0	2.0	< 5
2936		20.0	22.0	2.0	< 5
2937		22.0	24.0	2.0	< 5
2938		24.0	26.0	2.0	< 5
2939		26.0	28.0	2.0	< 5
2940		28.0	30.0	2.0	< 5
2941		30.0	32.0	2.0	< 5
2942		32.0	34.0	2.0	< 5
2943		34.0	36.0	2.0	< 5
2944		36.0	38.0	2.0	< 5
2945		38.0	40.0	2.0	23
2946		40.0	42.0	2.0	14
2947		42.0	44.0	2.0	< 5
2948		44.0	46.0	2.0	< 5
2949		46.0	48.0	2.0	< 5
2950		48.0	50.0	2.0	23
2951	C3-01	0.0	2.0	2.0	< 5
2952		2.0	4.0	2.0	< 5
2953		4.0	6.0	2.0	< 5
2954		6.0	8.0	2.0	< 5
2955		8.0	10.0	2.0	< 5
2956		10.0	12.0	2.0	< 5
2957		12.0	14.0	2.0	< 5
2958		14.0	16.0	2.0	< 5
2959		16.0	18.0	2.0	< 5
2960		18.0	20.0	2.0	< 5
2961		20.0	22.0	2.0	< 5
2962		22.0	24.0	2.0	< 5
2963		24.0	26.0	2.0	< 5
2964		26.0	28.0	2.0	< 5
2965		28.0	30.0	2.0	< 5
2966		30.0	32.0	2.0	< 5
2967		32.0	34.0	2.0	< 5
2968		34.0	36.0	2.0	< 5
2969		36.0	38.0	2.0	< 5
2970		38.0	40.0	2.0	< 5
2971		40.0	42.0	2.0	< 5
2972		42.0	44.0	2.0	< 5
2973		44.0	46.0	2.0	< 5
2974		46.0	48.0	2.0	< 5
2975		48.0	50.0	2.0	< 5
2976	C3-02	0.0	2.0	2.0	< 5
2977		2.0	4.0	2.0	< 5
2978		4.0	6.0	2.0	< 5
2979		6.0	8.0	2.0	< 5
2980		8.0	10.0	2.0	< 5
2981		10.0	12.0	2.0	< 5
2982		12.0	14.0	2.0	< 5
2983		14.0	16.0	2.0	< 5
2984		16.0	18.0	2.0	< 5
2985		18.0	20.0	2.0	< 5
2986		20.0	22.0	2.0	< 5
2987		22.0	24.0	2.0	< 5
2988		24.0	26.0	2.0	< 5
2989		26.0	28.0	2.0	< 5
2990		28.0	30.0	2.0	< 5
2991		30.0	32.0	2.0	< 5
2992		32.0	34.0	2.0	< 5
2993		34.0	36.0	2.0	< 5
2994		36.0	38.0	2.0	< 5
2995		38.0	40.0	2.0	< 5
2996		40.0	42.0	2.0	< 5
2997		42.0	44.0	2.0	< 5
2998		44.0	46.0	2.0	< 5
2999		46.0	48.0	2.0	< 5
3000		48.0	50.0	2.0	< 5

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
3001	C3-03	0.0	2.0	2.0	12	3101	C3-07	0.0	2.0	2.0	< 5	3201	C3-11	0.0	2.0	2.0	42
3002		2.0	4.0	2.0	< 5	3102		2.0	4.0	2.0	< 5	3202		2.0	4.0	2.0	< 5
3003		4.0	6.0	2.0	< 5	3103		4.0	6.0	2.0	< 5	3203		4.0	6.0	2.0	46
3004		6.0	8.0	2.0	< 5	3104		6.0	8.0	2.0	< 5	3204		6.0	8.0	2.0	< 5
3005		8.0	10.0	2.0	< 5	3105		8.0	10.0	2.0	< 5	3205		8.0	10.0	2.0	< 5
3006		10.0	12.0	2.0	< 5	3106		10.0	12.0	2.0	< 5	3206		10.0	12.0	2.0	< 5
3007		12.0	14.0	2.0	< 5	3107		12.0	14.0	2.0	21	3207		12.0	14.0	2.0	539
3008		14.0	16.0	2.0	< 5	3108		14.0	16.0	2.0	< 5	3208		14.0	16.0	2.0	< 5
3009		16.0	18.0	2.0	< 5	3109		16.0	18.0	2.0	< 5	3209		16.0	18.0	2.0	< 5
3010		18.0	20.0	2.0	< 5	3110		18.0	20.0	2.0	< 5	3210		18.0	20.0	2.0	< 5
3011		20.0	22.0	2.0	< 5	3111		20.0	22.0	2.0	< 5	3211		20.0	22.0	2.0	402
3012		22.0	24.0	2.0	< 5	3112		22.0	24.0	2.0	8	3212		22.0	24.0	2.0	< 5
3013		24.0	26.0	2.0	< 5	3113		24.0	26.0	2.0	< 5	3213		24.0	26.0	2.0	< 5
3014		26.0	28.0	2.0	< 5	3114		26.0	28.0	2.0	< 5	3214		26.0	28.0	2.0	< 5
3015		28.0	30.0	2.0	< 5	3115		28.0	30.0	2.0	< 5	3215		28.0	30.0	2.0	12
3016		30.0	32.0	2.0	< 5	3116		30.0	32.0	2.0	< 5	3216		30.0	32.0	2.0	< 5
3017		32.0	34.0	2.0	< 5	3117		32.0	34.0	2.0	< 5	3217		32.0	34.0	2.0	25
3018		34.0	36.0	2.0	< 5	3118		34.0	36.0	2.0	< 5	3218		34.0	36.0	2.0	< 5
3019		36.0	38.0	2.0	< 5	3119		36.0	38.0	2.0	257	3219		36.0	38.0	2.0	< 5
3020		38.0	40.0	2.0	< 5	3120		38.0	40.0	2.0	< 5	3220		38.0	40.0	2.0	< 5
3021		40.0	42.0	2.0	< 5	3121		40.0	42.0	2.0	< 5	3221		40.0	42.0	2.0	< 5
3022		42.0	44.0	2.0	< 5	3122		42.0	44.0	2.0	8	3222		42.0	44.0	2.0	< 5
3023		44.0	46.0	2.0	< 5	3123		44.0	46.0	2.0	46	3223		44.0	46.0	2.0	58
3024		46.0	48.0	2.0	< 5	3124		46.0	48.0	2.0	146	3224		46.0	48.0	2.0	< 5
3025		48.0	50.0	2.0	< 5	3125		48.0	50.0	2.0	12	3225		48.0	50.0	2.0	< 5
3026	C3-04	0.0	2.0	2.0	< 5	3126	C3-08	0.0	2.0	2.0	71	3226	C3-12	0.0	2.0	2.0	37
3027		2.0	4.0	2.0	< 5	3127		2.0	4.0	2.0	17	3227		2.0	4.0	2.0	29
3028		4.0	6.0	2.0	71	3128		4.0	6.0	2.0	< 5	3228		4.0	6.0	2.0	< 5
3029		6.0	8.0	2.0	58	3129		6.0	8.0	2.0	8	3229		6.0	8.0	2.0	12
3030		8.0	10.0	2.0	12	3130		8.0	10.0	2.0	8	3230		8.0	10.0	2.0	33
3031		10.0	12.0	2.0	13	3131		10.0	12.0	2.0	17	3231		10.0	12.0	2.0	8
3032		12.0	14.0	2.0	< 5	3132		12.0	14.0	2.0	< 5	3232		12.0	14.0	2.0	13
3033		14.0	16.0	2.0	< 5	3133		14.0	16.0	2.0	< 5	3233		14.0	16.0	2.0	8
3034		16.0	18.0	2.0	< 5	3134		16.0	18.0	2.0	< 5	3234		16.0	18.0	2.0	< 5
3035		18.0	20.0	2.0	33	3135		18.0	20.0	2.0	< 5	3235		18.0	20.0	2.0	< 5
3036		20.0	22.0	2.0	37	3136		20.0	22.0	2.0	8	3236		20.0	22.0	2.0	46
3037		22.0	24.0	2.0	< 5	3137		22.0	24.0	2.0	37	3237		22.0	24.0	2.0	137
3038		24.0	26.0	2.0	< 5	3138		24.0	26.0	2.0	< 5	3238		24.0	26.0	2.0	12
3039		26.0	28.0	2.0	8	3139		26.0	28.0	2.0	< 5	3239		26.0	28.0	2.0	< 5
3040		28.0	30.0	2.0	< 5	3140		28.0	30.0	2.0	< 5	3240		28.0	30.0	2.0	< 5
3041		30.0	32.0	2.0	< 5	3141		30.0	32.0	2.0	< 5	3241		30.0	32.0	2.0	< 5
3042		32.0	34.0	2.0	< 5	3142		32.0	34.0	2.0	< 5	3242		32.0	34.0	2.0	< 5
3043		34.0	36.0	2.0	< 5	3143		34.0	36.0	2.0	8	3243		34.0	36.0	2.0	< 5
3044		36.0	38.0	2.0	< 5	3144		36.0	38.0	2.0	< 5	3244		36.0	38.0	2.0	< 5
3045		38.0	40.0	2.0	< 5	3145		38.0	40.0	2.0	< 5	3245		38.0	40.0	2.0	8
3046		40.0	42.0	2.0	< 5	3146		40.0	42.0	2.0	< 5	3246		40.0	42.0	2.0	3020
3047		42.0	44.0	2.0	< 5	3147		42.0	44.0	2.0	8	3247		42.0	44.0	2.0	829
3048		44.0	46.0	2.0	< 5	3148		44.0	46.0	2.0	< 5	3248		44.0	46.0	2.0	21
3049		46.0	48.0	2.0	< 5	3149		46.0	48.0	2.0	8	3249		46.0	48.0	2.0	13
3050		48.0	50.0	2.0	25	3150		48.0	50.0	2.0	< 5	3250		48.0	50.0	2.0	21
3051	C3-05	0.0	2.0	2.0	8	3151	C3-09	0.0	2.0	2.0	17	3251	C3-13	0.0	2.0	2.0	71
3052		2.0	4.0	2.0	12	3152		2.0	4.0	2.0	8	3252		2.0	4.0	2.0	62
3053		4.0	6.0	2.0	8	3153		4.0	6.0	2.0	< 5	3253		4.0	6.0	2.0	21
3054		6.0	8.0	2.0	< 5	3154		6.0	8.0	2.0	21	3254		6.0	8.0	2.0	29
3055		8.0	10.0	2.0	< 5	3155		8.0	10.0	2.0	< 5	3255		8.0	10.0	2.0	29
3056		10.0	12.0	2.0	< 5	3156		10.0	12.0	2.0	< 5	3256		10.0	12.0	2.0	21
3057		12.0	14.0	2.0	< 5	3157		12.0	14.0	2.0	< 5	3257		12.0	14.0	2.0	< 5
3058		14.0	16.0	2.0	< 5	3158		14.0	16.0	2.0	< 5	3258		14.0	16.0	2.0	8
3059		16.0	18.0	2.0	< 5	3159		16.0	18.0	2.0	12	3259		16.0	18.0	2.0	< 5
3060		18.0	20.0	2.0	< 5	3160		18.0	20.0	2.0	< 5	3260		18.0	20.0	2.0	< 5
3061		20.0	22.0	2.0	< 5	3161		20.0	22.0	2.0	< 5	3261		20.0	22.0	2.0	8
3062		22.0	24.0	2.0	< 5	3162		22.0	24.0	2.0	8	3262		22.0	24.0	2.0	< 5
3063		24.0	26.0	2.0	< 5	3163		24.0	26.0	2.0	< 5	3263		24.0	26.0	2.0	8
3064		26.0	28.0	2.0	< 5	3164		26.0	28.0	2.0	21	3264		26.0	28.0	2.0	75
3065		28.0	30.0	2.0	< 5	3165		28.0	30.0	2.0	12	3265		28.0	30.0	2.0	12
3066		30.0	32.0	2.0	8	3166		30.0	32.0	2.0	< 5	3266		30.0	32.0	2.0	< 5
3067		32.0	34.0	2.0	70	3167		32.0	34.0	2.0	42	3267		32.0	34.0	2.0	25
3068		34.0	36.0	2.0	25	3168		34.0	36.0	2.0	< 5	3268		34.0	36.0	2.0	< 5
3069		36.0	38.0	2.0	< 5	3169		36.0	38.0	2.0	8	3269		36.0	38.0	2.0	< 5
3070		38.0	40.0	2.0	< 5	3170		38.0	40.0	2.0	< 5	3270		38.0	40.0	2.0	< 5
3071		40.0	42.0	2.0	< 5	3171		40.0	42.0	2.0	< 5	3271		40.0	42.0	2.0	< 5
3072		42.0	44.0	2.0	< 5	3172		42.0	44.0	2.0	17	3272		42.0	44.0	2.0	< 5
3073		44.0	46.0	2.0	< 5	3173		44.0	46.0	2.0	8	3273		44.0	46.0	2.0	< 5
3074		46.0	48.0	2.0	< 5	3174		46.0	48.0	2.0	8	3274		46.0	48.0	2.0	12
3075		48.0	50.0	2.0	< 5	3175		48.0	50.0	2.0	8	3275		48.0	50.0	2.0	17
3076	C3-06	0.0	2.0	2.0	< 5	3176	C3-10	0.0	2.0	2.0	104	3276	C3-14	0.0	2.0	2.0	21
3077		2.0	4.0	2.0	< 5	3177		2.0	4.0	2.0	17	3277		2.0	4.0	2.0	4040
3078		4.0	6.0	2.0	12	3178		4.0	6.0	2.0	12	3278		4.0	6.0	2.0	8
3079		6.0	8.0	2.0	21	3179		6.0	8.0	2.0	17	3279		6.0	8.0	2.0	17
3080		8.0	10.0	2.0	12	3180		8.0	10.0	2.0	< 5	3280		8.0	10.0	2.0	< 5
3081		10.0	12.0	2.0	17	3181		10.0	12.0	2.0	< 5	3281		10.0	12.0	2.0	8
3082		12.0	14.0	2.0	< 5	3182		12.0	14.0	2.0	< 5	3282		12.0	14.0	2.0	< 5
3083		14.0	16.0	2.0	< 5	3183		14.0	16.0	2.0	< 5	3283		14.0	16.0	2.0	179
3084		16.0	18.0	2.0	< 5	3184		16.0	18.0	2.0	< 5	3284		16.0	18.0	2.0	17
3085		18.0	20.0	2.0	125	3185		18.0	20.0	2.0	< 5	3285		18.0	20.0	2.0	83
3086		20.0	22.0	2.0	62	3186		20.0	22.0	2.0	< 5	3286		20.0	22.0	2.0	1230
3087		22.0	24.0	2.0	21	3187		22.0	24.0	2.0	< 5	3287		22.0	24.0	2.0	17
3088		24.0	26.0	2.0	< 5	3188		24.0	26.0	2.0	12	3288		24.0	26.0	2.0	37
3089		26.0	28.0	2.0	< 5	3189		26.0	28.0	2.0	< 5	3289		26.0	28.0	2.0	25
3090		28.0	30.0	2.0	< 5	3190		28.0	30.0	2.0	< 5	3290		28.0	30.0	2.0	83
3091		30.0	32.0	2.0	91	3191		30.0	32.0	2.0	< 5	3291		30.0	32.0	2.0	25
3092		32.0	34.0	2.0	< 5	3192		32.0	34.0	2.0	< 5	3292		32.0	34.0	2.0	50
3093		34.0	36.0	2.0	< 5	3193		34.0	36.0	2.0	25	3293		34.0	36.0	2.0	46
3094		36.0	38.0	2.0	< 5	3194		36.0	38.0	2.0	< 5	3294		36.0	38.0	2.0	104
3095		38.0	40.0	2.0	< 5	3195		38.0	40.0	2.0	< 5	3295		38.0	40.0	2.0	83
3096		40.0	42.0	2.0	12	3196		40.0	42.0	2.0	< 5	3296		40.0	42.0	2.0	33
3097		42.0	44.0	2.0	< 5	3197		42.0	44.0	2.0	< 5	3297		42.0	44.0	2.0	50
3098		44.0	46.0	2.0	< 5	3198		44.0	46.0	2.0	< 5	3298		44.0	46.0	2.0	96
3099		46.0	48.0	2.0	< 5	3199		46.0	48.0	2.0	29	3299		46.0	48.0	2.0	196
3100		48.0	50.0	2.0	< 5	3200		48.0	50.0	2.0	< 5	3300		48.0	50.0	2.0	233

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	Depth(m) To	Length (m)	Au (ppb)
3301	C3-15	0.0	2.0	2.0	116
3302		2.0	4.0	2.0	42
3303		4.0	6.0	2.0	37
3304		6.0	8.0	2.0	41
3305		8.0	10.0	2.0	100
3306		10.0	12.0	2.0	87
3307		12.0	14.0	2.0	91
3308		14.0	16.0	2.0	21
3309		16.0	18.0	2.0	< 5
3310		18.0	20.0	2.0	29
3311		20.0	22.0	2.0	12
3312		22.0	24.0	2.0	8
3313		24.0	26.0	2.0	< 5
3314		26.0	28.0	2.0	< 5
3315		28.0	30.0	2.0	8
3316		30.0	32.0	2.0	12
3317		32.0	34.0	2.0	< 5
3318		34.0	36.0	2.0	< 5
3319		36.0	38.0	2.0	< 5
3320		38.0	40.0	2.0	124
3321		40.0	42.0	2.0	307
3322		42.0	44.0	2.0	112
3323		44.0	46.0	2.0	183
3324		46.0	48.0	2.0	100
3325		48.0	50.0	2.0	54
3326	C4-01	0.0	2.0	2.0	8
3327		2.0	4.0	2.0	< 5
3328		4.0	6.0	2.0	8
3329		6.0	8.0	2.0	< 5
3330		8.0	10.0	2.0	< 5
3331		10.0	12.0	2.0	< 5
3332		12.0	14.0	2.0	< 5
3333		14.0	16.0	2.0	8
3334		16.0	18.0	2.0	< 5
3335		18.0	20.0	2.0	< 5
3336		20.0	22.0	2.0	< 5
3337		22.0	24.0	2.0	< 5
3338		24.0	26.0	2.0	< 5
3339		26.0	28.0	2.0	< 5
3340		28.0	30.0	2.0	< 5
3341		30.0	32.0	2.0	< 5
3342		32.0	34.0	2.0	< 5
3343		34.0	36.0	2.0	< 5
3344		36.0	38.0	2.0	< 5
3345		38.0	40.0	2.0	< 5
3346		40.0	42.0	2.0	< 5
3347		42.0	44.0	2.0	< 5
3348		44.0	46.0	2.0	< 5
3349		46.0	48.0	2.0	< 5
3350		48.0	50.0	2.0	< 5
3351	C4-02	0.0	2.0	2.0	< 5
3352		2.0	4.0	2.0	< 5
3353		4.0	6.0	2.0	< 5
3354		6.0	8.0	2.0	< 5
3355		8.0	10.0	2.0	21
3356		10.0	12.0	2.0	< 5
3357		12.0	14.0	2.0	12
3358		14.0	16.0	2.0	< 5
3359		16.0	18.0	2.0	< 5
3360		18.0	20.0	2.0	< 5
3361		20.0	22.0	2.0	< 5
3362		22.0	24.0	2.0	< 5
3363		24.0	26.0	2.0	< 5
3364		26.0	28.0	2.0	< 5
3365		28.0	30.0	2.0	< 5
3366		30.0	32.0	2.0	< 5
3367		32.0	34.0	2.0	< 5
3368		34.0	36.0	2.0	< 5
3369		36.0	38.0	2.0	< 5
3370		38.0	40.0	2.0	< 5
3371		40.0	42.0	2.0	< 5
3372		42.0	44.0	2.0	< 5
3373		44.0	46.0	2.0	< 5
3374		46.0	48.0	2.0	< 5
3375		48.0	50.0	2.0	< 5
3376	C4-03	0.0	2.0	2.0	< 5
3377		2.0	4.0	2.0	< 5
3378		4.0	6.0	2.0	< 5
3379		6.0	8.0	2.0	< 5
3380		8.0	10.0	2.0	< 5
3381		10.0	12.0	2.0	< 5
3382		12.0	14.0	2.0	< 5
3383		14.0	16.0	2.0	< 5
3384		16.0	18.0	2.0	< 5
3385		18.0	20.0	2.0	< 5
3386		20.0	22.0	2.0	28
3387		22.0	24.0	2.0	< 5
3388		24.0	26.0	2.0	< 5
3389		26.0	28.0	2.0	< 5
3390		28.0	30.0	2.0	< 5
3391		30.0	32.0	2.0	< 5
3392		32.0	34.0	2.0	< 5
3393		34.0	36.0	2.0	< 5
3394		36.0	38.0	2.0	< 5
3395		38.0	40.0	2.0	< 5
3396		40.0	42.0	2.0	< 5
3397		42.0	44.0	2.0	< 5
3398		44.0	46.0	2.0	< 5
3399		46.0	48.0	2.0	< 5
3400		48.0	50.0	2.0	< 5
3401	C4-04	0.0	2.0	2.0	28
3402		2.0	4.0	2.0	5
3403		4.0	6.0	2.0	< 5
3404		6.0	8.0	2.0	< 5
3405		8.0	10.0	2.0	3060
3406		10.0	12.0	2.0	65
3407		12.0	14.0	2.0	5
3408		14.0	16.0	2.0	41
3409		16.0	18.0	2.0	9
3410		18.0	20.0	2.0	< 5
3411		20.0	22.0	2.0	< 5
3412		22.0	24.0	2.0	< 5
3413		24.0	26.0	2.0	< 5
3414		26.0	28.0	2.0	< 5
3415		28.0	30.0	2.0	< 5
3416		30.0	32.0	2.0	< 5
3417		32.0	34.0	2.0	< 5
3418		34.0	36.0	2.0	< 5
3419		36.0	38.0	2.0	< 5
3420		38.0	40.0	2.0	< 5
3421		40.0	42.0	2.0	< 5
3422		42.0	44.0	2.0	< 5
3423		44.0	46.0	2.0	< 5
3424		46.0	48.0	2.0	< 5
3425		48.0	50.0	2.0	< 5
3426	C4-05	0.0	2.0	2.0	9
3427		2.0	4.0	2.0	< 5
3428		4.0	6.0	2.0	14
3429		6.0	8.0	2.0	< 5
3430		8.0	10.0	2.0	< 5
3431		10.0	12.0	2.0	< 5
3432		12.0	14.0	2.0	< 5
3433		14.0	16.0	2.0	< 5
3434		16.0	18.0	2.0	< 5
3435		18.0	20.0	2.0	32
3436		20.0	22.0	2.0	9
3437		22.0	24.0	2.0	< 5
3438		24.0	26.0	2.0	< 5
3439		26.0	28.0	2.0	< 5
3440		28.0	30.0	2.0	< 5
3441		30.0	32.0	2.0	< 5
3442		32.0	34.0	2.0	< 5
3443		34.0	36.0	2.0	37
3444		36.0	38.0	2.0	23
3445		38.0	40.0	2.0	74
3446		40.0	42.0	2.0	< 5
3447		42.0	44.0	2.0	< 5
3448		44.0	46.0	2.0	< 5
3449		46.0	48.0	2.0	< 5
3450		48.0	50.0	2.0	808
3451	C4-06	0.0	2.0	2.0	28
3452		2.0	4.0	2.0	9
3453		4.0	6.0	2.0	< 5
3454		6.0	8.0	2.0	< 5
3455		8.0	10.0	2.0	< 5
3456		10.0	12.0	2.0	< 5
3457		12.0	14.0	2.0	< 5
3458		14.0	16.0	2.0	< 5
3459		16.0	18.0	2.0	< 5
3460		18.0	20.0	2.0	< 5
3461		20.0	22.0	2.0	< 5
3462		22.0	24.0	2.0	< 5
3463		24.0	26.0	2.0	< 5
3464		26.0	28.0	2.0	< 5
3465		28.0	30.0	2.0	< 5
3466		30.0	32.0	2.0	< 5
3467		32.0	34.0	2.0	< 5
3468		34.0	36.0	2.0	< 5
3469		36.0	38.0	2.0	< 5
3470		38.0	40.0	2.0	< 5
3471		40.0	42.0	2.0	< 5
3472		42.0	44.0	2.0	32
3473		44.0	46.0	2.0	51
3474		46.0	48.0	2.0	< 5
3475		48.0	50.0	2.0	< 5
3476	C4-07	0.0	2.0	2.0	18
3477		2.0	4.0	2.0	9
3478		4.0	6.0	2.0	< 5
3479		6.0	8.0	2.0	9
3480		8.0	10.0	2.0	< 5
3481		10.0	12.0	2.0	83
3482		12.0	14.0	2.0	< 5
3483		14.0	16.0	2.0	< 5
3484		16.0	18.0	2.0	< 5
3485		18.0	20.0	2.0	< 5
3486		20.0	22.0	2.0	< 5
3487		22.0	24.0	2.0	< 5
3488		24.0	26.0	2.0	< 5
3489		26.0	28.0	2.0	< 5
3490		28.0	30.0	2.0	< 5
3491		30.0	32.0	2.0	< 5
3492		32.0	34.0	2.0	< 5
3493		34.0	36.0	2.0	< 5
3494		36.0	38.0	2.0	9
3495		38.0	40.0	2.0	< 5
3496		40.0	42.0	2.0	< 5
3497		42.0	44.0	2.0	14
3498		44.0	46.0	2.0	< 5
3499		46.0	48.0	2.0	< 5
3500		48.0	50.0	2.0	< 5
3501	C4-08	0.0	2.0	2.0	37
3502		2.0	4.0	2.0	< 5
3503		4.0	6.0	2.0	< 5
3504		6.0	8.0	2.0	< 5
3505		8.0	10.0	2.0	< 5
3506		10.0	12.0	2.0	9
3507		12.0	14.0	2.0	< 5
3508		14.0	16.0	2.0	< 5
3509		16.0	18.0	2.0	< 5
3510		18.0	20.0	2.0	< 5
3511		20.0	22.0	2.0	< 5
3512		22.0	24.0	2.0	< 5
3513		24.0	26.0	2.0	< 5
3514		26.0	28.0	2.0	< 5
3515		28.0	30.0	2.0	< 5
3516		30.0	32.0	2.0	< 5
3517		32.0	34.0	2.0	< 5
3518		34.0	36.0	2.0	32
3519		36.0	38.0	2.0	< 5
3520		38.0	40.0	2.0	< 5
3521		40.0	42.0	2.0	< 5
3522		42.0	44.0	2.0	60
3523		44.0	46.0	2.0	690
3524		46.0	48.0	2.0	9
3525		48.0	50.0	2.0	407
3526	C4-09	0.0	2.0	2.0	64
3527		2.0	4.0	2.0	55
3528		4.0	6.0	2.0	18
3529		6.0	8.0	2.0	28
3530		8.0	10.0	2.0	124
3531		10.0	12.0	2.0	23
3532		12.0	14.0	2.0	19
3533		14.0	16.0	2.0	< 5
3534		16.0	18.0	2.0	541
3535		18.0	20.0	2.0	42
3536		20.0	22.0	2.0	< 5
3537		22.0	24.0	2.0	46
3538		24.0	26.0	2.0	< 5
3539		26.0	28.0	2.0	< 5
3540		28.0	30.0	2.0	< 5
3541		30.0	32.0	2.0	< 5
3542		32.0	34.0	2.0	< 5
3543		34.0	36.0	2.0	< 5
3544		36.0	38.0	2.0	< 5
3545		38.0	40.0	2.0	< 5
3546		40.0	42.0	2.0	< 5
3547		42.0	44.0	2.0	564
3548		44.0	46.0	2.0	< 5
3549		46.0	48.0	2.0	< 5
3550		48.0	50.0	2.0	< 5
3551	C4-10	0.0	2.0	2.0	46
3552		2.0	4.0	2.0	37
3553		4.0	6.0	2.0	14
3554		6.0	8.0	2.0	5
3555		8.0	10.0	2.0	< 5
3556		10.0	12.0	2.0	373
3557		12.0	14.0	2.0	32
3558		14.0	16.0	2.0	5
3559		16.0	18.0	2.0	< 5
3560		18.0	20.0	2.0	184
3561		20.0	22.0	2.0	< 5
3562		22.0	24.0	2.0	23
3563		24.0	26.0	2.0	< 5
3564		26.0	28.0	2.0	< 5
3565		28.0	30.0	2.0	< 5
3566		30.0	32.0	2.0	< 5
3567		32.0	34.0	2.0	14
3568		34.0	36.0	2.0	< 5
3569		36.0	38.0	2.0	55
3570		38.0	40.0	2.0	< 5
3571		40.0	42.0	2.0	< 5
3572		42.0	44.0	2.0	41
3573		44.0	46.0	2.0	< 5
3574		46.0	48.0	2.0	32
3575		48.0	50.0	2.0	5
3576	G1-01	0.0	2.0	2.0	51
3577		2.0	4.0	2.0	180
3578		4.0	6.0	2.0	65
3579		6.0	8.0	2.0	32
3580		8.0	10.0	2.0	18
3581		10.0	12.0	2.0	< 5
3582		12.0	14.0	2.0	9
3583		14.0	16.0	2.0	14
3584		16.0	18.0	2.0	74
3585		18.0	20.0	2.0	14
3586		20.0	22.0	2.0	18
3587		22.0	24.0	2.0	< 5
3588		24.0	26.0	2.0	< 5
3589		26.0	28.0	2.0	1360
3590		28.0	30.0	2.0	< 5
3591		30.0	32.0	2.0	< 5
3592		32.0	34.0	2.0	< 5
3593		34.0	36.0	2.0	< 5
3594		36.0	38.0	2.0	74
3595		38.0	40.0	2.0	28
3596		40.0	42.0	2.0	9
3597		42.0	44.0	2.0	< 5
3598		44.0	46.0	2.0	9
3599		46.0	48.0	2.0	14
3600		48.0	50.0	2.0	46

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
3601	G1-02	0.0	2.0	2.0	37
3602		2.0	4.0	2.0	69
3603		4.0	6.0	2.0	18
3604		6.0	8.0	2.0	9
3605		8.0	10.0	2.0	9
3606		10.0	12.0	2.0	18
3607		12.0	14.0	2.0	14
3608		14.0	16.0	2.0	< 5
3609		16.0	18.0	2.0	< 5
3610		18.0	20.0	2.0	< 5
3611		20.0	22.0	2.0	< 5
3612		22.0	24.0	2.0	< 5
3613		24.0	26.0	2.0	< 5
3614		26.0	28.0	2.0	< 5
3615		28.0	30.0	2.0	< 5
3616		30.0	32.0	2.0	< 5
3617		32.0	34.0	2.0	< 5
3618		34.0	36.0	2.0	9
3619		36.0	38.0	2.0	6890
3620		38.0	40.0	2.0	411
3621		40.0	42.0	2.0	32
3622		42.0	44.0	2.0	305
3623		44.0	46.0	2.0	37
3624		46.0	48.0	2.0	< 5
3625		48.0	50.0	2.0	14
3626	G1-03	0.0	2.0	2.0	102
3627		2.0	4.0	2.0	83
3628		4.0	6.0	2.0	32
3629		6.0	8.0	2.0	18
3630		8.0	10.0	2.0	9
3631		10.0	12.0	2.0	14
3632		12.0	14.0	2.0	9
3633		14.0	16.0	2.0	< 5
3634		16.0	18.0	2.0	< 5
3635		18.0	20.0	2.0	14
3636		20.0	22.0	2.0	14
3637		22.0	24.0	2.0	5
3638		24.0	26.0	2.0	37
3639		26.0	28.0	2.0	51
3640		28.0	30.0	2.0	9
3641		30.0	32.0	2.0	9
3642		32.0	34.0	2.0	< 5
3643		34.0	36.0	2.0	9
3644		36.0	38.0	2.0	46
3645		38.0	40.0	2.0	88
3646		40.0	42.0	2.0	18
3647		42.0	44.0	2.0	32
3648		44.0	46.0	2.0	74
3649		46.0	48.0	2.0	153
3650		48.0	50.0	2.0	266
3651	G1-04	0.0	2.0	2.0	175
3652		2.0	4.0	2.0	198
3653		4.0	6.0	2.0	416
3654		6.0	8.0	2.0	190
3655		8.0	10.0	2.0	60
3656		10.0	12.0	2.0	46
3657		12.0	14.0	2.0	492
3658		14.0	16.0	2.0	9
3659		16.0	18.0	2.0	101
3660		18.0	20.0	2.0	9
3661		20.0	22.0	2.0	14
3662		22.0	24.0	2.0	42
3663		24.0	26.0	2.0	41
3664		26.0	28.0	2.0	79
3665		28.0	30.0	2.0	268
3666		30.0	32.0	2.0	23
3667		32.0	34.0	2.0	28
3668		34.0	36.0	2.0	55
3669		36.0	38.0	2.0	42
3670		38.0	40.0	2.0	648
3671		40.0	42.0	2.0	1170
3672		42.0	44.0	2.0	887
3673		44.0	46.0	2.0	69
3674		46.0	48.0	2.0	2520
3675		48.0	50.0	2.0	37
3676	G1-05	0.0	2.0	2.0	189
3677		2.0	4.0	2.0	157
3678		4.0	6.0	2.0	115
3679		6.0	8.0	2.0	106
3680		8.0	10.0	2.0	212
3681		10.0	12.0	2.0	55
3682		12.0	14.0	2.0	32
3683		14.0	16.0	2.0	148
3684		16.0	18.0	2.0	106
3685		18.0	20.0	2.0	32
3686		20.0	22.0	2.0	14
3687		22.0	24.0	2.0	42
3688		24.0	26.0	2.0	51
3689		26.0	28.0	2.0	74
3690		28.0	30.0	2.0	299
3691		30.0	32.0	2.0	28
3692		32.0	34.0	2.0	51
3693		34.0	36.0	2.0	51
3694		36.0	38.0	2.0	42
3695		38.0	40.0	2.0	911
3696		40.0	42.0	2.0	28
3697		42.0	44.0	2.0	55
3698		44.0	46.0	2.0	97
3699		46.0	48.0	2.0	286
3700		48.0	50.0	2.0	577
3701	G1-06	0.0	2.0	2.0	120
3702		2.0	4.0	2.0	134
3703		4.0	6.0	2.0	79
3704		6.0	8.0	2.0	65
3705		8.0	10.0	2.0	23
3706		10.0	12.0	2.0	37
3707		12.0	14.0	2.0	69
3708		14.0	16.0	2.0	28
3709		16.0	18.0	2.0	97
3710		18.0	20.0	2.0	14
3711		20.0	22.0	2.0	9
3712		22.0	24.0	2.0	115
3713		24.0	26.0	2.0	37
3714		26.0	28.0	2.0	< 5
3715		28.0	30.0	2.0	14
3716		30.0	32.0	2.0	60
3717		32.0	34.0	2.0	65
3718		34.0	36.0	2.0	60
3719		36.0	38.0	2.0	37
3720		38.0	40.0	2.0	< 5
3721		40.0	42.0	2.0	14
3722		42.0	44.0	2.0	9
3723		44.0	46.0	2.0	< 5
3724		46.0	48.0	2.0	< 5
3725		48.0	50.0	2.0	23
3726	G1-07	0.0	2.0	2.0	129
3727		2.0	4.0	2.0	982
3728		4.0	6.0	2.0	204
3729		6.0	8.0	2.0	157
3730		8.0	10.0	2.0	42
3731		10.0	12.0	2.0	28
3732		12.0	14.0	2.0	14
3733		14.0	16.0	2.0	37
3734		16.0	18.0	2.0	212
3735		18.0	20.0	2.0	3060
3736		20.0	22.0	2.0	249
3737		22.0	24.0	2.0	171
3738		24.0	26.0	2.0	249
3739		26.0	28.0	2.0	129
3740		28.0	30.0	2.0	79
3741		30.0	32.0	2.0	32
3742		32.0	34.0	2.0	51
3743		34.0	36.0	2.0	590
3744		36.0	38.0	2.0	484
3745		38.0	40.0	2.0	520
3746		40.0	42.0	2.0	553
3747		42.0	44.0	2.0	681
3748		44.0	46.0	2.0	669
3749		46.0	48.0	2.0	588
3750		48.0	50.0	2.0	412
3751	G1-08	0.0	2.0	2.0	111
3752		2.0	4.0	2.0	115
3753		4.0	6.0	2.0	83
3754		6.0	8.0	2.0	32
3755		8.0	10.0	2.0	32
3756		10.0	12.0	2.0	55
3757		12.0	14.0	2.0	< 5
3758		14.0	16.0	2.0	18
3759		16.0	18.0	2.0	< 5
3760		18.0	20.0	2.0	18
3761		20.0	22.0	2.0	14
3762		22.0	24.0	2.0	< 5
3763		24.0	26.0	2.0	< 5
3764		26.0	28.0	2.0	9
3765		28.0	30.0	2.0	< 5
3766		30.0	32.0	2.0	37
3767		32.0	34.0	2.0	19
3768		34.0	36.0	2.0	56
3769		36.0	38.0	2.0	65
3770		38.0	40.0	2.0	28
3771		40.0	42.0	2.0	278
3772		42.0	44.0	2.0	416
3773		44.0	46.0	2.0	< 5
3774		46.0	48.0	2.0	946
3775		48.0	50.0	2.0	18
3776	G1-09	0.0	2.0	2.0	148
3777		2.0	4.0	2.0	156
3778		4.0	6.0	2.0	2140
3779		6.0	8.0	2.0	217
3780		8.0	10.0	2.0	87
3781		10.0	12.0	2.0	32
3782		12.0	14.0	2.0	28
3783		14.0	16.0	2.0	23
3784		16.0	18.0	2.0	18
3785		18.0	20.0	2.0	< 5
3786		20.0	22.0	2.0	< 5
3787		22.0	24.0	2.0	< 5
3788		24.0	26.0	2.0	< 5
3789		26.0	28.0	2.0	< 5
3790		28.0	30.0	2.0	< 5
3791		30.0	32.0	2.0	< 5
3792		32.0	34.0	2.0	< 5
3793		34.0	36.0	2.0	< 5
3794		36.0	38.0	2.0	< 5
3795		38.0	40.0	2.0	< 5
3796		40.0	42.0	2.0	< 5
3797		42.0	44.0	2.0	< 5
3798		44.0	46.0	2.0	9
3799		46.0	48.0	2.0	42
3800		48.0	50.0	2.0	< 5
3801	G1-10	0.0	2.0	2.0	125
3802		2.0	4.0	2.0	46
3803		4.0	6.0	2.0	14
3804		6.0	8.0	2.0	37
3805		8.0	10.0	2.0	23
3806		10.0	12.0	2.0	18
3807		12.0	14.0	2.0	23
3808		14.0	16.0	2.0	28
3809		16.0	18.0	2.0	69
3810		18.0	20.0	2.0	171
3811		20.0	22.0	2.0	65
3812		22.0	24.0	2.0	148
3813		24.0	26.0	2.0	23
3814		26.0	28.0	2.0	751
3815		28.0	30.0	2.0	5190
3816		30.0	32.0	2.0	194
3817		32.0	34.0	2.0	318
3818		34.0	36.0	2.0	46
3819		36.0	38.0	2.0	249
3820		38.0	40.0	2.0	32
3821		40.0	42.0	2.0	23
3822		42.0	44.0	2.0	83
3823		44.0	46.0	2.0	28
3824		46.0	48.0	2.0	9
3825		48.0	50.0	2.0	18
3826	G1-11	0.0	2.0	2.0	92
3827		2.0	4.0	2.0	111
3828		4.0	6.0	2.0	134
3829		6.0	8.0	2.0	46
3830		8.0	10.0	2.0	37
3831		10.0	12.0	2.0	65
3832		12.0	14.0	2.0	92
3833		14.0	16.0	2.0	46
3834		16.0	18.0	2.0	18
3835		18.0	20.0	2.0	28
3836		20.0	22.0	2.0	37
3837		22.0	24.0	2.0	46
3838		24.0	26.0	2.0	947
3839		26.0	28.0	2.0	355
3840		28.0	30.0	2.0	60
3841		30.0	32.0	2.0	46
3842		32.0	34.0	2.0	32
3843		34.0	36.0	2.0	28
3844		36.0	38.0	2.0	14
3845		38.0	40.0	2.0	669
3846		40.0	42.0	2.0	14
3847		42.0	44.0	2.0	18
3848		44.0	46.0	2.0	< 5
3849		46.0	48.0	2.0	< 5
3850		48.0	50.0	2.0	74
3851	G1-12	0.0	2.0	2.0	46
3852		2.0	4.0	2.0	23
3853		4.0	6.0	2.0	< 5
3854		6.0	8.0	2.0	18
3855		8.0	10.0	2.0	18
3856		10.0	12.0	2.0	14
3857		12.0	14.0	2.0	14
3858		14.0	16.0	2.0	14
3859		16.0	18.0	2.0	< 5
3860		18.0	20.0	2.0	< 5
3861		20.0	22.0	2.0	< 5
3862		22.0	24.0	2.0	< 5
3863		24.0	26.0	2.0	< 5
3864		26.0	28.0	2.0	28
3865		28.0	30.0	2.0	9
3866		30.0	32.0	2.0	14
3867		32.0	34.0	2.0	< 5
3868		34.0	36.0	2.0	< 5
3869		36.0	38.0	2.0	5
3870		38.0	40.0	2.0	< 5
3871		40.0	42.0	2.0	< 5
3872		42.0	44.0	2.0	< 5
3873		44.0	46.0	2.0	< 5
3874		46.0	48.0	2.0	< 5
3875		48.0	50.0	2.0	< 5
3876	G2-01	0.0	2.0	2.0	42
3877		2.0	4.0	2.0	46
3878		4.0	6.0	2.0	32
3879		6.0	8.0	2.0	14
3880		8.0	10.0	2.0	18
3881		10.0	12.0	2.0	14
3882		12.0	14.0	2.0	290
3883		14.0	16.0	2.0	23
3884		16.0	18.0	2.0	18
3885		18.0	20.0	2.0	14
3886		20.0	22.0	2.0	106
3887		22.0	24.0	2.0	9
3888		24.0	26.0	2.0	65
3889		26.0	28.0	2.0	28
3890		28.0	30.0	2.0	< 5
3891		30.0	32.0	2.0	14
3892		32.0	34.0	2.0	32
3893		34.0	36.0	2.0	111
3894		36.0	38.0	2.0	83
3895		38.0	40.0	2.0	129
3896		40.0	42.0	2.0	18
3897		42.0	44.0	2.0	< 5
3898		44.0	46.0	2.0	9
3899		46.0	48.0	2.0	5
3900		48.0	50.0	2.0	9

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)	Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
3901	G2-02	0.0	2.0	2.0	65	4001	G2-06	0.0	2.0	2.0	268	4101	G2-10	0.0	2.0	2.0	120
3902		2.0	4.0	2.0	69	4002		2.0	4.0	2.0	28	4102		2.0	4.0	2.0	106
3903		4.0	6.0	2.0	51	4003		4.0	6.0	2.0	217	4103		4.0	6.0	2.0	28
3904		6.0	8.0	2.0	1610	4004		6.0	8.0	2.0	416	4104		6.0	8.0	2.0	106
3905		8.0	10.0	2.0	236	4005		8.0	10.0	2.0	268	4105		8.0	10.0	2.0	5
3906		10.0	12.0	2.0	120	4006		10.0	12.0	2.0	102	4106		10.0	12.0	2.0	28
3907		12.0	14.0	2.0	161	4007		12.0	14.0	2.0	78	4107		12.0	14.0	2.0	37
3908		14.0	16.0	2.0	520	4008		14.0	16.0	2.0	359	4108		14.0	16.0	2.0	83
3909		16.0	18.0	2.0	116	4009		16.0	18.0	2.0	152	4109		16.0	18.0	2.0	32
3910		18.0	20.0	2.0	18	4010		18.0	20.0	2.0	14	4110		18.0	20.0	2.0	28
3911		20.0	22.0	2.0	276	4011		20.0	22.0	2.0	51	4111		20.0	22.0	2.0	< 5
3912		22.0	24.0	2.0	28	4012		22.0	24.0	2.0	9	4112		22.0	24.0	2.0	18
3913		24.0	26.0	2.0	263	4013		24.0	26.0	2.0	< 5	4113		24.0	26.0	2.0	37
3914		26.0	28.0	2.0	106	4014		26.0	28.0	2.0	41	4114		26.0	28.0	2.0	23
3915		28.0	30.0	2.0	83	4015		28.0	30.0	2.0	55	4115		28.0	30.0	2.0	< 5
3916		30.0	32.0	2.0	203	4016		30.0	32.0	2.0	41	4116		30.0	32.0	2.0	28
3917		32.0	34.0	2.0	111	4017		32.0	34.0	2.0	46	4117		32.0	34.0	2.0	37
3918		34.0	36.0	2.0	< 5	4018		34.0	36.0	2.0	14	4118		34.0	36.0	2.0	9
3919		36.0	38.0	2.0	14	4019		36.0	38.0	2.0	14	4119		36.0	38.0	2.0	< 5
3920		38.0	40.0	2.0	23	4020		38.0	40.0	2.0	< 5	4120		38.0	40.0	2.0	< 5
3921		40.0	42.0	2.0	< 5	4021		40.0	42.0	2.0	9	4121		40.0	42.0	2.0	< 5
3922		42.0	44.0	2.0	23	4022		42.0	44.0	2.0	< 5	4122		42.0	44.0	2.0	< 5
3923		44.0	46.0	2.0	28	4023		44.0	46.0	2.0	< 5	4123		44.0	46.0	2.0	< 5
3924		46.0	48.0	2.0	< 5	4024		46.0	48.0	2.0	9	4124		46.0	48.0	2.0	37
3925		48.0	50.0	2.0	56	4025		48.0	50.0	2.0	< 5	4125		48.0	50.0	2.0	28
3926	G2-03	0.0	2.0	2.0	88	4026	G2-07	0.0	2.0	2.0	92	4126	G2-11	0.0	2.0	2.0	148
3927		2.0	4.0	2.0	97	4027		2.0	4.0	2.0	106	4127		2.0	4.0	2.0	83
3928		4.0	6.0	2.0	83	4028		4.0	6.0	2.0	227	4128		4.0	6.0	2.0	88
3929		6.0	8.0	2.0	37	4029		6.0	8.0	2.0	65	4129		6.0	8.0	2.0	65
3930		8.0	10.0	2.0	18	4030		8.0	10.0	2.0	46	4130		8.0	10.0	2.0	23
3931		10.0	12.0	2.0	< 5	4031		10.0	12.0	2.0	9	4131		10.0	12.0	2.0	14
3932		12.0	14.0	2.0	< 5	4032		12.0	14.0	2.0	< 5	4132		12.0	14.0	2.0	9
3933		14.0	16.0	2.0	< 5	4033		14.0	16.0	2.0	< 5	4133		14.0	16.0	2.0	9
3934		16.0	18.0	2.0	< 5	4034		16.0	18.0	2.0	14	4134		16.0	18.0	2.0	37
3935		18.0	20.0	2.0	< 5	4035		18.0	20.0	2.0	14	4135		18.0	20.0	2.0	18
3936		20.0	22.0	2.0	< 5	4036		20.0	22.0	2.0	14	4136		20.0	22.0	2.0	9
3937		22.0	24.0	2.0	< 5	4037		22.0	24.0	2.0	19	4137		22.0	24.0	2.0	9
3938		24.0	26.0	2.0	23	4038		24.0	26.0	2.0	2420	4138		24.0	26.0	2.0	32
3939		26.0	28.0	2.0	9	4039		26.0	28.0	2.0	124	4139		26.0	28.0	2.0	< 5
3940		28.0	30.0	2.0	< 5	4040		28.0	30.0	2.0	153	4140		28.0	30.0	2.0	23
3941		30.0	32.0	2.0	< 5	4041		30.0	32.0	2.0	88	4141		30.0	32.0	2.0	< 5
3942		32.0	34.0	2.0	< 5	4042		32.0	34.0	2.0	227	4142		32.0	34.0	2.0	28
3943		34.0	36.0	2.0	111	4043		34.0	36.0	2.0	41	4143		34.0	36.0	2.0	37
3944		36.0	38.0	2.0	28	4044		36.0	38.0	2.0	23	4144		36.0	38.0	2.0	37
3945		38.0	40.0	2.0	< 5	4045		38.0	40.0	2.0	< 5	4145		38.0	40.0	2.0	14
3946		40.0	42.0	2.0	< 5	4046		40.0	42.0	2.0	28	4146		40.0	42.0	2.0	51
3947		42.0	44.0	2.0	< 5	4047		42.0	44.0	2.0	37	4147		42.0	44.0	2.0	19
3948		44.0	46.0	2.0	5	4048		44.0	46.0	2.0	97	4148		44.0	46.0	2.0	18
3949		46.0	48.0	2.0	< 5	4049		46.0	48.0	2.0	111	4149		46.0	48.0	2.0	32
3950		48.0	50.0	2.0	< 5	4050		48.0	50.0	2.0	148	4150		48.0	50.0	2.0	175
3951	G2-04	0.0	2.0	2.0	129	4051	G2-08	0.0	2.0	2.0	134	4151	G2-12	0.0	2.0	2.0	102
3952		2.0	4.0	2.0	189	4052		2.0	4.0	2.0	180	4152		2.0	4.0	2.0	74
3953		4.0	6.0	2.0	148	4053		4.0	6.0	2.0	327	4153		4.0	6.0	2.0	134
3954		6.0	8.0	2.0	111	4054		6.0	8.0	2.0	194	4154		6.0	8.0	2.0	313
3955		8.0	10.0	2.0	83	4055		8.0	10.0	2.0	46	4155		8.0	10.0	2.0	235
3956		10.0	12.0	2.0	23	4056		10.0	12.0	2.0	32	4156		10.0	12.0	2.0	134
3957		12.0	14.0	2.0	18	4057		12.0	14.0	2.0	28	4157		12.0	14.0	2.0	120
3958		14.0	16.0	2.0	9	4058		14.0	16.0	2.0	14	4158		14.0	16.0	2.0	65
3959		16.0	18.0	2.0	18	4059		16.0	18.0	2.0	9	4159		16.0	18.0	2.0	51
3960		18.0	20.0	2.0	< 5	4060		18.0	20.0	2.0	14	4160		18.0	20.0	2.0	79
3961		20.0	22.0	2.0	9	4061		20.0	22.0	2.0	< 5	4161		20.0	22.0	2.0	92
3962		22.0	24.0	2.0	< 5	4062		22.0	24.0	2.0	9	4162		22.0	24.0	2.0	46
3963		24.0	26.0	2.0	< 5	4063		24.0	26.0	2.0	< 5	4163		24.0	26.0	2.0	< 5
3964		26.0	28.0	2.0	< 5	4064		26.0	28.0	2.0	14	4164		26.0	28.0	2.0	14
3965		28.0	30.0	2.0	< 5	4065		28.0	30.0	2.0	111	4165		28.0	30.0	2.0	< 5
3966		30.0	32.0	2.0	32	4066		30.0	32.0	2.0	208	4166		30.0	32.0	2.0	< 5
3967		32.0	34.0	2.0	5	4067		32.0	34.0	2.0	83	4167		32.0	34.0	2.0	14
3968		34.0	36.0	2.0	< 5	4068		34.0	36.0	2.0	51	4168		34.0	36.0	2.0	28
3969		36.0	38.0	2.0	< 5	4069		36.0	38.0	2.0	28	4169		36.0	38.0	2.0	46
3970		38.0	40.0	2.0	< 5	4070		38.0	40.0	2.0	9	4170		38.0	40.0	2.0	46
3971		40.0	42.0	2.0	< 5	4071		40.0	42.0	2.0	< 5	4171		40.0	42.0	2.0	< 5
3972		42.0	44.0	2.0	< 5	4072		42.0	44.0	2.0	9	4172		42.0	44.0	2.0	51
3973		44.0	46.0	2.0	< 5	4073		44.0	46.0	2.0	< 5	4173		44.0	46.0	2.0	74
3974		46.0	48.0	2.0	< 5	4074		46.0	48.0	2.0	83	4174		46.0	48.0	2.0	46
3975		48.0	50.0	2.0	< 5	4075		48.0	50.0	2.0	< 5	4175		48.0	50.0	2.0	32
3976	G2-05	0.0	2.0	2.0	290	4076	G2-09	0.0	2.0	2.0	83	4176	G2-13	0.0	2.0	2.0	120
3977		2.0	4.0	2.0	383	4077		2.0	4.0	2.0	105	4177		2.0	4.0	2.0	110
3978		4.0	6.0	2.0	484	4078		4.0	6.0	2.0	106	4178		4.0	6.0	2.0	97
3979		6.0	8.0	2.0	226	4079		6.0	8.0	2.0	42	4179		6.0	8.0	2.0	120
3980		8.0	10.0	2.0	129	4080		8.0	10.0	2.0	23	4180		8.0	10.0	2.0	139
3981		10.0	12.0	2.0	152	4081		10.0	12.0	2.0	32	4181		10.0	12.0	2.0	78
3982		12.0	14.0	2.0	32	4082		12.0	14.0	2.0	< 5	4182		12.0	14.0	2.0	552
3983		14.0	16.0	2.0	230	4083		14.0	16.0	2.0	< 5	4183		14.0	16.0	2.0	1890
3984		16.0	18.0	2.0	402	4084		16.0	18.0	2.0	< 5	4184		16.0	18.0	2.0	37
3985		18.0	20.0	2.0	185	4085		18.0	20.0	2.0	32	4185		18.0	20.0	2.0	55
3986		20.0	22.0	2.0	74	4086		20.0	22.0	2.0	5	4186		20.0	22.0	2.0	37
3987		22.0	24.0	2.0	1220	4087		22.0	24.0	2.0	< 5	4187		22.0	24.0	2.0	60
3988		24.0	26.0	2.0	42	4088		24.0	26.0	2.0	83	4188		24.0	26.0	2.0	244
3989		26.0	28.0	2.0	42	4089		26.0	28.0	2.0	9	4189		26.0	28.0	2.0	202
3990		28.0	30.0	2.0	170	4090		28.0	30.0	2.0	5	4190		28.0	30.0	2.0	18
3991		30.0	32.0	2.0	65	4091		30.0	32.0	2.0	9	4191		30.0	32.0	2.0	97
3992		32.0	34.0	2.0	226	4092		32.0	34.0	2.0	28	4192		32.0	34.0	2.0	190
3993		34.0	36.0	2.0	37	4093		34.0	36.0	2.0	9	4193		34.0	36.0	2.0	60
3994		36.0	38.0	2.0	42	4094		36.0	38.0	2.0	9	4194		36.0	38.0	2.0	18
3995		38.0	40.0	2.0	23	4095		38.0	40.0	2.0	9	4195		38.0	40.0	2.0	< 5
3996		40.0	42.0	2.0	153	4096		40.0	42.0	2.0	5	4196		40.0	42.0	2.0	< 5
3997		42.0	44.0	2.0	32	4097		42.0	44.0	2.0	< 5	4197		42.0	44.0	2.0	< 5
3998		44.0	46.0	2.0	171	4098		44.0	46.0	2.0	< 5	4198		44.0	46.0	2.0	166
3999		46.0	48.0	2.0	157	4099		46.0	48.0	2.0	9	4199		46.0	48.0	2.0	19
4000		48.0	50.0	2.0	199	4100		48.0	50.0	2.0	9	4200		48.0	50.0	2.0	< 5

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
4201	G2-14	0.0	2.0	2.0	64
4202		2.0	4.0	2.0	129
4203		4.0	6.0	2.0	74
4204		6.0	8.0	2.0	55
4205		8.0	10.0	2.0	727
4206		10.0	12.0	2.0	< 5
4207		12.0	14.0	2.0	28
4208		14.0	16.0	2.0	65
4209		16.0	18.0	2.0	< 5
4210		18.0	20.0	2.0	< 5
4211		20.0	22.0	2.0	< 5
4212		22.0	24.0	2.0	< 5
4213		24.0	26.0	2.0	< 5
4214		26.0	28.0	2.0	< 5
4215		28.0	30.0	2.0	< 5
4216		30.0	32.0	2.0	79
4217		32.0	34.0	2.0	120
4218		34.0	36.0	2.0	28
4219		36.0	38.0	2.0	< 5
4220		38.0	40.0	2.0	46
4221		40.0	42.0	2.0	69
4222		42.0	44.0	2.0	23
4223		44.0	46.0	2.0	14
4224		46.0	48.0	2.0	116
4225		48.0	50.0	2.0	28
4226	G2-15	0.0	2.0	2.0	120
4227		2.0	4.0	2.0	125
4228		4.0	6.0	2.0	115
4229		6.0	8.0	2.0	60
4230		8.0	10.0	2.0	69
4231		10.0	12.0	2.0	69
4232		12.0	14.0	2.0	28
4233		14.0	16.0	2.0	42
4234		16.0	18.0	2.0	28
4235		18.0	20.0	2.0	23
4236		20.0	22.0	2.0	171
4237		22.0	24.0	2.0	300
4238		24.0	26.0	2.0	83
4239		26.0	28.0	2.0	69
4240		28.0	30.0	2.0	37
4241		30.0	32.0	2.0	23
4242		32.0	34.0	2.0	51
4243		34.0	36.0	2.0	23
4244		36.0	38.0	2.0	< 5
4245		38.0	40.0	2.0	< 5
4246		40.0	42.0	2.0	55
4247		42.0	44.0	2.0	9
4248		44.0	46.0	2.0	23
4249		46.0	48.0	2.0	14
4250		48.0	50.0	2.0	41
4251	G2-16	0.0	2.0	2.0	78
4252		2.0	4.0	2.0	55
4253		4.0	6.0	2.0	88
4254		6.0	8.0	2.0	161
4255		8.0	10.0	2.0	28
4256		10.0	12.0	2.0	14
4257		12.0	14.0	2.0	14
4258		14.0	16.0	2.0	14
4259		16.0	18.0	2.0	< 5
4260		18.0	20.0	2.0	< 5
4261		20.0	22.0	2.0	< 5
4262		22.0	24.0	2.0	< 5
4263		24.0	26.0	2.0	92
4264		26.0	28.0	2.0	926
4265		28.0	30.0	2.0	83
4266		30.0	32.0	2.0	42
4267		32.0	34.0	2.0	42
4268		34.0	36.0	2.0	88
4269		36.0	38.0	2.0	79
4270		38.0	40.0	2.0	83
4271		40.0	42.0	2.0	231
4272		42.0	44.0	2.0	216
4273		44.0	46.0	2.0	28
4274		46.0	48.0	2.0	37
4275		48.0	50.0	2.0	116
4276	G3-01	0.0	2.0	2.0	55
4277		2.0	4.0	2.0	60
4278		4.0	6.0	2.0	51
4279		6.0	8.0	2.0	23
4280		8.0	10.0	2.0	18
4281		10.0	12.0	2.0	< 5
4282		12.0	14.0	2.0	14
4283		14.0	16.0	2.0	< 5
4284		16.0	18.0	2.0	< 5
4285		18.0	20.0	2.0	< 5
4286		20.0	22.0	2.0	< 5
4287		22.0	24.0	2.0	9
4288		24.0	26.0	2.0	< 5
4289		26.0	28.0	2.0	< 5
4290		28.0	30.0	2.0	14
4291		30.0	32.0	2.0	< 5
4292		32.0	34.0	2.0	< 5
4293		34.0	36.0	2.0	9
4294		36.0	38.0	2.0	< 5
4295		38.0	40.0	2.0	< 5
4296		40.0	42.0	2.0	< 5
4297		42.0	44.0	2.0	< 5
4298		44.0	46.0	2.0	< 5
4299		46.0	48.0	2.0	< 5
4300		48.0	50.0	2.0	< 5
4301	G3-02	0.0	2.0	2.0	60
4302		2.0	4.0	2.0	74
4303		4.0	6.0	2.0	28
4304		6.0	8.0	2.0	19
4305		8.0	10.0	2.0	14
4306		10.0	12.0	2.0	9
4307		12.0	14.0	2.0	< 5
4308		14.0	16.0	2.0	23
4309		16.0	18.0	2.0	< 5
4310		18.0	20.0	2.0	< 5
4311		20.0	22.0	2.0	14
4312		22.0	24.0	2.0	< 5
4313		24.0	26.0	2.0	< 5
4314		26.0	28.0	2.0	14
4315		28.0	30.0	2.0	14
4316		30.0	32.0	2.0	< 5
4317		32.0	34.0	2.0	14
4318		34.0	36.0	2.0	74
4319		36.0	38.0	2.0	< 5
4320		38.0	40.0	2.0	< 5
4321		40.0	42.0	2.0	< 5
4322		42.0	44.0	2.0	< 5
4323		44.0	46.0	2.0	< 5
4324		46.0	48.0	2.0	18
4325		48.0	50.0	2.0	< 5
4326	G3-03	0.0	2.0	2.0	65
4327		2.0	4.0	2.0	83
4328		4.0	6.0	2.0	51
4329		6.0	8.0	2.0	32
4330		8.0	10.0	2.0	19
4331		10.0	12.0	2.0	14
4332		12.0	14.0	2.0	37
4333		14.0	16.0	2.0	28
4334		16.0	18.0	2.0	9
4335		18.0	20.0	2.0	< 5
4336		20.0	22.0	2.0	< 5
4337		22.0	24.0	2.0	< 5
4338		24.0	26.0	2.0	< 5
4339		26.0	28.0	2.0	< 5
4340		28.0	30.0	2.0	< 5
4341		30.0	32.0	2.0	< 5
4342		32.0	34.0	2.0	< 5
4343		34.0	36.0	2.0	< 5
4344		36.0	38.0	2.0	< 5
4345		38.0	40.0	2.0	< 5
4346		40.0	42.0	2.0	< 5
4347		42.0	44.0	2.0	< 5
4348		44.0	46.0	2.0	< 5
4349		46.0	48.0	2.0	< 5
4350		48.0	50.0	2.0	< 5
4351	G3-04	0.0	2.0	2.0	83
4352		2.0	4.0	2.0	87
4353		4.0	6.0	2.0	101
4354		6.0	8.0	2.0	41
4355		8.0	10.0	2.0	32
4356		10.0	12.0	2.0	23
4357		12.0	14.0	2.0	14
4358		14.0	16.0	2.0	9
4359		16.0	18.0	2.0	< 5
4360		18.0	20.0	2.0	< 5
4361		20.0	22.0	2.0	< 5
4362		22.0	24.0	2.0	< 5
4363		24.0	26.0	2.0	< 5
4364		26.0	28.0	2.0	< 5
4365		28.0	30.0	2.0	< 5
4366		30.0	32.0	2.0	< 5
4367		32.0	34.0	2.0	< 5
4368		34.0	36.0	2.0	14
4369		36.0	38.0	2.0	< 5
4370		38.0	40.0	2.0	< 5
4371		40.0	42.0	2.0	9
4372		42.0	44.0	2.0	< 5
4373		44.0	46.0	2.0	< 5
4374		46.0	48.0	2.0	< 5
4375		48.0	50.0	2.0	< 5
4376	G3-05	0.0	2.0	2.0	74
4377		2.0	4.0	2.0	120
4378		4.0	6.0	2.0	161
4379		6.0	8.0	2.0	134
4380		8.0	10.0	2.0	111
4381		10.0	12.0	2.0	23
4382		12.0	14.0	2.0	23
4383		14.0	16.0	2.0	14
4384		16.0	18.0	2.0	28
4385		18.0	20.0	2.0	14
4386		20.0	22.0	2.0	18
4387		22.0	24.0	2.0	< 5
4388		24.0	26.0	2.0	< 5
4389		26.0	28.0	2.0	< 5
4390		28.0	30.0	2.0	< 5
4391		30.0	32.0	2.0	< 5
4392		32.0	34.0	2.0	< 5
4393		34.0	36.0	2.0	< 5
4394		36.0	38.0	2.0	< 5
4395		38.0	40.0	2.0	< 5
4396		40.0	42.0	2.0	< 5
4397		42.0	44.0	2.0	< 5
4398		44.0	46.0	2.0	< 5
4399		46.0	48.0	2.0	< 5
4400		48.0	50.0	2.0	< 5
4401	G3-06	0.0	2.0	2.0	83
4402		2.0	4.0	2.0	101
4403		4.0	6.0	2.0	87
4404		6.0	8.0	2.0	65
4405		8.0	10.0	2.0	37
4406		10.0	12.0	2.0	83
4407		12.0	14.0	2.0	41
4408		14.0	16.0	2.0	28
4409		16.0	18.0	2.0	5
4410		18.0	20.0	2.0	32
4411		20.0	22.0	2.0	51
4412		22.0	24.0	2.0	83
4413		24.0	26.0	2.0	23
4414		26.0	28.0	2.0	97
4415		28.0	30.0	2.0	725
4416		30.0	32.0	2.0	74
4417		32.0	34.0	2.0	14
4418		34.0	36.0	2.0	32
4419		36.0	38.0	2.0	18
4420		38.0	40.0	2.0	< 5
4421		40.0	42.0	2.0	18
4422		42.0	44.0	2.0	< 5
4423		44.0	46.0	2.0	< 5
4424		46.0	48.0	2.0	< 5
4425		48.0	50.0	2.0	< 5
4426	G3-07	0.0	2.0	2.0	111
4427		2.0	4.0	2.0	88
4428		4.0	6.0	2.0	120
4429		6.0	8.0	2.0	42
4430		8.0	10.0	2.0	32
4431		10.0	12.0	2.0	23
4432		12.0	14.0	2.0	42
4433		14.0	16.0	2.0	19
4434		16.0	18.0	2.0	19
4435		18.0	20.0	2.0	14
4436		20.0	22.0	2.0	14
4437		22.0	24.0	2.0	< 5
4438		24.0	26.0	2.0	< 5
4439		26.0	28.0	2.0	9
4440		28.0	30.0	2.0	< 5
4441		30.0	32.0	2.0	< 5
4442		32.0	34.0	2.0	< 5
4443		34.0	36.0	2.0	< 5
4444		36.0	38.0	2.0	< 5
4445		38.0	40.0	2.0	< 5
4446		40.0	42.0	2.0	< 5
4447		42.0	44.0	2.0	< 5
4448		44.0	46.0	2.0	< 5
4449		46.0	48.0	2.0	< 5
4450		48.0	50.0	2.0	< 5
4451	G3-08	0.0	2.0	2.0	102
4452		2.0	4.0	2.0	204
4453		4.0	6.0	2.0	93
4454		6.0	8.0	2.0	60
4455		8.0	10.0	2.0	65
4456		10.0	12.0	2.0	42
4457		12.0	14.0	2.0	9
4458		14.0	16.0	2.0	28
4459		16.0	18.0	2.0	23
4460		18.0	20.0	2.0	97
4461		20.0	22.0	2.0	153
4462		22.0	24.0	2.0	79
4463		24.0	26.0	2.0	306
4464		26.0	28.0	2.0	199
4465		28.0	30.0	2.0	37
4466		30.0	32.0	2.0	65
4467		32.0	34.0	2.0	9
4468		34.0	36.0	2.0	< 5
4469		36.0	38.0	2.0	14
4470		38.0	40.0	2.0	< 5
4471		40.0	42.0	2.0	< 5
4472		42.0	44.0	2.0	< 5
4473		44.0	46.0	2.0	< 5
4474		46.0	48.0	2.0	< 5
4475		48.0	50.0	2.0	9
4476	G3-09	0.0	2.0	2.0	46
4477		2.0	4.0	2.0	102
4478		4.0	6.0	2.0	32
4479		6.0	8.0	2.0	37
4480		8.0	10.0	2.0	19
4481		10.0	12.0	2.0	120
4482		12.0	14.0	2.0	< 5
4483		14.0	16.0	2.0	< 5
4484		16.0	18.0	2.0	< 5
4485		18.0	20.0	2.0	< 5
4486		20.0	22.0	2.0	< 5
4487		22.0	24.0	2.0	14
4488		24.0	26.0	2.0	14
4489		26.0	28.0	2.0	14
4490		28.0	30.0	2.0	9
4491		30.0	32.0	2.0	5
4492		32.0	34.0	2.0	19
4493		34.0	36.0	2.0	5
4494		36.0	38.0	2.0	5
4495		38.0	40.0	2.0	5
4496		40.0	42.0	2.0	9
4497		42.0	44.0	2.0	< 5
4498		44.0	46.0	2.0	9
4499		46.0	48.0	2.0	< 5
4500		48.0	50.0	2.0	< 5

List of analytical results of RC drilling

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)
4501	G3-10	0.0	2.0	2.0	46
4502		2.0	4.0	2.0	46
4503		4.0	6.0	2.0	46
4504		6.0	8.0	2.0	37
4505		8.0	10.0	2.0	32
4506		10.0	12.0	2.0	14
4507		12.0	14.0	2.0	19
4508		14.0	16.0	2.0	139
4509		16.0	18.0	2.0	157
4510		18.0	20.0	2.0	< 5
4511		20.0	22.0	2.0	< 5
4512		22.0	24.0	2.0	9
4513		24.0	26.0	2.0	< 5
4514		26.0	28.0	2.0	< 5
4515		28.0	30.0	2.0	14
4516		30.0	32.0	2.0	< 5
4517		32.0	34.0	2.0	< 5
4518		34.0	36.0	2.0	< 5
4519		36.0	38.0	2.0	< 5
4520		38.0	40.0	2.0	< 5
4521		40.0	42.0	2.0	< 5
4522		42.0	44.0	2.0	< 5
4523		44.0	46.0	2.0	< 5
4524		46.0	48.0	2.0	< 5
4525		48.0	50.0	2.0	< 5
4526	G3-11	0.0	2.0	2.0	65
4527		2.0	4.0	2.0	42
4528		4.0	6.0	2.0	65
4529		6.0	8.0	2.0	32
4530		8.0	10.0	2.0	28
4531		10.0	12.0	2.0	995
4532		12.0	14.0	2.0	148
4533		14.0	16.0	2.0	< 5
4534		16.0	18.0	2.0	14
4535		18.0	20.0	2.0	19
4536		20.0	22.0	2.0	< 5
4537		22.0	24.0	2.0	< 5
4538		24.0	26.0	2.0	< 5
4539		26.0	28.0	2.0	< 5
4540		28.0	30.0	2.0	< 5
4541		30.0	32.0	2.0	< 5
4542		32.0	34.0	2.0	9
4543		34.0	36.0	2.0	37
4544		36.0	38.0	2.0	14
4545		38.0	40.0	2.0	< 5
4546		40.0	42.0	2.0	< 5
4547		42.0	44.0	2.0	< 5
4548		44.0	46.0	2.0	< 5
4549		46.0	48.0	2.0	< 5
4550		48.0	50.0	2.0	9
4551	G3-12	0.0	2.0	2.0	56
4552		2.0	4.0	2.0	162
4553		4.0	6.0	2.0	153
4554		6.0	8.0	2.0	46
4555		8.0	10.0	2.0	28
4556		10.0	12.0	2.0	14
4557		12.0	14.0	2.0	14
4558		14.0	16.0	2.0	9
4559		16.0	18.0	2.0	< 5
4560		18.0	20.0	2.0	9
4561		20.0	22.0	2.0	51
4562		22.0	24.0	2.0	< 5
4563		24.0	26.0	2.0	< 5
4564		26.0	28.0	2.0	< 5
4565		28.0	30.0	2.0	< 5
4566		30.0	32.0	2.0	< 5
4567		32.0	34.0	2.0	< 5
4568		34.0	36.0	2.0	< 5
4569		36.0	38.0	2.0	< 5
4570		38.0	40.0	2.0	< 5
4571		40.0	42.0	2.0	< 5
4572		42.0	44.0	2.0	9
4573		44.0	46.0	2.0	< 5
4574		46.0	48.0	2.0	< 5
4575		48.0	50.0	2.0	< 5
4576	G3-13	0.0	2.0	2.0	106
4577		2.0	4.0	2.0	42
4578		4.0	6.0	2.0	32
4579		6.0	8.0	2.0	14
4580		8.0	10.0	2.0	< 5
4581		10.0	12.0	2.0	< 5
4582		12.0	14.0	2.0	< 5
4583		14.0	16.0	2.0	< 5
4584		16.0	18.0	2.0	< 5
4585		18.0	20.0	2.0	< 5
4586		20.0	22.0	2.0	< 5
4587		22.0	24.0	2.0	< 5
4588		24.0	26.0	2.0	< 5
4589		26.0	28.0	2.0	< 5
4590		28.0	30.0	2.0	< 5
4591		30.0	32.0	2.0	< 5
4592		32.0	34.0	2.0	< 5
4593		34.0	36.0	2.0	< 5
4594		36.0	38.0	2.0	< 5
4595		38.0	40.0	2.0	< 5
4596		40.0	42.0	2.0	< 5
4597		42.0	44.0	2.0	< 5
4598		44.0	46.0	2.0	51
4599		46.0	48.0	2.0	46
4600		48.0	50.0	2.0	46
4601	G3-14	0.0	2.0	2.0	19
4602		2.0	4.0	2.0	28
4603		4.0	6.0	2.0	37
4604		6.0	8.0	2.0	< 5
4605		8.0	10.0	2.0	< 5
4606		10.0	12.0	2.0	< 5
4607		12.0	14.0	2.0	< 5
4608		14.0	16.0	2.0	< 5
4609		16.0	18.0	2.0	< 5
4610		18.0	20.0	2.0	< 5
4611		20.0	22.0	2.0	< 5
4612		22.0	24.0	2.0	< 5
4613		24.0	26.0	2.0	< 5
4614		26.0	28.0	2.0	< 5
4615		28.0	30.0	2.0	< 5
4616		30.0	32.0	2.0	< 5
4617		32.0	34.0	2.0	< 5
4618		34.0	36.0	2.0	< 5
4619		36.0	38.0	2.0	< 5
4620		38.0	40.0	2.0	< 5
4621		40.0	42.0	2.0	< 5
4622		42.0	44.0	2.0	74
4623		44.0	46.0	2.0	< 5
4624		46.0	48.0	2.0	< 5
4625		48.0	50.0	2.0	< 5
4626	G3-15	0.0	2.0	2.0	28
4627		2.0	4.0	2.0	32
4628		4.0	6.0	2.0	273
4629		6.0	8.0	2.0	14
4630		8.0	10.0	2.0	< 5
4631		10.0	12.0	2.0	< 5
4632		12.0	14.0	2.0	< 5
4633		14.0	16.0	2.0	< 5
4634		16.0	18.0	2.0	< 5
4635		18.0	20.0	2.0	< 5
4636		20.0	22.0	2.0	< 5
4637		22.0	24.0	2.0	< 5
4638		24.0	26.0	2.0	< 5
4639		26.0	28.0	2.0	< 5
4640		28.0	30.0	2.0	< 5
4641		30.0	32.0	2.0	< 5
4642		32.0	34.0	2.0	< 5
4643		34.0	36.0	2.0	< 5
4644		36.0	38.0	2.0	< 5
4645		38.0	40.0	2.0	< 5
4646		40.0	42.0	2.0	< 5
4647		42.0	44.0	2.0	< 5
4648		44.0	46.0	2.0	< 5
4649		46.0	48.0	2.0	< 5
4650		48.0	50.0	2.0	< 5

Ser. No.	Hole No.	Depth(m) From	To	Length (m)	Au (ppb)

Check analysis results for RC drilling

Ser. No.	Hole No.	Depth(m) From	Depth(m) To	Length (m)	Analytical results Au (ppb)	Check analysis Au (ppb)	Ser. No.	Hole No.	Depth(m) From	Depth(m) To	Length (m)	Analytical results Au (ppb)	Check analysis Au (ppb)
1	B1-01	0.0	2.0	2.0	37	41	21	C4-06	38.0	40.0	2.0	<5	<5
2	B1-07	38.0	40.0	2.0	<5	<5	22	G1-01	38.0	40.0	2.0	28	37
3	B2-04	38.0	40.0	2.0	17	21	23	G1-09	38.0	40.0	2.0	<5	<5
4	B2-09	0.0	2.0	2.0	44	37	24	G1-12	38.0	40.0	2.0	<5	<5
5	B3-04	38.0	40.0	2.0	<5	<5	25	G2-02	38.0	40.0	2.0	23	28
6	B3-08	38.0	40.0	2.0	50	46	26	G2-06	38.0	40.0	2.0	<5	<5
7	B4-03	38.0	40.0	2.0	50	37	27	G2-12	38.0	40.0	2.0	46	55
8	B4-10	38.0	40.0	2.0	<5	<5	28	G3-03	38.0	40.0	2.0	<5	<5
9	B5-02	38.0	40.0	2.0	<5	<5	29	G3-09	38.0	40.0	2.0	5	9
10	B5-11	38.0	40.0	2.0	<5	<5	30	G3-14	38.0	40.0	2.0	<5	<5
11	B5-18	38.0	40.0	2.0	137	120							
12	C1-02	38.0	40.0	2.0	<5	<5							
13	C1-09	38.0	40.0	2.0	12	8							
14	C1-18	0.0	2.0	2.0	120	91							
15	C2-03	38.0	40.0	2.0	<5	<5							
16	C2-09	38.0	40.0	2.0	<5	<5							
17	C2-15	38.0	40.0	2.0	<5	<5							
18	C3-08	38.0	40.0	2.0	<5	<5							
19	C3-12	38.0	40.0	2.0	8	8							
20	C4-01	38.0	40.0	2.0	<5	<5							

Appendix 17 Ore assay for DD drilling holes

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
1	MJBA14001	0.0	1.0	1.0	60	< 3.0	36	105	66	4.6	3	< 1	93	< 20	< 3.0	11	19	113	0.03	< 3.0	0.54	< 20
2	MJBA14002	1.0	2.0	1.0	56	< 3.0	39	156	65	5.6	4	< 1	80	< 20	3.1	13	12	137	0.11	< 3.0	0.53	< 20
3	MJBA14003	2.0	3.0	1.0	51	< 3.0	29	142	65	4.9	4	< 1	< 50	< 20	< 3.0	11	6.2	109	0.05	3.3	0.64	< 20
4	MJBA14004	3.0	4.0	1.0	23	< 3.0	24	233	59	3.8	3	< 1	< 50	< 20	< 3.0	12	6.4	83	0.08	4.6	0.9	< 20
5	MJBA14005	4.0	5.0	1.0	< 5	< 3.0	29	193	66	3.6	2	< 1	< 50	< 20	< 3.0	9.9	14	76	0.04	5.5	0.74	< 20
6	MJBA14006	5.0	6.0	1.0	37	< 3.0	24	222	71	3.8	4	< 1	< 50	< 20	< 3.0	9.4	8.9	81	0.1	4.9	1.1	< 20
7	MJBA14007	6.0	7.0	1.0	14	< 3.0	30	151	71	3.7	3	< 1	< 50	< 20	< 3.0	8.9	9.3	70	0.03	< 3.0	1.2	< 20
8	MJBA14008	7.0	8.0	1.0	32	< 3.0	19	158	111	4	6	< 1	< 50	< 20	< 3.0	9	9.3	69	0.02	4.4	1.3	< 20
9	MJBA14009	8.0	9.0	1.0	37	< 3.0	23	241	114	4.5	8	< 1	< 50	< 20	< 3.0	9.8	6.7	77	0.05	3.3	1	< 20
10	MJBA14010	9.0	10.0	1.0	32	< 3.0	24	168	89	3.7	3	< 1	< 50	< 20	< 3.0	8.8	14	61	0.03	5.8	0.76	< 20
11	MJBA14011	10.0	11.0	1.0	32	< 3.0	32	257	120	3.7	4	< 1	< 50	< 20	< 3.0	14	11	59	0.06	5.4	0.92	< 20
12	MJBA14012	11.0	12.0	1.0	42	< 3.0	24	269	121	4.1	3	< 1	< 50	< 20	< 3.0	18	8.2	59	0.06	4.4	0.67	< 20
13	MJBA14013	12.0	13.0	1.0	245	< 3.0	20	222	90	3.3	1	< 1	< 50	< 20	< 3.0	14	9.2	55	0.06	4.1	1.5	< 20
14	MJBA14014	13.0	14.0	1.0	14	< 3.0	17	158	74	3.2	3	< 1	< 50	< 20	< 3.0	11	10	53	0.05	5.3	0.86	< 20
15	MJBA14015	14.0	15.0	1.0	< 5	< 3.0	14	151	71	3.2	3	< 1	< 50	< 20	< 3.0	11	12	48	0.05	6	0.71	< 20
16	MJBA14016	15.0	16.0	1.0	< 5	< 3.0	16	214	82	2.9	2	< 1	< 50	< 20	< 3.0	11	5.5	48	0.05	< 3.0	2.2	< 20
17	MJBA14017	16.0	17.0	1.0	2060	< 3.0	15	268	106	2.6	8	< 1	< 50	< 20	< 3.0	14	7.4	50	0.08	6.3	4	< 20
18	MJBA14018	17.0	18.0	1.0	1940	< 3.0	5.9	70	81	2.2	2	< 1	< 50	< 20	< 3.0	8.7	5.9	36	0.05	4.5	4.5	< 20
19	MJBA14019	18.0	19.0	1.0	79	< 3.0	6.2	78	74	2.1	2	< 1	< 50	< 20	< 3.0	8.4	6.6	32	0.05	3.5	4.1	< 20
20	MJBA14020	19.0	20.0	1.0	< 5	< 3.0	13	111	78	2.2	1	< 1	< 50	< 20	< 3.0	9.5	6.8	37	0.06	< 3.0	4.1	< 20
21	MJBA14021	20.0	21.0	1.0	218	< 3.0	9.1	81	66	2.1	1	< 1	< 50	< 20	< 3.0	8.3	5.9	35	0.05	< 3.0	3.9	< 20
22	MJBA14022	21.0	22.0	1.0	51	< 3.0	8.1	73	60	2.1	1	< 1	< 50	< 20	< 3.0	9.1	4.5	36	0.04	< 3.0	4.1	< 20
23	MJBA14023	22.0	23.0	1.0	5	< 3.0	6.9	83	60	2.2	1	< 1	< 50	< 20	< 3.0	8.8	4.7	35	0.05	< 3.0	4.1	< 20
24	MJBA14024	23.0	24.0	1.0	19	< 3.0	9.1	154	95	2.4	1	< 1	< 50	< 20	< 3.0	9.3	5.7	39	0.06	< 3.0	3.8	< 20
25	MJBA14025	24.0	25.0	1.0	9	< 3.0	11	244	184	2.1	1	< 1	< 50	< 20	< 3.0	< 8.0	5.6	35	0.06	4.4	3.2	< 20
26	MJBA14026	25.0	26.0	1.0	14	< 3.0	8.4	142	72	2.1	1	< 1	< 50	< 20	< 3.0	< 8.0	4.8	34	0.06	< 3.0	3.5	< 20
27	MJBA14027	26.0	27.0	1.0	< 5	< 3.0	8.4	81	61	2.2	3	< 1	< 50	< 20	< 3.0	8.3	5	36	0.05	4.2	3.9	< 20
28	MJBA14028	27.0	28.0	1.0	9	< 3.0	8	241	121	2.2	3	< 1	< 50	< 20	< 3.0	9	5.2	36	0.05	< 3.0	3.7	< 20
29	MJBA14029	28.0	29.0	1.0	9	< 3.0	7.4	83	63	2.2	3	< 1	< 50	< 20	< 3.0	9.4	5.8	36	0.05	3.5	3.8	< 20
30	MJBA14030	29.0	30.0	1.0	< 5	< 3.0	6.7	132	71	2.3	2	< 1	< 50	< 20	< 3.0	9.4	4.9	37	0.06	< 3.0	3.7	< 20
31	MJBA14031	30.0	31.0	1.0	< 5	< 3.0	6.3	78	50	2.1	2	< 1	< 50	< 20	< 3.0	< 8.0	7.4	35	0.05	< 3.0	4	< 20
32	MJBA14032	31.0	32.0	1.0	9	< 3.0	3.9	66	55	2.1	1	< 1	< 50	< 20	< 3.0	12	4.9	32	0.05	3.1	3.4	< 20
33	MJBA14033	32.0	33.0	1.0	406	< 3.0	9	71	62	2.2	1	< 1	< 50	< 20	< 3.0	< 8.0	5.6	35	0.05	< 3.0	3.7	< 20
34	MJBA14034	33.0	34.0	1.0	9	< 3.0	12	76	60	2.2	1	< 1	< 50	< 20	< 3.0	8.5	4.6	36	0.05	< 3.0	3.7	< 20
35	MJBA14035	34.0	35.0	1.0	< 5	< 3.0	10	82	65	2.1	1	< 1	< 50	< 20	< 3.0	8.1	5.6	34	0.05	< 3.0	3.8	< 20
36	MJBA14036	35.0	36.0	1.0	< 5	< 3.0	5.8	74	57	2.1	2	< 1	< 50	< 20	< 3.0	8.7	5.8	35	0.05	< 3.0	3.7	< 20
37	MJBA14037	36.0	37.0	1.0	< 5	< 3.0	5.9	71	57	2	1	< 1	< 50	< 20	< 3.0	8.2	6.8	34	0.05	< 3.0	3.7	< 20
38	MJBA14038	37.0	38.0	1.0	14	< 3.0	7.4	73	74	2.1	1	< 1	< 50	< 20	< 3.0	< 8.0	4.9	35	0.04	< 3.0	4.1	< 20
39	MJBA14039	38.0	39.0	1.0	37	< 3.0	13	87	73	2	< 1	< 1	< 50	< 20	< 3.0	8.5	5.6	33	0.07	< 3.0	3.5	< 20
40	MJBA14040	39.0	40.0	1.0	60	< 3.0	12	93	81	2.1	2	< 1	< 50	< 20	< 3.0	8	6.6	37	0.09	4.3	3.9	< 20
41	MJBA14041	40.0	41.0	1.0	9	< 3.0	14	90	85	2.3	< 1	< 1	< 50	< 20	< 3.0	9.2	7.2	39	0.06	4.8	3.8	< 20
42	MJBA14042	41.0	42.0	1.0	23	< 3.0	16	80	65	2.1	< 1	< 1	< 50	< 20	< 3.0	8.7	5.8	37	0.06	3.8	3.8	< 20
43	MJBA14043	42.0	43.0	1.0	< 5	< 3.0	14	88	66	2.1	2	< 1	< 50	< 20	< 3.0	8.4	6	36	0.05	< 3.0	4.1	< 20
44	MJBA14044	43.0	44.0	1.0	42	< 3.0	11	80	66	1.9	3	< 1	< 50	< 20	< 3.0	9.8	5.7	32	0.07	< 3.0	2.9	< 20
45	MJBA14045	44.0	45.0	1.0	19	< 3.0	15	85	78	2.1	< 1	< 1	< 50	< 20	< 3.0	10	6.4	32	0.08	< 3.0	2.8	< 20
46	MJBA14046	45.0	46.0	1.0	14	< 3.0	11	75	68	2.1	< 1	< 1	< 50	< 20	< 3.0	8.6	6.6	37	0.06	4.2	4.1	< 20
47	MJBA14047	46.0	47.0	1.0	9	< 3.0	53	87	77	2.3	< 1	< 1	< 50	< 20	< 3.0	11	6.1	41	0.06	3.4	3.2	< 20
48	MJBA14048	47.0	48.0	1.0	120	< 3.0	239	89	101	3.1	< 1	< 1	< 50	< 20	< 3.0	13	6.6	40	0.06	3.8	1.9	< 20
49	MJBA14049	48.0	49.0	1.0	< 5	< 3.0	22	83	85	2.2	< 1	< 1	< 50	< 20	< 3.0	9.6	7.4	39	0.06	3	4	< 20
50	MJBA14050	49.0	50.0	1.0	273	< 3.0	12	81	73	2.2	< 1	< 1	< 50	< 20	< 3.0	10	8.6	40	0.05	5.1	4	< 20
51	MJBA14051	50.0	51.0	1.0	< 5	< 3.0	12	76	67	2.1	< 1	< 1	< 50	< 20	< 3.0	9	6.9	36	0.05	3.3	3.9	< 20
52	MJBA14052	51.0	52.0	1.0	< 5	< 3.0	30	98	71	2.2	< 1	< 1	< 50	< 20	< 3.0	9.6	7.5	37	0.05	4.2	4	< 20
53	MJBA14053	52.0	53.0	1.0	< 5	< 3.0	25	86	75	2.2	< 1	< 1	< 50	< 20	< 3.0	9.3	7.6	38	0.06	5.6	4.1	< 20
54	MJBA14054	53.0	54.0	1.0	< 5	< 3.0	19	99	72	2.1	< 1	< 1	< 50	< 20	< 3.0	8.8	6.9	36	0.05	3.5	4.1	< 20
55	MJBA14055	54.0	55.0	1.0	139	< 3.0	11	66	60	1.9	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.5	34	0.05	3.3	3.8	< 20
56	MJBA14056	55.0	56.0	1.0	14	< 3.0	11	87	69	2.2	< 1	< 1	< 50	< 20	< 3.0	8.8	6.6	39	0.06	5.8	4.5	< 20
57	MJBA14057	56.0	57.0	1.0	32	< 3.0	12	76	80	2.2	< 1	< 1	< 50	< 20	< 3.0	8.5	8.8	38	0.05	3.5	4.1	< 20
58	MJBA14058	57.0	58.0	1.0	< 5	< 3.0	12	75	52	2.1	< 1	< 1	< 50	< 20	< 3.0	8.9	7.1	36	0.05	4.6	4.1	< 20
59	MJBA14059	58.0	59.0	1.0	23	< 3.0	15	85	59	2.2	< 1	< 1	< 50	< 20	< 3.0	8.7	7.4	36	0.05	3.5	3.9	< 20
60	MJBA14060	59.0	60.0	1.0	9	< 3.0	12	78	64	2.2	1	< 1	< 50	< 20	< 3.0	8.8	7.5	38	0.05	4.5	3.9	< 20
61	MJBA14061	60.0	61.0	1.0	< 5	< 3.0	12	76	61	2.1	< 1	< 1	< 50	< 20	< 3.0	8.5	7.1	36	0.05	4.2	4	< 20
62	MJBA14062	61.0	62.0	1.0	< 5	< 3.0	12	78	63	2.2	< 1	< 1	< 50	< 20	< 3.0	10	9.1	38	0.06	5.8	4.1	< 20
63	MJBA14063	62.0	63.0	1.0	< 5	< 3.0	12	78	61	2.3	< 1	< 1	< 50	< 20	< 3.0	9.5	9.8	38	0.05	5	3.9	< 20
64	MJBA14064	63.0	64.0	1.0	< 5	< 3.0	15	68	53	2.1	< 1	< 1	< 50	< 20	< 3.0	11	8	36	0.05	5.9	3.5	< 20
65	MJBA14065	64.0	65.0	1.0	< 5	< 3.0	17	76	52	2.1	1	< 1	< 50	< 20	< 3.0	8.7	7.9	35	0.06	4.3	3.8	< 20
66	MJBA14066	65.0	66.0	1.0	< 5	< 3.0	12	74	57	2.3	< 1	< 1	< 50	< 20	< 3.0	9.7	9	39	0.05	< 3.0	3.8	< 20
67	MJBA14067	66.0	67.0	1.0	< 5	< 3.0	13	71	48	2.1	< 1	< 1	< 50	< 20	< 3.0	9.3	7.1	36	0.05	< 3.0	3.6	< 20
68	MJBA14068	67.0	68.0	1.0	< 5	< 3.0	9.4	65	50	2.1	< 1	< 1	< 50	< 20	< 3.0	9.2	6.8	35	0.05	< 3.0	4	< 20
69	MJBA14069	68.0	69.0	1.0	1250	< 3.0	12	86	52	2.1	1	< 1	< 50	< 20	< 3.0	8.7	8	34	0.05	3.9	3.7	< 20
70	MJBA14070	69.0	70.0	1.0	< 5	< 3.0	14	91	52	2.1	< 1	< 1	< 50	< 20	< 3.0	8.6	6.6	36	0.05	3.1	4.2	< 20
71	MJBA14071	70.0	71.0	1.0	208	< 3.0	13	72	55	2.1	< 1	< 1	< 50	< 20	< 3.0	10	6.7	36	0.05	4.3	4	< 20
72	MJBA14072	71.0	72.0	1.0	14	< 3.0	9.3	65	59	2	< 1	< 1	< 50	< 20	< 3.0	11	5.8	38	0.05	4.5	3.8	< 20
73	MJBA14073	72.0	73.0	1.0	9	< 3.0	12	79	59	2.1	< 1	< 1	< 50	< 20	< 3.0	9.4	6.4	36	0.06	3.7	4	< 20
74	MJBA14074	73.0	74.0	1.0	9	< 3.0	15	84	58	2.2	< 1	< 1	< 50	< 20	< 3.0	8.9	6.8	37	0.05	3.5	4	< 20
75	MJBA14075	74.0	75.0	1.0	69	< 3.0	12	81	57	2.1	< 1	< 1	< 50	< 20	< 3.0	9.6	7.7	37	0.06	3.3	4.1	< 20
76	MJBA14076	75.0	76.0	1.0	37	< 3.0	12	77	56	2.1	< 1	< 1	< 50	< 20	< 3.0	9.6	5.4	38	0.06	< 3.0	3.8	< 20
77	MJBA14077	76.0	77.0	1.0	< 5	< 3.0	11	73	54	2	< 1	< 1	< 50	< 20	< 3.0	8.7	6	36	0.05	< 3.0	3.9	< 20
78	MJBA14078	77.0	78.0	1.0	9	< 3.0	11	74	43	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.4	27	0.05	3.4	4.4	< 20
79	MJBA14079	78.0	79.0	1.0	< 5	< 3.0	11	60	53	2	< 1	< 1	< 50	< 20	< 3.0	9.1	6.6	36	0.05	< 3.0	3.7	< 20
80	MJBA14080	79.0	80.0	1.0	< 5	< 3.0	10	67	50	2	< 1	< 1	< 50	< 20	< 3.0	8.5	5.8	35	0.04	< 3.0	4	< 20
81	MJBA14081	80.0	81.0	1.0	< 5	< 3.0	14	93	58	2	< 1	< 1	< 50	< 20	< 3.0	8.8	6.4	33	0.05	3.3	4.2	< 20
82	MJBA14082	81.0	82.0	1.0	< 5	< 3.0	10	68	50	2.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	7.2	37	0.05	< 3.0	3.8	< 20
83	MJBA14083	82.0	83.0	1.0	< 5	< 3.0	10	84	62	2.1	1	< 1	< 50	< 20	< 3.0	9.2	6	36	0.06	4.9	4.1	< 20
84	MJBA14084	83.0	84.0	1.0	97	< 3.0	15	87	63	2.3	< 1	< 1	< 50	< 20	< 3.0	9.8	6.9	38	0.06	4.6	3.9	< 20
85	MJBA14085	84.0	85.0	1.0	23	< 3.0	14	79	60	2.1	< 1	< 1	< 50	< 20	< 3.0	8.8	6.3	38	0.06	3.4	3.9	< 20
86	MJBA14086	85.0	86.0	1.0	14	< 3.0	10	68	45	2	< 1	< 1	< 50	< 20	< 3.0	9.3	5.6	35	0.05	< 3.0	3.8	< 20
87	MJBA14087	86.0	87.0	1.0	< 5	< 3.0	10	72	50	2.1	< 1	< 1	< 50	< 20	< 3.0	9.3	5.6	39	0.06	< 3.0	3.8	< 20
88	MJBA14088	87.0	88.0	1.0	199	< 3.0	14	82	56	2.2	< 1	< 1	< 50	< 20	< 3.0	8.8	5.6	39	0.06	< 3.0	3.9	< 20
89	MJBA14089	88.0	89.0	1.0	< 5	< 3.0	11	74	57	2.1	< 1	< 1	< 50	< 20	< 3.0	9.3	6.4	37	0.06	4.5	3.7	< 20
90	MJBA14090	89.0	90.0	1.0	9	< 3.0	10	76	66	2	< 1	< 1	< 50	< 20	< 3.0	9.6	6	36	0.05	< 3.0	3.7	< 20
91	MJBA14091	90.0	91.0	1.0	14	< 3.0	14	103	95	2.3	< 1	< 1	< 50	< 20	< 3.0	9.1	5.2	37	0.06	3.7	3.6	< 20
92	MJBA14092	91.0	92.0	1.0	37	< 3.0	19	144	87	2	< 1	< 1	< 50	< 20	< 3.0	9.4	5.4	36	0.06	3.5	4.1	< 20
93	MJBA14093	92.0	93.0	1.0	74	< 3.0	14	188	77	2.2	3	< 1	< 50	< 20	< 3.0	< 8.0	5.7	39	0.05	5.4	4.3	< 20
94	MJBA14094	93.0	94.0	1.0	32	< 3.0	13	81	85	1.9	< 1	< 1	< 50	< 20	< 3.0	9.3	5.5	36	0.07	< 3.0	4.2	< 20
95	MJBA14095	94.0	95.0	1.0	< 5	< 3.0	13	90	99	2.1	< 1	< 1	< 50	< 20	< 3.0	8.6	6.6	37	0.06	3.1	3.8	< 20
96	MJBA14096	95.0	96.0	1.0	37	< 3.0	15	142	63	1.8	< 1	< 1	< 50	< 20	< 3.0	9.5	5.1	36	0.06	< 3.0	3.8	< 20
97	MJBA14097	96.0	97.0	1.0	< 5	< 3.0	12	87	66	2	< 1	< 1	< 50	< 20	< 3.0	9	6.2	35	0.05	< 3.0	3.8	< 20
98	MJBA14098	97.0	98.0	1.0	23	< 3.0	11	85	83	2	< 1	< 1	< 50	< 20	< 3.0	9	6.8	33	0.05	3.1	3.6	< 20
99	MJBA14099	98.0	99.0	1.0	< 5	< 3.0	12	87	71	2.1	< 1	< 1	< 50	< 20	< 3.0	10	6.7	36	0.06	5	3.6	< 20
100	MJBA14100	99.0	100.05	1.05	23	< 3.0	11	66	56	1.9	< 1	< 1	< 50	< 20	< 3.0	9.5	5	33	0.05	3.8	3.6	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
101	MJBA15001	0.0	1.0	1.0	74	< 3.0	33	317	39	5.2	4	3	< 50	< 20	< 3.0	< 8.0	5	83	0.03	< 3.0	0.51	< 20
102	MJBA15002	1.0	2.0	1.0	51	3.3	51	553	59	> 10.0	17	8	< 50	< 20	5.1	< 8.0	6.1	328	0.03	< 3.0	0.39	< 20
103	MJBA15003	2.0	3.0	1.0	32	< 3.0	55	138	57	> 10.0	14	6	< 50	< 20	6	< 8.0	3.2	348	0.01	< 3.0	0.47	< 20
104	MJBA15004	3.0	4.0	1.0	65	< 3.0	51	128	52	> 10.0	9	4	< 50	< 20	4.6	9.3	5.5	310	0.01	< 3.0	0.68	< 20
105	MJBA15005	4.0	5.0	1.0	32	< 3.0	52	174	70	> 10.0	4	6	< 50	< 20	3.8	11	5.9	270	0.02	< 3.0	0.82	< 20
106	MJBA15006	5.0	6.0	1.0	37	9	63	2331	84	> 10.0	9	18	< 50	< 20	4	13	6.5	288	0.02	< 3.0	0.74	< 20
107	MJBA15007	6.0	7.0	1.0	46	3.3	55	772	58	> 10.0	8	7	< 50	< 20	3.8	14	6.5	298	0.02	< 3.0	0.74	< 20
108	MJBA15008	7.0	8.0	1.0	28	< 3.0	71	212	74	> 10.0	9	5	< 50	< 20	4.5	36	12	316	0.27	3.4	0.65	< 20
109	MJBA15009	8.0	9.0	1.0	28	< 3.0	72	218	65	> 10.0	9	7	< 50	< 20	3.2	40	9.3	218	0.4	< 3.0	1.1	< 20
110	MJBA15010	9.0	10.0	1.0	28	< 3.0	57	185	56	7.9	6	5	< 50	< 20	< 3.0	27	6	163	0.25	< 3.0	1.2	< 20
111	MJBA15011	10.0	11.0	1.0	42	< 3.0	35	125	46	5.8	3	3	< 50	< 20	< 3.0	9.9	3.5	65	0.07	< 3.0	1.4	< 20
112	MJBA15012	11.0	12.0	1.0	56	3.2	29	215	61	5.4	1	2	< 50	< 20	< 3.0	9	3.6	52	0.08	< 3.0	2.1	< 20
113	MJBA15013	12.0	13.0	1.0	37	3.2	47	244	76	5.6	1	4	< 50	< 20	< 3.0	11	3.5	63	0.13	< 3.0	2.2	< 20
114	MJBA15014	13.0	14.0	1.0	14	< 3.0	18	80	63	3.7	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	11	0.09	< 3.0	2.9	< 20
115	MJBA15015	14.0	15.0	1.0	9	< 3.0	18	84	70	3.5	1	< 1	< 50	< 20	< 3.0	15	< 3.0	12	0.11	< 3.0	2.8	< 20
116	MJBA15016	15.0	16.0	1.0	9	< 3.0	19	75	71	3.5	1	< 1	< 50	< 20	< 3.0	11	< 3.0	12	0.09	< 3.0	2.8	< 20
117	MJBA15017	16.0	17.0	1.0	< 5	< 3.0	21	73	103	3.3	1	< 1	< 50	< 20	< 3.0	13	7.6	< 8.0	0.1	5	2.7	< 20
118	MJBA15018	17.0	18.0	1.0	69	< 3.0	22	72	102	3.1	1	< 1	< 50	< 20	< 3.0	16	9.2	< 8.0	0.13	3.1	2.7	< 20
119	MJBA15019	18.0	19.0	1.0	28	< 3.0	21	74	105	3.2	1	< 1	< 50	< 20	< 3.0	15	5.5	< 8.0	0.15	< 3.0	2.5	< 20
120	MJBA15020	19.0	20.0	1.0	60	15	52	92	140	3.6	1	< 1	< 50	< 20	< 3.0	23	14	9.1	0.2	3.9	2.5	< 20
121	MJBA15021	20.0	21.0	1.0	336	< 3.0	28	678	136	3.4	1	4	< 50	< 20	< 3.0	8.5	10	< 8.0	0.05	< 3.0	2.6	< 20
122	MJBA15022	21.0	22.0	1.0	< 5	< 3.0	19	69	124	2.9	1	< 1	< 50	< 20	< 3.0	< 8.0	11	< 8.0	0.03	< 3.0	2.7	< 20
123	MJBA15023	22.0	23.0	1.0	< 5	< 3.0	23	87	120	3.1	1	< 1	< 50	< 20	< 3.0	11	9.1	10	0.09	< 3.0	2.7	< 20
124	MJBA15024	23.0	24.0	1.0	32	< 3.0	29	79	133	3.4	1	< 1	< 50	< 20	< 3.0	16	9.8	< 8.0	0.19	5	2.8	< 20
125	MJBA15025	24.0	25.0	1.0	19	< 3.0	13	60	120	2.5	1	< 1	< 50	< 20	< 3.0	< 8.0	7.9	< 8.0	0.03	< 3.0	2.7	< 20
126	MJBA15026	25.0	26.0	1.0	37	< 3.0	17	62	126	2.7	2	< 1	< 50	< 20	< 3.0	9.3	11	< 8.0	0.06	< 3.0	2.9	< 20
127	MJBA15027	26.0	27.0	1.0	60	< 3.0	22	71	146	3.1	2	< 1	< 50	< 20	< 3.0	11	15	< 8.0	0.08	< 3.0	2.5	< 20
128	MJBA15028	27.0	28.0	1.0	28	< 3.0	41	90	160	3.3	1	< 1	< 50	< 20	< 3.0	13	19	8.7	0.11	< 3.0	2.5	< 20
129	MJBA15029	28.0	29.0	1.0	< 5	< 3.0	13	70	128	3	3	< 1	< 50	< 20	< 3.0	< 8.0	8.4	< 8.0	0.05	< 3.0	2.6	< 20
130	MJBA15030	29.0	30.0	1.0	< 5	5.2	18	1269	101	3	1	5	< 50	< 20	< 3.0	< 8.0	6.9	< 8.0	0.05	< 3.0	2.9	< 20
131	MJBA15031	30.0	31.0	1.0	< 5	< 3.0	9.6	77	97	2.8	1	< 1	< 50	< 20	< 3.0	< 8.0	5	< 8.0	0.03	< 3.0	3	< 20
132	MJBA15032	31.0	32.0	1.0	< 5	< 3.0	13	111	93	2.7	1	< 1	< 50	< 20	< 3.0	< 8.0	3.1	< 8.0	0.03	< 3.0	2.7	< 20
133	MJBA15033	32.0	33.0	1.0	< 5	< 3.0	14	371	94	2.8	1	1	< 50	< 20	< 3.0	< 8.0	5.4	< 8.0	0.04	< 3.0	2.5	< 20
134	MJBA15034	33.0	34.0	1.0	< 5	< 3.0	14	72	98	2.9	1	< 1	< 50	< 20	< 3.0	< 8.0	4	< 8.0	0.03	< 3.0	2.5	< 20
135	MJBA15035	34.0	35.0	1.0	< 5	< 3.0	14	85	106	3.2	1	< 1	< 50	< 20	< 3.0	8.6	5.5	9.3	0.06	3.1	2.9	< 20
136	MJBA15036	35.0	36.0	1.0	< 5	< 3.0	8.1	65	90	2.5	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.03	< 3.0	2.6	< 20
137	MJBA15037	36.0	37.0	1.0	< 5	< 3.0	11	66	86	2.7	1	< 1	< 50	< 20	< 3.0	< 8.0	3	< 8.0	0.04	< 3.0	2.6	< 20
138	MJBA15038	37.0	38.0	1.0	28	< 3.0	15	75	87	3	1	< 1	< 50	< 20	< 3.0	< 8.0	3.1	8.4	0.05	< 3.0	2.9	< 20
139	MJBA15039	38.0	39.0	1.0	1400	< 3.0	29	91	83	2.9	1	< 1	< 50	< 20	< 3.0	8.9	< 3.0	12	0.05	< 3.0	4.1	< 20
140	MJBA15040	39.0	40.0	1.0	23	< 3.0	20	82	80	2.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	9.1	0.04	< 3.0	3.9	< 20
141	MJBA15041	40.0	41.0	1.0	9	< 3.0	19	74	75	2.9	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	8.3	0.03	< 3.0	4	< 20
142	MJBA15042	41.0	42.0	1.0	< 5	< 3.0	21	69	80	2.9	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	8.5	0.04	< 3.0	3.8	< 20
143	MJBA15043	42.0	43.0	1.0	< 5	< 3.0	15	55	77	2.9	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	9.9	0.03	< 3.0	3.3	< 20
144	MJBA15044	43.0	44.0	1.0	28	< 3.0	24	73	78	3.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	10	0.06	< 3.0	2.5	< 20
145	MJBA15045	44.0	45.0	1.0	218	< 3.0	18	65	74	3.1	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	11	0.04	< 3.0	2.9	< 20
146	MJBA15046	45.0	46.0	1.0	51	< 3.0	12	61	74	2.7	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.06	< 3.0	3.4	< 20
147	MJBA15047	46.0	47.0	1.0	51	< 3.0	9.6	58	68	2.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.03	< 3.0	3.9	< 20
148	MJBA15048	47.0	48.0	1.0	14	< 3.0	9.9	58	66	2.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	8.2	0.03	< 3.0	3.8	< 20
149	MJBA15049	48.0	49.0	1.0	9	< 3.0	11	66	74	3	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	8.7	0.05	< 3.0	4.1	< 20
150	MJBA15050	49.0	50.0	1.0	9	< 3.0	12	59	74	2.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.05	< 3.0	3.8	< 20
151	MJBA15051	50.0	51.0	1.0	42	< 3.0	18	72	73	2.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	10	0.06	< 3.0	3.2	< 20
152	MJBA15052	51.0	52.0	1.0	14	< 3.0	11	64	68	2.5	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.02	< 3.0	3	< 20
153	MJBA15053	52.0	53.0	1.0	32	< 3.0	13	63	70	2.8	2	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.06	< 3.0	3.3	< 20
154	MJBA15054	53.0	54.0	1.0	< 5	< 3.0	11	64	71	2.6	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.03	< 3.0	3.8	< 20
155	MJBA15055	54.0	55.0	1.0	< 5	< 3.0	8.2	62	66	2.5	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.03	< 3.0	3.8	< 20
156	MJBA15056	55.0	56.0	1.0	65	< 3.0	10	73	71	2.4	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	8.1	0.02	< 3.0	3.8	< 20
157	MJBA15057	56.0	57.0	1.0	515	< 3.0	10	66	75	2.6	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	8.1	0.04	< 3.0	3.8	< 20
158	MJBA15058	57.0	58.0	1.0	74	< 3.0	14	73	73	3.1	3	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	10	0.04	< 3.0	3.7	< 20
159	MJBA15059	58.0	59.0	1.0	65	< 3.0	15	77	83	3.2	1	< 1	< 50	< 20	< 3.0	10	< 3.0	12	0.08	< 3.0	4.1	< 20
160	MJBA15060	59.0	60.0	1.0	23	< 3.0	12	75	87	3.4	2	< 1	< 50	< 20	< 3.0	8.9	< 3.0	13	0.07	< 3.0	3.6	< 20
161	MJBA15061	60.0	61.0	1.0	486	< 3.0	17	73	72	3.2	2	< 1	< 50	< 20	< 3.0	8.1	< 3.0	13	0.06	< 3.0	3.6	< 20
162	MJBA15062	61.0	62.0	1.0	463	< 3.0	19	79	86	3.4	3	< 1	< 50	< 20	< 3.0	8.2	< 3.0	15	0.05	< 3.0	3.3	< 20
163	MJBA15063	62.0	63.0	1.0	148	< 3.0	12	61	87	3.3	2	< 1	< 50	< 20	< 3.0	8.7	< 3.0	11	0.07	< 3.0	3.5	< 20
164	MJBA15064	63.0	64.0	1.0	227	< 3.0	13	70	90	3.3	2	< 1	< 50	< 20	< 3.0	11	< 3.0	13	0.09	< 3.0	3.4	< 20
165	MJBA15065	64.0	65.0	1.0	28	< 3.0	12	64	110	3.2	1	< 1	< 50	< 20	< 3.0	8.4	< 3.0	10	0.05	< 3.0	3.4	< 20
166	MJBA15066	65.0	66.0	1.0	46	< 3.0	15	69	121	3.3	1	< 1	< 50	< 20	< 3.0	10	< 3.0	10	0.06	< 3.0	3.7	< 20
167	MJBA15067	66.0	67.0	1.0	88	3	32	67	96	4	4	< 1	< 50	< 20	3.1	12	< 3.0	13	0.29	< 3.0	3.6	< 20
168	MJBA15068	67.0	68.0	1.0	56	< 3.0	8.2	63	48	2.3	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.02	< 3.0	3.5	< 20
169	MJBA15069	68.0	69.0	1.0	637	< 3.0	22	75	67	2.3	2	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	11	0.04	< 3.0	3.2	< 20
170	MJBA15070	69.0	70.0	1.0	319	< 3.0	18	126	65	2.6	2	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	11	0.08	< 3.0	3	< 20
171	MJBA15071	70.0	71.0	1.0	315	< 3.0	16	59	58	2.2	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.04	< 3.0	3.1	< 20
172	MJBA15072	71.0	72.0	1.0	343	< 3.0	23	96	91	2	2	< 1	< 50	< 20	< 3.0	9.5	< 3.0	29	0.13	< 3.0	2.9	< 20
173	MJBA15073	72.0	73.0	1.0	417	< 3.0	20	91	97	2.6	4	< 1	< 50	< 20	< 3.0	10	6.1	41	0.12	< 3.0	3.9	< 20
174	MJBA15074	73.0	74.0	1.0	56	< 3.0	29	111	86	2.4	3	< 1	< 50	< 20	< 3.0	11	8.3	35	0.1	3.9	4.2	< 20
175	MJBA15075	74.0	75.0	1.0	9	< 3.0	21	94	80	2.4	4	< 1	< 50	< 20	< 3.0	8.6	6	38	0.13	4.1	4	< 20
176	MJBA15076	75.0	76.0	1.0	9	< 3.0	48	86	82	2.3	2	< 1	< 50	< 20	< 3.0	9.8	5.1	38	0.09	< 3.0	3.9	< 20
177	MJBA15077	76.0	77.0	1.0	< 5	< 3.0	48	69	78	2.1	< 1	< 1	< 50	< 20	< 3.0	9.7	6.4	37	0.06	< 3.0	4.4	< 20
178	MJBA15078	77.0	78.0	1.0	< 5	< 3.0	14	94	72	2.1	< 1	< 1	< 50	< 20	< 3.0	9.2	5.9	37	0.06	< 3.0	4.3	< 20
179	MJBA15079	78.0	79.0	1.0	< 5	< 3.0	16	101	68	2	< 1	< 1	< 50	< 20	< 3.0	9.4	6.6	34	0.07	3.7	4.2	< 20
180	MJBA15080	79.0	80.0	1.0	< 5	< 3.0	15	98	67	2.3	< 1	< 1	< 50	< 20	< 3.0	9.2	6.1	38	0.07	3.9	4.9	< 20
181	MJBA15081	80.0	81.0	1.0	< 5	< 3.0	14	100	68	2.1	< 1	< 1	< 50	< 20	< 3.0	9.3	6.7	37	0.07	3.3	4.4	< 20
182	MJBA15082	81.0	82.0	1.0	< 5	< 3.0	13	90	58	1.9	< 1	< 1	< 50	< 20	< 3.0	8.8	6	32	0.05	3.8	4	< 20
183	MJBA15083	82.0	83.0	1.0	< 5	< 3.0	16	103	75	2.2	< 1	< 1	< 50	< 20	< 3.0	9.5	6.9	38	0.07	< 3.0	4.5	< 20
184	MJBA15084	83.0	84.0	1.0	< 5	< 3.0	13	90	75	2.2	< 1	< 1	< 50	< 20	< 3.0	9.7	6.1	38	0.06	4.8	4.5	< 20
185	MJBA15085	84.0	85.0	1.0	9	< 3.0	26	104	82	2.1	< 1	< 1	< 50	< 20	< 3.0	9.8	6.6	37	0.05	< 3.0	3.9	< 20
186	MJBA15086	85.0	86.0	1.0	9	< 3.0	16	76	79	2.2	3	< 1	< 50	< 20	< 3.0	9.2	5.9	38	0.05	3.8	4.5	< 20
187	MJBA15087	86.0	87.0	1.0	14	< 3.0	15	77	72	2.1	1	< 1	< 50	< 20	< 3.0	9.3	6.2	38	0.06	< 3.0	4.2	< 20
188	MJBA15088	87.0	88.0	1.0	9	< 3.0	14	76	67	2.1	< 1	< 1	< 50	< 20	< 3.0	8.2	5.5	38	0.04	3.7	4.3	< 20
189	MJBA15089	88.0	89.0	1.0	< 5	< 3.0	16	103	62	2.2	< 1	< 1	< 50	< 20	< 3.0	9.1	7.2	39	0.03	< 3.0	4.6	< 20
190	MJBA15090	89.0	90.0	1.0	< 5	< 3.0	15	69	48	2.1	< 1	< 1	< 50	< 20	< 3.0	8.9	6.2	39	0.03	3.7	4.3	< 20
191	MJBA15091	90.0	91.0	1.0	9	< 3.0	22	73	61	2.2	2	< 1	< 50	< 20	< 3.0	9.6	7	39	0.03	4.1	4.4	< 20
192	MJBA15092	91.0	92.0	1.0	< 5	< 3.0	25	71	58	2.3	4	< 1	< 50	< 20	< 3.0	12	6	41	0.03	3.1	4.4	< 20
193	MJBA15093	92.0	93.0	1.0	23	< 3.0	24	70	64	2.3	2	< 1	< 50	< 20	< 3.0	11	6	42	0.04	< 3.0	4.1	< 20
194	MJBA15094	93.0	94.0	1.0	56	< 3.0	15	70	64	2.1	< 1	< 1	< 50	< 20	< 3.0	9.2	7	39	0.03	3	4.6	< 20
195	MJBA15095	94.0	95.0	1.0	9	< 3.0	20	70	61	2.1	3	< 1	< 50	< 20	< 3.0	9.6	7.4	39	0.04	3.7	4.6	< 20
196	MJBA15096	95.0	96.0	1.0	28	< 3.0	17	85	59	2.2	4	< 1	< 50	< 20	< 3.0	9.1	5.5	38	0.03	3.3	3.6	< 20
197	MJBA15097	96.0	97.0	1.0	9	< 3.0	17	71	43	1.9	2	< 1	< 50	< 20	< 3.0	9	7	34	0.04	< 3.0	4.1	< 20
198	MJBA15098	97.0	98.0	1.0	28	< 3.0	162	79	61	2.2	1	< 1	< 50	< 20	< 3.0	9.6	8	39	0.04	3.5	4.3	< 20
199	MJBA15099	98.0	99.0	1.0	28	< 3.0	35	80	69	2.4	4	< 1	< 50	< 20	< 3.0	11	7.7	36	0.06	5.4	3	37
200	MJBA15100	99.0	100.50	1.50	19	< 3.0	24	93	56	2.2	< 1	< 1	< 50	< 20	< 3.0	8.8	8.3	37	0.07	4.3	4.4	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
201	MJBA16001	0.0	1.0	1.0	42	< 3.0	25	99	43	3.9	6	1	95	< 20	< 3.0	9.7	7	70	0.03	3.8	0.54	< 20
202	MJBA16002	1.0	2.0	1.0	37	< 3.0	32	100	50	4.9	10	2	164	< 20	3	8.8	8.2	90	0.03	4.4	0.56	< 20
203	MJBA16003	2.0	3.0	1.0	32	< 3.0	35	90	52	4.7	9	2	138	< 20	< 3.0	8.2	11	83	0.04	< 3.0	0.51	< 20
204	MJBA16004	3.0	4.0	1.0	28	< 3.0	27	103	47	5.4	9	1	65	< 20	3.1	9	12	92	0.06	6.5	1.1	< 20
205	MJBA16005	4.0	5.0	1.0	46	< 3.0	22	105	42	4.8	8	1	50	< 20	< 3.0	9.4	5.5	80	0.04	3.8	1.4	< 20
206	MJBA16006	5.0	6.0	1.0	37	< 3.0	19	101	40	4.1	4	1	< 50	< 20	< 3.0	8.7	6.6	74	0.04	< 3.0	1.8	< 20
207	MJBA16007	6.0	7.0	1.0	46	< 3.0	40	87	52	4.3	7	1	< 50	< 20	< 3.0	8.3	12	75	0.05	5.9	1.7	< 20
208	MJBA16008	7.0	8.0	1.0	51	< 3.0	78	92	44	3.5	6	1	< 50	< 20	< 3.0	< 8.0	7.3	67	0.03	6.3	2	< 20
209	MJBA16009	8.0	9.0	1.0	65	< 3.0	18	120	38	2.7	5	< 1	< 50	< 20	< 3.0	< 8.0	5.3	60	0.03	3.9	2	< 20
210	MJBA16010	9.0	10.0	1.0	475	< 3.0	21	111	39	2.6	5	< 1	< 50	< 20	< 3.0	< 8.0	7.7	55	0.05	4.4	1.8	< 20
211	MJBA16011	10.0	11.0	1.0	213	< 3.0	32	136	58	3.4	6	< 1	< 50	< 20	< 3.0	11	14	64	0.09	6.2	2.1	< 20
212	MJBA16012	11.0	12.0	1.0	51	< 3.0	18	125	45	2.6	5	< 1	< 50	< 20	< 3.0	< 8.0	8.1	54	0.05	5.1	2.3	< 20
213	MJBA16013	12.0	13.0	1.0	162	< 3.0	25	144	96	2.6	4	< 1	< 50	< 20	< 3.0	17	7.3	58	0.15	3.4	4.1	< 20
214	MJBA16014	13.0	14.0	1.0	125	< 3.0	29	85	100	2.7	5	< 1	< 50	< 20	< 3.0	13	9	50	0.1	< 3.0	4.5	< 20
215	MJBA16015	14.0	15.0	1.0	42	< 3.0	19	90	98	2.3	4	< 1	< 50	< 20	< 3.0	18	5.6	44	0.07	< 3.0	5.1	< 20
216	MJBA16016	15.0	16.0	1.0	167	< 3.0	40	171	154	3.9	10	< 1	< 50	< 20	< 3.0	40	9.4	68	0.17	4.6	4.9	< 20
217	MJBA16017	16.0	17.0	1.0	120	< 3.0	30	121	91	2.6	8	< 1	< 50	< 20	< 3.0	< 8.0	7.5	64	0.06	3.8	5	< 20
218	MJBA16018	17.0	18.0	1.0	856	< 3.0	35	243	92	2.6	10	2	< 50	< 20	< 3.0	< 8.0	5	67	0.03	3.1	5	< 20
219	MJBA16019	18.0	19.0	1.0	< 5	< 3.0	30	185	100	2.6	4	< 1	< 50	< 20	< 3.0	9.5	8.5	58	0.05	5.6	4.6	< 20
220	MJBA16020	19.0	20.0	1.0	69	< 3.0	20	112	87	2.7	7	< 1	< 50	< 20	< 3.0	13	13	51	0.1	5.9	5	< 20
221	MJBA16021	20.0	21.0	1.0	319	< 3.0	22	89	92	3	4	< 1	< 50	< 20	< 3.0	13	6.9	52	0.1	5.1	4.9	< 20
222	MJBA16022	21.0	22.0	1.0	37	< 3.0	19	112	100	3	5	< 1	< 50	< 20	< 3.0	19	11	53	0.11	4.9	4.9	< 20
223	MJBA16023	22.0	23.0	1.0	65	< 3.0	24	107	107	3.3	5	< 1	< 50	< 20	< 3.0	16	9.4	64	0.14	4.6	4.9	< 20
224	MJBA16024	23.0	24.0	1.0	28	< 3.0	19	95	106	3	5	< 1	< 50	< 20	< 3.0	16	11	53	0.11	3.4	5.2	< 20
225	MJBA16025	24.0	25.0	1.0	32	< 3.0	19	91	94	3.2	1	< 1	< 50	< 20	< 3.0	15	8.2	54	0.13	5.5	4.7	< 20
226	MJBA16026	25.0	26.0	1.0	14	< 3.0	20	95	86	2.8	6	< 1	< 50	< 20	< 3.0	14	9.8	46	0.13	5.8	4.8	< 20
227	MJBA16027	26.0	27.0	1.0	< 5	< 3.0	25	174	100	3.2	2	< 1	< 50	< 20	< 3.0	17	14	45	0.15	6	4.8	< 20
228	MJBA16028	27.0	28.0	1.0	< 5	< 3.0	25	106	103	3.6	4	< 1	< 50	< 20	< 3.0	21	13	45	0.2	4.6	4.5	< 20
229	MJBA16029	28.0	29.0	1.0	< 5	< 3.0	21	102	100	3.1	1	< 1	< 50	< 20	< 3.0	16	12	42	0.13	3.9	4.3	< 20
230	MJBA16030	29.0	30.0	1.0	23	< 3.0	21	108	94	3.3	3	< 1	< 50	< 20	< 3.0	15	15	43	0.14	3.1	4.7	< 20
231	MJBA16031	30.0	31.0	1.0	< 5	< 3.0	57	124	153	6.3	9	< 1	< 50	< 20	3.6	49	40	117	0.23	< 3.0	3.5	< 20
232	MJBA16032	31.0	32.0	1.0	< 5	< 3.0	56	87	156	5.8	7	1	< 50	< 20	< 3.0	31	44	110	0.12	< 3.0	3.2	< 20
233	MJBA16033	32.0	33.0	1.0	< 5	< 3.0	28	101	94	3.6	4	< 1	< 50	< 20	< 3.0	17	12	48	0.17	6.6	4.5	< 20
234	MJBA16034	33.0	34.0	1.0	< 5	< 3.0	22	95	86	3.1	3	< 1	< 50	< 20	< 3.0	14	10	46	0.12	3.9	4.5	< 20
235	MJBA16035	34.0	35.0	1.0	< 5	< 3.0	20	74	70	2.4	2	< 1	< 50	< 20	< 3.0	11	8.5	32	0.1	4.4	3.4	< 20
236	MJBA16036	35.0	36.0	1.0	< 5	< 3.0	27	108	98	3.5	3	< 1	< 50	< 20	< 3.0	18	17	51	0.14	4.8	4.2	< 20
237	MJBA16037	36.0	37.0	1.0	< 5	< 3.0	18	95	75	2.7	2	< 1	< 50	< 20	< 3.0	13	6.7	36	0.09	3.2	4.7	< 20
238	MJBA16038	37.0	38.0	1.0	23	< 3.0	22	105	111	3.2	3	< 1	< 50	< 20	< 3.0	15	11	44	0.13	3.6	4.3	< 20
239	MJBA16039	38.0	39.0	1.0	9	< 3.0	16	100	110	2.8	3	< 1	< 50	< 20	< 3.0	13	4.9	37	0.1	5.4	4.1	< 20
240	MJBA16040	39.0	40.0	1.0	9	< 3.0	12	133	99	2.8	3	< 1	< 50	< 20	< 3.0	9	< 3.0	42	0.07	< 3.0	4.3	< 20
241	MJBA16041	40.0	41.0	1.0	< 5	< 3.0	17	86	97	2.7	2	< 1	< 50	< 20	< 3.0	9.6	3.2	40	0.09	< 3.0	4.4	< 20
242	MJBA16042	41.0	42.0	1.0	< 5	< 3.0	14	98	99	2.9	3	< 1	< 50	< 20	< 3.0	15	3.1	46	0.08	< 3.0	4.4	< 20
243	MJBA16043	42.0	43.0	1.0	< 5	< 3.0	13	107	102	2.6	1	< 1	< 50	< 20	< 3.0	10	< 3.0	31	0.06	4.1	4.5	< 20
244	MJBA16044	43.0	44.0	1.0	< 5	< 3.0	11	103	96	2.8	3	< 1	< 50	< 20	< 3.0	11	3.1	36	0.06	3.6	4.7	< 20
245	MJBA16045	44.0	45.0	1.0	< 5	< 3.0	11	98	78	2.5	3	< 1	< 50	< 20	< 3.0	9	< 3.0	32	0.06	4	4.5	< 20
246	MJBA16046	45.0	46.0	1.0	28	< 3.0	16	92	170	4.1	5	< 1	< 50	< 20	< 3.0	15	7.1	58	0.09	5	4.3	< 20
247	MJBA16047	46.0	47.0	1.0	5	< 3.0	15	116	100	3.3	3	< 1	< 50	< 20	< 3.0	12	9.2	46	0.06	5.4	4.6	< 20
248	MJBA16048	47.0	48.0	1.0	< 5	< 3.0	23	126	95	3	1	< 1	< 50	< 20	< 3.0	14	6.3	40	0.08	5.6	4.4	< 20
249	MJBA16049	48.0	49.0	1.0	< 5	< 3.0	27	107	99	2.5	4	< 1	< 50	< 20	< 3.0	12	< 3.0	36	0.07	4	4.4	< 20
250	MJBA16050	49.0	50.0	1.0	< 5	< 3.0	18	90	75	2.1	2	< 1	< 50	< 20	< 3.0	10	3.5	33	0.07	< 3.0	3.3	< 20
251	MJBA16051	50.0	51.0	1.0	60	< 3.0	17	344	128	2.6	4	< 1	< 50	< 20	< 3.0	9.4	< 3.0	57	0.06	< 3.0	3.9	< 20
252	MJBA16052	51.0	52.0	1.0	< 5	< 3.0	16	161	175	2.6	7	< 1	< 50	< 20	< 3.0	12	4.7	47	0.12	3.7	3.5	< 20
253	MJBA16053	52.0	53.0	1.0	56	< 3.0	8.5	79	77	2.3	3	< 1	< 50	< 20	< 3.0	9.5	< 3.0	38	0.08	3.1	4	< 20
254	MJBA16054	53.0	54.0	1.0	14	< 3.0	11	81	55	2.3	3	< 1	< 50	< 20	< 3.0	10	3.4	38	0.06	< 3.0	3.4	< 20
255	MJBA16055	54.0	55.0	1.0	< 5	< 3.0	40	87	66	2.5	3	< 1	< 50	< 20	< 3.0	12	5.1	41	0.06	5.6	3.5	< 20
256	MJBA16056	55.0	56.0	1.0	< 5	< 3.0	11	64	46	2	1	< 1	50	< 20	< 3.0	9.2	< 3.0	33	0.05	< 3.0	3.5	< 20
257	MJBA16057	56.0	57.0	1.0	< 5	< 3.0	10	78	50	2.2	2	< 1	< 50	< 20	< 3.0	8.9	3.5	35	0.06	4	3.4	< 20
258	MJBA16058	57.0	58.0	1.0	83	< 3.0	10	53	48	2.1	4	< 1	< 50	< 20	< 3.0	9.2	< 3.0	36	0.05	< 3.0	3.3	< 20
259	MJBA16059	58.0	59.0	1.0	< 5	< 3.0	6.5	68	52	2.2	3	< 1	< 50	< 20	< 3.0	13	< 3.0	36	0.05	< 3.0	3.6	< 20
260	MJBA16060	59.0	60.0	1.0	< 5	< 3.0	6.2	74	56	2.3	1	< 1	< 50	< 20	< 3.0	8.3	< 3.0	39	0.06	3.6	3.6	< 20
261	MJBA16061	60.0	61.0	1.0	< 5	< 3.0	13	74	58	2.3	3	< 1	< 50	< 20	< 3.0	8.8	< 3.0	38	0.07	4.4	3.6	< 20
262	MJBA16062	61.0	62.0	1.0	< 5	< 3.0	11	75	54	2.2	2	< 1	< 50	< 20	< 3.0	9.4	< 3.0	39	0.06	5	3.9	< 20
263	MJBA16063	62.0	63.0	1.0	< 5	< 3.0	25	88	73	2.5	1	< 1	< 50	< 20	< 3.0	9.9	< 3.0	41	0.08	5.1	3.8	< 20
264	MJBA16064	63.0	64.0	1.0	< 5	< 3.0	76	82	59	2.2	2	< 1	< 50	< 20	< 3.0	11	< 3.0	33	0.08	7.1	3.6	< 20
265	MJBA16065	64.0	65.0	1.0	37	< 3.0	21	116	66	2.1	2	< 1	< 50	< 20	< 3.0	8.7	< 3.0	32	0.08	5.3	3.5	< 20
266	MJBA16066	65.0	66.0	1.0	23	< 3.0	15	86	73	2.3	3	< 1	< 50	< 20	< 3.0	10	4	38	0.07	3.7	4	< 20
267	MJBA16067	66.0	67.0	1.0	37	< 3.0	24	88	65	1.9	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	28	0.07	5	3.4	< 20
268	MJBA16068	67.0	68.0	1.0	42	< 3.0	19	95	88	2.4	5	< 1	< 50	< 20	< 3.0	11	< 3.0	33	0.09	< 3.0	3.1	< 20
269	MJBA16069	68.0	69.0	1.0	60	< 3.0	18	78	68	2.2	3	< 1	< 50	< 20	< 3.0	9.9	< 3.0	35	0.07	< 3.0	3.5	< 20
270	MJBA16070	69.0	70.0	1.0	9	< 3.0	13	70	61	2.2	1	< 1	< 50	< 20	< 3.0	8.6	< 3.0	37	0.05	4.5	3.8	< 20
271	MJBA16071	70.0	71.0	1.0	5	< 3.0	14	76	75	2.2	3	< 1	< 50	< 20	< 3.0	9.9	< 3.0	35	0.08	3.3	3.8	< 20
272	MJBA16072	71.0	72.0	1.0	9	< 3.0	12	75	61	2.3	3	< 1	< 50	< 20	< 3.0	8.8	< 3.0	37	0.06	3.6	4.1	< 20
273	MJBA16073	72.0	73.0	1.0	< 5	< 3.0	14	87	76	2.3	1	< 1	< 50	< 20	< 3.0	11	4.9	35	0.06	4.2	3.6	< 20
274	MJBA16074	73.0	74.0	1.0	< 5	< 3.0	15	71	55	2.2	< 1	< 1	< 50	< 20	< 3.0	9.3	< 3.0	34	0.06	4	3.9	< 20
275	MJBA16075	74.0	75.0	1.0	< 5	< 3.0	9.5	70	65	2	3	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	28	0.06	< 3.0	2.9	< 20
276	MJBA16076	75.0	76.0	1.0	< 5	< 3.0	12	66	46	1.9	2	< 1	< 50	< 20	< 3.0	8.1	< 3.0	27	0.05	< 3.0	3.7	< 20
277	MJBA16077	76.0	77.0	1.0	< 5	< 3.0	11	57	49	2.2	< 1	< 1	< 50	< 20	< 3.0	9	4.5	40	0.06	5.6	4	< 20
278	MJBA16078	77.0	78.0	1.0	9	< 3.0	14	77	64	2.3	2	< 1	< 50	< 20	< 3.0	9.7	5.7	40	0.07	4.3	4.2	< 20
279	MJBA16079	78.0	79.0	1.0	9	< 3.0	11	84	79	2.3	< 1	< 1	< 50	< 20	< 3.0	10	4.7	38	0.08	4.8	3.6	< 20
280	MJBA16080	79.0	80.0	1.0	5	< 3.0	12	87	74	2.1	< 1	< 1	< 50	< 20	< 3.0	9.1	5	37	0.07	3.8	4.2	< 20
281	MJBA16081	80.0	81.0	1.0	5	< 3.0	7.9	72	76	2.2	3	< 1	< 50	< 20	< 3.0	11	5.6	38	0.07	3.9	4.2	< 20
282	MJBA16082	81.0	82.0	1.0	9	< 3.0	7.2	72	84	2.1	5	< 1	< 50	< 20	< 3.0	8.9	5	37	0.07	< 3.0	3.9	< 20
283	MJBA16083	82.0	83.0	1.0	9	< 3.0	13	70	71	2	12	< 1	< 50	< 20	< 3.0	9.7	5.1	37	0.06	5.1	4	< 20
284	MJBA16084	83.0	84.0	1.0	42	< 3.0	15	77	97	2.6	19	< 1	< 50	< 20	< 3.0	13	5.3	44	0.07	4.2	3.6	< 20
285	MJBA16085	84.0	85.0	1.0	51	< 3.0	15	112	70	2.3	26	< 1	< 50	< 20	< 3.0	13	4.7	42	0.05	3.4	3	< 20
286	MJBA16086	85.0	86.0	1.0	23	< 3.0	11	69	71	2	22	< 1	< 50	< 20	< 3.0	9.6	5.6	36	0.06	5.5	3.4	< 20
287	MJBA16087	86.0	87.0	1.0	37	< 3.0	15	75	87	2.6	36	< 1	< 50	< 20	< 3.0	11	5.5	47	0.08	3.8	3.6	< 20
288	MJBA16088	87.0	88.0	1.0	9	< 3.0	8.9	72	78	2.2	10	< 1	< 50	< 20	< 3.0	8.9	5.3	42	0.08	3.4	3.9	< 20
289	MJBA16089	88.0	89.0	1.0	9	< 3.0	18	67	69	2.1	2	< 1	< 50	< 20	< 3.0	8.8	4.5	39	0.09	3.1	3.7	< 20
290	MJBA16090	89.0	90.0	1.0	5	< 3.0	4.3	55	75	2.1	1	< 1	< 50	< 20	< 3.0	< 8.0	6	40	0.07	3.3	2.6	< 20
291	MJBA16091	90.0	91.0	1.0	< 5	< 3.0	< 3.0	55	48	1.6	1	< 1	< 50	< 20	< 3.0	< 8.0	4.6	35	0.05	3.7	3.7	< 20
292	MJBA16092	91.0	92.0	1.0	< 5	< 3.0	5	57	147	3.5	< 1	< 1	< 50	< 20	< 3.0	11	7.2	45	0.14	3	2.7	< 20
293	MJBA16093	92.0	93.0	1.0	9	< 3.0	9.1	61	68	2.2	2	< 1	< 50	< 20	< 3.0	8.4	6.3	50	0.05	4.2	3	< 20
294	MJBA16094	93.0	94.0	1.0	9	< 3.0	26	82	85	2.5	< 1	< 1	< 50	< 20	< 3.0	10	5.5	51	0.08	4.8	4.1	< 20
295	MJBA16095	94.0	95.0	1.0	14	< 3.0	31	77	81	2.2	< 1	< 1	< 50	< 20	< 3.0	8.9	4.9	40	0.08	5.6	3.8	< 20
296	MJBA16096	95.0	96.0	1.0	93	< 3.0	11	77	56	2.3	< 1	< 1	< 50	< 20	< 3.0	8.7	5.5	43	0.07	5.2	4.3	< 20
297	MJBA16097	96.0	97.0	1.0	< 5	< 3.0	12	67	66	2.1	2	< 1	< 50	< 20	< 3.0	8.8	4.4	38	0.06	< 3.0	4	< 20
298	MJBA16098	97.0	98.0	1.0	9	< 3.0	42	69	68	2.1	2	< 1	< 50	< 20	< 3.0	10	6	40	0.06	< 3.0	4.1	< 20
299	MJBA16099	98.0	99.0	1.0	< 5	< 3.0	27	66	52	2.2	< 1	< 1	< 50	< 20	< 3.0	9.3	6.3	40	0.05	3.7	4.3	< 20
300	MJBA16100	99.0	100.30	1.30	< 5	< 3.0	39	70	59	2.2	< 1	< 1	< 50	< 20	< 3.0	10	6	40	0.06	3.1	4.4	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
301	MJBA17001	0.0	1.0	1.0	< 5	< 3.0	33	45	18	1.8	2	< 1	73	< 20	< 3.0	< 8.0	< 3.0	32	0.04	8.7	0.53	< 20
302	MJBA17002	1.0	2.0	1.0	28	< 3.0	49	55	30	2.2	3	< 1	54	< 20	< 3.0	< 8.0	3.3	40	0.02	9.1	0.55	< 20
303	MJBA17003	2.0	3.0	1.0	23	< 3.0	81	85	40	3.6	4	< 1	53	< 20	< 3.0	< 8.0	6	62	0.02	14	0.57	< 20
304	MJBA17004	3.0	4.0	1.0	46	< 3.0	74	108	34	3.3	7	< 1	< 50	< 20	< 3.0	< 8.0	4.7	52	0.02	13	1.4	< 20
305	MJBA17005	4.0	5.0	1.0	9	< 3.0	64	114	33	4.1	4	< 1	< 50	< 20	< 3.0	< 8.0	7.3	62	0.01	13	1.4	< 20
306	MJBA17006	5.0	6.0	1.0	9	< 3.0	72	127	43	3.7	2	< 1	< 50	< 20	< 3.0	12	5.2	55	0.02	11	1.8	< 20
307	MJBA17007	6.0	7.0	1.0	14	< 3.0	68	119	50	3.1	1	< 1	< 50	< 20	< 3.0	11	5.6	46	0.02	8.2	2.8	< 20
308	MJBA17008	7.0	8.0	1.0	9	< 3.0	74	117	51	3.1	2	< 1	< 50	< 20	< 3.0	11	6.1	49	0.02	22	3.1	< 20
309	MJBA17009	8.0	9.0	1.0	< 5	< 3.0	61	101	44	2.7	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	37	0.02	9.5	4.1	< 20
310	MJBA17010	9.0	10.0	1.0	9	< 3.0	50	102	34	1.9	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	24	0.02	16	4.2	< 20
311	MJBA17011	10.0	11.0	1.0	9	< 3.0	81	133	46	2.6	3	< 1	< 50	< 20	< 3.0	9	5.2	39	0.03	23	3.2	< 20
312	MJBA17012	11.0	12.0	1.0	5	< 3.0	29	82	11	0.95	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	9.8	0.02	9.4	3.5	< 20
313	MJBA17013	12.0	13.0	1.0	9	< 3.0	46	96	21	1.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	13	0.02	39	3.9	< 20
314	MJBA17014	13.0	14.0	1.0	< 5	< 3.0	117	81	49	2.4	< 1	< 1	< 50	< 20	< 3.0	10	4.6	38	0.05	18	3.5	< 20
315	MJBA17015	14.0	15.0	1.0	9	< 3.0	131	60	40	2.2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	35	0.05	25	3.7	< 20
316	MJBA17016	15.0	16.0	1.0	19	< 3.0	58	64	36	2.1	2	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	35	0.05	13	3.8	< 20
317	MJBA17017	16.0	17.0	1.0	14	< 3.0	252	68	47	2.2	< 1	< 1	< 50	< 20	< 3.0	8.7	4.1	36	0.04	28	3.6	< 20
318	MJBA17018	17.0	18.0	1.0	< 5	< 3.0	168	64	41	2.2	< 1	< 1	< 50	< 20	< 3.0	8.6	3.8	34	0.04	32	3.6	< 20
319	MJBA17019	18.0	19.0	1.0	< 5	< 3.0	74	64	46	2.4	< 1	< 1	< 50	< 20	< 3.0	9	3.8	40	0.05	5.4	3.4	< 20
320	MJBA17020	19.0	20.0	1.0	< 5	< 3.0	76	79	47	2.3	1	< 1	< 50	< 20	< 3.0	< 8.0	3.6	35	0.05	8.1	3.6	< 20
321	MJBA17021	20.0	21.0	1.0	< 5	< 3.0	111	86	50	2.3	1	< 1	< 50	< 20	< 3.0	10	4.5	34	0.05	5.4	3	< 20
322	MJBA17022	21.0	22.0	1.0	< 5	< 3.0	121	37	45	2.2	1	< 1	< 50	< 20	< 3.0	8.2	< 3.0	31	0.05	70	3.3	< 20
323	MJBA17023	22.0	23.0	1.0	< 5	< 3.0	116	59	41	2.2	< 1	< 1	< 50	< 20	< 3.0	8.3	< 3.0	35	0.05	< 3.0	3.3	< 20
324	MJBA17024	23.0	24.0	1.0	< 5	< 3.0	61	60	39	2.2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	35	0.04	22	3.3	< 20
325	MJBA17025	24.0	25.0	1.0	< 5	< 3.0	105	66	46	2.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	3.1	33	0.04	4.6	3.5	< 20
326	MJBA17026	25.0	26.0	1.0	< 5	< 3.0	106	64	53	2.1	< 1	< 1	< 50	< 20	< 3.0	8.7	< 3.0	34	0.03	4.9	3.5	< 20
327	MJBA17027	26.0	27.0	1.0	< 5	< 3.0	45	57	42	2.2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	37	0.04	5	3.4	< 20
328	MJBA17028	27.0	28.0	1.0	< 5	< 3.0	51	67	39	2.1	< 1	< 1	< 50	< 20	< 3.0	8.3	< 3.0	31	0.04	4.7	3.7	< 20
329	MJBA17029	28.0	29.0	1.0	< 5	< 3.0	61	63	39	2.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	31	0.04	< 3.0	3.9	< 20
330	MJBA17030	29.0	30.0	1.0	< 5	< 3.0	44	169	81	2	3	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	27	0.07	5.4	4.4	< 20
331	MJBA17031	30.0	31.0	1.0	< 5	< 3.0	48	80	45	2	2	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	30	0.05	< 3.0	4.1	< 20
332	MJBA17032	31.0	32.0	1.0	< 5	< 3.0	61	64	40	1.9	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	27	0.04	19	3.9	< 20
333	MJBA17033	32.0	33.0	1.0	9	< 3.0	168	66	47	1.9	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	24	0.04	427	3.6	< 20
334	MJBA17034	33.0	34.0	1.0	< 5	< 3.0	108	55	57	4.4	1	< 1	< 50	< 20	< 3.0	23	26	112	0.07	5.8	2.4	< 20
335	MJBA17035	34.0	35.0	1.0	< 5	< 3.0	155	37	85	7.7	1	< 1	< 50	< 20	4.9	49	61	234	0.12	4.2	0.4	< 20
336	MJBA17036	35.0	36.0	1.0	< 5	< 3.0	150	34	81	7.2	2	< 1	< 50	< 20	4.3	47	59	227	0.11	< 3.0	0.5	< 20
337	MJBA17037	36.0	37.0	1.0	< 5	< 3.0	91	53	58	4.6	< 1	< 1	< 50	< 20	< 3.0	26	31	123	0.07	3.1	2.2	< 20
338	MJBA17038	37.0	38.0	1.0	< 5	< 3.0	56	61	29	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	25	0.04	3.8	3.7	< 20
339	MJBA17039	38.0	39.0	1.0	< 5	< 3.0	73	60	35	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	7.6	28	0.03	3.8	4.1	< 20
340	MJBA17040	39.0	40.0	1.0	< 5	< 3.0	87	80	48	2.4	< 1	< 1	< 50	< 20	< 3.0	10	13	38	0.04	4.6	3.9	< 20
341	MJBA17041	40.0	41.0	1.0	19	< 3.0	71	66	35	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	7.6	30	0.04	3.7	4.1	< 20
342	MJBA17042	41.0	42.0	1.0	< 5	< 3.0	125	59	32	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	9	27	0.04	5	4	< 20
343	MJBA17043	42.0	43.0	1.0	< 5	< 3.0	19	64	36	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	7.2	30	0.04	< 3.0	3.9	< 20
344	MJBA17044	43.0	44.0	1.0	< 5	< 3.0	15	61	35	2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8.7	31	0.04	< 3.0	4.1	< 20
345	MJBA17045	44.0	45.0	1.0	9	< 3.0	35	65	37	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8.7	30	0.04	3.8	4.2	< 20
346	MJBA17046	45.0	46.0	1.0	< 5	< 3.0	20	58	40	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	7.3	29	0.03	< 3.0	4.1	< 20
347	MJBA17047	46.0	47.0	1.0	5	< 3.0	24	68	39	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	7.9	30	0.04	< 3.0	3.9	< 20
348	MJBA17048	47.0	48.0	1.0	37	< 3.0	18	43	29	1.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.5	28	0.03	3.4	3.6	< 20
349	MJBA17049	48.0	49.0	1.0	9	< 3.0	21	42	22	1.5	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8.2	29	0.02	3.4	4.1	< 20
350	MJBA17050	49.0	50.0	1.0	< 5	< 3.0	32	60	38	1.9	< 1	< 1	< 50	< 20	< 3.0	8.9	7.9	33	0.04	3.3	4.4	< 20
351	MJBA17051	50.0	51.0	1.0	< 5	< 3.0	24	63	38	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	9.4	31	0.04	< 3.0	3.9	< 20
352	MJBA17052	51.0	52.0	1.0	< 5	< 3.0	18	68	36	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8.8	30	0.04	< 3.0	3.9	< 20
353	MJBA17053	52.0	53.0	1.0	< 5	< 3.0	22	62	35	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	7.4	30	0.04	< 3.0	3.9	< 20
354	MJBA17054	53.0	54.0	1.0	< 5	< 3.0	14	67	38	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	9	32	0.03	< 3.0	3.7	< 20
355	MJBA17055	54.0	55.0	1.0	< 5	< 3.0	61	65	37	1.9	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8.8	32	0.04	7.2	3.7	< 20
356	MJBA17056	55.0	56.0	1.0	< 5	< 3.0	19	66	41	2	< 1	< 1	< 50	< 20	< 3.0	8.3	9.7	34	0.04	3.3	3.8	< 20
357	MJBA17057	56.0	57.0	1.0	< 5	< 3.0	22	63	41	2	< 1	< 1	< 50	< 20	< 3.0	8.2	9	33	0.04	< 3.0	3.8	< 20
358	MJBA17058	57.0	58.0	1.0	< 5	< 3.0	20	51	32	1.9	< 1	< 1	< 50	< 20	< 3.0	8.5	8.2	34	0.04	3.5	3.9	< 20
359	MJBA17059	58.0	59.0	1.0	< 5	< 3.0	26	63	47	1.9	< 1	< 1	< 50	< 20	< 3.0	8.2	8	32	0.04	< 3.0	3.7	< 20
360	MJBA17060	59.0	60.0	1.0	< 5	< 3.0	52	57	50	1.9	< 1	< 1	< 50	< 20	< 3.0	8.2	9.4	34	0.04	12	3.7	< 20
361	MJBA17061	60.0	61.0	1.0	< 5	< 3.0	37	70	55	2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8.7	34	0.04	4.3	3.8	< 20
362	MJBA17062	61.0	62.0	1.0	< 5	< 3.0	57	67	44	2	< 1	< 1	< 50	< 20	< 3.0	8.2	8.5	34	0.05	26	3.9	< 20
363	MJBA17063	62.0	63.0	1.0	< 5	< 3.0	60	71	49	2	< 1	< 1	< 50	< 20	< 3.0	8.7	9.3	35	0.05	< 3.0	4	< 20
364	MJBA17064	63.0	64.0	1.0	65	< 3.0	37	72	67	2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8.4	32	0.05	< 3.0	4	< 20
365	MJBA17065	64.0	65.0	1.0	60	< 3.0	68	71	50	1.9	< 1	< 1	< 50	< 20	< 3.0	< 8.0	9	34	0.04	< 3.0	3.8	< 20
366	MJBA17066	65.0	66.0	1.0	9	< 3.0	37	64	43	2	< 1	< 1	< 50	< 20	< 3.0	8.1	11	35	0.04	5	4	< 20
367	MJBA17067	66.0	67.0	1.0	< 5	< 3.0	32	82	60	1.8	2	< 1	< 50	< 20	< 3.0	< 8.0	9.4	32	0.04	3.1	3.8	< 20
368	MJBA17068	67.0	68.0	1.0	1640	12	116	136	107	1.9	1	< 1	< 50	< 20	< 3.0	< 8.0	7.9	34	0.05	8.1	4	< 20
369	MJBA17069	68.0	69.0	1.0	23	< 3.0	77	49	62	1.8	5	< 1	< 50	< 20	< 3.0	< 8.0	7.8	33	0.04	3.3	3.9	< 20
370	MJBA17070	69.0	70.0	1.0	37	< 3.0	30	57	44	1.9	6	< 1	< 50	< 20	< 3.0	8.7	10	35	0.04	5.2	3.9	< 20
371	MJBA17071	70.0	71.0	1.0	23	< 3.0	24	75	67	2	3	< 1	< 50	< 20	< 3.0	9	12	36	0.05	4.1	3.6	< 20
372	MJBA17072	71.0	72.0	1.0	5	< 3.0	98	61	43	1.9	< 1	< 1	< 50	< 20	< 3.0	9	11	33	0.04	8.3	3.2	< 20
373	MJBA17073	72.0	73.0	1.0	9	< 3.0	28	74	50	2.1	< 1	< 1	< 50	< 20	< 3.0	9.1	8.7	35	0.07	< 3.0	4.1	< 20
374	MJBA17074	73.0	74.0	1.0	5	< 3.0	27	56	42	2	< 1	< 1	< 50	< 20	< 3.0	8.2	8.2	34	0.04	< 3.0	3.8	< 20
375	MJBA17075	74.0	75.0	1.0	< 5	< 3.0	24	79	43	2	3	< 1	< 50	< 20	< 3.0	< 8.0	7.4	34	0.07	4.2	4.4	< 20
376	MJBA17076	75.0	76.0	1.0	< 5	< 3.0	36	65	34	1.9	2	< 1	50	< 20	< 3.0	< 8.0	6.7	32	0.04	3.1	4	< 20
377	MJBA17077	76.0	77.0	1.0	< 5	< 3.0	58	55	34	1.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.8	28	0.04	3.5	4.3	< 20
378	MJBA17078	77.0	78.0	1.0	< 5	< 3.0	31	52	33	1.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.4	29	0.04	3.7	4.2	< 20
379	MJBA17079	78.0	79.0	1.0	< 5	< 3.0	15	58	32	1.5	2	< 1	< 50	< 20	< 3.0	< 8.0	4.7	27	0.04	3.8	4.2	< 20
380	MJBA17080	79.0	80.0	1.0	< 5	< 3.0	30	61	33	1.6	5	< 1	< 50	< 20	< 3.0	< 8.0	5.5	29	0.05	5.1	4.2	< 20
381	MJBA17081	80.0	81.0	1.0	< 5	< 3.0	21	58	33	1.5	3	< 1	< 50	< 20	< 3.0	< 8.0	5.2	27	0.05	< 3.0	4.3	< 20
382	MJBA17082	81.0	82.0	1.0	< 5	< 3.0	42	60	36	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.1	28	0.04	5	4.1	< 20
383	MJBA17083	82.0	83.0	1.0	46	< 3.0	30	71	43	1.5	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.2	26	0.04	6	3.9	< 20
384	MJBA17084	83.0	84.0	1.0	< 5	< 3.0	35	61	36	1.5	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.9	26	0.04	4.2	4.1	< 20
385	MJBA17085	84.0	85.0	1.0	< 5	< 3.0	33	63	34	1.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5	26	0.04	22	4.3	< 20
386	MJBA17086	85.0	86.0	1.0	< 5	< 3.0	33	60	33	1.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.8	26	0.04	4.7	4.2	< 20
387	MJBA17087	86.0	87.0	1.0	83	< 3.0	46	67	30	1.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.7	25	0.05	5.1	4.1	< 20
388	MJBA17088	87.0	88.0	1.0	14	< 3.0	24	45	30	1.5	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.4	23	0.04	4.2	3.7	< 20
389	MJBA17089	88.0	89.0	1.0	< 5	< 3.0	18	60	42	1.4	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.3	24	0.04	< 3.0	3.7	< 20
390	MJBA17090	89.0	90.0	1.0	14	< 3.0	21	64	33	1.7	2	< 1	< 50	< 20	< 3.0	< 8.0	6.5	27	0.06	< 3.0	4.2	< 20
391	MJBA17091	90.0	91.0	1.0	9	< 3.0	19	63	35	1.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.3	27	0.05	< 3.0	4.1	< 20
392	MJBA17092	91.0	92.0	1.0	69	< 3.0	64	50	29	1.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.2	25	0.03	29	4.1	< 20
393	MJBA17093	92.0	93.0	1.0	< 5	< 3.0	23	58	46	1.5	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.9	25	0.04	< 3.0	3.8	< 20
394	MJBA17094	93.0	94.0	1.0	< 5	< 3.0	23	61	35	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.3	27	0.04	< 3.0	4	< 20
395	MJBA17095	94.0	95.0	1.0	< 5	< 3.0	29	63	40	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	7.3	28	0.04	< 3.0	3.9	< 20
396	MJBA17096	95.0	96.0	1.0	< 5	< 3.0	28	54	41	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.5	29	0.04	4.2	3.9	< 20
397	MJBA17097	96.0	97.0	1.0	< 5	< 3.0	39	61	39	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.3	29	0.04	5.3	4.1	< 20
398	MJBA17098	97.0	98.0	1.0	< 5	< 3.0	36	71	36	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.7	28	0.04	4.2	4.1	< 20
399	MJBA17099	98.0	99.0	1.0	< 5	< 3.0	34	62	23	1.3	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.8	19	0.04	< 3.0	4.2	< 20
400	MJBA17100	99.0	100.15	1.15	< 5	< 3.0	54	45	24	1.4	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.9	23	0.03	34	3.8	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
401	MJBA18001	0.0	1.0	1.0	32	< 3.0	26	82	36	4.6	1	< 1	97	< 20	< 3.0	10	10	92	0.1	< 3.0	0.3	< 20
402	MJBA18002	1.0	2.0	1.0	28	< 3.0	31	113	50	6.8	1	< 1	103	< 20	< 3.0	11	9.7	144	0.05	3.6	0.3	< 20
403	MJBA18003	2.0	3.0	1.0	23	< 3.0	29	116	48	6.3	3	< 1	< 50	< 20	< 3.0	11	10	135	0.02	< 3.0	0.29	< 20
404	MJBA18004	3.0	4.0	1.0	14	< 3.0	27	132	41	5.9	1	< 1	< 50	< 20	< 3.0	12	10	122	0.03	3.5	0.34	< 20
405	MJBA18005	4.0	5.0	1.0	14	< 3.0	20	115	40	4.9	1	< 1	< 50	< 20	< 3.0	13	13	96	0.04	< 3.0	0.4	< 20
406	MJBA18006	5.0	6.0	1.0	83	< 3.0	20	124	52	4.2	1	< 1	< 50	< 20	< 3.0	18	25	74	0.06	4.1	0.81	< 20
407	MJBA18007	6.0	7.0	1.0	32	< 3.0	26	115	56	4.2	1	< 1	< 50	< 20	< 3.0	17	22	75	0.08	< 3.0	1.1	< 20
408	MJBA18008	7.0	8.0	1.0	42	< 3.0	27	130	75	3.9	1	< 1	< 50	< 20	< 3.0	21	21	70	0.09	4	1.6	< 20
409	MJBA18009	8.0	9.0	1.0	< 5	< 3.0	13	107	49	3.2	1	< 1	< 50	< 20	< 3.0	25	8.9	59	0.09	< 3.0	0.97	< 20
410	MJBA18010	9.0	10.0	1.0	< 5	< 3.0	18	105	46	3.6	1	< 1	< 50	< 20	< 3.0	17	11	60	0.1	< 3.0	0.98	< 20
411	MJBA18011	10.0	11.0	1.0	< 5	< 3.0	16	101	27	2.4	1	< 1	< 50	< 20	< 3.0	12	4.4	38	0.09	< 3.0	2.1	< 20
412	MJBA18012	11.0	12.0	1.0	< 5	< 3.0	8.8	89	17	0.79	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	8.2	0.03	< 3.0	2.7	< 20
413	MJBA18013	12.0	13.0	1.0	< 5	< 3.0	17	102	23	1.2	1	< 1	< 50	< 20	< 3.0	11	6.7	15	0.08	< 3.0	2.5	< 20
414	MJBA18014	13.0	14.0	1.0	< 5	< 3.0	14	88	18	1	1	< 1	< 50	< 20	< 3.0	< 8.0	5.4	11	0.06	< 3.0	2.5	< 20
415	MJBA18015	14.0	15.0	1.0	< 5	< 3.0	13	91	18	1.1	1	< 1	< 50	< 20	< 3.0	< 8.0	8.2	9.3	0.07	< 3.0	3.2	< 20
416	MJBA18016	15.0	16.0	1.0	< 5	< 3.0	6	98	9.1	0.98	1	< 1	< 50	< 20	< 3.0	< 8.0	5.1	< 8.0	0.06	< 3.0	3.9	< 20
417	MJBA18017	16.0	17.0	1.0	< 5	< 3.0	11	84	32	2.2	1	< 1	< 50	< 20	< 3.0	9.2	6.9	34	0.08	< 3.0	3.8	< 20
418	MJBA18018	17.0	18.0	1.0	< 5	< 3.0	19	74	61	3.2	< 1	< 1	< 50	< 20	< 3.0	14	12	58	0.12	< 3.0	3.6	< 20
419	MJBA18019	18.0	19.0	1.0	< 5	< 3.0	16	75	56	3.2	< 1	< 1	< 50	< 20	< 3.0	14	14	59	0.12	< 3.0	3.4	< 20
420	MJBA18020	19.0	20.0	1.0	< 5	< 3.0	13	70	53	2.8	< 1	< 1	< 50	< 20	< 3.0	13	7.6	58	0.08	< 3.0	3.6	< 20
421	MJBA18021	20.0	21.0	1.0	28	< 3.0	20	100	104	3.6	1	< 1	< 50	< 20	< 3.0	17	9.6	70	0.16	< 3.0	3.9	< 20
422	MJBA18022	21.0	22.0	1.0	< 5	< 3.0	25	103	123	3.6	1	< 1	< 50	< 20	< 3.0	18	9.5	72	0.13	< 3.0	3.8	< 20
423	MJBA18023	22.0	23.0	1.0	< 5	< 3.0	18	86	75	3.8	1	< 1	< 50	< 20	< 3.0	18	12	67	0.14	3.6	3.2	< 20
424	MJBA18024	23.0	24.0	1.0	< 5	< 3.0	30	82	88	4.1	1	< 1	< 50	< 20	< 3.0	20	12	82	0.16	< 3.0	3.4	< 20
425	MJBA18025	24.0	25.0	1.0	< 5	< 3.0	26	80	108	3.6	1	< 1	< 50	< 20	< 3.0	17	12	67	0.1	< 3.0	3.9	< 20
426	MJBA18026	25.0	26.0	1.0	< 5	< 3.0	26	87	86	3.6	1	< 1	< 50	< 20	< 3.0	18	11	66	0.11	< 3.0	3.7	< 20
427	MJBA18027	26.0	27.0	1.0	< 5	< 3.0	18	70	54	2	1	< 1	< 50	< 20	< 3.0	10	6.6	36	0.08	< 3.0	3.8	< 20
428	MJBA18028	27.0	28.0	1.0	< 5	< 3.0	14	35	30	1.2	1	< 1	< 50	< 20	< 3.0	8.2	11	17	0.09	3.2	2.7	< 20
429	MJBA18029	28.0	29.0	1.0	< 5	< 3.0	25	72	58	2.8	1	< 1	< 50	< 20	< 3.0	14	9.5	47	0.12	< 3.0	3.9	< 20
430	MJBA18030	29.0	30.0	1.0	< 5	< 3.0	27	78	77	3.5	1	< 1	< 50	< 20	< 3.0	17	15	64	0.11	3.3	3.9	< 20
431	MJBA18031	30.0	31.0	1.0	< 5	< 3.0	24	78	76	3.7	1	< 1	< 50	< 20	< 3.0	17	16	65	0.13	< 3.0	4	< 20
432	MJBA18032	31.0	32.0	1.0	< 5	< 3.0	10	71	39	2.1	1	< 1	< 50	< 20	< 3.0	9	8.4	34	0.07	< 3.0	5.2	< 20
433	MJBA18033	32.0	33.0	1.0	< 5	< 3.0	22	76	75	3.6	1	< 1	< 50	< 20	< 3.0	17	10	63	0.13	< 3.0	4.1	< 20
434	MJBA18034	33.0	34.0	1.0	< 5	< 3.0	25	80	73	3.3	1	< 1	< 50	< 20	< 3.0	15	13	58	0.1	< 3.0	4	< 20
435	MJBA18035	34.0	35.0	1.0	< 5	< 3.0	9.1	79	20	1	1	< 1	< 50	< 20	< 3.0	< 8.0	6.1	12	0.06	< 3.0	4.7	< 20
436	MJBA18036	35.0	36.0	1.0	< 5	< 3.0	12	41	12	1.2	1	< 1	< 50	< 20	< 3.0	< 8.0	14	11	0.1	< 3.0	2.8	< 20
437	MJBA18037	36.0	37.0	1.0	< 5	< 3.0	8	68	21	0.79	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.9	< 8.0	0.06	3.1	3.7	< 20
438	MJBA18038	37.0	38.0	1.0	< 5	< 3.0	10	73	7.8	0.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.06	< 3.0	3.7	< 20
439	MJBA18039	38.0	39.0	1.0	< 5	< 3.0	11	65	11	0.55	1	< 1	< 50	< 20	< 3.0	< 8.0	7.2	< 8.0	0.02	3.6	5	< 20
440	MJBA18040	39.0	40.0	1.0	32	< 3.0	14	59	36	1.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.2	13	0.03	3.8	5.2	< 20
441	MJBA18041	40.0	41.0	1.0	< 5	< 3.0	6.3	67	17	0.86	2	< 1	< 50	< 20	< 3.0	< 8.0	3.6	11	0.02	< 3.0	5.1	< 20
442	MJBA18042	41.0	42.0	1.0	< 5	< 3.0	28	102	224	2.8	2	< 1	< 50	< 20	3.5	12	8	56	0.07	< 3.0	3.6	< 20
443	MJBA18043	42.0	43.0	1.0	< 5	< 3.0	31	89	113	3	1	< 1	< 50	< 20	< 3.0	14	9	67	0.08	3.7	3.4	< 20
444	MJBA18044	43.0	44.0	1.0	< 5	< 3.0	36	62	61	2.9	< 1	< 1	< 50	< 20	< 3.0	13	8.2	63	0.06	< 3.0	3.5	< 20
445	MJBA18045	44.0	45.0	1.0	< 5	< 3.0	17	72	63	2.9	2	< 1	< 50	< 20	< 3.0	13	8.2	61	0.07	5.6	3.4	< 20
446	MJBA18046	45.0	46.0	1.0	28	< 3.0	24	68	59	2.9	5	< 1	< 50	< 20	< 3.0	13	11	60	0.08	4.7	3.6	< 20
447	MJBA18047	46.0	47.0	1.0	51	< 3.0	17	63	60	2.9	9	< 1	< 50	< 20	< 3.0	12	8.2	64	0.1	< 3.0	3.3	< 20
448	MJBA18048	47.0	48.0	1.0	32	< 3.0	18	60	63	2.9	5	< 1	< 50	< 20	< 3.0	13	9.4	63	0.08	3.8	3.4	< 20
449	MJBA18049	48.0	49.0	1.0	60	< 3.0	17	66	74	2.9	8	< 1	< 50	< 20	< 3.0	13	9.1	61	0.1	3.1	3.5	< 20
450	MJBA18050	49.0	50.0	1.0	83	< 3.0	23	103	86	3.3	9	< 1	< 50	< 20	< 3.0	14	7	68	0.12	< 3.0	4.1	< 20
451	MJBA18051	50.0	51.0	1.0	< 5	< 3.0	18	83	63	2.8	2	< 1	< 50	< 20	< 3.0	13	8.3	59	0.06	4.2	3.5	< 20
452	MJBA18052	51.0	52.0	1.0	< 5	< 3.0	15	75	68	2.9	2	< 1	< 50	< 20	< 3.0	13	8.3	62	0.06	< 3.0	3.2	< 20
453	MJBA18053	52.0	53.0	1.0	< 5	< 3.0	14	70	66	2.9	2	< 1	< 50	< 20	< 3.0	13	8.4	61	0.07	< 3.0	3.5	< 20
454	MJBA18054	53.0	54.0	1.0	< 5	< 3.0	8.4	71	33	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.1	29	0.04	3.5	3.7	< 20
455	MJBA18055	54.0	55.0	1.0	< 5	< 3.0	17	61	62	2.8	< 1	< 1	< 50	< 20	< 3.0	12	8.1	60	0.06	< 3.0	3.4	< 20
456	MJBA18056	55.0	56.0	1.0	< 5	< 3.0	15	68	66	2.9	3	< 1	< 50	< 20	< 3.0	13	7.8	62	0.06	< 3.0	3.3	< 20
457	MJBA18057	56.0	57.0	1.0	< 5	< 3.0	9.7	48	50	2.3	1	< 1	< 50	< 20	< 3.0	10	6.6	48	0.05	3.2	2.4	< 20
458	MJBA18058	57.0	58.0	1.0	< 5	< 3.0	13	71	66	2.9	2	< 1	< 50	< 20	< 3.0	13	9.8	63	0.07	< 3.0	3.5	< 20
459	MJBA18059	58.0	59.0	1.0	< 5	< 3.0	15	77	73	3	< 1	< 1	< 50	< 20	< 3.0	14	18	65	0.07	< 3.0	3.2	< 20
460	MJBA18060	59.0	60.0	1.0	< 5	< 3.0	17	70	80	3.1	1	< 1	< 50	< 20	< 3.0	14	9.7	66	0.07	< 3.0	3.3	< 20
461	MJBA18061	60.0	61.0	1.0	< 5	< 3.0	12	72	65	2.9	2	< 1	< 50	< 20	< 3.0	14	9.2	62	0.07	< 3.0	3.3	< 20
462	MJBA18062	61.0	62.0	1.0	14	< 3.0	13	78	78	3.1	2	< 1	< 50	< 20	< 3.0	14	9.9	65	0.08	< 3.0	3.5	< 20
463	MJBA18063	62.0	63.0	1.0	< 5	< 3.0	12	66	64	2.9	1	< 1	< 50	< 20	< 3.0	14	8.9	60	0.07	< 3.0	3.8	< 20
464	MJBA18064	63.0	64.0	1.0	< 5	< 3.0	11	70	67	3	1	< 1	< 50	< 20	< 3.0	14	11	63	0.07	< 3.0	3.1	< 20
465	MJBA18065	64.0	65.0	1.0	< 5	< 3.0	10	67	66	3	2	< 1	< 50	< 20	< 3.0	14	9.2	65	0.07	< 3.0	3.2	< 20
466	MJBA18066	65.0	66.0	1.0	< 5	< 3.0	12	70	71	3.1	2	< 1	< 50	< 20	< 3.0	15	11	68	0.07	< 3.0	3.4	< 20
467	MJBA18067	66.0	67.0	1.0	< 5	< 3.0	11	70	71	3.1	2	< 1	< 50	< 20	< 3.0	15	9.2	67	0.07	< 3.0	3.3	< 20
468	MJBA18068	67.0	68.0	1.0	< 5	< 3.0	11	70	75	3.1	2	< 1	< 50	< 20	< 3.0	15	10	68	0.07	< 3.0	3.3	< 20
469	MJBA18069	68.0	69.0	1.0	< 5	< 3.0	10	65	62	2.8	1	< 1	< 50	< 20	< 3.0	13	11	59	0.06	3.5	3.1	< 20
470	MJBA18070	69.0	70.0	1.0	< 5	< 3.0	11	75	72	3.1	2	< 1	< 50	< 20	< 3.0	14	11	65	0.07	3.7	3.4	< 20
471	MJBA18071	70.0	71.0	1.0	< 5	< 3.0	19	70	71	3.5	< 1	< 1	< 50	< 20	< 3.0	14	10	69	0.09	< 3.0	3.5	< 20
472	MJBA18072	71.0	72.0	1.0	< 5	< 3.0	10	77	69	2.9	1	< 1	< 50	< 20	< 3.0	13	8.7	62	0.07	< 3.0	3.9	< 20
473	MJBA18073	72.0	73.0	1.0	< 5	< 3.0	19	86	13	0.64	2	< 1	< 50	< 20	< 3.0	< 8.0	3.9	< 8.0	0.02	4	3.6	< 20
474	MJBA18074	73.0	74.0	1.0	< 5	< 3.0	12	66	59	2.8	2	< 1	< 50	< 20	< 3.0	12	8.8	58	0.06	5	3.3	< 20
475	MJBA18075	74.0	75.0	1.0	< 5	< 3.0	34	63	60	2.8	1	< 1	< 50	< 20	< 3.0	12	9.3	61	0.07	< 3.0	3.7	< 20
476	MJBA18076	75.0	76.0	1.0	< 5	< 3.0	16	72	68	3	1	< 1	< 50	< 20	< 3.0	15	9.7	65	0.06	< 3.0	3.1	< 20
477	MJBA18077	76.0	77.0	1.0	9	< 3.0	16	79	68	3.1	< 1	< 1	< 50	< 20	< 3.0	14	8.9	65	0.07	< 3.0	3.5	< 20
478	MJBA18078	77.0	78.0	1.0	< 5	< 3.0	14	78	67	2.9	< 1	< 1	< 50	< 20	< 3.0	14	8.3	60	0.07	4.7	3.8	< 20
479	MJBA18079	78.0	79.0	1.0	< 5	< 3.0	18	82	70	3	1	< 1	< 50	< 20	< 3.0	13	8.8	65	0.07	3.2	3.6	< 20
480	MJBA18080	79.0	80.0	1.0	< 5	< 3.0	17	86	74	3.3	< 1	< 1	< 50	< 20	< 3.0	15	9.8	69	0.07	4	3.5	< 20
481	MJBA18081	80.0	81.0	1.0	< 5	< 3.0	28	82	67	2.9	1	< 1	< 50	< 20	< 3.0	13	9	62	0.07	< 3.0	3.2	< 20
482	MJBA18082	81.0	82.0	1.0	< 5	< 3.0	24	83	70	3.1	< 1	< 1	< 50	< 20	< 3.0	13	8.1	66	0.07	3.2	3.7	< 20
483	MJBA18083	82.0	83.0	1.0	32	< 3.0	25	79	68	3	< 1	< 1	< 50	< 20	< 3.0	15	8	64	0.08	4.1	3.4	< 20
484	MJBA18084	83.0	84.0	1.0	5	< 3.0	42	82	70	3.1	< 1	< 1	< 50	< 20	< 3.0	12	8.9	68	0.08	4.7	3.8	< 20
485	MJBA18085	84.0	85.0	1.0	14	< 3.0	31	82	66	3.1	1	< 1	< 50	< 20	< 3.0	14	8.5	67	0.07	4.1	3.5	< 20
486	MJBA18086	85.0	86.0	1.0	< 5	< 3.0	77	83	77	3.2	< 1	< 1	< 50	< 20	< 3.0	16	9	65	0.07	4	3.9	< 20
487	MJBA18087	86.0	87.0	1.0	< 5	< 3.0	26	79	56	2.5	< 1	< 1	< 50	< 20	< 3.0	10	9.7	52	0.06	4.1	4.2	< 20
488	MJBA18088	87.0	88.0	1.0	< 5	< 3.0	63	109	68	3	< 1	< 1	< 50	< 20	< 3.0	14	8.1	62	0.06	3.2	3.4	< 20
489	MJBA18089	88.0	89.0	1.0	< 5	< 3.0	55	130	76	3	1	< 1	< 50	< 20	< 3.0	14	9.5	63	0.07	5	3.5	< 20
490	MJBA18090	89.0	90.0	1.0	9	< 3.0	43	147	85	3	< 1	< 1	< 50	< 20	< 3.0	13	8.1	65	0.07	4.3	3.5	< 20
491	MJBA18091	90.0	91.0	1.0	5	< 3.0	36	99	89	3	1	< 1	< 50	< 20	< 3.0	12	8.9	64	0.09	3.8	3.5	< 20
492	MJBA18092	91.0	92.0	1.0	< 5	< 3.0	40	70	74	3	< 1	< 1	< 50	< 20	< 3.0	14	8.3	64	0.07	3.2	3	< 20
493	MJBA18093	92.0	93.0	1.0	< 5	< 3.0	27	79	78	3	2	< 1	< 50	< 20	< 3.0	14	7.8	62	0.07	3.4	3.2	< 20
494	MJBA18094	93.0	94.0	1.0	< 5	< 3.0	35	79	70	3	< 1	< 1	< 50	< 20	< 3.0	14	8.3	61	0.06	4.7	3.4	< 20
495	MJBA18095	94.0	95.0	1.0	< 5	< 3.0	40	83	68	2.9	1	< 1	< 50	< 20	< 3.0	14	8.2	58	0.06	5.3	3.7	< 20
496	MJBA18096	95.0	96.0	1.0	5	< 3.0	41	74	52	1.9	2	< 1	< 50	< 20	< 3.0	< 8.0	6.7	37	0.06	4.6	3.5	< 20
497	MJBA18097	96.0	97.0	1.0	< 5	< 3.0	58	151	140	2.5	2	< 1	< 50	< 20	< 3.0	11	7.1	52	0.07	< 3.0	3.8	< 20
498	MJBA18098	97.0	98.0	1.0	< 5	< 3.0	97	108	74	2.5	1	< 1	< 50	< 20	< 3.0	13	7.3	49	0.08	6.9	3.8	< 20
499	MJBA18099	98.0	99.0	1.0	< 5	< 3.0	119	119	90	3.1	1	< 1	< 50	< 20	< 3.0	16	8.1	60	0.07	8.5	3	< 20
500	MJBA18100	99.0	100.15	1.15	< 5	< 3.0	142	120	96	3.5	1	< 1	< 50	< 20	3.2	17	8.3	71	0.07	8.9	3.1	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
501	MJBA19001	0.0	1.0	1.0	19	< 3.0	16	74	41	3.9	1	< 1	< 50	< 20	< 3.0	< 8.0	10	83	0.05	< 3.0	0.43	< 20
502	MJBA19002	1.0	2.0	1.0	23	< 3.0	25	116	57	4.2	2	< 1	< 50	< 20	< 3.0	9.6	23	83	0.07	5	0.36	< 20
503	MJBA19003	2.0	3.0	1.0	28	< 3.0	23	187	77	4.5	2	< 1	< 50	< 20	< 3.0	9.7	12	94	0.06	< 3.0	0.67	< 20
504	MJBA19004	3.0	4.0	1.0	37	< 3.0	31	335	142	4.2	1	< 1	< 50	< 20	< 3.0	13	11	83	0.05	< 3.0	1.4	< 20
505	MJBA19005	4.0	5.0	1.0	56	< 3.0	25	231	92	4.7	2	< 1	< 50	< 20	< 3.0	10	11	95	0.06	3.1	0.94	< 20
506	MJBA19006	5.0	6.0	1.0	19	< 3.0	15	101	46	1.7	1	< 1	< 50	< 20	< 3.0	< 8.0	12	35	0.07	< 3.0	0.59	< 20
507	MJBA19007	6.0	7.0	1.0	19	< 3.0	13	74	38	1.1	1	< 1	< 50	< 20	< 3.0	< 8.0	11	29	0.05	3.2	0.7	< 20
508	MJBA19008	7.0	8.0	1.0	23	< 3.0	21	103	70	2	< 1	< 1	< 50	< 20	< 3.0	11	20	36	0.1	5.7	2.6	< 20
509	MJBA19009	8.0	9.0	1.0	19	< 3.0	15	81	37	1.5	< 1	< 1	< 50	< 20	< 3.0	< 8.0	17	28	0.09	4.6	0.59	< 20
510	MJBA19010	9.0	10.0	1.0	23	< 3.0	15	84	47	1.9	< 1	< 1	< 50	< 20	< 3.0	9.3	11	30	0.08	4.7	3.1	< 20
511	MJBA19011	10.0	11.0	1.0	14	< 3.0	13	93	56	1.8	2	< 1	< 50	< 20	< 3.0	8.3	7.1	24	0.07	< 3.0	3.3	< 20
512	MJBA19012	11.0	12.0	1.0	1900	< 3.0	33	152	117	4	1	< 1	< 50	< 20	< 3.0	19	23	65	0.16	5.5	3.6	< 20
513	MJBA19013	12.0	13.0	1.0	30	< 3.0	17	82	82	3.2	2	< 1	< 50	< 20	< 3.0	16	10	56	0.12	< 3.0	3.3	< 20
514	MJBA19014	13.0	14.0	1.0	14	< 3.0	16	90	72	3.1	1	< 1	< 50	< 20	< 3.0	14	13	56	0.1	3.2	3.2	< 20
515	MJBA19015	14.0	15.0	1.0	9	< 3.0	23	73	67	4.3	1	< 1	< 50	< 20	< 3.0	17	36	62	0.26	8.2	3	< 20
516	MJBA19016	15.0	16.0	1.0	5	< 3.0	22	78	102	3.9	< 1	< 1	< 50	< 20	< 3.0	19	15	58	0.17	5	3.6	< 20
517	MJBA19017	16.0	17.0	1.0	14	< 3.0	25	82	129	4.1	2	< 1	< 50	< 20	< 3.0	20	18	67	0.15	4.2	3.3	< 20
518	MJBA19018	17.0	18.0	1.0	9	< 3.0	18	68	93	3.5	3	< 1	< 50	< 20	< 3.0	16	11	60	0.11	< 3.0	2.9	< 20
519	MJBA19019	18.0	19.0	1.0	< 5	< 3.0	16	70	46	3	< 1	< 1	< 50	< 20	< 3.0	12	17	47	0.15	5	3.3	< 20
520	MJBA19020	19.0	20.0	1.0	< 5	< 3.0	13	65	59	3	< 1	< 1	< 50	< 20	< 3.0	13	11	59	0.09	< 3.0	3.2	< 20
521	MJBA19021	20.0	21.0	1.0	< 5	< 3.0	15	68	53	3	< 1	< 1	< 50	< 20	< 3.0	12	12	56	0.09	< 3.0	3	< 20
522	MJBA19022	21.0	22.0	1.0	< 5	< 3.0	13	60	50	2.9	< 1	< 1	< 50	< 20	< 3.0	12	9.4	57	0.08	< 3.0	3	< 20
523	MJBA19023	22.0	23.0	1.0	< 5	< 3.0	13	65	53	2.9	< 1	< 1	< 50	< 20	< 3.0	12	8.8	56	0.08	< 3.0	2.8	< 20
524	MJBA19024	23.0	24.0	1.0	< 5	18	54	87	126	4.2	< 1	< 1	< 50	< 20	< 3.0	20	22	66	0.16	3.9	3.4	< 20
525	MJBA19025	24.0	25.0	1.0	9	18	48	80	90	3.6	< 1	< 1	< 50	< 20	< 3.0	17	13	64	0.11	< 3.0	3.5	< 20
526	MJBA19026	25.0	26.0	1.0	< 5	6.8	30	85	107	4.1	< 1	< 1	< 50	< 20	< 3.0	19	14	67	0.15	3.1	3.2	< 20
527	MJBA19027	26.0	27.0	1.0	< 5	15	46	80	122	3.7	< 1	< 1	< 50	< 20	< 3.0	17	16	61	0.14	3.5	3.5	< 20
528	MJBA19028	27.0	28.0	1.0	14	17	53	80	104	3.7	2	< 1	< 50	< 20	< 3.0	18	12	66	0.12	< 3.0	3.5	< 20
529	MJBA19029	28.0	29.0	1.0	9	8	18	66	63	2.7	2	< 1	< 50	< 20	< 3.0	13	10	54	0.09	< 3.0	3.6	< 20
530	MJBA19030	29.0	30.0	1.0	14	12	28	53	35	1.6	2	< 1	< 50	< 20	< 3.0	< 8.0	11	21	0.08	3.4	4.2	< 20
531	MJBA19031	30.0	31.0	1.0	< 5	< 3.0	16	75	106	3.8	1	< 1	< 50	< 20	< 3.0	17	14	66	0.13	3.1	3.5	< 20
532	MJBA19032	31.0	32.0	1.0	< 5	< 3.0	15	66	92	3.1	1	< 1	< 50	< 20	< 3.0	14	13	54	0.11	4.3	3.7	< 20
533	MJBA19033	32.0	33.0	1.0	14	5	23	68	100	3.4	1	< 1	< 50	< 20	< 3.0	14	17	55	0.14	< 3.0	3.7	< 20
534	MJBA19034	33.0	34.0	1.0	125	9.7	39	89	152	3.8	2	< 1	< 50	< 20	< 3.0	18	16	67	0.14	3.4	3.7	< 20
535	MJBA19035	34.0	35.0	1.0	65	12	62	111	138	2.9	2	< 1	< 50	< 20	< 3.0	12	10	68	0.1	< 3.0	3.7	< 20
536	MJBA19036	35.0	36.0	1.0	204	< 3.0	58	89	125	3.3	< 1	< 1	< 50	< 20	< 3.0	16	13	70	0.12	< 3.0	3.3	< 20
537	MJBA19037	36.0	37.0	1.0	46	< 3.0	48	89	140	4.4	< 1	< 1	< 50	< 20	< 3.0	40	16	82	0.18	4.9	3.1	< 20
538	MJBA19038	37.0	38.0	1.0	< 5	< 3.0	16	77	132	3.9	1	< 1	< 50	< 20	< 3.0	18	13	70	0.15	3.8	3.1	< 20
539	MJBA19039	38.0	39.0	1.0	14	8.5	25	72	87	3.3	1	< 1	< 50	< 20	< 3.0	13	8.6	64	0.06	4.4	3.4	< 20
540	MJBA19040	39.0	40.0	1.0	65	15	42	81	128	3.3	2	< 1	< 50	< 20	< 3.0	14	7.7	79	0.06	4.1	3.1	< 20
541	MJBA19041	40.0	41.0	1.0	93	< 3.0	23	84	157	3.4	3	< 1	< 50	< 20	3.3	16	9.7	67	0.09	4.2	3.4	< 20
542	MJBA19042	41.0	42.0	1.0	37	< 3.0	6.4	65	63	2.9	3	< 1	< 50	< 20	< 3.0	11	9	56	0.07	6.7	3.1	< 20
543	MJBA19043	42.0	43.0	1.0	23	< 3.0	7.9	60	55	3.1	4	< 1	< 50	< 20	< 3.0	13	9	60	0.08	3.5	3.1	< 20
544	MJBA19044	43.0	44.0	1.0	< 5	< 3.0	7	68	58	3.5	1	< 1	< 50	< 20	< 3.0	15	11	62	0.06	3.2	3.2	< 20
545	MJBA19045	44.0	45.0	1.0	< 5	< 3.0	6.2	56	55	3.1	1	< 1	< 50	< 20	< 3.0	13	7.8	54	0.06	< 3.0	3	< 20
546	MJBA19046	45.0	46.0	1.0	< 5	< 3.0	3.4	62	36	2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.3	33	0.04	3.3	3.8	< 20
547	MJBA19047	46.0	47.0	1.0	< 5	< 3.0	< 3.0	58	22	0.63	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.8	< 8.0	0.02	4.1	3.9	< 20
548	MJBA19048	47.0	48.0	1.0	< 5	< 3.0	3	60	37	2.3	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.6	41	0.04	4.5	4.5	< 20
549	MJBA19049	48.0	49.0	1.0	23	< 3.0	22	64	75	4.5	1	< 1	< 50	< 20	< 3.0	16	12	90	0.08	4.6	3.6	< 20
550	MJBA19050	49.0	50.0	1.0	< 5	< 3.0	7.4	55	52	2.7	< 1	< 1	< 50	< 20	< 3.0	11	8	52	0.05	3.5	3.2	< 20
551	MJBA19051	50.0	51.0	1.0	< 5	< 3.0	14	63	55	3	1	< 1	< 50	< 20	< 3.0	11	9.4	55	0.06	3.6	3.4	< 20
552	MJBA19052	51.0	52.0	1.0	9	< 3.0	5.1	54	51	2.8	< 1	< 1	< 50	< 20	< 3.0	10	8.4	52	0.05	3.5	3.2	< 20
553	MJBA19053	52.0	53.0	1.0	19	< 3.0	8.1	63	80	3.2	1	< 1	< 50	< 20	< 3.0	10	8.8	58	0.07	5.3	3.4	< 20
554	MJBA19054	53.0	54.0	1.0	19	< 3.0	5.1	45	11	0.76	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.4	8.8	0.02	4.4	3.2	< 20
555	MJBA19055	54.0	55.0	1.0	9	< 3.0	4	60	6.3	0.61	1	< 1	< 50	< 20	< 3.0	< 8.0	4.4	< 8.0	0.01	5.1	4	< 20
556	MJBA19056	55.0	56.0	1.0	< 5	< 3.0	3.9	67	8.2	0.61	1	< 1	< 50	< 20	< 3.0	< 8.0	4.6	< 8.0	0.01	4	3.7	< 20
557	MJBA19057	56.0	57.0	1.0	5	< 3.0	< 3.0	71	7.6	0.59	1	< 1	< 50	< 20	< 3.0	< 8.0	3.2	< 8.0	0.02	3.7	3.5	< 20
558	MJBA19058	57.0	58.0	1.0	5	< 3.0	< 3.0	65	9.1	0.57	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.1	< 8.0	0.02	3.2	3.6	< 20
559	MJBA19059	58.0	59.0	1.0	9	< 3.0	< 3.0	55	6.8	0.53	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.9	< 8.0	0.02	< 3.0	3.8	< 20
560	MJBA19060	59.0	60.0	1.0	9	< 3.0	< 3.0	46	6.7	0.42	1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	< 8.0	0.02	< 3.0	3	< 20
561	MJBA19061	60.0	61.0	1.0	14	< 3.0	< 3.0	66	14	0.61	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.4	< 8.0	0.02	3.7	3.9	< 20
562	MJBA19062	61.0	62.0	1.0	5	< 3.0	< 3.0	53	6.7	0.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	3.8	< 8.0	0.02	3.5	3.6	< 20
563	MJBA19063	62.0	63.0	1.0	< 5	< 3.0	< 3.0	64	8.8	0.56	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.1	< 8.0	0.02	3.7	3.8	< 20
564	MJBA19064	63.0	64.0	1.0	9	< 3.0	< 3.0	59	6.5	0.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.2	< 8.0	0.02	4.4	3.5	< 20
565	MJBA19065	64.0	65.0	1.0	< 5	< 3.0	< 3.0	66	25	1.2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.9	14	0.03	< 3.0	4.2	< 20
566	MJBA19066	65.0	66.0	1.0	< 5	< 3.0	6.6	62	56	2.5	< 1	< 1	< 50	< 20	< 3.0	9.8	8.9	45	0.05	3.1	3.3	< 20
567	MJBA19067	66.0	67.0	1.0	< 5	< 3.0	5.9	56	55	2.6	2	< 1	< 50	< 20	< 3.0	10	7.3	48	0.06	< 3.0	3.3	< 20
568	MJBA19068	67.0	68.0	1.0	< 5	< 3.0	7.4	62	59	3.1	1	< 1	< 50	< 20	< 3.0	12	9.7	57	0.06	< 3.0	3.4	< 20
569	MJBA19069	68.0	69.0	1.0	< 5	< 3.0	7.7	58	58	3	2	< 1	< 50	< 20	< 3.0	12	8.9	56	0.06	3.2	3.2	< 20
570	MJBA19070	69.0	70.0	1.0	< 5	< 3.0	5.6	51	49	2.9	1	< 1	< 50	< 20	< 3.0	11	8.4	57	0.05	< 3.0	3	< 20
571	MJBA19071	70.0	71.0	1.0	< 5	< 3.0	7.2	65	58	3.1	3	< 1	< 50	< 20	< 3.0	13	9.6	58	0.06	3.2	3.2	< 20
572	MJBA19072	71.0	72.0	1.0	9	< 3.0	7.1	60	53	3.2	2	< 1	< 50	< 20	< 3.0	12	10	60	0.06	< 3.0	3.3	< 20
573	MJBA19073	72.0	73.0	1.0	< 5	< 3.0	7.7	62	62	3.3	2	< 1	< 50	< 20	< 3.0	13	11	64	0.07	< 3.0	3.5	< 20
574	MJBA19074	73.0	74.0	1.0	< 5	< 3.0	7.1	61	57	3	< 1	< 1	< 50	< 20	< 3.0	12	9	57	0.06	< 3.0	3	< 20
575	MJBA19075	74.0	75.0	1.0	< 5	< 3.0	8.1	58	57	3.1	< 1	< 1	< 50	< 20	< 3.0	12	8.5	59	0.06	3.6	3.2	< 20
576	MJBA19076	75.0	76.0	1.0	19	< 3.0	10	70	65	3.1	2	< 1	< 50	< 20	< 3.0	12	8.8	57	0.08	< 3.0	3.4	< 20
577	MJBA19077	76.0	77.0	1.0	106	< 3.0	26	73	222	2.8	< 1	< 1	< 50	< 20	3.6	11	8.1	49	0.07	3.9	3.1	< 20
578	MJBA19078	77.0	78.0	1.0	9	< 3.0	11	67	23	3.1	< 1	< 1	< 50	< 20	< 3.0	12	8.5	53	0.06	4.8	3.6	< 20
579	MJBA19079	78.0	79.0	1.0	14	< 3.0	12	77	50	3	< 1	< 1	< 50	< 20	< 3.0	11	7.6	52	0.08	3.1	3.5	< 20
580	MJBA19080	79.0	80.0	1.0	< 5	< 3.0	10	66	21	3	< 1	< 1	< 50	< 20	< 3.0	11	8.7	51	0.06	< 3.0	3.2	< 20
581	MJBA19081	80.0	81.0	1.0	< 5	< 3.0	11	66	23	3	< 1	< 1	< 50	< 20	< 3.0	12	8.9	53	0.06	4.8	3.3	< 20
582	MJBA19082	81.0	82.0	1.0	< 5	< 3.0	10	65	17	3.1	< 1	< 1	< 50	< 20	< 3.0	11	8.4	55	0.06	4.2	3.4	< 20
583	MJBA19083	82.0	83.0	1.0	19	< 3.0	6.5	95	< 3.0	0.97	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.7	8.3	0.03	3.2	4.1	< 20
584	MJBA19084	83.0	84.0	1.0	< 5	< 3.0	14	67	25	3.2	< 1	< 1	< 50	< 20	< 3.0	12	9.6	55	0.06	3.7	3.5	< 20
585	MJBA19085	84.0	85.0	1.0	< 5	< 3.0	8.1	57	< 3.0	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.9	19	0.03	4.6	4.4	< 20
586	MJBA19086	85.0	86.0	1.0	< 5	< 3.0	3.8	55	< 3.0	0.64	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.6	< 8.0	0.02	3.9	3.6	< 20
587	MJBA19087	86.0	87.0	1.0	14	< 3.0	9.1	49	< 3.0	1.5	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.2	22	0.03	3.1	4.3	< 20
588	MJBA19088	87.0	88.0	1.0	< 5	< 3.0	47	67	15	2.7	< 1	< 1	< 50	< 20	< 3.0	11	8.7	42	0.05	3.1	3.7	< 20
589	MJBA19089	88.0	89.0	1.0	< 5	< 3.0	6.6	62	< 3.0	0.65	< 1	< 1	< 50	< 20	< 3.0	< 8.0	5.1	< 8.0	0.01	5.9	4.6	< 20
590	MJBA19090	89.0	90.0	1.0	< 5	< 3.0	34	68	22	3.1	< 1	< 1	< 50	< 20	< 3.0	12	8.3	52	0.06	4.1	3.9	< 20
591	MJBA19091	90.0	91.0	1.0	< 5	< 3.0	32	71	24	3.1	< 1	< 1	< 50	< 20	< 3.0	12	9.1	52	0.06	3.4	3.5	< 20
592	MJBA19092	91.0	92.0	1.0	< 5	< 3.0	26	67	21	3.1	< 1	< 1	< 50	< 20	< 3.0	12	7.8	54	0.07	3.2	3.7	< 20
593	MJBA19093	92.0	93.0	1.0	< 5	< 3.0	26	67	25	3.2	< 1	< 1	< 50	< 20	< 3.0	12	9.6	54	0.06	5.3	3.5	< 20
594	MJBA19094	93.0	94.0	1.0	< 5	< 3.0	21	80	28	3.3	< 1	< 1	< 50	< 20	< 3.0	13	9.5	58	0.07	4.8	3.8	< 20
595	MJBA19095	94.0	95.0	1.0	< 5	< 3.0	18	65	24	3.3	< 1	< 1	< 50	< 20	< 3.0	12	9.8	57	0.06	4.4	3.6	< 20
596	MJBA19096	95.0	96.0	1.0	< 5	< 3.0	21	56	26	3.1	< 1	< 1	< 50	< 20	< 3.0	12	9.3	55	0.06	5.5	3.4	< 20
597	MJBA19097	96.0	97.0	1.0	9	< 3.0	31	92	53	2.9	< 1	< 1	< 50	< 20	< 3.0	9.9	8	52	0.08	4.6	3.3	< 20
598	MJBA19098	97.0	98.0	1.0	< 5	< 3.0	17	62	28	3.2	< 1	< 1	< 50	< 20	< 3.0	11	11	56	0.07	5.6	3.5	< 20
599	MJBA19099	98.0	99.0	1.0	< 5	< 3.0	12	69	26	3.1	< 1	< 1	< 50	< 20	< 3.0	11	9.5	53	0.06	4.8	3.9	< 20
600	MJBA19100	99.0	100.30	1.30	< 5	< 3.0	13	86	37	3.2	< 1	< 1	< 50	< 20	< 3.0	12	9.2	55	0.07	3.5	3.5	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
601	MJBA20001	0.0	1.0	1.0	28	< 3.0	27	81	40	4.1	2	< 1	66	< 20	< 3.0	10	12	72	0.1	4.4	0.26	< 20
602	MJBA20002	1.0	2.0	1.0	32	< 3.0	36	101	52	5.6	4	< 1	78	< 20	< 3.0	11	12	89	0.07	6.2	0.29	< 20
603	MJBA20003	2.0	3.0	1.0	28	< 3.0	33	125	50	8.1	1	< 1	< 50	< 20	< 3.0	10	10	150	0.11	5.3	0.4	< 20
604	MJBA20004	3.0	4.0	1.0	< 5	< 3.0	23	118	33	5.6	1	< 1	< 50	< 20	< 3.0	14	9.2	91	0.08	5.1	1.5	< 20
605	MJBA20005	4.0	5.0	1.0	14	< 3.0	18	117	31	5.3	< 1	< 1	< 50	< 20	< 3.0	9.3	12	85	0.05	3.1	0.36	< 20
606	MJBA20006	5.0	6.0	1.0	51	< 3.0	19	98	36	5	2	< 1	< 50	< 20	< 3.0	11	9.5	79	0.05	< 3.0	0.34	< 20
607	MJBA20007	6.0	7.0	1.0	< 5	< 3.0	13	61	39	3.2	1	< 1	< 50	< 20	< 3.0	11	11	52	0.08	< 3.0	3.5	< 20
608	MJBA20008	7.0	8.0	1.0	< 5	< 3.0	13	58	43	3.4	1	< 1	< 50	< 20	< 3.0	12	14	53	0.08	< 3.0	3.2	< 20
609	MJBA20009	8.0	9.0	1.0	9	< 3.0	15	107	46	4	< 1	< 1	< 50	< 20	< 3.0	8.4	9.5	60	0.04	4.4	0.47	< 20
610	MJBA20010	9.0	10.0	1.0	46	< 3.0	16	95	41	4.3	2	< 1	< 50	< 20	< 3.0	8.2	9.6	66	0.04	< 3.0	1.2	< 20
611	MJBA20011	10.0	11.0	1.0	32	< 3.0	16	82	28	3.4	2	< 1	< 50	< 20	< 3.0	< 8.0	8.9	54	0.06	< 3.0	1.1	< 20
612	MJBA20012	11.0	12.0	1.0	28	< 3.0	29	95	51	3.9	1	< 1	< 50	< 20	< 3.0	13	11	57	0.13	3.2	2.4	< 20
613	MJBA20013	12.0	13.0	1.0	9	< 3.0	21	95	56	4.1	1	< 1	< 50	< 20	< 3.0	17	15	60	0.12	3.2	2.3	< 20
614	MJBA20014	13.0	14.0	1.0	28	< 3.0	24	93	63	3.6	1	< 1	< 50	< 20	< 3.0	17	12	60	0.18	3.5	2.9	< 20
615	MJBA20015	14.0	15.0	1.0	< 5	< 3.0	19	84	61	4.4	2	< 1	< 50	< 20	< 3.0	16	10	63	0.13	< 3.0	2.8	< 20
616	MJBA20016	15.0	16.0	1.0	< 5	< 3.0	19	84	106	4	< 1	< 1	< 50	< 20	< 3.0	16	16	65	0.08	3.5	3.7	< 20
617	MJBA20017	16.0	17.0	1.0	14	< 3.0	18	132	108	3.9	1	< 1	< 50	< 20	< 3.0	17	20	63	0.13	4.5	3.9	< 20
618	MJBA20018	17.0	18.0	1.0	5	< 3.0	18	121	72	4	1	< 1	< 50	< 20	< 3.0	16	15	61	0.12	5.3	3.3	< 20
619	MJBA20019	18.0	19.0	1.0	< 5	< 3.0	17	92	76	4	< 1	< 1	< 50	< 20	< 3.0	15	10	63	0.12	3.9	3.6	< 20
620	MJBA20020	19.0	20.0	1.0	< 5	< 3.0	20	75	72	4	1	< 1	< 50	< 20	< 3.0	14	16	58	0.1	3.7	3.5	< 20
621	MJBA20021	20.0	21.0	1.0	< 5	< 3.0	23	96	64	4	< 1	< 1	< 50	< 20	< 3.0	16	13	55	0.12	3.4	3.4	< 20
622	MJBA20022	21.0	22.0	1.0	111	< 3.0	36	120	76	4.5	2	< 1	< 50	< 20	< 3.0	24	14	71	0.4	5.6	3.2	< 20
623	MJBA20023	22.0	23.0	1.0	< 5	< 3.0	19	89	75	3.8	< 1	< 1	< 50	< 20	< 3.0	14	13	59	0.1	5.2	4	< 20
624	MJBA20024	23.0	24.0	1.0	< 5	< 3.0	17	87	82	3.9	< 1	< 1	< 50	< 20	< 3.0	15	17	58	0.12	< 3.0	3.8	< 20
625	MJBA20025	24.0	25.0	1.0	23	< 3.0	26	83	82	4.7	2	< 1	< 50	< 20	< 3.0	17	28	60	0.21	8	3.9	< 20
626	MJBA20026	25.0	26.0	1.0	< 5	< 3.0	23	87	90	4.2	< 1	< 1	< 50	< 20	< 3.0	17	17	63	0.13	< 3.0	3.7	< 20
627	MJBA20027	26.0	27.0	1.0	< 5	< 3.0	30	86	102	3.6	< 1	< 1	< 50	< 20	< 3.0	14	13	56	0.09	3.7	3.9	< 20
628	MJBA20028	27.0	28.0	1.0	< 5	< 3.0	33	86	89	4.2	< 1	< 1	< 50	< 20	< 3.0	17	17	61	0.14	5.8	3.6	< 20
629	MJBA20029	28.0	29.0	1.0	< 5	< 3.0	36	85	89	4.5	< 1	< 1	< 50	< 20	< 3.0	18	19	64	0.15	4.8	3.7	< 20
630	MJBA20030	29.0	30.0	1.0	14	< 3.0	37	98	105	4.3	< 1	< 1	< 50	< 20	< 3.0	17	13	68	0.11	< 3.0	3.1	< 20
631	MJBA20031	30.0	31.0	1.0	14	< 3.0	40	85	107	4.4	1	< 1	< 50	< 20	< 3.0	18	18	66	0.13	< 3.0	3.5	< 20
632	MJBA20032	31.0	32.0	1.0	< 5	< 3.0	36	86	91	4.7	< 1	< 1	< 50	< 20	< 3.0	19	19	66	0.17	4.8	3.3	< 20
633	MJBA20033	32.0	33.0	1.0	< 5	< 3.0	40	91	109	3.9	< 1	< 1	< 50	< 20	< 3.0	17	12	62	0.09	< 3.0	3.3	< 20
634	MJBA20034	33.0	34.0	1.0	< 5	< 3.0	49	87	113	4.5	< 1	< 1	< 50	< 20	< 3.0	19	16	69	0.14	4.8	3.5	< 20
635	MJBA20035	34.0	35.0	1.0	< 5	< 3.0	49	91	91	3.9	< 1	< 1	< 50	< 20	< 3.0	15	11	62	0.09	< 3.0	3.5	< 20
636	MJBA20036	35.0	36.0	1.0	32	< 3.0	44	107	120	4.5	3	< 1	< 50	< 20	< 3.0	18	14	67	0.2	4.8	3.7	< 20
637	MJBA20037	36.0	37.0	1.0	14	< 3.0	35	97	86	3.7	< 1	< 1	< 50	< 20	< 3.0	16	17	57	0.13	< 3.0	3.9	< 20
638	MJBA20038	37.0	38.0	1.0	< 5	< 3.0	23	68	65	3.3	< 1	< 1	< 50	< 20	< 3.0	12	14	53	0.11	3.7	3.3	< 20
639	MJBA20039	38.0	39.0	1.0	< 5	< 3.0	28	51	37	2.5	< 1	< 1	< 50	< 20	< 3.0	8.4	8.1	52	0.04	< 3.0	2.8	< 20
640	MJBA20040	39.0	40.0	1.0	< 5	< 3.0	43	55	44	2.8	< 1	< 1	< 50	< 20	< 3.0	10	7.4	60	0.04	4.1	3.1	< 20
641	MJBA20041	40.0	41.0	1.0	9	< 3.0	42	38	29	2.3	< 1	< 1	< 50	< 20	< 3.0	8.5	5.9	50	0.03	5.3	3.3	< 20
642	MJBA20042	41.0	42.0	1.0	< 5	< 3.0	60	46	38	2.4	< 1	< 1	< 50	< 20	< 3.0	8.6	5.7	51	0.04	6.3	3	< 20
643	MJBA20043	42.0	43.0	1.0	< 5	< 3.0	24	59	56	2.9	< 1	< 1	< 50	< 20	< 3.0	11	9	57	0.06	3.5	3.2	< 20
644	MJBA20044	43.0	44.0	1.0	< 5	< 3.0	22	87	86	3.8	1	< 1	< 50	< 20	< 3.0	14	10	68	0.07	< 3.0	3.2	< 20
645	MJBA20045	44.0	45.0	1.0	< 5	< 3.0	14	42	38	2.8	< 1	< 1	< 50	< 20	< 3.0	9.4	7.8	55	0.03	< 3.0	3.1	< 20
646	MJBA20046	45.0	46.0	1.0	< 5	< 3.0	19	51	49	2.8	< 1	< 1	< 50	< 20	< 3.0	10	7.5	58	0.04	4.1	3.4	< 20
647	MJBA20047	46.0	47.0	1.0	< 5	< 3.0	32	69	48	2.5	< 1	< 1	< 50	< 20	< 3.0	9.7	8.6	47	0.05	3.2	3.4	< 20
648	MJBA20048	47.0	48.0	1.0	< 5	< 3.0	31	60	56	3.1	1	< 1	< 50	< 20	< 3.0	12	10	60	0.05	< 3.0	3.1	< 20
649	MJBA20049	48.0	49.0	1.0	< 5	< 3.0	29	58	66	3.3	< 1	< 1	< 50	< 20	< 3.0	12	9.8	62	0.05	< 3.0	2.9	< 20
650	MJBA20050	49.0	50.0	1.0	< 5	< 3.0	26	52	49	2.8	1	< 1	< 50	< 20	< 3.0	13	12	53	0.05	< 3.0	2.4	< 20
651	MJBA20051	50.0	51.0	1.0	< 5	< 3.0	58	79	69	3.1	< 1	< 1	< 50	< 20	< 3.0	14	9.8	58	0.06	< 3.0	3	< 20
652	MJBA20052	51.0	52.0	1.0	< 5	< 3.0	50	93	87	3.5	< 1	< 1	< 50	< 20	< 3.0	15	12	63	0.07	4.2	3.3	< 20
653	MJBA20053	52.0	53.0	1.0	< 5	< 3.0	12	58	48	2.9	< 1	< 1	< 50	< 20	< 3.0	11	9.3	57	0.04	4.4	3	< 20
654	MJBA20054	53.0	54.0	1.0	< 5	< 3.0	12	57	61	2.9	2	< 1	< 50	< 20	< 3.0	11	10	56	0.04	4.1	3.2	< 20
655	MJBA20055	54.0	55.0	1.0	2720	< 3.0	83	499	259	4	18	< 1	< 50	< 20	3.4	11	11	69	0.1	4.7	3.5	< 20
656	MJBA20056	55.0	56.0	1.0	39	< 3.0	16	59	87	2.8	2	< 1	< 50	< 20	< 3.0	9	7.7	61	0.04	< 3.0	3.1	< 20
657	MJBA20057	56.0	57.0	1.0	< 5	< 3.0	43	53	45	2.9	1	< 1	< 50	< 20	< 3.0	13	9.1	56	0.04	3.1	2.9	< 20
658	MJBA20058	57.0	58.0	1.0	< 5	< 3.0	20	51	46	2.7	< 1	< 1	< 50	< 20	< 3.0	11	9.5	52	0.05	< 3.0	3.2	< 20
659	MJBA20059	58.0	59.0	1.0	< 5	< 3.0	13	49	46	2.7	< 1	< 1	< 50	< 20	< 3.0	10	9.7	51	0.04	3.2	2.9	25
660	MJBA20060	59.0	60.0	1.0	< 5	< 3.0	8.3	26	19	2.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.9	48	0.03	< 3.0	2.3	< 20
661	MJBA20061	60.0	61.0	1.0	< 5	< 3.0	11	40	32	2.6	< 1	< 1	< 50	< 20	< 3.0	9.1	7.2	54	0.04	< 3.0	3	< 20
662	MJBA20062	61.0	62.0	1.0	< 5	< 3.0	14	61	54	3.2	< 1	< 1	< 50	< 20	< 3.0	12	11	59	0.06	3.8	2.9	< 20
663	MJBA20063	62.0	63.0	1.0	< 5	< 3.0	16	56	53	3	< 1	< 1	< 50	< 20	< 3.0	11	8.9	55	0.06	3.7	2.7	< 20
664	MJBA20064	63.0	64.0	1.0	< 5	< 3.0	16	56	42	2.8	< 1	< 1	< 50	< 20	< 3.0	9.9	9.5	53	0.05	3.1	3	< 20
665	MJBA20065	64.0	65.0	1.0	< 5	< 3.0	13	50	38	2.7	< 1	< 1	< 50	< 20	< 3.0	10	9	53	0.04	< 3.0	2.8	< 20
666	MJBA20066	65.0	66.0	1.0	< 5	< 3.0	15	58	51	3.2	1	< 1	< 50	< 20	< 3.0	13	11	65	0.06	4.3	3	< 20
667	MJBA20067	66.0	67.0	1.0	< 5	< 3.0	23	65	64	2.9	< 1	< 1	< 50	< 20	< 3.0	12	9.2	57	0.07	< 3.0	3.3	< 20
668	MJBA20068	67.0	68.0	1.0	< 5	< 3.0	14	63	47	2.9	< 1	< 1	< 50	< 20	< 3.0	10	10	52	0.05	4.6	3.2	< 20
669	MJBA20069	68.0	69.0	1.0	< 5	< 3.0	20	54	49	2.9	< 1	< 1	< 50	< 20	< 3.0	12	10	55	0.05	4.1	3.1	< 20
670	MJBA20070	69.0	70.0	1.0	< 5	< 3.0	9.6	43	31	2.3	< 1	< 1	< 50	< 20	< 3.0	9.2	8	46	0.03	< 3.0	2.9	< 20
671	MJBA20071	70.0	71.0	1.0	< 5	< 3.0	11	42	38	2.4	< 1	< 1	< 50	< 20	< 3.0	8.9	8	45	0.04	< 3.0	2.5	< 20
672	MJBA20072	71.0	72.0	1.0	< 5	< 3.0	12	45	37	2.6	< 1	< 1	< 50	< 20	< 3.0	10	9.6	51	0.04	< 3.0	2.9	< 20
673	MJBA20073	72.0	73.0	1.0	< 5	< 3.0	10	53	41	2.8	< 1	< 1	< 50	< 20	< 3.0	11	9.7	53	0.05	< 3.0	2.9	< 20
674	MJBA20074	73.0	74.0	1.0	< 5	< 3.0	13	50	44	2.9	< 1	< 1	< 50	< 20	< 3.0	11	9	56	0.06	< 3.0	3	< 20
675	MJBA20075	74.0	75.0	1.0	< 5	< 3.0	9.3	48	39	2.6	2	< 1	< 50	< 20	< 3.0	10	10	48	0.06	< 3.0	2.9	< 20
676	MJBA20076	75.0	76.0	1.0	< 5	< 3.0	7.8	48	41	2.7	< 1	< 1	< 50	< 20	< 3.0	11	10	52	0.04	3.4	3	< 20
677	MJBA20077	76.0	77.0	1.0	< 5	< 3.0	11	68	54	3	< 1	< 1	< 50	< 20	< 3.0	13	11	60	0.06	4.9	3.5	< 20
678	MJBA20078	77.0	78.0	1.0	< 5	< 3.0	20	87	69	3.3	< 1	< 1	< 50	< 20	< 3.0	14	11	65	0.07	4.1	3.5	< 20
679	MJBA20079	78.0	79.0	1.0	< 5	< 3.0	11	77	60	3.2	< 1	< 1	< 50	< 20	< 3.0	14	10	62	0.07	5.5	3.5	< 20
680	MJBA20080	79.0	80.0	1.0	< 5	< 3.0	9.9	70	53	3	< 1	< 1	< 50	< 20	< 3.0	12	8.7	58	0.06	< 3.0	3.5	< 20
681	MJBA20081	80.0	81.0	1.0	< 5	< 3.0	11	73	59	3.1	< 1	< 1	< 50	< 20	< 3.0	14	13	61	0.06	6.3	3.4	< 20
682	MJBA20082	81.0	82.0	1.0	< 5	< 3.0	7.9	81	38	2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8.8	34	0.04	5.2	3.9	< 20
683	MJBA20083	82.0	83.0	1.0	< 5	< 3.0	11	95	58	3.1	< 1	< 1	< 50	< 20	< 3.0	13	13	58	0.06	8.8	3.6	< 20
684	MJBA20084	83.0	84.0	1.0	< 5	< 3.0	13	78	62	3.1	< 1	< 1	< 50	< 20	< 3.0	13	10	62	0.08	4.9	3.9	< 20
685	MJBA20085	84.0	85.0	1.0	< 5	< 3.0	12	78	56	3.1	< 1	< 1	< 50	< 20	< 3.0	13	9.4	60	0.06	5.2	3.8	< 20
686	MJBA20086	85.0	86.0	1.0	< 5	< 3.0	14	67	56	3.3	< 1	< 1	< 50	< 20	< 3.0	14	9.9	65	0.06	4.1	3.7	< 20
687	MJBA20087	86.0	87.0	1.0	< 5	< 3.0	14	69	58	3.3	< 1	< 1	< 50	< 20	< 3.0	13	11	63	0.06	< 3.0	3.3	< 20
688	MJBA20088	87.0	88.0	1.0	< 5	< 3.0	42	70	69	3.2	< 1	< 1	< 50	< 20	< 3.0	15	8.2	64	0.07	4.3	3.4	< 20
689	MJBA20089	88.0	89.0	1.0	< 5	< 3.0	6.7	84	19	1.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	7.6	12	0.03	5	4	< 20
690	MJBA20090	89.0	90.0	1.0	< 5	< 3.0	14	72	53	2.7	< 1	< 1	< 50	< 20	< 3.0	11	8.7	49	0.06	4.9	3.6	< 20
691	MJBA20091	90.0	91.0	1.0	28	< 3.0	11	78	59	3	< 1	< 1	< 50	< 20	< 3.0	13	10	58	0.07	< 3.0	3.8	< 20
692	MJBA20092	91.0	92.0	1.0	56	< 3.0	15	78	60	3.1	< 1	< 1	< 50	< 20	< 3.0	12	8.9	62	0.07	4.1	3.5	< 20
693	MJBA20093	92.0	93.0	1.0	28	< 3.0	73	77	77	3.3	< 1	< 1	< 50	< 20	< 3.0	16	9.8	61	0.07	6.4	3.3	< 20
694	MJBA20094	93.0	94.0	1.0	32	< 3.0	53	81	74	3.3	< 1	< 1	< 50	< 20	< 3.0	15	10	62	0.08	4.5	3.3	< 20
695	MJBA20095	94.0	95.0	1.0	< 5	< 3.0	17	77	69	3.4	< 1	< 1	< 50	< 20	< 3.0	14	11	68	0.07	3.9	3.4	< 20
696	MJBA20096	95.0	96.0	1.0	< 5	< 3.0	79	67	73	3.3	< 1	< 1	< 50	< 20	< 3.0	18	10	64	0.06	4.5	3.5	< 20
697	MJBA20097	96.0	97.0	1.0	< 5	< 3.0	34	70	73	3.1	< 1	< 1	< 50	< 20	< 3.0	14	12	60	0.06	3.5	3.3	< 20
698	MJBA20098	97.0	98.0	1.0	< 5	< 3.0	22	80	65	3.5	< 1	< 1	< 50	< 20	< 3.0	13	12	74	0.08	3.8	3	< 20
699	MJBA20099	98.0	99.0	1.0	< 5	< 3.0	15	73	64	2.9	< 1	< 1	< 50	< 20	< 3.0	12	9.8	58	0.06	3.9	3.3	< 20
700	MJBA20100	99.0	100.30	1.30	< 5	< 3.0	10	70	63	3	< 1	< 1	< 50	< 20	< 3.0	13	9.1	60	0.06	4.1	3.4	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	Depth (m) To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
701	MJBA21001	0.0	1.0	1.0	88	< 3.0	15	58	29	3.2	2	< 1	79	< 20	< 3.0	8.2	14	54	0.12	5.8	0.19	< 20
702	MJBA21002	1.0	2.0	1.0	19	< 3.0	15	60	27	2.9	< 1	< 1	75	< 20	< 3.0	9	13	50	0.12	4.2	0.22	< 20
703	MJBA21003	2.0	3.0	1.0	56	< 3.0	25	96	46	5.5	3	< 1	105	< 20	< 3.0	9.6	9.5	100	0.05	< 3.0	0.24	< 20
704	MJBA21004	3.0	4.0	1.0	51	< 3.0	18	79	33	3.9	2	< 1	< 50	< 20	< 3.0	10	14	67	0.11	4.6	0.22	< 20
705	MJBA21005	4.0	5.0	1.0	14	< 3.0	26	87	42	4	2	< 1	< 50	< 20	< 3.0	< 8.0	15	74	0.05	5.8	0.22	< 20
706	MJBA21006	5.0	6.0	1.0	14	< 3.0	38	76	46	3.6	2	< 1	< 50	< 20	< 3.0	< 8.0	20	62	0.08	4.9	0.22	< 20
707	MJBA21007	6.0	7.0	1.0	116	< 3.0	14	86	25	2.4	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8	48	0.04	3.8	0.28	< 20
708	MJBA21008	7.0	8.0	1.0	< 5	< 3.0	28	107	33	3.4	1	< 1	< 50	< 20	< 3.0	8.7	15	58	0.04	4.2	0.33	< 20
709	MJBA21009	8.0	9.0	1.0	23	< 3.0	30	129	31	4.5	2	< 1	< 50	< 20	< 3.0	14	8	70	0.17	6.9	0.75	< 20
710	MJBA21010	9.0	10.0	1.0	< 5	< 3.0	31	110	22	4.7	2	< 1	< 50	< 20	< 3.0	8.5	6.2	71	0.06	4.8	0.5	< 20
711	MJBA21011	10.0	11.0	1.0	19	< 3.0	32	129	46	4.2	2	< 1	< 50	< 20	< 3.0	36	10	73	0.29	4.9	1.3	< 20
712	MJBA21012	11.0	12.0	1.0	23	< 3.0	29	243	79	4.5	4	< 1	< 50	< 20	< 3.0	28	16	72	0.33	6	1.4	< 20
713	MJBA21013	12.0	13.0	1.0	< 5	< 3.0	25	95	81	4.1	1	< 1	< 50	< 20	< 3.0	21	18	61	0.07	4.4	1.6	< 20
714	MJBA21014	13.0	14.0	1.0	9	< 3.0	18	97	85	3.8	1	< 1	< 50	< 20	< 3.0	18	12	58	0.14	3.7	1.6	< 20
715	MJBA21015	14.0	15.0	1.0	< 5	< 3.0	20	101	97	4.2	1	< 1	< 50	< 20	< 3.0	18	18	59	0.13	4.4	1.3	< 20
716	MJBA21016	15.0	16.0	1.0	< 5	< 3.0	23	87	88	3.4	5	< 1	< 50	< 20	< 3.0	13	8.5	59	0.1	3.7	2.3	< 20
717	MJBA21017	16.0	17.0	1.0	9	< 3.0	25	96	93	3.6	2	< 1	< 50	< 20	< 3.0	18	13	60	0.14	< 3.0	3	< 20
718	MJBA21018	17.0	18.0	1.0	< 5	< 3.0	18	84	85	3.8	< 1	< 1	< 50	< 20	< 3.0	16	16	55	0.11	6.3	3.6	< 20
719	MJBA21019	18.0	19.0	1.0	< 5	< 3.0	14	75	73	3.5	1	< 1	< 50	< 20	< 3.0	14	8.4	52	0.1	5.3	3.6	< 20
720	MJBA21020	19.0	20.0	1.0	< 5	< 3.0	16	80	78	3.5	1	< 1	< 50	< 20	< 3.0	15	11	55	0.1	< 3.0	3.7	< 20
721	MJBA21021	20.0	21.0	1.0	< 5	< 3.0	24	76	86	3.4	1	< 1	< 50	< 20	< 3.0	14	16	50	0.1	3.8	4.1	< 20
722	MJBA21022	21.0	22.0	1.0	< 5	< 3.0	24	90	104	3.6	1	< 1	< 50	< 20	< 3.0	15	14	57	0.11	< 3.0	3.9	< 20
723	MJBA21023	22.0	23.0	1.0	< 5	< 3.0	16	81	92	3.5	1	< 1	< 50	< 20	< 3.0	15	14	51	0.12	4.1	4	< 20
724	MJBA21024	23.0	24.0	1.0	9	< 3.0	17	77	100	3.6	< 1	< 1	< 50	< 20	< 3.0	14	12	54	0.1	5.6	3.8	< 20
725	MJBA21025	24.0	25.0	1.0	< 5	< 3.0	16	79	93	3.7	1	< 1	< 50	< 20	< 3.0	14	10	51	0.11	< 3.0	3.9	< 20
726	MJBA21026	25.0	26.0	1.0	< 5	< 3.0	15	76	81	3.7	1	< 1	< 50	< 20	< 3.0	13	12	54	0.09	3.6	3.9	< 20
727	MJBA21027	26.0	27.0	1.0	< 5	< 3.0	19	73	88	3.8	1	< 1	< 50	< 20	< 3.0	14	13	55	0.12	< 3.0	4	< 20
728	MJBA21028	27.0	28.0	1.0	< 5	< 3.0	23	80	113	3.4	2	< 1	< 50	< 20	< 3.0	13	14	52	0.1	4.6	4	< 20
729	MJBA21029	28.0	29.0	1.0	< 5	< 3.0	15	129	105	2.7	2	< 1	< 50	< 20	< 3.0	11	10	43	0.09	3.8	3.8	< 20
730	MJBA21030	29.0	30.0	1.0	< 5	< 3.0	14	67	59	3.1	1	< 1	< 50	< 20	< 3.0	11	9.3	48	0.11	3.5	3.3	< 20
731	MJBA21031	30.0	31.0	1.0	< 5	< 3.0	6.2	74	60	2.9	2	< 1	< 50	< 20	< 3.0	11	8.4	49	0.07	3.9	3.4	< 20
732	MJBA21032	31.0	32.0	1.0	< 5	< 3.0	5.9	62	56	2.7	< 1	< 1	< 50	< 20	< 3.0	10	7.4	48	0.06	3.3	3.2	< 20
733	MJBA21033	32.0	33.0	1.0	74	< 3.0	13	66	79	2.8	2	< 1	< 50	< 20	< 3.0	11	9.2	48	0.08	6.6	3.4	< 20
734	MJBA21034	33.0	34.0	1.0	< 5	< 3.0	6.6	57	50	2.7	< 1	< 1	< 50	< 20	< 3.0	10	7.1	46	0.05	< 3.0	3.5	< 20
735	MJBA21035	34.0	35.0	1.0	< 5	< 3.0	9	62	52	3	< 1	< 1	< 50	< 20	< 3.0	11	8.6	53	0.06	4.1	3.4	< 20
736	MJBA21036	35.0	36.0	1.0	< 5	< 3.0	4.7	58	43	2.5	< 1	< 1	< 50	< 20	< 3.0	9	6.2	44	0.05	4.2	2.9	< 20
737	MJBA21037	36.0	37.0	1.0	< 5	< 3.0	6.1	62	51	3	< 1	< 1	< 50	< 20	< 3.0	10	8	52	0.06	3.2	3.4	< 20
738	MJBA21038	37.0	38.0	1.0	< 5	< 3.0	6.5	54	47	2.9	< 1	< 1	< 50	< 20	< 3.0	11	7.4	51	0.05	3.4	3.4	< 20
739	MJBA21039	38.0	39.0	1.0	< 5	< 3.0	7.8	75	38	2.5	< 1	< 1	< 50	< 20	< 3.0	12	13	50	0.06	< 3.0	3.4	< 20
740	MJBA21040	39.0	40.0	1.0	< 5	< 3.0	12	87	77	3.1	< 1	< 1	< 50	< 20	< 3.0	11	12	54	0.1	< 3.0	4.4	< 20
741	MJBA21041	40.0	41.0	1.0	42	< 3.0	8.5	69	49	2.4	< 1	< 1	< 50	< 20	< 3.0	11	9.3	48	0.06	3.9	3.2	< 20
742	MJBA21042	41.0	42.0	1.0	19	< 3.0	8.6	154	57	2.5	1	< 1	< 50	< 20	< 3.0	10	9.2	47	0.06	3.4	3.5	< 20
743	MJBA21043	42.0	43.0	1.0	120	< 3.0	9	82	38	2.5	< 1	< 1	< 50	< 20	< 3.0	11	9.7	45	0.06	< 3.0	3.4	< 20
744	MJBA21044	43.0	44.0	1.0	< 5	< 3.0	8	77	51	2.6	< 1	< 1	< 50	< 20	< 3.0	12	10	49	0.06	10	3.4	< 20
745	MJBA21045	44.0	45.0	1.0	< 5	< 3.0	8.1	76	38	2.2	< 1	< 1	< 50	< 20	< 3.0	10	9.1	41	0.05	3.4	3.8	< 20
746	MJBA21046	45.0	46.0	1.0	< 5	< 3.0	6.1	77	19	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	9.2	29	0.04	4	3.8	< 20
747	MJBA21047	46.0	47.0	1.0	< 5	< 3.0	13	78	41	2.4	< 1	< 1	< 50	< 20	< 3.0	11	9.7	47	0.06	4.2	3.5	< 20
748	MJBA21048	47.0	48.0	1.0	23	< 3.0	13	75	41	2.4	< 1	< 1	< 50	< 20	< 3.0	11	9.4	46	0.06	3.4	3.6	< 20
749	MJBA21049	48.0	49.0	1.0	< 5	< 3.0	13	72	34	2.2	< 1	< 1	< 50	< 20	< 3.0	9.9	9.6	42	0.05	4.2	3.5	< 20
750	MJBA21050	49.0	50.0	1.0	< 5	< 3.0	8.7	77	36	2.5	< 1	< 1	< 50	< 20	< 3.0	11	10	47	0.06	< 3.0	3.4	< 20
751	MJBA21051	50.0	51.0	1.0	< 5	< 3.0	7.9	82	43	2.5	< 1	< 1	< 50	< 20	< 3.0	10	9.8	48	0.06	3.8	3.7	< 20
752	MJBA21052	51.0	52.0	1.0	176	< 3.0	24	134	192	2.3	1	< 1	< 50	< 20	< 3.0	10	10	45	0.08	3.8	3.7	< 20
753	MJBA21053	52.0	53.0	1.0	< 5	< 3.0	7.5	76	44	2.3	< 1	< 1	< 50	< 20	< 3.0	11	9.9	45	0.06	3.5	3.7	< 20
754	MJBA21054	53.0	54.0	1.0	< 5	< 3.0	9.3	82	39	2.4	< 1	< 1	< 50	< 20	< 3.0	11	10	46	0.06	< 3.0	3.7	< 20
755	MJBA21055	54.0	55.0	1.0	23	< 3.0	25	110	45	2.1	< 1	< 1	< 50	< 20	< 3.0	9.8	10	41	0.06	3.6	3.9	< 20
756	MJBA21056	55.0	56.0	1.0	< 5	< 3.0	11	79	45	2.6	1	< 1	< 50	< 20	< 3.0	12	11	51	0.06	4	3.9	< 20
757	MJBA21057	56.0	57.0	1.0	< 5	< 3.0	30	74	39	2.6	< 1	< 1	< 50	< 20	< 3.0	12	11	53	0.06	3.9	3.4	< 20
758	MJBA21058	57.0	58.0	1.0	< 5	< 3.0	38	75	41	2.6	< 1	< 1	< 50	< 20	< 3.0	11	11	50	0.06	4.7	3.5	< 20
759	MJBA21059	58.0	59.0	1.0	< 5	< 3.0	15	69	32	2.6	< 1	< 1	< 50	< 20	< 3.0	11	9.9	53	0.05	< 3.0	3.7	< 20
760	MJBA21060	59.0	60.0	1.0	< 5	< 3.0	9.7	81	36	2.7	< 1	< 1	< 50	< 20	< 3.0	12	14	51	0.06	3.8	3.7	< 20
761	MJBA21061	60.0	61.0	1.0	14	< 3.0	9.9	84	49	2.6	1	< 1	< 50	< 20	< 3.0	12	9.3	53	0.11	< 3.0	4.4	< 20
762	MJBA21062	61.0	62.0	1.0	37	< 3.0	9.1	120	71	2.5	< 1	< 1	< 50	< 20	< 3.0	12	10	48	0.11	< 3.0	5	< 20
763	MJBA21063	62.0	63.0	1.0	< 5	< 3.0	8.6	109	84	2.7	< 1	< 1	< 50	< 20	< 3.0	12	13	55	0.1	5.4	5.2	< 20
764	MJBA21064	63.0	64.0	1.0	< 5	< 3.0	9	108	92	2.9	< 1	< 1	< 50	< 20	< 3.0	12	13	57	0.12	3.8	5.1	< 20
765	MJBA21065	64.0	65.0	1.0	19	< 3.0	11	123	89	3.7	2	< 1	< 50	< 20	< 3.0	14	15	64	0.14	6.1	4.7	< 20
766	MJBA21066	65.0	66.0	1.0	< 5	< 3.0	9.2	85	92	3.5	1	< 1	< 50	< 20	< 3.0	12	12	65	0.1	4	4.2	< 20
767	MJBA21067	66.0	67.0	1.0	< 5	< 3.0	8.7	98	107	3.4	< 1	< 1	< 50	< 20	< 3.0	11	12	62	0.09	< 3.0	4.2	< 20
768	MJBA21068	67.0	68.0	1.0	< 5	< 3.0	9	109	133	3.3	< 1	< 1	< 50	< 20	< 3.0	13	11	62	0.08	3.5	4.5	< 20
769	MJBA21069	68.0	69.0	1.0	< 5	< 3.0	14	104	66	2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	9.6	32	0.06	< 3.0	5.6	< 20
770	MJBA21070	69.0	70.0	1.0	42	< 3.0	10	120	53	3	< 1	< 1	< 50	< 20	< 3.0	13	11	57	0.08	5.5	4.6	< 20
771	MJBA21071	70.0	71.0	1.0	< 5	< 3.0	8.4	114	162	2.7	< 1	< 1	< 50	< 20	< 3.0	11	12	48	0.08	< 3.0	4.7	< 20
772	MJBA21072	71.0	72.0	1.0	< 5	< 3.0	9.4	116	175	3.8	< 1	< 1	< 50	< 20	< 3.0	15	11	68	0.11	3.2	5	< 20
773	MJBA21073	72.0	73.0	1.0	< 5	< 3.0	10	121	145	4	< 1	< 1	< 50	< 20	< 3.0	15	14	70	0.12	< 3.0	4.4	< 20
774	MJBA21074	73.0	74.0	1.0	833	< 3.0	26	120	122	3.8	< 1	< 1	< 50	< 20	< 3.0	15	12	61	0.14	3.5	5	< 20
775	MJBA21075	74.0	75.0	1.0	< 5	< 3.0	8.4	110	129	3.3	< 1	< 1	< 50	< 20	< 3.0	12	11	56	0.11	< 3.0	4.1	< 20
776	MJBA21076	75.0	76.0	1.0	< 5	< 3.0	9.2	99	121	3.9	< 1	< 1	< 50	< 20	< 3.0	15	11	68	0.07	< 3.0	3.7	< 20
777	MJBA21077	76.0	77.0	1.0	< 5	< 3.0	11	67	84	4.2	< 1	< 1	< 50	< 20	< 3.0	12	8.2	68	0.08	< 3.0	2.5	< 20
778	MJBA21078	77.0	78.0	1.0	< 5	< 3.0	13	72	90	4	1	< 1	< 50	< 20	< 3.0	12	8.9	66	0.1	4.5	3.1	< 20
779	MJBA21079	78.0	79.0	1.0	14	< 3.0	14	77	108	3.9	2	< 1	< 50	< 20	< 3.0	13	8.3	64	0.12	< 3.0	3.4	< 20
780	MJBA21080	79.0	80.0	1.0	< 5	< 3.0	11	96	127	3.5	1	< 1	< 50	< 20	< 3.0	12	8.8	59	0.09	< 3.0	4.1	< 20
781	MJBA21081	80.0	81.0	1.0	< 5	< 3.0	16	103	121	3.5	1	< 1	< 50	< 20	< 3.0	12	8.1	61	0.12	< 3.0	4.7	< 20
782	MJBA21082	81.0	82.0	1.0	< 5	< 3.0	30	102	88	3	< 1	< 1	< 50	< 20	< 3.0	13	9.5	53	0.1	3.6	5.1	< 20
783	MJBA21083	82.0	83.0	1.0	< 5	< 3.0	26	87	100	3.9	2	< 1	< 50	< 20	< 3.0	13	11	73	0.1	< 3.0	4.5	< 20
784	MJBA21084	83.0	84.0	1.0	< 5	< 3.0	25	120	99	3.3	< 1	< 1	< 50	< 20	< 3.0	13	13	64	0.12	5.9	4.5	< 20
785	MJBA21085	84.0	85.0	1.0	19	< 3.0	16	65	69	2.5	1	< 1	< 50	< 20	< 3.0	10	7.1	48	0.07	< 3.0	3.8	< 20
786	MJBA21086	85.0	86.0	1.0	< 5	< 3.0	14	61	71	3.1	< 1	< 1	< 50	< 20	< 3.0	9.1	10	58	0.04	< 3.0	4	< 20
787	MJBA21087	86.0	87.0	1.0	19	< 3.0	14	88	109	3.9	3	< 1	< 50	< 20	< 3.0	14	9	66	0.09	< 3.0	4	< 20
788	MJBA21088	87.0	88.0	1.0	< 5	< 3.0	15	120	143	4.3	< 1	< 1	< 50	< 20	< 3.0	14	11	72	0.09	< 3.0	4.1	< 20
789	MJBA21089	88.0	89.0	1.0	< 5	< 3.0	8.7	73	92	2.9	1	< 1	< 50	< 20	< 3.0	9.5	6.1	49	0.07	3.8	2.8	< 20
790	MJBA21090	89.0	90.0	1.0	< 5	< 3.0	62	94	117	3.5	< 1	< 1	< 50	< 20	< 3.0	12	10	64	0.11	< 3.0	4.4	< 20
791	MJBA21091	90.0	91.0	1.0	< 5	< 3.0	26	78	71	3.2	< 1	< 1	< 50	< 20	< 3.0	13	8.4	63	0.07	< 3.0	3.2	< 20
792	MJBA21092	91.0	92.0	1.0	< 5	< 3.0	14	76	73	3.1	< 1	< 1	< 50	< 20	< 3.0	13	8.8	63	0.06	< 3.0	3.3	< 20
793	MJBA21093	92.0	93.0	1.0	< 5	< 3.0	12	71	54	3	< 1	< 1	< 50	< 20	< 3.0	11	37	58	0.06	< 3.0	3.5	< 20
794	MJBA21094	93.0	94.0	1.0	< 5	< 3.0	18	68	50	2.5	< 1	< 1	< 50	< 20	< 3.0	9.4	9.6	46	0.05	< 3.0	3.2	< 20
795	MJBA21095	94.0	95.0	1.0	56	< 3.0	34	70	62	3.1	< 1	< 1	< 50	< 20	< 3.0	13	9.8	61	0.07	5.3	3.5	< 20
796	MJBA21096	95.0	96.0	1.0	< 5	< 3.0	28	68	66	3.1	< 1	< 1	< 50	< 20	< 3.0	12	11	62	0.06	< 3.0	3.2	< 20
797	MJBA21097	96.0	97.0	1.0	9	< 3.0	47	79	70	3.6	< 1	< 1	< 50	< 20	< 3.0	15	10	72	0.07	3.2	3.5	< 20
798	MJBA21098	97.0	98.0	1.0	14	< 3.0	51	108	78	3.1	< 1	< 1	< 50	< 20	< 3.0	13	9.7	59	0.07	3.1	3.3	< 20
799	MJBA21099	98.0	99.0	1.0	19	< 3.0	66	87	73	3.3	< 1	< 1	< 50	< 20	< 3.0	16	9.2	53	0.08	5	3.4	< 20
800	MJBA21100	99.0	100.55	1.55	14	< 3.0	77	72	67	3.2	< 1	< 1	< 50	< 20	< 3.0	14	9	61	0.06	5.5	3.2	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
801	MJBA22001	0.0	1.0	1.0	88	< 3.0	40	113	56	4	3	< 1	174	< 20	< 3.0	13	15	83	0.04	4.9	0.27	< 20
802	MJBA22002	1.0	2.0	1.0	23	< 3.0	30	150	44	3.3	3	< 1	101	< 20	< 3.0	10	14	74	0.03	5.8	0.27	< 20
803	MJBA22003	2.0	3.0	1.0	255	< 3.0	17	125	26	2.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	13	41	0.05	4.6	0.24	< 20
804	MJBA22004	3.0	4.0	1.0	23	< 3.0	18	110	25	2.3	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8.2	42	0.05	3.8	0.28	< 20
805	MJBA22005	4.0	5.0	1.0	< 5	< 3.0	19	65	51	3.7	< 1	< 1	< 50	< 20	< 3.0	14	22	54	0.15	4.9	3.2	< 20
806	MJBA22006	5.0	6.0	1.0	< 5	< 3.0	58	110	88	5.1	< 1	< 1	< 50	< 20	< 3.0	12	28	76	0.08	5.3	0.52	< 20
807	MJBA22007	6.0	7.0	1.0	60	< 3.0	51	101	54	4.1	< 1	< 1	< 50	< 20	< 3.0	12	24	66	0.07	4.2	0.44	< 20
808	MJBA22008	7.0	8.0	1.0	23	< 3.0	48	116	51	4	2	< 1	< 50	< 20	< 3.0	26	12	79	0.33	4.8	1	< 20
809	MJBA22009	8.0	9.0	1.0	56	< 3.0	40	105	61	4.3	2	< 1	< 50	< 20	< 3.0	16	16	74	0.14	6.5	2	< 20
810	MJBA22010	9.0	10.0	1.0	< 5	< 3.0	47	83	101	4	2	< 1	< 50	< 20	< 3.0	15	26	56	0.11	4.4	3.2	< 20
811	MJBA22011	10.0	11.0	1.0	< 5	< 3.0	57	87	123	3.8	1	< 1	< 50	< 20	< 3.0	16	23	59	0.08	< 3.0	2.5	< 20
812	MJBA22012	11.0	12.0	1.0	14	< 3.0	38	80	100	3.6	< 1	< 1	< 50	< 20	< 3.0	15	18	55	0.07	3.7	3.4	< 20
813	MJBA22013	12.0	13.0	1.0	< 5	< 3.0	37	76	97	3.5	2	< 1	< 50	< 20	< 3.0	18	20	51	0.13	4.9	2.7	< 20
814	MJBA22014	13.0	14.0	1.0	< 5	< 3.0	24	87	80	3.8	< 1	< 1	< 50	< 20	< 3.0	21	14	58	0.17	4.2	3.1	< 20
815	MJBA22015	14.0	15.0	1.0	< 5	< 3.0	28	96	98	3.6	2	< 1	< 50	< 20	< 3.0	22	13	63	0.16	3.4	3.5	< 20
816	MJBA22016	15.0	16.0	1.0	< 5	< 3.0	25	85	85	3.9	2	< 1	< 50	< 20	< 3.0	19	11	64	0.15	5.3	3.5	< 20
817	MJBA22017	16.0	17.0	1.0	< 5	< 3.0	24	100	107	5	2	< 1	< 50	< 20	< 3.0	20	18	72	0.16	6	4.5	< 20
818	MJBA22018	17.0	18.0	1.0	< 5	< 3.0	27	85	122	5.1	2	< 1	< 50	< 20	< 3.0	22	12	84	0.15	3.7	3.7	< 20
819	MJBA22019	18.0	19.0	1.0	< 5	< 3.0	34	81	101	4.1	2	< 1	< 50	< 20	< 3.0	16	15	68	0.12	< 3.0	3.6	< 20
820	MJBA22020	19.0	20.0	1.0	19	< 3.0	44	120	105	4.1	2	< 1	< 50	< 20	< 3.0	17	18	70	0.13	5.2	3.8	< 20
821	MJBA22021	20.0	21.0	1.0	9	< 3.0	32	87	89	3.8	< 1	< 1	< 50	< 20	< 3.0	16	15	66	0.12	4.6	3.7	< 20
822	MJBA22022	21.0	22.0	1.0	< 5	< 3.0	14	57	40	2.8	2	< 1	< 50	< 20	< 3.0	11	12	48	0.09	3.9	3.2	< 20
823	MJBA22023	22.0	23.0	1.0	< 5	< 3.0	19	78	68	3.8	< 1	< 1	< 50	< 20	< 3.0	15	20	58	0.14	6.3	3.5	< 20
824	MJBA22024	23.0	24.0	1.0	< 5	< 3.0	23	77	82	4	1	< 1	< 50	< 20	< 3.0	16	19	57	0.15	4.1	3.6	< 20
825	MJBA22025	24.0	25.0	1.0	32	< 3.0	42	99	56	3.7	2	< 1	< 50	< 20	< 3.0	9.3	23	62	0.06	3.7	0.47	< 20
826	MJBA22026	25.0	26.0	1.0	< 5	< 3.0	14	66	51	3.1	< 1	< 1	< 50	< 20	< 3.0	13	9.1	52	0.1	< 3.0	3	< 20
827	MJBA22027	26.0	27.0	1.0	< 5	< 3.0	13	64	49	2.9	< 1	< 1	< 50	< 20	< 3.0	12	9.4	50	0.08	< 3.0	3.2	< 20
828	MJBA22028	27.0	28.0	1.0	< 5	4.4	28	87	90	4.1	< 1	< 1	< 50	< 20	< 3.0	16	15	63	0.15	4.6	3.8	< 20
829	MJBA22029	28.0	29.0	1.0	< 5	< 3.0	30	75	79	3.7	3	< 1	< 50	< 20	< 3.0	15	13	53	0.12	< 3.0	3.7	< 20
830	MJBA22030	29.0	30.0	1.0	< 5	< 3.0	27	79	75	3.8	2	< 1	< 50	< 20	< 3.0	15	12	56	0.12	< 3.0	3.8	< 20
831	MJBA22031	30.0	31.0	1.0	28	< 3.0	27	73	79	3.4	2	< 1	< 50	< 20	< 3.0	14	13	55	0.09	4.5	3.9	< 20
832	MJBA22032	31.0	32.0	1.0	< 5	< 3.0	25	79	76	3.7	2	< 1	< 50	< 20	< 3.0	15	16	54	0.12	3.8	3.7	< 20
833	MJBA22033	32.0	33.0	1.0	< 5	< 3.0	20	78	83	3.7	2	< 1	< 50	< 20	< 3.0	15	12	58	0.09	3.1	3.6	< 20
834	MJBA22034	33.0	34.0	1.0	< 5	< 3.0	18	67	57	3	1	< 1	< 50	< 20	< 3.0	12	8.7	47	0.1	< 3.0	3.6	< 20
835	MJBA22035	34.0	35.0	1.0	19	< 3.0	19	78	63	3.1	1	< 1	< 50	< 20	< 3.0	12	8	47	0.09	3.8	3.8	< 20
836	MJBA22036	35.0	36.0	1.0	< 5	< 3.0	31	83	52	2.6	< 1	< 1	< 50	< 20	< 3.0	10	13	34	0.1	3.2	3.8	< 20
837	MJBA22037	36.0	37.0	1.0	< 5	< 3.0	35	78	75	3.5	2	< 1	< 50	< 20	< 3.0	13	9.1	57	0.09	< 3.0	3.6	< 20
838	MJBA22038	37.0	38.0	1.0	< 5	< 3.0	43	75	80	3.1	2	< 1	< 50	< 20	< 3.0	13	10	53	0.1	< 3.0	3.7	< 20
839	MJBA22039	38.0	39.0	1.0	< 5	< 3.0	35	73	68	3.4	1	< 1	< 50	< 20	< 3.0	14	7.2	53	0.13	< 3.0	3.5	< 20
840	MJBA22040	39.0	40.0	1.0	19	< 3.0	39	84	86	3.2	4	< 1	< 50	< 20	< 3.0	11	9.5	52	0.08	< 3.0	3.6	< 20
841	MJBA22041	40.0	41.0	1.0	97	< 3.0	40	115	94	3.1	4	< 1	< 50	< 20	< 3.0	12	13	51	0.16	4.1	4.4	< 20
842	MJBA22042	41.0	42.0	1.0	14	< 3.0	38	81	74	3	2	< 1	< 50	< 20	< 3.0	14	13	53	0.31	3.8	4.1	< 20
843	MJBA22043	42.0	43.0	1.0	< 5	< 3.0	23	90	92	3.4	2	< 1	< 50	< 20	< 3.0	9.6	13	40	0.29	6.3	3.4	< 20
844	MJBA22044	43.0	44.0	1.0	9	< 3.0	19	66	55	2.4	< 1	< 1	< 50	< 20	< 3.0	9.6	6.4	46	0.04	3.2	3.6	< 20
845	MJBA22045	44.0	45.0	1.0	< 5	< 3.0	19	66	48	2.5	< 1	< 1	< 50	< 20	< 3.0	9.9	8.9	44	0.06	3.7	3.3	< 20
846	MJBA22046	45.0	46.0	1.0	< 5	< 3.0	19	65	49	2.6	< 1	< 1	< 50	< 20	< 3.0	10	6.5	47	0.06	4.4	3.2	< 20
847	MJBA22047	46.0	47.0	1.0	< 5	< 3.0	21	67	49	2.6	2	< 1	< 50	< 20	< 3.0	10	6.7	45	0.05	3.2	3.3	< 20
848	MJBA22048	47.0	48.0	1.0	< 5	< 3.0	20	68	57	2.8	2	< 1	< 50	< 20	< 3.0	10	7.6	51	0.05	< 3.0	3.4	< 20
849	MJBA22049	48.0	49.0	1.0	< 5	< 3.0	26	68	54	2.7	< 1	< 1	< 50	< 20	< 3.0	11	7.4	49	0.06	4.2	3.3	< 20
850	MJBA22050	49.0	50.0	1.0	< 5	< 3.0	33	149	49	2.8	< 1	< 1	< 50	< 20	< 3.0	10	7.3	48	0.07	4.8	3.2	< 20
851	MJBA22051	50.0	51.0	1.0	< 5	< 3.0	31	74	74	2.8	< 1	< 1	< 50	< 20	< 3.0	9.8	8	51	0.06	4.5	3.5	< 20
852	MJBA22052	51.0	52.0	1.0	< 5	< 3.0	18	61	44	2.6	2	< 1	< 50	< 20	< 3.0	9.8	8.2	47	0.05	3.2	3.3	< 20
853	MJBA22053	52.0	53.0	1.0	< 5	< 3.0	24	68	50	2.5	< 1	< 1	< 50	< 20	< 3.0	10	7.6	42	0.05	4.4	3.2	< 20
854	MJBA22054	53.0	54.0	1.0	14	< 3.0	24	68	53	2.5	< 1	< 1	< 50	< 20	< 3.0	9.8	7.5	43	0.05	4.8	3.4	< 20
855	MJBA22055	54.0	55.0	1.0	< 5	< 3.0	23	68	49	2.6	< 1	< 1	< 50	< 20	< 3.0	10	9.1	45	0.05	7.6	3.2	< 20
856	MJBA22056	55.0	56.0	1.0	< 5	< 3.0	19	66	44	2.5	< 1	< 1	< 50	< 20	< 3.0	10	7.8	45	0.05	3.4	3.4	< 20
857	MJBA22057	56.0	57.0	1.0	14	< 3.0	18	74	54	2.6	1	< 1	< 50	< 20	< 3.0	10	7.2	47	0.06	< 3.0	3.5	< 20
858	MJBA22058	57.0	58.0	1.0	< 5	< 3.0	12	68	47	2.7	1	< 1	< 50	< 20	< 3.0	11	8.6	46	0.06	< 3.0	3.3	< 20
859	MJBA22059	58.0	59.0	1.0	< 5	< 3.0	13	66	47	2.8	< 1	< 1	< 50	< 20	< 3.0	11	8.7	49	0.06	< 3.0	3.2	< 20
860	MJBA22060	59.0	60.0	1.0	< 5	< 3.0	19	62	64	3.2	1	< 1	< 50	< 20	< 3.0	12	8.8	60	0.07	4.1	3.3	< 20
861	MJBA22061	60.0	61.0	1.0	< 5	< 3.0	21	69	53	3	< 1	< 1	< 50	< 20	< 3.0	12	8.2	52	0.06	5.2	3.4	< 20
862	MJBA22062	61.0	62.0	1.0	< 5	< 3.0	17	63	45	3	< 1	< 1	< 50	< 20	< 3.0	11	9.3	53	0.06	4	3.4	< 20
863	MJBA22063	62.0	63.0	1.0	< 5	< 3.0	13	71	57	3	< 1	< 1	< 50	< 20	< 3.0	11	8.7	55	0.07	4.2	3.4	< 20
864	MJBA22064	63.0	64.0	1.0	< 5	< 3.0	16	70	62	3.5	< 1	< 1	< 50	< 20	< 3.0	14	10	64	0.07	4.8	3.3	< 20
865	MJBA22065	64.0	65.0	1.0	< 5	< 3.0	12	65	52	3.1	< 1	< 1	< 50	< 20	< 3.0	12	8.3	56	0.06	4.2	3.5	< 20
866	MJBA22066	65.0	66.0	1.0	< 5	< 3.0	12	64	49	3	< 1	< 1	< 50	< 20	< 3.0	11	9.8	54	0.06	3.2	3.3	< 20
867	MJBA22067	66.0	67.0	1.0	9	< 3.0	15	80	85	2.4	3	< 1	< 50	< 20	< 3.0	< 8.0	7.5	44	0.07	4.5	3.5	< 20
868	MJBA22068	67.0	68.0	1.0	< 5	< 3.0	9	70	63	2.3	2	< 1	< 50	< 20	< 3.0	8.5	7.4	39	0.05	3.9	3.5	< 20
869	MJBA22069	68.0	69.0	1.0	< 5	< 3.0	9.2	54	37	2.4	< 1	< 1	< 50	< 20	< 3.0	9.8	7.2	44	0.05	3.2	3.2	< 20
870	MJBA22070	69.0	70.0	1.0	9	< 3.0	11	60	51	3.1	< 1	< 1	< 50	< 20	< 3.0	11	8.5	57	0.06	3.8	3.9	< 20
871	MJBA22071	70.0	71.0	1.0	130	< 3.0	8.8	49	40	1.9	2	< 1	< 50	< 20	< 3.0	< 8.0	6.9	33	0.06	3.5	2.9	< 20
872	MJBA22072	71.0	72.0	1.0	< 5	< 3.0	8.1	63	46	2.1	1	< 1	< 50	< 20	< 3.0	< 8.0	8.3	40	0.06	3.5	4.4	< 20
873	MJBA22073	72.0	73.0	1.0	< 5	< 3.0	11	57	69	2.9	1	< 1	< 50	< 20	< 3.0	8.6	8.2	50	0.08	3.2	4	< 20
874	MJBA22074	73.0	74.0	1.0	< 5	< 3.0	5.8	49	35	1.9	< 1	< 1	< 50	< 20	< 3.0	< 8.0	3.9	32	0.08	< 3.0	3.5	< 20
875	MJBA22075	74.0	75.0	1.0	< 5	< 3.0	11	82	65	3.4	2	< 1	< 50	< 20	< 3.0	8.7	8.2	41	0.11	4.9	4.9	< 20
876	MJBA22076	75.0	76.0	1.0	< 5	< 3.0	13	67	59	5.6	2	< 1	< 50	< 20	< 3.0	9.7	7.1	50	0.11	4.1	4.9	< 20
877	MJBA22077	76.0	77.0	1.0	< 5	< 3.0	7.4	97	80	2.7	1	< 1	< 50	< 20	< 3.0	13	7.8	51	0.11	< 3.0	4.5	< 20
878	MJBA22078	77.0	78.0	1.0	< 5	< 3.0	5.6	48	44	2.5	< 1	< 1	< 50	< 20	< 3.0	10	6	50	0.05	< 3.0	3.3	< 20
879	MJBA22079	78.0	79.0	1.0	< 5	< 3.0	5.1	64	57	2.6	< 1	< 1	< 50	< 20	< 3.0	11	8.7	51	0.07	< 3.0	3.3	< 20
880	MJBA22080	79.0	80.0	1.0	< 5	< 3.0	4.4	51	53	2.4	< 1	< 1	< 50	< 20	< 3.0	9.6	8.2	46	0.06	< 3.0	3.2	< 20
881	MJBA22081	80.0	81.0	1.0	< 5	< 3.0	7.6	101	88	3.3	< 1	< 1	< 50	< 20	< 3.0	17	11	54	0.12	6.4	5	< 20
882	MJBA22082	81.0	82.0	1.0	< 5	< 3.0	6.9	75	86	3.3	1	< 1	< 50	< 20	< 3.0	12	7.2	58	0.12	< 3.0	4.7	< 20
883	MJBA22083	82.0	83.0	1.0	< 5	< 3.0	5.5	103	73	3.2	< 1	< 1	< 50	< 20	< 3.0	11	10	54	0.13	4.6	4.2	< 20
884	MJBA22084	83.0	84.0	1.0	< 5	< 3.0	7.2	93	85	3.3	< 1	< 1	< 50	< 20	< 3.0	12	8.6	53	0.14	5.5	4.7	< 20
885	MJBA22085	84.0	85.0	1.0	9	< 3.0	6.3	113	85	2.4	< 1	< 1	< 50	< 20	< 3.0	11	7.5	39	0.11	3.6	5	< 20
886	MJBA22086	85.0	86.0	1.0	< 5	< 3.0	5.8	75	92	3.2	2	< 1	< 50	< 20	< 3.0	12	7.6	56	0.13	< 3.0	3.6	< 20
887	MJBA22087	86.0	87.0	1.0	< 5	< 3.0	7.3	102	135	2.8	< 1	< 1	< 50	< 20	< 3.0	11	8.7	51	0.13	4.3	3.8	< 20
888	MJBA22088	87.0	88.0	1.0	< 5	< 3.0	4.4	105	96	2.1	< 1	< 1	< 50	< 20	< 3.0	8.2	5.6	35	0.1	3.8	4.4	< 20
889	MJBA22089	88.0	89.0	1.0	< 5	< 3.0	5.7	93	92	2.9	< 1	< 1	< 50	< 20	< 3.0	9.2	7.4	45	0.12	5.2	4.7	< 20
890	MJBA22090	89.0	90.0	1.0	14	< 3.0	6.4	97	95	4	< 1	< 1	< 50	< 20	< 3.0	13	8.7	62	0.18	4.9	5.1	< 20
891	MJBA22091	90.0	91.0	1.0	< 5	< 3.0	5.4	87	88	3.2	< 1	< 1	< 50	< 20	< 3.0	12	8.4	51	0.11	< 3.0	3.9	< 20
892	MJBA22092	91.0	92.0	1.0	< 5	< 3.0	7.2	96	108	3.2	< 1	< 1	< 50	< 20	< 3.0	10	7.4	53	0.12	3.2	3.7	< 20
893	MJBA22093	92.0	93.0	1.0	< 5	< 3.0	7.2	108	129	3.8	< 1	< 1	< 50	< 20	< 3.0	13	10	62	0.13	3.1	4	< 20
894	MJBA22094	93.0	94.0	1.0	< 5	< 3.0	6.2	90	110	3.2	< 1	< 1	< 50	< 20	< 3.0	12	7.5	50	0.11	< 3.0	3.2	< 20
895	MJBA22095	94.0	95.0	1.0	< 5	< 3.0	4.4	80	82	3.1	< 1	< 1	< 50	< 20	< 3.0	11	6.1	51	0.11	< 3.0	3.5	< 20
896	MJBA22096	95.0	96.0	1.0	< 5	< 3.0	4.9	79	72	3.7	< 1	< 1	< 50	< 20	< 3.0	13	8.1	49	0.11	< 3.0	2.6	< 20
897	MJBA22097	96.0	97.0	1.0	< 5	< 3.0	6	73	88	3	< 1	< 1	< 50	< 20	< 3.0	12	7.6	53	0.12	< 3.0	3	< 20
898	MJBA22098	97.0	98.0	1.0	< 5	< 3.0	5.7	93	133	3.3	< 1	< 1	< 50	< 20	< 3.0	12	8.7	58	0.13	< 3.0	3.4	< 20
899	MJBA22099	98.0	99.0	1.0	83	< 3.0	8.1	89	107	3.3	6	< 1	< 50	< 20	< 3.0	14	8.1	55	0.14	3.8	3.4	< 20
900	MJBA22100	99.0	100.75	1.75	< 5	< 3.0	5.3	87	112	3.5	1	< 1	< 50	< 20	< 3.0	13	8.8	61	0.1	3.6	3.9	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
901	MJBA23001	0.0	1.0	1.0	14	< 3.0	24	79	49	3.5	< 1	< 1	93	< 20	< 3.0	8.5	8.1	69	0.06	5.2	2.3	< 20
902	MJBA23002	1.0	2.0	1.0	631	< 3.0	29	83	43	6	4	< 1	100	< 20	< 3.0	8.1	9.1	119	0.03	5.6	0.57	< 20
903	MJBA23003	2.0	3.0	1.0	30	< 3.0	30	103	49	5.4	2	< 1	139	< 20	< 3.0	8.8	9.1	101	0.03	4.4	0.72	< 20
904	MJBA23004	3.0	4.0	1.0	< 5	< 3.0	23	105	42	5.2	2	< 1	77	< 20	< 3.0	8.2	8.7	96	0.01	4.1	0.38	< 20
905	MJBA23005	4.0	5.0	1.0	23	< 3.0	23	108	41	5.5	1	< 1	75	< 20	< 3.0	< 8.0	7.2	99	0.02	6	0.46	< 20
906	MJBA23006	5.0	6.0	1.0	14	< 3.0	22	123	38	4.3	< 1	< 1	52	< 20	< 3.0	8.4	9.2	82	0.01	< 3.0	0.68	< 20
907	MJBA23007	6.0	7.0	1.0	32	< 3.0	38	111	49	3.9	< 1	< 1	< 50	< 20	< 3.0	8.2	11	77	0.01	4.5	0.96	< 20
908	MJBA23008	7.0	8.0	1.0	46	< 3.0	21	98	37	3.6	< 1	< 1	< 50	< 20	< 3.0	< 8.0	6.3	71	0.01	8.3	0.95	< 20
909	MJBA23009	8.0	9.0	1.0	< 5	< 3.0	21	111	68	3	< 1	< 1	< 50	< 20	< 3.0	13	10	51	0.03	4.6	2.5	< 20
910	MJBA23010	9.0	10.0	1.0	< 5	< 3.0	21	88	52	3.5	< 1	< 1	< 50	< 20	< 3.0	9.7	7.5	62	0.03	7	2.5	< 20
911	MJBA23011	10.0	11.0	1.0	< 5	< 3.0	17	62	62	2.6	< 1	< 1	< 50	< 20	< 3.0	9.5	7.5	48	0.05	3.7	3.5	< 20
912	MJBA23012	11.0	12.0	1.0	< 5	< 3.0	30	87	68	3.2	1	< 1	< 50	< 20	< 3.0	13	11	56	0.09	6.6	3.2	< 20
913	MJBA23013	12.0	13.0	1.0	< 5	< 3.0	28	84	74	3.4	1	< 1	< 50	< 20	< 3.0	13	8.3	57	0.07	5.3	3.4	< 20
914	MJBA23014	13.0	14.0	1.0	< 5	< 3.0	34	76	72	2.9	< 1	< 1	< 50	< 20	< 3.0	11	12	44	0.06	5.5	3.8	< 20
915	MJBA23015	14.0	15.0	1.0	< 5	< 3.0	30	82	71	2.9	< 1	< 1	< 50	< 20	< 3.0	9.6	9.8	50	0.05	5.1	3.9	< 20
916	MJBA23016	15.0	16.0	1.0	< 5	< 3.0	19	61	56	2.5	< 1	< 1	< 50	< 20	< 3.0	8.7	6.9	45	0.05	< 3.0	3.4	< 20
917	MJBA23017	16.0	17.0	1.0	< 5	< 3.0	37	101	66	3.3	< 1	< 1	< 50	< 20	< 3.0	16	7.3	56	0.13	5.1	3.6	< 20
918	MJBA23018	17.0	18.0	1.0	130	< 3.0	27	80	63	2.5	< 1	< 1	< 50	< 20	< 3.0	8.9	6.4	46	0.05	3.9	3.5	< 20
919	MJBA23019	18.0	19.0	1.0	23	< 3.0	40	128	92	2.9	< 1	< 1	< 50	< 20	< 3.0	12	7.8	51	0.09	3.9	3.8	< 20
920	MJBA23020	19.0	20.0	1.0	< 5	< 3.0	15	95	87	2.8	< 1	< 1	< 50	< 20	< 3.0	9.8	7.1	49	0.07	< 3.0	3.5	< 20
921	MJBA23021	20.0	21.0	1.0	< 5	< 3.0	18	96	94	2.7	< 1	< 1	< 50	< 20	< 3.0	9.3	7.2	50	0.06	3.8	3.5	< 20
922	MJBA23022	21.0	22.0	1.0	< 5	< 3.0	17	129	93	3.1	< 1	< 1	< 50	< 20	< 3.0	9.6	7.2	57	0.07	< 3.0	3.2	< 20
923	MJBA23023	22.0	23.0	1.0	23	< 3.0	12	70	59	2.6	< 1	< 1	< 50	< 20	< 3.0	8.1	6.4	48	0.06	3.5	3.4	< 20
924	MJBA23024	23.0	24.0	1.0	< 5	< 3.0	21	63	55	2.5	< 1	< 1	< 50	< 20	< 3.0	8.2	6.5	45	0.06	3.8	3.3	< 20
925	MJBA23025	24.0	25.0	1.0	< 5	< 3.0	50	71	107	2.4	< 1	< 1	< 50	< 20	< 3.0	8.7	6.1	43	0.05	4.1	3.6	< 20
926	MJBA23026	25.0	26.0	1.0	< 5	< 3.0	38	86	68	2.6	< 1	< 1	< 50	< 20	< 3.0	10	9.2	46	0.05	5.8	3.8	< 20
927	MJBA23027	26.0	27.0	1.0	< 5	< 3.0	56	82	89	2.8	< 1	< 1	< 50	< 20	< 3.0	10	7.2	52	0.06	4.9	3.2	< 20
928	MJBA23028	27.0	28.0	1.0	< 5	< 3.0	66	75	76	2.7	< 1	< 1	< 50	< 20	< 3.0	11	7.7	45	0.05	18	3.1	< 20
929	MJBA23029	28.0	29.0	1.0	< 5	< 3.0	39	70	64	2.8	< 1	< 1	< 50	< 20	< 3.0	11	7.6	48	0.06	17	3.6	< 20
930	MJBA23030	29.0	30.0	1.0	< 5	< 3.0	26	73	58	2.7	< 1	< 1	< 50	< 20	< 3.0	11	7.4	49	0.06	13	3.1	< 20
931	MJBA23031	30.0	31.0	1.0	< 5	< 3.0	37	93	64	2.7	< 1	< 1	< 50	< 20	< 3.0	11	8	48	0.06	10	3.1	< 20
932	MJBA23032	31.0	32.0	1.0	< 5	< 3.0	31	71	58	2.6	< 1	< 1	< 50	< 20	< 3.0	10	8.4	47	0.05	15	3.2	< 20
933	MJBA23033	32.0	33.0	1.0	< 5	< 3.0	29	65	59	2.8	< 1	< 1	< 50	< 20	< 3.0	11	7.3	49	0.06	5.5	3.6	< 20
934	MJBA23034	33.0	34.0	1.0	< 5	< 3.0	33	62	55	2.6	< 1	< 1	< 50	< 20	< 3.0	10	7	48	0.06	4.9	3.5	< 20
935	MJBA23035	34.0	35.0	1.0	< 5	< 3.0	26	80	60	2.7	< 1	< 1	< 50	< 20	< 3.0	9.6	9.1	48	0.05	5.2	3.4	< 20
936	MJBA23036	35.0	36.0	1.0	< 5	< 3.0	52	73	56	2.6	< 1	< 1	< 50	< 20	< 3.0	9.8	5.6	47	0.05	5.5	3.8	< 20
937	MJBA23037	36.0	37.0	1.0	< 5	< 3.0	39	66	59	2.7	< 1	< 1	< 50	< 20	< 3.0	10	7.5	49	0.05	8.3	3.4	< 20
938	MJBA23038	37.0	38.0	1.0	< 5	< 3.0	67	71	66	2.9	< 1	< 1	< 50	< 20	< 3.0	11	8.2	51	0.06	8.9	3.1	< 20
939	MJBA23039	38.0	39.0	1.0	< 5	< 3.0	40	65	63	2.7	< 1	< 1	< 50	< 20	< 3.0	12	8.2	53	0.05	3.6	3.4	< 20
940	MJBA23040	39.0	40.0	1.0	< 5	< 3.0	27	66	56	2.7	< 1	< 1	< 50	< 20	< 3.0	13	9.1	50	0.06	6.1	3.3	< 20
941	MJBA23041	40.0	41.0	1.0	< 5	< 3.0	36	71	58	2.8	< 1	< 1	< 50	< 20	< 3.0	12	8.6	54	0.05	< 3.0	3.7	< 20
942	MJBA23042	41.0	42.0	1.0	< 5	< 3.0	44	66	62	2.7	< 1	< 1	< 50	< 20	< 3.0	12	7.8	54	0.06	3.2	3.2	< 20
943	MJBA23043	42.0	43.0	1.0	< 5	< 3.0	23	74	58	2.7	< 1	< 1	< 50	< 20	< 3.0	12	10	51	0.06	5.3	3.4	< 20
944	MJBA23044	43.0	44.0	1.0	< 5	< 3.0	30	65	57	2.9	< 1	< 1	< 50	< 20	< 3.0	12	10	55	0.06	4.5	3.4	< 20
945	MJBA23045	44.0	45.0	1.0	643	< 3.0	38	218	125	2.9	3	< 1	< 50	< 20	< 3.0	13	9.4	56	0.08	4.6	3.7	< 20
946	MJBA23046	45.0	46.0	1.0	< 5	< 3.0	26	70	68	2.8	< 1	< 1	< 50	< 20	< 3.0	12	8	54	0.06	< 3.0	3.3	< 20
947	MJBA23047	46.0	47.0	1.0	< 5	< 3.0	31	65	61	2.8	< 1	< 1	< 50	< 20	< 3.0	13	9	55	0.06	5.6	3.4	< 20
948	MJBA23048	47.0	48.0	1.0	< 5	< 3.0	22	56	56	2.8	< 1	< 1	< 50	< 20	< 3.0	11	7.8	57	0.05	4.1	3.3	< 20
949	MJBA23049	48.0	49.0	1.0	< 5	< 3.0	26	66	57	2.8	< 1	< 1	< 50	< 20	< 3.0	12	9.7	54	0.06	3.1	3.2	< 20
950	MJBA23050	49.0	50.0	1.0	< 5	< 3.0	26	68	53	2.9	< 1	< 1	< 50	< 20	< 3.0	12	8.6	56	0.06	4.8	3.6	< 20
951	MJBA23051	50.0	51.0	1.0	< 5	< 3.0	28	63	60	3	2	< 1	< 50	< 20	< 3.0	13	8.6	59	0.06	5.3	3.5	< 20
952	MJBA23052	51.0	52.0	1.0	< 5	< 3.0	24	58	55	2.6	< 1	< 1	< 50	< 20	< 3.0	10	8.4	49	0.05	< 3.0	3.5	< 20
953	MJBA23053	52.0	53.0	1.0	< 5	< 3.0	22	54	47	2.5	2	< 1	< 50	< 20	< 3.0	10	6.9	50	0.05	3.9	3.7	< 20
954	MJBA23054	53.0	54.0	1.0	< 5	< 3.0	28	63	51	2.4	< 1	< 1	< 50	< 20	< 3.0	10	7.2	45	0.05	4.6	3.4	< 20
955	MJBA23055	54.0	55.0	1.0	< 5	< 3.0	32	63	57	2.9	< 1	< 1	< 50	< 20	< 3.0	12	8.7	55	0.05	4.1	3.6	< 20
956	MJBA23056	55.0	56.0	1.0	< 5	< 3.0	22	61	55	2.6	< 1	< 1	< 50	< 20	< 3.0	12	7.3	51	0.06	< 3.0	3.4	< 20
957	MJBA23057	56.0	57.0	1.0	< 5	< 3.0	24	72	62	2.8	< 1	< 1	< 50	< 20	< 3.0	12	9.5	53	0.06	5.3	3.8	< 20
958	MJBA23058	57.0	58.0	1.0	< 5	< 3.0	25	64	58	2.7	< 1	< 1	< 50	< 20	< 3.0	12	8.6	51	0.05	< 3.0	3.7	< 20
959	MJBA23059	58.0	59.0	1.0	< 5	< 3.0	17	69	63	3	< 1	< 1	< 50	< 20	< 3.0	13	11	55	0.06	3.2	3.9	< 20
960	MJBA23060	59.0	60.0	1.0	< 5	< 3.0	31	65	60	3	< 1	< 1	< 50	< 20	< 3.0	13	10	58	0.06	3.6	3.4	< 20
961	MJBA23061	60.0	61.0	1.0	< 5	< 3.0	17	61	56	2.9	< 1	< 1	< 50	< 20	< 3.0	12	9.3	57	0.06	3.2	3.4	< 20
962	MJBA23062	61.0	62.0	1.0	< 5	< 3.0	23	63	59	3	< 1	< 1	< 50	< 20	< 3.0	12	9.3	59	0.07	3.5	3.5	< 20
963	MJBA23063	62.0	63.0	1.0	9	< 3.0	33	66	62	3.7	< 1	< 1	< 50	< 20	< 3.0	13	8.6	76	0.08	< 3.0	3.7	< 20
964	MJBA23064	63.0	64.0	1.0	< 5	< 3.0	11	64	54	2.6	< 1	< 1	< 50	< 20	< 3.0	9.9	7.9	49	0.06	< 3.0	3.2	< 20
965	MJBA23065	64.0	65.0	1.0	< 5	< 3.0	31	64	66	3	1	< 1	< 50	< 20	< 3.0	14	9.5	56	0.08	< 3.0	3.5	< 20
966	MJBA23066	65.0	66.0	1.0	< 5	< 3.0	22	71	52	2.4	< 1	< 1	< 50	< 20	< 3.0	11	8.7	43	0.06	6.3	3.9	< 20
967	MJBA23067	66.0	67.0	1.0	23	< 3.0	25	69	72	2.5	5	< 1	< 50	< 20	< 3.0	11	8.6	45	0.18	5.3	3.7	< 20
968	MJBA23068	67.0	68.0	1.0	130	< 3.0	21	197	148	2.8	31	< 1	< 50	< 20	< 3.0	9.8	6.1	43	0.35	4.1	3.8	< 20
969	MJBA23069	68.0	69.0	1.0	74	< 3.0	21	125	693	2.7	31	< 1	< 50	< 20	8.7	10	7.1	43	0.38	< 3.0	3.5	< 20
970	MJBA23070	69.0	70.0	1.0	51	< 3.0	11	153	104	2.1	15	< 1	< 50	< 20	< 3.0	8.6	6.3	45	0.46	4.3	4.2	< 20
971	MJBA23071	70.0	71.0	1.0	218	< 3.0	41	150	241	2.9	12	< 1	< 50	< 20	3.6	13	9	56	0.13	6.6	4.2	< 20
972	MJBA23072	71.0	72.0	1.0	14	< 3.0	40	71	65	2.9	3	< 1	< 50	< 20	< 3.0	14	10	55	0.07	7.5	3.6	< 20
973	MJBA23073	72.0	73.0	1.0	< 5	< 3.0	22	68	62	2.6	2	< 1	< 50	< 20	< 3.0	12	7.4	47	0.06	4.6	3.5	< 20
974	MJBA23074	73.0	74.0	1.0	9	< 3.0	27	62	63	2.9	1	< 1	< 50	< 20	< 3.0	12	7.8	54	0.07	3.1	3.6	< 20
975	MJBA23075	74.0	75.0	1.0	< 5	< 3.0	26	61	60	2.8	< 1	< 1	< 50	< 20	< 3.0	12	8.7	54	0.06	3.8	3.5	< 20
976	MJBA23076	75.0	76.0	1.0	< 5	< 3.0	26	63	55	2.7	< 1	< 1	< 50	< 20	< 3.0	12	8.9	52	0.05	4.6	3.5	< 20
977	MJBA23077	76.0	77.0	1.0	< 5	< 3.0	30	60	55	3	< 1	< 1	< 50	< 20	< 3.0	11	8.2	54	0.06	3.8	3.3	< 20
978	MJBA23078	77.0	78.0	1.0	< 5	< 3.0	29	61	50	2.6	< 1	< 1	< 50	< 20	< 3.0	10	8.2	46	0.05	6.6	3	< 20
979	MJBA23079	78.0	79.0	1.0	< 5	< 3.0	28	45	33	2.5	< 1	< 1	< 50	< 20	< 3.0	10	9	48	0.05	5.2	3.3	< 20
980	MJBA23080	79.0	80.0	1.0	< 5	< 3.0	35	59	47	2.7	< 1	< 1	< 50	< 20	< 3.0	11	8.6	49	0.06	4.2	3.5	< 20
981	MJBA23081	80.0	81.0	1.0	< 5	< 3.0	26	66	53	3	3	< 1	< 50	< 20	< 3.0	12	8.9	53	0.06	6.5	3.2	< 20
982	MJBA23082	81.0	82.0	1.0	< 5	< 3.0	17	54	46	2.4	3	< 1	< 50	< 20	< 3.0	8.9	7.4	44	0.05	3.1	3.1	< 20
983	MJBA23083	82.0	83.0	1.0	< 5	< 3.0	23	65	78	4.3	< 1	< 1	< 50	< 20	< 3.0	14	11	81	0.08	3.5	3.5	< 20
984	MJBA23084	83.0	84.0	1.0	51	< 3.0	22	65	58	2.8	2	< 1	< 50	< 20	< 3.0	10	8.8	50	0.09	4.4	3.5	< 20
985	MJBA23085	84.0	85.0	1.0	< 5	< 3.0	20	61	51	2.7	< 1	< 1	< 50	< 20	< 3.0	12	8.1	49	0.06	< 3.0	3	< 20
986	MJBA23086	85.0	86.0	1.0	< 5	< 3.0	26	71	49	2.7	< 1	< 1	< 50	< 20	< 3.0	11	8.3	48	0.06	6.7	3.4	< 20
987	MJBA23087	86.0	87.0	1.0	< 5	< 3.0	25	63	51	2.9	< 1	< 1	< 50	< 20	< 3.0	12	9.8	52	0.06	4.4	3.4	< 20
988	MJBA23088	87.0	88.0	1.0	< 5	< 3.0	33	66	52	3	< 1	< 1	< 50	< 20	< 3.0	11	8.9	54	0.06	6.3	3.5	< 20
989	MJBA23089	88.0	89.0	1.0	< 5	< 3.0	51	63	52	2.9	< 1	< 1	< 50	< 20	< 3.0	12	10	51	0.06	4.1	3.3	< 20
990	MJBA23090	89.0	90.0	1.0	< 5	< 3.0	58	68	55	2.9	< 1	< 1	< 50	< 20	< 3.0	11	9.4	50	0.06	3.9	3.5	< 20
991	MJBA23091	90.0	91.0	1.0	< 5	< 3.0	21	62	50	2.9	< 1	< 1	< 50	< 20	< 3.0	11	9.5	53	0.06	6.3	3.3	< 20
992	MJBA23092	91.0	92.0	1.0	< 5	< 3.0	22	63	50	2.7	< 1	< 1	< 50	< 20	< 3.0	10	9	47	0.06	3.2	3.3	< 20
993	MJBA23093	92.0	93.0	1.0	< 5	< 3.0	21	44	38	2.4	< 1	< 1	< 50	< 20	< 3.0	10	7.7	47	0.05	< 3.0	3.3	< 20
994	MJBA23094	93.0	94.0	1.0	< 5	< 3.0	23	63	51	2.9	1	< 1	< 50	< 20	< 3.0	11	9.4	52	0.06	3.7	3.3	< 20
995	MJBA23095	94.0	95.0	1.0	< 5	< 3.0	27	67	58	3.1	< 1	< 1	< 50	< 20	< 3.0	11	11	55	0.06	5.8	3.6	< 20
996	MJBA23096	95.0	96.0	1.0	< 5	< 3.0	23	63	54	3	< 1	< 1	< 50	< 20	< 3.0	12	7.5	54	0.06	3.8	3.5	< 20
997	MJBA23097	96.0	97.0	1.0	< 5	< 3.0	28	64	53	2.9	< 1	< 1	< 50	< 20	< 3.0	11	9.9	51	0.06	< 3.0	3.4	< 20
998	MJBA23098	97.0	98.0	1.0	< 5	< 3.0	24	68	49	2.5	< 1	< 1	< 50	< 20	< 3.0	9.5	8.5	43	0.05	6.3	3.6	< 20
999	MJBA23099	98.0	99.0	1.0	< 5	< 3.0	21	62	50	2.6	< 1	< 1	< 50	< 20	< 3.0	9.8	7.9	47	0.05	< 3.0	3.3	< 20
1000	MJBA23100	99.0	100.40	1.40	< 5	< 3.0	22	66	43	2.4	< 1	< 1	< 50	< 20	< 3.0	9.4	8.6	43	0.05	4.4	3.4	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
1001	MJBA24001	0.0	1.0	1.0	231	< 3.0	35	85	42	4.7	< 1	< 1	< 50	< 20	3.7	14	15	95	0.04	< 3.0	0.65	< 20
1002	MJBA24002	1.0	2.0	1.0	181	< 3.0	43	112	39	5.5	< 1	< 1	< 50	< 20	4.5	12	18	111	0.11	< 3.0	0.46	< 20
1003	MJBA24003	2.0	3.0	1.0	245	< 3.0	48	99	47	5.9	1	< 1	< 50	< 20	4.9	14	20	114	0.07	3.9	0.4	< 20
1004	MJBA24004	3.0	4.0	1.0	171	< 3.0	51	105	53	5.8	1	< 1	< 50	< 20	5	13	18	116	0.03	4.6	0.71	< 20
1005	MJBA24005	4.0	5.0	1.0	79	< 3.0	30	101	42	5.2	< 1	< 1	< 50	< 20	4.1	13	17	104	0.03	< 3.0	0.94	< 20
1006	MJBA24006	5.0	6.0	1.0	176	17	34	104	57	5.2	< 1	< 1	< 50	< 20	4	31	19	117	0.04	3.8	2.2	< 20
1007	MJBA24007	6.0	7.0	1.0	69	< 3.0	24	92	50	4.7	1	< 1	< 50	< 20	3.7	15	14	99	0.03	3.4	1.4	< 20
1008	MJBA24008	7.0	8.0	1.0	19	< 3.0	24	91	53	4.7	< 1	< 1	< 50	< 20	3.9	16	14	81	0.08	3.3	1.7	< 20
1009	MJBA24009	8.0	9.0	1.0	56	< 3.0	25	84	64	4.5	< 1	< 1	< 50	< 20	3.4	16	12	83	0.07	3.4	2.2	< 20
1010	MJBA24010	9.0	10.0	1.0	32	< 3.0	28	80	77	4.5	< 1	< 1	< 50	< 20	3.6	21	17	85	0.1	3.4	3.4	< 20
1011	MJBA24011	10.0	11.0	1.0	60	< 3.0	27	76	82	4.3	< 1	< 1	< 50	< 20	3.4	20	16	80	0.1	3.8	3.1	< 20
1012	MJBA24012	11.0	12.0	1.0	23	< 3.0	27	78	74	4.4	< 1	< 1	< 50	< 20	3.2	22	16	84	0.12	< 3.0	3.7	< 20
1013	MJBA24013	12.0	13.0	1.0	14	< 3.0	24	77	66	4.2	< 1	< 1	< 50	< 20	3.2	20	14	79	0.1	< 3.0	3.4	< 20
1014	MJBA24014	13.0	14.0	1.0	93	< 3.0	27	75	65	4.3	< 1	< 1	< 50	< 20	3.1	20	12	82	0.11	< 3.0	3.5	< 20
1015	MJBA24015	14.0	15.0	1.0	102	< 3.0	33	79	73	4.2	< 1	< 1	< 50	< 20	< 3.0	19	14	76	0.1	< 3.0	3.7	< 20
1016	MJBA24016	15.0	16.0	1.0	< 5	< 3.0	22	77	79	4.1	< 1	< 1	< 50	< 20	< 3.0	18	17	67	0.12	< 3.0	3.7	< 20
1017	MJBA24017	16.0	17.0	1.0	28	< 3.0	22	75	82	4.3	< 1	< 1	< 50	< 20	< 3.0	20	18	72	0.13	< 3.0	3.8	< 20
1018	MJBA24018	17.0	18.0	1.0	9	< 3.0	23	84	78	4.5	< 1	< 1	< 50	< 20	< 3.0	22	15	78	0.12	7.8	3.5	< 20
1019	MJBA24019	18.0	19.0	1.0	< 5	< 3.0	27	79	68	4.6	< 1	< 1	< 50	< 20	< 3.0	22	16	75	0.11	< 3.0	3	< 20
1020	MJBA24020	19.0	20.0	1.0	< 5	< 3.0	28	79	89	4.5	< 1	< 1	< 50	< 20	< 3.0	23	16	73	0.1	< 3.0	2.8	< 20
1021	MJBA24021	20.0	21.0	1.0	< 5	< 3.0	31	89	73	4.6	< 1	< 1	< 50	< 20	3.3	23	15	75	0.1	3.8	3.4	< 20
1022	MJBA24022	21.0	22.0	1.0	< 5	< 3.0	27	98	79	4.8	< 1	< 1	< 50	< 20	3.3	23	16	76	0.12	3.9	3.8	< 20
1023	MJBA24023	22.0	23.0	1.0	< 5	< 3.0	28	81	96	5	< 1	< 1	< 50	< 20	3.6	25	14	83	0.11	< 3.0	3.1	< 20
1024	MJBA24024	23.0	24.0	1.0	< 5	< 3.0	24	88	83	4.7	< 1	< 1	< 50	< 20	< 3.0	21	19	74	0.12	6	3.7	< 20
1025	MJBA24025	24.0	25.0	1.0	< 5	< 3.0	22	82	92	4.2	< 1	< 1	< 50	< 20	< 3.0	19	21	72	0.1	< 3.0	3.6	< 20
1026	MJBA24026	25.0	26.0	1.0	97	< 3.0	22	85	96	4.5	< 1	< 1	< 50	< 20	< 3.0	20	17	83	0.11	< 3.0	4.2	< 20
1027	MJBA24027	26.0	27.0	1.0	83	< 3.0	22	88	90	4.4	< 1	< 1	< 50	< 20	< 3.0	21	19	89	0.14	< 3.0	4.7	< 20
1028	MJBA24028	27.0	28.0	1.0	14	< 3.0	27	95	110	4.8	< 1	< 1	< 50	< 20	< 3.0	23	21	87	0.12	< 3.0	4.3	< 20
1029	MJBA24029	28.0	29.0	1.0	14	< 3.0	21	89	100	4.4	< 1	< 1	< 50	< 20	< 3.0	21	18	75	0.09	< 3.0	3.6	< 20
1030	MJBA24030	29.0	30.0	1.0	< 5	< 3.0	20	84	132	4.4	1	< 1	< 50	< 20	< 3.0	21	20	75	0.11	< 3.0	3.8	< 20
1031	MJBA24031	30.0	31.0	1.0	222	< 3.0	38	89	86	4.7	1	< 1	< 50	< 20	< 3.0	25	33	90	0.24	7.2	4.9	< 20
1032	MJBA24032	31.0	32.0	1.0	< 5	< 3.0	25	77	83	4.4	< 1	< 1	< 50	< 20	< 3.0	20	17	78	0.1	< 3.0	4.1	< 20
1033	MJBA24033	32.0	33.0	1.0	14	< 3.0	22	82	83	4.3	< 1	< 1	< 50	< 20	< 3.0	21	17	78	0.12	< 3.0	4.2	< 20
1034	MJBA24034	33.0	34.0	1.0	< 5	< 3.0	28	82	90	4.5	< 1	< 1	< 50	< 20	< 3.0	22	22	81	0.12	4.7	3.6	< 20
1035	MJBA24035	34.0	35.0	1.0	9	< 3.0	30	90	70	4	< 1	< 1	< 50	< 20	< 3.0	24	22	91	0.27	< 3.0	4.9	< 20
1036	MJBA24036	35.0	36.0	1.0	19	< 3.0	35	86	79	4.2	< 1	< 1	< 50	< 20	< 3.0	23	26	89	0.26	< 3.0	4.8	< 20
1037	MJBA24037	36.0	37.0	1.0	< 5	< 3.0	28	89	85	4.3	< 1	< 1	< 50	< 20	< 3.0	22	18	77	0.11	< 3.0	3.8	< 20
1038	MJBA24038	37.0	38.0	1.0	< 5	< 3.0	24	88	83	4.7	< 1	< 1	< 50	< 20	< 3.0	23	19	81	0.12	< 3.0	4	< 20
1039	MJBA24039	38.0	39.0	1.0	37	< 3.0	19	88	91	4.4	< 1	< 1	< 50	< 20	< 3.0	21	19	96	0.1	< 3.0	4	< 20
1040	MJBA24040	39.0	40.0	1.0	< 5	< 3.0	23	78	95	3.7	< 1	< 1	< 50	< 20	< 3.0	18	20	73	0.07	< 3.0	4	< 20
1041	MJBA24041	40.0	41.0	1.0	< 5	< 3.0	18	65	61	3.3	< 1	< 1	< 50	< 20	< 3.0	14	10	62	0.07	< 3.0	3.5	< 20
1042	MJBA24042	41.0	42.0	1.0	23	< 3.0	10	72	58	3.3	< 1	< 1	< 50	< 20	< 3.0	14	10	65	0.07	< 3.0	3.9	< 20
1043	MJBA24043	42.0	43.0	1.0	93	< 3.0	26	70	57	3.4	< 1	< 1	< 50	< 20	< 3.0	15	10	64	0.07	< 3.0	3.6	< 20
1044	MJBA24044	43.0	44.0	1.0	410	< 3.0	24	61	56	3.3	< 1	< 1	< 50	< 20	< 3.0	15	9.7	65	0.06	< 3.0	3.8	< 20
1045	MJBA24045	44.0	45.0	1.0	102	< 3.0	18	67	58	3.2	< 1	< 1	< 50	< 20	< 3.0	15	8.8	61	0.06	4.7	3.5	< 20
1046	MJBA24046	45.0	46.0	1.0	46	< 3.0	12	75	56	3	< 1	< 1	< 50	< 20	< 3.0	15	9.7	62	0.07	3.3	3.8	< 20
1047	MJBA24047	46.0	47.0	1.0	474	< 3.0	18	67	68	3.6	1	< 1	< 50	< 20	< 3.0	17	14	73	0.08	< 3.0	3.6	< 20
1048	MJBA24048	47.0	48.0	1.0	74	< 3.0	15	69	64	3.3	< 1	< 1	< 50	< 20	< 3.0	16	9	63	0.07	< 3.0	3.7	< 20
1049	MJBA24049	48.0	49.0	1.0	< 5	< 3.0	12	67	61	3.4	1	< 1	< 50	< 20	< 3.0	16	13	68	0.07	< 3.0	3.7	< 20
1050	MJBA24050	49.0	50.0	1.0	102	< 3.0	15	86	50	3.2	1	< 1	< 50	< 20	< 3.0	17	12	71	0.07	4.8	5.1	< 20
1051	MJBA24051	50.0	51.0	1.0	< 5	< 3.0	10	68	61	3.3	< 1	< 1	< 50	< 20	< 3.0	16	9.5	70	0.07	< 3.0	4.4	< 20
1052	MJBA24052	51.0	52.0	1.0	< 5	< 3.0	13	60	56	2.8	< 1	< 1	< 50	< 20	< 3.0	14	6.2	59	0.08	< 3.0	3.6	< 20
1053	MJBA24053	52.0	53.0	1.0	28	< 3.0	12	68	68	3.5	< 1	< 1	< 50	< 20	< 3.0	16	9.9	69	0.07	< 3.0	4.1	< 20
1054	MJBA24054	53.0	54.0	1.0	162	3.2	15	83	69	3.5	< 1	< 1	< 50	< 20	< 3.0	20	8.3	67	0.08	< 3.0	4.7	< 20
1055	MJBA24055	54.0	55.0	1.0	74	< 3.0	8.5	73	70	3.2	< 1	< 1	< 50	< 20	< 3.0	16	8.9	66	0.07	4.8	4.3	< 20
1056	MJBA24056	55.0	56.0	1.0	< 5	< 3.0	12	67	70	3.5	< 1	< 1	< 50	< 20	< 3.0	16	10	70	0.06	< 3.0	3.8	< 20
1057	MJBA24057	56.0	57.0	1.0	23	< 3.0	16	72	70	3.3	< 1	< 1	< 50	< 20	< 3.0	16	9	65	0.07	< 3.0	3.7	< 20
1058	MJBA24058	57.0	58.0	1.0	51	< 3.0	16	77	78	3.6	< 1	< 1	< 50	< 20	< 3.0	18	12	70	0.06	3.1	3.4	< 20
1059	MJBA24059	58.0	59.0	1.0	< 5	< 3.0	18	66	65	3.3	< 1	< 1	< 50	< 20	< 3.0	16	12	65	0.06	< 3.0	3.2	< 20
1060	MJBA24060	59.0	60.0	1.0	< 5	< 3.0	17	74	75	3.4	< 1	< 1	< 50	< 20	< 3.0	16	9.3	66	0.06	4.3	3.3	< 20
1061	MJBA24061	60.0	61.0	1.0	< 5	< 3.0	13	73	71	3.3	< 1	< 1	< 50	< 20	< 3.0	15	9.4	64	0.06	< 3.0	3.4	< 20
1062	MJBA24062	61.0	62.0	1.0	245	< 3.0	72	59	103	4.3	1	< 1	< 50	< 20	< 3.0	32	138	103	0.1	3.7	3	< 20
1063	MJBA24063	62.0	63.0	1.0	32	< 3.0	37	83	89	4.7	< 1	< 1	< 50	< 20	4.4	38	201	118	0.09	17	2.1	< 20
1064	MJBA24064	63.0	64.0	1.0	< 5	< 3.0	24	76	88	3.6	< 1	< 1	< 50	< 20	< 3.0	17	12	69	0.07	3.7	3	< 20
1065	MJBA24065	64.0	65.0	1.0	< 5	< 3.0	16	85	90	3.7	< 1	< 1	< 50	< 20	< 3.0	18	11	73	0.08	6.8	3.3	< 20
1066	MJBA24066	65.0	66.0	1.0	< 5	< 3.0	13	77	72	3.4	< 1	< 1	< 50	< 20	< 3.0	14	7.9	67	0.07	4.7	4.7	< 20
1067	MJBA24067	66.0	67.0	1.0	< 5	< 3.0	14	95	50	4	1	< 1	< 50	< 20	< 3.0	14	13	74	0.06	< 3.0	6.3	< 20
1068	MJBA24068	67.0	68.0	1.0	37	< 3.0	7	80	38	3.2	< 1	< 1	< 50	< 20	< 3.0	17	5.9	57	0.04	< 3.0	5.2	< 20
1069	MJBA24069	68.0	69.0	1.0	28	< 3.0	6.1	79	49	3	1	< 1	< 50	< 20	< 3.0	9.5	5.8	60	0.05	3.7	5.6	< 20
1070	MJBA24070	69.0	70.0	1.0	868	< 3.0	41	176	71	4.8	1	< 1	< 50	< 20	< 3.0	23	19	80	0.07	11	7	< 20
1071	MJBA24071	70.0	71.0	1.0	< 5	< 3.0	22	179	63	4.8	< 1	< 1	< 50	< 20	< 3.0	31	15	70	0.06	4.3	6.4	< 20
1072	MJBA24072	71.0	72.0	1.0	97	< 3.0	25	181	78	4.9	< 1	< 1	< 50	< 20	< 3.0	19	16	89	0.08	4	6.4	< 20
1073	MJBA24073	72.0	73.0	1.0	< 5	< 3.0	5.5	77	50	2.8	< 1	< 1	< 50	< 20	< 3.0	9.7	5.4	55	0.05	3.3	3.6	< 20
1074	MJBA24074	73.0	74.0	1.0	< 5	< 3.0	7.5	61	50	5.6	< 1	< 1	< 50	< 20	< 3.0	38	5.6	47	0.04	< 3.0	1.2	< 20
1075	MJBA24075	74.0	75.0	1.0	< 5	< 3.0	3.9	65	52	2.5	< 1	< 1	< 50	< 20	< 3.0	8.6	3.2	49	0.05	< 3.0	1	< 20
1076	MJBA24076	75.0	76.0	1.0	< 5	< 3.0	3.6	63	47	2.4	< 1	< 1	< 50	< 20	< 3.0	8.3	3.8	49	0.05	< 3.0	0.81	< 20
1077	MJBA24077	76.0	77.0	1.0	< 5	< 3.0	10	70	57	2.6	< 1	< 1	< 50	< 20	< 3.0	9.7	10	54	0.05	5.6	1.1	< 20
1078	MJBA24078	77.0	78.0	1.0	56	< 3.0	18	66	59	2.6	< 1	< 1	< 50	< 20	< 3.0	10	9.6	52	0.05	3.9	1	< 20
1079	MJBA24079	78.0	79.0	1.0	51	< 3.0	19	67	62	2.3	< 1	< 1	< 50	< 20	< 3.0	10	9.4	48	0.06	4.5	1.1	< 20
1080	MJBA24080	79.0	80.0	1.0	236	< 3.0	9.1	66	51	1.8	< 1	< 1	< 50	< 20	< 3.0	8.2	8.8	38	0.05	4.3	1.3	< 20
1081	MJBA24081	80.0	81.0	1.0	19	< 3.0	12	69	60	2.1	< 1	< 1	< 50	< 20	< 3.0	9.5	9.9	46	0.06	3.2	1.5	< 20
1082	MJBA24082	81.0	82.0	1.0	83	< 3.0	13	68	48	1.5	< 1	< 1	< 50	< 20	< 3.0	9.6	9	32	0.04	< 3.0	1.3	< 20
1083	MJBA24083	82.0	83.0	1.0	< 5	< 3.0	30	64	52	1.8	< 1	< 1	< 50	< 20	< 3.0	8.2	9.5	40	0.04	< 3.0	1.1	< 20
1084	MJBA24084	83.0	84.0	1.0	< 5	< 3.0	13	65	54	2	< 1	< 1	< 50	< 20	< 3.0	8.3	9.3	43	0.05	3.6	1.1	< 20
1085	MJBA24085	84.0	85.0	1.0	< 5	< 3.0	11	64	52	2.7	< 1	< 1	< 50	< 20	< 3.0	8.2	8.8	59	0.05	< 3.0	1.1	< 20
1086	MJBA24086	85.0	86.0	1.0	< 5	< 3.0	10	64	53	2.9	< 1	< 1	< 50	< 20	< 3.0	11	11	59	0.04	< 3.0	1.2	< 20
1087	MJBA24087	86.0	87.0	1.0	23	< 3.0	11	70	59	2.3	< 1	< 1	< 50	< 20	< 3.0	12	10	43	0.05	< 3.0	1.6	< 20
1088	MJBA24088	87.0	88.0	1.0	< 5	< 3.0	11	72	58	2.2	< 1	< 1	< 50	< 20	< 3.0	17	12	40	0.06	< 3.0	1.1	< 20
1089	MJBA24089	88.0	89.0	1.0	< 5	< 3.0	9.6	70	60	1.7	< 1	< 1	< 50	< 20	< 3.0	9.5	11	36	0.05	3.6	1.2	< 20
1090	MJBA24090	89.0	90.0	1.0	< 5	< 3.0	9.8	69	57	2	< 1	< 1	< 50	< 20	< 3.0	8.9	9.7	40	0.05	3.1	1.5	< 20
1091	MJBA24091	90.0	91.0	1.0	< 5	< 3.0	10	76	61	2.4	< 1	< 1	< 50	< 20	< 3.0	10	11	50	0.05	< 3.0	2.1	< 20
1092	MJBA24092	91.0	92.0	1.0	46	< 3.0	13	84	61	2.4	< 1	< 1	< 50	< 20	< 3.0	11	9.6	47	0.06	4.8	5.5	< 20
1093	MJBA24093	92.0	93.0	1.0	28	< 3.0	9.7	76	54	2	< 1	< 1	< 50	< 20	< 3.0	10	8.2	41	0.05	4.3	4.8	< 20
1094	MJBA24094	93.0	94.0	1.0	< 5	< 3.0	22	85	53	2.3	< 1	< 1	< 50	< 20	< 3.0	11	8.7	49	0.05	4.8	6.1	< 20
1095	MJBA24095	94.0	95.0	1.0	278	< 3.0	22	88	53	3.2	< 1	< 1	< 50	< 20	< 3.0	11	11	60	0.08	3.4	5.3	< 20
1096	MJBA24096	95.0	96.0	1.0	83	< 3.0	14	95	68	3.4	< 1	< 1	< 50	< 20	< 3.0	16	11	65	0.06	< 3.0	5.3	< 20
1097	MJBA24097	96.0	97.0	1.0	319	< 3.0	123	94	59	2.2	< 1	< 1	< 50	< 20	< 3.0	11	10	44	0.05	4.3	3.7	< 20
1098	MJBA24098	97.0	98.0	1.0	46	< 3.0	29	77	58	2.3	< 1	< 1	< 50	< 20	< 3.0	9.7	10	51	0.06	3.2	1.8	< 20
1099	MJBA24099	98.0	99.0	1.0	504	< 3.0	103	77	51	2.4	< 1	< 1	< 50	< 20	< 3.0	9.8	11	54	0.06	< 3.0	3.8	< 20
1100	MJBA24100	99.0	100.30	1.30	312	3.1	47	122	69	3.6	< 1	< 1	< 50	< 20	< 3.0	14	16	76	0.08	8.2	5.4	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
1101	MJBA25001	0.0	1.0	1.0	171	< 3.0	43	106	43	5.2	1	< 1	< 50	< 20	< 3.0	12	13	102	0.06	3.6	0.25	< 20
1102	MJBA25002	1.0	2.0	1.0	157	< 3.0	42	115	36	5.5	2	< 1	< 50	< 20	< 3.0	12	9.8	110	0.04	4.4	0.23	< 20
1103	MJBA25003	2.0	3.0	1.0	162	< 3.0	45	120	80	5.6	3	< 1	< 50	< 20	3.1	12	9.7	113	0.04	< 3.0	0.2	< 20
1104	MJBA25004	3.0	4.0	1.0	139	< 3.0	43	120	60	5.4	1	< 1	< 50	< 20	3.2	12	8.7	109	0.03	3.4	0.19	< 20
1105	MJBA25005	4.0	5.0	1.0	194	< 3.0	47	124	93	5.7	2	< 1	< 50	< 20	3	13	10	114	0.04	< 3.0	0.26	< 20
1106	MJBA25006	5.0	6.0	1.0	153	< 3.0	44	125	39	5.6	< 1	< 1	< 50	< 20	3.1	13	8.3	114	0.03	3.4	0.29	< 20
1107	MJBA25007	6.0	7.0	1.0	125	< 3.0	40	116	40	5.1	1	< 1	< 50	< 20	< 3.0	13	7	99	0.03	5.5	0.41	< 20
1108	MJBA25008	7.0	8.0	1.0	69	< 3.0	37	118	44	4.9	1	< 1	< 50	< 20	< 3.0	13	7.1	94	0.02	4.7	0.71	< 20
1109	MJBA25009	8.0	9.0	1.0	69	< 3.0	33	114	42	4.6	< 1	< 1	< 50	< 20	< 3.0	12	6	85	0.03	3.1	0.83	< 20
1110	MJBA25010	9.0	10.0	1.0	60	< 3.0	28	111	42	4.5	1	< 1	< 50	< 20	< 3.0	12	4	78	0.03	3.1	0.77	< 20
1111	MJBA25011	10.0	11.0	1.0	37	< 3.0	22	102	36	4.2	1	< 1	< 50	< 20	< 3.0	11	3.8	69	0.03	< 3.0	0.74	< 20
1112	MJBA25012	11.0	12.0	1.0	28	< 3.0	22	108	39	4	< 1	< 1	< 50	< 20	< 3.0	9.6	< 3.0	70	0.02	< 3.0	1.1	< 20
1113	MJBA25013	12.0	13.0	1.0	157	< 3.0	32	108	42	4.2	< 1	< 1	< 50	< 20	< 3.0	10	4.6	77	0.03	< 3.0	1.8	< 20
1114	MJBA25014	13.0	14.0	1.0	65	< 3.0	31	115	46	3.4	1	< 1	< 50	< 20	< 3.0	9.1	5	72	0.04	4.1	2.7	< 20
1115	MJBA25015	14.0	15.0	1.0	102	< 3.0	34	112	46	3.6	1	< 1	< 50	< 20	< 3.0	10	3.8	68	0.03	5.7	2	< 20
1116	MJBA25016	15.0	16.0	1.0	9	< 3.0	28	131	40	4	< 1	< 1	< 50	< 20	< 3.0	9.6	3.4	79	0.05	< 3.0	1.9	< 20
1117	MJBA25017	16.0	17.0	1.0	< 5	< 3.0	22	124	36	4	< 1	< 1	< 50	< 20	< 3.0	10	< 3.0	61	0.04	4.4	1	< 20
1118	MJBA25018	17.0	18.0	1.0	< 5	< 3.0	23	120	39	3.8	1	< 1	< 50	< 20	< 3.0	9.4	< 3.0	57	0.04	< 3.0	0.62	< 20
1119	MJBA25019	18.0	19.0	1.0	< 5	< 3.0	21	130	43	4.3	1	< 1	< 50	< 20	< 3.0	9.7	< 3.0	68	0.05	3.5	0.67	< 20
1120	MJBA25020	19.0	20.0	1.0	< 5	< 3.0	36	129	48	4.7	< 1	< 1	< 50	< 20	< 3.0	10	< 3.0	75	0.07	< 3.0	1.2	< 20
1121	MJBA25021	20.0	21.0	1.0	23	< 3.0	109	191	79	9.4	< 1	< 1	< 50	< 20	6	31	7.6	208	0.28	7.1	1.3	< 20
1122	MJBA25022	21.0	22.0	1.0	1270	< 3.0	143	122	79	9	< 1	< 1	< 50	< 20	5.9	25	9.2	193	0.14	5.8	0.94	< 20
1123	MJBA25023	22.0	23.0	1.0	503	< 3.0	205	118	62	6.7	< 1	< 1	< 50	< 20	3.8	22	4.4	144	0.11	3.4	1.1	< 20
1124	MJBA25024	23.0	24.0	1.0	185	< 3.0	195	125	74	3.8	< 1	< 1	< 50	< 20	< 3.0	25	11	68	0.14	4	1.8	< 20
1125	MJBA25025	24.0	25.0	1.0	134	< 3.0	92	108	82	3.7	< 1	< 1	< 50	< 20	< 3.0	24	10	65	0.12	4.1	2.7	< 20
1126	MJBA25026	25.0	26.0	1.0	74	< 3.0	72	105	82	3.9	< 1	< 1	< 50	< 20	< 3.0	51	9.6	80	0.3	5.8	3.9	< 20
1127	MJBA25027	26.0	27.0	1.0	< 5	< 3.0	39	120	86	4.4	< 1	< 1	< 50	< 20	< 3.0	26	5.1	69	0.13	< 3.0	2.9	< 20
1128	MJBA25028	27.0	28.0	1.0	< 5	< 3.0	22	98	80	3.6	< 1	< 1	< 50	< 20	< 3.0	19	< 3.0	63	0.09	< 3.0	3.5	< 20
1129	MJBA25029	28.0	29.0	1.0	< 5	< 3.0	25	106	107	4.5	< 1	< 1	< 50	< 20	< 3.0	22	< 3.0	75	0.12	< 3.0	2.9	< 20
1130	MJBA25030	29.0	30.0	1.0	19	< 3.0	23	107	113	4.6	< 1	< 1	< 50	< 20	< 3.0	19	4	70	0.12	3.1	2.5	< 20
1131	MJBA25031	30.0	31.0	1.0	19	< 3.0	20	101	102	3.9	< 1	< 1	< 50	< 20	< 3.0	16	3.9	68	0.07	< 3.0	3.9	< 20
1132	MJBA25032	31.0	32.0	1.0	< 5	< 3.0	13	93	83	3.3	< 1	< 1	< 50	< 20	< 3.0	13	< 3.0	48	0.1	< 3.0	3.6	< 20
1133	MJBA25033	32.0	33.0	1.0	111	< 3.0	30	103	87	3.7	< 1	< 1	< 50	< 20	< 3.0	20	4.7	67	0.15	< 3.0	4.4	< 20
1134	MJBA25034	33.0	34.0	1.0	32	< 3.0	19	67	46	2.1	< 1	< 1	< 50	< 20	< 3.0	8.7	14	29	0.12	4.8	3.5	< 20
1135	MJBA25035	34.0	35.0	1.0	14	< 3.0	16	73	39	0.85	< 1	< 1	< 50	< 20	< 3.0	< 8.0	8	9.2	0.05	< 3.0	4.5	< 20
1136	MJBA25036	35.0	36.0	1.0	273	< 3.0	33	106	76	2.9	< 1	< 1	< 50	< 20	< 3.0	18	5.3	53	0.12	< 3.0	4.7	< 20
1137	MJBA25037	36.0	37.0	1.0	60	< 3.0	37	102	83	3.9	< 1	< 1	< 50	< 20	< 3.0	24	5.9	64	0.14	< 3.0	4.3	< 20
1138	MJBA25038	37.0	38.0	1.0	880	< 3.0	95	81	99	6.1	< 1	< 1	< 50	< 20	3.1	126	72	140	0.45	18	3.5	< 20
1139	MJBA25039	38.0	39.0	1.0	37	< 3.0	29	98	77	3.5	< 1	< 1	< 50	< 20	< 3.0	24	< 3.0	58	0.11	3.5	2.9	< 20
1140	MJBA25040	39.0	40.0	1.0	< 5	< 3.0	25	99	79	3.9	< 1	< 1	< 50	< 20	< 3.0	24	< 3.0	55	0.12	3.3	2.6	< 20
1141	MJBA25041	40.0	41.0	1.0	< 5	< 3.0	27	101	81	3.8	< 1	< 1	< 50	< 20	< 3.0	21	3.7	55	0.11	< 3.0	3.1	< 20
1142	MJBA25042	41.0	42.0	1.0	56	< 3.0	31	102	103	4.4	< 1	< 1	< 50	< 20	< 3.0	24	4	66	0.11	< 3.0	2.4	< 20
1143	MJBA25043	42.0	43.0	1.0	14	< 3.0	37	110	117	4.9	1	< 1	< 50	< 20	< 3.0	25	5.5	76	0.13	4.5	2	< 20
1144	MJBA25044	43.0	44.0	1.0	116	< 3.0	48	114	79	3.3	< 1	< 1	< 50	< 20	< 3.0	19	13	44	0.07	< 3.0	4.6	< 20
1145	MJBA25045	44.0	45.0	1.0	14	< 3.0	25	92	71	3.2	< 1	< 1	< 50	< 20	< 3.0	15	< 3.0	48	0.08	< 3.0	4.1	< 20
1146	MJBA25046	45.0	46.0	1.0	< 5	< 3.0	28	88	63	2.8	< 1	< 1	< 50	< 20	< 3.0	14	< 3.0	45	0.08	< 3.0	4.7	< 20
1147	MJBA25047	46.0	47.0	1.0	23	< 3.0	87	80	170	8.5	< 1	< 1	< 50	< 20	5.2	38	20	185	0.18	< 3.0	2.2	< 20
1148	MJBA25048	47.0	48.0	1.0	19	< 3.0	125	86	124	6.7	< 1	< 1	< 50	< 20	3.9	29	11	144	0.12	< 3.0	2.8	< 20
1149	MJBA25049	48.0	49.0	1.0	9	< 3.0	64	84	180	9.5	< 1	< 1	< 50	< 20	6.4	49	24	184	0.18	< 3.0	2.3	< 20
1150	MJBA25050	49.0	50.0	1.0	5	< 3.0	58	75	259	8.9	< 1	< 1	< 50	< 20	6.4	59	41	161	0.21	< 3.0	2.3	< 20
1151	MJBA25051	50.0	51.0	1.0	23	< 3.0	111	71	224	7.6	< 1	< 1	< 50	< 20	5.1	44	38	156	0.15	< 3.0	2.5	< 20
1152	MJBA25052	51.0	52.0	1.0	116	< 3.0	119	77	202	7.9	1	< 1	< 50	< 20	5.3	46	26	179	0.17	< 3.0	2.8	< 20
1153	MJBA25053	52.0	53.0	1.0	9	< 3.0	58	70	202	8	< 1	< 1	< 50	< 20	5.8	43	27	188	0.14	< 3.0	2.4	< 20
1154	MJBA25054	53.0	54.0	1.0	< 5	< 3.0	28	60	218	7.2	< 1	< 1	< 50	< 20	4.9	44	35	167	0.16	< 3.0	1.9	< 20
1155	MJBA25055	54.0	55.0	1.0	< 5	< 3.0	117	59	163	6.2	< 1	< 1	< 50	< 20	4	35	17	165	0.13	< 3.0	1.8	< 20
1156	MJBA25056	55.0	56.0	1.0	9	< 3.0	93	63	183	6.3	< 1	< 1	< 50	< 20	3.9	34	18	161	0.14	< 3.0	2.1	< 20
1157	MJBA25057	56.0	57.0	1.0	< 5	< 3.0	15	163	78	3	< 1	< 1	< 50	< 20	< 3.0	12	< 3.0	49	0.05	< 3.0	4.2	< 20
1158	MJBA25058	57.0	58.0	1.0	23	< 3.0	98	84	120	6.3	< 1	< 1	< 50	< 20	3.8	29	9.1	129	0.13	< 3.0	2.9	< 20
1159	MJBA25059	58.0	59.0	1.0	< 5	< 3.0	11	78	66	2.7	< 1	< 1	< 50	< 20	< 3.0	13	< 3.0	43	0.07	< 3.0	4.4	< 20
1160	MJBA25060	59.0	60.0	1.0	9	< 3.0	9.6	72	54	2.4	< 1	< 1	< 50	< 20	< 3.0	11	< 3.0	36	0.05	< 3.0	4.5	< 20
1161	MJBA25061	60.0	61.0	1.0	9	< 3.0	3.4	58	26	1.2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	21	0.02	< 3.0	5.1	< 20
1162	MJBA25062	61.0	62.0	1.0	810	< 3.0	30	68	57	3.3	< 1	< 1	< 50	< 20	< 3.0	14	< 3.0	33	0.02	25	4.1	< 20
1163	MJBA25063	62.0	63.0	1.0	9	< 3.0	7.3	64	34	2	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	35	0.03	3.5	4.4	< 20
1164	MJBA25064	63.0	64.0	1.0	273	3.1	20	65	41	1.9	< 1	< 1	< 50	< 20	< 3.0	8.5	< 3.0	42	0.05	26	5.2	< 20
1165	MJBA25065	64.0	65.0	1.0	625	< 3.0	70	72	40	2	< 1	< 1	< 50	< 20	< 3.0	8.1	< 3.0	32	0.04	4.1	4.5	< 20
1166	MJBA25066	65.0	66.0	1.0	204	< 3.0	38	67	54	2.5	< 1	< 1	< 50	< 20	< 3.0	9.6	< 3.0	42	0.06	3.3	3.6	< 20
1167	MJBA25067	66.0	67.0	1.0	116	< 3.0	15	81	37	1.3	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	20	0.1	3.4	4.5	< 20
1168	MJBA25068	67.0	68.0	1.0	69	< 3.0	14	59	36	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	32	0.06	< 3.0	4.6	< 20
1169	MJBA25069	68.0	69.0	1.0	19	< 3.0	15	69	42	2.3	< 1	< 1	< 50	< 20	< 3.0	9.6	< 3.0	39	0.07	3.1	4.1	< 20
1170	MJBA25070	69.0	70.0	1.0	46	< 3.0	55	67	56	3	1	< 1	< 50	< 20	< 3.0	14	< 3.0	51	0.18	5.4	3.6	< 20
1171	MJBA25071	70.0	71.0	1.0	19	< 3.0	93	73	69	3.3	< 1	< 1	< 50	< 20	< 3.0	15	3.4	67	0.06	< 3.0	3.2	< 20
1172	MJBA25072	71.0	72.0	1.0	9	< 3.0	181	67	73	3.1	< 1	< 1	< 50	< 20	< 3.0	17	3.2	59	0.06	12	2.6	< 20
1173	MJBA25073	72.0	73.0	1.0	< 5	< 3.0	11	76	68	2.8	< 1	< 1	< 50	< 20	< 3.0	12	< 3.0	54	0.07	3.3	3.1	< 20
1174	MJBA25074	73.0	74.0	1.0	19	< 3.0	8.4	67	45	1.9	< 1	< 1	< 50	< 20	< 3.0	8	< 3.0	33	0.05	3.8	3.1	< 20
1175	MJBA25075	74.0	75.0	1.0	14	< 3.0	8.7	66	44	1.8	< 1	< 1	< 50	< 20	< 3.0	< 8.0	< 3.0	31	0.04	< 3.0	3.4	< 20
1176	MJBA25076	75.0	76.0	1.0	< 5	< 3.0	71	80	66	2.7	< 1	< 1	< 50	< 20	< 3.0	13	< 3.0	50	0.06	4	3.3	< 20
1177	MJBA25077	76.0	77.0	1.0	46	< 3.0	168	70	50	2.6	< 1	< 1	< 50	< 20	< 3.0	13	3.5	39	0.04	3.7	3.5	< 20
1178	MJBA25078	77.0	78.0	1.0	28	< 3.0	19	58	32	1.7	< 1	< 1	< 50	< 20	< 3.0	< 8.0	3.2	24	0.04	4.1	3.9	< 20
1179	MJBA25079	78.0	79.0	1.0	23	< 3.0	44	74	46	2	< 1	< 1	< 50	< 20	< 3.0	8.2	< 3.0	30	0.04	< 3.0	4.2	< 20
1180	MJBA25080	79.0	80.0	1.0	< 5	< 3.0	13	70	53	2.2	< 1	< 1	< 50	< 20	< 3.0	8.9	< 3.0	36	0.05	5.9	3.8	< 20
1181	MJBA25081	80.0	81.0	1.0	51	< 3.0	15	102	107	3	< 1	< 1	< 50	< 20	< 3.0	9.7	6.3	43	0.06	4.5	2.9	< 20
1182	MJBA25082	81.0	82.0	1.0	14	< 3.0	13	75	74	3.2	1	< 1	< 50	< 20	< 3.0	12	4.9	49	0.06	3.5	2.6	< 20
1183	MJBA25083	82.0	83.0	1.0	< 5	< 3.0	14	72	55	2.5	< 1	< 1	< 50	< 20	< 3.0	9.2	4.5	36	0.05	< 3.0	2.9	< 20
1184	MJBA25084	83.0	84.0	1.0	< 5	< 3.0	6.6	52	15	1.1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	3.7	11	0.02	3.9	4.5	< 20
1185	MJBA25085	84.0	85.0	1.0	46	< 3.0	6	59	21	1	< 1	< 1	< 50	< 20	< 3.0	< 8.0	4.6	11	0.02	5.1	4.7	< 20
1186	MJBA25086	85.0	86.0	1.0	< 5	< 3.0	10	67	47	2.4	< 1	< 1	< 50	< 20	< 3.0	10	4.3	36	0.05	4.1	3.8	< 20
1187	MJBA25087	86.0	87.0	1.0	60	< 3.0	93	52	88	4.6	< 1	< 1	< 50	< 20	< 3.0	21	110	68	0.24	3.2	1.5	< 20
1188	MJBA25088	87.0	88.0	1.0	< 5	< 3.0	58	34	113	5.8	< 1	< 1	< 50	< 20	< 3.0	43	396	130	0.2	< 3.0	1.5	< 20
1189	MJBA25089	88.0	89.0	1.0	< 5	< 3.0	13	53	81	3.6	< 1	< 1	< 50	< 20	< 3.0	21	155	63	0.09	< 3.0	2.3	< 20
1190	MJBA25090	89.0	90.0	1.0	< 5	< 3.0	12	77	65	3.1	< 1	< 1	< 50	< 20	< 3.0	12	5.5	51	0.06	6.6	3	< 20
1191	MJBA25091	90.0	91.0	1.0	< 5	< 3.0	9.5	65	47	2.4	< 1	< 1	< 50	< 20	< 3.0	10	4	43	0.05	4.4	3.6	< 20
1192	MJBA25092	91.0	92.0	1.0	< 5	< 3.0	11	72	53	2.5	< 1	< 1	< 50	< 20	< 3.0	10	4	44	0.04	3.5	3.7	< 20
1193	MJBA25093	92.0	93.0	1.0	< 5	< 3.0	11	79	58	2.8	< 1	< 1	< 50	< 20	< 3.0	14	4.9	46	0.05	< 3.0	3.6	< 20
1194	MJBA25094	93.0	94.0	1.0	< 5	< 3.0	11	71	53	2.5	< 1	< 1	< 50	< 20	< 3.0	10	5	43	0.04	4.6	3.6	< 20
1195	MJBA25095	94.0	95.0	1.0	< 5	< 3.0	11	57	46	2.3	< 1	< 1	< 50	< 20	< 3.0	9.3	4	38	0.04	3.2	3.1	< 20
1196	MJBA25096	95.0	96.0	1.0	< 5	< 3.0	10	67	56	2.5	< 1	< 1	< 50	< 20	< 3.0	9.5	4.6	40	0.04	3.1	3.7	< 20
1197	MJBA25097	96.0	97.0	1.0	< 5	< 3.0	9.5	60	51	2.5	< 1	< 1	< 50	< 20	< 3.0	11	8.9	44	0.05	< 3.0	3.7	< 20
1198	MJBA25098	97.0	98.0	1.0	< 5	< 3.0	12	63	80	3.4	< 1	< 1	< 50	< 20	< 3.0	12	6.5	56	0.06	< 3.0	1.9	< 20
1199	MJBA25099	98.0	99.0	1.0	< 5	< 3.0	15	81	90	3.7	< 1	< 1	< 50	< 20	< 3.0	13	6.3	59	0.07	3.9	2	< 20
1200	MJBA25100	99.0	100.30	1.30	< 5	< 3.0	11	71	80	3.1	< 1	< 1	< 50	< 20	< 3.0	12	4.6	49	0.07	< 3.0	2.2	< 20

List of Ore Assay results for drilling survey

Ser. No.	Sample No.	Depth (m) From	To	Length (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppb)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (%)	Mo (ppm)	K (%)	W (ppm)
1201	MJBA26001	0.0	1.0	1.0	60	< 3.0	54	106	79	6.4	< 1	< 1	< 50	< 20	4.6	18	24	141	0.07	< 3.0	0.16	< 20
1202	MJBA26002	1.0	2.0	1.0	65	< 3.0	52	109	64	6.7	2	< 1	< 50	< 20	4.4	18	23	148	0.05	< 3.0	0.11	< 20
1203	MJBA26003	2.0	3.0	1.0	65	< 3.0	56	117	69	7.1	3	< 1	< 50	< 20	5	19	24	156	0.06	3.1	0.13	< 20
1204	MJBA26004	3.0	4.0	1.0	65	< 3.0	51	104	75	6.7	2	< 1	< 50	< 20	4.4	17	21	147	0.04	4.3	0.13	< 20
1205	MJBA26005	4.0	5.0	1.0	83	3	52	111	74	6.8	2	< 1	< 50	< 20	4.8	18	22	152	0.04	< 3.0	0.16	< 20
1206	MJBA26006	5.0	6.0	1.0	56	< 3.0	46	115	63	7.4	2	< 1	< 50	< 20	4.9	18	21	165	0.05	< 3.0	0.39	< 20
1207	MJBA26007	6.0	7.0	1.0	19	< 3.0	21	87	30	4.1	1	< 1	< 50	< 20	< 3.0	12	18	86	0.03	< 3.0	0.55	< 20
1208	MJBA26008	7.0	8.0	1.0	< 5	< 3.0	21	133	46	6.4	1	< 1	< 50	< 20	3.5	14	24	122	0.06	< 3.0	0.54	< 20
1209	MJBA26009	8.0	9.0	1.0	< 5	< 3.0	16	97	39	4.2	< 1	< 1	< 50	< 20	< 3.0	11	16	76	0.04	< 3.0	0.97	< 20
1210	MJBA26010	9.0	10.0	1.0	9	< 3.0	16	124	42	4.3	< 1	< 1	< 50	< 20	< 3.0	13	23	79	0.07	< 3.0	1	< 20
1211	MJBA26011	10.0	11.0	1.0	< 5	< 3.0	12	100	34	3.5	< 1	< 1	< 50	< 20	< 3.0	13	32	62	0.05	< 3.0	1.1	< 20
1212	MJBA26012	11.0	12.0	1.0	< 5	< 3.0	16	127	47	5.4	< 1	< 1	< 50	< 20	3.3	17	16	96	0.11	< 3.0	1.1	< 20
1213	MJBA26013	12.0	13.0	1.0	< 5	< 3.0	14	113	42	4.6	2	< 1	< 50	< 20	< 3.0	14	19	91	0.06	< 3.0	0.88	< 20
1214	MJBA26014	13.0	14.0	1.0	< 5	< 3.0	18	132	48	3.3	< 1	< 1	< 50	< 20	< 3.0	36	37	73	0.13	5.2	0.88	< 20
1215	MJBA26015	14.0	15.0	1.0	< 5	< 3.0	17	103	50	4.7	< 1	< 1	< 50	< 20	< 3.0	18	25	78	0.13	3.7	0.8	< 20
1216	MJBA26016	15.0	16.0	1.0	< 5	< 3.0	22	89	37	3.2	< 1	< 1	< 50	< 20	< 3.0	13	25	51	0.07	< 3.0	0.87	< 20
1217	MJBA26017	16.0	17.0	1.0	< 5	< 3.0	11	79	28	2	< 1	< 1	< 50	< 20	< 3.0	9.9	20	37	0.05	< 3.0	1.4	< 20
1218	MJBA26018	17.0	18.0	1.0	< 5	< 3.0	22	94	44	2.8	< 1	< 1	< 50	< 20	< 3.0	17	32	49	0.09	< 3.0	1.7	< 20
1219	MJBA26019	18.0	19.0	1.0	< 5	< 3.0	31	103	43	3	< 1	< 1	< 50	< 20	< 3.0	16	18	54	0.08	< 3.0	2	< 20
1220	MJBA26020	19.0	20.0	1.0	< 5	< 3.0	30	98	46	2.6	< 1	< 1	< 50	< 20	< 3.0	17	62	43	0.09	3.8	3	< 20
1221	MJBA26021	20.0	21.0	1.0	< 5	< 3.0	20	112	81	4.4	< 1	< 1	< 50	< 20	< 3.0	25	26	74	0.11	< 3.0	1.9	< 20
1222	MJBA26022	21.0	22.0	1.0	< 5	< 3.0	16	106	64	3.7	< 1	< 1	< 50	< 20	< 3.0	21	21	61	0.1	< 3.0	3	< 20
1223	MJBA26023	22.0	23.0	1.0	< 5	< 3.0	17	101	48	2.3	< 1	< 1	< 50	< 20	< 3.0	15	19	40	0.06	< 3.0	3.8	< 20
1224	MJBA26024	23.0	24.0	1.0	< 5	< 3.0	18	105	61	3.2	< 1	< 1	< 50	< 20	< 3.0	18	18	53	0.08	< 3.0	3.4	< 20
1225	MJBA26025	24.0	25.0	1.0	< 5	< 3.0	20	105	55	3.2	< 1	< 1	< 50	< 20	< 3.0	19	18	48	0.08	< 3.0	3.3	< 20
1226	MJBA26026	25.0	26.0	1.0	< 5	< 3.0	28	94	107	6.6	< 1	< 1	< 50	< 20	4.9	41	66	108	0.16	< 3.0	2.4	< 20
1227	MJBA26027	26.0	27.0	1.0	< 5	< 3.0	15	108	53	3.2	< 1	< 1	< 50	< 20	< 3.0	19	19	52	0.07	4.1	4.8	< 20
1228	MJBA26028	27.0	28.0	1.0	< 5	< 3.0	15	115	52	2.9	< 1	< 1	< 50	< 20	< 3.0	18	20	45	0.08	3.5	5.2	< 20
1229	MJBA26029	28.0	29.0	1.0	< 5	< 3.0	27	102	56	3.4	< 1	< 1	< 50	< 20	< 3.0	19	23	54	0.09	< 3.0	4	< 20
1230	MJBA26030	29.0	30.0	1.0	< 5	< 3.0	26	97	64	3.9	< 1	< 1	< 50	< 20	< 3.0	29	34	61	0.11	< 3.0	4.2	< 20
1231	MJBA26031	30.0	31.0	1.0	< 5	< 3.0	17	91	50	2.8	< 1	< 1	< 50	< 20	< 3.0	18	28	43	0.09	< 3.0	4.4	< 20
1232	MJBA26032	31.0	32.0	1.0	< 5	< 3.0	25	87	84	4.5	< 1	< 1	< 50	< 20	< 3.0	37	67	74	0.11	3.1	4	< 20
1233	MJBA26033	32.0	33.0	1.0	< 5	< 3.0	20	94	51	2.5	< 1	< 1	< 50	< 20	< 3.0	14	24	40	0.07	< 3.0	4.9	< 20
1234	MJBA26034	33.0	34.0	1.0	< 5	< 3.0	15	88	51	2.7	< 1	< 1	< 50	< 20	< 3.0	15	21	41	0.09	< 3.0	4.7	< 20
1235	MJBA26035	34.0	35.0	1.0	397	< 3.0	18	90	54	3.1	< 1	< 1	< 50	< 20	< 3.0	13	16	45	0.06	4.8	5.2	< 20
1236	MJBA26036	35.0	36.0	1.0	51	< 3.0	8.9	91	58	2.4	< 1	< 1	< 50	< 20	< 3.0	12	15	36	0.06	< 3.0	5.2	< 20
1237	MJBA26037	36.0	37.0	1.0	19	< 3.0	7.7	86	51	2.1	< 1	< 1	< 50	< 20	< 3.0	10	16	31	0.07	3.8	5.6	< 20
1238	MJBA26038	37.0	38.0	1.0	< 5	< 3.0	4.1	84	66	2.1	< 1	< 1	< 50	< 20	< 3.0	9.2	12	31	0.05	< 3.0	5	< 20
1239	MJBA26039	38.0	39.0	1.0	< 5	< 3.0	9.7	80	70	2.2	< 1	< 1	< 50	< 20	< 3.0	10	13	32	0.08	< 3.0	4.5	< 20
1240	MJBA26040	39.0	40.0	1.0	< 5	< 3.0	8.8	81	58	2	< 1	< 1	< 50	< 20	< 3.0	9.3	14	35	0.04	< 3.0	5	< 20
1241	MJBA26041	40.0	41.0	1.0	56	< 3.0	14	75	68	2.1	< 1	< 1	< 50	< 20	< 3.0	9.3	15	37	0.05	< 3.0	4.6	< 20
1242	MJBA26042	41.0	42.0	1.0	< 5	< 3.0	14	72	74	2.4	< 1	< 1	< 50	< 20	< 3.0	10	17	42	0.05	< 3.0	3.9	< 20
1243	MJBA26043	42.0	43.0	1.0	< 5	< 3.0	25	66	74	3.6	< 1	< 1	< 50	< 20	< 3.0	20	85	61	0.07	< 3.0	2.3	< 20
1244	MJBA26044	43.0	44.0	1.0	< 5	< 3.0	40	75	73	3.5	< 1	< 1	< 50	< 20	< 3.0	16	37	70	0.05	< 3.0	3.1	< 20
1245	MJBA26045	44.0	45.0	1.0	< 5	< 3.0	4.4	61	49	2.2	< 1	< 1	< 50	< 20	< 3.0	11	17	47	0.04	< 3.0	3.7	< 20
1246	MJBA26046	45.0	46.0	1.0	< 5	< 3.0	14	60	70	2.8	< 1	< 1	< 50	< 20	< 3.0	13	30	49	0.11	< 3.0	2.9	< 20
1247	MJBA26047	46.0	47.0	1.0	< 5	< 3.0	13	70	54	2.3	< 1	< 1	< 50	< 20	< 3.0	11	17	41	0.05	3.2	3.6	< 20
1248	MJBA26048	47.0	48.0	1.0	< 5	< 3.0	8.2	72	73	3.1	< 1	< 1	< 50	< 20	< 3.0	14	16	56	0.05	< 3.0	2.7	< 20
1249	MJBA26049	48.0	49.0	1.0	< 5	< 3.0	11	81	72	2.6	< 1	< 1	< 50	< 20	< 3.0	11	7.4	48	0.05	3.8	3.4	< 20
1250	MJBA26050	49.0	50.0	1.0	< 5	< 3.0	25	92	116	3.4	< 1	< 1	< 50	< 20	< 3.0	16	8.8	64	0.07	< 3.0	3	< 20
1251	MJBA26051	50.0	51.0	1.0	< 5	< 3.0	9.6	86	84	3	< 1	< 1	< 50	< 20	< 3.0	13	7.1	57	0.08	< 3.0	3.3	< 20
1252	MJBA26052	51.0	52.0	1.0	< 5	< 3.0	7.4	85	76	3.1	< 1	< 1	< 50	< 20	< 3.0	13	7.9	56	0.08	< 3.0	3.1	< 20
1253	MJBA26053	52.0	53.0	1.0	< 5	< 3.0	8.6	77	64	2.6	< 1	< 1	< 50	< 20	< 3.0	12	5.9	48	0.06	< 3.0	3.3	< 20
1254	MJBA26054	53.0	54.0	1.0	< 5	< 3.0	13	75	52	2.4	< 1	< 1	< 50	< 20	< 3.0	11	5.2	44	0.07	< 3.0	3.3	< 20
1255	MJBA26055	54.0	55.0	1.0	< 5	< 3.0	19	87	82	3.4	< 1	< 1	< 50	< 20	< 3.0	15	8.5	65	0.09	< 3.0	3.3	< 20
1256	MJBA26056	55.0	56.0	1.0	< 5	< 3.0	13	72	90	3.5	< 1	< 1	< 50	< 20	< 3.0	14	< 3.0	72	0.07	< 3.0	2.6	< 20
1257	MJBA26057	56.0	57.0	1.0	< 5	< 3.0	48	60	115	5.8	< 1	< 1	< 50	< 20	4.7	26	8.8	156	0.1	< 3.0	1.6	< 20
1258	MJBA26058	57.0	58.0	1.0	< 5	< 3.0	37	67	87	4.4	< 1	< 1	< 50	< 20	3.4	18	6.2	102	0.09	< 3.0	2.4	< 20
1259	MJBA26059	58.0	59.0	1.0	< 5	< 3.0	18	72	72	2.8	< 1	< 1	< 50	< 20	< 3.0	12	3.9	55	0.09	< 3.0	3.9	< 20
1260	MJBA26060	59.0	60.0	1.0	9	< 3.0	21	78	123	3.6	< 1	< 1	< 50	< 20	< 3.0	18	51	75	0.14	< 3.0	4.1	< 20
1261	MJBA26061	60.0	61.0	1.0	< 5	< 3.0	31	51	174	5.2	< 1	< 1	< 50	< 20	3.8	31	113	113	0.12	< 3.0	1.9	< 20
1262	MJBA26062	61.0	62.0	1.0	< 5	< 3.0	40	69	59	2.5	< 1	< 1	< 50	< 20	< 3.0	18	7.1	54	0.06	3.6	3.8	< 20
1263	MJBA26063	62.0	63.0	1.0	< 5	< 3.0	16	76	64	3	< 1	< 1	< 50	< 20	< 3.0	13	5.4	59	0.04	< 3.0	2.9	< 20
1264	MJBA26064	63.0	64.0	1.0	< 5	< 3.0	13	78	63	2.9	< 1	< 1	< 50	< 20	< 3.0	13	4.4	54	0.04	3.9	3	< 20
1265	MJBA26065	64.0	65.0	1.0	< 5	< 3.0	8.5	76	59	2.6	< 1	< 1	< 50	< 20	< 3.0	12	5.6	50	0.04	4.1	4.1	< 20
1266	MJBA26066	65.0	66.0	1.0	< 5	< 3.0	13	70	55	2.8	< 1	< 1	< 50	< 20	< 3.0	13	4.7	51	0.06	< 3.0	3.3	< 20
1267	MJBA26067	66.0	67.0	1.0	< 5	< 3.0	6.1	74	64	2.9	< 1	< 1	< 50	< 20	< 3.0	12	5.7	53	0.06	< 3.0	3.1	< 20
1268	MJBA26068	67.0	68.0	1.0	83	< 3.0	84	67	64	3.2	< 1	< 1	< 50	< 20	< 3.0	18	4.8	58	0.06	3.8	3.3	< 20
1269	MJBA26069	68.0	69.0	1.0	111	< 3.0	18	75	61	2.8	< 1	< 1	< 50	< 20	< 3.0	13	4.7	54	0.06	3.9	3.7	< 20
1270	MJBA26070	69.0	70.0	1.0	83	< 3.0	8.7	79	57	2.6	< 1	< 1	< 50	< 20	< 3.0	12	4.5	49	0.07	6.1	3.9	< 20
1271	MJBA26071	70.0	71.0	1.0	< 5	< 3.0	10	79	61	2.8	< 1	< 1	< 50	< 20	< 3.0	12	< 3.0	51	0.07	3.9	3.2	< 20
1272	MJBA26072	71.0	72.0	1.0	83	< 3.0	8	66	55	2.7	< 1	< 1	< 50	< 20	< 3.0	12	3.3	52	0.06	< 3.0	3.1	< 20
1273	MJBA26073	72.0	73.0	1.0	9	< 3.0	15	69	63	2.7	< 1	< 1	< 50	< 20	< 3.0	12	< 3.0	50	0.07	< 3.0	3.2	< 20
1274	MJBA26074	73.0	74.0	1.0	51	< 3.0	12	73	59	2.8	< 1	< 1	< 50	< 20	< 3.0	12	< 3.0	52	0.07	< 3.0	3.4	< 20
1275	MJBA26075	74.0	75.0	1.0	125	< 3.0	7.1	73	66	3.4	< 1	< 1	< 50	< 20	< 3.0	13	5.8	63	0.07	< 3.0	2.9	< 20
1276	MJBA26076	75.0	76.0	1.0	320	< 3.0	16	78	64	3.1	< 1	< 1	< 50	< 20	< 3.0	13	< 3.0	58	0.07	8.9	3.3	< 20
1277	MJBA26077	76.0	77.0	1.0	< 5	< 3.0	13	63	71	3.1	< 1	< 1	< 50	< 20	< 3.0	12	< 3.0	55	0.06	3.8	2.6	< 20
1278	MJBA26078	77.0	78.0	1.0	< 5	< 3.0	15	68	86	3.8	< 1	< 1	< 50	< 20	< 3.0	17	7.2	72	0.08	< 3.0	2.7	< 20
1279	MJBA26079	78.0	79.0	1.0	< 5	< 3.0	28	77	78	3.7	< 1	< 1	< 50	< 20	< 3.0	16	< 3.0	65	0.09	5.6	3.6	< 20
1280	MJBA26080	79.0	80.0	1.0	93	< 3.0	22	73	83	3.9	< 1	< 1	< 50	< 20	< 3.0	16	3.8	68	0.13	< 3.0	3.2	< 20
1281	MJBA26081	80.0	81.0	1.0	< 5	< 3.0	15	67	66	3.6	< 1	< 1	< 50	< 20	< 3.0	14	3.5	61	0.12	3.8	3.8	< 20
1282	MJBA26082	81.0	82.0	1.0	273	3	19	72	68	4	< 1	< 1	< 50	< 20	< 3.0	16	4.3	69	0.15	12	4.2	< 20
1283	MJBA26083	82.0	83.0	1.0	97	< 3.0	20	76	57	3.4	< 1	< 1	< 50	< 20	< 3.0	14	< 3.0	59	0.07	3.1	3.3	< 20
1284	MJBA26084	83.0	84.0	1.0	93	< 3.0	11	71	51	2.9	< 1	< 1	< 50	< 20	< 3.0	12	3.1	49	0.06	< 3.0	3.5	< 20
1285	MJBA26085	84.0	85.0	1.0	< 5	< 3.0	13	74	67	3.6	< 1	< 1	< 50	< 20	< 3.0	13	< 3.0	66	0.06	3.2	3.6	< 20
1286	MJBA26086	85.0	86.0	1.0	< 5	< 3.0	11	63	65	3.1	< 1	< 1	< 50	< 20	< 3.0	12	< 3.0	53	0.06	< 3.0	2.8	< 20
1287	MJBA26087	86.0	87.0	1.0	< 5	< 3.0	29	79	95	4	< 1	< 1	< 50	< 20	< 3.0	18	14	77	0.08	4.1	3.7	< 20
1288	MJBA26088	87.0	88.0	1.0	< 5	< 3.0	25	58	139	4.6	< 1	< 1	< 50	< 20	< 3.0	28	203	84	0.15	< 3.0	1.8	< 20
1289	MJBA26089	88.0	89.0	1.0	28	< 3.0	12	59	47	2.7	< 1	< 1	< 50	< 20	< 3.0	12	< 3.0	49	0.04	< 3.0	3.7	< 20
1290	MJBA26090	89.0	90.0	1.0	< 5	< 3.0	14	61	57	3.5	< 1	< 1	< 50	< 20	< 3.0	15	6.4	68	0.07	< 3.0	3.1	< 20
1291	MJBA26091	90.0	91.0	1.0	< 5	< 3.0	19	77	81	4.1	< 1	< 1	< 50	< 20	< 3.0	17	8.4	75	0.08	6.1	3.1	< 20
1292	MJBA26092	91.0	92.0	1.0	< 5	< 3.0	14	64	73	3.9	< 1	< 1	< 50	< 20	< 3.0	16	6.3	84	0.08	< 3.0	3.2	< 20
1293	MJBA26093	92.0	93.0	1.0	< 5	< 3.0	16	55	62	3.7	< 1	< 1	< 50	< 20	< 3.0	16	7.5	79	0.07	< 3.0	2.5	< 20
1294	MJBA26094	93.0	94.0	1.0	< 5	< 3.0	28	59	62	3.2	< 1	< 1	< 50	< 20	< 3.0	14	8	64	0.06	4.1	3	< 20
1295	MJBA26095	94.0	95.0	1.0	< 5	< 3.0	78	57	136	6.1	< 1	< 1	< 50	< 20	< 3.0	33	60	152	0.1	< 3.0	1.6	< 20
1296	MJBA26096	95.0	96.0	1.0	< 5	< 3.0	105	53	120	5.2	< 1	< 1	< 50	< 20	< 3.0	29	44	129	0.1	< 3.0	1.6	< 20
1297	MJBA26097	96.0	97.0	1.0	< 5	< 3.0	20	75	109	4.3	< 1	< 1	< 50	< 20	< 3.0	22	31	94	0.08	3.6	2.3	< 20
1298	MJBA26098	97.0	98.0	1.0	< 5	< 3.0	16	60	64	3	< 1	< 1	< 50	< 20	< 3.0	20	4	58	0.04	3.2	3.3	< 20
1299	MJBA26099	98.0	99.0	1.0	9	< 3.0	14	61	66	3.2	< 1	< 1	< 50	< 20	< 3.0	14	4.6	63	0.05	5.2	3.6	< 20
1300	MJBA26100	99.0	100.0	1.0	14	< 3.0	18	69	81	4.2	< 1	< 1	< 50	< 20	< 3.0	17	< 3.0	83	0.05	< 3.0	3.5	< 20
1301	MJBA26101	100.0	101.35	1.35	< 5	< 3.0	17	64	67	3.1	< 1	< 1	< 50	< 20	< 3.0	14	< 3.0	60	0.05	< 3.0	3.4	< 20