


APPENDICES

- APPENDIX A1 - EXPLORATION LOGS – MOUNT AIRY, WESTMORELAND**
- APPENDIX A2 - LAB REPORT – MOUNT AIRY, WESTMORELAND**
- APPENDIX A3 - PETROGRAPHIC ANALYSIS – MOUNT AIRY, WESTMORELAND**
- APPENDIX A4 – PRINICIPAL AND SHEAR STRENGTH GRAPHS – MOUNT AIRY, WESTMORELAND**
- APPENDIX B1 – EXPLORATION LOGS – SHAFSTON, WESTMORELAND**
- APPENDIX B2 – LAB REPORT – SHAFSTON, WESTMORELAND**
- APPENDIX B3 – PETROGRAPHIC ANALYSIS – SHAFSTON, WESTMORELAND**
- APPENDIX B4 – PRINICIPAL AND SHEAR STRENGTH GRAPHS – SHAFSTON, WESTMORELAND**
- APPENDIX C1 – EXPLORATION LOGS – PORTLAND COTTAGE, CLARENDON**
- APPENDIX C2 – LAB REPORT – PORTLAND COTTAGE, CLARENDON**
- APPENDIX C3 – PETROGRAPHIC ANALYSIS – PORTLAND COTTAGE, CLARENDON**
- APPENDIX C4 – PRINICIPAL AND SHEAR STRENGTH GRAPHS – PORTLAND COTTAGE, CLARENDON**
- APPENDIX D1 - EXPLORATION LOGS – SLIGOVILLE, ST. CATHERINE**
- APPENDIX D2 - LAB REPORT – SLIGOVILLE, ST. CATHERINE**
- APPENDIX D3 - PETROGRAPHIC ANALYSIS – SLIGOVILLE, ST. CATHERINE**
- APPENDIX D4 – PRINICIPAL AND SHEAR STRENGTH GRAPHS – SLIGOVILLE, ST. CATHERINE**
- APPENDIX E1 - EXPLORATION LOGS – CABBAGE HILL, ST. THOMAS**
- APPENDIX E2 - LAB REPORT – CABBAGE HILL, ST. THOMAS**
- APPENDIX E3 - PETROGRAPHIC ANALYSIS – CABBAGE HILL, ST. THOMAS**
- APPENDIX E4 – PRINICIPAL AND SHEAR STRENGTH GRAPHS – CABBAGE HILL, ST. THOMAS**
- APPENDIX F1 - EXPLORATION LOGS – WINCHESTER, ST. THOMAS**
- APPENDIX F2 - LAB REPORT – WINCHESTER, ST. THOMAS**
- APPENDIX F3 - PETROGRAPHIC ANALYSIS – WINCHESTER, ST. THOMAS**
- APPENDIX F4 – PRINICIPAL AND SHEAR STRENGTH GRAPHS – WINCHESTER, ST. THOMAS**

| | | |
|---|--|-------------------------|
| Client YACHIYO ENGINEERING CO.LTD./ ODPEM | Location Reference Mount Airy, Westmoreland | TYPE/SIZE |
| Project Upgrade of Emergency Communication System, Jamaica. | | NQ Coring & 95.25mm HAS |
| Address: | NORTHINGS: 18°15'20.3"N EASTINGS: 78°19'44.7"W DATUM: Sea Level ELEVATION: | |

SAMPLE TYPE WASH GRAB SPLIT SPOON T.W. TUBE R.CORE

| SAMPLE TYPE | DEPTH DRIVEN RECOVERY | CASING DEPTH DRIVEN | SAMPLE NO. DEPTH | BLOWS PER 6" DRIVEN | DEPTH OF SAMPLE (ft) | LAYER INTERFACE | WATER LEVEL | | | | START | FINISH |
|-------------|--------------------------|------------------------|---------------------|------------------------|-------------------------|--------------------|---|--|--|--|-------|--------|
| | | | | | | | TIME | | | | TIME | TIME |
| | | | | | | | DATE | | | | DATE | DATE |
| | | | | | | | CASING DEPTH | | | | | |
| R/C | | | | | 0 | | Coring with NQ Series from 0-5' | | | | | |
| | | | | | 1 | | Cream calcareous course to fine sand and gravel | | | | | |
| | | | | | 2 | | | | | | | |
| | | | | | 3 | | Medium cream porous limestone | | | | | |
| | | | | | 4 | | RQD 25% | | | | | |
| R/C | | | | | 5 | | Coring with NQ Series from 5'-10ft | | | | | |
| | | | | | 6 | | Medium cream porous limestone | | | | | |
| | | | | | 7 | | Medium cream porous limestone | | | | | |
| R/C | | | | | 8 | | Medium cream porous limestone | | | | | |
| | | | | | 9 | | | | | | | |
| | | | | | 10 | | RQD 40% | | | | | |
| | | | | | 11 | | | | | | | |
| | | | | | 12 | | | | | | | |
| | | | | | 13 | | | | | | | |
| | | | | | 14 | | | | | | | |
| | | | | | 15 | | | | | | | |
| | | | | | 16 | | | | | | | |
| | | | | | 17 | | | | | | | |
| | | | | | 18 | | | | | | | |
| | | | | | 19 | | | | | | | |
| | | | | | 20 | | | | | | | |

| | | | | |
|---|------------|-----------------|---------|----------|
|  GEO-EDGE LIMITED 14 CALEDONIA ROAD, MANDEVILLE, JAMAICA info@geoedgejamaica.com +1 (876)366-9021 GEOEDGE <small>ON-SITE INSIGHTS</small> OFFICE BOREHOLE RECORDS | STARTED | April 24th 2016 | JOB NO. | SHEET OF |
| | COMPLETION | April 24th 2016 | | |
| | FINAL W.L. | | | |
| | | | | |



JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
 Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

REPORT ON ROCK STRENGTH TESTS:

| | |
|---|-------------------------------------|
| Client: Geo-Edge Limited | Ref: L16032 |
| Project: Repeater Station Soil Investigation | Report No. G/805/01494 |
| Reported To: Mr. Damian Williams | Location: Mount Airy, Westmoreland |
| Report Date: 5/25/2016 | Date Cored: 4/24/2016 |
| Specified Works Strength: psi (cylinder) | Date Tested: 5/3/2016 |
| Actual Works Strength (Average): N/A p.s.i (cube) | Date Placed: N/A |
| Specified Slump: N/A inches | Test Specification: ASTM D7012 - 14 |
| Actual Slump: N/A inches | Weather during Pour: N/A |
| Placed By: Chute/Bucket/other (Specify): | Compiled By: Mr. Roger Haisley |




TEST RESULTS

| | | | | | | |
|---|--------------------------|--------|-------|--|--|--|
| Curing Conditions: N/A | | | | | | |
| Specimen Number (Comp. Strength Specimen No.) | 1 | 2 | 3 | | | |
| Specimen Depth | 5'-10' | 5'-10' | 0'-5' | | | |
| Element Cored | Rock | Rock | Rock | | | |
| Location | Mount Airy, Westmoreland | | | | | |
| Diameter - inches | 1.75 | 1.75 | 1.63 | | | |
| Length uncapped - inches | 4.00 | 4.00 | 4.00 | | | |
| Length capped - inches | N/A | N/A | N/A | | | |
| Length/Diameter | 2.29 | 2.29 | 2.45 | | | |
| Correction Factor | - | - | - | | | |
| Density p.c.f | 161.2 | 159.5 | 163.7 | | | |
| Compressive Strength - Mpa (cylinder) | 40.40 | 41.16 | 34.96 | | | |
| Equivalent Compressive Strength Mpa (cube) | - | - | - | | | |
| Compressive Strength - PSI (cylinder) | 5860 | 5970 | 5070 | | | |
| Equivalent Compressive Strength PSI (cube) | - | - | - | | | |

Checked by: *Spawood* Signed by: *Carl Muntel*

Notes: _____

THIS CERTIFICATE OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATES AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN ITS ENTIRETY AND ONLY WITH THE APPROVAL OF JETS LABORATORIES LIMITED AND THE CLIENT. ONLY REPORTS BEARING JETS LABORATORIES LIMITED APPROVED EMBOSSED SEAL ARE AUTHENTIC.



Sample ID: Mt. Airy (5ft)



| Description | | Photo-documentation |
|-----------------------|-----------------------|---|
| Macroscopic | | |
| Colour | Creamish white |  <p>1cm</p> |
| External Features | Cavities (small vugs) | |
| Mineralogy | Calcite | |
| Allochems | fossils (corals) | |
| Spar cement or Mud | Spar | |
| Microscopic | | |
| Folk Classification | biosparite |  |
| Dunham Classification | grainstone | |
| Porosity | high | |
| Fossils | Benthic Foram, corals | |
| Other | | |

Photo micrographs showing sample with coral with inter fossil pore space in Plane Polarized light. Ps - pore space

Comments: The sample is an algae forminiferal biosparite. The presence of algae and benthic forminifera makes the limestone a shallow water limestone. . The sample is consolidated as the allochems are cemented to each other by calcite cement. There are pore spaces between allochems (fossils) and within the corals.

Additional Micrograph





Photo micrographs showing sample in (A) Plane Polarized light and (B) cross Polarized light. F- Foraminifera, Ps- Pore space






Photo micrographs showing sample coral with inter fossil pore space in Plane Polarized light. Ps - pore space




| Mt. Airy Sample | |
|--------------------------------------|--------------|
| Hoek Brown Classification | |
| intact uniaxial compressive strength | 39 MPa |
| GSI | 66 |
| mi | 10 |
| disturbance factor | 0.7 |
| intact modulus | 35100 MPa |
| modulus ratio | 900 |
| Hoek Brown Criterion | |
| mb | 1.544 |
| s | 0.007 |
| a | 0.502 |
| Failure Envelope Range | |
| application | general |
| sig3max | 9.75 MPa |
| Mohr Coulomb Fit | |
| cohesion | 1.983 MPa |
| friction angle | 29.749 deg |
| Rock Mass Parameters | |
| tensile strength | -0.183 MPa |
| uniaxial compressive strength | 3.29 MPa |
| global strength | 6.835 MPa |
| modulus of deformation | 9008.154 MPa |

— Mt. Airy Sample - Principal Stress Envelope
 — Mt. Airy Sample - Shear vs. Normal Stress Envelope

| | | |
|--|---|--------------------------------------|
| Client YACHIYO ENGINEERING CO.LTD./ ODPEM Project Upgrade of Emergency Communication System, Jamaica. Address: | Location Reference Shafston Westmoreland | TYPE/SIZE NQ Coring & 95.25mm HAS |
| | NORTHINGS: 18°10'21.8"N EASTINGS: 77 59' 31.7W DATUM: Sea Level ELEVATION: 885m | |

SAMPLE TYPE WASH GRAB SPLIT SPOON T.W. TUBE R.CORE

| SAMPLE TYPE | DEPTH DRIVEN RECOVERY | CASING | DEPTH DRIVEN | SAMPLE NO. | SAMPLE DEPTH | BLOWS PER 6" DRIVEN | DEPTH OF SAMPLE (ft) | LAYER INTERFACE | WATER LEVEL | | | | START TIME | FINISH TIME |
|-------------|-----------------------|--------|--------------|------------|--------------|---------------------|----------------------|---|-------------|--|--|--|------------|-------------|
| | | | | | | | | | TIME | | | | DATE | DATE |
| | | | | | | | 0 | Augered to one foot (1ft) | | | | | | |
| | | | | | | | 1 | 0-1ft brown clay with gravel | | | | | | |
| | | | | | | | 2 | Moderately hard cream limestone rock with clay filled cavities | | | | | | |
| | | | | | | | 3 | RQD 26.7% | | | | | | |
| | | | | | | | 4 | Recovery of coarse Calcareous material | | | | | | |
| | | | | | | | 5 | Moderately hard cream limestone rock with fractured cobbles | | | | | | |
| | | | | | | | 6 | Moderately hard cream limestone rock with fractured cobbles | | | | | | |
| | | | | | | | 7 | RQD=12% | | | | | | |
| | | | | | | | 8 | | | | | | | |
| | | | | | | | 9 | | | | | | | |
| | | | | | | | 10 | Recovery of coarse Calcareous material | | | | | | |
| | | | | | | | 11 | Moderately hard cream limestone rocks with cobbles and sand filled cavity | | | | | | |
| | | | | | | | 12 | | | | | | | |
| | | | | | | | 13 | RQD 16% | | | | | | |
| | | | | | | | 14 | Recovery of coarse Calcareous material | | | | | | |
| | | | | | | | 15 | | | | | | | |
| | | | | | | | 16 | | | | | | | |
| | | | | | | | 17 | | | | | | | |
| | | | | | | | 18 | | | | | | | |
| | | | | | | | 19 | | | | | | | |
| | | | | | | | 20 | | | | | | | |

| | | | |
|---|------------|-------------|----------|
|  GEO-EDGE LIMITED 14 CALEDONIA ROAD, MANDEVILLE, JAMAICA info@geoedgejamaica.com +1 (876)366-9021 | JOB NO. | | SHEET OF |
| | STARTED | May 08 2016 | FIG NO. |
| | COMPLETION | May 08 2016 | |
| | FINAL W.L. | | |

JETS LABORATORIES LIMITED



14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

REPORT ON ROCK STRENGTH TESTS:

| | | | | |
|--|---|--------|--------|-----------|
| Client: Geo-Edge Limited | Report No. 2016/805/A | | | |
| Project: Shafston Repeater Site | Location: Shafston, Westmoreland | | | |
| Test Specification: ASTM D7C12 - 14 | | | | |
| Curing Conditions: N/A | | | | |
| Specimen Identification | BH1 | BH1 | BH1 | BH1 |
| Specimen Depth | 1'-6' | 6'-11' | 6'-11' | 11'-15.5' |
| Element Cored | Rock | Rock | Rock | Rock |
| Location | Shafston, Westmoreland | | | |
| Diameter - inches | 1.75 | 1.63 | 1.75 | 1.75 |
| Length - inches | 3.5 | 3.375 | 3.375 | 3.5 |
| Length/Diameter | 2 | 2.1 | 1.9 | 2.0 |
| Density p.c.f | 142.5 | 155.3 | 156.9 | 157.2 |
| Specific Gravity | 2.284 | 2.489 | 2.516 | 2.519 |
| Compressive Strength - Mpa | 32.68 | 45.09 | 57.77 | 41.43 |

Table 5.1

Sample ID : No ID_(9ft)

| Description | | Photo-documentation |
|-----------------------|--|--|
| Macroscopic | | |
| Colour | Cream |  <p style="text-align: center;">1 cm</p> |
| External Features | | |
| Mineralogy | Calcite | |
| Allochems | No visible fossils or other allochems | |
| Spar cement or Mud | Mud | |
| Microscopic | | |
| Folk Classification | Biomicrite |  <p style="text-align: center;">Photo micrograph of sample showing Planktonic Forams (PF) within micrite matrix</p> |
| Dunham Classification | Wackestone | |
| Porosity | Low | |
| Fossils | Planktonic Foram (high percentage) Benthic Foram (low percentage) | |
| Other | | |

Comments: The sample is a deep water limestone which is term chalk. Deep water limestone due to high percentage of planktonic Foraminifera while low benthic Forams content. The sample is poorly consolidated, which makes water absorption high

Additional Micrograph






Photo micrograph of sample showing Planktonic Forams (PF) and Benthic Forams (BF) within micrite matrix




| Shafston Sample | |
|--------------------------------------|--------------|
| Hoek Brown Classification | |
| intact uniaxial compressive strength | 42 MPa |
| GSI | 44 |
| mi | 9 |
| disturbance factor | 0.7 |
| intact modulus | 37800 MPa |
| modulus ratio | 900 |
| Hoek Brown Criterion | |
| mb | 0.415 |
| s | 2.987e-004 |
| a | 0.509 |
| Failure Envelope Range | |
| application | general |
| sig3max | 10.5 MPa |
| Mohr Coulomb Fit | |
| cohesion | 1.225 MPa |
| friction angle | 19.703 deg |
| Rock Mass Parameters | |
| tensile strength | -0.03 MPa |
| uniaxial compressive strength | 0.677 MPa |
| global strength | 3.48 MPa |
| modulus of deformation | 2702.585 MPa |

— Shafston Sample - Principal Stress Envelope
 — Shafston Sample - Shear vs. Normal Stress Envelope

| | | |
|--|--|--------------------------------------|
| Client YACHIYO ENGINEERING CO.LDT./ ODPEM Project Upgrade of Emergency Communication System, Jamaica. Address: | Location Reference Portland Cottage, Clarendon | TYPE/SIZE NQ Coring & 95.25mm HAS |
| | NORTHINGS: 17°44'31.50"N EASTINGS: 77°09'26.92"W DATUM: Sea Level ELEVATION: | |

SAMPLE TYPE WASH GRAB SPLIT SPOON T.W. TUBE R.CORE

| SAMPLE TYPE | DEPTH DRIVEN RECOVERY | CASING DEPTH DRIVEN | SAMPLE NO | SAMPLE DEPTH | BLOWS PER 6" DRIVEN | DEPTH OF SAMPLE (ft) | LAYER INTERFACE | WATER LEVEL | | | | START TIME | FINISH TIME |
|-------------|-----------------------|---------------------|-----------|--------------|---------------------|----------------------|-----------------|---|------|--------------|------|------------|-------------|
| | | | | | | | | TIME | DATE | CASING DEPTH | DATE | DATE | DATE |
| R/C | | | | | | 0 | | Coring with NQ core barells from 0-5' | | | | | |
| | | | | | | 1 | | Medium hard limestone | | | | | |
| | | | | | | 2 | | | | | | | |
| | | | | | | 3 | | Hard Brown Silty Clay with some Sand & Gravel | | | | | |
| | | | | | | 4 | | RQD 10% | | | | | |
| R/C | | | | | | 5 | | Coring with NQ barrels from 5-10' | | | | | |
| | | | | | | 6 | | Medium hard cream micritic limestone | | | | | |
| | | | | | | 7 | | Medium hard cream micritic limestone | | | | | |
| R/C | | | | | | 8 | | RQD 20% | | | | | |
| | | | | | | 9 | | Medium cream porous limestone | | | | | |
| | | | | | | 10 | | Coring with NQ core barells from 0-5' | | | | | |
| | | | | | | 11 | | Medium- Hard cream Limestone | | | | | |
| | | | | | | 12 | | | | | | | |
| | | | | | | 13 | | RQD is 25% | | | | | |
| | | | | | | 14 | | | | | | | |
| | | | | | | 15 | | | | | | | |
| | | | | | | 16 | | | | | | | |
| | | | | | | 17 | | | | | | | |
| | | | | | | 18 | | | | | | | |
| | | | | | | 19 | | | | | | | |
| | | | | | | 20 | | | | | | | |

| | | | | |
|---|------------|-----------------|---------|----------|
|  GEO-EDGE LIMITED 14 CALEDONIA ROAD, MANDEVILLE, JAMAICA info@geoedgejamaica.com +1 (876)366-9021 | STARTED | April 17th 2016 | JOB NO. | SHEET OF |
| | COMPLETION | April 17th 2016 | | |
| | E RECORDS | FINAL W.L. | | |



JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
 Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

REPORT ON ROCK STRENGTH TESTS:

| | |
|---|---|
| Client: Geo-Edge Limited | Ref: L16032 |
| Project: Repeater Station Soil Investigation | Report No. G/805/01494 |
| Reported To: Mr. Damian Williams | Location: Portland Cottage (Lighthouse) |
| Report Date: 5/25/2016 | Date Cored: 4/20/2016 |
| Specified Works Strength: psi (cylinder) | Date Tested: 5/3/2016 |
| Actual Works Strength (Average): N/A p.s.i (cube) | Date Placed: N/A |
| Specified Slump: N/A inches | Test Specification: ASTM D7012 - 14 |
| Actual Slump: N/A inches | Weather during Pour: N/A |
| Placed By: Chute/Bucket/other (Specify): | Compiled By: Mr. Roger Haisley |

TEST RESULTS



| | | | | | | |
|---|-------------------------------|---------|--------|--|--|--|
| Curing Conditions: N/A | | | | | | |
| Specimen Number (Comp. Strength Specimen No.) | 1 | 2 | 3 | | | |
| Specimen Depth | 10'-15' | 10'-15' | 5'-10' | | | |
| Element Cored | Rock | Rock | Rock | | | |
| Location | Portland Cottage (Lighthouse) | | | | | |
| Diameter - inches | 1.63 | 1.63 | 1.63 | | | |
| Length uncapped - inches | 4.125 | 4 | 4.125 | | | |
| Length capped - inches | N/A | N/A | N/A | | | |
| Length/Diameter | 2.54 | 2.46 | 2.54 | | | |
| Correction Factor | - | - | - | | | |
| Density p.c.f | 158.5 | 156.8 | 160.2 | | | |
| Compressive Strength - Mpa (cylinder) | 30.54 | 28.20 | 62.74 | | | |
| Equivalent Compressive Strength Mpa (cube) | - | - | - | | | |
| Compressive Strength - PSI (cylinder) | 4430 | 4090 | 9100 | | | |
| Equivalent Compressive Strength PSI (cube) | - | - | - | | | |

Checked by: *Sparwood*

Signed by: *Cal Haisley*

Notes: _____



THIS CERTIFICATE OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATES AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN ITS ENTIRETY AND ONLY WITH THE APPROVAL OF JETS LABORATORIES LIMITED AND THE CLIENT. ONLY REPORTS BEARING JETS LABORATORIES LIMITED APPROVED EMBOSSED SEAL ARE AUTHENTIC.



A-10-1-72

Portland Cottage

Sample ID : Portland Cottage – 5ft

| Description | | Photo-documentation |
|-----------------------|------------------------|---|
| Macroscopic | | |
| Colour | Creamish white |  |
| External Features | Cavities (small vugs) | |
| Mineralogy | Calcite | |
| Allochems | fossils (foraminifera) | |
| Spar cement or Mud | Spar | |
| Microscopic | | |
| Folk Classification | biosparite |  |
| Dunham Classification | grainstone | |
| Porosity | high | |
| Fossils | Benthic Foram, algae | |
| Other | | |

Comments: The sample is an algae forminiferal biosparite. The presence of algae and benthic forminifera makes the limestone a shallow water limestone. . The sample is consolidated as the allochems are cemented to each other by calcite cement. There is pore space between allochems (fossils).

Additional Micrograph





Photo micrographs showing sample in (A) Plane Polarized light and (B) cross Polarized light. F- Foraminifera, Ps- Pore space



Photo micrograph of sample showing Benthic Forams (BF) within micrite matrix. Pore spaces (Ps) are observed indicated by the blue dye






Photo micrograph of sample showing Halimeda (Hal) within micrite matrix. Pore spaces (Ps) are observed indicated by the blue dye




| Portland Cottage | |
|--------------------------------------|--------------|
| Hoek Brown Classification | |
| intact uniaxial compressive strength | 40.49 MPa |
| GSI | 53 |
| mi | 10 |
| disturbance factor | 0.7 |
| intact modulus | 12000 MPa |
| Hoek Brown Criterion | |
| mb | 0.756 |
| s | 0.001 |
| a | 0.505 |
| Failure Envelope Range | |
| application | general |
| sig3max | 10.123 MPa |
| Mohr Coulomb Fit | |
| cohesion | 1.518 MPa |
| friction angle | 24.123 deg |
| Rock Mass Parameters | |
| tensile strength | -0.059 MPa |
| uniaxial compressive strength | 1.302 MPa |
| global strength | 4.686 MPa |
| modulus of deformation | 1560.197 MPa |

Portland Cottage - Principal Stress Envelope
 Portland Cottage - Shear vs. Normal Stress Envelope

| | | |
|--|--|--------------------------------------|
| Client YACHIYO ENGINEERING CO.LDT./ ODPEM Project Upgrade of Emergency Communication System, Jamaica. Address: | Location Reference Sligville, St Catherine | TYPE/SIZE NQ Coring & 95.25mm HAS |
| | NORTHINGS: 18°05'44.00"N EASTINGS: 76°56'51.00"W DATUM: Sea Level ELEVATION: | |

SAMPLE TYPE WASH GRAB SPLIT SPOON T.W. TUBE R.CORE

| SAMPLE TYPE | DEPTH DRIVEN RECOVERY | CASING DEPTH DRIVEN | SAMPLE NO. | SAMPLE DEPTH | BLOWS PER 6" DRIVEN | DEPTH OF SAMPLE (ft) | LAYER INTERFACE | WATER LEVEL | | | | START | FINISH |
|-------------|--------------------------|------------------------|------------|--------------|------------------------|-------------------------|---|--------------|--|--|--|-------|--------|
| | | | | | | | | TIME | | | | TIME | TIME |
| | | | | | | | | DATE | | | | DATE | DATE |
| | | | | | | | | CASING DEPTH | | | | | |
| R/C | / | | | | | 0 | | | | | | | |
| | | | | | | 1 | Gravel Fill | | | | | | |
| | | | | | | 2 | | | | | | | |
| | | | | | | 3 | Hard Brown Silty Clay with some Sand & Gravel | | | | | | |
| | | | | | | 4 | | | | | | | |
| R/C | / | | | | | 5 | Hard brown silty clay and sand, Gravel, Cobble, Boulders | | | | | | |
| | | | | | | 6 | | | | | | | |
| R/C | / | | | | | 7 | Very Dense Gravel, boulder with traces of sand | | | | | | |
| | | | | | | 8 | Refusal of auger at 8', Coring with NQ core barells from 8' to 13' Medium cream porous limestone | | | | | | |
| | | | | | | 9 | | | | | | | |
| | | | | | | 10 | Hard cream Limestone | | | | | | |
| | | | | | | 11 | Hard cream Limestone | | | | | | |
| | | | | | | 12 | | | | | | | |
| | | | | | | 13 | RQD is 50% | | | | | | |
| | | | | | | 14 | | | | | | | |
| | | | | | | 15 | | | | | | | |
| | | | | | | 16 | | | | | | | |
| | | | | | | 17 | | | | | | | |
| | | | | | | 18 | | | | | | | |
| | | | | | | 19 | | | | | | | |
| | | | | | | 20 | | | | | | | |

| | | | | |
|---|------------|-----------------|---------|----------|
|  GEO-EDGE LIMITED 14 CALEDONIA ROAD, MANDEVILLE, JAMAICA info@geoedgejamaica.com +1 (876)366-9021 | STARTED | April 20th 2016 | JOB NO. | SHEET OF |
| | COMPLETION | April 20th 2016 | | |
| | FINAL W.L. | | | |




JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
 Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

LABORATORY TEST REPORT

| OUR REF: L16032 | CLIENT AUTHORISATION: Verbal | REPORT NUMBER G/805/01494 | REPORT DATE: May 25, 2016 | | | | | | | | |
|---|---------------------------------|-----------------------------------|---|-----------------------|----------------------|---------------|-----|------------|-----|---------------|------|
| CLIENT: Geo-Edge Limited | | REPORTED TO: Mr. Damian Williams | | | | | | | | | |
| ADDRESS: 14 Caledonia Road, Mandeville | | SAMPLING DATA: 3 Bags Soil | | | | | | | | | |
| PROJECT: Repeater Station Soil Investigation | | SOURCE: Sligoville, St. Catherine | | | | | | | | | |
| CLIENT REP: Mr. Damian Williams | SAMPLES TAKEN BY: | | DATE SAMPLE RECEIVED: April 27, 2016 | | | | | | | | |
| | CLIENT | JETS | | GEOTECH | | | | | | | |
| | X | | TEST SPECIFICATION: ASTM D 2216 | | | | | | | | |
| <p>MOISTURE CONTENT DETERMINATION</p> <table border="1"> <thead> <tr> <th>SAMPLE IDENTIFICATION</th> <th>MOISTURE CONTENT (%)</th> </tr> </thead> <tbody> <tr> <td>0089 @ 2ft-6"</td> <td>8.0</td> </tr> <tr> <td>0089 @ 5ft</td> <td>7.0</td> </tr> <tr> <td>0089 @ 7ft-6"</td> <td>13.1</td> </tr> </tbody> </table> | | | | SAMPLE IDENTIFICATION | MOISTURE CONTENT (%) | 0089 @ 2ft-6" | 8.0 | 0089 @ 5ft | 7.0 | 0089 @ 7ft-6" | 13.1 |
| SAMPLE IDENTIFICATION | MOISTURE CONTENT (%) | | | | | | | | | | |
| 0089 @ 2ft-6" | 8.0 | | | | | | | | | | |
| 0089 @ 5ft | 7.0 | | | | | | | | | | |
| 0089 @ 7ft-6" | 13.1 | | | | | | | | | | |
| <p>THIS CERTIFICATE, OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTS OF THE EXACT TERMS OF REFERENCE. ALL CERTIFICATE AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES.</p> | | | | | | | | | | | |
| DATE TESTED: May 15, 2015 | TECHNICIAN: C. Campbell | CERTIFIED BY: <i>[Signature]</i> | | | | | | | | | |





JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
 Telephone Nos. (876) 926-2201/2, 926-7766; Fax No. (876) 929-2616

LABORATORY TEST REPORT


| | | | | | | | | | |
|--|--|-----------------------------------|------------------------------|------|---------|---|--|--|---|
| OUR REF: L16032 | CLIENT AUTHORIZATION: Verbal | REPORT NUMBER G/805/01494 | REPORT DATE: May 25, 2016 | | | | | | |
| CLIENT: Geo-Edge Limited | ADDRESS: 14 Caledonia Road, Mandeville | REPORTED TO: Mr. Damian Williams | | | | | | | |
| PROJECT: Repeater Station Soil Investigation | | SAMPLING DATA: 3 Bags Soil | | | | | | | |
| | | SOURCE: Sligoville, St. Catherine | | | | | | | |
| CLIENT REP: - Mr. Damian Williams | SAMPLES TAKEN BY: <table border="1"> <tr> <td>CLIENT</td> <td>JETS</td> <td>GEOTECH</td> </tr> <tr> <td>X</td> <td></td> <td></td> </tr> </table> | | CLIENT | JETS | GEOTECH | X | | | DATE SAMPLE RECEIVED: April 27, 2016 TEST SPECIFICATION: ASTM C 117 ASTM C 136 |
| CLIENT | JETS | GEOTECH | | | | | | | |
| X | | | | | | | | | |

| GRAIN SIZE ANALYSIS | | WET SIEVE | | |
|-----------------------|-------------|--------------------|------------|---------------|
| U.S. SIEVE SIZES | | PERCENTAGE PASSING | | |
| SAMPLE IDENTIFICATION | | 0089 @ 2ft-6" | 0089 @ 5ft | 0089 @ 7ft-6" |
| Imperial | Metric (mm) | | | |
| 1" | 25.000 | 100.00 | 100.00 | |
| 3/4" | 19.000 | 94.50 | 94.50 | 100.00 |
| 1/2" | 12.500 | 89.60 | 84.80 | 81.00 |
| 3/8" | 9.500 | 85.50 | 78.30 | 69.30 |
| #4 | 4.750 | 74.20 | 64.70 | 50.30 |
| #10 | 2.000 | 57.60 | 50.20 | 28.10 |
| #20 | 0.850 | 43.30 | 37.10 | 15.40 |
| #40 | 0.425 | 32.00 | 25.80 | 8.20 |
| #100 | 0.150 | 20.20 | 13.40 | 3.00 |
| #200 | 0.075 | 15.50 | 8.80 | 1.70 |
| | | | | |
| | | | | |
| | | | | |

Paul Wood
 CERTIFIED BY

THIS CERTIFICATE OR REPORT IS VALID ONLY FOR THE WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATE AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN ITS ENTIRETY AND ONLY WITH THE APPROVAL OF JETS LABORATORIES LIMITED AND THE CLIENT. ONLY REPORTS BEARING JETS LABORATORIES LIMITED APPROVED EMBOSSED SEAL ARE AUTHENTIC.

| | | |
|------------------------------|----------------------------|---|
| DATE TESTED: May 15, 2016 | TECHNICIAN: C. Campbell | CERTIFIED BY: <i>Paul Wood</i> <i>Carl Wood</i> |
|------------------------------|----------------------------|---|



| COBBLES | GRAVEL | | SAND | | | SILT OR CLAY |
|---------|--------|------|--------|--------|------|--------------|
| | coarse | fine | coarse | medium | fine | |

| Specimen Identification | Classification | MC% | LL | PL | PI | Cc | Cu |
|-------------------------|---------------------------------|-----|----|----|----|------|------|
| ● 0089 0.8 | | 8 | | | | | |
| ☒ 0089 1.5 | | 13 | | | | 0.94 | 39.8 |
| ▲ 0089 2.3 | WELL-GRADED GRAVEL with SAND GW | 7 | | | | 1.36 | 13.4 |

| Specimen Identification | D50 | D60 | D30 | D10 | %Gravel | %Sand | %Silt | %Clay |
|-------------------------|------|------|-------|--------|---------|-------|-------|-------|
| ● 0089 0.8 | 1.27 | 2.27 | 0.357 | | 25.8 | 58.7 | | 15.5 |
| ☒ 0089 1.5 | 1.97 | 3.58 | 0.550 | 0.0898 | 35.2 | 56.0 | | 8.8 |
| ▲ 0089 2.3 | 4.68 | 6.76 | 2.150 | 0.5040 | 49.6 | 48.6 | | 1.7 |

PROJECT Repeater Stations Soil Investigation -

JOB NO. L16032
DATE 16-5-25

GRADATION CURVES
JETS Laboratories Ltd.
Kingston



JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
 Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

REPORT ON ROCK STRENGTH TESTS:


| | |
|---|-------------------------------------|
| Client: Geo-Edge Limited | Ref: L16032 |
| Project: Repeater Station Soil Investigation | Report No. G/805/01494 |
| Reported To: Mr. Damian Williams | Location: Sligoville, St. Catherine |
| Report Date: 5/25/2016 | Date Cored: 4/19/2016 |
| Specified Works Strength: psi (cylinder) | Date Tested: 5/3/2016 |
| Actual Works Strength (Average): N/A p.s.i (cube) | Date Placed: N/A |
| Specified Slump: N/A inches | Test Specification: ASTM D7012 - 14 |
| Actual Slump: N/A inches | Weather during Pour: N/A |
| Placed By: Chute/Bucket/other (Specify): | Compiled By: Mr. Roger Haisley |

TEST RESULTS

| | | | | | | |
|---|---------------------------|--------|--|--|--|--|
| Curing Conditions: N/A | | | | | | |
| Specimen Number (Comp. Strength Specimen No.) | 1 | 2 | | | | |
| Specimen Depth | 8'-13' | 8'-13' | | | | |
| Element Cored | Rock | Rock | | | | |
| Location | Sligoville, St. Catherine | | | | | |
| Diameter - inches | 1.75 | 1.75 | | | | |
| Length uncapped - inches | 4.00 | 4.00 | | | | |
| Length capped - inches | N/A | N/A | | | | |
| Length/Diameter | 2.29 | 2.29 | | | | |
| Correction Factor | - | - | | | | |
| Density p.c.f | 160.8 | 159.9 | | | | |
| Compressive Strength - Mpa (cylinder) | 22.55 | 23.51 | | | | |
| Equivalent Compressive Strength Mpa (cube) | - | - | | | | |
| Compressive Strength - PSI (cylinder) | 3270 | 3410 | | | | |
| Equivalent Compressive Strength PSI (cube) | - | - | | | | |

Checked by: *Spawood* Signed by: *Carl Marshall*

Notes: _____





THIS CERTIFICATE OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATES AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN ITS ENTIRETY AND ONLY WITH THE APPROVAL OF JETS LABORATORIES LIMITED AND THE CLIENT. ONLY REPORTS BEARING JETS LABORATORIES LIMITED APPROVED EMBOSSED SEAL ARE AUTHENTIC

A-10-1-81



Sligoville

Sample ID: Sligoville 8-13' A

| Description | | Photo-documentation |
|-----------------------|---|---|
| Macroscopic | | |
| Colour | Cream |  |
| External Features | Cavities (small vugs) about a $\leq 5\text{mm}$ | |
| Mineralogy | Calcite | |
| Allochems | No visible fossils or other allochems | |
| Spar cement or Mud | Mud | |
| Microscopic | | |
| Folk Classification | Micrite |  |
| Dunham Classification | Mudstone | |
| Porosity | High (large cavities/vugs), approx... 12% | |
| | | |
| | | <p>Photo micrograph showing sample in plane polarized light with large cavity</p> |




Photo micrograph showing sample in cross polarized light with large cavity




Photo micrographs showing sample in cross polarized light (F-foraminifera, Ps – Pore space)







Photo micrograph showing sample in plane polarized light with large cavity

Sample ID: Sligoville 8-13' B

| Description | | Photo-documentation |
|-----------------------|--|---|
| Macroscopic | | |
| Colour | Cream |  |
| External Features | Cavities (small vugs) about a \leq 1mm | |
| Mineralogy | Calcite | |
| Allochems | No visible fossils or other allochems | |
| Spar cement or Mud | Mud | |
| Microscopic | | |
| Folk Classification | Dismicrite |  |
| Dunham Classification | Mudstone | |
| Porosity | moderate | |
| | | |
| | | <p>Photo micrograph of sample showing micrite with pore spaces</p> |





Relationship to regional Geology:

This sample belongs to the the Newport Formation. The Newport Formation has been photographed and described from the Sligoville are by Mitchell (2013, p. 117) as “Newport Formation (Sample WL1632), carbonate mudstones, sparsley fossiliferous, Sligoville, parish of St. Catherine.”

References

Mitchell, S. F. 2013. Stratigraphy of the White Limestone of Jamaica. *Bulletin de la Societe Geologique de France*, 184 (1-2), 111-118.




| Sligoville | |
|--------------------------------------|--------------|
| Hoek Brown Classification | |
| intact uniaxial compressive strength | 23.03 MPa |
| GSI | 50 |
| mi | 9 |
| disturbance factor | 0.7 |
| intact modulus | 20727 MPa |
| modulus ratio | 900 |
| Hoek Brown Criterion | |
| mb | 0.577 |
| s | 7.128e-004 |
| a | 0.506 |
| Failure Envelope Range | |
| application | general |
| sig3max | 5.758 MPa |
| Mohr Coulomb Fit | |
| cohesion | 0.776 MPa |
| friction angle | 22.088 deg |
| Rock Mass Parameters | |
| tensile strength | -0.028 MPa |
| uniaxial compressive strength | 0.59 MPa |
| global strength | 2.306 MPa |
| modulus of deformation | 2223.631 MPa |

— Sligoville - Principal Stress Envelope
 — Sligoville - Shear vs. Normal Stress Envelope

| | | |
|--|--|--|
| Client YACHIYO ENGINEERING CO.LTD./ ODPEM Project Upgrade of Emergency Communication System, Jamaica. Address: | Location Reference | TYPE/SIZE |
| | Cabbage Hill, St Thomas | Portable Concrete Coring Machine with a 15" Core Barrel and 24" extensions |
| | NORTHINGS: 17 57'46.5N EASTINGS: 76 34' 57.4W DATUM: Sea Level ELEVATION: 885m | |

SAMPLE TYPE WASH GRAB SPLIT SPOON T.W. TUBE R.CORE

| SAMPLE TYPE | DEPTH DRIVEN RECOVERY | CASING DEPTH DRIVEN | SAMPLE NO. | SAMPLE DEPTH | BLOWS PER 6" DRIVEN | DEPTH OF SAMPLE (ft) | LAYER INTERFACE | WATER LEVEL | | | | START | FINISH |
|-------------|-----------------------|---------------------|------------|--------------|---------------------|----------------------|-----------------|--|--|--|--|-------|--------|
| | | | | | | | | TIME | | | | TIME | TIME |
| | | | | | | | | DATE | | | | DATE | DATE |
| | | | | | | | | CASING DEPTH | | | | | |
| | | | | | | 0 | | Very hard Creamish white, limestone wuth chert nodules | | | | | |
| | | | | | | 1 | | 9" limestone core recovered | | | | | |
| | | | | | | | | RQD=60% | | | | | |
| | | | | | | 2 | | Weathered limestone fragments | | | | | |
| | | | | | | | | Weathered limestone fragments | | | | | |
| | | | | | | 3 | | Reddish brown gravelly silty clay | | | | | |
| | | | | | | | | Reddish brown gravelly silty clay | | | | | |
| | | | | | | 4 | | Reddish brown gravelly silty clay | | | | | |
| | | | | | | | | Highly fractured, creamish white micritic limestone | | | | | |
| | | | | | | 5 | | Highly fractured micritic white limestone | | | | | |
| | | | | | | | | Slightly weathered & fractured white limestone | | | | | |
| | | | | | | 6 | | Very hard micritic white limestone | | | | | |
| | | | | | | | | Limestone cores <10cm , Hence RQD=0% | | | | | |
| | | | | | | 7 | | | | | | | |
| | | | | | | 8 | | | | | | | |
| | | | | | | 9 | | | | | | | |
| | | | | | | 10 | | | | | | | |
| | | | | | | 11 | | | | | | | |
| | | | | | | 12 | | | | | | | |
| | | | | | | 13 | | | | | | | |
| | | | | | | 14 | | | | | | | |
| | | | | | | 15 | | | | | | | |
| | | | | | | 16 | | | | | | | |
| | | | | | | 17 | | | | | | | |
| | | | | | | 18 | | | | | | | |
| | | | | | | 19 | | | | | | | |
| | | | | | | 20 | | | | | | | |

| | | | | |
|---|-------------------------|-------------|---------|----------|
|  GEO-EDGE LIMITED 14 CALEDONIA ROAD, MANDEVILLE, JAMAICA info@geoedgejamaica.com +1 (876)366-9021 | STARTED | May 06 2016 | JOB NO. | SHEET OF |
| | COMPLETION | May 06 2016 | | FIG NO. |
| | OFFICE BOREHOLE RECORDS | FINAL W.L. | | |



JETS LABORATORIES LIMITED

14a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

June 17, 2016

JOB NO. :L16036

Geo-Edge Limited
14 Caledonia Avenue
Mandeville
Manchester

Attention: Mr. Damian Williams


Dear Sirs:


Subject: Material Evaluation

Please find attached our Laboratory Report **G/805/01512** results obtained from Rock Core Tests carried out on samples tested on June 17, 2016.

We trust that the attached is satisfactory to you; however, should there be any queries please address them to the undersigned.

Yours very truly,
JETS LABORATORIES LIMITED


Stacy-Ann Garwood (Miss)
Laboratory/Q.A. Administrator


Gordon E. Hutchinson
Director

/knd

Attachments

° Laboratory Testing ° Field Testing ° Quality Control ° Soils ° Concrete ° Asphalt ° Ultrasonics ° Geophysical Explorations



JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

REPORT ON ROCK STRENGTH TESTS:

| | |
|-------------------------------------|-------------------------------------|
| Client: Geo-Edge Limited | Ref: L16036 |
| Project: Material Evaluation | Report No. G/805/01512 |
| Reported To: Mr. Damian Williams | Location: Cabbage Hill Winchester |
| Report Date: 17-06-16 | Date Cored: Unknown |
| Test Specification: ASTM D7012 - 14 | Date Tested: 17-06-16 |

TEST RESULTS

Curing Conditions: N/A

| Specimen Number (Comp. Strength Specimen No.) | BH1 | BH2 | | | |
|---|------------|--------------|--|--|--|
| Sample Identification | 0109 | 0110 | | | |
| Specimen Depth | - | - | | | |
| Element Cored | Rock | Rock | | | |
| Location | Winchester | Cabbage Hill | | | |
| Diameter - inches | 1.75 | 1.75 | | | |
| Length uncapped - inches | 4.125 | 4 | | | |
| Length capped - inches | N/A | N/A | | | |
| Length/Diameter | 2.36 | 2.29 | | | |
| Correction Factor | 1 | 1 | | | |
| Density p.c.f | 144.1 | 148.7 | | | |
| Compressive Strength - Mpa (cylinder) | - | - | | | |
| Equivalent Compressive Strength Mpa (cube) | - | - | | | |
| Compressive Strength - PSI (cylinder) | 6585 | 8430 | | | |
| Equivalent Compressive Strength PSI (cube) | - | - | | | |



Checked by:

Signed by:

Notes:

THIS CERTIFICATE OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATES AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN ITS ENTIRETY AND ONLY WITH THE APPROVAL OF JETS LABORATORIES LIMITED AND THE CLIENT. ONLY REPORTS BEARING JETS LABORATORIES LIMITED APPROVED EMBOSSED SEAL ARE AUTHENTIC.

Sample ID -6 No ID_(0-5ft)

| Description | | Photo-documentation |
|-----------------------|--|---|
| Macroscopic | | |
| Colour | Creamish white |  <p style="text-align: center;">— 2cm</p> |
| External Features | Chert nodules, calcite veins | |
| Mineralogy | Calcite, Chert | |
| Allochems | No visible fossils or other allochems | |
| Spar cement or Mud | Mud | |
| Microscopic | | |
| Folk Classification | Biomicrite |  <p style="text-align: center;">Photo micrograph of sample showing recrystallized Planktonic Forams (PF) within micrite matrix</p> |
| Dunham Classification | Wackestone | |
| Porosity | moderate | |
| Fossils | Planthic Foram | |
| Other | Veins with recrystallized calcite, chert | |

Comments: The sample is a deep water limestone which is term chalk. Deep water limestone due to high percentage of planthic Foraminifera as well as chert. The sample is consolidated, which may be due ro presence of microcrystalline silica (chert) making the sampling harder. Pore space is observed between the cert and the chalk interface.

Additional Micrograph




Photo micrograph of sample showing Limestone (lst) with Chert (Cht) and large pore space (indicated by the blue dye) in plane polarized light




Photo micrograph of sample showing Limestone (lst) with Chert (Cht) and large pore space (indicated by the blue dye) in cross-polarized light




Photo micrograph of sample showing Limestone (lst) with planktonic Forams (PF) and recrystallized calcite vein (Cal recrst) in plane polarized light






Photo micrograph of sample showing Limestone (lst) with planktonic Forams (PF), recrystallized calcite vein (Cal recrst) and Chert (Cht) in cross-polarized light




| Cabbage Hill Sample | |
|--------------------------------------|--------------|
| Hoek Brown Classification | |
| intact uniaxial compressive strength | 58 MPa |
| GSI | 58 |
| mi | 9 |
| disturbance factor | 0.7 |
| intact modulus | 12000 MPa |
| Hoek Brown Criterion | |
| mb | 0.895 |
| s | 0.002 |
| a | 0.503 |
| Failure Envelope Range | |
| application | general |
| sig3max | 14.5 MPa |
| Mohr Coulomb Fit | |
| cohesion | 2.36 MPa |
| friction angle | 25.415 deg |
| Rock Mass Parameters | |
| tensile strength | -0.147 MPa |
| uniaxial compressive strength | 2.71 MPa |
| global strength | 7.467 MPa |
| modulus of deformation | 2135,311 MPa |

— Cabbage Hill Sample - Principal Stress Envelope
 — Cabbage Hill Sample - Shear vs. Normal Stress Envelope

| | | |
|--|--|---|
| Client YACHIYO ENGINEERING CO.LDT./ ODPEM Project Upgrade of Emergency Communication System, Jamaica. Address: | Location Reference Winchester, St Thomas | TYPE/SIZE Portable Concrete Coring Machine with a 15" Core Barrel and 24" extensions |
| | NORTHINGS: 17 58' 10.0N EASTINGS: 76 17' 47.6W DATUM: Mean Sea Lev ELEVATION: 460m | |

SAMPLE TYPE WASH GRAB SPLIT SPOON T.W. TUBE R.CORE

| SAMPLE TYPE | DEPTH DRIVEN RECOVERY | CASING | DEPTH DRIVEN SAMPLE NO. | SAMPLE DEPTH | BLOWS PER 6" DRIVEN | DEPTH OF SAMPLE (ft) | LAYER INTERFACE | WATER LEVEL | | | | START | FINISH |
|-------------|--------------------------|--------|----------------------------|--------------|------------------------|-------------------------|--------------------|--|--|--|--|-------|--------|
| | | | | | | | | TIME | | | | TIME | TIME |
| | | | | | | | | DATE | | | | DATE | DATE |
| | | | | | | | | CASING DEPTH | | | | | |
| | | | | | | 0 | | Creamish white, medium strong, fossiliferous limestone | | | | | |
| | | | | | | 1 | | 6" limestone core recovered from what was interpreted as a limestone boulder RQD=40% | | | | | |
| | | | | | | 2 | | Compact limestone fill material, consist of gravelly limestone fragments | | | | | |
| | | | | | | 3 | | Compact limestone fill material (Marl) | | | | | |
| | | | | | | 4 | | Compact limestone fill material (Marl) | | | | | |
| | | | | | | 5 | | 2" thick concrete screen recovered | | | | | |
| | | | | | | 6 | | An additional 10" thick concrete core recovered | | | | | |
| | | | | | | 7 | | Medium hard creamish white micritic limestone fragments recovered | | | | | |
| | | | | | | 8 | | Medium hard creamish white micritic limestone fragments recovered | | | | | |
| | | | | | | 9 | | Creamish white micritic limestone granules, gravel and cobbles | | | | | |
| | | | | | | 10 | | Medium hard, creamish white micritic limestone core | | | | | |
| | | | | | | 11 | | Limestone core recovered 4" in length, RQD=26% | | | | | |
| | | | | | | 12 | | | | | | | |
| | | | | | | 13 | | | | | | | |
| | | | | | | 14 | | | | | | | |
| | | | | | | 15 | | | | | | | |
| | | | | | | 16 | | | | | | | |
| | | | | | | 17 | | | | | | | |
| | | | | | | 18 | | | | | | | |
| | | | | | | 19 | | | | | | | |
| | | | | | | 20 | | | | | | | |

| | | | | |
|---|-------------------------|-------------|---------|----------|
|  GEO-EDGE LIMITED 14 CALEDONIA ROAD, MANDEVILLE, JAMAICA info@geoedgejamaica.com +1 (876)366-9021 | STARTED | May 03 2016 | JOB NO. | SHEET OF |
| | COMPLETION | May 03 2016 | | |
| | OFFICE BOREHOLE RECORDS | FINAL W.L. | | |



JETS LABORATORIES LIMITED

14a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

June 17, 2016

JOB NO. :L16036

Geo-Edge Limited
14 Caledonia Avenue
Mandeville
Manchester

Attention: Mr. Damian Williams


Dear Sirs:


Subject: Material Evaluation

Please find attached our Laboratory Report **G/805/01512** results obtained from Rock Core Tests carried out on samples tested on June 17, 2016.

We trust that the attached is satisfactory to you; however, should there be any queries please address them to the undersigned.

Yours very truly,
JETS LABORATORIES LIMITED


Stacy-Ann Garwood (Miss)
Laboratory/Q.A. Administrator


Gordon E. Hutchinson
Director

/knd

Attachments

° Laboratory Testing ° Field Testing ° Quality Control ° Soils ° Concrete ° Asphalt ° Ultrasonics ° Geophysical Explorations



JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

REPORT ON ROCK STRENGTH TESTS:

| | |
|-------------------------------------|-------------------------------------|
| Client: Geo-Edge Limited | Ref: L16036 |
| Project: Material Evaluation | Report No. G/805/01512 |
| Reported To: Mr. Damian Williams | Location: Cabbage Hill Winchester |
| Report Date: 17-06-16 | Date Cored: Unknown |
| Test Specification: ASTM D7012 - 14 | Date Tested: 17-06-16 |

TEST RESULTS

| | |
|---|-------------------------|
| Curing Conditions: N/A | |
| Specimen Number (Comp. Strength Specimen No.) | BH1 BH2 |
| Sample Identification | 0109 0110 |
| Specimen Depth | - - |
| Element Cored | Rock Rock |
| Location | Winchester Cabbage Hill |
| Diameter - inches | 1.75 1.75 |
| Length uncapped - inches | 4.125 4 |
| Length capped - inches | N/A N/A |
| Length/Diameter | 2.36 2.29 |
| Correction Factor | 1 1 |
| Density p.c.f | 144.1 148.7 |
| Compressive Strength - Mpa (cylinder) | - - |
| Equivalent Compressive Strength Mpa (cube) | - - |
| Compressive Strength - PSI (cylinder) | 6585 8430 |
| Equivalent Compressive Strength PSI (cube) | - - |



Checked by:

Signed by:

Notes:

THIS CERTIFICATE OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATES AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN ITS ENTIRETY AND ONLY WITH THE APPROVAL OF JETS LABORATORIES LIMITED AND THE CLIENT. ONLY REPORTS BEARING JETS LABORATORIES LIMITED APPROVED EMBOSSED SEAL ARE AUTHENTIC.

Sample ID: No ID_ (7ft)

| Description | | Photo-documentation |
|-----------------------|---------------------------------------|---|
| Macroscopic | | |
| Colour | Creamish white |  <p style="text-align: center;">1 cm</p> |
| External Features | | |
| Mineralogy | Calcite | |
| Allochems | No visible fossils or other allochems | |
| Spar cement or Mud | Mud | |
| Microscopic | | |
| Folk Classification | Biomicrite |  <p style="text-align: center;">500µm</p> <p style="text-align: center;">Photo micrograph of sample showing Planktonic Forams (PF) within micrite matrix</p> |
| Dunham Classification | Wakestone | |
| Porosity | Low | |
| Fossils | Planthic Foram | |
| Other | | |

Comments: The sample is a deep water limestone which is term chalk. Deep water limestone due to high percentage of planthic Foraminifera content. The sample is poorly consolidated, which makes water absorption high.

Additional Micrograph






Photo micrograph of sample showing abundant Planktonic Forams (PF) within micrite matrix



— Winchester Sample - Principal Stress Envelope
 — Winchester Sample - Shear vs. Normal Stress Envelope

| Winchester Sample | |
|--------------------------------------|--------------|
| Hoek Brown Classification | |
| intact uniaxial compressive strength | 45 MPa |
| GSI | 51 |
| mi | 9 |
| disturbance factor | 0.7 |
| intact modulus | 12000 MPa |
| Hoek Brown Criterion | |
| mb | 0.61 |
| s | 8.239e-004 |
| a | 0.505 |
| Failure Envelope Range | |
| application | general |
| sig3max | 11.25 MPa |
| Mohr Coulomb Fit | |
| cohesion | 1.553 MPa |
| friction angle | 22.496 deg |
| Rock Mass Parameters | |
| tensile strength | -0.061 MPa |
| uniaxial compressive strength | 1.244 MPa |
| global strength | 4.65 MPa |
| modulus of deformation | 1372.587 MPa |

A-10-1-100

A-10-1 A REPORT ON SOIL INVESTIGATIONS AT SELECTED REPEATER STATION SITES

(PROJECT FOR IMPROVEMENT OF EMERGENCY COMMUNICATION SYSTEM IN JAMAICA)

(Rep006)

Table of Contents

EXECUTIVE SUMMARY 3

1.0 INTRODUCTION..... 6

1.1 OBJECTIVES 6

1.2 BACKGROUND..... 6

1.3 PROJECT SCOPE..... 6

1.4 PROJECT DESCRIPTION 7

1.5 PROJECT LOCATION 7

 1.5.1 SHOTOVER, PORTLAND..... 8

2.0 GEOLOGY 9

2.1 INTRODUCTION..... 9

2.2 METHODOLOGY 9

2.3 SHOTOVER, WESTMORELAND 10

 2.3.1 REGIONAL GEOLOGY SETTING 10

 2.3.2 LOCAL GEOLOGY 10

3.0 GEOTECHNICAL ASSESSMENT..... 13

3.1 INTRODUCTION..... 13

3.2 METHODOLOGY 13

3.3 SOIL INVESTIGATIONS RESULTS / FINDINGS..... 14

 3.3.1 SHOTOVER, PORTLAND..... 14

4.0 RECOMMENDATIONS FOR DESIGN AND CONSTRUCTION 16

4.1 SHOTOVER, PORTLAND..... 17

 4.1.1 EARTHWORKS 17

 4.1.2 FOUNDATIONS..... 18

5.0 REFERENCES..... 19

APPENDICES..... 19

 APPENDIX A1 - EXPLORATION LOGS – SHOTOVER, PORTLAND..... 19

 APPENDIX A2 - LAB REPORT – SHOTOVER, PORTLAND 19

 APPENDIX A3 – PRINCIPAL AND SHEAR STRENGTH GRAPHS – SHOTOVER, PORTLAND 19

LIST OF FIGURES

Figure 1 Table showing geographic coordinate location of Shotover (Portland) Repeater Station site 7

Figure 2. Map showing location of the Shotover Repeater station. where soil investigations were conducted... 8

Figure 3 Map showing location of tower site in Shotover, Portland 9

Figure 4 Map showing Lithology Units of Northern Portland area 10

Figure 5. Picture showing bedrock at the Shotover Tower site..... 11

Figure 6 Soil map of the Northern section of Portland 12

Figure 7 Picture showing unearthed soil at site 12

Figure 8 Picture showing initial boring of hole, Shotover, Portland..... 14

Figure 9 Picture of equipment used in digging of geological pit 14

Figure 10. Lithological profile generated from borelog, Shotover, Portland 15

Figure 11. Plasticity chart for sample, Shotover, Portland 16

Figure 12. Diagram showing average principal and normal vs shear stress envelopes, Shotover, Portland 18

Figure 13 Table showing average, allowable and ultimate bearing capacities 18

1.0 INTRODUCTION

1.1 OBJECTIVES

The aim of this geotechnical report is to:

- Review and conduct geological assessment of selected repeater stations by employing physical subsurface exploration methods
- Present findings on geological and geotechnical study
- Present recommendations on anticipated earthworks and its potential impact on construction foundation design

1.2 BACKGROUND

In recent years the Japan International Cooperation Agency; JICA, and the Jamaican Government have strengthened bilateral arrangements with the aim of promoting the islands social and economic development.

A crucial component of JICA's operation is aimed at strengthening the goals and strategic objectives of the islands Comprehensive Disaster Management Framework, which partly involves the improvement of Jamaica's emergency communication infrastructure.

Hence, the objective of the project is to improve the existing emergency communication infrastructure in Jamaica. This will be accomplished by upgrading the existing communication infrastructure which will inevitably result in more efficient and effective communication island wide, and by extension a stronger emergency response mechanism in the event of natural disasters

1.3 PROJECT SCOPE

The work conducted at this site was governed under the scope of work provided and commissioned by Yachiyo Engineering Company Limited (YEC) and guided by contract dated April 14th 2016 included all activities necessary to produce findings of geotechnical investigations at target sites and recommendations for construction and design. The site for geotechnical investigation was chosen by YEC and shared with Geo-Edge Ltd via maps and geographical coordinates. This was further confirmed by a reconnaissance visit to each site by representatives of both companies. Field activities of the subsurface exploration included acquisition of soil samples and rock cores from underlying strata at each site employing use of HQ coring. A field geological assessment was also requested by scope. The scope also included production of field reports and logs and transportation of won samples to laboratory for testing. Record of Groundwater levels if encountered was also included. Geotechnical Laboratory testing of soil and rock samples should not exceed three (3) samples per site. Results from these test should then form the basis of geotechnical report to be supplied along with supporting field reports which constitute final deliverables

This report was prepared for the exclusive use of our client and their consultants for design of this project. In the event that any changes are made in the character, design or layout of the improvements,

we must be contacted to review the conclusions and recommendations contained in this report to determine whether modifications are necessary. This document may not be reproduced in whole or in part by any means whatsoever, nor may it be quoted or excerpted without our express written consent.

1.4 PROJECT DESCRIPTION

The purpose of this project is to improve the existing emergency telecommunication infrastructure in Jamaica. This involves installing the requisite wireless communication systems and relevant infrastructure.

The preparation of a geological/geotechnical report serves as a major component of study, as it assesses the engineering characteristics of the site and its suitability for the various communication related infrastructure. The availability of such data allows engineers and architects to either proceed by implementing structural designs in accordance with the findings or to find engineering solutions where onsite conditions are challenging.

The report hereby presents the findings of the site investigation carried out at the Shotover Repeater Station located in Shotover Portland

| No. | Name | Parish | Longitude | Latitude |
|-----|----------|----------|---------------|---------------|
| ?? | Shotover | Portland | 18°10'18.39"N | 76°28'51.02"W |

Figure 1 Table showing geographic coordinate location of Shotover (Portland) Repeater Station site

1.5 PROJECT LOCATION

This addendum involves the geotechnical and geological assessment of the telecommunication tower located in the parish of Portland. The tower is located in northcentral section of the parish, just southeast of the parish capital Port Antonio. (See fig.2).




Figure 2. Map showing location of the Shotover Repeater station. where soil investigations were conducted

1.5.1 SHOTOVER, PORTLAND

The parish of Portland covers 814.5 km², or approximately 7% of the area of Jamaica, and includes the northern flank of the Blue Mountains. The parish is dominantly mountainous with low hills on the northern edge and the steeper, higher slopes of the Blue Mountains on the southern extent. The Blue Mountain Peak, the highest peak in the range, culminates at 2256 metres above sea level. There are also the John Crow Mountains, a low cuesta in the east. Surficial drainage is dominant in Portland; the parish hosts five watersheds having large rivers, such as, the Rio Grande, Buff Bay, Swift, and Spanish Rivers. These are rarely dry, because their headwaters are constantly fed by rainfall in the mountains.

The target repeater station is located some five kilometers south east of Port Antonio in the hilly interior of north-central Portland, within the foothills of the Blue Mountains. It is situated within the rural community of Shotover, one of a number of scattered settlements found in this area of Portland.

The site is accessed via a parochial road leading from the district of Boundbrook and serves the adjacent rural communities of north-central Portland.



Figure 3 Map showing location of tower site in Shotover, Portland

2.0 GEOLOGY

2.1 INTRODUCTION

This section of the report documents the findings of the geological assessment conducted for and at the Shotover Repeater Station site.

2.2 METHODOLOGY

The geology at the target location is presented from a regional to a local, site specific perspective. A regional geological report was done from a desktop study which highlighted the surrounding geological formations and regional structure (See fig.4). Site specific geological assessment included outcrop sampling, identification and measurement of the orientation and thickness of bedding, identification of minor faults or evidence of major faulting, identification of any major formation contacts and assessment of potential geohazards that may impact the site.




Figure 4 Map showing Lithology Units of Northern Portland area

2.3 SHOTOVER, WESTMORELAND

2.3.1 REGIONAL GEOLOGY SETTING

Sedimentary and igneous rock types dominate though metamorphic lithotypes are present within the geological occurrences in the Port Antonio environs. These are of Cretaceous to Neogene age. The Cretaceous rocks occur in the Blue Mountains inlier and include quartzofeldspathic and basic schists, tuffs, lava flows and granodiorite intrusions. Cretaceous lithologies comprise the upper sections of the Blue Mountains extending from Silver Hill Peak in the west to the left bank of the Rio Grande in the east. These extend northwards as far as Port Antonio. Paleocene to Miocene sedimentary rocks encircle the Blue Mountain inlier. Paleocene-Eocene rocks dominate, and range from conglomerates, sandstones and shales, to impure to pure limestones (such as those at Shotover).

The John Crow Mountains comprise shale capped by deep-water micrites. There are also minor Miocene volcanic rocks (tuffs and lava flows) in the north central section of the parish. Elevated rocks of the Coastal Group fringe the coastline. Fluvial deposits extend from the coastal areas inland along some of the river valleys. Large masses of colluvium consisting of rock and debris drape the landscape in many areas such as Shrewsbury, Tranquility, Milbank and Cornwall Barracks.

2.3.2 LOCAL GEOLOGY

2.3.2.1 LITHOLOGY

At the target site the bedrock is seen outcropping intermittently beyond the fenced perimeter of the Repeater Station. Field investigation indicated a massive micritic limestone with thin to absent topsoil.

The geology of the Shotover district is defined by the dominance of Gibraltar Bonnygate Limestone formation that is the primary lithological unit in the area. It is an Eocene Age White Limestone formation and is composed of evenly bedded white micrites typically chalky and porous. These white chalky limestones contain planktonic foraminifera such as *Porticulasphaera mexicana* and *Hantkenina alubamensi* in the lower sequences and *Globigerina ampliaptarec* in the upper sequences. Bioclastic layers include *Lepidocyclina pustulosa* and *L. chaperi* at the lower levels and *L. yurnagunesis*, *L. undosa* and *Pararotolia* sp. towards the top



Figure 5. Picture showing bedrock at the Shotover Tower site

2.3.2.2 GEOLOGICAL STRUCTURE

The dominant structural feature of Portland is the northern extension of the Blue Mountain Inlier superimposed with an intricate fault pattern reflective of polyphase deformation due to overprinting of tectonic events. The mountainous terrain consists of densely fractured rocks that have been exposed to long periods of deep weathering, and are highly susceptible to landslides. At the vicinity of the repeater station there were no visible discontinuities at the surface

2.3.2.3 SURFICIAL DEPOSITS

Soil development at the target site in the Shotover area is generally poor. The area is covered by a stony loam, brown-yellowish colour sitting on limestone bedrock (See fig.6).




Figure 6 Soil map of the Northern section of Portland

At the site within the fenced area the ground is covered with a thin, dark organic matter which lies just below the vegetation which quickly transitions to a yellow-brown stony (limestone gravels and pebbles) loam. The soil development here however reflects some modification to the original soil horizons as a top layer of gravels, which consist of a darker gravelly layer, is reminiscent of the local supply of alluvial aggregate sourced from nearby rivers. (See fig 7). Particle size distribution analysis indicate a poorly graded gravel. The site is covered by a fairly thick undergrowth of short grasses. The surrounding hillside exhibits a similar poor soil development supporting irregular subsistence farming



Figure 7 Picture showing unearthed soil at site

2.3.2.4 SURFACE WATER AND GROUNDWATER

Groundwater was not encountered during the field activity. Reports indicate that nearby wells (Berridale, Portland) water was struck in excess of sixty feet some six kilometers to the southeast.

3.0 GEOTECHNICAL ASSESSMENT

3.1 INTRODUCTION

The scope of work involved the following:

- Subsurface drilling of a single borehole to a depth of 5m at site where possible.
- Borehole shall be drilled below the footprint or as close as possible to the proposed structure.
- Geological pit shall be excavated to facilitate assessment of underling rock, possible discontinuities, structure, etc as deemed fit by the project geologist
- Samples shall be logged and RQD results calculated from core recovery.
- Moisture content, grainsize distribution analysis and plasticity index will be assessed and determined where applicable.
- Uniaxial Compressive Strength Testing of cores shall be carried out in order to determine bearing capacity of rock material.
- Preliminary geological and geotechnical assessment of the site shall be outlined

3.2 METHODOLOGY

Soil investigations were accomplished by the of the site with portable rock coring machine capable of achieving beyond the target sample depth and allow logging of the subsurface conditions at the site. The boring location was chosen based on discussions with representatives of Yachiyo Engineering Ltd. The borehole was advanced through rock using a semi-automated, gas powered portable rock coring drill with approximately 1.0 metre runs used in lieu of the availability of a truck -mounted drill-rig being able to achieve access due to grade and road conditions and also employed to expedite completion of project. Field logs were used to develop the report logs in the Appendices. The logs depict subsurface conditions at the Shotover Repeater Station for the date of exploration. Boring was advanced to achieve target depth of five (5) meters below the existing grade. Boring was backfilled with drill cuttings. A backhoe/ bucket excavator was employed to produce geological pit for creation of log sections

Conditions encountered at the boring location is indicated on the individual boring logs. Stratification boundaries on the boring logs represent the approximate location of changes in soil and rock types; in-situ, the transition between materials may be gradual. Details of each boring can be found on the bore logs in Appendices of this report.

Atterberg Limits (ASTM 04318) were determined for soil encountered at the site. Where a rock core is retrieved, the determination of Unconfined Compressive Strengths (ASTM 07012-C) was employed. ASTM D2216 Standard Test Methods for Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass guided the determination of soil moisture where applicable. Results of the tests performed are presented in Appendices to this report; soil description and classification are in accordance with the Unified Soil Classification System (USCS).

3.3 SOIL INVESTIGATIONS RESULTS / FINDINGS

Presentation of the findings will indicate results of the field exercise and laboratory analysis. A physical description of downhole conditions will be provided accompanied by the results geotechnical tests on won samples.

3.3.1 SHOTOVER, PORTLAND

3.3.1.1 BORINGS

We attempted drilling of the site with portable rock coring machine capable of achieving beyond the target sample depth and allow logging of the subsurface conditions at the site. (See fig.8)



Figure 8 Picture showing initial boring of hole, Shotover, Portland

A single borehole was dug through topsoil for approximately one meter through the top and lower soil horizons. A hard limestone was then encountered. This limestone represents a cap (hardened / recrystallized limestone) typical relict karstified surface found in similar geology in Jamaica. Drilling was attempted until refusal then a bucket excavator/ bucket loader (JCB 214) was employed to dig a geological pit to give access to lower horizons.



Figure 9 Picture of equipment used in digging of geological pit

Section of Geological Log indicating material encountered from surface during field exercise Shotover, Portland




Figure 10. Lithological profile generated from borelog, Shotover, Portland

3.3.1.2 LAB REPORT

Two bulk samples of soil were recovered from field exercise for soil moisture, Atterberg Limits specifications, particle size distribution and moisture content while one (1) rock sample was won for the determination of Unconfined Compressive Strengths (ASTM 07012-C). Soil description and classification are in accordance with the Unified Soil Classification System (USCS)

Unconfined Compression Strength (Rock)

One (1) specimen from the core sample returned was submitted for unconfined compressive strength testing and summary of results obtained are shown in the table below. A more detailed report can be obtained from lab report attached in the Appendices. The analysis indicates an average density of 159.0 pounds per cubic foot (p.c.f) and compressive strength in excess of three thousand five hundred pounds per square inch (psi)

| UNCONFINED COMPRESSION TEST RESULTS | |
|---|---------------------------|
| Location | Shotover, Portland |
| Specimen Number (Comp. Strength Specimen No.) | 1 |
| Specimen Depth | 3'-8' |
| Density p.c.f | 159.0 |
| Compressive Strength - Mpa (cylinder) | 24.50 |
| Compressive Strength - PSI (cylinder) | 3501 |

Atterberg Limits




Figure 11. Plasticity chart for sample, Shotover, Portland

The results of the Atterberg limits testing was plotted on the Plasticity Chart and the sample plotted below the Casagrande A-Line in the MH region of the Chart and thus classifies as a soil with moderate plasticity with liquid limit of 56.9 percent, plastic limit of 42.0 percent and plasticity index of 14.9 percent and average moisture content of 24.2 percent.

4.0 RECOMMENDATIONS FOR DESIGN AND CONSTRUCTION

The evaluation of subsoil parameters for the site is generally made by assuming that the sampling of the site is representative of the site. It is explicitly a stochastic process and our confidence in these assumptions and the probability that an evaluation will yield a design suitable for problem free construction and long-term performance, is a function of the available database as well as the intrinsic variability of the subsoils on the site. In cases, where a single borehole only was requested, larger factors of safety will be applied to recommended values in an attempt to counteract even greater assumptions along with the caveat that our recommendations hold as long as the subsoil encountered during construction is similar to what was encountered in the borehole.

The base material underlying the Repeater Station at Shotover, Portland is from the White Limestone series of Jamaica and as such tends to contain solution cavities due to its permeable and porous nature. It is practically impossible to determine the extent of possible cavities from borehole exploration only, and generally, geophysical methods are needed for suitable determination. During the assessment of the

underlying bedrock at this site, there was no indication of open or unfilled cavities. There were no surface manifestations of possible cavities observed on any of the sites.

The table below show the generalized bearing capacities associated with the formation at the Shotover site. The information provided acts as a guide but design should be guided by local conditions and analysis

| Geological Formation | Bearing Capacity | Permeability | Method of Excavation | Slope Stability | Construction Problem |
|--|--|--|----------------------|---|---|
| Gibraltar-Bonny Gate, Formation | In sound rock ~ 4000KN/M ² | Primary Permeability is generally low. | Variable Blast/ Rip | Reasonable in sound rocks, while on soil near vertical cuts should be stable, given that soil cohesion is high. | Landslip along fault scarps |
| Consists of evenly bedded white micrites typically chalky and porous | In depression where soil is stiff and clay content is high ~ 40 – 500KN/m ² | Secondary permeability may be very high. | | | Underground cavities Flood risk in depressions Depth of bedrock may be variable |

4.1 SHOTOVER, PORTLAND

4.1.1 EARTHWORKS

The estimation of rock parameters to determine its strength in-situ was done using the Hoek-Brown Method and the results obtained are presented. (See fig.12). The rock is estimated to have a cohesion (c) of 3.72 MPa and a friction angle (φ) of 34.31 degrees. Using the Hoek-Brown Method, a Geological Strength Index (GSI) of 63 was obtained and a global strength of 14.08 MPa. It is theorized that rocks with a GSI of up to 40 can be dug while those with global strength of above 1 MPa can be ripped. If rock is to be excavated on site for foundations or other reasons, we would recommend the use of ripping equipment like a D8 or equivalent along with bucket and hammer attachments for operation or use of hydraulic jackhammer given the limited operating space at the repeater station.




Figure 12. Diagram showing average principal and normal vs shear stress envelopes, Shotover, Portland

4.1.2 FOUNDATIONS

Foundations on site can be founded to a depth of 3ft within limestone encountered at the surface. Foundations on rock should have no bearing capacity or settlement issues, and in-fact our recommendations for ultimate and allowable bearing capacities for foundations in rock at this site range are indicated in the table below.

| SHOTOVER | | |
|----------|----------------------------|-------|
| NO | ITEM DESCRIPTION | mPa |
| 1 | AVERAGE UCS | 24.5 |
| 2 | ALLOWABLE BEARING CAPACITY | 17.15 |
| 3 | ULTIMATE BEARING CAPACITY | 102.9 |

SAFETY FACTOR = 7 - Limestone cap found 2-3' below soil. Some small vugs seen

Figure 13 Table showing average, allowable and ultimate bearing capacities

5.0 REFERENCES

Mitchell, S. F. 2013. Stratigraphy of the White Limestone of Jamaica. *Bulletin de la Societe Geologique de France*, 184 (1-2), 111-118

Zans, V.A., Chubb, L.J., Versey, H.R., Williams, J.B., Robinson, E. and Cooke, D.L. 1963. Synopsis of Jamaican Geology. Geological Survey of Jamaica Bulletin 4. 1-72.

Robinson, E & Mitchell, S.F. 1999. Middle Eocene to Oligocene Stratigraphy and Palaeogeography in Jamaica: a window on the Nicaragua Rise, Prepared for the Fourth Annual Meeting of IGCP 393, 12-18 July, 1999. Contributions to Geology #4, 1-47.

Fisher, J.D. and Mitchell, S.F. 2012. Lithostratigraphy of the Grange Inlier, Westmoreland, Jamaica. Caribbean Journal of Earth Science, Volume 44 (in memory of the late Dr. Raymond Wright), 19-24. Available online: 11th December 2012.

James-Williamson, S.A. and Mitchell, S.F. 2012. Revised lithostratigraphy of the Coastal Group of south-eastern St. Thomas, Jamaica. Caribbean Journal of Earth Science, Volume 44 (in memory of the late Dr. Raymond Wright), 9-17. Available online: 26th November 2012.

APPENDICES

APPENDIX A1 - EXPLORATION LOGS – SHOTOVER, PORTLAND


APPENDIX A2 - LAB REPORT – SHOTOVER, PORTLAND

APPENDIX A3 – PRINCIPAL AND SHEAR STRENGTH GRAPHS – SHOTOVER, PORTLAND

| | | |
|---|---------------------|-----------|
| Client Yachiyo Engineering | Location Reference | TYPE/SIZE |
| Project Geotechnical Soil Testing at Shotover, Portland Repeater Station | NORTHINGS: EASTINGS | |
| Address: Community of Shotover, Portland | DATUM: ELEVATION: | |

SAMPLE TYPE **Bulk** WASH GRAB SPLIT SPOON T.W. TUBE R.CORE

| SAMPLE TYPE | DEPTH DRIVEN RECOVERY | CASING DEPTH DRIVEN | SAMPLE NO. | SAMPLE DEPTH | BLOWS PER 6" DRIVEN | DEPTH OF SAMPLE | LAYER INTERFACE | WATER LEVEL | | | | START | FINISH |
|-------------|--------------------------|------------------------|------------|--------------|------------------------|--------------------|--------------------|-------------------------------|--|--|--|-------|--------|
| | | | | | | | | TIME | | | | TIME | TIME |
| | | | | | | | | DATE | | | | DATE | DATE |
| | | | | | | | | CASING DEPTH | | | | | |
| Bulk | | | | | | 0 | | | | | | | |
| | | | | | | 1 | | | | | | | |
| | | | | | | 2 | 2 | Two bulk samples - composited | | | | | |
| | | | | | | 3 | | | | | | | |
| | | | | | | 4 | 1 | Rock sample (boulder) | | | | | |
| | | | | | | 5 | | | | | | | |
| | | | | | | 6 | | | | | | | |
| | | | | | | 7 | | | | | | | |
| | | | | | | 8 | | | | | | | |
| | | | | | | 9 | | | | | | | |
| | | | | | | 10 | | | | | | | |
| | | | | | | 11 | | | | | | | |
| | | | | | | 12 | | | | | | | |
| | | | | | | 13 | | | | | | | |
| | | | | | | 14 | | | | | | | |
| | | | | | | 15 | | | | | | | |
| | | | | | | 16 | | | | | | | |
| | | | | | | 17 | | | | | | | |
| | | | | | | 18 | | | | | | | |
| | | | | | | 19 | | | | | | | |
| | | | | | | 20 | | | | | | | |

| | | | | |
|---|-------------------------|-------------|---------|-----------------|
|  GEO-EDGE LIMITED 14 CALEDONIA ROAD, MANDEVILLE, JAMAICA info@geoedgejamaica.com +1 (876)366-9021 | STARTED | Aug 11 2016 | JOB NO. | SHEET 1 OF 1 |
| | COMPLETION | Aug 11 2016 | | |
| | OFFICE BOREHOLE RECORDS | FINAL W.L. | | |



JETS LABORATORIES LIMITED



14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515


REPORT ON ROCK STRENGTH TESTS:

| | | | |
|---------------------|-------------------------------------|--------------|--------------------|
| Client: | Geo-Edge Limited | Ref: | L16032 |
| Project: | Repeater Station Soil Investigation | Report No. | G/805/01572 |
| Reported To: | Mr. Damian Williams | Location: | Shotover, Portland |
| Report Date: | 8/19/2016 | Date Cored: | 8/19/2016 |
| Test Specification: | ASTM D7012 - 14 | Date Tested: | 8/19/2016 |
| Compiled By: | Ms. Stacy-ann Garwood | Tested by: | Mr. Craig Campbell |

TEST RESULTS

| | | | |
|---------------------------------------|----------------|--|--|
| Curing Conditions: | N/A | | |
| Specimen Number | 1 | | |
| Sample Identification | 0137 | | |
| Specimen Depth | - | | |
| Element Cored | ROCK | | |
| Location | GEOTECH OFFICE | | |
| Diameter - inches | 1.625 | | |
| Length uncapped - inches | 3.25 | | |
| Length capped - inches | N/A | | |
| Length/Diameter | 2 | | |
| Correction Factor | - | | |
| Density p.c.f | 159.0 | | |
| Compressive Strength - Mpa (cylinder) | 24.50 | | |
| Compressive Strength - PSI (cylinder) | 3501 | | |

Checked by:  Signed by: 

Notes: 

THIS CERTIFICATE OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATES AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN ITS ENTIRETY AND ONLY WITH THE APPROVAL OF JETS LABORATORIES LIMITED AND THE CLIENT. ONLY REPORTS BEARING JETS LABORATORIES LIMITED APPROVED EMBOSSED SEAL ARE AUTHENTIC.

A-10-1-119



R. H. Hixley



JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
Telephone Nos. (876) 926-2201/2, 926-7786; Fax No. (876) 929-2515

LABORATORY TEST REPORT

| | | | |
|--|---------------------------------|--------------------------------------|--|
| OUR REF: L16032 | CLIENT AUTHORISATION: Verbal | REPORT NUMBER G/805/01570 | REPORT DATE: August 17, 2016 |
| CLIENT: Geo-Edge Limited | | REPORTED TO: Mr. Damian Williams | |
| ADDRESS: 14 Caledonia Road, Mandeville | | SAMPLING DATA: 2 Bags of Soil Sample | |
| PROJECT: Repeater Station Soil Investigation | | SOURCE: Shotover, Portland | |
| CLIENT REP: Mr. Damian Williams | SAMPLES TAKEN BY: | | DATE SAMPLE RECEIVED: August 12, 2016 |
| | CLIENT | JETS | |
| | X | | TEST SPECIFICATION: ASTM D 2216 |

MOISTURE CONTENT DETERMINATION

| SAMPLE IDENTIFICATION | MOISTURE CONTENT (%) |
|-----------------------|----------------------|
| 136 | 24.2 |
| | |
| | |

THIS CERTIFICATE, OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATE AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES.

| | | |
|---------------------------------|-----------------------|-------------------|
| DATE TESTED: August 12, 2016 | TECHNICIAN: M. Lee | CERTIFIED BY: |
|---------------------------------|-----------------------|-------------------|



JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

LABOARTORY TEST REPORT

| | | | |
|--|---|--|-----------------------------------|
| OUR REF: L16032 | CLIENT AUTHORISATION: Verbal | REPORT NUMBER G/805/01570 | REPORT DATE: August 17, 2016 |
| CLIENT: Geo-Edge Limited ADDRESS: 14 Caledonia Road, Mandeville PROJECT: Repeater Station Soil Investigation | | REPORTED TO: Mr. Damian Williams SAMPLING DATA: 2 Bags of Soil Sample SOURCE: Shotover, Portland | |
| CLIENT REP: Mr. Damian Williams | SAMPLES TAKEN BY: CLIENT JETS GEOTECH X | DATE SAMPLES RECEIVED August 12, 2016 | TEST SPECIFICATION: ASTM D4318 |

APPENDIX I

ATTERBERG LIMITS TEST DATA

THIS CERTIFICATE, OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATE AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN ITS ENTIRETY AND ONLY WITH THE APPROVAL OF JETS LABORATORIES LIMITED AND THE CLIENT. ONLY REPORTS BEARING JETS LABORATORIES LIMITED APPROVED EMBOSSED SEAL ARE AUTHENTIC.

| | | |
|-----------------------------------|------------------------|-------------------------------|
| DATE TESTED: 15/8/16 - 16/8/16 | TECHNICIAN L. Maxam | CERTIFIED BY: APPROVED BY: |
|-----------------------------------|------------------------|-------------------------------|



JETS LABORATORIES LIMITED

14 a Hope Road, P.O. Box 402, Kingston 10, Jamaica West Indies
 Telephone Nos. (876) 926-2201/2, 926-7756; Fax No. (876) 929-2515

LABORATORY TEST REPORT


| | | | |
|------------------------------------|--|--|---|
| OUR REF: L16032 | CLIENT AUTHORISATION: Verbal | REPORT NUMBER G/805/01570 | REPORT DATE: August 17, 2016 |
| CLIENT: Geo-Edge Limited | ADDRESS: 14 Caledonia Road, Mandeville | PROJECT: Repeater Station Soil Investigation | REPORTED TO: Mr. Damian Williams |
| | | | SAMPLING DATA: 2 Bags of Soil Sample |
| | | | SOURCE: Shotover, Portland |
| CLIENT REP: Mr. Damian Williams | SAMPLES TAKEN BY: | | DATE SAMPLE RECEIVED: August 12, 2016 |
| | CLIENT | JETS | GEOTECH |
| | X | | |
| | | | TEST SPECIFICATION: ASTM C 117 ASTM C 136 |

| GRAIN SIZE ANALYSIS | | WET SIEVE | |
|-----------------------|-------------|--------------------|--|
| U.S. SIEVE SIZES | | PERCENTAGE PASSING | |
| SAMPLE IDENTIFICATION | | 136 | |
| Imperial | Metric (mm) | | |
| 5" | 125 | 100.00 | |
| 4" | 100 | 68.70 | |
| 3" | 75 | 68.70 | |
| 2" | 50.8 | 62.00 | |
| 1 1/2" | 38.1 | 50.30 | |
| 1" | 25.000 | 45.20 | |
| 3/4" | 19.000 | 41.10 | |
| 1/2" | 12.500 | 32.80 | |
| 3/8" | 9.500 | 28.60 | |
| #4 | 4.750 | 23.50 | |
| #10 | 2.000 | 19.90 | |
| #20 | 0.850 | 16.30 | |
| #40 | 0.425 | 13.40 | |
| #100 | 0.150 | 9.80 | |
| #200 | 0.075 | 8.20 | |

[Handwritten Signature]

THIS CERTIFICATE, OR REPORT IS VALID ONLY FOR THAT WORK WHICH WAS SPECIFICALLY REQUESTED. THE COMPANY IS NOT RESPONSIBLE FOR ANY VIEWS OR OPINIONS EXPRESSED BY EMPLOYEES PERFORMING THIS WORK WHICH FALL OUTSIDE THE EXACT TERMS OF REFERENCE. ALL CERTIFICATE AND/OR REPORTS ARE THE RESULT OF WORK PERFORMED IN CONFORMANCE WITH APPLICABLE SPECIFICATIONS AND STANDARDS TO THE BEST OF OUR ABILITY AND INTENT. HOWEVER, THE COMPANY WILL NOT BE RESPONSIBLE FOR DEVIATIONS WITHIN THE NORMAL LIMITS OF ACCURACY IN ACCORDANCE WITH STANDARD PRACTICES. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN ITS ENTIRETY AND ONLY WITH THE APPROVAL OF JETS LABORATORIES LIMITED AND THE CLIENT. ONLY REPORTS BEARING JETS LABORATORIES LIMITED APPROVED EMBOSSED SEAL ARE AUTHENTIC.

| | | |
|---------------------------------|----------------------------------|-------------------------------------|
| DATE TESTED: August 15, 2016 | TECHNICIAN: L. Maxam / M. Lee | CERTIFIED BY: <i>[Signature]</i> |
|---------------------------------|----------------------------------|-------------------------------------|



| | | | | | | |
|---------|--------|------|--------|--------|------|--------------|
| COBBLES | GRAVEL | | SAND | | | SILT OR CLAY |
| | coarse | fine | coarse | medium | fine | |

| Specimen Identification | Classification | MC% | LL | PL | PI | Cc | Cu |
|-------------------------|--|-----|----|----|----|-------|-------|
| ● 0136 0.0 | POORLY GRADED GRAVEL with SILT and SAND GP-GM | | 57 | 42 | 15 | 13.84 | 295.9 |



| Specimen Identification | D50 | D60 | D30 | D10 | %Gravel | %Sand | %Silt | %Clay |
|-------------------------|-------|-------|--------|--------|---------|-------|-------|-------|
| ● 0136 0.0 | 37.41 | 48.45 | 10.479 | 0.1637 | 45.2 | 15.3 | 8.1 | |

D. A. Wisley

| | | | |
|---------|---|---------|---------|
| PROJECT | Repeater Stations Soil Investigation - Shotover, Portland | JOB NO. | L16032 |
| | | DATE | 16-8-17 |

GRADATION CURVES

Kingston



| Shotover, Portland | |
|--------------------------------------|---------------|
| Hoek Brown Classification | |
| intact uniaxial compressive strength | 60 MPa |
| GSI | 63 |
| mi | 10 |
| disturbance factor | 0 |
| intact modulus | 42000 MPa |
| modulus ratio | 700 |
| Hoek Brown Criterion | |
| mb | 2.668 |
| s | 0.016 |
| a | 0.502 |
| Failure Envelope Range | |
| application | general |
| sig3max | 15 MPa |
| Mohr Coulomb Fit | |
| cohesion | 3.717 MPa |
| friction angle | 34.318 deg |
| Rock Mass Parameters | |
| tensile strength | -0.369 MPa |
| uniaxial compressive strength | 7.609 MPa |
| global strength | 14.075 MPa |
| modulus of deformation | 24686.018 MPa |

— Shotover, Portland - Principal Stress Envelope
 — Shotover, Portland - Shear vs. Normal Stress Envelope

