


## 6. その他の資料・情報

### 6-1 敷地測量図



A-144

General Notes

SURVEY SYSTEM UTM 36J (TRF2005)  
 HEIGHTS AMSL ( SA GEOD 2010)

AREA	1:5000	SCALE	2000000000	PROJ	UTM
UNIT	1:5000	SCALE	2000000000	PROJ	UTM

LEGEND

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>□ Drain</li> <li>○ Route/Run Marker</li> <li>□ Sign Board</li> <li>□ Sign Gantry</li> <li>○ Gate Eye</li> <li>○ Fencing Marker</li> <li>○ Manhole Box</li> <li>○ Street Lamp</li> <li>○ Bellrod</li> <li>○ 220 Phase</li> <li>○ Fire Pole</li> <li>○ Fire Box</li> <li>○ Arcion</li> <li>○ Stormwater Manhole</li> <li>○ Grid Line</li> <li>○ Drain</li> <li>○ Catch Pit</li> <li>○ Drain Outlet</li> <li>○ Telephone Pole Wood</li> <li>○ Telephone Pole Steel</li> <li>○ Telephone Pole Concrete</li> <li>○ Tension Manhole</li> <li>○ Telephone Booth</li> <li>○ Tension Dk</li> <li>○ Road Mark</li> <li>○ Sewer Manhole</li> <li>○ Gas Pit</li> <li>○ Sewer Pipe</li> <li>○ Inspection Eye</li> <li>○ Light Pole Steel</li> <li>○ Light Pole Wood</li> <li>○ Light Pole Concrete</li> <li>○ Wood Pole</li> <li>○ Steel Pole</li> <li>○ Concrete Pole</li> <li>○ Sign</li> <li>○ Lighting Pole</li> <li>○ DB Board</li> <li>○ Intercor</li> <li>○ Boom</li> <li>○ Camera</li> <li>○ Traffic Light</li> <li>○ Cable Marker</li> <li>○ Electrical Manhole</li> </ul> | <ul style="list-style-type: none"> <li>○ Tree</li> <li>○ Bush</li> <li>□ Rail Signal</li> <li>□ Rail Control Box</li> <li>□ Rail Telephone</li> <li>□ Rail Km Mark</li> <li>○ Station</li> <li>○ Bottom Polemarker</li> <li>○ Daburke</li> <li>○ Tiltage Wire</li> <li>○ Parabolic Sign</li> <li>○ Manhole Paint</li> <li>○ Water Meter</li> <li>○ Tap</li> <li>○ Water Valve</li> <li>○ Fire Hydrant</li> <li>○ Fireman</li> <li>○ Water Manhole</li> <li>○ Water Sprinkler</li> <li>○ Gas Manhole</li> <li>○ Gas Valve</li> <li>○ Fencing</li> <li>○ White Line</li> <li>○ Chain Line</li> <li>○ Electric Fence</li> <li>○ Police Fence</li> <li>○ Boundary Line</li> <li>○ Gate (Symbol)</li> <li>○ Steel Fence</li> <li>○ Parking Line</li> <li>○ Survey Point</li> <li>○ Town Survey Mark</li> </ul> |
|---|---|



No.	Revision/Issue	Date

INITIO EARTH SCIENCES  
 PO BOX 7457  
 PALM COURT  
 SOUTH AFRICA 1715  
 TEL +2711 7954007  
 FAX +2711 7954008  
 www.esafrica.com  
 info@esafrica.com




Professional Surveyors



Project: BOYANE MATSUDA	Sheet: 1 OF 1
Date: DECEMBER 2015	
Scale: 1:1500	

M1-Boyane



General Notes

SURVEY SYSTEM UTM 36J UFRF2005  
HEIGHTS AMSL ( SA GEOD 2010)

EDN	SURVEY SYSTEM UTM 36J UFRF2005	2014 06 23 12:00:00
SLA	SURVEY SYSTEM UTM 36J UFRF2005	2014 06 23 12:00:00

LEGEND

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>□ Drain</li> <li>○ Route/Run Marker</li> <li>□ Sign Board</li> <li>□ Sign Gantry</li> <li>○ Gate Eye</li> <li>○ Fencing Marker</li> <li>○ Manhole</li> <li>○ Sewer Manhole</li> <li>○ Stormwater Manhole</li> <li>□ Grid Line</li> <li>□ Drain</li> <li>□ Catch Pit</li> <li>□ Drain Outlet</li> <li>○ Telephone Pole Wood</li> <li>○ Telephone Pole Steel</li> <li>○ Telephone Pole Concrete</li> <li>○ Tension Manhole</li> <li>○ Telephone Booth</li> <li>○ Takerin DB</li> <li>○ Road Mark</li> <li>○ Sewer Manhole</li> <li>○ Gas Pit</li> <li>○ Sewer Pipe</li> <li>○ Inspection Eye</li> <li>○ Light Pole Steel</li> <li>○ Light Pole Wood</li> <li>○ Light Pole Concrete</li> <li>○ Wood Pylon</li> <li>○ Steel Pylon</li> <li>○ Concrete Pylon</li> <li>○ Shy</li> <li>○ Lightning Rod</li> <li>○ DB Board</li> <li>○ Intaker</li> <li>○ Boom</li> <li>○ Camera</li> <li>○ Traffic Light</li> <li>○ Gate Marker</li> <li>○ Electrical Manhole</li> </ul> | <ul style="list-style-type: none"> <li>○ Tree</li> <li>○ Bush</li> <li>□ Rail Signal</li> <li>□ Rail Control Box</li> <li>□ Rail Transformer</li> <li>□ Rail Km Mark</li> <li>○ Station</li> <li>○ Bottom Pylonmarker</li> <li>○ Discharge</li> <li>○ Tiltage Valve</li> <li>○ Parabolic Sign</li> <li>○ Manholecap Point</li> <li>○ Water Meter</li> <li>○ Tap</li> <li>○ Water Valve</li> <li>○ Fire Hydrant</li> <li>○ Fire Hydrant</li> <li>○ Water Manhole</li> <li>○ Water Sprinkler</li> <li>○ Gas Manhole</li> <li>○ Gas Valve</li> <li>○ Fencing</li> <li>○ White Line</li> <li>○ Chain Line</li> <li>○ Fence</li> <li>○ Electric Fence</li> <li>○ Polished Fence</li> <li>○ Boundary Line</li> <li>○ Gate</li> <li>○ Steel Fence</li> <li>○ Survey Point</li> <li>○ Iron Survey Mark</li> </ul> |
|--|---|



No.	Revision/Issue	Date

INITIO EARTH SCIENCES  
PO BOX 7457  
PALM COURT  
SOUTH AFRICA 1715  
TEL +2711 7954007  
FAX +2711 7954008  
www.iesciences.com  
info@initio.com




Professional Surveyors



Project: CONJINWENI Matsuda	Sheet: 1 OF 1
Date: DECEMBER 2015	
Scale: 1:500	

S1-Eqinisweni



# H4-Enhltiyweni

General Notes

SURVEY SYSTEM UTM 36J UTRF2005  
HEIGHTS AMSL. ( SA GEIOD 2010 )

NO.	DATE	BY	DESCRIPTION
1	2015/12/15	ENH	ISSUED FOR PERMITS
2	2015/12/15	ENH	ISSUED FOR PERMITS
3	2015/12/15	ENH	ISSUED FOR PERMITS
4	2015/12/15	ENH	ISSUED FOR PERMITS
5	2015/12/15	ENH	ISSUED FOR PERMITS
6	2015/12/15	ENH	ISSUED FOR PERMITS
7	2015/12/15	ENH	ISSUED FOR PERMITS
8	2015/12/15	ENH	ISSUED FOR PERMITS
9	2015/12/15	ENH	ISSUED FOR PERMITS
10	2015/12/15	ENH	ISSUED FOR PERMITS

**LEGEND**

<ul style="list-style-type: none"> <li>□ Drain</li> <li>○ Rock/Run Marker</li> <li>○ Sign Board</li> <li>□ Sign Gantry</li> <li>○ Gate Eye</li> <li>○ Parking Meter</li> <li>○ Waste Bin</li> <li>○ Street Lamp</li> <li>○ Bollard</li> <li>○ SCD Posts</li> <li>○ Fire Pipe</li> <li>○ Fire Stop</li> <li>○ Arcion</li> <li>○ Stormwater Manhole</li> <li>○ Grid Line</li> <li>○ Drain</li> <li>○ Catch Pit</li> <li>○ Drain Outlet</li> <li>○ Telephone Pole Wood</li> <li>○ Telephone Pole Steel</li> <li>○ Telephone Pole Concrete</li> <li>○ Tension Manhole</li> <li>○ Telephone Booth</li> <li>○ Takerin DB</li> <li>○ Radio Mast</li> <li>○ Sewer Manhole</li> <li>○ Gas Pit</li> <li>○ Sewer Pipe Inspection Eye</li> <li>○ Light Pole Steel</li> <li>○ Light Pole Wood</li> <li>○ Light Pole Concrete</li> <li>○ Light Bollard</li> <li>○ Wood Pylon</li> <li>○ Steel Pylon</li> <li>○ Concrete Pylon</li> <li>○ Sign</li> <li>○ Lighting Pole</li> <li>○ DB Board</li> <li>○ Insulator</li> <li>○ Boom</li> <li>○ Concrete</li> <li>○ Traffic Light</li> <li>○ Cable Marker</li> <li>○ Electrical Manhole</li> </ul>	<ul style="list-style-type: none"> <li>○ Tree</li> <li>○ Bush</li> <li>○ Rail Sign</li> <li>○ Rail Control Box</li> <li>○ Rail Telephone</li> <li>○ Rail Km Mark</li> <li>○ Signal</li> <li>○ Bottom Palletmeter</li> <li>○ Ditcher</li> <li>○ Tiltage View</li> <li>○ Parabolic Sign</li> <li>○ Measuring Pole</li> <li>○ Water Meter</li> <li>○ Tap</li> <li>○ Water Valve</li> <li>○ Fire Hydrant</li> <li>○ Manhole</li> <li>○ Meter Manhole</li> <li>○ Meter Junction</li> <li>○ Gas Manhole</li> <li>○ Gas Valve</li> <li>○ Parking</li> <li>○ White Line</li> <li>○ Yellow Line</li> <li>○ Blue Line</li> <li>○ Electric Fence</li> <li>○ Police Fence</li> <li>○ Police Line</li> <li>○ Gate</li> <li>○ Steel Fence</li> <li>○ Concrete</li> <li>○ Parking Line</li> <li>○ Survey Point</li> <li>○ Town Survey Mark</li> </ul>
---	--

No.	Revision/Issue	Date

INITIO EARTH SCIENCES  
PO BOX 7457  
PALM COURT  
SOUTH AFRICA 1715  
TEL +2711 7954007  
FAX +2711 7954008  
www.es@initio.com  
info@initio.com


Project: ENHLTITYWENI  
MATSUDA

Date: DECEMBER 2015

Scale: 1:500

Sheet 1 OF 1

A-147



General Notes

SURVEY SYSTEM UTM 36J UTRF2005  
HEIGHTS AMSL ( SA GEOID 2010)

61	702200	16830	168.07
62	702300	16840	168.15
63	702400	16850	168.31
64	702500	16860	168.39
65	702600	16870	168.44
66	702700	16880	168.50
67	702800	16890	168.56
68	702900	16900	168.62
69	703000	16910	168.68
70	703100	16920	168.74
71	703200	16930	168.80
72	703300	16940	168.86
73	703400	16950	168.92
74	703500	16960	168.98
75	703600	16970	169.04
76	703700	16980	169.10
77	703800	16990	169.16
78	703900	17000	169.22
79	704000	17010	169.28
80	704100	17020	169.34
81	704200	17030	169.40
82	704300	17040	169.46
83	704400	17050	169.52
84	704500	17060	169.58
85	704600	17070	169.64
86	704700	17080	169.70
87	704800	17090	169.76
88	704900	17100	169.82
89	705000	17110	169.88
90	705100	17120	169.94
91	705200	17130	169.98
92	705300	17140	170.00

LEGEND

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>□ Drive</li> <li>○ Route/Run Marker</li> <li>□ Sign Board</li> <li>□ Sign Gantry</li> <li>○ Gate Eye</li> <li>○ Parking Meter</li> <li>○ Waste Bin</li> <li>○ Street Lamp</li> <li>○ Bollard</li> <li>○ SCC Pole</li> <li>○ Flag Pole</li> <li>○ Fire Box</li> <li>○ Arcan</li> <li>○ Stormwater Manhole</li> <li>○ Grid Line</li> <li>○ Drain</li> <li>○ Catch Pit</li> <li>○ Drain Outlet</li> <li>○ Telephone Pole Wood</li> <li>○ Telephone Pole Steel</li> <li>○ Telephone Pole Concrete</li> <li>○ Sewer Manhole</li> <li>○ Telephone Booth</li> <li>○ Takerin DB</li> <li>○ Road Mark</li> <li>○ Sewer Manhole</li> <li>○ Gas Pit</li> <li>○ Sewer Pipe</li> <li>○ Inspection Eye</li> <li>○ Light Pole Steel</li> <li>○ Light Pole Wood</li> <li>○ Light Pole Concrete</li> <li>○ Light Bollard</li> <li>○ Street Pole</li> <li>○ Concrete Pole</li> <li>○ Sign</li> <li>○ Lighting Pole</li> <li>○ DB Board</li> <li>○ Inlet</li> <li>○ Boom</li> <li>○ Camera</li> <li>○ Traffic Light</li> <li>○ Gate Marker</li> <li>○ Electrical Manhole</li> </ul> | <ul style="list-style-type: none"> <li>○ Tree</li> <li>○ Bush</li> <li>○ Rail Sign</li> <li>○ Rail Control Box</li> <li>○ Rail Telephone</li> <li>○ Rail Km Mark</li> <li>○ Signal</li> <li>○ Bottom Palletmeter</li> <li>○ Dabrupt</li> <li>○ Tiltage Wire</li> <li>○ Parabolic Sign</li> <li>○ Marking Post</li> <li>○ Water Meter</li> <li>○ Fire</li> <li>○ Water Valve</li> <li>○ Fire Hydrant</li> <li>○ Entrance</li> <li>○ Meter Manhole</li> <li>○ Meter Junction</li> <li>○ Gas Manhole</li> <li>○ Gas Valve</li> <li>○ Parking</li> <li>○ Blue Line</li> <li>○ Orange Line</li> <li>○ Fence</li> <li>○ Electric Fence</li> <li>○ Polished Fence</li> <li>○ Boundary Line</li> <li>○ Gate</li> <li>○ Steel Fence</li> <li>○ Concrete</li> <li>○ Parking Line</li> <li>○ Survey Point</li> <li>○ Town Survey Mark</li> </ul> |
|---|---|



No.	Revision/Issue	Date

INITIO EARTH SCIENCES  
PO BOX 7457  
PALM COURT  
SOUTH AFRICA 1715  
TEL +2711 7954007  
FAX +2711 7954008  
www.iesciences.com  
info@iesciences.com



Professional Surveyors



Project: GAMULA Matsuda	Sheet: 1 OF 1
Date: NOVEMBER 2015	
Scale: 1:500	

L1-Gamula

## 6-2 地盤調查結果

M1-Boyane

# SOIL TESTING SERVICES

## GEOTECHNICAL REPORT – BOYANE

CONSTRUCTION OF NEW SECONDARY SCHOOLS AND UP-  
GRADING OF FACILITIES IN EXISTING SECONDARY  
SCHOOLS AIMED AT PROMOTING INCLUSIVE  
EDUCATION IN THE KINGDOM OF SWAZILAND

FOR

MATSUDA CONSULTANTS INTERNATIONAL CO. LTD

SOIL TESTING SERVICES



CIVIL ENGINEERING LABORATORY

Lot 321, Samora Machel Street  
P.O. Box A233  
Swazi Plaza  
Mbabane H101  
Swaziland

MARCH 2016

## TABLE OF CONTENTS

GEOTECHNICAL REPORT - BOYANE .....	2
1.0 INTRODUCTION .....	2
2.0 SCOPE OF WORK .....	2
3.0 SITE DESCRIPTION .....	2
Location and Topography .....	2
Rainfall and Drainage .....	2
Access .....	3
4.0 GENERAL GEOLOGY OF SITE .....	3
5.0 GEOTECHNICAL FIELD INVESTIGATIONS AND LABORATORY TESTING .....	3
Methods of Investigation and Testing .....	3
6.0 INTERPRETIVE INFORMATION .....	6
Site Stratigraphy .....	6
Materials .....	6
Engineering Geological Evaluation .....	7
7.0 CONCLUSION AND RECOMMENDATIONS .....	<b>Error! Bookmark not defined.</b>
GENERAL NOTES ON THE REPORT .....	10
APPENDIX A .....	11
APPENDIX B .....	15



# GEOTECHNICAL REPORT - BOYANE

## 1.0 INTRODUCTION

This report is based on the Preparatory Survey on “the Project for the Construction of New Secondary Schools and Upgrading of Facilities in Existing Secondary Schools aimed at Promoting Inclusive Education” based upon request from the Government of Swaziland to the Japan International Cooperation Agency (JICA). The survey is to obtain geotechnical data and information at Boyane, central Swaziland, where the proposed Boyane High School will be constructed, for the design of earthworks, foundation and structures of the buildings.

## 2.0 SCOPE OF WORK

The following activities were expected to be executed in the cause of the study.

### (1) Field works on each site

- Dynamic Cone Penetration test (DCP)  
Nine (09) points, depth up to Two (02) m from the ground level
- Soil Sampling
- Percolation Test Two (02) points

### (2) Laboratory testing (for each sample)

- Triaxial Compression Test
- Moisture Density Test
- Particle Size Analysis
- Atterberg limit test

## 3.0 SITE DESCRIPTION

### Location and Topography

The new Boyane High School is to be built in a gentle sloping site facing north. The site is located at Boyane, an area past Ludzeludze, next to Boyane Primary School. Part of the area is the garden and football pitch of the primary school. The rest of the area lies outside the Boyane Primary School in an area currently used as a grazing land. It is vegetated by indigenous grass cover and iron wood trees and some wattle trees.

### Rainfall and Drainage

Boyane is an area located in the Middleveld climatic zone of the country. It has a 720m elevation with summer rainfall received between October and March. The average annual rainfall is 600mm with a temperate climate. Winters are generally harsh and known to experience frost.

The Boyane area has no watercourse way running through it. Off site there is a small stream that drains the area. Water supply in the area is through an established rural water scheme. Alternative water can be sourced through drilling for underground water.

#### **Access**

Boyane is easily accessible along the way from Manzini to Mbekelweni. The area is about 2km from the tar road after a turnoff at Soweto area. It is accessed through a dusty distributor road with no wearing course.

### **4.0 GENERAL GEOLOGY OF SITE**

The proposed school site is underlain by granodiorite, a medium to coarse grained crystalline rock. Its composition varies from quartz diorite to hornblende granodiorite to biotite granodiorite. The granodiorite suite has been intruded by small fairly localized diabase dykes. They trend approximately north to south or east to west, which corresponds to the general tectonic trends of the region. The granodiorite suite can also be associated with the intrusion of quartz veins which often indicate the presence of tectonic faulting.

Depth to granodiorite bedrock can be highly variable and can be expected to be overlain by a weathered rock to soil derived from complete weathering of the bedrock. This soil profile can in itself be overlain by soils of colluvial origin, typically, gravity transported in the site.

A scanned and cropped geological map of the area is presented in Appendix A. It is taken from a 1:50 000 geological map sheet 12 (2631 AD) published by the Swaziland Geological Survey Department

### **5.0 GEOTECHNICAL FIELD INVESTIGATIONS AND LABORATORY TESTING**

#### **Methods of Investigation and Testing**

Field investigations, sampling and laboratory testing has been designed to provide information as follows:

#### **Trial Pits**

Two Trial Pits (TP) were excavated at positions determined by the client with pits attaining some depth of 2.4m using a Tractor Loader Backhoe (TLB), 4x4 capability with 600mm bucket width and flywheel power rating of at least 70kW. The aim of the excavation of the trial pits was to determine the soil stratigraphy, and extraction of soil samples.


All test pits had stable walls and were profiled using profiling standard procedure outlined in the Association of Engineering Geologists (South African Section), 'Guidelines for soil and rock logging in SA' (1990). Representative soil samples were taken from the soil profile for laboratory testing. Bulk samples of the residual soil material were taken; topsoil and sub-soil layers were recorded

and are shown in detail in Trial Pit profiles. The stratigraphy revealed by each pit was carefully logged with special notes taken of the thickness and conditions of the various layers.

### Dynamic Cone Penetration Test (DCP)


Dynamic Cone Penetrometer (DCP) tests were conducted at 9 positions around the site. The exact locations of all DCP tests carried out were performed at positions determined by Matsuda Consultants International Co., Ltd.

Prior to the performance of a series of tests, the zero reading of the penetrometer was determined. The dynamic penetrometer tests were then performed by taking readings of cone penetration after a number of blows depending on the consistency of the layer being penetrated. The tests were terminated at maximum depths of 2000mm wherever possible.



## Percolation Test

The percolation test consist of digging a 300 mm diameter hole to the stratum for which information is required, cleaning and backfilling the bottom with coarse sand or gravel, filling the hole with water and providing a soaking period of sufficient length to achieve saturation. During the soaking period, water is added as necessary to prevent loss of all water. The percolation rate is then obtained by filling the hole to a prescribed water level and measuring the drop in water level over a set time. The times required for soaking and for measuring the percolation rate vary with the soil type.



**Figure 2.** Cross section of percolation test pit

## Laboratory Testing

Laboratory tests were performed by Soil Testing Services (Pty) Ltd in Mbabane. As specified by Matsuda Consultants International Co., Ltd this testing comprised of foundation indicator testing only.


The following laboratory tests were executed for the preliminary design:

- determination of grain size distribution
- determination of natural moisture content
- determination of Atterberg limits
- execution of Proctor tests (moisture density relation, MDD/OMC)

## Stress Triaxial Stress Tests: Unconsolidated - Undrained (BS 1377-7:1990 Clause 7)

Stress Triaxial Stress Tests were conducted at Metrolab Group, Republic of South Africa according to the standard **BS 1377-7:1990 Clause 7**. This involved subjecting a cylindrical soil sample to radial stresses (confining pressure) and controlled increases in axial stresses or axial displacements. The cylindrical soil specimen was of ~50mm diameter and ~100mm height dimension. As this is cohesive soil samples were prepared directly from saturated compacted samples, either undisturbed

or remolded. The specimen was vertically enclosed with a thin rubber membrane and placed between two rigid ends inside a pressure chamber. The upper plate can move vertically and apply vertical stresses to the specimen. The axial strain/stress of the sample is controlled through the movement of this vertical axis. Also, the confining pressure is controlled by the water pressure surrounding the sample in the pressure chamber. The volume change of the sample is also controlled by measuring the exact volume of moving water.



## 6.0 INTERPRETIVE INFORMATION

### Site Stratigraphy

The stratigraphy of the Boyane High School site can be summarized as colluvial and residual soils.

Colluvial soils on the site generally consist of some 300mm thick layer of slightly moist slightly moist, dark brown soft to dense topsoil. In Trial Pit 453 some 1280mm colluvial layer was intercepted below the top soil and consists of moist, dark red, slightly dense, sandy clay. This layer lies directly above residual layer from the weathering of the granodiorite suite.

The residual soils are derived from complete in-situ weathering of the granodiorite suite expected underneath. In this site the granodiorite was not encountered. The soils are moist, soft and intact silt-clay. The dark red soil in profile shows colour variation from light yellowish orange/ dark red/ light reddish orange to light red/ light reddish brown/ dark yellow.

### Materials

The table below summarizes some of the laboratory test results and the complete test results are presented in Appendix B

Test Pit No.	Sample no & depth(m)	Horizon	O.M.C%	LL	PI	Shrinkage	Soil Class AASHTO
452	0.5-2.0	Residual granodiorite	16.3	46	10	4	A-7-5(7)
453	1.6-2.4	Residual granodiorite	14.0	48	16	7.5	A-7-5(10)

## Engineering Geological Evaluation

### Groundwater

Groundwater inflow was not encountered in any of the excavated test pits. It is expected that the groundwater table will occur at depth at the fresh rock soil interface.

### Expansive soils

No soils susceptible to swelling or heaving were encountered on site, and problematic movements associated with expansion are not expected.

From the Foundation Indicator tests carried out all the horizons tested displayed a “low” potential for expansiveness classification.

### Potentially Collapsible Soils

The soil horizons encountered are not considered to be collapsing in nature. It is, therefore, not anticipated that any special precautions will need to be taken with regard to collapsible soils.

### Percolation Rate

The soils in this area are suitable for a normal French drain. Both percolation tests positions displays good seepage and as such are suitable for normal French drain development.

### Bearing Capacity

The laboratory triaxial compression tests the Boyane High School site with unconsolidated undrained (UU) shear strength ( $c_u$ ) of between 424kPa and 1100kPa display allowable bearing capacity of between an estimated 727kPa and 1886kPa. Based on the correlation chart (Appendix C) of maximum bearing stress that can be applied to the foundation such that it is safe against instability due to shear failure the site’s allowable bearing capacity is highly safe for building development. From the field Dynamic Cone Penetrometer (DCP) tests, for most of the tests positions, it reveals safe bearing capacities above 79kPa for single story buildings. For most of the test positions, at depths >1.2m, the bearing capacities of the soil drops below this threshold to some 52kPa and

below. However, for test positions DCP 8 and 9 the low bearing capacities of 52kPa are reached at shallow depths (600mm). This has to be taken into consideration during designing the foundation.

Based on the above field test, the residual soil is relatively homogenous, save for the last three tests site and buildings can be founded at depths of 800 to 1000mm as it is below the colluvial soil.

### **Excavatibility**

There were no recorded excavation refusals during pitting to the depths of 2.4m. It is anticipated that excavation to bedrock level will be of soft excavation class at the site. No major instabilities were recorded during the excavation of the test pits which further suggests that excavation may safely extend vertically to depths of about 3.00m without the need for lateral support, if of a temporary nature (during construction) and in the dry season.

### **Seismicity**

One type of seismic activities occurs in Swaziland, and that is natural seismic activity. There is no mining-induced seismic activity. In accordance with the Seismic Hazard Zone map contained in the draft SANS 10160-4, southern Swaziland is classified as Zone 1 and is subject to natural seismic activity only. Boyane is in central part of Swaziland and falls outside this area. The South African “loading” code, SABS 0160-4:2011, shows that Boyane is situated in an area where the peak ground acceleration with a 10% probability of being exceeded in a 50 year period is some 100 cm/sec<sup>2</sup>.

The soil profile of the site can be described as slightly soft, intact, silt-clay with shear strength between 424 and 1100kPa  $c_u$ . The contrasting identified ground types in accordance with the consolidated undrained shear strength and soil profile, type 2 and 3 respectively, indicates that the lacking  $v_s$  profile at the site is taken as “the most reliable predictor of the site dependent characteristics of the seismic action at stable sites”.

## **7.0 CONCLUSION AND RECOMMENDATIONS**

- The absence of rock outcrop on the site suggests that bedrock will only be present at depth. The bedrock surface is likely to be undulatory and, therefore, highly variable in depth.
- No special precaution has to be taken as no water seepage was experienced in any of the Trial Pits and no problem of dampness is thus expected.
- The soils are of intermediate plasticity and it is expected that they will be prone to erosion. Precaution is expected to be taken during site clearing to avoid excessive soil erosion.

### **Building Foundations**

The allowable bearing capacity of the sand clays is estimated at 727kPa and silt clays at 1886kPa. This is safe to establish a foundation on the site for any building structure.

Field and laboratory test recommend that foundations be placed on the residual soil, at depths of 800 to 100mm, on the weathered granodiorite.

From the other Foundation Indicator tests carried out all the horizons tested displayed a “low” potential for expansiveness classification. As the soils are not susceptible to swelling or heaving it is not expected that significant swell-shrink movement of the footing will occur.

Despite the low expansive potential of the soils it is worth taking the following precautions:

- Attention to proper site drainage and storm water runoff management is essential to prevent ponding of water near structures.
- Water supply pipes and sewers must be maintained and leaks or blockages timeously detected and repaired.
- No water loving vegetation or large trees may be allowed to grow within 15m of any structure and it is not recommended to allow gardening directly around the structures. Instead concrete aprons should be installed to prevent wetting of foundations.

### **Parking Areas and Roadways**

The material quality at surface display a good bearing capacity from DCP analyses and for the construction of parking can easily be stabilized and paved. But for roadways it cannot be used as fill. It is recommended that material for pavements layers required for road works be imported from outside the site.

### **NOTE:**

- Additional investigations or at least an assessment of the ground conditions exposed during construction can often result in significant construction cost and time savings.



## GENERAL NOTES ON THE REPORT

The information and recommendations contained within this report relate to data supplied by Soil Testing Services, comprising test pit profiles, DCP penetration data, soil percolation test results and soil grading tests.

The report has been compiled on the assumption that all the data supplied by Soil Testing Services (and the assumptions made in this report where this supplied data is inadequate) is correct and is generally representative of the site area.

Prepared for Geo Solutions

A handwritten signature in black ink, appearing to read 'Nhleko' with a stylized initial 'N'.

Noah Nhleko  
BSc (Biology & Chemistry); PhD Geology

## APPENDIX A



A) Tractor Loader Backhoe (TLB)



B) Typical Trial Pit

**SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD**  
P.O. BOX A200, SIYATSI PLAZA  
TEL: 404 1956, 404 2227  
**SOIL LABORATORY**

**Site Name :**  
M1  
BOYANE  
**Region :**  
Manzini  
**Contact Person**  
Mr. DRAMINI SICELO  
Cel: 7607 1911  
Ms. LENNY N. HLAWE  
Cel: 7618 7755

**Other information**  
The boundary of the site is indicated by blue line. All boundary points have been staked with red sprayed rebars. If you contact to the person mentioned above, they show you the boundary points.  
The Surveyor should excavate two pits in total indicated in the map.




● DCP TEST POINTS  
▲ SAMPLING & PIT POINTS  
● PERCOLATION TEST POINTS

Boundary Point	Latitude / Longitude	Note
429	S26 26.278 E31 18.315	Reference of boundary point
431	S26 26.216 E31 18.313	Ditto
433	S26 26.056 E31 18.147	Ditto
435	S26 26.062 E31 18.135	Ditto
437	S26 26.145 E31 18.137	Ditto




Boundary Point	Latitude / Longitude	Note
439	S26 26.160 E31 18.161	Reference of boundary point
441	S26 26.285 E31 18.190	Ditto

A-162



## **APPENDIX B**

Project	Trial Pit No.	Location	Date				
Matsuda consultants International Ltd	TP 452	Boyane	04/12/2016				
<b>Material and Soil Description</b>							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizons	Topsoil	520	0-520		dark brown		moist
	silt-clay, highly weathered Granodiorite	1480	520-2000		dark red Inprofile, light red/ light reddish brown/ dark yellow.	slightly soft, intact	Moist


Project	Trial Pit No.	Location			Date		
Matsuda consultants International Ltd	TP 453	Boyane			04/12/2016		
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizons	Topsoil	300	0-300		dark brown		slightly moist
	sandy clay	1280	300-1580		dark red	slightly dense	Moist
	silt-clay, highly weathered Granodiorite	820	1580-2400		dark red Inprofile, light yellowish orange/ dark red/ light reddish orange	slightly soft, intact	moist




### FOUNDATION INDICATOR RESULTS

Client	Matsuda Consultants International	Sample no.	T.P. 452	Date	
Project	Boyane High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	
26.5	
19.0	
13.2	
4.75	100
2.00	95
0.425	75
0.075	64




#### ATTERBERG LIMITS AND OTHER RESULTS




Liquid Limit (LL)	46
Plastic Index (PI)	10
Linear Shrinkage	4
Grading Modulus	0.66
Natural Moisture Content	16.3
PI of whole sample	
AASTHO Classification	A-7-5(7)
TRH 14	

FOUNDATION INDICATOR RESULTS					
Client	Matsuda Consultants International	Sample no.	T.P. 453	Date	
Project	Boyane High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	
26.5	
19.0	
13.2	
4.75	100
2.00	97
0.425	80
0.075	68



ATTERBERG LIMITS AND OTHER RESULTS



Liquid Limit (LL)	48
Plastic Index (PI)	16
Linear Shrinkage	7.5
Grading Modulus	0.55
Natural Moisture Content	14.0
PI of whole sample	
AASTHO Classification	A-7-5(10)
TRH 14	

SOIL TESTING SERVICES  
 MATSUDA CONSULTANTS INTERNATIONAL  
 BOYANE NEW HIGH SCHOOL  
 DCP TEST RESULTS

21/01/2015

DCP (1) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	5	20	173
200	6	17	218
300	4	25	129
400	8	17	219
500	5	20	173
600	4	25	129
700	4	25	129
800	4	25	129
900	4	25	129
1000	4	25	129
1100	3	33	89
1200	3	33	89
1300	3	33	89
1400	2	50	52
1500	2	50	52
1600	3	33	89
1700	2	50	52
1800	1	100	21
1900	2	50	52
2000	1	100	21

DCP (2) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	14	7	600
200	12	8	540
300	10	10	420
400	6	17	219
500	6	17	218
600	5	20	173
700	7	14	268
800	5	20	173
900	4	25	129
1000	3	33	89
1100	3	33	89
1200	2	50	52
1300	2	50	52
1400	1	100	21
1500	2	50	52
1600	1	100	21
1700	1	100	21
1800	1	100	21
1900	1	100	21
2000	1	100	21

DCP (3) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	4	20	173
200	5	20	173
300	5	20	173
400	4	25	129
500	2	50	52
600	3	33	89
700	4	25	129
800	3	33	89
900	3	33	89
1000	3	33	89
1100	2	50	52
1200	3	33	89
1300	2	50	52
1400	3	33	89
1500	2	50	52
1600	2	50	52
1700	2	50	52
1800	1	100	21
1900	2	50	52
2000	2	50	52

DCP (4) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	12	8	540
200	9	11	371
300	6	17	219
400	5	20	173
500	5	20	173
600	4	25	129
700	3	33	89
800	3	33	89
900	3	33	89
1000	2	50	52
1100	4	25	129
1200	2	50	52
1300	3	33	89
1400	2	50	52
1500	2	50	52
1600	1	100	21
1700	1	100	21
1800	2	50	52
1900	2	50	52
2000	1	100	21

DCP (5) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	11	9	482
200	21	5	1117
300	14	7	600
400	10	10	420
500	7	14	268
600	8	12	318
700	4	25	129
800	4	25	129
900	4	25	129
1000	3	33	89
1100	3	33	89
1200	4	25	129
1300	3	33	89
1400	3	33	89
1500	4	25	129
1600	1	100	21
1700	4	25	129
1800	4	25	129
1900	5	20	173
2000	3	33	89

DCP (6) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	6	17	218
200	7	14	268
300	7	14	268
400	8	17	219
500	6	17	219
600	8	17	219
700	5	20	173
800	5	20	173
900	3	33	89
1000	5	20	173
1100	4	25	129
1200	4	25	129
1300	4	25	129
1400	4	25	129
1500	4	25	129
1600	3	33	89
1700	2	50	52
1800	3	33	89
1900	3	33	89
2000	2	50	52

DCP (7) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	12	8	540
200	8	11	371
300	7	14	268
400	5	20	173
500	4	25	129
600	3	33	89
700	2	50	52
800	2	50	52
900	2	50	52
1000	2	50	52
1100	3	33	89
1200	3	33	89
1300	2	50	52
1400	1	100	21
1500	2	50	52
1600	1	100	21
1700	1	100	21
1800	2	50	52
1900	1	100	21
2000	2	50	52

DCP (8) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	1	100	21
200	1	100	21
300	3	33	89
400	4	25	129
500	3	33	89
600	3	33	89
700	2	50	52
800	1	100	21
900	2	50	52
1000	2	50	52
1100	1	100	21
1200	1	100	21
1300	2	50	52
1400	2	50	52
1500	2	50	52
1600	2	50	52
1700	2	50	52
1800	2	50	52
1900	2	50	52
2000	2	50	52

DCP (9) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	2	50	52
200	2	50	52
300	4	25	129
400	4	25	129
500	4	25	129
600	3	33	89
700	2	50	52
800	2	50	52
900	2	50	52
1000	2	50	52
1100	2	50	52
1200	2	50	52
1300	1	100	21
1400	2	50	52
1500	2	50	52
1600	2	50	52
1700	2	50	52
1800	2	50	52
1900	2	50	52
2000	2	50	52

SOIL TESTING SERVICES  
 (SWAZILAND) (PVT) LTD  
 P.O. BOX 10233, WINDHOLE PLAZA  
 TEL: 031 956 4447  
 SOIL LABORATORY

# SOIL TESTING SERVICES

**Geotechnical Investigation Log Sheet**

**PERCOLATION**

Client MATSUDA CONSULTANTS INTERNATIONAL

Project BOYANE NEW HIGH SCHOOL Date 22/12/2015

Site BOYANE

Potential influence of running/standing/seasonal water  
Evidence of unusual land use (mining/fill)

**HOLE 1 NOTES**

- (1) A TLR AND PREPARED BY A HAND SPADE was used to excavate the hole.
- (2) The hole was used for PERCOLATION investigation
- (3) The Hole was presoaked the day before and soak for 24 HRS
- (4) This hole has a very good seepage suitable for french drain

**HOLE 2 NOTES**

- (1) A TLR AND PREPARED BY A HAND SPADE was used to excavate the hole.
- (2) The hole was used for PERCOLATION investigation
- (3) The Hole was presoaked the day before and soak for 25 HRS
- (4) This hole has a good seepage suitable for french drain

**HOLE 1 Presoaking Time ( 24hrs )**

DEPTH mm	TIME Minutes	SEEPAGE mm/min.
0	0.0	
10	2.0	5.0
30	4.0	10.0
50	8.0	10.0
70	8.0	10.0
85	10.0	7.5
100	12.0	7.5
120	14.0	10.0
150	16.0	5.0
150	16.0	10.0
165	20.0	7.5
180	22.0	7.5
200	24.0	10.0
215	28.0	7.5
235	28.0	10.0
250	30.0	7.5
290	32.0	15.0
290	34.0	5.0
300	36.0	5.0
	Average	8.3

**HOLE 2 Presoaking Time ( 25hrs )**

DEPTH mm	TIME Minutes	SEEPAGE mm/min.
0	0.0	
20	2.0	10.0
30	4.0	5.0
40	5.0	5.0
50	8.0	5.0
70	10.0	10.0
80	12.0	5.0
95	14.0	7.5
110	16.0	7.5
130	18.0	10.0
150	20.0	10.0
160	22.0	5.0
180	24.0	10.0
200	26.0	10.0
210	28.0	5.0
220	30.0	5.0
230	32.0	5.0
240	34.0	5.0
250	36.0	5.0
270	40.0	5.0
280	45.0	2.0
290	50.0	2.0
300	55.0	2.0
	Average	6.5

**SOIL TESTING SERVICES**  
**(SOUTH AFRICA) (PTY) LTD**  
 P.O. BOX 1053 - SWA-G PLAZA  
 TEL: 404 1956 404 2227  
**SOIL LABORATOR**



# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No. 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel : 012-800 1299  
Fax : 012-800 3034  
Email : aukek@matrolab.co.za

### TEST RESULTS

CLIENT: Soil Testing Services SWD (PTY) Ltd  
ADDRESS: P.O. Box A233  
Swazi Plaza  
Attention: Thulani Vilakati

Project: Japanese Schools  
Boyanie  
Your Ref:  
Our Ref: 117 626  
Date Reported: 12 February 2016

### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO	G16-47	HOLE NO	TP 452	DEPTH (m)	JOB NO	117 626
DESCRIPTION						

Specimen Details		1	2	3
Initial Sample Length	L <sub>0</sub> (mm)	103.2	102.3	102.1
Initial Sample Diameter	D <sub>0</sub> (mm)	51.1	51.2	50.2
Initial Sample Weight	W <sub>0</sub> (gr)	397.9	397.8	397.8
Initial Bulk Density	ρ <sub>0</sub> (Mg/m <sup>3</sup> )	1.88	1.89	1.97
Particle Density	ρ <sub>s</sub> (Mg/m <sup>3</sup> )	2.47	2.47	2.47

Initial Conditions		1	2	3
Initial Cell Pressure	σ <sub>3</sub> (kPa)	50	100	200
Strain Rate	ε̇ (%)	0.10	0.10	0.10
Membrane Thickness	m <sub>0</sub> (mm)	0.30	0.30	0.30
Initial Moisture	w <sub>0</sub> (%)	16	16	16
Initial Dry Density	ρ <sub>d0</sub> (Mg/m <sup>3</sup> )	1.62	1.62	1.69
Initial Voids Ratio	e <sub>0</sub>	0.53	0.52	0.46
Initial Degree of Saturation	S <sub>0</sub> (%)	76	77	88

Final Conditions		1	2	3
Max Deviator Stress	(σ <sub>1</sub> - σ <sub>3</sub> ) <sub>max</sub> (kPa)	2144.22	2527.94	1930.18
Membrane Correction	m <sub>c</sub> (kPa)	0.969	0.934	1.071
Strain At Max Stress	ε <sub>f</sub> (%)	1.68	2.59	3.38
Shear Strength	c <sub>u</sub> (kPa)	1072.11	1263.97	965.09
Final Moisture	w <sub>f</sub> (%)	19	19	20
Final Dry Density	ρ <sub>df</sub> (Mg/m <sup>3</sup> )	1.58	1.59	1.64
Final Voids Ratio	e <sub>f</sub>	0.56	0.56	0.51
Final Degree of Saturation	S <sub>f</sub> (%)	82.7	84.5	98.0

Remarks: \_\_\_\_\_ Page 1 of 2

Form: Tnax3 - UU Program: Clasp Studio

*M. Kjek*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

**SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD**  
P.O. BOX A233, SWAZI PLAZA  
TEL: 404 1956 404 2227  
**SOL** - COPY



# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127


Tel. : 012-800 1299  
Fax : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS


### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO	G16-47	HOLE NO	TP 452	DEPTH (m)	JOB NO	117 626
DESCRIPTION:						

Total Stress Mohr Circle



Stress Strain Graph



Remarks

Page 2 of 2

Form: Triax 3 - UU Program: Clisp Studio

*[Signature]*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

**SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD**  
P.O. BOX A233, SWAZI PLAZA  
TEL: 404 1956 404 2227  
SOIL LABORATORY

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07      VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS

CLIENT:	Soil Testing Services SWD (PTY) Ltd
ADDRESS:	P.O. Box A233 Swazi Plaza
Attention:	Thulani Vilakati

Project: Japanese Schools  
Boyane

Your Ref:  
Our Ref: 117 626  
Date Reported: 14 March 2016

### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16_46	HOLE NO:	TP453	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Specimen Details			1	2	3
Initial Sample Length	L <sub>0</sub>	(mm)	101.8	101.4	100.9
Initial Sample Diameter	D <sub>0</sub>	(mm)	50.3	50.3	50.2
Initial Sample Weight	W <sub>0</sub>	(gr)	393.0	393.1	393.5
Initial Bulk Density	ρ <sub>0</sub>	(Mg/m <sup>3</sup> )	1.94	1.95	1.97
Particle Density	ρ <sub>s</sub>	(Mg/m <sup>3</sup> )	2.58	2.58	2.58

Initial Conditions			1	2	3
Initial Cell Pressure	σ <sub>3</sub>	(kPa)	50	100	200
Strain Rate	m <sub>s</sub>	(mm/min)	0.10000	0.10000	0.10000
Membrane Thickness	m <sub>b</sub>	(mm)	0.30	0.30	0.30
Initial Moisture	ω <sub>i</sub> %	(%)	14	14	14
Initial Dry Density	ρ <sub>d0</sub>	(Mg/m <sup>3</sup> )	1.70	1.71	1.73
Initial Voids Ratio	e <sub>0</sub>	.	0.51	0.51	0.49
Initial Degree of Saturation	S <sub>o</sub>	(%)	70	71	73

Final Conditions			1	2	3
Max Deviator Stress	(σ <sub>1</sub> - σ <sub>3</sub> ) <sub>f</sub>	(kPa)	570.41	960.27	1014.58
Membrane Correction	m <sub>c</sub>	(kPa)	0.970	1.040	2.258
Strain At Max Stress	ε <sub>f</sub> %	(%)	1.56	3.14	8.33
Shear Strength	c <sub>u</sub>	(kPa)	285.21	480.13	507.29
Final Moisture	ω <sub>f</sub> %	(%)	14	14	14
Final Dry Density	ρ <sub>df</sub>	(Mg/m <sup>3</sup> )	1.70	1.71	1.73
Final Voids Ratio	e <sub>f</sub>	.	0.51	0.51	0.49
Final Degree of Saturation	S <sub>f</sub>	(%)	70.1	71.3	72.7

Remarks :

Page: 1 of 2



Form: Triax 3 - UU    Program: Clisp Studio

for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested. This report may only be reproduced in full without any omission. Sections may only be reproduced with written approval from Matrolab Group.
--

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127


Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS


### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16 46	HOLE NO:	TP453	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Total Stress Mohr Circle



Stress Strain Graph



Remarks :

Page: 2 of 2

Form: Triax 3 - UU Program: Clisp Studio

*A. Keizer*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.



## APPENDIX C

**Table 1: Correlation chart of maximum bearing stress (allowable bearing capacity) of rocks and soil materials**

Category	Types of rocks and soils	Bearing value (kPa)
Non-cohesive soils	Dense gravel or dense sand and gravel	>600
	Medium dense gravel, or medium dense sand and gravel	<200 to 600
	Loose gravel, or loose sand and gravel	<200
	Compact sand	>300
	Medium dense sand	100 to 300
	Loose sand	<100 <i>depends on degree of looseness</i>
Cohesive soils	Very stiff bolder clays & hard clays	300 to 600
	Stiff clays	150 to 300
	Firm clay	75 to 150
	Soft clays and silts	< 75
	Very soft clay	Not applicable
Peat		Not applicable
Made ground		Not applicable

S1-Eqinisweni

# SOIL TESTING SERVICES

## GEOTECHNICAL REPORT – QINISWENI

CONSTRUCTION OF NEW SECONDARY SCHOOLS AND  
UPGRADING OF FACILITIES IN EXISTING SECONDARY  
SCHOOLS AIMED AT PROMOTING INCLUSIVE  
EDUCATION IN THE KINGDOM OF SWAZILAND

FOR

MATSUDA CONSULTANTS INTERNATIONAL CO. LTD



Lot 321, Samora Machel Street  
P.O. Box A233  
Swazi Plaza  
Mbabane H101  
Swaziland

MARCH 2016  
A-177

## TABLE OF CONTENTS

GEOTECHNICAL REPORT - QINISWENI .....	2
1.0 INTRODUCTION .....	2
2.0 SCOPE OF WORK.....	2
3.0 SITE DESCRIPTION .....	2
Location and Topography.....	2
Rainfall and Drainage.....	3
Access .....	3
4.0 GENERAL GEOLOGY OF SITE.....	3
5.0 GEOTECHNICAL FIELD INVESTIGATIONS AND LABORATORY TESTING .....	4
Methods of investigation and testing.....	4
6.0 INTERPRETIVE INFORMATION.....	7
Site Stratigraphy.....	7
Materials .....	8
Engineering Geological Evaluation.....	8
7.0 CONCLUSION AND RECOMMENDATIONS .....	<b>Error! Bookmark not defined.</b>
GENERAL NOTES ON THE REPORT .....	8
APPENDIX A .....	12
APPENDIX B .....	16
APPENDIX C.....	16

# GEOTECHNICAL REPORT - QINISWENI

## 1.0 INTRODUCTION

This report is based on the Preparatory Survey on “the Project for the Construction of New Secondary Schools and Upgrading of Facilities in Existing Secondary Schools aimed at Promoting Inclusive Education” based upon request from the Government of Swaziland to the Japan International Cooperation Agency (JICA). The survey is to obtain geotechnical data and information at Qinisweni, southern Swaziland, where the proposed Qinisweni High School will be constructed, for the design of earthworks, foundation and structures of the buildings.

## 2.0 SCOPE OF WORK

The following activities were expected to be executed in the cause of the study.

### (1) Field works on each site

- Dynamic Cone Penetration test (DCP)  
Nine (09) points, depth up to Two (02) m from the ground level
- Soil Sampling
- Percolation Test Two (02) points

### (2) Laboratory testing (for each sample)

- Triaxial Compression Test
- Moisture Density Test
- Particle Size Analysis
- Atterberg limit test

## 3.0 SITE DESCRIPTION

### Location and Topography

The new Equisweni High School site lies in a topographically flat area, with a very gentle slope to the south.

Most of the site consists of an area currently used as a soccer field for the existing Qinisweni Primary School, about 10km from Nhlengano town. It is possibly also used for field and track events during school’s athletic competitions. There is indigenous grass cover on the pitch. The remainder portion to the west is currently used for commercial tree farming with grown up eucalyptus forest.

### **Rainfall and Drainage**

The area lies in the Highveld climatic condition of Swaziland. It has an elevation of 1020m above sea level, and like the rest of the country experiences summer rainfall. The area has warm summers and cold winters and receives an annual rainfall of 870mm. In winter the area experiences frost.

There is no stream draining this area besides a water spring to the west of the area. Water is sourced from a community water scheme, and can also be sourced by drilling a borehole.

### **Access**

The site and the nearby primary school are situated along the Nhlanguano-Lavumisa tarred road, in 20m proximity. Access to the site will be through opening a short road from the nearby paved road.

## **4.0 GENERAL GEOLOGY OF SITE**

The Qinisweni site is underlain by the quartzo-feldspathic Nhlanguano gneiss that is distinguishable by its distinctive pinkish-red weathered color. The rocks are cut by veins of quartz and feldspar which produce a very obvious banding that is commonly folded. The Nhlanguano gneiss has a granitoid appearance, but no unambiguous evidence of cross-cutting relationships with other formations is known. The formation is of metamorphic origin than igneous genesis. The outcrop pattern and the distribution of the fold plunge depressions indicate that the gneiss has been folded into a number of domes.

A scanned and cropped geological map of the area is presented in Appendix A. It is taken from a 1:50 000 geological map sheet 12 (2631 AD) published by the Swaziland Geological Survey Department

## 5.0 GEOTECHNICAL FIELD INVESTIGATIONS AND LABORATORY TESTING

### Methods of investigation and testing

Field investigations, sampling and laboratory testing have been designed to provide information as follows:

#### Trial Pits

Three Trial Pits (TP) were excavated at positions determined by the client with pits attaining some depth of 2.4m using a Tractor Loader Backhoe (TLB), 4x4 capability with 600mm bucket width and flywheel power rating of at least 70kW. The aim of the excavation of the trial pits was to determine the soil stratigraphy, and extraction of soil samples.

All test pits had stable walls and were profiled using profiling standard procedure outlined in the Association of Engineering Geologists (South African Section), 'Guidelines for soil and rock logging in SA' (1990). Representative soil samples were taken from the soil profile for laboratory testing. Bulk samples of the residual soil material were taken; topsoil and sub-soil layers were recorded and are shown in detail in Trial Pit profiles. The stratigraphy revealed by each pit was carefully logged with special notes taken of the thickness and conditions of the various layers.

#### Dynamic Cone Penetration Test (DCP)

Dynamic Cone Penetrometer (DCP) tests were conducted at 9 positions around the site. The exact locations of all DCP tests carried out were performed at positions determined by Matsuda Consultants International Co., Ltd.

Prior to the performance of a series of tests, the zero reading of the penetrometer was determined. The dynamic penetrometer tests were then performed by taking readings of cone penetration after a number of blows depending on the consistency of the layer being penetrated. The tests were terminated at maximum depths of 2000mm wherever possible.





FIGURE ST6/1 THE DYNAMIC CONE PENETROMETER



### Percolation Test

The percolation test consist of digging a 300 mm diameter hole to the stratum for which information is required, cleaning and backfilling the bottom with coarse sand or gravel, filling the hole with water and providing a soaking period of sufficient length to achieve saturation. During the soaking period, water is added as necessary to prevent loss of all water. The percolation rate is then obtained by filling the hole to a prescribed water level and measuring the drop in water level over a set time. The times required for soaking and for measuring the percolation rate vary with the soil type.



**Figure 2.** Cross section of percolation test pit

### Laboratory Testing


Laboratory tests were performed by Soil Testing Services (Pty) Ltd in Mbabane. As specified by Matsuda Consultants International Co., Ltd this testing comprised of foundation indicator testing only.

The following laboratory tests were executed for the preliminary design:

- determination of grain size distribution
- determination of natural moisture content
- determination of Atterberg limits
- execution of Proctor tests (moisture density relation, MDD/OMC)
- specific gravity tests

**Stress Triaxial Stress Tests: Unconsolidated - Undrained (BS 1377-7:1990 Clause 7)**

Stress Triaxial Stress Tests were conducted at Metrolab Group, Republic of South Africa according to the standard **BS 1377-7:1990 Clause 7**. This involved subjecting a cylindrical soil sample to radial stresses (confining pressure) and controlled increases in axial stresses or axial displacements. The cylindrical soil specimen was of ~50mm diameter and ~100mm height dimension. As this is cohesive soil samples were prepared directly from saturated compacted samples, either undisturbed or remolded. The specimen was vertically enclosed with a thin rubber membrane and placed between two rigid ends inside a pressure chamber. The upper plate can move vertically and apply vertical stresses to the specimen. The axial strain/stress of the sample is controlled through the movement of this vertical axis. Also, the confining pressure is controlled by the water pressure surrounding the sample in the pressure chamber. The volume change of the sample is also controlled by measuring the exact volume of moving water.



## 6.0 INTERPRETIVE INFORMATION

### Site Stratigraphy

Stratigraphy of the Qinisweni High School site is defined by dark brown topsoil invariably underlain by a thin pebble marker. These soil horizons overly residual soils derived from the in place weathering of the Nhlanguano gneiss rock that lies at depth below the existing ground level. In all the Trial Pits this rock unit was not encountered except for the occasional float on site.

The residual soil in this site lies at 600mm depth and consists of various materials mainly distinguishable by colour variation. They comprise of fine grained soils typically dark red, dark yellowish orange or dark reddish orange in color. These soils are mainly moist, slightly soft to slightly dense, silt clay materials.

## Materials

The table below summarizes some of the laboratory test results and the complete test results are presented in Appendix B.

Test Pit No.	Sample no & depth(m)	Horizon	O.M.C%	LL	PI	Shrinkage	Soil Class AASHTO
329	0.6-2.2	Residual	9	34	14	3.5	A-7-6(12)
330	0.6-2.3	Residual	14.6	38	18	4.5	A-7-6(12)
331	0.6-2.4	residual	13	35	7	3.5	A-7-6(12)

## Engineering Geological Evaluation

### Groundwater

Groundwater inflow was not encountered in any of the excavated test pits. It is expected that the groundwater table will occur at depth.

### Expansive soils

No soils susceptible to swelling or heaving were encountered on site, and problematic movements associated with expansion are not expected.

From the Foundation Indicator tests carried out all the horizons tested displayed a “low” potential for expansiveness classification.

### Potentially Collapsible Soils

The soil horizons encountered are not considered to be collapsing in nature. It is, therefore, not anticipated that any special precautions will need to be taken with regard to collapsible soils.

### Percolation Rate

The soils in this area are suitable for a normal French drain. Both percolation tests positions display good seepage and as such are suitable for normal French drain development.

### Bearing Capacity

The laboratory triaxial compression tests the Qinisweni High School site with unconsolidated undrained (UU) shear strength ( $c_u$ ) of between 665kPa and 1109 kPa display allowable bearing ca-

capacity of between an estimated 1138kPa and 1900kPa. Based on the correlation chart (Appendix C) of maximum bearing stress that can be applied to the foundation such that it is safe against instability due to shear failure the site's allowable bearing capacity is highly safe for building development.

The Dynamic Cone Penetrometer (DCP) tests confirm the observations made during soil profiling. It displays dense soil material of colluvial nature and relatively soft (slightly soft) for the residual material. The apparent refusal recorded at DCP position 6 can be explained by the possibility of a pebble blocking the cone penetration along the pebble marker horizon. The tests reveal safe bearing capacities notwithstanding the generally low values displayed for the residual soil.

Field tests of both DCP and soil profiling suggest that foundations can be of some 800 to 1000mm depths. This is generally beyond the colluvial and pebble marker layers situated at some 600mm depth.

### **Excavatibility**

There were no recorded excavation refusals during pitting to the depths of 2.4m. It is anticipated that excavation to bedrock level will be of soft excavation class at the site. No major instabilities were recorded during the excavation of the test pits which further suggests that excavation may safely extend vertically to depths of about 3.00m without the need for lateral support, if of a temporary nature (during construction) and in the dry season.

### **Seismicity**

One type of seismic activities occurs in Swaziland, and that is natural seismic activity. There is no mining-induced seismic activity. In accordance with the Seismic Hazard Zone map contained in the draft SANS 10160-4, southern Swaziland is classified as Zone 1 and is subject to natural seismic activity only. Qinisweni area is located in southern Swaziland found in Zone 1 area.. The South African "loading" code, SABS 0160-4:2011, shows that Qinisweni is situated in an area where the peak ground acceleration with a 10% probability of being exceeded in a 50 year period is some 130 cm/sec<sup>2</sup>

The soil profile of the site can be described as slightly dense, silt-clay to slightly soft, silt-clay with an average between 665kPa and 1109 kPa  $c_u$  shear strength. Considering the undrained shear strength and soil profile this area can be tentatively classified as Ground Type 2. However, the lacking  $v_s$  profile at the site is taken as "the most reliable predictor of the site dependent characteristics of the seismic action at stable sites".

## 7.0 CONCLUSION AND RECOMMENDATIONS

- The absence of rock outcrop on the site suggests that bedrock will only be present at depth. The bedrock surface is likely to be undulatory and, therefore, highly variable in depth.
- No special precaution has to be paid as no water seepage was experienced in any of the Trial Pits and no problem of dampness is thus expected.

### **Building Foundations**

Allowable bearing capacities of between 1138kPa and 1900kPa are safe to base the foundations of building structures in the sand clay soil.

Foundations are recommended to be placed on the residual soil, at depths of 800 to 100mm, to avoid the marked variability of the colluvial soil.

It is recommended that all foundations be placed on the residual soil below the Pebble Marker, but care should be taken to ensure foundations are located at less than 1m depths to avoid the low bearing capacities. This is to avoid the marked variability of the soil material's bearing capacity and ensure no differential settling of the structures/buildings.

From the Foundation Indicator tests carried out all the horizons tested displayed a "low" potential for expansiveness classification. As the soils are not susceptible to swelling or heaving it is not expected that significant swell-shrink movement of the footing will occur.

Despite the low expansive potential of the soils it is worth taking the following precautions:

- Attention to proper site drainage and storm water runoff management is essential to prevent ponding of water near structures.
- Water supply pipes and sewers must be maintained and leaks or blockages timeously detected and repaired.
- No water loving vegetation or large trees may be allowed to grow within 15m of any structure and it is not recommended to allow gardening directly around the structures. Instead concrete aprons should be installed to prevent wetting of foundations.

### **Parking Areas and Roadways**

The material quality at surface display a good bearing capacity from DCP analyses and for the construction of parking can easily be stabilized and paved. But for roadways it cannot be used as fill. It is recommended that material for pavements layers required for road works be imported from outside the site

**NOTE:**

- Additional investigations or at least an assessment of the ground conditions exposed during construction can often result in significant construction cost and time savings.

**GENERAL NOTES ON THE REPORT**

The information and recommendations contained within this report relate to data supplied by Soil Testing Services, comprising test pit profiles, DCP penetration data, soil percolation test results and soil grading tests.

The report has been compiled on the assumption that all the data supplied by Soil Testing Services (and the assumptions made in this report where this supplied data is inadequate) is correct and is generally representative of the site area.

Prepared for Geo Solutions

A handwritten signature in black ink, appearing to read 'Noah Nhleko', enclosed within a circular scribble.

Noah Nhleko

BSc (Biology & Chemistry); PhD Geology

## APPENDIX A



A) Tractor Loader Backhoe (TLB)



B) Typical Trial Pit




**SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD**  
P.O. BOX A233, SWAZI PLAZA  
TEL: 404 1956 404 2777  
**SOIL LABORATOR**

**Site Name :**  
S1  
EQINISWENI  
**Region :**  
Shiselweni  
**Contact Person**  
Ms. BETY NKHONTA  
Cel: 76073145

**Other information**  
The boundary of the site is indicated by blue line. All boundary points have been staked with red sprayed rebars. If you contact to the person mentioned above, they show you the boundary points.

While the Japanese consultant team inspected two pit (No. 329 and 331), the Surveyor should excavate three pits indicated in the map.




● DCP TEST POINTS  
● SAMPLING & PIT POINTS  
329 S27 10.157 E31 15.969  
331 S27 10.189 E31 15.991  
● PERCOLATION TEST POINTS

A-191

Boundary Point	Latitude / Longitude	Note
305	S27 10.152 E31 16.024	Reference of boundary point
307	S27 10.207 E31 16.027	Ditto
309	S27 10.213 E31 15.940	Ditto
311	S27 10.172 E31 15.906	Ditto
313	S27 10.129 E31 15.898	Ditto

Boundary Point	Latitude / Longitude	Note
315	S27 10.132 E31 15.927	Reference of boundary point
317	S27 10.145 E31 15.927	Ditto






QINISWENI




LEGEND




<p><b>INTRUSIVE ROCKS</b></p> <p><i>Kdo</i> Gabbro and dolerite</p> <p><i>AGS</i> Coarse grained granite</p> <p><i>ulo</i> Gabbro and dolerite</p> <p><i>HGt</i> Medium grained granite</p> <p><i>Urno</i> Microgranite, granophyre</p> <p><i>Ung</i> Gabbro</p> <p><i>Up</i> Peridotitic gabbro</p> <p><i>MIGt</i> Coarse grained granite with mantled microcline phenocrysts</p> <p><i>KGR</i> Coarse grained granite with mantled microcline phenocrysts</p>		<p>KARROO and later</p> <p>YOUNGER GRANITE PLUTON (114-054561)</p> <p>HLATIKULU GRANITE</p> <p>USUSHWANA COMPLEX</p> <p>ISTOMBE GRANITE</p> <p>KWETTA GRANITE</p> <p>(No strict age relationship implied)</p>
<p>Alluvium</p> <p><i>Kcl</i> Claystone</p> <p><i>Ks</i> Conglomerate, sandstone (S-Sandstone only) pebbly claystone</p> <p><i>Moi</i> Fe-rich slate, schist (Ironstone)</p> <p><i>MoS</i> Slate, phyllite, schist</p> <p><i>MxQ</i> Quartzite</p> <p><i>Mov</i> Amygdaloidal basalt lava</p>	<p>Lower Ecqa Formation</p> <p>ECQA GROUP</p> <p>DWYKA GROUP</p> <p>KARROO SUPERGROUP</p> <p>MOZAAN GROUP</p> <p>PONGOLA SUPERGROUP</p>	<p><b>METAMORPHIC ROCKS</b></p> <p><i>Mt</i> Schistose ironstone, sacconite (Rocks containing quartz, garnet, magnetite, hypersthene)</p> <p><i>Mes</i> Pelitic schist</p> <p><i>MQ</i> Quartzite, quartz schist</p> <p><i>MAm</i> Amphibolite</p> <p><b>METAMORPHITE SUITE</b> (except for some amphibolites)</p>
<p><i>NhlGt</i> Quartz-felspathic gneiss</p> <p><i>BS</i> Grey crystalline gneiss with amphibolite</p>	<p>NHLANGANO GNEISS</p> <p>BIHOODAL SUITE</p>	<p><i>Q</i> Quartz vein</p> <p><i>F</i> Fluorite vein</p> <p><i>Myl</i> Mylonite</p> <p>Dip of bedding</p> <p>Dip of banding/foliation</p> <p>Geological boundary (Known)</p> <p>Geological boundary (Assumed)</p> <p>Fault</p> <p>Fault along geological boundary</p> <p>Dwaleni meteorite fall (12-10-1970)</p>

Agents for the sale of this map are Edward Stanford Ltd., 12, 14 Lang Acre, London, WC2E 9LP. Price Code 3.

## **APPENDIX B**


Project	Trial Pit No.	Location		Date			
Matsuda	TP 329	Eqinisweni		01/12/2016			
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizon	Topsoil	380	0-380		dark reddish brown		slightly dry
	sandy clay ( Pebble marker)	220	380-600		dark red	dense	Moist
	silt-clay (Residual soil)	1560	600-2160		dark yellowish orange	slightly dense	Moist

Project	Trial Pit No.	Location		Date			
Matsuda	TP 330	Eqinisweni		01/12/2016			
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizon	Topsoil	400	0-400		dark reddish brown		dry
	sandy clay ( Pebble marker)	260	400-660		dark red	dense	Moist
	silt-clay residual soil	1570	660-2230		dark reddish orange	slightly dense	Moist


Project	Trial Pit No.	Location		Date			
Matsuda	TP 331	Eqinisweni		01/12/2016			
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizon	Topsoil	400	0-400		dark brown		dry
	sandy clay ( Pebble marker)	230	400-630		dark reddish red	dense	slightly moist
	silt-clay (Residual soil)	1730	630-2400		dark red	slightly soft	Moist

FOUNDATION INDICATOR RESULTS					
Client	Matsuda Consultants International	Sample no.	T.P. 329	Date	
Project	Qinisweni High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	100
26.5	98
19.0	97
13.2	97
4.75	94
2.00	89
0.425	72
0.075	50



ATTERBERG LIMITS AND OTHER RESULTS




Liquid Limit (LL)	34
Plastic Index (PI)	14
Linear Shrinkage	3.5
Grading Modulus	0.89
Natural Moisture Content	9
PI of whole sample	
AASTHO Classification	A-7-6(12)
TRH 14	


### FOUNDATION INDICATOR RESULTS

Client	Matsuda Consultants International	Sample no.	T.P. 330	Date	
Project	Qinisweni High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	
26.5	
19.0	
13.2	100
4.75	99
2.00	95
0.425	60
0.075	42



#### ATTERBERG LIMITS AND OTHER RESULTS




Liquid Limit (LL)	38
Plastic Index (PI)	18
Linear Shrinkage	4.5
Grading Modulus	1.03
Natural Moisture Content	14.6
PI of whole sample	
AASTHO Classification	A-7-6(12)
TRH 14	




FOUNDATION INDICATOR RESULTS					
Client	Matsuda Consultants International	Sample no.	T.P. 331	Date	
Project	Qinisweni High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	
26.5	
19.0	
13.2	100
4.75	98
2.00	96
0.425	80
0.075	56



ATTERBERG LIMITS AND OTHER RESULTS



Liquid Limit (LL)	35
Plastic Index (PI)	7
Linear Shrinkage	3.5
Grading Modulus	0.68
Natural Moisture Content	13
PI of whole sample	
AASTHO Classification	A-7-6(12)
TRH 14	

SOIL TESTING SERVICES  
MATSUDA CONSULTANTS INTERNATIONAL  
EQINISWENI NEW HIGH SCHOOL  
DCP TEST RESULTS

31/12/2015

DCP (1) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	18	6	915
200	10	10	426
300	7	14	288
400	5	28	173
500	4	25	179
600	4	25	179
700	3	33	89
800	3	33	89
900	3	33	89
1000	3	33	89
1100	4	25	129
1200	3	33	89
1300	3	33	89
1400	4	25	129
1500	3	33	89
1600	3	33	89
1700	3	33	89
1800	3	33	89
1900	3	33	89
2000	2	50	52

DCP (2) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	22	5	1833
200	30	3	1778
300	19	5	981
400	20	5	1049
500	10	6	785
600	12	6	540
700	7	14	288
800	6	17	219
900	5	20	173
1000	4	25	129
1100	5	20	173
1200	4	25	129
1300	5	20	173
1400	4	25	129
1500	4	25	129
1600	3	33	89
1700	3	33	89
1800	2	50	52
1900	2	50	52
2000	2	50	52

DCP (3) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	18	6	915
200	13	8	599
300	22	5	1182
400	10	10	426
500	7	14	288
600	7	14	288
700	5	20	173
800	4	25	129
900	4	25	129
1000	3	33	89
1100	3	33	89
1200	3	33	89
1300	2	50	52
1400	1	100	21
1500	3	33	89
1600	3	33	89
1700	1	25	129
1800	3	33	89
1900	3	33	89
2000	3	33	89

DCP (4) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	21	5	1118
200	17	8	548
300	20	5	1049
400	19	5	991
500	10	10	426
600	7	14	288
700	8	13	318
800	4	25	129
900	3	33	89
1000	3	33	89
1100	2	50	52
1200	2	50	52
1300	2	50	52
1400	2	50	52
1500	2	50	52
1600	1	100	21
1700	2	50	52
1800	3	33	89
1900	3	33	89
2000	3	33	89

DCP (5) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	22	5	1187
200	11	8	482
300	11	8	482
400	11	8	482
500	8	13	518
600	6	17	219
700	3	33	89
800	3	33	89
900	2	50	52
1000	2	50	52
1100	2	50	52
1200	2	50	52
1300	2	50	52
1400	2	50	52
1500	2	50	52
1600	2	50	52
1700	2	50	52
1800	2	50	52
1900	2	50	52
2000	2	50	52

DCP (6) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	20	5	1049
200	20	5	1049
300	25	4	1402
400	30	3	1778
480	30	3	1778

DCP (7) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	40	3	2585
200	23	4	1402
300	31	3	1955
400	28	4	1470
500	18	8	915
600	12	8	540
700	10	10	426
800	10	10	426
900	6	17	219
1000	5	20	173
1100	5	20	173
1200	4	25	129
1300	4	25	129
1400	4	25	129
1500	3	33	89
1600	3	33	89
1700	4	25	129
1800	3	33	89
1900	3	33	89
2000	3	33	89

DCP (8) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	22	5	1187
200	32	3	1933
300	31	3	1955
400	30	3	1778
500	30	3	1778
600	21	5	1187
700	18	8	785
800	11	8	482
900	9	11	371
1000	7	14	288
1100	2	50	52
1200	3	33	89
1300	3	33	89
1400	4	25	129
1500	4	25	129
1600	4	25	129
1700	4	25	129
1800	3	33	89
1900	2	50	52
2000	2	50	52

DCP (9) NGL

Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	44	2	2926
200	32	3	1833
300	37	3	2335
400	28	5	1811
500	19	4	1823
600	23	4	1258
700	17	6	848
800	13	8	588
900	10	10	426
1000	7	14	288
1100	3	33	89
1200	2	50	52
1300	2	50	52
1400	4	25	129
1500	4	25	129
1600	2	50	52
1700	2	50	52
1800	2	50	52
1900	2	50	52
2000	2	50	52

SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD  
P.O. BOX 233, SWAZI  
1956 4 1 2022  
SOIL LABO

# SOIL TESTING SERVICES

## Geotechnical Investigation Log Sheet

### PERCOLATION

Client: MATSUDA CONSULTANTS INTERNATIONAL

Project: EQINISWENI NEW HIGH SCHOOL Date: 22/12/2015

Site: EQINISWENI

Potential influence of running/standing/seasonal water  
Evidence of unusual land use (mining/till)

#### HOLE 1 NOTES

- (1) A TLE AND PREPARED BY A HAND SPADE was used to excavate the hole.
- (2) The hole was used for PERCOLATION investigation
- (3) The Hole was presoaked the day before and and soak for 24 HRS
- (4) This hole has a very good seepage suitable for french drain

#### HOLE 2 NOTES

- (1) A TLE AND PREPARED BY A HAND SPADE was used to excavate the hole.
- (2) The hole was used for PERCOLATION investigation
- (3) The Hole was presoaked the day before and soak for 25 HRS
- (4) This hole has a good seepage suitable for french drain

HOLE 1			Presoaking Time ( 24hrs )	
DEPTH mm	TIME Minutes	SEEPAGE mm/min.		
0	0.0			
50	2.0	25.0		
80	4.0	15.0		
110	6.0	16.0		
120	8.0	5.0		
145	10.0	12.5		
165	12.0	5.0		
170	14.0	7.5		
175	16.0	2.5		
180	18.0	7.5		
205	20.0	7.5		
210	22.0	2.5		
215	24.0	2.5		
220	26.0	2.5		
230	28.0	5.0		
240	30.0	5.0		
260	32.0	10.0		
280	34.0	10.0		
280	35.0	5.0		
300	38.0	5.0		
	Average	8.3		

HOLE 2			Presoaking Time ( 25hrs )	
DEPTH mm	TIME Minutes	SEEPAGE mm/min.		
0	0.0			
15	1.0	15.0		
25	2.0	10.0		
30	3.0	5.0		
90	4.0	20.0		
90	5.0	10.0		
75	6.0	15.0		
85	7.0	10.0		
95	8.0	10.0		
100	9.0	5.0		
110	10.0	10.0		
130	15.0	4.0		
150	20.0	4.0		
160	30.0	1.0		
170	40.0	1.0		
180	50.0	1.0		
200	60.0	2.0		
210	70.0	1.0		
215	80.0	0.5		
220	90.0	0.5		
	Average	6.9		

**SOIL TESTING SERVICES**  
**(SWAZILAND) (PTY) LTD**  
 P.O. BOX 1283, SWAZI PLAZA  
 TEL: 031 404 2227  
 Technical signatory: *[Signature]*



# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS

CLIENT: Soil Testing Services SWD (PTY) Ltd  
ADDRESS: P.O Box A233  
Swazi Plaza  
Attention: Thulani Vilakati

Project: Japanese Schools  
Eqinisweni  
Your Ref:  
Our Ref: 117 626  
Date Reported: 12 February 2016

### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO	G16-54	HOLE NO.	TP 331	DEPTH (m)	JOB NO:	117 626
-----------	--------	----------	--------	-----------	---------	---------

DESCRIPTION:

Specimen Details			1	2	3
Initial Sample Length	L <sub>0</sub>	(mm)	102.1	101.2	101.0
Initial Sample Diameter	D <sub>0</sub>	(mm)	50.5	50.6	50.7
Initial Sample Weight	W <sub>0</sub>	(gr)	402.7	403.3	403.0
Initial Bulk Density	ρ <sub>0</sub>	(Mg/m <sup>3</sup> )	1.97	1.98	1.98
Particle Density	ρ <sub>s</sub>	(Mg/m <sup>3</sup> )	2.49	2.49	2.49

Initial Conditions			1	2	3
Initial Cell Pressure	σ <sub>3</sub>	(kPa)	50	100	200
Strain Rate	m <sub>s</sub>	(mm/min)	0.10	0.10	0.10
Membrane Thickness	m <sub>b</sub>	(mm)	0.30	0.30	0.30
Initial Moisture	ω <sub>i</sub> %	(%)	13	13	13
Initial Dry Density	ρ <sub>d0</sub>	(Mg/m <sup>3</sup> )	1.74	1.75	1.75
Initial Voids Ratio	e <sub>0</sub>		0.43	0.42	0.42
Initial Degree of Saturation	S <sub>0</sub>	(%)	75	77	76

Final Conditions			1	2	3
Max Deviator Stress	(σ <sub>1</sub> - σ <sub>3</sub> ) <sub>f</sub>	(kPa)	2025.02	1906.17	2721.13
Membrane Correction	m <sub>c</sub>	(kPa)	0.881	0.852	1.008
Strain At Max Stress	ε <sub>f</sub> %	(%)	1.87	1.65	2.94
Shear Strength	c <sub>u</sub>	(kPa)	1012.51	953.08	1360.56
Final Moisture	ω <sub>f</sub> %	(%)	14	14	14
Final Dry Density	ρ <sub>df</sub>	(Mg/m <sup>3</sup> )	1.73	1.75	1.74
Final Voids Ratio	e <sub>f</sub>		0.44	0.43	0.43
Final Degree of Saturation	S <sub>f</sub>	(%)	78.0	78.9	78.6

Remarks : Page: 1 of 2  
  
Form: Triax 3 - UU Program: Clisp Studio for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.





# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127


Tel: 012-800 1299  
Fax: 012-800 3034  
Email: aukek@matrolab.co.za

## TEST RESULTS


### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO:	G16-54	HOLE NO:	TP 331	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Total Stress Mohr Circle



Stress Strain Graph



Remarks

Page: 2 of 2

Form: Triax 3 - UU Program: Clisp Studio

for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

**SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD**  
P.O. BOX A233, SWAZI PLAZA  
TEL: 404 1956, 404 2227  
**SOIL LABORATORY**

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS

CLIENT: Soil Testing Services SWD (PTY) Ltd  
ADDRESS: P.O. Box A233  
Swazi Plaza  
Attention: Thulani Vilakati

Project: Japanese Schools  
Eqiniseni  
Your Ref:  
Our Ref: 117 626  
Date Reported: 14 March 2016

### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16_53	HOLE NO:	TP 330	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Specimen Details			1	2	3
Initial Sample Length	L <sub>0</sub>	(mm)	99.7	99.6	99.6
Initial Sample Diameter	D <sub>0</sub>	(mm)	49.8	49.9	49.9
Initial Sample Weight	W <sub>0</sub>	(gr)	325.4	327.0	327.7
Initial Bulk Density	ρ <sub>0</sub>	(Mg/m <sup>3</sup> )	1.68	1.68	1.68
Particle Density	ρ <sub>s</sub>	(Mg/m <sup>3</sup> )	2.59	2.59	2.59

Initial Conditions			1	2	3
Initial Cell Pressure	σ <sub>3</sub>	(kPa)	50	100	200
Strain Rate	m <sub>s</sub>	(mm/min)	0.10000	0.10000	0.10000
Membrane Thickness	m <sub>b</sub>	(mm)	0.30	0.30	0.30
Initial Moisture	ω <sub>i</sub> %	(%)	15	15	15
Initial Dry Density	ρ <sub>d0</sub>	(Mg/m <sup>3</sup> )	1.46	1.46	1.46
Initial Voids Ratio	e <sub>0</sub>	.	0.78	0.77	0.77
Initial Degree of Saturation	S <sub>0</sub>	(%)	50	50	51

Final Conditions			1	2	3
Max Deviator Stress	(σ <sub>1</sub> - σ <sub>3</sub> ) <sub>f</sub>	(kPa)	1070.87	1292.73	1625.57
Membrane Correction	m <sub>c</sub>	(kPa)	0.752	0.883	0.959
Strain At Max Stress	ε <sub>f</sub> %	(%)	0.80	1.80	2.40
Shear Strength	c <sub>u</sub>	(kPa)	535.43	646.36	812.78
Final Moisture	ω <sub>f</sub> %	(%)	16	15	15
Final Dry Density	ρ <sub>df</sub>	(Mg/m <sup>3</sup> )	1.44	1.46	1.46
Final Voids Ratio	e <sub>f</sub>	.	0.80	0.77	0.77
Final Degree of Saturation	S <sub>f</sub>	(%)	52.6	49.5	50.6

Remarks :

Page: 1 of 2

Form: Triax 3 - UU Program: Clisp Studio

  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS


### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16 53	HOLE NO:	TP 330	DEPTH (m):		JOB NO:	117 626
DESCRIPTION:							

Total Stress Mohr Circle



Stress Strain Graph



Remarks :

Page: 2 of 2

Form: Triax 3 - UU Program: Clisp Studio

*A. Kuper*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

## APPENDIX C



**Table 1: Correlation chart of maximum bearing stress (allowable bearing capacity) of rocks and soil materials**

<b>Category</b>	<b>Types of rocks and soils</b>	<b>Bearing value (kPa)</b>
Non-cohesive soils	Dense gravel or dense sand and gravel	>600
	Medium dense gravel, or medium dense sand and gravel	<200 to 600
	Loose gravel, or loose sand and gravel	<200
	Compact sand	>300
	Medium dense sand	100 to 300
	Loose sand	<100 <i>depends on degree of looseness</i>
Cohesive soils	Very stiff bolder clays & hard clays	300 to 600
	Stiff clays	150 to 300
	Firm clay	75 to 150
	Soft clays and silts	< 75
	Very soft clay	Not applicable
Peat		Not applicable
Made ground		Not applicable

H4-Enhlityweni

# SOIL TESTING SERVICES

## GEOTECHNICAL REPORT – ENHLITYWENI

CONSTRUCTION OF NEW SECONDARY SCHOOLS AND UP-  
GRADING OF FACILITIES IN EXISTING SECONDARY  
SCHOOLS AIMED AT PROMOTING INCLUSIVE  
EDUCATION IN THE KINGDOM OF SWAZILAND

FOR

MATSUDA CONSULTANTS INTERNATIONAL CO. LTD



Lot 321, Samora Machel Street  
P.O. Box A233  
Swazi Plaza  
Mbabane H101  
Swaziland

MARCH 2016

A-208

## TABLE OF CONTENTS

GEOTECHNICAL REPORT - ENHLITIYWENI .....	2
1.0 INTRODUCTION.....	2
2.0 SCOPE OF WORK.....	2
3.0 SITE DESCRIPTION.....	2
Location and Topography.....	2
Rainfall and Drainage.....	2
Access.....	3
4.0 GENERAL GEOLOGY OF SITE.....	3
5.0 GEOTECHNICAL FIELD INVESTIGATIONS AND LABORATORY TESTING .....	3
Methods of Investigation and Testing .....	3
6.0 INTERPRETIVE INFORMATION.....	6
Site Stratigraphy.....	6
Materials .....	7
Engineering Geological Evaluation.....	7
7.0 CONCLUSION AND RECOMMENDATIONS .....	9
GENERAL NOTES ON THE REPORT .....	10
APPENDIX A .....	11
APPENDIX B .....	15

# GEOTECHNICAL REPORT - ENHLITIYWENI

## 1.0 INTRODUCTION

This report is based on the Preparatory Survey on “the Project for the Construction of New Secondary Schools and Upgrading of Facilities in Existing Secondary Schools aimed at Promoting Inclusive Education” based upon request from the Government of Swaziland to the Japan International Cooperation Agency (JICA). The survey is to obtain geotechnical data and information at KaNcesi, northern Swaziland, where the proposed Enhlitiyweni High School will be constructed, for the design of earthworks, foundation and structures of the buildings.

## 2.0 SCOPE OF WORK

The following activities were expected to be executed in the cause of the study.

### (1) Field works on each site

- Dynamic Cone Penetration test (DCP)  
Nine (09) points, depth up to Two (02) m from the ground level
- Soil Sampling
- Percolation Test Two (02) points

### (2) Laboratory testing (for each sample)

- Triaxial Compression Test
- Moisture Density Test
- Particle Size Analysis
- Atterberg limit test

## 3.0 SITE DESCRIPTION

### Location and Topography

The new Enhlitiyweni High School site is located at KaNcesi in the Hhohho Region. This area is partially flat and sloping on the northern boundary.

The site is grass covered and part of it is a sport field. Although the land is not arable it is not necessarily used as a pasture as it is within homesteads, and cattle can only graze freely in winter.

### Rainfall and Drainage

This area has a 1060m elevation and is designated as the Highveld climatic region of the country. The area has warm summers and cold winters. In winter the area experiences frost.

There area is drained by a number of small streams downslope. There are no scour surfaces on the site itself.

### **Access**

The school site can be accessed through a distributor gravel road to Eluvinjelweni. The road leads from the tarred road to Maguga Dam to the north of this area. It is well maintained and has a wearing course.

## **4.0 GENERAL GEOLOGY OF SITE**

The KaNcesi area has a young granite pluton, Mswati granite, as its bedrock. The granite is typically coarse grained and contains megacrysts of microcline and orthoclase. The granite is unfoliated and contains a few aplites and pegmatites. They are sharply cross-cutting and contain apparent xenoliths of earlier granite and mafic bodies. Veins of this granite lie to the south of the area and are disposed roughly concentrically around the Mbabane pluton to the south. The granite is well jointed in rectilinear patterns.

A scanned and cropped geological map of the area is presented in Appendix A. It is taken from a 1:50 000 geological map sheet 5 (2630 BB) published by the Swaziland Geological Survey Department

## **5.0 GEOTECHNICAL FIELD INVESTIGATIONS AND LABORATORY TESTING**

### **Methods of Investigation and Testing**

Field investigations, sampling and laboratory testing has been designed to provide information as follows:

#### **Trial Pits**


Three Trial Pits (TP) were excavated at positions determined by the client with pits attaining some depth of 2.1m using a Tractor Loader Backhoe (TLB), 4x4 capability with 600mm bucket width and flywheel power rating of at least 70kW. The aim of the excavation of the trial pits was to determine the soil stratigraphy, and extraction of soil samples.

All test pits had stable walls and were profiled using profiling standard procedure outlined in the Association of Engineering Geologists (South African Section), 'Guidelines for soil and rock logging in SA' (1990). Representative soil samples were taken from the soil profile for laboratory testing. Bulk samples of the residual soil material were taken; topsoil and sub-soil layers were recorded and are shown in detail in Trial Pit profiles. The stratigraphy revealed by each pit was carefully logged with special notes taken of the thickness and conditions of the various layers.

### Dynamic Cone Penetration Test (DCP)


Dynamic Cone Penetrometer (DCP) tests were conducted at 9 positions around the site. The exact locations of all DCP tests carried out were performed at positions determined by Matsuda Consultants International Co., Ltd.

Prior to the performance of a series of tests, the zero reading of the penetrometer was determined. The dynamic penetrometer tests were then performed by taking readings of cone penetration after a number of blows depending on the consistency of the layer being penetrated. The tests were terminated at maximum depths of 2000mm wherever possible.



### Percolation Test

The percolation test consist of digging a 900x900x900mm deep at the centre 300x300x300mm deep see figure 2 hole to the stratum for which information is required, cleaning and backfilling the bottom with coarse sand or gravel, filling the hole with water and providing a soaking period of sufficient length to achieve saturation. During the soaking period, water is added as necessary to prevent loss of all water. The percolation rate is then obtained by filling the hole to a prescribed water level and measuring the drop in water level over a set time. The times required for soaking and for measuring the percolation rate vary with the soil type.



**Figure 2.** Cross section of percolation test pit

### Laboratory Testing

Laboratory tests were performed by Soil Testing Services (Pty) Ltd in Mbabane. As specified by Matsuda Consultants International Co., Ltd this testing comprised of foundation indicator testing only.


The following laboratory tests were executed for the preliminary design:

- determination of grain size distribution
- determination of natural moisture content
- determination of Atterberg limits
- execution of Proctor tests (moisture density relation, MDD/OMC)

### Stress Triaxial Stress Tests: Unconsolidated - Undrained (BS 1377-7:1990 Clause 7)

Stress Triaxial Stress Tests were conducted at Metrolab Group, Republic of South Africa according to the standard **BS 1377-7:1990 Clause 7**. This involved subjecting a cylindrical soil sample to radial stresses (confining pressure) and controlled increases in axial stresses or axial displacements. The

cylindrical soil specimen was of ~50mm diameter and ~100mm height dimension. As this is cohesive soil samples were prepared directly from saturated compacted samples, either undisturbed or remolded. The specimen was vertically enclosed with a thin rubber membrane and placed between two rigid ends inside a pressure chamber. The upper plate can move vertically and apply vertical stresses to the specimen. The axial strain/stress of the sample is controlled through the movement of this vertical axis. Also, the confining pressure is controlled by the water pressure surrounding the sample in the pressure chamber. The volume change of the sample is also controlled by measuring the exact volume of moving water.



## 6.0 INTERPRETIVE INFORMATION

### Site Stratigraphy

The stratigraphy of the Enhlityweni High School site can be summarized as colluvial and residual soils.

Colluvial soils on the site generally consists some 300mm thick layer of dry dark brown to dark reddish brown topsoil. This is gravity transported soil.

The lower layer of colluvial soils averages about 900mm, except for TP20 where it was not encountered, and consists of moist, slightly dense, sandy clay. It is gravity transported and dark red in colour and represents the lower limit of colluvial soils and directly lies above residual soils.

Residual soils derived from the complete in-situ weathering of the underlying Mswati granite, the underlying rock. This soil lies at depth ranging from 1100mm to 1200mm, and is moist to slightly moist, slightly soft, fissured or intact, silt-clay. At TP20, however, it lies at 230mm depth and very shallow. The residual soil display lateral material variation discernible by their colour variation. They consist of pale red to light red material.



## Materials

The table below summarizes some of the laboratory test results and the complete test results are presented in Appendix

Test Pit No.	Sample no & depth(m)	Horizon	O.M.C%	LL	PI	Shrinkage	Soil Class AASHTO
18	1.1-2.1	Residual granite	14.4	50	21	6.5	A-7-6(5)
19	1.2-2120	Residual granite	8.8	47	30	5.5	A-7-6(4)
20	0.23-1.5	Residual granite	11.6	45	16	6.0	A-7-6(4)

## Engineering Geological Evaluation

### Groundwater

No groundwater inflow was encountered in any of the excavated test pits. It is, however, expected that the groundwater table will occur at depth.

### Expansive soils

No soils susceptible to swelling or heaving were encountered on site, and problematic movements associated with expansion are not expected.

From the Foundation Indicator tests carried out all the horizons tested displayed a “medium” to “low” potential for expansiveness classification.

### Potentially Collapsible Soils

The soil horizons encountered are not considered to be collapsing in nature. It is, therefore, not anticipated that any special precautions will need to be taken with regard to collapsible soils.

### Percolation Rate

The soils in this area are suitable for a normal French drain. Both percolation tests positions displays good seepage and as such are suitable for normal French drain development.

### **Bearing Capacity**

The laboratory triaxial compression tests the site with unconsolidated undrained (UU) shear strength ( $c_u$ ) of between 952kPa and 1290kPa display allowable bearing capacity of between an estimated 1631kPa and 2210kPa. The correlation chart in Appendix C of maximum bearing stress that can be applied to the foundation such that it is safe against instability due to shear failure the site's allowable bearing capacity is highly safe for any building development.

Field Dynamic Cone Penetrometer (DCP) tests display higher bearing capacities for the upper 1m soils and relatively low bearing capacities at greater depths (>1m). This is in effect result in softer material at depth and slightly dense material near surface. Test positions DCP 8 and 9 display low bearing capacities of 52kPa at shallow depths (300mm). DCP Test no. 5 displays a layered nature of the residual soil.

the field and laboratory tests above indicates that residual soil from the weathered granite is relatively homogenous, and buildings can be founded at depths of 800 to 1000mm on the site.

### **Excavatability**

There were no recorded excavation refusals during pitting to the depths of 2.1m. It is anticipated that excavation to bedrock level will be of soft excavation class at the site. No major instabilities were recorded during the excavation of the test pits that further suggests that excavation may safely extend vertically to depths of about 3.00m without the need for lateral support, if of a temporary nature (during construction) and in the dry season.

### **Seismicity**

One type of seismic activities occurs in Swaziland, and that is natural seismic activity. There is no mining-induced seismic activity. In accordance with the Seismic Hazard Zone map contained in the draft SANS 10160-4, southern Swaziland is classified as Zone 1 and is subject to natural seismic activity only. KaNcesi area is on the northern part of the country outside the Zone 1 area. The South African "loading" code, SABS 0160-4:2011, shows that Ka Ncesi area is situated in an area where the peak ground acceleration with a 10% probability of being exceeded in a 50 year period is just less than 100 cm/sec<sup>2</sup>

The soil profile of the site can be described as slightly soft, intact, silt-clay with an average shear strength between 952kPa and 1290kPa  $c_u$ . The contrasting identified ground types in accordance with the consolidated undrained shear strength and soil profile, type 2 and 3 respectively, indicates that the lacking  $v_s$  profile at the site is taken as "the most reliable predictor of the site dependent characteristics of the seismic action at stable sites".

## 7.0 CONCLUSION AND RECOMMENDATIONS

- The absence of rock outcrop on the site suggests that bedrock will only be present at depth. The bedrock surface is likely to be undulatory and of boulder nature as can be seen in the outcrops nearby.
- No special precaution with regards to water seepage and dampness has to be paid as no water seepage was experienced in any of the Trial Pits.
- The soils are of intermediate plasticity and it is expected that they will be prone to erosion. Precaution is expected to be taken during site clearing to avoid excessive soil erosion.

### **Building Foundations**

The allowable bearing capacity of the sandy clays in the site reveals values between 1631kPa and 2210kPa in the new school site. This indicates that the site is relatively homogenous in strength and no major differential settling is expected.

It is recommended that foundations be placed on the residual soil, at depths of 800 to 100mm, to avoid the colluvial soil material.

From the other Foundation Indicator tests carried out all the horizons tested displayed a “low” potential for expansiveness classification. As the soils are not susceptible to swelling or heaving it is not expected that significant swell-shrink movement of the footing will occur.

Despite the low expansive potential of the soils it is worth taking the following precautions:

- Attention to proper site drainage and storm water runoff management is essential to prevent ponding of water near structures.
- Water supply pipes and sewers must be maintained and leaks or blockages timeously detected and repaired.
- No water loving vegetation or large trees may be allowed to grow within 15m of any structure and it is not recommended to allow gardening directly around the structures. Instead concrete aprons should be installed to prevent wetting of foundations.

### **Parking Areas and Roadways**

The material quality at surface display a good bearing capacity from DCP analyses and for the construction of parking can easily be stabilized and paved. But for roadways it cannot be used as fill. It is recommended that material for pavements layers required for road works be imported from outside the site.

**NOTE:**

- Fluctuations in the level of groundwater can occur due to variations in the rainfall, landscaping, and other factors that may not been evident prior to the start of construction, so the depth of groundwater should be verified to allow for modification of the design, if required.
- Additional investigations or at least an assessment of the ground conditions exposed during construction can often result in significant construction cost and time savings.

**GENERAL NOTES ON THE REPORT**

The information and recommendations contained within this report relate to data supplied by Soil Testing Services, comprising test pit profiles, DCP penetration data, soil percolation test results and soil grading tests.

The report has been compiled on the assumption that all the data supplied by Soil Testing Services (and the assumptions made in this report where this supplied data is inadequate) is correct and is generally representative of the site area.

Prepared for Geo Solutions



Noah Nhleko  
BSc (Biology & Chemistry); PhD Geology

## APPENDIX A




A) Tractor Loader Backhoe (TLB)



B) Typical Trial Pit

**SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD**  
P.O. BOX A233, SWAZI PLAZA  
TEL: 404 1956 404 2227  
**SOIL LABORATOR**

**Site Name :**  
[H4](#)  
[ENHLITIYWENI](#)  
**Region :**  
[Hhohho](#)  
**Contact Person**  
[Mr. SAKHI DLAMINI](#)  
[Cel: 7617 7079](#)




● DCP TEST POINTS  
▲ SAMPLING & PIT POINTS  
● PERCOLATION TEST POINTS

**Other information**  
The boundary of the site is indicated by blue line.  
All boundary points have been staked with red sprayed rebars.  
If you contact to the person mentioned above, they show you the boundary points.  
The Surveyor should excavate three pits in total indicated in the map.

A-221

Boundary Point	Latitude / Longitude	Note
006	S26 07.136 E31 14.855	Reference of boundary point
007	S26 07.114 E31 14.846	Ditto
008	S26 07.046 E31 14.814	Ditto
009	S26 07.018 E31 14.789	Ditto
011	S26 07.000 E31 14.767	Ditto

Boundary Point	Latitude / Longitude	Note
012	S26 06.988 E31 14.729	Reference of boundary point
013	S26 07.049 E31 14.725	Ditto
014	S26 07.070 E31 14.757	Ditto
015	S26 07.148 E31 14.659	Ditto
017	S26 07.173 E31 14.680	Ditto







ENHLITYWENI




INTRUSIVE ROCKS



	<i>Kdo</i> Gabbro and dolerite	} KARROO and later
	<i>do</i> Gabbro and dolerite	} PRE-KARROO
	<i>AG5</i> Coarse grained granite with felspar megacrysts	} YOUNGER GRANITE PLUTONS
	<i>AG3</i> Medium and coarse grained granite	} LOCHIEL HOOD GRANITE
	<i>gp</i> Porphyritic microgranite	
	<i>q</i> Quartz vein	
	Dip of bedding	 Geological boundary (Known)
	Dip of banding/ foliation	 Geological boundary (Assumed)
	Operating Mine : Fe – Haematitic Iron ore Ba – Barytes	 Lineament
	Disused mine : Au – Gold	 Fault



## APPENDIX B


Project	Trial Pit No.	Location			Date		
Matsuda consultants International Ltd	TP 18	KaNcesi (Enhlitiyweni)			9/12/2015		
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizons	Topsoil	250	0-250		dark brown		moist
	sandy clay transported soil	810	250-1100		dark red	slightly dense	moist
	silt-clay, highly weathered Mswati granite	1000	1100-2100	 	light red in profile, light yellowish orange/ pale red/ light brown	slightly soft, intact	Moist

Project	Trial Pit No.	Location			Date		
Matsuda consultants International Ltd	TP 19	KaNcesi (Enhlitiyweni)			9/12/2015		
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizons	Topsoil	330	0-330		dark reddish brown		moist
	sandy clay transported soil	870	330-1200		dark red	slightly dense	moist
	silt-clay, highly weathered Mswati granite	920	1200-2120		pale red in profile, light yellowish orange/light reddish brown	slightly soft, fissured	Moist


Project	Trial Pit No.	Location			Date		
Matsuda consultants International Ltd	TP 20	KaNcesi (Enhlitiyweni)			9/12/2015		
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizons	Topsoil	230	0-230		dark brown		moist
	silt-clay, highly weathered Mswati granite	1270	230-1500		light red Inprofile, dark red/ light reddish orange/ pale red	slightly dense, intact	moist

FOUNDATION INDICATOR RESULTS					
Client	Matsuda Consultants International	Sample no.	T.P. 18	Date	
Project	Enhlitiyweni High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	
26.5	
19.0	
13.2	100
4.75	95
2.00	71
0.425	51
0.075	43




ATTERBERG LIMITS AND OTHER RESULTS




Liquid Limit (LL)	50
Plastic Index (PI)	21
Linear Shrinkage	6.5
Grading Modulus	1.35
Natural Moisture Content	14.4
PI of whole sample	
AASTHO Classification	A-7-6(5)
TRH 14	

FOUNDATION INDICATOR RESULTS					
Client	Matsuda Consultants International	Sample no.	T.P. 19	Date	
Project	Enhlitiyweni High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	
26.5	
19.0	100
13.2	99
4.75	82
2.00	61
0.425	43
0.075	36



ATTERBERG LIMITS AND OTHER RESULTS




Liquid Limit (LL)	47
Plastic Index (PI)	30
Linear Shrinkage	5.5
Grading Modulus	1.6
Natural Moisture Content	8.8
PI of whole sample	
AASTHO Classification	A-7-6(4)
TRH 14	


### FOUNDATION INDICATOR RESULTS

Client	Matsuda Consultants International	Sample no.	T.P. 20	Date	
Project	Enhlitiyweni High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	
26.5	
19.0	100
13.2	99
4.75	87
2.00	69
0.425	52
0.075	44



#### ATTERBERG LIMITS AND OTHER RESULTS



Liquid Limit (LL)	45
Plastic Index (PI)	16
Linear Shrinkage	6.0
Grading Modulus	1.35
Natural Moisture Content	11.6
PI of whole sample	
AASTHO Classification	A-7-6(4)
TRH 14	

SOIL TESTING SERVICES  
MATSUDA CONSULTANTS INTERNATIONAL  
ENHLITYWENI NEW HIGH SCHOOL  
DCP TEST RESULTS

12/1/2016

DCP (1) NGL			
Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	8	17	219
200	9	14	371
300	8	11	371
400	11	9	482
500	8	17	219
600	8	17	219
700	5	20	173
800	5	20	173
900	3	33	89
1000	3	33	89
1100	3	33	89
1200	8	17	219
1300	2	50	52
1400	2	50	52
1500	2	50	52
1600	1	100	21
1700	2	50	52
1800	2	50	52
1900	2	50	52
2000	2	50	52

DCP (2) NGL			
Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	7	14	288
200	10	10	426
300	10	10	426
400	12	8	540
500	10	10	426
600	9	11	371
700	8	13	318
800	7	14	288
900	5	20	173
1000	5	20	173
1100	15	6	765
1200	10	6	915
1300	17	8	540
1400	8	13	318
1500	3	33	89
1600	4	25	129
1700	3	33	89
1800	2	33	89
1900	1	100	21
2000	2	50	52

DCP (3) NGL			
Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	14	7	866
200	15	7	721
300	13	8	540
400	9	11	371
500	5	20	173
600	5	20	173
700	5	20	173
800	4	25	129
900	4	25	129
1000	4	25	129
1100	3	33	89
1200	2	50	52
1300	2	50	52
1400	3	33	89
1500	2	50	52
1600	4	25	129
1700	3	33	89
1800	3	33	89
1900	2	50	52
2000	2	50	52

DCP (4) NGL			
Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	7	14	288
200	9	11	371
300	12	8	540
400	8	13	318
500	8	17	219
600	5	20	173
700	5	20	173
800	3	33	89
900	3	33	89
1000	3	33	89
1100	2	33	89
1200	2	50	52
1300	3	33	89
1400	2	50	52
1500	2	50	52
1600	3	33	89
1700	2	50	52
1800	2	50	52
1900	2	50	52
2000	2	50	52

DCP (5) NGL			
Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	8	17	219
200	7	14	288
300	12	8	540
400	12	8	540
500	11	9	482
600	8	13	318
700	6	17	219
800	5	20	173
900	5	20	173
1000	4	25	129
1100	3	33	89
1200	2	50	52
1300	1	100	21
1400	2	50	52
1500	4	25	129
1600	3	33	89
1700	5	20	173
1800	10	10	426
1900	12	8	540
2000	9	11	371

DCP (6) NGL			
Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	8	17	219
200	9	11	371
300	11	9	482
400	9	11	371
500	9	11	371
600	8	13	318
700	6	17	219
800	4	25	129
900	4	25	129
1000	3	33	89
1100	2	50	52
1200	2	50	52
1300	2	50	52
1400	1	100	21
1500	1	100	21
1600	2	50	52
1700	2	50	52
1800	2	50	52
1900	2	50	52
2000	2	50	52

DCP (7) NGL			
Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	10	10	426
200	15	7	721
300	12	8	540
400	10	5	361
500	10	10	426
600	8	13	318
700	4	25	129
800	3	33	89
900	4	25	129
1000	3	33	89
1100	3	33	89
1200	4	25	129
1300	5	20	173
1400	3	33	89
1500	5	20	173
1600	2	50	52
1700	2	5	52
1800	2	50	52
1900	3	33	89
2000	5	20	173

DCP (8) NGL			
Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	10	10	426
200	8	13	318
300	3	33	89
400	3	33	89
500	7	14	288
600	2	50	52
700	2	50	52
800	2	50	52
900	2	50	52
1000	2	50	52
1100	3	33	89
1200	22	5	1127
1300	4	25	129
1400	3	33	89
1500	4	25	129
1600	3	33	89
1700	3	33	89
1800	3	33	89
1900	3	33	89
2000	3	33	89

DCP (9) NGL			
Depth (mm)	No. Blows	mm/blows	kPa
0	0		
100	10	10	426
200	10	10	426
300	10	10	426
400	4	25	129
500	2	50	52
600	2	50	52
700	2	50	52
800	2	50	52
900	2	50	52
1000	2	50	52
1100	2	50	52
1200	2	50	52
1300	2	50	52
1400	2	50	52
1500	2	50	52
1600	2	50	52
1700	2	50	52
1800	2	50	52
1900	2	50	52
2000	2	50	52

SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD  
P.O. BOX 1983, SWAZI PLAZA  
TEL: 404 1956, 404 2227  
SOIL LABORATORY



# SOIL TESTING SERVICES

## Geotechnical Investigation Log Sheet

### PERCOLATION

Client MAISUDA CONSULTANTS INTERNATIONAL

Project EHLITWENI NEW HIGH SCHOOL Date 19/12/2015

Site EHLITWENI

Potential influence of running/standing/seasonal water:  
Evidence of unusual land use (mining/fill)

#### HOLE 1 NOTES

- (1) A TLB AND PREPARED BY A HAND SPADE was used to excavate the hole.
- (2) The hole was used for PERCOLATION investigation
- (3) The Hole was presoaked the day before and and soak for 24 HRS
- (4) This hole has a very good seepage suitable for trench drain

#### HOLE 2 NOTES

- (1) A TLB AND PREPARED BY A HAND SPADE was used to excavate the hole
- (2) The hole was used for PERCOLATION investigation
- (3) The Hole was presoaked the day before and soak for 25
- (4) This hole has a very good seepage suitable for trench drain

**HOLE 1**                      **Presoaking Time ( 24hrs )**

DEPTH mm	TIME Minutes	SEEPAGE mm/min.
0	0.0	
40	2.0	20.0
60	3.0	20.0
80	4.0	20.0
100	5.0	20.0
110	6.0	10.0
120	7.0	10.0
135	8.0	15.0
145	9.0	10.0
155	10.0	10.0
170	11.0	15.0
175	12.0	5.0
185	13.0	10.0
190	14.0	5.0
200	15.0	10.0
205	16.0	5.0
210	17.0	5.0
215	18.0	5.0
225	19.0	10.0
235	20.0	10.0
240	21.0	5.0
245	22.0	5.0
250	23.0	5.0
255	24.0	5.0
260	25.0	5.0
265	26.0	5.0
270	27.0	5.0
300	32.0	6.0
Average		<b>9.6</b>

**HOLE 2**                      **Presoaking Time ( 25hrs )**

DEPTH mm	TIME Minutes	SEEPAGE mm/min.
0	0.0	
30	2.0	15.0
50	3.0	20.0
70	4.0	20.0
90	5.0	20.0
110	6.0	20.0
125	7.0	15.0
135	8.0	10.0
150	9.0	15.0
160	10.0	10.0
180	11.0	20.0
190	12.0	10.0
200	13.0	10.0
210	14.0	10.0
215	15.0	5.0
225	16.0	10.0
235	17.0	10.0
260	18.0	25.0
265	19.0	5.0
270	20.0	5.0
275	21.0	5.0
280	22.0	5.0
285	23.0	5.0
290	24.0	5.0
300	25.0	10.0
Average		<b>11.9</b>

SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD  
P.O. BOX 1838, SWAZI PLAZA  
TEL: +27 1856 404 2227  
SOIL INVESTIGATOR: *[Signature]*

Technical signature: THULANI VIKHONYE - SOIL TESTING SERVICES

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS

CLIENT: Soil Testing Services SWD (PTY) Ltd  
ADDRESS: P.O. Box A233  
Swazi Plaza  
Attention: Thulani Vilakati

Project Japanese Schools  
ENHLITIWENI  
Your Ref  
Our Ref 117 626  
Date Reported 14 March 2016

### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16_83	HOLE NO:	TP 18	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Specimen Details			1	2	3
Initial Sample Length	L <sub>0</sub>	(mm)	101.4	99.0	95.2
Initial Sample Diameter	D <sub>0</sub>	(mm)	50.0	50.2	51.2
Initial Sample Weight	W <sub>0</sub>	(gr)	390.1	392.1	392.6
Initial Bulk Density	ρ <sub>0</sub>	(Mg/m <sup>3</sup> )	1.96	2.00	2.00
Particle Density	ρ <sub>s</sub>	(Mg/m <sup>3</sup> )	2.65	2.65	2.65

Initial Conditions			1	2	3
Initial Cell Pressure	σ <sub>3</sub>	(kPa)	50	100	200
Strain Rate	m <sub>s</sub>	(mm/min)	0.10000	0.10000	0.10000
Membrane Thickness	m <sub>b</sub>	(mm)	0.30	0.30	0.30
Initial Moisture	ω <sub>i</sub> %	(%)	14	14	14
Initial Dry Density	ρ <sub>d0</sub>	(Mg/m <sup>3</sup> )	1.71	1.75	1.75
Initial Voids Ratio	e <sub>0</sub>	.	0.55	0.51	0.51
Initial Degree of Saturation	S <sub>o</sub>	(%)	70	74	74

Final Conditions			1	2	3
Max Deviator Stress	(σ <sub>1</sub> - σ <sub>3</sub> ) <sub>f</sub>	(kPa)	1477.09	1940.30	2294.15
Membrane Correction	m <sub>c</sub>	(kPa)	1.088	1.035	1.116
Strain At Max Stress	ε <sub>f</sub> %	(%)	2.49	3.07	3.97
Shear Strength	c <sub>u</sub>	(kPa)	738.54	970.15	1147.08
Final Moisture	ω <sub>f</sub> %	(%)	14	14	13
Final Dry Density	ρ <sub>df</sub>	(Mg/m <sup>3</sup> )	1.72	1.76	1.77
Final Voids Ratio	e <sub>f</sub>	.	0.54	0.51	0.50
Final Degree of Saturation	S <sub>f</sub>	(%)	68.1	71.7	71.2

Remarks : Page: 1 of 2

Form: Triax 3 - UU Program: Clisp Studio

  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07      VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127


Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS


### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16 83	HOLE NO:	TP 18	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Total Stress Mohr Circle



Stress Strain Graph



Remarks : 0

Page: 2 of 2

Form: Triax 3 - UU      Program: Clisp Studio

*Adrius*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

# MATROLAB GROUP (PTY.) LTD.

## - CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

### TEST RESULTS

CLIENT: Soil Testing Services SWD (PTY) Ltd  
ADDRESS: P.O. Box A233  
Swazi Plaza  
Attention: Thulani Vilakati

Project: Japanese Schools  
ENHLITIWENI  
Your Ref  
Our Ref: 117 626  
Date Reported: 14 March 2016

### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16_84	HOLE NO:	TP 19	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Specimen Details			1	2	3
Initial Sample Length	L <sub>0</sub>	(mm)	101.1	103.4	103.3
Initial Sample Diameter	D <sub>0</sub>	(mm)	49.7	50.4	50.5
Initial Sample Weight	W <sub>0</sub>	(gr)	394.2	395.7	396.4
Initial Bulk Density	ρ <sub>0</sub>	(Mg/m <sup>3</sup> )	2.01	1.92	1.92
Particle Density	ρ <sub>s</sub>	(Mg/m <sup>3</sup> )	2.55	2.55	2.55


Initial Conditions			1	2	3
Initial Cell Pressure	σ <sub>3</sub>	(kPa)	50	100	200
Strain Rate	m <sub>s</sub>	(mm/min)	0.10000	0.10000	0.10000
Membrane Thickness	m <sub>b</sub>	(mm)	0.30	0.30	0.30
Initial Moisture	ω <sub>i</sub> %	(%)	8.80	8.80	8.80
Initial Dry Density	ρ <sub>d0</sub>	(Mg/m <sup>3</sup> )	1.85	1.76	1.76
Initial Voids Ratio	e <sub>0</sub>	.	0.38	0.44	0.45
Initial Degree of Saturation	S <sub>0</sub>	(%)	59	50	50

Final Conditions			1	2	3
Max Deviator Stress	(σ <sub>1</sub> - σ <sub>3</sub> ) <sub>f</sub>	(kPa)	2405.33	2596.40	2736.21
Membrane Correction	m <sub>c</sub>	(kPa)	0.559	0.987	0.982
Strain At Max Stress	ε <sub>f</sub> %	(%)	1.54	2.71	2.69
Shear Strength	c <sub>u</sub>	(kPa)	1202.66	1298.20	1368.11
Final Moisture	ω <sub>f</sub> %	(%)	12	12	12
Final Dry Density	ρ <sub>df</sub>	(Mg/m <sup>3</sup> )	1.80	1.72	1.70
Final Voids Ratio	e <sub>f</sub>	.	0.42	0.48	0.49
Final Degree of Saturation	S <sub>f</sub>	(%)	71.4	62.3	64.0

Remarks :

Page: 1 of 2

Form: Triax 3 - UU Program: Clisp Studio

  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS


### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16 84	HOLE NO:	TP 19	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Total Stress Mohr Circle



Stress Strain Graph



Remarks : 0

Page: 2 of 2

Form: Triax 3 - UU Program: Clisp Studio

*Aukek*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.



# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS

CLIENT: Soil Testing Services SWD (PTY) Ltd  
ADDRESS: P.O. Box A233  
Swazi Plaza  
Attention: Thulani Vlakati

Project: Japanese Schools  
Enhilityweni  
Your Ref  
Our Ref: 117 626  
Date Reported: 12 February 2016

### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16-66	HOLE NO:	TP 20	DEPTH (m):		JOB NO:	117 626
DESCRIPTION:							

Specimen Details			1	2	3
Initial Sample Length	L <sub>0</sub>	(mm)	102.9	101.6	102.9
Initial Sample Diameter	D <sub>0</sub>	(mm)	50.2	50.2	50.2
Initial Sample Weight	W <sub>0</sub>	(gr)	419.3	419.5	419.9
Initial Bulk Density	ρ <sub>0</sub>	(Mg/m <sup>3</sup> )	2.06	2.08	2.06
Particle Density	ρ <sub>s</sub>	(Mg/m <sup>3</sup> )	2.58	2.58	2.58

Initial Conditions			1	2	3
Initial Cell Pressure	σ <sub>3</sub>	(kPa)	50	100	200
Strain Rate	m <sub>s</sub>	(mm/min)	0.10	0.10	0.10
Membrane Thickness	m <sub>b</sub>	(mm)	0.30	0.30	0.30
Initial Moisture	ω <sub>i</sub> %	(%)	11	11	11
Initial Dry Density	ρ <sub>d0</sub>	(Mg/m <sup>3</sup> )	1.86	1.88	1.86
Initial Voids Ratio	e <sub>0</sub>	.	0.39	0.37	0.39
Initial Degree of Saturation	S <sub>o</sub>	(%)	72	75	73

Final Conditions			1	2	3
Max Deviator Stress	(σ <sub>1</sub> - σ <sub>3</sub> ) <sub>f</sub>	(kPa)	1112.30	3393.46	1884.24
Membrane Correction	m <sub>c</sub>	(kPa)	1.113	0.948	1.102
Strain At Max Stress	ε <sub>f</sub> %	(%)	2.75	2.36	3.65
Shear Strength	c <sub>u</sub>	(kPa)	556.15	1696.73	942.12
Final Moisture	ω <sub>f</sub> %	(%)	10	10	11
Final Dry Density	ρ <sub>df</sub>	(Mg/m <sup>3</sup> )	1.86	1.89	1.85
Final Voids Ratio	e <sub>f</sub>	.	0.38	0.37	0.39
Final Degree of Saturation	S <sub>f</sub>	(%)	70.2	73.4	73.8

Remarks :

Page: 1 of 2

Form: Triax 3 - UU Program: Clisp Studio

*Atkinson*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.



# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park,0184  
P.O. BOX 912387 SILVERTON 0127


Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS


### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16-66	HOLE NO:	TP 20	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Total Stress Mohr Circle



Stress Strain Graph



Remarks :

Page: 2 of 2

Form: Triax 3 - UU Program: Clisp Studio

*AK*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
 This report may only be reproduced in full without any omission.  
 Sections may only be reproduced with written approval from Matrolab Group.

## APPENDIX C



Table 1: Correlation chart of maximum bearing stress (allowable bearing capacity) of rocks and soil materials

Category	Types of rocks and soils	Presumed bearing value kPa
Non-cohesive soils	Dense gravel or dense sand and gravel	>600
	Medium dense gravel, or medium dense sand and gravel	<200 to 600
	Loose gravel, or loose sand and gravel	<200
	Compact sand	>300
	Medium dense sand	100 to 300
	Loose sand	<100 <i>depends on degree of looseness</i>
Cohesive soils	Very stiff bolder clays & hard clays	300 to 600
	Stiff clays	150 to 300
	Firm clay	75 to 150
	Soft clays and silts	< 75
	Very soft clay	Not applicable
Peat		Not applicable
Made ground		Not applicable

L1-Gamula

# SOIL TESTING SERVICES

## GEOTECHNICAL REPORT – GAMULA

CONSTRUCTION OF NEW SECONDARY SCHOOLS AND UP-  
GRADING OF FACILITIES IN EXISTING SECONDARY  
SCHOOLS AIMED AT PROMOTING INCLUSIVE  
EDUCATION IN THE KINGDOM OF SWAZILAND

FOR

MATSUDA CONSULTANTS INTERNATIONAL CO. LTD



Lot 321, Samora Machel Street  
P.O. Box A233  
Swazi Plaza  
Mbabane H101  
Swaziland

MARCH 2016

## TABLE OF CONTENTS

GEOTECHNICAL REPORT .....	2
1.0 INTRODUCTION .....	2
2.0 SCOPE OF WORK .....	2
3.0 SITE DESCRIPTION .....	2
Location and Topography .....	2
Rainfall and Drainage .....	2
Access .....	3
4.0 GENERAL GEOLOGY OF SITE .....	3
5.0 GEOTECHNICAL FIELD INVESTIGATIONS AND LABORATORY TESTING .....	4
Methods of Investigation and Testing .....	4
6.0 INTERPRETIVE INFORMATION .....	7
Site stratigraphy .....	7
Materials .....	7
7.0 CONCLUSION AND RECOMMENDATIONS .....	9
GENERAL NOTES ON THE REPORT .....	11
APPENDIX A .....	12
APPENDIX B .....	16

# GEOTECHNICAL REPORT – GAMULA

## 1.0 INTRODUCTION

This report is based on the Preparatory Survey on “the Project for the Construction of New Secondary Schools and Upgrading of Facilities in Existing Secondary Schools aimed at Promoting Inclusive Education” based upon request from the Government of Swaziland to the Japan International Cooperation Agency (JICA). The survey is to obtain geotechnical data and information at Gamula, southeastern Swaziland, where the proposed Gamula High School will be constructed, for the design of earthworks, foundation and structures of the buildings.

## 2.0 SCOPE OF WORK

The following activities were expected to be executed in the cause of the study.

### (1) Field works on each site

- Dynamic Cone Penetration test (DCP)  
Nine (09) points, depth up to Two (02) m from the ground level
- Soil Sampling
- Percolation Test Two (02) points

### (2) Laboratory testing (for each sample)

- Triaxial Compression Test
- Moisture Density Test
- Particle Size Analysis
- Atterberg limit test

## 3.0 SITE DESCRIPTION

### Location and Topography

The new school site is located in an area a bit remote of the residential areas of Gamula a few kilometers from Big Bend. The area is currently used as grazing land for the community. During the site investigation there was no grass cover and the main vegetation is thorny shrubs and dry land vegetation.

The topography of the school site is generally defined by a gentle hill slope facing to the west.

### Rainfall and Drainage

Gamula receives lies in the Lowveld climatic zone of the country on the leeward side of the Lubombo escarpment. It lies about 170m above sea level and it is a summer rainfall area with rainfall falling between October and March. It experiences least rainfall in Swaziland with an annual average of 400 mm. It is thus semi-arid with dry climate conditions and temperatures range between 15 to more than 40 degrees Celsius in summer.

The hill slope has no scour surface or stream bed. The only water course is to the west beyond the western boundary. This is expected to carry flood water and serves as an ephemeral stream. Source of water is a community water scheme.

#### **Access**

The main road running close to the area is the MR8 running between Lavumisa and Big Bend, about 6km from Matata junction. A community road leads from MR8 through the residential areas into a motorable track with no wearing course that serves the community water reservoir. It is expected to offer some challenges during the rainy season with the clayey soil found along the track.

#### **4.0 GENERAL GEOLOGY OF SITE**

The site at Gamula is underlain by rhyolitic/rhyodacitic rocks that are interlayered with basalts. No clear *in situ* rocks could be found but the boulders common in the area are pale maroon-brown in colour, but on fresh surfaces are pale reddish or drab green. Randomly oriented insets, usually composed of oligoclase-andesine and orthoclase, are a common feature in the rock. Further, there is augite, titaniferous magnetite and quartz present as coarse-grains set in fine-grained matrix.

The basalt is composed of laths of feldspar and ragged grains of amphibole in which the cores of pyroxene are sometimes present. They may be defined by drab, olive green basalt with small, pea-like amygdales of the Karoo Supergroup. Magnetite is usually abundant and areas of pale green, devitrified basaltic glass are common.

The general structural dip of the Karoo Supergroup is eastwards, and the rocks commonly dip between 25° and 35°. The area within the boundary is unaffected by faulting. However, the western limit of the area suggests a zone of weakness as manifest by the valley.

A scanned and cropped geological map of the area is presented in Appendix A. It is taken from a 1:50 000 geological map sheet 26 (2531 DD) published by the Swaziland Geological Survey Department

## 5.0 GEOTECHNICAL FIELD INVESTIGATIONS AND LABORATORY TESTING

### Methods of Investigation and Testing

Field investigations, sampling and laboratory testing has been designed to provide information as follows:

#### Trial Pits

Three Trial Pits (TP) were excavated at positions determined by the client with pits attaining some depth of 1.7m using a Tractor Loader Backhoe (TLB), 4x4 capability with 600mm bucket width and flywheel power rating of at least 70kW. The aim of the excavation of the trial pits was to determine the soil stratigraphy, and extraction of soil samples.

All test pits had stable walls and were profiled using profiling standard procedure outlined in the Association of Engineering Geologists (South African Section), 'Guidelines for soil and rock logging in SA' (1990). Representative soil samples were taken from the soil profile for laboratory testing. Bulk samples of the residual soil material were taken; topsoil and sub-soil layers were recorded and are shown in detail in Trial Pit profiles. The stratigraphy revealed by each pit was carefully logged with special notes taken of the thickness and conditions of the various layers.

#### Dynamic Cone Penetration Test (DCP)

Dynamic Cone Penetrometer (DCP) tests were conducted at 9 positions around the site. The exact locations of all DCP tests carried out were performed at positions determined by Matsuda Consultants International Co., Ltd.

Prior to the performance of a series of tests, the zero reading of the penetrometer was determined. The dynamic penetrometer tests were then performed by taking readings of cone penetration after a number of blows depending on the consistency of the layer being penetrated. The tests were terminated at maximum depths of 2000mm wherever possible.





FIGURE ST6/I THE DYNAMIC CONE PENETROMETER

### Percolation Test

The percolation test consist of digging a 300 mm diameter hole to the stratum for which information is required, cleaning and backfilling the bottom with coarse sand or gravel, filling the hole with water and providing a soaking period of sufficient length to achieve saturation. During the soaking period, water is added as necessary to prevent loss of all water. The percolation rate is then obtained by filling the hole to a prescribed water level and measuring the drop in water level over a set time. The times required for soaking and for measuring the percolation rate vary with the soil type.



**Figure 2.** Cross section of percolation test pit

### Laboratory Testing

Laboratory tests were performed by Soil Testing Services (Pty) Ltd in Mbabane. As specified by Matsuda Consultants International Co., Ltd this testing comprised of foundation indicator testing only.

The following laboratory tests were executed for the preliminary design:


- determination of grain size distribution
- determination of natural moisture content
- determination of Atterberg limits
- execution of Proctor tests (moisture density relation, MDD/OMC)

### Stress Triaxial Stress Tests: Unconsolidated - Undrained (BS 1377-7:1990 Clause 7)

Stress Triaxial Stress Tests were conducted at Metrolab Group, Republic of South Africa according to the standard **BS 1377-7:1990 Clause 7**. This involved subjecting a cylindrical soil sample to radial stresses (confining pressure) and controlled increases in axial stresses or axial displacements. The



cylindrical soil specimen was of ~50mm diameter and ~100mm height dimension. As this is cohesive soil samples were prepared directly from saturated compacted samples, either undisturbed or remolded. The specimen was vertically enclosed with a thin rubber membrane and placed between two rigid ends inside a pressure chamber. The upper plate can move vertically and apply vertical stresses to the specimen. The axial strain/stress of the sample is controlled through the movement of this vertical axis. Also, the confining pressure is controlled by the water pressure surrounding the sample in the pressure chamber. The volume change of the sample is also controlled by measuring the exact volume of moving water.



## 6.0 INTERPRETIVE INFORMATION

### Site stratigraphy

The stratigraphy of the Gamula High School site can be summarized as colluvial and residual soils. Colluvial soils on the site generally consist of about 500mm thick layer of very dry dark brown topsoil. This is gravity transported soil. At TP 162 another layer of about 600mm defines the lower limit of colluvial soils, and consists of very dry, very dense, sandy clay. It is pale red in colour.

Colluvial soils directly overly residual soils that are derived from moderately weathered rhyolitic/rhyodacitic rock. This soil is dry, very dense, coarse gravel and the material displays lateral variation in colour from dark reddish brown to light brown.

### Materials

The table below summarizes some of the laboratory test results and the complete test results are presented in Appendix B

Test Pit No.	Sample no & depth(m)	Horizon	O.M.C%	LL	PI	Shrinkage	Soil Class AASHTO
162	1.2-1.7	Residual rhyolite	12.6	42	17	4.5	A-2-7(0)
163	1.0-1.5	Residual rhyolite	8.1	21	10	0.0	A-2-7(0)
164	0.5-1.6	Residual rhyolite	9.8	45	20	6.0	A-2-7(0)

## Engineering Geological Evaluation

### Groundwater

Groundwater inflow was not encountered in any of the excavated test pits. It is, generally, not expected to find groundwater at shallow levels on rhyolites as they are not good aquifers. Water strikes are known at great depth.

### Expansive soils

No soils susceptible to swelling or heaving were encountered on site, and problematic movements associated with expansion are not expected.

From the Foundation Indicator tests carried out all the horizons tested displayed a “low” to “medium” potential for expansiveness classification.

### Potentially Collapsible Soils

The soil horizons encountered are not considered to be collapsing in nature. It is, therefore, not anticipated that any special precautions will need to be taken with regard to collapsible soils.

### Percolation Rate

The soils in this area are suitable for a normal French drain. Both percolation tests positions displays good seepage and as such are suitable for normal French drain development.

### Bearing Capacity

The laboratory triaxial compression tests the Boyane High School site with unconsolidated undrained (UU) shear strength ( $c_u$ ) of between 987kPa and 1389kPa display allowable bearing capacity of between an estimated 1691kPa and 2380kPa. Based on the correlation chart (Appendix C) of maximum bearing stress that can be applied to the foundation such that it is safe against instability due to shear failure the site’s allowable bearing capacity is highly safe for building development.

From the field Dynamic Cone Penetrometer (DCP) tests, for most of the tests it, also, reveals safe bearing capacities by the very coarse gravel, well above the 79kPa for single story buildings. No certain precautions need to be taken during designing the foundation.

The residual soil is relatively homogenous, and is marked by coarse gravel at variable depths. There buildings will have to be founded at depths of 800 to 1000mm and the common shallow refusals at this area suggest that excavations have to be performed mechanically.

### **Excavability**

Trial Pit 163 experienced excavation refusal whereas the other two did not. DCP on the other hand experienced refusals at ca.400mm. This indicates that during excavations for foundations it could be difficult to achieve depths beyond 500mm by hand digging. No instabilities were recorded during the excavation of the test pits which further suggests that excavations may safely be conducted without the need for lateral support, if of a temporary nature (during construction) and in the dry season.

### **Seismicity**

One type of seismic activities occurs in Swaziland, and that is natural seismic activity. There is no mining-induced seismic activity. In accordance with the Seismic Hazard Zone map contained in the draft SANS 10160-4, southern Swaziland is classified as Zone 1 and is subject to natural seismic activity only. Gamula area is to the east-central part of Swaziland and as such falls outside this area. The South African “loading” code, SABS 0160-4:2011, shows that Gamula is situated in an area where the peak ground acceleration with a 10% probability of being exceeded in a 50 year period is just less than 100 cm/sec<sup>2</sup>.

The soil profile of the site can be described as very dense, coarse to very coarse gravel with average shear strength between 987kPa and 1389kPa  $c_u$ . The area can be identified as Ground Type2. A  $v_s$  profile at the site is, however, “the most reliable predictor of the site dependent characteristics of the seismic action at stable sites”, and is lacking to conclusively predicts the ground seismicity.

## **7.0 CONCLUSION AND RECOMMENDATIONS**

- The absence of rock outcrop on the site suggests that bedrock will only be present at depth. The bedrock surface is likely to be undulatory and, therefore, highly variable in depth.
- No special precaution has to be taken with regards to dampness as no water seepage was experienced in any of the Trial Pits.

- The soils are of intermediate plasticity and it is expected that they will be prone to erosion. Precaution is expected to be taken during site clearing to avoid excessive soil erosion.

### **Building Foundations**

The sandy clay in the site has a far more safe allowable bearing capacity and can support any building development of 2380kPa whereas the gravels are at 1691kPa.

It is recommended that foundations be placed on the residual soil, at depths of 800 to 100mm, to avoid the colluvial soil material.

From the Foundation Indicator tests carried out all the horizons tested displayed a “low” to “medium” potential for expansiveness classification. As the soils are not susceptible to swelling or heaving it is not expected that significant swell-shrink movement of the footing will occur, and it is recommended that foundations be placed on the residual soil at any desirable depth.

Despite the low expansive potential of the soils it is worth taking the following precautions:

- Attention to proper site drainage and storm water runoff management is essential to prevent ponding of water near structures.
- Water supply pipes and sewers must be maintained and leaks or blockages timeously detected and repaired.
- No water loving vegetation or large trees may be allowed to grow within 15m of any structure and it is not recommended to allow gardening directly around the structures. Instead concrete aprons should be installed to prevent wetting of foundations.

### **Parking Areas and Roadways**

The material quality at surface display a good bearing capacity from DCP analyses and for the construction of parking and roadways can easily be stabilized and paved. It can be used for subgrade material as well as in the formation (fill) required for roads. It is recommended that material for pavements layers required for road works be imported from outside the site.

#### **NOTE:**

- Additional investigations or at least an assessment of the ground conditions exposed during construction can often result in significant construction cost and time savings.

## GENERAL NOTES ON THE REPORT

The information and recommendations contained within this report relate to data supplied by Soil Testing Services, comprising test pit profiles, DCP penetration data, soil percolation test results and soil grading tests.

The report has been compiled on the assumption that all the data supplied by Soil Testing Services (and the assumptions made in this report where this supplied data is inadequate) is correct and is generally representative of the site area.

Prepared for Geo Solutions

A handwritten signature in black ink, appearing to read 'Noah Nhleko', enclosed within a circular scribble.

NOAH NHLEKO  
BSc (Biology & Chemistry); PhD Geology

## APPENDIX A



A) Tractor Loader Backhoe (TLB)




B) Typical Trial Pit

**SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD**  
P.O. BOX A233, SWAZI PLAZA  
TEL: 404 1956, 404 2227  
**SOIL LABORATORY**

**Site Name :**  
L1  
GAMULA  
**Region :**  
Lumbobo  
**Contact Person**  
Mr. MRONGENI NDZINISA  
Cel: 7621 3156

**Other information**  
The boundary of the site is indicated by blue line. All boundary points have been staked by white painted timbers. If you contact to the person mentioned above, they show you the boundary points.

While the Japanese consultant team inspected two pit (No. 162 and 163), the Surveyor should excavate three pits indicated in the map.




Boundary Point	Latitude / Longitude	Note
156	S26 55.180 E31 57.950	Reference of boundary point
157	S26 55.080 E31 57.911	Ditto
159	S26 55.039 E31 57.700	Ditto
160	S26 55.187 E31 57.670	Ditto

Boundary Point	Latitude / Longitude	Note

A-254








GAMULA

K4Lr	Rhyolitic and rhyodacitic ignimbrites and tuffs	Lebombo Stage	STORMBERG SERIES
K4Q2	Tuffaceous sandstone		
K4Lr	Rhyolite with quartz insets		
K4Ld	Dacite	Drakensberg Stage	
K4Lb	Basalt		
K4Lb	Basalt with large feldspars		
K4Q1	Tuffaceous sandstone, tuff	Cave Sandstone Stage	
K4c	Sandstone		
K4r	Shale, mudstone		
K4m	Sandstone with minor shale partings	Red Beds Stage	
K3		Molteno Stage	
			BEAUFORT

## **APPENDIX B**


Project	Trial Pit No.	Location			Date		
Matsuda	TP 162	Gamula			30/11/2015		
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizon	Topsoil	540	0-540		dark brown		very dry
	sandy clay	630	540-1170		pale red	very dense	Very dry
	coarse gravel, Moderately weathered rock, rhyodaciti/rhyolitic rock	530	1170-1700		light brown	very dense	Very dry

Project	Trial Pit No.	Location			Date		
Matsuda	TP 163	Gamula			30/11/2015		
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizon	Topsoil	500	0-500		dark brown		very dry
	very course gravel, Moderately weathered rock, rhyodacitic/rhyolitic rock  REFUSAL	530	500-1030		dark reddish brown		Dry


Project	Trial Pit No.	Location		Date			
Matsuda Consultant Co. Ltd	TP 164	Gamula		30/11/2015			
Material and Soil Description							
Layer	Stratigraphy	Thickness mm	Depth mm	Layer scheme	Color	Consistency	Moisture
Soil Horizon	Topsoil	440	0-440		dark brown		very dry
	very coarse gravel, Moderately weathered rock, rhyodaciti/rhyolitic rock	760	440-1600		dark reddish brown	very dense	Very dry

FOUNDATION INDICATOR RESULTS					
Client	Matsuda Consultants International	Sample no.	T.P. 162	Date	
Project	Gamula High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	100
26.5	87
19.0	80
13.2	69
4.75	39
2.00	27
0.425	18
0.075	15




ATTERBERG LIMITS AND OTHER RESULTS




Liquid Limit (LL)	42
Plastic Index (PI)	17
Linear Shrinkage	4.5
Grading Modulus	2.4
Natural Moisture Content	12.6
PI of whole sample	
AASTHO Classification	A-2-7(0)
TRH 14	

FOUNDATION INDICATOR RESULTS					
Client	Matsuda Consultants International	Sample no.	T.P. 163	Date	
Project	Gamula High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	
37.5	100
26.5	97
19.0	81
13.2	72
4.75	59
2.00	42
0.425	18
0.075	5




ATTERBERG LIMITS AND OTHER RESULTS




Liquid Limit (LL)	21
Plastic Index (PI)	10
Linear Shrinkage	0.0
Grading Modulus	2.35
Natural Moisture Content	8.1
PI of whole sample	
AASTHO Classification	A-2-4(0)
TRH 14	

FOUNDATION INDICATOR RESULTS					
Client	Matsuda Consultants International	Sample no.	T.P. 164	Date	
Project	Gamula High School	Sample Depth		Client	

sieve size mm	Percentage passing
75	
53.0	100
37.5	95
26.5	82
19.0	54
13.2	46
4.75	39
2.00	26
0.425	16
0.075	14



ATTERBERG LIMITS AND OTHER RESULTS



Liquid Limit (LL)	45
Plastic Index (PI)	20
Linear Shrinkage	6.0
Grading Modulus	2.44
Natural Moisture Content	9.8
PI of whole sample	
AASTHO Classification	A-2-4(0)
TRH 14	



SOIL TESTING SERVICES  
MATSUDA CONSULTANTS INTERNATIONAL  
GAMULA NEW HIGH SCHOOL  
DCP TEST RESULTS

2/1/2016

DCP (1)

Depth (mm)	NGL		
	No. Blows	mm/blows	kPa
0	0		
100	29	3	1721
200	21	5	1118
300	25	7	853
400			
500			

DCP (2)

Depth (mm)	NGL		
	No. Blows	mm/blows	kPa
0	0		
100	15	7	721
200	23	4	1258
300	25	4	1402
400	36	8	771
500			

DCP (3)

Depth (mm)	NGL		
	No. Blows	mm/blows	kPa
0	0		
100	7	14	268
200	15	7	721
300	25	4	1402
400	26	1	5353
500			

DCP (4)

Depth (mm)	NGL		
	No. Blows	mm/blows	kPa
0	0		
100	12	8	340
200	19	5	381
300	26	4	1402
400	25	4	1402
500	28	2	3638
600			

DCP (5)

Depth (mm)	NGL		
	No. Blows	mm/blows	kPa
0	0		
100	2	50	52
200	128	1	16733
300	28	3	1704
400	38	4	1402
500			

DCP (6)

Depth (mm)	NGL		
	No. Blows	mm/blows	kPa
0	8		
100	8	17	219
200	20	5	1848
300	25	4	1402
400	25	1	11382
500			

DCP (7)

Depth (mm)	NGL		
	No. Blows	mm/blows	kPa
0	0		
100	3	33	85
200	14	7	803
300	26	4	1476
400	29	4	1209
500			

DCP (8)

Depth (mm)	NGL		
	No. Blows	mm/blows	kPa
0	0		
100	8	17	219
200	25	4	1402
300	26	4	1476
400	38	3	2038
500			

DCP (9)

Depth (mm)	NGL		
	No. Blows	mm/blows	kPa
0	0		
100	3	11	371
200	20	5	1848
300	29	3	1704
400	30	3	1778
500	29	0	35018
600			

SOIL TESTING SERVICES  
(SWAZILAND) (PTY) LTD  
BOX A233, SWAZI PLAZA  
TEL: 404 1956, 404 2227  
SOIL LABORATORY

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS

CLIENT: Soil Testing Services SWD (PTY) Ltd  
ADDRESS: P.O. Box A233  
Swazi Plaza  
Attention: Thulani Vilakati

Project: Japanese Schools  
Gamula  
Your Ref:  
Our Ref: 117 626  
Date Reported: 15 March 2016

### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16_64	HOLE NO:	TP163	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Specimen Details			1	2	3
Initial Sample Length	L <sub>0</sub>	(mm)	100.6	98.9	100.5
Initial Sample Diameter	D <sub>0</sub>	(mm)	49.7	50.0	49.9
Initial Sample Weight	W <sub>0</sub>	(gr)	379.5	379.5	380.1
Initial Bulk Density	ρ <sub>0</sub>	(Mg/m <sup>3</sup> )	1.94	1.95	1.93
Particle Density	ρ <sub>s</sub>	(Mg/m <sup>3</sup> )	2.48	2.48	2.48

Initial Conditions			1	2	3
Initial Cell Pressure	σ <sub>3</sub>	(kPa)	50	100	200
Strain Rate	m <sub>s</sub>	(mm/min)	0.07500	0.07500	0.07500
Membrane Thickness	m <sub>b</sub>	(mm)	0.30	0.30	0.30
Initial Moisture	ω <sub>i</sub> %	(%)	9.00	9.00	9.00
Initial Dry Density	ρ <sub>d0</sub>	(Mg/m <sup>3</sup> )	1.78	1.79	1.77
Initial Voids Ratio	e <sub>0</sub>	.	0.39	0.38	0.40
Initial Degree of Saturation	S <sub>0</sub>	(%)	57	58	56

Final Conditions			1	2	3
Max Deviator Stress	(σ <sub>1</sub> - σ <sub>3</sub> ) <sub>f</sub>	(kPa)	2244.08	2491.46	3600.38
Membrane Correction	m <sub>c</sub>	(kPa)	1.012	1.089	1.020
Strain At Max Stress	ε <sub>f</sub> %	(%)	2.80	3.51	2.90
Shear Strength	c <sub>u</sub>	(kPa)	1122.04	1245.73	1800.19
Final Moisture	ω <sub>f</sub> %	(%)	9.10	8.98	9.09
Final Dry Density	ρ <sub>df</sub>	(Mg/m <sup>3</sup> )	1.78	1.79	1.77
Final Voids Ratio	e <sub>f</sub>	.	0.39	0.38	0.40
Final Degree of Saturation	S <sub>f</sub>	(%)	57.6	58.1	56.4

Remarks :

Page: 1 of 2

Form: Triax 3 - UU Program: Clisp Studio

*A. Keizer*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127


Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS


### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16 64	HOLE NO:	TP163	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Total Stress Mohr Circle



Stress Strain Graph



Remarks :

Page: 2 of 2

Form: Triax 3 - UU Program: Clisp Studio

*A. K. E. K.*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

# MATROLAB GROUP (PTY.) LTD.

## - CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park, 0184  
P.O. BOX 912387 SILVERTON 0127

Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

### TEST RESULTS

CLIENT: Soil Testing Services SWD (PTY) Ltd  
ADDRESS: P.O. Box A233  
Swazi Plaza  
Attention: Thulani Vilakati

Project Japanese Schools  
Gamula  
Your Ref  
Our Ref 117 626  
Date Reported 14 March 2016

### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16_65	HOLE NO:	TP 164	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Specimen Details			1	2	3
Initial Sample Length	L <sub>0</sub>	(mm)	101.1	100.9	100.8
Initial Sample Diameter	D <sub>0</sub>	(mm)	50.3	50.1	50.3
Initial Sample Weight	W <sub>0</sub>	(gr)	433.1	434.3	434.6
Initial Bulk Density	ρ <sub>0</sub>	(Mg/m <sup>3</sup> )	2.16	2.18	2.17
Particle Density	ρ <sub>s</sub>	(Mg/m <sup>3</sup> )	2.58	2.58	2.58

Initial Conditions			1	2	3
Initial Cell Pressure	σ <sub>3</sub>	(kPa)	50	100	200
Strain Rate	m <sub>s</sub>	(mm/min)	0.10000	0.10000	0.10000
Membrane Thickness	m <sub>b</sub>	(mm)	0.30	0.30	0.30
Initial Moisture	ω <sub>i</sub> %	(%)	9.80	9.80	9.80
Initial Dry Density	ρ <sub>d0</sub>	(Mg/m <sup>3</sup> )	1.96	1.99	1.98
Initial Voids Ratio	e <sub>0</sub>	.	0.31	0.30	0.31
Initial Degree of Saturation	S <sub>o</sub>	(%)	81	85	83

Final Conditions			1	2	3
Max Deviator Stress	(σ <sub>1</sub> - σ <sub>3</sub> ) <sub>f</sub>	(kPa)	1586.62	1806.30	2528.12
Membrane Correction	m <sub>c</sub>	(kPa)	1.053	0.884	0.923
Strain At Max Stress	ε <sub>f</sub> %	(%)	2.25	1.83	2.17
Shear Strength	c <sub>u</sub>	(kPa)	793.31	903.15	1264.06
Final Moisture	ω <sub>f</sub> %	(%)	9.90	10	9.94
Final Dry Density	ρ <sub>df</sub>	(Mg/m <sup>3</sup> )	1.96	1.98	1.97
Final Voids Ratio	e <sub>f</sub>	.	0.32	0.30	0.31
Final Degree of Saturation	S <sub>f</sub>	(%)	81.0	86.7	83.6

Remarks :

Page: 1 of 2

Form: Triax 3 - UU Program: Clisp Studio

  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

# MATROLAB GROUP (PTY.) LTD.

- CIVIL ENGINEERING SERVICES -

Reg No.: 2003/029180/07 VAT Reg No.: 4040210587

256 Brander street, Jan Niemand Park,0184  
P.O. BOX 912387 SILVERTON 0127


Tel. : 012-800 1299  
Fax. : 012-800 3034  
Email : aukek@matrolab.co.za

## TEST RESULTS


### TOTAL STRESS TRIAXIAL TEST: UNCONSOLIDATED UNDRAINED (BS1377-7 : 1990 : Clause 7)

SAMPLE NO.	G16 65	HOLE NO:	TP 164	DEPTH (m):	JOB NO:	117 626
DESCRIPTION:						

Total Stress Mohr Circle



Stress Strain Graph



Remarks : 0

Page: 2 of 2

Form: Triax 3 - UU Program: Clisp Studio

*M. K. J. S.*  
for MATROLAB GROUP (PTY) LTD.

Results only have bearing on the samples tested.  
This report may only be reproduced in full without any omission.  
Sections may only be reproduced with written approval from Matrolab Group.

## APPENDIX C

Table 1: Correlation chart of maximum bearing stress (allowable bearing capacity) of rocks and soil materials

Category	Types of rocks and soils	Bearing value (kPa)
Non-cohesive soils	Dense gravel or dense sand and gravel	>600
	Medium dense gravel, or medium dense sand and gravel	<200 to 600
	Loose gravel, or loose sand and gravel	<200
	Compact sand	>300
	Medium dense sand	100 to 300
	Loose sand	<100 <i>depends on degree of looseness</i>
Cohesive soils	Very stiff bolder clays & hard clays	300 to 600
	Stiff clays	150 to 300
	Firm clay	75 to 150
	Soft clays and silts	< 75
	Very soft clay	Not applicable
Peat		Not applicable
Made ground		Not applicable