

ザイール共和国
マタディ橋梁建設計画調査報告書


橋梁上部工数量計算書

昭和53年5月

国際協力事業団

ザイール共和国
マタディ橋梁建設計画調査報告書

橋梁上部工数量計算書



昭和 53 年 5 月

国際協力事業団

国際協力事業団	
受入 月日	
登録No.	

目 次

1 重量総括表	3 ページ
2 床 組	4 "
3 補剛トラス	36 "
4 ケーブル	140 "
5 塔	144 "
6 附属品	172 "

国際協力事業団	
受入 '84. 4. 11 月日	532
登録No. 03205	61.5
	SDS

1. 重量 總 括 表

名 称		重量 (kg)
吊 構 造	床 組	2 933 495 (3 424 144)
	補剛トラス	4 359 574
	計	7 303 159 (7 793 818)
ケ - フ ル		2 279 398
塔		2 226 025
附 属 品		85 937 (193 341)
合 計		11 894 530 (12 492 583)

注): () 寸 数字は 鉄道縦桁
及 管理路を含む

2 吊 構 造 部

(1) 床 組

名 称		重 量 (kg)
鋼 床 版	本 体	1,932,286
	添 接 板	289,831
	小 計	2,222,117
床 ト ラ ス	本 体	593,082
	添 接 板	118,295
	小 計	711,378
※鉄 道 縦 桁	本 体	447,542
	添 接 板	19,672
	支 承 首	23,335
	小 計	(490,549)
合 計		2,993,495 (3,424,144)

※ () 内 数 字 は 鉄 道 縦 桁 と 合 計

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2		鐵道緩衝本体		.		
3		(ST-1)		.		
4	R	370 . 25	3.200	4	. 929 U.Flg	SM41B
5	"	370 . 28	6.158	2	1.002 "	SM41C
6	"	" .	6.022	2	. 979 "	"
7	"	" .	2.592	2	. 422 "	"
8	"	" .	2.548	2	. 414 "	"
9	"	370 . 25	6.075	2	882 .	SM41B
10		.				
11	"	1200 . 9	9.358	2	1.587 Web	SM41A
12	"	" .	9.222	2	1.564 "	"
13	"	" .	11.917	2	2.021 "	"
14	"	" .	8.623	2	1.462 "	"
15		.				
16	"	370 . 25	3.200	4	. 929 L.Flg.	SM41B
17	"	370 . 32	6.158	2	1.145 "	SM41C
18	"	" .	6.022	2	1.119 "	"
19	"	" .	2.592	2	. 482 "	"
20	"	" .	2.548	2	. 474 "	"
21	"	370 . 25	6.075	2	882 "	SM41B
22		.				
23	"	120 . 22	1.200	8	. 199 V.Stiff	"
24	"	140 . 32	1.200	8	. 338 "	SM41C
25	"	90 . 9	1.200	48	. 366 "	SS41
26	"	130 . 11	1.200	36	. 485 "	"
27	"	200 . 32	. 318	4	. 64 Sole	SM41C
28	"	300 . 22	. 498	2	. 52 "	SM41B
29	"	" .	. 418	2	. 43 "	"
30		.				
31		.				
32		.		$\Sigma = 17.840$		
33		.		$20 \Sigma = 35.680$		
34		.				
35		SM.41C	. R	1 = 32	7.244	$\Sigma = 12.878$
36		"	"	" 28	5.634	)
37		SM.41B	. R	1 = 25	7.244	$\Sigma = 7.832$
38		"	"	" 22	. 588	)
39		SM.41A	. R	1 = 9	13.268	
40		SS.41	. R	1 = 11	970	$\Sigma = 1.702$
41		"	"	" 9	. 732	)
42		.				

種別	寸	法	数量	重量 (kg)	摘要	材質
1		.		.		
2		(ST-2) .		.		
3	皮	370 . 25	3.200	4	. 929 U.F/g	SM41B
4	"	370 . 28	6.022	4	1. 959 "	SM41C
5	"	" .	2.548	4	. 829 "	"
6	"	" .	9.325	4	3. 033 "	"
7	"	" .	9.750	2	1. 586 "	"
8	"	1.200 . 9	9.222	4	3. 127 Web	SM41A
9	"	" .	11.873	4	4. 026 "	"
10	"	" .	9.750	2	1. 653 "	"
11	"	370 . 25	3.200	4	. 929 L.F/g	SM41B
12	"	370 . 32	6.022	4	2. 239 "	SM41C
13	"	" .	2.548	4	. 947 "	"
14	"	370 . 25	9.325	4	2. 708 "	SM41B
15	"	" .	9.750	2	1. 416 "	"
16	"	120 . 22	1.200	8	. 199 V.Stiff.	"
17	"	140 . 32	1.200	12	. 506 "	SM41C
18	"	90 . 9	1.200	64	. 488 "	SS41
19	"	130 . 11	1.200	48	. 647 "	"
20	"	300 . 32	.318	4	. 76 Sole	SM41C
21	"	300 . 22	.498	2	. 52 "	SM41B
22	"	" .	.418	4	. 87 "	"
23		.	.	.		
24		.	.	.		
25		.	.	$\Sigma = 27.456$		
26		.	.	$12 @ \Sigma = 329.472$		
27		.	.	.		
28	SM.41C	. 皮	t=32	45.456	} = 134.340	
29	"	"	" 28	82.884		
30	SM.41B	. 皮	t=25	71.784	} = 75.840	
31	"	"	" 22	4.056		
32	SM.41A	. 皮	t=9	105.672		
33	SS.41	. 皮	t=11	7.764	} = 13.620	
34	"	"	" 9	5.856		
35		.	.	.		
36		.	.	.		
37		.	.	.		
38		.	.	.		
39		.	.	.		
40		.	.	.		
41		.	.	.		
42		.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1		.		.		
2		(対傾構.)	.	.		
3	L	130 × 130 . 9	. 861	14	. 216	17.9% 端支点 SS41
4	"	100 × 100 . 10	. 861	14	. 180	14.9 " "
5	"	" .	. 680	28	. 284	" " "
6	R	200 . 9	. 230	28	. 91	GUSS. " "
7	"	300 . 9	. 300	14	. 89	" " "
8	"	200 . 9	. 280	28	. 111	" " "
9	H.T.B.	M22 .	. 75	168	. 96	0.570% 本 " FIOT
10		.	.	.		
11	L	130 × 130 . 9	. 821	20	. 294	17.9% 中間支点 SS41
12	"	100 × 100 . 10	. 821	20	. 245	14.9 " "
13	"	" .	. 680	40	. 405	" " "
14	R	200 . 9	. 230	40	. 130	GUSS. " "
15	"	300 . 9	. 300	20	. 127	" " "
16	"	200 . 9	. 280	40	. 158	" " "
17	H.T.B.	M22 .	. 85	240	. 144	0.600% 本 " FIOT
18		.	.	.		
19	L	90 × 90 . 10	. 921	270	3.307	13.3% 中間部 SS41
20	"	" .	. 720	270	2.586	" " "
21	R	230 . 9	. 280	270	1.228	GUSS. " "
22	"	200 . 9	. 230	270	. 877	" " "
23	"	250 . 9	. 300	135	. 715	" " "
24	H.T.B.	M22 .	. 60	1,620	. 850	0.525% 本 " FIOT
25		.	.	.		
26		.	.	.		
27		.	.	Σ =	12, 133	
28		.	.	20% =	24 266	
29		.	.	.	.	
30		SS41	. R	t = 9	7.052	
31		SS41	L. 130 × 130 . 9	1.020		
32		"	L. 100 × 100 . 10	2.228	r = 15 034	
33		"	L. 90 × 90 . 10	11 786		
34		FIOT	. H.T.B. M22	2.180	(4056本)	
35		.	.	.		
36		.	.	.		
37		.	.	.		
38		.	.	.		
39		.	.	.		
40		.	.	.		
41		.	.	.		
42		.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質	
1		.		.			
2		(上、下横構)	.	.			
3	L	90、90・10	1.180	14	. 220	13.3 ^{kg} / _m	SS41
4	"	"	1.300	155	2.680	"	"
5	"	"	1.230	135	2.208	"	"
6	"	"	1.170	20	. 311	"	"
7	⌀	380・9	.470	14	. 177	GUS	"
8	"	350・9	.360	14	. 93	" (0.75)	"
9	"	360・9	.640	135	2.197	"	"
10	"	350・9	.330	135	. 716	" (0.65)	"
11	"	390・9	.670	20	.369	"	"
12	"	350・9	.380	20	. 141	" (0.75)	"
13	"	250・9	.490	162	1.402	"	"
14	H.T.B.	M22・	. 60	2.938	1.542	2.525 ^{kg} / _{1/2}	F10T
15		.	.	.			
16		.	.	.			
17		.	.	Σ =	12.056	.	
18		.	.	40Σ =	48.224		
19		.	.	.			
20		SS41	. ⌀	t = 9	20.380		
21		"	L 90×90・10		21.676		
22		F10T	. H.T.B.	M22	6.168	(11.752本)	
23		.	.	.			
24		.	.	.			
25		.	.	.			
26		鉄道用桁本体	合計	437.642			
27		.	.	.			
28		SM.41C	. ⌀	t = 32	52.700	Σ = 147.218	
29		"	"	. 28	94.518	)	
30		.	.	.			
31		SM.41B	. ⌀	t = 25	79.028	Σ = 83.672	
32		"	"	. 22	4.644	)	
33		.	.	.			
34		SM.41A	. ⌀	t = 9	118.940		
35		.	.	.			
36		SS41	. ⌀	t = 11	8.734	Σ = 42.754	
37		"	"	. 9	34.020	)	
38		SS41	L 130×130・9		1.020	)	
39		.	L 130×130×10		2.228	Σ = 36.710	
40		.	L 90×90×10		33.462	)	
41		.	.	.			
42		F10T	. H.T.B.	M22	8.348	(15.808本)	

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1						
2		鉄道縦桁添接材				
3						
4	R	370 . 13 . 470	108	1.917	Sp1	SM41A
5	"	155 . 15 . 470	216	1.853	"	"
6	"	1120 . 9 . 320	108	2.735	"	"
7	H.T.B	M 22 .	1,344	.867	2.545 ^{kg} /本	F10T
8	"	" .	.95	1,248	.786	2.630 ^{kg} /本
9	"	" .	.70	3,024	1.678	2.555 ^{kg} /本
10						
11						
12				$\Sigma =$	9.836	
13				$2 \phi \Sigma =$	19.672	
14						
15		SM41A	R	t=15	3.706	
16		"	"	13	3.834	(=13.010
17		"	"	9	5.470	)
18						
19		F10T	H.T.B. M 22	6.662	(11,232本)	
20						
21						
22						
23						
24						
25						
26		支承部				
27						
28		590 x 260 x 100	(.95 ^{TK2})	56	5.359	NS-5型 SCW41
29		820 x 500 x 140	(.224 ^{TK2})	80	17.976	NS-11型 "
30						
31						
32				$\Sigma =$	23.335 kg	
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						

種 別	寸	法	数量	重量 (kg)	摘 要	材 質	
1		.		.			
2		検査路	.	.			
3		(腕材)	.	.			
4	⌀	200 . 9	2.030	162	4.647	U.Flq	SS41
5	"	120 . 9	2.030	162	7.319	Web (0.75)	"
6	"	200 . 9	2.042	162	4.674	L.Flq	"
7	H.T.B.	M 22 .	. 60	810	. 425	0.525 ^{mm} / _本	F10T
8		.	.	.			
9		.	.	Σ =	17.065		
10		.	.	2.0Σ =	34.130		
11		.	.	.			
12		SS.41	. ⌀	t = 9	33.280		
13		F10T	. H.T.B.	M 22	. 850	(1.620本)	
14		.	.	.			
15		.	.	.			
16		(歩廊)	.	.			
17	Γ	100 × 50 × 5 × 7.5	5.497	1	. 51	9.36 ^{mm} / _m	SS41
18	"	" .	6.683	1	. 63	"	"
19	"	" .	5.584	6	. 314	"	"
20	"	" .	6.596	13	. 803	"	"
21	"	" .	5.564	5	. 260	"	"
22	"	" .	5.364	2	. 100	"	"
23	"	" .	5.517	13	. 671	"	"
24	"	" .	6.683	13	. 813	"	"
25	"	" .	. 450	42	. 177	"	"
26	"	" .	. 350	42	. 138	"	"
27	"	" .	5.897	2	. 110	"	"
28	"	" .	7.083	28	1. 856	"	"
29	"	" .	5.984	26	1. 452	"	"
30	"	" .	6.996	26	1. 703	"	"
31	"	" .	5.917	26	1. 440	"	"
32	⌀	60 . 9	. 220	141	. 131	Spl	"
33	B.N.	M 16 .	. 40	564	. 88	(0.156kg)	"
34	"	" .	. 45	972	. 175	(0.130kg)	"
35	⌀-4/1	1.500 . 38	38.940	7	2.353		
		1.500 . 38	31.940	6	20.428	(43.7kg/m ²)	"
36	⌀	30 . 4.5	. 60	6964	. 443		"
37	B.N.	M 12 .	. 70	6.964	. 766	(0.110kg)	"
38		.	.	.			
39		.	.	Σ =	34.539		
40		.	.	2.0Σ =	69.078		
41		.	.	.			
42		.	.	.			

種別	寸	法	数量	重量 (kg)	摘要	材質
11	.	.	.	.	.	.
12	SS. 41	. 12	$\phi = 9$	. 262	$\gamma = 1.148$	.
13	..	. "	. 4.5	. 886	}	.
14	..	E. 100 x 50	5 x 7.5	19.910	.	.
15	..	. BIL	M 1 1/2	526	$\gamma = 2.058$	.
16	..	. "	M 1 1/2	1.532	}	.
17	..	71-427" (T-38)		45.962	(1.051.74 m ²)	.
18	.	.	.	.	.	.
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	(手摺).	.	.	.	.	.
22	Pipe 25A	1.000	297	. 722	2.43 %	SAP
23	"	5.869	14	. 200	"	"
24	"	7.036	14	. 239	"	"
25	"	5.819	11	. 156	"	"
26	"	6.961	13	. 220	"	"
27	"	5.619	2	. 27	"	"
28	"	20A	52	. 51	1.69 %	"
29	"	. 380	2	. 1	"	"
30	"	1.063	126	. 226	"	"
31	"	1.050	117	. 208	"	"
32	"	. 490	27	. 22	"	"
33	"	. 573	14	. 14	"	"
34	"	. 560	13	. 12	"	"
35	.	.	.	.	.	.
36	.	.	$\Sigma =$	2.098	.	.
37	.	.	20 %	4.196	.	.
38	.	.	.	.	.	.
39	SAP	. Pipe 25A	3.128	$\gamma = 4.196$	.	.
40	"	. " 20A	1.068	}	.	.
41	.	.	.	.	.	.
42	校合路合計		107.404	.	.	.
43	.	.	.	.	.	.
44	SS. 41	. 12	$\phi = 9$	33.542	$\gamma = 34.428$	.
45	..	. "	. 4.5	886	}	.
46	..	E. 100 x 50	5 x 7.5	19.910	.	.
47	..	. BIL	M 1 1/2	526	$\gamma = 2.058$	.
48	..	. "	M 1 1/2	1.532	}	.
49	..	71-427" (T-38)		45.962	(1.051.74 m ²)	.
50	SAP	. Pipe 25A	3.128	$\gamma = 4.196$	.	.
51	"	. " 20A	1.068	}	.	.
52	F10T	. 11TB	M 22	850	(1.620本)	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	鋼床版本体	.		.		
3	(S-1)	.		.		
4	皮	4072 . 12	8.450	2	6.483 Deck	SM41A
5	"	4225 . 12	8.450	1	3.363 "	"
6	"	755 . 8	8.388	18	7.159 Rib	"
7	"	847 . 12	3.918	4	1.250 Web 横17"	"
8	"	859 . 12	3.915	2	.634 " "	"
9	"	600 . 14	3.918	2	.517 Flg. "	"
10	"	"	3.915	1	.258 " "	"
11	"	822 . 9	.600	4	.139 Dia "	"
12	"	834 . 9	.600	2	.71 " "	"
13	"	1022 . 12	3.918	4	1.433 Web (0.45) "	"
14	"	1034 . 12	3.915	2	.763 " "	"
15	"	400 . 28	3.936	4	1.384 Flg. "	SM41B
16	"	"	3.915	2	.688 " "	"
17	"	90 . 9	.822	4	.21 stiff. "	SM41A
18	"	"	1.022	8	.52 " "	"
19	"	"	1.034	6	.39 " "	"
20		.		.		
21		.		.		
22		.	Σ	24.254		
23		.	20 Σ	49.508		
24		.		.		
25		.		.		
26	SM.41B	. 皮	t=28	4.144		
27		.		.		
28	SM.41A	. 皮	t=14	1.550		
29	"	"	" 12	27.852	t=4+354	
30	"	"	" 7	.644		
31	"	"	" 8	14.318		
32		.		.		
33		.		.		
34	(S-2 S-3 S-13 S-14)	.		.		
35	皮	4072 . 12	13.000	2	9.973 Deck	SM41A
36	"	4225 . 12	13.000	1	5.177 "	"
37	"	755 . 8	13.000	18	11.095 Rib	"
38	"	847 . 12	3.918	4	1.250 Web 横17"	"
39	"	859 . 12	3.915	2	.634 " "	"
40	"	600 . 14	3.918	2	.517 Flg. "	"
41	"	"	3.915	1	.258 " "	"
42	"	822 . 9	.600	4	.139 Dia "	"

種別	寸	法	数量	重量 (kg)	摘要	材質	
1	皮	834 . 9	. 600	2	. 71	Dir 横切	SM41A
2	"	1022 . 12	3.918	6	2.150	Web (0.75) "	"
3	"	1034 . 12	3.915	3	1.144	" "	"
4	"	400 . 28	3.936	6	2.076	Flg "	SM41B
5	"	" .	3.915	3	1.033	" "	"
6	"	90 . 9	. 822	6	. 31	stiff. "	SM41A
7	"	" .	1.022	12	. 78	" "	"
8	"	" .	1.034	9	. 59	" "	"
9		.	.	.	.		
10		.	.	.	.		
11		.	.	$\Sigma =$	35.682		
12		.	.	80 $\Sigma =$	2854.56		
13		.	.	.	.		
14		SM.41B . 皮	t=28	24.872			
15		SM.41A . 皮	t=14	6.200			
16		" . "	" 12	162.600	r=260.584		
17		" . "	" 9	3.024			
18		" . "	" 8	88.760			
19		.	.	.			
20		.	.	.			
21		(S-5) .	.	.			
22	皮	4072 . 12	12.500	2	9.590	Deck	SM41A
23	"	4225 . 12	12.500	1	4.975	"	"
24	"	4072 . 12	. 500	2	384	"	SM50A
25	"	4225 . 12	. 500	1	199	"	"
26	"	755 . 8	. 600	18	. 512	Rib	"
27	"	" .	12.400	18	10.583	"	SM41A
28	"	847 . 12	3.918	4	1.250	Web 横切	"
29	"	859 . 12	3.915	2	. 434	" "	"
30	"	600 . 14	3.918	2	. 517	Flg "	"
31	"	" .	3.915	1	. 256	" "	"
32	"	822 . 9	. 600	4	. 139	Dir. "	"
33	"	834 . 9	. 600	2	. 71	" "	"
34	"	1022 . 12	3.918	6	2.150	Web (0.75) "	"
35	"	1034 . 12	3.915	3	1.144	" "	"
36	"	400 . 28	3.936	6	2.076	Flg. "	SM41B
37	"	" .	3.915	3	1.033	" "	"
38	"	90 . 9	. 822	6	. 31	stiff. "	SM41A
39	"	" .	1.022	12	. 78	" "	"
40	"	" .	1.034	9	. 59	" "	"
41		.	.	.	.		
42		.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	$\Sigma =$	35.683		
2	.	.	20 $\Sigma =$	71.366		
3	.	.		.		
4	SM.50A	. 12	t=12	1.166	} - 2.190	
5	"	"	" 8	1.024		
6	SM.41B	. 12	t=28	6.218		
7	SM.41A	. 12	t=14	1.550	} = 62.958	
8	"	"	" 12	39.486		
9	"	"	" 9	.755		
10	"	"	" 8	21.166		
11	.	.		.		
12	.	.		.		
13	(S-4)	.		.		
14	12 7072 . 12	13.100	2	10.050	Drck.	SM41A
15	" 7225 . 12	13.100	1	.5214	"	"
16	" 755 . 8	13.100	18	11.180	Rib	"
17	" 847 . 12	3.913	4	1.250	Web 3 1/2"	SM41A
18	" 859 . 12	3.915	2	.632	"	"
19	" 600 . 14	3.913	2	.517	Flg	"
20	" "	3.915	1	.253	"	"
21	" 822 . 9	.600	4	.139	Dia.	"
22	" 834 . 9	.600	2	.71	"	"
23	" 1.022 . 12	3.918	6	2.150	Web (0.75)	"
24	" 1.034 . 12	3.915	3	1.144	"	"
25	" 400 . 28	3.936	6	2.076	Flg	SM41B
26	" "	3.915	3	1.033	"	"
27	" 90 . 9	.822	6	.31	stiff	SM41A
28	" "	1.022	12	.78	"	"
29	" "	1.034	9	.59	"	"
30	.	.		.		
31	.	.		.		
32	.	.	$\Sigma =$	35.884		
33	.	.	20 $\Sigma =$	71.768		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	SM.41B	. 12	t=28	6.218		
38	SM.41A	. 12	t=14	1.550	} - 65.550	
39	"	"	" 12	40.884		
40	"	"	" 9	.756		
41	"	"	" 8	22.360		
42	.	.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	(S-7).					
2	4.072 . 12	4.500	2	3.452	Deck	SM5B
3	4.225 . 12	4.500	1	1.797	"	"
4	4.072 . 12	11.200	1	8.592	Deck	SM50A
5	4.225 . 12	11.200	1	4.458	"	"
6	755 . 8	11.100	18	9.473	Rib	
7	847 . 12	3.918	4	1.250	Web 補丁	SM41A
8	859 . 12	3.915	2	.634	"	"
9	600 . 14	3.918	2	.517	Flg.	"
10	"	3.915	1	.258	"	"
11	822 . 9	.600	4	.139	Dir.	"
12	834 . 9	.600	2	.71	"	"
13	1.022 . 12	3.918	8	2.867	Web (0.95)	"
14	1.034 . 12	3.915	4	1.525	"	"
15	400 . 28	3.736	8	2.768	Flg.	SM41B
16	"	3.915	4	1.377	"	"
17	90 . 9	.822	8	.42	stiff.	SM41A
18	"	1.022	16	.104	"	"
19	"	1.034	12	.79	"	"
20	755 . 8	4.600	18	3.926	Rib	SM5B
21			$\Sigma =$	43.323		
22			$20\Sigma =$	86.646		
23	SM-5B	. 12	t=12	10.486	} = 18.338	
24	"	"	8	7.852		
25	SM-50A	. 12	t=12	26.100	} = 45.046	
26	"	"	8	18.946		
27	SM-41B	. 12	t=28	8.290		
28	SM-41A	. 12	t=14	1.550		
29	"	"	12	12.552	} = 14.972	
30	"	"	9	.870		
31	(S-8).					
32	4.072 . 12	9.700	2	7.441	Deck	SM5B
33	4.225 . 12	9.700	1	3.861	"	"
34	4.072 . 12	500	2	384	Deck	SM50A
35	4.225 . 12	500	1	199	"	"
36	755 . 8	10.200	18	8.705	Rib	SM5B
37	847 . 12	3.918	4	1.250	Web 補丁	SM41A
38	859 . 12	3.915	2	.634	"	"
39	1.000 . 12	3.918	2	.738	Flg.	"
40	"	3.915	1	.369	"	"
41	822 . 9	1.000	4	.232	Dir.	"
42	834 . 9	1.000	2	.118	"	"
43	150 . 12	3.918	2	.111	Rib	"

種別	寸	法	数量	重量 (kg)	摘要	材質
1	150	12	3.915	1	.55	Rib 横門 SM41A
2	1022	12	3.918	4	1.433	Web (0.95) " "
3	1034	12	3.915	2	.763	" " "
4	400	28	3.936	4	1.384	Flg. " SM41B
5	"	"	3.915	2	.688	" " "
6	90	9	.822	4	.21	Stiff. " SM41A
7	"	"	1.022	8	.52	" " "
8	"	"	1.034	6	.39	" " "
9	.	.	.	.	.	.
10	.	.	.	.	.	.
11	.	.	$\Sigma =$	28.477	.	.
12	.	.	$20\Sigma =$	56.954	.	.
13	SM-58	. R	t=12	22.604	}=40014	.
14	"	"	" 8	17.410		.
15	SM-50A	. R	t=12	1.166	.	.
16	SM-41B	. R	t=28	4.144	.	.
17	.	.	.	.	.	.
18	SM-41A	. R	" 12	10.706	}=11.630	.
19	"	"	" 9	.924		.
20	.	.	.	.	.	.
21	.	.	.	.	.	.
22	.	.	.	.	.	.
23	.	.	.	.	.	.
24	(5-69.5-16~5-27)			.	.	.
25	R	4072	12	13.000	2	9.973 Deck SM50
26	"	4,225	12	13.000	1	5.174 " "
27	"	755	8	13.000	18	11.095 Rib " "
28	"	847	12	3.918	4	1.250 Web 横門 SM41A
29	"	859	12	3.915	2	.634 " " "
30	"	600	14	3.918	2	.517 Flg. " "
31	"	"	"	3.915	1	.258 " " "
32	"	822	9	.600	4	.139 Dia. " "
33	"	834	9	.600	2	.71 " " "
34	"	1022	12	3.918	6	2.150 Web (0.95) " "
35	"	1034	12	3.915	3	1.144 " " "
36	"	400	28	3.936	6	2.076 Flg. " SM41B
37	"	"	"	3.915	3	1.033 " " "
38	"	90	9	.822	6	.31 Stiff. " SM41A
39	"	"	"	1.022	12	.78 " " "
40	"	"	"	1.034	9	.59 " " "
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	$\Sigma =$	35.582		
3	.	.	28@ $\Sigma =$	999.096		
4	.	.	.	.	.	.
5	SM.50A	. $\mathcal{P}$.	t=12	424.116	} = 734.776	
6	..	. "	" 8	310.660		
7	SM.41B	. $\mathcal{P}$.	t=28	87.052		
8	SM.41A	. "	t=14	21.700	} = 177.268	
9	..	. "	" 12	144.984		
10	..	. "	" 9	10.584		
11	.	.	.	.	.	.
12	.	.	.	.	.	.
13	(S-10)	.	.	.	.	.
14	$\mathcal{P}$ 4.072 . 12	13.100	2	10.050	Deck	SM50A
15	" 4.225 . 12	13.100	1	5.214	"	"
16	" 7.55 . 8	13.100	18	11.180	Rib	"
17	" 8.47 . 12	3.918	4	1.250	Web 横筋	SM41A
18	" 8.59 . 12	3.915	2	.634	"	"
19	" 6.00 . 14	3.918	2	.517	Flg.	"
20	" "	3.915	1	.258	"	"
21	" 8.22 . 9	.600	4	.139	Dir.	"
22	" 8.34 . 9	.600	2	.71	"	"
23	" 1.022 . 12	3.918	6	2.150	Web (0.95)	"
24	" 1.034 . 12	3.915	3	1.144	"	"
25	" 4.00 . 28	3.936	6	2.076	Flg.	SM41B
26	" "	3.915	3	1.033	"	"
27	" 9.0 . 9	.822	6	.31	stiff.	SM41A
28	" "	1.022	12	.73	"	"
29	" "	1.034	9	.59	"	"
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	$\Sigma =$	35.854		
33	.	.	28@ $\Sigma =$	71.768		
34	.	.	.	.	.	.
35	SM.50A	. $\mathcal{P}$.	t=12	30.528	} = 52.388	
36	..	. "	" 8	22.360		
37	SM.41B	. $\mathcal{P}$.	t=28	6.218		
38	SM.41A	. $\mathcal{P}$.	t=14	1.550	} = 12.662	
39	..	. "	" 12	10.356		
40	..	. "	" 9	.756		
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	(S-) .	.	.	.	.	.
3	FL 4072 . 12	12.900	2	9.896	Deck	SM50A
4	" 4225 . 12	12.900	1	5.134	"	"
5	" 755 . 8	12.900	18	11.010	Rib	"
6	" 847 . 12	3.918	4	1.250	Web 横切	SM41A
7	" 859 . 12	3.915	2	.634	" "	"
8	" 600 . 14	3.918	2	.517	Flg.	"
9	" " .	3.915	1	.258	" "	"
10	" 822 . 9	.600	4	.139	Dia.	"
11	" 834 . 9	.600	2	.71	" "	"
12	" 1.022 . 12	3.918	6	2.150	Web(0.95)	"
13	" 1.034 . 12	3.915	3	1.144	" "	"
14	" 400 . 28	3.936	6	2.076	Flg.	SM41B
15	" " .	3.915	3	1.033	" "	"
16	" 90 . 9	.822	6	.31	stiff.	SM41A
17	" .	1.022	12	.78	" "	"
18	" .	1.034	9	.59	" "	"
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	.	.	$\Sigma =$	35480		
22	.	.	20 $\Sigma =$	70960		
23	.	.	.	.	.	.
24	SM-50A . FL	t=12	32.060	} = 52.080		
25	" . "	" 8	22.020			
26	SM-41B . FL	t=28	6.218			
27	SM-41A . FL	t=14	1.550			
28	" . "	" 12	10.355	} = 12.652		
29	" . "	" 9	.756			
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	(S-12) .	.	.	.	.	.
33	FL 4072 . 12	11.500	2	8.822	Deck	SM50A
34	" 4225 . 12	11.500	1	4.577	"	"
35	" 4072 . 12	1.500	2	1.151	"	SM41A
36	" 4225 . 12	1.500	1	.597	"	"
37	" 755 . 8	1.400	18	1.195	Rib	"
38	" .	11.600	18	9.900	"	SM50A
39	" 847 . 12	3.918	4	1.250	Web 横切	SM41A
40	" 859 . 12	3.915	2	.634	" "	"
41	" 600 . 14	3.918	2	.517	Flg.	"
42	" " .	3.915	1	.258	" "	"

種別	寸	法	数量	重量 (kg)	摘要	材質
1	PC	822 . 9 . 600	4	. 139	Dia. 横丁	SM41A
2	"	834 . 9 . 600	2	. 71	" "	"
3	"	1022 . 12 3.918	6	2.150	Web(0.95) "	"
4	"	1034 . 12 3.915	3	1.144	" "	"
5	"	400 . 28 3.936	6	2.076	Flg. "	SM41B
6	"	" . 3.915	3	1.033	" "	"
7	"	90 . 9 . 822	6	. 31	stiff. "	SM41A
8	"	" . 1.022	12	. 78	" "	"
9	"	" . 1.034	9	. 59	" "	"
10		.		.		
11		.	$\Sigma =$	35.682		
12		.	20 $\Sigma =$	71.364		
13		.		.		
14		SM.50A . PC	t=12	26.798	} = 46.598	
15		" . "	" 8	19.800		
16		SM.41B . PC	t=28	6.213		
17		SM.41A . "	t=14	1.550	} = 18.548	
18		" . "	" 12	13.852		
19		" . "	" 9	. 756		
20		" . "	" 8	2.390		
21		.		.		
22		(S-15) .		.		
23	PC	4072 . 12 11.300	2	8.669	Deck	SM41A
24	"	4225 . 12 11.300	1	4.497	"	"
25	"	4072 . 12 1.600	2	1.227	"	SM50A
26	"	4225 . 12 1.600	1	. 637	"	"
27	"	755 . 8 1.700	18	1.451	Rib	"
28	"	" . 11.200	18	9.559	"	SM41A
29	"	847 . 12 3.918	4	1.250	Web 横丁	"
30	"	859 . 12 3.915	2	. 434	" "	"
31	"	600 . 14 3.918	2	. 517	Flg. "	"
32	"	" . 3.915	1	. 258	" "	"
33	"	822 . 9 . 600	4	. 139	Dia. "	"
34	"	834 . 9 . 600	2	. 71	" "	"
35	"	1022 . 12 3.918	6	2.150	Web(0.95) "	"
36	"	1034 . 12 3.915	3	1.144	" "	"
37	"	100 . 28 3.936	6	2.076	Flg. "	SM41B
38	"	" . 3.915	3	1.033	" "	"
39	"	90 . 9 . 822	6	. 31	stiff. "	SM41A
40	"	" . 1.022	12	. 78	" "	"
41	"	" . 1.034	9	. 59	" "	"
42		.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	.	.	$\Sigma =$	35.480	.	.
3	.	.	20 $\Sigma =$	70.960	.	.
4	.	.	.	.	.	.
5	SM.50A	. 片	t=12	3.728	} = 6.630	.
6	..	. "	8	2.902		.
7	SM.41B	. 片	t=28	6.218	.	.
8	SM.41A	. 片	t=14	1.550	} = 58.112	.
9	..	. "	12	36.688		.
10	..	. "	9	7.56		.
11	..	. "	8	19.118	.	.
12	.	.	.	.	.	.
13	(S-28).	.	.	.	.	.
14	片 4.072 . 12	10.000	2	7.672	Deck	SM50A
15	" 4.225 . 12	10.000	1	3.980	"	"
16	" 7.55 . 8	10.000	18	8.535	Rib	"
17	" 8.47 . 12	3.918	4	1.250	Web 横	SM41A
18	" 8.59 . 12	3.915	2	.634	" "	"
19	" 6.00 . 14	3.918	2	.517	Flg	"
20	" .	3.915	1	.258	"	"
21	" 8.22 . 9	.600	4	.139	Dir	"
22	" 8.34 . 9	.600	2	.71	"	"
23	" 10.22 . 12	3.918	4	1.433	Web (0.95)	"
24	" 1.034 . 12	3.915	2	.763	"	"
25	" 4.00 . 28	3.936	4	1.384	Flg	SM41B
26	" .	3.915	2	.688	"	"
27	" 9.0 . 9	.822	4	.21	stiff	SM41A
28	" .	1.022	8	.52	"	"
29	" .	1.034	6	.39	"	"
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	$\Sigma =$	27.440	.	.
33	.	.	.	.	.	.
34	SM.50A	. 片	t=12	11.652	} = 20.187	.
35	..	. "	" 8	8.535		.
36	SM.41B	. 片	t=28	2.072	.	.
37	SM.41A	. 片	t=14	.775	} = 5.121	.
38	..	. "	" 12	4.084		.
39	..	. "	" 9	.322	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	鋼床版本体合計			1932.286		
3						
4	SM58	⌀	t=12	33.090	}=58.352	
5	"	"	" 8	25.262		
6						
7	SM41B	⌀	t=28	167.282		
8						
9	SM41A	⌀	t=14	41.075	}=744.491	
10	"	"	" 12	514.400		
11	"	"	" 9	20.904		
12	"	"	" 8	168.112		
13						
14	SM50A	⌀	t=12	555.314	}=961.561	
15	"	"	" 8	406.247		
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28	鋼床版添接材					
29						
30	⌀ 620	9	3.855	4	.675	Sp. (4列) SM58
31	"	"	4.225	2	.370	" "
32	"	"	.310	8	.109	" "
33	"	"	.230	36	.363	" "
34	"	"	.305	30	.401	" "
35	" 620	12	.155	4	.36	Fill SS41
36	" 620	22	.155	4	.66	" "
37	H.T.B. M22		.95	128	.81	0.630 ^{kg} /本 FIOT
38	"		.85	128	.77	0.600 "
39	"		.70	1.536	.852	0.555 "
40						
41						
42						

種 別	寸	法	数 量	重 量 (kg)	摘 要	材 質
1		.		.		
2		.		.		
3		.		.		
4	PC	320 . 9	3.855	28	2.440 Spl. (231)	SM41A
5	"	" .	4.225	14	1.337 "	"
6	"	" .	.310	56	.392 "	"
7	"	" .	.230	252	1.310 "	"
8	"	" .	.305	210	1.448 "	"
9	"	320 . 12	.155	28	.131 Fill.	SS41
10	"	320 . 22	.155	28	.240 "	"
11	H.T.B.	M22 .	. 95	448	. 282 0.630 ¹³ / ₁₆ "	F10T
12	"	" .	. 85	448	. 269 0.600 "	"
13	"	" .	. 70	5,376	2.984 0.555 "	"
14		.		.		
15	PC	470 . 9	3.855	76	9.729 Spl. (331)	SM50A
16	"	" .	4.225	38	5.331 "	"
17	"	" .	.310	152	1.565 "	"
18	"	" .	.230	684	5.224 "	"
19	"	" .	.305	570	5.773 "	"
20	"	470 . 12	.155	76	522 Fill.	SS41
21	"	470 . 22	.155	76	956 "	"
22	H.T.B.	M22 .	. 95	1,824	1.149 0.630 ¹³ / ₁₆ "	F10T
23	"	" .	. 85	1,824	1.094 0.600 "	"
24	"	" .	. 70	21,888	12.148 0.555 "	"
25		.		.		
26	PC	155 . 4.5	8.450	4	. 125 Fill. 縦継ぎ	SS41
27	"	" .	13.000	4	. 285 "	"
28	"	" .	13.100	4	. 287 "	"
29	"	" .	15.700	4	. 344 "	"
30	"	" .	10.200	4	. 223 "	"
31	"	" .	13.000	12	. 854 "	"
32	"	" .	12.500	12	. 821 "	"
33	"	" .	12.400	4	. 272 "	"
34	"	" .	11.300	4	. 247 "	"
35		.		.		
36	"	155 " . 2.3	13.000	4	146 "	"
37		.		.		
38	"	" .	500	16	. 22 "	"
39	"	" .	1 700	4	. 19 "	"
40	"	" .	11.300	4	126 "	"
41	H.T.B.	M22 .	. 75	33,020	18.821 0.570 ³ / ₁₆ "	F10T
42	"	" .	. 65	33,020	17.831 0.540 ¹¹ / ₁₆ "	"

種別	寸	法	数量	重量 (kg)	摘要	材質	
1	φ	720 . 9	.320	848	13.804	Spl. 横リ7"	SM41A
2	"	505 . 9	.320	424	4.841	" "	"
3	H.T.B.	M22 .	. 70	15.264	8.472	0.555 ^{kg} /本	F10T
4	"	" .	. 75	5.088	2.900	0.570 ["] "	"
5	φ	680 . 9	.320	648	9.962	Spl. "	SM41A
6	"	905 . 9	.320	648	13.258	" "	"
7	"	400 . 14	.620	648	17.661	" "	"
8	"	170 . 18	.620	1.296	19.301	" "	"
9	H.T.B.	M22 .	. 70	27.216	15.105	0.555 ^{kg} /本	F10T
10	"	" .	. 100	20.736	13.375	0.645 ["] "	"
11	φ	720 . 10	.320	32	.579	Spl. "	SM41A
12	"	880 . 9	.320	8	.159	" "	"
13	"	380 . 10	.320	16	.153	" "	"
14	"	110 . 9	.410	16	.51	" "	"
15	H.T.B.	M22 .	. 75	576	.328	0.570 ^{kg} /本	F10T
16	"	" .	. 70	304	.169	0.555 ["] "	"
17	φ	200 . 16	.530	1.008	13.420	Spl. 横リ7"	SM41A
18	"	200 . 16	.530	3.024	40.260	" "	SM50A
19	H.T.B.	M22 .	. 80	31.104	18.196	0.525 ^{kg} /本	F10T
20		.	.	.	.		
21		.	.	.	.		
22	鋼床版添接材合計			Σ =	289.831		
23	SM.58	. φ	t=9	1.918			
24	SM.50A	. φ	t=16	40.260		} = 67.882	
25	"	. "	" 9	27.622			
26		.	.	.	.		
27	SM.41A	. φ	t=18	19.301		} = 100.116	
28	"	. "	" 16	13.420			
29	"	. "	" 14	17.661			
30	"	. "	" 10	.732			
31	"	. "	" 9	49.002			
32		.	.	.	.		
33	SS.41	. φ	t=22	1.262		} = 5.782	
34	"	. "	" 12	.689			
35	"	. "	" 4.5	3.518			
36	"	. "	" 2.3	.313			
37		.	.	.	.		
38	F10T	H.T.B.	M22	114.133	(199.928本)		
39		.	.	.	.		
40		.	.	.	.		
41		.	.	.	.		
42		.	.	.	.		

種 別	寸 法	数 量	重 量 (kg)	摘 要	材 質
1	床トラス本体	.	.		
2	.	.	.		
3	鉛直材.	.	.		
4	(端支点上)	.	.		
5	φ 660 . 13	5.805	2	. 782 Flg	SM41A
6	" 800 . 18	5.805	2	1.312 Web	SM41B
7	" 600 . 9	.800	3	. 102 Dia.	SM41A
8	.	.	.		
9	.	.	$\Sigma =$	2.196	
10	.	.	40 $\Sigma =$	8.784	
11	.	.	.		
12	(中間支点上)	.	.		
13	φ 1640 . 38	4.375	2	3.639 Flg (10.85)	SM50C
14	" 1187 . 44	.850	2	. 697 "	"
15	" 800 . 18	3.755	2	. 849 Web	SM50B
16	" 800 . 22	.750	4	. 414 "	"
17	" 800 . 9	1.000	3	. 170 Dia.	SM41A
18	.	.	.		
19	.	.	$\Sigma =$	5.769	
20	.	.	40 $\Sigma =$	23.076	
21	.	.	.		
22	(側径間部)	.	.		
23	φ 660 . 13	5.805	4	1.564 Flg	SM41A
24	" .	5.775	6	2.305 "	"
25	" .	5.605	2	. 755 "	"
26	" 800 . 18	5.805	4	2.625 Web	SM41B
27	" .	5.705	6	3.869 "	"
28	" .	5.605	2	1.267 "	"
29	" 600 . 9	.800	18	. 610 Dia.	SM41A
30	.	.	.		
31	.	.	$\Sigma =$	12.995	
32	.	.	40 $\Sigma =$	51.980	
33	.	.	.		
34	(中央径間部)	.	.		
35	φ 640 . 19	5.775	12	3.095 Flg	SM41A
36	" .	5.805	12	4.200 "	"
37	" .	6.005	50	13.572 "	"
38	" 800 . 10	5.775	12	4.299 Web	"
39	" .	5.805	12	5.833 "	"
40	" .	6.005	50	18.856 "	"
41	" 600 . 9	.800	117	5.968 Dia.	"
42	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	.	.	$\Sigma =$	53.827	.	.
3	.	.	20 $\Sigma =$	107.654	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	鉛直材	小計	191.494	.	.
7	.	.	.	.	.	.
8	SM.50C	. 皮	t=44	2.788	} = 17.344	.
9	"	"	" 38	14.556		.
0	.	.	.	.	.	.
1	SM.50B	. 皮	t=22	1.656	} = 5.052	.
2	"	"	" 18	3.396		.
3	.	.	.	.	.	.
4	SM.41B	. 皮	t=18	36.292	.	.
5	.	.	.	.	.	.
6	SM.41A	. 皮	t=13	21.624	} = 132.806	.
7	"	"	" 10	57.976		.
8	"	"	" 9	53.206		.
9	.	.	.	.	.	.
0	.	.	.	.	.	.
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.
9	.	.	.	.	.	.
0	.	.	.	.	.	.
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.
9	.	.	.	.	.	.
0	.	.	.	.	.	.
1	.	.	.	.	.	.
2	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	下弦材.	.	.	.	.	.
3	(端支点上)	.	.	.	.	.
4	皮 600 . 38	11.750	1	2.103	Top.	SM41C
5	" 660 . 38	11.750	1	2.313	Bot.	"
6	" 1193 . 20	11.750	2	2.861	Web (0.65)	SM41B
7	" 600 . 9	.600	4	.102	Dia.	SM41A
8	" " .	1.118	1	.47	Rib	"
9	" 600 . 12	.600	2	.68	Dia.	"
10	" 130 . 12	.600	8	.59	Rib	"
11	" 600 . 13	.400	2	.49	"	"
12	.	.	.	.	.	.
13	.	.	$\Sigma =$	7.602	.	.
14	.	.	2@ $\Sigma =$	15.204	.	.
15	.	.	.	.	.	.
16	.	.	.	.	.	.
17	(中間支点上)	.	.	.	.	.
18	皮 1020 . 25	11.750	1	2.306	Top	SM41B
19	" 1060 . 25	11.750	1	2.444	Bot.	"
20	" 1457 . 18	11.750	2	2.661	Web (0.55)	"
21	" 613 . 9	1.000	4	.173	Dia.	SM41A
22	" 1000 . 9	1.118	1	.79	Rib	"
23	" 613 . 12	1.000	2	.115	Dia.	"
24	" 130 . 12	.613	8	.60	Rib	"
25	" 1000 . 22	.700	2	.242	"	SM41B
26	.	.	.	.	.	.
27	.	.	$\Sigma =$	8.080	.	.
28	.	.	2@ $\Sigma =$	16.160	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	(側径間部)	.	.	.	.	.
32	皮 600 . 9	2.425	2	.206	Top	SM41A
33	" 600 . 28	6.900	1	.910	"	SM41C
34	" 660 . 28	6.900	1	1.001	Bot.	"
35	" 660 . 9	2.425	2	.226	"	SM41A
36	" 650 . 9	2.525	4	.464	Web	"
37	" 1193 . 14	6.700	2	1.230	" (0.70)	"
38	" 600 . 9	.629	2	.53	Dia.	"
39	" " .	.610	2	.52	"	"
40	" " .	1.118	1	.47	Rib	"
41	" 600 . 12	.610	2	.69	Dia.	"
42	" 130 . 12	.610	8	.60	Rib	"

種別	寸	法	数量	重量 (kg)	摘要	材質
1	600 . 13	. 400	2	. 49	Rib	SM41A
2	.	.	.	.		
3	.	.	$\Sigma =$	4.367		
4	.	.	12 @ $\Sigma =$	52.404		
5	.	.	.	.		
6	.	.	.	.		
7	(中央径間部)	.	.	.		
8	600 . 9	2.425	2	. 206	Top	SM41A
9	600 . 28	6.900	1	. 910	"	SM41C
10	660 . 28	6.900	1	1.001	Bot.	"
11	660 . 9	2.425	2	. 226	"	SM41A
12	650 . 9	2.525	4	. 464	Web	"
13	1193 . 14	6.700	2	1.230	" (0.70)	"
14	600 . 9	. 629	2	. 53	Di.	"
15	"	. 610	2	. 52	"	"
16	"	1.118	1	. 47	Rib	"
17	600 . 12	. 610	2	. 69	Di.	"
18	130 . 12	. 610	8	. 60	Rib	"
19	600 . 9	. 400	2	. 34	"	"
20	.	.	.	.		
21	.	.	$\Sigma =$	4.352		
22	.	.	39 @ $\Sigma =$	169.728		
23	.	.	.	.		
24	.	.	.	.		
25	.	下弦材小計		253.496		
26	.	.	.	.		
27	SM41C	. R.	t=38	8.832	} = 106.293	
28	"	"	. 28	97.461		
29	.	.	.	.		
30	SM41E	. R.	t=25	9.500	} = 21.028	
31	"	"	. 22	. 484		
32	"	"	. 20	5.722		
33	"	"	. 13	5.322		
34	.	.	.	.		
35	SM41A	. R.	t=14	62.730	} = 126.175	
36	"	"	. 13	686		
37	"	"	. 12	7.183		
38	"	"	. 9	55.576		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
	.	.		.		
	斜 材.	.		.		
	(端支点上 & 側徑間部)	.		.		
12	150 . 9	7.869	2	.500	Flg.	SM41A
13	600 . 13	7.646	2	.936	Web	"
14	400 . 9	.600	3	.51	Dia.	"
15	.	.		.		
16	.	.	$\Sigma =$	1.487		
17	.	.	28@ $\Sigma =$	41.636		
18	.	.		.		
19	.	.		.		
20	(中間支点上)	.		.		
21	170 . 10	7.469	2	.551	Flg.	SM41A
22	1,000 . 22	6.969	2	2.407	Web	SM41B
23	470 . 9	1.000	3	.100	Dia.	SM41A
24	.	.		.		
25	.	.	$\Sigma =$	3.058		
26	.	.	10@ $\Sigma =$	12.232		
27	.	.		.		
28	(中央徑間部)	.		.		
29	150 . 9	7.869	2	.500	Flg.	SM41A
30	600 . 9	7.746	2	.657	Web	"
31	400 . 9	.600	3	.51	Dia.	"
32	.	.		.		
33	.	.	$\Sigma =$	1.208		
34	.	.	78@ $\Sigma =$	94.224		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	斜 材 小 計			148.092		
41	.	.		.		
42	SM41B . 12	t=22		9.628		
43	.	.		.		
44	SM41A . 12	t=13		26.208		
45	" . "	" 10		2.204	} = 138.464	
46	" . "	" 9		110.052		
47	.	.		.		
48	.	.		.		
49	.	.		.		
50	.	.		.		
51	.	.		.		
52	.	.		.		

種別	寸法	数量	重量 (kg)	摘要	材質
1					
2	床トラス添接材				
3	(鉛直材)				
4	⌀ 660 . 14 . 320	8	1.86	Spl. 端支点	SM41A
5	" 530 . 14 . 320	8	1.49	" "	"
6	" 290 . 14 . 470	32	4.79	" "	"
7	" 660 . 6 . 160	4	2.0	Fill. "	SS41
8	" 660 . 28 . 160	4	.92	" "	SM41A
9	H.T.B M22 . . 85	384	2.30	φ600 ^{3/4} "	F10T
10	" " . . 110	96	.65	0.674 " "	"
1					
2	⌀ 890 . 28 . 1.220	8	1.909	Spl. 中間支点	SM50B
3	" 230 . 25 . 920	12	4.98	" "	SM50A
4	" 890 . 25 . 920	6	9.64	" "	"
5	" 680 . 12 . 620	16	6.35	" "	"
6	" 890 . 14 . 610	4	2.39	Fill. "	SS41
7	" 230 . 25 . 460	4	.83	" "	SM41A
8	" 890 . 25 . 460	2	1.61	" "	"
9	" 1,580 . 25 . 460	2	2.85	" "	"
10	H.T.B M22 . . 155	640	5.18	φ810 ^{3/4} "	F10T
1	" " . . 155	768	6.22	" " "	"
2	" " . . 85	448	2.69	φ600 " "	"
3					
4	⌀ 660 . 14 . 320	48	1.114	Spl. 側径面	SM41A
5	" 530 . 14 . 320	48	.895	" "	"
6	" 290 . 14 . 470	192	2.876	" "	"
7	" 660 . 6 . 160	16	.80	Fill. "	SS41
8	" 660 . 12 . 160	4	.40	" "	"
9	" 660 . 30 . 160	4	.99	" "	SM41A
10	" 660 . 20 . 160	4	.66	" "	SS41
1	" 660 . 25 . 160	8	1.66	" "	SM41A
2	" 660 . 30 . 160	8	1.99	" "	"
3					
4	" 660 . 44 . 160	4	1.46	" "	SM41C
5	H.T.B M22 . . 85	1,728	10.37	φ500 ^{3/4} "	F10T
6	" " . . 90	384	2.36	φ615 " "	"
7	" " . . 95	96	.60	φ630 " "	"
8	" " . . 105	288	1.90	φ659 " "	"
9	" " . . 110	192	1.29	φ674 " "	"
10					
1	" " . . 125	96	.69	φ719 " "	"
2					

種別	寸	法	数量	重量 (kg)	摘要	材質	
1	φ	640 . 12	. 470	156	4.420	SpL 中央径面	SM41A
2	"	290 . 14	. 470	312	4.674	" "	"
3	"	640 . 36	. 235	4	. 170	Fill	SM41B
4	"	640 . 1 1/2	. 235	4	. 76	" "	SS41
5	"	640 . 12	. 235	20	. 223	" "	"
6	"	640 . 13	. 235	50	. 767	" "	"
7	"	640 . 10	. 235	38	1.795	" "	SM41C
8	"	640 . 30	. 235	8	. 283	" "	SM41A
9	"	640 . 22	. 235	8	. 283	" "	SS41
10	"	640 . 25	. 235	4	. 718	" "	SM41A
11	"	640 . 32	. 235	4	. 151	" "	"
12	"	640 . 35	. 235	4	. 165	" "	SM41B
13	"	640 . 44	. 235	12	. 623	" "	SM41C
14	H.T.B	M22.	. 65	5616	3.033	0.540 7/16	F10T
15	"	"	. 75	2520	1.436	0.570	"
16	"	"	. 80	144	. 84	0.585	"
17	"	"	. 90	144	. 89	0.615	"
18	"	"	. 95	576	. 363	0.630	"
19	"	"	. 100	504	. 325	0.645	"
20	"	"	. 105	1296	. 854	0.659	"
21	"	"	. 85	432	. 259	0.600	"
22	"	"	.	.	.	.	.
23	"	"	.	Σ =	34.982	.	.
24	"	"	.	20Σ =	69.964	.	.
25	"	"	.	.	.	.	.
26	"	SM-50B	. P.	t=28	3.818	.	.
27	"	SM-50A	. P.	t=25	2.924	t=4.194	.
28	"	"	"	. 12	1.270	)	.
29	"	SM-41C	. P.	t=44	1.538	t=5.128	.
30	"	"	"	. 40	3.590	)	.
31	"	"	"	.	.	.	.
32	"	SM-41B	. P.	. 36	. 340	t=670	.
33	"	"	"	. 35	. 330	)	.
34	"	SM-41A	. P.	t=32	. 302		.
35	"	"	"	. 30	1.162		.
36	"	"	"	. 28	. 184	t=32.860	.
37	"	"	"	. 25	1.626		.
38	"	"	"	. 12	20.746		.
39	"	"	"	. 12	8.840	)	.
40	SS41	φ t=22	416	.	.	.	.
41	"	" 1 1/2	152	.	.	.	.
42	"	" 1 3/4	478	.	.	.	.
43	"	" 1 1/2	152	.	.	.	.
44	"	" 1 3/4	478	.	.	.	.
45	"	" 1 1/2	152	.	.	.	.
46	"	" 1 3/4	478	.	.	.	.
47	"	" 1 1/2	152	.	.	.	.
48	"	" 1 3/4	478	.	.	.	.
49	"	" 1 1/2	152	.	.	.	.
50	"	" 1 3/4	478	.	.	.	.
51	"	" 1 1/2	152	.	.	.	.
52	"	" 1 3/4	478	.	.	.	.
53	"	" 1 1/2	152	.	.	.	.
54	"	" 1 3/4	478	.	.	.	.
55	"	" 1 1/2	152	.	.	.	.
56	"	" 1 3/4	478	.	.	.	.
57	"	" 1 1/2	152	.	.	.	.
58	"	" 1 3/4	478	.	.	.	.
59	"	" 1 1/2	152	.	.	.	.
60	"	" 1 3/4	478	.	.	.	.
61	"	" 1 1/2	152	.	.	.	.
62	"	" 1 3/4	478	.	.	.	.
63	"	" 1 1/2	152	.	.	.	.
64	"	" 1 3/4	478	.	.	.	.
65	"	" 1 1/2	152	.	.	.	.
66	"	" 1 3/4	478	.	.	.	.
67	"	" 1 1/2	152	.	.	.	.
68	"	" 1 3/4	478	.	.	.	.
69	"	" 1 1/2	152	.	.	.	.
70	"	" 1 3/4	478	.	.	.	.
71	"	" 1 1/2	152	.	.	.	.
72	"	" 1 3/4	478	.	.	.	.
73	"	" 1 1/2	152	.	.	.	.
74	"	" 1 3/4	478	.	.	.	.
75	"	" 1 1/2	152	.	.	.	.
76	"	" 1 3/4	478	.	.	.	.
77	"	" 1 1/2	152	.	.	.	.
78	"	" 1 3/4	478	.	.	.	.
79	"	" 1 1/2	152	.	.	.	.
80	"	" 1 3/4	478	.	.	.	.
81	"	" 1 1/2	152	.	.	.	.
82	"	" 1 3/4	478	.	.	.	.
83	"	" 1 1/2	152	.	.	.	.
84	"	" 1 3/4	478	.	.	.	.
85	"	" 1 1/2	152	.	.	.	.
86	"	" 1 3/4	478	.	.	.	.
87	"	" 1 1/2	152	.	.	.	.
88	"	" 1 3/4	478	.	.	.	.
89	"	" 1 1/2	152	.	.	.	.
90	"	" 1 3/4	478	.	.	.	.
91	"	" 1 1/2	152	.	.	.	.
92	"	" 1 3/4	478	.	.	.	.
93	"	" 1 1/2	152	.	.	.	.
94	"	" 1 3/4	478	.	.	.	.
95	"	" 1 1/2	152	.	.	.	.
96	"	" 1 3/4	478	.	.	.	.
97	"	" 1 1/2	152	.	.	.	.
98	"	" 1 3/4	478	.	.	.	.
99	"	" 1 1/2	152	.	.	.	.
100	"	" 1 3/4	478	.	.	.	.
101	"	" 1 1/2	152	.	.	.	.
102	"	" 1 3/4	478	.	.	.	.
103	"	" 1 1/2	152	.	.	.	.
104	"	" 1 3/4	478	.	.	.	.
105	"	" 1 1/2	152	.	.	.	.
106	"	" 1 3/4	478	.	.	.	.
107	"	" 1 1/2	152	.	.	.	.
108	"	" 1 3/4	478	.	.	.	.
109	"	" 1 1/2	152	.	.	.	.
110	"	" 1 3/4	478	.	.	.	.
111	"	" 1 1/2	152	.	.	.	.
112	"	" 1 3/4	478	.	.	.	.
113	"	" 1 1/2	152	.	.	.	.
114	"	" 1 3/4	478	.	.	.	.
115	"	" 1 1/2	152	.	.	.	.
116	"	" 1 3/4	478	.	.	.	.
117	"	" 1 1/2	152	.	.	.	.
118	"	" 1 3/4	478	.	.	.	.
119	"	" 1 1/2	152	.	.	.	.
120	"	" 1 3/4	478	.	.	.	.
121	"	" 1 1/2	152	.	.	.	.
122	"	" 1 3/4	478	.	.	.	.
123	"	" 1 1/2	152	.	.	.	.
124	"	" 1 3/4	478	.	.	.	.
125	"	" 1 1/2	152	.	.	.	.
126	"	" 1 3/4	478	.	.	.	.
127	"	" 1 1/2	152	.	.	.	.
128	"	" 1 3/4	478	.	.	.	.
129	"	" 1 1/2	152	.	.	.	.
130	"	" 1 3/4	478	.	.	.	.
131	"	" 1 1/2	152	.	.	.	.
132	"	" 1 3/4	478	.	.	.	.
133	"	" 1 1/2	152	.	.	.	.
134	"	" 1 3/4	478	.	.	.	.
135	"	" 1 1/2	152	.	.	.	.
136	"	" 1 3/4	478	.	.	.	.
137	"	" 1 1/2	152	.	.	.	.
138	"	" 1 3/4	478	.	.	.	.
139	"	" 1 1/2	152	.	.	.	.
140	"	" 1 3/4	478	.	.	.	.
141	"	" 1 1/2	152	.	.	.	.
142	"	" 1 3/4	478	.	.	.	.
143	"	" 1 1/2	152	.	.	.	.
144	"	" 1 3/4	478	.	.	.	.
145	"	" 1 1/2	152	.	.	.	.
146	"	" 1 3/4	478	.	.	.	.
147	"	" 1 1/2	152	.	.	.	.
148	"	" 1 3/4	478	.	.	.	.
149	"	" 1 1/2	152	.	.	.	.
150	"	" 1 3/4	478	.	.	.	.
151	"	" 1 1/2	152	.	.	.	.
152	"	" 1 3/4	478	.	.	.	.
153	"	" 1 1/2	152	.	.	.	.
154	"	" 1 3/4	478	.	.	.	.
155	"	" 1 1/2	152	.	.	.	.
156	"	" 1 3/4	478	.	.	.	.
157	"	" 1 1/2	152	.	.	.	.
158	"	" 1 3/4	478	.	.	.	.
159	"	" 1 1/2	152	.	.	.	.
160	"	" 1 3/4	478	.	.	.	.
161	"	" 1 1/2	152	.	.	.	.
162	"	" 1 3/4	478	.	.	.	.
163	"	" 1 1/2	152	.	.	.	.
164	"	" 1 3/4	478	.	.	.	.
165	"	" 1 1/2	152	.	.	.	.
166	"	" 1 3/4	478	.	.	.	.
167	"	" 1 1/2	152	.	.	.	.
168	"	" 1 3/4	478	.	.	.	.
169	"	" 1 1/2	152	.	.	.	.
170	"	" 1 3/4	478	.	.	.	.
171	"	" 1 1/2	152	.	.	.	.
172	"	" 1 3/4	478	.	.	.	.
173	"	" 1 1/2	152	.	.	.	.
174	"	" 1 3/4	478	.	.	.	.
175	"	" 1 1/2	152	.	.	.	.
176	"	" 1 3/4	478	.	.	.	.
177	"	" 1 1/2	152	.	.	.	.
178	"	" 1 3/4	478	.	.	.	.
179	"	" 1 1/2	152	.	.	.	.
180	"	" 1 3/4	478	.	.	.	.
181	"	" 1 1/2	152	.	.	.	.
182	"	" 1 3/4	478	.	.	.	.
183	"	" 1 1/2	152	.	.	.	.
184	"	" 1 3/4	478	.	.	.	.
185	"	" 1 1/2	152	.	.	.	.
186	"	" 1 3/4	478	.	.	.	.
187	"	" 1 1/2	152	.	.	.	.
188	"	" 1 3/4	478	.	.	.	.
189	"	" 1 1/2	152	.	.	.	.
190	"	" 1 3/4	478	.	.	.	.
191	"	" 1 1/2	152	.	.	.	.
192	"	" 1 3/4	478	.	.	.	.
193	"	" 1 1/2	152	.	.	.	.
194	"	" 1 3/4	478	.	.	.	.
195	"	" 1 1/2	152	.	.	.	.
196	"	" 1 3/4	478	.	.	.	.
197	"	" 1 1/2	152	.	.	.	.
198	"	" 1 3/4	478	.	.	.	.
199	"	" 1 1/2	152	.	.	.	.
200	"	" 1 3/4	478	.	.	.	.

P. 170, 300

種別	寸	法	数量	重量 (kg)	摘要	材質
1		.		.		
2	(下弦材).	.		.		
3	丸 505 . 25	. 770	4	. 30.5	Spl. 端支点	SM41A
4	" 480 . 28	. 920	4	. 38.8	" "	"
5	" 480 . 14	. 770	8	. 32.5	" "	"
6	H.T.B. M22 .	. 90	200	. 12.3	0.615 ^{17/16} "	F10T
7	" .	. 130	120	. 8.8	0.734" "	"
8	" .	. 135	112	. 8.4	0.749" "	"
9		.		.		
10	丸 890 . 16	. 470	8	. 42.0	Spl. 中间支点	SM41A
11	" 530 . 18	. 470	8	. 28.2	" "	"
12	H.T.B. M22 .	. 95	168	. 10.6	0.630 ^{17/16} "	F10T
13	" .	. 100	240	. 15.5	0.645" "	"
14		.		.		
15	丸 505 . 9	. 320	98	11.19	Spl. 側中央端部	SM41A
16	" 180 . 9	. 470	204	12.19	" "	"
17	" 505 . 9	. 320	204	23.29	" "	"
18	H.T.B. M22 .	. 70	4896	27.17	0.555 ^{17/16} "	F10T
19		.		.		
20		.		.		
21		.	$\Sigma =$	9.660		
22		.	20Σ =	19.320		
23		.		.		
24	SM.41A	. 丸	t=28	. 776	Σ=12.774	
25	"	"	" 25	. 610		
26	"	"	" 18	. 564		
27	"	"	" 16	. 840		
28	"	"	" 14	. 650		
29	"	"	" 9	9.334		
30		.		.		
31	F10T	H.T.B. M22	6546	(11472本)		
32		.		.		
33		.		.		
34		.		.		
35		.		.		
36		.		.		
37		.		.		
38		.		.		
39		.		.		
40		.		.		
41		.		.		
42		.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1.		.		.		
2.	(斜材).	.		.		
3.	R 450 . 9	.570	8	.145	Spl 端点	SM41A
4.	" 190 . 10	.570	16	.136	" "	"
5.	" 505 . 9	.320	8	.91	" "	"
6.	" 450 . 3.2	.285	4	.13	Fill. "	SS41
7.	" 450 . 10	.285	4	.40	" "	"
8.	H.T.B. M22 .	.70	96	.53	0.555 ^{13/16} "	F10T
9.	" " .	.75	128	.73	0.570"	"
10.	" " .	.80	128	.75	0.585"	"
11.		.		.		
12.	R 470 . 10	1.130	8	.334	Spl 中间支点	SM41A
13.	" 200 . 12	1.130	16	.341	" "	"
14.	" 880 . 14	.470	8	.364	" "	"
15.	" 470 . 8	.565	4	.67	Fill. "	SS41
16.	" 470 . 12	.565	4	.100	" "	"
17.	H.T.B. M22 .	.80	224	.131	0.585 ^{13/16} "	F10T
18.	" " .	.85	224	.134	0.600"	"
19.	" " .	.90	216	.133	0.615"	"
20.		.		.		
21.	R 450 . 9	.570	48	.870	Spl 側径直	SM41A
22.	" 190 . 10	.570	96	.816	" "	"
23.	" 505 . 9	.320	48	.548	" "	"
24.	" 450 . 3.2	.285	24	.77	Fill. "	SS41
25.	" 450 . 6	.285	24	.145	" "	"
26.	H.T.B. M22 .	.70	576	.320	0.555 ^{13/16} "	F10T
27.	" " .	.75	1,536	.876	0.570 ^{13/16} "	"
28.		.		.		
29.	R 450 . 9	.370	156	1.835	Spl 中央径直	SM41A
30.	" 190 . 10	.370	312	1.722	" "	"
31.	" 505 . 9	.320	156	1.781	" "	"
32.	" 450 . 3.2	.185	78	.163	Fill. "	SS41
33.	" 450 . 6	.185	78	.306	" "	"
34.	H.T.B. M22 .	.70	1,872	1.039	0.555 ^{13/16} "	F10T
35.	" " .	.75	3,120	1.778	0.570"	"
36.		.		.		
37.		.		.		
38.		.	Σ =	14.506		
39.		.	20Σ =	29.012		
40.		.		.		
41.		.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.		
2	.	.	.	.		
3	SM.41A	. PL	t=14	. 728	} = 17966	
4	..	. "	" 12	. 682		
5	..	. "	" 10	6 016		
6	..	. "	" 9	10 540		
7	SS.41	. PL	t=12	. 200	} = 1822	
8	..	. "	" 10	. 80		
9	..	. "	" 8	. 134		
10	..	. "	" 6	. 902		
11	..	. "	" 3 ²	. 506		
12	.	.	.	.		
13	F10T	. H.T.B.	M22	9 224	(16.240*)	
14	.	.	.	.		
15	.	.	.	.		
16	.	.	.	.		
17	.	.	.	.		
18	.	.	.	.		
19	.	.	.	.		
20	.	.	.	.		
21	.	.	.	.		
22	.	.	.	.		
23	.	.	.	.		
24	.	.	.	.		
25	.	.	.	.		
26	.	.	.	.		
27	.	.	.	.		
28	.	.	.	.		
29	.	.	.	.		
30	.	.	.	.		
31	.	.	.	.		
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.		
2	.	.	.	.		
3	床トラス 添接材合計			118.296		
4	.	.	.	.		
5	SM.50B	. 12	t=28	3.818		
6	.	.	.	.		
7	SM.50A	. 12	t=25	2.924	}= 4.194	
8	..	. .	" 12	1.270		
9	.	.	.	.		
10	SM.41C	. 12	t=44	1.538	}= 5.128	
11	..	. .	" 47	3.590		
12	.	.	.	.		
13	.	.	.	.		
14	SM.41B	. 12	t=36	. 340	}= 670	
15	..	. .	" 35	. 330		
16	.	.	.	.		
17	SM.41A	. 12	t=32	. 302	}= 63.600	
18	..	. "	" 30	1.162		
19	..	. "	" 28	960		
20	..	. "	" 25	2.236		
21	..	. "	" 18	. 564		
22	..	. "	" 16	. 840		
23	..	. "	" 14	22.124		
24	..	. "	" 12	9.522		
25	..	. "	" 10	6.016	}= 19.874	
26	..	. "	" 9	19.874		
27	SS.41	. 12	t=22	. 416		
28	..	. "	t=20	. 132		
29	..	. "	16	. 152		
30	..	. "	14	. 478		
31	..	. "	13	1.534		
32	..	. "	12	846	}= 5.380	
33	..	. "	10	. 80		
34	..	. "	8	. 134		
35	..	. "	6	1.102		
36	..	. "	3.2	. 506		
37	.	.	.	.		
38	.	.	.	.		
39	F10T	. H.T.B.	M22	35.506	(60416本)	
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

(2) 補剛トラス

名 称		重 量 (kg)
主 構	上 弦 材	1 405 582
	添 接 材	116 284
	下 弦 材	1 590 594
	添 接 材	216 206
	斜 材	572 492
	添 接 材	183 816
	小 計	4 084 974
横 構	本 体	173 358
	添 接 材	18 090
	小 計	191 448
支 承	ペンテリ 首	28 580
	タワー リング	61 092
	ウィンド 首	3 480
	小 計	93 152
合 計		4 369 674

種別	寸	法	数量	重量 (kg)	摘要	材質
1	上弦材.	.		.		
2	0 ~ UJ-1	. 4Req		.		
3	.	.		.		
4	.	.		.		
5	Top	1.575 . 18	8.450	1	1.881	SM41B
6	Bulb	180 . 9.5	8.400	1	.139	
7	Bot.	800 . 18	8.450	1	.955	SM41B
8	Side	1900 . 18	1.150	2	.463	Net = 0.75
9	"	850 . 18	4.100	2	.985	"
10	"	1650 . 28	3.200	2	1.973	Net = 0.85
11	Dia	800 . 18	.800	1	.90	"
12	"	" . "	"	1	.68	Net = 0.75
13	"	" . 10	"	2	.73	"
14	皮	" . 18	1.082	2	.245	SM41B
15	"	1900 . 12	.707	2	.253	
16	"	600 . 14	"	1	.47	
17	"	800 . 12	"	1	.53	
18	"	" . "	.697	1	.53	
19	"	600 . 28	.707	1	.79	Net = 0.85
20	"	" . "	.697	1	.78	Net = 0.85
21	"	800 . 20	.670	1	.84	"
22	"	" . 18	.640	1	.72	"
23	.	.	Σ	7.591		
24	.	.	4Σ	30.364		
25	.	.		.		
26	.	.	SM41B	. t=28	8520	
27	.	.	"	. t=20	336	
28	.	.	"	. t=18	19036	
29	.	.	SM41A	. t=14	188	
30	.	.	"	. t=12	1436	
31	.	.	"	. t=10	292	
32	.	.	"	. Bulb	556	
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種別	寸	法	数量	重量(kg)	摘要	材質
1		.		.		
2	UT-1~.UT-2	. 4Req		.		
3		.		.		
4		.		.		
5	Top	1575 . 18	11.300	1	2.515	SM41B
6	"	" . 20	1.700	1	.420	"
7	Bulb	180 . 9.5	13.000	1	.215	
8	Bot	800 . 18	11.300	1	1.277	SM41B
9	"	" . 20	1.700	1	.214	"
10	Side	850 . 18	4.100	2	.985	"
11	"	1900 . 18	1.600	2	.730	Net=0.85 "
12	"	850 . 18	4.100	2	.985	"
13	"	1650 . 24	3.200	2	1.691	Net=0.85 "
14	Dia	800 . 18	.800	2	.136	" =0.75 "
15	"	" . 10	. "	3	.113	"
16	R	" . 18	1.082	2	.245	SM41B
17	"	1900 . 12	.707	2	.253	
18	"	600 . 14	. "	1	.47	
19	"	800 . 12	. "	2	.107	
20	"	" . "	.701	1	.53	
21	"	600 . 28	.707	2	.159	Net=0.85 SM41B
22	"	" . "	.701	1	.79	" "
23	"	800 . 20	.670	1	.84	"
24	"	" . 18	.640	1	.72	"
25		.	Σ	10.380		
26		.	4 Σ	41.520		
27		.		.		
28		.	SM41B	. t=28	952	
29		.	"	. t=24	6764	
30		.	"	. t=20	2872	
31		.	"	. t=18	27780	
32		.	SM41A	. t=14	188	
33		.	"	. t=12	1652	
34		.	"	. t=10	452	
35		.	"	. Bulb	860	
36		.		.		
37		.		.		
38		.		.		
39		.		.		
40		.		.		
41		.		.		
42		.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	UT-2 ~ UT-3	UT-3 ~ UT-4	.	.	7 Reg	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	1575 . 20	13.000	1	3.215	SM41B
6	Bulb	180 . 9.5	."	1	.215	.
7	Bot	800 . 20	."	1	1.633	SM41B
8	Side	850 . 20	4.100	2	1.094	"
9	"	1900 . 20	1.600	2	.811	Net = 0.85 "
10	"	850 . 20	4.100	2	1.094	"
11	"	1600 . 20	3.200	2	1.367	Net = 0.85 "
12	Dia	800 . 18	.800	2	.136	" = 0.75 "
13	"	" . 10	."	3	.113	" "
14	R	" . 18	1.080	2	.244	SM41B
15	"	1900 . 12	.705	2	.252	.
16	"	600 . 14	."	1	.46	.
17	"	800 . 12	."	3	.159	.
18	"	600 . 28	."	3	.237	Net = 0.85 SM41B
19	"	800 . 20	.580	2	.146	"
20	.	.	Σ	10.762	.	.
21	.	.	4 Σ	43.048	.	.
22	.	.	.	.	.	.
23	.	.	SM41B	. t=28	948	.
24	.	.	"	. t=20	37440	.
25	.	.	"	. t=18	1520	.
26	.	.	SM41A	. t=14	184	.
27	.	.	"	. t=12	1544	.
28	.	.	"	. t=10	452	.
29	.	.	"	.3016	860	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

[illegible]

種別	寸	法	数量	重量(kg)	摘要	材質
1	.	.	.	.	.	.
2	VJ-5 ~ VJ-6	. 4 Reg	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	1575 . 20	12.500	1	3.091	SM50B
6	"	" . 20	.500	1	.124	SM50YB
7	Bulb	180 . 9.5	13.000	1	.215	SM50A
8	Boff	800 . 22	.500	1	.69	SM50B
9	"	" . 20	11.800	1	1.482	"
10	"	" . 25	.700	1	.110	SM50YB
11	side	850 . 22	.450	2	.132	SM50B
12	"	" . 20	3.550	2	.947	"
13	"	1900 . 20	1.600	2	.811	Net=0.85 "
14	"	850 . 20	4.000	2	1.068	"
15	"	1800 . 34	3.400	2	2.777	Net=0.85 SM50YB
16	Diq	800 . 18	.850	2	.136	Net=0.75 SM41B
17	"	" . 10	"	3	.113	" "
18	皮	" . 18	1.080	2	.244	SM41B
19	"	1900 . 12	.705	2	.252	
20	"	600 . 14	"	1	.46	
21	"	800 . 12	"	3	.159	
22	"	600 . 28	"	3	.237	Net=0.85 SM41B
23	"	800 . 22	.880	1	.122	"
24	"	" . "	.730	1	.101	"
25	.	.	Σ	12.236		
26	.	.	4 Σ	48.944		
27	.	.	.	.		
28	.	.	SM50YB	. t=34	11 108	
29	.	.	"	. t=25	440	
30	.	.	"	. t=20	496	
31	.	.	SM50B	. t=22	804	
32	.	.	"	. t=20	29 596	
33	.	.	SM50A	. Bulb	860	
34	.	.	SM41B	. t=28	948	
35	.	.	"	. t=22	892	
36	.	.	"	. t=18	1 520	
37	.	.	SM41A	. t=14	184	
38	.	.	"	. t=12	1 644	
39	.	.	"	. t=10	452	
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

[illegible]

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.
9	.	.	.	.	.	.
10	.	.	.	.	.	.
11	UT-8~UT-9	1. 継手	.	.	.	.
12	.	.	.	.	.	.
13	.	.	.	.	.	.
14	.	.	.	.	.	.
15	.	.	SM50YC	t=72	47.400	.
16	.	.	"	t=62	1.636	.
17	.	.	"	t=60	17.936	.
18	.	.	"	t=40	10.156	.
19	.	.	SM50YB	t=38	7.16	.
20	.	.	"	t=18	8.64	.
21	.	.	SM50A	Bulb	67.2	.
22	.	.	SM41B	t=28	604	.
23	.	.	"	t=25	752	.
24	.	.	"	t=22	416	.
25	.	.	"	t=18	1.828	.
26	.	.	SM41A	t=12	1.624	.
27	.	.	"	t=10	300	.
28	.	.	SM50B	t=30	564	.
29	.	.	"	t=18	8.344	.
30	.	.	SM50C	t=50	17.344	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.
43	.	.	.	.	.	.
44	.	.	.	.	.	.
45	.	.	.	.	.	.
46	.	.	.	.	.	.
47	.	.	.	.	.	.
48	.	.	.	.	.	.
49	.	.	.	.	.	.
50	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	UT-9 ~ . UT-10	. 4Req	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	1605 . 18	. 500	1	. 113	SM50YB
6	"	" . "	12.000	1	2.721	SM50B
7	"	" . "	. 500	1	. 113	SM50YB
8	Bulb	180 . 9.5	13.000	1	. 215	SM50A
9	Bot.	802 . 38	. 750	1	. 179	SM50YB
10	"	" . 30	10.750	1	2.025	SM50B
11	"	" . 25	. 950	1	. 149	"
12	"	" . 32	. 550	1	. 111	SM50YB
13	side	850 . 58	1.000	2	. 774	SM50YC
14	"	" . 44	3.100	2	1.820	SM50C
15	"	1900 . 44	1.600	2	1.785	Net=0.85 "
16	"	850 . 44	4.100	2	2.407	"
17	"	1750 . 54	3.200	2	4.036	Net=0.85 "
18	Dia	800 . 10	. 800	2	. 75	Net=0.75
19	"	" . 10	. "	3	. 113	"
20	12	" . "	1.070	2	. 134	
21	"	1900 . 12	. 681	2	. 244	
22	"	600 . 14	. "	1	. 45	
23	"	800 . 12	. "	3	. 154	
24	"	600 . 28	. "	3	. 229	Net=0.85 SM41B
25	"	800 . 22	. 750	1	. 104	"
26	"	" . 18	. 760	1	. 86	"
27	"	170 . 18	. 370	2	. 15	Net=0.85 "
28	"	226 . 22	. 800	8	. 250	"
29	"	" . 25	. 420	4	. 4.8	Net=0.65 "
30	.	.	Σ	17.945		
31	.	.	4 Σ	71.780		
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	次頁へ 繰入	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.
9	.	.	.	.	.	.
10	.	.	.	.	.	.
11	UT-11 ~ UT-12	7. 継ぎ	.	.	.	.
12	.	.	.	.	.	.
13	.	.	.	.	.	.
14	.	.	.	.	.	.
15	.	.	SM507B	t=26	764	.
16	.	.	"	t=25	284	.
17	.	.	"	t=22	276	.
18	.	.	"	t=20	496	.
19	.	.	"	t=18	400	.
20	.	.	SM50B	t=30	8456	.
21	.	.	"	t=20	11908	.
22	.	.	"	t=18	15496	.
23	.	.	SM50A	Bu1b	852	.
24	.	.	SM41B	t=28	948	.
25	.	.	"	t=25	216	.
26	.	.	"	t=22	1104	.
27	.	.	"	t=20	332	.
28	.	.	"	t=18	360	.
29	.	.	SM41A	t=14	184	.
30	.	.	"	t=12	1644	.
31	.	.	"	t=10	1296	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

[illegible]

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.
9	.	.	.	.	.	.
10	.	.	.	.	.	.
11	.	.	.	.	.	.
12	UJ-12 ~ UJ-13	の 鏡 子	.	.	.	.
13	.	.	.	.	.	.
14	.	.	.	.	.	.
15	.	.	.	.	.	.
16	.	.	.	.	.	.
17	.	.	.	.	.	.
18	.	.	.	.	.	.
19	.	.	SM50YB	t=22	809	.
20	.	.	"	t=18	400	.
21	.	.	SM50B	t=28	7.892	.
22	.	.	"	t=20	17.244	.
23	.	.	"	t=18	10.236	.
24	.	.	SM50A	Bolt	860	.
25	.	.	SM41B	t=28	948	.
26	.	.	"	t=25	216	.
27	.	.	"	t=22	1.109	.
28	.	.	"	t=20	884	.
29	.	.	"	t=18	1.296	.
30	.	.	SM41A	t=14	184	.
31	.	.	"	t=12	1.644	.
32	.	.	"	t=10	1.296	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.
43	.	.	.	.	.	.
44	.	.	.	.	.	.
45	.	.	.	.	.	.
46	.	.	.	.	.	.
47	.	.	.	.	.	.
48	.	.	.	.	.	.
49	.	.	.	.	.	.
50	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.
9	.	.	.	.	.	.
10	.	.	.	.	.	.
11	UT-13 ~ UT-14 の 繰り		.	.	.	.
12	.	.	.	.	.	.
13	.	.	.	.	.	.
14	.	.	.	.	.	.
15	.	.	SM50B	t=20	894	.
16	.	.	"	t=18	400	.
17	.	.	SM41B	t=28	948	.
18	.	.	"	t=25	216	.
19	.	.	"	t=24	6764	.
20	.	.	"	t=22	1104	.
21	.	.	"	t=20	19692	.
22	.	.	"	t=18	10020	.
23	.	.	SM41A	t=14	184	.
24	.	.	"	t=12	1644	.
25	.	.	"	t=10	1296	.
26	.	.	"	B0/b	860	.
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.
43	.	.	.	.	.	.
44	.	.	.	.	.	.
45	.	.	.	.	.	.
46	.	.	.	.	.	.
47	.	.	.	.	.	.
48	.	.	.	.	.	.
49	.	.	.	.	.	.
50	.	.	.	.	.	.
51	.	.	.	.	.	.
52	.	.	.	.	.	.
53	.	.	.	.	.	.
54	.	.	.	.	.	.
55	.	.	.	.	.	.
56	.	.	.	.	.	.
57	.	.	.	.	.	.
58	.	.	.	.	.	.
59	.	.	.	.	.	.
60	.	.	.	.	.	.
61	.	.	.	.	.	.
62	.	.	.	.	.	.
63	.	.	.	.	.	.
64	.	.	.	.	.	.
65	.	.	.	.	.	.
66	.	.	.	.	.	.
67	.	.	.	.	.	.
68	.	.	.	.	.	.
69	.	.	.	.	.	.
70	.	.	.	.	.	.
71	.	.	.	.	.	.
72	.	.	.	.	.	.
73	.	.	.	.	.	.
74	.	.	.	.	.	.
75	.	.	.	.	.	.
76	.	.	.	.	.	.
77	.	.	.	.	.	.
78	.	.	.	.	.	.
79	.	.	.	.	.	.
80	.	.	.	.	.	.
81	.	.	.	.	.	.
82	.	.	.	.	.	.
83	.	.	.	.	.	.
84	.	.	.	.	.	.
85	.	.	.	.	.	.
86	.	.	.	.	.	.
87	.	.	.	.	.	.
88	.	.	.	.	.	.
89	.	.	.	.	.	.
90	.	.	.	.	.	.
91	.	.	.	.	.	.
92	.	.	.	.	.	.
93	.	.	.	.	.	.
94	.	.	.	.	.	.
95	.	.	.	.	.	.
96	.	.	.	.	.	.
97	.	.	.	.	.	.
98	.	.	.	.	.	.
99	.	.	.	.	.	.
100	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	UT-14 ~ .UT-15	.4 Rep	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	1575 . 20	.450	1	.111	SM50B
6	"	" . "	12.100	1	2.992	SM41B
7	"	" . "	.450	1	.111	SM50B
8	Bulb	180 . 9.5	13.000	1	.215	
9	Bot	800 . 20	.400	1	.50	SM50B
10	"	" . "	12.200	1	1.532	SM41B
11	"	" . "	.400	1	.50	SM50B
12	side	850 . 20	4.100	2	1.094	SM41B
13	"	1900 . 20	1.600	2	.811	Net = 0.85 "
14	"	850 . 20	4.100	2	1.094	"
15	"	1650 . 24	3.200	2	1.691	Net = 0.85 "
16	Dia	800 . 10	.800	5	.188	Net = 0.75
17	It	" . "	1.080	2	.136	
18	"	1900 . 12	.705	2	.252	
19	"	600 . 14	. "	1	.46	
20	"	800 . 12	. "	3	.159	
21	"	600 . 28	. "	3	.237	Net = 0.85 SM41B
22	"	800 . 20	.660	1	.83	"
23	"	" . 18	.640	1	.72	"
24	"	200 . 18	.370	2	.18	Net = 0.85 "
25	"	250 . 22	.800	8	.276	"
26	"	" . 25	.420	4	.54	Net = 0.65 "
27	.	.	Σ	11.272		
28	.	.	4 Σ	45.088		
29	.	.	.	.		
30	.	.	SM50B	. t=20	1.288	
31	.	.	SM41B	. t=28	9.48	
32	.	.	.	. t=25	2.16	
33	.	.	"	. t=24	6.764	
34	.	.	"	. t=22	1.104	
35	.	.	"	. t=20	30.924	
36	.	.	"	. t=18	3.60	
37	.	.	SM41A	. t=14	1.84	
38	.	.	"	. t=12	1.644	
39	.	.	"	. t=10	1.296	
40	.	.	"	. Bulb	8.60	
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
	UJ-15 ~ UJ-16	.4 R _{0.2}				
Top	1575 . 20	. 450	1	. 111		SM50B
"	" . "	10. 850	1	2. 683		SM41B
"	" . 22	1. 600	1	. 435		SM50B
Bolt	180 . 9.5	12. 900	1	. 213		
Bot.	800 . 20	. 400	1	. 50		SM50B
"	" . "	10. 900	1	1. 369		SM41B
"	" . 22	1. 600	1	. 221		SM50B
side	850 . 20	4. 100	2	1. 094		SM41B
"	1900 . 20	1. 600	2	. 811	Net = 0.85	"
"	850 . 20	4. 200	2	1. 121		"
"	1500 . 22	3. 000	2	1. 321	Net = 0.85	SM50B
Dia	800 . 10	. 800	5	. 188	Net = 0.75	
12	" . "	1. 080	2	. 136		
"	1900 . 12	. 705	2	. 252		
"	600 . 14	. "	1	. 46		
"	800 . 12	. "	3	. 159		
"	600 . 28	. "	3	. 137	Net = 0.85	SM41B
"	800 . 20	. 530	2	. 133		"
"	200 . 18	. 370	2	. 18	Net = 0.85	"
"	250 . 22	. 800	8	. 276		"
"	" . 25	. 420	4	. 54	Net = 0.65	"
			Σ	10. 928		
			4 Σ	43. 712		
			SM50B	. t = 22	7 908	
			"	. t = 20	644	
			SM41B	. t = 28	948	
			"	. t = 25	216	
			"	. t = 22	1 104	
			"	. t = 20	28 844	
			"	. t = 18	72	
			SM41A	. t = 14	184	
			"	. t = 12	1 644	
			"	. t = 10	1 296	
			"	. Bolt	852	

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	UJ-26~.UJ-28	. 8R08				
3						
4						
5	Top	1575 . 22	13.000	1	3.536	SM50B
6	Bulb	180 . 9.5	13.000	1	.215	SM50A
7	Bot	800 . 22	13.000	1	1.796	SM50B
8	side	850 . 22	4.200	2	1.233	SM50B
9	"	1900 . 22	1.600	2	.893	Net=0.85 "
10	"	850 . 22	4.200	2	1.233	"
11	"	1500 . 28	3.000	2	1.681	Net=0.85 "
12	Dia	800 . 10	.800	5	.188	Net=0.75
13	R	" . "	1.078	2	.135	
14	"	1900 . 12	.703	2	.252	
15	"	600 . 14	. "	1	.46	
16	"	800 . 12	. "	3	.159	
17	"	600 . 28	. "	3	.236	Net=0.85 SM41B
18	"	800 . 20	.530	2	.133	"
19	"	200 . 18	.370	2	.18	Net=0.85 "
20	"	248 . 22	.800	8	.274	"
21	"	" . 25	.420	4	.53	Net=0.65 "
22			Σ	12.081		
23			8 Σ	96.648		
24						
25						
26			SM50B	. t=28	13.448	
27			"	. t=22	69.528	
28			SM50A	. Bulb	1.720	
29			SM41B	. t=28	1.888	
30			"	. t=25	4.24	
31			"	. t=22	2.192	
32			"	. t=20	1.064	
33			"	. t=18	1.44	
34			SM41A	. t=14	3.68	
35			"	. t=12	3.288	
36			"	. t=10	2.584	
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	UJ-28 ~ UJ-28'	. 2 Reg	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	1575 . 22	10.000	1	2.720	SM50B
6	Bulb	180 . 9.5	10.000	1	.165	SM50A
7	Bott.	800 . 22	10.000	1	1.382	SM50B
8	side	850 . 22	4.200	2	1.233	"
9	"	1900 . 22	1.600	2	.893	Net = 0.85
10	"	850 . 22	4.200	2	1.233	"
11	Dia	800 . 10	.800	4	.151	Net = 0.75
12	Pl	" . "	1.078	2	.135	
13	"	1900 . 12	.703	2	.252	
14	"	600 . 14	. "	1	.28	Net = 0.60
15	"	800 . 12	. "	2	.106	
16	"	600 . 28	. "	2	.158	Net = 0.85
17	"	200 . 18	.820	1	.17	Net = 0.75
18	"	248 . 25	.870	1	.30	Net = 0.70
19	"	" . 22	.800	6	.206	"
20	.	.	Σ	8.709		
21	.	.	Σ	17.418		
22	.	.		.		
23	.	.		.		
24	.	.	SM50B	. f=22	14.922	
25	.	.	SM50A	. Bulb	330	
26	.	.	SM41B	. f=28	316	
27	.	.	"	. f=25	60	
28	.	.	"	. f=22	412	
29	.	.	"	. f=18	34	
30	.	.	SM41A	. f=14	56	
31	.	.	"	. f=12	716	
32	.	.	"	. f=10	572	
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種別	寸	法	数量	重量(kg)	摘要	材質
1	.	.	.	.	.	.
2	.	上弦材. 合計	.	1405.682 ^{kg}	.	.
3	.	.	.	.	.	.
4	.	. SM50YC	t=72	52.372	.	.
5	.	. "	62	3.272	.	.
6	.	. "	60	17.936	.	.
7	.	. "	58	26.192	.	.
8	.	. "	40	10.156	.	.
9	.	. SM50YB	38	2.864	.	.
10	.	. "	34	13.468	.	.
11	.	. "	32	.888	.	.
12	.	. "	26	.764	.	.
13	.	. "	25	1.448	.	.
14	.	. "	22	1.080	.	.
15	.	. "	20	1.984	.	.
16	.	. "	18	4.376	.	.
17	.	. SM50C	60	20.692	.	.
18	.	. "	54	16.144	.	.
19	.	. "	50	25.684	.	.
20	.	. "	44	47.632	.	.
21	.	. SM50B	32	10.164	.	.
22	.	. "	30	25.788	.	.
23	.	. "	28	30.488	.	.
24	.	. "	25	21.472	.	.
25	.	. "	24	13.312	.	.
26	.	. "	22	493.918	.	.
27	.	. "	20	80.220	.	.
28	.	. "	18	70.924	.	.
29	.	. SM41B	28	33.324	.	.
30	.	. "	25	4.240	.	.
31	.	. "	24	21.328	.	.
32	.	. "	22	25.092	.	.
33	.	. "	20	155.952	.	.
34	.	. "	18	70.062	.	.
35	.	. SM41A	14	4.840	.	.
36	.	. "	12	44.968	.	.
37	.	. "	10	28.592	.	.
38	.	. SM50A	Full 120, 9.5	12.378	.	.
39	.	. SM41A	"	4.898	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1				.		
2	上弦料	紐手		.		
3				.		
4	UJ-1			.		
5				.		
6	NPI	1230. 10	. 470	1	. 45	SM41A
7	"	720. 10	. 470	1	. 27	"
8	"	400. 10	. 470	1	. 15	"
9	"	685. 9	. 530	4	. 103	"
10	"	685. 9	. 530	2	. 51	"
11	Fillet	685. 10	. 265	2	. 28	"
12				. 4		
13	HTB	M22.	. 80		. 49	F10T
14	"	M24.	. 85		. 78	"
15	"	"	. 85		. 37	"
16				.		
17				. 433	$\frac{1}{2}$	
18			48	1. 732	$\frac{1}{2}$	
19				.		
20				.		
21	UJ-3, 4			.		
22				.		
23	NPI	1230. 12	. 620	2	. 144	SM41A
24	"	720. 12	. 620	2	. 84	"
25	"	400. 12	. 620	2	. 47	"
26	"	685. 12	. 530	8	. 274	"
27	"	685. 12	. 530	4	. 137	"
28				.		
29	HTB	M22.	. 85	224	. 134	F10T
30	"	M24.	. 90	192	. 152	"
31	"	"	. 90	96	. 75	"
32				.		
33				1. 298		
34			48	4. 192		
35				.		
36				.		
37				.		
38				.		
39				.		
40				.		
41				.		
42				.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	UJ-5.					
3						
4	SPI	1230 . 15	. 770	1	. 112	SM50A
5	"	720 . 15	. 770	1	. 65	"
6	"	400 . 15	. 770	1	. 36	"
7	"	685 . 14	. 700	4	. 211	"
8	"	685 . 13	. 700	2	. 98	"
9	Fill	685 . 6	. 350	2	. 13	SM41A
10	H.T.B	M22 .	. 90	140	. 86	F10T
11	"	M24 .	. 105	128	. 108	"
12	"	" .	. 95	64	. 52	"
13				. 791		
14			4 ⁰	3.164		
15	UJ-6 .					
16						
17	SPI	1230 . 18	. 770	1	. 134	SM50YB
18	"	720 . 18	. 770	1	. 78	"
19	"	400 . 18	. 770	1	. 44	"
20	"	685 . 24	1.040	4	. 537	"
21	"	685 . 16	1.040	2	. 179	SM50YA
22	H.T.B	M22 .	. 100	140	. 90	F10T
23	"	M24 .	. 130	192	. 177	"
24	"	" .	. 105	96	. 81	"
25				1.322		
26			4 ⁰	5.288		
27	UJ-7 .					
28						
29	SPI	1230 . 18	. 770	1	. 134	SM50YB
30	"	720 . 18	. 770	1	. 78	"
31	"	400 . 18	. 770	1	. 44	"
32	"	685 . 40	1.720	4	1.480	SM50YC
33	"	685 . 24	1.210	2	. 312	SM50YB
34	H.T.B	M22 .	. 95	140	. 88	F10T
35	"	M24 .	. 185	320	. 361	"
36	"	" .	. 135	112	. 106	"
37				2.603		
38			4 ⁰	10.412		
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						

種別	寸	法	数量	重量(kg)	摘要	材質
1		.		.		
2	UT-8.	.		.		
3		.		.		
4	SP/ 720 . 18	. 770	2	. 157		SM50YB
5	" 400 . 18	. 770	2	. 87		"
6	" 685 . 50	2.230	9	2.398		SM50YC
7	" 685 . 40	1.890	2	. 813		"
8	H.T.B M22 .	. 95	190	. 88		F10T
9	" M24 .	. 220	416	. 520		"
10	" " .	. 190	176	. 201		"
11		.		4.264		
12		.	4 ⁰	17.056		
13	UT-9.	.		.		
14		.		.		
15	SP/ 1230 . 18	. 770	1	. 134		SM50YB
16	" 720 . 18	. 770	1	. 78		"
17	" 400 . 18	. 770	1	. 44		"
18	" 685 . 40	1.720	4	1.480		SM50YC
19	" 685 . 24	1.210	2	. 312		SM50YB
20	Fill 685 . 2.3	. 860	2	. 21		SM41A
21	H.T.B M22 .	. 95	190	. 88		F10T
22	" M24 .	. 185	320	. 361		"
23	" " .	. 135	112	. 106		"
24		.		2.624		
25		.	4 ⁰	10.496		
26	UT-10.	.		.		
27		.		.		
28	SP/ 1230 . 16	. 770	1	. 119		SM50YA
29	" 720 . 16	. 770	1	. 70		"
30	" 400 . 16	. 770	1	. 39		"
31	" 685 . 24	1.040	4	. 537		SM50YB
32	" 685 . 20	. 870	2	. 167		"
33	Fill 685 . 20	. 520	2	. 112		SM41A
34	H.T.B M22 .	. 90	190	. 86		F10T
35	" M24 .	. 150	192	. 193		"
36	" " .	. 120	80	. 72		"
37		.		1.415		
38		.	4 ⁰	5.660		
39		.		.		
40		.		.		
41		.		.		
42		.		.		

種別	寸	法	数量	重量(kg)	摘要	材質
1						
2	UJ-11.					
3						
4	SpI 1230 . 18	. 770	1	. 134		SM50YB
5	" 720 . 18	. 770	1	. 78		"
6	" 400 . 18	. 770	1	. 44		"
7	" 685 . 18	. 870	4	. 337		"
8	" 685 . 16	. 700	2	. 120		SM50YA
9	Fill 685 . 6	. 435	2	. 28		SM41A
10	H.T.B M22 .	. 100	140	. 90		F10T
11	" M24 .	. 115	160	. 141		"
12	" " .	. 105	64	. 54		"
13				1.026		
14			40	4.104		
15	UJ-12.					
16						
17	SpI 1230 . 14	. 620	1	. 84		SM50YA
18	" 720 . 14	. 620	1	. 49		"
19	" 400 . 14	. 620	1	. 27		"
20	" 685 . 14	. 700	4	. 211		"
21	" 685 . 14	. 700	2	. 105		"
22	Fill 685 . 8	. 350	2	. 30		SM41A
23	H.T.B M22 .	. 90	112	. 69		F10T
24	" M24 .	. 105	128	. 108		"
25	" " .	. 95	64	. 52		"
26				. 735		
27			40	2.940		
28	UJ-13.					
29						
30	SpI 1230 . 14	. 620	1	. 84		SM50YA
31	" 720 . 14	. 620	1	. 49		"
32	" 400 . 14	. 620	1	. 27		"
33	" 685 . 14	. 700	4	. 211		"
34	" 685 . 14	. 530	2	. 80		"
35	Fill 685 . 8	. 350	2	. 30		SM41A
36	H.T.B M22 .	. 90	112	. 69		F10T
37	" M24 .	. 105	128	. 108		"
38	" " .	. 95	64	. 39		"
39				. 697		
40			40	2.785		
41						
42						

種別	寸	法	数量	重量(kg)	摘要	材質
1		.		.		
2	UT-14.	.		.		
3		.		.		
4	SP/ 1230 . 14	. 620	1	. 84		SM50A
5	" 720 . 14	. 620	1	. 49		"
6	" 400 . 14	. 620	1	. 27		"
7	" 685 . 12	. 530	4	. 137		"
8	" 685 . 12	. 530	2	. 68		"
9	Fill 685 . 4.5	. 265	2	. 13		SM41A
10	H.T.B. M22 .	. 90	112	. 69		F10T
11	" M24 .	. 95	96	. 78		"
12	" " .	. 90	48	. 38		"
13		.		. 563		
14		.	4 ⁰	2.252		
15	UT-15 .	.		.		
16		.		.		
17	SP/ 1230 . 12	. 620	1	. 72		SM50A
18	" 720 . 12	. 620	1	. 42		"
19	" 400 . 12	. 620	1	. 23		"
20	" 685 . 12	. 700	4	. 181		"
21	" 685 . 12	. 530	2	. 68		"
22	Fill 685 . 4.5	. 350	2	. 17		SM41A
23	H.T.B. M22 .	. 85	112	. 67		F10T
24	" M24 .	. 95	128	. 103		"
25	" " .	. 90	48	. 38		"
26		.		. 611		
27		.	4 ⁰	2.444		
28	UT-16 ~ 26	.		.		
29		.		.		
30	SP/ 1230 . 12	. 770	11	. 981		SM50A
31	" 720 . 12	. 770	11	. 574		"
32	" 400 . 12	. 770	11	. 319		"
33	" 685 . 12	. 870	44	2.470		"
34	" 685 . 12	. 700	22	. 994		"
35	H.T.B. M22 .	. 90	1540	. 947		F10T
36	" M24 .	. 95	1760	1.422		"
37	" " .	. 95	704	. 569		"
38		.		6.276		
39		.	4 ⁰	33.104		
40		.		.		
41		.		.		
42		.		.		
43		.		.		
44		.		.		
45		.		.		
46		.		.		
47		.		.		
48		.		.		
49		.		.		
50		.		.		
51		.		.		
52		.		.		
53		.		.		
54		.		.		
55		.		.		
56		.		.		
57		.		.		
58		.		.		
59		.		.		
60		.		.		
61		.		.		
62		.		.		
63		.		.		
64		.		.		
65		.		.		
66		.		.		
67		.		.		
68		.		.		
69		.		.		
70		.		.		
71		.		.		
72		.		.		
73		.		.		
74		.		.		
75		.		.		
76		.		.		
77		.		.		
78		.		.		
79		.		.		
80		.		.		
81		.		.		
82		.		.		
83		.		.		
84		.		.		
85		.		.		
86		.		.		
87		.		.		
88		.		.		
89		.		.		
90		.		.		
91		.		.		
92		.		.		
93		.		.		
94		.		.		
95		.		.		
96		.		.		
97		.		.		
98		.		.		
99		.		.		
100		.		.		

種別	寸	法	数量	重量(kg)	摘要	材質
1						
2	UT-27..28					
3						
4	spl 1230 . 12	. 770	2	. 178		SM50A
5	" 720 . 12	. 770	2	. 104		"
6	" 400 . 12	. 770	2	. 58		"
7	" 685 . 12	. 870	8	. 449		"
8	" 685 . 12	. 700	4	. 181		"
9	Fill 685 . 6	. 435	4	. 56		SM41A
10	H.T.B M22 .	. 90	280	. 172		F10T
11	" M24 .	. 100	320	. 264		"
12	" " .	. 95	128	. 103		"
13				1.565		
14			4°	6.260		
15	バルブ7°レ-ト継手.					
16						
17	spl 125 . 12	. 530	14	. 87		SM41A
18	" 125 . 12	. 650	42	. 321		SM50A
19	H.T.B M22 .	. 75	266	. 152		F10T
20				. 560		
21			4°	2.240		
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.		
2	.	.	.	.		
3	.	上弦材	継手合計	114.132kg		
4	.	.	.	.		
5	.	.SM50YC	t=50	9.592		
6	.	"	40	15.092		
7	.	.SM50YB	29	6.792		
8	.	"	20	.748		
9	.	.	18	6.420		
10	.	.SM50YA	16	2.108		
11	.	"	14	1.904		
12	.	.SM50A	15	.852		
13	.	"	14	3.288		
14	.	"	13	.392		
15	.	"	12	28.880		
16	.	.SM41A	20	.448		
17	.	"	12	3.092		
18	.	"	10	.460		
19	.	"	9	.616		
20	.	"	8	.240		
21	.	"	6	.428		
22	.	"	4.5	.120		
23	.	"	2.3	.84		
24	.	.F10T	M24	23.200		
25	.	"	M22	9.376		
26	.	.	.	.		
27	.	.	.	.		
28	.	.	.	.		
29	.	.	.	.		
30	.	.	.	.		
31	.	.	.	.		
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		
43	.	.	.	.		
44	.	.	.	.		
45	.	.	.	.		
46	.	.	.	.		
47	.	.	.	.		
48	.	.	.	.		
49	.	.	.	.		
50	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	下弦材	.	.	.	.	.
2	0 ~ 25:1	.4R08	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 16	14.575	1	1.464	SM50A
6	"	" . 24	.450	1	.68	SM50B
7	Bot.	900 . 16	14.575	1	1.648	SM50A
8	"	" . 22	.450	1	.70	SM50B
9	side	2775 . 40	2.225	2	2.714	Net = 0.70 SM50C
10	"	950 . 16	9.600	2	2.291	SM50A
11	"	1950 . 34	3.200	2	2.831	Net = 0.85 SM50B
12	径	650φ . 30	.	4	.266	" = " SM50B
13	Dia	800 . 18	.945	1	.107	SM41B
14	"	" . "	"	1	.75	Net = 0.70 "
15	径	" . "	.987	2	.223	"
16	"	600 . 38	.685	1	.123	"
17	"	650 . 20	.685	2	.140	"
18	"	660 . 38	.675	1	.133	"
19	Dia	800 . 18	.945	2	.150	Net = 0.70 "
20	径	" . "	.981	2	.222	"
21	"	600 . 9	.691	1	.29	.
22	"	650 . 9	.691	2	.63	.
23	"	660 . 9	.691	1	.32	.
24	Dia	800 . 10	.945	3	.125	Net = 0.70
25	径	" . 20	.790	1	.99	SM41B
26	"	" . 18	.830	1	.94	"
27	.	.	Σ	12.967	.	.
28	.	.	4Σ	51.868	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	次頁へ続く	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.
9	.	.	.	.	.	.
10	.	.	.	.	.	.
11	0 ~ LJ-1 の 続き		.	.	.	.
12	.	.	.	.	.	.
13	.	.	.	.	.	.
14	.	.	.	.	.	.
15	.	.	SM50C	t=40	10 856	.
16	.	.	SM50B	t=34	11 324	.
17	.	.	"	t=30	1 064	.
18	.	.	"	t=24	272	.
19	.	.	"	t=22	280	.
20	.	.	SM50A	t=16	21 612	.
21	.	.	SM41B	t=38	1 024	.
22	.	.	"	t=20	956	.
23	.	.	"	t=18	3 484	.
24	.	.	SM41A	t=10	500	.
25	.	.	"	t=9	496	.
26	.	.	.	.	.	.
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	LJ-1 ~ LJ-2	. 4Roz	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 24 . 450	1	. 68		SM50B
6	"	" . 18 12.100	1	1.368		"
7	"	" . 26 . 450	1	. 73		"
8	Bot	900 . 22 . 450	1	. 70		"
9	"	" . 18 12.000	1	1.526		"
10	"	" . 28 . 550	1	. 109		"
11	Sido	950 . 34 . 650	2	. 330		"
12	"	" . 26 9.150	2	3.548		"
13	"	1950 . 34 3.200	2	2.831	Not = 0.85	"
14	Dia	800 . 18 . 945	2	. 150	Not = 0.70	SM41B
15	It	" . " . 987	2	. 223		"
16	"	600 . 9 . 691	1	. 29		
17	"	650 . 9 . 691	2	. 63		
18	"	660 . 9 . 675	1	. 31		
19	Dia	800 . 10 . 945	3	. 125	Not = 0.70	
20	It	" . 18 . 750	1	. 85		SM41B
21	"	" . 20 . 710	1	. 89		"
22	.	.	Σ	10.718		
23	.	.	4Σ	42.872		
24	.	.	.	.		
25	.	.	SM50B	. t=34	12 644	
26	.	.	"	. t=28	436	
27	.	.	"	. t=26	14 484	
28	.	.	"	. t=24	272	
29	.	.	"	. t=22	280	
30	.	.	"	. t=18	11 576	
31	.	.	SM41B	. t=20	356	
32	.	.	"	. t=18	1 832	
33	.	.	SM41A	. t=10	500	
34	.	.	"	. t=9	492	
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	LJ-3 ~ LJ-4	. 4R08	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 30	. 450	1	. 85	SM503
6	"	" . 25	12. 200	1	1. 915	"
7	"	" . 26	. 450	1	. 73	"
8	Bot	900 . 26	. 550	1	. 101	"
9	"	" . 25	11. 950	1	2. 111	"
10	"	" . 26	. 600	1	. 110	"
11	side	950 . 34	. 650	2	. 330	"
12	"	" . 30	9. 050	2	4. 049	"
13	"	2050 . 38	3. 400	2	3. 535	Net = 0.85 "
14	Dia	800 . 18	. 945	2	. 150	Net = 0.70 SM41B
15	R	" . "	1. 080	2	. 244	"
16	"	600 . 9	. 687	1	. 29	
17	"	650 . "	. "	2	. 63	
18	"	660 . 9	. 675	1	. 31	
19	Dia	800 . 10	. 945	3	. 125	Net = 0.70
20	R	" . 20	. 950	1	. 119	SM41B
21	"	" . 22	. 980	1	. 135	"
22	.	.	Σ	13. 205		
23	.	.	4 Σ	52. 820		
24	.	.	.	.		
25	.	.	SM50B	. t=38	14 140	
26	.	.	"	. t=34	1 320	
27	.	.	"	. t=30	16 536	
28	.	.	"	. t=26	1 136	
29	.	.	"	. t=25	16 109	
30	.	.	SM41B	. t=22	540	
31	.	.	"	. t=20	476	
32	.	.	"	. t=18	1 576	
33	.	.	SM41A	. t=10	500	
34	.	.	"	. t=9	492	
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.		.		
2	L5-4 ~ L5-5	. 4Rep		.		
3	.	.		.		
4	.	.		.		
5	Top	800 . 26	. 450	1	. 73	SM50B
6	"	" . 25	10. 450	1	1. 641	"
7	"	" . 25	2. 100	1	. 330	SM50YB
8	Bot	900 . 26	. 600	1	. 110	SM50B
9	"	960 . 25	10. 300	1	1. 941	"
10	"	" . "	2. 100	1	. 396	SM50YB
11	side	950 . 32	. 550	2	. 263	SM50B
12	"	" . 30	9. 050	2	4. 049	"
13	"	2050 . 42	3. 400	2	3. 907	Net = 0.85 SM50YC
14	Di	800 . 18	. 945	2	. 150	Net = 0.70 SM41B
15	ρ	" . "	1. 080	2	. 244	"
16	"	600 . 9	. 683	1	. 29	
17	"	650 . "	. "	2	. 63	
18	"	660 . 9	. 645	1	. 30	
19	Di	800 . 10	. 945	3	. 125	Net = 0.70
20	ρ	" . 22	. 950	1	. 131	SM41B
21	"	" . "	. 980	1	. 135	"
22	.	.	Σ	13. 617		
23	.	.	4Σ	54. 468		
24	.	.		.		
25	.	.	SM50YC	. t=42	15 628	
26	.	.	SM50YB	. t=25	2 904	
27	.	.	SM50B	. t=32	1 052	
28	.	.	"	. t=30	16 196	
29	.	.	"	. t=26	732	
30	.	.	"	. t=25	14 328	
31	.	.	SM41B	. t=22	1 067	
32	.	.	"	. t=18	1 576	
33	.	.	SM41A	. t=10	500	
34	.	.	"	. t=9	488	
35	.	.		.		
35	.	.		.		
37	.	.		.		
33	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.		.		
2	LS-5~LS-6	. 4R08		.		
3	.	.		.		
4	.	.		.		
5	Top	800 . 25	10.900	1	1.711	SM50YB
6	"	" . 30	2.100	1	.396	SM58
7	Bottom	960 . 25	10.900	1	2.054	SM50YB
8	"	" . 30	2.100	1	.475	SM58
9	side	950 . 34	9.600	2	4.868	SM50YB
10	"	2050 . 42	3.400	2	3.907	Net=0.85 SM58
11	Dia	800 . 18	.945	2	.150	Net=0.70 SM41B
12	R	" . "	1.080	2	.244	"
13	"	600 . 9	.683	1	.29	
14	"	650 . 9	. "	2	.63	
15	"	660 . 9	.645	1	.30	
16	Dia	800 . 10	.945	3	.125	Net=0.70
17	R	" . 22	.950	1	.131	SM41B
18	"	" . "	.980	1	.135	"
19	.	.	2	14.318		
20	.	.	4 2	57.272		
21	.	.		.		
22	.	.	SM58	. t=42	15 628	
23	.	.	"	. t=30	3 484	
24	.	.	SM50YB	. t=34	19 472	
25	.	.	"	. t=25	15 060	
26	.	.	SM41B	. t=22	1 064	
27	.	.	"	. t=18	1 576	
28	.	.	SM41A	. t=10	500	
29	.	.	"	. t=9	488	
30	.	.		.		
31	.	.		.		
32	.	.		.		
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	LT-6n.LT-7	. 4Req	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top 800 . 30	10.900	1	2.054		SM58
6	" . 45	2.100	1	.593		"
7	Bot 960 . 30	10.900	1	2.464		"
8	" . 45	2.100	1	.712		"
9	Side 950 . 38	9.600	2	5.441		"
10	" 2150 . 50	3.400	.2	4.878	Net=0.85	"
11	Dia 800 . 18	.945	2	.150	Net=0.70	SM41B
12	R . "	1.185	2	.268		"
13	" 600 . 9	.675	1	.29		
14	" 650 . 9	. "	2	.62		
15	" 660 . 9	.645	1	.30		
16	Dia 800 . 10	.945	3	.125	Net=0.70	
17	R . 24	1.030	1	.155		SM41B
18	" . 22	1.090	1	.151		"
19	.	.	Σ	17.112		
20	.	.	4 Σ	68.448		
21	.	.	.	.		
22	.	.	.	.		
23	.	.	SM58	. t=50	19 512	
24	.	.	"	. t=45	5 220	
25	.	.	"	. t=38	21 764	
26	.	.	"	. t=30	18 072	
27	.	.	SM41B	. t=24	620	
28	.	.	"	. t=22	609	
29	.	.	"	. t=18	1 672	
30	.	.	SM41A	. t=10	500	
31	.	.	"	. t=9	484	
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	LJ-7 ~ LJ-8	. 4R28	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 45	13.300	1	3.759	SM5B
6	Bot	960 . 45	13.300	1	4.510	"
7	side	950 . 50	9.300	2	6.935	"
8	"	2500 . 50	4.000	2	6.673	Net = 0.85 "
9	Dia	800 . 18	. 945	2	. 150	Net = 0.70 SM41B
10	"	" . 10	. 9	3	. 125	"
11	φ	" . 18	1.510	2	. 341	SM41B
12	"	1000 . 25	. 675	1	. 132	"
13	"	650 . 18	. "	2	. 124	"
14	"	1060 . 25	. 645	1	. 134	"
15	"	800 . 24	1.220	1	. 184	"
16	"	" . 22	1.220	1	. 169	"
17	.	.	Σ	22.236		
18	.	. 4	Σ	92.944		
19	.	.	.	.		
20	.	.	.	.		
21	.	.	SM5B	. t=50	54.432	
22	.	.	"	. t=45	33.076	
23	.	.	SM41B	. t=25	1.064	
24	.	.	"	. t=24	736	
25	.	.	"	. t=22	676	
26	.	.	"	. t=18	2.460	
27	.	.	SM41A	. t=10	500	
28	.	.	.	.		
29	.	.	.	.		
30	.	.	.	.		
31	.	.	.	.		
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	LT-8 ~ LT-9	.4808				
3						
4						
5	Top	800 . 45	11.400	1	3.222	SM58
6	"	" . 32	1.300	1	.261	"
7	Bot	960 . 45	11.400	1	3.866	"
8	"	" . 32	1.300	1	.313	"
9	Side	950 . 50	9.300	2	6.935	"
10	"	±0.50 . 50	3.400	2	4.651	Not = 0.85
11	Dia	800 . 10	.945	2	.83	Net = 0.70
12	"	" . "	"	3	.125	"
13	電	" . "	1.060	2	.133	
14	電	600 . 9	.675	1	.29	
15	"	650 . "	"	2	.62	
16	"	660 . 9	.645	1	.30	
17	"	800 . 18	.980	1	.111	SM50B
18	"	" . 22	.940	1	.130	SM41B
19			Σ	19.951		
20			4 Σ	79.804		
21						
22						
23			SM58	t=50	46.344	
24			"	t=45	28.352	
25			"	t=32	2.296	
26			SM50B	t=18	444	
27			SM41B	t=22	520	
28			SM41A	t=10	1.364	
29			"	t=9	484	
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	LT-9 ~ LT-10	. 4 Reg		.		
3		.		.		
4		.		.		
5	Top	800 . 32	11.700	1	2.351	SM58
6	"	" . 30	1.300	1	.245	SM50YB
7	Bot	900 . 32	11.700	1	2.645	SM58
8	"	" . 30	1.300	1	.276	SM50YB
9	side	950 . 40	9.600	2	5.727	SM58
10	"	2050 . 40	3.400	2	3.721	Net = 0.85
11	Dia	800 . 10	.945	2	.83	Net = 0.70
12	R	" . "	1.073	2	.135	
13	"	600 . 9	.685	1	.29	
14	"	650 . "	. "	2	.63	
15	"	660 . 9	.675	1	.31	
16	Dia	800 . 10	.945	3	.125	Net = 0.70
17	R	" . 18	.980	1	.111	SM41B
18	"	" . 22	.940	1	.130	"
19		.	Σ	15.672		
20		.	↑Σ	62.688		
21		.		.		
22		.		.		
23		.		.		
24		.	SM58	. t=40	37.792	
25		.	"	. t=32	19.984	
26		.	SM50YB	. t=30	2.084	
27		.	SM41B	. t=22	520	
28		.	"	. t=18	444	
29		.	SM41A	. t=10	1.372	
30		.	"	. t=9	492	
31		.		.		
32		.		.		
33		.		.		
34		.		.		
35		.		.		
36		.		.		
37		.		.		
38		.		.		
39		.		.		
40		.		.		
41		.		.		
42		.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.		
2	LJ-10 ~ LJ-11	. 4R08	.	.		
3	.	.	.	.		
4	.	.	.	.		
5	Top	800 . 30	11.700	1	2.204	SM50YB
6	"	" . 25	1.300	1	.204	"
7	Bot	900 . 30	11.700	1	2.480	"
8	"	" . 25	1.300	1	.230	"
9	side	950 . 38	9.600	2	5.441	"
10	"	2050 . 38	3.400	2	3.535	Net=0.85
11	Dia	800 . 10	.945	2	.83	Net=0.70
12	φ	" . "	1.075	2	.135	
13	"	600 . 9	.687	1	.29	
14	"	650 . "	"	2	.63	
15	"	660 . 9	.675	1	.31	
16	Dia	600 . 10	.945	3	.125	Net=0.70
17	φ	" . 18	.980	1	.111	SM41B
18	"	" . 20	.940	1	.118	"
19	.	.	Σ	14.789		
20	.	.	4Σ	59.156		
21	.	.	.	.		
22	.	.	.	.		
23	.	.	SM50YB	. t=38	35904	
24	.	.	"	. t=30	18736	
25	.	.	"	. t=25	1736	
26	.	.	SM41B	. t=20	472	
27	.	.	"	. t=18	444	
28	.	.	SM41A	. t=10	1372	
29	.	.	"	. t=9	492	
30	.	.	.	.		
31	.	.	.	.		
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	LJ-11 ~ LJ-12	. 4 Ref	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 25	11.700	1	1.837	SM50YB
6	"	" . "	1.200	1	.188	SM50B
7	Bot	900 . "	11.700	1	2.067	SM50YB
8	"	" . "	1.200	1	.212	SM50B
9	side	950 . 32	9.700	2	4.630	SM50YB
10	"	1950 . 32	3.200	2	2.665	Net = 0.85 "
11	Dia	800 . 10	.945	2	.83	Net = 0.70
12	R	" . "	.980	2	.123	
13	"	600 . 9	.693	1	.29	
14	"	650 . "	"	2	.64	
15	"	660 . "	.675	1	.31	
16	Dia	800 . 10	.945	3	.125	Net = 0.70
17	R	" . 18	.840	1	.95	SM41B
18	"	" . 20	.800	1	.100	"
19	.	.	Σ	12.249		
20	.	.	4 Σ	48.996		
21	.	.	.	.		
22	.	.	.	.		
23	.	.	.	.		
24	.	.	SM50YB	. t = 32	29 180	
25	.	.	"	. t = 25	15 616	
26	.	.	SM50B	. t = 25	1 600	
27	.	.	SM41B	. t = 20	400	
28	.	.	"	. t = 18	380	
29	.	.	SM41A	. t = 10	1 327	
30	.	.	"	. t = 9	496	
31	.	.	.	.		
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	LT-12 ~ LT-13	. 4 R08				
3						
4						
5	Top	800 . 25	13.000	1	2.041	SM50B
6	Bot	900 . 25	. "	1	2.296	"
7	side	950 . 32	9.800	2	4.677	"
8	"	1950 . "	3.200	2	2.665	Net = 0.85 "
9	Dia	800 . 10	. 945	2	. 83	Net = 0.70
10	R	" . "	. 980	2	. 123	
11	"	600 . 9	. 693	1	. 29	
12	"	650 . "	. "	2	. 64	
13	"	660 . "	. 675	1	. 31	
14	Dia	800 . 10	. 945	3	. 125	Net = 0.70
15	R	" . 18	. 840	1	. 95	SM41B
16	"	" . 20	. 800	1	. 100	"
17			Σ	12.329		
18			4 Σ	49.316		
19						
20						
21						
22			SM50B	. t=32	29 368	
23			"	. t=25	17 348	
24			SM41B	. t=20	400	
25			"	. t=18	380	
26			SM41A	. t=10	1 324	
27			"	. t=9	496	
28						
29						
30						
31						
32						
33						
34						
35						
35						
37						
38						
39						
40						
41						
42						

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1						
2	LJ-13 ~ LJ-14	. 4 R=8				
3						
4						
5	Top	800 . 25	11.800	1	1.853	SM50B
6	"	" . "	. 800	1	. 126	SM41B
7	"	" . 26	. 400	1	. 65	"
8	Bot	900 . 25	11.800	1	2.084	SM50B
9	"	" . "	. 700	1	. 124	SM41B
10	"	" . 28	. 500	1	. 99	"
11	side	950 . 30	9.800	2	4.385	SM50B
12	"	1950 . 34	3.200	2	2.831	Net=0.85 "
13	Dia	800 . 10	. 945	2	. 83	Net=0.70
14	It	" . "	. 980	2	. 123	
15	"	600 . 9	. 691	1	. 29	
16	"	650 . "	. 8	2	. 63	
17	"	660 . "	. 675	1	. 31	
18	Dia	800 . 10	. 945	3	. 125	Net=0.70
19	It	" . 18	. 840	1	. 95	SM41B
20	"	" . 20	. 800	1	. 100	"
21			Σ	12.216		
22			4 Σ	48.864		
23						
24						
25			SM50B	. t=34	11 324	
26			"	. t=30	17 540	
27			"	. t=25	15 748	
28			SM41B	. t=28	396	
29			"	. t=26	260	
30			"	. t=25	1 000	
31			"	. t=20	400	
32			"	. t=18	380	
33			SM41A	. t=10	1 324	
34			"	. t=9	492	
35						
36						
37						
38						
39						
40						
41						
42						

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.		
2	LJ-14 ~ LJ-15	. 4 Rpg	.	.		
3	.	.	.	.		
4	.	.	.	.		
5	Top	800 . 26	. 400	1	. 65	SM41B
6	"	" . 25	12. 050	1	1. 892	"
7	"	" . 34	. 450	1	. 96	"
8	Bot	900 . 28	. 500	1	. 99	"
9	"	" . "	11. 800	1	2. 334	"
10	"	960 . 34	. 600	1	. 154	"
11	side	950 . 34	. 450	2	. 228	"
12	"	" . 32	9. 450	2	4. 510	"
13	"	1950 . 42	3. 000	2	3. 279	Net = 0.85 SM41C
14	Dia	800 . 10	. 945	2	. 83	Net = 0.70
15	中	" . "	. 980	2	. 123	
16	"	600 . 9	. 683	1	. 29	
17	"	650 . "	. "	2	. 63	
18	"	660 . "	. 975	1	. 45	
19	Dia	800 . 10	. 945	3	. 125	Net = 0.70
20	中	" . 18	. 740	1	. 84	SM41B
21	"	" . 20	. 730	1	. 92	"
22	.	.	5	13. 301		
23	.	.	4 5	53. 204		
24	.	.	.	.		
25	.	.	.	.		
26	.	.	SM41C	. t=42	13 116	
27	.	.	SM41B	. t=34	1 912	
28	.	.	"	. t=32	18 040	
29	.	.	"	. t=28	9 732	
30	.	.	"	. t=26	260	
31	.	.	"	. t=25	7 568	
32	.	.	"	. t=20	368	
33	.	.	"	. t=18	336	
34	.	.	SM41A	. t=10	1 324	
35	.	.	"	. t=9	548	
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	LJ-15N . LJ-16	. 4 Reg	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 34 . 450	1	. 96	.	SM41B
6	"	" . 25 12.000	1	1. 884	.	"
7	"	" . 40 . 550	1	. 138	.	SM41C
8	Bot	960 . 34 . 600	1	. 154	.	SM41B
9	"	" . 25 11.700	1	2. 204	.	"
10	"	" . 40 . 700	1	. 211	.	SM41C
11	Side	950 . 42 . 550	2	. 345	.	"
12	"	" . 32 . 9.450	2	4. 510	.	SM41B
13	"	1750 . 50 3.000	2	3. 503	Net = 0.85	SM41C
14	Dia	800 . 10 . 945	2	. 83	Net = 0.70	.
15	R	" . " . 780	2	. 98	.	.
16	"	600 . 9 . 675	1	. 29	.	.
17	"	650 . " . "	2	. 62	.	.
18	"	660 . " . 645	1	. 30	.	.
19	Dia	800 . 10 . 945	3	. 125	Net = 0.70	.
20	R	" . 20 . 630	2	. 158	.	SM41B
21	.	.	Σ	13. 630	.	.
22	.	.	↑ Σ	54. 520	.	.
23	.	.	.	.	.	.
24	.	.	.	.	.	.
25	.	.	SM41C	. t=50	14 012	.
26	.	.	"	. t=42	1 380	.
27	.	.	"	. t=40	1 396	.
28	.	.	SM41B	. t=34	1 000	.
29	.	.	"	. t=32	18 040	.
30	.	.	"	. t=25	16 352	.
31	.	.	"	. t=20	632	.
32	.	.	SM41A	. t=10	1 224	.
33	.	.	"	. t=9	484	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量(kg)	摘要	材質
1	.	.	.	.	.	.
2	L5-16 ~ L5-17	. 4R02	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 40	. 550	1	. 138	SM41C
6	"	" . 28	10. 850	1	1. 908	SM41B
7	"	" . "	1. 050	1	. 185	SM50B
8	"	" . 32	. 550	1	. 111	"
9	Bot	960 . 40	. 700	1	. 211	SM41C
10	"	" . 28	10. 700	1	2. 258	SM41B
11	"	" . "	. 950	1	. 200	SM50B
12	"	" . 34	. 650	1	. 167	"
13	Side	950 . 50	. 650	2	. 485	SM41C
14	"	" . 36	9. 350	2	5. 020	SM41B
15	"	1750 . 44	3. 000	2	3. 083	Net = 0.85 SM50C
16	Dia	800 . 10	. 945	2	. 83	Net = 0.10
17	R	" . "	. 777	2	. 98	
18	"	600 . 9	. 681	1	. 29	
19	"	650 . "	. "	2	. 63	
20	"	660 . "	. 645	1	. 30	
21	Dia	600 . 10	. 945	3	. 125	Net = 0.10
22	R	" . 20	. 630	2	. 158	SM41B
23	.	.	Σ	14. 352		
24	.	.	4 Σ	57. 408		
25	.	.	.	.		
26	.	.	SM50C	. t=44	12 332	
27	.	.	SM50B	. t=34	668	
28	.	.	"	. t=32	444	
29	.	.	"	. t=28	1 540	
30	.	.	SM41C	. t=50	1 940	
31	.	.	"	. t=40	1 396	
32	.	.	SM41B	. t=36	20 080	
33	.	.	"	. t=28	16 664	
34	.	.	"	. t=20	632	
35	.	.	SM41A	. t=10	1 224	
36	.	.	"	. t=9	488	
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1		.		.		
2	LT-17~LT-18	. 4R02		.		
3		.		.		
4		.		.		
5	Top	800 . 32	. 550	1	. 111	SM50B
6	"	" . 28	11. 800	1	2. 075	"
7	"	" . 36	. 650	1	. 147	"
8	Bot	960 . 34	. 650	1	. 167	"
9	"	" . 28	11. 550	1	2. 437	"
10	"	" . 36	. 800	. 1	. 217	"
11	side	950 . 40	. 750	2	. 447	SM50C
12	"	" . 36	9. 250	2	4. 967	SM50B
13	"	1750 . 48	3. 000	2	3. 363	Net=0.85 SM50C
14	Dia	800 . 10	. 945	2	. 83	Net=0.70
15	R	" . "	. 777	2	. 98	
16	"	600 . 9	. 677	1	. 29	
17	"	650 . "	. "	2	. 62	
18	"	660 . "	. 645	1	. 30	
19	Dia	800 . 10	. 945	3	. 125	Net=0.70
20	R	" . 20	. 630	2	. 158	SM41B
21		.	Σ	14. 516		
22		.	4 Σ	58. 064		
23		.		.		
24		.		.		
25		.	SM50C	. t=48	13 452	
26		.	"	. t=40	1 788	
27		.	SM50B	. t=36	21 324	
28		.	"	. t=34	668	
29		.	"	. t=32	444	
30		.	"	. t=28	16 048	
31		.	SM41B	. t=20	632	
32		.	SM41A	. t=10	1 224	
33		.	"	. t=9	484	
34		.		.		
35		.		.		
36		.		.		
37		.		.		
38		.		.		
39		.		.		
40		.		.		
41		.		.		
42		.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	LJ-18~LJ-19	. 4Rq	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 36	. 650	1	. 147	SM50B
6	"	" . 30	11. 700	1	2. 204	"
7	"	" . 38	. 650	1	. 155	"
8	Bot	960 . 36	. 800	1	. 217	"
9	"	" . 30	11. 450	1	2. 589	"
10	"	" . 38	. 750	1	. 215	"
11	side	950 . 44	. 750	2	. 492	SM50C
12	"	" . 38	9. 250	2	5. 243	SM50B
13	"	1750 . 48	3. 000	2	3. 363	Net=0.85 SM50C
14	Dia	800 . 10	. 945	2	. 83	Net=0.70
15	R	" . "	. 775	2	. 97	
16	"	600 . 9	. 677	1	. 29	
17	"	650 . "	. "	2	. 62	
18	"	660 . "	. 645	1	. 30	
19	Dia	800 . 10	. 945	3	. 125	Net=0.70
20	R	" . 20	. 630	2	. 158	SM41B
21	.	.	Σ	15. 209		
22	.	.	4 Σ	60. 836		
23	.	.	.	.		
24	.	.	.	.		
25	.	.	SM50C	. t=48	13 452	
26	.	.	"	. t=44	1 968	
27	.	.	SM50B	. t=38	22 452	
28	.	.	"	. t=36	1 456	
29	.	.	"	. t=30	19 172	
30	.	.	SM41B	. t=20	632	
31	.	.	SM41A	. t=10	1 220	
32	.	.	"	. t=9	484	
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	LT-19~LT-20	. 4Req	.	.		
3		.		.		
4		.		.		
5	Top	800 . 38	. 650	1	. 155	SM50B
6	"	" . 30	11.700	1	2.204	"
7	"	" . 38	. 650	1	. 155	"
8	Bottom	960 . 38	. 750	1	. 215	"
9	"	" . 30	11.400	1	2.577	"
10	"	" . 40	. 850	1	. 256	SM50C
11	side	950 . 48	. 800	2	. 573	"
12	"	" . 38	9.200	2	5.214	SM50B
13	"	1750 . 50	3.000	2	3.503	Net=0.85 SM50C
14	Dia	800 . 10	. 945	2	. 83	Net=0.70
15	R	" . "	. 775	2	. 97	
16	"	600 . 9	. 675	1	. 29	
17	"	650 . "	. "	2	. 62	
18	"	660 . "	. 645	1	. 30	
19	Dia	800 . 10	. 945	3	. 125	Net=0.70
20	R	" . 20	. 630	2	. 158	SM41B
21		.	Σ	15.436		
22		.	4 Σ	61.744		
23		.		.		
24		.		.		
25		.	SM50C	. t=50	14 012	
26		.	"	. t=48	2 292	
27		.	"	. t=40	1 024	
28		.	SM50B	. t=38	22 956	
29		.	"	. t=30	19 124	
30		.	SM41B	. t=20	632	
31		.	SM41A	. t=10	1 220	
32		.	"	. t=9	484	
33		.		.		
34		.		.		
35		.		.		
36		.		.		
37		.		.		
38		.		.		
39		.		.		
40		.		.		
41		.		.		
42		.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	LS-20 ~ LS-21	. 4Ref	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top 800 . 38	. 650	1	. 155		SM50B
6	" . 30	11. 600	1	2. 185		"
7	" . 40	. 750	1	. 188		SM50C
8	Bottom 960 . 40	. 850	1	. 256		"
9	" . 30	11. 400	1	2. 577		SM50B
10	" . 40	. 750	1	. 226		SM50C
11	side 950 . 50	. 800	2	. 597		"
12	" . 40	9. 200	2	5. 489		"
13	" 1750 . 52	3. 000	2	3. 643	Net = 0.85	"
14	Dia 800 . 10	. 945	2	. 83	Net = 0.70	
15	Flt " . "	. 775	2	. 97		
16	" 600 . 9	. 673	1	. 29		
17	" 650 . "	. "	2	. 62		
18	" 660 . "	. 645	1	. 30		
19	Dia 800 . 10	. 945	3	. 125	Net = 0.70	
20	Flt " . 20	. 630	2	. 158		SM41B
21	.	.	Σ	15. 900		
22	.	.	4 Σ	63. 600		
23	.	.	.	.		
24	.	.	.	.		
25	.	.	.	.		
26	.	.	SM50C	. t=52	14 572	
27	.	.	"	. t=50	2 388	
28	.	.	"	. t=40	24 636	
29	.	.	SM50B	. t=38	620	
30	.	.	"	. t=30	19 048	
31	.	.	SM41B	. t=20	632	
32	.	.	SM41A	. t=10	1 220	
33	.	.	"	. t=9	484	
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量(kg)	摘要	材質
1	.	.	.	.	.	.
2	LJ-21 ~ LJ-22	. 4 Ref	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 40 . 750	1	. 188		SM50C
6	"	" . 30 11. 600	1	2. 185		SM50B
7	"	" . 42 . 650	1	. 171		SM50C
8	Bot	960 . 40 . 750	1	. 226		.
9	"	" . 30 11. 450	1	2. 589		SM50B
10	"	" . 42 . 800	1	. 253		SM50C
11	side	950 . 52 . 900	2	. 698		"
12	"	" . 40 9. 100	2	5. 429		"
13	"	1750 . 52 3. 000	2	3. 643	Not = 0.85	"
14	Dia	800 . 10 . 945	2	. 83	Not = 0.70	
15	R	" . " . 775	2	. 97		
16	"	600 . 9 . 673	1	. 29		
17	"	650 . " . "	2	. 62		
18	"	660 . " . 645	1	. 30		
19	Dia	800 . 10 . 945	3	. 125	Not = 0.70	
20	R	" . 20 . 630	2	. 158		SM41B
21	.	.	2	15. 966		
22	.	.	4 2	63. 864		
23	.	.	.	.		
24	.	.	.	.		
25	.	.	SM50C	. t=52	17 364	
26	.	.	"	. t=42	1 696	
27	.	.	"	. t=40	23 372	
28	.	.	SM50B	. t=30	19 096	
29	.	.	SM41B	. t=20	632	
30	.	.	SM41A	. t=10	1 220	
31	.	.	"	. t=9	484	
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	LT-22 ~ LT-23	. 4R28	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 42 . 650	1	. 171	.	SM50C
6	"	" . 30 11. 700	1	2. 204	.	SM50B
7	"	" . 42 . 650	1	. 171	.	SM50C
8	Bot	960 . 42 . 800	1	. 253	.	"
9	"	" . 30 11. 400	1	2. 577	.	SM50B
10	"	" . 42 . 800	1	. 253	.	SM50C
11	side	950 . 52 . 900	2	. 698	.	"
12	"	" . 38 9. 100	2	5. 158	.	SM50B
13	"	1750 . 52 3. 000	2	3. 643	Net = 0.85	SM50C
14	Dia	800 . 10 . 945	2	. 83	Net = 0.70	.
15	R	" . " . 775	2	. 97	.	.
16	"	600 . 9 . 673	1	. 29	.	.
17	"	650 . " . "	2	. 62	.	.
18	"	660 . 9 . 645	1	. 30	.	.
19	Dia	800 . 10 . 945	3	. 125	Net = 0.70	.
20	R	" . 20 . 630	2	. 158	.	SM41B
21	.	.	Σ	15. 712	.	.
22	.	.	4 Σ	62. 848	.	.
23	.	.	.	.	.	.
24	.	.	.	.	.	.
25	.	.	SM50C	. t=52	17 364	.
26	.	.	"	. t=42	3 392	.
27	.	.	SM50B	. t=38	20 632	.
28	.	.	"	. t=30	19 124	.
29	.	.	SM41B	. t=20	632	.
30	.	.	SM41A	. t=10	1 220	.
31	.	.	"	. t=9	484	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.		.		
2	LT-23~LT-24	. 4R02		.		
3	.	.		.		
4	.	.		.		
5	Top	800 . 42 . 650	1	. 171		SM50C
6	"	" . 30 11. 600	1	2. 185		SM50B
7	"	" . 42 . 750	1	. 198		SM50C
8	Bot	960 . 42 . 800	1	. 253		"
9	"	" . 30 11. 350	1	2. 566		SM50B
10	"	" . 42 . 850	1	. 269		SM50C
11	side	950 . 52 . 900	2	. 698		"
12	"	" . 38 9. 100	2	5. 158		SM50B
13	"	1750 . 50 3. 000	2	3. 503	Not = 0.85	SM50C
14	Dia	800 . 10 . 945	2	. 83	Not = 0.70	
15	R	" . " . 775	2	. 97		
16	"	600 . 9 . 675	1	. 29		
17	"	650 . " . ?	2	. 62		
18	"	660 . " . 645	1	. 30		
19	Dia	800 . 10 . 945	3	. 125	Not = 0.70	
20	R	" . 20 . 630	2	. 158		SM41B
21	.	.	2	15. 585		
22	.	.	4	62. 340		
23	.	.		.		
24	.	.		.		
25	.	.	SM50C	. f=52	2 792	
26	.	.	"	. f=50	14 012	
27	.	.	.	. f=42	3 564	
28	.	.	SM50B	. f=38	20 632	
29	.	.	"	. f=30	19 004	
30	.	.	SM41B	. f=20	632	
31	.	.	SM41A	. f=10	1 220	
32	.	.	"	. f=9	484	
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.		.		
2	LJ-24 ~ LJ-25	.4 R & B	.	.		
3	.	.		.		
4	.	.		.		
5	Top	800 . 42	. 750	1	. 198	SM50C
6	"	" . 30	11. 500	1	2. 167	SM50B
7	"	" . 42	. 750	1	. 198	SM50C
8	Bot	960 . 42	. 850	1	. 269	.
9	"	" . 30	11. 300	1	2. 555	SM50B
10	"	" . 42	. 850	. 1	. 269	SM50C
11	side	950 . 50	. 800	2	. 597	"
12	"	" . 36	9. 200	2	4. 940	SM50B
13	"	1750 . 50	3. 000	2	3. 503	Net = 0.85 SM50C
14	Dia	800 . 10	. 945	2	. 83	Net = 0.70
15	φ	" . "	. 775	2	. 97	
16	"	600 . 9	. 675	1	. 29	
17	"	650 . "	. "	2	. 62	
18	"	660 . "	. 645	1	. 30	
19	Dia	800 . 10	. 945	3	. 125	Net = 0.70
20	φ	" . 20	. 630	2	. 158	SM41B
21	.	.	2	15. 280		
22	.	.	4 2	61. 120		
23	.	.		.		
24	.	.		.		
25	.	.	SM50C	. t=50	16. 400	
26	.	.	"	. t=42	3 736	
27	.	.	SM50B	. t=36	19 760	
28	.	.	"	. t=30	18 888	
29	.	.	SM41B	. t=20	632	
30	.	.	SM41A	. t=10	1 220	
31	.	.	"	. t=9	484	
32	.	.		.		
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種別	寸	法	数量	重量(kg)	摘要	材質
1	.	.	.	.	.	.
2	LJ-25 ~ LJ-26	. 4 R ₀₂	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 42	. 750	1	. 198	SM50C
6	"	" . 30	11. 500	1	2. 167	SM50B
7	"	" . 42	. 750	1	. 198	SM50C
8	Bot	960 . 42	. 850	1	. 269	"
9	"	" . 30	11. 300	1	2. 555	SM50B
10	"	" . 42	. 850	1	. 269	SM50C
11	side	950 . 50	. 800	2	. 597	'
12	"	" . 36	9. 200	2	4. 940	SM50B
13	"	1750 . 50	3. 000	2	3. 503	Net=0.85 SM50C
14	Dia	800 . 10	. 945	2	. 83	Net=0.70
15	It	" . "	. 775	2	. 97	
16	"	600 . 9	. 675	1	. 29	
17	"	650 . "	. "	2	. 62	
18	"	660 . "	. 645	1	. 30	
19	Dia	800 . 10	. 945	3	. 125	Net=0.70
20	It	" . 10	. 630	2	. 158	SM4+B
21	.	.	Σ	15. 280	.	.
22	.	.	4Σ	61. 120	.	.
23	.	.	.	.	.	.
24	.	.	.	.	.	.
25	.	.	SM50C	. t=50	16 400	.
26	.	.	"	. t=42	3 736	.
27	.	.	SM50B	. t=36	19 760	.
28	.	.	"	. t=30	18 888	.
29	.	.	SM41B	. t=20	632	.
30	.	.	SM41A	. t=10	1 220	.
31	.	.	"	. t=9	484	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量(kg)	摘要	材質
1						
2	LT-26~LT-27	.4Rp8				
3						
4						
5	Top	800 . 42	. 750	1	. 198	SM50C
6	"	" . 30	11. 600	1	2. 185	SM50B
7	"	" . 40	. 650	1	. 163	SM50C
8	Bot	960 . 42	. 850	1	. 269	"
9	"	" . 30	11. 300	1	2. 555	SM50B
10	"	" . 42	. 850	1	. 269	SM50C
11	side	950 . 50	. 800	2	. 597	"
12	"	" . 36	9. 200	2	4. 940	SM50B
13	"	1750 . 48	3. 000	2	3. 363	Net=0.85 SM50C
14	Dia	800 . 10	. 945	2	. 83	Net=0.70
15	R	" . "	. 775	2	. 97	
16	"	600 . 9	. 677	1	. 29	
17	"	650 . "	. "	2	. 62	
18	"	660 . 9	. 645	1	. 30	
19	Dia	800 . 10	. 945	3	. 125	Net=0.70
20	R	" . 20	. 630	2	. 158	SM41B
21			Σ	15. 123		
22			4 Σ	60. 492		
23						
24						
25			SM50C	. t=50	2 388	
26			"	. t=48	13 452	
27			"	. t=42	2 944	
28			"	. t=40	652	
29			SM50B	. t=36	19 760	
30			"	. t=30	18 960	
31			SM41B	. t=20	632	
32			SM41A	. t=10	1 220	
33			"	. t=9	484	
34						
35						
36						
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	LT-27 ~ LT-28	. 2Rφ8	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	Top	800 . 40	. 650	1	. 163	SM50C
6	"	" . 30	. 700	1	1. 639	SM50B
7	"	" . 40	. 650	1	. 163	SM50C
8	Bot	960 . 42	. 850	1	. 269	"
9	"	" . 30	. 800	1	1. 876	SM50B
10	"	" . 42	. 850	1	. 269	SM50C
11	side	950 . 48	. 800	2	. 573	"
12	"	" . 36	. 400	2	4. 510	SM50B
13	"	" . 48	. 800	2	. 573	SM50C
14	Dia	800 . 10	. 945	3	. 125	Net = 0.70
15	.	.	Σ	10. 160	.	.
16	.	.	2 Σ	20. 320	.	.
17	.	.	.	.	.	.
18	.	.	.	.	.	.
19	.	.	.	.	.	.
20	.	.	SM50C	. t = 48	2 292	.
21	.	.	"	. t = 42	1 076	.
22	.	.	"	. t = 40	652	.
23	.	.	SM50B	. t = 36	9 020	.
24	.	.	"	. t = 30	7 030	.
25	.	.	SM41A	. t = 10	250	.
26	.	.	.	.	.	.
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	LT-28~LT-27	.2Rpg				
3						
4						
5	Top	800 . 40	. 650	1	. 163	SM50C
6	"	" . 30	11. 700	1	2. 204	SM50B
7	"	" . 40	. 650	1	. 163	SM50C
8	Bottom	960 . 42	. 850	1	. 269	"
9	"	" . 30	11. 300	1	2. 555	SM50B
10	"	" . 42	. 850	1	. 269	SM50C
11	side	1750 . 48	3. 000	2	3. 363	Not=0.85
12	"	950 . 36	9. 200	2	4. 940	SM50B
13	"	" . 48	. 800	2	. 573	SM50C
14	Dia	800 . 10	. 945	2	. 83	Net=0.70
15	R	" . "	. 775	2	. 97	
16	"	600 . 9	. 677	1	. 29	
17	"	650 . "	. "	2	. 62	
18	"	660 . "	. 645	1	. 30	
19	Dia	800 . 10	. 945	3	. 125	Net=0.70
20	R	" . 20	. 630	2	. 158	SM41B
21			Σ	15. 083		
22			2 Σ	30. 166		
23						
24						
25			SM50C	. t=48	7 872	
26			"	. t=42	1 076	
27			"	. t=40	652	
28			SM50B	. t=36	9 880	
29			"	. t=30	9 518	
30			SM41B	. t=20	316	
31			SM41A	. t=10	610	
32			"	. t=9	242	
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	下弦	材. 合計		1,590.594 ^{kg}		
4	.	.	.	.	.	.
5	.	.SM58	t=50	115.288		
6	.	. "	45	61.648		
7	.	. "	42	15.628		
8	.	. "	40	39.792		
9	.	. "	38	21.764		
10	.	. "	32	22.280		
11	.	. "	30	21.556		
12	.	.SM50C	42	15.628		
13	.	.SM50B	38	35.904		
14	.	. "	34	19.472		
15	.	. "	32	29.180		
16	.	. "	30	20.820		
17	.	. "	25	35.316		
18	.	.SM50C	52	52.092		
19	.	. "	50	65.600		
20	.	. "	48	52.812		
21	.	. "	44	14.300		
22	.	. "	42	21.220		
23	.	. "	40	63.632		
24	.	.SM50B	38	101.432		
25	.	. "	36	100.960		
26	.	. "	34	37.948		
27	.	. "	32	31.308		
28	.	. "	30	237.624		
29	.	. "	28	20.024		
30	.	. "	26	16.352		
31	.	. "	25	15.128		
32	.	. "	24	.544		
33	.	. "	22	.560		
34	.	.	.	.		
35	.	. "	18	13.620		
36	.	.SM50A	16	21.612		
37	.	.	.	.		
38	.	. 次頁	△ 鉛入	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.		.		
2	.	.S141C	t=50	15.952		
3	.	"	42	14.496		
4	.	"	40	2.792		
5	.	.S141B	38	1.024		
6	.	"	36	20.080		
7	.	"	34	2.912		
8	.	"	32	33.080		
9	.	"	28	16.792		
10	.	"	26	.520		
11	.	"	25	25.984		
12	.	"	24	1.356		
13	.	"	22	4.988		
14	.	"	20	11.728		
15	.	"	18	16.540		
16	.	.S141A	10	28.416		
17	.	"	9	12.494		
18	.	.		.		
19	.	.		.		
20	.	.		.		
21	.	.		.		
22	.	.		.		
23	.	.		.		
24	.	.		.		
25	.	.		.		
26	.	.		.		
27	.	.		.		
28	.	.		.		
29	.	.		.		
30	.	.		.		
31	.	.		.		
32	.	.		.		
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.		.		
2	.	.		.		
3	下 3 根 継 手.			.		
4	.	.		.		
5	LJ-1.	.		.		
6	.	.		.		
7	API 685. 16	. 700	2	. 120		AM50A
8	" 810. 22	. 1040	4	. 582		"
9	" 685. 18	. 700	2	. 135		"
10	.	.		.		
11	H.T.B M24.	. 105	128	. 108		F10T
12	" "	. 125	216	. 197		"
13	.	.		.		
14	.	.		1. 143		
15	.	.	40	4. 572		
16	.	.		.		
17	LJ-3.	.		.		
18	.	.		.		
19	API 685. 18	. 700	2	. 151		AM50A
20	" 810. 22	. 1040	4	. 582		"
21	" 685. 20	. 870	2	. 187		"
22	F.II 810. 45	. 520	2	. 30		AM41A
23	H.T.B M24.	. 115	144	. 127		F10T
24	" "	. 130	216	. 201		"
25	.	.		.		
26	.	.		1. 278		
27	.	.	40	5. 112		
28	.	.		.		
29	LJ-4.	.		.		
30	.	.		.		
31	API 685. 18	. 700	2	. 135		AM50A
32	" 810. 20	. 870	4	. 443		"
33	" 685. 20	. 870	2	. 187		"
34	F.II 810. 6	. 435	2	. 33		AM41A
35	.	.		.		
36	HTB M24.	. 110	64	. 55		F10T
37	" "	. 125	180	. 165		.
38	" "	. 115	80	. 70		.
39	.	.		.		
40	.	.		1. 089		
41	.	.	40	4. 356		
42	.	.		.		

種別	寸	法	数量	重量(kg)	摘要	材質
1						
2	LJ-5.					
3						
4	SP/ 685 . 16	. 870	2	. 150		SM50YA
5	" 810 . 20	1. 210	4	. 616		SM50YB
6	" 685 . 16	1. 040	2	. 179		SM50YA
7	Fill 810 . 8	. 605	2	. 12		SM41A
8	H.T.B M24 .	. 105	176	. 148		F10T
9	" " .	. 130	252	. 235		"
10				1. 390		
11			4 ⁰	5. 560		
12	LJ-6 .					
13						
14	SP/ 685 . 18	1. 210	2	. 234		SM58
15	" 810 . 24	1. 550	4	. 946		"
16	" 685 . 22	1. 550	2	. 367		"
17	Fill 810 . 4.5	. 775	2	. 44		SM41A
18	H.T.B M24 .	. 115	112	. 98		F10T
19	" " .	. 135	324	. 306		"
20	" " .	. 120	144	. 129		"
21				2. 126		
22			4 ⁰	8. 504		
23	LJ-7..8					
24						
25	SP/ 685 . 28	1. 890	4	1. 138		SM58
26	" 810 . 30	2. 060	8	3. 144		"
27	" 685 . 34	2. 230	4	1. 630		"
28	H.T.B M24 .	. 150	352	. 353		F10T
29	" " .	. 155	864	. 882		"
30	" " .	. 160	416	. 432		"
31				7. 579		
32			7 ⁰	30. 316		
33	LJ-9 .					
34						
35	SP/ 685 . 20	1. 380	2	. 297		SM58
36	" 810 . 24	1. 720	4	1. 050		"
37	" 685 . 24	1. 550	2	. 400		"
38	Fill 810 . 10	. 860	2	. 109		SM41A
39	H.T.B M24 .	. 120	128	. 115		F10T
40	" " .	. 195	360	. 355		"
41	" " .	. 125	144	. 132		"
42				2. 456		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	LJ-10.	.	.	.	.	.
3	.	.	.	.	.	.
4	spl 685 . 18	1.040	2	. 201		SM50YB
5	" 810 . 24	1.380	4	. 642		"
6	" 685 . 22	1.210	2	. 286		"
7	Fill 810 . 2.3	. 690	2	. 20		SM41A
8	H.T.B M24 .	. 125	96	. 88		F10T
9	" " .	. 135	288	. 274		"
10	" " .	. 120	112	. 100		"
11	.	.	.	1.811		.
12	.	.	4 ⁰	7.244		.
13	LJ-11.	.	.	.		.
14	.	.	.	.		.
15	spl 685 . 16	. 870	2	. 150		SM50YA
16	" 810 . 20	1.210	4	. 616		SM50YB
17	" 685 . 18	1.040	2	. 201		"
18	Fill 810 . 6	. 605	2	. 46		SM41A
19	H.T.B M24 .	. 105	80	. 67		F10T
20	" " .	. 125	252	. 230		"
21	" " .	. 110	96	. 63		"
22	.	.	.	1.393		.
23	.	.	4 ⁰	5.572		.
24	LJ-12.	.	.	.		.
25	.	.	.	.		.
26	spl 685 . 16	. 700	2	. 120		SM50A
27	" 810 . 20	1.040	4	. 529		"
28	" 685 . 18	. 870	2	. 168		"
29	H.T.B M24 .	. 105	64	. 54		F10T
30	" " .	. 120	216	. 194		"
31	" " .	. 110	80	. 69		"
32	.	.	.	1.134		.
33	.	.	4 ⁰	4.536		.
34	LJ-13.	.	.	.		.
35	.	.	.	.		.
36	spl 685 . 16	. 700	2	. 120		SM41A
37	" 810 . 18	. 870	4	. 398		"
38	" 685 . 18	. 870	2	. 168		"
39	Fill 810 . 2.3	. 435	2	. 13		"
40	H.T.B M24 .	. 105	64	. 54		F10T
41	" " .	. 115	180	. 158		"
42	" " .	. 110	80	. 69		"

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	LJ-14.	.		.		
3		.		.		
4	SP1	685 . 18	.530	2	.103	SM41A
5	"	810 . 22	.700	4	.392	"
6	"	685 . 22	.700	2	.166	"
7	H.T.B	M24 .	.110	78	.41	F10T
8	"	" .	.125	144	.132	"
9	"	" .	.120	69	.57	"
10		.		.891		
11		.	4 ⁰	3.564		
12	LJ-15.	.		.		
13		.		.		
14	SP1	685 . 22	.700	2	.166	SM41A
15	"	810 . 28	.870	4	.620	"
16	"	685 . 25	.870	2	.234	"
17	H.T.B	M24 .	.125	69	.58	F10T
18	"	" .	.145	180	.177	"
19	"	" .	.130	80	.75	"
20		.		1.330		
21		.	4 ⁰	5.320		
22	LJ-16.	.		.		
23		.		.		
24	SP1	685 . 25	.870	2	.234	SM41A
25	"	810 . 32	1.040	4	.846	"
26	"	685 . 30	1.040	2	.336	"
27	H.T.B	M24 .	.135	80	.76	F10T
28	"	" .	.160	216	.224	"
29	"	" .	.145	96	.95	"
30		.		1.811		
31		.	4 ⁰	7.244		
32	LJ-17.	.		.		
33		.		.		
34	SP1	685 . 20	.870	2	.187	SM50A
35	"	810 . 25	1.210	4	.769	"
36	"	685 . 25	1.040	2	.280	"
37	Fill	810 . 4.5	.605	2	.35	SM41A
38	H.T.B	M24 .	.120	80	.72	F10T
39	"	" .	.140	252	.244	"
40	"	" .	.130	96	.89	"
41		.		1.676		
42		.	4 ⁰	6.704		

種別	寸	法	数量	重量(kg)	摘要	材質
1		.		.		
2	LJ-18.	.		.		
3		.		.		
4	SP1 685 . 24	1.040	2	.268		SM50A
5	" 810 . 28	1.210	4	.862		SM50B
6	" 685 . 28	1.210	2	.364		"
7	Fill 810 . 4.5	.605	2	.35		SM41A
8	H.T.B M24 .	.130	96	.89		F10T
9	" " .	.150	252	.253		"
10	" " .	.170	112	.108		"
11		.		1.979		
12		.	4°	7.916		
13	LJ-19.	.		.		
14		.		.		
15	SP1 685 . 24	1.040	2	.268		SM50A
16	" 810 . 30	1.380	4	1.053		SM50B
17	" 685 . 28	1.210	2	.364		"
18	H.T.B M24 .	.135	96	.91		F10T
19	" " .	.155	288	.294		"
20	" " .	.170	112	.108		"
21		.		2.178		
22		.	4°	8.712		
23	LJ-20.	.		.		
24		.		.		
25	SP1 685 . 24	1.040	2	.268		SM50A
26	" 810 . 32	1.380	4	1.123		SM50B
27	" 685 . 30	1.380	2	.445		"
28	H.T.B M24 .	.135	96	.91		F10T
29	" " .	.160	288	.299		"
30	" " .	.175	128	.126		"
31		.		2.352		
32		.	4°	9.408		
33	LJ-21.	.		.		
34		.		.		
35	SP1 685 . 25	1.210	2	.325		SM50A
36	" 810 . 34	1.550	4	1.340		SM50B
37	" 685 . 34	1.210	2	.442		"
38	H.T.B M24 .	.135	112	.106		F10T
39	" " .	.165	324	.342		"
40	" " .	.155	112	.114		"
41		.		2.669		
42		.	4°	10.676		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	LJ-22.23	.	.	.	.	.
3	.	.	.	.	.	.
4	SP1 685 . 28	1.040	4	.914	.	SM50B
5	" 810 . 34	1.550	8	2.681	.	"
6	" 685 . 32	1.380	4	.950	.	"
7	H.T.B M24 .	.145	192	.189	.	F10T
8	" " .	.165	648	.684	.	"
9	" " .	.155	256	.261	.	"
10	.	.	.	5.879	.	.
11	.	.	4 ⁰	12.716	.	.
12	LJ-24.25.26	.	.	.	.	.
13	.	.	.	.	.	.
14	SP1 685 . 28	1.210	6	1.093	.	SM50B
15	" 810 . 32	1.380	12	3.369	.	"
16	" 685 . 32	1.380	6	1.425	.	"
17	H.T.B M24 .	.145	336	.331	.	F10T
18	" " .	.160	864	.897	.	"
19	" " .	.155	384	.392	.	"
20	.	.	.	7.507	.	.
21	.	.	4 ⁰	30.028	.	.
22	LJ-27 .	.	.	.	.	.
23	.	.	.	.	.	.
24	SP1 685 . 25	1.040	2	.280	.	SM50A
25	" 810 . 32	1.380	4	1.123	.	SM50B
26	" 685 . 32	1.380	2	.475	.	"
27	H.T.B M24 .	.135	96	.91	.	F10T
28	" " .	.160	288	.299	.	"
29	" " .	.155	128	.131	.	"
30	.	.	.	2.399	.	.
31	.	.	4 ⁰	9.596	.	.
32	.	.	.	.	.	.
33	LJ-28 .	.	.	.	.	.
34	.	.	.	.	.	.
35	SP1 685 . 25	1.040	2	.280	.	.
36	" 810 . 32	1.380	4	1.123	.	.
37	" 685 . 32	1.380	2	.475	.	.
38	H.T.B M24 .	.135	96	.91	.	.
39	" " .	.160	288	.299	.	.
40	" " .	.155	128	.131	.	.
41	.	.	.	2.399	.	.
42	.	.	2 ⁰	4.798	.	.

種別	寸	法	数量	重量(kg)	摘要	材質
1	.	.	.	.		
2	.	.	.	.		
3	下弦材 継手合計			216.206 ^{K1}		
4	.	.	.	.		
5	.	.	.	.		
6	.	SM58	t=34	6.520		
7	.	"	30	12.576		
8	.	"	28	4.552		
9	.	"	24	9.584		
10	.	"	22	1.468		
11	.	"	20	1.188		
12	.	"	18	.936		
13	.	SM50YR	24	3.368		
14	.	"	22	1.144		
15	.	"	20	4.928		
16	.	"	18	1.608		
17	.	SM50YA	16	1.916		
18	.	SM50B	34	17.852		
19	.	"	32	37.056		
20	.	"	30	5.992		
21	.	"	28	14.388		
22	.	SM50A	25	7.176		
23	.	"	24	3.216		
24	.	"	22	4.656		
25	.	"	20	6.736		
26	.	"	18	1.760		
27	.	"	16	.960		
28	.	SM41A	32	3.384		
29	.	"	30	1.344		
30	.	"	26	2.480		
31	.	"	25	1.872		
32	.	"	22	2.896		
33	.	"	18	2.676		
34	.	"	16	.480		
35	.	"	10	.436		
36	.	"	8	.248		
37	.	"	6	.316		
38	.	"	4.5	.576		
39	.	"	2.3	.132		
40	.	F10T	1124	48.784		
41	.	.	.	.		
42	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	斜材 . (4)	. R08		.		
3	.	.		.		
4	.	.		.		
5	皮 600 . 20	6.850	2	1.291		SM41B
6	" . 32	.550	4	.332		"
7	" 800 . 20	7.122	2	1.789		"
8	" . 1	.520	2	.131		"
9	Dia 500 . 9	.800	3	.85		
10	.	.	Σ	3.628		
11	.	.	Σ	14.512		
12	.	.		.		
13	.	.	SM41B . t=32		1 328	
14	.	.	" . t=20		1 844	
15	.	.	SM41A . t=9		340	
16	.	.		.		
17	.	.		.		
18	.	.		.		
19	斜材 . (5)	. 4R08		.		
20	.	.		.		
21	.	.		.		
22	皮 500 . 30	6.740	2	1.587		SM41B
23	" . 46	.600	4	.433		SM41C
24	" 800 . 18	7.940	1	.898		SM41B
25	.	.	Σ	2.918		
26	.	.	4 Σ	11.672		
27	.	.		.		
28	.	.	SM41C . t=46		1 732	
29	.	.	SM41B . t=30		6 348	
30	.	.	" . t=18		3 592	
31	.	.		.		
32	.	.		.		
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.		
2	.	.	.	.		
3	斜 材. (3)	. 12 R-g	.	.		
4	.	.	.	.		
5	600. 14	7. 210	2	. 951		SM41B
6	" . 32	. 450	4	. 271		"
7	800. 20	7. 452	2	1. 872		"
8	" . "	. 435	2	. 109		
9	500. 9	. 800	3	. 85		
10	.	.	.	.		
11	.	.	5	3. 288		
12	.	.		29. 456		
13	.	.	.	.		
14	.	.	.	.		
15	.	.	.	.		
16	.	.	SM41B	. t=32	3 252	
17	.	.	"	. t=20	2.3 772	
18	.	.	SM41A	. t=14	11 412	
19	.	.	"	. t=9	1 020	
20	.	.	.	.		
21	.	.	.	.		
22	.	.	.	.		
23	.	.	.	.		
24	.	.	.	.		
25	.	.	.	.		
26	.	.	.	.		
27	.	.	.	.		
28	.	.	.	.		
29	.	.	.	.		
30	.	.	.	.		
31	.	.	.	.		
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	斜材: (3)	. 4Req				
3						
4						
5	⌀ 600 . 14	6.970	2	. 919		
6	" . 32	. 450	4	. 271		SM41B
7	800 . 20	7.212	2	1.812		"
8	" . "	. 435	2	. 109		"
9	Dia 500 . 9	. 800	3	. 85		
10			Σ	3.196		
11		. 4Σ		12.784		
12						
13			SM41B	. t=32	1084	
14			"	. t=20	7684	
15			SM41A	. t=14	3676	
16			"	. t=9	340	
17						
18						
19						
20	斜材: (6)	. 8Req				
21						
22						
23	⌀ 500 . 36	5.930	2	1.676		SM50B
24	" . 50	. 800	4	. 628		SM50YC
25	800 . 22	6.630	1	. 916		SM50B
26	" . "	. 450	2	. 124		SM50YB
27			Σ	3.344		
28		. 8Σ		26.752		
29						
30			SM50YC	. t=50	5024	
31			SM50YB	. t=22	992	
32			SM50B	. t=36	13408	
33			"	. t=22	7928	
34						
35						
36						
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	斜材. (6)	. 4R _{0.8}				
3						
4						
5	12 500 . 36	5.950	2	1.681		SM50B
6	" " . 50	. 800	4	. 628		SM50YC
7	" 800 . 22	6.650	1	. 919		SM50B
8	" " . "	. 450	2	. 124		SM50YB
9			Σ	3.352		
10			4Z	13.408		
11						
12			SM50YC	. t=50	2 512	
13			SM50YB	. t=22	496	
14			SM50B	. t=36	6 724	
15			"	. t=22	3 676	
16						
17						
18						
19	斜材. (6)	. 4R _{0.8}				
20						
21						
22	12 500 . 36	5.840	2	1.650		SM50B
23	" " . 50	. 800	4	. 628		SM50YC
24	" 800 . 22	6.540	1	. 904		SM50B
25	" " . "	. 450	2	. 124		SM50YB
26			Σ	3.306		
27			4Z	13.224		
28						
29			SM50YC	. t=50	2 512	
30			SM50YB	. t=22	496	
31			SM50B	. t=36	6 600	
32			"	. t=22	3 616	
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1						
2	斜材	②	8R09			
3						
4						
5	⌀	600 . 22	6.420	2	1.330	SM41B
6	"	" . 38	. 650	4	.465	"
7	"	800 . 22	6.722	2	1.857	"
8	"	" . "	. 605	2	.167	"
9	Dia	500 . 9	. 800	3	. 85	
10			Σ	3.904		
11			8 Σ	31.232		
12						
13			SM41B	. t=38	3720	
14			"	. t=22	26832	
15			SM41A	. t=9	680	
16						
17						
18						
19	斜材	①	4R02			
20						
21						
22	⌀	600 . 26	5.850	2	1.433	SM50B
23	"	" . 40	. 800	4	.603	SM50C
24	"	800 . 24	6.110	2	1.842	SM50B
25	"	" . "	. 775	2	.234	"
26	Dia	500 . 9	. 800	3	. 85	
27			Σ	4.197		
28			4 Σ	16.788		
29						
30			SM50C	. t=40	2412	
31			SM50B	. t=26	5732	
32			"	. t=24	8304	
33			SM41A	. t=9	340	
34						
35						
36						
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	斜材. ①	. 4 R08				
3						
4						
5	R	600 . 26	5.380	2	1.318	SM50B
6	"	" . 40	. 800	4	. 603	SM50C
7	"	800 . 24	5.640	2	1.700	SM50B
8	"	" . "	. 775	2	. 234	"
9	Dia	500 . 9	. 800	3	. 85	
10			Σ	3.940		
11			4 Σ	15.760		
12						
13			SM50C	. t=40	2.412	
14			SM50B	. t=26	5.272	
15			"	. t=24	7.736	
16			SM41A	. t=9	340	
17						
18						
19						
20	斜材. ⑦	. 4 R08				
21						
22						
23	R	600 . 22	5.840	2	1.210	SM41B
24	"	" . 36	. 650	4	. 441	"
25	"	800 . 22	6.142	2	1.697	"
26	"	" . "	. 605	2	. 167	"
27	Dia	500 . 9	. 800	3	. 85	
28			Σ	3.600		
29			4 Σ	14.400		
30						
31			SM41B	. t=36	1.769	
32			"	. t=22	12.296	
33			SM41A	. t=9	340	
34						
35						
36						
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	斜材: (7)	. 4Req				
3						
4						
5	皮 600 . 22	6.320	2	1.310		SM41B
6	" " . 36	. 650	4	. 441		"
7	" 800 . 22	6.622	2	1.890		"
8	" " . "	. 605	2	. 167		"
9	Dia 500 . 9	. 800	3	. 85		
10			Σ	3.833		
11			4Σ	15.332		
12						
13			SM41B	. t=36	1764	
14			"	. t=22	13228	
15			SM41A	. t=9	340	
16						
17						
18						
19	斜材: (7)	. 4Req				
20						
21						
22	皮 600 . 22	6.420	2	1.330		SM41B
23	" " . 36	. 650	4	. 441		"
24	" 800 . 22	6.722	2	1.857		"
25	" " . "	. 605	2	. 167		"
26	Dia 500 . 9	. 800	3	. 85		
27			Σ	3.880		
28			4Σ	15.520		
29						
30			SM41B	. t=36	1764	
31			"	. t=22	13416	
32			SM41A	. t=9	340	
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	斜材	(11)	12 Req			
3						
4						
5	2	500 . 25	6.260	2	1.229	SM50B
6	"	" . 40	.700	4	.440	SM50C
7	"	800 . 18	7.660	1	.866	SM50B
8			Σ	2.535		
9			12 Σ	30.420		
10						
11			SM50C	.t=40	5 280	
12			SM50B	.t=25	14 748	
13			"	.t=18	10 392	
14						
15						
16						
17	斜材	(8)	4 Req			
18						
19						
20	2	600 . 16	6.700	2	1.010	
21	"	" . 30	.550	4	.311	SM41B
22	"	800 . 20	6.972	2	1.751	"
23	"	" . "	.520	2	.131	"
24	Dia	500 . 9	.800	3	.85	
25			Σ	3.288		
26			4 Σ	13.152		
27						
28			SM41B	.t=30	1 244	
29			"	.t=20	7 528	
30			SM41A	.t=16	4 040	
31			"	.t=9	340	
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	斜材: (8)	. 12 R09				
3						
4						
5	片	600 . 16	6.840	2	1.031	
6	"	" . 30	. 550	4	. 311	SM41B
7	"	800 . 20	7.112	2	1.787	"
8	"	" . "	. 520	2	. 131	"
9	Dia	500 . 9	. 800	3	. 85	
10			Σ	3.345		
11			12 Σ	40.140		
12						
13			SM41B	. t=30	3.732	
14			"	. t=20	23.016	
15			SM41A	. t=16	12.372	
16			"	. t=9	1.020	
17						
18						
19						
20	斜材: (10)	. 12 R09				
21						
22						
23	片	. 500 . 25	6.720	2	1.319	SM41B
24	"	" . 40	. 600	4	. 377	SM41C
25	"	800 . 18	7.920	1	. 895	SM41B
26			Σ	2.591		
27			12 Σ	31.092		
28						
29			SM41C	. t=40	4.524	
30			SM41B	. t=25	15.828	
31			"	. t=18	10.740	
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	斜材. (10)	. 4 Reg				
3						
4						
5	片 500 . 25	6.830	2	1.340		SM41B
6	" . 40	. 600	4	. 377		SM41C
7	" 800 . 18	8.030	1	. 908		SM41B
8			Σ	2.625		
9			4 Σ	10.500		
10						
11			SM41C	. t=40	1508	
12			SM41B	. t=25	5360	
13			"	. t=18	3632	
14						
15						
16						
17	斜材. (9)	. 1m Reg				
18						
19						
20	片 500 . 14	7.350	2	. 808		
21	" . 20	. 450	4	. 141		SM41B
22	" 800 . 20	8.250	1	1.036		"
23			Σ	1.985		
24			100 Σ	198.500		
25						
26			SM41B	. t=20	117700	
27			SM41A	. t=14	80800	
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1						
2	斜材. (9)	. 4 Reg				
3						
4						
5	12	500 . 14	7.250	2	. 797	
6	"	" . 20	. 450	4	. 141	SM41B
7	"	800 . 20	8.150	1	1.024	"
8			Σ	1.962		
9			4 Σ	7.848		
10						
11			SM41B	. t=20	4.660	
12			SM41A	. t=14	3.188	
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量(kg)	摘要	材質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	斜材. 合計	572	492 ^{kg}	.	.
4	.	.	.	.	.	.
5	.	.SM10YC t=50	10	048	.	.
6	.	.SM50YB 22	1	984	.	.
7	.	.SM50C 40	10	104	.	.
8	.	.SM50B 36	26	732	.	.
9	.	. "	26	11004	.	.
10	.	. "	25	14748	.	.
11	.	. "	24	16040	.	.
12	.	. "	22	14620	.	.
13	.	. "	18	10392	.	.
14	.	.SM41C 46	1	732	.	.
15	.	. "	40	6032	.	.
16	.	.SM41B 38	3	720	.	.
17	.	. "	36	5292	.	.
18	.	. "	32	5654	.	.
19	.	. "	30	11324	.	.
20	.	. "	25	21188	.	.
21	.	. "	22	65772	.	.
22	.	. "	20	197204	.	.
23	.	. "	18	17964	.	.
24	.	.SM41A 16	16	16412	.	.
25	.	. "	14	99076	.	.
26	.	. "	9	5440	.	.
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	(29) 余斗 杓. 紐 子. (717")	.	.	.	.	.
4	.	.	.	.	.	.
5	API	600. 18	. 870	2	. 148	SM41A
6	"	260. 18	. 870	4	. 128	"
7	E. 11	600. 8	. 935	2	. 33	"
8	API	500. 26	. 910	2	. 186	"
9	"	210. 26	. 910	4	. 156	"
10	E. 11	500. 22	. 955	2	. 79	"
11	.	.	.	.	.	.
12	HTB	M24.	. 115	120	. 105	F10T
13	"	"	. 145	112	. 110	"
14	.	.	.	.	.	.
15	.	.	.	.	. 945	.
16	.	.	40	3. 780	.	.
17	.	.	.	.	.	.
18	(53)	.	.	.	.	.
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	SPI	600. 16	. 870	2	. 131	SM41A
22	"	260. 16	. 870	4	. 114	"
23	"	500. 24	. 910	2	. 171	"
24	"	210. 24	. 910	4	. 144	"
25	"	500. 10	. 955	2	. 36	"
26	.	.	.	.	.	.
27	HTB	M24.	. 110	120	. 103	F10T
28	"	"	. 135	112	. 106	"
29	.	.	.	.	.	.
30	.	.	.	.	. 805	.
31	.	.	40	3. 220	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1						
2	(56)					
3	spl 600 . 16	. 870	2	. 131		SM41A
4	, 260 . 16	. 870	4	. 114		,
5	Fill 600 . 2.3	. 435	2	. 9		,
6	spl 500 . 24	. 910	2	. 171		,
7	, 210 . 24	. 910	4	. 144		,
8	Fill 500 . 12	. 455	2	. 43		,
9	HTB M24 .	. 110	120	. 103		F10T
10	, " .	. 135	112	. 106		,
11				. 821		
12						
13			40 =	3.284		
14						
15	(57) (62)					
16	spl 600 . 16	. 870	2	. 131		SM41A
17	, 260 . 16	. 870	4	. 114		,
18	Fill 600 . 6	. 435	2	. 25		,
19	spl 500 . 24	. 910	2	. 86		,
20	, 210 . 24	. 910	4	. 144		,
21	Fill 500 . 16	. 455	2	. 57		,
22	HTB M24 .	. 110	120	. 103		F10T
23	, " .	. 135	112	. 106		
24				. 766		
25						
26			80 =	6.128		
27						
28						
29	(31) (33)					
30	spl 600 . 15	. 700	4	. 198		SM41A
31	, 260 . 15	. 700	8	. 171		,
32	Fill 600 . 12	. 350	4	. 79		,
33	HTB M24 .	. 110	192	. 165		F10T
34				. 613		
35						
36			80 =	4.904		
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	(35) .	.	.	.	.	.
3	spl 500 . 28	1.390	2	.306	.	SM50YB
4	" 210 . 28	1.390	4	.257	.	"
5	Fill 500 . 22	.695	2	.120	.	SM41A
6	spl 600 . 20	1.040	2	.196	.	"
7	" 260 . 20	1.040	4	.170	.	"
8	Fill 600 . 10	.520	2	.49	.	"
9	HTB M24 .	.155	176	.180	.	F10T
10	" " .	.125	144	.132	.	"
11	.	.	.	1.410	.	.
12	.	.	.	.	.	.
13	.	.	40 =	5.640	.	.
14	.	.	.	.	.	.
15	(37) .	.	.	.	.	.
16	spl 500 . 28	1.390	2	.306	.	SM50YB
17	" 210 . 28	1.390	4	.257	.	"
18	Fill 500 . 16	.695	2	.87	.	SM41A
19	spl 600 . 20	1.040	2	.196	.	"
20	" 260 . 20	1.040	4	.170	.	"
21	Fill 600 . 4.5	.520	2	.22	.	"
22	HTB M24 .	.155	176	.180	.	F10T
23	" " .	.125	144	.132	.	"
24	.	.	.	1.350	.	.
25	.	.	.	.	.	.
26	.	.	40 =	5.400	.	.
27	.	.	.	.	.	.
28	(39) .	.	.	.	.	.
29	spl 500 . 28	1.390	2	.306	.	SM50YB
30	" 210 . 28	1.390	4	.257	.	"
31	Fill 500 . 8	.695	2	.44	.	SM41A
32	spl 600 . 22	1.380	2	.286	.	SM50A
33	" 260 . 22	1.380	4	.248	.	"
34	Fill 600 . 18	.690	2	.117	.	SM41A
35	HTB M24 .	.160	176	.183	.	F10T
36	" " .	.160	192	.199	.	"
37	.	.	.	1.640	.	.
38	.	.	.	.	.	.
39	.	.	40 =	6.560	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量(kg)	摘要	材質
1						
2	(41)					
3	spl	500 . 28	1.390	2	.306	SM50YB
4	"	210 . 28	1.390	4	.257	"
5	Fill	500 . 22	.695	2	.120	SM41A
6	spl	600 . 22	1.380	2	.286	SM50A
7	"	260 . 22	1.380	4	.248	"
8	Fill	600 . 32	.690	2	.208	SM41A
9	HTB	M24 .	.175	176	.192	F10T
10	"	" .	.175	172	.210	"
11				1.827		
12						
13			40 =	7.308		
14						
15	(44)					
16	spl	600 . 20	1.040	2	.196	SM41A
17	"	260 . 20	1.040	4	.170	"
18	Fill	600 . 24	.520	2	.118	"
19	spl	500 . 24	1.150	2	.217	SM50A
20	"	210 . 24	1.150	4	.182	"
21	Fill	500 . 20	.575	2	.90	SM41A
22	HTB	M24 .	.145	144	.142	F10T
23	"	" .	.155	144	.147	
24				1.262		
25						
26			40 =	5.048		
27						
28	(47)					
29	spl	600 . 20	1.040	2	.196	SM41A
30	"	260 . 20	1.040	4	.170	"
31	Fill	600 . 18	.520	2	.88	"
32	spl	500 . 24	1.150	2	.217	SM50A
33	"	210 . 24	1.150	4	.182	"
34	Fill	500 . 14	.575	2	.63	SM41A
35	HTB	M24 .	.140	144	.139	F10T
36	"	" .	.150	144	.144	"
37				1.199		
38						
39			40 =	4.796		
40						
41						
42						

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.	.	.		
2	(50)	.	.	.		
3	spl 600 . 20	1.040	2	.196		SM41A
4	, 260 . 20	1.040	4	.170		,
5	Fill 600 . 45	.520	2	.22		,
6	spl 500 . 24	1.150	2	.217		,
7	, 210 . 24	1.150	4	.182		,
8	Fill 500 . 8	.575	2	.36		,
9	HTB M24 .	.125	144	.132		F10T
10	, , .	.135	144	.137		,
11	.	.		1.092		
12	.	.		.		
13	.	.	40 =	4.368		
14	.	.		.		
15	(65) ~ (95)	.		.		
16	spl 500 . 12	.670	4	.126		SM41A
17	, 210 . 12	.670	8	.106		,
18	Fill 500 . 2.3	.335	4	.12		,
19	HTB M24 .	.95	160	.129		F10T
20	.	.		.373		
21	.	.		.		
22	.	.	440 =	16.412		
23	.	.		.		
24	.	.		.		
25	(98) (101)	.		.		
26	spl 500 . 12	.670	4	.126		SM41A
27	, 210 . 12	.670	8	.106		,
28	Fill 500 . 8	.335	4	.42		,
29	HTB M24 .	.100	160	.132		F10T
30	.	.		.406		
31	.	.		.		
32	.	.	80 =	3.248		
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	(26)	.	.	.	.	.
5	spl 600 . 18	. 870	2	. 148		SM41A
6	" 260 . 18	. 870	4	. 128		"
7	Fill 600 . 2.3	. 435	2	. 9		"
8	HTB M24 .	. 115	120	. 105		F10T
9	.	.	.	. 390		.
10	.	.	.	.		.
11	.	.	40 =	1.560		.
12	.	.	.	.		.
13	(28)	.	.	.		.
14	spl 500 . 26	. 910	2	. 186		SM41A
15	" 210 . 26	. 910	4	. 156		"
16	Fill 500 . 12	. 455	2	. 43		"
17	spl 600 . 18	. 870	2	. 148		"
18	" 260 . 18	. 870	4	. 128		"
19	Fill 600 . 2.3	. 435	2	. 9		"
20	HTB M24 .	. 145	112	. 110		F10T
21	" .	. 115	120	. 105		"
22	.	.	.	. 885		.
23	.	.	.	.		.
24	.	.	40 =	3.540		.
25	.	.	.	.		.
26	(55) (58)	.	.	.		.
27	spl 500 . 24	. 910	2	. 171		SM41A
28	" 210 . 24	. 910	4	. 144		"
29	Fill 500 . 8	. 455	2	. 29		"
30	spl 600 . 16	. 870	2	. 131		"
31	" 260 . 16	. 870	4	. 114		"
32	Fill 600 . 2.3	. 435	2	. 9		"
33	HTB M24 .	. 135	112	. 106		F10T
34	" .	. 110	120	. 103		"
35	.	.	.	. 807		.
36	.	.	.	.		.
37	.	.	80 =	6.456		.
38	.	.	.	.		.
39	.	.	.	.		.
40	.	.	.	.		.
41	.	.	.	.		.
42	.	.	.	.		.

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.		
2	.	.	.	.		
3	(61)	.	.	.		
4	Spl 500 . 24	. 910	2	. 171		SM41A
5	" 210 . 24	. 910	4	. 144		"
6	Fill 500 . 6	. 455	2	. 21		"
7	Spl 600 . 16	. 870	2	. 131		"
8	" 260 . 16	. 870	4	. 114		"
9	Fill 600 . 4.5	. 435	2	. 18		"
10	HTB M24 .	. 135	112	. 406		F10T
11	" .	. 115	120	. 105		"
12	.	.	.	. 810		
13	.	.	.	.		
14	.	.	40 =	3.240		
15	.	.	.	.		
16	(30)	.	.	.		
17	Spl 500 . 26	. 910	2	. 186		SM41A
18	" 210 . 26	. 910	4	. 156		"
19	Fill 500 . 12	. 455	2	. 43		"
20	Spl 600 . 15	. 700	2	. 99		"
21	" 260 . 15	. 700	4	. 86		"
22	Fill 600 . 2.3	. 350	2	. 8		"
23	HTB M24 .	. 145	112	. 110		F10T
24	" .	. 110	96	. 83		"
25	.	.	.	. 771		
26	.	.	.	.		
27	.	.	40 =	3.084		
28	.	.	.	.		
29	(32)	.	.	.		
30	Spl 600 . 15	. 700	4	. 198		SM41A
31	" 260 . 15	. 700	8	. 171		"
32	Fill 600 . 6	. 350	4	. 40		"
33	HTB M24 .	. 115	192	. 171		F10T
34	.	.	.	. 520		
35	.	.	.	.		
36	.	.	40 =	2.320		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種別	寸	法	数量	重量(kg)	摘要	材質
1	.	.	.	.	.	.
2	(34)	.	.	.	.	.
3	Spl 600 . 15	. 700	2	. 99	.	SM41A
4	" 260 . 15	. 700	4	. 86	.	"
5	Fill 600 . 6	. 350	2	. 20	.	"
6	Spl 500 . 28	1.390	2	. 306	.	SM50YB
7	" 210 . 28	1.390	4	. 257	.	"
8	Fill 500 . 12	. 695	2	. 65	.	SM41A
9	HTB M24 .	. 115	96	. 84	.	F10T
10	" .	. 155	176	. 180	.	"
11	.	.	.	1.097	.	.
12	.	.	.	.	.	.
13	.	.	40 =	4.388	.	.
14	.	.	.	.	.	.
15	(36) (38)	.	.	.	.	.
16	Spl 600 . 20	1.040	2	. 196	.	SM41A
17	" 260 . 20	1.040	4	. 170	.	"
18	Fill 600 . 4.5	. 520	2	. 22	.	"
19	Spl 500 . 28	1.390	2	. 306	.	SM50YB
20	" 210 . 28	1.390	4	. 257	.	"
21	Fill 500 . 8	. 695	2	. 44	.	SM41A
22	HTB M24 .	. 130	194	. 134	.	F10T
23	" .	. 155	176	. 180	.	"
24	.	.	.	1.309	.	.
25	.	.	.	.	.	.
26	.	.	80 =	10.472	.	.
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	(40)	.	.	.	.	.
30	Spl 600 . 22	1.380	2	. 286	.	SM50A
31	" 260 . 22	1.380	4	. 248	.	"
32	Fill 600 . 10	. 690	2	. 65	.	SM41A
33	Spl 500 . 28	1.390	2	. 306	.	SM50YB
34	" 210 . 28	1.390	4	. 257	.	"
35	HTB M24 .	. 140	192	. 186	.	F10T
36	" .	. 155	176	. 180	.	"
37	.	.	.	1.528	.	.
38	.	.	.	.	.	.
39	.	.	40 =	6.112	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	(42)	.	.	.	.	.
4	Spl 600 . 22	1.380	2	.286	.	SM50A
5	" 260 . 22	1.380	4	.248	.	"
6	Fill 600 . 10	.690	2	.65	.	SM41A
7	Spl 600 . 20	1.040	2	.196	.	"
8	" 260 . 20	1.040	4	.170	.	"
9	Fill 600 . 14	.520	2	.69	.	"
10	HTB M24 .	.140	192	.186	.	F10T
11	" .	.135	144	.137	.	"
12	.	.	.	1.357	.	.
13	.	.	.	.	.	.
14	.	.	40 =	5.428	.	.
15	.	.	.	.	.	.
16	(46)	.	.	.	.	.
17	Spl 500 . 24	1.150	2	.217	.	SM50A
18	" 210 . 24	1.150	4	.182	.	"
19	Fill 500 . 10	.575	2	.45	.	SM41A
20	Spl 600 . 20	1.040	2	.196	.	"
21	" 260 . 20	1.040	4	.170	.	"
22	Fill 600 . 14	.520	2	.69	.	"
23	HTB M24 .	.145	144	.142	.	F10T
24	" .	.135	144	.137	.	"
25	.	.	.	1.158	.	.
26	.	.	.	.	.	.
27	.	.	40 =	4.632	.	.
28	.	.	.	.	.	.
29	(49)	.	.	.	.	.
30	.	.	.	.	.	.
31	Spl 500 . 24	1.150	2	.217	.	SM50A
32	" 210 . 24	1.150	4	.182	.	"
33	" 600 . 20	1.040	2	.196	.	SM41A
34	" 260 . 20	1.040	4	.170	.	"
35	Fill 600 . 4.5	.520	2	.22	.	"
36	HTB M24 .	.135	144	.137	.	F10T
37	" .	.125	144	.132	.	"
38	.	.	.	1.056	.	.
39	.	.	.	.	.	.
40	.	.	40 =	4.224	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	(52)	.	.	.	.	.
5	Spl 500 . 24	1.150	2	. 217	.	SM50A
6	" 210 . 24	1.150	4	. 182	.	"
7	Fill 500 . 2.3	. 575	2	. 10	.	SM41A
8	Spl 600 . 16	. 870	2	. 131	.	"
9	" 260 . 16	. 870	4	. 114	.	"
10	Fill 600 . 8	. 435	2	. 33	.	"
11	HTB M24 .	. 135	144	. 137	.	F10T
12	" .	. 115	120	. 105	.	.
13	.	.	.	. 929	.	.
14	.	.	.	.	.	.
15	.	.	40 =	3.716	.	.
16	.	.	.	.	.	.
17	(64)	.	.	.	.	.
18	Spl 500 . 24	. 910	2	. 171	.	SM41A
19	" 210 . 24	. 910	4	. 144	.	"
20	Fill 500 . 2.3	. 455	2	. 8	.	"
21	Spl 500 . 12	. 670	2	. 63	.	"
22	" 210 . 12	. 670	4	. 53	.	"
23	Fill 500 . 2.2	. 335	2	. 58	.	"
24	HTB M24 .	. 135	112	. 106	.	F10T
25	" .	. 115	80	. 70	.	"
26	.	.	.	. 673	.	.
27	.	.	.	.	.	.
28	.	.	40 =	2.692	.	.
29	.	.	.	.	.	.
30	(67) (79) (91) ~ (97)	.	.	.	.	.
31	Spl 500 . 12	. 670	4	. 126	.	SM41A
32	" 210 . 12	. 670	8	. 106	.	"
33	Fill 500 . 30	. 335	4	. 158	.	"
34	HTB M24 .	. 120	160	. 143	.	F10T
35	.	.	.	. 533	.	.
36	.	.	.	.	.	.
37	.	.	200 =	10.660	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	(70)	.	.	.	.	.
4	Spl 500 . 12	. 670	4	. 126	.	SM41A
5	+ 210 . 12	. 670	8	. 106	.	.
6	Fill 500 . 24	. 335	4	. 126	.	.
7	HTB M24 .	. 115	160	. 141	.	F10T
8	.	.	.	. 499	.	.
9	.	.	.	.	.	.
10	.	.	40 =	1.996	.	.
11	.	.	.	.	.	.
12	(73) (76) (100) (103)	.	.	.	.	.
13	Spl 500 . 12	. 670	4	. 126	.	SM41A
14	+ 210 . 12	. 670	8	. 106	.	.
15	Fill 500 . 28	. 335	4	. 147	.	.
16	HTB M24 .	. 120	160	. 143	.	F10T
17	.	.	.	. 522	.	.
18	.	.	.	.	.	.
19	.	.	140 =	7.308	.	.
20	.	.	.	.	.	.
21	(82) (85) (88)	.	.	.	.	.
22	Spl 500 . 12	. 670	4	. 126	.	SM41A
23	+ 210 . 12	. 670	8	. 106	.	.
24	Fill 500 . 32	. 335	4	. 168	.	.
25	HTB M24 .	. 125	160	. 146	.	F10T
26	.	.	.	. 546	.	.
27	.	.	.	.	.	.
28	.	.	120 =	6.552	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	斜 材	組 手 (7 ランチ)	.	.	.	.
4	.	.	.	.	.	.
5	(1)	.	.	.	.	.
6	Spl	630 . 10 . 700	2	. 69	.	SM50A
7	HTB	M24 . . 90	56	. 44	173	F10T
8	.	.	.	. 113	.	.
9	.	.	.	.	.	.
10	.	.	80 =	. 904	.	.
11	.	.	.	.	.	.
12	.	.	.	.	.	.
13	(2)	.	.	.	.	.
14	Spl	630 . 11 . 700	2	. 76	.	SM50A
15	HTB	M24 . . 90	56	. 44	.	F10T
16	.	.	.	. 120	.	.
17	.	.	.	.	.	.
18	.	.	160 =	1.920	.	.
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	(2) (7)	.	.	.	.	.
22	Spl	630 . 9 . 530	2	. 47	.	SM4HA
23	HTB	M24 . . 85	42	. 32	0.112	F10T
24	.	.	.	. 79	.	.
25	.	.	.	.	.	.
26	.	.	200 =	1.580	.	.
27	.	.	.	.	.	.
28	(11)	.	.	.	.	.
29	Spl	630 . 9 . 530	2	. 47	.	SM50A
30	HTB	M24 . . 85	42	. 32	.	F10T
31	.	.	.	. 79	.	.
32	.	.	.	.	.	.
33	.	.	120 =	. 948	.	.
34	.	.	.	.	.	.
35	(3) (4) (8) (9) (10)	.	.	.	.	.
36	Spl	630 . 9 . 360	2	. 32	.	SM4HA
37	HTB	M24 . . 85	28	. 22	.	F10T
38	.	.	.	. 54	.	.
39	.	.	.	.	.	.
40	.	.	1600 =	8.640	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.		.		
2	.	.		.		
3	(5) .	.		.		
4	Spl 630 . 11	360	2	39		SM41A
5	HTB M24 .	85	28	22		F10T
6	.	.		61		
7	.	.		.		
8	.	.	80 -	488		
9	.	.		.		
10	.	.		.		
11	.	.		.		
12	.	.		.		
13	.	.		.		
14	.	.		.		
15	.	.		.		
16	.	.		.		
17	.	.		.		
18	.	.		.		
19	.	.		.		
20	.	.		.		
21	.	.		.		
22	.	.		.		
23	.	.		.		
24	.	.		.		
25	.	.		.		
26	.	.		.		
27	.	.		.		
28	.	.		.		
29	.	.		.		
30	.	.		.		
31	.	.		.		
32	.	.		.		
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.		.		
2	.	.		.		
3	.	.		.		
4	斜材継手合計			183.816 ^{kg}		
5	.	.		.		
6	.	.		.		
7	.	SM50YB	28	18.016		
8	.	.		.		
9	.	SM50YA	11	1.216		
10	.	.		.		
11	.	.		.		
12	.	SM5DA	24	7.980		
13	.	.	22	8.544		
14	.	.	10	.552		
15	.	.	9	.564		
16	.	.		.		
17	.	.		.		
18	.	SM41A	32	2.848		
19	.	.	30	3.160		
20	.	.	28	2.058		
21	.	.	26	1.368		
22	.	.	24	11.972		
23	.	.	22	1.508		
24	.	.	20	15.004		
25	.	.	18	1.360		
26	.	.	16	8.644		
27	.	.	15	5.908		
28	.	.	14	.804		
29	.	.	12	15.536		
30	.	.	11	.312		
31	.	.	10	1.040		
32	.	.	9	6.060		
33	.	.	8	1.504		
34	.	.	6	.524		
35	.	.	4.5	.512		
36	.	.	2.3	.812		
37	.	.		.		
38	.	F10T	M24	50.501		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1						
2	横 構 本 体					
3						
4	皮 360 . 9	12.829	88	28.714	Flg. L-1	SM41A
5	" 342 . 9	12.618	88	26.829	Web "	"
6	" 322 . 9	.342	220	1.712	Dia. "	"
7	" 480 . 9	1.050	44	1.488	Guss.(0.95)	"
8	" 470 . 9	1.050	44	1.457	" (")	"
9	" 560 . 9	.620	88	1.943	" (0.90)	"
10	" 530 . 9	.600	88	1.779	" (")	"
11	" 342 . 9	.350	44	.372	Rib "	"
12	" " .	.500	44	.532	" "	"
13						
14	皮 360 . 9	12.629	4	1.285	Flg. L-2	SM41A
15	" " .	6.233	4	.637	" "	"
16	" " .	6.183	4	.629	" "	"
17	" 342 . 9	12.418	4	1.200	Web "	"
18	" " .	6.014	2	.291	" "	"
19	" " .	6.022	2	.291	" "	"
20	" " .	5.972	2	.289	" "	"
21	" " .	5.964	2	.288	" "	"
22	" 322 . 9	.342	24	.187	Dia. "	"
23	" 540 . 9	.620	2	.43	Guss.(0.90)	"
24	" 530 . 9	.600	2	.40	" (")	"
25	" 580 . 9	.660	2	.44	" (")	"
26	" 570 . 9	.650	2	.47	" (")	"
27	" 480 . 9	1.050	1	.34	" (0.95)	"
28	" 470 . 9	1.050	1	.33	" (")	"
29	" 460 . 9	1.230	1	.40	" (")	"
30	" 450 . 9	1.230	1	.37	" (")	"
31	" 605 . 9	1.870	2	.136	" (0.85)	"
32	" 342 . 9	.500	4	.48	Rib "	"
33	" " .	.350	4	.34	" "	"
34						
35	皮 360 . 11	12.629	4	1.570	Flg. L-3	SM41A
36	" " .	6.183	4	.769	" "	"
37	" " .	6.233	4	.775	" "	"
38	" 338 . 11	12.418	4	1.450	Web "	"
39	" " .	5.972	2	.349	" "	"
40	" " .	5.964	2	.348	" "	"
41	" " .	6.014	2	.351	" "	"
42	" " .	6.024	2	.352	" "	"

種別	寸	法	数量	重量(kg)	摘要	材質
1	12	318 . 9	.338	12	. 91 Dia. 1-3	SM41A
2	"	580 . 11	.660	2	. 59 Guss (0.90)	"
3	"	570 . 11	.650	2	. 58 " (")	"
4	"	540 . 11	.620	2	. 52 " (")	"
5	"	530 . 11	.600	2	. 49 " (")	"
6	"	460 . 11	1.230	1	. 46 " (0.95)	"
7	"	450 . 11	1.230	1	. 45 " (")	"
8	"	480 . 11	1.050	1	. 41 " (")	"
9	"	470 . 11	1.050	1	. 40 " (")	"
10	"	605 . 11	1.870	2	. 166 " (0.85)	"
11	"	338 . 9	.500	4	. 98 Rib	"
12	"	" .	.350	4	. 33 "	"
13		.	.	.	.	.
14	12	360 . 11	12.829	4	1.595 Flg. 1-4	SM41A
15	"	338 . 11	12.618	4	1.473 Web	"
16	"	318 . 9	.338	10	. 76 Dia	"
17	"	540 . 11	.620	2	. 52 Guss (0.90)	"
18	"	530 . 11	.600	2	. 49 " (")	"
19	"	480 . 11	1.050	1	. 41 " (0.95)	"
20	"	470 . 11	1.050	1	. 40 " (")	"
21	"	338 . 9	.500	2	. 24 Rib	"
22	"	" .	.350	2	. 17 "	"
23		.	.	.	.	.
24	12	360 . 10	12.829	8	2.900 Flg. 1-5	SM41A
25	"	340 . 10	12.618	8	2.694 Web	"
26	"	320 . 9	.340	20	. 154 Dia	"
27	"	540 . 10	.620	4	. 95 Guss (0.90)	"
28	"	530 . 10	.600	4	. 90 " (")	"
29	"	480 . 10	1.050	2	. 75 " (0.95)	"
30	"	470 . 10	1.050	2	. 74 " (")	"
31	"	340 . 9	.500	4	. 48 Rib	"
32	"	" .	.350	4	. 34 "	"
33		.	.	.	.	.
34		.	.	$\Sigma =$	86.679	
35		横 壁 本 体 合 計	2 @ $\Sigma =$	173.358		
36		.	.	.	.	.
37		SM.41A	. 12	t = 11	19.540	
38		"	"	" 10	11.856	} = 173.358
39		"	"	" 9	141.962	
40		.	.	.	.	
41		.	.	.	.	
42		.	.	.	.	

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1						
2		横構添接材				
3						
4	R	360 . 9	. 470	176	2.104 Spl. L-1	SM41A
5	"	155 . 10	. 470	352	2.013 " "	"
6	H.T.B.	M 22.	. 70	4224	2.344 $\phi 555^{10}/16$	F10T
7						
8	R	360 . 9	. 470	16	. 191 Spl. L-2	SM41A
9	"	155 . 10	. 470	32	. 183 " "	"
10	H.T.B.	M 22.	. 70	384	. 213 $\phi 555^{10}/16$	F10T
11	"	" .	. 60	320	. 168 $\phi 525$	"
12						
13	R	360 . 11	. 470	16	. 234 Spl. L-3	SM41A
14	"	155 . 12	. 470	32	. 220 " "	"
15	H.T.B.	M 22.	. 75	384	. 219 $\phi 570^{10}/16$	F10T
16	"	" .	. 60	320	. 168 $\phi 525$	"
17						
18	R	360 . 11	. 470	8	. 117 Spl. L-4	SM41A
19	"	155 . 12	. 470	16	. 110 " "	"
20	H.T.B.	M 22.	. 75	192	. 109 $\phi 570^{10}/16$	F10T
21						
22	R	360 . 10	. 470	16	. 213 Spl. L-5	SM41A
23	"	155 . 12	. 470	32	. 220 " "	"
24	H.T.B.	M 22.	. 75	384	. 219 $\phi 570^{10}/16$	F10T
25						
26						
27			$\Sigma =$	9045		
28		横構添接材合計	20 $\Sigma =$	18090		
29						
30		SM. 41A	. R	t=12	1.100	} = 11210
31		"	"	" 11	. 702	
32		"	"	" 10	4.818	
33		"	"	" 9	4.590	
34						
35		F10T	. H.T.B. M 22	6.880	(12416*)	
36						
37						
38						
39						
40						
41						
42						

種別	寸	法	数量	重量 (kg)	摘要	材質
1	ペンシル背用	.	.	.	.	.
2	アーカー-7L-4	.(4 reg)	.	.	.	.
3	.	.	.	.	.	.
4	150 ⁴ . 30	!	4	. 339		SM50B
5	1500 . 30	1.675	2	. 888	Net 75%	"
6	333.5 . 45	1.500	2	. 353		SM50C
7	803 . 45	1.500	1	. 340	Net 80%	"
8	1500 . 45	1.530	1	. 811		"
9	Rib 365 . 28	. 760	2	. 122		SM50B
10	760 . 28	. 803	2	. 268		"
11	310 . 28	. 760	10	. 518		"
12	.	.	.	.	.	.
13	.	.	Σ	. 3639	kg	.
14	.	.	4 Σ	14.556	.	.
15	.	.	.	.	.	.
16	.	.	.	.	.	.
17	.	.	SM50C	. T=45	6016	.
18	.	.	SM50B	. 30	4708	.
19	.	.	"	. 28	708	.
20	.	.	.	.	.	.
21	.	.	.	.	.	.
22	.	.	.	.	.	.
23	.	.	.	.	.	.
24	.	.	.	.	.	.
25	ペンシル背	. 3531	.	.	.	.
26	アーカー-7L-4	. 3639	.	.	.	.
27	.	Σ . 7170	.	.	.	.
28	.	4 Σ . 28680	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	47-11=7	Σ 15 ⁺ 273	.	.	.	.
33	.	42 61 ⁺ 092	.	.	.	.
34	.	.	.	.	.	.
35	シート背	.	.	.	.	.
36	本体 400 . 270	. 600	1	. 254	1/2 + 50%	SC46
37	R 400 . 30	. 600	1	. 57	Base	SM41B
38	R 600 . 30	. 860	1	. 121		SM5304
39	BA 113.0	. 150	6	. 3		.
40	.	.	.	.	.	.
41	.	.	.	. 435	.	.
42	.	.	.	3. 480	.	.

3 ケーブル

名 称	重 量 (kg)
主 ケーブル	1 811 774
ケーブルバンド	134 259
ハンガー	138 017
バンド ロープ	25 540
塔 頂 サドル	91 068
スフレー サドル	48 740
合 計	2 279 398

種別	寸	法	数量	重量(kg)	摘要	材質
1						
2	※ Y-フィルバインド					
3						
4						
5	B1 597φ	2.040	8	15.664	1958 $\frac{kg}{4}$	SC46
6	B2	2.040	20	38.620	1931	"
7	B3	1.600	20	30.560	1528	"
8	B4	1.600	28	42.028	1501	"
9	B5	3.040	2	5.949	2974	"
10	B.V M48	.650	516	5.196	1007 $\frac{kg}{100T}$	F10T
11			Σ	138.617		
12						
13						
14						
15						
16						
17						
18	※ Y-フィル					
19						
20	PWS 127 x .61(S6)	1.600	1	1754.095	9.575 $\frac{kg}{m}$ x 56	WV.RB
21	Y.T.		224	8.960	40 $\frac{kg}{1T}$	SC46
22						
23	※ ハンカ-					
24						
25	CFRC 6 x WSR26) 5886	820	1	103.608	17.6 $\frac{kg}{m}$	
26	90 . 120	. 370	624	6.864	4,	SC46
27	"	. 820	4	. 100	H2	"
28	H.T.B M22	. 90	1872	1.151		F10T
29	"	. 1	18	. 11		"
30	210 . 28	. 320	328	4.133		SM41A
31	M10	. 50	656	. 35		
32	190φ	. 405	312	13.728	44 $\frac{kg}{4}$	SC46
33	200 . 16	. 930	312	7.332		SM41A
34	"	. 496	312	3.900		"
35	P.P.P 50A.	. 83	468	. 156		SGP
36	200 . 25	. 272	312	2.964		2n
37	115φ	. 150	312	3.432		"
38	H.T.B M22	. 160	312	. 312		F10T
39	"	. 195	312	. 312		"
40	370 . 6	. 450	312	2.447		SM41A
41	450 . 6	. 820	4	. 70		"
42				156.442		

種別	寸	法	数量	重量 (kg)	摘要	材質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	★	ラッピン 7:714-	.	.	.	.
4	.	.	.	.	.	.
5	長さ	$(860.012 - (20 \times 2) - 14 - 70) \times 2 = 1352M$				
6	.	.	.	.	.	.
7	$(469-4)\pi \times 4$	1352.160	1	48.719		
8	.	.	.	.	.	.
9	.	.	.	.	.	.
10	.	.	.	.	.	.
11	★	バンド 70	.	.	.	.
12	.	.	.	.	.	.
13	上段	$4.4 \frac{kg}{m} \times 760^8 \times 4$		13.378		SWRH
14	下段	$1.58 \frac{kg}{m} \times 11 \times 4$		2.402		"
15	.	.	.	.	.	.
16	バンド 70 支柱	$15 \frac{kg}{m} / 184$		2.760		1841
17	.	.	.	.	.	.
18	バンド	$0.25 / 15 \times 7 \times 4$		7.000		MC46
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	.	.	.	25.540 $\frac{kg}{m}$		
22	.	.	.	.	.	.
23	.	.	.	.	.	.
24	.	.	.	.	.	.
25	.	.	.	.	.	.
26	.	.	.	.	.	.
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質	
1							
2	X-7-25h	4 R.02					
3							
4	R	1,500 . 25	2.650	2	1.014	Net = 0.65	SM50B
5	"	700 . 22	.844	1	.102		"
6	"	500 . 22	.844	4	.292		"
7	"	260 . 22	.500	8	.180		"
8	"	300 . 25	.844	2	.99		"
9	Rib	500 . 22	.844	1	.73		"
10	H.I.B	M 24 . 1	.95	300	.292		F10T
11	Wire	IWRC 6 x WS(31)	19.350	2	.720	18.6 kg/m	
12	Y-T-1	190 ϕ .	.405	4	.704	44 kg/m	SC46
13			Σ	3.426			
14			4 Σ	13.704			
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							
50							
51							
52							
53							
54							
55							
56							
57							
58							
59							
60							
61							
62							
63							
64							
65							
66							
67							
68							
69							
70							
71							
72							
73							
74							
75							
76							
77							
78							
79							
80							
81							
82							
83							
84							
85							
86							
87							
88							
89							
90							
91							
92							
93							
94							
95							
96							
97							
98							
99							
100							

サドル 4 Reg'd

名 称	個 数	材 質	重 量
サドル 本 体	1	SC46	20 580
押 え 板	5	SS41	272
当 板	5	"	161
コ ム 板	5	ネオポリム	5
フィラー	5	Zn	8
"	10	"	62
"	10	"	108
"	10	"	154
"	10	"	200
スペンサー	8	SS41	423
"	2	"	84
"	2	"	74
"	2	"	65
"	2	"	55
当板締付ボルト	20	"	9
シャッキボルトナット	15	"	12
本体締体ボルト	24	"	-

$$\Sigma = 22272 \text{ kg}$$

$$48 = 89088 \text{ kg}$$

4. 塔

名 称	重 量 (kg)
塔 本 体	1 738 054
添 接 机	212 600
ア・カ・フ・ム	75 372
合 計	2 225 026

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.		.		
2	.	.		.		
3	.	.	$\Sigma = 40.968$			
4	.	.	$40\Sigma = 163.872$			
5	SM.58	. R	$t = 22$	3.300		
6	SM.50YB	. R	$t = 30$	28.628		
7	."	."	. 22	4.580	} = 95.576	
8	."	."	. 20	64.368		
9	SM.41C	. R	$t = 80$	57.800		
10	SM.41A	. R	$t = 30$	5.196		
11	.	.		.		
12	.	.		.		
13	.	.		.		
14	.	.		.		
15	.	.		.		
16	.	.		.		
17	.	.		.		
18	.	.		.		
19	.	.		.		
20	.	.		.		
21	.	.		.		
22	.	.		.		
23	.	.		.		
24	.	.		.		
25	.	.		.		
26	.	.		.		
27	.	.		.		
28	.	.		.		
29	.	.		.		
30	.	.		.		
31	.	.		.		
32	.	.		.		
33	.	.		.		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	(J ₁ ~ J ₂)	.	.	.	.	.
3	12	3,200 . 20	8.000	2	8.038 Web	SM50YB
4	"	2,360 . 30	8.000	2	8.892 Flg.	"
5	"	240 . 22	8.000	12	3.979 Rib	SM5B
6	"	2,360 . 16	3.140	3	2.373 Dia. (0.85)	SM41A
7	"	200 . 16	2.096	6	.316 "	"
8	"	610 . 20	.810	4	.155 マンホール (0.50)	SM50YB
9	.	.	.	.	.	.
10	.	.	Σ = 23.753	.	.	.
11	.	.	40Σ = 95.012	.	.	.
12	.	.	.	.	.	.
13	SM5B	. 12	t = 22	15.916	} = 68.340	
14	SM50YB	. 12	t = 30	35.568		
15	"	. "	. 20	32.772		
16	SM41A	. 12	t = 16	10.756	.	.
17	.	.	.	.	.	.
18	.	.	.	.	.	.
19	.	.	.	.	.	.
20	(J ₂ ~ J ₃ . J ₃ ~ J ₄)	.	.	.	.	.
21	12	3,200 . 20	6.000	2	6.029 Web	SM50YB
22	"	2,360 . 30	6.000	2	6.669 Flg.	"
23	"	240 . 22	6.000	12	2.984 Rib	SM5B
24	"	2,360 . 16	3.140	2	1.582 Dia. (0.85)	SM41A
25	"	200 . 16	2.096	4	.211 "	"
26	"	610 . 20	.810	4	.155 マンホール (0.50)	SM50YB
27	.	.	.	.	.	.
28	.	.	Σ = 17.630	.	.	.
29	.	.	20Σ = 141.040	.	.	.
30	.	.	.	.	.	.
31	SM5B	. 12	t = 22	23.872	} = 102.824	
32	SM50YB	. 12	t = 30	53.352		
33	"	. "	. 20	49.472		
34	SM41A	. 12	t = 16	14.344	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	(J4~J5).	.	.	.	.	.
3	⌀ 4.163 . 20	6.045	2	7.112	Web(0.90)	SM50YB
4	" 2.360 . 30	6.045	2	6.719	Flg	"
5	" 240 . 22	6.045	12	3.007	Rib	SM5B
6	" 2.360 . 18	3.144	2	1.782	Dia.(0.85)	SM41A
7	" 200 . 18	2.100	4	. 237	"	"
8	" 2.368 . 18	. 782	1	. 262	Flg. 水平材	"
9	" " .	. 957	1	. 320	" "	"
10	" 160 . 16	. 791	. 3	. 148	Rib	"
11	" " .	. 956	3	. 58	" "	"
12	" " .	. 811	2	. 33	" "	"
13	" " .	. 841	2	. 34	" "	"
14	" " .	. 870	2	. 35	" "	"
15	" " .	. 899	2	. 36	" "	"
16	" " .	. 929	2	. 37	" "	"
17	" 230 . 30	. 778	2	. 84	"	SM50YB
18	" 610 . 20	. 810	4	. 155	マニホール (0.50)	"
19	.	.	.	.	.	.
20	.	.	$\Sigma =$	19.959	.	.
21	.	.	40 $\Sigma =$	79.836	.	.
22	.	.	.	.	.	.
23	SM5B	. ⌀	t=22	12.028	.	.
24	SM50YB	. ⌀	t=30	27.212	} = 56.280	.
25	"	"	" 20	29.068		.
26	SM41A	. ⌀	t=18	10.404	} = 11.528	.
27	"	"	" 16	1.124		.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	(J5~J6).	.	.	.	.	.
3	R. 3.200 . 20	8.400	2	8.440	Web	SM50YB
4	" 2.360 . 30	1.210	2	1.345	Flg.	"
5	" 2.360 . 25	7.190	2	6.660	"	"
6	" 240 . 22	8.400	12	4.178	Rib	SM5B
7	" 2.360 . 16	3.140	1	.791	Dia. (0.85)	SM41A
8	" .	3.150	2	1.527	" (0.85)	"
9	" 200 . 16	2.096	6	.316	"	"
10	" 610 . 20	.810	6	.233	2mmボール (0.50)	SM50YB
11	.	.	.	.	.	.
12	.	.	$\Sigma =$	23.550	.	.
13	.	.	4@ $\Sigma =$	94.200	.	.
14	.	.	.	.	.	.
15	SM5B	R	t=22	16.712	.	.
16	SM50YB	. R	t=30	5.380	.	.
17	"	"	" 25	26.640	} = 66.712	.
18	"	"	" 20	34.692		.
19	SM41A	. R	t=16	10.776	.	.
20	.	.	.	.	.	.
21	.	.	.	.	.	.
22	(J6~J7).	.	.	.	.	.
23	R. 3.200 . 20	4.310	2	4.331	Web	SM50YB
24	" 4.250 . 40	4.090	2	9.825	" (0.90)	SM50YC
25	" 2.360 . 25	4.410	2	4.085	Flg.	SM50YB
26	" 2.320 . 25	3.990	2	3.633	"	"
27	" 240 . 22	8.400	10	3.482	Rib	SM5B
28	" .	5.150	2	.427	"	"
29	" .	.860	2	.71	"	"
30	" 2.360 . 16	3.150	1	.794	Dia. (0.85)	SM41A
31	" 2.320 . 16	3.150	1	.780	" (0.85)	"
32	" 200 . 16	2.096	4	.211	"	"
33	" 2.320 . 30	3.154	1	1.465	2mm-リフト部 Dia. (0.85)	SM50YB
34	" 200 . 30	2.112	2	.200	"	"
35	" 925 . 30	2.320	1	.505	Flg.	"
36	" 1.970 . 50	2.375	2	3.306	(0.90)	SM50C
37	" 1.75 . 50	2.375	4	.653	"	"
38	" 1.550 . 40	1.900	4	2.959	(0.80)	"
39	" 2.400 . 20	2.425	1	.906	Conn.	SM41A
40	" 90 . 20	2.360	2	.67	Conn.	"
41	" .	2.120	1	.30	"	"
42	" 2.200 ^φ . 25	.	1	.373	(0.50)	SM50YB

種別	寸	法	数量	重量 (kg)	摘要	材質
1	B.N	M20 .	. 65	45	. 14	0.3013/15 SS41
2	P	610 . 20	. 810	6	. 233	マンホール (0.50) SM50YB
3	.	.	.	.	.	.
4	.	.	$\Sigma =$	38.350	.	.
5	.	.	40 $\Sigma =$	153.400	.	.
6	.	.	.	.	.	.
7	SM58	P	t=22	15.920	.	.
8	SM50YC	P	t=40	39.300	.	.
9	SM50YB	. P	t=30	8.680	.	.
10	..	. "	" 25	32.364	} = 59.300	.
11	..	. "	" 20	18.256	.	.
12	SM50C	. P	t=50	15.836	} = 27.672	.
13	..	. "	" 40	11.836	.	.
14	SM41A	. P	t=20	4.012	} = 11.152	.
15	..	. "	" 16	7.140	.	.
16	SS41	. B.N	M20	. 56	.	.
17	.	.	.	.	.	.
18	.	.	.	.	.	.
19	(J7~J8).	.	.	.	.	.
20	P	3.200 . 40	1.360	2	2.733	Web SM50YC
21	"	3.200 . 20	6.240	2	6.270	" SM50YB
22	"	2.320 . 25	1.260	2	1.147	Flg. "
23	"	2.360 . 25	6.340	2	5.873	" "
24	"	240 . 22	1.260	8	. 418	Rib SM58
25	"	" .	1.360	4	. 225	" "
26	"	200 . 20	6.340	8	1.593	" "
27	"	" .	6.240	4	. 784	" "
28	"	2.320 . 16	3.150	1	. 780	Dia. (0.85) SM41A
29	"	2.360 . 16	3.150	2	1.587	" (0.85) "
30	"	200 . 16	2.096	6	. 316	" "
31	"	610 . 20	. 810	6	. 233	マンホール (0.50) SM50YB
32	.	.	.	.	.	.
33	.	.	$\Sigma =$	21.959	.	.
34	.	.	40 $\Sigma =$	87.836	.	.
35	.	.	.	.	.	.
36	SM58	. P	t=22	2.572	} = 12.080	.
37	"	. "	" 20	9.508	.	.
38	SM50YC	. P	t=40	10.932	.	.
39	SM50YB	. P	t=25	28.080	} = 54.092	.
40	"	. "	" 20	26.012	.	.
41	SM41A	. P	t=16	10.732	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	(J8~J9).	.		.		
3	ϕ 3.200 . 20	5.600	2	5.627	Web.	SM50YB
4	" 2.360 . 25	5.600	2	5.187	Flg.	"
5	" 200 . 20	5.600	12	2.110	Rib	SM5B
6	" 2.360 . 16	3.150	2	1.587	Dia. (0.85)	SM41A
7	" 200 . 16	2.096	4	. 211	"	"
8	" 610 . 20	.810	4	. 155	マニホール (0.50)	SM50YB
9	.	.		.		
10	.	.	$\Sigma = 14.877$			
11	.	.	40 $\Sigma = 59.508$			
12	SM-5B . ϕ	$t=20$	8.440			
13	SM-50YB . ϕ	$t=25$	20.748		} = 43.876	
14	" . "	" 20	23.128			
15	SM-41A . ϕ	$t=16$	7.192			
16	.	.		.		
17	.	.		.		
18	(J9~J10).	.		.		
19	ϕ 4.359 . 20	6.028	2	7.426	Web (0.90)	SM50YB
20	" 2.360 . 25	6.028	2	5.584	Flg.	"
21	" 200 . 20	6.028	12	2.271	Rib	SM5B
22	" 2.360 . 18	3.154	2	1.788	Dia. (0.85)	SM41A
23	" 200 . 18	2.100	4	. 237	"	"
24	" 2.368 . 18	.978	1	. 327	Flg. 水平材	"
25	" . "	1.154	1	. 386	"	"
26	" 160 . 16	.987	3	. 60	Rib	"
27	" . "	1.153	3	. 70	"	"
28	" . "	1.007	2	. 40	"	"
29	" . "	1.037	2	. 42	"	"
30	" . "	1.066	2	. 43	"	"
31	" . "	1.095	2	. 44	"	"
32	" . "	1.125	2	. 45	"	"
33	" 190 . 25	.780	2	. 58	"	SM50YB
34	" - 610 . 20	.810	4	. 155	マニホール (0.50)	"
35	.	.		.		
36	.	.	$\Sigma = 18.576$			
37	.	.	40 $\Sigma = 74.304$			
38	SM-5B . ϕ	$t=20$	9.084			
39	SM-50YB . ϕ	$t=25$	22.568		} = 52.892	
40	" . "	" 20	30.324			
41	SM-41A . ϕ	$t=18$	10.952		} = 12.328	
42	" . "	" 16	1.376			

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	(J10~J11).	.	.	.	.	.
3	R 3,200 . 20	1.230	2	1.236	Web	SM50YB
4	" "	6.370	2	6.401	"	SM50A
5	" 2,360 . 25	1.130	2	1.047	Flg.	SM50YB
6	" 2,360 . 24	6.470	2	5.753	"	SM50A
7	" 200 . 20	1.330	12	.501	Rib	SM5B
8	" " "	6.270	12	2.363	"	"
9	" 2,360 . 16	3.150	1	.794	Dia. (0.85)	SM41A
10	" " "	3.152	2	1.588	" (0.85)	"
11	" 200 . 16	2.096	6	.316	"	"
12	" 610 . 20	.810	4	.155	25R-10 (0.50)	SM50A
13	.	.	.	.	.	.
14	.	.	$\Sigma =$	20.154		
15	.	.	4@ $\Sigma =$	60.616		
16	SM5B	1. R	t=20	11.456		
17	SM50YB	. R	t=25	4.188	} = 9.132	
18	" "	" "	" 20	4.944		
19	SM50A	. R	t=24	23.012	} = 49.236	
20	" "	" "	" 20	26.224		
21	SM41A	. R	t=16	10.792		
22	.	.	.	.	.	.
23	.	.	.	.	.	.
24	(J11~J12).	.	.	.	.	.
25	R 3,200 . 20	8.400	2	8.440	Web	SM50A
26	" 2,360 . 24	8.400	2	7.470	Flg.	"
27	" 200 . 20	8.400	12	3.165	Rib	SM5B
28	" 2,360 . 16	3.152	3	2.382	Dia. (0.85)	SM41A
29	" 200 . 16	2.096	6	.316	"	"
30	" 610 . 20	.810	6	.233	25R-10 (0.50)	SM50A
31	.	.	.	.	.	.
32	.	.	$\Sigma =$	22.006		
33	.	.	4@ $\Sigma =$	28.024		
34	SM5B	. R	t=20	12.660		
35	SM50A	. R	t=24	29.880	} = 64.572	
36	" "	" "	" 20	34.692		
37	SM41A	. R	t=16	10.792		
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量(kg)	摘要	材質
1		.		.		
2	(J12-塔頂部)	.		.		
3	皮 3.728 . 20	4.413	2	4.908	Web (0.95)	SM50A
4	" 2.360 . 24	4.253	1	1.891	Flg	"
5	" " .	4.413	1	1.962	"	"
6	" 190 . 24	.780	1	.28	Rib	"
7	" 2.360 . 18	3.156	1	.895	Dia. (0.85)	SM41A
8	" 200 . 18	2.100	2	.119	"	"
9	" 160 . 16	.407	3	.25	Rib 水平材	"
10	" " .	.522	3	.31	"	"
11	" " .	.423	2	.17	"	"
12	" " .	.448	2	.18	"	"
13	" " .	.473	2	.19	"	"
14	" " .	.498	2	.20	"	"
15	" 2.368 . 18	.398	1	.133	Flg	"
16	" " .	.523	1	.175	"	"
17	" 2.002 . 50	3.400	1	2.672	塔頂部	SM41C
18	" 601 . 20	2.400	2	.453	"	SM41A
19	" 2.360 . 20	3.156	1	1.169	"	SM50A
20	" 491 . 20	1.962	2	.302	"	"
21	" 1.001 . 20	2.360	2	.742	"	"
22	" 1.000 . 20	2.012	2	.632	"	"
23	" 780 . 20	1.001	3	.368	"	"
24	" 770 . 20	1.001	6	.726	"	"
25	" 487 . 20	1.001	6	.459	"	"
26	" 200 . 20	3.263	2	.205	Rib	SM58
27	" " .	3.297	2	.207	"	"
28	" " .	3.330	2	.209	"	"
29	" " .	3.363	2	.211	"	"
30	" " .	4.264	2	.268	"	"
31	" " .	4.412	2	.277	"	"
32	" 610 . 20	.810	4	.155	2-ボルト (0.50)	SM50A
33		.		.		
34		.	$\Sigma =$	19.296		
35		.	40 $\Sigma =$	77.184		
36	SM-58	.皮	$t=20$	5.508		
37	SM-50A	.皮	$t=24$	15.524	} = 53.368	
38	"	"	" 20	37.844		
39	SM-41C	.皮	$t=50$	10.686		
40	SM-41A	.皮	$t=20$	1.812	} = 7.620	
41	"	"	" 18	5.288		
42	"	"	" 16	.520		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	主柱小計	1194.232	.	.	.
3	.	.	.	.	.	.
4	SM.58	R	t=22	90.320	}=146.976	
5	"	"	" 20	56.656		
6	SM.50YC	R	t=10	50.232	.	.
7	.	.	.	.	.	.
8	SM.50YB	R	t=30	158.820	}=611.024	
9	"	"	" 25	134.588		
10	"	"	" 22	4.580		
11	"	"	" 20	313.036		
12	.	.	.	.	.	.
13	SM.50C	R	t=50	15.836	}=27.672	
14	"	"	" 10	11.836		
15	.	.	.	.	.	.
16	SM.50A	R	t=24	68.416	}=167.176	
17	"	"	" 20	98.760		
18	.	.	.	.	.	.
19	SM.41C	R	t=80	57.800	}=68.488	
20	"	"	" 50	10.688		
21	.	.	.	.	.	.
22	SM.41A	R	t=30	5.196	}=123.208	
23	"	"	" 20	5.824		
24	"	"	" 18	26.644		
25	"	"	" 16	35.544		
26	.	.	.	.	.	.
27	SS.41	BN	M 20	56	.	.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	側 柱 .	.	.	.	.	.
3	(J1~J2) .	.	.	.	.	.
4	⌀ 2,000 . 30	8.000	1	3.768	Flg.	SM50YB
5	" 1,344 . 22	8.000	2	3.528	Web (0.95)	"
6	" 240 . 22	8.000	4	1.326	Rib	SM58
7	" 1,333 . 16	1.956	1	.327	Dia.	SM41A
8	" 1,301 . 16	1.956	1	.320	"	"
9	" 1,269 . 16	1.956	1	.312	"	"
10	.	.	.	.	.	.
11	.	.	.	.	.	.
12	.	.	Σ =	9.581		
13	.	.	80Σ =	76.648		
14	SM-58 . ⌀	t = 22	10.608			
15	SM-50YB . ⌀	t = 30	30.144	} = 58.368		
16	" . "	" 22	28.224			
17	SM-41A . ⌀	t = 16	7.672			
18	.	.	.	.	.	.
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	.	.	.	.	.	.
22	(J2~J3) .	.	.	.	.	.
23	⌀ 2,000 . 30	6.000	1	2.826	Flg.	SM50YB
24	" 1,259 . 22	6.000	2	2.609	Web	"
25	" 240 . 22	6.000	4	.995	Rib	SM58
26	" 1,237 . 16	1.956	1	.304	Dia.	SM41A
27	" 1,205 . 16	1.956	1	.296	"	"
28	" .	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	Σ =	7.030		
31	.	.	80Σ =	56.240		
32	SM-58 . ⌀	t = 22	7.960			
33	SM-50YB . ⌀	t = 30	22.608	} = 43.480		
34	" . "	" 22	20.872			
35	SM-41A . ⌀	t = 16	4.800			
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種別	寸	法	数量	重量 (kg)	摘要	材質
1		.		.		
2	(J3~J4).	.		.		
3	⌀ 2.000 . 30	6.000	1	2.826	Flg.	SM50YB
4	" 1.195 . 22	6.000	2	2.477	Web	"
5	" 240 . 22	6.000	4	.995	Rib	SM5B
6	" 1.174 . 16	1.956	1	.288	Dia.	SM41A
7	" 1.142 . 16	1.956	1	.281	"	"
8	.	.		.		
9	.	.		.		
10	.	.	$\Sigma =$	6.867		
11	.	.	$80\Sigma =$	54.936		
12	SM5B	⌀	$t = 22$	7.960		
13	SM50YB	⌀	$t = 30$	22.608	} = 42.424	
14	"	"	" 22	19.816		
15	SM41A	⌀	$t = 16$	4.552		
16	.	.		.		
17	.	.		.		
18	.	.		.		
19	.	.		.		
20	.	.		.		
21	.	.		.		
22	(J4~J5).	.		.		
23	⌀ 2.000 . 30	6.045	1	2.847	Flg.	SM50YB
24	" 1.132 . 22	6.045	2	2.245	Web (0.95)	"
25	" 240 . 22	6.045	4	1.002	Rib	SM5B
26	" 1.118 . 18	1.958	1	.309	Dia.	SM41A
27	" 1.081 . 18	1.958	1	.299	"	"
28	.	.		.		
29	.	.		.		
30	.	.	$\Sigma =$	6.702		
31	.	.	$80\Sigma =$	53.616		
32	SM5B	⌀	$t = 22$	8.016		
33	SM50YB	⌀	$t = 30$	22.776	} = 40.736	
34	"	"	" 22	17.960		
35	SM41A	⌀	$t = 18$	4.864		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	(J5~J6).	.	.	.	.	.
3	R 2000 . 30	1.310	1	. 617	Flg.	SM50YB
4	" 2000 . 25	7.090	1	2.783	"	"
5	" 1067 . 22	8.400	2	2.941	Web (0.95)	"
6	" 240 . 22	8.400	4	1.393	Rib.	SM58
7	" 1056 . 16	1.956	1	. 259	Dia.	SM41A
8	" 1029 . 16	1.956	1	. 253	"	"
9	" 998 . 16	1.956	1	. 245	"	"
10	.	.	.	.	.	.
11	.	.	.	.	.	.
12	.	.	$\Sigma =$	8.491		
13	.	.	8@ $\Sigma =$	67.928		
14	SM.58 . R	t=22	11.144			
15	SM.50YB . R	t=30	4.936			
16	" . "	" 25	22.264			
17	" . "	" 22	23.528			
18	SM.41A . R	t=16	6.056			
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	.	.	.	.	.	.
22	(J6~J7).	.	.	.	.	.
23	R 2000 . 25	8.400	1	3.297	Flg.	SM50YB
24	" 983 . 22	8.400	2	2.709	Web (0.95)	"
25	" 240 . 22	8.400	4	1.393	Rib	SM58
26	" 967 . 16	1.956	1	. 238	Dia.	SM41A
27	" 936 . 16	1.956	1	. 230	"	"
28	" 904 . 16	1.958	1	. 222		
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	$\Sigma =$	8.089		
32	.	.	8@ $\Sigma =$	64.712		
33	SM.58 . R	t=22	11.144			
34	SM.50YB . R	t=25	26.376			
35	" . "	" 22	21.672			
36	SM.41A . R	t=16	5.520			
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	(J7~J8).	.		.		
3	R. 2.000 . 25	1.360	1	. 534	Flg.	SM50YB
4	" 2.000 . 22	6.240	1	2. 155	"	"
5	" 894 . 22	7.600	2	2. 229	Web (0.95)	"
6	" 240 . 22	1.360	2	. 113	Rib	SM5B
7	" "	1.152	2	. 95	"	"
8	" 200 . 20	6.240	2	. 392	"	"
9	" 882 . 16	1.956	1	. 217	Dia.	SM41A
10	" 855 . 16	1.956	1	. 210	"	"
11	" 826 . 16	1.956	1	. 203	"	"
12	.	.		.		
13	.	.		.		
14	.	.	$\Sigma =$	6.148		
15	.	.	30 $\Sigma =$	49.184		
16	.	.		.		
17	SM5B R	t=22	1.664	} = 4.800		
18	" "	" 20	3.136			
19	SM50YB R	t=25	4.272	} = 39.344		
20	" "	" 22	35.072			
21	SM41A R	t=16	5.040			
22	.	.		.		
23	.	.		.		
24	(J8~J9).	.		.		
25	R. 2.000 . 22	5.600	1	1.934	Flg.	SM50YB
26	" 817 . 22	5.600	2	1.580	Web	"
27	" 200 . 20	5.600	2	. 352	Rib	SM5B
28	" 796 . 16	1.956	1	. 196	Dia.	SM41A
29	" 766 . 16	1.956	1	. 188	"	"
30	.	.		.		
31	.	.		.		
32	.	.	$\Sigma =$	4.250		
33	.	.	80 $\Sigma =$	34.000		
34	.	.		.		
35	SM5B R	t=20	2.816			
36	SM50YB R	t=22	28.112			
37	SM41A R	t=16	3.072			
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	(J9~J10).	.		.		
3	FL 2.000 . 22	6.028	1	2.082	Flg	SM50YB
4	" 757 . 22	6.028	2	1.497	Web (0.95)	"
5	" 200 . 20	6.028	2	.379	Rib	SM5B
6	" 744 . 18	1.958	1	.206	Dia.	SM41A
7	" 707 . 18	1.958	1	.196	"	"
8	.	.		.		
9	.	.		.		
10	.	.	$\Sigma =$	4.360		
11	.	.	80 $\Sigma =$	34.880		
12	.	.		.		
13	SM5B	FL	t=20	3.032		
14	SM50YB	. FL	t=22	28.632		
15	SM.41A	. FL	t=18	3.216		
16	.	.		.		
17	.	.		.		
18	.	.		.		
19	.	.		.		
20	.	.		.		
21	(J10~J11).	.		.		
22	FL 2.000 . 22	1.230	1	.425	Flg	SM50YB
23	" 2.000 . 20	6.370	1	2.000	"	SM50A
24	" 694 . 22	1.130	2	.271	Web	SM50YB
25	" 682 . 20	6.470	2	1.316	" (0.95)	SM50A
26	" 200 . 20	1.330	2	.84	Rib	SM5B
27	" "	6.270	2	.394	"	"
28	" 683 . 16	1.956	1	.168	Dia.	SM41A
29	" 655 . 16	1.960	1	.161	"	"
30	" 625 . 16	1.960	1	.154	"	"
31	.	.		.		
32	.	.		.		
33	.	.	$\Sigma =$	4.973		
34	.	.	80 $\Sigma =$	39.784		
35	.	.		.		
36	SM5B	. FL	t=20	3.824		
37	SM50YB	. FL	t=22	5.568		
38	SM.50A	. FL	t=20	26.528		
39	SM.41A	. FL	t=16	3.864		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	(J11~J12).	.	.	.	.	.
3	FL 2.000 . 20	8.400	1	2.638	Flg.	SM50A
4	" 615 . 20	8.400	2	1.541	Web (0.95)	"
5	" 200 . 20	8.400	2	.528	Rib	SM5B
6	" 596 . 16	1.960	1	.147	Dia.	SM41A
7	" 566 . 16	1.960	1	.139	"	"
8	" 536 . 16	1.960	1	.132	"	"
9	.	.	.	.	.	.
10	.	.	.	.	.	.
11	.	.	$\Sigma =$	5.125	.	.
12	.	.	80 $\Sigma =$	41.000	.	.
13	.	.	.	.	.	.
14	SM5B . FL	t=20	4.224	.	.	.
15	SM50A . FL	t=20	33.432	.	.	.
16	SM41A . FL	t=16	3.344	.	.	.
17	.	.	.	.	.	.
18	.	.	.	.	.	.
19	.	.	.	.	.	.
20	(J12~塔頂部)	.	.	.	.	.
21	FL 2.000 . 20	4.388	1	1.378	Flg.	SM50A
22	" 526 . 20	4.283	1	.354	Web	"
23	" " .	4.383	1	.362	"	"
24	" 200 . 20	3.297	1	.104	Rib	SM5B
25	" " .	3.330	1	.105	"	"
26	" 507 . 18	1.958	1	.140	Dia.	SM41A
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	.	.	$\Sigma =$	2.443	.	.
30	.	.	80 $\Sigma =$	19.544	.	.
31	.	.	.	.	.	.
32	SM5B . FL	t=20	1.672	.	.	.
33	SM50A . FL	t=20	16.752	.	.	.
34	SM41A . FL	t=18	1.120	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	側.柱.小.計	592.472	.	.	.
3	.	.	.	.	.	.
4	SM.58	P	t=22	58.496	} = 77.200	
5	"	"	" 20	18.704		
6	SM.50YB	P	t=30	103.072	} = 385.440	
7	"	"	25	52.912		
8	"	"	22	229.456		
9	.	.	.	.	.	.
10	.	.	.	.	.	.
11	SM.50A	P	t=20	76.712	.	.
12	.	.	.	.	.	.
13	SM.41A	P	t=18	9.200	} = 53.120	
14	"	"	" 16	43.920		
15	.	.	.	.	.	.
16	.	.	.	.	.	.
17	.	.	.	.	.	.
18	.	.	.	.	.	.
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	.	.	.	.	.	.
22	.	.	.	.	.	.
23	.	.	.	.	.	.
24	.	.	.	.	.	.
25	.	.	.	.	.	.
26	.	.	.	.	.	.
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	水平材	.		.		
3	(H-1)	.		.		
4	皮 2.368 . 18	10.000	2	6.692	Flg.	SM41A
5	" 2.500 . 16	10.000	2	6.280	Web	"
6	" 160 . 16	10.000	14	2.813	Rib	"
7	" 2.368 . 12	2.464	5	2.336	Diag. (0.85)	"
8	" 200 . 12	1.790	10	.337	"	"
9	.	.		.		
10	.	.		.		
11	.	.	$\Sigma =$	18.458		
12	.	.	20 $\Sigma =$	36.916		
13	.	.		.		
14	SM.41A	皮	$t=18$	13.384	} = 36.916	
15	"	"	" 16	18.186		
16	"	"	" 12	5.346		
17	.	.		.		
18	.	.		.		
19	.	.		.		
20	(H-2)	.		.		
21	皮 2.368 . 18	11.000	2	7.361	Flg.	SM41A
22	" 3.500 . 16	11.000	2	9.671	Web	"
23	" 160 . 16	11.000	16	3.537	Rib	"
24	" 2.368 . 12	3.464	5	3.284	Diag. (0.85)	"
25	" 200 . 12	2.590	10	.488	"	"
26	.	.		.		
27	.	.		.		
28	.	.	$\Sigma =$	24.341		
29	.	.	20 $\Sigma =$	48.682		
30	.	.		.		
31	SM.41A	皮	$t=18$	14.722	} = 48.682	
32	"	"	" 16	26.416		
33	"	"	" 12	7.544		
34	.	.		.		
35	.	.		.		
36	.	.		.		
37	.	.		.		
38	.	.		.		
39	.	.		.		
40	.	.		.		
41	.	.		.		
42	.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	(H-3) .	.	.	.	.	.
3	φ 2.368 . 18	7.500	2	5.019	Flg	SM41A
4	" 3.500 . 16	7.500	2	6.594	Web	"
5	" 160 . 16	7.500	16	2.412	Rib	"
6	" 2.368 . 12	3.464	3	1.970	Dia. (0.85)	"
7	" 200 . 12	2.590	6	2.93	"	"
8	.	.	.	.	.	.
9	.	.	.	.	.	.
10	.	.	Σ = 16.288	.	.	.
11	.	.	4φΣ = 65.152	.	.	.
12	.	.	.	.	.	.
13	SM 41A . φ	t=18	20.076	.	.	.
14	" . "	" 16	36.024	.	= 65.152	.
15	" . "	" 12	9.052	.	.	.
16	.	.	.	.	.	.
17	.	.	.	.	.	.
18	.	.	.	.	.	.
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	.	水平材小計	150.750	.	.	.
22	.	.	.	.	.	.
23	SM 41A . φ	t=18	43.182	.	.	.
24	" . "	" 16	80.626	.	= 150.750	.
25	" . "	" 12	21.942	.	.	.
26	.	.	.	.	.	.
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	SM-5B	. R	t=22	148.816	}= 224.176	
4	."	."	" 20	75.360		
5	SM-50YC	. R	t=40	50.232	}= 996.467	
6	.	.	.	.		
7	SM-50YB	. R	t=30	261.892		
8	."	."	" 25	187.500		
9	."	."	" 22	234.036	}= 27.672	
10	."	."	" 20	313.036		
11	.	.	.	.	}= 243.888	
12	SM-50C	. R	t=50	15.836		
13	."	."	" 40	11.836	}= 68.488	
14	.	.	.	.		
15	SM-50A	. R	t=24	68.416	}= 327.078	
16	."	."	" 20	175.472		
17	.	.	.	.	}= 68.488	
18	SM-41C	. R	t=80	57.800		
19	."	."	" 50	10.688	}= 327.078	
20	.	.	.	.		
21	SM-41A	. R	t=30	5.196		
22	."	."	20	5.824		
23	."	."	18	84.026	}= 21.942	
24	."	."	16	210.090		
25	."	."	12	21.942	}= 56	
26	.	.	.	.		
27	SS-41	. B.N	M20	. 56		
28	.	.	.	.		
29	.	.	.	.		
30	.	.	.	.		
31	.	.	.	.		
32	.	.	.	.		
33	.	.	.	.		
34	.	.	.	.		
35	.	.	.	.		
36	.	.	.	.		
37	.	.	.	.		
38	.	.	.	.		
39	.	.	.	.		
40	.	.	.	.		
41	.	.	.	.		
42	.	.	.	.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1		.		.		
2	塔添接材	.		.		
3	(支柱).	.		.		
4	φ 2280 . 9	. 620	10	. 999	Spl. J1~J5	SM50YA
5	" 680 . 9	. 620	30	. 894	" "	"
6	" 1,370 . 9	. 470	10	. 455	" "	"
7	" 560 . 9	. 470	10	. 186	" "	"
8	" 305 . 9	. 470	20	. 203	" "	"
9	" 480 . 9	. 470	40	. 638	" "	"
10	H.T.B M22 .	. 90	1,680	1.033	0.615 ^{kg} /本	F10T
11	" " .	. 80	1,620	. 948	0.585 ^{kg} /本	"
12		.		.		
13	φ 2,280 . 9	. 470	8	. 606	Spl. J6 J8~10	SM50YA
14	" 680 . 9	. 470	12	. 271	" "	"
15	" 1,370 . 9	. 470	8	. 364	" "	"
16	" 560 . 9	. 470	8	. 149	" "	"
17	" 305 . 9	. 470	16	. 162	" "	"
18	" 480 . 9	. 470	32	. 510	" "	"
19	H.T.B M22 .	. 85	1,008	. 605	0.600 ^{kg} /本	F10T
20	" " .	. 80	1,296	. 758	0.585 ^{kg} /本	"
21		.		.		
22	φ 2,280 . 9	. 470	2	. 151	Spl. J7	SM50YA
23	" 680 . 9	. 470	6	. 135	" "	"
24	" 1,370 . 9	. 920	2	. 178	" "	"
25	" 560 . 9	. 920	2	. 73	" "	"
26	" 305 . 9	. 920	4	. 79	" "	"
27	" 480 . 9	. 920	8	. 250	" "	"
28	H.T.B M22 .	. 85	252	. 147	0.585 ^{kg} /本	F10T
29	" " .	. 100	648	. 418	0.645 ^{kg} /本	"
30		.		.		
31	φ 2,280 . 9	. 470	4	. 303	Spl. J11, J12	SM50A
32	" 680 . 9	. 470	12	. 271	" "	"
33	" 1,370 . 9	. 470	4	. 182	" "	"
34	" 560 . 9	. 470	4	. 74	" "	"
35	" 305 . 9	. 470	8	. 81	" "	"
36	" 480 . 9	. 470	16	. 255	" "	"
37	H.T.B M22 .	. 85	504	. 302	0.600 ^{kg} /本	F10T
38	" " .	. 80	648	. 379	0.585 ^{kg} /本	"
39		.		.		
40	φ 180 . 16	. 470	168	1.785	Sp. 鉄釘 J1~J7	SM50YA
41	" 155 . 16	. 470	72	. 659	" J8~J10	"
42	" 155 . 16	. 470	48	. 439	" J11, J12	SM50A

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1 H.T.B.	M 22 .	. 95	1728	1.089	0.630 ¹⁵ / ₁₆ 縦リフ	F10T
2 皮	320 . 25	2.255	8	1.133	Spl. 77-リフ部	SM50A
3 H.T.B.	M 22 .	. 140	480	. 367	0.764 ¹⁵ / ₁₆ "	F10T
4	.	.	.	.	.	.
5	.	.	Σ =	17.531	.	.
6	.	.	4@Σ =	70.124	.	.
7	.	.	.	.	.	.
8	SM50YA	. 皮	t=16	9.776	} = 34.988	}
9	"	"	" 9	25.212		
10	SM50A	. 皮	t=25	4.532	} = 10.952	}
11	"	"	" 16	1.756		
12	"	"	" 9	4.664		
13	F10T	. H.T.B.	M 22	24.184	(39.456本)	.
14	.	.	.	.	.	.
15	.	.	.	.	.	.
16	(側柱).	.	.	.	.	.
17 皮	1880 . 9	. 620	5	. 412	Spl. J1~J5	SM50YA
18 "	560 . 10	. 620	15	. 409	" "	"
19 "	1000 . 9	. 620	2	. 88	" J1	"
20 "	910 . 9	. 620	2	. 80	" J2	"
21 "	850 . 9	. 620	2	. 74	" J3	"
22 "	790 . 9	. 620	2	. 69	" J4	"
23 "	720 . 9	. 620	2	. 63	" J5	"
24 "	350 . 10	. 620	10	. 170	" J1~J5	"
25 "	530 . 10	. 620	2	. 52	" J1	"
26 "	440 . 10	. 620	2	. 43	" J2	"
27 "	380 . 10	. 620	2	. 37	" J3	"
28 "	320 . 10	. 620	2	. 31	" J4	"
29 "	260 . 10	. 620	2	. 25	" J5	"
30 H.T.B.	M 22 .	. 90	840	. 517	0.615 ¹⁵ / ₁₆ J1~J5	F10T
31 "	" .	. 85	672	. 403	0.600 ¹⁵ / ₁₆ "	"
32	.	.	.	.	.	.
33 皮	1880 . 9	. 470	1	. 62	Spl. J6	SM50YA
34 "	560 . 10	. 470	3	. 62	" "	"
35 "	640 . 9	. 620	2	. 56	" "	"
36 "	350 . 10	. 620	2	. 34	" "	"
37 "	170 . 10	. 620	2	. 17	" "	"
38 H.T.B.	M 22 .	. 85	222	. 133	0.600 ¹⁵ / ₁₆ "	F10T
39	.	.	.	.	.	.
40 皮	1880 . 9	. 470	1	. 62	Spl. J7	SM50YA
41 "	560 . 10	. 470	3	. 62	" "	"
42 "	550 . 9	. 770	2	. 60	" "	"

種 別		寸 法		数量	重量 (kg)	摘 要	材 質
1	丸	350 . 10	. 770	2	. 42	Spl. J7	SM50YA
2	"	80 . 10	. 770	2	. 10	" "	"
3	H.T.B.	M 22 .	. 85	226	. 136	0.600 ^{kg} /本	F10T
4		.	.		.		
5	丸	1880 . 9	. 470	1	. 62	Spl. J8	SM50YA
6	"	560 . 10	. 470	3	. 62	" "	"
7	"	455 . 11	. 620	4	. 97	" "	"
8	H.T.B.	M 22 .	. 85	222	. 133	0.600 ^{kg} /本	F10T
9		.	.		.		
10	丸	1880 . 9	. 470	1	. 62	Spl. J9	SM50YA
11	"	560 . 10	. 470	3	. 62	" "	"
12	"	400 . 10	. 470	4	. 59	" "	"
13	H.T.B.	M 22 .	. 85	206	. 124	0.600 ^{kg} /本	F10T
14		.	.		.		
15	丸	1880 . 9	. 470	1	. 62	Spl. J10	SM50YA
16	"	560 . 10	. 470	3	. 62	" "	"
17	"	350 . 10	. 770	4	. 85	" "	"
18	H.T.B.	M 22 .	. 85	206	. 124	0.600 ^{kg} /本	F10T
19		.	.		.		
20	丸	1880 . 9	. 320	1	. 43	Spl. J11	SM50A
21	"	560 . 10	. 320	3	. 42	" "	"
22	"	260 . 12	. 620	4	. 61	" "	"
23	H.T.B.	M 22 .	. 80	84	. 49	0.585 ^{kg} /本	F10T
24	"	" .	. 90	48	. 30	0.615 ^{kg} /本	"
25		.	.		.		
26	丸	1880 . 9	. 320	1	. 43	Spl. J12	SM50A
27	"	560 . 10	. 320	3	. 42	" "	"
28	"	180 . 16	. 920	4	. 83	" "	"
29	H.T.B.	M 22 .	. 80	84	. 49	0.585 ^{kg} /本	F10T
30	"	" .	. 95	48	. 30	0.615 ^{kg} /本	"
31		.	.		.		
32	丸	180 . 16	. 470	56	. 59.5	Spl. 継リテ J1~J7	SM50YA
33	"	155 . 16	. 470	12	. 110	" J8~J10	"
34	"	" .	. 470	8	. 73	" J11, J12	SM50A
35	H.T.B.	M 22 .	. 95	456	. 280	0.615 ^{kg} /本 J1~J12	F10T
36		.	.		.		
37	丸	215 22	B4 500	2	627.5	主柱と側柱用	SM50YA
38	H.T.B.	M 22	85	610.4	365.5	177ト用	F10T
39		.	.		.		
40		.	.		.		
41		.	.		687.126	650	
42		.	.		.		

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	計	126.650	.	.
5	.	.	.	.	.	.
6	1M.50YA	HT	22	50.200	} 76.904	.
7	."	."	16	5.640		.
8	."	."	11	7.76		.
9	."	."	10	10.592		.
10	."	."	9	9.696	.	.
11	.	.	.	.	.	.
12	1M.50	."	16	1.248	} 3.096	.
13	."	."	12	4.88		.
14	."	."	10	6.72		.
15	."	."	9	6.88		.
16	.	.	.	.	.	.
17	F10T	HTB	M22	46.650	(75.344本)	.
18	.	.	.	.	.	.
19	.	.	.	.	.	.
20	.	.	.	.	.	.
21	.	.	.	.	.	.
22	.	.	.	.	.	.
23	.	.	.	.	.	.
24	.	.	.	.	.	.
25	.	.	.	.	.	.
26	.	.	.	.	.	.
27	.	.	.	.	.	.
28	.	.	.	.	.	.
29	.	.	.	.	.	.
30	.	.	.	.	.	.
31	.	.	.	.	.	.
32	.	.	.	.	.	.
33	.	.	.	.	.	.
34	.	.	.	.	.	.
35	.	.	.	.	.	.
36	.	.	.	.	.	.
37	.	.	.	.	.	.
38	.	.	.	.	.	.
39	.	.	.	.	.	.
40	.	.	.	.	.	.
41	.	.	.	.	.	.
42	.	.	.	.	.	.

種 別	寸	法	数量	重量 (kg)	摘 要	材 質
1						
2	(水平材).					
3	⌀ 2400 . 12	. 320	2	. 145	Spl. H-1	SM41A
4	" 505 . 14	. 320	4	. 71	" "	"
5	" 530 . 14	. 320	4	. 75	" "	"
6	" 2400 . 12	. 320	2	. 145	" "	"
7	" 505 . 16	. 320	4	. 81	" "	"
8	" 530 . 16	. 320	4	. 85	" "	"
9	" 2380 . 12	. 320	4	. 287	" "	"
10	" 410 . 12	. 320	8	. 99	" "	"
11	" 440 . 12	. 320	12	. 159	" "	"
12	" 140 . 10	. 440	56	. 271	" "	"
13	" 410 . 4.5	. 160	8	. 19	Fill. "	SS41
14	" 440 . 4.5	. 160	12	. 30	" "	"
15	H.T.B. M22 .	. 85	704	. 422	0.600 ^{x3/4} " "	FIOT
16	" " .	. 75	224	. 128	0.570 " "	"
17						
18	⌀ 2400 . 12	. 320	2	. 145	Spl. H-2	SM41A
19	" 505 . 16	. 320	4	. 81	" "	"
20	" 530 . 16	. 320	4	. 85	" "	"
21	" 2400 . 12	. 320	2	. 145	" "	"
22	" 505 . 18	. 320	4	. 91	" "	"
23	" 530 . 18	. 320	4	. 96	" "	"
24	" 3380 . 12	. 320	4	. 408	" "	"
25	" 480 . 12	. 320	8	. 116	" "	"
26	" 520 . 12	. 320	16	. 251	" "	"
27	" 140 . 10	. 440	64	. 309	" "	"
28	" 430 . 4.5	. 160	8	. 22	Fill. "	SS41
29	" 520 . 4.5	. 160	16	. 47	" "	"
30	H.T.B. M22 .	. 90	192	. 118	0.615 ^{x3/4} " "	FIOT
31	" " .	. 85	672	. 403	0.600 " "	"
32	" " .	. 75	256	. 146	0.570 " "	"
33						
34	⌀ 2400 . 12	. 320	3	. 217	Spl. H-3	SM41A
35	" 505 . 16	. 320	6	. 122	" "	"
36	" 530 . 16	. 320	6	. 128	" "	"
37	" 2400 . 12	. 320	3	. 217	" "	"
38	" 505 . 18	. 320	6	. 137	" "	"
39	" 530 . 18	. 320	6	. 144	" "	"
40	" 3380 . 12	. 320	6	. 602	" "	"
41	" 480 . 12	. 320	12	. 174	" "	"
42	" 520 . 12	. 320	24	. 376	" "	"

種 別		寸	法	数量	重量 (kg)	摘 要	材 質
1	店	480 . 4.5	.160	8	. 22	Fill. H-3	SS41
2	'	580 . 4.5	.160	16	. 52	" "	"
3	"	140 . 10	.440	96	.464	Spl. "	SM41A
4	H.T.B	M22.	. 90	288	. 177	0.615 ⁷ / ₁₆ "	F10T
5	"	"	. 85	768	. 461	0.600 ⁷ / ₁₆ "	"
6	"	"	. 80	240	. 140	0.585 ⁷ / ₁₆ "	"
7		.	.		.		
8		.	.		.		
9		.	.	Σ =	7.913		
10		.	.	20Σ =	15.826		
11		.	.		.		
12		SM.41A	. R	t=18	. 936	} = 11.470	
13		"	"	" 16	1.164		
14		"	"	" 14	. 292		
15		"	"	" 12	6.981		
16		"	"	" 10	2.088		
17		SS.41	. R	t=4.5	. 384		
18		F10T	.H.T.B	M22	3.990	(6.688本)	
19		.	.		.		
20		.	.		.		
21		塔	添接材合計	212	600		
22		SM.50YA	. R	t=22	50.200		
23		"	"	16	15.416	} = 111.892	
24		"	"	11	. 776		
25		"	"	" 10	10.592		
26		"	"	" 9	34.908		
27		SM.50A	. R	t=25	4.532	} = 14.048	
28		"	"	16	3.004		
29		"	"	" 12	. 488		
30		"	"	" 10	. 672		
31		"	"	" 9	5.352		
32		SM.41A	. R	t=18	. 936	} = 11.461	
33		"	"	" 16	1.164		
34		"	"	" 14	. 292		
35		"	"	" 12	6.981		
36		"	"	" 10	2.088		
37		SS.41	. R	t=4.5	. 384		
38		.	.		.		
39		F10T	.H.T.B	M22	74.815	(121.976本)	
40		.	.		.		
41		.	.		.		
42		.	.		.		

種 別	寸 法	数 量	重 量 (kg)	摘 要	材 質
1	.	.	.	.	.
2	アンカ-フレーム	.	.	.	.
3	H 250×250・9×14	3.141	2	. 455 $72.4 \frac{kg}{m}$	SS41
4	E 250×90・9×13	5.980	8	1.655 $34.6 \frac{kg}{m}$	"
5	" ..	3.100	8	. 858 " "	"
6	" ..	3.141	8	. 869 " "	"
7	L 90×90・10	3.200	4	. 170 $13.3 \frac{kg}{m}$	"
8	" ..	2.550	4	. 136 " "	"
9	R 250・10	. 410	66	. 531	"
10	" 250・9	. 410	28	. 203	"
11	" 410・30	2.050	4	. 792	SM41A
12	" ..	2.950	2	. 570	"
13	" 410・10	2.050	4	. 264	SS41
14	" ..	2.950	2	. 190	"
15	" 270・9	. 370	4	. 18 Guss. (0.65)	"
16	" 260・9	. 460	4	. 22 " (0.65)	"
17	" 380・9	. 580	2	. 31 " "	"
18	" 350・9	. 350	4	. 23 " (0.65)	"
19	" 232・9	. 171	16	. 45 " "	"
20	" 450・9	. 600	4	. 76 Base	"
21	" ..	. 450	2	. 29 " "	"
22	Washer M22 (テ-パ-)	.	64	. 4 (0.058kg)	"
23	An.B.N. M20.	. 700	44	. 79 (1.79kg)	"
24	R 220 ^φ ・10	.	136	. 406 圧金	"
25	An.B.N. M100.	4.800	34	11.322 (333kg)	"
26	H.T.B. M22.	. 70	64	. 36 (0.555kg)	F10T
27	" ..	. 65	32	. 17 (0.540kg)	"
28	" ..	. 60	80	. 42 (0.525kg)	"
29	.	.	.	.	.
30	.	.	.	.	.
31	.	.	Σ = 18.843	.	.
32	.	.	40Σ = 75.372	.	.
33	.	.	.	.	.
34	SM41A	. R	k=30	5.448	.
35	SS41	. "	1=10	5.564	} = 7.352
36	"	. "	" 9	1.788	
37	SS41	H 250×250・9×14	1.820	.	} = 16.572
38	"	E 250×90・9×13	13.528	.	
39	"	L 90×90・10	1.224	.	
40	SS41.	. B.N. (M20)	. 332	.	.
41	"	. " M100	45.288	.	.
42	F10T	. H.T.B. M22	. 380	(704本)	.

5 附属品

名 称	重 量 (kg)
伸 縮 装 置	63 558
高 欄	1 414 M
ガ - ド ロ - フ	1 414 M
排 水 装 置	10 344
照 明 装 置	667
管 理 路	(107 404)
塔 内 梯 子	11 338
合 計	85 937 (193 341)

初料表

伸縮裝置

種類	断面	長さ	個数	重 (kg)	標準重 (kg)	重量 (kg)	材質	備考
	<A-TYPE 櫛形>		8 - Reg'd					
片	1300 x 12	740	1			91	SS41	
"	870 x 12	740	1			25	"	
"	1150 x 12	740	1			81	"	
"	430 x 12	740				20	"	
"	200 x 36	1325	8		74.9	509	SM50B	0.85
"	"	1305	8		73.8	502	"	"
"	200 x 26	1325	2		54.1	92	"	"
"	"	1305	2		53.3	91	"	"
"	180 x 42	180	16		10.7	170	SM50C	
"	180 x 32	180	4		8.1	33	SM50B	
"	130 x 16	740	2		12.1	24	SS41	
					$\Sigma = 1649$	K_2		
					$8\Sigma = 13192$	"		
片	<B-TYPE 櫛形>		8 - Reg'd					
"	200 x 36	1325	9		74.9	573	SM50B	0.85
"	"	1305	9		73.8	564	"	"
"	200 x 26	1325	2		54.1	92	"	"
"	"	1305	2		53.3	91	"	"
"	180 x 42	180	18		10.7	192	SM50C	
"	180 x 32	180	4		8.1	33	SM50B	
"	130 x 16	818	2		13.4	27	SS41	
"	130 x 24	818	2		20.0	40	"	Filler
					$\Sigma = 1612$	K_2		
					$8\Sigma = 12895$	"		

材料表

種類	断面	長さ	個数	配(%)	重量(kg)	重量(kg)	材質	分注
	<7"75"11">							
	B-1							
FL	200 x 12	300	4		5.7	22	SS41	
"	280 x 9	495	4		9.8	33	"	0.8t
	B-2							
FL	200 x 12	300	16		5.7	90	SS41	
"	280 x 9	554~509	8		10.5	71	"	0.3t
"	180 x 9	554~509	8		6.8	46	"	0.8t
"	90 x 24	220	2		3.7	7	"	
	B-3							
FL	200 x 12	300	7		5.7	40	SS41	
"	280 x 9	620~571	7		11.8	70	"	0.8t
"	180 x 9	"	7		7.6	45	"	0.8t
"	200 x 24	220	7		8.3	58	"	Filler
	7-170L-30 t=20							
					$\sigma =$	482 kg		
	<7"75"11">							
Roller	40 ⁸ N	740	16		32.3	484		
"	"	815	16		33.3	533		
"	"	950	32		38.1	1243		
W	44 x 21	44	64		0.319	20	SS41	
W	30 ⁸ 14 ⁵		64			-	"	
SW	M16 17		64			-	"	
RL	M16	75	32		0.138	4	"	
"	"	90	32		0.224	7	"	
FL	100 x 22	450	30		7.8	233	"	Base
"	"	250	40		4.3	17	"	"

材料表

類別	斷面	長	圖數	單位	重量	數量	檢核	備註
總合計			TZ = 3		1.779			
			2TZ = 63		558 kg			
種別合計								
					.Σ	2Σ		
SM50 C	PC	t=42			2896	5792	✓	
SM50 B	PC	36			17184	34368	✓	
"	"	32			528	1056	✓	
"	"	26			2928	5856	✓	
SS41	PC	t=24			385	770	✓	
"		22			250	500	✓	
"		16			1070	2140	✓	
"		12			2808	5616	✓	
"		9			265	530	✓	
"	FB	9			55	110	✓	
"	E 200	90x8			377	754	✓	
"	L 90x90	x6			99	198	-	
"	Washen				227	454	✓	
"	S Washen	M16	1					
"	B N	M16			41	82	✓	
40kg N	Rails				2260	4520	✓	
SCV41	D 50	x55			406	812	✓	
					31779	63558		

種 別	寸 法	数 量	重 量 (kg)	摘 要	材 質
1					
2	橋 面 工				
3					
4					
5	高 植				
6	5-7" IL 型	1	1404 M		
7					
8					
9					
10	ガードケ-ブル				
11	(GC-C 4B 型) - 型		1404 M		
12					
13					
14	排水装置		108 T		
15	材	76 1/4	108 8.184		RC46
16	サポート	20 1/2 / 1 sec	108 2.160		SS41
17					
18			10.344 kg		
19					
20					
21	照明器具		17 T		
22					
23	ハ - Z	$\lambda = 22$	553		SM418
24	11.7"	$\lambda = 9$	112		SS41
25					
26			667 kg		
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					

