






REGIONAL SURVEY AREA (SEKERR)

LOCATION INDEX




JAPAN INTERNATIONAL COOPERATION AGENCY
METAL MINING AGENCY OF JAPAN
March 1984




LEGEND

Pre-Cambrian)	Quaternary	Q	Soil, Sand and Gravel
	Basement V	BVbg	Biotite gneiss
		BVls	Crystalline limestone
	Basement IV	BVas	Actinolite-Chlorite schist, Tremolite schist, Chlorite schist
		BVab	Amphibolite, Hornblende gneiss
	Basement III	BIIIms	Biotite-Muscovite and Biotite-Muscovite-Hornblende schist
		BIIIbg	Biotite gneiss with subordinate Hornblende Biotite gneiss, Amphibolite



SIGOR









REGIONAL SURVEY AREA (SIGOR)

LOCATION INDEX



JAPAN INTERNATIONAL COOPERATION AGENCY
METAL MINING AGENCY OF JAPAN
March 1984



LEGEND

Cambrian)	Quaternary	Q	Soil, Sand and Gravel
	Basement	BVbg	Biotite gneiss
		BVls	Crystalline limestone
		BVas	Actinolite-Chlorite schist, Tremolite schist, Chlorite schist
	Basement	BVab	Amphibolite, Hornblende gneiss
		BIIIms	Biotite-Muscovite and Biotite-Muscovite-Hornblende schist
			Biotite gneiss with subordinate Hornblende Biotite gneiss