


Assay Results of Geochemical Samples  
(Agdir Sector)

(1)

No.	Sample No.	Grade (ppm)			No.	Sample No.	Grade (ppm)		
		Cu	Mo	W			Cu	Mo	W
1	1-0	25	<10	<5	50	5-7	10	<10	<5
2	1-1	40	<10	<5	51	5-8	15	<10	<5
3	1-2	15	<10	<5	52	5-9	85	<10	<5
4	1-3	15	<10	<5	53	5-10	15	<10	<5
5	1-4	15	<10	<5	54	6-1	10	<10	<5
6	1-5	20	<10	<5	55	6-2	25	<10	<5
7	1-6	15	<10	<5	56	6-3	45	<10	<5
8	1-7	15	<10	<5	57	6-4	<5	<10	<5
9	1-8	15	<10	<5	58	6-5	30	<10	<5
10	1-9	45	<10	<5	59	6-6	30	<10	<5
11	1-10	55	<10	<5	60	6-7	30	<10	<5
12	2-0	<5	<10	<5	61	6-8	100	<10	<5
13	2-1	10	<10	<5	62	6-9	25	<10	<5
14	2-2	10	<10	<5	63	6-10	35	<10	<5
15	2-3	10	<10	<5	64	7-1	10	<10	20
16	2-4	25	<10	<5	65	7-2	20	<10	<5
17	2-5	90	<10	<5	66	7-3	20	<10	<5
18	2-6	10	<10	<5	67	7-4	<5	<10	<5
19	2-7	10	<10	<5	68	7-5	10	<10	<5
20	2-8	15	<10	<5	69	7-6	45	<10	<5
21	2-9	70	<10	<5	70	7-7	<5	<10	<5
22	2-10	20	<10	<5	71	7-8	10	<10	<5
23	3-0	25	<10	<5	72	7-9	<5	<10	<5
24	3-1	120	<10	<5	73	7-10	30	<10	<5
25	3-2	35	<10	<5	74	8-1	15	<10	<5
26	3-3	10	<10	<5	75	8-2	10	<10	<5
27	3-4	10	<10	<5	76	8-3	4400	<10	700
28	3-5	40	<10	<5	77	8-4	10	<10	<5
29	3-6	25	<10	<5	78	8-5	15	<10	<5
30	3-7	95	<10	<5	79	8-6	15	<10	<5
31	3-8	30	<10	<5	80	8-7	50	<10	<5
32	3-9	15	<10	<5	81	8-8	15	<10	<5
33	3-10	<5	<10	<5	82	8-9	35	<10	<5
34	4-1	40	<10	<5	83	8-10	20	<10	<5
35	4-2	15	<10	<5	84	9-1	30	<10	<5
36	4-3	95	<10	<5	85	9-2	20	<10	<5
37	4-4	20	<10	<5	86	9-3	15	<10	<5
38	4-5	10	<10	<5	87	9-4	55	<10	<5
39	4-6	30	<10	<5	88	9-5	220	<10	16
40	4-7	10	<10	<5	89	9-6	210	<10	<5
41	4-8	85	<10	<5	90	9-7	75	<10	<5
42	4-9	10	<10	<5	91	9-8	25	<10	16
43	4-10	15	<10	<5	92	9-9	25	<10	<5
44	5-1	15	<10	<5	93	9-10	15	<10	<5
45	5-2	10	<10	<5	94	10-1	15	<10	<5
46	5-3	<5	<10	<5	95	10-2	35	<10	<5
47	5-4	<5	<10	<5	96	10-3	25	<10	40
48	5-5	10	<10	<5	97	10-4	25	<10	55
49	5-6	75	<10	<5	98	10-5	10	<10	<5

(2)


No.	Sample No.	Grade (ppm)			No.	Sample No.	Grade (ppm)		
		Cu	Mo	W			Cu	Mo	W
99	10-6	<5	<10	<5	151	15-8	10	<10	<5
100	10-7	345	<10	<5	152	15-9	<5	<10	<5
101	10-8	20	<10	<5	153	15-10	<5	<10	<5
102	10-9	10	<10	<5	154	16-1	10	<10	<5
103	10-10	10	<10	<5	155	16-2	15	<10	<5
104	11-1	20	<10	<5	156	16-3	15	<10	<5
105	11-2	15	<10	<5	157	16-4	10	<10	<5
106	11-3	265	<10	<5	158	16-5	15	<10	<5
107	11-4	15	<10	<5	159	16-6	10	<10	<5
108	11-5	10	<10	<5	160	16-7	<5	<10	<5
109	11-6	10	<10	<5	161	16-8	25	<10	<5
110	11-7	15	<10	<5	162	16-9	10	<10	<5
111	11-8	25	<10	<5	163	16-10	15	<10	<5
112	11-9	30	<10	<5	164	17-1	10	<10	<5
113	11-10	30	<10	<5	165	17-2	25	<10	<5
114	12-1	10	<10	<5	166	17-3	115	<10	1400
115	12-2	15	<10	<5	167	17-4	<5	<10	<5
116	12-3	125	<10	<5	168	17-5	25	<10	<5
117	12-4	25	<10	<5	169	17-6	170	<10	<5
118	12-5	10	<10	<5	170	17-7	15	<10	<5
119	12-6	10	<10	<5	171	18-1	<5	<10	<5
120	12-7	55	20	140	172	18-2	<5	<10	<5
121	12-8	<5	<10	<5	173	18-3	15	<10	<5
122	12-9	10	<10	<5	174	18-4	10	<10	<5
123	12-10	<5	<10	<5	175	18-5	20	<10	<5
124	13-1	<5	<10	<5	176	17-6	15	<10	<5
125	13-2	15	<10	<5	177	18-7	180	<10	<5
126	13-3	45	<10	<5	178	18-8	25	<10	<5
127	13-4	85	<10	<5	179	18-9	20	<10	<5
128	13-5	18	<10	<5	180	18-10	10	<10	<5
129	13-6	<5	<10	16	181	19-1	35	<10	32
130	13-7	15	<10	12	182	19-2	190	<10	20
131	13-8	45	<10	<5	183	19-3	20	<10	<5
132	13-9	190	<10	8	184	19-4	105	<10	<5
133	13-10	80	<10	<5	185	19-5	560	<10	<5
134	14-1	<5	<10	<5	186	19-6	20	<10	<5
135	14-2	<5	<10	<5	187	19-7	95	<10	<5




GEOLOGICAL SURVEY  
OF  
HAUT ATLAS OCCIDENTAL AREA, MOROCCO  
( PHASE III )

国際協力事業団  
15333  
図書資料室蔵書


LOCATION AND ASSAY MAP  
OF GEOCHEMICAL SAMPLES  
IN AGADIR SECTOR



JAPAN INTERNATIONAL COOPERATION AGENCY  
METAL MINING AGENCY OF JAPAN  
JANUARY 1986  
Prepared by MINDECO




Scale 1 : 5,000



124	13-1	<5	<10	<5	176	17-6	15	<10	<5
125	13-2	15	<10	<5	177	18-7	180	<10	<5
126	13-3	45	<10	<5	178	18-8	25	<10	<5
127	13-4	85	<10	<5	179	18-9	20	<10	<5
128	13-5	18	<10	<5	180	18-10	10	<10	<5
129	13-6	<5	<10	16	181	19-1	35	<10	32
130	13-7	15	<10	12	182	19-2	190	<10	20
131	13-8	45	<10	<5	183	19-3	20	<10	<5
132	13-9	190	<10	8	184	19-4	105	<10	<5
133	13-10	80	<10	<5	185	19-5	560	<10	<5
134	14-1	<5	<10	<5	186	19-6	20	<10	<5
135	14-2	<5	<10	<5	187	19-7	95	<10	<5
136	14-3	<5	<10	<5	188	19-8	15	<10	<5
137	14-4	10	<10	<5	189	19-9	15	<10	<5
138	14-5	<5	<10	<5	190	19-10	20	<10	<5
139	14-6	10	<10	<5	191	20-1	55	<10	36
140	14-7	205	<10	<5	192	20-2	30	<10	<5
141	14-8	30	<10	<5	193	20-3	15	<10	34
142	14-9	30	<10	<5	194	20-4	75	<10	20
143	14-10	10	<10	<5	195	20-5	55	<10	<5
144	15-1	2650	30	400	196	20-6	15	<10	<5
145	15-2	<5	<10	<5	197	20-7	55	<10	24
146	15-3	15	<10	<5	198	20-8	15	<10	<5
147	15-4	25	<10	<5	199	20-9	40	<10	<5
148	15-5	50	<10	<5	200	20-10	65	<10	<5
149	15-6	15	<10	<5	201	21-1	30	<10	<5
150	15-7	<5	<10	<5	202	21-2	<5	<10	<5

(3)

No.	Sample No.	Grade (ppm)			No.	Sample No.	Grade (ppm)		
		Cu	No.	M			Cu	No.	M
203	21-3	<5	<10	<5	254	26-1	10	<10	<5
204	21-4	<5	<10	<5	255	26-2	30	<10	<5
205	21-5	<5	<10	<5	256	26-3	<5	<10	30
206	21-6	<5	<10	<5	257	26-4	410	30	98
207	21-7	<5	<10	<5	258	26-5	<5	<10	8
208	21-8	385	<10	<5	259	26-6	25	<10	<5
209	21-9	15	<10	<5	260	26-7	5	<10	8
210	21-10	30	<10	<5	261	26-8	155	<10	<5
211	22-1	15	<10	<5	262	26-9	5	<10	<5
212	22-2	15	<10	18	263	26-10	5	<10	<5
213	22-3	<5	<10	8	264	27-0	175	<10	<5
214	22-4	45	<10	<5	265	27-1	60	410	<5
215	22-5	40	<10	<5	266	27-2	2250	50	<5
216	22-6	40	<10	<5	267	27-3	<5	<10	<5
217	22-7	15	<10	<5	268	27-4	<5	<10	20
218	22-8	35	<10	<5	269	27-5	210	<10	<5
219	22-9	15	<10	<5	270	27-6	55	<10	<5
220	22-10	65	<10	<5	271	27-7	465	<10	<5
221	23-1	<5	<10	<5	272	27-8	105	<10	<5
222	23-2	225	<10	<5	273	27-9	190	<10	<5
223	23-3	<5	<10	<5	274	27-10	<5	<10	8
224	23-4	<5	<10	<5	275	28-1	<5	<10	<5
225	23-5	10	<10	<5	276	28-2	285	<10	<5
226	23-6	<5	<10	10	277	28-3	<5	<10	<5
227	23-7	<5	<10	8	278	28-4	600	<10	<5
228	23-8	1200	<10	<5	279	28-5	70	<10	<5
229	23-9	<5	<10	<5	280	28-6	55	<10	<5
230	23-10	<5	<10	<5	281	28-7	65	<10	8
231	24-0	<5	<10	<5	282	28-8	45	<10	20
232	24-1	<5	<10	<5	283	28-9	<5	<10	<5
233	24-2	<5	<10	<5	284	28-10	75	<10	<5
234	24-3	<5	<10	<5	285	29-1	<5	<10	<5
235	24-4	10	<10	<5	286	29-2	35	<10	18
236	24-5	<5	<10	<5	287	29-3	15	<10	<5
237	24-6	<5	<10	<5	288	29-4	5	<10	<5
238	24-7	<5	<10	8	289	29-5	40	<10	<5
239	24-8	<5	<10	<5	290	29-6	50	<10	<5
240	24-9	<5	<10	<5	291	29-7	190	<10	<5
241	24-10	10	<10	22	292	29-8	10	<10	<5
242	25-0	<5	<10	<5	293	29-9	30	<10	<5
243	25-1	15	<10	<5	294	29-10	10	<10	<5
244	25-2	<5	<10	<5	295	30-1	10	<10	<5
245	25-3	45	<10	<5	296	30-2	55	<10	<5
246	25-4	85	<10	<5	297	30-3	50	<10	<5
247	25-5	<5	<10	<5	298	30-4	50	<10	<5
248	25-6	<5	<10	10	299	30-5	225	<10	<5
249	25-7	<5	<10	<5	300	30-6	470	<10	<5
250	25-8	<5	<10	<5	301	30-7	15	<10	<5
251	25-9	<5	<10	<5	302	30-8	85	<10	<5
252	25-10	10	<10	<5	303	30-9	60	<10	<5
253	26-0	30	<10	<5	304	30-10	10	<10	<5




8°29'49"

Scale 1 : 5,000

### LEGEND

○----- Sample point, Sample No.



8°29'49"

8°29'49"

Ikissane

Tiwyaline

- Cu -

Cu - ppm


Agadir



B.P. 1850


30°53'52"

30°53'52"

30°53'52"









GEOLOGICAL SURVEY  
OF  
HAUT ATLAS OCCIDENTAL AREA, MOROCCO  
( PHASE III )

国際協力事業団  
15333  
図書資料室蔵書


GEOCHEMICAL CONTOUR  
MAP  
OF AGADIR SECTOR



JAPAN INTERNATIONAL COOPERATION AGENCY  
METAL MINING AGENCY OF JAPAN  
JANUARY 1986  
Prepared by MINDECO





Scale 1 : 5,000




8°29'49"












8°29'49"


Scale 1 : 5,000




8°29'49"

### LEGEND


- Cu —  
classification of anomalies
-  strong anomaly  $Cu \geq 264.0$  ppm
  -  weak anomaly  $264.0 > Cu \geq 74.0$
  -  Indication  $74.0 > Cu \geq 21.0$
- Mo —  
classification of anomalies
-  strong anomaly  $Mo \geq 400$  ppm
  -  weak anomaly  $400 > Mo \geq 20$
- W —  
classification of anomalies
-  strong anomaly  $W \geq 1000$  ppm
  -  weak anomaly  $1000 > W \geq 100$



GEOLOGICAL MAP  
 HAUT ATLAS  
 LOCATION  
 AND MAP



JAPAN INTERNATIONAL  
 METALS CORPORATION




PL. I-1-7


GEOLOGICAL SURVEY  
OF  
HAUT ATLAS OCCIDENTAL AREA, MOROCCO  
( PHASE III )





LOCATION MAP OF ORE DEPOSITS  
AND MINERAL SHOWINGS IN  
AGADIR SECTOR




JAPAN INTERNATIONAL COOPERATION AGENCY  
METAL MINING AGENCY OF JAPAN  
JANUARY 1986  
Prepared by MINDECO




Scale 1 : 20,000




JAPAN INTERMETAL







JAPAN INTERNATIONAL COOPERATION AGENCY  
 METAL MINING AGENCY OF JAPAN  
 JANUARY 1986  
 Prepared by MINDECO




Scale 1 : 20,000

LEGEND

Triassic		Ts sandstone, siltstone
Ordovician ~ Cambrian	CIV Formation	CIVp pelitic schist
		CIII l limestone
		CIIIa calcareous schist
	CIII Formation	CIIIp pelitic schist
		CIII m psammitic schist
		CIII t green schist (tuff, tuff breccia)
CII Formation	CIIp pelitic schist	
		Gr granite





Triassic		Ts sandstone, siltstone	
Ordovician ~ Cambrian	CIV Formation		CIVp pelitic schist
	CIII Formation		CIIIi limestone
			CIIIa calcareous schist
			CIIIp pelitic schist
			CIIIb psammitic schist
			CIIIt green schist (tuff, tuff breccia)
	CII Formation		CIIp pelitic schist
Intrusive rocks		Gr granite	
		Po porphyrite	
		Ap aplite	
		skarn	
		fault	
		bedding plane	
		adit	
		detailed geological survey sector	
		ore deposits mineral showings	