



GEOLOGICAL SURVEY
OF
HAUT ATLAS OCCIDENTAL AREA, MOROCCO
(PHASE II)

GEOCHEMICAL MAP FOR Cu
IN SOUTHERN AREA




JAPAN INTERNATIONAL COOPERATION AGENCY
METAL MINING AGENCY OF JAPAN
FEBRUARY 1985
Prepared by MINDECO



Scale 1 : 5,000

LEGEND

- Quaternary
- Q gravel, sand, mud
- Kd dolomite



Scale 1:5,000

LEGEND

- | | | | |
|-----------------------|---------------|---------------------------------------|--|
| Quaternary | | Q gravel, sand, mud | |
| Cretaceous | | Kd dolomite | |
| | | Ks sandstone, siltstone, conglomerate | |
| Triassic | | Ts sandstone, siltstone, conglomerate | |
| Ordovician - Cambrian | CV Formation | | CVp pelitic schist |
| | | | CVl limestone |
| | | | CVn andesite, tuff, tuff breccia |
| | CII Formation | | CIm psammitic schist |
| | | | CIIp pelitic schist |
| | | | CIIl limestone |
| | | | CIIo calcareous schist |
| | CII Formation | | CIIg green schist (tuff, tuff breccia) |
| | | | CIm psammitic schist |
| | | CIIp pelitic schist | |
| CI Formation | | CIl limestone | |
| | | CIh andesite, tuff, tuff breccia | |
| | | CIs siltstone, sandstone | |
| Pre-Cambrian | | CIh andesite, tuff, tuff breccia | |
| | | CIl limestone | |
| | | CId dolomite | |
| Intrusive rock | | Cic conglomerate | |
| | | Xa andesite | |
| Intrusive rock | | Xt tuff, lapilli tuff, tuff breccia | |
| | | Gr granite, granodiorite | |
| Intrusive rock | | Po porphyrite, microgranite | |
| | | fault | |
| | | unconformity | |
| | | stratigraphic boundary | |
| | | Cu ≥ 97ppm | |
| | | 97ppm > Cu ≥ 47ppm | |
| | | 47ppm > Cu ≥ 23ppm | |
| | | 23ppm > Cu | |

8°30'

8°25'

8°20'

3°00'

