



Scale 1 : 2,000


LEGEND

- | | | |
|----------------|--|----------------------------------|
| Cambrian | | Pp petitic schist |
| | | Pm psammitic schist |
| | | Pa calcareous schist |
| | | Pl limestone |
| Intrusive rock | | Gr granite |
| | | Po porphyrite |
| | | vein |
| | | fault |
| | | anticlinal axis / synclinal axis |
| | | bedding plane |

- E4-23
 ○ sample location
 20 Cu ppm
 50 Pb ppm
 100 Zn ppm







国際協力事業団

11637

図書資料室蔵書

PL.I-7 (I)

GEOLOGICAL SURVEY


OF

HAUT ATLAS OCCIDENTAL AREA, MOROCCO

(PHASE II)

GEOCHEMICAL MAP FOR Cu

IN ERDOUZ SECTOR




JAPAN INTERNATIONAL COOPERATION AGENCY


METAL MINING AGENCY OF JAPAN


FEBRUARY 1985


Prepared by MINDECO




Scale 1 : 2,000









Scale 1 : 2,000

LEGEND


- | | | |
|----------|--|----------------------|
| Cambrian | | Pp pelitic schist |
| | | Pm psammitic schist |
| | | Pa calcareous schist |
| | | Pl limestone |
- | | | |
|----------------|--|---------------|
| Intrusive rock | | Gr granite |
| | | Po porphyrite |
- | | |
|--|----------------------------------|
| | vein |
| | fault |
| | anticlinal axis / synclinal axis |
| | bedding plane |

E4-23
 o sample location
 20 Cu ppm
 50 Pb ppm
 100 Zn ppm


DR-68 DR-75
 DK-79 DK-87
 phase I surveyed area

- Cu ≈ 188ppm
- 188ppm > Cu ≈ 84ppm
- 84ppm > Cu ≈ 38ppm





GEOCHEMICAL MAP FOR Cu
IN ERDOUZ SECTOR




JAPAN INTERNATIONAL COOPERATION AGENCY


METAL MINING AGENCY OF JAPAN


FEBRUARY 1985


Prepared by MINDECO



Scale 1 : 2,000







-200

0

+200

+400



+600

600

700











800


1000







Scale 1 : 2,000


LEGEND

-  Pp pelitic schist
-  Pm psammitic schist
-  Pa calcareous schist
-  Pl limestone
-  Gr granite
-  Po porphyrite
-  vein
-  fault
-  anticlinal axis / synclinal axis
-  bedding plane

- E4-23
-  sample location
 - 20 Cu ppm
 - 50 Pb ppm
 - 100 Zn ppm




-  Cu \approx 188ppm
-  188ppm > Cu \approx 84ppm
-  84ppm > Cu \approx 38ppm




国際協力事業団
11637
図書資料室蔵書

GEOLOGICAL SURVEY
OF
HAUT ATLAS OCCIDENTAL AREA, MOROCCO
(PHASE II)

GEOCHEMICAL MAP FOR Cu
IN ERDOUZ SECTOR



JAPAN INTERNATIONAL COOPERATION AGENCY
METAL MINING AGENCY OF JAPAN
FEBRUARY 1985
Prepared by MINDECO



Scale 1 : 2,000

