

ANNEX

Annex III-1

Crop Production in the Influence Area (1978/1979)

Crops	Area (ha)	Yield (t/ha)	Products (t)
Upland Rice			
Lofa county ^{/1}	24,600	0.9	22,140
Bong county	5,300	1.0	5,300
(Sub-total)	(29,900)		(27,440)
Swamp Rice			
Lofa county ^{/1}	3,300	1.3	4,290
Bong county	400	1.3	520
(Sub-total)	(3,700)		(4,810)
Total Rice Production	33,600		32,250
Coffee			
Lofa county ^{/1}	6,300	0.28	1,760
Bong county	200	0.2	40
(Sub-total)	(6,500)		(1,800)
Cocoa			
Lofa county ^{/1}	5,000	0.28	1,400
Bong county	400	0.25	100
(Sub-total)	(5,400)		(1,500)
Oil Palm			
Lofa county ^{/1}	600	5.0	3,600
Bong county	100	5.0	500
(Sub-total)	(700)		(3,500)

Source: (1) Upper Lofa County Rural Development Project
(2) Upper Bong County Rural Development Project
(3) Agricultural Census, 1971
(4) LPMC Production Records

/1 : includes both LCADP area and outside LCADP area

Annex III-2

Crop Production in the Influence Area (1988/1989)

Crops	Area(ha)	Yield(t/ha)	Products(t)
<u>Upland Rice</u>			
Lofa county			
- improved	5,600	1.7	9,520
- not improved	19,000	1.0	19,000
(Sub-total)	(24,600)		(28,520)
Bong county			
- improved	1,600	1.4	2,240
- not improved	3,700	1.0	3,700
(Sub-total)	(5,300)		(5,940)
Total of upland rice	29,900		
<u>Swamp Rice</u>			
Lofa county			
- improved	2,300	3.5	8,050
- not improved	2,800	1.3	3,640
(Sub-total)	(5,100)		(11,690)
Bong county			
- improved	600	3.0	1,800
- not improved	300	1.3	3,900
(Sub-total)	(900)		(5,700)
Total of swamp rice	6,000		17,390
Total Rice Production	35,900		51,850
<u>Coffee</u>			
Lofa county			
- improved/new	2,800	0.9	2,520
- not improved	4,500	0.28	1,260
(Sub-total)	(7,300)		(3,780)
Bong county			
- improved	400	1.0	400
- not improved	200	0.2	40
(Sub-total)	(600)		(440)
Total Coffee Production	7,900		4,220
<u>Cocoa</u>			
Lofa county			
- improved	2,300	0.8	1,840
- not improved	4,200	0.27	1,180
(Sub-total)	(6,500)		(3,020)
Bong county			
- improved	800	1.0	800
- not improved	400	0.25	100
(Sub-total)	(1,200)		(900)
Total Cocoa Production	7,700		3,920
<u>Oil Palm</u>			
Lofa county	1,600	10.0	16,000
Bong county	200	6.0	1,200
Total Oil Palm Production	1,800		17,200

Source: (1) Upper Lofa County (2) Upper Bong County
(3) LCADP Annual Report, 1978

Annex III-3 Crop Production by District

District	Products (t)	
	1978/1979	1988/1989
Gbarnga		
Rice	5,800	11,640
Coffee	40	440
Cocoa	100	900
Oil Palm	500	1,200
Zorzor		
Rice	9,990	14,920
Coffee	660	1,400
Cocoa	530	1,120
Oil Palm	1,360	5,940
Voinjama		
Rice	8,060	12,710
Coffee	540	1,200
Cocoa	430	950
Oil Palm	1,100	5,060
Kolahun		
Rice	8,380	12,580
Coffee	560	1,180
Cocoa	440	950
Oil Palm	1,140	5,000

Annex IV - 1

Traffic Counts July 1979

Sta. No.: 1

BOTH DIRECTION

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	53	32	183	47	315
10 (Tue)	39	35	143	28	245
11 (Wed)	37	12	208	29	286
12 (Thu)	37	22	128	67	254
13 (Fri)	38	26	190	35	289
14 (Sat)	50	27	172	22	271
15 (Sun)	42	31	111	23	207
T o t a l	296	185	1,135	251	1,867
Average	42	26	162	36	267

DIRECTION Gbarnga-Mendikoma

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	23	20	92	26	161
10 (Tue)	19	17	76	16	128
11 (Wed)	25	5	108	17	155
12 (Thu)	18	17	58	30	123
13 (Fri)	22	13	100	22	157
14 (Sat)	28	17	94	12	151
15 (Sun)	20	18	54	9	101
T o t a l	155	107	582	132	976

DIRECTION Mendikoma - Gbarnga

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	30	12	91	21	134
10 (Tue)	20	18	67	12	117
11 (Wed)	12	7	100	12	131
12 (Thu)	19	5	70	37	131
13 (Fri)	16	13	90	13	132
14 (Sat)	22	10	78	10	120
15 (Sun)	22	13	57	14	106
T o t a l	141	78	553	119	891

Annex IV - 1 (continued 2)

Sta. No.: 2

BOTH DIRECTION

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	35	21	73	25	154
10 (Tue)	30	11	80	21	142
11 (Wed)	31	12	86	20	149
12 (Thu)	19	12	89	19	139
13 (Fri)	36	18	95	21	170
14 (Sat)	35	12	95	14	156
15 (Sun)	36	10	54	14	114
T o t a l	222	96	572	134	1,024
Average	32	14	82	19	146

DIRECTION Gbarnga-Mendikoma

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	14	12	30	13	69
10 (Tue)	14	5	42	11	72
11 (Wed)	10	5	39	10	64
12 (Thu)	9	8	44	12	73
13 (Fri)	20	9	45	9	83
14 (Sat)	19	6	49	5	79
15 (Sun)	21	8	22	3	54
T o t a l	107	53	271	63	494

DIRECTION Mendikoma - Gbarnga

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	21	9	43	12	85
10 (Tue)	16	6	38	10	70
11 (Wed)	21	7	47	10	85
12 (Thu)	10	4	45	7	66
13 (Fri)	16	9	50	12	87
14 (Sat)	16	6	46	9	77
15 (Sun)	15	2	32	11	60
T o t a l	115	43	301	71	530

Annex IV - 1 (continued 3)

Sta. No.: 3

BOTH DIRECTION

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	31	27	110	17	185
10 (Tue)	18	17	107	21	163
11 (Wed)	33	23	112	31	199
12 (Thu)	28	18	101	65	212
13 (Fri)	30	22	99	41	192
14 (Sat)	20	25	80	21	146
15 (Sun)	26	26	68	17	137
T o t a l	186	158	677	213	1,234
Average	27	23	97	30	177

DIRECTION Gbarnga-Mendikoma

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	8	16	41	8	73
10 (Tue)	6	8	53	10	77
11 (Wed)	18	11	54	16	99
12 (Thu)	14	14	47	29	104
13 (Fri)	15	9	41	17	82
14 (Sat)	12	13	39	9	73
15 (Sun)	11	17	33	8	69
T o t a l	84	88	308	97	577

DIRECTION Mendikoma - Gbarnga

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	23	11	69	9	112
10 (Tue)	12	9	54	11	86
11 (Wed)	15	12	58	15	100
12 (Thu)	14	4	54	36	108
13 (Fri)	15	13	58	24	110
14 (Sat)	8	12	41	12	73
15 (Sun)	15	9	35	9	68
T o t a l	102	70	369	116	657

Annex IV - 1 (continued 4)

Sta. No.: 4

BOTH DIRECTION

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	49	54	230	68	401
10 (Tue)	68	63	283	111	525
11 (Wed)	60	68	243	75	446
12 (Thu)	68	19	205	66	358
13 (Fri)	65	96	272	40	473
14 (Sat)	48	76	222	67	413
15 (Sun)	55	165	273	131	624
T o t a l	413	541	1,728	558	3,240
Average	59	77	247	80	463

DIRECTION Gbarnga-Mendikoma

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	27	38	111	43	219
10 (Tue)	33	21	136	48	238
11 (Wed)	27	15	97	20	159
12 (Thu)	35	16	107	29	187
13 (Fri)	36	36	123	18	213
14 (Sat)	22	28	96	24	170
15 (Sun)	24	109	113	74	320
T o t a l	204	263	783	256	1,506

DIRECTION Mendikoma - Gbarnga

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	22	16	119	25	182
10 (Tue)	35	42	147	63	287
11 (Wed)	33	53	146	55	287
12 (Thu)	33	3	98	37	171
13 (Fri)	29	60	149	22	260
14 (Sat)	26	48	126	43	243
15 (Sun)	31	56	160	57	304
T o t a l	209	278	945	302	1,734

Annex IV - 1(continued 5)

Sta. No.: 5

BOTH DIRECTION

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	72	20	209	34	335
10 (Tue)	87	37	190	51	365
11 (Wed)	87	24	204	58	373
12 (Thu)	79	38	213	43	373
13 (Fri)	98	28	309	60	495
14 (Sat)	55	32	208	63	348
15 (Sun)	55	25	127	22	229
T o t a l	533	204	1,460	321	2,518
Average	76	29	209	46	360

DIRECTION Gbarnga-Mendikoma

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	31	10	97	12	150
10 (Tue)	41	21	98	23	183
11 (Wed)	43	12	99	32	186
12 (Thu)	38	20	104	17	179
13 (Fri)	45	12	152	27	236
14 (Sat)	26	16	105	26	173
15 (Sun)	34	14	68	12	128
T o t a l	258	105	723	149	1,235

DIRECTION Mendikoma - Gbarnga

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	41	10	112	22	185
10 (Tue)	46	16	92	28	182
11 (Wed)	44	12	105	26	187
12 (Thu)	41	18	109	26	194
13 (Fri)	53	16	157	33	259
14 (Sat)	29	16	103	27	175
15 (Sun)	21	11	59	10	101
T o t a l	275	99	737	172	1,283

Annex IV - 1 (continued 6)

Sta. No.: 6

BOTH DIRECTION

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	41	53	235	21	350
10 (Tue)	40	50	214	34	228
11 (Wed)	47	46	184	38	315
12 (Thu)	42	31	226	49	348
13 (Fri)	50	53	216	45	364
14 (Sat)	53	83	246	66	448
15 (Sun)	58	100	274	49	481
T o t a l	331	416	1,595	302	2,644
Average	47	59	228	43	377

DIRECTION Gbarnga-Mendikoma

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	20	25	114	12	171
10 (Tue)	19	28	117	21	185
11 (Wed)	28	23	98	26	175
12 (Thu)	23	15	117	24	179
13 (Fri)	28	35	115	33	211
14 (Sat)	31	45	123	46	245
15 (Sun)	26	42	108	19	195
T o t a l	175	213	792	181	1,361

DIRECTION Mendikoma - Gbarnga

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	21	28	121	9	179
10 (Tue)	21	22	97	13	153
11 (Wed)	19	23	86	12	140
12 (Thu)	19	16	109	25	169
13 (Fri)	22	18	101	12	153
14 (Sat)	22	38	123	20	203
15 (Sun)	32	58	166	30	286
T o t a l	156	203	803	121	1,283

Annex IV - 1 (continued 7)

Sta. No.: 7

BOTH DIRECTION

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	27	36	227	13	303
10 (Tue)	33	34	201	12	280
11 (Wed)	18	38	214	27	297
12 (Thu)	37	41	202	31	311
13 (Fri)	38	54	255	35	382
14 (Sat)	44	60	287	33	424
15 (Sun)	31	36	177	24	268
T o t a l	228	299	1,563	175	2,265
Average	33	43	223	25	324

DIRECTION Gbarnga-Mendikoma

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	11	19	97	5	132
10 (Tue)	16	16	89	4	125
11 (Wed)	8	17	96	15	136
12 (Thu)	21	24	112	18	175
13 (Fri)	15	24	117	18	174
14 (Sat)	19	37	143	27	226
15 (Sun)	12	13	93	17	135
T o t a l	102	150	747	104	1,103

DIRECTION Mendikoma - Gbarnga

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	16	17	130	8	171
10 (Tue)	17	18	112	8	155
11 (Wed)	10	21	118	12	161
12 (Thu)	16	17	90	13	136
13 (Fri)	23	30	138	17	208
14 (Sat)	25	23	144	6	298
15 (Sun)	19	23	84	7	133
T o t a l	126	149	816	71	1,162

Annex IV - 1 (continued 8)

Sta. No.: 8

BOTH DIRECTION

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	12	30	62	11	115
10 (Tue)	13	53	67	29	162
11 (Wed)	12	20	66	10	108
12 (Thu)	5	53	81	18	157
13 (Fri)	9	15	93	2	119
14 (Sat)	9	34	163	33	239
15 (Sun)	38	59	264	17	378
T o t a l	98	264	796	120	1,278
Average	14	38	114	17	183

DIRECTION Gbarnga-Mendikoma

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	6	14	33	6	59
10 (Tue)	5	29	32	19	85
11 (Wed)	3	11	39	3	56
12 (Thu)	2	27	38	10	77
13 (Fri)	4	6	41	0	51
14 (Sat)	5	19	72	12	108
15 (Sun)	7	20	109	6	142
T o t a l	32	126	364	56	578

DIRECTION Mendikoma - Gbarnga

DAY	CAR	TAXI	PICK-UP	TRUCK	TOTAL
July 9 (Mon)	6	16	29	5	56
10 (Tue)	8	24	35	10	77
11 (Wed)	9	9	27	7	52
12 (Thu)	3	26	43	8	80
13 (Fri)	5	9	52	2	68
14 (Sat)	4	15	91	21	131
15 (Sun)	31	39	155	11	236
T o t a l	66	138	432	64	700

Annex IV -2

Origin-Destination Matrix (1979)

(unit: vehicle/day)

Car

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.
1																			32	1
	15			1		13		3												
			5									1			1				22	2
																			5	3
						16		3	1						1				22	4
						21													21	5
							63	5	9			3		8	10				148	6
								21						5					89	7
									29						1				62	8
										11					1	5			56	9
																			11	10
																			0	11
																			4	12
																			0	13
															1				14	14
																1			16	15
																			6	16
																			0	17
																			0	18
																			508	

Annex IV -2 (continued 2)

Taxi Origin-Destination Matrix (1979) (unit: vehicle/day)

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.
		8		2	1	6			1										18	1
												1							9	2
				6															6	3
						44						1			5				58	4
						37									1				39	5
							5	13	14						2				121	6
								42											47	7
									30	1						4			90	8
										14					1	26			86	9
																			15	10
																			0	11
																			2	12
																			0	13
																			0	14
																			9	15
																			30	16
																			0	17
																			0	18
																			530	

Annex IV -2 (continued 4)

Truck

Origin-Destination Matrix (1979)

(unit: vehicle/day)

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.	
1																			7	1	
					3				1											4	2
												1								1	3
				1																27	4
						20	1	1							4					52	5
						45					1				3					108	6
							9	11	9		3				7	1				15	7
								5												26	8
																				31	9
										7		1			9	4				14	10
															7					4	11
																				2	12
																				0	13
																				0	14
																3				44	15
																				9	16
																				0	17
																				0	18
																				344	

Annex IV -2 (continued 5)

Origin-Destination Matrix (1979) (unit: vehicle/day)

Total

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.
	94		1	5	6	33		7	3	1						1			151	1
			3									31			4				134	2
				27															33	3
						166	1	10	1			2			12				224	4
						220					1	1			5				239	5
							196	87	66		4	7		8	52	1			846	6
								200	12					5					414	7
									197	47					27	32			607	8
										53		2			22	78			434	9
															7				108	10
																			5	11
																			43	12
																			0	13
															1				14	14
																5			135	15
																			117	16
																			0	17
																			0	18
																			3,504	

Annex IV - 3

Traffic Characteristics1. Type of Fuel

Vehicle Type	Fuel	Station					Total	%
		1	3	4	6	8		
Car	Regular	4	2	9	10	3	28	24.8
	Super	9	-	49	22	1	81	71.7
	Diesel	1	-	3	-	-	4	3.5
Taxi	Regular	1	-	10	12	5	28	23.9
	Super	10	4	10	16	48	88	75.2
	Diesel	-	-	1	-	-	1	0.9
Pick-up Bus	Regular	20	15	34	58	28	155	28.7
	Super	40	9	125	153	52	379	70.0
	Diesel	-	-	7	-	-	7	1.3
Truck	Regular	-	-	8	-	-	8	7.0
	Super	-	-	4	3	1	8	7.0
	Diesel	14	9	27	32	17	99	86.0

2. Ownership

Vehicle Type	Ownership	Station					Total	%
		1	3	4	6	8		
Car	Private	13	2	46	10	4	75	65.8
	Government	1	-	16	22	-	39	34.2
Taxi	Private	12	4	19	28	51	114	100.0
	Government	-	-	-	-	-	-	-
Pick-up Bus	Private	53	23	156	177	77	486	92.6
	Government	6	-	7	26	-	39	7.4
Truck	Private	10	6	24	28	15	83	82.2
	Government	4	1	7	6	-	18	17.8

3. Purpose of Trip

Vehicle Type	Purpose	Station					Total	%
		1	3	4	6	8		
Car	Go to and come back from agricultural activity	-	-	5	-	2	7	8.2
	Business	11	1	34	13	-	59	69.5
	Shopping	-	-	10	2	-	12	14.1
	Social/Religious	-	1	4	-	2	7	8.2
	Recreation	-	-	-	-	-	-	-
	O.A.U. /1	-	-	-	-	-	-	-
	Others	-	-	-	-	-	-	-
Taxi	Go to and come back from agricultural activity	-	3	-	-	-	3	3.8
	Business	11	1	13	12	24	61	76.1
	Shopping	-	-	3	3	6	12	15.0
	Social/Religious	-	-	1	-	2	3	3.8
	Recreation	-	-	-	-	-	-	-
	O.A.U. /1	-	-	-	-	-	-	-
	Others	-	-	1	-	-	1	1.3
Pick-up Bus	Go to and come back from agricultural activity	1	10	14	10	2	37	10.2
	Business	48	13	104	73	43	281	77.2
	Shopping	1	-	16	8	6	31	8.5
	Social/Religious	-	1	1	-	5	7	1.9
	Recreation	-	-	-	-	-	-	-
	O.A.U. /1	-	-	-	-	1	1	0.3
	Others	1	-	5	-	1	7	1.9
Truck	Go to and come back from agricultural activity	-	3	9	2	-	14	16.5
	Business	3	6	25	16	14	64	75.3
	Shopping	-	-	-	4	-	4	4.7
	Social/Religious	-	-	-	-	-	-	-
	Recreation	-	-	-	-	-	-	-
	O.A.U. /1	-	-	-	-	-	-	-
	Others	-	-	3	-	-	3	3.5

/1 Organization for African Unity

4. Number of Passengers Carried (including driver)

Vehicle Type	Number	Station					Total
		1	3	4	6	8	
Car	Person	37	8	204	50	7	306
	Vehicle	11	2	48	17	3	81
	Person/ Vehicle	3.4	4.0	4.3	2.9	2.3	3.8
Taxi	Person	75	23	88	92	186	464
	Vehicle	12	4	17	15	32	80
	Person/ Vehicle	6.3	5.8	5.2	6.1	5.8	5.8
Pick-up Bus	Person	678	226	1,534	914	668	4,020
	Vehicle	58	22	130	102	58	370
	Person/ Vehicle	11.9	10.3	11.8	9.0	11.5	10.9
Truck	Person	17	12	37	14	34	114
	Vehicle	6	4	13	5	13	41
	Person/ Vehicle	2.8	3.0	2.8	2.8	2.6	2.8

5. Type of Goods Carried by Truck

Goods	Station					Total	%
	1	3	4	6	8		
Empty	2	5	4	19	9	30	35.3
Fuel	2	3	3	-	-	8	9.4
Logs	-	-	2	-	-	2	2.4
Sawn timber	-	1	1	-	-	2	2.3
Rubber	1	-	-	-	-	1	1.2
Agricultural crop product	-	-	12	2	7	21	24.7
Consumer goods	6	-	2	4	2	14	16.5
Construction materials	2	-	3	-	-	5	5.9
Mix	1	-	1	-	-	2	2.3
Total	14	9	28	16	18	85	100.0

6. Average Load carried by Truck

Goods	Station					Total	%
	1	3	4	6	8		
Empty	2	5	4	14	9	34	8.2
1/4			1		1	2	2.2
1/2	1		5	1		7	7.9
3/4			9	2	1	12	13.5
Full	11	4	9	3	7	34	38.2
Total	14	9	28	20	18	89	100.0

7. Frequency of Trip

Station	Frequency	Vehicle type				Total	%
		Car	Taxi	Pick-up	Truck		
1	-1/week	4	6	9	8	27	27.9
	2-6/week	4	4	15	3	26	26.8
	1/day	1	1	18	1	21	21.6
	2/day	4	1	11		16	16.5
	3/day			7		7	7.2
3	-1/week		1	2	1	4	10.8
	2-6/week	2	1	12	4	19	51.4
	1/day			2		2	5.4
	2/day			3		3	8.1
	3/day		2	5	2	9	24.3
4	-1/week	5	1	12	7	25	10.3
	2-6/week	13	3	22	10	48	19.8
	1/day	15	6	31	13	65	26.9
	2/day	14	4	39	5	62	25.6
	3/day	7	4	30	1	42	17.4
6	-1/week	3	0	5	3	11	7.2
	2-6/week	3	3	7	10	23	15.0
	1/day	2	2	18	2	24	15.7
	2/day	5	8	40	2	55	36.0
	3/day	4	2	30	4	40	26.1
8	-1/week		1	7	2	10	8.8
	2-6/week	4	22	31	16	73	64.7
	1/day		4	6		10	8.8
	2/day			8		8	7.1
	3/day		6	6		12	10.6
Total	-1/week	12(13.3)	8(9.9)	35(9.3)	21(22.4)	76	11.8
	2-6/week	26(28.9)	33(40.8)	87(23.1)	43(45.8)	189	29.5
	1/day	18(20.0)	13(16.0)	75(20.0)	16(17.0)	122	19.0
	2/day	23(25.6)	13(16.0)	101(26.9)	7(7.4)	144	22.5
	3/day	11(12.2)	14(17.3)	78(20.7)	7(7.4)	110	19.2
	Total	90	81	376	94	641	100.0

Annex V-1

Origin-Destination Matrix (1984) (unit: vehicle/day)

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.
1																			45	1
	24			1		16		4											32	2
			6																6	3
						23		4	1						1				30	4
						29													29	5
							107		11			4		9	19				218	6
								37					9						153	7
									45						1				91	8
										15					1	7			80	9
																			15	10
																			0	11
																			5	12
																			0	13
															1				19	14
																1			25	15
																			8	16
																			0	17
																			0	18
																			756	

Annex V-1 (continued 2)

Origin-Destination Matrix (1984) (unit: vehicle/day)

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.	
1																				24	1
2	12			2	1	8			1											13	2
3																				7	3
4				7																84	4
5						65						1			9					56	5
6						54									1					175	6
7							8	15	22						3					82	7
8								74												130	8
9									41											124	9
10										19					1	40				19	10
11																				0	11
12												1								2	12
13																				0	13
14																				0	14
15																				14	15
16																				40	16
17																				0	17
18																				0	18
																				0	19
																				770	

Annex V-1 (continued 3)

Pick-up Origin-Destination Matrix (1984) (unit: vehicle/day)

Zone NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone NO.
		105	1	2	2	15		5	1	1						1			133	1
												40							145	2
				27															28	3
						129		8				1			3				170	4
						177						1			1				181	5
							203	61	43			5			54				687	6
								236	22										461	7
									199	60					28	31			628	8
										30		1			20	64			380	9
																			91	10
																			0	11
																			48	12
																			0	13
																			0	14
																1			107	15
																			97	16
																			0	17
																			0	18
																			3,156	

Annex V-2

Origin-Destination Matrix (1994) (unit: vehicle/day)

Zone NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.
1																			90	1
2	48			2		33		7												2
3		10										2								3
4						47		8	2						3					4
5						57														5
6							209	2	25			8		11	42				434	6
7								70						22					301	7
8									91						3				181	8
9										26					4	11			159	9
10																			26	10
11																			0	11
12																			10	12
13																			0	13
14															3				36	14
15																3			60	15
16																			14	16
17																			0	17
18																			0	18
																			0	
																			1,502	

Annex V-2 (continued 2)

Taxi Origin-Destination Matrix (1994) (unit: vehicle/day)

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.
		23		5	2	18			3										51	1
												2							25	2
				12															12	3
						128									20				167	4
						103									3				108	5
							17	27	49						7				349	6
								144											161	7
									88							2			261	8
										35					4	69			248	9
																			35	10
																			0	11
																			4	12
																			0	13
																			0	14
																			34	15
																			71	16
																			0	17
																			0	18
																			1,526	

Annex V-3

(unit: vehicle/day)

Origin-Destination Matrix (2004)

Car

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.
		82		5		61		13											161	1
			17									4			7				110	2
																			17	3
						80		14	5						7				111	4
						102													102	5
							359	10	46			13		24	77				772	6
								119						33					511	7
									160						7				323	8
										45					8	20			284	9
																			45	10
																			0	11
																			17	12
																			0	13
															6				63	14
																5			117	15
																			25	16
																			0	17
																			0	18
																			2,658	

Annex V-3 (continued 2)

Taxi (unit: vehicle/day)

Origin-Destination Matrix (2004)

Taxi

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.
		40		10	4	32			5										91	1
												4							44	2
				21															21	3
						225						4			38				298	4
						181									7				192	5
							31	51	88						15				623	6
								242											273	7
									165							6			464	8
										61					7	116			442	9
																			61	10
																			0	11
																			8	12
																			0	13
																			0	14
																			67	15
																			122	16
																			0	17
																			0	18
																			2,706	

Annex V-3 (continued 3)

Pick-up Origin-Destination Matrix (2004) (unit: vehicle/day)

Zone No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	Total	Zone No.
		367	1	10	10	58		20	5	4						4			479	1
												128							495	2
				75															76	3
						466		32				4			16				603	4
						604						4			7				625	5
							655	235	160		3	17			233				2,431	6
								792	79										1,526	7
									725	180					137	99			2,220	8
										92		4			95	186			1,346	9
																			276	10
																			3	11
																			157	12
																			0	13
																			0	14
																5			493	15
																			284	16
																			0	17
																			0	18
																			11,024	

Annex V-4

Present and Future Normal Truck Traffic
by Commodity and by Link

Link	Commodity Type	1979	1984	1994	2004
1	Agricultural Crops	8	14	35	76
	Rubber	1	1	2	5
	Logs and Sawn Timber	10	13	21	36
	Fuel	6	9	17	31
	Consumer Goods	9	13	24	39
	Construction Materials	4	6	11	17
	Mix	1	1	3	4
	Empty	18	26	46	77
Total		57	83	159	285
2	Agricultural Crops	7	12	31	66
	Rubber	1	1	2	5
	Logs and Sawn Timber	10	13	21	36
	Fuel	5	7	14	26
	Consumer Goods	9	13	24	39
	Construction Materials	3	4	8	13
	Mix	1	1	3	4
	Empty	17	24	45	73
Total		53	75	148	262
3	Agricultural Crops	8	14	35	76
	Rubber	1	1	2	5
	Logs and Sawn Timber	10	13	21	36
	Fuel	5	7	14	26
	Consumer Goods	9	13	24	39
	Construction Materials	3	4	8	13
	Mix	1	1	3	4
	Empty	17	24	45	73
Total		54	77	152	272
4	Agricultural Crops	10	17	44	95
	Rubber	0	0	0	0
	Logs and Sawn Timber	14	18	30	51
	Fuel	7	10	20	36
	Consumer Goods	11	16	29	47
	Construction Materials	4	6	11	17
	Mix	1	1	3	4
	Empty	24	34	63	103
Total		71	102	200	353

Annex V-4 (continued)

Link	Commodity Type	1979	1984	1994	2004
5	Agricultural Crops	15	26	66	142
	Rubber	0	0	0	0
	Logs and Sawn Timber	21	27	44	76
	Fuel	11	16	32	57
	Consumer Goods	17	24	45	73
	Construction Materials	7	10	19	30
	Mix	2	3	5	9
	Empty	36	52	95	155
	Total	109	158	306	342
6	Agricultural Crops	11	19	49	104
	Rubber	0	0	0	0
	logs and Sawn Timber	0	0	0	0
	Fuel	8	12	23	41
	Consumer Goods	12	17	32	52
	Construction Materials	4	6	11	17
	Mix	1	1	3	4
	Empty	25	36	66	107
	Total	61	91	184	325
7	Agricultural Crops	10	17	44	95
	Rubber	0	0	0	0
	Logs and Sawn Timber	0	0	0	0
	Fuel	7	10	20	36
	Consumer Goods	11	16	29	47
	Construction Materials	4	6	11	17
	Mix	1	1	3	4
	Empty	23	33	61	99
	Total	56	83	168	298
8	Agricultural Crops	6	10	26	57
	Rubber	0	0	0	0
	Logs and Sawn Timber	0	0	0	0
	Fuel	4	6	12	21
	Consumer Goods	6	9	16	26
	Construction Materials	2	3	5	9
	Mix	1	1	3	4
	Empty	13	19	34	56
	Total	32	48	93	173
9	Agricultural Crops	4	7	18	38
	Rubber	0	0	0	0
	Logs and Sawn Timber	0	0	0	0
	Fuel	3	4	9	13
	Consumer Goods	5	7	13	21
	Construction Materials	1	1	3	4
	Mix	1	1	3	4
	Empty	9	13	24	39
	Total	23	33	70	119

Annex V-5 Composition of Generated Traffic

Link	Type of Vehicle	1984	2004
1	Passenger Car	68 (0.80)	228 (0.80)
	Cargo	17 (0.20)	57 (0.20)
	Agricultural Crops	3	15
	Rubber	0	1
	Log and Sawn Timber	3	7
	Others	6	18
	Empty	5	16
2	Passenger Car	33 (0.69)	110 (0.69)
	Cargo	15 (0.31)	50 (0.31)
	Agricultural Crops	2	12
	Rubber	0	1
	Log and Sawn Timber	3	7
	Others	5	16
	Empty	5	14
3	Passenger Car	39 (0.71)	131 (0.71)
	Cargo	16 (0.29)	54 (0.29)
	Agricultural Crops	3	15
	Rubber	0	1
	Log and Sawn Timber	3	7
	Others	5	16
	Empty	5	15
4	Passenger Car	73 (0.76)	246 (0.76)
	Cargo	23 (0.24)	77 (0.24)
	Agricultural Crops	4	21
	Rubber	0	0
	Log and Sawn Timber	4	11
	Others	7	23
	Empty	8	22
5	Passenger Car	124 (0.76)	417 (0.76)
	Cargo	40 (0.24)	134 (0.24)
	Agricultural Crops	7	56
	Rubber	0	0
	Log and Sawn Timber	7	30
	Others	13	67
	Empty	13	61

Link	Type of Vehicle	1984	2004
6	Passenger Car	116 (0.80)	390 (0.80)
	Cargo	29 (0.20)	98 (0.20)
	Agricultural Crops	7	31
	Rubber	0	0
	Log and Sawn Timber	0	0
	Others	11	34
	Empty	11	33
7	Passenger Car	128 (0.83)	428 (0.82)
	Cargo	27 (0.17)	91 (0.18)
	Agricultural Crops	6	29
	Rubber	0	0
	Log and Sawn Timber	0	0
	Others	10	32
	Empty	11	30
8	Passenger Car	98 (0.87)	329 (0.87)
	Cargo	14 (0.13)	47 (0.13)
	Agricultural Crops	3	14
	Rubber	0	0
	Log and Sawn Timber	0	0
	Others	5	18
	Empty	6	15
9	Passenger Car	53 (0.84)	178 (0.84)
	Cargo	10 (0.16)	34 (0.16)
	Agricultural Carops	2	11
	Rubber	0	0
	Log and Sawn Timber	0	0
	Others	4	12
	Empty	4	11

VOC Calculation, Modified TRRL Method

自動車走行費の計算は次式を用いた。

1. 走行速度

A. 舗装道路

1) Passenger cars

$$V = 102.6 - 0.372RS - 0.076F - 0.111C - 0.0049A$$

2) Light goods vehicles

$$V = 86.9 - 0.418RS - 0.050F - 0.074C - 0.0028A$$

3) Medium and heavy goods vehicles

$$V = 48.0 - 0.519RS + 0.030F - 0.058C - 0.0042A + 1.114PW$$

V : 走行速度 (Km/h)

R : 上り勾配 (m/Km)

F : 下り勾配 (m/Km)

C : 平面曲線長 (度/Km)

A : 高 度 (m)

PW : 馬力/軸重 (BHP/t)

B. 未舗装道路

1) Passenger cars

$$V = 84.2 - 0.210RS - 0.070F - 0.118C - 0.00089R - 0.13M - 0.19RD$$

2) Light goods vehicles

$$V = 81.2 - 0.317RS - 0.059F - 0.097C - 0.00095R - 0.29M - 0.20RD$$

3) Medium and heavy goods vehicles

$$V = 49.2 - 0.433RS + 0.004F - 0.061C - 0.00060R - 0.22M - 0.27RD \\ + 1.114PW$$

M : 湿 度 (%)

RD : わだちの深さ (mm)

2. 燃料消費量

A. 舗装道路

- 1) Passenger cars

$$FL = (53.4 + \frac{499}{V} + 0.0058V^2 + 1.594RS - 0.854F) \times 1.08$$

- 2) Light goods vehicles

$$FL = (74.7 + \frac{1151}{V} + 0.013V^2 + 2.906RS - 1.277F) \times 1.08$$

- 3) Medium goods vehicles

$$FL = (105.4 + \frac{903}{V} + 0.0143V^2 + 4.362RS - 1.834F - 2.40PW) \times 1.13$$

- 4) Heavy goods vehicles

$$FL = (-48.6 + 69.2 \sqrt{GVW} + \frac{903}{V} + 0.0143V^2 + 4.362RS - 1.834F - 2.40PW) \times 1.13$$

FL = 燃料消費量 (ℓ/1000Km)

GVW = 総車体重量 (t)

B. 未舗装道路

- 1) Passenger cars

$$FL = (46.9 + \frac{614}{V} + 0.0079V^2 + 1.723RS - 1.066F + 0.00113R + 0.82L) \times 1.08$$

- 2) Light goods vehicles

$$FL = (72.8 + \frac{844}{V} + 0.0137V^2 + 2.828RS - 1.306F + 0.00110R + 1.76L) \times 1.08$$

- 3) Medium goods vehicles

$$FL = (122.0 + \frac{796}{V} + 0.0150V^2 + 4.176RS - 2.216F + 0.00145R + 1.97L - 2.62PW) \times 1.13$$

- 4) Heavy goods vehicles

$$FL = (-32.0 + 69.2 \sqrt{GVW} + \frac{796}{V} + 0.0150V^2 + 4.176RS - 2.216F + 0.00145R + 1.97L - 2.62PW) \times 1.13$$

L = 路面の仕上り状態 (mm)

R = 道路の状態 (mm/Km)

3. 潤滑油の消費量

潤滑油の消費量は次の通りである。

	(litres/1000km)	
	<u>Paved roads</u>	<u>Gravel and earth roads</u>
1) Passenger cars	1.2	2.4
2) Light goods vehicles	1.8	3.6
3) Medium & heavy goods vehicles	4.0	8.0

4. 車輛の維持管理

A. 部品

- 1) Passenger cars and light goods vehicles

$$PC = (-2.03 + 0.0018R) \times K \times 10^{-11} \times VP; \quad K \geq 10000$$

$$= 0 \quad K < 10000$$

- 2) Medium and heavy goods vehicles

$$PC = (0.48 + 0.0037R) \times K \times 10^{-11} \times VP; \quad K \geq 20000$$

$$= 0 \quad K < 20000$$

PC : 部品の維持管理費 (\$/Km)

VP : 車輛コスト (\$)

K : 走行距離 (Km)

B. 維持管理時間

- 1) Passenger cars and light goods vehicles

$$LH = (851 - 0.078R) PC / VP; \quad R \leq 6000$$

$$= 383 \times PC / VP \quad R > 6000$$

- 2) Medium and heavy goods vehicles

$$LH = (2975 - 0.078R) PC / VP; \quad R \leq 6000$$

$$= 2507 \times PC / VP \quad R > 6000$$

LH : 維持管理時間 (h)

5. タ イ ヤ

1) Passenger cars and light goods vehicles

$$TC = (-83 + 0.058R) \times 10^{-6} \quad R \geq 2000$$

$$= 3.0 \times 10^{-5} \quad R < 2000$$

2) Medium and heavy goods vehicles

$$TC = (83 + 0.0112R) \times L \times 10^{-7} \quad R \geq 1500$$

$$= 1.0 \times L \times 10^{-5} \quad R < 1500$$

TC = タイヤコスト (\$)

L = 全車体重量 (t)

6. 減価償却費

$$DC = \frac{VP}{U \times K_A}$$

DC = 減価償却費 (\$ / Km)

U = 車輛の使用年数

K_A = 年平均走行距離 (Km)

減価償却費は、走行費と固定費とに分けられ、その配分は以下の通りである。

Passenger, Taxi

走行費 : 70%

固定費 : 30%

Pick-up, Truck

走行費 : 65%

固定費 : 35%

7. 運転手の給料

$$\frac{\text{年 収}}{\text{年平均走行距離}} \quad (\$ / Km)$$

8. 保 險

$$\frac{\text{保険料}}{\text{年平均走行距離}} \quad (\$ / Km)$$

Annex VI-2

Vehicle Operating Costs (Paved Road)

(US\$/km)

Type of Vehicle	Passenger Cars			Taxis			Pick-Ups			M-Trucks			H-Trucks			
	G	F	P	G	F	P	G	F	P	G	F	P	G	F	P	
Wages	-	-	-	2.31	2.31	2.31	2.31	4.50	4.50	4.50	5.82	5.82	5.82	7.50	7.50	7.50
Insurance	2.20	2.20	2.20	1.35	1.35	1.35	1.80	1.80	1.80	1.80	4.16	4.16	4.16	11.67	11.67	11.67
Depre- ciation Related	3.33	3.81	4.70	1.42	1.68	2.23	2.35	2.78	3.69	4.61	5.41	7.55	11.05	12.64	15.60	6.80
Interest	0.41	0.41	0.41	0.18	0.18	0.18	0.32	0.32	0.32	0.32	0.62	0.62	0.62	1.46	1.46	1.46
Tyres	0.34	0.74	1.29	0.22	0.47	0.83	0.42	0.91	1.58	3.96	4.45	5.17	8.20	9.24	10.68	0.44
Lubricants	0.13	0.13	0.13	0.13	0.13	0.13	0.20	0.20	0.20	0.44	0.44	0.44	0.44	0.44	0.44	0.44
Repair and Maint. R=F=10	1.48	2.71	4.26	0.69	1.25	1.95	1.70	3.11	4.84	6.12	8.01	10.56	14.61	19.29	25.74	10.31
Fuel R=F=50	4.28	4.28	4.28	4.28	4.28	4.28	6.93	6.93	6.93	7.28	7.28	7.28	10.31	10.31	10.31	13.13
Operating Cost R=F=70	5.13	5.13	5.13	5.13	5.13	5.13	9.19	9.19	9.19	14.06	14.06	14.06	14.92	14.92	14.92	14.92
Operating Cost R=F=10	13.80	15.91	18.90	11.30	12.38	13.98	19.92	22.05	25.36	35.92	39.10	44.51	72.04	79.35	90.20	90.20
Operating Cost R=F=50	14.33	16.44	19.43	11.83	12.91	14.51	21.11	23.44	26.75	40.05	43.23	48.64	74.86	82.17	93.02	93.02
Operating Cost R=F=70	14.65	16.76	19.75	12.15	13.23	14.83	21.98	24.31	27.62	42.70	45.88	51.29	76.65	83.96	94.81	94.81

G = Good (R = 2500 mm/km) F = Fair (R = 3750 mm/km) P = Poor (R = 5500 mm/km)

Source : Ministry of Public Works

Annex VI-2 (continued 2)

Vehicle Operating Costs (Unpaved Road)

(US\$/km)

Type of Vehicle	Passenger Cars			Taxis			Pick-Ups			M-Trucks			H-Trucks		
	G	F	P	G	F	P	G	F	P	G	F	P	G	F	P
Wages	-	-	-	2.31	2.31	2.31	4.50	4.50	4.50	5.82	5.82	5.82	7.50	7.50	7.50
Insurance	2.75	2.75	2.75	1.69	1.69	1.69	2.25	2.25	2.25	5.20	5.20	5.20	14.58	14.58	14.58
Depre- ciation	4.70	5.71	8.00	2.23	2.95	5.17	3.69	4.87	8.55	7.01	9.02	14.55	15.60	18.95	26.51
Interest	0.92	0.92	0.92	0.47	0.47	0.47	0.84	0.84	0.84	1.56	1.56	1.56	3.28	3.28	3.28
Tyres	0.98	1.62	2.42	0.62	1.03	1.54	1.19	1.97	2.95	4.76	5.56	6.56	9.86	11.52	13.58
Lubricants	0.26	0.26	0.26	0.26	0.26	0.26	0.40	0.40	0.40	0.88	0.88	0.88	0.88	0.88	0.88
Repair and Maint.	3.40	5.15	7.54	1.57	2.34	3.43	3.88	5.83	8.54	9.12	12.04	15.90	22.07	29.44	38.88
Fuel	4.69	4.72	4.77	4.69	4.72	4.77	7.61	7.59	7.58	7.94	8.00	8.09	11.32	11.43	11.56
Operating Cost	5.33	5.39	5.46	5.33	5.39	5.46	9.14	9.26	9.31	10.59	10.70	10.88	14.14	14.27	14.45
Operating Cost	5.70	5.77	5.85	5.70	5.77	5.85	10.21	10.25	10.33	12.35	12.55	12.84	15.81	15.99	16.25
Operating Cost	20.14	23.57	29.10	15.10	17.03	23.63	26.99	30.88	38.24	47.15	52.94	63.42	95.30	107.79	126.98
Operating Cost	20.78	24.27	29.79	16.44	17.70	24.32	28.52	32.55	39.97	49.80	55.64	66.21	98.12	110.67	129.87
Operating Cost	21.15	24.62	30.18	16.11	18.08	24.71	29.59	33.54	40.99	51.56	57.49	68.17	99.79	112.35	131.67

G = Good (R = 4500 mm/km) F = Fair (R = 6500 mm/km) P = Poor (R = 9000 mm/km)

Source : Ministry of Public Works

Annex VII - 1

ROAD INVENTORY-PRIMARY ROAD

FIGURE 1

Accum. Dist.		Place Name	Route Investigation	Topography	Existing Road Condition						Remarks				
(Km)	(Mile)				Road Width (m)	Pavement Type	Surface Condition	Horizontal Alignment	Vertical Alignment	Side Ditch					
50	31.3		CP#140	Rolling and Hilly	7.5 ~ 11.0	Lignite	Fair	Fair	Fair	Fair	Surface Condition <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Bad				
45	28.1	St. Paul River	CP2#120		7.4 ~ 13.0							R250	4-7%	Earth Ditch (Fair - Bad)	Horizontal Alignment <input type="checkbox"/> ≥ R250 <input checked="" type="checkbox"/> R150-250 <input type="checkbox"/> < R150
44.4	27.6		CP2#120												
42.9	26.7	Noora River	CP#130		6.8 ~ 9.5							R250	4-7%	Earth Ditch (Fair - Bad)	
41.6	26.0	Gbalatuai	CP#100												7.0 ~ 13.4
40.7	25.4		CP#100		6.0 ~ 11.0							R250	4-7%	Earth Ditch (Fair - Bad)	
40	25.0	Tobert Estate	CP#160												8.0 ~ 10.0
			CP#160		7.7 ~ 11.0							R250	4-7%	Earth Ditch (Fair - Bad)	
35	21.9		CP2#150												7.0 ~ 13.4
			CP#150		6.0 ~ 11.0							R250	4-7%	Earth Ditch (Fair - Bad)	
			CP#140												8.0 ~ 10.0
32.4	20.3		CP#140		7.7 ~ 11.0							R250	4-7%	Earth Ditch (Fair - Bad)	
		Belefuanoi	CP#120												8.0 ~ 11.5
30	18.8		CP#100		7.0 ~ 13.4							R250	4-7%	Earth Ditch (Fair - Bad)	
28.7	17.9	Mam Creek	CP#140												6.0 ~ 11.0
		Petelei	CP#140		8.0 ~ 10.0							R250	4-7%	Earth Ditch (Fair - Bad)	
25	15.6		CP#140												7.7 ~ 11.0
23.1	14.4		CP#160		8.0 ~ 11.5							R250	4-7%	Earth Ditch (Fair - Bad)	
			CP#140												7.0 ~ 13.4
			CP#160		6.0 ~ 11.0							R250	4-7%	Earth Ditch (Fair - Bad)	
			CP#140	8.0 ~ 10.0		R250	4-7%	Earth Ditch (Fair - Bad)							
		James Flaomo Town	CP#105		7.7 ~ 11.0				R250	4-7%	Earth Ditch (Fair - Bad)				
20	12.5		CP#145	8.0 ~ 11.5		R250	4-7%	Earth Ditch (Fair - Bad)							
			CP#140		7.0 ~ 13.4				R250	4-7%	Earth Ditch (Fair - Bad)				
			CP#100	6.0 ~ 11.0		R250	4-7%	Earth Ditch (Fair - Bad)							
			CP#115		8.0 ~ 10.0				R250	4-7%	Earth Ditch (Fair - Bad)				
16.1	10.1		CP#115	7.7 ~ 11.0		R250	4-7%	Earth Ditch (Fair - Bad)							
			CP#110		8.0 ~ 11.5				R250	4-7%	Earth Ditch (Fair - Bad)				
15	9.4		CP#120	7.0 ~ 13.4		R250	4-7%	Earth Ditch (Fair - Bad)							
			CP#140		6.0 ~ 11.0				R250	4-7%	Earth Ditch (Fair - Bad)				
13.1	8.2	Wenshu	CP#100	8.0 ~ 10.0		R250	4-7%	Earth Ditch (Fair - Bad)							
			Br		7.7 ~ 11.0				R250	4-7%	Earth Ditch (Fair - Bad)				
11.1	6.9		Br	8.0 ~ 11.5		R250	4-7%	Earth Ditch (Fair - Bad)							
10	6.3		C-Bx		7.0 ~ 13.4				R250	4-7%	Earth Ditch (Fair - Bad)				
9.7	6.1		CP#120	6.0 ~ 11.0		R250	4-7%	Earth Ditch (Fair - Bad)							
			CP#100		8.0 ~ 10.0				R250	4-7%	Earth Ditch (Fair - Bad)				
			CP#140	7.7 ~ 11.0		R250	4-7%	Earth Ditch (Fair - Bad)							
			CP#100		8.0 ~ 11.5				R250	4-7%	Earth Ditch (Fair - Bad)				
			CP#125	7.0 ~ 13.4		R250	4-7%	Earth Ditch (Fair - Bad)							
			CP#100		6.0 ~ 11.0				R250	4-7%	Earth Ditch (Fair - Bad)				
			CP#110	8.0 ~ 10.0		R250	4-7%	Earth Ditch (Fair - Bad)							
5	3.1		C-Bx		7.7 ~ 11.0				R250	4-7%	Earth Ditch (Fair - Bad)				
4.2	2.6		C-Bx	8.0 ~ 11.5		R250	4-7%	Earth Ditch (Fair - Bad)							
3.3	2.1		CP#120		7.0 ~ 13.4				R250	4-7%	Earth Ditch (Fair - Bad)				
			CP#135	6.0 ~ 11.0		R250	4-7%	Earth Ditch (Fair - Bad)							
			CP#110		8.0 ~ 10.0				R250	4-7%	Earth Ditch (Fair - Bad)				
			CP#100	7.7 ~ 11.0		R250	4-7%	Earth Ditch (Fair - Bad)							
0	0	Gborngo	Ganta		8.0 ~ 11.5				R250	4-7%	Earth Ditch (Fair - Bad)				
		Monrovia		7.0 ~ 13.4		R250	4-7%	Earth Ditch (Fair - Bad)							

On the Surface Condition:
 Left is the dry season
 Right is the wet season.

ROAD INVENTORY-PRIMARY ROAD

FIGURE 2

Accum Dist		Place Name	Route Investigation	Topography	Existing Road Condition							Remarks
(K m)	(Mile)				Road Width (m)	Pavement Type	Surface Condition	Horizontal Alignment	Vertical Alignment	Side Ditch		
101.988	637	Zerzor	Br	Rolling and Hilly							Surface Condition	
100	625		CP2 #120 CP2 #170		9.3 ~ 12.5						□ Good ▨ Fair ▩ Bad	
95	594	Sukoloma	CP #180 D School								Horizontal Alignment	
			CP #120 CP2 #120 CP #120		8.0 ~ 13.0						□ ≥ R250 ▨ R150-250 ▩ < R150	
91.6	57.3	Gbangoi	C Br 2.540x3.00 x15.40								Vertical Alignment	
90	56.3		CP #120								□ ≤ 4 % ▨ 4-7 % ▩ > 7 %	
88.6	55.1		CP2 #140 Br 725x9.95		8.0 ~ 11.5							
87.9	54.6	Telemoi	Br 740x9.60									
85	53.1		CP2 #120 CP2 #120 CP2 #150									
84.5	52.8		C Br 2.540x3.00 x18.20									
80	50.0	Salayie	CP3 #160 CP3 #140		9.5 ~ 12.7							
77.7	48.3	Sepayoo River	Br 745x15.60		8.3 ~ 11.8							
75	46.9		CP #120 CP #120									
73.7	46.1	Tellimu	C Br 2.310x3.00 x14.00		8.5 ~ 13.0							
71.8	44.6		CP2 #100 CP #160									
70	43.8	Tobato	Br 743x15.60									
69.8	43.4		CP2 #120 CP #120		7.0 ~ 11.3							
66.7	41.7	Gattu	C Br 3.05x2.50x0.60									
65	41.3		CP #140 CP2 #120									
64.0	40.6	Toya Creek	C Br 3.00x2.50x0.30									
60.6	37.7	Leys River	Br 740x9.85	9.0 ~ 12.0								
60	37.5		CP2 #100 CP #145 CP2 #160 CP2 #120									
			CP #160	7.7 ~ 10.2								
			CP #120									
55	34.4	Gongtola Village	CP #130 D School									
			CP #120 CP #120									
			C Br 2.300x3.00x0.45	8.2 ~ 12.0								
			C Br 2.40x1.80x2.50									
51.7	32.3	Muite	CP #150									
51.3	32.1	Mangwapee	CP #120									
50.8	31.6											
50	31.3		C Br 2.40x1.80x2.50									

Annex VII - 1 (continued 3)

ROAD INVENTORY-PRIMARY ROAD

FIGURE 3

Accum. Dist.		Place Name	Route Investigation	Topography	Existing Road			Condition			Remarks	
(Km)	(Mile)				Road Width (m)	Pavement Type	Surface Condition	Horizontal Alignment	Vertical Alignment	Side Ditch		
50	31.3	Lawo River	CP#120	Hilly and Mountainous	7.2 ~ 10.9	Laterite	Fair	R150-250	Fair	Earth	Surface Condition <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input checked="" type="checkbox"/> Bad Horizontal Alignment <input type="checkbox"/> ≥ R250 <input checked="" type="checkbox"/> R150-250 <input checked="" type="checkbox"/> < R150 Vertical Alignment <input type="checkbox"/> ≤ 4% <input checked="" type="checkbox"/> 4-7% <input checked="" type="checkbox"/> > 7%	
49.5	30.8		CP#140									
		CP#120										
		CP#160										
46	28.6	Luyema	CP#120									
45	28.1		CP#120									
		Gabaryco River	CP#160									
41.4	25.7		CP#140									
			CP#120									
40	25.0		CP#160									
			CP#120									
35	21.9		CP#120									
			CP#120									
33.9	21.2		CP#120									
			CP#140									
30	18.8		CP#120									
29.8	18.6	Bene Creek	CP#120									
28.8	18.0		CP#120									
		Kanta	CP#120									
25	15.6		CP#120									
24.6	15.3	Layie Creek	CP#100									
		Via River	CP#130									
22.0	13.7		CP#130									
		Zuwule	CP#150									
20	12.5		CP#180									
		Weaher River	CP#120									
18.6	11.5		CP#120									
			CP#120									
15	9.4		CP#100									
		Bokeza Road Town	CP#160									
10	6.3		CP#160									
		Fisebu	CP#120									
5.6	3.5		CP#100									
5	3.1		CP#160									
			CP#120									
		Zorzer	CP#120									
0.8	0.5		CP#120									
0	0											

ROAD INVENTORY-PRIMARY ROAD

Accum. Dist.		Place Name	Route	Investigation	Topography	Existing Road Condition							Remarks
(K m)	(Mile)					Road Width (m)	Pavement Type	Surface Condition	Horizontal Alignment	Vertical Alignment	Side Ditch		
100	62.5					8.2 ~ 10.1						Surface Condition	
95	59.4					12.0 ~ 13.8						Horizontal Alignment	
93.454	58.4	Voinyama I-S	CP2 #140		Rolling and Hilly	12.0 ~ 13.8						<input type="checkbox"/> ≥ R250 <input checked="" type="checkbox"/> R150-250 <input checked="" type="checkbox"/> < R150	
90.9	56.5	Zetibo River	CP#120	Br 740x3760		8.2 ~ 12.4						Vertical Alignment	
90	56.3	Matamai	CP2 #140			8.2 ~ 12.4						<input type="checkbox"/> ≤ 4% <input checked="" type="checkbox"/> 4-7% <input checked="" type="checkbox"/> > 7%	
85	53.1	Terebu Town	CP#120			10.2 ~ 13.8							
80	50.0	Terebu Air Field	CP#160			10.2 ~ 13.8							
78.5	49.1	Semo Town	CP2 #120	C Bx 2300x300x2180		6.7 ~ 12.0							
75	46.9		CP#120			10.0 ~ 13.2							
72.9	45.3		CP#125	Br 740x3145		10.0 ~ 13.2							
70	43.8	Floho Town	CP2 #140			9.0 ~ 12.0							
68	42.3	Lofa River	CP#160	Br 745x9320		9.0 ~ 12.0							
65	40.6		CP#120	C Bx 2300x300x330		9.6 ~ 14.5							
64.5	40.3		CP#100			9.6 ~ 14.5							
60	37.5	Gblakplezu	CP#120		Hilly and Mountainous	8.0 ~ 11.2							
55	34.4	Guzoh Town	CP2 #125	Lutizu		8.0 ~ 11.2							
53.3	33.1	Boziwehn	CP#120			9.4 ~ 12.0							
52.2	32.6	Woyu River	CP#120	Br 740x4910		9.4 ~ 12.0							
50	31.3	Zear River	CP#120			9.4 ~ 12.0							
		Lowa	CP#100	C Bx 2300x300x3020		9.4 ~ 12.0							
			CP#120			9.4 ~ 12.0							

Annex VII - 1 (continued 5)

ROAD INVENTORY - PRIMARY ROAD

FIGURE 5

Accum. Dist.		Place Name	Route Investigation	Topography	Existing Road Condition					Remarks			
(K.m)	(Mile)				Road Width (m)	Pavement Type	Surface Condition	Horizontal Alignment	Vertical Alignment		Side Ditch		
50	31.3	Kolahun	CP2 #120 CP#120 CP2 #120 CP2 #125 CP2 #160	Rolling and Hilly	6.7 - 12.2	Laterite Pavement	No Investigation			Surface Condition Good Fair Bad			
46.4	29.0		CP#100		10.4 - 15.1						Horizontal Alignment ≥ R 250 R150-250 < R150		
45	28.1		CP2 #150 CP2 #120 CP#160 CP#160 CP#160		9.7 - 12.5							Vertical Alignment ≤ 4% 4 - 7% > 7%	
44.9	26.8		CP2 #150 CP#160 CP#160		9.5 - 12.8								Earth Ditch (Fair - bad)
43.2	25.0		CP#160 CP#160		8.6 - 12.4								
40	23.6		CP2 #150 CP#160		9.3 - 14.5								
38	21.9		CP2 #120 CP#120 CP#160		6.7 - 12.2								
35	19.2		CP#160 CP#160 CP#160		10.8 - 13.5								
30.7	18.8		CP2 #160 CP#160		8.6 - 17.7								
30	15.6		CP#160 CP#160 CP#160		10.3 - 13.3								
25	14.3	Johnny Town	CP2 #100 CP#100 CP2 #160 CP2 #100		9.3 - 14.5								
22.9	13.9		Kpakuta		CP2 #100 CP#100 CP2 #160 CP2 #100						6.7 - 12.2		
20	12.5	Velezato	CP#120 CP#100		6.7 - 12.2								
19.5	12.2		CP#120 CP#100		10.8 - 13.5								
18.8	11.8		CP#120 CP#100		8.6 - 17.7								
16.1	10.1		CP2 #140 CP2 #140 CP2 #140		10.3 - 13.3								
15	9.4	Voinjama	CP#140 CP2 #120 CP#120 CP2 #120 CP#140 CP2 #160 CP#140 CP2 #160		10.3 - 13.3								
12.1	7.6		CP2 #120 CP#120 CP2 #120 CP#140 CP2 #160 CP#140 CP2 #160		10.3 - 13.3								
10	6.3		CP2 #160 CP#160 CP2 #160		10.3 - 13.3								
7.7	4.8		CP2 #160 CP#160 CP2 #160		10.3 - 13.3								
5.5	3.4		CP#120 CP2 #160		10.3 - 13.3								
5	3.1		CP#120 CP2 #160		10.3 - 13.3								
0	0		CP#120 CP2 #160		10.3 - 13.3								

FIGURE 6

ROAD INVENTORY-PRIMARY ROAD

Accum. Dist.		Place Name	Route Investigation	Topography	Existing Road Condition						Remarks
(K m)	(Mile)				Road Width (m)	Pavement Type	Surface Condition	Horizontal Alignment	Vertical Alignment	Side Ditch	
100	62.5									Surface Condition	
										<input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input checked="" type="checkbox"/> Bad	
95	59.4									Horizontal Alignment	
										<input type="checkbox"/> ≥ R250 <input checked="" type="checkbox"/> R150-250 <input checked="" type="checkbox"/> < R150	
90	56.2									Vertical Alignment	
										<input type="checkbox"/> ≤ 4% <input checked="" type="checkbox"/> 4-7% <input checked="" type="checkbox"/> > 7%	
85	53.1										
80	50.0										
79.33	49.6	Mendiroma									
		Kiaima Town	CP#1.10 CP#1.60 CP#1.60	Flat and Rolling	7.0 ~ 12.3						
75	46.9										
72.9	45.6		C.Bx 2240x1800x1060		9.0 ~ 12.9						
70.1	43.8	Moyo River Mendegesue	CP#1.20 CP#1.20 CP#1.20 Hokuma 15 245x43.85								
66.6	41.6		CP#1.50 CP#1.50 CP#1.55 C.Bx 2230x1800x1380 CP#1.20 CP#1.20 IS Stelo		7.5 ~ 12.0						
65	40.6		CP#1.60 C.Bx 2230x2000x1180								
64.1	40.1	Foya	Foya Pentecostal Church Clinic F.S. CP2-#120 Foya Police office		6.8 ~ 13.6						
60	37.5										
58.5	36.6		CP#1.60 CP#1.20 C.Bx 2300x3000x1250		6.9 ~ 12.6						
57.1	35.7	Balay Town	CP#1.50 C.Bx 3000x3000x1270								
55.7	34.8		CP#1.60 C.Bx 3000x2500x2360 Suohun IS								
55	34.4	Kawohum									
53.8	33.6		CP#1.40 C.Bx 3000x3000x1270								
52.7	32.9		CP#1.40 C.Bx 3000x2000x1020		9.0 ~ 13.5						
51.3	32.1		CP#1.40 C.Bx 3000x3000x16.50								
50	31.3	Babahun									

Annex VII-2

Bridge Inventory: Gbarnga-Mendikoma (1)

Bridge No.	Accum. (mile)	Dist (Km)	River Name	Br. Length (m)	Span Composition (m)	Effective Width (m)	Type of Br.	Condition	Remarks
(Gbarnga)	0	0							
1	17.9	28.7	Mem Creek	15.15	14.75	6.90	Steel Girder	Good	
2	26.7	42.9	Noorn River	18.20	17.80	7.50	Concrete T-beam	"	
3	27.6	44.4	St. Paul River	123.45	@14.80+12.20 +15.25+49.60	7.40	Concrete T-beam Steel truss	"	(5) (1)
4	37.7	60.6		9.85	9.45	7.40	Concrete Slab	"	
5	39.8	64.0	Leya River	9.85	9.45	7.40	Concrete Slab	"	
6	43.4	69.2		18.60	18.20	7.43	Concrete T-beam	"	
7	44.6	71.8		15.60	15.20	7.43	"	"	
8	48.3	77.7	Sepayea River	15.60	15.20	7.45	"	"	
9	54.6	87.9		9.60	9.20	7.40	Concrete Slab	"	
10	55.1	88.7		9.95	9.55	7.25	"	"	
11	63.2	101.7		10.25	9.85	7.45	"	"	
(Zorzor)	63.39	102.0							

(continued 2)

Bridge Inventory: Gbarnga-Mendikoma (2)

Bridge No.	Accum. (mile)	Dist (Km)	River Name	Span		Type of Br.	Condition	Remarks
				Br. Length (m)	Composition (m)			
(Zorzor)	0	0						
1	0.5	0.8		16.30	15.90	Concrete T-beam	Good	
2	11.5	18.6	Weaher River	10.50	10.00	Concrete Slab	"	
3	12.5	20.1	Via River	47.60	10.10+18.15 +18.15	Concrete Slab (1) Concrete T-beam (2)	"	
4	14.1	22.7		9.50	9.10	Concrete Slab	"	
5	15.3	24.6	Layia Creek	15.70	15.30	Concrete T-beam	"	
6	17.0	27.3	Beney River	10.40	10.00	Concrete Slab	"	
7	17.9	28.8		16.50	16.10	Concrete T-beam	"	
8	25.7	41.4	Gabaryca River	31.25	15.30+15.15	Concrete T-beam	"	
9	28/6	46.0	Iueah River	49.95	24.65+24.50	Concrete Box girder	"	
10	30.8	49.5	Lava River	68.40	14.80+19.20+ 18.00+14.80	Concrete T-beam	"	
11	33.1	53.3	Zear River	49.10	17.40+18.30 +12.20	Concrete T-beam	"	
12	42.3	68.0	Lofa River	93.20	30.40+30.75 +30.85	Concrete Box girder	"	
13	45.3	72.9		31.45	12.10+18.55	Concrete T-beam	"	
14	56.5	90.9	Zeliba River	37.60	18.30+18.50	Concrete T-beam	"	
(Voinjama)	58.1	93.5						

(continued 3)

Bridge Inventory: Gbarnga-Mendikoma (3)

Bridge No.	Accum. (mile)	Dist (Km)	River Name	Br. Length (m)	Span Composition (m)	Effective Width (m)	Type of Br.	Condition	Remarks
(Voinjama)	0	0							
1	4.8	7.7		15.75		7.45	Concrete T-beam	Good	
2	23.6	38.0		18.90	18.90	7.45	"	"	
3	26.8	43.2		12.60		7.45	"	"	
4	43.6	70.1	Maiya River	43.85	12.75+18.45 +12.65	7.45	"	"	
(Mendikoma)	49.3	79.3							

Annex VII-3

Soil Sampling and Tests

(1) Soil Samples and Laboratory Test

	A	B	C	D	E	F	G	H	I	
Gbarnga-Zorzor	1	T	NT	T	T	-	-	-	T	-
	2	T	T	NT	NT	T	NT	NT	T	5.6
	3	T	T	T	T	-	N*	-	T	"
	4	T	T	T	T	T	-	-	T	"
	5	T	T	T	T	-	-	-	T	"
	6	T	T	T	T	T	-	T	T	"
	7	T	T	T	T	-	-	-	T	"
	8	T	T	T	T	T	-	-	T	"
	9	T	T	T	T	-	-	-	T	"
	10	T	T	T	T	T	NT	NT	T	"
	11	T	T	T	T	-	-	-	T	"
Zorzor-Voinjama	1	T	T	T	T	T	NT	NT	T	-
	2	T	T	T	T	-	-	-	T	5.8
	3	T	T	T	T	T	NT	T	T	"
	4	T	T	NT	NT	-	-	-	T	"
	5	T	T	T	T	T	-	-	T	"
	6	T	T	T	T	-	-	-	T	"
	7	T	T	T	T	T	-	NT	T	"
	8	T	T	T	T	-	NT	-	T	"
	9	T	T	T	T	T	-	-	T	"
	10	T	NT	T	T	T	NT	T	T	"
Voinjama-Mendikona	1	T	T	T	T	-	NT	-	T	-
	2	T	T	T	T	T	-	T	T	5.4
	3	T	NT	T	T	-	-	-	T	"
	4	T	T	T	T	-	-	-	T	"
	5	T	T	T	T	T	-	NT	T	"
	6	T	T	T	T	-	NT	-	T	"
	7	T	T	T	T	T	-	-	T	"
	8	T	T	T	T	T	-	NT	T	"
	9	T	T	T	T	-	NT*	-	T	"

LEGEND

- A : Moisture Content
- B : Grainsize Analysis
- C : Liquid Limit
- D : Plastic Limit
- E : C.B.R. Test for Subgrade Material
- F : C.B.R. Test for Basecourse Material
- G : Compaction
- H : Natural Density
- I : Interval (miles)
- T : Tested
- N.T : Not Tested
- * : Mixed and tested or one material

(2) Summary of Soil Laboratory Test

LOCATION	SECTION	SAMPLE NO.	SAMPLE DEPTH (m)	GRADATION					CONSISTENCY				NATURAL STATE					COMPACTION					CBR TEST	
				GRAVEL %	SAND %	SILT & CLAY %	MAX DIAMETER (mm)	LIQUID LIMIT (%)	PL. LIMIT (%)	PL. INDEX	NATURAL MOISTURE CONTENT W _n (%)	WET DENSITY ρ_w (g/cm ³)	DRY DENSITY ρ_d (g/cm ³)	TEST (ASTM)	CONDITION	T-180	OPTIMUM MOISTURE CONTENT W _{opt} (%)	MAXIMUM DRY DENSITY ρ_{dmax} (g/cm ³)	TEST FOR SUBGRADE MATERIAL (%)	TEST FOR BASE MATERIAL (%)				
GARNGA-ZORZOR	I	G-1	0.5	-	-	-	-	43.7	35.8	7.9	24.3	1,778	1.4	-	-	-	-	-	-	-				
		G-2	1.0	65.1	19.8	15.1	25.4	-	-	-	13.9	1,825	1.6	-	-	-	-	-	-	9.1				
		G-3	1.0	26.8	35.8	37.4	25.4	49.3	33.4	15.9	19.0	2,129	1.8	-	-	-	-	-	-	-				
		G-4	0.5	4.6	37.5	57.9	9.5	26.8	24.2	2.6	19.5	2,015	1.7	-	-	-	-	-	-	8.1				
		G-5	0.5	18.5	39.9	41.6	19.1	54.0	22.8	31.2	22.3	1,915	1.6	-	-	-	-	-	-	-				
GARNGA-ZORZOR	II	G-6	1.0	37.3	23.6	39.1	19.1	36.4	23.6	12.8	25.1	1,884	1.5	-	-	13.8	1.92	19.0	-	-				
		G-7	1.5	38.1	34.6	27.3	19.1	37.8	22.3	15.5	13.2	2,050	1.8	-	-	-	-	-	-	-				
		G-8	2.0	34.9	38.9	26.2	25.4	42.2	18.1	24.1	1,897	1.7	-	-	-	-	-	-	-	20.7				
		G-9	4.0	1.1	59.9	39.0	4.76	35.6	21.8	13.8	27.7	1,836	1.4	-	-	-	-	-	-	-				
		G-10	1.0	1.4	59.9	38.7	4.76	32.5	20.8	11.7	20.5	1,859	1.5	-	-	-	-	-	-	-	6.6			
		G-11	2.0	22.5	45.7	31.2	19.1	37.5	26.9	10.6	24.8	1,694	1.4	-	-	-	-	-	-	-	-			
ZORZOR-VOINAMA	III	Z-1	2.0	24.6	32.2	43.2	19.1	51.1	34.5	16.6	22.7	1,983	1.6	-	-	-	-	-	-	17.4				
		Z-2	3.5	19.2	36.8	44.0	12.7	46.4	27.1	19.3	20.2	2,000	1.7	-	-	-	-	-	-	-				
		Z-3	0.5	3.4	60.3	36.3	9.5	26.8	16.4	10.4	12.9	2,019	1.8	-	-	10.6	2.00	15.7	-	-				
		Z-4	3.0	17.0	36.8	46.2	12.7	-	-	-	20.8	2,015	1.7	-	-	-	-	-	-	-				
		Z-5	0.5	8.4	41.4	50.2	4.76	47.1	31.0	16.1	21.6	2,004	1.7	-	-	-	-	-	-	6.6				
		Z-6	0.6	21.6	44.0	34.4	35.4	56.6	31.3	25.3	16.7	2,017	1.7	-	-	-	-	-	-	-				
		Z-7	0.8	13.1	32.2	54.7	35.4	37.2	27.0	10.2	21.9	2,006	1.7	-	-	-	-	-	-	8.3				
		Z-8	1.5	4.9	73.3	21.9	9.5	53.4	30.8	24.6	26.7	1,848	1.5	-	-	-	-	-	-	-				
ZORZOR-VOINAMA	IV	Z-9	1.0	16.5	35.1	48.4	19.1	38.4	24.1	14.3	17.8	2,037	1.8	-	-	-	-	-	-	8.3				
		Z-10	2.0	-	-	-	-	-	-	-	21.9	1,953	1.6	-	-	-	-	-	-	6.6				
		V-1	0	57.0	19.6	23.4	25.4	52.8	23.5	29.3	14.9	2,095	1.8	-	-	-	-	-	-	-				
		V-2	1.0	0.4	58.1	41.5	4.76	3.8	21.9	16.9	17.5	1,933	1.7	-	-	14.0	1.86	5.8	-	-				
		V-3	3.0	-	-	-	-	-	-	-	26.1	1,732	1.4	-	-	-	-	-	-	-				
IOINAMA-BENDEKOMA	V	V-4	0.5	16.3	40.9	42.9	9.5	42.4	28.2	14.2	20.0	1,891	1.6	-	-	-	-	-	-	-				
		V-5	2.0	2.9	67.7	29.4	9.5	38.6	22.0	16.6	24.2	1,926	1.6	-	-	-	-	-	-	6.6				
		V-6	0	41.9	28.2	29.9	19.1	56.2	29.3	27.0	17.7	2,014	1.7	-	-	-	-	-	-	-				
		V-7	2.0	2.4	34.5	63.1	4.76	51.6	44.5	7.1	33.5	1,848	1.4	-	-	-	-	-	-	4.6				
		V-8	1.2	13.0	55.3	31.7	19.1	38.9	25.5	13.4	16.1	2,103	1.8	-	-	-	-	-	-	13.2				
		V-9	0	52.1	16.6	31.5	35.4	36.8	27.7	10.1	22.6	2,211	1.8	-	-	-	-	-	-	-				
		V-9'	0.5	-	-	-	-	-	-	-	35.2	1,870	1.4	-	-	-	-	-	-	-				
		G-3 & V-9	-	47.5	25.4	27.1	19.1	42.1	29.7	12.4	-	-	-	-	16.2	1.89	-	-	-	63/49				

(3) Summary of Road Surface Test (in the field)

LOCATION		Gbarnga-Zorzor						Zorzor-Voinjama						Voinjama-Mendekoma																			
TEST ITEMS		No.51	No.148	No.266	No.389	No.516	No.08	No.129	No.260	No.398	No.549	No.594	No.95	No.300	No.397	No.464	No.505																
C.B.R. Test	Sample No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																
	Sample Depth (m)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																
Benkelman Bean Test	Natural Moisture Content (%)	10.7	15.0	10.6	6.1	8.9	8.9	3.3	6.2	11.1	10.1	9.4	8.0	8.3	18.0	8.4	11.8																
	Field C.B.R. (%)	46.4	30.7	46.7	42.4	38.0	74.6	94.9	108.0	42.3	34.3	16.1	38.9	39.4	15.4	35.8	49.6																
Sounding Test	N-Value per 10 CM Depth from Surface	2.3	2.5	2.2	2.0	1.0	1.4	0.7	0.2	3.1	2.5	2.4	2.3	1.7	0.8	2.2	2.5	3.7	2.5	1.1	1.7	0.6	1.0	3.5	3.6	2.4	4.2	3.8	4.3	3.8	3.4	2.6	2.3
		0.6	0.9	1.2	1.0	0.7	1.4	0.7	0.2	2.6	1.8	2.4	2.0	1.3	0.8	1.5	2.4	2.2	1.0	0.6	0.7	0.2	1.0	3.1	2.7	2.4	4.2	1.6	2.3	2.2	2.1	1.8	1.7
	Total Rebound Deflection (mm)	0.7	1.6	1.0	1.0	0.3	0	0	0	0.5	1.4	0	0.3	0.2	0	0.7	0.1	1.5	1.5	0.5	1.0	0.4	0.1	0.4	0.9	0	0	2.2	2.0	1.6	1.4	0.8	0.6
Sounding Test	N-Value per 10 CM Depth from Surface	150	104	58	58	75	167	123	98	136	125	-	250	208	139	91	127	91															
		36	25	17	29	30	12	23	125	29	28	-	-	-	-	-	78	45															


Consideration of the Chemical Treatment

下図に示すようなラテライト土の安定処理に関する図を参考にすると、本プロジェクト地域の土の試料の40%にあたる12個の試料がA-2のグループに入る。従って、これらはセメント安定処理を行うと有効な土であると言っている。

しかし、AASHTO Interim Guide の舗装構造の設計で示されているセメント混合の下層路盤の標準によると、10個程度の試料がC、DおよびEのグループに入りセメント混合の路盤として適すると言っていることがわかる。

従って、ラテライト土は機械混合を行い、その後セメント安定処理を行うことが望ましい。

Stabilization of Laterite Soils



Source: Laterite Soil Engineering, M.D. Gidigasu

Annex VII-5

Comparative Study by Different Design Speeds on
the Stretch from Konia to Lofa River

コニヤとロフツ川間の比較検討は次表のようになり、設計速度を60 Km/hとした方が経済的である。

Comparative study on
the stretch Konia/Lofa River

	60 km/h	80 km/h
Improved curvatures	14 points	35 points
Road length (km)	40.60	40.13
Earth cut	660,000	1,030,000
Works bank (m ³)	340,000	540,000
Economic construction cost hotmix (10 year) (US\$1,000)	11,120	13,700
Annual economic benefit (US\$1,000)	2,774	3,247
EIRR /1 (%)	14.3	13.9

/1 : Economic benefits after the 10 years after opening include saving of road user's cost, saving of road maintenance cost and dust stopping cost.

Study on the Pavement Design

1. SN (Structural Number)

たわみ舗装の厚さを決定するためには、SNを決定する必要がある。SNは AASHTO Interim Guide によると次の3つの条件によって決まる。(図Ⅶ.1)

- a) Soil support value
- b) Total equivalent 18-KIP (8.2 ton) single axle load application
- c) Regional factor

Soil Support Value は 公共事業省の試験所で行ったCBR試験結果を基にして、設計CBR値を図Ⅶ.2を用いて転換することによって求めることができる。

Total equivalent 18-KIP (8.2 ton) single axle load application は交通量調査結果より算定することができる。

Regional factor は1.0とすると各道路セクションにおけるSNは表Ⅶ.1のようになる。

2. 舗装道路

SNを基に舗装構造は次式によって決定される。

- a. アスファルトコンクリート舗装(プラント混合)

$$SN = 0.44 \times D_1 + 0.20 \times D_2 + 0.11 \times D_3$$

ここに、 D_1 = 表層


D_2 = 上層路盤

D_3 = 下層路盤

- b. アスファルトコンクリート舗装(路上混合)

$$SN = 0.20 \times D_1 + 0.20 \times D_2 + 0.11 \times D_3$$


Fig.VII.1 Design Chart of Pavement



where:

- a_1, a_2, a_3 = layer coefficient for surface, base and subbase course materials, respectively
- D_1, D_2, D_3 = thickness of surface, base and subbase courses, respectively, in inches
- SN = structural number for the total pavement structure

Fig.VII.2 Correlation between Soil Support Value and CBR



Source: AASHTO Interim Guide

Table VII.1 Structure Number of Flexible Pavement

Road Section	Design factor	20 years	15 years	10 years	5 years
I	S	4.8	4.8	4.8	4.8
	Axle load (10^3)	467.2	292.4	156.2	63.1
	$\bar{S}N$	2.60	2.38	2.18	1.85
	R	1	1	1	1
	SN for initial part	2.60	2.38	2.18	1.85
	SN for overlay	-	0.22	0.41	0.75
II	S	4.8	4.8	4.8	4.8
	Axle load (10^3)	443.8	278.1	148.2	59.6
	$\bar{S}N$	2.58	2.37	2.15	1.82
	R	1	1	1	1
	SN for initial part	2.58	2.37	2.15	1.82
	SN for overlay	-	0.21	0.43	0.77
III	S	4.5	4.5	4.5	4.5
	Axle load (10^3)	738.8	463.2	248.2	99.0
	$\bar{S}N$	2.95	2.73	2.48	2.12
	R	1	1	1	1
	SN for initial part	2.95	2.73	2.48	2.12
	SN for overlay	-	0.22	0.47	0.83
IV	S	4.0	4.0	4.0	4.0
	Axle load (10^3)	778.2	490.6	265.0	106.0
	$\bar{S}N$	3.18	2.95	2.66	2.33
	R	1	1	1	1
	SN for initial part	3.18	2.95	2.66	2.33
	SN for overlay	-	0.23	0.52	1.37
V	S	5.2	5.2	5.2	5.2
	Axle load (10^3)	286.2	180.7	97.8	37.7
	$\bar{S}N$	2.28	2.10	1.92	1.65
	R	1	1	1	1
	SN for initial part	2.28	2.10	1.92	1.65
	SN for overlay	-	0.18	0.36	0.63

Annex VII-7

Proposed Pavement Structure

- AC: Asphalt concrete surface course
 RAC: Roadmix asphalt concrete surface course
 CSB: Crushed stone base course
 BB: Bitumen base course
 CLB: Cement treated gravelly laterite base course
 MLB: Cement mechanically treated gravelly laterite base course
 GLSB: Gravelly laterite sub-base course

Alternative A

Section	Required SN	Composition	Thickness (Inches)
I	2.60	AC	2.0
		CSB	6.0
		CSB	6.4
II	2.58	AC	2.0
		CSB	6.0
		CSB	6.4
III	2.95	AC	2.0
		CSB	6.0
		CSB	8.8
IV	3.18	AC	2.0
		BB	3.0
		CSB	9.2
V	2.28	AC	2.0
		CSB	4.0
		CSB	6.0

Annex VII-7 (continued 2)

Alternative B

Section	Required SN	Composition	Thickness (Inches)
I1	2.18 ^{/1}	AC CLB GLSB	1.2 4.8 8.0
	0.42 ^{/2}	RAC	1.2
II	2.15 ^{/1}	AC CLB GLSB	1.2 4.8 8.0
	0.43 ^{/2}	RAC	1.2
III	2.48 ^{/1}	AC CLB GLSB	1.2 4.8 11.2
	0.47 ^{/2}	RAC	1.2
IV	2.66 ^{/1}	AC CLB GLSB	1.2 6.0 11.2
	0.52 ^{/2}	RAC	1.2
V	1.92 ^{/1}	AC CLB GLSB	1.2 4.8 6.4
	0.36 ^{/2}	RAC	0.6

/1: SN value for 10 years design period.

/2: SN value after 10 years overlaid.

Annex VII-7 (continued 3)

Alternative C

Section	Required SN	Composition	Thickness (Inches)
I	2.18 ^{/1}	RAC MLB GLSB	0.6 6.0 14.0
	0.42 ^{/2}	RAC	1.2
II	2.15 ^{/1}	RAC CLB GLSB	0.6 4.8 12.0
	0.43 ^{/2}	RAC	1.2
III	2.48 ^{/1}	RAC CLB GLSB	1.2 6.0 12.0
	0.47 ^{/2}	RAC	1.2
IV	2.66 ^{/1}	RAC CLB GLSB	1.2 6.0 13.0
	0.52 ^{/2}	RAC	1.2
V	1.92 ^{/1}	RAC MLB GLSB	0.6 6.0 12.6
	0.36	RAC	0.3

/1: SN value for 10 years design period.

/2: SN value after 10 years overlaid.

Annex VII-7 (continued 4)

Alternative D

Section	Required SN	Composition	Thickness (Inches)
I	1.85 ^{/1}	RAC	0.3
		MLB	6.0
		GLSB	12.0
	0.33 ^{/2}	RAC	0.3
	0.20 ^{/3}	RAC	1.2
	0.22 ^{/4}	RAC	1.2
II	1.82 ^{/1}	RAC	0.3
		MLB	6.0
		GLSB	12.0
	0.33 ^{/2}	RAC	0.3
	0.22 ^{/3}	RAC	1.2
	0.21 ^{/4}	RAC	1.2
III	2.12 ^{/1}	RAC	0.3
		CLB	6.0
		GLSB	13.2
	0.36 ^{/2}	RAC	1.2
	0.25 ^{/3}	RAC	1.2
	0.22 ^{/4}	RAC	1.2
IV	2.33 ^{/1}	RAC	0.6
		CLB	6.0
		GLSB	10.4
	0.33 ^{/2}	RAC	1.2
	0.29 ^{/3}	RAC	1.2
	0.23 ^{/4}	RAC	1.2
V	1.65 ^{/1}	RAC	0.3
		MLB	6.0
		GLSB	10.0
	0.27 ^{/2}	RAC	1.2
	0.18 ^{/3}	RAC	0.6
	0.18 ^{/4}	RAC	0.3

- ^{/1}: SN value for 5 years design period.
^{/2}: SN value after 5 years overlaid.
^{/3}: SN value after 5 years overlaid.
^{/4}: SN value after 5 years overlaid.

Cost Comparison of Alternative Pavement

最適な舗装構造を選定するために各道路セクションごとにコスト（舗装費，維持管理費および自動車走行費の3種類）比較を行った。

自動車走行費の節約を除けば他の経済便益は各代替案とも等しいので，12%で割り引いて求めた現在コストの一番小さい代替案が最適案となる。

計算の結果，次表に示すように代替案B案が最適案となる。

Cost Comparison of the Alternative
Pavement Structure (Present Value)^{/1}

	(US\$1,000)				
	I	II	III	IV	V
Alternative A	19,639	20,846	40,133	66,832	4,970
Alternative B	16,854	17,514	35,814	57,567	4,199
Alternative C	17,570	17,517	37,419	60,434	4,369
Alternative D	17,641	17,987	38,319	61,825	4,361

^{/1} : Discounted at 12%

Table VII.2 Cost Comparison of the Alternative Pavement Structure

(US\$1,000)

	Section I	Section II	Section III	Section IV	Section V	Total
<u>Alternative-A</u>						
1) Cost for Pavement Structure	8,174	10,270	13,440	23,126	2,350	57,360
a) Initial Cost	-	-	-	-	-	-
b) Reconstruction Cost	160	203	284	444	49	1,140
2) Annual Maintenance Cost ^{/1}	3,050	2,912	6,926	11,431	695	25,014
3) Annual VOC ^{/2}						
<u>Alternative-B</u>						
1) Cost for Pavement Structure	3,947	5,253	6,766	9,250	1,218	26,434
a) Initial Cost	1,430	1,803	2,117	2,960	288	8,598
b) Reconstructions Cost	160	203	284	444	49	1,140
2) Annual Maintenance Cost ^{/1}	3,089	2,948	7,015	11,619	704	25,375
3) Annual VOC ^{/2}						
<u>Alternative-C</u>						
1) Cost for Pavement Structure	4,152	4,684	6,941	9,547	1,344	26,668
a) Initial Cost	1,430	1,803	2,117	2,960	307	8,617
b) Reconstruction Cost	155	161	304	491	41	1,152
2) Annual Maintenance Cost ^{/1}	3,252	3,105	7,382	12,231	738	26,708
3) Annual VOC ^{/2}						
<u>Alternative-D</u>						
1) Cost for Pavement Structure	3,568	4,500	6,186	7,333	1,007	22,594
a) Initial Cost	3,287	4,155	6,351	8,880	912	25,585
b) Reconstruction Cost	155	161	304	491	41	1,152
2) Annual Maintenance Cost ^{/1}	3,307	3,151	7,488	12,629	746	27,321
3) Annual VOC ^{/2}						

^{/1} Maintenance cost at the 10th year after open
^{/2} VOC at the 10th year after open

Annex VII-9

Detailed Cost Estimate of the Project

Section I (44.5km)				(US\$)		
Item	Quantity	Unit Cost	Total Cost	Foreign Currency Portion	Local Currency Portion	
1. Site Clearance	38 ha	4,000	152,000	121,600	30,400	
2. Earthworks						
Common Rd. Excav.	490,000 m ³	5.5	2,695,000	2,058,000	637,000	
Rock Rd. Excav.						
Barrow Excav.	120,000 m ³	7.6	912,000	708,000	204,000	
Waste Excav.	200,000 m ³	3.2	640,000	500,000	140,000	
3. Pavement						
Surface	311,000 m ²	6.0	1,866,000	1,523,900	342,100	
Base	311,000 m ²	4.2	1,306,200	1,057,400	248,800	
Sub-base	233,000 m ³	2.8	652,400	535,900	116,500	
Shoulder	47,000 m ³	8.6	404,200	333,700	70,500	
4. Drainage						
Cor-pipe (Ø1.0)	295 1.m	240	70,800	59,000	11,800	
Cor-pipe (Ø1.5)	165 1.m	430	70,950	61,050	9,900	
Cor-pipe (Ø1.8)	30 1.m	860	25,800	21,900	3,900	
C-Box (0.8x0.8)	30 1.m	340	10,200	5,700	4,500	
C-Box (3.0x3.0)	50 1.m	2,000	100,000	55,000	45,000	
Side Ditch in Shoulder	21,300 1.m	4.8	102,240	72,420	29,820	
5. Miscellaneous						
Traffic Signs	180 No.	500	90,000	81,000	9,000	
Road Marking	44,400 1.m	1.5	66,600	53,280	13,320	
Km Post	44 No.	150	6,600	3,960	2,640	
Guard Rail	4,400 1.m	12.5	55,000	44,000	11,000	
6. Mobilization			150,000	142,500	7,500	
7. Right of Way			111,000		111,000	
8. Contingency			948,699	743,831	204,868	
9. Engineering			1,138,439	892,597	245,842	
Grand Total			11,574,128	9,074,738	2,499,390	

Annex VII-9 (continued 2)

Section II (56.0km)

(US\$)

Item	Quantity	Unit Cost	Total Cost	Foreign Currency Portion	Local Currency Portion
1. Site Clearance	54 ha	4,600	248,400	198,720	49,680
2. Earthworks					
Common Rd. Excav.	600,000 m ³	5.7	3,420,000	2,640,000	780,000
Rock Rd. Excav.	9,000 m ³	8.4	75,600	58,500	17,100
Barrow Excav.	50,000 m ³	7.0	350,000	270,000	80,000
Waste Excav.	550,000 m ³	3.2	1,760,000	1,375,000	385,000
3. Pavement					
Surface	392,000 m ²	5.8	2,273,600	1,881,600	392,000
Base	392,000 m ²	4.7	1,842,400	1,528,800	313,600
Sub-base	294,000 m ³	3.2	940,800	764,400	176,400
Shoulder	59,000 m ³	9.8	578,200	472,000	106,200
4. Drainage					
Cor-pipe (ø1.0)	170 l.m.	240	40,800	34,000	6,800
Cor-pipe (ø1.5)	200 l.m.	430	86,000	74,000	12,000
Cor-pipe (ø1.8)	25 l.m.	860	21,500	18,250	3,250
C-Box (0.8x0.8)	40 l.m.	340	13,600	7,600	6,000
C-Box (3.0x3.0)	40 l.m.	2,000	80,000	44,000	36,000
Side Ditch in Shoulder	54,300 l.m.	4.8	260,640	184,620	76,020
5. Miscellaneous					
Traffic Signs	230 No.	500	115,000	103,500	11,500
Road Marking	56,000 l.m.	1.5	84,000	67,200	16,800
Km Post	56 No.	150	8,400	5,040	3,360
Guard Rail	5,100 l.m.	12.5	63,570	51,000	12,750
6. Mobilization			190,000	180,500	9,500
7. Right of Way			142,000		142,000
8. Contingency			1,259,469	995,873	263,596
9. Engineering			1,511,363	1,195,048	316,315
Grand Total			15,365,522	12,149,651	3,215,871

Annex VII-9 (continued 3)

Section III (68.7km)				(US\$)	
Item	Quantity	Unit Cost	Total Cost	Foreign Currency Portion	Local Currency Portion
1. Site Clearance	72 ha	5,700	410,400	328,320	82,080
2. Earthworks					
Common Rd. Excav.	540,000 m ³	5.3	2,862,000	2,214,000	648,000
Rock Rd. Excav.	20,000 m ³	8.2	164,000	126,000	38,000
Barrow Excav.	50,000 m ³	7.2	360,000	275,000	85,000
Waste Excav.	680,000 m ³	3.2	2,176,000	1,700,000	476,000
3. Pavement					
Surface	461,000 m ²	5.8	2,673,800	2,212,800	461,000
Base	461,000 m ²	4.7	2,166,700	1,797,900	368,800
Sub-base	346,000 m ³	4.5	1,557,000	1,280,200	276,800
Shoulder	97,000 m ³	13.8	1,338,600	1,096,100	242,500
4. Drainage					
Cor-pipe (ø1.0)	280 l.m	250	70,000	58,800	11,200
Cor-pipe (ø1.5)	475 l.m	440	209,000	175,750	33,250
Cor-pipe (ø1.8)	65 l.m	900	58,500	49,725	8,775
C-Box (0.8x0.8)	60 l.m	360	21,600	12,000	9,600
C-Box (3.0x3.0)	55 l.m	2,040	112,200	61,600	50,600
Side Ditch in Shoulder	60,000 l.m	4.9	294,000	204,000	90,000
5. Miscellaneous					
Traffic Signs	460 No.	505	232,300	209,300	23,000
Road Marking	68,700 l.m	1.6	109,920	89,310	20,610
Km Post	68 No.	155	10,540	6,324	4,216
Guard Rail	4,800 l.m	13.0	62,400	51,840	12,960
6. Mobilization			220,000	209,000	11,000
7. Right of Way			121,000		121,000
8. Contingency			1,522,996	1,215,605	307,391
9. Engineering			1,827,596	1,458,726	368,870
Grand Total			18,580,552	14,830,380	3,750,172

Annex VII-9 (continued 4)

Section IV-A (23.5km)					
Item	Quantity	Unit Cost	Total Cost	(US\$)	
				Foreign Currency Portion	Local Currency Portion
1. Site Clearance	22 ha	3,700	81,400	65,120	16,280
2. Earthworks					
Common Rd. Excav.	150,000 m ³	5.7	855,000	660,000	195,000
Rock Rd. Excav.					
Barrow Excav.					
Waste Excav.	200,000 m ³	3.2	640,000	500,000	140,000
3. Pavement					
Surface	165,000 m ²	5.7	940,500	775,500	165,000
Base	165,000 m ²	5.6	924,000	759,000	165,000
Sub-base	124,000 m ³	4.0	496,000	409,200	86,800
Shoulder	43,000 m ³	11.1	477,300	391,300	86,000
4. Drainage					
Cor-pipe (Ø1.0)	45 l.m	260	11,700	9,900	1,800
Cor-pipe (Ø1.5)	95 l.m	450	42,750	36,100	6,650
Cor-pipe (Ø1.8)	15 l.m	920	13,800	11,700	2,100
C-Box (0.8x0.8)	15 l.m	380	5,700	3,150	2,550
C-Box (3.0x3.0)	25 l.m	2,060	51,500	28,250	23,250
Side Ditch in Shoulder	12,600 l.m	5.2	65,520	45,360	20,160
5. Miscellaneous					
Traffic Signs	100 No.	510	51,000	46,000	5,000
Road Marking	23,500 l.m	1.7	39,950	32,900	7,050
Km Post	23 No.	160	3,680	2,300	1,380
Guard Rail	2,200 l.m	13.5	29,700	23,760	5,940
6. Mobilization			82,770	78,632	4,138
7. Right of Way			60,609	0	60,609
8. Contingency			487,288	387,817	99,471
9. Engineering			584,745	465,381	119,364
Grand Total			5,944,912	4,731,370	1,213,542

Annex VII-9 (continued 5)

Section IV-B (44.6km)						(US\$)
Item	Quantity	Unit Cost	Total Cost	Foreign Currency Portion	Local Currency Portion	
1. Site Clearance	42 ha	3,700	155,400	124,320	31,080	
2. Earthworks Common Rd. Excav. Rock Rd. Excav. Borrow Excav. Waste Excav.	73,000 m ³ 100,000 m ³	5.7 3.2	4,161,000 320,000	3,212,000 250,000	949,000 70,000	
3. Pavement Surface Base Sub-base Shoulder	312,000 m ² 312,000 m ² 234,000 m ³ 82,000 m ³	5.7 5.6 4.0 11.1	1,778,400 1,747,200 936,000 910,200	1,466,400 1,435,200 772,200 746,200	312,000 312,000 163,800 164,000	
4. Drainage Cor-pipe (d1.0) Cor-pipe (d1.5) Cor-pipe (d1.8) C-Box (0.8x0.8) C-Box (3.0x3.0) Side Ditch in Shoulder	125 1.m 50 1.m 80 1.m 20 1.m 10 1.m 24,500 1.m	260 450 920 380 2,060 5.2	32,500 22,500 73,600 7,600 20,600 127,400	27,500 19,000 62,400 4,200 11,300 88,200	5,000 3,500 11,200 3,400 9,300 39,200	
5. Miscel- laneous Traffic Signs Road Marking Fr Post Guard Rail	180 No. 44,600 1.m 45 No. 4,100 1.m	510 1.7 160 13.5	91,800 75,820 7,200 55,350	82,800 62,440 4,500 44,280	9,000 13,380 2,700 11,070	
6. Mobili- zation			156,860	149,017	7,843	
7. Right of Way			114,862		114,862	
8. Contingency			1,079,429	856,196	223,233	
9. Engineer- ing			1,295,315	1,027,435	267,880	
Grand Total			13,169,036	10,445,588	2,723,448	

Annex VII-9 (continued 6)

Section IV-C (22.0km)				(US\$)		
Item	Quantity	Unit Cost	Total Cost	Foreign Currency Portion	Local Currency Portion	
1. Site Clearance	19 ha	3,700	70,300	56,240	14,060	
2. Earthworks						
Common Rd. Excav.	400,000 m ³	5.7	2,280,000	1,760,000	520,000	
Rock Rd. Excav. Barrow	130,000 m ³	8.2	1,066,000	819,000	247,000	
Waste Excav.						
3. Pavement						
Surface	140,000 m ²	5.7	798,000	658,000	140,000	
Base	140,000 m ²	5.6	784,000	644,000	140,000	
Sub-base	105,000 m ³	4.0	420,000	346,500	73,500	
Shoulder	37,000 m ³	11.1	410,700	336,700	74,000	
4. Drainage						
Cor-pipe (ø1.0)	45 l.m.	260	11,700	9,900	1,800	
Cor-pipe (ø1.5)	60 l.m.	450	27,000	22,800	4,200	
Cor-pipe (ø1.8)	10 l.m.	920	9,200	7,800	1,400	
C-Box (0.8x0.8)	15 l.m.	380	5,700	3,150	2,550	
C-Box (3.0x3.0)	5 l.m.	2,060	10,300	5,650	4,650	
Side Ditch in Shoulder	11,600 l.m.	5.2	60,320	41,760	18,560	
5. Miscellaneous						
Traffic Signs	80 No.	510	40,800	36,800	4,000	
Road Marking	20,000 l.m.	1.7	34,000	28,000	6,000	
Km Post	20 No.	160	3,200	2,000	1,200	
Guard Rail	1,800 l.m.	13.5	24,300	19,440	4,860	
6. Mobilization			70,370	66,852	3,518	
7. Right of Way			51,529		51,529	
8. Contingency			617,742	486,459	131,283	
9. Engineering			741,290	583,751	157,539	
Grand Total			7,536,451	5,934,802	1,601,649	

Annex VII-9 (continued 7)

Section V (13.7km)				(US\$)	
Item	Quantity	Unit Cost	Total Cost	Foreign Currency Portion	Local Currency Portion
1. Site Clearance	12 ha	3,400	40,800	32,640	8,160
2. Earthworks					
Common Rd. Excav.	100,000 m ³	5.8	580,000	450,000	130,000
Rock Rd. Excav.					
Barrow Waste Excav.	110,000 m ³	3.3	363,000	275,000	88,000
3. Pavement					
Surface	96,000 m ²	6.2	595,200	489,600	105,600
Base	96,000 m ²	4.5	432,000	355,200	76,800
Sub-base	72,000 m ³	2.3	165,600	136,800	28,800
Shoulder	13,000 m ³	8.9	115,700	94,900	20,800
4. Drainage					
Cor-pipe (Ø1.0)	35 l.m	270	9,450	8,050	1,400
Cor-pipe (Ø1.5)	65 l.m	460	29,900	25,350	4,550
Cor-pipe (Ø1.8)					
C-Box (0.8x0.8)					
C-Box (3.0x3.0)					
Side Ditch in Shoulder	8,200 l.m	5.7	46,740	32,800	13,940
5. Miscellaneous					
Traffic Signs	50 No.	520	26,000	23,500	2,500
Road Marking	13,700 l.m	2.0	27,400	21,920	5,480
Km Post	14 No.	165	2,310	1,386	924
Guard Rail	1,100 l.m	14.0	15,400	12,320	3,080
6. Mobilization			50,000	47,500	2,500
7. Right of Way			34,000		34,000
8. Contingency			253,350	200,697	52,653
9. Engineering			306,420	242,737	63,683
Grand Total			3,093,270	2,450,400	642,870

Annex VII-10

Road Maintenance Cost of Lofa Area

セントポール川とメンディコマ間(226.5 Km)における既存道路の維持管理費と計算式により求めたものを次に示す。

1. 1978年に実際に支払われた費用

1) 7台の機械の燃料	54,261	ドル
2) 7台の車の燃料	36,310	ドル
3) 潤滑油	18,346	ドル
4) 部品	13,688	ドル
5) タイヤおよびチューブ	19,068	ドル
6) 減価償却費	35,948	ドル
7) 人件費	169,009	ドル
8) 雑費	887	ドル
合計	347,517	ドル

1 Km当りの費用

$$K_A = \frac{347,517 \text{ ドル}}{226.5 \text{ Km}} = 1,534.3 \text{ ドル/Km}$$

となる。

2. 計算式による方法

1) 交通量調査による平均日交通量は次の通りである。

セントポール川 — ゴロゾロ (56.0 Km)	224	台/日
ゴロゾロ — ロファ川 (68.7 Km)	404	台/日
ロファ川 — セロ (88.1 Km)	471	台/日
セロ — メンディコマ (13.7 Km)	225	台/日
加重平均	375	台/日

2) ラテライト道路の維持管理費は次式により求められる。

$$K = K_b \left(1 + \frac{T - T_b}{2 \times T_b} \right)$$

ここに $K =$ 維持管理費

$K_b =$ 最小コスト (ガンタ〜サニケリおよびガンタ〜タピタのコスト),
725.3 ドル/Km

$T_b = 100$

$T =$ 交通量

よって

$$K_B = 725.3 \left(1 + \frac{375 - 100}{2 \times 100} \right) = 1,722.6 \text{ ドル/Km}$$

実際に支払われた費用と計算から求めた費用との差は、誤差の範囲に入るので、この計算式を維持管理費の算定に使用する。

3. 価格上昇の検討

1978年に支払われた費用を1979年価格にして算定すると次の通りである。

1) 7台の機械の燃料	111,913	ドル
2) 7台の車の燃料	74,889	ドル
3) 潤滑油	31,527	ドル
4) 部品	13,688	ドル
5) タイヤおよびチューブ	19,068	ドル
6) 減価償却費	35,948	ドル
7) 人件費	229,770	ドル
8) 雑費	887	ドル
合計	517,690	ドル

1 Km当りの費用は

$$K' = \frac{517,690 \text{ ドル}}{226.5 \text{ Km}} = 2,285.6 \text{ ドル/Km}$$

となる。

従って、コスト上昇は

$$E = \frac{K'}{K_B} = \frac{2,285.6}{1,722.6} = 1.3$$

ここに $E:$ 上昇比

Annex VIII-1
Costs and Benefits Statement

(US\$1,000)

Section I

Year	Costs			Benefits			Discounted at 12%		
	Capital Cost	Maintenance Cost	Total Cost	VOC Saving	Time Saving	Saving of Maintenance Cost	Total Benefit	Costs	Benefits
1981	2,242		2,242					2,002	-
1982	3,362		3,362					2,680	-
1983	4,483		4,483					3,191	-
1984	1,121	120	1,241	1,005	32	71	1,108	3,789	704
1985		160	160	1,441	47	100	1,588	91	901
1986		160	160	1,549	50	106	1,705	81	864
1987		160	160	1,666	54	113	1,833	72	829
1988		160	160	1,791	58	120	1,969	65	795
1989		160	160	1,926	63	128	2,117	58	763
1990		160	160	2,071	68	136	2,275	52	732
1991		160	160	2,227	73	145	2,445	46	703
1992		160	160	2,395	79	155	2,629	41	675
1993		160	160	2,575	85	164	2,824	37	647
1994		1,591	1,591	2,769	92	176	3,037	326	621
1995		160	160	2,936	97	186	3,219	29	588
1996		160	160	3,113	104	197	3,414	26	557
1997		165	165	3,300	110	208	3,618	24	527
1998		170	170	3,499	117	220	3,836	22	499
1999		176	176	3,710	124	233	4,067	20	472
2000		182	182	3,934	132	246	4,312	19	447
2001		188	188	4,171	141	260	4,572	17	423
2002		194	194	4,422	150	276	4,848	16	401
2003		202	202	4,689	159	292	5,140	15	379
Total	11,208	4,748	15,956	55,189	1,835	3,532	60,556	9,719	12,527

Net Present Value: 2,808 Benefit Cost Ratio: 1.3 EIRR(%): 15.4

Annex VIII-1 (continued-2)
Costs and Benefits Statement

(US\$1,000)

Section II

Year	Costs			Benefits			Discounted at 12%
	Capital Cost	Maintenance Cost	Total Cost	VOC Saving	Time Saving	Saving of Maintenance Cost	
1981							-
1982							-
1983	478		478				340
1984	478	91	569	471		91	362
1985	3,004	96	3,100	512		96	1,759
1986	4,507	101	4,608	556		101	2,335
1987	6,009	107	6,116	605		107	2,767
1988	1,502	182	1,684	1,398	38	114	680
1989		203	203	1,773	54	121	73
1990		203	203	1,910	59	129	65
1991		203	203	2,057	63	137	58
1992		203	203	2,216	69	145	52
1993		203	203	2,388	74	155	47
1994		203	203	2,572	80	165	42
1995		203	203	2,729	85	174	37
1996		203	203	2,896	91	184	33
1997		203	203	3,073	97	195	30
1998		1,967	1,967	3,261	103	206	256
1999		203	203	3,460	110	217	24
2000		203	203	3,672	117	230	21
2001		203	203	3,896	125	243	19
2002		205	205	4,134	133	257	17
2003		212	212	4,387	141	272	16
Total	15,958	5,397	21,355	47,966	1,439	3,339	9,033
							9,806

Net Present Value: 773 Benefit Cost Ratio: 1.1 EIRR(%): 13.5

Annex VIII-1 (continued 3)
Costs and Benefits Statement

(US\$1,000)

Section III

Year	Costs			Benefits			Discounted at 12%	
	Capital Cost	Maintenance Cost	Total Cost	VOC Saving	Time Saving	Saving of Maintenance Cost	Costs	Benefits
1981							-	-
1982							-	-
1983	3,599		3,599				2,562	
1984	5,399		5,399				3,431	
1985	7,199		7,199				4,085	
1986	1,800	186	1,986	1,822	81	170	1,006	1,050
1987		249	249	2,610	116	241	113	1,342
1988		249	249	2,804	125	257	101	1,287
1989		249	249	3,012	135	274	90	1,234
1990		249	249	3,235	145	292	80	1,182
1991		252	252	3,476	157	313	72	1,134
1992		262	262	3,734	169	334	67	1,088
1993		273	273	4,011	182	357	63	1,043
1994		284	284	4,309	196	382	58	1,000
1995		294	294	4,556	208	403	54	944
1996		2,425	2,425	5,535	221	426	396	1,008
1997		315	315	6,667	234	450	46	1,071
1998		326	326	7,968	249	476	42	1,130
1999		338	338	9,460	264	503	39	1,187
2000		351	351	11,168	280	532	36	1,242
2001		365	365	13,122	298	563	34	1,294
2002		379	379	15,354	316	596	31	1,344
2003		394	394	17,902	336	631	29	1,392
Total	17,997	7,440	25,437	120,745	3,712	7,200	12,435	20,972

Net Present Value: 8,537 Benefit Cost Ratio: 1.7 EIRR(%): 18.9

Annex VIII-1 (continued 4)
Costs and Benefits Statement

(US\$1,000)

Section IV

Year	Costs			Benefits			Discounted at 12%		
	Capital Cost	Maintenance Cost	Total Cost	VOC Saving	Time Saving	Saving of Maintenance Cost		Total	
								Costs	Benefits
1981	2,557		2,557				2,283	-	
1982	3,836		3,836				3,058	-	
1983	7,730		7,730				5,502	-	
1984	5,202	124	5,326	1,489	70	129	3,385	1,073	
1985	5,231	166	5,397	2,128	100	183	3,062	1,368	
1986	1,308	288	1,596	4,363	186	338	809	2,476	
1987		359	359	4,793	228	411	162	2,457	
1988		370	370	5,137	245	438	149	2,351	
1989		382	382	5,505	264	468	138	2,249	
1990		393	393	5,899	284	500	127	2,152	
1991		405	405	6,322	305	535	116	2,059	
1992		418	418	6,776	328	572	107	1,970	
1993		431	431	7,261	352	611	99	1,885	
1994		1,942	1,942	7,782	378	654	397	1,804	
1995		460	460	8,514	401	690	84	1,755	
1996		1,941	1,941	10,478	424	727	317	1,897	
1997		495	495	12,755	449	767	72	2,035	
1998		513	513	15,393	475	810	67	2,169	
1999		533	533	18,442	502	854	62	2,299	
2000		554	554	21,963	532	901	57	2,425	
2001		576	576	26,020	563	952	53	2,549	
2002		600	600	30,693	596	1,005	50	2,669	
2003		625	625	36,067	630	1,061	46	2,786	
Total	25,864	11,575	37,439	237,780	7,312	12,606	20,202	42,428	

EIRR(%): 21.8

Benefit Cost Ratio: 2.1

Net Present Value: 22,226

Annex VIII-1 (continued 5)
Costs and Benefits Statement

(US\$1,000)

Section V

Year	Costs			Benefits			Discounted at 12%
	Capital Cost	Maintenance Cost	Total Cost	VOC Saving	Time Saving	Saving of Maintenance Cost	
1981							-
1982							-
1983	115		115	111		26	82
1984	115	26	141	119		27	90
1985	115	27	142	129		29	81
1986	375	29	404	139		30	205
1987	2,315	30	2,345	139		32	1,061
1988	2,289	45	2,334	261	11	33	135
1989		49	49	320	16	33	18
1990		49	49	340	17	35	16
1991		49	49	362	18	36	14
1992		49	49	384	20	38	13
1993		49	49	408	21	40	11
1994		49	49	434	22	42	10
1995		49	49	457	23	44	9
1996		49	49	481	25	46	8
1997		49	49	506	26	48	7
1998		337	337	532	27	51	44
1999		49	49	560	29	53	6
2000		49	49	589	30	56	5
2001		49	49	620	32	59	5
2002		50	50	653	34	62	4
2003		52	52	687	36	65	4
Total	3,324	1,184	4,508	8,092	387	852	1,828
							9,331
							1,830

Net Present Value: 2 Benefit Cost Ratio: 1.0 EIRR(%): 12.1

Annex VIII-1 (continued 6)
Costs and Benefits Statement

(US\$1,000)

Whole Section

Year	Costs			Benefits			Discounted at 12%	
	Capital Cost	Maintenance Cost	Total Cost	VOC Saving	Time Saving	Saving of Maintenance Cost		Total Benefit
1981	4,799		4,799				4,285	-
1982	7,198		7,198				5,738	-
1983	16,405		16,405				11,677	-
1984	12,315	361	12,676	3,076	102	317	8,056	2,221
1985	15,549	449	15,998	4,200	147	406	9,078	2,697
1986	7,990	764	8,754	8,419	317	744	4,435	4,803
1987	8,324	905	9,229	9,813	398	902	4,175	5,027
1988	1,791	1,006	2,797	11,391	477	961	1,130	5,181
1989		1,043	1,043	12,536	532	1,024	376	5,082
1990		1,054	1,054	13,455	573	1,092	339	4,868
1991		1,069	1,069	14,444	616	1,166	307	4,665
1992		1,092	1,092	15,505	665	1,244	280	4,470
1993		1,116	1,116	16,643	714	1,327	256	4,282
1994		4,068	4,068	17,866	768	1,419	832	4,103
1995		1,166	1,166	19,192	814	1,497	213	3,929
1996		4,778	4,778	22,503	865	1,580	779	4,070
1997		1,227	1,227	26,301	916	1,668	179	4,207
1998		3,313	3,313	30,653	971	1,763	431	4,342
1999		1,299	1,299	35,632	1,029	1,860	151	4,473
2000		1,339	1,339	41,326	1,091	1,965	139	4,601
2001		1,381	1,381	47,829	1,159	2,077	128	4,727
2002		1,428	1,428	55,256	1,229	2,196	118	4,850
2003		1,485	1,485	63,732	1,302	2,321	110	4,970
Total	74,371	30,343	104,714	469,772	14,685	27,529	511,986	87,568

Net Present Value: 34,356 Benefit Cost Ratio: 1.6 EIRR(%): 18.9

Annex VIII-1 (continued 7)

Costs and Benefits Statement

(US\$1,000)

Year	Costs			Benefits			Discounted at 12%
	Capital Cost	Maintenance Cost	Total Cost	VOC Saving	Time Saving	Saving of Maintenance Cost	
1981	4,799		4,799				4,285
1982	7,198		7,198				5,738
1983	9,597		9,597				6,831
1984	2,400	244	2,644	2,494	102	200	1,680
1985		326	326	3,569	147	283	185
1986		337	337	3,777	158	302	171
1987		343	343	4,110	170	323	155
1988		349	349	4,411	183	343	141
1989		355	355	4,734	198	367	128
1990		360	360	5,079	214	391	116
1991		367	367	5,451	229	417	106
1992		373	373	5,851	246	447	96
1993		380	380	6,278	265	476	87
1994		3,315	3,315	6,738	285	510	678
1995		395	3,395	7,278	302	538	72
1996		403	403	8,457	320	568	66
1997		417	417	9,805	339	599	61
1998		432	432	11,349	359	633	56
1999		448	448	13,115	380	669	52
2000		465	465	15,135	403	706	48
2001		481	481	17,441	428	746	45
2002		500	500	20,075	454	789	41
2003		521	521	23,083	480	833	38
Total	23,994	10,811	34,805	178,230	5,662	10,140	194,032
							20,876
							35,384

Net Present Value: 14,508

Benefit Cost Ratio: 1.7

EIRR(%): 18.8

Annex VIII-1 (continued 8)

Costs and Benefits Statement

(US\$1,000)

Package II

Year	Costs			Benefits			Total Benefit	Discounted at 12%	
	Capital Cost	Maintenance Cost	Total Cost	VOC Saving	Time Saving	Saving of Maintenance Cost			Costs
1981									
1982			6,215					4,424	
1983	6,215	297	9,322	3,957	159	312	4,428	5,924	
1984	9,322	425	12,430	4,959	228	442	5,629	7,053	
1985	12,430	430	3,405	5,321	245	472	6,038	1,725	
1986	3,108	436	3,405	5,709	264	503	6,476	192	
1987		442	442	6,126	283	537	6,946	174	
1988		450	450	6,574	306	576	7,456	157	
1989		467	467	7,054	330	614	7,998	142	
1990		484	484	7,569	354	656	8,579	129	
1991		502	502	8,122	381	702	9,205	120	
1992		519	519	8,728	404	741	9,873	111	
1993		519	519	10,669	429	782	11,880	103	
1994		558	558	12,917	454	826	14,197	95	
1995		577	577	15,511	482	873	16,866	673	
1996		599	599	18,497	510	921	19,928	81	
1997		622	622	21,930	541	973	23,444	75	
1998		648	648	25,872	574	1,029	27,475	70	
1999		673	673	30,394	608	1,088	32,090	64	
2000		700	700	35,575	645	1,151	37,371	60	
2001								56	
2002								52	
2003									
Total	31,075	12,952	44,027	235,484	7,197	13,198	255,879	21,480	40,545

Net Present Value: 19,065

Benefit Cost Ratio: 1.9

EIRR(%): 20.6

Annex VIII-1 (continued 9)

Costs and Benefits Statement

(US\$1,000)

Package III

Year	Costs			Benefits			Discounted at 12%	
	Capital Cost	Maintenance Cost	Total Cost	VOC Saving	Time Saving	Saving of Maintenance Cost		Total Benefit
1981								
1982			593				699	422
1983	593	117	710	582		117	754	451
1984	593	123	3,242	631		123	815	1,840
1985	3,119	130	5,012	685		130	881	2,539
1986	4,882	137	8,461	744		137	1,854	3,827
1987	8,324	227	2,018	1,659	49	146	2,317	815
1988	1,791	252	252	2,093	70	154	2,490	91
1989		252	252	2,250	76	164	2,673	81
1990		252	252	2,419	81	173	2,872	72
1991		252	252	2,600	89	183	3,086	65
1992		252	252	2,796	95	195	3,315	58
1993		252	252	3,006	102	207	3,512	52
1994		252	252	3,186	108	218	3,723	46
1995		252	252	3,377	116	230	3,945	41
1996		252	252	3,579	123	243	4,180	37
1997		252	252	3,793	130	257	4,429	300
1998		2,304	2,304	4,020	139	270	4,694	29
1999		252	252	4,261	147	286	4,975	26
2000		252	252	4,516	157	302	5,273	23
2001		252	252	4,787	167	319	5,588	21
2002		255	255	5,074	177	337	62,075	19
2003		264	264				10,855	11,638
Total	19,302	6,581	25,883	56,058	1,826	4,191		

Net Present Value: 783

Benefit Cost Ratio: 1.1

ERR(%): 13.3

JICA