

*** Measured Data List ***

Date 1984/ 11/11 Tx Bipole No.1

Station No.21

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8689 E-1	0.5295 E-4	224	0.700	0.70	40.1	80
13	1024	0.6492 E±0	0.1468 E-3	425	0.456	0.46	26.1	130
12	512	0.3650 E±0	0.2885 E-3	628	6.796	0.51	29.4	150
11	256	0.7271 E±0	0.6995 E-3	844	0.555	0.56	31.8	170
10	128	0.1230 E+1	0.1602 E-2	921	0.622	0.62	35.7	170
9	64	0.1228 E+1	0.2408 E-2	813	0.510	0.51	29.2	170
8	32	0.3146 E+1	0.7184 E-2	1198	0.317	0.32	18.2	170
7	16	0.3417 E+1	0.8588 E-2	1979	0.215	0.21	12.3	170
6	8	0.3093 E+1	0.8186 E-2	3570	0.094	0.09	5.4	170
5	4	0.2963 E+1	0.7561 E-2	7676	-0.215	-0.22	-12.3	170

0.

Date 1984/ 11/11 Tx Bipole No.1

Station No. 22

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1033 E±0	0.7688 E-4	176	0.499	0.50	28.6	80
13	1024	0.1981 E±0	0.1974 E-3	197	-5.682	0.60	34.4	130
12	512	0.2877 E±0	0.3649 E-3	243	0.685	0.69	39.3	150
11	256	0.5329 E±0	0.8702 E-3	270	0.716	0.72	41.0	170
10	128	0.8361 E±0	0.1975 E-2	259	0.697	0.70	39.9	170
9	64	0.8409 E±0	0.3007 E-2	249	0.465	0.46	26.6	170
8	32	0.2385 E+1	0.8723 E-2	468	0.316	0.32	18.1	170
7	16	0.2584 E+1	0.1012 E-1	815	0.375	0.38	21.5	170
6	8	0.1978 E+1	0.9431 E-2	1099	0.485	0.48	27.8	170
5	4	0.1363 E+1	0.8731 E-2	1218	0.505	0.50	28.9	170

*** Measured Data List ***

Station No. 23 Date 1984/ 11/ 11 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1342 E±0	0.6819 E-4	445	0.575	0.57	32.9	8.0
13	1024	0.2970 E±0	0.1719 E-3	549	0.650	0.65	37.2	13.0
12	512	0.4504 E±0	0.3461 E-3	661	0.663	0.66	38.0	15.0
11	256	0.8357 E±0	0.8626 E-3	705	0.630	0.63	36.1	17.0
10	128	0.1329 E+1	0.1958 E-2	751	0.640	0.64	36.7	17.0
9	64	0.1570 E+1	0.3151 E-2	776	0.376	0.38	21.6	17.0
8	32	0.4449 E+1	0.9046 E-2	1512	0.250	0.25	14.3	17.0
7	16	0.4776 E+1	0.1034 E-1	2668	6.548	0.27	1.52	17.0
6	8	0.3863 E+1	0.9771 E-2	3907	34.11	0.27	1.54	17.0
5	4	0.3152 E+1	0.8922 E-2	6242	33.26	0.18	1.05	17.0

E

Station No. 24 Date 1984/ 11/ 11 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.6321 E-1	0.8049 E-4	83	0.460	0.46	26.3	8.0
13	1024	0.1814 E±0	0.2671 E-3	90	- 5793	0.49	28.1	13.0
12	512	0.2609 E±0	0.4887 E-3	111	0.547	0.55	31.4	15.0
11	256	0.4770 E±0	0.1135 E-2	137	0.541	0.54	31.0	17.0
10	128	0.7604 E±0	0.2505 E-2	144	0.573	0.57	32.8	17.0
9	64	0.9049 E±0	0.3793 E-2	179	0.347	0.35	19.9	17.0
8	32	0.2473 E+1	0.1069 E-1	335	0.284	0.28	16.3	17.0
7	16	0.2523 E+1	0.1194 E-1	558	0.341	0.34	19.5	17.0
6	8	0.1931 E+1	0.1105 E-1	763	0.411	0.41	23.6	17.0
5	4	0.1366 E+1	0.9715 E-1	990	0.398	0.40	22.8	17.0

*** Measured Data List ***

Station No. 25 Date 1984/ 11/11 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1608 E±0	0.8408 E-4	367	0.682	0.68	39.1	8.0
13	1024	0.3310 E±0	0.2178 E-3	451	0.724	0.72	41.5	13.0
12	512	0.4939 E±0	0.4356 E-3	503	0.673	0.67	38.6	15.0
11	256	0.8972 E±0	0.1051 E-2	569	0.655	0.66	37.5	17.0
10	128	0.1517 E+1	0.2439 E-2	605	0.670	0.67	38.4	17.0
9	64	0.1800 E+1	0.3682 E-2	747	0.527	0.53	30.2	17.0
8	32	0.5161 E+1	0.1007 E-1	1640	0.602	0.60	34.5	17.0
7	16	0.5893 E+1	0.1132 E-1	3385	0.988	0.99	56.6	17.0
6	8	0.5759 E+1	0.1025 E-1	7893	1.546	1.55	88.6	17.0
5	4	0.5764 E+1	0.9075 E-2	20169	2.096	-1.05	-59.9	17.0

Station No. 26 Date 1984/ 11/12 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1602 E±0	1.0115 E-4	2048	0.809	0.81	46.3	8.0
13	1024	0.3546 E±0	0.2911 E-3	1024	-5.513	0.77	44.1	13.0
12	512	0.5347 E±0	0.5771 E-3	512	0.749	0.75	42.9	15.0
11	256	0.9209 E±0	0.1418 E-2	256	0.734	0.73	42.1	17.0
10	128	0.1467 E+1	0.3449 E-2	128	0.791	0.79	45.3	17.0
9	64	0.1491 E+1	0.4959 E-2	64	0.507	0.51	29.1	17.0
8	32	0.3782 E+1	0.1268 E-1	32	0.412	0.41	23.6	17.0
7	16	0.3973 E+1	0.1424 E-1	16	0.583	0.58	33.4	17.0
6	8	0.3060 E+1	0.1342 E-1	8	0.908	0.91	52.0	17.0
5	4	0.2074 E+1	0.1229 E-1	4	1.305	1.30	74.7	17.0

*** Measured Data List ***

Station No. 27

Date 1984/ 11/ 12

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4048 E±0	0.8303 E-4	2375	0.637	0.64	36.5	80
13	1024	0.9176 E±0	0.2295 E-3	3168	0.703	0.70	40.3	130
12	512	0.1479 E+1	0.5043 E-3	3405	0.620	0.62	35.5	150
11	256	0.2804 E+1	0.1266 E-2	4031	0.663	0.66	38.0	170
10	128	0.4903 E+1	0.3288 E-2	3476	6.593	0.31	17.8	170
9	64	0.6226 E+1	0.4729 E-2	5735	0.330	0.33	18.9	170
8	32	0.1428 E+2	0.1167 E-1	9095	0.279	0.28	16.0	170
7	16	0.1382 E+2	0.1316 E-1	13768	0.175	0.17	10.0	170
6	8	0.1328 E+2	0.1291 E-1	25673	0.031	0.03	1.8	170
5	4	0.1338 E+2	0.1234 E-1	58853	-0.069	0.07	-40	170

Station No. 28

Date 1984/ 11/ 12

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4119 E±0	0.9319 E-4	2197	0.516	0.52	29.6	80
13	1024	0.8623 E±0	0.2851 E-3	1790	0.618	0.62	35.4	130
12	512	0.1319 E+1	0.5967 E-3	1949	0.621	0.62	35.6	150
11	256	0.2578 E+1	0.1508 E-2	2284	0.562	0.56	32.2	170
10	128	0.2578 E+1	0.3771 E-2	2383	0.513	0.51	29.4	170
9	64	0.5518 E+1	0.5144 E-2	3595	0.303	0.31	17.5	170
8	32	0.1364 E+2	0.1281 E-1	7089	0.280	0.28	16.0	170
7	16	0.1360 E+2	0.1423 E-1	12440	6.701	0.42	23.9	170
6	8	0.1116 E+2	0.1370 E-1	16587	0.636	0.64	36.4	170
5	4	0.7430 E+1	0.1312 E-1	16044	0.867	0.87	49.7	170

*** Measured Data List ***

Date 1984/ 11/12 Tx Bipole No.1

Station No.29

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2126 E±0	0.9868 E-3	456	0.540	0.54	8.0
13	1024	0.4429 E±0	0.2642 E-3	529	0.689	0.69	13.0
12	512	0.6738 E±0	0.5320 E-3	626	0.689	0.69	15.0
11	256	0.1232 E+1	0.1353 E-2	674	0.682	0.68	17.0
10	128	0.2050 E+1	0.3263 E-2	617	0.621	0.62	17.0
9	64	0.2358 E+1	0.4644 E-2	806	0.404	0.40	17.0
8	32	0.5653 E+1	0.1194 E-1	1402	0.352	0.35	17.0
7	16	0.5591 E+1	0.1343 E-1	2166	0.698	0.41	17.0
6	8	0.4344 E+1	0.1285 E-1	2858	0.493	0.49	17.0
5	4	0.3123 E+1	0.1213 E-1	3320	0.483	0.48	17.0

Date 1984/ 11/12 Tx Bipole No.1

Station No.30

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2386 E±0	0.8029 E-4	883	0.381	0.38	8.0
13	1024	0.5256 E±0	0.2216 E-3	1043	0.565	0.57	13.0
12	512	0.8309 E±0	0.4429 E-3	1288	0.628	0.63	15.0
11	256	0.1439 E+1	0.1095 E-2	1350	0.687	0.69	17.0
10	128	0.2355 E+1	0.2724 E-2	1127	0.702	0.70	17.0
9	64	0.2573 E+1	0.3905 E-2	1357	0.477	0.48	17.0
8	32	0.6343 E+1	0.1008 E-1	2472	0.429	0.43	17.0
7	16	0.6543 E+1	0.1176 E-1	3954	0.596	0.60	17.0
6	8	0.5049 E+1	0.1151 E-1	4803	0.857	0.86	17.0
5	4	0.3282 E+1	0.1044 E-1	4472	1.197	1.20	17.0

*** Measured Data List ***

Station No. 31 Date 1984/ 11/12 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1553 E+1	0.7862 E-4	374	0.494	0.49	283	80
13	1024	0.3478 E±0	0.2097 E-3	570	0.575	0.57	329	130
12	512	0.5514 E±0	0.4376 E-3	620	0.664	0.66	380	150
11	256	0.9789 E±0	0.1103 E-2	620	0.726	0.73	416	170
10	128	0.1205 E+1	0.2081 E-2	507	0.673	0.67	385	170
9	64	0.1815 E+1	0.3965 E-2	660	0.473	0.47	271	170
8	32	0.4270 E+1	0.1022 E-1	1090	0.433	0.43	248	170
7	16	0.4233 E+1	0.1189 E-1	1584	0.792	0.51	292	170
6	8	0.3254 E+1	0.1197 E-1	1841	0.621	0.62	356	170
5	4	0.2243 E+1	0.1207 E-1	1732	0.608	0.61	348	170

Station No. 32 Date 1984/ 11/12 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1075 E±0	0.8141 E-4	173	0.681	0.68	390	80
13	1024	0.2105 E±0	0.2196 E-3	186	0.821	0.82	471	130
12	512	0.2856 E±0	0.4536 E-3	155	0.917	0.92	525	150
11	256	0.4517 E±0	0.1123 E-2	126	0.923	0.92	529	170
10	128	0.7109 E±0	0.2732 E-2	106	0.986	0.99	565	170
9	64	0.6807 E±0	0.3296 E-4	81	0.760	0.76	435	170
8	32	0.1633 E+1	0.1024 E-1	159	0.670	0.67	384	170
7	16	0.1939 E+1	0.1194 E-1	330	1.019	1.02	584	170
6	8	0.1935 E+1	0.1186 E-1	670	1.581	-1.56	-894	170
5	4	0.1938 E+1	0.1126 E-1	1483	2.130	-1.01	-579	170

*** Measured Data List ***

Station No. 33 Date 1984/ 11/ 13 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1780 E±0	0.8529 E-4	403	0.531	0.53	30.4	8.0
13	1024	0.3769 E±0	0.2496 E-3	419	0.555	0.55	31.8	1.30
12	512	0.6189 E±0	0.5306 E-3	532	0.463	0.46	26.5	1.50
11	256	0.1290 E+1	0.1284 E-2	792	0.427	0.43	24.5	1.70
10	128	0.2263 E+1	0.3050 E-2	860	0.413	0.41	23.7	1.70
9	64	0.3149 E+1	0.4626 E-2	1448	0.227	0.23	1.30	1.70
8	32	0.8012 E+1	0.1212 E-1	2731	0.219	0.22	1.26	1.70
7	16	0.7957 E+1	0.1328 E-1	4484	3.414	0.27	1.56	1.70
6	8	0.5693 E+1	1.1111 E-2	6557	6.567	0.28	1.62	1.70
5	4	0.4768 E+1	0.1105 E-1	9315	6.497	0.21	1.22	1.70

Station No. 34 Date 1984/ 11/ 13 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1338 E±0	0.9144 E-4	191	0.599	0.60	34.3	8.0
13	1024	0.3054 E±0	0.2504 E-3	290	0.580	0.58	33.2	1.30
12	512	0.4176 E±0	0.4459 E-3	342	0.579	0.58	33.2	1.30
11	256	0.6882 E±0	0.9575 E-3	403	0.556	0.56	31.9	1.30
10	128	0.1160 E+1	0.2251 E-2	415	0.564	0.56	32.3	1.30
9	64	0.1499 E+1	0.3453 E-2	589	0.344	0.34	1.97	1.30
8	32	0.3949 E+1	0.9319 E-2	1130	0.351	0.35	2.01	1.30
7	16	0.3897 E+1	0.1022 E-1	1816	0.794	0.51	2.93	1.30
6	8	0.2813 E+1	0.9502 E-2	2191	0.747	0.75	4.28	1.30
5	4	0.1745 E+1	0.8877 E-2	1933	0.980	0.98	5.62	1.30

*** Measured Data List ***

Station No. 35

Date 1984/ 11/13

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1469 E±0	0.7743 E-4	351	0.623	0.62	35.7	80
13	1024	0.2716 E±0	0.2401 E-3	288	-5.433	0.85	48.7	130
12	512	0.3506 E±0	0.4238 E-3	267	0.856	0.86	49.1	130
11	256	0.5148 E±0	0.9254 E-3	236	0.796	0.80	45.6	130
10	128	0.8142 E±0	0.2322 E-2	185	0.675	0.68	38.7	130
9	64	0.1142 E+1	0.3673 E-2	302	0.385	0.39	22.1	130
8	32	0.2864 E+1	0.9360 E-2	586	0.391	0.39	22.4	130
7	16	0.2826 E+1	1.0065 E-1	985	0.560	0.56	32.1	130
6	8	0.2071 E+1	0.9147 E-2	1281	0.845	0.85	48.4	130
5	4	0.1305 E+1	0.7938 E-2	1356	1.231	1.23	70.5	130

Station No. 36

Date 1984/ 11/13

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3130 E±0	0.8577 E-4	1129	0.611	0.61	35.0	80
13	1024	0.6419 E±0	0.2542 E-3	1205	0.736	0.74	42.2	130
12	512	0.7930 E±0	0.4474 E-3	1211	0.720	0.72	41.3	130
11	256	0.1268 E+1	0.9519 E-3	1359	0.638	0.64	36.6	130
10	128	0.2140 E+1	0.2316 E-2	1334	0.515	0.52	29.5	130
9	64	0.2991 E+1	0.3573 E-2	2190	0.288	0.29	16.5	130
8	32	0.7695 E+1	0.9346 E-2	4236	0.268	0.27	15.4	130
7	16	0.7573 E+1	0.1007 E-1	7064	6.623	0.34	19.5	130
6	8	0.5604 E+1	0.8869 E-2	9986	0.438	0.44	25.1	130
5	4	0.3780 E+1	0.7686 E-2	12094	0.495	0.49	28.3	130

*** Measured Data List ***

Station No. 37 Date 1984/ 11/13 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.1091 E±0	0.8392 E-4	167	-5654	0.63	36.1	8.0
13	1024	0.2078 E±0	0.2524 E-3	132	0.853	0.85	48.9	13.0
12	512	0.2473 E±0	0.4650 E-3	110	0.803	0.80	46.0	13.0
11	256	0.3742 E±0	0.1030 E-2	103	0.608	0.61	34.8	13.0
10	128	0.7666 E±0	0.2553 E-2	141	6.787	0.50	28.9	13.0
9	64	0.1143 E+1	0.3916 E-2	266	0.332	0.33	19.0	13.0
8	32	0.3327 E+1	1.0070 E-1	682	0.554	0.55	31.7	13.0
7	16	0.3872 E+1	0.1107 E-1	1528	1.044	1.04	59.8	13.0
6	8	0.4005 E+1	0.1036 E-1	3741	1.648	-1.49	-85.6	13.0
5	4	0.4255 E+1	0.9285 E-1	10500	-0.949	-0.95	-54.3	13.0

Station No. 38 Date 1984/ 11/14 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.1672 E±0	0.1269 E-3	172	0.270	0.27	15.5	8.0
13	1024	0.3769 E±0	0.2928 E-3	324	0.370	0.37	21.2	13.0
12	512	0.5081 E±0	0.4721 E-3	453	6.765	0.48	27.6	13.0
11	256	0.8278 E±0	0.9943 E-3	542	0.530	0.53	30.4	13.0
10	128	0.1309 E+1	0.2211 E-2	541	0.582	0.58	33.3	13.0
9	64	0.3238 E+1	0.3238 E-2	688	0.419	0.42	24.0	13.0
8	32	0.3614 E+1	0.8538 E-2	1143	0.401	0.40	23.0	13.0
7	16	0.3476 E+1	0.9717 E-2	1600	0.467	0.47	26.8	13.0
6	8	0.2671 E+1	0.9554 E-2	1955	0.528	0.53	30.2	13.0
5	4	0.1959 E+1	0.9262 E-2	2236	0.468	0.47	26.8	13.0

*** Measured Data List ***

Station No. 39

Date 1984/ 11/14

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1476 E±0	0.9487 E-4	241	0.692	0.69	39.7	80
13	1024	0.3027 E±0	0.2818 E-3	225	0.616	0.62	35.3	130
12	512	0.3887 E±0	0.4908 E-3	245	6.882	0.60	34.3	130
11	256	0.6473 E±0	0.1047 E-2	298	0.579	0.58	33.2	130
10	128	0.1067 E+1	0.2471 E-2	291	68.18	0.53	30.6	130
9	64	0.1377 E+1	0.3657 E-2	443	0.310	0.31	17.8	130
8	32	0.3330 E+1	0.9410 E-2	785	0.278	0.28	15.9	130
7	16	0.3253 E+1	0.1045 E-1	1212	0.291	0.29	16.7	130
6	8	0.2647 E+1	1.0241 E-1	1596	0.258	0.26	14.8	130
5	4	0.2202 E+1	1.0009 E-2	2649	0.153	0.15	8.8	130

Station No. 40

Date 1984/ 11/14

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.5740 E-1	0.9266 E-4	38	-56.08	0.68	38.7	80
13	1024	0.8932 E-1	0.2588 E-3	23	0.983	0.98	5.63	130
12	512	1.0054 E-1	0.4504 E-3	19	1.093	1.09	6.26	130
11	256	0.1301 E±0	0.9912 E-2	13	1.103	1.10	6.32	130
10	128	0.2121 E±0	0.2336 E-2	13	1.159	1.16	6.64	130
9	64	0.2243 E±0	0.3504 E-2	13	1.071	1.07	6.13	130
8	32	0.7772 E±0	0.9378 E-2	45	1.183	1.18	6.78	130
7	16	0.1425 E+1	0.1033 E-1	238	1.629	-1.51	-8.67	130
6	8	0.2062 E+1	0.9872 E-2	1091	2.091	-1.05	-6.02	130
5	4	0.2515 E+1	0.9357 E-2	3613	2.464	-0.68	-3.88	130

*** Measured Data List ***

Station No.41 Date 1984/ 11/14 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	PD-C(deg)	Current I (A)
14	2048	0.9573 E-1	0.7729 E-4	150	0.837	0.84	47.9	8.0
13	1024	0.1579 E±0	0.2118 E-3	108	0.949	0.95	54.4	13.0
12	512	0.1728 E±0	0.3819 E-3	80	0.960	0.96	55.0	13.0
11	256	0.2418 E±0	0.8003 E-3	71	0.879	0.88	50.4	13.0
10	128	0.3797 E±0	0.1832 E-2	67	0.858	0.86	49.2	13.0
9	64	0.3979 E±0	0.2766 E-2	65	0.624	0.62	35.7	13.0
8	32	0.1088 E+1	0.7579 E-2	129	0.590	0.59	33.8	13.0
7	16	0.1239 E+1	0.8725 E-2	252	0.909	0.91	52.1	13.0
6	8	0.1110 E+1	0.8221 E-2	456	1.457	1.46	83.5	13.0
5	4	0.1044 E+1	0.7561 E-2	956	1.990	-1.15	-66.0	13.0

Station No.42 Date 1984/ 11/14 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	PD-C(deg)	Current I (A)
14	2048	0.9858 E-1	0.7261 E-4	157	-5.399	0.88	50.7	8.0
13	1024	0.1629 E±0	0.2055 E-3	114	0.921	0.92	52.8	13.0
12	512	0.1813 E±0	0.3464 E-3	106	0.927	0.93	53.1	13.0
11	256	0.2475 E+2	0.7395 E-3	87	0.862	0.86	49.4	13.0
10	128	0.4030 E±0	0.1659 E-2	92	0.860	0.86	49.3	13.0
9	64	0.3745 E±0	0.2395 E-2	76	0.569	0.57	32.6	13.0
8	32	0.1059 E+1	0.6909 E-2	147	0.406	0.41	23.2	13.0
7	16	0.1161 E+1	0.8020 E-2	262	6.826	0.54	31.1	13.0
6	8	0.8688 E±0	0.7458 E-2	339	0.806	0.81	46.2	13.0
5	4	0.5411 E±0	0.6767 E-2	320	4.308	1.17	66.8	13.0

*** Measured Data List ***

Station No. 43

Date 1984/ 11/14

Tx Bipole No. 1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H (γ)			PD-C (rad)	PD-C(deg)	
14	2048	0.7900 E-1	0.9620 E-4	66	-5.380	0.90	51.8	8.0
13	1024	0.1278 E±0	0.2450 E-3	53	1.002	1.00	57.4	13.0
12	512	0.1397 E±0	0.4074 E-3	46	1.038	1.04	59.5	13.0
11	256	0.1876 E±0	0.8620 E-3	34	1.016	1.02	58.2	13.0
10	128	0.2802 E±0	0.2064 E-2	29	1.125	1.12	64.4	13.0
9	64	0.2445 E±0	0.2980 E-2	21	0.945	0.95	54.2	13.0
8	32	0.6432 E±0	0.7984 E-2	41	0.875	0.87	50.1	13.0
7	16	0.8759 E±0	0.9003 E-2	111	1.294	1.29	74.1	13.0
6	8	0.1022 E+1	0.8725 E-2	343	4.988	-1.30	-7.42	13.0
5	4	0.1172 E+1	0.8541 E-2	942	5.454	-0.83	-4.75	13.0

Station No. 44

Date 1984/ 11/14

Tx Bipole No. 1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H (γ)			PD-C (rad)	PD-C(deg)	
14	2048	0.1584 E±0	0.8755 E-4	288	0.858	0.86	49.2	8.0
13	1024	0.2690 E±0	0.2327 E-3	261	1.040	1.04	59.6	13.0
12	512	0.2913 E±0	0.4061 E-3	201	-5.110	1.17	67.2	13.0
11	256	0.3531 E±0	0.8891 E-3	123	1.230	1.23	70.5	13.0
10	128	0.5373 E±0	0.2079 E-2	104	1.328	1.33	76.1	13.0
9	64	0.4254 E±0	0.3133 E-2	58	1.292	1.29	74.0	13.0
8	32	0.1075 E+1	0.8126 E-2	109	1.408	0.36	20.7	13.0
7	16	0.1767 E+1	0.9419 E-2	440	15.23	1.52	87.2	13.0
6	8	0.2454 E+1	0.9172 E-2	1804	20.04	-1.14	-6.52	13.0
5	4	0.3017 E+1	0.8563 E-2	6207	24.15	-0.73	-4.17	13.0

*** Measured Data List ***

Date 1984/ 11/14 Tx Bipole No.1

Station No. 45

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1730 E±0	0.1461 E-3	138	0.278	0.28	15.9	80
13	1024	0.4283 E±0	0.3946 E-3	231	0.409	0.41	23.5	130
12	512	0.6276 E±0	0.7238 E-3	310	0.465	0.46	26.6	130
11	256	0.1085 E+1	0.1514 E-2	407	0.478	0.48	27.4	130
10	128	0.1884 E+1	0.3624 E-2	422	6.809	0.53	30.1	130
9	64	0.2210 E+1	0.5187 E-2	568	0.298	0.30	17.1	130
8	32	0.5560 E+1	0.1271 E-1	1196	0.265	0.27	15.2	130
7	16	0.5645 E+1	0.1343 E-1	2207	0.430	0.43	24.7	130
6	8	0.4253 E+1	0.1216 E-1	3058	0.686	0.69	39.3	130
5	4	0.2748 E+1	0.1121 E-1	3000	0.972	0.97	55.7	130

Date 1984/ 11/15 Tx Bipole No.1

Station No. 46

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5723 E-1	0.7521 E-4	59	0.552	0.55	31.6	80
13	1024	0.1114 E±0	0.1996 E-3	61	0.583	0.58	33.4	130
12	512	0.1378 E±0	0.3320 E-3	67	0.584	0.58	33.4	130
11	256	0.2137 E±0	0.6949 E-3	72	0.595	0.60	34.1	130
10	128	0.3354 E±0	0.1574 E-2	71	0.646	0.65	37.0	130
9	64	0.4240 E±0	0.2515 E-2	93	0.317	0.32	18.2	130
8	32	0.1178 E+1	0.6922 E-2	181	0.219	0.22	12.5	130
7	16	0.1242 E+1	0.7741 E-2	322	6.534	0.25	14.4	130
6	8	0.9411 E±0	0.6692 E-2	495	0.286	0.29	16.4	130
5	4	0.6900 E±0	0.5059 E-2	849	0.268	0.27	15.3	130

*** Measured Data List ***

Station No. 47 Date 1984/ 11/15 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD (rad)	PD-C(deg)	
14	2048	0.1208 E±0	0.1821 E-3	143	0.408	23.4	80
13	1024	0.2335 E±0	0.2441 E-3	179	0.537	30.8	130
12	512	0.2915 E±0	0.3925 E-3	215	0.612	35.1	130
11	256	0.4272 E±0	0.8270 E-3	222	0.616	35.3	130
10	128	0.6716 E±0	0.1838 E-2	209	0.557	31.9	130
9	64	0.9727 E±0	0.2950 E-2	340	0.329	18.8	130
8	32	0.2643 E+1	0.7862 E-2	706	0.367	21.0	130
7	16	0.2763 E+1	0.8395 E-2	1355	0.61	34.8	130
6	8	0.222 E+1	0.7361 E-2	2448	1.035	59.3	130
5	4	0.1772 E+1	0.5906 E-2	4626	1.542	-1.6	130

Station No. 48 Date 1984/ 11/15 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD (rad)	PD-C(deg)	
14	2048	0.6421 E-1	0.7280 E-4	77	0.437	25.0	80
13	1024	0.5690 E-1	0.1631 E-3	24	-5.118	66.8	130
12	512	0.6310 E-1	0.2638 E-3	22	1.899	-7.12	130
11	256	0.6838 E-1	0.5647 E-3	12	3.009	-7.6	130
10	128	0.1043 E±0	0.1320 E-2	10	4.548	20.6	130
9	64	0.1869 E±0	0.2273 E-2	21	0.188	10.8	130
8	32	0.1077 E+1	0.6342 E-2	180	1.043	59.7	130
7	16	0.2315 E+1	0.6966 E-2	1380	1.519	87.0	130
6	8	0.3403 E+1	0.5940 E-2	8213	1.876	-72.5	130
5	4	0.4111 E+1	0.4534 E-2	40923	2.188	-54.7	130

*** Measured Data List ***

Station No. 49 Date 1984/ 11/15 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Current I (A)
14	2048	0.7538 E-1	0.7615 E-4	98	0.596	0.60	80
13	1024	0.1369 E±0	0.1641 E-3	136	0.646	0.65	130
12	512	0.1696 E±0	0.3021 E-3	124	0.724	0.72	130
11	256	0.2493 E±0	0.6165 E-3	127	0.727	0.73	130
10	128	0.3989 E±0	0.1423 E-2	123	0.744	0.74	130
9	64	0.4774 E±0	0.2348 E-2	129	0.416	0.42	130
8	32	0.1349 E+1	0.6731 E-2	251	0.340	0.34	130
7	16	0.1412 E+1	0.7671 E-2	423	0.437	0.44	130
6	8	1.0143 E±0	0.6736 E-2	567	0.622	0.62	130
5	4	0.6356 E±0	0.6048 E-2	552	0.774	0.77	130

Station No. 50 Date 1984/ 11/15 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Current I (A)
14	2048	0.7552 E-1	0.5680 E-4	175	0.721	0.72	80
13	1024	0.1235 E±0	0.1469 E-3	140	0.923	0.92	130
12	512	0.1362 E±0	0.2514 E-3	115	0.935	0.93	130
11	256	0.1847 E±0	0.5481 E-3	88	0.924	0.92	130
10	128	0.2705 E±0	0.1260 E-2	72	0.834	0.83	130
9	64	0.3213 E±0	0.2059 E-2	76	0.518	0.52	130
8	32	0.9498 E±0	0.6028 E-2	155	0.416	0.42	130
7	16	0.1031 E+1	0.6830 E-2	284	0.885	0.60	130
6	8	0.7940 E±0	0.6229 E-2	406	0.975	0.97	130
5	4	0.5357 E±0	0.5379 E-2	496	1.488	1.49	130

*** Measured Data List ***

Station No. 51

Date 1984/ 11/15

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7113 E-1	0.6436 E-4	108	-5511	0.77	443	80
13	1024	0.1459 E±0	0.1555 E-3	172	0.546	0.55	313	130
12	512	0.1954 E±0	0.2717 E-3	203	0.569	0.57	326	130
11	256	0.3180 E±0	0.5244 E-3	288	0.609	0.61	349	130
10	128	0.5085 E±0	0.1298 E-2	235	0.746	0.75	428	130
9	64	0.6241 E±0	0.2413 E-2	265	0.427	0.43	244	130
8	32	0.1688 E+1	0.6123 E-2	475	-2897	0.24	140	130
7	16	0.1731 E+1	0.6684 E-2	838	3340	0.20	114	130
6	8	0.1347 E+1	0.5656 E-2	1422	3322	0.18	103	130
5	4	0.9555 E±0	0.5062 E-2	2443	3252	0.11	63	130

Station No. 52

Date 1984/ 11/15

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1656 E±0	0.5575 E-4	891	-5716	0.57	325	80
13	1024	0.3820 E±0	0.1586 E-3	1070	0.535	0.53	306	130
12	512	0.4995 E±0	0.2704 E-3	1551	0.559	0.56	320	130
11	256	0.8716 E±0	0.5618 E-3	1987	0.601	0.60	345	130
10	128	0.1338 E+1	0.1357 E-2	1569	0.745	0.74	427	130
9	64	0.1674 E+1	0.2265 E-2	1706	0.363	0.36	208	130
8	32	0.4576 E+1	0.6479 E-2	3118	0.207	0.21	118	130
7	16	0.4780 E+1	0.7061 E-2	5729	3295	0.15	88	130
6	8	0.3907 E+1	0.6125 E-2	10179	3244	0.10	59	130
5	4	0.3201 E+1	0.4971 E-2	20748	3144	0.00	0.1	130

*** Measured Data List ***

Station No. 53 Date 1984/ 11/15 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.5555 E-1	0.4614 E-4	167	0.399	0.40	228	80
13	1024	0.1203 E±0	0.1223 E-3	189	0.511	0.51	293	130
12	512	0.1683 E±0	0.2136 E-3	243	6893	0.61	350	130
11	256	0.2614 E±0	0.4828 E-3	230	0.704	0.70	403	130
10	128	0.4392 E±0	0.1150 E-2	217	6961	0.68	388	130
9	64	0.6389 E±0	0.2019 E-2	313	0.350	0.35	201	130
8	32	0.1920 E+1	0.6135 E-2	618	0.373	0.37	214	130
7	16	0.1979 E+1	0.6732 E-2	1080	0.546	0.55	313	130
6	8	0.1477 E+1	0.5930 E-2	1550	0.891	0.89	511	130
5	4	0.9717 E±0	0.4896 E-2	2030	1.364	1.36	782	130

Station No. 54 Date 1984/ 11/16 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1556 E±0	0.1043 E-3	217	-5780	0.50	288	80
13	1024	0.3232 E±0	0.2889 E-3	245	0.604	0.50	346	130
12	512	0.4152 E±0	0.5018 E-3	270	0.626	0.63	358	130
11	256	0.6620 E±0	0.1072 E-2	297	0.549	0.55	314	130
10	128	0.1185 E+1	0.2616 E-2	321	0.530	0.53	304	130
9	64	0.1629 E+1	0.3949 E-2	532	0.315	0.32	181	130
8	32	0.4383 E+1	1.0035 E-2	1193	0.391	0.39	224	130
7	16	0.4664 E+1	0.1081 E-1	2325	6980	0.70	399	130
6	8	0.3926 E+1	0.9780 E-2	4029	1.200	1.20	688	130
5	4	0.3347 E+1	0.8699 E-2	7401	1.782	-1.36	-779	130

*** Measured Data List ***

Station No.55 Date 1984/ 11/16 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1297 E±0	0.1270 E-3	94	-5.601	0.68	39.1	8.0
13	1024	0.2746 E±0	0.3664 E-3	109	0.714	0.71	40.9	13.0
12	512	0.3552 E±0	0.6822 E-3	106	0.699	0.70	40.0	13.0
11	256	0.5992 E±0	0.1523 E-2	121	0.630	0.63	36.1	13.0
10	128	0.1037 E+1	0.3928 E-2	115	0.543	0.54	31.1	13.0
9	64	0.1366 E+1	0.5716 E-2	178	0.292	0.29	16.7	13.0
8	32	0.3258 E+1	0.1364 E-1	356	0.255	0.25	14.6	13.0
7	16	0.3225 E+1	0.1456 E-1	625	6.634	0.35	20.1	13.0
6	8	0.2497 E+1	0.1336 E-1	873	0.503	0.50	28.8	13.0
5	4	0.1699 E+1	0.1214 E-1	980	0.606	0.61	34.7	13.0

Station No.56 Date 1984/ 11/16 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.9182 E-1	0.1828 E-3	24	-5.756	0.53	30.2	8.0
13	1024	0.2077 E±0	0.4893 E-3	35	0.553	0.55	31.7	13.0
12	512	0.2873 E±0	0.9030 E-3	40	0.598	0.60	34.3	13.0
11	256	0.4835 E±0	0.1980 E-2	46	0.553	0.55	31.7	13.0
10	128	0.9037 E±0	0.5167 E-2	48	0.416	0.42	23.8	13.0
9	64	0.1189 E+1	0.7213 E-2	85	0.221	0.22	12.7	13.0
8	32	0.2725 E+1	0.1691 E-1	162	0.182	0.18	10.4	13.0
7	16	0.2700 E+1	0.1795 E-1	283	6.476	0.19	11.1	13.0
6	8	0.2252 E+1	0.1664 E-1	458	3.318	0.18	10.1	13.0
5	4	0.1920 E+1	0.1567 E-1	751	3.280	0.14	7.9	13.0

*** Measured Data List ***

Station No. 57

Date 1984/ 11/16

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2934 E±0	0.1176 E-3	609	0.475	0.47	272	80
13	1024	0.6498 E±0	0.3450 E-3	693	0.430	0.43	247	130
12	512	0.9385 E±0	0.6176 E-3	902	6.682	0.40	228	130
11	256	0.1890 E+1	0.1408 E-2	1408	6.623	0.34	195	130
10	128	0.3970 E+1	0.3729 E-2	1771	6.527	0.24	139	130
9	64	0.5843 E+1	0.5355 E-2	3720	0.141	0.14	81	130
8	32	0.1422 E+2	0.1302 E-1	7450	0.201	0.20	115	130
7	16	0.1391 E+2	0.1391 E-1	12501	0.321	0.32	184	130
6	8	0.1059 E+2	0.1273 E-1	17305	0.448	0.45	257	130
5	4	0.7229 E+1	0.1187 E-1	18573	0.440	0.44	252	130

Station No. 58

Date 1984/ 11/16

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2921 E±0	0.1501 E-3	370	-5.545	0.74	423	80
13	1024	0.5751 E±0	0.4106 E-3	384	0.715	0.71	410	130
12	512	0.6970 E±0	0.6959 E-3	392	0.642	0.64	368	130
11	256	0.1159 E+1	0.1486 E-2	475	0.525	0.53	301	130
10	128	0.2212 E+1	0.3736 E-2	549	0.368	0.37	211	130
9	64	0.3157 E+1	0.5441 E-2	1052	0.194	0.19	111	130
8	32	0.7675 E+1	0.1323 E-1	2102	0.194	0.19	111	130
7	16	0.7509 E+1	0.1424 E-1	3581	6.553	0.27	154	130
6	8	0.5721 E+1	0.1240 E-1	5320	0.336	0.34	192	130
5	4	0.4200 E+1	0.1136 E-1	6830	3.473	0.33	190	130

*** Measured Data List ***

Station No.59 Date 1984/ 11/16 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1757 E±0	0.1148 E-3	206	0.623	0.62	35.7	8.0
13	1024	0.3543 E±0	0.3610 E-3	188	0.867	0.87	49.7	1.30
12	512	0.4080 E±0	0.7393 E-3	119	-5.341	0.94	54.0	1.30
11	256	0.7308 E±0	0.1780 E-2	132	0.726	0.73	41.6	1.30
10	128	0.1164 E+1	0.4833 E-2	97	6.943	0.66	37.8	1.30
9	64	0.1606 E+1	0.6886 E-2	170	0.242	0.24	13.9	1.30
8	32	0.4393 E+1	0.1624 E-1	457	0.303	0.30	17.4	1.30
7	16	0.4730 E+1	0.1718 E-1	947	0.634	0.63	36.3	1.30
6	8	0.3934 E+1	0.1573 E-1	1563	1.154	1.15	66.1	1.30
5	4	0.3285 E+1	0.1482 E-1	2456	1.642	-0.45	-25.9	1.30

Station No.60 Date 1984/ 11/16 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3407 E±0	0.8075 E-4	1488	1.741	0.17	9.8	7.7
13	1024	0.8620 E±0	0.3129 E-3	1482	0.756	0.76	43.3	1.30
12	512	0.1099 E+1	0.6291 E-3	1193	0.734	0.73	42.1	1.30
11	256	0.2229 E+1	0.1534 E-2	1650	0.596	0.60	34.2	1.30
10	128	0.4092 E+1	0.4290 E-2	1422	6.708	0.43	24.4	1.30
9	64	0.5666 E+1	0.5832 E-2	2950	0.110	0.11	6.3	1.30
8	32	0.1468 E+2	0.1377 E-1	7102	0.213	0.21	12.2	1.30
7	16	0.1519 E+2	0.1478 E-1	13191	0.440	0.44	25.2	1.30
6	8	0.1156 E+2	0.1354 E-1	18222	0.758	0.76	43.4	1.30
5	4	0.7922 E+1	0.1274 E-1	19340	1.133	1.13	64.9	1.30

*** Measured Data List ***

Station No. 61 Date 1984/ 11/16 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	PD-C(deg)	Current I (A)
14	2048	0.2724 E±0	0.2764 E-3	317	0.413	0.41	23.7	7.5
13	1024	0.8458 E±0	0.5147 E-3	527	0.343	0.34	19.6	13.0
12	512	0.1424 E+1	0.9827 E-3	821	6.629	0.35	19.8	13.0
11	256	0.2621 E+1	0.2165 E-2	1144	0.366	0.37	21.0	13.0
10	128	0.5494 E+1	0.5479 E-2	1571	6.534	0.25	14.4	13.0
9	64	0.6940 E+1	0.7242 E-2	2869	0.173	0.17	9.9	13.0
8	32	0.1565 E+2	0.1690 E-1	5362	0.166	0.17	9.5	13.0
7	16	0.1551 E+2	0.1800 E-1	9281	0.187	0.19	10.7	13.0
6	8	0.1271 E+2	0.1631 E-1	15184	0.216	0.22	12.4	13.0
5	4	0.1014 E+2	0.1535 E-1	23233	0.173	0.17	9.9	13.0

Station No. 62 Date 1984/ 11/17 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	PD-C(deg)	Current I (A)
14	2048	0.6132 E±0	0.1410 E-3	1746	0.264	0.26	15.1	7.7
13	1024	0.1993 E+1	0.4729 E-3	3477	0.272	0.27	15.6	13.0
12	512	0.3480 E+1	0.9206 E-3	5583	0.364	0.36	20.9	13.0
11	256	0.5975 E+1	0.2079 E-2	6449	6.706	0.42	24.2	13.0
10	128	0.1339 E+2	0.5569 E-2	9038	6.564	0.28	16.1	13.0
9	64	0.1626 E+2	0.7257 E-2	15679	0.230	0.23	13.2	13.0
8	32	0.3476 E+2	0.1680 E-1	26760	0.204	0.20	11.7	13.0
7	16	0.3395 E+2	0.1783 E-1	45300	0.190	0.19	10.9	13.0
6	8	0.2880 E+2	0.1664 E-1	74843	0.178	0.18	10.2	13.0
5	4	0.2458 E+2	0.1524 E-1	129620	0.108	0.11	6.2	13.0

*** Measured Data List ***

Station No. 63 Date 1984/ 11/17 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2468 E±0	0.1578 E-3	230	0.670	0.67	38.4	7.5
13	1024	0.6432 E±0	0.5496 E-3	268	0.609	0.61	34.9	13.0
12	512	0.9962 E±0	0.1066 E-2	325	0.527	0.53	30.2	13.0
11	256	0.1790 E+1	0.2424 E-2	426	0.489	0.49	28.0	13.0
10	128	0.3551 E+1	0.6199 E-2	513	0.678	0.39	22.6	13.0
9	64	0.4229 E+1	0.8325 E-2	861	0.217	0.22	12.4	13.0
8	32	0.9746 E+1	0.1857 E-1	1723	0.178	0.18	10.2	13.0
7	16	0.9907 E+1	0.1969 E-1	3162	0.244	0.24	14.0	13.0
6	8	0.7884 E+1	0.1781 E-1	4900	0.358	0.36	20.5	13.0
5	4	0.5626 E+1	0.1596 E-1	6215	0.413	0.41	23.7	13.0

Station No. 64 Date 1984/ 11/17 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.3402 E±0	0.1485 E-3	477	-57.10	0.57	32.8	7.5
13	1024	0.8948 E±0	0.5067 E-3	620	0.538	0.54	30.8	13.0
12	512	0.1448 E+1	1.0030 E-2	815	0.495	0.49	28.4	13.0
11	256	0.2617 E+1	0.2304 E-2	1008	0.511	0.51	29.3	13.0
10	128	0.5013 E+1	0.5923 E-2	1119	0.382	0.38	21.9	13.0
9	64	0.5785 E+1	0.7673 E-2	1859	0.223	0.22	12.8	13.0
8	32	0.1344 E+2	0.1763 E-1	3630	0.170	0.17	9.8	13.0
7	16	0.1362 E+2	0.1855 E-1	6737	0.698	0.21	12.3	13.0
6	8	0.1109 E+2	0.1667 E-1	10721	0.305	0.30	17.4	13.0
5	4	0.8159 E+1	0.1660 E-1	14544	34.46	0.30	17.5	13.0

*** Measured Data List ***

Station No. 65

Date 1984/ 11/17

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.5439 E+0	0.1164 E-3	2997	- 5773	0.51	7.5
13	1024	0.1582 E+1	0.3817 E-3	3358	0.562	0.56	130
12	512	0.2342 E+1	0.7201 E-3	4131	0.583	0.58	130
11	256	0.3992 E+1	0.1673 E-2	4444	0.609	0.61	130
10	128	0.7647 E+1	0.4459 E-2	4627	0.420	0.42	130
9	64	0.9245 E+1	0.5276 E-2	7916	0.263	0.26	130
8	32	0.2093 E+2	0.1354 E-1	14930	0.214	0.21	130
7	16	0.2121 E+2	0.1465 E-1	26210	6.537	0.25	130
6	8	0.1738 E+2	0.1383 E-1	39500	6.603	0.32	130
5	4	0.1327 E+2	0.1276 E-1	54083	0.313	0.31	130

Station No. 66

Date 1984/ 11/17

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.3856 E+0	0.1290 E-3	798	0.447	0.45	7.5
13	1024	0.1053 E+1	0.3881 E-3	1440	0.441	0.44	130
12	512	0.1667 E+1	0.7446 E-3	1958	6.765	0.48	130
11	256	0.2754 E+1	0.1715 E-2	2014	0.591	0.59	130
10	128	0.5492 E+1	0.4527 E-2	2300	6.670	0.39	130
9	64	0.6512 E+1	0.5865 E-2	3853	0.285	0.28	130
8	32	0.1393 E+2	0.1346 E-1	6690	0.247	0.25	130
7	16	0.1364 E+2	0.3386 E-1	11056	0.249	0.25	130
6	8	0.1137 E+2	0.1355 E-1	16913	0.252	0.25	130
5	4	0.9342 E+1	0.1284 E-1	26483	0.207	0.21	130

*** Measured Data List ***

Station No. 67 Date 1984/ 11/17 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.3642 E±0	0.9811 E-4	1335	-5.789	0.49	28.3	7.5
13	1024	0.9596 E±0	0.3073 E-3	1894	0.596	0.60	34.2	13.0
12	512	0.1463 E+1	0.5875 E-3	2403	0.629	0.63	36.0	13.0
11	256	0.2363 E+1	0.1454 E-2	2061	0.715	0.72	41.0	13.0
10	128	0.4574 E+1	0.3899 E-2	2149	0.442	0.44	25.3	13.0
9	64	0.5433 E+1	0.5067 E-2	3592	0.306	0.31	17.6	13.0
8	32	0.1183 E+2	0.1179 E-1	6299	0.263	0.26	15.1	13.0
7	16	0.1175 E+1	0.1273 E+1	10440	6.566	0.28	16.2	13.0
6	8	1.0415 E+1	0.1233 E+1	15344	6.578	0.29	16.9	13.0
5	4	0.7837 E+1	0.1208 E+1	21112	6.528	0.24	14.0	13.0

Station No. 68 Date 1984/ 11/17 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.3627 E±0	0.1706 E-3	444	0.140	0.14	8.0	7.5
13	1024	0.9737 E±0	0.4816 E-3	794	0.262	0.26	15.0	14.0
12	512	0.1437 E+1	0.8423 E-3	1137	6.653	0.37	21.2	13.0
11	256	0.2284 E+1	0.1685 E-2	1435	0.504	0.50	28.9	13.0
10	128	0.4302 E+1	0.4272 E-2	1586	6.649	0.37	21.0	13.0
9	64	0.5332 E+1	0.5520 E-2	2657	0.268	0.27	15.3	13.0
8	32	0.1129 E+2	0.1263 E-1	4544	0.242	0.24	13.9	13.0
7	16	0.1073 E+2	0.1381 E-1	7548	0.257	0.26	14.7	13.0
6	8	0.8833 E+1	0.1292 E-1	11687	0.253	0.25	14.5	13.0
5	4	0.7253 E+1	0.1219 E-1	17752	0.243	0.24	13.9	13.0

*** Measured Data List ***

Station No. 69 Date 1984/ 11/17 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1288 E±0	0.1329 E-3	96	0.485	0.49	27.8	7.5
13	1024	0.3197 E±0	0.3597 E-3	133	0.720	0.72	41.3	13.0
12	512	0.4113 E±0	0.7029 E-3	135	0.994	0.99	57.0	13.0
11	256	0.5470 E±0	0.1561 E-2	96	1.188	1.19	68.1	13.0
10	128	0.9318 E±0	0.4009 E-2	80	1.517	1.52	86.9	13.0
9	64	0.5396 E±0	0.5403 E-2	29	1.770	-1.37	-78.6	13.0
8	32	0.8994 E±0	0.1342 E-1	27	1.439	1.44	82.4	13.0
7	16	0.1548 E+1	0.1458 E-1	140	1.561	1.56	89.5	13.0
6	8	0.2278 E+1	0.1327 E-1	769	1.963	-1.18	-67.5	13.0
5	4	0.2838 E+1	0.1166 E-1	2961	2.319	-0.82	-47.2	13.0

Station No. 70 Date 1984/ 11/18 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2446 E±0	0.9837 E-4	605	-5.991	0.29	16.7	7.0
13	1024	0.6283 E±0	0.3070 E-3	798	0.448	0.45	25.7	13.0
12	512	0.9075 E±0	0.5543 E-3	1047	0.557	0.56	31.9	13.0
11	256	0.1415 E+1	0.1268 E-2	973	0.665	0.66	38.1	13.0
10	128	0.2627 E+1	0.3298 E-2	991	0.448	0.45	25.7	13.0
9	64	0.3083 E+1	0.4278 E-2	1623	0.317	0.32	18.2	13.0
8	32	0.6697 E+1	0.1001 E-1	2796	0.273	0.27	15.6	13.0
7	16	0.6682 E+1	0.1076 E-1	4479	6.582	0.30	17.1	13.0
6	8	0.5481 E+1	0.1071 E-1	6542	6.596	0.31	17.9	13.0
5	4	0.4365 E+1	0.1035 E-1	8885	3.416	0.27	15.7	13.0

*** Measured Data List ***

Station No.71 Date 1984/ 11/18 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.1428 E±0	0.1164 E-3	149	-5906	0.38	75
13	1024	0.3477 E±0	0.3448 E-3	199	0.525	0.52	130
12	512	0.4696 E±0	0.6005 E-3	239	0.588	0.59	130
11	256	0.7496 E±0	0.1352 E-2	239	0.655	0.66	130
10	128	0.1320 E+1	0.3466 E-2	227	0.484	0.48	130
9	64	0.1504 E+1	0.4415 E-2	363	0.302	0.30	130
8	32	0.3401 E+1	0.1037 E-1	671	0.236	0.24	130
7	16	0.3514 E+1	0.1135 E-1	1198	6.573	0.29	130
6	8	0.2874 E+1	0.1078 E-1	1775	0.376	0.38	130
5	4	0.2147 E+1	0.1000 E-1	2304	0.423	0.42	130

Station No.72 Date 1984/ 11/18 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.3711 E±0	0.1493 E-3	604	-6059	0.22	75
13	1024	0.8100 E±0	0.3777 E-3	898	0.414	0.41	130
12	512	0.1116 E+1	0.6575 E-3	1126	0.512	0.51	130
11	256	0.1857 E+1	0.1500 E-2	1197	0.580	0.58	130
10	128	0.3366 E+1	0.3828 E-2	1208	0.416	0.42	130
9	64	0.3895 E+1	0.4846 E-2	2019	0.216	0.22	130
8	32	0.9352 E+1	0.1130 E-1	4279	0.152	0.15	130
7	16	0.1015 E+2	0.1237 E-1	8407	6.531	0.25	130
6	8	0.8298 E+1	0.1140 E-1	13251	0.417	0.42	130
5	4	0.5920 E+1	0.1054 E-1	15773	0.505	0.51	130

*** Measured Data List ***

Station No. 73

Date 1984/ 11/18

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2543 E±0	0.1118 E-3	508	0.106	0.11	6.1	7.5
13	1024	0.8343 E±0	0.3649 E-3	1001	0.271	0.27	15.5	130
12	512	0.1248 E+1	0.6146 E-3	1638	6.703	0.42	24.1	130
11	256	0.1814 E+1	0.1291 E-2	1504	0.639	0.64	36.6	130
10	128	0.3344 E+1	0.3277 E-2	1627	6.706	0.42	24.2	130
9	64	0.3980 E+1	0.4288 E-2	2691	0.328	0.33	18.8	130
8	32	0.8265 E+1	1.0064 E-2	4215	0.305	0.31	17.5	130
7	16	0.7821 E+1	0.1105 E-1	6266	0.277	0.28	15.9	130
6	8	0.6695 E+1	0.1074 E-1	9718	0.192	0.19	11.0	130
5	4	0.6197 E+1	0.1029 E-1	18130	0.088	0.09	5.0	130

Station No. 74

Date 1984/ 11/18

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1424 E+1	0.8857 E-4	25533	-6015	0.27	15.4	7.5
13	1024	0.3745 E+1	0.2725 E-3	36910	0.467	0.47	26.7	130
12	512	0.5317 E+1	0.4945 E-3	45157	0.564	0.56	32.3	130
11	256	0.8457 E+1	0.1136 E-2	43297	0.671	0.67	38.5	130
10	128	0.1512 E+2	0.2961 E-2	40783	0.500	0.50	28.6	130
9	64	0.1779 E+2	0.3925 E-2	64207	0.335	0.34	19.2	130
8	32	0.3999 E+2	0.9381 E-2	113573	0.283	0.28	16.2	130
7	16	0.4055 E+2	0.1053 E-1	185213	6.604	0.32	18.4	130
6	8	0.3317 E+2	0.1012 E-1	268766	6.671	0.39	22.2	130
5	4	0.2537 E+2	0.9738 E-2	339533	3.488	0.35	19.8	130

*** Measured Data List ***

Station No. 75

Date 1984/ 11/18

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4665 E±0	1.0237 E-3	1839	-6084	0.20	11.4	75
13	1024	0.1268 E+1	0.3297 E-3	2943	0.360	0.36	20.6	130
12	512	0.1809 E+1	0.5747 E-3	3873	0.485	0.49	27.8	130
11	256	0.2830 E+1	0.1237 E-2	4172	0.607	0.61	34.8	130
10	128	0.5123 E+1	0.3158 E-2	4111	0.463	0.46	26.5	130
9	64	0.6048 E+1	0.4171 E-2	6569	0.322	0.32	18.4	130
8	32	0.1332 E+2	0.1004 E-1	11004	0.285	0.28	16.3	130
7	16	0.1315 E+2	0.1104 E-1	17760	6580	0.30	17.0	130
6	8	0.1084 E+2	0.1063 E-1	26043	6580	0.30	17.0	130
5	4	0.8770 E+1	0.1015 E-1	37300	6532	0.25	14.2	130

Station No. 76

Date 1984/ 11/18

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2499 E±0	0.1226 E-3	411	0.365	0.36	20.9	75
13	1024	0.6306 E±0	0.3323 E-3	703	0.511	0.51	29.3	130
12	512	0.9164 E±0	0.5959 E-3	924	0.573	0.57	32.8	130
11	256	0.1496 E+1	0.1364 E-2	939	0.634	0.63	36.3	130
10	128	0.2819 E+1	0.3655 E-2	930	6744	0.46	26.4	130
9	64	0.3368 E+1	0.4815 E-2	1529	0.309	0.31	17.7	130
8	32	0.7513 E+1	0.1143 E-1	2698	0.269	0.27	15.4	130
7	16	0.7531 E+1	0.1253 E-1	4514	0.306	0.31	17.5	130
6	8	0.6153 E+1	0.1204 E-1	6528	0.372	0.37	21.3	130
5	4	0.4716 E+1	0.1127 E-1	8748	0.349	0.35	20.0	130

*** Measured Data List ***

Station No. 77 Date 1984/ 11/19 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2354 E±0	0.2100 E-3	119	0.629	0.63	36.0	7.5
13	1024	0.6352 E±0	0.6845 E-3	168	0.559	0.56	32.1	13.0
12	512	0.9695 E±0	0.1270 E-2	227	0.526	0.53	30.2	13.0
11	256	0.1613 E+1	0.2738 E-2	271	0.523	0.52	30.0	13.0
10	128	0.3049 E+1	0.6805 E-2	314	6.702	0.42	24.0	13.0
9	64	0.3426 E+1	0.8690 E-2	486	0.262	0.26	15.0	13.0
8	32	0.7525 E+1	0.1953 E-1	928	0.190	0.19	10.9	13.0
7	16	0.7488 E+1	0.2001 E-1	1750	0.235	0.24	13.5	13.0
6	8	0.5956 E+1	0.1791 E-1	2766	0.338	0.34	19.4	13.0
5	4	0.4339 E+1	0.1622 E-1	3760	0.390	0.39	22.4	13.0

Station No. 78 Date 1984/ 11/19 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2966 E±0	0.2256 E-3	168	-5.653	0.63	36.1	7.5
13	1024	0.7644 E±0	0.7709 E-3	192	0.604	0.60	34.6	13.0
12	512	0.1130 E+1	0.1423 E-2	246	0.580	0.58	33.3	13.0
11	256	0.1794 E+1	0.3041 E-2	276	0.609	0.61	34.9	13.0
10	128	0.3210 E+1	0.7502 E-2	286	0.501	0.50	28.7	13.0
9	64	0.3338 E+1	0.9204 E-2	411	0.341	0.34	19.6	13.0
8	32	0.6840 E+1	0.2053 E-1	694	0.240	0.24	13.7	13.0
7	16	0.6681 E+1	0.2119 E-1	1242	6.505	0.22	12.7	13.0
6	8	0.5424 E+1	0.1902 E-1	2032	0.246	0.25	14.1	13.0
5	4	0.4213 E+1	0.1726 E-1	2981	0.218	0.22	12.5	13.0

*** Measured Data List ***

Station No. 79 Date 1984/ 11/19 Tx Bipole No. 1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H (γ)	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.3458 E+0	0.1918 E-3	302	-5.780	0.50	28.9	7.5
13	1024	0.1123 E+1	0.6054 E-3	663	0.401	0.40	23.0	13.0
12	512	0.1959 E+1	0.1178 E-2	1080	0.428	0.43	24.5	13.0
11	256	0.3416 E+1	0.2769 E-2	1188	0.462	0.46	26.4	13.0
10	128	0.7201 E+1	0.7099 E-2	1608	0.335	0.34	19.2	13.0
9	64	0.7910 E+1	0.8591 E-2	2649	0.257	0.26	14.7	13.0
8	32	0.1628 E+3	0.1906 E-1	4561	0.211	0.21	12.1	13.0
7	16	0.1569 E+2	0.1980 E-1	7850	6.495	0.21	12.1	13.0
6	8	0.1287 E+2	0.1809 E-1	12806	6.503	0.22	12.6	13.0
5	4	0.1042 E+2	0.1636 E-1	20260	6.461	0.18	10.2	13.0

Station No. 80 Date 1984/ 11/19 Tx Bipole No. 1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H (γ)	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.5117 E+0	0.1691 E-3	897	-5.916	0.37	21.0	7.5
13	1024	0.1739 E+1	0.6167 E-3	1553	0.293	0.29	16.8	13.0
12	512	0.3111 E+1	0.1199 E-2	2627	0.366	0.37	20.9	13.0
11	256	0.5406 E+1	0.2758 E-2	3001	0.409	0.41	23.4	13.0
10	128	0.1204 E+2	0.7307 E-2	4403	0.274	0.27	15.7	13.0
9	64	0.1337 E+2	0.8635 E-2	7496	0.215	0.22	12.3	13.0
8	32	0.2757 E+2	0.1903 E-1	13125	0.193	0.19	11.1	13.0
7	16	0.2641 E+2	0.1968 E-1	22517	6.472	0.19	10.8	13.0
6	8	0.2187 E+2	0.1799 E-1	36933	6.472	0.19	10.8	13.0
5	4	0.1805 E+2	0.1632 E-1	61180	6.425	0.14	8.1	13.0

*** Measured Data List ***

Station No. 81

Date 1984/ 11/19

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.2439 E±0	0.1522 E-3	251	-5.766	0.52	29.7	7.5
13	1024	0.7485 E±0	0.5321 E-3	386	0.478	0.48	27.4	130
12	512	0.1244 E+1	0.1028 E-2	573	0.485	0.49	27.8	130
11	256	0.2077 E+1	0.2427 E-2	572	0.522	0.52	29.9	130
10	128	0.4559 E+1	0.6331 E-2	810	0.328	0.33	18.8	130
9	64	0.5163 E+1	0.7724 E-2	1396	0.253	0.25	14.5	130
8	32	0.9167 E+1	0.1489 E-1	2369	0.227	0.23	13.0	130
7	16	0.8986 E+1	0.1598 E-1	3951	6.503	0.22	12.6	130
6	8	0.8332 E+1	0.1660 E-1	6299	6.485	0.20	11.6	130
5	4	0.6913 E+1	0.1517 E-1	10378	6.423	0.14	8.0	130

Station No. 82

Date 1984/ 11/20

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.7580 E±0	0.1424 E-3	2775	-5.827	0.46	26.2	7.5
13	1024	0.2155 E+1	0.4724 E-3	4066	0.448	0.45	25.7	130
12	512	0.3437 E+1	0.9395 E-3	5231	0.501	0.50	28.7	130
11	256	0.5636 E+1	0.2166 E-2	5288	0.539	0.54	30.9	130
10	128	0.1234 E+2	0.5864 E-2	6917	0.341	0.34	19.5	130
9	64	0.1473 E+2	0.7490 E-2	12081	0.242	0.24	13.9	130
8	32	0.3158 E+2	0.1711 E-1	21300	0.210	0.21	12.0	130
7	16	0.3086 E+2	0.1804 E-1	36466	6.494	0.21	12.1	130
6	8	0.2587 E+2	0.1702 E-1	57723	6.501	0.22	12.5	130
5	4	0.2129 E+2	0.1579 E-1	91000	6.447	0.16	9.4	130

*** Measured Data List ***

Date 1984/ 11/20 Tx Bipole No.1

Station No.83

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.6800 E±0	0.1245 E-3	2914	0.595	0.60	34.1	7.5
13	1024	0.1938 E+1	0.4196 E-3	4025	0.571	0.57	32.7	1.30
12	512	0.3093 E+1	0.8549 E-3	5114	0.650	0.65	37.2	1.30
11	256	0.4650 E+1	0.2097 E-2	3842	0.572	0.57	32.8	1.30
10	128	0.1143 E+2	0.5704 E-2	6270	6.641	0.36	20.5	1.30
9	64	0.1269 E+2	0.7167 E-2	9802	0.317	0.32	18.2	1.30
8	32	0.2533 E+2	0.1640 E-1	14904	0.251	0.25	14.4	1.30
7	16	0.2440 E+2	0.1734 E-1	24746	0.168	0.17	9.6	1.30
6	8	0.2164 E+2	0.1613 E-1	44983	0.082	0.08	4.7	1.30
5	4	0.1999 E+2	0.1481 E-1	91107	-0.027	-0.03	-1.6	1.30

Date 1984/ 11/20 Tx Bipole No.1

Station No.84

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7090 E±0	0.1217 E-3	3326	0.647	0.65	37.1	7.5
13	1024	0.1909 E+1	0.4548 E-3	3442	0.702	0.70	40.2	1.30
12	512	0.2893 E+1	0.9342 E-3	3744	0.794	0.79	45.5	1.30
11	256	0.4286 E+1	0.2421 E-2	2448	0.653	0.65	37.4	1.30
10	128	0.1028 E+2	0.6539 E-2	3861	6.693	0.41	23.5	1.30
9	64	0.1090 E+2	0.8045 E-2	5732	0.367	0.37	21.0	1.30
8	32	0.2090 E+2	0.1805 E-1	8384	0.282	0.28	16.2	1.30
7	16	0.1983 E+2	0.1893 E-1	13725	0.184	0.18	10.6	1.30
6	8	0.1771 E+2	0.1777 E-1	24830	0.088	0.09	5.0	1.30
5	4	0.1657 E+2	0.1649 E-1	50447	0.030	0.03	1.7	1.30

*** Measured Data List ***

Station No. 85

Date 1984/ 11/20

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1729 E±0	0.1524 E-3	126	0.459	0.46	263	7.5
13	1024	0.4304 E±0	0.4460 E-3	171	0.300	0.30	172	13.0
12	512	0.8213 E±0	0.8899 E-3	332	0.060	0.06	34	13.0
11	256	0.2041 E+1	0.2089 E-2	745	6.370	0.09	5.0	13.0
10	128	0.5298 E+1	0.5604 E-2	1365	6.284	0.00	0.0	13.0
9	64	0.7693 E+1	0.7893 E-2	2968	0.025	0.03	1.5	13.0
8	32	0.1716 E+2	0.1833 E-1	5479	0.032	0.03	1.8	13.0
7	16	0.1769 E+2	0.1942 E-1	10368	-0.015	-0.01	-0.9	13.0
6	8	0.1721 E+2	0.1823 E-1	22297	-0.066	-0.07	-3.8	13.0
5	4	0.1739 E+2	0.1720 E-1	51133	-0.079	-0.08	-4.5	13.0

Station No. 86

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1358 E±0	0.6971 E-4	372	-5.426	0.86	491	7.5
13	1024	0.2872 E±0	0.2258 E-3	316	0.654	0.65	374	13.0
12	512	0.3569 E±0	0.3598 E-3	384	0.730	0.73	418	13.0
11	256	0.5365 E±0	0.7286 E-3	424	0.753	0.75	431	13.0
10	128	0.7676 E±0	0.1705 E-2	317	0.836	0.84	47.9	13.0
9	64	0.7958 E±0	0.2691 E-2	274	0.465	0.47	26.7	13.0
8	32	0.1957 E+1	0.7268 E-2	453	0.137	0.14	7.9	13.0
7	16	0.2209 E+1	0.7833 E-2	1007	6.161	-0.12	-7.0	13.0
6	8	0.2235 E+1	0.6817 E-2	2714	5.987	-0.30	-17.0	13.0
5	4	0.2357 E+1	0.5748 E-2	8439	5.962	-0.32	-18.4	13.0

*** Measured Data List ***

Station No. 87 Date 1984/ 11/21 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3030 E±0	0.1053 E-3	812	-5.667	0.62	35.3	7.5
13	1024	0.6530 E±0	0.2590 E-3	1248	0.558	0.56	32.0	13.0
12	512	0.7959 E±0	0.3922 E-3	1610	0.577	0.58	33.1	13.0
11	256	0.1192 E+1	0.7662 E-2	1895	0.649	0.65	37.2	13.0
10	128	0.1706 E+1	0.1742 E-2	1551	-24.80	0.66	37.9	13.0
9	64	0.2071 E+1	0.2817 E-2	1688	-28.19	0.32	18.5	13.0
8	32	0.5092 E+1	0.7202 E-2	3125	-30.46	0.10	5.5	13.0
7	16	0.5335 E+1	0.7589 E-2	6177	30.32	-0.11	-6.3	13.0
6	8	0.4872 E+1	0.6055 E-2	15739	28.57	-0.28	-1.63	13.0
5	4	0.4659 E+1	0.4726 E-2	48593	2.763	-0.38	-21.7	13.0

Station No. 88 Date 1984/ 11/21 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1744 E±0	0.1061 E-3	264	0.725	0.72	41.5	7.5
13	1024	0.3563 E±0	0.2910 E-3	293	0.636	0.64	36.4	13.0
12	512	0.4074 E±0	0.4433 E-3	331	0.693	0.69	39.7	13.0
11	256	0.5747 E±0	0.8630 E-3	347	0.730	0.73	41.8	13.0
10	128	0.8192 E±0	0.1975 E-2	267	0.736	0.74	42.1	13.0
9	64	0.9242 E±0	0.3043 E-2	288	0.350	0.35	20.1	13.0
8	32	0.2252 E+1	0.7685 E-2	536	0.079	0.08	4.5	13.0
7	16	0.2447 E+1	0.8007 E-2	1168	61.57	-0.13	-7.2	13.0
6	8	0.2365 E+1	0.6585 E-2	3226	59.83	-0.30	-17.2	13.0
5	4	0.2363 E+1	0.5229 E-2	10255	28.45	-0.30	-17.0	13.0

*** Measured Data List ***

Station No. 89 Date 1984/ 11/21 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.7152 E-1	0.8851 E-4	66	-1.857	1.28	73.6	7.5
13	1024	0.2329 E±0	0.2368 E-3	190	-2.601	0.54	31.0	13.0
12	512	0.3383 E±0	0.3981 E-3	290	3.670	0.53	30.3	13.0
11	256	0.5566 E±0	0.7921 E-3	386	3.753	0.61	35.0	13.0
10	128	0.7688 E±0	0.1948 E-2	243	3.832	0.69	39.6	13.0
9	64	0.8538 E+1	0.3018 E-2	250	3.251	0.11	6.2	13.0
8	32	0.2465 E+1	0.7644 E-2	650	2.747	-0.39	-2.26	13.0
7	16	0.3818 E+1	0.7783 E-2	3010	2.450	-0.69	-3.96	13.0
6	8	0.4982 E+1	0.6272 E-2	15779	-0.740	-0.74	-4.24	13.0
5	4	0.5753 E+1	0.4757 E-2	73330	-0.638	-0.64	-3.66	13.0

Station No. 90 Date 1984/ 11/21 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.4491 E-1	0.1007 E-3	19	0.449	0.45	25.7	7.5
13	1024	0.5357 E-1	0.2603 E-3	10	-4.541	-1.40	-8.02	13.0
12	512	0.5689 E-1	0.4115 E-3	7	2.500	-0.64	-3.67	13.0
11	256	0.7284 E-1	0.8060 E-3	5	3.199	0.06	3.3	13.0
10	128	0.5293 E-1	0.1974 E-3	1	3.727	0.59	3.35	13.0
9	64	0.9246 E-1	0.3159 E-2	3	1.279	1.28	7.33	13.0
8	32	0.7051 E-1	0.7674 E-2	53	1.524	1.52	8.73	13.0
7	16	0.1456 E+1	0.7570 E-2	463	-1.429	-1.43	-8.19	13.0
6	8	0.2082 E+1	0.5836 E-2	3193	-1.226	-1.23	-7.02	13.0
5	4	0.2431 E+1	0.4117 E-2	12995	-1.007	-1.01	-5.77	13.0

*** Measured Data List ***

Station No. 91

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1067 E±0	0.1053 E-2	101	0.569	0.57	32.6	7.5
13	1024	0.1439 E±0	0.2851 E-2	50	-5.237	1.05	59.9	1.30
12	512	0.1260 E±0	0.4409 E-2	32	1.120	1.12	64.2	1.30
11	256	0.1185 E±0	0.8238 E-2	16	1.080	1.08	61.9	1.30
10	128	0.2256 E±0	0.2247 E-1	16	6.607	0.32	18.5	1.30
9	64	0.5377 E±0	0.3416 E-1	70	0.388	0.39	2.22	1.30
8	32	0.1628 E+1	0.8161 E-1	249	0.769	0.77	4.41	1.30
7	16	0.2359 E+1	0.7638 E-1	1192	1.175	1.18	67.3	1.30
6	8	0.2992 E+1	0.5760 E-1	7015	1.507	1.51	86.3	1.30
5	4	0.3436 E+1	0.3724 E-1	42717	1.703	-1.44	-82.4	1.30

Station No. 92

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1893 E±0	0.1400 E-3	179	-0.029	-0.03	-1.6	7.5
13	1024	0.1247 E±0	0.3288 E-3	28	-4.316	-1.17	-67.3	1.30
12	512	0.1972 E±0	0.5376 E-3	52	2.785	-0.36	-20.4	1.30
11	256	0.2553 E±0	0.1018 E-2	49	3.799	0.66	37.7	1.30
10	128	0.2400 E±0	0.3123 E-2	10	4.147	1.01	57.6	1.30
9	64	0.3086 E±0	0.4509 E-2	15	1.192	1.19	68.3	1.30
8	32	0.2829 E+1	0.1027 E-1	475	1.397	1.40	80.1	1.30
7	16	0.5956 E+1	0.9526 E-2	4874	1.586	-1.56	-89.2	1.30
6	8	0.8429 E+1	0.6896 E-2	37350	1.762	-1.38	-79.0	1.30
5	4	0.1002 E+2	0.4828 E-2	215333	1.927	-1.21	-69.6	1.30

*** Measured Data List ***

Station No. 93

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency		Electric Field		Magnetic Field		Apparent Resistivity		Phase Difference		Corrected Phase Difference		Current	
	f (Hz)		E (mV/km)		H (γ)		$\rho_a(\Omega\text{-m})$		PD (rad)		PD-C (rad)		PD-C(deg)	I (A)
14	2048		0.8170 E±0		0.1565 E-3		2663		-5825		0.46		263	7.5
13	1024		0.1906 E+1		0.4524 E-3		3468		0.494		0.49		283	13.0
12	512		0.2354 E+1		0.7392 E-3		3960		0.463		0.46		265	13.0
11	256		0.3622 E+1		0.1350 E-2		5624		0.466		0.47		267	13.0
10	128		0.7455 E+1		0.3849 E-2		5888		0.292		0.29		167	13.0
9	64		0.1048 E+2		0.5534 E-2		11213		-3077		0.06		37	13.0
8	32		0.2399 E+2		0.1237 E-1		23520		-3183		-0.04		-24	13.0
7	16		0.2416 E+2		0.1178 E-1		42610		6124		-0.16		-91	13.0
6	8		0.2175 E+2		0.9307 E-2		136500		6010		-0.27		-157	13.0
5	4		0.2022 E+2		0.7163 E-2		399233		5988		-0.29		-169	13.0

Station No. 94

Date 1984/ 11/22

Tx Bipole No. 1

No.	Frequency		Electric Field		Magnetic Field		Apparent Resistivity		Phase Difference		Corrected Phase Difference		Current	
	f (Hz)		E (mV/km)		H (γ)		$\rho_a(\Omega\text{-m})$		PD (rad)		PD-C (rad)		PD-C(deg)	I (A)
14	2048		0.1852 E±0		0.1236 E-3		220		0.492		0.49		282	7.5
13	1024		0.3586 E±0		0.3236 E-3		240		0.646		0.65		370	13.0
12	512		0.3861 E±0		0.4954 E-3		237		0.757		0.76		434	13.0
11	256		0.5041 E±0		0.9748 E-3		207		0.727		0.73		416	13.0
10	128		0.7559 E±0		0.2280 E-2		172		6871		0.59		337	13.0
9	64		0.1105 E+1		0.3578 E-2		298		0.330		0.33		189	13.0
8	32		0.2679 E+1		0.8911 E-2		565		0.324		0.32		186	13.0
7	16		0.2582 E+1		0.9151 E-2		995		0.445		0.45		255	13.0
6	8		0.1850 E+1		0.7577 E-2		1490		0.692		0.69		396	13.0
5	4		0.1160 E+1		0.6261 E-2		1696		1.040		1.04		596	13.0

*** Measured Data List ***

Station No.95

Date 1984/ 11/22

Tx Bipole No.1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H (γ)			PD-C(rad)	PD-C(deg)	
14	2048	0.2353 E±0	0.1387 E-3	281	-5813	0.47	269	7.5
13	1024	0.4664 E±0	0.3603 E-3	328	0.672	0.67	385	130
12	512	0.5094 E±0	0.5695 E-3	309	0.790	0.79	453	130
11	256	0.6740 E±0	0.1159 E-2	264	0.751	0.75	431	130
10	128	0.1058 E+1	0.2769 E-2	228	0.568	0.57	326	130
9	64	0.1533 E+1	0.4188 E-2	419	0.341	0.34	195	130
8	32	0.3810 E+1	0.1043 E-1	838	0.402	0.40	230	130
7	16	0.3753 E+1	0.1075 E-1	1523	6931	0.65	371	130
6	8	0.2917 E+1	0.9486 E-2	2367	1076	1.08	617	130
5	4	0.2199 E+1	0.8101 E-2	3683	1628	-1.51	-867	130

Station No. 96

Date 1984/ 11/22

Tx Bipole No.1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E(mv/km)	H (γ)			PD-C(rad)	PD-C(deg)	
14	2048	0.3671 E±0	0.1490 E-3	598	0.550	0.55	315	7.5
13	1024	0.7723 E±0	0.3870 E-3	778	0.656	0.66	376	130
12	512	0.8837 E±0	0.6293 E-3	804	0.724	0.72	415	130
11	256	0.1231 E+1	0.1243 E-2	767	0.725	0.72	415	130
10	128	0.1903 E+1	0.2991 E-2	632	0.621	0.62	356	130
9	64	0.2424 E+1	0.4450 E-2	927	0.346	0.35	198	130
8	32	0.5848 E+1	0.1105 E-1	1749	0.275	0.27	157	130
7	16	0.5623 E+1	0.1139 E-1	3048	0.318	0.32	182	130
6	8	0.4162 E+1	0.9802 E-2	4507	0.407	0.41	233	130
5	4	0.2811 E+1	0.8421 E-2	5570	0.434	0.43	249	130

*** Measured Data List ***

Date 1984/ 11/22 Tx Bipole No.1

Station No. 97

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Current I (A)
14	2048	0.1337 E-2	0.1108 E-4	142	-5648	0.64	7.5
13	1024	0.4549 E-2	0.3222 E-4	389	2551	-0.59	13.0
12	512	0.7507 E-2	0.5331 E-4	774	2990	-0.15	13.0
11	256	0.1337 E-1	0.1087 E-3	1184	-2811	0.33	13.0
10	128	0.1703 E-1	0.2752 E-3	599	3610	0.47	13.0
9	64	0.1527 E-1	0.4085 E-3	436	-3640	-0.50	13.0
8	32	0.8674 E-1	0.9823 E-3	4873	-4286	-1.14	13.0
7	16	0.1926 E+0	0.1013 E-2	45200	2009	-1.13	13.0
6	8	0.2834 E+0	0.8756 E-3	261400	2197	-0.94	13.0
5	4	0.3403 E+0	0.7229 E-3	1108800	2444	-0.70	13.0

Date 1984/ 11/22 Tx Bipole No.1

Station No. 98

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Current I (A)
14	2048	0.1050 E+0	0.1332 E-2	61	-5512	0.77	7.5
13	1024	0.4011 E+0	0.3723 E-2	227	0.019	0.02	13.0
12	512	0.4361 E+0	0.6352 E-2	184	0.839	0.84	13.0
11	256	0.3780 E+0	0.1358 E-1	61	0.903	0.90	13.0
10	128	0.7037 E+0	0.3544 E-1	62	0.411	0.41	13.0
9	64	0.1293 E+1	0.5144 E-1	197	0.444	0.44	13.0
8	32	0.4545 E+1	0.1221 E+0	865	0.878	0.88	13.0
7	16	0.7272 E+1	0.1258 E+0	4177	1.440	1.44	13.0
6	8	0.9614 E+1	0.1067 E+0	20303	1.925	-1.22	13.0
5	4	0.1137 E+2	0.9043 E-1	79163	5486	-0.80	13.0

*** Measured Data List ***

Station No. 99

Date 1984/ 11/22

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	Corrected Phase Difference PD-C(deg)	
14	2048	0.1531 E±0	0.1454 E-2	108	-5501	0.78	448
13	1024	0.2248 E±0	0.4183 E-2	57	1.181	1.18	67.6
12	512	0.2024 E±0	0.7168 E-2	31	1.278	1.28	73.3
11	256	0.2211 E±0	0.1477 E-1	18	0.945	0.95	54.2
10	128	0.4002 E±0	0.3845 E-1	17	0.870	0.87	49.8
9	64	0.5688 E±0	0.5547 E-1	33	0.508	0.51	29.1
8	32	0.1804 E+1	0.1288 E±0	123	0.741	0.74	42.4
7	16	0.2619 E+1	0.1295 E±0	511	1.258	1.26	72.1
6	8	0.3352 E+1	0.1097 E±0	2332	1.775	-1.37	-78.3
5	4	0.3917 E+1	0.9508 E+1	9002	2.196	-0.95	-54.2

Station No. 100

Date 1984/ 11/22

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	Corrected Phase Difference PD-C(deg)	
14	2048	0.6693 E±0	0.1573 E-3	1771	0.844	0.84	48.3
13	1024	0.1358 E+1	0.4661 E-3	1658	0.786	0.79	45.0
12	512	0.1606 E+1	0.8105 E-3	1533	0.689	0.69	39.5
11	256	0.2532 E+1	0.1667 E-2	1832	0.601	0.60	34.4
10	128	0.5088 E+1	0.4473 E-2	2023	6.632	0.35	20.0
9	64	0.6826 E+1	0.6262 E-2	3713	0.183	0.18	10.5
8	32	0.1526 E+2	0.1445 E-1	6979	0.081	0.08	4.7
7	16	0.1546 E+2	0.1478 E-1	136767	3.129	-0.01	-0.7
6	8	0.1409 E+2	0.1293 E-1	29730	3.045	-0.10	-5.5
5	4	0.1329 E+2	0.1132 E-1	68947	3.014	-0.13	-7.3

*** Measured Data List ***

Date 1984/ 11/22 Tx Bipole No.1

Station No. 101

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3423 E±0	0.1822 E-3	348	0.494	0.49	283	75
13	1024	0.7842 E±0	0.5404 E-3	412	0.480	0.48	275	130
12	512	0.1051 E+1	0.9290 E-3	531	0.401	0.40	230	130
11	256	0.1746 E+1	0.1758 E-2	771	0.395	0.40	227	130
10	128	0.3717 E+1	0.4587 E-2	1027	0.232	0.23	133	130
9	64	0.5034 E+1	0.6299 E-2	1995	-3.016	0.13	72	130
8	32	0.1143 E+2	0.1458 E-1	3843	-3.046	0.10	55	130
7	16	0.1118 E+2	0.1471 E-1	7228	3.210	0.07	39	130
6	8	0.9207 E+1	0.1256 E-1	13446	3.177	0.04	20	130
5	4	0.7543 E+1	0.1050 E-1	25807	3.163	0.02	12	130

Date 1984/ 11/20 Tx Bipole No.1

Station No. 102

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2250 E±0	0.1573 E-3	201	0.576	0.58	330	75
13	1024	0.5764 E±0	0.5123 E-3	247	0.626	0.63	359	130
12	512	0.7722 E±0	0.9024 E-3	286	0.732	0.73	420	130
11	256	0.1206 E+1	0.1911 E-2	311	0.833	0.83	477	130
10	128	0.1707 E+1	0.8809 E-2	163	0.839	0.84	481	130
9	64	0.1890 E+1	0.6937 E-2	232	0.383	0.38	220	130
8	32	0.5018 E+1	0.1585 E-1	626	0.426	0.43	244	130
7	16	0.5414 E+1	0.1644 E-1	1356	0.801	0.80	459	130
6	8	0.4783 E+1	0.1467 E-1	2656	1.378	1.38	789	130
5	4	0.4495 E+1	0.1346 E-1	5577	1.956	-1.19	-67.9	130

*** Measured Data List ***

Station No.103

Date 1984/ 11/20

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1376 E±0	0.1630 E-3	66	-5887	0.40	227	75
13	1024	0.3744 E±0	0.4987 E-3	110	0.387	0.39	222	130
12	512	0.5226 E±0	0.8583 E-3	145	0.402	0.40	230	130
11	256	1.0008 E+1	0.1845 E-2	230	0.388	0.39	222	130
10	128	0.1976 E+1	0.4901 E-2	254	0.205	0.20	117	130
9	64	0.2979 E+1	0.6796 E-2	601	0.066	0.07	38	130
8	32	0.7250 E+1	0.1579 E-1	1318	0.112	0.11	64	130
7	16	0.7175 E+1	0.1635 E-1	2407	3.368	0.23	130	130
6	8	0.5549 E+1	0.1430 E-1	3766	3.489	0.35	199	130
5	4	0.3763 E+1	0.1269 E-1	4404	3602	0.46	264	130

Station No.104

Date 1984/ 11/20

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8614 E-1	0.1688 E-3	26	-5703	0.58	333	75
13	1024	0.2276 E±0	0.5476 E-3	34	0.514	0.51	294	130
12	512	0.3211 E±0	0.9834 E-3	42	0.444	0.44	254	130
11	256	0.6310 E±0	0.2218 E-2	63	0.338	0.34	193	130
10	128	0.1345 E+1	0.5794 E-2	84	0.193	0.19	110	130
9	64	0.2011 E+1	0.8267 E-2	185	0.059	0.06	34	130
8	32	0.4773 E+1	0.1925 E-1	384	0.055	0.06	32	130
7	16	0.4855 E+1	0.2007 E-1	732	6.355	0.07	41	130
6	8	0.4233 E+1	0.1840 E-1	1321	6.346	0.06	36	130
5	4	0.3804 E+1	0.1725 E-1	2431	6.310	0.03	1.6	130

*** Measured Data List ***

Station No.105 Date 1984/ 11/20 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8674 E-1	1.0110 E-4	72	-0.007	-0.01	-0.4	7.5
13	1024	0.1686 E±0	0.3225 E-3	53	0.483	0.48	27.7	13.0
12	512	0.2251 E±0	0.5918 E-3	57	1.098	1.10	62.9	13.0
11	256	0.2830 E±0	0.1328 E-2	35	1.317	1.32	75.4	13.0
10	128	0.5809 E±0	0.3613 E-2	41	1.797	-1.35	-77.1	13.0
9	64	0.6195 E±0	0.5250 E-2	43	1.481	1.48	84.9	13.0
8	32	0.3815 E+1	0.1242 E-1	590	1.414	1.41	81.0	13.0
7	16	0.8302 E+1	0.1296 E-1	5130	1.761	-1.38	-79.1	13.0
6	8	0.1220 E+2	0.1138 E-1	28743	5.287	-1.00	-57.1	13.0
5	4	0.1503 E+2	0.1034 E-1	103960	5.603	-0.68	-39.0	13.0

Station No.106 Date 1984/ 11/23 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2224 E±0	0.2424 E-3	82	0.337	0.34	19.3	7.5
13	1024	0.5828 E±0	0.7215 E-3	127	0.366	0.37	21.0	13.0
12	512	0.8535 E±0	0.1224 E-2	190	6.682	0.40	22.8	13.0
11	256	0.1388 E+1	0.2458 E-2	249	0.534	0.53	30.6	13.0
10	128	0.2633 E+1	0.6686 E-2	243	6.672	0.39	22.3	13.0
9	64	0.3150 E+1	0.8557 E-2	423	0.225	0.22	12.9	13.0
8	32	0.6828 E+1	0.1915 E-1	795	0.188	0.19	10.8	13.0
7	16	0.6575 E+1	0.1958 E-1	1410	0.200	0.20	11.5	13.0
6	8	0.5367 E+1	0.1782 E-1	2267	0.231	0.23	13.2	13.0
5	4	0.4292 E+1	0.1630 E-1	3469	0.195	0.20	11.2	13.0

*** Measured Data List ***

Station No. 107 Date 1984/ 11/23 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2999 E±0	0.1868 E-3	252	0.366	0.37	7.5
13	1024	0.7590 E±0	0.5508 E-3	371	0.352	0.35	13.0
12	512	0.1048 E+1	0.9051 E-3	524	6.647	0.36	13.0
11	256	0.1687 E+1	0.1765 E-2	714	0.461	0.46	13.0
10	128	0.3468 E+1	0.4914 E-2	778	6.588	0.31	13.0
9	64	0.4556 E+2	0.6605 E-2	1487	0.164	0.16	13.0
8	32	0.1007 E+1	0.1497 E-1	2829	0.118	0.12	13.0
7	16	0.9897 E+1	0.1533 E-1	5255	0.089	0.09	13.0
6	8	0.8509 E+1	0.1369 E-1	9668	0.070	0.07	13.0
5	4	0.7359 E+1	0.1780 E-1	18589	0.012	0.01	13.0

Station No. 108 Date 1984/ 11/23 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.5468 E±0	0.2120 E-3	617	-5.828	0.46	7.5
13	1024	0.1357 E+1	0.6761 E-3	787	0.439	0.44	13.0
12	512	0.1939 E+1	0.1165 E-2	1082	0.421	0.42	13.0
11	256	0.3133 E+1	0.2428 E-2	1300	0.543	0.54	13.0
10	128	0.6210 E+1	0.6481 E-2	1426	0.317	0.32	13.0
9	64	0.8004 E+1	0.8579 E-2	2719	0.177	0.18	13.0
8	32	0.1713 E+2	0.1879 E-1	5198	0.123	0.12	13.0
7	16	0.1670 E+2	0.1902 E-1	9615	6.378	0.09	13.0
6	8	0.1424 E+2	0.1696 E-1	17607	6.352	0.07	13.0
5	4	0.1247 E+2	0.1491 E-1	35227	6.333	0.05	13.0

*** Measured Data List ***

Station No. 109 Date 1984/ 11/23 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.3056 E±0	0.1847 E-3	269	0.472	0.47	27.0	7.5
13	1024	0.7256 E±0	0.5676 E-3	319	0.561	0.56	32.1	13.0
12	512	0.8772 E±0	0.9436 E-3	337	0.639	0.64	34.6	13.0
11	256	0.1319 E+1	0.1827 E-2	407	0.718	0.72	41.1	13.0
10	128	0.2315 E+1	0.5304 E-2	293	0.610	0.61	35.0	13.0
9	64	0.2739 E+1	0.7051 E-2	471	0.343	0.34	19.7	13.0
8	32	0.6230 E+1	0.1561 E-1	996	0.359	0.36	20.5	13.0
7	16	0.5967 E+1	0.1531 E-1	1897	0.593	0.59	34.0	13.0
6	8	0.4609 E+1	0.1304 E-1	3123	1.013	1.01	58.1	13.0
5	4	0.3425 E+1	0.1076 E-1	5064	1.561	1.56	89.4	13.0

Station No. 110 Date 1984/ 11/23 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.8947 E±0	0.1714 E-3	2667	0.477	0.48	27.3	7.5
13	1024	0.2074 E+1	0.5242 E-3	3056	0.566	0.57	32.4	13.0
12	512	0.2540 E+1	0.8490 E-3	3496	0.623	0.54	30.9	13.0
11	256	0.3862 E+1	0.1607 E-2	4513	0.561	0.56	32.1	13.0
10	128	0.7613 E+1	0.4619 E-2	4244	0.652	0.37	21.1	13.0
9	64	0.1058 E+2	0.6294 E-2	7959	0.169	0.17	9.7	13.0
8	32	0.2250 E+2	0.1423 E-1	15625	3.236	0.09	5.4	13.0
7	16	0.2209 E+2	0.1430 E-1	29800	3.208	0.07	3.8	13.0
6	8	0.1845 E+2	0.1207 E-1	58410	3.154	0.01	0.7	13.0
5	4	0.1577 E+2	0.1047 E-1	113693	3.125	-0.02	-1.0	13.0

*** Measured Data List ***

Station No. 111 Date 1984/ 11/23 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7689 E±0	0.1625 E-3	2190	-5.705	0.58	33.1	7.5
13	1024	0.1693 E+1	0.4591 E-3	2657	0.607	0.61	34.8	13.0
12	512	0.2001 E+1	0.7511 E-3	2771	0.552	0.55	31.6	13.0
11	256	0.3306 E+1	0.1477 E-2	3914	0.499	0.50	28.6	13.0
10	128	0.6621 E+1	0.4086 E-2	4102	0.316	0.32	18.1	13.0
9	64	0.9271 E+1	0.5792 E-2	7992	0.125	0.12	7.1	13.0
8	32	0.2126 E+2	0.1328 E-1	16017	0.047	0.05	2.7	13.0
7	16	0.1419 E+2	0.1332 E-1	31763	6.276	-0.01	-0.4	13.0
6	8	0.1881 E+2	0.1156 E-1	65350	6.219	-0.06	-3.7	13.0
5	4	0.1691 E+2	0.9739 E-1	151060	6.170	-0.11	-6.5	13.0

Station No. 112 Date 1984/ 11/23 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3804 E±0	0.1272 E-3	877	0.674	0.67	38.6	7.5
13	1024	0.8108 E±0	0.4150 E-3	747	0.739	0.74	42.3	13.0
12	512	1.0030 E+1	0.7258 E-3	747	6.896	0.61	35.1	13.0
11	256	0.1777 E+1	0.1545 E-2	1015	3.633	0.49	28.2	13.0
10	128	0.3777 E+1	0.4271 E-2	1207	3.419	0.28	15.9	13.0
9	64	0.5480 E+1	0.6129 E-2	2498	3.258	0.12	6.7	13.0
8	32	0.1275 E+2	0.1422 E-1	5026	3.235	0.09	5.4	13.0
7	16	0.1273 E+2	0.1464 E-1	9452	3.233	0.09	5.2	13.0
6	8	0.1095 E+2	0.1324 E-1	17094	3.205	0.06	3.6	13.0
5	4	0.9652 E+1	0.1208 E-1	31917	3.181	0.04	2.2	13.0

*** Measured Data List ***

Station No. 113 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.1153 E±0	0.5802 E-4	391	-5.688	0.60	341	75
13	1024	0.2305 E±0	0.1414 E-3	520	0.533	0.53	305	130
12	512	0.2938 E±0	0.2287 E-3	649	0.532	0.53	305	130
11	256	0.4538 E±0	0.4481 E-3	802	0.578	0.58	331	130
10	128	0.6972 E±0	0.1115 E-2	611	0.481	0.48	276	130
9	64	0.1248 E+1	0.1951 E-2	1280	0.198	0.20	113	130
8	32	0.3435 E+1	0.5184 E-2	2743	0.207	0.21	119	130
7	16	0.3464 E+1	0.5357 E-2	5226	3.488	0.35	199	130
6	8	0.2517 E+1	0.4347 E-2	8397	3.711	0.57	326	130
5	4	0.1546 E+1	0.2922 E-2	14150	4.080	0.94	538	130

Station No. 114 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.3221 E±0	0.5119 E-3	38	0.798	0.80	457	75
13	1024	0.8117 E±0	0.1623 E-2	49	0.507	0.51	290	130
12	512	0.1107 E+1	0.2918 E-2	56	6.795	0.51	293	130
11	256	0.1821 E+1	0.5681 E-2	80	0.567	0.57	325	130
10	128	0.2698 E+1	0.1386 E-1	59	3.721	0.58	332	130
9	64	0.3868 E+1	0.2303 E-1	88	3.273	0.13	75	130
8	32	0.1071 E+2	0.6034 E-1	194	3.065	-0.08	-44	130
7	16	0.1228 E+2	0.6311 E-1	474	2.890	-0.25	-144	130
6	8	0.1241 E+2	0.5238 E-1	1405	2.729	-0.41	-237	130
5	4	0.1276 E+2	0.4181 E-1	4660	2.749	-0.39	-225	130

*** Measured Data List ***

Station No. 115 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2120 E±0	0.6709 E-4	976	0.429	0.43	24.6	7.5
13	1024	0.4330 E±0	0.1527 E-3	1578	0.538	0.54	30.8	13.0
12	512	0.5440 E±0	0.2444 E-3	1936	0.633	0.63	36.3	13.0
11	256	0.7850 E±0	0.4796 E-3	2097	0.650	0.65	37.3	13.0
10	128	0.1187 E+1	0.1161 E-2	1633	6.872	0.59	33.7	13.0
9	64	0.1846 E+1	0.1980 E-2	2716	0.317	0.32	18.1	13.0
8	32	0.4919 E+1	0.5375 E-2	5234	0.300	0.30	17.2	13.0
7	16	0.4890 E+1	0.5572 E-2	9636	3.534	0.39	22.5	13.0
6	8	0.3570 E+1	0.4280 E-2	17424	-2.517	0.62	35.8	13.0
5	4	0.2305 E+1	0.3013 E-2	29633	-20.92	1.05	60.1	13.0

Station No. 116 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1381 E±0	0.6207 E-4	484	-5.859	0.42	24.3	7.5
13	1024	0.2930 E±0	0.1675 E-3	632	0.479	0.48	27.4	13.0
12	512	0.3821 E±0	0.2696 E-3	785	0.473	0.47	27.1	13.0
11	256	0.5934 E±0	0.5345 E-3	964	0.602	0.60	34.5	13.0
10	128	0.8981 E±0	0.1263 E-2	790	0.580	0.58	33.2	13.0
9	64	0.1406 E+1	0.2164 E-2	1320	0.237	0.24	13.6	13.0
8	32	0.3960 E+1	0.6024 E-2	2700	0.184	0.18	10.6	13.0
7	16	0.4007 E+1	0.6385 E-2	4964	6.520	0.24	13.5	13.0
6	8	0.2969 E+1	0.5385 E-2	7153	0.340	0.34	19.5	13.0
5	4	0.1898 E+1	0.4302 E-2	9839	0.369	0.37	21.1	13.0

*** Measured Data List ***

Station No. 117 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1203 E±0	0.5439 E-4	486	0.576	0.58	7.5
13	1024	0.2783 E±0	0.1205 E-3	1056	0.371	0.37	13.0
12	512	0.3722 E±0	0.1821 E-3	1633	6.675	0.39	13.0
11	256	0.6286 E±0	0.3412 E-3	2659	0.406	0.41	13.0
10	128	0.9560 E±0	0.8018 E-3	2225	6.753	0.47	13.0
9	64	0.1531 E+1	0.1493 E-2	3283	0.058	0.06	13.0
8	32	0.4748 E+1	0.4146 E-2	8203	2.962	-0.18	13.0
7	16	0.5545 E+1	0.4476 E-2	19342	2.776	-0.37	13.0
6	8	0.5096 E+1	0.3330 E-2	54030	2.538	-0.60	13.0
5	4	0.4886 E+1	0.2239 E-2	239133	2.348	-0.79	13.0

Station No. 118 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1585 E±0	0.1364 E-3	135	0.240	0.24	7.5
13	1024	0.3635 E±0	0.3925 E-3	166	0.386	0.39	13.0
12	512	0.4795 E±0	0.6679 E-3	201	6.697	0.41	13.0
11	256	0.8537 E±0	0.1360 E-2	308	0.325	0.33	13.0
10	128	0.1874 E+1	0.3513 E-2	446	6.472	0.19	13.0
9	64	0.3000 E+1	0.5254 E-2	1019	0.148	0.15	13.0
8	32	0.7369 E+1	0.1241 E-1	2204	0.309	0.31	13.0
7	16	0.7258 E+1	0.1281 E-1	4010	0.616	0.62	13.0
6	8	0.5607 E+1	0.1122 E-1	6241	1.070	1.07	13.0
5	4	0.4329 E+1	0.1100 E-1	8069	1.664	-1.48	13.0

*** Measured Data List ***

Station No. 119 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.3751 E±0	0.1134 E-3	1072	0.462	0.46	75
13	1024	0.9268 E±0	0.3157 E-3	1685	0.471	0.47	130
12	512	0.1228 E+1	0.5391 E-3	2024	6.776	0.49	130
11	256	0.2024 E+1	0.1100 E-2	2645	0.474	0.47	130
10	128	0.3636 E+1	0.2784 E-2	2666	6.622	0.34	130
9	64	0.5811 E+1	0.4168 E-2	6072	0.165	0.16	130
8	32	0.1426 E+2	0.1024 E-1	12113	0.200	0.20	130
7	16	0.1370 E+2	0.1065 E-1	20680	0.297	0.30	130
6	8	0.1014 E+2	0.9361 E-2	29468	0.429	0.43	130
5	4	0.6882 E+1	0.8201 E-2	35210	0.464	0.46	130

Station No. 120 Date 1984/ 11/25 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.7350 E±0	0.1850 E-3	1488	0.441	0.44	75
13	1024	0.2191 E+1	0.6341 E-3	2333	0.368	0.37	130
12	512	0.3623 E+1	0.1146 E-2	3902	6.682	0.40	130
11	256	0.5811 E+1	0.2502 E-2	4215	0.533	0.53	130
10	128	0.1253 E+2	0.6930 E-2	5107	6.615	0.33	130
9	64	0.1429 E+2	0.8557 E-2	8710	3.360	0.22	130
8	32	0.2977 E+2	0.1895 E-1	15432	3.300	0.16	130
7	16	0.2915 E+2	0.1951 E-1	27923	3.250	0.11	130
6	8	0.2574 E+2	0.1787 E-1	51856	3.194	0.05	130
5	4	0.2343 E+2	0.1654 E-1	100400	3.147	0.01	130

*** Measured Data List ***

Station No. 121

Date 1984/ 11/25

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.3663 E±0	0.2518 E-3	207	0.298	0.30	17.1	7.5
13	1024	0.1137 E+1	0.8638 E-3	338	0.289	0.29	16.5	1.30
12	512	0.1809 E+1	0.1466 E-2	595	6.622	0.34	19.4	1.30
11	256	0.2940 E+1	0.3009 E-2	746	0.492	0.49	28.2	1.30
10	128	0.5580 E+1	0.7782 E-2	796	6.653	0.37	21.2	1.30
9	64	0.6216 E+1	0.9538 E-2	1328	0.231	0.23	13.3	1.30
8	32	0.1339 E+2	0.2118 E-1	2499	0.186	0.19	10.7	1.30
7	16	0.1294 E+2	0.2162 E-1	4478	0.217	0.22	12.4	1.30
6	8	0.1028 E+2	0.1930 E-1	7090	0.264	0.26	15.1	1.30
5	4	0.7866 E+1	0.1745 E-1	10154	0.269	0.27	15.4	1.30

Station No. 122

Date 1984/ 11/25

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.5213 E±0	0.2128 E-3	588	0.235	0.23	13.4	7.5
13	1024	0.1613 E+1	0.7263 E-3	963	0.349	0.35	20.0	1.30
12	512	0.2523 E+1	0.1325 E-2	1417	0.499	0.50	28.6	1.30
11	256	0.4095 E+1	0.3158 E-2	1313	0.653	0.65	37.4	1.30
10	128	0.7292 E+1	0.8219 E-2	1230	0.453	0.45	25.9	1.30
9	64	0.8082 E+1	0.9809 E-2	2121	0.244	0.24	14.0	1.30
8	32	0.1755 E+2	0.2154 E-1	4148	-2.935	0.21	11.8	1.30
7	16	0.1713 E+2	0.2240 E-1	7308	3.412	0.27	15.5	1.30
6	8	0.1346 E+2	0.2048 E-1	14658	3.487	0.35	19.8	1.30
5	4	0.1006 E+2	0.1925 E-1	13640	3.510	0.37	21.1	1.30

*** Measured Data List ***

Station No. 123 Date 1984/ 11/25 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.4006 E±0	0.2620 E-3	229	0.250	0.25	7.5
13	1024	0.1303 E+1	0.9096 E-3	401	0.322	0.32	13.0
12	512	0.2061 E+1	0.1651 E-2	609	6.755	0.47	13.0
11	256	0.3243 E+1	0.3882 E-2	545	0.582	0.58	13.0
10	128	0.6246 E+1	0.9743 E-2	642	6.656	0.37	13.0
9	64	0.6724 E+1	0.1133 E-1	1101	0.237	0.24	13.0
8	32	0.1385 E+2	0.2435 E-1	2022	0.189	0.19	13.0
7	16	0.1344 E+2	0.2517 E-1	3564	0.199	0.20	13.0
6	8	0.1119 E+2	0.2322 E-1	5807	0.212	0.21	13.0
5	4	0.9187 E+1	0.2169 E-1	8973	3.310	0.17	13.0

Station No. 124 Date 1984/ 11/25 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.7338 E±0	0.1832 E-3	1580	0.315	0.31	7.5
13	1024	0.2453 E+1	0.5412 E-3	2719	0.435	0.44	13.0
12	512	0.3845 E+1	0.1329 E-2	3271	6.960	0.58	13.0
11	256	0.6150 E+1	0.3664 E-2	2201	0.598	0.60	13.0
10	128	0.1352 E+2	0.9252 E-2	3336	6.669	0.39	13.0
9	64	0.1344 E+2	0.1054 E-1	5084	0.337	0.34	13.0
8	32	0.2522 E+2	0.2255 E-1	7820	0.276	0.28	13.0
7	16	0.2358 E+2	0.2352 E-1	12566	0.217	0.22	13.0
6	8	0.2041 E+2	0.2216 E-1	21197	0.153	0.15	13.0
5	4	0.1845 E+2	0.2111 E-1	38207	0.081	0.08	13.0

*** Measured Data List ***

Station No.125

Date 1984/ 11/26

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3365 E±0	0.1749 E-3	364	0.394	0.39	226	7.5
13	1024	0.1032 E+1	0.5740 E-3	633	0.411	0.41	235	13.0
12	512	0.1731 E+1	0.1124 E-2	926	6.736	0.45	259	13.0
11	256	0.2941 E+1	0.2707 E-2	922	0.476	0.48	273	13.0
10	128	0.6733 E+1	0.7127 E-2	1395	6.568	0.28	163	13.0
9	64	0.7551 E+1	0.8516 E-2	2456	0.227	0.23	130	13.0
8	32	0.1544 E+2	0.1863 E-1	4293	0.208	0.21	119	13.0
7	16	0.1471 E+2	0.1928 E-1	7279	0.212	0.21	122	13.0
6	8	0.1207 E+2	0.1769 E-1	11649	0.223	0.22	128	13.0
5	4	0.9859 E+1	0.1613 E-1	18686	0.179	0.18	103	13.0

Station No.126

Date 1984/ 11/26

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2394 E±0	0.1571 E-3	227	0.338	0.34	193	7.5
13	1024	0.7525 E±0	0.5435 E-3	374	0.429	0.43	246	13.0
12	512	0.1235 E+1	0.1068 E-2	523	6.760	0.48	273	13.0
11	256	0.2087 E+1	0.2626 E-2	493	0.485	0.48	278	13.0
10	128	0.4907 E+1	0.6988 E-2	770	6.552	0.27	153	13.0
9	64	0.5585 E+1	0.8299 E-2	1415	0.213	0.21	122	13.0
8	32	0.1142 E+2	0.1805 E-1	2502	0.194	0.19	111	13.0
7	16	0.1093 E+2	0.1876 E-1	4238	0.199	0.20	114	13.0
6	8	0.9007 E+1	0.1723 E-1	6830	0.203	0.20	116	13.0
5	4	0.7401 E+1	0.1580 E-1	10968	0.158	0.16	90	13.0

*** Measured Data List ***

Station No.127 Date 1984/ 11/26 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\cdot m)$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2223 E±0	0.1197 E-3	339	0.550	0.55	31.5	7.5
13	1024	0.7688 E±0	0.3948 E-3	741	0.651	0.65	37.3	13.0
12	512	0.1135 E+1	0.7596 E-3	873	0.676	0.68	38.7	13.0
11	256	0.1773 E+1	0.1977 E-2	629	0.661	0.66	37.9	13.0
10	128	0.4037 E+1	0.5247 E-2	925	0.331	0.33	18.9	13.0
9	64	0.4685 E+1	0.6358 E-2	1697	0.263	0.26	15.0	13.0
8	32	0.9447 E+1	0.1407 E-1	2819	0.236	0.24	13.5	13.0
7	16	0.8894 E+1	0.1485 E-1	4486	6.497	0.21	12.2	13.0
6	8	0.7432 E+1	0.1363 E-1	7433	6.443	0.16	9.1	13.0
5	4	0.6507 E+1	0.1268 E-1	13161	6.352	0.07	4.0	13.0

Station No.128 Date 1984/ 11/26 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\cdot m)$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4436 E±0	0.1528 E-3	830	0.397	0.40	22.7	7.5
13	1024	0.1164 E+1	0.5022 E-3	1049	0.495	0.50	28.4	13.0
12	512	0.1781 E+1	0.9461 E-3	1385	0.553	0.55	31.7	13.0
11	256	0.2881 E+1	0.2335 E-2	1190	0.578	0.58	33.1	13.0
10	128	0.6454 E+1	0.6233 E-2	1681	0.312	0.31	17.9	13.0
9	64	0.7344 E+1	0.7399 E-2	3078	0.220	0.22	12.6	13.0
8	32	0.1548 E+2	0.1635 E-1	5601	0.189	0.19	10.8	13.0
7	16	0.1506 E+2	0.1702 E-1	9787	6.488	0.20	11.7	13.0
6	8	0.1233 E+2	0.1548 E-1	15753	6.501	0.22	12.5	13.0
5	4	0.1007 E+2	0.1441 E-1	24440	6.473	0.19	10.9	13.0

*** Measured Data List ***

Station No. 129 Date 1984/ 11/26 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.5501 E±0	0.1510 E-3	1299	0.534	0.53	7.5
13	1024	0.1239 E+1	0.5018 E-3	1192	0.544	0.54	13.0
12	512	0.1889 E+1	0.9453 E-3	1559	0.602	0.60	13.0
11	256	0.3081 E+1	0.2460 E-2	1226	0.624	0.62	13.0
10	128	0.6808 E+1	0.6637 E-2	1645	0.350	0.35	13.0
9	64	0.7617 E+1	0.7805 E-2	2976	0.228	0.23	13.0
8	32	0.1626 E+2	0.1704 E-1	5506	0.185	0.19	13.0
7	16	0.1555 E+2	0.1752 E-1	9845	6.482	0.20	13.0
6	8	0.1278 E+2	0.1626 E-1	15958	6.515	0.23	13.0
5	4	0.1015 E+2	0.1471 E-1	23817	3.364	0.22	13.0

Station No. 130 Date 1984/ 11/26 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.4443 E±0	0.1343 E-3	1079	3.590	0.45	7.5
13	1024	0.2854 E+1	0.4861 E-3	1237	3.648	0.51	13.0
12	512	0.1826 E+1	0.9246 E-3	1524	3.729	0.59	13.0
11	256	0.3031 E+1	0.2404 E-2	1242	-2.510	0.63	13.0
10	128	0.6623 E+1	0.6549 E-2	1600	3.502	0.36	13.0
9	64	0.7574 E+1	0.7864 E-2	2899	-2.923	0.22	13.0
8	32	0.1596 E+2	0.1739 E-1	5266	-2.964	0.18	13.0
7	16	0.1556 E+2	0.1784 E-1	9506	3.330	0.19	13.0
6	8	0.1269 E+2	0.1595 E-1	15834	3.362	0.22	13.0
5	4	0.1030 E+2	0.1487 E-1	24013	2.991	-0.15	13.0

*** Measured Data List ***

Date 1984/ 11/27 Tx Bipole No.1

Station No. 131

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference		Current I (A)
					PD (rad)	PD-C(deg)	
14	2048	0.3387 E±0	0.7008 E-4	1281	3.772	0.63	7.5
13	1024	0.8781 E±0	0.3611 E-3	1112	3.815	0.67	13.0
12	512	0.1235 E+1	0.7065 E-3	1193	-2.416	0.73	13.0
11	256	0.1978 E+1	0.1863 E-2	1881	-2.376	0.77	13.0
10	128	0.3985 E+1	0.5126 E-2	945	3.579	0.44	13.0
9	64	0.4550 E+1	0.6247 E-2	1658	-2.888	0.25	13.0
8	32	0.9797 E+1	0.1384 E-1	3130	-2.944	0.20	13.0
7	16	0.9754 E+1	0.1462 E-1	5564	3.353	0.21	13.0
6	8	0.8026 E+1	0.1352 E-1	8814	3.374	0.23	13.0
5	4	0.6362 E+1	0.1244 E-1	13087	3.379	0.24	13.0

Date 1984/ 11/27 Tx Bipole No.1

Station No. 132

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω -m)	Phase Difference		Current I (A)
					PD (rad)	PD-C(deg)	
14	2048	0.2942 E±0	0.6847 E-4	2010	-2.517	0.62	7.5
13	1024	0.1433 E+1	0.3514 E-3	3274	-2.531	0.61	13.0
12	512	0.2265 E+1	0.7438 E-3	3621	-2.477	0.66	13.0
11	256	0.3965 E+1	0.2093 E-2	2804	3.743	0.60	13.0
10	128	0.9769 E+1	0.5992 E-2	4156	3.445	0.30	13.0
9	64	0.1150 E+2	0.7282 E-2	7789	3.344	0.20	13.0
8	32	0.2443 E+2	0.1603 E-1	14515	3.331	0.19	13.0
7	16	0.2343 E+2	0.1660 E-1	24750	3.344	0.20	13.0
6	8	0.1915 E+2	0.1519 E-1	39747	3.351	0.21	13.0
5	4	0.1566 E+2	0.1408 E-1	61827	3.315	0.17	13.0

*** Measured Data List ***

Date 1984/ 11/27 Tx Bipole No.1

Station No.133

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2791 E±0	0.6562 E-4	1777	-0.343	-0.34	-196	7.5
13	1024	0.1331 E+1	0.3954 E-3	2221	0.470	0.47	269	130
12	512	0.2277 E+1	0.8373 E-3	2888	0.542	0.54	311	130
11	256	0.4524 E+1	0.2505 E-2	2548	6.491	0.21	119	130
10	128	0.1213 E+2	0.7152 E-2	4592	6.492	0.21	120	130
9	64	0.1423 E+2	0.8486 E-2	8790	0.150	0.15	86	130
8	32	0.2937 E+2	0.1826 E-1	16178	0.150	0.15	86	130
7	16	0.2792 E+2	0.1854 E-1	28337	0.168	0.17	96	130
6	8	0.2272 E+2	0.1667 E-1	46473	0.173	0.17	99	130
5	4	0.1880 E+2	0.1487 E-1	79910	0.123	0.12	71	130

Date 1984/ 11/27 Tx Bipole No.1

Station No.134

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4321 E±0	0.1116 E-3	1469	0.823	0.82	472	7.5
13	1024	0.1723 E+1	0.6361 E-3	1451	0.648	0.65	371	130
12	512	0.2431 E+1	0.1200 E-2	1604	0.719	0.72	412	130
11	256	0.4098 E+1	0.3385 E-2	1145	0.684	0.68	392	130
10	128	0.9010 E+1	0.9178 E-2	1506	0.382	0.38	219	130
9	64	0.9615 E+1	0.1047 E-1	2637	0.244	0.24	140	130
8	32	0.1925 E+2	0.2193 E-1	4819	0.179	0.18	103	130
7	16	0.1834 E+2	0.2201 E-1	8677	6.449	0.17	95	130
6	8	0.1503 E+2	0.1953 E-1	14802	6.442	0.16	91	130
5	4	0.1228 E+2	0.1729 E-1	25227	6.405	0.12	70	130

*** Measured Data List ***

Station No. 135 Date 1984/ 11/27 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ _a (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3250 E±0	0.1323 E-3	600	0.871	0.87	49.9	7.5
13	1024	0.1252 E+1	0.6799 E-3	662	0.617	0.62	35.3	13.0
12	512	0.1803 E+1	0.1309 E-2	741	0.693	0.69	39.7	13.0
11	256	0.3139 E+1	0.3526 E-2	619	0.670	0.67	38.4	13.0
10	128	0.6453 E+1	0.9408 E-2	735	0.458	0.46	26.2	13.0
9	64	0.6479 E+1	0.1068 E-1	1151	0.309	0.31	17.7	13.0
8	32	0.1256 E+2	0.2229 E-1	1986	0.219	0.22	12.5	13.0
7	16	0.1181 E+2	0.2228 E-1	3514	0.183	0.18	10.5	13.0
6	8	0.9630 E+1	0.1937 E-1	6063	0.176	0.18	10.1	13.0
5	4	0.7754 E+1	0.1748 E-1	9845	0.130	0.13	7.4	13.0

Station No. 136 Date 1984/ 11/28 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ _a (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2093 E±0	0.1465 E-3	200	0.819	0.82	45.9	7.5
13	1024	0.6581 E±0	0.6732 E-3	186	0.745	0.74	42.7	13.0
12	512	0.9565 E±0	0.1354 E-2	195	0.694	0.69	39.8	13.0
11	256	0.1658 E+1	0.3522 E-2	173	0.681	0.68	39.0	13.0
10	128	0.3365 E+1	0.9338 E-2	203	0.464	0.46	26.6	13.0
9	64	0.3333 E+1	0.1051 E-1	314	0.312	0.31	17.9	13.0
8	32	0.6470 E+1	0.2202 E-1	540	0.218	0.22	12.5	13.0
7	16	0.6138 E+1	0.2216 E-1	959	0.183	0.18	10.4	13.0
6	8	0.4978 E+1	0.1941 E-1	1644	0.164	0.16	9.3	13.0
5	4	0.4094 E+1	0.1735 E-1	2783	0.128	0.12	6.9	13.0

*** Measured Data List ***

Station No. 137 Date 1984/ 11/28 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.1306 E±0	0.1397 E-3	85	0.432	0.43	75
13	1024	0.5111 E±0	0.5218 E-3	187	0.272	0.27	130
12	512	0.9615 E±0	0.1018 E-2	348	6.641	0.36	130
11	256	0.1849 E+1	0.2838 E-2	331	6.599	0.32	130
10	128	0.4741 E+1	0.7491 E-2	625	6.486	0.20	130
9	64	0.5188 E+2	0.8659 E-2	1121	0.183	0.18	130
8	32	0.1042 E+2	0.1858 E-1	1966	0.191	0.19	130
7	16	0.9791 E+1	0.1898 E-1	3326	0.201	0.20	130
6	8	0.7963 E+1	0.1713 E-1	5403	0.221	0.22	130
5	4	0.6457 E+1	0.1617 E-1	8184	0.174	0.17	130

Station No. 138 Date 1984/ 11/28 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.1687 E±0	0.1971 E-3	74	0.579	0.58	75
13	1024	0.5611 E±0	0.8273 E-3	90	0.459	0.46	130
12	512	0.1014 E+1	0.1638 E-2	150	6.678	0.40	130
11	256	0.1915 E+1	0.4111 E-2	169	6.642	0.36	130
10	128	0.3891 E±0	0.1103 E-2	345	6.441	0.16	130
9	64	0.5076 E+1	0.1191 E-1	567	0.155	0.16	130
8	32	0.1019 E+2	0.2489 E-1	1046	0.144	0.14	130
7	16	0.9551 E+1	0.2464 E-1	1879	0.153	0.15	130
6	8	0.7797 E+1	0.2196 E-1	3152	0.164	0.16	130
5	4	0.6371 E+1	0.1980 E-1	5174	3.259	0.12	130

*** Measured Data List ***

Station No. 139 Date 1984/ 11/28 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2278 E±0	0.2173 E-3	107	0.676	0.68	38.7	7.5
13	1024	0.6089 E±0	0.8211 E-3	107	0.547	0.55	31.3	13.0
12	512	0.9751 E±0	0.1550 E-1	155	6.789	0.51	29.0	13.0
11	256	0.1685 E+1	0.3783 E-2	155	0.470	0.47	26.9	13.0
10	128	0.3876 E+1	0.9748 E-2	247	6.532	0.25	14.2	13.0
9	64	0.4189 E+1	0.1094 E-1	458	0.175	0.17	10.0	13.0
8	32	0.8572 E+1	0.2316 E-1	856	0.151	0.15	8.6	13.0
7	16	0.8222 E+1	0.2339 E-1	1544	0.164	0.16	9.4	13.0
6	8	0.6679 E+1	0.2072 E-1	2596	0.186	0.19	10.7	13.0
5	4	0.5431 E+1	0.1894 E-1	4113	0.160	0.16	9.2	13.0

Station No. 140 Date 1984/ 11/28 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3364 E-1	0.1714 E-3	392	0.758	0.76	43.4	7.5
13	1024	0.1019 E±0	0.7308 E-3	417	-54.68	0.82	46.7	13.0
12	512	0.1264 E±0	0.1320 E-2	357	0.840	0.84	48.1	13.0
11	256	0.2216 E±0	0.3732 E-2	275	0.604	0.60	34.6	13.0
10	128	0.4929 E±0	0.9340 E-2	434	0.380	0.38	21.8	13.0
9	64	0.4866 E±0	0.1018 E-1	714	0.301	0.30	17.3	13.0
8	32	0.9267 E±0	0.2132 E-1	1181	0.251	0.25	14.4	13.0
7	16	0.8427 E±0	0.2108 E-1	1997	0.228	0.23	13.1	13.0
6	8	0.6728 E±0	0.1885 E-1	3185	0.223	0.22	12.8	13.0
5	4	0.5185 E±0	0.1687 E-1	5113	0.175	0.18	10.1	13.0

*** Measured Data List ***

Date 1984/ 11/29 Tx Bipole No.1

Station No.141

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.4026 E±0	0.7893 E-4	2643	2.200	-0.94	7.5
13	1024	0.1026 E+1	0.4644 E-3	952	0.802	0.80	1.30
12	512	0.1409 E+1	0.9067 E-3	944	0.886	0.89	1.30
11	256	0.2217 E+1	0.2667 E-2	540	0.888	0.89	1.30
10	128	0.4623 E+1	0.7728 E-2	561	6.808	0.53	1.30
9	64	0.4972 E+1	0.9231 E-2	906	0.314	0.31	1.30
8	32	0.1029 E+2	0.1999 E-1	1656	0.214	0.21	1.30
7	16	0.9933 E+1	0.2009 E-1	3056	0.183	0.18	1.30
6	8	0.8220 E+1	0.1806 E-1	5182	0.823	-0.22	1.30
5	4	0.6540 E+1	0.1643 E-1	7792	0.181	0.18	1.30

Date 1984/ 11/29 Tx Bipole No.1

Station No.142

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2712 E±0	0.2176 E-3	151	-0.096	-0.10	7.5
13	1024	0.5569 E±0	0.2536 E-3	942	0.169	0.17	1.30
12	512	0.7396 E±0	0.3851 E-3	1441	6.523	0.24	1.30
11	256	0.1136 E+1	0.7001 E-3	2056	0.355	0.36	1.30
10	128	0.2121 E+1	0.1552 E-2	2920	6.602	0.32	1.30
9	64	0.2241 E+1	0.1784 E-2	4929	0.333	0.33	1.30
8	32	0.4731 E+1	0.4409 E-2	7196	0.415	0.41	1.30
7	16	0.4739 E+1	0.5444 E-2	9478	0.470	0.47	1.30
6	8	0.3919 E+1	0.5821 E-2	11323	0.493	0.49	1.30
5	4	0.3069 E+1	0.5798 E-2	13667	-2.741	0.40	1.30

*** Measured Data List ***

Station No. 143 Date 1984/ 11/29 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2064 E±0	0.6847 E-4	807	0.736	0.74	4.22	7.5
13	1024	0.7110 E±0	0.3216 E-3	955	0.649	0.65	3.72	13.0
12	512	0.9885 E±0	0.6736 E-3	842	0.798	0.80	4.57	13.0
11	256	0.1627 E+1	0.1820 E-2	625	0.790	0.79	4.53	13.0
10	128	0.3395 E+1	0.5213 E-2	662	6.742	0.46	2.63	13.0
9	64	0.3900 E+1	0.6502 E-2	1124	0.279	0.28	1.60	13.0
8	32	0.8439 E+1	0.1462 E-1	2083	0.216	0.22	1.24	13.0
7	16	0.8258 E+1	0.1518 E-1	3696	0.219	0.22	1.25	13.0
6	8	0.6840 E+1	0.1415 E-1	5841	0.257	0.26	1.47	13.0
5	4	0.5413 E+1	0.1268 E-1	9115	0.236	0.24	1.35	13.0

Station No. 144 Date 1984/ 11/29 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.0793 E+1	0.1328 E-3	3517	-0.002	-0.00	-0.1	7.5
13	1024	0.8407 E±0	0.4657 E-3	638	0.366	0.37	2.10	13.0
12	512	0.1282 E+1	0.9129 E-3	770	0.469	0.47	2.69	13.0
11	256	0.2547 E+1	0.2671 E-2	710	6.535	0.25	1.44	13.0
10	128	0.8201 E+1	0.7852 E-2	1704	6.372	0.09	5.1	13.0
9	64	0.9945 E+1	0.9310 E-2	3565	0.089	0.09	5.1	13.0
8	32	0.2087 E+2	0.2017 E-1	6696	0.123	0.12	7.0	13.0
7	16	0.1990 E+2	0.2054 E-1	11735	0.160	0.16	9.2	13.0
6	8	0.1609 E+2	0.1829 E-1	19354	0.180	0.18	10.3	13.0
5	4	0.1320 E+2	0.1697 E-1	30250	0.107	0.11	6.1	13.0

*** Measured Data List ***

Station No. 145

Date 1984/ 11/29

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5779 E±0	0.3474 E-3	270	-0.166	-0.17	-9.5	7.5
13	1024	0.6141 E±0	0.4272 E-3	404	0.489	0.49	28.0	13.0
12	512	0.9076 E±0	0.8397 E-3	457	0.634	0.63	36.3	13.0
11	256	0.1655 E+1	0.2622 E-2	310	0.367	0.37	21.0	13.0
10	128	0.5350 E+1	0.7768 E-2	741	0.122	0.12	7.0	13.0
9	64	0.6530 E+1	0.9238 E-2	1562	0.103	0.10	5.9	13.0
8	32	0.1374 E+2	0.1982 E-1	3001	0.110	0.11	6.3	13.0
7	16	0.1312 E+2	0.1977 E-1	5502	6.412	0.13	7.4	13.0
6	8	0.1076 E+2	0.1751 E-1	9440	6.429	0.15	8.4	13.0
5	4	0.8831 E+1	0.1568 E-1	15859	6.408	0.12	7.1	13.0

Station No. 146

Date 1984/ 11/30

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1614 E+1	0.1021 E-2	245	0.145	0.14	8.3	7.5
13	1024	0.4043 E±0	0.4168 E-3	184	0.446	0.45	25.6	13.0
12	512	0.5169 E±0	0.7746 E-3	174	0.540	0.54	31.0	13.0
11	256	0.9433 E±0	0.2232 E-2	139	6.684	0.40	23.0	13.0
10	128	0.2928 E+1	0.6774 E-2	292	6.423	0.14	8.0	13.0
9	64	0.3692 E+1	0.8387 E-2	606	0.114	0.11	6.5	13.0
8	32	0.7973 E+1	0.1855 E-1	1155	0.131	0.13	7.5	13.0
7	16	0.7654 E+1	0.1885 E-1	2059	0.169	0.17	9.7	13.0
6	8	0.6162 E+1	0.1681 E-1	3360	0.199	0.20	11.4	13.0
5	4	0.4957 E+1	0.1518 E-1	5259	0.147	0.15	8.4	13.0

*** Measured Data List ***

Station No. 147

Date 1984/ 11/30

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2397 E±0	0.2859 E-3	69	0.507	0.51	7.5
13	1024	0.2539 E±0	0.3466 E-3	105	0.955	0.96	130
12	512	0.3335 E±0	0.6873 E-3	92	0.944	0.94	130
11	256	0.5407 E±0	0.2017 E-2	56	0.798	0.80	130
10	128	0.1326 E+1	0.6082 E-2	74	6.710	0.43	130
9	64	0.1571 E+1	0.7544 E-2	135	0.272	0.27	130
8	32	0.3313 E+1	0.1675 E-1	245	0.214	0.21	130
7	16	0.3142 E+1	0.1692 E-1	431	0.208	0.21	130
6	8	0.2547 E+1	0.1517 E-1	704	0.226	0.23	130
5	4	0.2046 E+1	0.1398 E-1	1071	3.309	0.17	130

Station No. 148

Date 1984/ 11/30

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.3436 E+2	0.3153 E-1	117	0.931	0.93	7.5
13	1024	0.2297 E+1	0.2651 E-2	146	1.010	1.01	130
12	512	0.1686 E+1	0.2044 E-2	266	0.977	0.98	130
11	256	0.2362 E+1	0.3236 E-2	416	6.702	0.42	130
10	128	0.6818 E+1	0.6983 E-2	1489	6.373	0.09	130
9	64	0.8975 E+1	0.8183 E-2	3759	0.265	0.26	130
8	32	0.1969 E+2	0.1778 E-1	7659	3.241	0.10	130
7	16	0.1895 E+2	0.1803 E-1	13810	3.284	0.14	130
6	8	0.1536 E+2	0.1600 E-1	23037	3.313	0.17	130
5	4	0.1218 E+2	0.1421 E-1	36720	3.295	0.15	130

*** Measured Data List ***

Station No. 149 Date 1984/ 11/30 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2645 E+2	0.1844 E-1	201	-2.207	0.93	53.5	7.5
13	1024	0.2168 E+1	0.1611 E-2	354	-2.208	0.93	53.5	1.30
12	512	0.1978 E+1	0.1414 E-2	764	-2.148	0.99	56.9	1.30
11	256	0.3100 E+1	0.2770 E-2	978	6.553	0.37	21.2	1.30
10	128	0.1038 E+2	0.6745 E-2	3700	6.354	0.07	41	1.30
9	64	0.1325 E+2	0.7964 E-2	8648	0.062	0.06	3.5	1.30
8	32	0.2868 E+2	0.1734 E-1	17098	0.092	0.09	5.2	1.30
7	16	0.2780 E+1	0.1749 E-1	31580	0.130	0.13	7.5	1.30
6	8	0.2273 E+2	0.1543 E-1	54250	0.157	0.16	9.0	1.30
5	4	0.1851 E+2	0.1386 E-1	87537	0.122	0.12	7.0	1.30

Station No. 150 Date 1984/ 11/30 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1083 E+2	0.1864 E-1	33	1.166	1.17	66.8	7.5
13	1024	0.1651 E+1	0.1810 E-2	154	0.975	0.97	55.8	1.30
12	512	0.1993 E+1	0.1509 E-2	682	1.041	1.04	59.6	1.30
11	256	0.3456 E+1	0.3163 E-2	933	6.593	0.31	17.8	1.30
10	128	0.1224 E+2	0.7689 E-2	3960	6.346	0.06	3.6	1.30
9	64	0.1507 E+2	0.8871 E-2	9013	0.066	0.07	3.8	1.30
8	32	0.3184 E+2	0.1885 E-1	17841	0.094	0.09	5.4	1.30
7	16	0.3066 E+2	0.1893 E-1	32800	0.126	0.13	7.2	1.30
6	8	0.2523 E+2	0.1680 E-1	56380	0.156	0.16	8.9	1.30
5	4	0.2068 E+2	0.1499 E-1	95160	0.128	0.13	7.3	1.30

*** Measured Data List ***

Station No. 151

Date 1984/ 11/30

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1652 E+1	0.2964 E-3	3038	-5974	0.31	17.7	7.5
13	1024	0.7502 E±0	0.4452 E-3	555	0.411	0.41	23.5	1.30
12	512	0.1122 E+1	0.8681 E-3	653	0.609	0.61	34.9	1.30
11	256	0.2520 E+1	0.2981 E-2	558	0.199	0.20	11.4	1.30
10	128	0.8373 E+1	0.8553 E-2	1497	0.072	0.07	4.1	1.30
9	64	0.9846 E+1	0.9842 E-2	3127	0.073	0.07	4.2	1.30
8	32	0.2018 E+2	0.2073 E-1	5922	0.093	0.09	5.4	1.30
7	16	0.1915 E+2	0.2063 E-1	10768	6.401	0.12	6.8	1.30
6	8	0.1562 E+2	0.1812 E-1	18599	6.420	0.14	7.8	1.30
5	4	0.1292 E+2	0.1622 E-1	31723	3.244	0.10	5.9	1.30

Station No. 152

Date 1984/ 12/1

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4281 E±0	0.2594 E-3	267	-3.556	-0.41	-23.7	7.5
13	1024	0.9380 E±0	0.5912 E-3	464	0.585	0.59	33.5	1.30
12	512	0.1321 E+1	0.1064 E-2	602	0.734	0.73	42.1	1.30
11	256	0.2419 E-1	0.3622 E-2	348	0.034	0.03	2.0	1.30
10	128	0.7790 E+1	0.9984 E-2	951	0.099	0.10	5.7	1.30
9	64	0.9011 E+1	0.1162 E-1	2036	0.076	0.08	4.4	1.30
8	32	0.1848 E+2	0.2313 E-1	3989	0.080	0.08	4.6	1.30
7	16	0.1761 E+2	0.2282 E-1	7450	3.235	0.09	5.4	1.30
6	8	0.1455 E+2	0.2002 E-1	13200	3.243	0.10	5.8	1.30
5	4	0.1201 E+2	0.1770 E-1	23030	3.233	0.09	5.3	1.30

*** Measured Data List ***

Station No. 153 Date 1984/12/1 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.9023 E±0	0.2443 E-3	1344	-0.220	-0.22	-12.6	75
13	1024	0.8045 E±0	0.5152 E-3	476	0.474	0.47	27.2	130
12	512	0.1106 E+1	0.1006 E-2	472	0.626	0.63	35.9	130
11	256	0.2773 E+1	0.3467 E-2	500	0.157	0.16	9.0	130
10	128	0.8241 E+1	0.9187 E-2	1258	0.099	0.10	5.7	130
9	64	0.8998 E+1	0.1009 E-1	2483	0.107	0.11	6.1	130
8	32	0.1805 E+2	0.2102 E-1	4608	0.123	0.12	7.1	130
7	16	0.1693 E+2	0.2090 E-1	8201	3.294	0.15	8.7	130
6	8	0.1371 E+2	0.1861 E-1	13559	3.294	0.15	8.8	130
5	4	0.1127 E+2	0.1701 E-1	21970	3.249	0.11	6.1	130

Station No. 154 Date 1984/12/1 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.4582 E±0	0.1371 E-3	1092	1.205	1.20	69.0	75
13	1024	0.1560 E+1	0.5005 E-3	1900	0.753	0.75	43.1	130
12	512	0.2038 E+1	0.1015 E-2	1575	0.957	0.96	54.8	130
11	256	0.4006 E+1	0.5718 E-2	983	6.803	0.52	29.8	130
10	128	0.1026 E+2	0.9244 E-2	1924	6.603	0.33	18.3	130
9	64	0.1039 E+2	0.1035 E-1	3321	0.252	0.25	14.4	130
8	32	0.2035 E+2	0.2120 E-1	5601	0.206	0.21	11.8	130
7	16	0.1864 E+2	0.2115 E-1	9711	0.190	0.19	10.9	130
6	8	0.1536 E+2	0.1885 E-1	16610	0.192	0.19	11.0	130
5	4	0.1271 E+2	0.1724 E-1	27147	0.140	0.14	8.0	130

*** Measured Data List ***

Station No.155 Date 1984/ 12/ 1 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7695 E±0	0.2168 E-3	1191	0.261	0.26	15.0	7.5
13	1024	0.1096 E+1	0.5367 E-3	816	0.619	0.62	35.5	13.0
12	512	0.1381 E+1	0.1048 E-2	677	0.815	0.82	46.7	13.0
11	256	0.3509 E+1	0.3870 E-2	642	6.503	0.22	1.26	13.0
10	128	0.1008 E+2	0.9820 E-2	1645	6.422	0.14	8.0	13.0
9	64	0.1050 E+2	0.1053 E-1	3109	0.143	0.14	8.2	13.0
8	32	0.2070 E+2	0.2175 E-1	5609	0.157	0.16	9.0	13.0
7	16	0.1916 E+2	0.2175 E-1	9701	0.180	0.18	10.3	13.0
6	8	0.1563 E+2	0.1979 E-1	15600	0.195	0.20	11.2	13.0
5	4	0.1262 E+2	0.1824 E-1	25687	0.154	0.15	8.8	13.0

Station No.156 Date 1984/ 12/ 1 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8083 E+1	0.1160 E-2	4737	-0.138	-0.14	-7.9	7.5
13	1024	0.2507 E+1	0.6690 E-3	2746	0.372	0.37	21.3	13.0
12	512	0.2522 E+1	0.1165 E-2	1733	0.562	0.56	32.2	13.0
11	256	0.9755 E+1	0.4533 E-2	3592	6.255	-0.03	-1.6	13.0
10	128	0.2682 E+2	0.1131 E-1	8786	6.327	0.04	2.5	13.0
9	64	0.2730 E+2	0.1180 E-1	16726	0.650	0.65	37.3	13.0
8	32	0.5268 E+2	0.2389 E-1	30380	0.133	0.13	7.6	13.0
7	16	0.4671 E+2	0.2282 E-1	52423	0.172	0.17	9.8	13.0
6	8	0.3834 E+2	0.2072 E-1	85560	0.190	0.19	10.9	13.0
5	4	0.3132 E+2	0.1919 E-1	133133	3.286	0.14	8.3	13.0

*** Measured Data List ***

Station No. 157 Date 1984/ 12/2 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1161 E+2	0.2838 E-3	86505	-1.825	1.32	75.5	7.5
13	1024	0.1393 E+1	0.5177 E-3	1421	0.977	0.98	56.0	13.0
12	512	0.2613 E+1	1.0049 E-3	2656	1.188	1.12	64.0	13.0
11	256	0.6627 E+1	0.3626 E-2	2611	0.325	0.32	18.6	13.0
10	128	0.2077 E+2	0.9322 E-2	7758	0.127	0.13	7.2	13.0
9	64	0.2313 E+2	0.1038 E-1	16344	0.098	0.10	5.6	13.0
8	32	0.4650 E+2	0.2069 E-1	31577	0.102	0.10	5.8	13.0
7	16	0.4400 E+2	0.2044 E-1	57880	6.397	0.11	6.5	13.0
6	8	0.3607 E+2	0.1759 E-1	105250	6.403	0.12	6.9	13.0
5	4	0.2981 E+2	0.1603 E-1	172930	6.383	0.10	5.7	13.0

Station No. 158 Date 1984/ 12/2 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2325 E+1	0.2200 E-2	10915	3.996	0.85	48.6	7.5
13	1024	0.1092 E+1	0.3721 E-2	1467	0.958	0.96	54.9	13.0
12	512	0.1430 E+1	0.8217 E-2	1141	1.093	1.09	62.6	13.0
11	256	0.3922 E+1	0.3362 E-1	1063	6.539	0.26	14.6	13.0
10	128	0.1330 E+2	0.9296 E-1	3086	6.413	0.13	7.4	13.0
9	64	0.1401 E+2	0.1011 E±0	6003	0.124	0.12	7.1	13.0
8	32	0.2761 E+2	0.2069 E±0	11127	0.125	0.12	7.1	13.0
7	16	0.2561 E+2	0.2021 E±0	20068	0.143	0.14	8.2	13.0
6	8	0.2067 E+2	0.1779 E±0	33736	0.166	0.17	9.5	13.0
5	4	0.1659 E+2	0.1576 E-1	55393	0.134	0.13	7.7	13.0

*** Measured Data List ***

Station No.159

Date 1984/ 12/2

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2542 E+1	0.5750 E-2	1908	0.096	0.10	5.5	7.5
13	1024	0.6776 E±0	0.4777 E-2	397	0.345	0.35	19.8	13.0
12	512	0.9410 E±0	0.9165 E-2	412	0.464	0.46	26.6	13.0
11	256	0.2194 E+1	0.3273 E-1	352	6.489	0.21	11.8	13.0
10	128	0.5588 E+1	0.9343 E-1	613	6.390	0.11	6.1	13.0
9	64	0.6698 E+1	0.1067 E±0	1242	0.080	0.08	4.6	13.0
8	32	0.1389 E+2	0.2233 E±0	2416	0.107	0.11	6.2	13.0
7	16	0.1307 E+2	0.2213 E±0	4362	0.150	0.15	8.6	13.0
6	8	0.1048 E+2	0.1961 E±0	7134	0.178	0.18	10.2	13.0
5	4	0.8330 E+1	0.1742 E-1	11354	0.142	0.14	8.1	13.0

Station No.160

Date 1984/ 12/2

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7923 E±0	0.1755 E-2	2015	-3.204	-0.06	-3.6	7.5
13	1024	0.6926 E±0	0.3987 E-2	585	3.490	0.35	20.0	13.0
12	512	0.1016 E+1	0.7550 E-2	710	3.834	0.69	39.6	13.0
11	256	0.2551 E+1	0.2650 E-1	453	3.411	0.27	15.4	13.0
10	128	0.6590 E+1	0.7743 E-1	1155	3.414	0.27	15.6	13.0
9	64	0.7332 E+1	0.6345 E-1	2078	-2.998	0.14	8.2	13.0
8	32	0.1482 E+2	0.1903 E±0	3787	-2.957	0.18	10.6	13.0
7	16	0.1364 E+2	0.1872 E±0	6638	3.314	0.17	9.9	13.0
6	8	0.1590 E+2	0.1598 E±0	10950	3.341	0.20	11.4	13.0
5	4	0.8101 E+1	0.2680 E-1	16873	3.325	0.18	10.5	13.0

*** Measured Data List ***

Station No. 161 Date 1984/ 12/ 2 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Current I (A)
14	2048	0.1000 E+0	0.1160 E-3	72	1.971	-1.17	7.5
13	1024	0.5580 E+0	0.3512 E-3	493	-2.564	0.58	130
12	512	0.7267 E+0	0.7258 E-3	392	-2.379	0.76	130
11	256	0.2355 E+1	0.2208 E-2	471	3.339	0.20	130
10	128	0.7957 E+1	0.8681 E-2	1006	3.307	0.17	130
9	64	0.7358 E+1	0.9518 E-2	1867	3.292	0.15	130
8	32	0.1436 E+2	0.1950 E-1	3890	3.302	0.16	130
7	16	0.1308 E+2	0.1912 E-1	5853	3.327	0.19	130
6	8	0.1002 E+1	0.1635 E-1	9433	-2.946	0.20	130
5	4	0.7720 E+1	0.1423 E-1	14582	-2.958	0.18	130

Station No. 162 Date 1984/ 12/ 3 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Current I (A)
14	2048	0.4487 E+2	0.7195 E-2	3797	-5.934	0.35	7.5
13	1024	0.3546 E+1	0.7996 E-3	3845	0.436	0.44	130
12	512	0.2792 E+1	0.9445 E-3	3179	0.453	0.45	130
11	256	0.4881 E+1	0.2652 E-2	2649	0.208	0.21	130
10	128	0.1425 E+2	0.7431 E-2	5749	0.086	0.09	130
9	64	0.1747 E+2	0.8933 E-2	11953	0.090	0.09	130
8	32	0.3652 E+2	0.1911 E-1	22830	0.112	0.11	130
7	16	0.4385 E+2	0.1904 E-1	41150	6.436	0.15	130
6	8	0.2729 E+2	0.1657 E-1	68310	6.455	0.17	130
5	4	0.2154 E+2	0.1501 E-1	105303	6.425	0.14	130

*** Measured Data List ***

Station No. 163

Date 1984/ 12/3

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.2327 E+2	0.1669 E-2	18989	-2.980	0.16	9.3	7.5
13	1024	0.2834 E+1	0.4841 E-3	6697	-2.689	0.45	25.9	13.0
12	512	0.2669 E+1	0.8271 E-3	4069	-2.578	0.56	32.3	13.0
11	256	0.5850 E+1	0.2903 E-2	3170	3.357	0.22	12.4	13.0
10	128	0.1733 E+2	0.8414 E-2	6630	3.260	0.12	6.8	13.0
9	64	0.1992 E+2	0.9532 E-2	13645	3.239	0.10	5.6	13.0
8	32	0.4132 E+2	0.2023 E-1	22707	3.269	0.13	7.3	13.0
7	16	0.3852 E+2	0.2019 E-1	45513	3.309	0.17	9.6	13.0
6	8	0.3079 E+2	0.1814 E-1	72043	3.349	0.21	11.9	13.0
5	4	0.2425 E+2	0.1608 E-1	113773	3.294	0.15	8.8	13.0

Station No. 164

Date 1984/ 12/3

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1857 E+1	0.2130 E-2	74	-3.634	-0.49	-28.2	7.5
13	1024	0.9788 E+0	0.5910 E-3	536	0.949	0.95	54.3	13.0
12	512	0.1293 E+1	0.7539 E-3	661	0.887	0.89	50.8	13.0
11	256	0.3255 E+1	0.3526 E-2	666	0.270	0.27	15.5	13.0
10	128	0.1015 E+2	0.9726 E-2	1702	0.140	0.14	8.0	13.0
9	64	0.1116 E+2	0.1075 E-1	3367	0.112	0.11	6.4	13.0
8	32	0.2245 E+2	0.2224 E-1	6367	0.115	0.12	6.6	13.0
7	16	0.2164 E+2	0.2194 E-1	11497	6.420	0.14	7.9	13.0
6	8	0.1705 E+2	0.1915 E-1	19832	6.447	0.16	9.4	13.0
5	4	0.1375 E+2	0.1690 E-1	33113	6.399	0.12	6.6	13.0

*** Measured Data List ***

Date 1984/ 12/ 3 Tx Bipole No. 1

Station No. 165

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	PD-C(deg)		
14	2048	0.6511 E+1	0.1932 E-2	1109	-2.332	0.81	464	7.5
13	1024	0.1071 E+1	0.6583 E-3	517	0.893	0.89	51.2	130
12	512	0.1604 E+1	0.1108 E-2	820	0.969	0.97	55.5	130
11	256	0.8417 E+1	0.4332 E-2	965	0.227	0.23	130	130
10	128	0.1395 E+2	0.1112 E-1	2456	0.120	0.12	6.9	130
9	64	0.1469 E+2	0.1161 E-1	4996	0.101	0.10	5.8	130
8	32	0.2901 E+2	0.2354 E-1	9490	0.100	0.10	5.7	130
7	16	0.2727 E+2	0.2321 E-1	17259	6.398	0.11	6.6	130
6	8	0.2232 E+2	0.2033 E-1	30130	6.400	0.12	6.7	130
5	4	0.1857 E+2	0.1826 E-1	51740	3.222	0.08	4.6	130

Date 1984/ 12/ 3 Tx Bipole No. 1

Station No. 166

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	PD-C(deg)		
14	2048	0.2073 E+2	0.2215 E-2	8557	-0.136	0.14	-7.8	7.5
13	1024	0.2726 E+1	0.6495 E-3	3448	0.320	0.32	183	130
12	512	0.2049 E+1	0.1134 E-2	1276	0.487	0.49	279	130
11	256	0.9158 E+1	0.4652 E-2	3027	6.253	0.03	-1.7	130
10	128	0.2325 E+2	0.1140 E-1	6496	6.356	0.07	4.2	130
9	64	0.2257 E+2	0.1165 E-1	11728	0.126	0.13	7.2	130
8	32	0.4250 E+2	0.2333 E-1	20733	0.163	0.16	9.3	130
7	16	0.3825 E+2	0.2291 E-1	34837	0.202	0.20	11.6	130
6	8	0.2982 E+2	0.2008 E-1	55133	0.222	0.22	12.7	130
5	4	0.2389 E+2	0.1833 E-1	84947	0.112	0.17	9.9	130

*** Measured Data List ***

Station No. 167 Date 1984/ 12/ 3 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1855 E+2	0.1004 E-2	33343	-5969	0.31	18.0	7.5
13	1024	0.2717 E+1	0.5032 E-3	5501	0.842	0.84	48.2	13.0
12	512	0.2452 E+1	0.1144 E-2	1762	1.127	1.13	64.6	13.0
11	256	0.8117 E+1	0.4728 E-2	2302	0.204	0.20	11.7	13.0
10	128	0.2049 E+2	0.1057 E-1	5875	0.105	0.10	6.0	13.0
9	64	0.1994 E+2	0.1024 E-1	11842	0.096	0.10	5.5	13.0
8	32	0.3829 E+2	0.2021 E-1	22430	0.097	0.10	5.6	13.0
7	16	0.3591 E+2	0.3962 E-1	41060	6.397	0.11	6.5	13.0
6	8	0.2998 E+2	0.1756 E-1	72827	6.405	0.12	7.0	13.0
5	4	0.2560 E+2	0.1590 E-1	127490	6.343	0.06	3.4	13.0

Station No. 168 Date 1984/ 12/ 4 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1179 E+1	0.3305 E-3	1244	0.852	0.85	48.8	7.5
13	1024	0.1249 E+1	0.5617 E-3	966	0.606	0.61	34.7	13.0
12	512	0.1154 E+1	0.1882 E-2	372	0.711	0.71	40.8	13.0
11	256	0.7437 E+1	0.5438 E-2	1461	6.336	0.05	3.0	13.0
10	128	0.1759 E+2	0.1234 E-1	3171	6.399	0.12	6.6	13.0
9	64	0.1570 E+2	0.1168 E-1	5642	0.150	0.15	8.6	13.0
8	32	0.2808 E+2	0.2262 E-1	9629	0.170	0.17	9.7	13.0
7	16	0.2485 E+2	0.2172 E-1	16365	0.185	0.19	10.6	13.0
6	8	0.1958 E+2	0.1897 E-1	26630	0.200	0.20	11.5	13.0
5	4	0.1566 E+2	0.1713 E-1	41830	3.281	0.14	8.0	13.0

*** Measured Data List ***

Station No. 169 Date 1984/ 12/ 4 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1550 E+1	0.1554 E-3	10477	-0.153	-0.15	-8.8	7.5
13	1024	0.1176 E+1	0.3667 E-3	2009	0.477	0.48	27.3	13.0
12	512	0.1495 E+1	0.8867 E-3	1111	-0.119	-0.12	-6.8	13.0
11	256	0.1335 E+2	0.4194 E-2	7918	-0.057	-0.06	3.3	13.0
10	128	0.3058 E+2	0.1009 E-1	14342	0.106	0.11	6.1	13.0
9	64	0.2711 E+2	0.9719 E-2	24313	0.165	0.17	9.5	13.0
8	32	0.4804 E+2	0.1872 E-1	41187	0.198	0.20	11.3	13.0
7	16	0.4188 E+2	0.1812 E-1	66757	6.529	0.25	14.1	13.0
6	8	0.3107 E+2	0.1525 E-1	103817	0.285	0.28	16.3	13.0
5	4	0.2296 E+2	0.1333 E-1	148463	0.230	0.23	13.2	13.0

Station No. 170 Date 1984/ 12/ 4 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1834 E±0	0.1223 E-3	235	0.633	0.63	36.3	7.5
13	1024	0.6612 E±0	0.3309 E-3	781	0.755	0.75	4.33	13.0
12	512	0.7162 E±0	0.2974 E-3	251	0.144	0.14	8.2	13.0
11	256	0.6904 E+1	0.4157 E-2	2154	6.295	0.01	0.7	13.0
10	128	0.1517 E+2	0.9403 E-2	4117	6.413	0.13	7.5	13.0
9	64	0.1331 E+2	0.8754 E-2	6935	0.181	0.18	10.4	13.0
8	32	0.2258 E+2	0.1658 E-1	11588	0.205	0.21	11.8	13.0
7	16	0.4457 E+2	0.1570 E-1	19107	0.227	0.23	13.0	13.0
6	8	0.1457 E+2	0.1316 E-1	30617	0.242	0.24	13.8	13.0
5	4	0.1139 E+2	0.1145 E-1	46980	0.188	0.19	10.8	13.0

*** Measured Data List ***

Station No. 171

Date 1984/ 12/ 4

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2004 E±0	0.6477 E-4	600	2075	-1.07	-61.6	7.5
13	1024	0.4521 E±0	0.3105 E-4	337	1075	1.08	61.6	1.30
12	512	0.3527 E±0	0.8251 E-3	70	0.779	0.78	44.7	1.30
11	256	0.3240 E+1	0.4381 E-2	428	6.389	0.11	60	1.30
10	128	0.7640 E+1	0.1325 E-1	904	6.412	0.13	7.4	1.30
9	64	0.6752 E+1	0.9135 E-2	1728	0.146	0.15	8.3	1.30
8	32	0.1195 E+2	0.1707 E-1	3037	0.158	0.16	9.1	1.30
7	16	0.1034 E+2	0.1616 E-1	5259	0.179	0.18	10.2	1.30
6	8	0.7852 E+1	0.1338 E-1	8700	0.188	0.19	10.8	1.30
5	4	0.6991 E+1	0.1169 E-1	13537	0.155	0.16	8.9	1.30

Station No. 172

Date 1984/ 12/ 4

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.6737 E±0	0.7087 E-4	9425	1.155	1.16	66.2	7.5
13	1024	0.1265 E+1	0.3277 E-3	2910	1.051	1.05	60.2	1.30
12	512	0.1237 E+1	0.7701 E-3	1009	1.118	1.12	64.0	1.30
11	256	0.7242 E+1	0.4622 E-2	1918	6.488	0.20	11.7	1.30
10	128	0.1958 E+2	0.1164 E-1	4418	6.420	0.14	7.9	1.30
9	64	0.1831 E+2	0.1094 E-1	8751	0.126	0.13	7.2	1.30
8	32	0.3307 E+2	0.2075 E-1	15865	0.136	0.14	7.8	1.30
7	16	0.9161 E+2	0.1936 E-1	28343	0.157	0.16	9.0	1.30
6	8	0.2238 E+2	0.1620 E-1	47707	0.179	0.18	10.2	1.30
5	4	0.1729 E+2	0.1377 E-1	78817	0.158	0.16	9.1	1.30

*** Measured Data List ***

Station No. 173 Date 1984/ 12/ 5 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.4518 E±0	0.4070 E-3	120	0.329	0.33	18.9	7.5
13	1024	0.1325 E+1	0.1289 E-2	206	0.395	0.39	22.6	13.0
12	512	0.1836 E+1	0.2174 E-2	279	6.831	0.55	31.4	13.0
11	256	0.2920 E+1	0.5271 E-2	240	0.464	0.46	26.6	13.0
10	128	0.6137 E+1	0.1223 E-1	393	0.329	0.33	18.9	13.0
9	64	0.5728 E+1	0.1836 E-1	615	0.306	0.31	17.5	13.0
8	32	0.1300 E+2	0.2638 E-1	953	0.266	0.27	15.2	13.0
7	16	0.9309 E+1	0.2582 E-1	1548	0.225	0.23	12.9	13.0
6	8	0.7596 E+1	0.2383 E-1	2541	-1.425	-1.42	-81.6	13.0
5	4	0.6533 E+1	0.2199 E-1	4414	1.605	-1.54	-8.80	13.0

Station No. 174 Date 1984/ 12/ 5 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.9570 E±0	0.4339 E-3	475	0.196	0.20	11.2	7.5
13	1024	0.2688 E+1	0.1275 E-2	868	0.315	0.32	18.1	13.0
12	512	0.3817 E+1	0.2114 E-2	1274	6.768	0.48	27.8	13.0
11	256	0.5880 E+1	0.4759 E-2	1161	0.545	0.54	31.2	13.0
10	128	0.1107 E+2	0.1134 E-1	1491	0.372	0.37	21.3	13.0
9	64	0.1068 E+2	0.1234 E-1	2341	0.286	0.29	16.4	13.0
8	32	0.2028 E+2	0.2567 E-1	3902	0.223	0.22	12.8	13.0
7	16	0.1909 E+2	0.2586 E-1	6808	0.202	0.20	11.6	13.0
6	8	0.1587 E+2	0.2376 E-1	11156	0.188	0.19	10.8	13.0
5	4	0.1334 E+2	0.2165 E-1	19000	0.129	0.13	7.4	13.0

*** Measured Data List ***

Station No. 175 Date 1984/ 12/5 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.7903 E±0	0.3708 E-3	444	-5.883	0.40	22.9	7.5
13	1024	0.2131 E+1	0.1147 E-2	675	0.402	0.40	23.0	13.0
12	512	0.3031 E+1	0.1918 E-2	976	0.519	0.52	29.7	13.0
11	256	0.4626 E+1	0.4365 E-2	877	0.579	0.58	33.2	13.0
10	128	0.8583 E+1	0.1033 E-1	1080	0.409	0.41	23.5	13.0
9	64	0.8405 E+1	0.1145 E-1	1684	0.304	0.30	17.4	13.0
8	32	0.1614 E+2	0.2390 E-1	2848	0.224	0.22	12.8	13.0
7	16	0.1524 E+2	0.2426 E-1	4932	6.478	0.19	11.2	13.0
6	8	0.1268 E+2	0.2212 E-1	8222	6.466	0.18	10.5	13.0
5	4	0.1061 E+2	0.2024 E-1	13741	6.417	0.13	7.7	13.0

Station No. 176 Date 1984/ 12/5 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ_a (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.2177 E+1	0.4563 E-3	2227	0.189	0.19	10.8	7.5
13	1024	0.5763 E+1	0.1284 E-2	3934	0.241	0.24	13.8	13.0
12	512	0.8209 E+1	0.2056 E-2	6407	0.372	0.37	21.3	13.0
11	256	0.1255 E+2	0.4259 E-2	6782	0.467	0.47	26.8	13.0
10	128	0.2381 E+2	0.1011 E-1	8672	0.339	0.34	19.4	13.0
9	64	0.2401 E+2	0.1140 E-1	13849	0.248	0.25	14.2	13.0
8	32	0.4798 E+2	0.2447 E-1	24027	0.189	0.19	10.8	13.0
7	16	0.4555 E+2	0.2454 E-1	43057	6.439	0.16	8.9	13.0
6	8	0.3862 E+2	0.2245 E-1	74017	6.430	0.15	8.4	13.0
5	4	0.3265 E+2	0.2010 E-1	132033	6.381	0.10	5.6	13.0

*** Measured Data List ***

Station No. 177 Date 1984/ 12/ 5 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.6811 E+0	0.3902 E-3	301	0.225	0.22	12.9	7.5
13	1024	0.1736 E+1	0.1088 E-2	498	0.329	0.33	18.9	13.0
12	512	0.2388 E+1	0.1761 E-2	719	0.453	0.45	25.9	13.0
11	256	0.3619 E+1	0.3690 E-2	752	0.538	0.54	30.8	13.0
10	128	0.6578 E+1	0.8882 E-2	858	0.388	0.39	22.2	13.0
9	64	0.6854 E+1	0.1026 E-1	1394	0.261	0.26	15.0	13.0
8	32	0.1411 E+2	0.2232 E-1	2499	0.193	0.19	11.1	13.0
7	16	0.1361 E+2	0.2277 E-1	4464	6.464	0.18	10.4	13.0
6	8	0.1119 E+2	0.2033 E-1	7578	6.468	0.18	10.6	13.0
5	4	0.9185 E+1	0.1871 E-1	12057	3.285	0.14	8.2	13.0

Station No. 178 Date 1984/ 12/ 5 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.4664 E+0	0.2595 E-3	316	0.287	0.29	16.4	7.5
13	1024	0.1217 E+1	0.7888 E-3	465	0.401	0.40	23.0	13.0
12	512	0.1745 E+1	0.1369 E-2	635	6.793	0.51	29.2	13.0
11	256	0.2607 E+1	0.3006 E-2	588	0.602	0.60	34.5	13.0
10	128	0.5133 E+1	0.7754 E-2	685	6.699	0.42	23.8	13.0
9	64	0.5595 E+1	0.9285 E-2	1099	0.305	0.30	17.4	13.0
8	32	0.1116 E+2	0.2064 E-1	1822	0.239	0.24	13.7	13.0
7	16	0.1071 E+2	0.2135 E-1	3144	0.201	0.20	11.5	13.0
6	8	0.9097 E+1	0.1990 E-1	5226	0.164	0.16	9.4	13.0
5	4	0.7894 E+1	0.1856 E-1	9048	0.110	0.11	6.3	13.0

*** Measured Data List ***

Station No. 179 Date 1984/ 12/ 6 Tx Bipole No. 1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H (γ)			PD-C (rad)	PD-C (deg)	
14	2048	0.6842 E±0	0.2358 E-3	827	0.541	0.54	31.0	7.5
13	1024	0.1512 E+1	0.6994 E-3	913	0.634	0.63	36.3	13.0
12	512	0.1975 E+1	0.1217 E-2	1028	0.643	0.64	36.8	13.0
11	256	0.3063 E+1	0.2651 E-2	1043	0.730	0.73	41.8	13.0
10	128	0.5031 E+1	0.6852 E-2	830	0.584	0.58	33.5	13.0
9	64	0.5505 E+1	0.8434 E-2	1332	0.295	0.29	16.9	13.0
8	32	0.1248 E+2	0.1884 E-1	2743	0.235	0.24	13.5	13.0
7	16	0.1237 E+2	0.1975 E-1	4914	0.322	0.32	18.4	13.0
6	8	0.9544 E+1	0.1795 E-1	7072	0.462	0.46	26.5	13.0
5	4	0.6651 E+1	0.1632 E-1	8267	0.541	0.54	31.0	13.0

Station No. 180 Date 1984/ 12/ 6 Tx Bipole No. 1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H (γ)			PD-C (rad)	PD-C (deg)	
14	2048	0.8278 E±0	0.1851 E-3	1974	0.646	0.65	37.0	7.5
13	1024	0.1873 E+1	0.5524 E-3	2248	0.679	0.68	38.9	13.0
12	512	0.2452 E+1	0.9867 E-3	2411	0.683	0.68	39.2	13.0
11	256	0.3922 E+1	0.2144 E-2	2572	0.759	0.76	43.5	13.0
10	128	0.6358 E+1	0.5793 E-2	1883	0.613	0.61	35.1	13.0
9	64	0.7268 E+1	0.7468 E-2	2959	0.311	0.31	17.8	13.0
8	32	0.1694 E+2	0.1702 E-1	6189	0.263	0.26	15.1	13.0
7	16	0.1672 E+2	0.1773 E-1	11115	0.379	0.38	21.7	13.0
6	8	0.1263 E+2	0.1604 E-1	15504	0.566	0.57	32.4	13.0
5	4	0.8339 E+1	0.1458 E-1	16367	0.723	0.72	41.4	13.0

*** Measured Data List ***

Date 1984/ 12/ 6 Tx Bipole No.1

Station No.181

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	Corrected PD-C(deg)		
14	2048	0.1045 E±0	0.1707 E-3	36	0.460	0.46	26.7	7.5
13	1024	0.2992 E±0	0.5649 E-3	55	0.414	0.41	23.7	13.0
12	512	0.4496 E±0	0.9924 E-3	80	6.737	0.45	26.0	13.0
11	256	0.7517 E±0	0.2011 E-2	109	0.556	0.56	31.9	13.0
10	128	0.1285 E+1	0.5293 E-2	92	6.780	0.50	28.4	13.0
9	64	0.1569 E+1	0.7105 E-2	153	0.254	0.25	14.6	13.0
8	32	0.3662 E+1	0.1638 E-1	312	0.237	0.24	13.6	13.0
7	16	0.3585 E+1	0.1632 E-1	568	0.359	0.36	20.5	13.0
6	8	0.2666 E+1	0.1450 E-1	822	0.562	0.56	32.2	13.0
5	4	0.1723 E+1	0.1285 E-1	399	0.773	0.77	44.3	13.0

Date 1984/ 12/ 7 Tx Bipole No.1

Station No.182

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	Corrected PD-C(deg)		
14	2048	0.1131 E±0	0.1319 E-3	80	-5.624	0.66	37.8	7.5
13	1024	0.2469 E±0	0.3710 E-3	90	0.770	0.77	44.1	13.0
12	512	0.3078 E±0	0.6697 E-3	83	0.838	0.84	48.0	13.0
11	256	0.4554 E±0	0.1516 E-2	70	0.870	0.87	49.8	13.0
10	128	0.7138 E±0	0.3956 E-2	51	0.827	0.83	47.4	13.0
9	64	0.7238 E±0	0.5577 E-2	53	0.528	0.53	30.3	13.0
8	32	0.1582 E+1	0.1343 E-1	87	0.347	0.35	19.9	13.0
7	16	0.1533 E+1	0.1414 E-1	147	6.591	0.31	17.6	13.0
6	8	0.1199 E+1	0.1262 E-1	226	0.330	0.33	18.9	13.0
5	4	0.8915 E±0	0.1111 E-1	322	0.298	0.30	17.1	13.0

*** Measured Data List ***

Date 1984/ 12/ 7 Tx Bipole No. 1

Station No. 183

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1681 E±0	0.1282 E-3	179	0.683	39.1	7.5
13	1024	0.3501 E±0	0.3679 E-3	177	0.641	36.7	13.0
12	512	0.4498 E±0	0.6453 E-3	198	6.922	35.6	13.0
11	256	0.7759 E±0	0.1425 E-2	232	0.587	33.6	13.0
10	128	0.1352 E+1	0.3522 E-2	236	6.797	29.4	13.0
9	64	0.1656 E+1	0.4916 E-2	355	0.306	17.5	13.0
8	32	0.3782 E+1	0.1211 E-1	609	0.233	13.3	13.0
7	16	0.3725 E+1	0.1305 E-1	1013	0.186	10.6	13.0
6	8	0.3164 E+1	0.1195 E-1	1754	0.126	7.2	13.0
5	4	0.2755 E+1	0.1083 E-1	3207	0.112	6.4	13.0

Date 1984/ 12/ 7 Tx Bipole No. 1

Station No. 184

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2725 E±0	0.1420 E-3	345	0.596	34.2	7.5
13	1024	0.5739 E±0	0.3818 E-3	442	0.503	34.5	13.0
12	512	0.7483 E±0	0.6758 E-3	480	6.870	33.6	13.0
11	256	0.1269 E+1	0.1462 E-2	588	0.529	30.3	13.0
10	128	0.2333 E+1	0.3549 E-2	675	6.725	25.3	13.0
9	64	0.2771 E+1	0.4843 E-2	1015	0.285	16.3	13.0
8	32	0.6408 E+1	0.1172 E-1	1868	0.238	13.6	13.0
7	16	0.6429 E+1	0.1274 E-1	1381	0.264	15.1	13.0
6	8	0.5106 E+1	0.1144 E-1	4983	0.312	17.9	13.0
5	4	0.3828 E+1	0.1011 E-1	6920	0.299	17.1	13.0