

\*\*\* Measured Data List \*\*\*

Station No. 185                      Date 1984/ 12/ 7                      Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.3430 E+0	0.1687 E-3	404	-5.695	0.59	33.7	7.5
13	1024	0.7848 E+0	0.4814 E-3	519	0.682	0.68	39.1	13.0
12	512	0.9630 E+0	0.8572 E-3	493	0.789	0.79	45.2	13.0
11	256	0.1429 E+1	0.1880 E-2	451	3.807	0.81	46.2	13.0
10	128	0.2341 E+1	0.6460 E-2	326	0.687	0.59	39.4	13.0
9	64	0.2642 E+1	0.6923 E-2	455	0.379	0.38	21.7	13.0
8	32	0.6199 E+1	0.1596 E-1	943	0.321	0.32	18.4	13.0
7	16	0.6141 E+1	0.1662 E-1	1705	6.755	0.47	27.0	13.0
6	8	0.4651 E+1	0.1522 E-1	2333	0.764	0.76	43.7	13.0
5	4	0.3021 E+1	0.1401 E-1	2455	4.247	1.10	63.3	13.0

Station No. 186                      Date 1984/ 12/ 7                      Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.5354 E+0	0.2901 E-3	944	0.528	0.53	30.3	7.5
13	1024	0.1368 E+1	0.5612 E-3	1156	0.591	0.59	33.9	13.0
12	512	0.1768 E+1	0.9707 E-3	1310	0.638	0.64	36.5	13.0
11	256	0.2833 E+1	0.2150 E-2	1356	0.637	0.64	36.5	13.0
10	128	0.5120 E+1	0.5635 E-2	1290	6.765	0.48	27.6	13.0
9	64	0.6157 E+1	0.7428 E-2	2140	0.270	0.27	15.5	13.0
8	32	0.1423 E+2	0.1739 E-1	4186	3.221	0.22	12.7	13.0
7	16	0.1397 E+2	0.1818 E-1	7384	0.265	0.26	15.2	13.0
6	8	0.1128 E+2	0.1668 E-1	11152	0.353	0.35	20.2	13.0
5	4	0.6416 E+1	0.1479 E-1	15334	0.366	0.37	20.9	13.0

\*\*\* Measured Data List \*\*\*

Station No. 187

Date 1984/ 12/ 7

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.1506 E±0	0.2259 E-3	64	0.434	0.43	7.5
13	1024	0.4711 E±0	0.6901 E-3	92	0.471	0.47	13.0
12	512	0.6542 E±0	0.1453 E-2	116	0.832	0.55	13.0
11	256	0.1246 E+1	0.2442 E-2	143	0.689	0.69	13.0
10	128	0.1654 E+1	0.6548 E-2	100	0.527	0.63	13.0
9	64	0.1822 E+1	0.8495 E-2	149	0.319	0.32	13.0
8	32	0.4209 E+1	0.1887 E-1	311	0.279	0.28	13.0
7	16	0.3117 E+1	0.1927 E-1	571	0.420	0.42	13.0
6	8	0.3099 E+1	0.1772 E-1	787	0.673	0.67	13.0
5	4	0.2014 E+1	0.1571 E-1	790	0.924	0.92	13.0

Station No. 188

Date 1984/ 12/ 10

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.1875 E±0	0.1098 E-3	291	0.158	0.16	5.5
13	1024	0.7037 E±0	0.4366 E-3	508	0.195	0.19	10.0
12	512	0.1505 E+1	0.9579 E-3	964	0.261	0.26	13.0
11	256	0.2201 E+1	0.1630 E-2	1425	0.399	0.40	13.0
10	128	0.3173 E+1	0.3262 E-2	1479	0.276	0.28	13.0
9	64	0.4404 E+1	0.4467 E-2	3038	0.182	0.18	13.0
8	32	0.1041 E+2	0.1084 E-1	5758	0.214	0.21	13.0
7	16	0.1033 E+2	0.1193 E-1	9379	6.566	0.28	13.0
6	8	0.8223 E+2	0.1122 E-1	13441	6.623	0.34	13.0
5	4	0.6381 E+1	0.1069 E-1	17815	0.319	0.32	13.0

\*\*\* Measured Data List \*\*\*

Date 1984/ 12/ 10 Tx Bipole No.2

Station No. 189

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)	H ( $\gamma$ )	H ( $\gamma$ )		PD(rad)	PD-C(rad)		PD-C(deg)
14	2048	0.1730	E±0	0.1204	E-3	207	0.143	0.14	8.2	5.5
13	1024	0.6933	E±0	0.5034	E-3	370	0.144	0.14	8.3	10.0
12	512	0.1496	E+1	0.1161	E-2	649	6.542	0.26	14.8	13.0
11	256	0.2108	E+1	0.1916	E-2	945	0.383	0.38	21.9	13.0
10	128	0.3140	E+1	0.3836	E-2	1058	6.537	0.25	14.5	13.0
9	64	0.4173	E+1	0.5106	E-2	2087	0.185	0.18	10.6	13.0
8	32	0.9471	E+1	0.1219	E-1	3772	0.207	0.21	11.9	13.0
7	16	0.9225	E+1	0.1297	E-1	6322	0.262	0.26	15.0	13.0
6	8	0.7509	E+1	0.1238	E-1	9049	0.300	0.30	17.2	13.0
5	4	0.5916	E+1	0.1148	E-1	13269	0.268	0.27	15.4	13.0

Date 1984/ 12/ 10 Tx Bipole No.2

Station No. 190

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)	H ( $\gamma$ )	H ( $\gamma$ )		PD(rad)	PD-C(rad)		PD-C(deg)
14	2048	0.1638	E±0	0.1290	E-3	152	0.289	0.29	16.5	5.5
13	1024	0.6434	E±0	0.5026	E-3	310	0.299	0.30	17.1	10.0
12	512	0.1244	E+1	0.1097	E-2	502	0.662	0.38	21.7	13.0
11	256	0.1650	E+1	0.1813	E-2	647	0.507	0.51	29.1	13.0
10	128	0.2357	E+1	0.3686	E-2	637	6.678	0.39	22.6	13.0
9	64	0.2947	E+1	0.4975	E-2	1097	0.269	0.27	15.4	13.0
8	32	0.6686	E+1	0.1217	E-1	1837	0.259	0.26	14.9	13.0
7	16	0.6496	E+1	0.1314	E-1	3054	0.273	0.27	15.7	13.0
6	8	0.5314	E+1	0.1247	E-1	4541	0.294	0.29	16.8	13.0
5	4	0.4331	E+1	0.1173	E-1	6819	0.230	0.23	13.2	13.0

\*\*\* Measured Data List \*\*\*

Station No. 191

Date 1984/12/10

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1771 E±0	0.1431 E-3	145	0.078	0.08	4.5
13	1024	0.9920 E±0	0.5371 E-3	474	0.140	0.14	8.0
12	512	0.2079 E+1	0.1425 E-2	832	6.533	0.25	14.3
11	256	0.2840 E+1	0.2316 E-2	1175	0.381	0.38	21.9
10	128	0.4440 E+1	0.4691 E-2	1400	0.541	0.26	14.8
9	64	0.5679 E+1	0.6105 E-2	2704	0.212	0.21	12.8
8	32	0.1243 E+2	0.1446 E-1	4618	0.224	0.22	12.8
7	16	0.1193 E+2	0.1539 E-1	7508	0.238	0.24	13.6
6	8	0.9529 E+1	0.1451 E-1	11399	0.244	0.24	14.0
5	4	0.8173 E+1	0.1360 E-1	18259	0.198	0.20	11.3

Station No. 192

Date 1984/12/10

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1981 E±0	0.1444 E-3	183	0.250	0.25	5.5
13	1024	0.8382 E±0	0.6016 E-3	321	0.237	0.24	13.6
12	512	0.1581 E+1	0.0490 E-2	526	0.328	0.33	18.8
11	256	0.2223 E+1	0.2424 E-2	696	0.441	0.44	25.3
10	128	0.3522 E+1	0.4911 E-2	800	0.314	0.31	18.0
9	64	0.4342 E+1	0.6400 E-2	1443	0.267	0.27	15.3
8	32	0.9350 E+1	0.1528 E-1	2423	0.271	0.27	15.5
7	16	0.8942 E+1	0.2398 E-1	3762	6.588	0.31	17.5
6	8	0.7053 E+1	0.1504 E-1	5496	6.600	0.32	18.2
5	4	0.5638 E+1	0.1431 E-1	7870	0.256	0.26	14.6

\*\*\* Measured Data List \*\*\*

Station No. 193

Date 1984/12/10

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2449 E±0	0.2635 E-3	448	0.280	0.28	16.1	5.5
13	1024	0.6616 E±0	0.5359 E-3	666	0.416	0.42	23.9	10.0
12	512	0.1860 E+1	0.1235 E-2	896	6.765	0.48	27.6	13.0
11	256	0.3013 E+1	0.2129 E-2	1004	0.547	0.55	31.3	13.0
10	128	0.5632 E+1	0.4559 E-2	1153	6.638	0.35	20.3	13.0
9	64	0.4322 E+1	0.5950 E-2	2052	0.309	0.31	17.7	13.0
8	32	0.1285 E+2	0.1457 E-1	3288	0.319	0.32	18.3	13.0
7	16	0.9517 E+1	0.1513 E-1	4943	0.343	0.34	19.7	13.0
6	8	0.7635 E+1	0.1452 E-1	6913	0.367	0.37	21.0	13.0
5	4	0.6026 E+1	0.1375 E-1	9634	0.290	0.29	16.6	13.0

Station No. 194

Date 1984/12/10

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2652 E±0	0.8690 E-4	932	-5.699	0.58	33.5	5.5
13	1024	0.8591 E±0	0.4485 E-3	701	0.634	0.63	36.3	10.0
12	512	0.1607 E+1	0.1114 E-2	813	0.643	0.64	36.9	13.0
11	256	0.2050 E+1	0.2047 E-2	784	0.667	0.67	38.2	13.0
10	128	0.3436 E+1	0.4539 E-2	906	0.405	0.40	23.2	13.0
9	64	0.4146 E+1	0.5864 E-2	1563	0.359	0.36	20.6	13.0
8	32	0.8813 E+1	0.1415 E-1	2422	0.373	0.37	21.3	13.0
7	16	0.8223 E+1	0.1550 E-1	3519	6.702	0.42	24.0	13.0
6	8	0.6408 E+1	0.1515 E-1	4471	0.454	0.46	26.0	13.0
5	4	0.4819 E+1	0.1455 E-1	5487	0.394	0.39	22.6	13.0

\*\*\* Measured Data List \*\*\*

Date 1984/12/11 Tx Bipole No. 2

Station No. 195

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.6796 E±0	0.9915 E-4	4602	0.590	0.59	33.8	5.5
13	1024	0.2441 E+1	0.5026 E-3	4782	0.667	0.67	38.2	10.0
12	512	0.4358 E+1	0.1240 E-2	4828	0.660	0.66	37.8	13.0
11	256	0.5595 E+1	0.2236 E-2	4890	0.646	0.65	37.0	13.0
10	128	0.9645 E+1	0.4934 E-2	5972	0.368	0.37	21.1	13.0
9	64	0.1181 E+2	0.6328 E-2	10890	0.344	0.34	19.7	13.0
8	32	0.2427 E+2	0.1501 E-1	16335	0.357	0.36	20.4	13.0
7	16	0.2231 E+2	0.1624 E-1	23587	6.648	0.37	20.9	13.0
6	8	0.1780 E+2	0.1566 E-1	32545	6.641	0.36	20.5	13.0
5	4	0.1443 E+2	0.1547 E-1	43490	6.546	0.26	15.1	13.0

Date 1984/12/11 Tx Bipole No. 2

Station No. 196

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1725 E±0	0.1154 E-3	221	0.416	0.42	23.8	5.5
13	1024	0.6516 E±0	0.4939 E-3	340	0.605	0.60	34.7	10.0
12	512	0.1104 E+1	0.1148 E-2	361	0.641	0.64	36.7	13.0
11	256	0.1369 E+1	0.1990 E-2	370	0.681	0.68	39.0	13.0
10	128	0.2065 E+1	0.4286 E-2	363	0.455	0.46	26.1	13.0
9	64	0.2525 E+1	0.5645 E-2	625	0.364	0.36	20.9	13.0
8	32	0.5277 E+1	0.1348 E-1	958	0.356	0.36	20.4	13.0
7	16	0.4923 E+1	0.1467 E-1	1407	6.643	0.36	20.6	13.0
6	8	0.3959 E+1	0.1430 E-1	1917	6.643	0.36	20.6	13.0
5	4	0.3150 E+1	0.1368 E-1	2669	0.281	0.28	16.1	13.0

\*\*\* Measured Data List \*\*\*

Date 1984/12/11 Tx Bipole No. 2

Station No. 197

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	Corrected PD-C(deg)	
14	2048	0.2185 E±0	0.1380 E-3	248	0.354	0.35	5.5
13	1024	0.8507 E±0	0.5640 E-3	445	0.454	0.45	10.0
12	512	0.1430 E+1	0.1207 E-2	548	6.853	0.57	13.0
11	256	0.1738 E+1	0.2021 E-2	578	0.662	0.66	13.0
10	128	0.2416 E+1	0.4214 E-2	514	0.512	0.51	13.0
9	64	0.2904 E+1	0.5606 E-2	839	0.372	0.37	13.0
8	32	0.6198 E+1	0.1340 E-1	1338	0.341	0.34	13.0
7	16	0.5884 E+1	0.1462 E-1	2023	0.345	0.34	13.0
6	8	0.4679 E+1	0.1371 E-1	2912	0.349	0.35	13.0
5	4	0.3730 E+1	0.1307 E-1	4076	0.283	0.28	13.0

Date 1984/12/11 Tx Bipole No. 2

Station No. 198

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	Corrected PD-C(deg)	
14	2048	0.1026 E±0	0.1070 E-3	8387	0.351	0.35	5.5
13	1024	0.4005 E+1	0.4628 E-3	14332	0.550	0.55	10.0
12	512	0.6729 E+1	0.1055 E-2	15888	6.935	0.65	13.0
11	256	0.8158 E+1	0.1841 E-2	15341	0.702	0.70	13.0
10	128	0.1170 E+2	0.3861 E-2	14356	0.482	0.48	13.0
9	64	0.1420 E+2	0.5155 E-2	23697	0.375	0.38	13.0
8	32	0.3000 E+2	0.1236 E-1	36790	0.350	0.35	13.0
7	16	0.2842 E+2	0.1349 E-1	55497	0.362	0.36	13.0
6	8	0.2292 E+2	0.1322 E-1	75240	0.368	0.37	13.0
5	4	0.1799 E+2	0.1229 E-1	107180	0.285	0.29	13.0

\*\*\* Measured Data List \*\*\*

Station No. 199 Date 1984/12/11 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1687 E±0	0.1108 E-3	216	0.650	0.65	37.2	5.5
13	1024	0.3983 E±0	0.4965 E-3	124	0.753	0.75	43.1	10.0
12	512	0.6441 E±0	0.1124 E-2	126	0.749	0.75	42.9	13.0
11	256	0.7522 E±0	0.1968 E-2	114	0.783	0.78	44.9	13.0
10	128	0.1040 E+1	0.4147 E-2	98	0.541	0.54	31.0	13.0
9	64	0.1239 E+1	0.5333 E-2	169	0.384	0.38	22.0	13.0
8	32	0.2646 E+1	0.1263 E-1	274	0.358	0.36	20.5	13.0
7	16	0.2527 E+1	0.1367 E-1	427	0.403	0.40	23.1	13.0
6	8	0.1981 E+1	0.1320 E-1	563	0.476	0.48	27.3	13.0
5	4	0.1428 E+1	0.1249 E-1	654	0.455	0.46	26.1	13.0

Station No. 200 Date 1984/12/11 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2109 E±0	0.1237 E-3	284	0.429	0.43	24.6	5.5
13	1024	0.7479 E±0	0.5078 E-3	424	0.584	0.58	33.5	10.0
12	512	0.1214 E+1	0.1118 E-2	461	0.674	0.67	38.6	13.0
11	256	0.1442 E+1	0.1911 E-2	445	0.740	0.74	42.4	13.0
10	128	0.1959 E+1	0.3984 E-2	378	0.547	0.55	31.3	13.0
9	64	0.2314 E+1	0.5215 E-2	615	0.410	0.41	23.5	13.0
8	32	0.4925 E+1	0.1273 E-1	935	0.373	0.37	21.4	13.0
7	16	0.4643 E+1	0.1394 E-1	1387	6.646	0.36	20.8	13.0
6	8	0.3751 E+1	0.1359 E-1	1905	6.631	0.35	19.9	13.0
5	4	0.2964 E+1	0.1266 E-1	2740	6.559	0.28	15.8	13.0



\*\*\* Measured Data List \*\*\*

Date 1984/12/12 Tx Bipole No. 2

Station No. 201

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2934 E+0	0.1339 E-3	454	0.155	0.15	8.9	5.5
13	1024	0.1126 E+1	0.5369 E-3	842	0.475	0.47	27.2	10.0
12	512	0.1820 E+1	0.1139 E-2	998	0.584	0.58	33.5	13.0
11	256	0.2196 E+1	0.1906 E-2	1030	0.661	0.66	37.9	13.0
10	128	0.3097 E+1	0.3854 E-2	1009	0.474	0.47	27.2	13.0
9	64	0.3727 E+1	0.5115 E-2	1659	0.374	0.37	21.4	13.0
8	32	0.7918 E+1	0.1257 E-1	2480	0.349	0.35	20.0	13.0
7	16	0.7436 E+1	0.1369 E-1	3687	6.616	0.33	19.0	13.0
6	8	0.5979 E+1	0.1285 E-1	5408	6.590	0.31	17.6	13.0
5	4	0.4915 E+1	0.1232 E-1	7962	6.504	0.22	12.7	13.0

Date 1984/12/12 Tx Bipole No. 2

Station No. 202

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8131 E+0	0.1359 E-3	3497	0.299	0.30	17.1	5.5
13	1024	0.2878 E+1	0.5184 E-3	6025	0.456	0.46	26.1	10.0
12	512	0.4649 E+1	0.1078 E-2	7260	0.571	0.57	32.7	13.0
11	256	0.5626 E+1	0.1797 E-2	7657	0.627	0.63	35.9	13.0
10	128	0.7517 E+1	0.3494 E-2	7063	0.504	0.50	28.9	13.0
9	64	0.9107 E+1	0.4740 E-2	11537	0.341	0.34	19.5	13.0
8	32	0.2034 E+2	0.1157 E-1	19318	0.301	0.30	17.2	13.0
7	16	0.1983 E+2	0.1265 E-1	30703	0.308	0.31	17.6	13.0
6	8	0.1614 E+2	0.1214 E-1	43720	0.318	0.32	18.2	13.0
5	4	0.1275 E+2	0.1135 E-1	65950	0.268	0.27	15.4	13.0

\*\*\* Measured Data List \*\*\*

Station No. 203 Date 1984/12/12 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2856 E±0	0.1641 E-3	296	0.369	0.37	21.1	5.5
13	1024	0.9298 E±0	0.5650 E-3	529	0.524	0.52	30.0	10.0
12	512	0.1462 E+1	0.1209 E-2	571	0.630	0.63	36.1	13.0
11	256	0.1738 E+1	0.2023 E-2	577	0.668	0.67	38.3	13.0
10	128	0.2434 E+1	0.4144 E-2	539	0.484	0.48	27.8	13.0
9	64	0.2963 E+1	0.5496 E-2	908	0.354	0.35	20.3	13.0
8	32	0.6362 E+1	0.1315 E-1	1462	0.320	0.32	18.4	13.0
7	16	0.6111 E+1	0.1435 E-1	2267	6.617	0.33	19.1	13.0
6	8	0.4944 E+1	0.1383 E-1	3193	6.626	0.34	19.7	13.0
5	4	0.3902 E+1	0.1280 E-1	4643	6.547	0.26	15.1	13.0

Station No. 204 Date 1984/12/12 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2297 E±0	0.7002 E-4	1064	0.517	0.52	29.6	5.5
13	1024	0.5971 E±0	0.2845 E-3	860	0.661	0.66	37.9	10.0
12	512	0.9203 E±0	0.6188 E-3	865	0.716	0.72	41.0	13.0
11	256	0.1072 E+1	0.1072 E-2	781	0.734	0.73	42.1	13.0
10	128	0.1564 E+1	0.2238 E-2	763	0.458	0.46	26.2	13.0
9	64	0.1913 E+1	0.2870 E-2	1389	0.323	0.32	18.5	13.0
8	32	0.4191 E+1	0.6850 E-2	2339	0.305	0.30	17.5	13.0
7	16	0.4024 E+1	0.7427 E-2	3669	6.620	0.34	19.3	13.0
6	8	0.3240 E+1	0.7214 E-2	5042	0.374	0.37	21.5	13.0
5	4	0.2465 E+1	0.6782 E-2	6605	0.316	0.32	18.1	13.0

\*\*\* Measured Data List \*\*\*

Station No.205      Date 1984/ 12/12      Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	PD-C(deg)		
14	2048	0.3669 E±0	0.1521 E-3	569	0.500	0.50	28.5	5.5
13	1024	0.9279 E±0	0.4987 E-3	668	0.627	0.63	36.0	10.0
12	512	0.1468 E+1	0.1120 E-2	671	0.696	0.70	39.9	13.0
11	256	0.1812 E+1	0.1986 E-2	650	0.698	0.70	40.0	13.0
10	128	0.2696 E+1	0.4182 E-2	649	0.472	0.47	27.0	13.0
9	64	0.3324 E+1	0.5553 E-2	1120	0.362	0.36	20.7	13.0
8	32	0.7075 E+1	0.1328 E-1	1773	0.333	0.33	19.1	13.0
7	16	0.6713 E+1	0.1446 E-1	2689	6.613	0.33	18.9	13.0
6	8	0.5423 E+1	0.1381 E-1	3858	6.612	0.33	18.8	13.0
5	4	0.4343 E+1	0.1301 E-1	5578	6.540	0.26	14.7	13.0

Station No. 206      Date 1984/ 12/ 13      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	PD-C(deg)		
14	2048	0.6491 E-1	0.1652 E-3	15	0.271	0.27	15.5	5.5
13	1024	0.1876 E±0	0.4781 E-3	30	0.153	0.15	8.8	10.0
12	512	0.4522 E±0	0.1139 E-2	62	0.152	0.15	8.7	13.0
11	256	0.6669 E±0	0.1854 E-2	101	0.274	0.27	15.7	13.0
10	128	0.1017 E+1	0.3435 E-2	137	0.157	0.16	9.0	13.0
9	64	0.1432 E+1	0.4618 E-2	301	0.127	0.13	7.3	13.0
8	32	0.3353 E+1	0.1121 E-1	559	0.192	0.19	11.0	13.0
7	16	0.3232 E+1	0.1176 E-1	945	6.569	0.29	16.4	13.0
6	8	0.2417 E+1	0.1041 E-1	1373	0.394	0.39	22.6	13.0
5	4	0.1690 E+1	0.9098 E-2	1731	0.399	0.40	22.9	13.0

\*\*\* Measured Data List \*\*\*

Station No. 207

Date 1984/12/13

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8378 E-1	0.1634 E-3	26	0.041	0.04	2.3	5.5
13	1024	0.5215 E±0	0.8264 E-3	78	-0.017	-0.02	-1.0	10.0
12	512	0.1285 E+1	0.1990 E-2	163	0.084	0.08	4.8	13.0
11	256	0.1880 E+1	0.3125 E-2	282	0.161	0.16	9.2	13.0
10	128	0.2938 E+1	0.5724 E-2	412	0.130	0.13	7.4	13.0
9	64	0.3985 E+1	0.7594 E-2	861	0.101	0.10	5.8	13.0
8	32	0.8946 E+1	0.1779 E-1	1580	0.139	0.14	8.0	13.0
7	16	0.8631 E+1	0.1836 E-1	2763	6.464	0.18	10.4	13.0
6	8	0.6892 E+1	0.1617 E-1	4539	6.501	0.22	1.25	13.0
5	4	0.5406 E+1	0.1453 E-1	6921	0.200	0.20	1.14	13.0

Station No. 208

Date 1984/12/13

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1367 E±0	0.1521 E-3	81	0.152	0.15	8.7	5.5
13	1024	0.4799 E±0	0.6167 E-3	121	0.153	0.15	8.8	10.0
12	512	0.9807 E±0	0.1363 E-2	202	6.543	0.26	14.9	13.0
11	256	0.1363 E+1	0.2241 E-2	267	0.385	0.38	2.20	13.0
10	128	0.2168 E+1	0.4636 E-2	346	6.532	0.25	1.43	13.0
9	64	0.2756 E+1	0.5841 E-2	696	0.209	0.21	1.20	13.0
8	32	0.6013 E+1	0.1363 E-1	1216	0.270	0.27	1.55	13.0
7	16	0.5592 E+1	0.1429 E-1	1916	0.367	0.37	2.10	13.0
6	8	0.4208 E+1	0.1328 E-1	2507	0.477	0.48	2.73	13.0
5	4	0.2958 E+1	0.1237 E-1	2770	0.481	0.48	2.76	13.0

\*\*\* Measured Data List \*\*\*

Station No. 209 Date 1984/12/13 Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent	Phase	Corrected		Current
	f (Hz)	E (mV/km)	H ( $\gamma$ )	Resistivity	Difference	Phase Difference	Phase Difference	
				$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	I (A)
14	2048	0.2659 E±0	0.1587 E-3	282	0.299	0.30	17.1	5.5
13	1024	0.9221 E±0	0.6365 E-3	411	0.420	0.42	24.1	10.0
12	512	0.1600 E+1	0.1416 E-2	498	0.456	0.46	26.1	13.0
11	256	0.2075 E+1	0.2388 E-2	587	0.524	0.52	30.0	13.0
10	128	0.3577 E+1	0.5099 E-2	777	0.315	0.31	18.0	13.0
9	64	0.4297 E+1	0.6299 E-2	1453	0.274	0.27	15.7	13.0
8	32	0.8858 E+1	0.1447 E-1	2841	0.329	0.33	18.8	13.0
7	16	0.8149 E+1	0.1556 E-1	3427	6.683	0.40	22.9	13.0
6	8	0.6190 E+1	0.1492 E-1	4303	0.467	0.47	26.8	13.0
5	4	0.4500 E+2	0.1418 E-1	5041	0.401	0.40	23.0	13.0

Station No. 210 Date 1984/12/13 Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent	Phase	Corrected		Current
	f (Hz)	E (mV/km)	H ( $\gamma$ )	Resistivity	Difference	Phase Difference	Phase Difference	
				$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	I (A)
14	2048	0.4036 E±0	0.1312 E-3	924	0.571	0.57	32.7	5.5
13	1024	0.1431 E+1	0.6086 E-3	1082	0.576	0.58	33.0	10.0
12	512	0.2487 E+1	0.1432 E-2	1179	6.852	0.57	32.6	13.0
11	256	0.3079 E+1	0.2586 E-1	1107	0.548	0.55	31.4	13.0
10	128	0.6125 E+1	0.5512 E-2	1949	6.528	0.24	14.0	13.0
9	64	0.6995 E+1	0.6467 E-2	3656	0.323	0.32	18.5	13.0
8	32	0.1345 E+1	0.1465 E-1	5273	0.398	0.40	22.8	13.0
7	16	0.1184 E+2	0.1561 E-1	7188	0.456	0.46	26.1	13.0
6	8	0.8981 E+1	0.1538 E-1	8530	0.493	0.49	28.2	13.0
5	4	0.6746 E+1	0.1486 E-1	10309	0.444	0.44	25.4	13.0

\*\*\* Measured Data List \*\*\*

Station No. 211

Date 1984/12/13

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5185 E+1	0.1568 E-3	1075	0.677	0.68	38.8	5.5
13	1024	0.1676 E+1	0.7258 E-3	1042	0.530	0.53	30.3	10.0
12	512	0.2928 E+1	0.1663 E-2	1166	6.832	0.55	31.4	13.0
11	256	0.3637 E+1	0.2967 E-2	1154	0.566	0.57	32.4	13.0
10	128	0.7337 E+1	0.6349 E-2	2086	6.559	0.28	15.8	13.0
9	64	0.8074 E+1	0.7372 E-2	3749	0.355	0.36	20.4	13.0
8	32	0.1543 E+2	0.1651 E-1	5455	0.456	0.46	26.1	13.0
7	16	0.1327 E+2	0.1761 E-1	7097	0.570	0.57	32.6	13.0
6	8	0.9595 E+1	0.1705 E-1	7922	0.692	0.69	39.7	13.0
5	4	0.6112 E+1	0.1637 E-1	6982	0.688	0.69	39.4	13.0

Station No. 212

Date 1984/12/13

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4916 E+0	0.1448 E-3	1070	0.551	0.55	31.6	5.5
13	1024	0.1627 E+1	0.7051 E-3	1040	0.563	0.56	32.2	10.0
12	512	0.2883 E+1	0.1635 E-2	1215	0.568	0.57	32.5	13.0
11	256	0.3452 E+1	0.2846 E-2	1150	0.542	0.54	31.0	13.0
10	128	0.6772 E+1	0.6192 E-2	1869	0.268	0.27	15.4	13.0
9	64	0.7795 E+1	0.7339 E-2	3525	0.339	0.34	19.4	13.0
8	32	0.1498 E+2	0.1643 E-1	5201	0.398	0.40	22.8	13.0
7	16	0.1324 E+2	0.1759 E-1	7076	6.748	0.46	26.6	13.0
6	8	0.9757 E+1	0.1661 E-1	8875	0.503	0.50	28.8	13.0
5	4	0.7249 E+1	0.1634 E-1	9605	0.457	0.46	26.2	13.0

\*\*\* Measured Data List \*\*\*

Station No. 213 Date 1984/12/14 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
		E (mV/km)	E (mV/km)				PD-C (rad)	PD-C(deg)	
14	2048	0.3276 E+2	0.1426 E-1	516	0.835	0.83	47.8	5.5	
13	1024	0.2011 E+1	0.1337 E-2	438	0.818	0.82	46.9	10.0	
12	512	0.2146 E+1	0.1659 E-2	658	0.545	0.54	31.2	13.0	
11	256	0.2805 E+1	0.2809 E-2	779	0.474	0.47	27.2	13.0	
10	128	0.5663 E+1	0.6199 E-2	1331	0.151	0.15	8.6	13.0	
9	64	0.7295 E+1	0.7661 E-2	2834	0.153	0.15	8.7	13.0	
8	32	0.1555 E+1	0.1719 E-1	5112	0.201	0.20	11.5	13.0	
7	16	0.1488 E+2	0.1845 E-1	8136	6.527	0.24	14.0	13.0	
6	8	0.1205 E+2	0.1715 E-1	12331	6.546	0.26	15.1	13.0	
5	4	0.9872 E+1	0.1647 E-1	17969	6.490	0.21	11.8	13.0	

Station No. 214 Date 1984/12/14 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
		E (mV/km)	E (mV/km)				PD-C (rad)	PD-C(deg)	
14	2048	0.4997 E+2	0.1095 E-1	2035	0.794	0.79	45.8	5.5	
13	1024	0.3440 E+1	0.1281 E-2	1411	0.781	0.78	44.8	10.0	
12	512	0.3013 E+1	0.1786 E-2	1144	6.734	0.45	25.8	13.0	
11	256	0.3973 E+1	0.3007 E-2	1337	3.563	0.42	24.2	13.0	
10	128	0.8368 E+1	0.6576 E-2	2530	3.292	0.15	8.6	13.0	
9	64	0.1011 E+2	0.7801 E-2	5245	0.175	0.18	10.1	13.0	
8	32	0.2100 E+2	0.1756 E-1	8944	0.241	0.24	13.8	13.0	
7	16	0.1969 E+2	0.1873 E-1	13823	0.296	0.30	16.9	13.0	
6	8	0.1574 E+2	0.1777 E-1	19605	0.308	0.31	17.6	13.0	
5	4	0.1279 E+2	0.1695 E-1	28483	0.240	0.24	13.7	13.0	

\*\*\* Measured Data List \*\*\*

Date 1984/ 12/ 14 Tx Bipole No. 2

Station No. 215

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)		H ( $\gamma$ )			PD-C (rad)	PD-C (deg)		
14	2048	0.1174	E+2	0.1428	E-1	56	0.324	0.32	186	5.5
13	1024	0.2617	E+1	0.1704	E-2	461	0.248	0.25	142	10.0
12	512	0.4726	E+1	0.2376	E-2	1562	0.293	0.29	168	13.0
11	256	0.6283	E+1	0.3832	E-2	2100	0.281	0.28	161	13.0
10	128	0.1330	E+2	0.8165	E-2	4148	0.101	0.10	58	13.0
9	64	0.1554	E+2	0.9384	E-2	8573	0.154	0.15	88	13.0
8	32	0.3045	E+2	0.2005	E-1	14418	0.221	0.22	126	13.0
7	16	0.2821	E+2	0.2117	E-1	22173	6.557	0.27	15.7	13.0
6	8	0.2269	E+2	0.2029	E-1	31260	6.572	0.29	16.5	13.0
5	4	0.1832	E+2	0.1889	E-1	47050	6.505	0.22	12.7	13.0

Date 1984/ 12/ 14 Tx Bipole No. 2

Station No. 216

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)		H ( $\gamma$ )			PD-C (rad)	PD-C (deg)		
14	2048	0.4360	E+2	0.1745	E-1	610	0.711	0.71	40.7	5.5
13	1024	0.4156	E+1	0.1900	E-2	938	0.455	0.45	26.1	10.0
12	512	0.6203	E+1	0.2456	E-2	2492	6.571	0.29	16.5	13.0
11	256	0.7966	E+1	0.3928	E-2	3213	0.298	0.30	17.1	13.0
10	128	0.1719	E+2	0.8248	E-2	6787	6.368	0.08	4.9	13.0
9	64	0.1958	E+2	0.9195	E-2	14176	0.147	0.15	8.4	13.0
8	32	0.3818	E+2	0.1946	E-1	24057	0.226	0.23	12.9	13.0
7	16	0.3487	E+2	0.2029	E-1	3692	0.287	0.29	16.4	13.0
6	8	0.2792	E+2	0.1934	E-1	51495	0.302	0.30	17.3	13.0
5	4	0.2277	E+2	0.1841	E-1	75935	0.227	0.23	13.0	13.0



\*\*\* Measured Data List \*\*\*

Station No. 217

Date 1984/12/14

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1649 E+2	0.6035 E-2	730	-5469	0.81	466	5.5
13	1024	0.1831 E+1	0.1125 E-2	516	0090	0.09	51	10.0
12	512	0.5211 E+1	0.2946 E-2	1222	0308	0.31	177	13.0
11	256	0.6076 E+1	0.4791 E-2	1238	0328	0.33	188	13.0
10	128	0.1320 E+2	0.9903 E-2	2774	0097	0.10	55	13.0
9	64	0.1442 E+2	0.1073 E-1	5644	0158	0.16	91	13.0
8	32	0.2758 E+2	0.5170 E-1	9669	0230	0.23	132	13.0
7	16	0.2499 E+2	0.2292 E-1	14860	6566	0.28	162	13.0
6	8	0.2012 E+2	0.2201 E-1	20883	6579	0.30	170	13.0
5	4	0.1656 E+2	0.2107 E-1	30873	6513	0.23	131	13.0

Station No. 218

Date 1984/12/14

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1883 E+2	0.3606 E-2	2663	-2527	0.61	352	5.5
13	1024	0.3096 E+1	0.1079 E-2	1629	0221	0.22	127	10.0
12	512	0.4729 E+1	0.2219 E-2	1774	6522	0.24	137	10.0
11	256	0.6055 E+1	0.3768 E-2	2018	0258	0.26	148	13.0
10	128	0.1335 E+2	0.7912 E-2	4449	6331	0.05	28	13.0
9	64	0.1498 E+2	0.8611 E-2	9456	0150	0.15	86	13.0
8	32	0.2901 E+2	0.1839 E-1	15555	0248	0.25	142	13.0
7	16	0.2631 E+2	0.1939 E-1	23000	0312	0.31	179	13.0
6	8	0.2111 E+2	0.1883 E-1	31433	0322	0.32	184	13.0
5	4	0.1740 E+2	0.1842 E-1	44623	0237	0.24	136	13.0

\*\*\* Measured Data List \*\*\*

Station No. 219

Date 1984/12/14

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.4618 E+2	0.6916 E-2	4349	4560	1.42	81.2	5.5
13	1024	0.4851 E+1	0.8643 E-3	6154	0.553	0.55	31.7	10.0
12	512	0.5804 E+1	0.2801 E-2	1656	0.428	0.43	24.5	13.0
11	256	0.6677 E+1	0.4773 E-2	1529	0.387	0.39	22.2	13.0
10	128	0.1411 E+2	0.9916 E-2	3164	0.137	0.14	7.8	13.0
9	64	0.1475 E+2	0.1833 E-1	6380	0.210	0.21	12.0	13.0
8	32	0.2729 E+2	0.2138 E-1	10189	0.295	0.30	16.9	13.0
7	16	0.2413 E+2	0.2248 E-1	14393	6.635	0.35	20.1	13.0
6	8	0.1924 E+2	0.2223 E-1	18728	6.620	0.34	19.3	13.0
5	4	0.1582 E+2	0.2135 E-1	27370	6.530	0.25	14.1	13.0

Station No. 220

Date 1984/12/15

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.9213 E+2	0.5603 E-2	26397	-2609	0.53	30.5	5.5
13	1024	0.1841 E+2	0.6039 E-3	181575	0.727	0.73	41.7	10.0
12	512	0.2513 E+2	0.2165 E-2	52623	6859	0.58	33.0	13.0
11	256	0.2926 E+2	0.4180 E-2	38280	0.468	0.47	26.8	13.0
10	128	0.6236 E+2	0.8387 E-2	86397	6.443	0.16	9.2	13.0
9	64	0.6414 E+2	0.8482 E-2	178707	0.252	0.25	14.4	13.0
8	32	0.1160 E+3	0.1769 E-1	268367	0.364	0.36	20.9	13.0
7	16	0.1010 E+3	0.1899 E-1	358833	0.418	0.42	24.0	13.0
6	8	0.8014 E+2	0.1877 E-1	456250	0.404	0.40	23.1	13.0
5	4	0.6670 E+2	0.1875 E-1	637033	3.411	0.27	15.5	13.0

\*\*\* Measured Data List \*\*\*

Station No. 221      Date 1984/12/15      Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current I (A)
	f (Hz)	E (mV/km)	H (γ)	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.8667 E+1	0.8332 E-3	10567	-5451	0.83	47.7	5.5
13	1024	0.4873 E+1	0.1553 E-2	1922	0.370	0.37	21.2	10.0
12	512	0.7722 E+1	0.3266 E-2	2184	6.770	0.49	27.9	13.0
11	256	0.8779 E+1	0.5864 E-2	1719	0.400	0.40	22.9	13.0
10	128	0.1909 E+2	0.1196 E-1	3979	6.402	0.12	6.8	13.0
9	64	0.1919 E+2	0.1154 E-1	8648	0.195	0.19	11.2	13.0
8	32	0.3432 E+2	0.2311 E-1	13781	0.287	0.29	16.4	13.0
7	16	0.3023 E+2	0.2428 E-1	19378	0.345	0.34	19.8	13.0
6	8	0.2434 E+2	0.2385 E-1	26023	0.326	0.33	18.7	13.0
5	4	0.2053 E+2	0.2382 E-1	37157	0.227	0.23	13.0	13.0

Station No. 222      Date 1984/12/15      Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current I (A)
	f (Hz)	E (mV/km)	H (γ)	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.2364 E+2	0.3182 E-2	5393	-6.271	0.01	0.7	5.5
13	1024	0.4138 E+2	0.1584 E-2	1283	0.539	0.54	30.9	10.0
12	512	0.5893 E+1	0.3294 E-2	1231	0.539	0.54	30.9	13.0
11	256	0.6643 E+1	0.6150 E-2	912	0.402	0.40	23.1	13.0
10	128	0.1484 E+2	0.1225 E-1	2292	0.122	0.12	7.0	13.0
9	64	0.1450 E+2	0.1180 E-1	4715	0.206	0.21	11.8	13.0
8	32	0.2585 E+2	0.2353 E-1	7542	0.306	0.31	17.5	13.0
7	16	0.2263 E+2	0.2481 E-1	10400	6.640	0.36	20.4	13.0
6	8	0.1831 E+2	0.2469 E-1	13759	6.618	0.34	19.2	13.0
5	4	0.1545 E+2	0.2477 E-1	19456	6.511	0.23	13.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 223

Date 1984/12/15

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1070 E+3	0.7676 E-2	18963	0.416	0.42	238	5.5
13	1024	0.1337 E+2	0.2208 E-2	7190	0.499	0.50	286	10.0
12	512	0.1879 E+2	0.4126 E-2	8103	6687	0.40	232	13.0
11	256	0.2336 E+2	0.7745 E-2	7112	0.229	0.23	131	13.0
10	128	0.5551 E+2	0.1517 E-1	20920	6293	0.01	0.6	13.0
9	64	0.5469 E+2	0.1386 E-1	49340	0.146	0.15	83	13.0
8	32	0.9569 E+2	0.2731 E-1	76703	0.249	0.25	143	13.0
7	16	0.8333 E+2	0.2836 E-1	107890	0.306	0.31	176	13.0
6	8	0.6831 E+2	0.2794 E-1	149463	0.293	0.29	168	13.0
5	4	0.5875 E+2	0.2782 E-1	222967	0.196	0.20	112	13.0

Station No. 224

Date 1984/12/15

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.3348 E+2	0.5569 E-2	3529	0.126	0.13	7.2	5.5
13	1024	0.5831 E+1	0.2445 E-2	1111	0.499	0.50	286	10.0
12	512	0.8669 E+1	0.5008 E-2	1170	0.430	0.43	246	13.0
11	256	0.1141 E+2	0.9526 E-2	1111	0.175	0.17	100	13.0
10	128	0.2767 E+2	0.1892 E-1	3342	0.011	0.01	0.6	13.0
9	64	0.2681 E+2	0.1767 E-1	7192	0.124	0.12	71	13.0
8	32	0.4651 E+2	0.3358 E-1	11988	0.230	0.23	132	13.0
7	16	0.4065 E+2	0.3435 E-1	17497	6565	0.28	161	13.0
6	8	0.3359 E+2	0.3383 E-1	24640	6543	0.26	149	13.0
5	4	0.2924 E+2	0.3359 E-1	37887	3316	0.17	100	13.0

\*\*\* Measured Data List \*\*\*

Station No. 225

Date 1984/ 12/15

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.8144 E+2	0.1839 E-1	1916	-2272	0.87	499	5.5
13	1024	0.1081 E+2	0.3041 E-2	2477	3772	0.63	36.1	10.0
12	512	0.1245 E+2	0.3835 E-2	4119	3765	0.62	35.7	13.0
11	256	0.1491 E+2	0.7502 E-2	3086	-2847	0.29	16.9	13.0
10	128	0.3215 E+2	0.1312 E-1	9389	-3096	0.05	2.6	13.0
9	64	0.2964 E+2	0.1151 E-1	19013	-2952	0.19	10.9	13.0
8	32	0.5147 E+2	0.2300 E-1	31283	-2844	0.30	17.0	13.0
7	16	0.4630 E+2	0.2523 E-1	42093	3451	0.31	17.7	13.0
6	8	0.4052 E+2	0.2610 E-1	60257	3375	0.23	13.4	13.0
5	4	0.3739 E+2	0.2640 E-1	100253	3278	0.14	7.8	13.0

Station No.226

Date 1984/ 12/15

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.6201 E+2	0.1223 E-1	2511	0.619	0.62	35.5	5.5
13	1024	0.7684 E+1	0.2335 E-2	2126	0.578	0.58	33.1	10.0
12	512	0.8634 E+1	0.3180 E-2	2879	0.474	0.47	27.2	13.0
11	256	0.1052 E+2	0.6123 E-2	2307	0.152	0.15	8.7	13.0
10	128	0.2741 E+2	0.1089 E-1	9896	-0.116	-0.12	-6.6	13.0
9	64	0.2841 E+2	0.1012 E-1	24100	0.138	0.14	7.9	13.0
8	32	0.5028 E+2	0.2061 E-1	37187	0.271	0.27	15.5	13.0
7	16	0.4474 E+2	0.2244 E-1	49697	6.581	0.30	17.1	13.0
6	8	0.3853 E+2	0.2332 E-1	68237	6.533	0.25	14.3	13.0
5	4	0.3505 E+2	0.2349 E-1	111253	6.434	0.15	8.6	13.0

\*\*\* Measured Data List \*\*\*

Station No. 227 Date 1984/12/16 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)				PD(rad)	PD-C(deg)	PD-C(rad)	PD-C(deg)	
14	2048	0.5548 E+1		0.2731 E-2	403	-0.353		-0.35	-20.2	5.5
13	1024	0.2167 E+1		0.1958 E-2	228	0.322		0.32	18.4	10.0
12	512	0.3405 E+1		0.4114 E-2	268	6.618		0.33	1.92	13.0
11	256	0.4459 E+1		0.7323 E-2	293	6.380		0.10	5.5	13.0
10	128	0.1240 E+1		0.1562 E-1	985	6.266		-0.02	-1.0	13.0
9	64	0.1257 E+2		0.1547 E-1	2071	0.119		0.12	6.8	13.0
8	32	0.2208 E+2		0.2982 E-1	3427	0.229		0.23	13.1	13.0
7	16	0.1896 E+2		0.2995 E-1	5008	0.289		0.29	1.66	13.0
6	8	0.1525 E+2		0.2905 E-1	6893	0.284		0.28	1.63	13.0
5	4	0.1285 E+2		0.2792 E-1	10586	0.202		0.20	1.15	13.0

Station No. 228 Date 1984/12/16 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)				PD(rad)	PD-C(deg)	PD-C(rad)	PD-C(deg)	
14	2048	0.9771 E+2		0.2697 E-1	1282	3.602		0.46	2.64	5.5
13	1024	0.8115 E+1		0.3612 E-2	1002	-2.672		0.47	2.69	10.0
12	512	0.8609 E+1		0.4363 E-2	1527	3.309		0.17	9.6	13.0
11	256	0.1300 E+2		0.7586 E-2	2297	3.015		-0.13	- 7.2	13.0
10	128	0.3560 E+2		0.1463 E-1	8908	2.961		-0.18	-10.3	13.0
9	64	0.3486 E+2		0.1317 E-1	23134	3.222		0.08	4.6	13.0
8	32	0.5995 E+2		0.2606 E-1	33077	3.401		0.26	1.49	13.0
7	16	0.5087 E+2		0.2380 E-1	43833	3.501		0.36	2.06	13.0
6	8	0.4007 E+2		0.2744 E-1	53317	3.483		0.34	1.96	13.0
5	4	0.3345 E+2		0.2719 E-1	75657	3.382		0.24	1.38	13.0

\*\*\* Measured Data List \*\*\*

Station No. 229

Date 1984/12/16

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	PD-C(deg)	Current I (A)
14	2048	0.3511 E+2	0.3544 E-1	96	0.051	0.05	2.9	5.5
13	1024	0.4421 E+1	0.5104 E-2	147	0.225	0.23	12.9	10.0
12	512	0.4085 E+1	0.6215 E-2	169	3.332	0.19	10.9	13.0
11	256	0.5958 E+1	0.1866 E-1	244	3.103	-0.04	- 2.2	13.0
10	128	0.1683 E+2	0.2460 E-1	731	3.104	-0.04	- 2.2	13.0
9	64	0.1665 E+2	0.2396 E-1	1508	-3.070	0.07	4.1	13.0
8	32	0.2851 E+2	0.4424 E-1	2595	-2.980	0.16	9.3	13.0
7	16	0.2445 E+2	0.4268 E-1	4103	3.954	0.21	12.2	13.0
6	8	0.1981 E+2	0.3934 E-1	6337	3.349	0.21	11.9	13.0
5	4	0.1694 E+2	0.3770 E-1	10099	3.284	0.14	8.1	13.0

Station No. 230

Date 1984/12/16

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	PD-C(deg)	Current I (A)
14	2048	0.3341 E+2	0.8766 E-2	1419	-0.064	-0.06	-3.7	5.5
13	1024	0.7146 E+1	0.2759 E-2	1311	0.242	0.24	13.9	10.0
12	512	0.1116 E+2	0.5314 E-2	1722	0.279	0.28	16.0	13.0
11	256	0.1417 E+2	0.9414 E-2	1769	0.138	0.14	7.9	13.0
10	128	0.3548 E+2	0.1957 E-1	5138	0.001	0.00	0.1	13.0
9	64	0.3509 E+2	0.1852 E-1	11218	0.107	0.11	6.1	13.0
8	32	0.6131 E+2	0.3534 E-1	18800	0.208	0.21	11.9	13.0
7	16	0.5346 E+2	0.3552 E-1	28307	6.551	0.27	15.3	13.0
6	8	0.4336 E+2	0.3436 E-1	39807	6.545	0.26	15.0	13.0
5	4	0.3679 E+2	0.3314 E-1	61613	6.472	0.19	10.8	13.0

\*\*\* Measured Data List \*\*\*

Station No. 231

Date 1984/ 12/ 16

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3058 E+2	0.5219 E-2	3351	-0.002	-0.00	-0.1	5.5
13	1024	0.6939 E+1	0.2183 E-2	1975	0.368	0.37	21.1	10.0
12	512	0.9973 E+1	0.4307 E-2	2094	0.424	0.42	24.3	13.0
11	256	0.1189 E+2	0.7782 E-2	1824	0.233	0.23	13.3	13.0
10	128	0.2948 E+2	0.1583 E-1	5388	0.036	0.04	2.1	13.0
9	64	0.2911 E+2	0.1536 E-1	11234	0.137	0.14	7.8	13.0
8	32	0.5092 E+2	0.2960 E-1	18492	0.237	0.24	13.6	13.0
7	16	0.4462 E+2	0.3033 E-1	27053	6.570	0.29	16.4	13.0
6	8	0.3645 E+2	0.2950 E-1	38157	6.544	0.26	15.0	13.0
5	4	0.3132 E+2	0.2871 E-1	59517	6.467	0.18	10.6	13.0

Station No. 232

Date 1984/ 12/ 16

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8121 E+1	0.1441 E-2	3103	-0.190	-0.19	-10.9	5.5
13	1024	0.3641 E+1	0.1370 E-2	1379	0.421	0.42	24.1	10.0
12	512	0.6117 E+1	0.2959 E-2	1670	0.465	0.47	26.7	13.0
11	256	0.7269 E+1	0.5552 E-2	1340	0.335	0.33	19.2	13.0
10	128	0.1688 E+2	0.1117 E-1	3563	0.078	0.08	4.5	13.0
9	64	0.1710 E+2	0.1102 E-1	7523	0.186	0.19	10.7	13.0
8	32	0.3052 E+2	0.2211 E-1	11909	0.290	0.29	16.6	13.0
7	16	0.2687 E+2	0.2334 E-1	16558	6.626	0.34	19.6	13.0
6	8	0.2192 E+2	0.2342 E-1	21893	6.597	0.31	18.0	13.0
5	4	0.1867 E+2	0.2311 E-1	32640	6.504	0.22	12.7	13.0



\*\*\* Measured Data List \*\*\*

Station No. 233 Date 1984/12/16 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.9833 E+1	0.2685 E-3	130943	-0.102	-0.10	5.5
13	1024	0.1698 E+2	0.1187 E-2	40017	0.378	0.38	10.0
12	512	0.3258 E+2	0.2641 E-2	59453	0.438	0.44	13.0
11	256	0.3865 E+2	0.4851 E-2	49593	0.352	0.35	13.0
10	128	0.8847 E+2	0.9885 E-2	125396	0.075	0.08	13.0
9	64	0.9046 E+2	0.9847 E-2	263733	0.188	0.19	13.0
8	32	0.1632 E+3	0.1997 E-1	418433	0.290	0.29	13.0
7	16	0.1449 E+3	0.2124 E-1	581933	6.627	0.34	13.0
6	8	0.1183 E+3	0.2121 E-1	778667	6.602	0.32	13.0
5	4	0.1002 E+3	0.2080 E-1	1162433	6.493	0.21	13.0

Station No. 234 Date 1984/12/16 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2269 E+1	0.1596 E-3	19766	-1.309	-1.31	5.5
13	1024	0.4211 E+1	0.9127 E-3	4157	0.466	0.47	10.0
12	512	0.7654 E+1	0.2060 E-2	5391	6.822	0.54	13.0
11	256	0.8962 E+1	0.3983 E-2	3954	0.446	0.45	13.0
10	128	0.1962 E+2	0.7931 E-2	9560	6.414	0.13	13.0
9	64	0.2032 E+2	0.7940 E-2	20460	0.238	0.24	13.0
8	32	0.3675 E+2	0.1670 E-1	30397	0.357	0.36	13.0
7	16	0.3225 E+2	0.1815 E-1	39453	0.418	0.42	13.0
6	8	0.2556 E+2	0.1841 E-1	48190	0.392	0.39	13.0
5	4	0.2114 E+2	0.1825 E-1	67188	0.268	0.27	13.0

\*\*\* Measured Data List \*\*\*

Station No.235

Date 1984/12/17

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)	H ( $\gamma$ )	H ( $\gamma$ )	$\rho_a(\Omega\text{-m})$		PD(rad)	PD-C(rad)	PD-C(deg)	PD-C(deg)	
14	2048	0.1774 E+2	0.2504 E-2	0.9678 E-3	4903	-0.017	0.350	-0.02	-1.0	5.5	
13	1024	0.2986 E+1	0.1914 E-2	0.3389 E-2	1859	0.350	6.617	0.35	20.0	10.0	
12	512	0.3724 E+1	0.7061 E-2	0.7519 E-2	1479	0.342	6.617	0.33	19.1	13.0	
11	256	0.4609 E+2	0.1598 E-1	0.1688 E-1	1446	6.380	0.342	0.34	19.6	13.0	
10	128	0.1018 E+2	0.1641 E-1	0.1621 E-1	3246	0.190	6.380	0.10	5.5	13.0	
9	64	0.1124 E+2	0.1869 E+2	0.1869 E+2	6985	0.190	0.190	0.19	10.9	13.0	
8	32	0.2131 E+2	0.1869 E+2	0.1869 E+2	11115	0.304	0.304	0.30	17.4	13.0	
7	16	0.1869 E+2	0.1460 E+2	0.1460 E+2	15346	0.373	0.373	0.37	21.4	13.0	
6	8	0.1460 E+2	0.1171 E+2	0.1171 E+2	19788	0.377	0.377	0.38	21.6	13.0	
5	4	0.1171 E+2			26077	0.275	0.275	0.27	15.7	13.0	

Station No. 236

Date 1984/12/17

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)	H ( $\gamma$ )	H ( $\gamma$ )	$\rho_a(\Omega\text{-m})$		PD(rad)	PD-C(rad)	PD-C(deg)	PD-C(deg)	
14	2048	0.3781 E+1	0.6243 E-3	0.8431 E-3	3581	-0.197	0.314	-0.20	-11.3	5.5	
13	1024	0.2792 E+1	0.8431 E-3	0.1849 E-2	2142	0.314	0.314	0.31	18.0	10.0	
12	512	0.4887 E+1	0.3297 E-2	0.6841 E-2	2728	0.391	0.391	0.39	22.4	13.0	
11	256	0.5987 E+1	0.7370 E-2	0.1584 E-1	2576	0.409	0.409	0.41	23.4	13.0	
10	128	0.1270 E+2	0.1713 E-1	0.1698 E-1	5381	0.134	0.134	0.13	7.7	13.0	
9	64	0.1390 E+2	0.1834 E+2	0.1834 E+2	11126	0.224	0.224	0.22	12.9	13.0	
8	32	0.2634 E+2	0.1834 E+2	0.1834 E+2	17278	0.327	0.327	0.33	18.7	13.0	
7	16	0.2342 E+2	0.1834 E+2	0.1834 E+2	23363	6.677	6.677	0.39	22.6	13.0	
6	8	0.1834 E+2	0.1463 E+2	0.1463 E+2	29183	6.675	6.675	0.39	22.4	13.0	
5	4	0.1463 E+2			39277	6.567	6.567	0.28	16.3	13.0	

\*\*\* Measured Data List \*\*\*

Station No. 237

Date 1984/12/17

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.2058 E+1	0.1990 E-3	10452	-5.155	1.13	64.7	5.5
13	1024	0.2303 E+1	0.8035 E-3	1604	0.335	0.34	19.2	10.0
12	512	0.4912 E+1	0.1838 E-2	2789	0.393	0.39	22.5	13.0
11	256	0.6012 E+1	0.3240 E-2	2690	0.412	0.41	23.6	13.0
10	128	0.1265 E+2	0.6831 E-2	5357	0.126	0.13	7.2	13.0
9	64	0.1414 E+2	0.7421 E-2	11344	0.205	0.21	11.8	13.0
8	32	0.2691 E+2	0.1574 E-1	18274	0.290	0.29	16.6	13.0
7	16	0.2424 E+2	0.1678 E-1	26083	6.629	0.35	19.8	13.0
6	8	0.1928 E+2	0.1650 E-1	34157	6.623	0.34	19.5	13.0
5	4	0.1568 E+2	0.1583 E-1	49090	6.545	0.26	15.0	13.0

Station No. 238

Date 1984/12/18

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.4888 E+0	0.1391 E-3	1135	0.194	0.19	11.1	5.5
13	1024	0.2377 E+1	0.6018 E-3	3048	0.343	0.34	19.6	10.0
12	512	0.3918 E+1	0.1225 E-2	3994	0.496	0.50	28.4	13.0
11	256	0.4658 E+1	0.1966 E-2	4383	0.603	0.60	34.5	13.0
10	128	0.6246 E+1	0.3852 E-2	4133	0.481	0.48	27.6	13.0
9	64	0.7503 E+1	0.5217 E-2	6464	0.370	0.37	21.2	13.0
8	32	0.1602 E+2	0.1256 E-1	10169	0.333	0.33	19.1	13.0
7	16	0.1530 E+2	0.1370 E-1	15602	6.606	0.32	18.5	13.0
6	8	0.1225 E+2	0.1283 E-1	22823	6.593	0.31	17.8	13.0
5	4	1.0002 E+1	0.1221 E-1	33577	6.521	0.24	13.6	13.0

\*\*\* Measured Data List \*\*\*

Station No. 239

Date 1984/12/18

Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H ( $\gamma$ )	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.3005 E±0	0.1187 E-3	634	0.182	0.18	10.4	5.5
13	1024	0.1497 E+1	0.5494 E-3	1452	0.345	0.34	19.7	10.0
12	512	0.2050 E+1	0.1144 E-2	1931	0.489	0.49	28.0	13.0
11	256	0.3072 E+1	0.1777 E-2	2335	0.601	0.60	34.5	13.0
10	128	0.3966 E+1	0.3495 E-2	2012	0.510	0.51	29.2	13.0
9	64	0.4758 E+1	0.4754 E-2	3129	0.376	0.38	21.6	13.0
8	32	0.1037 E+2	0.1168 E-1	4931	0.335	0.33	19.2	13.0
7	16	0.9930 E+1	0.1280 E-1	7524	0.309	0.31	17.7	13.0
6	8	0.8152 E+1	0.1234 E-1	10911	0.320	0.32	18.3	13.0
5	4	0.6530 E+1	0.1139 E-1	16573	0.235	0.24	13.5	13.0

Station No. 240

Date 1984/12/18

Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H ( $\gamma$ )	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.2756 E±0	0.1485 E-3	354	0.162	0.16	9.3	5.5
13	1024	0.1251 E+1	0.6301 E-3	743	0.244	0.24	14.0	10.0
12	512	0.2147 E+1	0.1248 E-2	1193	0.403	0.40	23.1	13.0
11	256	0.2615 E+1	0.1907 E-2	1469	0.536	0.54	30.7	13.0
10	128	0.3318 E+1	0.3575 E-2	1346	0.501	0.50	28.7	13.0
9	64	0.3883 E+1	0.4832 E-2	2018	0.358	0.36	20.5	13.0
8	32	0.8649 E+1	0.1210 E-1	3193	0.311	0.31	17.8	13.0
7	16	0.8326 E+1	0.1305 E-1	5086	0.303	0.30	17.3	13.0
6	8	0.6791 E+1	0.1223 E-1	7714	0.305	0.31	17.5	13.0
5	4	0.5523 E+1	0.1182 E-1	10921	0.219	0.22	12.6	13.0

\*\*\* Measured Data List \*\*\*

Station No. 241      Date 1984/12/18      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2092 E±0	0.1685 E-3	151	0.337	0.34	19.3	5.5
13	1024	0.7663 E±0	0.6586 E-3	265	-5.920	0.36	20.8	10.0
12	512	0.1296 E+1	0.1296 E-2	391	0.438	0.44	25.1	13.0
11	256	0.1550 E+1	0.1917 E-2	504	0.539	0.54	30.9	13.0
10	128	0.1869 E+1	0.3377 E-2	479	0.551	0.55	31.6	13.0
9	64	0.2071 E+1	0.4578 E-2	640	0.397	0.40	22.8	13.0
8	32	0.4572 E+1	0.1127 E-1	1028	0.320	0.32	18.3	13.0
7	16	0.4469 E+1	0.1229 E-1	1653	0.317	0.32	18.2	13.0
6	8	0.3618 E+1	0.1156 E-1	2449	0.344	0.34	19.7	13.0
5	4	0.2765 E+1	0.1079 E-1	3401	0.278	0.28	15.9	13.0

Station No. 242      Date 1984/12/18      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1994 E±0	0.1593 E-3	146	0.432	0.43	24.7	5.5
13	1024	0.8198 E±0	0.5933 E-3	371	0.356	0.36	20.4	10.0
12	512	0.1409 E+1	0.1204 E-2	535	0.436	0.44	25.0	13.0
11	256	0.1706 E+1	0.1776 E-2	720	0.541	0.54	31.0	13.0
10	128	0.2075 E+1	0.3168 E-2	671	0.531	0.53	30.4	13.0
9	64	0.2335 E+1	0.4353 E-2	899	0.389	0.39	22.3	13.0
8	32	0.5227 E+1	0.1090 E-1	1438	0.311	0.31	17.8	13.0
7	16	0.5237 E+1	0.1236 E-1	2244	0.291	0.29	16.7	13.0
6	8	0.4288 E+1	0.1151 E-1	3471	0.274	0.27	15.7	13.0
5	4	0.3544 E+1	0.1085 E-1	5433	0.197	0.20	11.3	13.0

\*\*\* Measured Data List \*\*\*

Station No. 243

Date 1984/12/18

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1787 E±0	0.1369 E-3	167	0.307	0.31	17.6	5.5
13	1024	0.4295 E±0	0.4216 E-3	203	0.352	0.35	20.2	10.0
12	512	0.7925 E±0	0.8682 E-3	326	0.427	0.43	24.5	13.0
11	256	0.1022 E+1	0.1357 E-2	443	0.539	0.54	30.9	13.0
10	128	0.1225 E+1	0.2423 E-2	399	0.623	0.62	35.7	13.0
9	64	0.1336 E+1	0.3371 E-2	491	0.413	0.41	23.7	13.0
8	32	0.3313 E+1	0.8831 E-2	880	0.337	0.34	19.3	13.0
7	16	0.3373 E+1	0.0995 E 1	1437	6.698	0.42	23.8	13.0
6	8	0.2667 E+1	0.0968 E-2	1891	0.561	0.56	32.1	13.0
5	4	0.1760 E+1	0.8869 E-2	1969	0.617	0.62	35.4	13.0

Station No. 244

Date 1984/12/18

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1964 E±0	0.1418 E-3	189	0.317	0.32	18.2	5.5
13	1024	0.5835 E±0	0.4555 E-3	314	0.238	0.24	13.6	10.0
12	512	0.1120 E+1	0.9486 E-3	545	0.302	0.30	17.3	13.0
11	256	0.1516 E+1	0.1450 E-2	853	0.409	0.41	23.5	13.0
10	128	0.1857 E+1	0.2469 E-2	885	0.463	0.46	26.5	13.0
9	64	0.2135 E+1	0.3455 E-2	1193	0.329	0.33	18.8	13.0
8	32	0.5356 E+1	0.9215 E-2	2111	0.260	0.26	14.9	13.0
7	16	0.5557 E+1	0.1043 E-1	3583	6.584	0.30	17.2	13.0
6	8	0.4570 E+1	0.1003 E-1	5188	6.639	0.36	20.4	13.0
5	4	0.3493 E+1	0.9290 E-2	6959	0.309	0.31	17.7	13.0

\*\*\* Measured Data List \*\*\*

Station No. 245 Date 1984/ 12/ 18 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1871 E±0	0.1088 E-3	290	0.522	0.52	29.9	5.5
13	1024	0.3587 E±0	0.2816 E-3	335	0.439	0.44	25.1	10.0
12	512	0.6595 E±0	0.5836 E-3	488	0.452	0.45	25.9	13.0
11	256	0.8827 E±0	0.9414 E-3	668	0.517	0.52	29.6	13.0
10	128	0.1055 E+1	0.1639 E-2	647	0.577	0.58	33.1	13.0
9	64	0.1199 E+1	0.2322 E-2	838	0.366	0.37	21.0	13.0
8	32	0.3167 E+1	0.6387 E-2	1548	0.276	0.28	15.8	13.0
7	16	0.3338 E+1	0.7385 E-2	2555	0.342	0.34	19.6	13.0
6	8	0.2698 E+1	0.6803 E-2	3625	0.427	0.43	24.5	13.0
5	4	0.1929 E+1	0.6389 E-2	4560	0.467	0.47	26.8	13.0

Station No. 246 Date 1984/ 12/ 17 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1354 E+2	0.1337 E-3	10015	-0.158	-0.16	-9.0	5.5
13	1024	0.4727 E+1	0.7320 E-3	8143	0.500	0.50	28.7	10.0
12	512	0.7354 E+1	0.1632 E-2	7931	0.456	0.46	26.1	13.0
11	256	0.9947 E+1	0.2854 E-2	9403	0.391	0.39	22.4	13.0
10	128	0.2094 E+2	0.6153 E-2	18092	0.121	0.12	6.9	13.0
9	64	0.2576 E+2	0.7275 E-2	39167	0.170	0.17	9.7	13.0
8	32	0.5289 E+2	0.1622 E-1	66443	0.240	0.24	13.8	13.0
7	16	0.4958 E+2	0.1744 E-1	101050	6.580	0.30	17.0	13.0
6	8	0.4022 E+2	0.1687 E-1	142080	6.597	0.31	18.0	13.0
5	4	0.3279 E+2	0.1642 E-1	199493	6.525	0.24	13.9	13.0

\*\*\* Measured Data List \*\*\*

Station No. 247 Date 1984/12/17 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.3172 E+1	0.1086 E-2	834	-6.069	0.21	123	5.5
13	1024	0.1192 E+1	0.6676 E-2	624	0.551	0.55	316	10.0
12	512	0.1970 E+1	0.1556 E-2	627	0.488	0.49	279	13.0
11	256	0.2883 E+1	0.2775 E-2	723	0.436	0.44	250	13.0
10	128	0.5499 E+1	0.5912 E-2	1351	0.150	0.15	86	13.0
9	64	0.6724 E+1	0.7062 E-2	2832	0.203	0.20	116	13.0
8	32	0.1370 E+2	0.1588 E-1	4650	0.267	0.27	153	13.0
7	16	0.1276 E+2	0.1704 E-1	7005	6.592	0.31	177	13.0
6	8	0.1033 E+2	0.1674 E-1	9519	6.598	0.31	180	13.0
5	4	0.8368 E+1	0.1600 E-1	13698	6.529	0.25	141	13.0

Station No. 248 Date 1984/12/17 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.6216 E±0	0.5257 E-3	133	0.828	0.83	47.5	5.5
13	1024	0.9929 E±0	0.6718 E-3	427	-5.697	0.59	336	10.0
12	512	0.1677 E+1	0.1500 E-2	488	0.553	0.55	317	13.0
11	256	0.2177 E+1	0.2631 E-2	535	0.494	0.49	283	13.0
10	128	0.4240 E+1	0.5688 E-2	869	6.461	0.18	102	13.0
9	64	0.5379 E+1	0.6992 E-2	1849	0.184	0.18	10.5	13.0
8	32	0.1142 E+2	0.1594 E-1	3206	0.237	0.24	136	13.0
7	16	0.1083 E+2	0.1702 E-1	5062	0.284	0.28	163	13.0
6	8	0.8761 E+2	0.1633 E-1	7071	0.312	0.31	179	13.0
5	4	0.7039 E+1	0.1563 E-1	10191	0.253	0.25	145	13.0



\*\*\* Measured Data List \*\*\*

Station No. 249

Date 1984/12/17

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Current I (A)
14	2048	0.6888 E+1	0.5947 E-3	13101	-6.222	0.06	5.5
13	1024	0.4058 E+1	0.6681 E-3	7209	0.414	0.41	10.0
12	512	0.6702 E+1	0.1465 E-2	8027	0.407	0.41	13.0
11	256	0.9613 E+1	0.2574 E-2	10896	0.378	0.38	13.0
10	128	0.1870 E+2	0.5515 E-2	17909	0.177	0.18	13.0
9	64	0.2357 E+2	0.6983 E-2	35593	0.206	0.21	13.0
8	32	0.4997 E+2	0.1632 E-1	58607	0.254	0.25	13.0
7	16	0.4684 E+2	0.1737 E-1	90890	6.568	0.29	13.0
6	8	0.3752 E+2	0.1636 E-1	131463	6.566	0.28	13.0
5	4	0.3084 E+2	0.1574 E-1	191883	6.505	0.22	13.0

Station No. 250

Date 1984/12/19

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Current I (A)
14	2048	0.2483 E+1	0.5296 E-3	2148	-6.109	0.17	5.5
13	1024	0.1893 E+1	0.6695 E-3	1501	0.445	0.44	10.0
12	512	0.2973 E+1	0.1401 E-2	1761	0.472	0.47	13.0
11	256	0.4130 E+1	0.2439 E-2	2241	0.414	0.41	13.0
10	128	0.7567 E+1	0.5226 E-2	3240	0.211	0.21	13.0
9	64	0.9866 E+1	0.6780 E-2	6618	0.207	0.21	13.0
8	32	0.2148 E+2	0.1599 E-1	11281	0.234	0.23	13.0
7	16	0.2036 E+2	0.1690 E-1	18147	6.549	0.27	13.0
6	8	0.1667 E+2	0.1620 E-1	26477	6.561	0.28	13.0
5	4	0.1347 E+2	0.1515 E-1	39557	6.502	0.22	13.0

\*\*\* Measured Data List \*\*\*

Station No. 251      Date 1984/12/19      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.5431 E+0	0.4475 E-3	144	-6.015	0.27	154	5.5
13	1024	0.9269 E+0	0.6293 E-3	424	0.516	0.52	296	10.0
12	512	0.1454 E+1	0.1306 E-2	484	0.563	0.56	323	13.0
11	256	0.1358 E+1	0.2268 E-2	524	0.518	0.52	297	13.0
10	128	0.3271 E+1	0.4807 E-2	723	0.246	0.25	141	13.0
9	64	0.4410 E+1	0.6389 E-2	1489	0.190	0.19	109	13.0
8	32	0.1002 E+1	0.1536 E-1	2658	0.208	0.21	119	13.0
7	16	0.9723 E+1	0.1637 E-1	4410	6.535	0.25	144	13.0
6	8	0.7922 E+1	0.1550 E-1	6534	6.560	0.23	159	13.0
5	4	0.6321 E+1	0.1439 E-1	9652	6.507	0.22	128	13.0

Station No. 252      Date 1984/12/19      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.5089 E+0	0.2794 E-3	324	0.716	0.72	41.0	5.5
13	1024	0.1022 E+1	0.5782 E-3	610	0.534	0.53	30.6	10.0
12	512	0.1564 E+1	0.1212 E-2	650	0.601	0.60	34.4	13.0
11	256	0.1926 E+1	0.2094 E-2	661	0.593	0.59	34.0	13.0
10	128	0.3054 E+1	0.4404 E-2	766	0.326	0.33	18.7	13.0
9	64	0.4041 E+1	0.5886 E-2	1473	0.239	0.24	13.7	13.0
8	32	0.9086 E+1	0.1407 E-1	2605	0.234	0.23	13.4	13.0
7	16	0.8874 E+1	0.1512 E-1	4306	0.270	0.27	15.5	13.0
6	8	0.7063 E+1	0.1388 E-1	6472	0.283	0.28	16.2	13.0
5	4	0.5665 E+1	0.1325 E-1	9147	0.261	0.26	14.9	13.0

\*\*\* Measured Data List \*\*\*

Station No. 253

Date 1984/12/19

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.3254 E±0	0.1656 E-3	381	0.122	0.12	7.0
13	1024	0.7651 E±0	0.4944 E-3	468	0.502	0.50	288
12	512	0.1225 E+1	0.1053 E-2	528	0.571	0.57	32.7
11	256	0.1597 E+1	0.1840 E-2	588	0.562	0.56	32.2
10	128	0.2507 E+1	0.3889 E-2	649	0.346	0.35	19.8
9	64	0.3287 E+1	0.5181 E-1	1272	0.254	0.25	14.6
8	32	0.7404 E+1	0.1254 E-1	2179	0.258	0.26	14.8
7	16	0.7248 E+1	0.1377 E-1	3465	0.282	0.28	16.2
6	8	0.5889 E+1	0.1300 E-1	5130	0.294	0.29	16.8
5	4	0.4736 E+1	0.1222 E-1	7510	0.220	0.22	12.6

Station No. 254

Date 1984/12/19

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2452 E±0	0.1783 E-3	222	-0.403	-0.40	-23.1
13	1024	0.4027 E±0	0.6333 E-3	79	0.442	0.44	25.3
12	512	0.7357 E±0	0.1474 E-2	97	0.442	0.44	25.3
11	256	0.1001 E+1	0.2643 E-2	112	0.410	0.41	23.5
10	128	0.2057 E+1	0.5656 E-2	207	0.150	0.15	8.6
9	64	0.2531 E+1	0.7845 E-2	427	0.212	0.21	12.1
8	32	0.5152 E+1	0.1557 E-1	684	0.277	0.28	15.9
7	16	0.4782 E+1	0.1675 E-1	1019	6.600	0.32	18.2
6	8	0.3881 E+1	0.1627 E-1	1401	6.604	0.32	18.4
5	4	0.3154 E+1	0.1589 E-1	1969	6.520	0.24	13.6

\*\*\* Measured Data List \*\*\*

Station No. 255      Date 1984/ 12/19      Tx Bipole No.2

No.	Frequency	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
	f (Hz)				PD(rad)	Corrected Phase Difference PD-C(deg)	
14	2048	0.2464 E+1	0.2995 E-3	6363	-0.041	-0.04	5.5
13	1024	0.2902 E+1	0.6714 E-3	3649	0.440	0.44	10.0
12	512	0.5052 E+1	0.1514 E-2	4350	0.438	0.44	13.0
11	256	0.7010 E+1	0.2636 E-2	5427	0.419	0.42	13.0
10	128	0.1352 E+2	0.5656 E-2	8926	0.203	0.21	13.0
9	64	0.1654 E+2	0.7098 E-2	16981	0.250	0.25	13.0
8	32	0.3304 E+2	0.1617 E-1	26097	0.289	0.29	13.0
7	16	0.3062 E+2	0.1740 E-1	38710	6.589	0.31	13.0
6	8	0.2476 E+2	0.1648 E-1	56500	6.563	0.28	13.0
5	4	0.245 E+2	0.1579 E-1	83830	6.483	0.20	13.0

Station No. 256      Date 1984/ 12/20      Tx Bipole No. 2

No.	Frequency	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
	f (Hz)				PD(rad)	Corrected Phase Difference PD-C(deg)	
14	2048	0.1554 E±0	0.1835 E-3	67	0.431	0.43	5.5
13	1024	0.4824 E±0	0.6753 E-3	100	0.623	0.62	10.0
12	512	0.7909 E±0	0.1534 E-2	104	0.613	0.61	13.0
11	256	0.9913 E±0	0.2634 E-2	111	0.584	0.58	13.0
10	128	0.1673 E+1	0.5577 E-2	141	0.332	0.33	13.0
9	64	0.2051 E+1	0.6989 E-1	269	0.292	0.29	13.0
8	32	0.4161 E+1	0.1603 E-1	421	0.302	0.30	13.0
7	16	0.3873 E+1	0.1720 E-1	634	6.600	0.32	13.0
6	8	0.3103 E+1	0.1635 E-1	901	6.582	0.30	13.0
5	4	0.2513 E+1	0.1544 E-1	1325	6.520	0.24	13.0

\*\*\* Measured Data List \*\*\*

Date 1984/ 12/20 Tx Bipole No. 2

Station No. 257

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3509 E±0	0.1830 E-3	350	0.124	0.12	7.1	5.5
13	1024	0.7744 E+1	0.6958 E-3	242	0.666	0.67	38.2	10.0
12	512	0.1224 E+1	0.1581 E-2	234	0.653	0.65	37.4	13.0
11	256	0.1505 E+1	0.2744 E-2	235	0.597	0.60	34.2	13.0
10	128	0.2632 E+1	0.5764 E-2	326	0.324	0.32	18.5	13.0
9	64	0.3085 E+1	0.6996 E-2	608	0.312	0.31	17.9	13.0
8	32	0.6042 E+1	0.1579 E-2	915	0.333	0.33	19.1	13.0
7	16	0.5476 E+1	0.1677 E-1	1338	0.333	0.33	19.1	13.0
6	8	0.4427 E+1	0.1604 E-1	1902	0.311	0.31	17.8	13.0
5	4	0.3643 E+1	0.3643 E-1	2862	0.216	0.22	12.4	13.0

Date 1984/ 12/20 Tx Bipole No. 2

Station No. 258

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7239 E±0	0.3167 E-3	511	0.093	0.09	5.3	5.5
13	1024	0.1680 E+1	0.9674 E-3	589	0.540	0.54	31.0	10.0
12	512	0.2623 E+1	0.2056 E-2	636	0.570	0.57	32.6	13.0
11	256	0.3140 E+1	0.3410 E-2	659	0.569	0.57	32.6	13.0
10	128	0.5431 E+1	0.7114 E-2	906	0.302	0.30	17.3	13.0
9	64	0.6048 E+1	0.8115 E-2	1736	0.296	0.30	17.0	13.0
8	32	0.1143 E+2	0.1762 E-1	2629	0.320	0.32	18.4	13.0
7	16	0.1023 E+2	0.1852 E-1	3817	6.603	0.32	18.3	13.0
6	8	0.8289 E+1	0.1761 E-1	5541	6.549	0.27	15.2	13.0
5	4	0.7055 E+1	0.1688 E-1	8730	6.464	0.18	10.3	13.0

\*\*\* Measured Data List \*\*\*

Station No. 259 Date 1984/ 12/ 20 Tx Bipole No. 2

No.	Frequency		Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
	f (Hz)						PD-C (rad)	PD-C (deg)	
14	2048		0.4547 E±0	0.3236 E-3	193	-5865	0.42	24.0	5.5
13	1024		0.1133 E+1	0.3999 E-2	250	0.609	0.61	34.9	10.0
12	512		0.1758 E+1	0.2142 E-2	263	0.623	0.62	35.7	13.0
11	256		0.2041 E+1	0.3577 E-2	255	0.616	0.62	35.3	13.0
10	128		0.3447 E+1	0.7369 E-2	342	0.302	0.30	17.3	13.0
9	64		0.3813 E+1	0.8242 E-2	659	0.281	0.28	16.1	13.0
8	32		0.7235 E+1	0.1767 E-1	1048	0.311	0.31	17.8	13.0
7	16		0.6479 E+1	0.1849 E-1	1535	0.313	0.31	17.9	13.0
6	8		0.5242 E+1	0.1751 E-1	2241	0.280	0.28	16.0	13.0
5	4		0.4463 E+1	0.1656 E-1	3538	0.172	0.17	9.9	13.0

Station No. 260 Date 1984/ 12/ 20 Tx Bipole No. 2

No.	Frequency		Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
	f (Hz)						PD-C (rad)	PD-C (deg)	
14	2048		0.9942 E±0	0.5524 E-3	316	0.071	0.07	4.1	5.5
13	1024		0.2727 E+1	0.1190 E-2	1026	0.450	0.45	25.8	10.0
12	512		0.4379 E+1	0.2423 E-2	1276	0.484	0.48	27.7	13.0
11	256		0.5198 E+1	0.3904 E-2	1385	0.489	0.49	28.0	13.0
10	128		0.9682 E+1	0.8170 E-2	2194	0.210	0.21	12.0	13.0
9	64		0.1100 E+1	0.9207 E-2	4460	0.221	0.22	12.7	13.0
8	32		0.2169 E+2	0.1997 E-1	7369	0.262	0.26	15.0	13.0
7	16		0.1983 E+2	0.2097 E-1	11187	6.586	0.30	17.3	13.0
6	8		0.1571 E+2	0.1954 E-1	16174	6.584	0.30	17.3	13.0
5	4		0.1281 E+2	0.1881 E-1	23233	6.518	0.24	13.5	13.0

\*\*\* Measured Data List \*\*\*

Date 1984/ 12/ 20 Tx Bipole No. 2

Station No. 261

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	Corrected Phase_Difference PD-C(deg)	
14	2048	0.5511 E±0	0.7246 E-3	56	-0.323	-0.32	55
13	1024	0.2311 E+1	0.1146 E-2	1097	0.484	0.48	100
12	512	0.4526 E+1	0.2371 E-2	1431	0.507	0.51	130
11	256	0.5337 E+1	0.3910 E-2	1455	0.482	0.48	130
10	128	0.1037 E+2	0.8183 E-2	2484	0.173	0.17	130
9	64	0.1191 E+2	0.9251 E-2	5365	0.192	0.19	130
8	32	0.2356 E+2	0.1949 E-1	9136	0.247	0.25	130
7	16	0.2153 E+2	0.2301 E-1	14009	6.578	0.30	130
6	8	0.1718 E+2	0.1930 E-1	19813	6.597	0.31	130
5	4	0.1395 E+2	0.1850 E-1	28420	6.529	0.25	130

Date 1984/ 12/ 21 Tx Bipole No. 2

Station No. 262

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	Corrected Phase_Difference PD-C(deg)	
14	2048	0.1803 E±0	0.1490 E-1	1430	2.091	-1.05	55
13	1024	0.1405 E+1	0.1293 E-1	230	0.603	0.60	100
12	512	0.2389 E+1	0.2668 E-1	313	0.563	0.56	130
11	256	0.2735 E+1	0.4377 E-2	305	0.502	0.50	130
10	128	0.5465 E+1	0.9157 E-2	557	0.160	0.16	130
9	64	0.6117 E+1	0.9806 E-2	1216	0.178	0.18	130
8	32	0.1195 E+1	0.2061 E-1	2102	0.241	0.24	130
7	16	0.1082 E+2	0.2121 E-1	3251	0.297	0.30	130
6	8	0.8639 E+1	0.2022 E-1	4562	0.321	0.32	130
5	4	0.6960 E+1	0.1943 E-1	6417	0.254	0.25	130

\*\*\* Measured Data List \*\*\*

Station No. 263      Date 1984/12/21      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)				PD-C(rad)	PD-C(deg)		
14	2048	0.1723	E+1	0.1518	E-2	126	0.502	0.50	28.7	5.5
13	1024	0.1862	E+1	0.1594	E-2	267	0.308	0.31	17.6	10.0
12	512	0.3376	E+1	0.3188	E-2	438	0.325	0.32	18.6	13.0
11	256	0.4008	E+1	0.5137	E-2	476	0.310	0.31	17.7	13.0
10	128	0.8875	E+1	0.1087	E-1	1042	0.057	0.06	3.3	13.0
9	64	0.9689	E+1	0.1132	E-1	2290	0.126	0.13	7.2	13.0
8	32	0.1848	E+1	0.2308	E-1	4007	0.208	0.21	11.9	13.0
7	16	0.1671	E+2	0.2358	E-1	6278	0.271	0.27	15.6	13.0
6	8	0.1354	E+2	0.2272	E-1	8875	0.291	0.29	16.7	13.0
5	4	0.1109	E+2	0.2176	E-1	2993	0.221	0.22	12.7	13.0

Station No. 264      Date 1984/12/22      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)				PD-C(rad)	PD-C(deg)		
14	2048	0.8882	E+1	0.3049	E-2	829	0.133	0.13	7.6	5.5
13	1024	0.3420	E+1	0.2014	E-2	563	0.365	0.36	20.9	10.0
12	512	0.5097	E+1	0.4021	E-2	628	0.440	0.44	25.2	13.0
11	256	0.6014	E+1	0.6944	E-2	569	0.272	0.27	15.6	13.0
10	128	0.1457	E+2	0.1449	E-1	1591	0.050	0.05	2.9	13.0
9	64	0.1503	E+2	0.1457	E-1	3324	0.132	0.13	7.6	13.0
8	32	0.2643	E+2	0.2792	E-1	5601	0.211	0.21	12.1	13.0
7	16	0.2339	E+2	0.2837	E-1	8484	6.529	0.25	14.1	13.0
6	8	0.1949	E+2	0.2718	E-1	12853	6.498	0.22	12.3	13.0
5	4	0.1717	E+2	0.2660	E-1	20827	6.422	0.14	8.0	13.0



\*\*\* Measured Data List \*\*\*

Station No.265

Date 1984/ 12/22

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)				PD(rad)		PD-C(rad)	PD-C(deg)	
14	2048	0.3191 E+1		0.2417 E-2	170	-0.058		-0.06		5.5
13	1024	0.2079 E+1		0.2051 E-2	201	0.437		0.44	25.0	10.0
12	512	0.3132 E+1		0.4054 E-2	233	6.799		0.52	29.5	13.0
11	256	0.3528 E+1		0.6730 E-2	215	0.453		0.45	25.9	13.0
10	128	0.7271 E+1		0.1413 E-1	414	6.417		0.13	7.7	13.0
9	64	0.7523 E+1		0.1413 E-1	886	0.151		0.15	8.6	13.0
8	32	0.1342 E+2		0.2730 E-1	1518	0.200		0.20	11.5	13.0
7	16	0.1190 E+2		0.2718 E-1	2397	0.213		0.21	12.2	13.0
6	8	0.1007 E+2		0.2584 E-1	3798	0.184		0.18	10.5	13.0
5	4	0.8981 E+1		0.2481 E-1	6549	0.094		0.09	5.4	13.0

Station No.266

Date 1984/ 12/22

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)				PD(rad)		PD-C(rad)	PD-C(deg)	
14	2048	0.4934 E±0		0.1100 E-2	20	0.443		0.44	25.4	5.5
13	1024	0.6795 E±0		0.1702 E-2	31	0.822		0.82	47.1	10.0
12	512	0.9582 E±0		0.3579 E-2	28	0.786		0.79	45.0	13.0
11	256	0.9839 E±0		0.6089 E-2	20	0.663		0.66	38.0	13.0
10	128	0.1900 E+1		0.1240 E-1	37	0.263		0.26	15.1	13.0
9	64	0.1924 E+1		0.1248 E-1	74	0.259		0.26	14.9	13.0
8	32	0.3359 E+1		0.2432 E-1	119	0.315		0.31	18.0	13.0
7	16	0.2877 E+1		0.2457 E-1	171	0.353		0.35	20.2	13.0
6	8	0.2245 E+1		0.2327 E-1	233	0.342		0.34	19.6	13.0
5	4	0.1826 E+1		0.2257 E-1	327	0.254		0.25	14.5	13.0

\*\*\* Measured Data List \*\*\*

Station No. 267

Date 1984/12/22

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.3421 E+1	0.2184 E-2	240	-5.969	0.31	5.5
13	1024	0.2357 E+1	0.2105 E-2	245	0.655	0.65	10.0
12	512	0.3350 E+1	0.4196 E-2	249	0.656	0.66	13.0
11	256	0.3481 E+1	0.7109 E-2	187	0.520	0.52	13.0
10	128	0.7462 E+1	0.1460 E-1	408	0.165	0.16	13.0
9	64	0.7497 E+1	0.1437 E-1	851	0.209	0.21	13.0
8	32	0.1324 E+2	0.2775 E-1	1422	0.280	0.28	13.0
7	16	0.1132 E+2	0.2795 E-1	2051	6.623	0.34	13.0
6	8	0.8817 E+1	0.2663 E-1	2740	0.349	0.35	13.0
5	4	0.7063 E+1	0.2555 E-1	3822	6.540	0.26	13.0

Station No. 268

Date 1984/12/22

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.5823 E+1	0.2077 E-2	768	-0.115	-0.11	13.0
13	1024	0.4804 E+1	0.2183 E-2	946	0.497	0.50	13.0
12	512	0.7053 E+1	0.4326 E-2	1038	0.552	0.55	13.0
11	256	0.7603 E+1	0.7241 E-2	862	0.484	0.48	13.0
10	128	0.1572 E+2	0.1490 E-1	1738	0.158	0.16	13.0
9	64	0.1579 E+2	0.1462 E-1	3642	0.184	0.18	13.0
8	32	0.2822 E+2	0.2848 E-1	6132	0.250	0.25	13.0
7	16	0.2448 E+2	0.2846 E-1	9254	6.572	0.29	13.0
6	8	0.1965 E+2	0.2720 E-1	13058	6.558	0.27	13.0
5	4	0.1647 E+2	0.2612 E-1	19880	6.483	0.20	13.0

\*\*\* Measured Data List \*\*\*

Station No.269

Date 1984/ 12/ 22

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1261 E+2	0.1220 E-2	10428	-0.336	-0.34	-19.3	5.5
13	1024	0.5428 E+1	0.1686 E-2	2025	0.622	0.62	35.7	10.0
12	512	0.7419 E+1	0.3532 E-2	1724	0.657	0.66	37.7	13.0
11	256	0.8021 E+1	0.6202 E-2	1316	0.560	0.56	32.1	13.0
10	128	0.1575 E+2	0.1250 E-1	2478	0.199	0.20	11.4	13.0
9	64	0.1575 E+2	0.1214 E-1	5260	0.213	0.21	12.2	13.0
8	32	0.2822 E+2	0.2396 E-1	8669	0.277	0.28	15.9	13.0
7	16	0.2446 E+2	0.2410 E-1	12877	0.312	0.31	17.9	13.0
6	8	0.1986 E+2	0.2348 E-1	17875	0.288	0.29	16.5	13.0
5	4	0.1684 E+2	0.2297 E-1	26890	0.193	0.19	11.1	13.0

Station No.270

Date 1984/ 12/ 22

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1470 E+1	0.1921 E-2	5719	-0.108	-0.11	-6.2	5.5
13	1024	0.4916 E+1	0.1581 E-2	1906	0.517	0.52	29.6	10.0
12	512	0.6740 E+1	0.3156 E-2	1757	0.564	0.56	32.3	13.0
11	256	0.7425 E+1	0.5541 E-2	1403	0.499	0.50	28.6	13.0
10	128	0.1517 E+2	0.1125 E-1	2839	0.162	0.16	9.3	13.0
9	64	0.1547 E+2	0.1116 E-1	6018	0.202	0.20	11.6	13.0
8	32	0.2781 E+2	0.2222 E-1	9882	0.275	0.28	15.8	13.0
7	16	0.2457 E+2	0.2293 E-1	14349	0.320	0.32	18.4	13.0
6	8	0.1989 E+2	0.2243 E-1	19670	0.312	0.31	17.9	13.0
5	4	0.1669 E+2	0.2178 E-1	29237	0.209	0.21	12.0	13.0

\*\*\* Measured Data List \*\*\*

Station No. 271

Date 1984/12/21

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)	E (mV/km)			PD(rad)	PD-C(deg)	PD-C(rad)	PD-C(deg)	
14	2048	0.1050	E+2	0.1430	E-2	5260	-0.104	-0.10	-5.9	5.5
13	1024	0.4230	E+1	0.1099	E-3	2892	0.368	0.37	21.1	10.0
12	512	0.7281	E+1	0.2387	E-2	3634	0.429	0.43	24.6	13.0
11	256	0.8691	E+1	0.4297	E-2	3196	0.389	0.39	22.3	13.0
10	128	0.1915	E+2	0.8799	E-2	7403	0.102	0.10	5.8	13.0
9	64	0.2045	E+2	0.9140	E-2	15337	0.207	0.21	11.8	13.0
8	32	0.3736	E+2	0.1885	E-1	23873	0.305	0.30	17.5	13.0
7	16	0.3322	E+2	0.2045	E-1	32973	6.642	0.36	20.6	13.0
6	8	0.2673	E+2	0.2020	E-1	43763	6.634	0.35	20.1	13.0
5	4	0.2205	E+2	0.1986	E-1	61205	6.543	0.26	14.9	13.0

Station No.272

Date 1984/12/21

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)	E (mV/km)			PD(rad)	PD-C(deg)	PD-C(rad)	PD-C(deg)	
14	2048	0.4154	E+1	0.1935	E-2	450	-6.508	-0.22	-1.29	5.5
13	1024	0.3665	E+1	0.1672	E-2	939	0.260	0.26	1.49	10.0
12	512	0.6272	E+1	0.3245	E-2	1448	0.326	0.33	1.86	13.0
11	256	0.7505	E+1	0.5276	E-2	1581	0.325	0.32	1.86	13.0
10	128	0.1596	E+2	0.1098	E-1	3298	0.075	0.08	4.3	13.0
9	64	0.1724	E+2	0.1148	E-1	7046	0.152	0.15	8.7	13.0
8	32	0.3194	E+2	0.2317	E-1	11879	0.240	0.24	13.8	13.0
7	16	0.2837	E+2	0.2387	E-1	17656	6.583	0.30	17.2	13.0
6	8	0.2275	E+2	0.2314	E-1	24167	6.587	0.30	17.4	13.0
5	4	0.1848	E+2	0.2228	E-1	34430	6.490	0.21	11.8	13.0

\*\*\* Measured Data List \*\*\*

Station No.273 Date 1984/12/21 Tx Bipole No.2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E(mV/km)	H (r)	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.1332 E+1	0.7658 E-3	296	-6.564	-0.28	-16.1	5.5
13	1024	0.2383 E+1	0.1479 E-2	507	0.335	0.33	19.2	10.0
12	512	0.4116 E+1	0.3018 E-2	727	0.380	0.38	21.8	13.0
11	256	0.4952 E+1	0.4898 E-2	799	0.399	0.40	22.8	13.0
10	128	0.9833 E+1	0.1025 E-1	1439	0.147	0.15	8.4	13.0
9	64	0.1066 E+2	0.1092 E-1	2979	0.199	0.20	11.4	13.0
8	32	0.1971 E+2	0.2231 E-1	4878	0.269	0.27	15.4	13.0
7	16	0.1730 E+2	0.2276 E-1	7222	6.589	0.31	17.5	13.0
6	8	0.1379 E+2	0.2167 E-1	10133	6.578	0.29	16.9	13.0
5	4	0.1143 E+2	0.2090 E-1	14969	6.500	0.22	12.4	13.0

Station No. 274 Date 1984/12/23 Tx Bipole No.2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E(mV/km)	H (r)	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.3138 E+0	0.2833 E-3	117	0.819	0.82	46.9	5.5
13	1024	0.1196 E+1	0.1192 E-2	197	0.628	0.63	36.0	10.0
12	512	0.1582 E+1	0.2524 E-2	210	0.640	0.64	36.7	13.0
11	256	0.2048 E+1	0.4166 E-2	189	0.630	0.63	36.1	13.0
10	128	0.3542 E+1	0.8617 E-2	264	0.288	0.29	16.5	13.0
9	64	0.3855 E+1	0.9367 E-2	529	0.278	0.28	15.9	13.0
8	32	0.7119 E+1	0.1945 E-1	837	0.318	0.32	18.2	13.0
7	16	0.6313 E+1	0.2030 E-1	1209	6.627	0.34	19.7	13.0
6	8	0.4984 E+1	0.1935 E-1	1657	0.326	0.33	18.7	13.0
5	4	0.3839 E+1	0.1716 E-1	2356	6.546	0.26	15.0	13.0

\*\*\* Measured Data List \*\*\*

Station No. 275

Date 1984/ 12/ 23

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3906 E±0	0.4800 E-3	65	0.737	0.74	42.2	5.5
13	1024	0.1842 E+1	0.1566 E-2	270	0.562	0.56	32.2	10.0
12	512	0.2949 E+1	0.3257 E-2	325	0.561	0.56	32.2	13.0
11	256	0.3302 E+1	0.5330 E-2	300	0.528	0.53	30.2	13.0
10	128	0.6894 E+1	0.1116 E-1	513	0.196	0.20	11.3	13.0
9	64	0.6752 E+1	0.1157 E-1	1065	0.213	0.21	12.2	13.0
8	32	0.1227 E+2	0.2317 E-1	1753	0.267	0.27	15.3	13.0
7	16	0.1075 E+2	0.2345 E-1	2626	0.298	0.30	17.1	13.0
6	8	0.8638 E+1	0.2251 E-1	3682	0.286	0.29	16.4	13.0
5	4	0.7179 E+1	0.2165 E-1	5500	0.198	0.20	11.3	13.0

Station No. 275

Date 1984/ 12/ 23

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1956 E±0	0.2712 E-3	51	1.451	1.45	83.2	5.5
13	1024	0.1015 E+1	0.1300 E-2	119	0.677	0.68	38.8	10.0
12	512	0.1622 E+1	0.2837 E-2	127	0.637	0.64	36.5	13.0
11	256	0.1758 E+1	0.4762 E-2	106	0.573	0.57	32.8	13.0
10	128	0.3606 E+1	0.1006 E-1	201	0.229	0.23	13.1	13.0
9	64	0.3813 E+1	0.1068 E-1	398	0.282	0.28	16.2	13.0
8	32	0.6896 E+1	0.2195 E-1	617	0.358	0.36	20.5	13.0
7	16	0.5841 E+1	0.2234 E-1	855	6.706	0.42	24.2	13.0
6	8	0.4356 E+1	0.2136 E-1	1039	0.455	0.45	26.0	13.0
5	4	0.3248 E+1	0.1953 E-1	1258	0.402	0.40	23.0	13.0

\*\*\* Measured Data List \*\*\*

Date 1984/ 12/ 23 Tx Bipole No. 2

Station No. 277

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference		Corrected Phase Difference PD-C(deg)	Current I (A)
					PD(rad)	PD-C(rad)		
14	2048	0.4008 E±0	0.1588 E-3	635	0.958	0.96	549	5.5
13	1024	0.2350 E+1	0.1159 E-2	804	0.482	0.48	27.6	10.0
12	512	0.4069 E+1	0.2571 E-2	984	0.479	0.48	27.5	13.0
11	256	0.4836 E+1	0.4215 E-2	1029	0.444	0.44	25.5	13.0
10	128	0.1019 E+2	0.9033 E-2	1987	0.162	0.16	9.3	13.0
9	64	0.1115 E+2	0.9802 E-2	4045	0.225	0.23	12.9	13.0
8	32	0.2066 E+2	0.2016 E-1	5375	0.297	0.30	17.0	13.0
7	16	0.1801 E+2	0.2109 E-1	9112	0.336	0.34	19.3	13.0
6	8	0.1416 E+2	0.2019 E-1	12300	0.334	0.33	19.1	13.0
5	4	0.1152 E+2	0.1946 E-1	17529	0.232	0.23	13.3	13.0

Date 1984/ 12/ 23 Tx Bipole No. 2

Station No. 278

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference		Corrected Phase Difference PD-C(deg)	Current I (A)
					PD(rad)	PD-C(rad)		
14	2048	0.2642 E±0	0.1666 E-3	247	-5.800	0.48	27.7	5.5
13	1024	0.1176 E+1	0.1020 E-2	257	0.422	0.42	24.2	10.0
12	512	0.2108 E+1	0.2236 E-2	347	0.425	0.42	24.3	13.0
11	256	0.2561 E+1	0.3644 E-2	386	0.409	0.41	23.4	13.0
10	128	0.4251 E+1	0.7824 E-2	735	0.177	0.18	10.1	13.0
9	64	0.5934 E+1	0.8879 E-2	1395	0.256	0.26	14.7	13.0
8	32	0.1113 E+2	0.1903 E-1	2137	0.329	0.33	18.8	13.0
7	16	0.9739 E+1	0.1985 E-1	3007	6.654	0.37	21.2	13.0
6	8	0.7609 E+1	0.1921 E-1	3876	0.371	0.37	21.3	13.0
5	4	0.6000 E+1	0.1835 E-1	5260	0.282	0.28	16.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 279

Date 1984/ 12/ 25

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8089 E±0	0.2458 E-2	10.577	0.047	0.05	2.7	55
13	1024	0.7475 E±0	0.2075 E-2	25	0.348	0.35	1.99	100
12	512	0.1325 E+1	0.4161 E-2	40	6.598	0.32	18.1	130
11	256	0.1739 E+1	0.7061 E-2	47	0.131	0.13	7.5	130
10	128	0.4778 E+1	0.1557 E-1	147	0.223	-0.06	-3.4	130
9	64	0.5197 E+1	0.1606 E-1	328	0.033	0.03	1.9	130
8	32	0.9565 E+1	0.3105 E-1	593	0.104	0.10	5.9	130
7	16	0.8887 E+1	0.3139 E-1	1002	0.124	0.12	7.1	130
6	8	0.7938 E+1	0.2996 E-1	1755	0.096	0.10	5.5	130
5	4	0.7470 E+1	0.2939 E-1	3230	0.050	0.05	2.9	130

Station No. 280

Date 1984/ 12/ 25

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8966 E±0	0.5460 E-3	788	-5.096	1.19	68.0	5.5
13	1024	0.1195 E+1	0.1384 E-2	983	0.613	0.61	35.1	10.0
12	512	0.1926 E+1	0.2980 E-2	1047	0.607	0.61	3.8	13.0
11	256	0.2168 E+1	0.5217 E-2	870	0.432	0.43	2.7	13.0
10	128	0.5026 E+1	0.1091 E-1	612	0.223	0.22	1.28	13.0
9	64	0.5023 E+1	0.1135 E-1	332	0.355	0.35	2.03	13.0
8	32	0.8521 E+1	0.2284 E-1	135	0.510	0.51	29.2	13.0
7	16	0.6836 E+1	0.2361 E-1	163	6.958	0.67	38.7	13.0
6	8	0.4564 E+1	0.2301 E-1	145	0.825	0.83	47.3	13.0
5	4	0.2834 E+1	0.2297 E-1	263	0.870	0.87	49.9	13.0



\*\*\* Measured Data List \*\*\*

Station No. 281

Date 1984/ 12/ 25

Tx Bipole No.2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference	Current I (A)
	f (Hz)	E (mV/km)	H ( $\gamma$ )	$\rho_a(\Omega\text{-m})$	PD (rad)	PD-C (rad)	
14	2048	0.5870 E±0	0.4063 E-3	203	0.076	0.08	5.5
13	1024	0.2247 E+1	0.1437 E-2	478	0.556	0.56	10.0
12	512	0.3822 E+1	0.3126 E-2	584	0.499	0.50	13.0
11	256	0.4531 E+1	0.5293 E-2	572	0.370	0.37	13.0
10	128	0.1055 E+2	0.1127 E-1	1369	0.058	0.06	13.0
9	64	0.1177 E+2	0.1191 E-1	3050	0.117	0.12	13.0
8	32	0.2215 E+2	0.2405 E-1	5300	0.174	0.17	13.0
7	16	0.2052 E+2	0.2479 E-1	8560	6.461	0.18	13.0
6	8	0.1784 E+2	0.2385 E-1	13992	6.435	0.15	13.0
5	4	0.1641 E+2	0.2332 E-1	24773	6.354	0.07	13.0

Station No. 282

Date 1984/ 12/ 25

Tx Bipole No.2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference	Current I (A)
	f (Hz)	E (mV/km)	H ( $\gamma$ )	$\rho_a(\Omega\text{-m})$	PD (rad)	PD-C (rad)	
14	2048	0.3753 E±0	0.2592 E-3	205	1.386	1.39	5.5
13	1024	0.1982 E+1	0.1407 E-2	388	0.608	0.61	10.0
12	512	0.3217 E+1	0.3036 E-2	438	0.592	0.59	13.0
11	256	0.3517 E+1	0.4995 E-2	387	0.514	0.51	13.0
10	128	0.7541 E+1	0.1072 E-1	774	0.260	0.26	13.0
9	64	0.7568 E+1	0.1142 E-1	1436	0.347	0.35	13.0
8	32	0.1336 E+2	0.2313 E-1	2086	0.463	0.46	13.0
7	16	0.1093 E+2	0.2367 E-1	2666	6.877	0.59	13.0
6	8	0.7475 E+1	0.2247 E-1	2766	0.718	0.72	13.0
5	4	0.4746 E+1	0.2202 E-1	2323	0.746	0.75	13.0

\*\*\* Measured Data List \*\*\*

Station No. 283

Date 1984/ 12/ 25

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5258 E+0	0.2125 E-3	564	-5.289	0.99	57.0	5.5
13	1024	0.2498 E+1	0.1359 E-2	660	0.612	0.61	35.1	10.0
12	512	0.4075 E+1	0.2935 E-2	752	0.577	0.58	33.1	13.0
11	256	0.4599 E+1	0.4825 E-2	709	0.507	0.51	29.1	13.0
10	128	0.9468 E+1	0.1035 E-1	1307	0.208	0.21	11.9	13.0
9	64	0.1022 E+2	0.1115 E-1	2625	0.249	0.25	14.3	13.0
8	32	0.1869 E+2	0.2275 E-1	4217	0.315	0.31	18.0	13.0
7	16	0.1619 E+2	0.2331 E-1	6030	0.360	0.36	20.6	13.0
6	8	0.1247 E+2	0.2196 E-1	8057	0.360	0.36	20.6	13.0
5	4	0.9906 E+1	0.2125 E-1	10861	0.270	0.27	15.5	13.0

Station No. 284

Date 1984/ 12/ 25

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.6006 E+0	0.2366 E-3	602	0.443	0.44	25.4	5.5
13	1024	0.2073 E+1	0.1106 E-2	686	0.560	0.56	32.1	10.0
12	512	0.3397 E+1	0.2323 E-2	835	0.528	0.53	30.2	13.0
11	256	0.3899 E+1	0.3698 E-2	868	0.516	0.52	29.5	13.0
10	128	0.7455 E+1	0.7762 E-2	1442	0.241	0.24	13.8	13.0
9	64	0.8237 E+1	0.8630 E-2	2846	0.267	0.27	15.3	13.0
8	32	0.1543 E+2	0.0608 E-1	4444	0.325	0.33	18.5	13.0
7	16	0.1340 E+2	0.1878 E-1	6359	0.374	0.37	21.4	13.0
6	8	0.1020 E+2	0.1771 E-1	8296	0.398	0.40	22.8	13.0
5	4	0.7841 E+1	0.1674 E-1	10971	0.313	0.31	17.9	13.0

\*\*\* Measured Data List \*\*\*

Station No. 285      Date 1984/ 12/ 25      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3890 E+0	0.2046 E+0	355	0.717	0.72	41.1	5.5
13	1024	0.1168 E+1	0.1023 E-3	255	0.523	0.52	30.0	10.0
12	512	0.2006 E+1	0.2187 E-2	328	0.564	0.56	32.3	13.0
11	256	0.2224 E+1	0.3538 E-2	308	0.569	0.57	32.6	13.0
10	128	0.4306 E+1	0.7415 E-2	527	0.385	0.38	22.0	13.0
9	64	0.4359 E+1	0.8330 E-2	855	0.526	0.53	30.1	13.0
8	32	0.7646 E+1	0.1777 E-1	1156	0.666	0.67	38.2	13.0
7	16	0.6225 E+1	0.1866 E-1	1891	0.917	0.92	52.6	13.0
6	8	0.4278 E+1	0.1823 E-1	1377	1.266	1.27	72.6	13.0
5	4	0.2752 E+1	0.1749 E-1	1247	1.694	-1.45	-83.0	13.0

Station No. 286      Date 1984/ 12/ 24      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8605 E+1	0.3762 E-2	511	-0.543	-0.54	-31.1	5.5
13	1024	0.1909 E+1	0.2417 E-2	121	0.586	0.59	33.6	10.0
12	512	0.2340 E+1	0.5322 E-2	75	0.514	0.51	29.5	13.0
11	256	0.3104 E+1	0.1010 E-1	74	0.062	0.06	3.5	13.0
10	128	0.8834 E+1	0.1985 E-1	309	6.190	-0.09	-5.3	13.0
9	64	0.8850 E+1	0.1840 E-1	722	0.080	0.08	4.6	13.0
8	32	0.1498 E+2	0.3382 E-1	1226	0.238	0.24	13.6	13.0
7	16	0.1244 E+2	0.3345 E-1	1727	0.355	0.35	20.3	13.0
6	8	0.9333 E+2	0.3178 E-1	2156	0.387	0.39	22.2	13.0
5	4	0.7312 E+1	0.3062 E-1	2838	0.305	0.31	17.5	13.0

\*\*\* Measured Data List \*\*\*

Station No. 287

Date 1984/ 12/ 24

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1123 E-2	0.3654 E-2	922	-0.184	-0.18	5.5
13	1024	0.6236 E+1	0.3591 E-2	589	-5.792	0.49	10.0
12	512	0.8514 E+1	0.6974 E-2	582	0.574	0.57	13.0
11	256	0.9843 E+1	0.1301 E-1	447	0.267	0.27	13.0
10	128	0.2314 E+2	0.2471 E-1	1370	0.021	0.02	13.0
9	64	0.2199 E+2	0.2214 E-1	3093	0.102	0.10	13.0
8	32	0.3732 E+2	0.4031 E-1	5354	0.203	0.20	13.0
7	16	0.3184 E+2	0.3089 E-1	8146	0.266	0.27	13.0
6	8	0.2578 E+2	0.376 E-1	11741	0.259	0.26	13.0
5	4	0.2204 E+2	0.3654 E-1	18242	0.174	0.17	13.0

Station No. 288

Date 1984/ 12/ 24

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.6279 E+1	0.2911 E-2	454	-0.144	-0.14	5.5
13	1024	0.4848 E+1	0.3327 E-2	415	0.541	0.54	10.0
12	512	0.6760 E+1	0.6475 E-2	425	0.670	0.67	13.0
11	256	0.7298 E+1	0.1205 E-1	286	0.446	0.45	13.0
10	128	0.1487 E+2	0.2255 E-1	673	0.138	0.14	13.0
9	64	0.1361 E+2	0.2023 E-1	1414	0.135	0.14	13.0
8	32	0.2323 E+2	0.3669 E-1	2504	0.162	0.16	13.0
7	16	0.2083 E+2	0.3583 E-1	4224	0.165	0.17	13.0
6	8	0.1835 E+2	0.3459 E-1	7035	0.133	0.13	13.0
5	4	0.1694 E+2	0.3367 E-1	12660	0.063	0.06	13.0

\*\*\* Measured Data List \*\*\*

Station No. 289

Date 1984/ 12/ 24

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1647 E+1	0.1226 E-2	176	-0.071	-0.07	-4.1	5.5
13	1024	0.6479 E+1	0.3613 E-2	628	0.658	0.66	37.7	10.0
12	512	0.9491 E+1	0.7374 E-2	646	0.764	0.76	43.8	13.0
11	256	0.1029 E+2	0.1422 E-1	409	0.459	0.46	26.3	13.0
10	128	0.2013 E+2	0.2546 E-1	977	0.163	0.16	9.3	13.0
9	64	0.1747 E+2	0.2189 E-1	1990	0.149	0.15	8.5	13.0
8	32	0.2935 E+2	0.3906 E-1	3529	0.159	0.16	9.1	13.0
7	16	0.2659 E+2	0.3837 E-1	6003	0.144	0.14	8.3	13.0
6	8	0.2392 E+2	0.3688 E-1	10515	0.105	0.10	6.0	13.0
5	4	0.2255 E+2	0.3617 E-1	19424	0.211	0.21	12.1	13.0

Station No. 290

Date 1984/ 12/ 24

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1925 E+2	0.3258 E-2	3408	-0.227	-0.23	-13.0	5.5
13	1024	0.1003 E+2	0.3145 E-2	1985	0.412	0.41	23.6	10.0
12	512	0.1407 E+2	0.6128 E-2	2061	0.508	0.51	29.1	13.0
11	256	0.1782 E+2	0.1141 E-1	1903	0.147	0.15	8.4	13.0
10	128	0.4482 E+2	0.2223 E-1	6353	0.009	0.01	0.5	13.0
9	64	0.4196 E+2	0.2013 E-1	13575	0.130	0.13	7.5	13.0
8	32	0.6971 E+2	0.3661 E-1	22653	0.249	0.25	14.3	13.0
7	16	0.5759 E+2	0.3577 E-1	32397	0.328	0.33	18.8	13.0
6	8	0.4463 E+2	0.3411 E-1	42800	0.326	0.33	18.7	13.0
5	4	0.3665 E+2	0.3327 E-1	60686	0.237	0.24	13.6	13.0

\*\*\* Measured Data List \*\*\*

Station No. 291

Date 1984/12/26

Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent	Phase	Corrected		Current
	f (Hz)	E (mV/km)	H ( $\gamma$ )	Resistivity $\rho_a(\Omega\text{-m})$	Difference PD(rad)	Phase Difference PD-C(rad)	Phase Difference PD-C(deg)	
14	2048	0.3320 E±0	0.1219 E-3	724	0.564	0.56	323	5.5
13	1024	0.1640 E+1	0.4440 E-3	2667	-5.328	0.45	261	10.0
12	512	0.2741 E+1	0.9238 E-3	3105	0.528	0.53	303	13.0
11	256	0.3442 E+1	0.1477 E-2	4244	0.610	0.61	349	13.3
10	128	0.4296 E+1	0.2789 E-2	3613	0.529	0.53	303	13.0
9	64	0.5020 E+1	0.3847 E-2	5320	0.360	0.36	206	13.0
8	32	0.1158 E+2	0.9802 E-2	8728	0.274	0.27	157	13.0
7	16	0.1161 E+2	0.1074 E-1	14595	0.238	0.24	136	13.0
6	8	0.9932 E+1	0.1012 E-1	24063	0.211	0.21	121	13.0
5	4	0.8573 E+1	0.9651 E-2	40400	0.131	0.13	75	13.0

Station No. 292

Date 1984/12/26

Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent	Phase	Corrected		Current
	f (Hz)	E (mV/km)	H ( $\gamma$ )	Resistivity $\rho_a(\Omega\text{-m})$	Difference PD(rad)	Phase Difference PD-C(rad)	Phase Difference PD-C(deg)	
14	2048	0.3341 E±0	0.1351 E-3	597	0.350	0.35	201	5.5
13	1024	0.1416 E+1	0.5554 E-3	1269	-5.951	0.33	190	10.0
12	512	0.2442 E+1	0.1084 E-2	1983	0.428	0.43	245	13.0
11	256	0.3043 E+1	0.1664 E-2	2611	0.524	0.52	300	13.0
10	128	0.3764 E+1	0.2991 E-2	2474	0.523	0.52	30.0	13.0
9	64	0.4371 E+1	0.4168 E-2	3437	0.365	0.37	20.9	13.0
8	32	0.9927 E+1	0.1246 E-1	5625	0.287	0.29	16.5	13.0
7	16	0.9853 E+1	0.1135 E-1	9429	0.269	0.27	15.4	13.0
6	8	0.8271 E+1	0.1083 E-1	14585	0.266	0.27	15.2	13.0
5	4	0.6915 E+1	0.1076 E-1	20692	0.184	0.18	10.5	13.0

\*\*\* Measured Data List \*\*\*

Station No.293

Date 1984/ 12/ 26

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1133 E±0	0.1234 E-3	87	0.355	0.36	20.3	5.5
13	1024	0.4605 E±0	0.5264 E-3	150	0.422	0.42	24.2	10.0
12	512	0.7828 E±0	0.1081 E-2	205	0.524	0.52	30.0	13.0
11	256	0.6786 E-2	0.1225 E-4	240	2.644	-0.50	-28.5	13.0
10	128	0.1247 E+1	0.3501 E-2	198	0.569	0.57	32.6	13.0
9	64	0.1456 E+1	0.4817 E-2	286	0.400	0.40	22.9	13.0
8	32	0.3142 E+1	0.1181 E-1	442	0.337	0.34	19.3	13.0
7	16	0.3063 E+1	0.1289 E-1	706	0.323	0.32	18.5	13.0
6	8	0.2494 E+1	0.1228 E-1	1031	0.321	0.32	18.4	13.0
5	4	0.2019 E+1	0.1169 E-1	1492	0.229	0.23	13.1	13.0

Station No.294

Date 1984/ 12/ 26

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1124 E±0	0.1122 E-3	104	0.590	0.59	33.8	5.5
13	1024	0.2455 E±0	0.4496 E-3	59	-5.738	0.55	31.3	10.0
12	512	0.4299 E±0	0.9973 E-3	74	0.629	0.63	36.1	13.0
11	256	0.5459 E±0	0.1709 E-2	80	0.714	0.71	40.9	13.0
10	128	0.7061 E±0	0.3555 E-2	62	0.610	0.61	35.0	13.0
9	64	0.8171 E±0	0.4785 E-2	91	0.408	0.41	23.4	13.0
8	32	0.1856 E+1	0.1176 E-1	157	0.367	0.37	21.0	13.0
7	16	0.1803 E+1	0.1273 E-1	251	0.455	0.45	26.1	13.0
6	8	0.1356 E+1	0.1209 E-1	319	0.591	0.59	33.8	13.0
5	4	0.9271 E±0	0.1158 E-1	311	0.650	0.65	37.2	13.0

\*\*\* Measured Data List \*\*\*

Station No. 295

Date 1984/ 12/ 27

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.3126 E±0	0.1202 E-3	667	0.718	4.11	5.5
13	1024	0.1259 E+1	0.5846 E-3	907	0.467	26.7	10.0
12	512	0.2291 E+1	0.1408 E-2	1034	6.817	30.6	13.0
11	256	0.2860 E+1	0.2473 E-2	1045	0.537	30.8	13.0
10	128	0.5333 E+1	0.5308 E-2	1577	6.535	14.4	13.0
9	64	0.5553 E+1	0.6613 E-2	3068	0.266	15.2	13.0
8	32	0.1329 E+2	0.1501 E-1	4896	0.319	18.3	13.0
7	16	0.1230 E+2	0.1620 E-1	7200	0.379	21.7	13.0
6	8	0.9516 E+1	0.1654 E-1	9253	0.419	24.0	13.0
5	4	0.7244 E+1	0.1493 E-1	11770	0.345	19.8	13.0

Station No. 296

Date 1984/ 12/ 27

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2967 E±0	0.1029 E-3	825	0.421	24.1	5.5
13	1024	0.1495 E+1	0.6295 E-3	1102	0.415	23.8	10.0
12	512	0.2759 E+1	0.1486 E-2	1345	6.782	28.6	13.0
11	256	0.3508 E+1	0.2605 E-2	1386	0.515	29.5	13.0
10	128	0.6508 E+1	0.5622 E-2	2074	6.523	13.7	13.0
9	64	0.8050 E+1	0.6997 E-2	4137	0.255	14.6	13.0
8	32	0.1627 E+2	0.1584 E-1	6595	0.296	17.0	13.0
7	16	0.1503 E+2	0.1697 E-1	9803	0.336	19.3	13.0
6	8	0.1184 E+2	0.1603 E-1	13634	0.352	20.1	13.0
5	4	0.9433 E+1	0.1551 E-1	18504	0.277	15.9	13.0



\*\*\* Measured Data List \*\*\*

Date 1984/ 12/ 27 Tx Bipole No. 2

Station No. 297

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.3246 E+0	0.1300 E-3	638	-5.988	0.30	16.9	5.5
13	1024	0.1508 E+1	0.7444 E-3	804	0.367	0.37	21.0	10.0
12	512	0.2680 E+1	0.1642 E-2	1041	0.453	0.45	25.9	13.0
11	256	0.3435 E+1	0.2779 E-2	1193	0.487	0.49	27.9	13.0
10	128	0.6058 E+1	0.5887 E-2	1655	0.266	0.27	15.2	13.0
9	64	0.7591 E+1	0.7528 E-2	3179	0.258	0.26	14.8	13.0
8	32	0.1552 E+2	0.1719 E-1	5080	0.286	0.29	16.4	13.0
7	16	0.1426 E+2	0.1809 E-1	7767	6.585	0.30	17.3	13.0
6	8	0.1140 E+2	0.1716 E-1	11030	6.580	0.30	17.0	13.0
5	4	0.9249 E+1	0.1630 E-1	16108	6.516	0.23	13.4	13.0

Date 1984/ 12/ 27 Tx Bipole No. 2

Station No. 298

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.9996 E+0	0.1251 E-3	50	0.721	0.72	41.3	5.5
13	1024	0.4017 E+1	0.6567 E-3	129	0.605	0.61	34.7	10.0
12	512	0.7017 E+1	0.1600 E-2	239	0.624	0.62	35.7	13.0
11	256	0.8748 E+1	0.2832 E-2	411	0.593	0.59	34.0	13.0
10	128	0.1598 E+2	0.6112 E-2	526	6.583	0.30	17.2	13.0
9	64	0.1872 E+2	0.7408 E-2	804	0.306	0.31	17.5	13.0
8	32	0.3652 E+2	0.1667 E-1	1510	0.335	0.34	19.2	13.0
7	16	0.3313 E+2	0.1782 E-1	2736	0.342	0.34	19.6	13.0
6	8	0.2708 E+2	0.1734 E-1	4672	0.306	0.31	17.5	13.0
5	4	0.2262 E+2	0.1677 E-1	7854	0.206	0.21	11.8	13.0

\*\*\* Measured Data List \*\*\*

Station No. 299      Date 1984/ 12/26      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1084 E±0	0.1526 E-3	50	0.317	0.32	18.2	5.5
13	1024	0.3489 E±0	0.4292 E-3	129	0.132	0.13	7.5	10.0
12	512	0.7140 E±0	0.9128 E-3	239	6.467	0.18	10.5	13.0
11	256	0.1033 E+1	0.1425 E-2	411	0.256	0.26	14.6	13.0
10	128	0.1343 E+1	0.2314 E-2	526	0.332	0.33	19.0	13.0
9	64	0.1692 E+1	0.3335 E-2	804	0.205	0.20	11.7	13.0
8	32	0.4381 E+1	0.8911 E-2	1510	0.154	0.15	8.8	13.0
7	16	0.4672 E+1	0.9985 E-2	2736	0.158	0.16	9.1	13.0
6	8	0.4068 E+1	0.9410 E-2	4672	0.152	0.15	8.7	13.0
5	4	0.3524 E+1	0.8891 E-2	7854	0.114	0.11	6.5	13.0

Station No. 300      Date 1984/ 12/26      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1511 E±0	0.1151 E-3	171	0.439	0.44	25.1	5.5
13	1024	0.4470 E±0	0.3425 E-3	333	0.357	0.36	20.5	10.0
12	512	0.8819 E±0	0.7466 E-3	545	0.375	0.37	21.5	13.0
11	256	0.1202 E+1	0.1207 E-2	774	0.474	0.47	27.2	13.0
10	128	0.1511 E+1	0.2145 E-2	776	0.513	0.51	29.4	13.0
9	64	0.1818 E+1	0.3100 E-2	1074	0.311	0.31	17.8	13.0
8	32	0.4553 E+1	0.8188 E-2	1932	0.242	0.24	13.9	13.0
7	16	0.4769 E+1	0.9363 E-2	3244	0.243	0.24	13.9	13.0
6	8	0.4025 E+1	0.8985 E-2	5018	0.246	0.25	14.1	13.0
5	4	0.3342 E+1	0.6177 E-2	7808	0.160	0.16	9.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 301

Date 1984/ 12/ 27

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1002 E+1	0.2186 E-3	2128	-2.185	0.96	548	5.5
13	1024	0.2929 E+1	0.7341 E-3	3112	-2.491	0.65	373	10.0
12	512	0.4907 E+1	0.1565 E-2	3839	3.947	0.81	461	13.0
11	256	0.4962 E+1	0.2645 E-2	2750	3.806	0.66	381	13.0
10	128	0.1099 E+2	0.5015 E-2	7505	4.064	0.92	528	13.0
9	64	0.1053 E+2	0.4996 E-2	14590	4.615	1.47	84.4	13.0
8	32	0.2365 E+2	0.1047 E-1	31910	-1.197	-1.20	-686	13.0
7	16	0.3023 E+2	0.1084 E-1	97303	-0.853	-0.85	-489	13.0
6	8	0.3539 E+2	0.1030 E-1	295167	-0.527	-0.53	-30.2	13.0
5	4	0.3874 E+2	0.9945 E-2	758050	-0.362	-0.36	-20.7	13.0

Station No. 302

Date 1984/ 12/ 27

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7825 E+0	0.2249 E-3	1160	0.505	0.51	28.9	5.5
13	1024	0.3405 E+1	0.1151 E-2	1710	0.329	0.33	18.9	10.0
12	512	0.6232 E+1	0.2472 E-2	2536	6.652	0.37	21.1	13.0
11	256	0.7529 E+1	0.4026 E-2	2732	0.339	0.34	19.4	13.0
10	128	0.1663 E+2	0.8508 E-2	5968	6.380	0.10	5.5	13.0
9	64	0.1848 E+2	0.9305 E-2	12326	0.182	0.18	10.4	13.0
8	32	0.3452 E+2	0.1936 E-1	19865	0.263	0.26	15.1	13.0
7	16	0.3037 E+2	0.1989 E-1	29143	0.303	0.30	17.4	13.0
6	8	0.2447 E+2	0.1914 E-1	40857	0.291	0.29	16.7	13.0
5	4	0.1958 E+2	0.1785 E-1	60280	0.195	0.19	11.2	13.0

\*\*\* Measured Data List \*\*\*

Station No. 303 Date 1985/ 1 /12 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4328 E+1	0.1837 E-2	542	-0.052	-0.05	-3.0	5.5
13	1024	0.1496 E+1	0.1036 E-2	408	0.542	0.54	31.1	10.0
12	512	0.2515 E+1	0.2246 E-2	479	6.730	0.45	25.6	13.0
11	256	0.3255 E+1	0.3695 E-2	606	0.371	0.37	21.3	13.0
10	128	0.5770 E+1	0.7961 E-2	1130	3.255	0.12	7.1	13.0
9	64	0.8109 E+1	0.9210 E-2	2422	3.274	0.13	7.6	13.0
8	32	0.1619 E+2	0.1974 E-2	4200	3.348	0.21	11.8	13.0
7	16	0.1498 E+2	0.2053 E-2	6656	3.396	0.25	14.6	13.0
6	8	0.1199 E+2	0.1914 E-2	9810	3.410	0.27	15.4	13.0
5	4	0.9743 E+1	0.1792 E-1	14774	3.344	0.20	11.6	13.0

Station No. 304 Date 1985/ 1 /12 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2279 E+1	0.7161 E-3	990	1.370	1.37	78.5	5.5
13	1024	0.1555 E+1	0.1083 E-2	403	0.431	0.43	24.7	10.0
12	512	0.3302 E+1	0.2413 E-2	731	6.659	0.38	21.5	13.0
11	256	0.4177 E+1	0.3907 E-2	893	0.378	0.38	21.6	13.0
10	128	0.8391 E+1	0.8314 E-2	1592	6.406	0.12	7.1	13.0
9	64	0.9804 E+1	0.9435 E-2	3374	0.146	0.15	8.3	13.0
8	32	0.1943 E+2	0.1987 E-1	5980	0.191	0.19	11.0	13.0
7	16	0.1761 E+2	0.2024 E-1	9744	0.227	0.23	13.0	13.0
6	8	0.1446 E+2	0.1879 E-1	14802	0.244	0.24	14.0	13.0
5	4	0.1174 E+2	0.1751 E-1	22480	0.178	0.18	10.2	13.0

\*\*\* Measured Data List \*\*\*

Station No. 305 Date 1985/ 1 / 12 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2382 E+1	0.5655 E-3	1733	0.686	0.69	39.3
13	1024	0.1669 E+1	0.1150 E-2	411	0.375	0.38	21.5
12	512	0.3061 E+1	0.2571 E-2	554	0.393	0.39	22.5
11	256	0.3837 E+1	0.4106 E-2	682	0.398	0.40	22.8
10	128	0.7552 E+1	0.9657 E-2	1201	6.443	0.16	9.1
9	64	0.8691 E+1	0.9657 E-2	2530	-0.163	-0.16	-9.3
8	32	0.1677 E+2	0.2006 E-1	4368	0.213	0.21	12.2
7	16	0.1534 E+2	0.2046 E-1	7025	0.257	0.26	14.7
6	8	0.1214 E+2	0.1883 E-1	10380	0.272	0.27	15.6
5	4	0.9827 E+1	0.1779 E-1	15256	0.209	0.21	12.0

Station No. 306 Date 1985/ 1 / 12 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.7407 E±0	0.4480 E-3	267	0.447	0.45	25.6
13	1024	0.1008 E+1	0.1013 E-2	193	0.528	0.53	30.2
12	512	0.1927 E+1	0.2330 E-2	260	0.462	0.46	26.4
11	256	0.2312 E+1	0.3780 E-2	292	0.468	0.47	26.8
10	128	0.4321 E+1	0.7981 E-2	458	6.470	0.19	10.7
9	64	0.4976 E+1	0.8990 E-2	957	-0.175	-0.18	-10.0
8	32	0.9712 E+1	0.1883 E-1	1663	0.218	0.22	12.5
7	16	0.8839 E+1	0.1893 E-1	2727	0.253	0.25	14.5
6	8	0.7083 E+1	0.1772 E-1	3993	0.263	0.26	15.1
5	4	0.5737 E+1	0.1643 E-1	6099	0.202	0.20	11.6

\*\*\* Measured Data List \*\*\*

Station No. 307

Date 1985/ 1 / 7

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1104 E±0	0.1201 E-3	83	0.291	0.29	16.7	5.5
13	1024	0.4463 E±0	0.4296 E-3	218	0.125	0.12	7.2	10.0
12	512	0.9729 E±0	0.3997 E-2	366	6.493	0.21	1.20	13.0
11	256	0.1444 E+1	0.1657 E-2	593	0.309	0.31	17.7	13.0
10	128	0.2116 E+1	0.3084 E-2	719	6.480	0.20	11.3	13.0
9	64	0.3058 E+1	0.4209 E-2	1640	0.119	0.12	6.8	13.0
8	32	0.7319 E+1	0.1036 E-1	3118	0.173	0.17	9.9	13.0
7	16	0.7215 E+1	0.1115 E-1	5237	0.235	0.24	13.5	13.0
6	8	0.5764 E+1	0.1034 E-1	7769	0.289	0.29	16.6	13.0
5	4	0.4409 E+1	0.9017 E-2	11109	0.282	0.28	16.1	13.0

Station No. 308

Date 1985/ 1 / 7

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1628 E±0	0.1514 E-3	113	0.198	0.20	11.3	5.5
13	1024	0.5934 E±0	0.5776 E-3	207	0.331	0.33	18.9	10.0
12	512	0.1021 E+1	0.1183 E-2	291	0.431	0.43	24.7	13.0
11	256	0.1185 E+1	0.1860 E-2	317	0.551	0.55	31.6	13.0
10	128	0.1753 E+1	0.3667 E-2	357	0.288	0.29	16.5	13.0
9	64	0.2284 E+1	0.4588 E-2	775	0.241	0.24	13.8	13.0
8	32	0.4907 E+1	0.1056 E-1	1352	0.311	0.31	17.8	13.0
7	16	0.4540 E+1	0.1104 E-1	2093	0.432	0.43	24.8	13.0
6	8	0.3325 E+1	0.1044 E-1	2537	0.571	0.57	32.7	13.0
5	4	0.2219 E+1	0.9864 E-2	2533	0.593	0.59	34.0	13.0

\*\*\* Measured Data List \*\*\*

Station No. 309 Date 1985/ 1 / 7 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1881 E±0	0.1612 E-3	133	0.351	0.35	20.1	5.5
13	1024	0.5377 E±0	0.5541 E-3	184	0.517	0.52	29.6	10.0
12	512	0.8358 E±0	0.1145 E-2	218	0.629	0.63	36.0	13.0
11	256	0.8723 E±0	0.1799 E-2	183	0.731	0.73	41.9	13.0
10	128	0.1290 E+1	0.3583 E-2	202	0.411	0.41	23.6	13.0
9	64	0.1514 E+1	0.4122 E-2	422	0.389	0.39	22.3	13.0
8	32	0.3090 E+1	0.9356 E-2	682	0.530	0.53	30.3	13.0
7	16	0.2773 E+1	0.9737 E-2	1014	0.799	0.80	45.8	13.0
6	8	0.1990 E+1	0.8959 E-2	1234	1.220	1.22	69.9	13.0
5	4	0.1444 E+1	0.8498 E-2	1450	1.755	-1.39	-79.5	13.0

Station No. 310 Date 1985/ 1 / 7 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.4245 E±0	0.1802 E-3	546	0.498	0.50	28.6	5.5
13	1024	0.8927 E±0	0.6401 E-3	380	0.673	0.67	38.5	10.0
12	512	0.1350 E+1	0.1345 E-2	394	0.772	0.77	44.2	13.0
11	256	0.1301 E+1	0.2172 E-2	281	0.899	0.90	51.5	13.0
10	128	0.2131 E+1	0.4340 E-2	377	0.692	0.69	39.6	13.0
9	64	0.2128 E+1	0.4920 E-2	585	0.883	0.88	50.5	13.0
8	32	0.4357 E+1	0.1088 E-1	1003	1.206	1.21	69.1	13.0
7	16	0.4951 E+1	0.1140 E-1	2357	1.674	-1.47	-84.1	13.0
6	8	0.5520 E+1	0.1076 E-1	6585	2.172	-0.97	-55.6	13.0
5	4	0.6131 E+1	0.1023 E-1	17951	2.496	-0.65	-37.0	13.0

\*\*\* Measured Data List \*\*\*

Station No. 311

Date 1984/12/28

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.3145 E±0	0.9655 E-3	161	0.789	0.79	45.2	5.5
13	1024	0.1818 E+1	0.1151 E-2	481	0.311	0.31	17.8	10.0
12	512	0.3265 E+1	0.2311 E-2	780	0.355	0.35	20.3	13.0
11	256	0.3753 E+1	0.3604 E-2	847	0.366	0.37	21.0	13.0
10	128	0.7591 E+1	0.7289 E-2	1694	0.146	0.15	8.3	13.0
9	64	0.8352 E+1	0.7966 E-2	3413	0.245	0.24	14.0	13.0
8	32	0.1565 E+2	0.1698 E-1	5311	0.356	0.36	20.4	13.0
7	16	0.1322 E+2	0.1735 E-1	7254	6.746	0.46	26.5	13.0
6	8	0.9587 E+1	0.1671 E-1	8251	0.537	0.54	30.8	13.0
5	4	0.6694 E+1	0.1559 E-1	9221	0.500	0.50	38.7	13.0

Station No. 312

Date 1984/12/28

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1973 E±0	0.5571 E-3	12	-0.199	-0.20	-11.4	5.5
13	1024	0.7762 E±0	0.9252 E-3	138	0.261	0.26	14.9	10.0
12	512	0.1436 E+1	0.1824 E-2	242	0.302	0.30	17.3	13.0
11	256	0.1685 E+1	0.2314 E-2	256	0.294	0.29	16.9	13.0
10	128	0.3570 E+1	0.5525 E-2	652	0.009	0.01	0.5	13.0
9	64	0.4010 E+1	0.5594 E-2	1550	0.165	0.16	9.4	13.0
8	32	0.7512 E+1	0.1185 E-1	2513	0.329	0.33	18.8	13.0
7	16	0.6408 E+1	0.1226 E-1	3416	6.744	0.46	26.4	13.0
6	8	0.4549 E+1	0.1152 E-1	3896	0.548	0.55	31.4	13.0
5	4	0.3166 E+1	0.5316 E-1	4031	0.538	0.54	30.8	13.0



\*\*\* Measured Data List \*\*\*

Station No. 313                      Date 1984/12/28                      Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E (mV/km)	H ( $\gamma$ )	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.9244 E±0	0.5980 E-2	32	-0.494	-0.49	-283	5.5
13	1024	0.8721 E±0	0.1499 E-2	66	0.063	0.06	3.6	10.0
12	512	0.1709 E+1	0.2886 E-2	140	0.078	0.08	4.5	13.0
11	256	0.2227 E+1	0.4419 E-2	198	0.055	0.05	3.1	13.0
10	128	0.5332 E+1	0.8931 E-2	557	-0.119	-0.12	-6.8	13.0
9	64	0.6428 E+1	0.9950 E-2	1304	-0.005	-0.01	-0.3	13.0
8	32	0.1272 E+2	0.2035 E-1	2443	0.080	0.08	4.6	13.0
7	16	0.1170 E+2	0.2007 E-1	4247	0.127	0.13	7.3	13.0
6	8	0.9949 E+1	0.1881 E-1	6997	0.147	0.15	8.4	13.0
5	4	0.8713 E+1	0.1757 E-1	12300	0.086	0.09	4.9	13.0

Station No. 314                      Date 1984/12/29                      Tx Bipole No. 2

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity	Phase Difference	Corrected Phase Difference		Current
	f (Hz)	E(mV/km)	H ( $\gamma$ )	$\rho_a(\Omega\text{-m})$	PD(rad)	PD-C(rad)	PD-C(deg)	
14	2048	0.1743 E±0	0.1324 E-3	156	0.280	0.28	16.0	5.5
13	1024	0.5601 E±0	0.4961 E-3	249	0.418	0.42	24.0	10.0
12	512	0.9868 E±0	0.1069 E-2	333	0.471	0.47	27.0	13.0
11	256	0.1283 E+1	0.1758 E-2	399	0.549	0.55	31.5	13.0
10	128	0.1713 E+1	0.3439 E-2	388	0.447	0.45	25.6	13.0
9	64	0.2171 E+1	0.4588 E-2	700	0.257	0.26	14.8	13.0
8	32	0.5064 E+1	0.1125 E-1	1266	0.248	0.25	14.2	13.0
7	16	0.4983 E+1	0.1218 E-1	2092	0.294	0.29	16.8	13.0
6	8	0.3962 E+1	0.1149 E-1	2971	0.342	0.34	19.6	13.0
5	4	0.3050 E+1	0.1352 E-1	4200	0.291	0.29	16.6	13.0

\*\*\* Measured Data List \*\*\*

Station No. 315

Date 1984/12/29

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.3814 E±0	0.1509 E-3	716	0.334	0.33	5.5
13	1024	0.1274 E+1	0.4579 E-3	1514	0.449	0.45	10.0
12	512	0.2089 E+1	0.9435 E-3	1898	0.527	0.53	13.0
11	256	0.2575 E+1	0.1557 E-2	2138	0.569	0.57	13.0
10	128	0.3234 E+1	0.2908 E-2	1932	0.527	0.53	13.0
9	64	0.3888 E+1	0.3964 E-2	3006	0.342	0.34	13.0
8	32	0.9261 E+1	0.9980 E-2	5382	0.277	0.28	13.0
7	16	0.9249 E+1	0.1086 E-1	9062	0.298	0.30	13.0
6	8	0.7353 E+1	0.1002 E-2	13849	0.346	0.35	13.0
5	4	0.5743 E+1	0.9180 E-2	19576	0.312	0.31	13.0

Station No. 316

Date 1984/12/29

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1748 E±0	0.1525 E-3	285	0.432	0.43	5.5
13	1024	0.5266 E±0	0.2954 E-3	639	0.412	0.41	10.0
12	512	0.9805 E±0	0.6594 E-3	864	0.462	0.46	13.0
11	256	0.1337 E+1	0.1112 E-2	1131	0.537	0.54	13.0
10	128	0.1708 E+1	0.2109 E-2	1025	0.511	0.51	13.0
9	64	0.2145 E+1	0.3041 E-2	1555	0.286	0.29	13.0
8	32	0.5369 E+1	0.7910 E-2	2879	0.241	0.24	13.0
7	16	0.5561 E+1	0.8899 E-2	4882	0.254	0.25	13.0
6	8	0.4682 E+1	0.8622 E-2	7388	0.248	0.25	13.0
5	4	0.3854 E+1	0.8034 E-2	11509	0.199	0.20	13.0

\*\*\* Measured Data List \*\*\*

Station No. 317

Date 1984/12/29

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1071 E±0	0.1449 E-3	54	0.313	0.31	180	130
13	1024	0.1883 E±0	0.3504 E-3	59	0.318	0.32	182	130
12	512	0.3554 E±0	0.7440 E-3	89	0.366	0.37	210	130
11	256	0.4873 E±0	0.1200 E-2	129	0.443	0.44	254	130
10	128	0.5931 E±0	0.2118 E-2	123	0.479	0.48	275	130
9	64	0.7633 E±0	0.3026 E-2	199	0.242	0.24	139	130
8	32	0.2045 E+1	0.8125 E-2	396	0.226	0.23	130	130
7	16	0.2117 E+1	0.8807 E-2	723	0.286	0.29	164	130
6	8	0.1681 E+1	0.8455 E-2	989	0.386	0.39	221	130
5	4	0.1251 E+1	0.7534 E-2	1250	0.348	0.35	200	130

Station No. 318

Date 1984/12/29

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1789 E±0	0.1265 E-3	196	0.445	0.45	255	55
13	1024	0.5406 E±0	0.3249 E-3	544	0.293	0.29	168	100
12	512	0.1043 E+1	0.6785 E-3	897	0.264	0.26	151	130
11	256	0.1518 E+1	0.1103 E-2	1500	0.351	0.35	201	130
10	128	0.1968 E+1	0.1878 E-2	1697	0.403	0.40	231	130
9	64	0.2468 E+1	0.2717 E-2	2580	0.217	0.22	125	130
8	32	0.6583 E+1	0.7415 E-2	4926	0.154	0.15	89	130
7	16	0.7063 E+1	0.8384 E-2	8871	0.138	0.14	79	130
6	8	0.6329 E+1	0.8098 E-2	15294	0.158	0.16	90	130
5	4	0.5574 E+1	0.7384 E-2	28487	0.071	0.07	41	130

\*\*\* Measured Data List \*\*\*

Station No. 319

Date 1984/12/28

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1888 E+2	0.4735 E-2	1553	-0.155	-0.16	-8.9	5.5
13	1024	0.4200 E+1	0.1555 E-2	1272	0.237	0.24	13.6	10.0
12	512	0.4082 E+1	0.2554 E-2	998	6.755	0.47	27.0	13.0
11	256	0.4831 E+1	0.4443 E-2	925	0.275	0.27	15.8	13.0
10	128	0.1175 E+2	0.8570 E-2	2939	6.404	0.12	6.9	13.0
9	64	0.1183 E+2	0.8602 E-2	5915	0.361	0.36	20.7	13.0
8	32	0.1969 E+2	0.1707 E-1	8310	0.638	0.64	36.6	13.0
7	16	0.1526 E+2	0.1780 E-1	9188	0.958	0.96	54.9	13.0
6	8	0.1004 E+1	0.1788 E-1	78.5	1.324	1.32	75.8	13.0
5	4	0.6360 E+1	0.1746 E-1	66.2	1.715	-1.43	-81.7	13.0

Station No. 320

Date 1984/12/28

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5000 E±0	0.1826 E-2	7.3	-0.019	-0.02	-1.1	5.5
13	1024	0.6030 E±0	0.1975 E-2	19	0.359	0.36	20.5	10.0
12	512	0.9887 E±0	0.3616 E-2	29	0.454	0.45	26.0	13.0
11	256	0.1097 E+1	0.5743 E-2	28	0.421	0.42	24.1	13.0
10	128	0.2162 E+1	0.1149 E-1	55	0.335	0.33	19.2	13.0
9	64	0.2005 E+1	0.1135 E-1	97	0.479	0.48	27.4	13.0
8	32	0.3302 E+1	0.2179 E-1	144	0.723	0.72	41.4	13.0
7	16	0.2622 E+1	0.2120 E-1	191	1.093	1.09	62.6	13.0
6	8	0.1924 E+1	0.1978 E-1	237	1.616	-1.53	-87.4	13.0
5	4	0.1554 E+1	0.1853 E-1	351	2.130	-1.01	-58.0	13.0

\*\*\* Measured Data List \*\*\*

Station No. 321 Date 1984/12/28 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference PD-C(deg)	Current I (A)
					PD(rad)	PD-C(rad)		
14	2048	0.2001 E±0	0.5037 E-3	15	3966	0.82	47.2	5.5
13	1024	0.4493 E±0	0.1304 E-2	23	-2487	0.65	37.5	10.0
12	512	0.6965 E±0	0.2522 E-2	30	3939	0.80	45.7	13.0
11	256	0.7022 E±0	0.4192 E-2	22	3996	0.85	49.0	13.0
10	128	0.1326 E+1	0.8091 E-2	42	4066	0.92	52.9	13.0
9	64	0.1166 E+1	0.7878 E-2	68	4483	-1.34	76.8	13.0
8	32	0.2342 E+1	0.1545 E-1	144	-1350	-1.35	-77.4	13.0
7	16	0.2861 E+1	0.1536 E-1	433	-0.954	-0.95	-54.7	13.0
6	8	0.3315 E+1	0.1434 E-1	1336	-0.633	-0.63	-36.3	13.0
5	4	0.3593 E+1	0.1380 E-1	3394	-0.416	-0.42	-23.8	13.0

Station No. 322 Date 1984/12/30 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Corrected Phase Difference PD-C(deg)	Current I (A)
					PD(rad)	PD-C(rad)		
14	2048	0.3876 E+1	0.1922 E-2	397	-0.327	-0.33	-18.8	5.5
13	1024	0.2645 E+1	0.1710 E-2	467	0.208	0.21	11.9	10.0
12	512	0.4221 E+1	0.3208 E-2	676	6.636	0.35	20.2	13.0
11	256	0.4865 E+1	0.5100 E-2	711	0.290	0.29	16.6	13.0
10	128	0.1044 E+2	0.1035 E-1	1590	0.142	0.14	8.1	13.0
9	64	0.1074 E+2	0.1049 E-1	3273	0.259	0.26	14.9	13.0
8	32	0.1872 E+2	0.2032 E-1	5299	0.437	0.44	25.1	13.0
7	16	0.1479 E+2	0.1959 E-1	7126	0.672	0.67	38.5	13.0
6	8	0.9724 E+1	0.1797 E-1	7322	0.952	0.95	54.5	13.0
5	4	0.5766 E+1	0.1712 E-1	5672	1.221	1.22	70.0	13.0

\*\*\* Measured Data List \*\*\*

Station No. 323 Date 1984/12/30 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.3475 E±0	0.1314 E-3	690	-1.272	-1.27	-72.9	5.5
13	1024	0.1180 E+1	0.1002 E-2	271	0.434	0.43	24.9	10.0
12	512	0.1973 E+1	0.2299 E-2	288	0.648	0.65	37.1	13.0
11	256	0.2204 E+1	0.4081 E-2	228	0.672	0.67	38.5	13.0
10	128	0.4285 E+1	0.9536 E-2	316	0.584	0.58	33.4	13.0
9	64	0.4136 E+1	0.1076 E-1	461	0.668	0.67	38.3	13.0
8	32	0.7149 E+1	0.2276 E-1	617	0.895	0.90	51.3	13.0
7	16	0.5846 E+1	0.2440 E-1	718	1.273	1.27	73.0	13.0
6	8	0.4431 E+1	0.2466 E-1	807	1.774	-1.37	-78.3	13.0
5	4	0.3753 E+1	0.2448 E-1	1176	2.276	-0.87	-49.6	13.0

Station No. 324 Date 1984/12/30 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.9377 E+1	0.2912 E-2	1013	0.795	0.80	45.6	5.5
13	1024	0.1231 E+1	0.1791 E-2	92	0.886	0.89	50.7	10.0
12	512	0.1555 E+1	0.4903 E-2	39	0.333	0.33	19.1	13.0
11	256	0.2635 E+1	0.9227 E-2	64	6.328	0.05	2.6	13.0
10	128	0.8466 E+1	0.2469 E-1	184	6.279	-0.00	-0.2	13.0
9	64	0.9320 E+1	0.2603 E-1	378	0.060	0.06	3.4	13.0
8	32	0.1690 E+2	0.5079 E-1	692	0.119	0.12	6.8	13.0
7	16	0.1578 E+2	0.5128 E-1	1182	0.134	0.13	7.7	13.0
6	8	0.1438 E+2	0.5010 E-1	2059	0.115	0.11	6.6	13.0
5	4	0.1353 E+2	0.4981 E-1	3692	0.065	0.06	3.7	13.0

\*\*\* Measured Data List \*\*\*

Station No. 325 Date 1984/12/30 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.1410 E+1	0.4964 E-2	7.877	0.633	0.63	36.3	5.5
13	1024	0.6013 E+0	0.2646 E-2	10	0.485	0.49	27.8	10.0
12	512	0.1098 E+1	0.5282 E-2	17	6.463	0.18	10.3	13.0
11	256	0.1875 E+1	0.9139 E-2	33	6.180	-0.10	-5.9	13.0
10	128	0.6231 E+1	0.2340 E-1	111	6.174	-0.11	-6.3	13.0
9	64	0.6827 E+1	0.2474 E-1	238	-0.016	-0.02	-0.9	13.0
8	32	0.1274 E+2	0.4738 E-1	452	0.036	0.04	2.0	13.0
7	16	0.1204 E+2	0.4637 E-1	844	0.058	0.06	3.3	13.0
6	8	0.1103 E+2	0.4461 E-1	1530	0.042	0.04	2.4	13.0
5	4	0.1046 E+2	0.4322 E-1	2928	3.146	0.00	0.2	13.0

Station No. 326 Date 1984/12/30 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.2109 E+2	0.5879 E-2	1258	-0.094	-0.09	-5.4	5.5
13	1024	0.5469 E+1	0.2369 E-2	1041	0.141	0.14	8.1	10.0
12	512	0.5282 E+1	0.3132 E-2	1133	6.575	0.29	16.7	13.0
11	256	0.6428 E+1	0.4394 E-2	1295	6.256	-0.03	-1.5	13.0
10	128	0.1716 E+2	0.9600 E-2	4990	6.217	-0.07	-3.8	13.0
9	64	0.1774 E+2	0.9400 E-2	11132	0.165	0.16	9.4	13.0
8	32	0.2984 E+2	0.1737 E-1	18457	0.411	0.41	23.5	13.0
7	16	0.2257 E+2	0.1662 E-1	23443	0.688	0.69	39.4	13.0
6	8	0.1444 E+2	0.1528 E-1	22347	0.984	0.98	56.4	13.0
5	4	0.8383 E+1	0.1464 E-1	16398	1.228	1.23	70.3	13.0

\*\*\* Measured Data List \*\*\*

Station No. 327 Date 1985/ 1 / 2 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.6739 E-1	0.1919 E-1	12	0.259	0.26	14.9	5.5
13	1024	0.7801 E±0	0.2712 E-2	16	0.450	0.45	25.8	10.0
12	512	0.4065 E±0	0.2527 E-2	10125	0.927	0.93	53.1	13.0
11	256	0.5629 E±0	0.4345 E-2	13118	0.856	0.86	49.0	13.0
10	128	0.1867 E+1	0.7160 E-2	106	1.121	1.12	64.3	13.0
9	64	0.2464 E+1	0.5571 E-2	612	1.368	1.37	78.4	13.0
8	32	0.6589 E+1	0.8869 E-2	3555	1.371	1.37	78.5	13.0
7	16	0.9071 E+1	0.7254 E-2	19552	1.120	1.12	64.2	13.0
6	8	0.1052 E+2	0.5876 E-2	84490	0.839	0.84	48.0	13.0
5	4	0.1127 E+2	0.5498 E-2	212350	0.531	0.53	30.4	13.0

Station No. 328 Date 1985/ 1 / 2 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5304 E+1	0.1011 E-1	27	3.152	0.01	0.6	5.5
13	1024	0.1025 E+1	0.2361 E-2	37	-3.068	0.07	4.2	10.0
12	512	0.8866 E±0	0.2470 E-2	53	3.220	0.08	4.5	13.0
11	256	0.1090 E+1	0.3652 E-2	74	3.104	-0.04	-2.2	13.0
10	128	0.2887 E+1	0.7553 E-2	228	3.059	-0.08	-4.7	13.0
9	64	0.3295 E+1	0.8002 E-2	530	3.268	0.13	7.3	13.0
8	32	0.5819 E+1	0.1479 E-1	968	3.517	0.38	21.5	13.0
7	16	0.4679 E+1	0.1262 E-1	1718	-24.29	0.71	40.8	13.0
6	8	0.3377 E+1	0.9617 E-2	3087	-1.927	1.21	69.6	13.0
5	4	0.2689 E+1	0.7510 E-2	6625	-1.347	-1.35	-77.2	13.0



\*\*\* Measured Data List \*\*\*

Station No. 329 Date 1985/ 1 / 2 Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3206 E±0	0.1378 E-2	53	0.272	0.27	15.6	5.5
13	1024	0.3889 E±0	0.1312 E-2	17	0.162	0.16	9.3	10.0
12	512	0.8087 E±0	0.2504 E-2	41	6.423	0.14	8.0	13.0
11	256	0.1096 E+1	0.3951 E-2	60	0.054	0.05	3.1	13.0
10	128	0.2571 E+1	0.7816 E-2	169	6.219	-0.06	-3.7	13.0
9	64	0.3169 E+1	0.9112 E-2	378	0.039	0.04	2.2	13.0
8	32	0.6159 E+1	0.1842 E-1	698	0.132	0.13	7.6	13.0
7	16	0.5298 E+1	0.1724 E-1	1180	0.222	0.22	12.7	13.0
6	8	0.3894 E+1	0.1477 E-1	1764	0.303	0.30	17.3	13.0
5	4	0.2824 E+1	0.1324 E-1	2369	0.286	0.29	16.4	13.0

Station No. 330 Date 1985/ 1 / 2 Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.6071 E±0	0.5030 E-3	142	3.152	0.01	0.6	5.5
13	1024	0.7280 E±0	0.7288 E-3	195	-3.068	0.07	4.2	10.0
12	512	0.1215 E+1	0.1347 E-2	318	3.220	0.08	4.5	13.0
11	256	0.1449 E+1	0.2188 E-2	352	3.104	-0.04	-2.2	13.0
10	128	0.2743 E+1	0.3950 E-2	753	3.059	-0.08	-4.7	13.0
9	64	0.3256 E+1	0.4226 E-2	1866	3.268	0.13	7.3	13.0
8	32	0.6621 E+1	0.8952 E-2	3420	3.517	0.38	21.5	13.
7	16	0.5666 E+1	0.8770 E-2	5219	-2.429	0.71	4.08	13.
6	8	0.4063 E+1	0.8032 E-2	6402	-1.927	1.21	6.96	13.
5	4	0.2941 E+1	0.7339 E-2	8031	-1.347	-1.35	-7.2	13.

\*\*\* Measured Data List \*\*\*

Station No. 331 Date 1985/ 1 / 2 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1815 E±0	0.3572 E-3	11	0.612	0.61	35.1	5.5
13	1024	0.2628 E±0	0.8804 E-3	17	0.412	0.41	23.6	10.0
12	512	0.4050 E±0	0.1542 E-2	27	0.381	0.38	21.8	13.0
11	256	0.4480 E±0	0.2226 E-2	32	0.424	0.42	24.3	13.0
10	128	0.6733 E±0	0.3863 E-2	47	0.077	0.08	4.4	13.0
9	64	0.8652 E±0	0.4263 E-2	129	0.066	0.07	3.8	13.0
8	32	0.1837 E+1	0.9071 E-2	256	0.171	0.17	9.8	13.0
7	16	0.1640 E+1	0.8690 E-2	445	0.332	0.33	19.0	13.0
6	8	0.1180 E+1	0.7571 E-2	608	0.510	0.51	29.2	13.0
5	4	0.7572 E±0	0.6540 E-2	640	0.617	0.62	35.3	13.0

Station No. 332 Date 1985/ 1 / 2 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.8649 E±0	0.2423 E-3	1246	0.384	0.38	22.0	5.5
13	1024	0.1571 E+1	0.5884 E-3	1394	0.415	0.42	23.8	10.0
12	512	0.2306 E+1	0.1105 E-2	1632	0.500	0.50	28.6	13.0
11	256	0.2715 E+1	0.1757 E-2	1954	0.520	0.52	29.3	13.0
10	128	0.4044 E+1	0.3151 E-2	2574	0.196	0.20	11.3	13.0
9	64	0.4717 E+1	0.3568 E-2	6154	0.176	0.18	10.1	13.0
8	32	0.1046 E+2	0.8122 E-2	10380	0.283	0.28	16.2	13.0
7	16	0.8953 E+1	0.8432 E-2	14099	0.408	0.41	23.4	13.0
6	8	0.6818 E+1	0.8043 E-2	17964	0.557	0.56	31.9	13.0
5	4	0.4820 E+1	0.7680 E-2	19701	0.618	0.62	35.4	13.0

\*\*\* Measured Data List \*\*\*

Station No. 333

Date 1985/1/2

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1269 E±0	0.2744 E-3	21	0.279	0.28	16.0	5.5
13	1024	0.4335 E±0	0.7920 E-3	58	0.088	0.09	5.1	10.0
12	512	0.8520 E±0	0.1525 E-2	122	6.398	0.12	6.6	13.0
11	256	0.1093 E+1	0.2235 E-2	187	0.186	0.19	10.6	13.0
10	128	0.1597 E+1	0.3711 E-2	289	6.196	-0.09	-5.0	13.0
9	64	0.2604 E+1	0.4780 E-2	928	-0.130	-0.13	-7.5	13.0
8	32	0.6620 E+1	0.1146 E-1	2086	-0.075	-0.08	-4.3	13.0
7	16	0.7277 E+1	0.1246 E-1	4260	-0.046	-0.05	-2.6	13.0
6	8	0.7115 E+1	0.1188 E-1	9233	-0.032	-0.03	-1.8	13.0
5	4	0.6850 E+1	0.1169 E-1	17178	3.104	-0.04	-2.1	13.0

Station No. 334

Date 1985/1/4

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5980 E-1	0.7443 E-4	63	-3.442	-0.30	-1.72	5.5
13	1024	0.1758 E±0	0.5174 E-3	22	-2.796	0.35	1.98	10.0
12	512	0.2732 E±0	0.8973 E-3	37	3.629	0.49	2.79	13.0
11	256	0.2946 E±0	0.1207 E-2	47	3.977	0.84	4.78	13.0
10	128	0.2558 E±0	0.2033 E-2	25	3.895	0.75	4.31	13.0
9	64	0.3782 E±0	0.2631 E-2	65	3.870	0.73	4.17	13.0
8	32	0.9555 E±0	0.6179 E-2	172	4.200	1.06	6.06	13.0
7	16	0.1372 E+1	0.5955 E-2	663	-1.652	1.49	8.54	13.0
6	8	0.1673 E+1	0.4790 E-2	2946	-1.223	-1.22	-7.01	13.0
5	4	0.1908 E+1	0.3779 E-2	12861	-0.930	-0.98	-5.33	13.0

\*\*\* Measured Data List \*\*\*

Station No. 335      Date 1985/ 1 / 4      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2462 E-1	0.2028 E-3	1.4	-2.003	1.14	65.3
13	1024	0.1039 E±0	0.2818 E-3	27	-2.698	0.44	2.54
12	512	0.2288 E±0	0.6443 E-3	49	3.312	0.17	9.8
11	256	0.4045 E±0	0.1075 E-2	110	3.262	0.12	6.9
10	128	0.5630 E±0	0.1734 E-2	165	3.131	-0.01	-0.6
9	64	0.9151 E±0	0.2375 E-2	464	3.033	-0.11	-6.2
8	32	0.2424 E+1	0.5993 E-2	1023	3.108	-0.03	-1.9
7	16	0.2412 E+1	0.5879 E-2	2106	3.069	-0.07	-4.1
6	8	0.1986 E+1	0.4712 E-2	4452	3.080	-0.06	-3.5
5	4	0.1510 E+1	0.3345 E-2	10279	-3.240	-0.10	-5.6

Station No. 336      Date 1985/ 1 / 4      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2970 E±0	0.3293 E-3	80	3.718	0.58	3.30
13	1024	0.6507 E±0	0.6025 E-3	228	-2.568	0.57	3.29
12	512	0.1040 E+1	0.1180 E-2	303	0.722	0.58	3.33
11	256	0.1178 E+1	0.1991 E-2	247	3.657	0.52	2.95
10	128	0.2049 E+1	0.3670 E-2	487	3.207	0.06	3.7
9	64	0.2498 E+1	0.3899 E-2	1283	3.256	0.11	6.6
8	32	0.4978 E+1	0.8101 E-2	2360	3.368	0.23	1.30
7	16	0.4433 E+1	0.8268 E-2	3592	3.468	0.33	1.87
6	8	0.3354 E+1	0.7925 E-2	4480	-2.744	0.40	2.28
5	4	0.2465 E+1	0.7372 E-2	5593	-2.811	0.33	1.90

\*\*\* Measured Data List \*\*\*

Station No. 337

Date 1985/1/4

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4562 E±0	0.3191 E-2	200	0.310	0.31	17.8	5.5
13	1024	0.1667 E+1	0.9527 E-2	597	0.301	0.30	17.3	10.0
12	512	0.2758 E+1	0.1774 E-1	944	0.361	0.36	20.7	13.0
11	256	0.3072 E+1	0.2701 E-1	1010	0.404	0.40	23.1	13.0
10	128	0.5172 E+1	0.5055 E-1	1636	6.294	0.01	0.6	13.0
9	64	0.6792 E+1	0.5734 E-1	4385	-0.011	-0.01	-0.6	13.0
8	32	0.1447 E+2	0.1219 E±0	8808	0.044	0.04	2.5	13.0
7	16	0.1407 E+2	0.1235 E±0	16225	0.064	0.06	3.6	13.0
6	8	0.1239 E+2	0.1148 E±0	29146	0.058	0.06	3.3	13.0
5	4	0.1106 E+2	0.1049 E±0	55647	3.095	-0.05	-2.7	13.0

Station No. 338 ric

Date 1985/1/4

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3583 E±0	0.2853 E-3	147	0.396	0.40	22.7	5.5
13	1024	0.8783 E±0	0.7319 E-3	280	0.507	0.51	29.1	10.0
12	512	0.1282 E+1	0.1357 E-2	348	0.595	0.59	34.1	13.0
11	256	0.1320 E+1	0.2082 E-2	314	0.651	0.69	37.3	13.0
10	128	0.1887 E+1	0.4027 E-2	344	0.299	0.30	17.1	13.0
9	64	0.2228 E+1	0.4435 E-2	789	0.221	0.22	12.7	13.0
8	32	0.4466 E+1	0.9325 E-2	1434	0.295	0.30	16.9	13.0
7	16	0.3933 E+1	0.9356 E-2	2209	0.407	0.41	23.3	13.0
6	8	0.2798 E+1	0.8365 E-2	2797	0.558	0.56	32.0	13.0
5	4	0.1790 E+1	0.7483 E-2	2868	0.595	0.60	34.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 339

Date 1985/ 1 / 4

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4465 E±0	0.3085 E-3	205	0.280	0.28	16.0	55
13	1024	0.9701 E±0	0.7205 E-3	354	0.372	0.37	21.3	100
12	512	0.1430 E+1	0.1282 E-2	487	0.430	0.43	24.6	130
11	256	0.1509 E+1	0.1825 E-2	534	0.529	0.53	30.3	130
10	128	0.2063 E+1	0.3410 E-2	572	0.190	0.19	10.9	130
9	64	0.2717 E+1	0.3964 E-2	1469	0.125	0.13	7.2	130
8	32	0.5823 E+1	0.8640 E-2	2839	0.194	0.19	11.1	130
7	16	0.5366 E+1	0.8600 E-2	4865	0.306	0.31	17.5	130
6	8	0.3898 E+1	0.7214 E-2	7662	0.465	0.47	26.7	130
5	4	0.2661 E+1	0.6710 E-2	7992	0.391	0.39	22.4	130

Station No. 340

Date 1985/ 1 / 5

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4454 E±0	0.1670 E-3	696	-2.769	0.37	21.3	55
13	1024	0.9202 E±0	0.4621 E-3	774	-2.691	0.45	25.8	130
12	512	0.1412 E+1	0.8841 E-3	998	3.630	0.49	28.0	130
11	256	0.1551 E+1	0.1341 E-2	1046	3.731	0.59	33.8	130
10	128	0.2065 E+1	0.2455 E-2	1105	3.324	0.18	10.5	130
9	64	0.2882 E+1	0.2937 E-2	3009	3.234	0.09	5.3	130
8	32	0.6503 E+1	0.6712 E-2	5866	3.339	0.20	11.3	130
7	16	0.6066 E+1	0.6882 E-2	9712	3.440	0.30	17.1	130
6	8	0.4494 E+1	0.6084 E-2	13641	-2.751	0.39	22.4	130
5	4	0.3137 E+1	0.5678 E-2	15674	-0.003	-0.00	-0.2	130

\*\*\* Measured Data List \*\*\*

Date 1985/ 1 / 5 Tx Bipole No. 2

Station No. 341

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2170 E±0	0.1453 E-3	220	0.513	0.51	29.4	55
13	1024	0.8604 E±0	0.4499 E-3	714	0.146	0.15	8.4	10.0
12	512	0.1609 E+1	0.8989 E-3	1252	6.525	0.24	13.8	13.0
11	256	0.2054 E+1	0.1335 E-3	1849	0.363	0.36	20.8	13.0
10	128	0.2802 E+1	0.2374 E-2	2177	6.420	0.14	7.8	13.0
9	64	0.4149 E+1	0.3124 E-2	5513	0.026	0.03	1.5	13.0
8	32	0.9960 E+1	0.7552 E-2	10873	0.071	0.07	4.1	13.0
7	16	0.1007 E+2	0.7887 E-2	20357	0.088	0.09	5.0	13.0
6	8	0.8668 E+1	0.7171 E-2	36537	0.107	0.11	6.1	13.0
5	4	0.7467 E+1	0.6463 E-2	66097	0.050	0.05	2.9	13.0

Date 1985/ 1 / 5 Tx Bipole No. 2

Station No. 342

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4112 E±0	0.1367 E-3	888	-3.058	0.08	4.8	5.5
13	1024	0.3073 E±0	0.2661 E-3	262	-3.001	0.14	8.1	10.0
12	512	0.6787 E±0	0.6017 E-3	497	3.223	0.08	4.7	13.0
11	256	0.1095 E+1	0.1038 E-2	895	3.414	0.27	15.6	13.0
10	128	0.1553 E+1	0.1813 E-2	1108	3.205	0.06	3.6	13.0
9	64	0.2514 E+1	0.2477 E-2	3219	3.166	0.02	1.4	13.0
8	32	0.6386 E+1	0.6255 E-2	6516	3.301	0.16	9.1	13.0
7	16	0.6272 E+1	0.6705 E-2	10830	3.441	0.30	17.2	13.0
6	8	0.4769 E+1	0.6203 E-2	14780	-2.680	0.46	26.5	13.0
5	4	0.3218 E+1	0.5650 E-2	16012	-2.615	0.53	30.2	13.0

\*\*\* Measured Data List \*\*\*

Station No. 343

Date 1985/ 1 / 5

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.9210 E-1	0.8816 E-4	111	3.142	0.00	0.0	55
13	1024	0.2290 E±0	0.4371 E-3	54	0.125	0.12	7.2	100
12	512	0.5220 E±0	0.9603 E-3	115	6.434	0.15	8.6	130
11	256	0.7367 E±0	0.1549 E-2	177	0.360	0.36	20.6	130
10	128	0.1012 E+1	0.2799 E-2	204	6.397	0.11	6.5	130
9	64	0.1561 E+1	0.3764 E-2	518	0.135	0.14	7.8	130
8	32	0.3662 E+1	0.9394 E-2	950	0.266	0.27	15.3	130
7	16	0.3408 E+1	0.9763 E-2	1523	0.423	0.42	24.2	130
6	8	0.2508 E+1	0.9162 E-2	1873	0.646	0.65	37.0	130
5	4	0.1585 E+1	0.8148 E-2	1893	-2342	0.80	45.8	130

Station No. 344

Date 1985/ 1 / 5

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2719 E-1	0.1126 E-3	57	-2.729	0.41	23.7	55
13	1024	0.1594 E±0	0.5091 E-3	19	-2.814	0.33	1.88	100
12	512	0.3166 E±0	0.1041 E-2	36	3.497	0.36	20.4	130
11	256	0.3701 E±0	0.1500 E-2	47	3.677	0.54	30.7	130
10	128	0.4773 E±0	0.2749 E-2	46	3.387	0.25	14.1	130
9	64	0.4627 E±0	0.3646 E-2	114	3.333	0.19	10.9	130
8	32	0.1577 E+1	0.8640 E-2	208	3.455	0.31	1.80	130
7	16	0.1457 E+1	0.8846 E-2	339	3.631	0.49	28.1	130
6	8	0.1035 E+1	0.7582 E-2	466	-2355	0.78	44.5	130
5	4	0.6596 E±0	0.6219 E-2	506	-1.993	1.15	65.8	130



\*\*\* Measured Data List \*\*\*

Station No. 345 Date 1985/1/5 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1480 E+1	0.1337 E-3	115	0.165	0.16	9.4
13	1024	0.5162 E±0	0.5430 E-3	176	0.385	0.39	22.1
12	512	0.8758 E±0	0.1060 E-2	267	0.458	0.46	26.2
11	256	0.9640 E±0	0.1636 E-2	271	0.623	0.62	35.7
10	128	0.1360 E+1	0.3166 E-2	288	0.299	0.30	17.2
9	64	0.1862 E+1	0.3974 E-2	686	0.291	0.29	16.7
8	32	0.4146 E+1	0.9333 E-2	1233	0.457	0.46	26.2
7	16	0.3808 E+1	0.9722 E-2	1918	0.746	0.75	42.7
6	8	0.2838 E+1	0.9039 E-2	2465	1.168	1.17	66.9
5	4	0.2065 E+1	0.8475 E-2	2969	1.683	-1.46	-83.6

Station No. 346 Date 1985/1/6 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.4442 E±0	0.1433 E-3	947	-2869	0.27	15.6
13	1024	0.8732 E±0	0.2557 E-3	2285	-2802	0.34	19.5
12	512	0.1570 E+1	0.5308 E-3	3419	3545	0.40	23.1
11	256	0.2077 E+1	0.8791 E-3	4366	3651	0.51	29.2
10	128	0.2546 E+1	0.1536 E-2	4305	3739	0.60	34.2
9	64	0.3086 E+1	0.2304 E-2	5604	3413	0.27	15.6
8	32	0.8511 E+1	0.6203 E-2	11039	3373	0.23	13.3
7	16	0.8767 E+1	0.7106 E-2	18871	3409	0.27	15.3
6	8	0.7112 E+1	0.6907 E-2	25705	0.317	0.32	18.2
5	4	0.5505 E+1	0.6568 E-2	38135	-2819	0.32	18.5

\*\*\* Measured Data List \*\*\*

Station No. 347 Date 1985/ 1 / 6 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1713 E±0	0.1444 E-3	127	0.304	0.30	17.4
13	1024	0.3886 E±0	0.3430 E-3	251	0.228	0.23	13.1
12	512	0.7901 E±0	0.7265 E-3	460	6.550	0.27	15.3
11	256	0.1179 E+1	0.1216 E-2	713	0.338	0.34	19.3
10	128	0.1506 E+1	0.2064 E-2	832	0.373	0.37	21.4
9	64	0.2003 E+1	0.3043 E-2	1354	0.158	0.16	9.1
8	32	0.5362 E+1	0.8088 E-2	2747	0.141	0.14	8.1
7	16	0.5692 E+1	0.8845 E-2	5050	0.170	0.17	9.8
6	8	0.4819 E+1	0.8313 E-2	8403	0.209	0.21	12.0
5	4	0.4037 E+1	0.7890 E-2	13315	0.177	0.18	10.1

Station No. 348 Date 1985/ 1 / 6 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1590 E±0	0.1424 E-2	123	0.113	0.11	6.5
13	1024	0.2631 E±0	0.3527 E-2	103	0.363	0.36	20.8
12	512	0.4721 E±0	0.7623 E-2	150	6.658	0.38	21.5
11	256	0.6707 E±0	0.1264 E-1	220	0.459	0.46	26.3
10	128	0.8783 E±0	0.2296 E-1	229	0.411	0.41	23.6
9	64	0.1167 E+1	0.3290 E-1	393	0.189	0.19	10.8
8	32	0.3142 E+1	0.8611 E-1	832	0.226	0.23	12.9
7	16	0.3203 E+1	0.9526 E-1	1414	0.350	0.35	10.0
6	8	0.2466 E+1	0.8829 E-1	1952	0.537	0.54	30.8
5	4	0.1647 E+1	0.8112 E-1	2067	0.572	0.57	32.8

\*\*\* Measured Data List \*\*\*

Station No. 349      Date 1985/ 1 / 6      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8810 E-1	0.1668 E-2	25	0.539	0.59	33.7	5.5
13	1024	0.1429 E±0	0.3187 E-2	40	0.383	0.38	21.9	10.0
12	512	0.3341 E±0	0.7726 E-2	73	6.538	0.25	14.6	13.0
11	256	0.5564 E±0	0.1303 E-1	142	0.268	0.27	15.4	13.0
10	128	0.7192 E±0	0.2165 E-1	172	6.560	0.28	15.9	13.0
9	64	0.1021 E+1	0.3095 E-1	340	0.106	0.11	6.1	13.0
8	32	0.2731 E+1	0.8188 E-1	695	0.110	0.11	6.3	13.0
7	16	0.2885 E+1	0.9044 E-1	1272	0.160	0.16	9.2	13.0
6	8	0.2369 E+1	0.8156 E-1	2109	0.208	0.21	11.9	13.0
5	4	0.1852 E+1	0.7601 E-1	349	0.212	0.21	12.1	13.0

Station No. 350      Date 1985/ 1 / 6      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7500 E-1	0.1303 E-3	52	0.490	0.49	28.1	5.5
13	1024	0.1301 E±0	0.3009 E-3	36	0.708	0.71	40.6	10.0
12	512	0.2082 E±0	0.6674 E-3	38	0.509	0.51	29.2	13.0
11	256	0.3260 E±0	0.1158 E-2	60	0.400	0.40	22.9	13.0
10	128	0.4284 E±0	0.2069 E-2	67	6.618	0.34	19.2	13.0
9	64	0.6611 E±0	0.3001 E-2	152	0.166	0.17	9.5	13.0
8	32	0.1774 E+1	0.7838 E-2	320	0.281	0.28	16.1	13.0
7	16	0.1797 E+1	0.8523 E-2	555	0.516	0.52	29.6	13.0
6	8	0.1352 E+1	0.7698 E-2	771	0.874	0.87	50.1	13.0
5	4	0.8907 E±0	0.6669 E-2	872	1.334	1.33	76.4	13.0