

*** Measured Data List ***

Station No. 171 Tx dipole No. 1

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I(A) | | |
|------------------------|-------------------------------|---------------------------|----------------------------------|---------------------------|-----------------|--------|-----|
| 15 | 2048 | + .383783E-03 | + .888915E-07 | 1820.34 | -0.93 | -53.32 | 1.8 |
| 14 | 1024 | + .158988E-02 | + .522136E-06 | 1810.89 | +1.11 | +63.52 | 3.0 |
| 13 | 512 | + .345623E-02 | + .139471E-05 | 2398.80 | -0.37 | -21.44 | 3.7 |
| 12 | 256 | + .434365E-02 | + .220007E-05 | 3045.28 | -0.74 | -42.35 | 4.0 |
| 11 | 128 | + .460308E-02 | + .311453E-05 | 3412.96 | -0.95 | -54.35 | 4.1 |
| 10 | 64 | + .360674E-02 | + .285168E-05 | 4998.94 | -1.18 | -67.65 | 4.1 |
| 9 | 32 | + .716126E-02 | + .602991E-05 | 8815.31 | -1.25 | -71.69 | 4.1 |
| 8 | 16 | + .650357E-02 | + .619879E-05 | 13759.40 | -1.25 | -71.89 | 4.1 |
| 7 | 8 | + .514793E-02 | + .573511E-05 | 20142.90 | -1.30 | -74.48 | 4.1 |
| 6 | 4 | + .419948E-02 | + .554645E-05 | 28663.50 | -1.37 | -78.22 | 4.2 |

Station No. 172 Tx dipole No. 1

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I(A) | | |
|------------------------|-------------------------------|---------------------------|----------------------------------|---------------------------|-----------------|--------|-----|
| 15 | 2048 | + .977406E-04 | + .891684E-07 | 117.34 | -0.63 | -36.20 | 1.7 |
| 14 | 1024 | + .323800E-03 | + .455183E-06 | 98.84 | +1.49 | +85.62 | 3.0 |
| 13 | 512 | + .551311E-03 | + .119944E-05 | 82.53 | +0.09 | +4.94 | 3.7 |
| 12 | 256 | + .561666E-03 | + .200121E-05 | 61.54 | -0.39 | -22.23 | 4.0 |
| 11 | 128 | + .491802E-03 | + .276982E-05 | 49.26 | -0.71 | -40.42 | 4.1 |
| 10 | 64 | + .360351E-03 | + .245823E-05 | 67.15 | -1.01 | -58.12 | 4.1 |
| 9 | 32 | + .713893E-03 | + .539117E-05 | 109.59 | -1.15 | -65.82 | 4.1 |
| 8 | 16 | + .606104E-03 | + .551235E-05 | 151.12 | -1.21 | -69.23 | 4.1 |
| 7 | 8 | + .490010E-03 | + .525804E-05 | 217.12 | -1.32 | -75.89 | 4.1 |
| 6 | 4 | + .421206E-03 | + .506317E-05 | 346.03 | +0.08 | +4.83 | 4.2 |

**** Measured Data List ****

Station No. 173 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .218518E-04 | + .750080E-07 | 8.29 | -0.52 | -29.74 | 1.8 |
| 14 | 1024 | + .708485E-04 | + .342260E-06 | 8.37 | +0.11 | +6.58 | 3.1 |
| 13 | 512 | + .111932E-03 | + .895544E-06 | 6.10 | +0.16 | +9.11 | 3.8 |
| 12 | 256 | + .110297E-03 | + .139202E-05 | 4.90 | -0.38 | -21.65 | 4.0 |
| 11 | 128 | + .943047E-04 | + .176638E-05 | 4.45 | -0.53 | -30.26 | 4.2 |
| 10 | 64 | + .519871E-04 | + .152942E-05 | 3.61 | -0.85 | -48.91 | 4.2 |
| 9 | 32 | + .861124E-04 | + .355119E-05 | 3.68 | -1.20 | -68.78 | 4.2 |
| 8 | 16 | + .926442E-04 | + .385950E-05 | 7.20 | -1.34 | -76.56 | 4.2 |
| 7 | 8 | + .835334E-04 | + .374274E-05 | 12.45 | -1.32 | -75.60 | 4.2 |
| 6 | 4 | + .608355E-04 | + .343427E-05 | 15.69 | -1.23 | -70.72 | 4.3 |

Station No. 174 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .102436E-03 | + .816894E-07 | 153.56 | -0.60 | -34.48 | 1.8 |
| 14 | 1024 | + .304630E-03 | + .377330E-06 | 127.30 | +0.49 | +28.31 | 3.1 |
| 13 | 512 | + .479712E-03 | + .855364E-06 | 122.86 | +0.18 | +10.16 | 3.8 |
| 12 | 256 | + .454753E-03 | + .139105E-05 | 83.49 | -0.23 | -13.38 | 4.0 |
| 11 | 128 | + .379941E-03 | + .174693E-05 | 73.91 | -0.38 | -21.74 | 4.2 |
| 10 | 64 | + .197111E-03 | + .156468E-05 | 49.59 | -0.63 | -35.99 | 4.2 |
| 9 | 32 | + .328799E-03 | + .361011E-05 | 51.84 | -0.89 | -51.08 | 4.2 |
| 8 | 16 | + .283218E-03 | + .392959E-05 | 64.93 | -1.04 | -59.78 | 4.1 |
| 7 | 8 | + .228194E-03 | + .388083E-05 | 86.44 | -1.12 | -64.42 | 4.2 |
| 6 | 4 | + .174330E-03 | + .351740E-05 | 122.82 | -1.25 | -71.55 | 4.3 |

**** Measured Data List ****

Station No. 175 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|------------|----------------|----------------|----------------------|------------------|---------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) |
| 15 2048 | + .172436E-03 | + .782581E-07 | 474.13 | -0.66 | 1.7 |
| 14 1024 | + .509819E-03 | + .380656E-06 | 350.35 | +0.02 | 3.0 |
| 13 512 | + .807891E-03 | + .917543E-06 | 302.84 | +0.14 | 3.7 |
| 12 256 | + .773536E-03 | + .139288E-05 | 240.95 | -0.23 | 4.0 |
| 11 128 | + .623882E-03 | + .184284E-05 | 179.08 | -0.45 | 4.1 |
| 10 64 | + .345851E-03 | + .160449E-05 | 145.20 | -0.69 | 4.1 |
| 9 32 | + .617366E-03 | + .369196E-05 | 174.76 | -0.86 | 4.1 |
| 8 16 | + .496063E-03 | + .409149E-05 | 183.75 | -0.94 | 4.1 |
| 7 8 | + .359635E-03 | + .372286E-05 | 233.30 | -1.08 | 4.1 |
| 6 4 | + .279994E-03 | + .306114E-05 | 418.32 | -1.26 | 4.3 |

Station No. 176 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|------------|----------------|----------------|----------------------|------------------|---------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) |
| 15 2048 | + .168292E-03 | + .814800E-07 | 416.61 | -0.90 | 1.7 |
| 14 1024 | + .584250E-03 | + .348052E-06 | 550.35 | +1.27 | 3.0 |
| 13 512 | + .107279E-02 | + .858736E-06 | 609.63 | -0.19 | 3.7 |
| 12 256 | + .119464E-02 | + .134296E-05 | 618.21 | -0.52 | 4.0 |
| 11 128 | + .104036E-02 | + .170527E-05 | 581.56 | -0.65 | 4.1 |
| 10 64 | + .615174E-03 | + .149010E-05 | 532.62 | -0.78 | 4.1 |
| 9 32 | + .109009E-02 | + .346479E-05 | 618.65 | -0.85 | 4.1 |
| 8 16 | + .854409E-03 | + .392699E-05 | 591.73 | -0.91 | 4.1 |
| 7 8 | + .554912E-03 | + .377454E-05 | 540.33 | -1.05 | 4.1 |
| 6 4 | + .424975E-03 | + .358114E-05 | 704.13 | -1.42 | 4.2 |

**** Measured Data List ****

Tx dipole No. 1

| Station No. 177 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------|----------------------|------------------|---------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | (Ω·m) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .972208E-04 | + .651803E-07 | 217.26 | -1.01 | -57.79 | 1.7 |
| 14 | 1024 | + .341202E-03 | + .369367E-06 | 166.66 | +1.34 | +76.96 | 3.0 |
| 13 | 512 | + .625304E-03 | + .994272E-06 | 154.50 | -0.11 | -6.32 | 3.7 |
| 12 | 256 | + .704901E-03 | + .138805E-05 | 201.48 | -0.49 | -27.96 | 4.0 |
| 11 | 128 | + .629830E-03 | + .189529E-05 | 172.55 | -0.54 | -30.66 | 4.1 |
| 10 | 64 | + .356896E-03 | + .173011E-05 | 132.98 | -0.76 | -43.54 | 4.1 |
| 9 | 32 | + .675144E-03 | + .385803E-05 | 191.40 | -0.80 | -46.08 | 4.1 |
| 8 | 16 | + .481569E-03 | + .408904E-05 | 173.37 | -0.87 | -49.70 | 4.1 |
| 7 | 8 | + .315401E-03 | + .392425E-05 | 161.49 | -1.01 | -57.98 | 4.1 |
| 6 | 4 | + .277918E-03 | + .350011E-05 | 315.24 | -1.43 | -82.02 | 4.2 |

Tx dipole No. 1

| Station No. 178 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------|----------------------|------------------|---------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | (Ω·m) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .582294E-04 | + .789984E-07 | 53.06 | -0.56 | -32.09 | 1.7 |
| 14 | 1024 | + .174185E-03 | + .372784E-06 | 42.64 | -0.48 | -27.39 | 3.0 |
| 13 | 512 | + .281154E-03 | + .954231E-06 | 33.91 | +0.18 | +10.42 | 3.7 |
| 12 | 256 | + .270449E-03 | + .146763E-05 | 26.53 | -0.18 | -10.31 | 4.0 |
| 11 | 128 | + .212321E-03 | + .205591E-05 | 16.66 | -0.40 | -23.03 | 4.1 |
| 10 | 64 | + .118989E-03 | + .188047E-05 | 12.51 | -0.67 | -38.14 | 4.1 |
| 9 | 32 | + .204071E-03 | + .395597E-05 | 16.63 | -0.75 | -43.01 | 4.1 |
| 8 | 16 | + .147714E-03 | + .418833E-05 | 15.55 | -0.82 | -46.77 | 4.1 |
| 7 | 8 | + .980431E-04 | + .422665E-05 | 13.45 | -1.04 | -59.36 | 4.2 |
| 6 | 4 | + .832994E-04 | + .382293E-05 | 23.74 | -0.37 | -21.45 | 4.3 |

**** Measured Data List ****

Station No. 179 Tx dipole No. 1

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I (A) | | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|------------------|--------|-----|
| 15 | 2048 | + .608470E-04 | + .612711E-07 | 96.31 | -0.44 | -25.28 | 1.7 |
| 14 | 1024 | + .202436E-03 | + .273018E-06 | 107.38 | +1.19 | +68.05 | 3.0 |
| 13 | 512 | + .366850E-03 | + .700524E-06 | 107.13 | -0.24 | -13.98 | 3.7 |
| 12 | 256 | + .383367E-03 | + .102796E-05 | 108.66 | -0.53 | -30.62 | 4.0 |
| 11 | 128 | + .355934E-03 | + .134594E-05 | 109.27 | -0.61 | -35.18 | 4.1 |
| 10 | 64 | + .182935E-03 | + .118150E-05 | 74.92 | -0.76 | -43.66 | 4.1 |
| 9 | 32 | + .346822E-03 | + .284112E-05 | 93.14 | -1.12 | -64.16 | 4.1 |
| 8 | 16 | + .384858E-03 | + .320720E-05 | 180.00 | -1.20 | -68.80 | 4.1 |
| 7 | 8 | + .309132E-03 | + .295133E-05 | 274.28 | -1.24 | -71.04 | 4.2 |
| 6 | 4 | + .247864E-03 | + .271996E-05 | 415.21 | -1.33 | -76.37 | 4.3 |

Station No. 180 Tx dipole No. 1

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I (A) | | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|------------------|--------|-----|
| 15 | 2048 | + .233169E-03 | + .556777E-07 | 1712.69 | -0.60 | -34.61 | 1.7 |
| 14 | 1024 | + .762679E-03 | + .263133E-06 | 1640.83 | +1.29 | +73.87 | 3.0 |
| 13 | 512 | + .134304E-02 | + .662543E-06 | 1605.14 | -0.13 | -7.49 | 3.7 |
| 12 | 256 | + .133795E-02 | + .998162E-06 | 1403.69 | -0.46 | -26.20 | 4.0 |
| 11 | 128 | + .125528E-02 | + .131957E-05 | 1413.96 | -0.58 | -32.97 | 4.1 |
| 10 | 64 | + .708453E-03 | + .115870E-05 | 1168.23 | -0.81 | -46.50 | 4.1 |
| 9 | 32 | + .134271E-02 | + .268927E-05 | 1558.02 | -1.09 | -62.35 | 4.1 |
| 8 | 16 | + .136915E-02 | + .295562E-05 | 2682.36 | -1.20 | -68.54 | 4.1 |
| 7 | 8 | + .116818E-02 | + .297411E-05 | 3856.98 | -1.20 | -69.00 | 4.2 |
| 6 | 4 | + .891730E-03 | + .304387E-05 | 4291.25 | -1.34 | -76.51 | 4.3 |

**** Measured Data List ****

Station No. 181 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .117267E-03 | + .773489E-07 | 224.46 | -0.96 | -54.86 | 1.7 |
| 14 | 1024 | + .350494E-03 | + .255356E-06 | 367.96 | +1.43 | +81.67 | 3.0 |
| 13 | 512 | + .544860E-03 | + .638524E-06 | 284.43 | +0.07 | +3.95 | 3.9 |
| 12 | 256 | + .583549E-03 | + .861564E-06 | 358.40 | -0.54 | -31.14 | 3.9 |
| 11 | 128 | + .559590E-03 | + .140694E-05 | 247.18 | -0.53 | -30.52 | 4.0 |
| 10 | 64 | + .217847E-03 | + .100926E-05 | 145.59 | -0.74 | -42.17 | 4.1 |
| 9 | 32 | + .496281E-03 | + .268006E-05 | 214.31 | -1.15 | -65.88 | 4.1 |
| 8 | 16 | + .533687E-03 | + .301182E-05 | 392.49 | -1.32 | -75.41 | 4.1 |
| 7 | 8 | + .490948E-03 | + .301933E-05 | 660.98 | -1.26 | -71.91 | 4.2 |
| 6 | 4 | + .427356E-03 | + .294144E-05 | 1055.43 | -1.35 | -77.42 | 4.3 |

Station No. 182 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .118084E-03 | + .738788E-07 | 249.48 | -0.85 | -48.78 | 1.7 |
| 14 | 1024 | + .366110E-03 | + .308676E-06 | 274.76 | +1.37 | +78.43 | 3.0 |
| 13 | 512 | + .564154E-03 | + .685799E-06 | 264.34 | -0.10 | -5.68 | 3.7 |
| 12 | 256 | + .569018E-03 | + .110495E-05 | 207.18 | -0.41 | -23.61 | 3.9 |
| 11 | 128 | + .461035E-03 | + .134131E-05 | 184.60 | -0.57 | -32.82 | 4.0 |
| 10 | 64 | + .308791E-03 | + .127813E-05 | 182.40 | -0.89 | -50.80 | 4.1 |
| 9 | 32 | + .629728E-03 | + .270676E-05 | 338.29 | -1.07 | -61.56 | 4.0 |
| 8 | 16 | + .581810E-03 | + .290098E-05 | 502.78 | -1.11 | -63.59 | 4.0 |
| 7 | 8 | + .474325E-03 | + .309632E-05 | 586.68 | -1.05 | -60.30 | 4.1 |
| 6 | 4 | + .338857E-03 | + .324395E-05 | 545.58 | -1.28 | -73.28 | 4.2 |

**** Measured Data List ****

Tx dipole No. 1

| Station No. 183 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | | |
| 15 | 2048 | +.136993E-03 | +.770473E-07 | 308.73 | -0.79 | -45.16 | 1.7 |
| 14 | 1024 | +.409681E-03 | +.345660E-06 | 274.36 | +0.72 | +41.46 | 3.0 |
| 13 | 512 | +.713753E-03 | +.830009E-06 | 288.86 | -0.02 | -1.14 | 3.7 |
| 12 | 256 | +.675994E-03 | +.108726E-05 | 302.00 | -0.34 | -19.44 | 3.9 |
| 11 | 128 | +.547803E-03 | +.153767E-05 | 198.31 | -0.61 | -34.92 | 4.0 |
| 10 | 64 | +.386631E-03 | +.136699E-05 | 249.99 | -0.98 | -56.26 | 4.1 |
| 9 | 32 | +.801390E-03 | +.310453E-05 | 416.46 | -0.97 | -55.83 | 4.1 |
| 8 | 16 | +.692347E-03 | +.338629E-05 | 522.53 | -0.91 | -52.14 | 4.1 |
| 7 | 8 | +.446680E-03 | +.337462E-05 | 438.01 | -1.00 | -57.33 | 4.1 |
| 6 | 4 | +.297892E-03 | +.351986E-05 | 358.13 | -1.02 | -58.29 | 4.2 |

Tx dipole No. 1

| Station No. 184 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | | |
| 15 | 2048 | +.258145E-03 | +.134519E-06 | 359.63 | -0.82 | -46.92 | 1.8 |
| 14 | 1024 | +.879870E-03 | +.673450E-06 | 333.39 | +1.33 | +76.02 | 3.0 |
| 13 | 512 | +.168590E-02 | +.171965E-05 | 375.44 | -0.10 | -5.58 | 3.7 |
| 12 | 256 | +.169090E-02 | +.228603E-05 | 427.43 | -0.48 | -27.54 | 4.0 |
| 11 | 128 | +.136441E-02 | +.317294E-05 | 288.93 | -0.69 | -39.43 | 4.1 |
| 10 | 64 | +.987417E-03 | +.280976E-05 | 385.93 | -1.09 | -62.55 | 4.1 |
| 9 | 32 | +.195595E-02 | +.584320E-05 | 700.31 | -1.24 | -71.15 | 4.1 |
| 8 | 16 | +.178675E-02 | +.581331E-05 | 1180.84 | -1.30 | -74.61 | 4.1 |
| 7 | 8 | +.149522E-02 | +.549225E-05 | 1852.90 | -1.34 | -76.79 | 4.1 |
| 6 | 4 | +.124870E-02 | +.506984E-05 | 3033.17 | -1.52 | -87.05 | 4.3 |

*** Measured Data List ***

Station No. 185 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) | | |
| 15 | 2048 | + .953225E-04 | + .115724E-06 | 66.26 | -0.88 | -50.34 | 1.7 |
| 14 | 1024 | + .362831E-03 | + .557375E-06 | 82.76 | +1.22 | +69.86 | 3.0 |
| 13 | 512 | + .729880E-03 | + .140234E-05 | 105.82 | -0.24 | -13.75 | 3.7 |
| 12 | 256 | + .866848E-03 | + .202215E-05 | 143.57 | -0.56 | -32.00 | 4.0 |
| 11 | 128 | + .692830E-03 | + .280420E-05 | 95.38 | -0.59 | -33.89 | 4.1 |
| 10 | 64 | + .421354E-03 | + .249984E-05 | 88.78 | -0.99 | -56.96 | 4.1 |
| 9 | 32 | + .874658E-03 | + .522205E-05 | 175.34 | -1.29 | -74.18 | 4.1 |
| 8 | 16 | + .883736E-03 | + .543789E-05 | 330.14 | -1.38 | -79.13 | 4.1 |
| 7 | 8 | + .715192E-03 | + .486905E-05 | 539.38 | -1.37 | -78.52 | 4.1 |
| 6 | 4 | + .644460E-03 | + .466698E-05 | 953.43 | -1.46 | -83.94 | 4.2 |

Station No. 186 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) | | |
| 15 | 2048 | + .119472E-03 | + .110679E-06 | 113.79 | -0.98 | -56.37 | 1.7 |
| 14 | 1024 | + .426884E-03 | + .520231E-06 | 131.51 | +1.27 | +72.52 | 3.0 |
| 13 | 512 | + .911578E-03 | + .126442E-05 | 203.03 | -0.21 | -12.27 | 3.7 |
| 12 | 256 | + .105055E-02 | + .183744E-05 | 255.39 | -0.53 | -30.52 | 4.0 |
| 11 | 128 | + .819005E-03 | + .243628E-05 | 176.58 | -0.72 | -41.42 | 4.1 |
| 10 | 64 | + .611910E-03 | + .232706E-05 | 216.08 | -1.07 | -61.21 | 4.1 |
| 9 | 32 | + .124343E-02 | + .500214E-05 | 386.20 | -1.24 | -70.80 | 4.1 |
| 8 | 16 | + .117467E-02 | + .519561E-05 | 638.95 | -1.27 | -72.86 | 4.1 |
| 7 | 8 | + .979499E-03 | + .495586E-05 | 976.58 | -1.33 | -76.29 | 4.1 |
| 6 | 4 | + .826976E-03 | + .466828E-05 | 1569.07 | -1.40 | -80.43 | 4.2 |

**** Measured Data List ****

| Station No. 187 | | Tx dipole No. 1 | | | | | |
|-----------------|----------------|-----------------|----------------------|------------------|---------|--------|-----|
| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
| No. f (Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .120353E-03 | + .157591E-06 | 56.96 | -0.91 | -52.29 | 1.7 |
| 14 | 1024 | + .480325E-03 | + .781805E-06 | 73.72 | +1.09 | +62.17 | 3.0 |
| 13 | 512 | + .934162E-03 | + .170495E-05 | 117.27 | -0.27 | -15.55 | 3.7 |
| 12 | 256 | + .941399E-03 | + .222052E-05 | 140.42 | -0.59 | -33.71 | 4.0 |
| 11 | 128 | + .782428E-03 | + .292930E-05 | 111.48 | -0.82 | -46.88 | 4.1 |
| 10 | 64 | + .576664E-03 | + .256936E-05 | 157.42 | -1.14 | -65.21 | 4.1 |
| 9 | 32 | + .116961E-02 | + .564407E-05 | 268.40 | -1.23 | -70.38 | 4.1 |
| 8 | 16 | + .103767E-02 | + .575964E-05 | 405.73 | -1.26 | -72.05 | 4.1 |
| 7 | 8 | + .843315E-03 | + .539900E-05 | 609.95 | -1.34 | -76.63 | 4.1 |
| 6 | 4 | + .702140E-03 | + .483453E-05 | 1054.65 | -1.44 | -82.45 | 4.2 |

| Station No. 188 | | Tx dipole No. 1 | | | | | |
|-----------------|----------------|-----------------|----------------------|------------------|---------|--------|-----|
| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
| No. f (Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .206798E-03 | + .114385E-06 | 319.19 | -1.15 | -65.81 | 1.7 |
| 14 | 1024 | + .846367E-03 | + .602572E-06 | 385.33 | +1.03 | +58.84 | 3.0 |
| 13 | 512 | + .173174E-02 | + .146261E-05 | 547.61 | -0.34 | -19.21 | 3.7 |
| 12 | 256 | + .196193E-02 | + .206567E-05 | 704.75 | -0.66 | -37.61 | 4.0 |
| 11 | 128 | + .176838E-02 | + .260885E-05 | 717.91 | -0.70 | -40.08 | 4.1 |
| 10 | 64 | + .107549E-02 | + .241821E-05 | 618.12 | -1.03 | -59.04 | 4.1 |
| 9 | 32 | + .220724E-02 | + .523354E-05 | 1111.70 | -1.26 | -71.95 | 4.1 |
| 8 | 16 | + .206992E-02 | + .533226E-05 | 1883.62 | -1.34 | -76.68 | 4.1 |
| 7 | 8 | + .173305E-02 | + .512240E-05 | 2861.63 | -1.36 | -77.77 | 4.1 |
| 6 | 4 | + .152517E-02 | + .530062E-05 | 4139.52 | -1.42 | -81.55 | 4.2 |

*** Measured Data List ***

Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .653162E-04 | + .805904E-07 | 64.15 | -0.42 | -24.15 | 1.7 |
| 14 | 1024 | + .252929E-03 | + .421825E-06 | 70.22 | +1.38 | +79.18 | 3.0 |
| 13 | 512 | + .500988E-03 | + .107653E-05 | 84.60 | -0.20 | -11.48 | 3.7 |
| 12 | 256 | + .563205E-03 | + .161528E-05 | 94.98 | -0.59 | -33.58 | 4.0 |
| 11 | 128 | + .573788E-03 | + .215989E-05 | 110.27 | -0.65 | -37.19 | 4.1 |
| 10 | 64 | + .272710E-03 | + .192179E-05 | 62.93 | -0.89 | -50.80 | 4.1 |
| 9 | 32 | + .610604E-03 | + .430898E-05 | 125.50 | -1.27 | -72.56 | 4.1 |
| 8 | 16 | + .622879E-03 | + .463061E-05 | 226.17 | -1.33 | -75.98 | 4.1 |
| 7 | 8 | + .546014E-03 | + .462347E-05 | 348.67 | -1.28 | -73.21 | 4.1 |
| 6 | 4 | + .456709E-03 | + .438778E-05 | 541.70 | -1.37 | -78.37 | 4.2 |

Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .760496E-04 | + .810101E-07 | 86.06 | -0.71 | -40.46 | 1.7 |
| 14 | 1024 | + .288304E-03 | + .452995E-06 | 79.11 | +1.35 | +77.07 | 3.0 |
| 13 | 512 | + .546601E-03 | + .108182E-05 | 99.72 | -0.18 | -10.20 | 3.7 |
| 12 | 256 | + .641824E-03 | + .158380E-05 | 128.30 | -0.61 | -34.84 | 4.0 |
| 11 | 128 | + .542953E-03 | + .207576E-05 | 106.90 | -0.65 | -36.96 | 4.1 |
| 10 | 64 | + .346876E-03 | + .190803E-05 | 103.28 | -0.99 | -56.73 | 4.1 |
| 9 | 32 | + .724181E-03 | + .428419E-05 | 178.58 | -1.17 | -66.89 | 4.1 |
| 8 | 16 | + .683142E-03 | + .442842E-05 | 297.46 | -1.25 | -71.88 | 4.1 |
| 7 | 8 | + .561081E-03 | + .417320E-05 | 451.91 | -1.24 | -71.02 | 4.1 |
| 6 | 4 | + .458687E-03 | + .416235E-05 | 607.19 | -1.42 | -81.55 | 4.2 |

**** Measured Data List ****

Tx dipole No. 1

| Station No. 191 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .129919E-03 | + .815189E-07 | 248.05 | -0.71 | -40.77 | 1.7 |
| 14 | 1024 | + .421546E-03 | + .315146E-06 | 349.46 | +1.23 | +70.63 | 3.0 |
| 13 | 512 | + .737888E-03 | + .734508E-06 | 394.23 | -0.12 | -6.74 | 3.7 |
| 12 | 256 | + .812709E-03 | + .111827E-05 | 412.64 | -0.48 | -27.50 | 3.9 |
| 11 | 128 | + .761343E-03 | + .140279E-05 | 460.25 | -0.64 | -36.64 | 4.0 |
| 10 | 64 | + .399374E-03 | + .119855E-05 | 346.97 | -0.80 | -46.11 | 4.1 |
| 9 | 32 | + .804430E-03 | + .292928E-05 | 471.34 | -1.12 | -64.00 | 4.1 |
| 8 | 16 | + .828325E-03 | + .326944E-05 | 802.35 | -1.21 | -69.28 | 4.1 |
| 7 | 8 | + .728730E-03 | + .361647E-05 | 1015.09 | -1.22 | -69.91 | 4.1 |
| 6 | 4 | + .563857E-03 | + .309860E-05 | 1655.68 | -1.26 | -72.28 | 4.2 |

Tx dipole No. 1

| Station No. 192 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .738352E-04 | + .690280E-07 | 111.73 | -0.79 | -45.03 | 1.7 |
| 14 | 1024 | + .221939E-03 | + .305133E-06 | 103.33 | -0.79 | -45.38 | 3.0 |
| 13 | 512 | + .368072E-03 | + .788295E-06 | 85.16 | +0.03 | +1.87 | 3.7 |
| 12 | 256 | + .377857E-03 | + .116332E-05 | 82.42 | -0.42 | -24.05 | 3.9 |
| 11 | 128 | + .333932E-03 | + .145401E-05 | 82.41 | -0.63 | -35.99 | 4.0 |
| 10 | 64 | + .200946E-03 | + .131700E-05 | 72.75 | -0.91 | -52.17 | 4.1 |
| 9 | 32 | + .417046E-03 | + .299100E-05 | 121.51 | -1.08 | -61.60 | 4.1 |
| 8 | 16 | + .395768E-03 | + .361356E-05 | 149.94 | -1.06 | -60.61 | 4.1 |
| 7 | 8 | + .311482E-03 | + .350831E-05 | 197.07 | -1.10 | -63.20 | 4.1 |
| 6 | 4 | + .176639E-03 | + .258333E-05 | 233.77 | -1.18 | -67.46 | 4.2 |

*** Measured Data List ***

Tx dipole No. 1

| Station No. 193 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) |
| 15 | 2048 | + .275042E-03 | + .642478E-07 | 1789.70 | -0.89 | 1.7 |
| 14 | 1024 | + .100882E-02 | + .322960E-06 | 1905.72 | +1.30 | 3.0 |
| 13 | 512 | + .204587E-02 | + .853508E-06 | 2244.40 | -0.18 | 3.7 |
| 12 | 256 | + .236516E-02 | + .129029E-05 | 2625.02 | -0.64 | 3.9 |
| 11 | 128 | + .218203E-02 | + .172930E-05 | 2487.71 | -0.64 | 4.0 |
| 10 | 64 | + .133766E-02 | + .143035E-05 | 2733.09 | -0.94 | 4.1 |
| 9 | 32 | + .282889E-02 | + .350136E-05 | 4079.79 | -1.14 | 4.1 |
| 8 | 16 | + .274059E-02 | + .385654E-05 | 6312.50 | -1.17 | 4.1 |
| 7 | 8 | + .216013E-02 | + .362098E-05 | 8897.11 | -1.20 | 4.1 |
| 6 | 4 | + .171938E-02 | + .351895E-05 | 11936.80 | -1.34 | 4.2 |

Tx dipole No. 1

| Station No. 194 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) |
| 15 | 2048 | + .723903E-04 | + .705807E-07 | 102.73 | -0.52 | 1.7 |
| 14 | 1024 | + .254071E-03 | + .327913E-06 | 117.25 | +1.24 | 3.0 |
| 13 | 512 | + .491803E-03 | + .824292E-06 | 139.05 | -0.24 | 3.7 |
| 12 | 256 | + .572757E-03 | + .124283E-05 | 165.92 | -0.57 | 3.9 |
| 11 | 128 | + .557670E-03 | + .156102E-05 | 199.42 | -0.70 | 4.0 |
| 10 | 64 | + .331678E-03 | + .152451E-05 | 147.92 | -0.98 | 4.1 |
| 9 | 32 | + .708598E-03 | + .349435E-05 | 257.01 | -1.24 | 4.1 |
| 8 | 16 | + .766995E-03 | + .392255E-05 | 477.92 | -1.22 | 4.1 |
| 7 | 8 | + .630988E-03 | + .377906E-05 | 696.97 | -1.28 | 4.1 |
| 6 | 4 | + .504363E-03 | + .394142E-05 | 818.75 | -1.43 | 4.2 |

*** Measured Data List ***

Station No. 195 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .128262E-03 | + .888949E-07 | 203.30 | -1.29 | -73.75 | 1.8 |
| 14 | 1024 | + .523355E-03 | + .419064E-06 | 304.62 | +0.87 | +49.74 | 3.0 |
| 13 | 512 | + .103602E-02 | + .959605E-06 | 455.32 | -0.39 | -22.22 | 3.8 |
| 12 | 256 | + .117297E-02 | + .146382E-05 | 501.64 | -0.63 | -35.98 | 4.0 |
| 11 | 128 | + .119302E-02 | + .205964E-05 | 524.25 | -0.62 | -35.43 | 4.1 |
| 10 | 64 | + .645121E-03 | + .165698E-05 | 473.70 | -0.68 | -38.95 | 4.1 |
| 9 | 32 | + .983135E-03 | + .375676E-05 | 428.04 | -0.83 | -47.41 | 4.1 |
| 8 | 16 | + .786277E-03 | + .401739E-05 | 478.82 | -0.98 | -56.05 | 4.1 |
| 7 | 8 | + .575816E-03 | + .375281E-05 | 588.56 | -1.18 | -67.59 | 4.1 |
| 6 | 4 | + .460168E-03 | + .370873E-05 | 769.75 | -1.28 | -73.21 | 4.3 |

Station No. 196 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .184024E-03 | + .819229E-07 | 492.76 | -1.22 | -70.10 | 1.8 |
| 14 | 1024 | + .739677E-03 | + .382971E-06 | 728.59 | +1.03 | +59.18 | 3.0 |
| 13 | 512 | + .156941E-02 | + .934345E-06 | 1102.10 | -0.30 | -17.35 | 3.7 |
| 12 | 256 | + .182489E-02 | + .137312E-05 | 1379.89 | -0.57 | -32.68 | 4.0 |
| 11 | 128 | + .181112E-02 | + .193322E-05 | 1371.37 | -0.60 | -34.65 | 4.1 |
| 10 | 64 | + .938930E-03 | + .161539E-05 | 1055.75 | -0.65 | -36.98 | 4.1 |
| 9 | 32 | + .148700E-02 | + .379324E-05 | 960.46 | -0.83 | -47.30 | 4.1 |
| 8 | 16 | + .115290E-02 | + .399846E-05 | 1039.23 | -0.93 | -53.25 | 4.1 |
| 7 | 8 | + .809041E-03 | + .360757E-05 | 1257.34 | -1.22 | -70.05 | 4.1 |
| 6 | 4 | + .689319E-03 | + .332465E-05 | 2149.41 | -1.41 | -80.72 | 4.2 |

*** Measured Data List ***

Tx dipole No. 1

| Station No. 197 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .867358E-04 | + .646849E-07 | 175.59 | -0.81 | -46.37 | 1.8 |
| 14 | 1024 | + .284230E-03 | + .303959E-06 | 170.78 | -0.13 | -7.61 | 3.0 |
| 13 | 512 | + .512113E-03 | + .797849E-06 | 160.94 | +0.03 | +1.81 | 3.7 |
| 12 | 256 | + .591007E-03 | + .130439E-05 | 160.38 | -0.46 | -26.37 | 4.0 |
| 11 | 128 | + .590401E-03 | + .187575E-05 | 154.80 | -0.62 | -35.45 | 4.1 |
| 10 | 64 | + .354765E-03 | + .161828E-05 | 150.18 | -0.91 | -52.39 | 4.1 |
| 9 | 32 | + .644455E-03 | + .373543E-05 | 186.03 | -1.06 | -60.65 | 4.1 |
| 8 | 16 | + .595963E-03 | + .400826E-05 | 276.34 | -1.08 | -61.93 | 4.1 |
| 7 | 8 | + .448173E-03 | + .376296E-05 | 354.63 | -1.01 | -57.70 | 4.1 |
| 6 | 4 | + .307558E-03 | + .293146E-05 | 550.37 | -1.28 | -73.17 | 4.2 |

Tx dipole No. 1

| Station No. 198 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .349116E-04 | + .839568E-07 | 16.89 | -0.35 | -19.85 | 1.8 |
| 14 | 1024 | + .970507E-04 | + .339513E-06 | 15.96 | -0.50 | -28.46 | 3.0 |
| 13 | 512 | + .175228E-03 | + .919469E-06 | 14.19 | +0.10 | +5.47 | 3.6 |
| 12 | 256 | + .188660E-03 | + .144475E-05 | 13.32 | -0.32 | -18.40 | 3.9 |
| 11 | 128 | + .176400E-03 | + .197374E-05 | 12.48 | -0.48 | -27.75 | 4.0 |
| 10 | 64 | + .883596E-04 | + .160586E-05 | 9.46 | -0.74 | -42.67 | 4.1 |
| 9 | 32 | + .151161E-03 | + .384470E-05 | 9.66 | -0.83 | -47.50 | 4.1 |
| 8 | 16 | + .117991E-03 | + .409798E-05 | 10.36 | -0.96 | -55.05 | 4.1 |
| 7 | 8 | + .797387E-04 | + .381162E-05 | 10.94 | -1.13 | -64.52 | 4.1 |
| 6 | 4 | + .673565E-04 | + .359984E-05 | 17.51 | -1.29 | -74.11 | 4.2 |

*** Measured Data List ***

Tx dipole No. 1

| Station No. 199 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .900624E-03 | + .476484E-06 | 348.89 | -0.67 | -38.64 | 1.7 |
| 14 | 1024 | + .305295E-02 | + .227056E-05 | 353.10 | +1.39 | +79.90 | 3.0 |
| 13 | 512 | + .469293E-02 | + .492207E-05 | 355.10 | +0.03 | +1.52 | 3.6 |
| 12 | 256 | + .350822E-02 | + .665178E-05 | 217.31 | -0.41 | -23.74 | 3.9 |
| 11 | 128 | + .349645E-02 | + .873358E-05 | 250.43 | -0.98 | -56.29 | 4.0 |
| 10 | 64 | + .242831E-02 | + .642425E-05 | 446.49 | -1.21 | -69.15 | 4.0 |
| 9 | 32 | + .405604E-02 | + .114507E-04 | 784.18 | -1.31 | -75.15 | 4.0 |
| 8 | 16 | + .356218E-02 | + .109894E-04 | 1313.40 | -1.38 | -78.88 | 4.1 |
| 7 | 8 | + .313479E-02 | + .101871E-04 | 2367.32 | -1.47 | -84.27 | 4.1 |
| 6 | 4 | + .290603E-02 | + .999009E-05 | 4230.88 | +1.50 | +86.14 | 4.2 |

Tx dipole No. 1

| Station No. 200 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|-----|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .113046E-02 | + .474410E-06 | 554.50 | -0.81 | -46.55 | 1.7 |
| 14 | 1024 | + .418242E-02 | + .235014E-05 | 618.58 | +1.23 | +70.72 | 3.0 |
| 13 | 512 | + .716550E-02 | + .527110E-05 | 721.86 | -0.11 | -6.59 | 3.6 |
| 12 | 256 | + .556151E-02 | + .734258E-05 | 448.21 | -0.67 | -38.30 | 3.9 |
| 11 | 128 | + .712578E-02 | + .980098E-05 | 825.93 | -1.18 | -67.67 | 4.0 |
| 10 | 64 | + .521337E-02 | + .713353E-05 | 1669.08 | -1.30 | -74.45 | 4.1 |
| 9 | 32 | + .854096E-02 | + .126958E-04 | 2828.63 | -1.34 | -76.72 | 4.1 |
| 8 | 16 | + .740282E-02 | + .121781E-04 | 4618.94 | -1.41 | -80.89 | 4.1 |
| 7 | 8 | + .668396E-02 | + .113425E-04 | 8681.35 | -1.51 | -86.64 | 4.1 |
| 6 | 4 | + .632676E-02 | + .116253E-04 | 14809.00 | +0.00 | +0.13 | 4.2 |

*** Measured Data List ***

Station No. 201 Tx dipole No. 1

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|-----|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | +.983606E-03 | +.455053E-06 | 456.27 | -0.74 | -42.54 | 1.7 |
| 14 | 1024 | +.357559E-02 | +.234145E-05 | 455.47 | +1.35 | +77.33 | 3.0 |
| 13 | 512 | +.605314E-02 | +.560562E-05 | 455.49 | -0.06 | -3.49 | 3.6 |
| 12 | 256 | +.493471E-02 | +.764391E-05 | 325.60 | -0.52 | -29.53 | 3.9 |
| 11 | 128 | +.493206E-02 | +.999539E-05 | 380.43 | -1.01 | -58.15 | 4.0 |
| 10 | 64 | +.347359E-02 | +.730568E-05 | 706.46 | -1.24 | -71.22 | 4.1 |
| 9 | 32 | +.586203E-02 | +.130283E-04 | 1265.33 | -1.33 | -76.13 | 4.1 |
| 8 | 16 | +.391360E-02 | +.944084E-05 | 2148.04 | -1.28 | -73.41 | 4.1 |
| 7 | 8 | +.456636E-02 | +.118818E-04 | 3692.48 | -1.46 | -83.51 | 4.1 |
| 6 | 4 | +.418056E-02 | +.120652E-04 | 6003.03 | -1.55 | -88.76 | 4.2 |

Station No. 202 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | +.237238E-03 | +.993040E-07 | 557.36 | -0.88 | -50.56 | 3.7 |
| 14 | 1024 | +.880431E-03 | +.550459E-06 | 499.66 | +1.34 | +76.86 | 7.6 |
| 13 | 512 | +.152935E-02 | +.126398E-05 | 571.87 | -0.02 | -1.33 | 10.2 |
| 12 | 256 | +.148128E-02 | +.193250E-05 | 459.01 | -0.24 | -13.66 | 11.3 |
| 11 | 128 | +.118931E-02 | +.268383E-05 | 306.83 | -0.31 | -17.72 | 11.8 |
| 10 | 64 | +.611665E-03 | +.256156E-05 | 178.18 | -0.53 | -30.40 | 12.0 |
| 9 | 32 | +.112736E-02 | +.669012E-05 | 177.48 | -0.86 | -49.53 | 12.1 |
| 8 | 16 | +.103172E-02 | +.755819E-05 | 232.92 | -1.07 | -61.47 | 12.2 |
| 7 | 8 | +.798930E-03 | +.699173E-05 | 326.43 | -1.23 | -70.43 | 12.2 |
| 6 | 4 | +.721817E-03 | +.740936E-05 | 474.53 | -1.39 | -79.65 | 12.2 |

**** Measured Data List ****

Station No. 203 Tx dipole No. 2

| Frequency No. f(HZ) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Difference (deg) | Current I(A) |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|---------------------|-----------------|
| 15 | 2048 | + .187546E-03 | + .112788E-06 | 270.02 | -0.71 | 3.7 |
| 14 | 1024 | + .638993E-03 | + .526065E-06 | 288.17 | +1.45 | 7.6 |
| 13 | 512 | + .104157E-02 | + .120484E-05 | 291.93 | +0.08 | 10.1 |
| 12 | 256 | + .992640E-03 | + .184424E-05 | 226.33 | -0.36 | 11.3 |
| 11 | 128 | + .808893E-03 | + .250331E-05 | 163.15 | -0.54 | 11.7 |
| 10 | 64 | + .506660E-03 | + .234684E-05 | 145.65 | -1.06 | 12.0 |
| 9 | 32 | + .129986E-02 | + .577782E-05 | 316.33 | -1.37 | 12.0 |
| 8 | 16 | + .142626E-02 | + .628039E-05 | 644.67 | -1.48 | 12.1 |
| 7 | 8 | + .135711E-02 | + .615768E-05 | 1214.34 | +1.49 | 12.0 |
| 6 | 4 | + .131853E-02 | + .586908E-05 | 2523.54 | +1.55 | 12.2 |

Station No. 204 Tx dipole No. 2

| Frequency No. f(HZ) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Difference (deg) | Current I(A) |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|---------------------|-----------------|
| 15 | 2048 | + .510876E-03 | + .110105E-06 | 2102.43 | -0.77 | 3.7 |
| 14 | 1024 | + .189150E-02 | + .588932E-06 | 2014.71 | +1.36 | 7.5 |
| 13 | 512 | + .316163E-02 | + .137560E-05 | 2063.48 | +0.08 | 10.1 |
| 12 | 256 | + .294777E-02 | + .207186E-05 | 1581.46 | -0.13 | 11.3 |
| 11 | 128 | + .233245E-02 | + .291920E-05 | 997.51 | -0.14 | 11.7 |
| 10 | 64 | + .112096E-02 | + .270686E-05 | 535.92 | -0.07 | 11.9 |
| 9 | 32 | + .151750E-02 | + .663751E-05 | 326.68 | -0.14 | 12.0 |
| 8 | 16 | + .119947E-02 | + .728521E-05 | 338.85 | -0.07 | 12.0 |
| 7 | 8 | + .937032E-03 | + .664461E-05 | 497.18 | +0.30 | 12.0 |
| 6 | 4 | + .854183E-03 | + .634354E-05 | 906.58 | +0.61 | 12.0 |

**** Measured Data List ****

Station No. 205 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .100591E-03 | + .141911E-06 | 49.07 | -0.61 | -34.70 | 3.7 |
| 14 | 1024 | + .337737E-03 | + .666029E-06 | 50.22 | +1.51 | +86.76 | 7.5 |
| 13 | 512 | + .524945E-03 | + .160849E-05 | 41.61 | +0.16 | +8.88 | 13.0 |
| 12 | 256 | + .472236E-03 | + .228065E-05 | 33.50 | -0.16 | -9.09 | 11.1 |
| 11 | 128 | + .370308E-03 | + .315151E-05 | 21.57 | -0.28 | -16.25 | 11.6 |
| 10 | 64 | + .195562E-03 | + .308323E-05 | 12.57 | -0.62 | -35.60 | 11.8 |
| 9 | 32 | + .359184E-03 | + .750033E-05 | 14.33 | -0.94 | -53.62 | 11.9 |
| 8 | 16 | + .339454E-03 | + .851253E-05 | 19.88 | -1.12 | -64.17 | 11.9 |
| 7 | 8 | + .279962E-03 | + .823729E-05 | 28.88 | -1.25 | -71.88 | 12.0 |
| 6 | 4 | + .239603E-03 | + .791771E-05 | 45.79 | -1.45 | -82.80 | 12.0 |

Station No. 206 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .531414E-03 | + .123033E-06 | 1821.89 | -1.07 | -61.25 | 3.7 |
| 14 | 1024 | + .206854E-02 | + .652570E-06 | 1962.48 | +1.25 | +71.73 | 7.5 |
| 13 | 512 | + .372768E-02 | + .164495E-05 | 2006.00 | -0.11 | -6.11 | 10.1 |
| 12 | 256 | + .395679E-02 | + .246558E-05 | 2012.04 | -0.50 | -28.90 | 11.2 |
| 11 | 128 | + .321273E-02 | + .332253E-05 | 1460.93 | -0.66 | -37.53 | 11.6 |
| 10 | 64 | + .234251E-02 | + .328234E-05 | 1591.65 | -1.16 | -66.25 | 11.8 |
| 9 | 32 | + .598965E-02 | + .798967E-05 | 3512.57 | -1.33 | -76.38 | 8.9 |
| 8 | 16 | + .618728E-02 | + .856601E-05 | 6521.57 | -1.39 | -79.67 | 8.9 |
| 7 | 8 | + .551920E-02 | + .847177E-05 | 10610.70 | -1.45 | -82.97 | 12.0 |
| 6 | 4 | + .507994E-02 | + .826408E-05 | 18892.90 | +0.02 | +1.40 | 12.0 |

**** Measured Data List ****

Tx dipole No. 2

| Station No. 207 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | | |
| 15 | 2048 | + .436560E-03 | + .127644E-06 | 1142.32 | -0.92 | -52.87 | 7.3 |
| 14 | 1024 | + .181554E-02 | + .739442E-06 | 1177.42 | +1.23 | +70.24 | 7.3 |
| 13 | 512 | + .344078E-02 | + .194716E-05 | 1219.75 | -0.15 | -8.70 | 9.7 |
| 12 | 256 | + .363150E-02 | + .282016E-05 | 1295.44 | -0.48 | -27.24 | 10.8 |
| 11 | 128 | + .309876E-02 | + .391731E-05 | 977.73 | -0.53 | -30.46 | 11.2 |
| 10 | 64 | + .182600E-02 | + .384757E-05 | 703.85 | -0.83 | -47.80 | 11.4 |
| 9 | 32 | + .398770E-02 | + .918751E-05 | 1177.41 | -1.13 | -64.84 | 11.5 |
| 8 | 16 | + .417851E-02 | + .103228E-04 | 2048.11 | -1.19 | -67.97 | 11.5 |
| 7 | 8 | + .330809E-02 | + .996616E-05 | 2754.47 | -1.20 | -68.52 | 11.5 |
| 6 | 4 | + .256890E-02 | + .988524E-05 | 3376.68 | -1.25 | -71.53 | 11.7 |

Tx dipole No. 2

| Station No. 208 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | | |
| 15 | 2048 | + .229212E-03 | + .106517E-06 | 452.21 | -0.98 | -56.30 | 3.6 |
| 14 | 1024 | + .975711E-03 | + .700805E-06 | 378.60 | +1.12 | +64.35 | 7.2 |
| 13 | 512 | + .214693E-02 | + .180036E-05 | 555.49 | -0.42 | -24.17 | 9.6 |
| 12 | 256 | + .271805E-02 | + .265095E-05 | 821.30 | -0.75 | -43.13 | 10.7 |
| 11 | 128 | + .243704E-02 | + .392173E-05 | 603.38 | -1.20 | -68.74 | 11.1 |
| 10 | 64 | + .326606E-02 | + .399981E-05 | 2083.62 | -1.51 | -86.60 | 11.3 |
| 9 | 32 | + .818954E-02 | + .946408E-05 | 4679.96 | -1.44 | -82.76 | 11.4 |
| 8 | 16 | + .816572E-02 | + .103483E-04 | 7783.22 | -1.44 | -82.57 | 11.4 |
| 7 | 8 | + .752039E-02 | + .102032E-04 | 13581.50 | -1.48 | -84.55 | 11.5 |
| 6 | 4 | + .708872E-02 | + .100549E-04 | 24851.50 | +0.52 | +29.95 | 11.6 |

**** Measured Data List ****

Station No. 209 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .198004E-03 | + .129040E-06 | 229.93 | -0.83 | -47.68 | 3.6 |
| 14 | 1024 | + .767940E-03 | + .649943E-06 | 272.67 | +1.17 | +66.83 | 7.2 |
| 13 | 512 | + .152150E-02 | + .176521E-05 | 290.21 | -0.32 | -18.32 | 9.6 |
| 12 | 256 | + .176356E-02 | + .264421E-05 | 347.52 | -0.62 | -35.78 | 10.7 |
| 11 | 128 | + .155070E-02 | + .387190E-05 | 250.63 | -1.12 | -64.07 | 11.1 |
| 10 | 64 | + .210391E-02 | + .403482E-05 | 849.69 | -1.46 | -83.53 | 11.3 |
| 9 | 32 | + .508839E-02 | + .966734E-05 | 1731.52 | -1.41 | -80.61 | 11.4 |
| 8 | 16 | + .508479E-02 | + .105485E-04 | 2904.51 | -1.41 | -80.73 | 11.4 |
| 7 | 8 | + .452896E-02 | + .106798E-04 | 4495.85 | -1.46 | -83.75 | 11.5 |
| 6 | 4 | + .430384E-02 | + .107256E-04 | 8050.80 | +1.55 | +89.04 | 11.6 |

Station No. 210 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .706132E-03 | + .112344E-06 | 3858.06 | -1.10 | -63.15 | 3.6 |
| 14 | 1024 | + .327370E-02 | + .690426E-06 | 4391.10 | +1.05 | +60.44 | 7.2 |
| 13 | 512 | + .675423E-02 | + .170970E-05 | 6096.40 | -0.38 | -21.96 | 9.6 |
| 12 | 256 | + .784338E-02 | + .255342E-05 | 7371.45 | -0.66 | -37.72 | 10.7 |
| 11 | 128 | + .685110E-02 | + .369339E-05 | 5376.38 | -0.85 | -48.85 | 11.1 |
| 10 | 64 | + .635135E-02 | + .380106E-05 | 8725.16 | -1.27 | -72.97 | 11.3 |
| 9 | 32 | + .157040E-01 | + .900328E-05 | 19015.20 | -1.35 | -77.44 | 11.4 |
| 8 | 16 | + .159162E-01 | + .992387E-05 | 32153.50 | -1.35 | -77.34 | 11.4 |
| 7 | 8 | + .141851E-01 | + .995002E-05 | 50810.80 | -1.38 | -79.13 | 11.4 |
| 6 | 4 | + .127093E-01 | + .997964E-05 | 81093.20 | -1.48 | -84.67 | 11.5 |

*** Measured Data List ***

Station No. 211 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Difference (deg) | Current I(A) | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|---------------------|-----------------|------|
| 15 | 2048 | + .621313E-03 | + .144371E-06 | 1808.67 | -1.17 | -66.79 | 3.6 |
| 14 | 1024 | + .274060E-02 | + .846143E-06 | 2048.96 | +1.05 | +60.28 | 7.2 |
| 13 | 512 | + .558675E-02 | + .210088E-05 | 2762.32 | -0.32 | -18.23 | 9.6 |
| 12 | 256 | + .640752E-02 | + .307984E-05 | 3381.54 | -0.61 | -35.17 | 10.7 |
| 11 | 128 | + .585997E-02 | + .464937E-05 | 2482.12 | -0.77 | -44.08 | 11.1 |
| 10 | 64 | + .482086E-02 | + .479007E-05 | 3165.30 | -1.19 | -68.30 | 11.3 |
| 9 | 32 | + .116537E-01 | + .111104E-04 | 6876.15 | -1.34 | -76.77 | 11.3 |
| 8 | 16 | + .118259E-01 | + .120896E-04 | 11960.50 | -1.34 | -76.71 | 11.4 |
| 7 | 8 | + .102746E-01 | + .118317E-04 | 18853.00 | -1.37 | -78.61 | 11.4 |
| 6 | 4 | + .905688E-02 | + .117141E-04 | 29888.80 | -1.45 | -82.89 | 11.5 |

Station No. 212 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Difference (deg) | Current I(A) | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|---------------------|-----------------|------|
| 15 | 2048 | + .141047E-02 | + .160069E-06 | 7582.54 | -1.12 | -64.42 | 3.4 |
| 14 | 1024 | + .620442E-02 | + .971373E-06 | 7968.20 | +1.08 | +61.98 | 7.3 |
| 13 | 512 | + .130433E-01 | + .242166E-05 | 11332.00 | -0.32 | -18.36 | 9.7 |
| 12 | 256 | + .148491E-01 | + .373227E-05 | 12366.50 | -0.59 | -33.85 | 10.8 |
| 11 | 128 | + .135968E-01 | + .575138E-05 | 8732.67 | -0.88 | -50.35 | 11.2 |
| 10 | 64 | + .131163E-01 | + .579259E-05 | 16022.50 | -1.30 | -74.23 | 11.4 |
| 9 | 32 | + .311491E-01 | + .133235E-04 | 34161.50 | -1.38 | -78.81 | 11.4 |
| 8 | 16 | + .311709E-01 | + .143239E-04 | 59195.40 | -1.38 | -78.99 | 11.4 |
| 7 | 8 | + .274246E-01 | + .139590E-04 | 96496.70 | -1.42 | -81.21 | 11.4 |
| 6 | 4 | + .249613E-01 | + .138040E-04 | 163493.00 | -1.52 | -87.32 | 11.5 |

*** Measured Data List ***

Station No. 213 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | +.333624E-03 | +.244029E-06 | 182.53 | -1.04 | -59.79 | 3.6 |
| 14 | 1024 | +.158701E-02 | +.134841E-05 | 270.55 | +1.05 | +59.88 | 7.3 |
| 13 | 512 | +.338016E-02 | +.327417E-05 | 416.32 | -0.37 | -21.15 | 9.7 |
| 12 | 256 | +.393432E-02 | +.484706E-05 | 514.72 | -0.66 | -37.74 | 10.8 |
| 11 | 128 | +.365805E-02 | +.702601E-05 | 423.55 | -0.79 | -45.00 | 11.2 |
| 10 | 64 | +.294144E-02 | +.711737E-05 | 533.74 | -1.18 | -67.87 | 11.4 |
| 9 | 32 | +.678639E-02 | +.161506E-04 | 1103.52 | -1.33 | -76.25 | 11.5 |
| 8 | 16 | +.670286E-02 | +.171102E-04 | 1918.31 | -1.33 | -76.28 | 11.5 |
| 7 | 8 | +.573449E-02 | +.167517E-04 | 2929.61 | -1.37 | -78.50 | 11.5 |
| 6 | 4 | +.504744E-02 | +.165631E-04 | 4643.32 | -1.45 | -83.04 | 11.5 |

Station No. 214 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | +.378094E-03 | +.938766E-07 | 1584.11 | -0.91 | -52.37 | 3.7 |
| 14 | 1024 | +.156448E-02 | +.465413E-06 | 2206.94 | +1.13 | +64.83 | 7.6 |
| 13 | 512 | +.294596E-02 | +.114991E-05 | 2563.81 | -0.16 | -9.09 | 10.1 |
| 12 | 256 | +.305686E-02 | +.172404E-05 | 2456.11 | -0.44 | -24.96 | 11.2 |
| 11 | 128 | +.251262E-02 | +.231555E-05 | 1839.78 | -0.49 | -28.05 | 11.8 |
| 10 | 64 | +.137520E-02 | +.222575E-05 | 1192.97 | -0.84 | -48.25 | 12.0 |
| 9 | 32 | +.311118E-02 | +.572252E-05 | 1847.38 | -1.18 | -67.34 | 12.1 |
| 8 | 16 | +.320454E-02 | +.642770E-05 | 3106.92 | -1.32 | -75.83 | 12.1 |
| 7 | 8 | +.285195E-02 | +.633852E-05 | 5061.14 | -1.45 | -83.17 | 12.1 |
| 6 | 4 | +.267877E-02 | +.598509E-05 | 10016.10 | +0.02 | +1.31 | 12.2 |

*** Measured Data List ***

Station No. 215 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .806773E-04 | + .769380E-07 | 107.38 | -0.89 | -51.09 | 3.7 |
| 14 | 1024 | + .360032E-03 | + .470312E-06 | 114.46 | +1.06 | +60.81 | 7.6 |
| 13 | 512 | + .704585E-03 | + .102707E-05 | 183.84 | -0.12 | -6.77 | 10.1 |
| 12 | 256 | + .724510E-03 | + .156704E-05 | 167.00 | -0.30 | -17.17 | 11.2 |
| 11 | 128 | + .603140E-03 | + .213506E-05 | 124.69 | -0.28 | -15.97 | 11.7 |
| 10 | 64 | + .313374E-03 | + .203150E-05 | 74.36 | -0.22 | -12.38 | 11.9 |
| 9 | 32 | + .429686E-03 | + .520630E-05 | 42.57 | -0.27 | -15.67 | 12.0 |
| 8 | 16 | + .305344E-03 | + .589897E-05 | 33.49 | -0.30 | -17.20 | 12.0 |
| 7 | 8 | + .201768E-03 | + .589389E-05 | 29.30 | -0.30 | -17.16 | 12.1 |
| 6 | 4 | + .125622E-03 | + .628653E-05 | 19.97 | -0.03 | -1.65 | 12.2 |

Station No. 216 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .265493E-03 | + .826054E-07 | 1008.76 | -1.03 | -59.16 | 3.7 |
| 14 | 1024 | + .114926E-02 | + .400066E-06 | 1611.77 | +1.02 | +58.58 | 7.5 |
| 13 | 512 | + .225800E-02 | + .103704E-05 | 1851.90 | -0.23 | -13.41 | 10.1 |
| 12 | 256 | + .236189E-02 | + .154676E-05 | 1821.64 | -0.45 | -25.63 | 11.2 |
| 11 | 128 | + .200401E-02 | + .208206E-05 | 1447.54 | -0.44 | -25.40 | 11.7 |
| 10 | 64 | + .104005E-02 | + .189864E-05 | 937.73 | -0.62 | -35.63 | 11.9 |
| 9 | 32 | + .199104E-02 | + .491959E-05 | 1023.72 | -0.94 | -54.10 | 11.9 |
| 8 | 16 | + .196056E-02 | + .584498E-05 | 1406.39 | -1.10 | -62.92 | 11.9 |
| 7 | 8 | + .161779E-02 | + .593872E-05 | 1855.22 | -1.23 | -70.45 | 12.0 |
| 6 | 4 | + .135905E-02 | + .541771E-05 | 3146.39 | -1.45 | -82.83 | 12.1 |

**** Measured Data List ****

Tx dipole No. 2

| Station No. 217 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) |
| 15 | 2048 | + .276756E-03 | + .828548E-07 | 1089.58 | -0.67 | 3.7 |
| 14 | 1024 | + .106288E-02 | + .452242E-06 | 1078.83 | +1.32 | 7.5 |
| 13 | 512 | + .192829E-02 | + .108339E-05 | 1237.46 | -0.04 | 10.0 |
| 12 | 256 | + .196129E-02 | + .164603E-05 | 1109.18 | -0.36 | 11.1 |
| 11 | 128 | + .164264E-02 | + .225426E-05 | 829.65 | -0.45 | 11.6 |
| 10 | 64 | + .899193E-03 | + .214863E-05 | 547.31 | -0.72 | 11.8 |
| 9 | 32 | + .189373E-02 | + .557744E-05 | 720.52 | -1.07 | 11.9 |
| 8 | 16 | + .194011E-02 | + .643023E-05 | 1137.91 | -1.18 | 11.9 |
| 7 | 8 | + .167173E-02 | + .667662E-05 | 1567.32 | -1.27 | 12.0 |
| 6 | 4 | + .142181E-02 | + .648777E-05 | 2401.39 | -1.40 | 12.0 |

Tx dipole No. 2

| Station No. 218 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) |
| 15 | 2048 | + .192620E-03 | + .106034E-06 | 322.27 | -1.20 | 3.7 |
| 14 | 1024 | + .827175E-03 | + .588232E-06 | 386.21 | +1.05 | 7.5 |
| 13 | 512 | + .158840E-02 | + .128436E-05 | 597.46 | -0.34 | 10.0 |
| 12 | 256 | + .179657E-02 | + .203142E-05 | 611.05 | -0.69 | 11.1 |
| 11 | 128 | + .153718E-02 | + .263452E-05 | 531.94 | -0.78 | 11.5 |
| 10 | 64 | + .121167E-02 | + .261932E-05 | 668.72 | -1.26 | 11.8 |
| 9 | 32 | + .324941E-02 | + .667212E-05 | 1482.39 | -1.36 | 11.8 |
| 8 | 16 | + .342630E-02 | + .745925E-05 | 2637.36 | -1.37 | 11.8 |
| 7 | 8 | + .304475E-02 | + .747552E-05 | 4147.24 | -1.42 | 11.9 |
| 6 | 4 | + .278427E-02 | + .726012E-05 | 7353.71 | +0.02 | 12.0 |

**** Measured Data List ****

Station No. 219 TX dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | (Ω -m) | (rad) | I(A) | | |
| 15 | 2048 | + .153912E-03 | + .113655E-06 | 179.09 | -1.06 | -60.88 | 3.7 |
| 14 | 1024 | + .626555E-03 | + .515917E-06 | 288.06 | +1.11 | +63.53 | 7.4 |
| 13 | 512 | + .118004E-02 | + .129776E-05 | 322.97 | -0.24 | -13.74 | 9.9 |
| 12 | 256 | + .129079E-02 | + .186506E-05 | 374.21 | -0.59 | -33.86 | 11.1 |
| 11 | 128 | + .112952E-02 | + .256329E-05 | 303.40 | -0.66 | -37.65 | 11.5 |
| 10 | 64 | + .769746E-03 | + .256871E-05 | 280.62 | -1.04 | -59.84 | 11.8 |
| 9 | 32 | + .190937E-02 | + .653526E-05 | 533.50 | -1.28 | -73.06 | 11.8 |
| 8 | 16 | + .203729E-02 | + .744904E-05 | 935.00 | -1.29 | -73.83 | 11.8 |
| 7 | 8 | + .179237E-02 | + .742674E-05 | 1456.12 | -1.36 | -78.08 | 11.9 |
| 6 | 4 | + .159891E-02 | + .801237E-05 | 1991.11 | -1.48 | -84.92 | 12.0 |

Station No. 220 TX dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | (Ω -m) | (rad) | I(A) | | |
| 15 | 2048 | + .230143E-03 | + .924820E-07 | 604.76 | -1.18 | -67.35 | 3.7 |
| 14 | 1024 | + .961500E-03 | + .474936E-06 | 800.50 | +1.01 | +58.04 | 7.4 |
| 13 | 512 | + .201388E-02 | + .127666E-05 | 972.02 | -0.40 | -23.01 | 10.0 |
| 12 | 256 | + .253996E-02 | + .196318E-05 | 1307.75 | -0.77 | -44.23 | 11.1 |
| 11 | 128 | + .241690E-02 | + .271300E-05 | 1240.05 | -0.90 | -51.49 | 11.5 |
| 10 | 64 | + .209884E-02 | + .274926E-05 | 1821.28 | -1.30 | -74.43 | 11.8 |
| 9 | 32 | + .546159E-02 | + .665462E-05 | 4209.89 | -1.40 | -80.23 | 11.8 |
| 8 | 16 | + .593930E-02 | + .771917E-05 | 7400.14 | -1.36 | -77.67 | 11.8 |
| 7 | 8 | + .529463E-02 | + .790726E-05 | 11208.80 | -1.38 | -79.01 | 11.9 |
| 6 | 4 | + .472131E-02 | + .726768E-05 | 21101.00 | -1.47 | -84.39 | 12.0 |

*** Measured Data List ***

Station No. 221 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .229081E-03 | + .102658E-06 | 486.28 | -0.78 | -44.79 | 3.7 |
| 14 | 1024 | + .100107E-02 | + .601521E-06 | 540.96 | +1.06 | +60.51 | 7.4 |
| 13 | 512 | + .220975E-02 | + .153454E-05 | 810.01 | -0.39 | -22.32 | 10.0 |
| 12 | 256 | + .280930E-02 | + .230346E-05 | 1162.05 | -0.75 | -43.14 | 11.1 |
| 11 | 128 | + .260855E-02 | + .315686E-05 | 1066.86 | -0.91 | -51.98 | 11.6 |
| 10 | 64 | + .237760E-02 | + .324922E-05 | 1673.28 | -1.31 | -74.94 | 11.8 |
| 9 | 32 | + .614540E-02 | + .790215E-05 | 3779.97 | -1.38 | -79.35 | 11.8 |
| 8 | 16 | + .640803E-02 | + .884832E-05 | 6555.98 | -1.36 | -77.85 | 11.8 |
| 7 | 8 | + .555861E-02 | + .876378E-05 | 10057.50 | -1.39 | -79.68 | 12.0 |
| 6 | 4 | + .494662E-02 | + .840798E-05 | 17306.20 | -1.46 | -83.68 | 12.0 |

Station No. 222 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .208766E-03 | + .120154E-06 | 294.81 | -0.84 | -48.09 | 3.7 |
| 14 | 1024 | + .913252E-03 | + .631554E-06 | 408.40 | +1.08 | +61.93 | 7.4 |
| 13 | 512 | + .198140E-02 | + .169192E-05 | 535.73 | -0.33 | -19.00 | 10.0 |
| 12 | 256 | + .240693E-02 | + .255262E-05 | 694.62 | -0.68 | -39.19 | 11.1 |
| 11 | 128 | + .221493E-02 | + .357569E-05 | 599.54 | -0.82 | -47.10 | 11.6 |
| 10 | 64 | + .184829E-02 | + .360197E-05 | 822.83 | -1.23 | -70.50 | 11.8 |
| 9 | 32 | + .464893E-02 | + .865901E-05 | 1801.56 | -1.34 | -76.78 | 11.9 |
| 8 | 16 | + .482103E-02 | + .985861E-05 | 2989.22 | -1.33 | -76.06 | 11.9 |
| 7 | 8 | + .415292E-02 | + .972224E-05 | 4561.57 | -1.34 | -76.85 | 11.9 |
| 6 | 4 | + .359094E-02 | + .993787E-05 | 6528.27 | -1.45 | -82.98 | 12.0 |

*** Measured Data List ***

Station No. 223 TX dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | | |
| 15 | 2048 | + .830602E-04 | + .588957E-07 | 194.23 | -0.59 | -33.52 | 3.6 |
| 14 | 1024 | + .318270E-03 | + .242990E-06 | 335.08 | -0.06 | -3.48 | 7.3 |
| 13 | 512 | + .570346E-03 | + .770898E-06 | 213.82 | +0.03 | +1.88 | 9.8 |
| 12 | 256 | + .585455E-03 | + .106540E-05 | 235.91 | -0.29 | -16.42 | 10.9 |
| 11 | 128 | + .509465E-03 | + .149880E-05 | 180.53 | -0.34 | -19.54 | 11.4 |
| 10 | 64 | + .288694E-03 | + .140089E-05 | 132.71 | -0.21 | -11.76 | 11.6 |
| 9 | 32 | + .383118E-03 | + .347449E-05 | 75.99 | -0.18 | -10.08 | 11.7 |
| 8 | 16 | + .254402E-03 | + .430866E-05 | 43.58 | -0.25 | -14.31 | 11.7 |
| 7 | 8 | + .168404E-03 | + .467012E-05 | 32.51 | -0.43 | -24.48 | 11.8 |
| 6 | 4 | + .102425E-03 | + .481319E-05 | 22.64 | -0.38 | -21.93 | 11.9 |

Station No. 224 TX dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .120256E-03 | + .858495E-07 | 191.62 | -1.15 | -65.62 | 3.6 |
| 14 | 1024 | + .521901E-03 | + .348893E-06 | 437.04 | +1.02 | +58.51 | 7.2 |
| 13 | 512 | + .107900E-02 | + .828819E-06 | 662.04 | -0.39 | -22.32 | 9.7 |
| 12 | 256 | + .109835E-02 | + .126802E-05 | 586.16 | -0.59 | -33.99 | 10.8 |
| 11 | 128 | + .106048E-02 | + .157788E-05 | 705.79 | -0.59 | -34.02 | 11.2 |
| 10 | 64 | + .583616E-03 | + .148802E-05 | 480.72 | -0.54 | -31.02 | 11.4 |
| 9 | 32 | + .927161E-03 | + .368636E-05 | 395.36 | -0.69 | -39.66 | 11.5 |
| 8 | 16 | + .811798E-03 | + .448166E-05 | 410.14 | -0.87 | -49.77 | 11.5 |
| 7 | 8 | + .610682E-03 | + .469577E-05 | 422.82 | -0.99 | -56.45 | 11.2 |
| 6 | 4 | + .485078E-03 | + .432086E-05 | 630.16 | -1.18 | -67.56 | 11.7 |

*** Measured Data List ***

Station No. 225 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | ($\Omega \cdot m$) | (deg) | I (A) | | |
| 15 | 2048 | + .118022E-03 | + .598202E-07 | 380.13 | -1.11 | -63.52 | 3.6 |
| 14 | 1024 | + .539595E-03 | + .233762E-06 | 1040.68 | +1.10 | +63.23 | 7.3 |
| 13 | 512 | + .112181E-02 | + .690844E-06 | 1030.01 | -0.17 | -9.82 | 9.8 |
| 12 | 256 | + .123174E-02 | + .105236E-05 | 1070.29 | -0.40 | -23.20 | 10.9 |
| 11 | 128 | + .112188E-02 | + .149006E-05 | 885.73 | -0.46 | -26.07 | 11.4 |
| 10 | 64 | + .567155E-03 | + .133513E-05 | 563.91 | -0.52 | -29.88 | 11.6 |
| 9 | 32 | + .994779E-03 | + .361573E-05 | 473.09 | -0.70 | -39.87 | 11.6 |
| 8 | 16 | + .860781E-03 | + .445909E-05 | 465.80 | -0.87 | -49.82 | 11.6 |
| 7 | 8 | + .669608E-03 | + .449675E-05 | 554.35 | -1.04 | -59.31 | 11.7 |
| 6 | 4 | + .526535E-03 | + .453095E-05 | 675.22 | -1.24 | -71.31 | 11.8 |

Station No. 226 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | ($\Omega \cdot m$) | (deg) | I (A) | | |
| 15 | 2048 | + .172033E-03 | + .779426E-07 | 475.74 | -0.97 | -55.75 | 3.6 |
| 14 | 1024 | + .723777E-03 | + .326834E-06 | 957.82 | +1.07 | +61.35 | 7.3 |
| 13 | 512 | + .144466E-02 | + .867024E-06 | 1084.50 | -0.27 | -15.69 | 9.8 |
| 12 | 256 | + .158520E-02 | + .125527E-05 | 1245.90 | -0.58 | -33.03 | 10.9 |
| 11 | 128 | + .137029E-02 | + .173814E-05 | 971.13 | -0.63 | -36.30 | 11.4 |
| 10 | 64 | + .787947E-03 | + .158587E-05 | 771.45 | -0.89 | -51.02 | 11.6 |
| 9 | 32 | + .190974E-02 | + .427858E-05 | 1245.17 | -1.17 | -66.75 | 11.6 |
| 8 | 16 | + .204852E-02 | + .516316E-05 | 1967.70 | -1.23 | -70.70 | 11.6 |
| 7 | 8 | + .180496E-02 | + .514270E-05 | 3079.60 | -1.34 | -77.04 | 11.7 |
| 6 | 4 | + .167019E-02 | + .510296E-05 | 5356.24 | -1.47 | -84.21 | 11.8 |

**** Measured Data List ****

Station No. 227 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Difference (deg) | Current I(A) | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|---------------------|-----------------|------|
| 15 | 2048 | + .253611E-03 | + .775204E-07 | 1045.21 | -1.18 | -67.35 | 3.6 |
| 14 | 1024 | + .105655E-02 | + .412928E-06 | 1278.68 | +1.18 | +67.38 | 7.3 |
| 13 | 512 | + .198754E-02 | + .100424E-05 | 1530.08 | -0.21 | -12.01 | 9.8 |
| 12 | 256 | + .205160E-02 | + .141515E-05 | 1641.99 | -0.49 | -27.81 | 10.9 |
| 11 | 128 | + .170036E-02 | + .183601E-05 | 1340.14 | -0.54 | -31.00 | 11.4 |
| 10 | 64 | + .956576E-03 | + .170423E-05 | 984.54 | -0.73 | -41.58 | 11.6 |
| 9 | 32 | + .193735E-02 | + .441105E-05 | 1205.62 | -1.02 | -58.32 | 11.7 |
| 8 | 16 | + .197533E-02 | + .524966E-05 | 1769.82 | -1.14 | -65.42 | 11.7 |
| 7 | 8 | + .167109E-02 | + .523599E-05 | 2546.48 | -1.25 | -71.75 | 11.7 |
| 6 | 4 | + .143898E-02 | + .565948E-05 | 3232.40 | -1.46 | -83.70 | 11.8 |

Station No. 228 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Difference (deg) | Current I(A) | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|---------------------|-----------------|------|
| 15 | 2048 | + .122381E-03 | + .669683E-07 | 326.13 | -0.92 | -52.71 | 3.6 |
| 14 | 1024 | + .530863E-03 | + .368188E-06 | 406.03 | +1.29 | +73.64 | 7.4 |
| 13 | 512 | + .103131E-02 | + .967906E-06 | 443.48 | -0.17 | -10.00 | 9.9 |
| 12 | 256 | + .109539E-02 | + .139501E-05 | 481.70 | -0.38 | -21.63 | 10.9 |
| 11 | 128 | + .926787E-03 | + .186276E-05 | 386.78 | -0.35 | -19.87 | 11.4 |
| 10 | 64 | + .479330E-03 | + .182652E-05 | 215.21 | -0.38 | -21.51 | 11.6 |
| 9 | 32 | + .752359E-03 | + .475066E-05 | 156.76 | -0.58 | -33.34 | 11.7 |
| 8 | 16 | + .639454E-03 | + .582643E-05 | 150.57 | -0.79 | -45.13 | 11.7 |
| 7 | 8 | + .462181E-03 | + .583404E-05 | 156.90 | -0.92 | -52.68 | 11.8 |
| 6 | 4 | + .339446E-03 | + .636894E-05 | 142.03 | -1.09 | -62.56 | 11.9 |

*** Measured Data List ***

Station No. 229 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I (A) | | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|------------------|--------|------|
| 15 | 2048 | + .170939E-03 | + .868938E-07 | 377.92 | -0.83 | -47.41 | 3.6 |
| 14 | 1024 | + .667080E-03 | + .468922E-06 | 395.26 | +1.28 | +73.19 | 7.4 |
| 13 | 512 | + .121851E-02 | + .107763E-05 | 499.44 | -0.10 | -6.01 | 9.9 |
| 12 | 256 | + .120581E-02 | + .157477E-05 | 458.05 | -0.39 | -22.43 | 10.9 |
| 11 | 128 | + .103970E-02 | + .207561E-05 | 392.05 | -0.42 | -24.24 | 11.4 |
| 10 | 64 | + .569741E-03 | + .208714E-05 | 232.86 | -0.50 | -28.76 | 11.6 |
| 9 | 32 | + .945526E-03 | + .519668E-05 | 206.91 | -0.85 | -48.67 | 11.7 |
| 8 | 16 | + .894099E-03 | + .614057E-05 | 265.01 | -1.05 | -60.43 | 11.7 |
| 7 | 8 | + .762097E-03 | + .604760E-05 | 397.00 | -1.17 | -67.14 | 11.8 |
| 6 | 4 | + .632064E-03 | + .643866E-05 | 481.84 | -1.28 | -73.19 | 11.8 |

Station No. 230 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I (A) | | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|------------------|--------|------|
| 15 | 2048 | + .130420E-03 | + .653001E-07 | 389.55 | -0.79 | -45.36 | 3.6 |
| 14 | 1024 | + .515714E-03 | + .366522E-06 | 386.68 | +1.26 | +71.93 | 7.4 |
| 13 | 512 | + .964272E-03 | + .104500E-05 | 332.60 | -0.21 | -12.07 | 9.9 |
| 12 | 256 | + .107636E-02 | + .151168E-05 | 396.08 | -0.62 | -35.36 | 11.0 |
| 11 | 128 | + .957088E-03 | + .195664E-05 | 373.85 | -0.74 | -42.18 | 11.4 |
| 10 | 64 | + .705039E-03 | + .191688E-05 | 422.75 | -1.20 | -68.78 | 11.6 |
| 9 | 32 | + .190569E-02 | + .487320E-05 | 955.77 | -1.33 | -76.19 | 11.7 |
| 8 | 16 | + .207682E-02 | + .572540E-05 | 1644.74 | -1.36 | -77.95 | 11.7 |
| 7 | 8 | + .185996E-02 | + .597909E-05 | 2419.23 | -1.40 | -80.15 | 11.8 |
| 6 | 4 | + .170598E-02 | + .603659E-05 | 3993.31 | -1.45 | -83.08 | 11.9 |

**** Measured Data List ****

Station No. 231 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .287372E-03 | + .757113E-07 | 1406.92 | -0.95 | -54.60 | 3.7 |
| 14 | 1024 | + .118773E-02 | + .345865E-06 | 2303.31 | +1.07 | +61.23 | 7.4 |
| 13 | 512 | + .236431E-02 | + .764017E-06 | 3740.78 | -0.27 | -15.51 | 10.0 |
| 12 | 256 | + .261735E-02 | + .121333E-05 | 3635.41 | -0.55 | -31.31 | 11.1 |
| 11 | 128 | + .217288E-02 | + .147300E-05 | 3400.06 | -0.50 | -28.61 | 11.6 |
| 10 | 64 | + .111652E-02 | + .128273E-05 | 2367.60 | -0.47 | -27.21 | 11.8 |
| 9 | 32 | + .170496E-02 | + .325881E-05 | 1710.77 | -0.66 | -37.82 | 11.9 |
| 8 | 16 | + .141979E-02 | + .379355E-05 | 1750.92 | -0.88 | -50.56 | 11.9 |
| 7 | 8 | + .106740E-02 | + .386084E-05 | 1910.89 | -1.09 | -62.29 | 12.0 |
| 6 | 4 | + .847837E-03 | + .386579E-05 | 2405.01 | -1.20 | -68.74 | 12.2 |

Station No. 232 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .190367E-03 | + .748684E-07 | 631.51 | -0.93 | -53.26 | 3.7 |
| 14 | 1024 | + .815126E-03 | + .392887E-06 | 840.71 | +0.89 | +50.88 | 7.4 |
| 13 | 512 | + .168823E-02 | + .901957E-06 | 1368.51 | -0.31 | -17.97 | 9.9 |
| 12 | 256 | + .180165E-02 | + .125301E-05 | 1615.16 | -0.47 | -26.84 | 11.1 |
| 11 | 128 | + .156855E-02 | + .151374E-05 | 1677.70 | -0.44 | -25.03 | 11.5 |
| 10 | 64 | + .822461E-03 | + .133271E-05 | 1190.17 | -0.27 | -15.50 | 11.7 |
| 9 | 32 | + .112797E-02 | + .326418E-05 | 746.32 | -0.08 | -4.83 | 11.8 |
| 8 | 16 | + .822880E-03 | + .409835E-05 | 503.92 | +0.06 | +3.17 | 11.8 |
| 7 | 8 | + .539045E-03 | + .415891E-05 | 419.98 | +0.29 | +16.38 | 11.9 |
| 6 | 4 | + .428330E-03 | + .442944E-05 | 467.55 | +0.63 | +36.03 | 12.0 |

**** Measured Data List ****

Tx dipole No. 2

| Station No. 233 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .804077E-04 | + .791008E-07 | 100.91 | -0.91 | -51.98 | 3.7 |
| 14 | 1024 | + .327487E-03 | + .377953E-06 | 146.64 | +1.09 | +62.37 | 7.4 |
| 13 | 512 | + .638570E-03 | + .811891E-06 | 241.65 | -0.11 | -6.52 | 9.9 |
| 12 | 256 | + .654344E-03 | + .118896E-05 | 236.63 | -0.27 | -15.32 | 11.0 |
| 11 | 128 | + .572655E-03 | + .156760E-05 | 208.51 | -0.15 | -8.72 | 11.5 |
| 10 | 64 | + .391075E-03 | + .140363E-05 | 242.59 | +0.18 | +10.53 | 11.7 |
| 9 | 32 | + .720402E-03 | + .365894E-05 | 242.28 | +0.62 | +35.43 | 11.8 |
| 8 | 16 | + .693749E-03 | + .442015E-05 | 307.92 | +1.07 | +61.48 | 11.8 |
| 7 | 8 | + .685647E-03 | + .450603E-05 | 578.83 | +1.17 | +66.89 | 11.9 |
| 6 | 4 | + .693998E-03 | + .482817E-05 | 1033.05 | +1.28 | +73.35 | 12.0 |

Tx dipole No. 2

| Station No. 234 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .217684E-03 | + .870799E-07 | 610.26 | -1.19 | -68.38 | 3.6 |
| 14 | 1024 | + .944804E-03 | + .449305E-06 | 863.64 | +0.93 | +53.37 | 7.4 |
| 13 | 512 | + .189987E-02 | + .104644E-05 | 1287.59 | -0.35 | -20.02 | 9.8 |
| 12 | 256 | + .204946E-02 | + .136631E-05 | 1757.81 | -0.58 | -33.39 | 10.9 |
| 11 | 128 | + .174593E-02 | + .178248E-05 | 1499.09 | -0.51 | -29.04 | 11.4 |
| 10 | 64 | + .895323E-03 | + .163816E-05 | 933.46 | -0.56 | -32.09 | 11.6 |
| 9 | 32 | + .153351E-02 | + .426975E-05 | 806.21 | -0.78 | -44.77 | 11.7 |
| 8 | 16 | + .135829E-02 | + .499972E-05 | 922.58 | -0.95 | -54.64 | 11.8 |
| 7 | 8 | + .105699E-02 | + .481294E-05 | 1205.77 | -1.11 | -63.75 | 11.8 |
| 6 | 4 | + .878548E-03 | + .505163E-05 | 1512.30 | -1.24 | -70.84 | 12.0 |

**** Measured Data List ****

Station No. 235 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------|------------------|------|
| 15 | 2048 | + .102920E-03 | + .690817E-07 | 216.76 | -1.24 | -70.81 | 3.6 |
| 14 | 1024 | + .467666E-03 | + .372704E-06 | 307.52 | +1.02 | +58.31 | 7.3 |
| 13 | 512 | + .985648E-03 | + .916157E-06 | 452.13 | -0.28 | -16.01 | 9.8 |
| 12 | 256 | + .106157E-02 | + .127398E-05 | 542.45 | -0.48 | -27.75 | 10.9 |
| 11 | 128 | + .906207E-03 | + .169180E-05 | 448.31 | -0.49 | -28.11 | 11.4 |
| 10 | 64 | + .473945E-03 | + .160956E-05 | 270.95 | -0.64 | -36.44 | 11.6 |
| 9 | 32 | + .899125E-03 | + .427528E-05 | 276.43 | -0.96 | -54.91 | 11.7 |
| 8 | 16 | + .912267E-03 | + .504242E-05 | 409.14 | -1.13 | -64.87 | 11.7 |
| 7 | 8 | + .782537E-03 | + .546014E-05 | 513.50 | -1.24 | -71.32 | 11.7 |
| 6 | 4 | + .693646E-03 | + .463552E-05 | 1119.56 | -1.51 | -86.74 | 11.9 |

Station No. 236 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------|------------------|------|
| 15 | 2048 | + .136572E-03 | + .889879E-07 | 230.02 | -1.30 | -74.47 | 3.6 |
| 14 | 1024 | + .668025E-03 | + .436335E-06 | 457.80 | +0.81 | +46.25 | 7.3 |
| 13 | 512 | + .139918E-02 | + .102355E-05 | 729.94 | -0.38 | -21.65 | 9.8 |
| 12 | 256 | + .148911E-02 | + .144984E-05 | 824.14 | -0.49 | -27.90 | 10.9 |
| 11 | 128 | + .125535E-02 | + .195555E-05 | 643.89 | -0.40 | -23.05 | 11.4 |
| 10 | 64 | + .606849E-03 | + .172671E-05 | 385.99 | -0.37 | -21.17 | 11.5 |
| 9 | 32 | + .962412E-03 | + .472545E-05 | 259.25 | -0.52 | -29.64 | 11.6 |
| 8 | 16 | + .762577E-03 | + .571218E-05 | 222.78 | -0.68 | -38.79 | 11.6 |
| 7 | 8 | + .491252E-03 | + .549503E-05 | 199.81 | -0.77 | -44.33 | 11.8 |
| 6 | 4 | + .324695E-03 | + .566912E-05 | 164.02 | -0.82 | -47.22 | 11.8 |

*** Measured Data List ***

Tx dipole No. 2

| Station No. 237 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .201646E-03 | + .754881E-07 | 696.82 | -1.36 | -77.96 | 3.6 |
| 14 | 1024 | + .998627E-03 | + .459578E-06 | 922.18 | +0.91 | +51.92 | 7.3 |
| 13 | 512 | + .204913E-02 | + .108054E-05 | 1404.82 | -0.33 | -18.81 | 9.8 |
| 12 | 256 | + .217053E-02 | + .149557E-05 | 1645.54 | -0.47 | -26.83 | 10.8 |
| 11 | 128 | + .179178E-02 | + .204645E-05 | 1197.81 | -0.36 | -20.42 | 11.3 |
| 10 | 64 | + .905431E-03 | + .186185E-05 | 739.04 | -0.38 | -21.79 | 11.5 |
| 9 | 32 | + .139143E-02 | + .481664E-05 | 521.57 | -0.59 | -33.72 | 11.6 |
| 8 | 16 | + .111317E-02 | + .557143E-05 | 499.00 | -0.74 | -42.17 | 11.6 |
| 7 | 8 | + .769819E-03 | + .554814E-05 | 481.31 | -0.82 | -47.22 | 11.7 |
| 6 | 4 | + .538964E-03 | + .575772E-05 | 438.12 | -0.99 | -56.88 | 11.9 |

Tx dipole No. 2

| Station No. 238 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------------|----------------------|------------------|---------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .158614E-03 | + .748010E-07 | 439.11 | -0.41 | -23.39 | 3.6 |
| 14 | 1024 | + .816883E-03 | + .400798E-06 | 811.33 | +0.92 | +52.56 | 7.3 |
| 13 | 512 | + .177632E-02 | + .929706E-06 | 1425.98 | -0.32 | -18.13 | 9.8 |
| 12 | 256 | + .191406E-02 | + .136016E-05 | 1547.10 | -0.49 | -28.13 | 10.9 |
| 11 | 128 | + .163826E-02 | + .183188E-05 | 1249.65 | -0.44 | -25.00 | 11.4 |
| 10 | 64 | + .801944E-03 | + .166644E-05 | 723.70 | -0.48 | -27.70 | 11.6 |
| 9 | 32 | + .134109E-02 | + .442702E-05 | 573.55 | -0.83 | -47.62 | 11.6 |
| 8 | 16 | + .125654E-02 | + .520882E-05 | 727.42 | -1.06 | -61.01 | 11.6 |
| 7 | 8 | + .102061E-02 | + .497863E-05 | 1050.61 | -1.21 | -69.20 | 11.7 |
| 6 | 4 | + .851495E-03 | + .472247E-05 | 1625.53 | -1.43 | -82.05 | 11.8 |

**** Measured Data List ****

| Station No. 239 | | Tx dipole No. 2 | | | | | |
|-----------------|----------------|-----------------|----------------------|------------------|---------|--------|------|
| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .171136E-03 | + .822945E-07 | 422.32 | -1.41 | -80.69 | 3.6 |
| 14 | 1024 | + .888831E-03 | + .439387E-06 | 799.23 | +0.83 | +47.81 | 7.3 |
| 13 | 512 | + .193300E-02 | + .107416E-05 | 1264.99 | -0.37 | -21.25 | 9.8 |
| 12 | 256 | + .208072E-02 | + .145807E-05 | 1590.98 | -0.52 | -30.07 | 10.9 |
| 11 | 128 | + .179114E-02 | + .194571E-05 | 1324.11 | -0.41 | -23.49 | 11.3 |
| 10 | 64 | + .829490E-03 | + .171993E-05 | 726.86 | -0.43 | -24.43 | 11.5 |
| 9 | 32 | + .133001E-02 | + .465719E-05 | 509.73 | -0.65 | -37.15 | 11.6 |
| 8 | 16 | + .111006E-02 | + .531860E-05 | 544.51 | -0.86 | -49.11 | 11.6 |
| 7 | 8 | + .813965E-03 | + .512364E-05 | 630.95 | -0.98 | -56.24 | 11.7 |
| 6 | 4 | + .560114E-03 | + .494835E-05 | 640.62 | -1.14 | -65.60 | 11.8 |

| Station No. 240 | | Tx dipole No. 2 | | | | | |
|-----------------|----------------|-----------------|----------------------|------------------|---------|--------|------|
| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .136439E-03 | + .784383E-07 | 295.48 | -1.28 | -73.30 | 3.7 |
| 14 | 1024 | + .737102E-03 | + .423218E-06 | 592.46 | +0.84 | +48.36 | 7.4 |
| 13 | 512 | + .159766E-02 | + .103596E-05 | 929.05 | -0.35 | -20.17 | 10.0 |
| 12 | 256 | + .171156E-02 | + .139225E-05 | 1180.70 | -0.50 | -28.52 | 11.1 |
| 11 | 128 | + .137542E-02 | + .194906E-05 | 778.10 | -0.35 | -19.87 | 11.6 |
| 10 | 64 | + .726680E-03 | + .183803E-05 | 488.46 | -0.36 | -20.69 | 11.8 |
| 9 | 32 | + .106430E-02 | + .453184E-05 | 344.71 | -0.53 | -30.13 | 11.9 |
| 8 | 16 | + .826809E-03 | + .500440E-05 | 341.21 | -0.64 | -36.44 | 11.9 |
| 7 | 8 | + .513057E-03 | + .454189E-05 | 319.01 | -0.58 | -33.48 | 12.0 |
| 6 | 4 | + .313204E-03 | + .417503E-05 | 281.39 | -0.42 | -24.29 | 12.1 |

*** Measured Data List ***

Station No. 241 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------|----------------|----------------|----------------------|------------------|---------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) |
| 15 2048 | + .286988E-03 | + .652777E-07 | 1887.55 | -0.41 | 3.7 |
| 14 1024 | + .159298E-02 | + .485326E-06 | 2104.19 | +0.70 | 7.5 |
| 13 512 | + .360736E-02 | + .114761E-05 | 3859.71 | -0.47 | 10.0 |
| 12 256 | + .397526E-02 | + .156204E-05 | 5059.85 | -0.59 | 11.1 |
| 11 128 | + .337588E-02 | + .201965E-05 | 4365.60 | -0.50 | 11.6 |
| 10 64 | + .163522E-02 | + .191330E-05 | 2282.63 | -0.50 | 11.8 |
| 9 32 | + .258821E-02 | + .461495E-05 | 1965.83 | -0.84 | 11.9 |
| 8 16 | + .229116E-02 | + .508043E-05 | 2542.27 | -1.12 | 11.9 |
| 7 8 | + .176876E-02 | + .433023E-05 | 4171.13 | -1.31 | 12.0 |
| 6 4 | + .141826E-02 | + .391481E-05 | 6562.36 | -1.44 | 12.1 |

Station No. 242 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------|----------------|----------------|----------------------|------------------|---------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) |
| 15 2048 | + .152800E-03 | + .746846E-07 | 408.78 | -1.22 | 3.7 |
| 14 1024 | + .762339E-03 | + .459347E-06 | 537.95 | +0.78 | 7.5 |
| 13 512 | + .168224E-02 | + .117408E-05 | 801.94 | -0.41 | 10.0 |
| 12 256 | + .184768E-02 | + .159421E-05 | 1049.43 | -0.55 | 11.2 |
| 11 128 | + .154701E-02 | + .212068E-05 | 831.48 | -0.48 | 11.6 |
| 10 64 | + .736845E-03 | + .193274E-05 | 454.21 | -0.58 | 11.8 |
| 9 32 | + .127001E-02 | + .501711E-05 | 400.49 | -1.04 | 11.9 |
| 8 16 | + .125752E-02 | + .533469E-05 | 694.58 | -1.37 | 11.9 |
| 7 8 | + .113618E-02 | + .458522E-05 | 1535.02 | +1.52 | 12.0 |
| 6 4 | + .106482E-02 | + .396165E-05 | 3612.16 | +1.48 | 12.1 |

*** Measured Data List ***

Tx dipole No. 2

| Station No. 243 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .265588E-03 | + .728725E-07 | 1297.15 | -0.87 | -50.02 | 3.7 |
| 14 | 1024 | + .101748E-02 | + .308621E-06 | 2122.93 | +1.11 | +63.71 | 7.5 |
| 13 | 512 | + .200835E-02 | + .830596E-06 | 2283.80 | -0.26 | -14.74 | 10.0 |
| 12 | 256 | + .224664E-02 | + .117760E-05 | 2843.55 | -0.55 | -31.41 | 11.2 |
| 11 | 128 | + .196210E-02 | + .152723E-05 | 2579.02 | -0.51 | -29.02 | 11.6 |
| 10 | 64 | + .970221E-03 | + .127251E-05 | 1816.63 | -0.54 | -30.92 | 11.8 |
| 9 | 32 | + .153731E-02 | + .327778E-05 | 1374.81 | -0.77 | -44.37 | 11.9 |
| 8 | 16 | + .136621E-02 | + .377127E-05 | 1640.47 | -1.02 | -58.39 | 11.9 |
| 7 | 8 | + .110484E-02 | + .375898E-05 | 2159.71 | -1.22 | -69.88 | 12.0 |
| 6 | 4 | + .947610E-03 | + .440138E-05 | 2317.67 | -1.50 | -86.08 | 12.1 |

Tx dipole No. 2

| Station No. 244 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .152220E-03 | + .538497E-07 | 780.33 | -1.23 | -70.51 | 3.6 |
| 14 | 1024 | + .642186E-03 | + .347693E-06 | 666.29 | +1.11 | +63.50 | 7.3 |
| 13 | 512 | + .133804E-02 | + .758574E-06 | 1215.36 | -0.29 | -16.43 | 9.7 |
| 12 | 256 | + .149677E-02 | + .112508E-05 | 1382.71 | -0.51 | -29.39 | 10.8 |
| 11 | 128 | + .132393E-02 | + .146634E-05 | 1273.73 | -0.45 | -25.93 | 11.3 |
| 10 | 64 | + .659534E-03 | + .131214E-05 | 789.52 | -0.42 | -24.24 | 11.6 |
| 9 | 32 | + .100441E-02 | + .339438E-05 | 547.25 | -0.60 | -34.17 | 12.0 |
| 8 | 16 | + .813624E-03 | + .400858E-05 | 514.96 | -0.78 | -44.71 | 12.0 |
| 7 | 8 | + .579888E-03 | + .393029E-05 | 544.23 | -0.90 | -51.76 | 12.1 |
| 6 | 4 | + .413256E-03 | + .329791E-05 | 785.11 | -1.00 | -57.09 | 12.1 |

**** Measured Data List ****

Station No. 245 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|------------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) | |
| 15 2048 | + .133150E-03 | + .900331E-07 | 213.59 | -1.15 | -65.77 | 3.7 |
| 14 1024 | + .617680E-03 | + .386579E-06 | 498.63 | +0.95 | +54.19 | 7.4 |
| 13 512 | + .134733E-02 | + .838656E-06 | 1008.18 | -0.37 | -21.43 | 10.0 |
| 12 256 | + .152422E-02 | + .121632E-05 | 1226.84 | -0.58 | -33.46 | 11.1 |
| 11 128 | + .133584E-02 | + .155983E-05 | 1145.97 | -0.52 | -29.55 | 11.5 |
| 10 64 | + .665292E-03 | + .135704E-05 | 751.08 | -0.47 | -27.05 | 11.8 |
| 9 32 | + .100301E-02 | + .341517E-05 | 539.10 | -0.66 | -37.86 | 11.8 |
| 8 16 | + .833489E-03 | + .403537E-05 | 533.27 | -0.87 | -49.61 | 11.8 |
| 7 8 | + .602458E-03 | + .374189E-05 | 648.06 | -1.03 | -59.21 | 11.9 |
| 6 4 | + .449617E-03 | + .371167E-05 | 733.70 | -1.09 | -62.50 | 12.0 |

Station No. 246 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|------------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) | |
| 15 2048 | + .104036E-03 | + .701433E-07 | 214.83 | -1.15 | -66.08 | 3.7 |
| 14 1024 | + .457739E-03 | + .304149E-06 | 442.38 | +1.01 | +57.65 | 7.4 |
| 13 512 | + .978116E-03 | + .679739E-06 | 808.83 | -0.26 | -14.95 | 9.9 |
| 12 256 | + .107966E-02 | + .991339E-06 | 926.66 | -0.42 | -24.32 | 11.0 |
| 11 128 | + .927689E-03 | + .143961E-05 | 648.84 | -0.36 | -20.59 | 11.5 |
| 10 64 | + .461513E-03 | + .131013E-05 | 387.79 | -0.30 | -17.40 | 11.8 |
| 9 32 | + .671706E-03 | + .344392E-05 | 237.76 | -0.44 | -25.00 | 11.8 |
| 8 16 | + .525116E-03 | + .391100E-05 | 225.34 | -0.55 | -31.33 | 11.8 |
| 7 8 | + .344853E-03 | + .380309E-05 | 205.56 | -0.54 | -30.68 | 11.9 |
| 6 4 | + .204563E-03 | + .359079E-05 | 162.27 | -0.40 | -22.88 | 12.0 |

**** Measured Data List ****

Station No. 247 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) (deg) | I(A) | | |
| 15 | 2048 | + .203127E-03 | + .827160E-07 | 588.92 | +0.69 | +39.35 | 3.7 |
| 14 | 1024 | + .957881E-03 | + .352568E-06 | 1441.67 | +0.86 | +49.55 | 7.4 |
| 13 | 512 | + .208098E-02 | + .821834E-06 | 2504.55 | -0.37 | -21.11 | 9.9 |
| 12 | 256 | + .228951E-02 | + .120664E-05 | 2812.66 | -0.46 | -26.40 | 11.0 |
| 11 | 128 | + .196973E-02 | + .159393E-05 | 2386.12 | -0.37 | -21.10 | 11.4 |
| 10 | 64 | + .988152E-03 | + .143147E-05 | 1489.14 | -0.28 | -16.18 | 11.7 |
| 9 | 32 | + .142425E-02 | + .364124E-05 | 956.21 | -0.30 | -17.40 | 11.8 |
| 8 | 16 | + .108647E-02 | + .404789E-05 | 900.52 | -0.29 | -16.80 | 11.8 |
| 7 | 8 | + .725877E-03 | + .358983E-05 | 1022.16 | -0.05 | -2.96 | 11.8 |
| 6 | 4 | + .583349E-03 | + .328611E-05 | 1575.66 | +0.39 | +22.30 | 11.9 |

Station No. 248 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) (deg) | I(A) | | |
| 15 | 2048 | + .345600E-03 | + .791895E-07 | 1860.00 | -1.20 | -68.76 | 3.7 |
| 14 | 1024 | + .179215E-02 | + .358359E-06 | 4884.76 | +0.84 | +48.17 | 7.4 |
| 13 | 512 | + .403213E-02 | + .863450E-06 | 8518.32 | -0.40 | -22.67 | 9.9 |
| 12 | 256 | + .445981E-02 | + .118109E-05 | 11139.20 | -0.48 | -27.25 | 11.0 |
| 11 | 128 | + .380748E-02 | + .166139E-05 | 8206.40 | -0.39 | -22.22 | 11.4 |
| 10 | 64 | + .184718E-02 | + .157298E-05 | 4309.46 | -0.38 | -22.03 | 11.6 |
| 9 | 32 | + .283499E-02 | + .405925E-05 | 3048.55 | -0.65 | -37.00 | 11.7 |
| 8 | 16 | + .229279E-02 | + .447432E-05 | 3282.34 | -0.87 | -49.85 | 11.8 |
| 7 | 8 | + .165181E-02 | + .406417E-05 | 4129.70 | -1.00 | -57.22 | 11.8 |
| 6 | 4 | + .112293E-02 | + .409979E-05 | 3751.04 | -1.22 | -69.94 | 11.9 |

**** Measured Data List ****

Station No. 249 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I (A) | | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|------------------|--------|------|
| 15 | 2048 | + .147596E-03 | + .104165E-06 | 196.07 | -1.42 | -81.25 | 3.7 |
| 14 | 1024 | + .859258E-03 | + .493940E-06 | 591.06 | +0.74 | +42.67 | 7.4 |
| 13 | 512 | + .204342E-02 | + .119817E-05 | 1136.14 | -0.55 | -31.27 | 9.9 |
| 12 | 256 | + .231739E-02 | + .164902E-05 | 1542.90 | -0.69 | -39.58 | 11.0 |
| 11 | 128 | + .195108E-02 | + .200861E-05 | 1474.29 | -0.58 | -32.96 | 11.4 |
| 10 | 64 | + .925515E-03 | + .174993E-05 | 874.12 | -0.66 | -37.96 | 11.6 |
| 9 | 32 | + .154657E-02 | + .438502E-05 | 777.46 | -1.06 | -60.52 | 11.7 |
| 8 | 16 | + .151718E-02 | + .447540E-05 | 1436.54 | -1.42 | -81.33 | 11.8 |
| 7 | 8 | + .133343E-02 | + .397150E-05 | 2818.22 | +1.47 | +84.12 | 11.8 |
| 6 | 4 | + .123677E-02 | + .343732E-05 | 6473.02 | +1.36 | +77.90 | 11.9 |

Station No. 250 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I (A) | | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|------------------|--------|------|
| 15 | 2048 | + .112731E-03 | + .104209E-06 | 114.28 | -1.33 | -76.42 | 3.7 |
| 14 | 1024 | + .623193E-03 | + .456693E-06 | 363.69 | +0.78 | +44.63 | 7.3 |
| 13 | 512 | + .148288E-02 | + .122635E-05 | 571.14 | -0.53 | -30.15 | 9.8 |
| 12 | 256 | + .168217E-02 | + .165532E-05 | 806.80 | -0.71 | -40.87 | 10.9 |
| 11 | 128 | + .141396E-02 | + .199656E-05 | 783.67 | -0.66 | -37.79 | 11.4 |
| 10 | 64 | + .668613E-03 | + .167817E-05 | 496.05 | -0.76 | -43.29 | 11.6 |
| 9 | 32 | + .115493E-02 | + .408052E-05 | 500.69 | -1.17 | -66.86 | 11.7 |
| 8 | 16 | + .117159E-02 | + .429459E-05 | 930.29 | +1.52 | +87.33 | 11.7 |
| 7 | 8 | + .109571E-02 | + .331411E-05 | 2732.71 | +1.27 | +72.99 | 11.8 |
| 6 | 4 | + .108344E-02 | + .246750E-05 | 9639.77 | +1.26 | +72.43 | 11.8 |

*** Measured Data List ***

Station No. 251 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------|------------------|------|
| 15 | 2048 | + .188977E-03 | + .898402E-07 | 432.09 | +0.02 | +1.41 | 3.7 |
| 14 | 1024 | + .106412E-02 | + .508425E-06 | 855.57 | +0.69 | +39.48 | 7.4 |
| 13 | 512 | + .255189E-02 | + .124158E-05 | 1650.19 | -0.58 | -33.10 | 9.9 |
| 12 | 256 | + .292876E-02 | + .166192E-05 | 2426.25 | -0.74 | -42.62 | 11.0 |
| 11 | 128 | + .252731E-02 | + .201757E-05 | 2451.78 | -0.68 | -39.02 | 11.4 |
| 10 | 64 | + .123571E-02 | + .164876E-05 | 1755.36 | -0.65 | -36.99 | 11.6 |
| 9 | 32 | + .183027E-02 | + .382629E-05 | 1430.06 | -0.87 | -50.09 | 11.7 |
| 8 | 16 | + .147636E-02 | + .404023E-05 | 1669.10 | -1.14 | -65.50 | 11.7 |
| 7 | 8 | + .952881E-03 | + .292614E-05 | 2651.11 | -1.37 | -78.64 | 11.8 |
| 6 | 4 | + .557548E-03 | + .237313E-05 | 2759.87 | +0.06 | +3.41 | 11.9 |

Station No. 252 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------|------------------|------|
| 15 | 2048 | + .127328E-03 | + .900312E-07 | 195.33 | -1.32 | -75.68 | 3.7 |
| 14 | 1024 | + .663690E-03 | + .405269E-06 | 523.81 | +0.79 | +45.11 | 7.4 |
| 13 | 512 | + .150133E-02 | + .107451E-05 | 762.60 | -0.41 | -23.21 | 9.9 |
| 12 | 256 | + .166039E-02 | + .154135E-05 | 906.59 | -0.50 | -28.67 | 11.0 |
| 11 | 128 | + .145004E-02 | + .204637E-05 | 784.54 | -0.50 | -28.61 | 11.5 |
| 10 | 64 | + .729041E-03 | + .176389E-05 | 533.84 | -0.44 | -25.49 | 11.7 |
| 9 | 32 | + .115483E-02 | + .437124E-05 | 436.23 | -0.57 | -32.76 | 11.7 |
| 8 | 16 | + .955710E-03 | + .452540E-05 | 557.51 | -0.63 | -35.94 | 11.8 |
| 7 | 8 | + .722179E-03 | + .335476E-05 | 1158.53 | -0.49 | -28.29 | 11.8 |
| 6 | 4 | + .579780E-03 | + .237032E-05 | 2991.46 | -0.20 | -11.51 | 11.9 |

*** Measured Data List ***

Station No. 253 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | +.147790E-03 | +.970395E-07 | 226.51 | -0.97 | -55.71 | 3.7 |
| 14 | 1024 | +.646504E-03 | +.470018E-06 | 369.52 | +1.00 | +57.32 | 7.4 |
| 13 | 512 | +.135620E-02 | +.111255E-05 | 580.46 | -0.27 | -15.19 | 9.9 |
| 12 | 256 | +.149912E-02 | +.173830E-05 | 581.05 | -0.40 | -22.65 | 11.0 |
| 11 | 128 | +.137848E-02 | +.236101E-05 | 532.63 | -0.37 | -21.09 | 11.5 |
| 10 | 64 | +.765083E-03 | +.209890E-05 | 415.23 | -0.28 | -16.11 | 11.7 |
| 9 | 32 | +.144266E-02 | +.512955E-05 | 494.37 | -0.20 | -11.35 | 11.8 |
| 8 | 16 | +.150997E-02 | +.502849E-05 | 1127.12 | -0.04 | -2.32 | 11.8 |
| 7 | 8 | +.160040E-02 | +.367766E-05 | 4734.29 | +0.09 | +4.97 | 11.9 |
| 6 | 4 | +.169535E-02 | +.254530E-05 | 22182.70 | +0.27 | +15.33 | 11.9 |

Station No. 254 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | +.345319E-03 | +.109455E-06 | 972.01 | -1.12 | -64.04 | 3.7 |
| 14 | 1024 | +.155977E-02 | +.509448E-06 | 1830.84 | +1.06 | +60.56 | 7.4 |
| 13 | 512 | +.321850E-02 | +.133888E-05 | 2257.28 | -0.23 | -12.92 | 9.9 |
| 12 | 256 | +.349174E-02 | +.199814E-05 | 2385.74 | -0.48 | -27.72 | 11.0 |
| 11 | 128 | +.295116E-02 | +.279413E-05 | 1743.06 | -0.52 | -29.72 | 11.4 |
| 10 | 64 | +.150837E-02 | +.244203E-05 | 1192.24 | -0.71 | -40.66 | 11.6 |
| 9 | 32 | +.276331E-02 | +.591911E-05 | 1362.15 | -1.08 | -61.71 | 11.7 |
| 8 | 16 | +.240445E-02 | +.579024E-05 | 2155.50 | -1.33 | -76.24 | 11.8 |
| 7 | 8 | +.175669E-02 | +.451900E-05 | 3777.85 | -1.52 | -87.24 | 11.8 |
| 6 | 4 | +.128107E-02 | +.302778E-05 | 8950.94 | +1.44 | +82.46 | 11.9 |

**** Measured Data List ****

Station No. 255 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Difference (deg) | Current I(A) |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|---------------------|-----------------|
| 15 | + .484309E-04 | + .606053E-07 | 62.36 | -0.79 | -45.31 | 3.7 |
| 14 | + .213116E-03 | + .322267E-06 | 85.41 | +0.97 | +55.50 | 7.5 |
| 13 | + .464739E-03 | + .762938E-06 | 144.94 | -0.36 | -20.69 | 10.0 |
| 12 | + .533567E-03 | + .105599E-05 | 199.46 | -0.56 | -32.24 | 11.2 |
| 11 | + .468188E-03 | + .136659E-05 | 183.39 | -0.53 | -30.37 | 11.6 |
| 10 | + .232853E-03 | + .116764E-05 | 124.28 | -0.54 | -31.17 | 11.9 |
| 9 | + .352536E-03 | + .290488E-05 | 92.05 | -0.69 | -39.53 | 11.9 |
| 8 | + .286219E-03 | + .321862E-05 | 98.85 | -0.97 | -55.67 | 12.0 |
| 7 | + .208077E-03 | + .277161E-05 | 140.90 | -1.13 | -64.55 | 12.0 |
| 6 | + .150413E-03 | + .218623E-05 | 236.67 | -0.98 | -56.37 | 12.3 |

Station No. 256 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Difference (deg) | Current I(A) |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|---------------------|-----------------|
| 15 | + .916920E-04 | + .577700E-07 | 246.01 | -0.75 | -42.98 | 3.7 |
| 14 | + .423263E-03 | + .321418E-06 | 338.70 | +0.90 | +51.53 | 7.5 |
| 13 | + .964771E-03 | + .797463E-06 | 571.73 | -0.39 | -22.54 | 10.0 |
| 12 | + .112113E-02 | + .104875E-05 | 892.82 | -0.60 | -34.17 | 11.1 |
| 11 | + .990206E-03 | + .153051E-05 | 654.03 | -0.55 | -31.75 | 11.6 |
| 10 | + .471842E-03 | + .123689E-05 | 454.76 | -0.66 | -37.62 | 11.8 |
| 9 | + .797832E-03 | + .324322E-05 | 378.22 | -1.00 | -57.58 | 11.9 |
| 8 | + .843504E-03 | + .355588E-05 | 703.38 | -1.42 | -81.57 | 11.9 |
| 7 | + .770160E-03 | + .367858E-05 | 1095.83 | +1.53 | +87.88 | 11.9 |
| 6 | + .768065E-03 | + .327586E-05 | 2748.62 | +1.48 | +85.05 | 12.1 |

*** Measured Data List ***

Station No. 257 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Current I(A) | | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|-----------------|--------|------|
| 15 | 2048 | + .100904E-03 | + .817714E-07 | 148.70 | -1.07 | -61.30 | 3.7 |
| 14 | 1024 | + .416890E-03 | + .399372E-06 | 212.82 | +0.89 | +51.24 | 7.4 |
| 13 | 512 | + .903074E-03 | + .798257E-06 | 499.94 | -0.43 | -24.80 | 9.9 |
| 12 | 256 | + .104395E-02 | + .117667E-05 | 614.95 | -0.61 | -34.87 | 11.1 |
| 11 | 128 | + .925926E-03 | + .147955E-05 | 611.95 | -0.55 | -31.49 | 11.5 |
| 10 | 64 | + .454582E-03 | + .124953E-05 | 413.60 | -0.51 | -29.14 | 11.7 |
| 9 | 32 | + .665059E-03 | + .315907E-05 | 277.00 | -0.70 | -40.31 | 11.9 |
| 8 | 16 | + .534802E-03 | + .343262E-05 | 303.42 | -0.98 | -56.36 | 11.9 |
| 7 | 8 | + .398422E-03 | + .293015E-05 | 462.22 | -1.18 | -67.39 | 11.9 |
| 6 | 4 | + .302683E-03 | + .282408E-05 | 574.37 | -1.37 | -78.59 | 12.0 |

Station No. 258 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Current I(A) | | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|-----------------|--------|------|
| 15 | 2048 | + .242341E-03 | + .763041E-07 | 985.05 | -1.26 | -72.33 | 3.7 |
| 14 | 1024 | + .108910E-02 | + .378602E-06 | 1616.20 | +0.73 | +41.93 | 7.4 |
| 13 | 512 | + .242162E-02 | + .803579E-06 | 3547.43 | -0.52 | -29.58 | 9.9 |
| 12 | 256 | + .282753E-02 | + .115422E-05 | 4688.45 | -0.76 | -43.77 | 11.0 |
| 11 | 128 | + .254920E-02 | + .145137E-05 | 4820.31 | -0.62 | -35.79 | 11.5 |
| 10 | 64 | + .121623E-02 | + .118696E-05 | 3281.02 | -0.58 | -33.15 | 11.7 |
| 9 | 32 | + .188215E-02 | + .302182E-05 | 2424.65 | -0.74 | -42.34 | 11.8 |
| 8 | 16 | + .145287E-02 | + .307873E-05 | 2783.71 | -1.06 | -60.91 | 11.9 |
| 7 | 8 | + .108779E-02 | + .264509E-05 | 4228.11 | -1.22 | -69.95 | 11.9 |
| 6 | 4 | + .807212E-03 | + .229689E-05 | 6175.38 | +0.07 | +4.18 | 12.0 |

*** Measured Data List ***

Tx dipole No. 2

| Station No. 259 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .175652E-03 | + .631042E-07 | 756.64 | -1.41 | -80.71 | 3.7 |
| 14 | 1024 | + .735814E-03 | + .305074E-06 | 1136.20 | +0.79 | +45.07 | 7.4 |
| 13 | 512 | + .158833E-02 | + .751376E-06 | 1745.53 | -0.44 | -25.17 | 9.9 |
| 12 | 256 | + .186891E-02 | + .105080E-05 | 2471.29 | -0.67 | -38.52 | 10.9 |
| 11 | 128 | + .167282E-02 | + .128548E-05 | 2645.99 | -0.60 | -34.26 | 11.4 |
| 10 | 64 | + .893965E-03 | + .112636E-05 | 1968.49 | -0.46 | -26.57 | 11.6 |
| 9 | 32 | + .120564E-02 | + .253323E-05 | 1415.69 | -0.50 | -28.83 | 11.7 |
| 8 | 16 | + .930751E-03 | + .257591E-05 | 1631.98 | -0.51 | -29.13 | 11.8 |
| 7 | 8 | + .349206E-03 | + .106547E-05 | 2685.47 | -0.66 | -37.89 | 11.9 |
| 6 | 4 | + .528182E-03 | + .195627E-05 | 3644.87 | +0.05 | +2.77 | 12.0 |

Tx dipole No. 2

| Station No. 260 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .295496E-03 | + .511363E-07 | 3260.94 | -1.22 | -69.82 | 3.7 |
| 14 | 1024 | + .128918E-02 | + .192574E-06 | 8753.07 | +1.03 | +58.74 | 7.4 |
| 13 | 512 | + .278749E-02 | + .469340E-06 | 13778.80 | -0.42 | -23.81 | 9.9 |
| 12 | 256 | + .327149E-02 | + .727280E-06 | 15808.00 | -0.59 | -33.85 | 10.9 |
| 11 | 128 | + .295296E-02 | + .104327E-05 | 12518.20 | -0.59 | -33.90 | 11.4 |
| 10 | 64 | + .153100E-02 | + .944273E-06 | 8214.95 | -0.60 | -34.12 | 11.6 |
| 9 | 32 | + .200808E-02 | + .209388E-05 | 5748.33 | -0.95 | -54.59 | 11.7 |
| 8 | 16 | + .155776E-02 | + .210174E-05 | 6866.78 | -1.48 | -85.02 | 11.8 |
| 7 | 8 | + .108938E-02 | + .153364E-05 | 12614.00 | +0.97 | +55.59 | 11.8 |
| 6 | 4 | + .848319E-03 | + .999784E-06 | 35997.80 | +0.37 | +21.49 | 11.9 |

*** Measured Data List ***

Station No. 261 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/Km) | H (γ) | (Ω·m) | (rad) | I (A) | | |
| 15 | 2048 | + .445250E-04 | + .599823E-07 | 53.81 | -0.86 | -49.37 | 3.7 |
| 14 | 1024 | + .143345E-03 | + .176241E-06 | 129.20 | -0.08 | -4.53 | 9.4 |
| 13 | 512 | + .234086E-03 | + .495779E-06 | 87.08 | +0.09 | +5.23 | 9.9 |
| 12 | 256 | + .270886E-03 | + .751436E-06 | 101.53 | -0.16 | -9.07 | 10.9 |
| 11 | 128 | + .287209E-03 | + .105303E-05 | 116.23 | +0.10 | +5.91 | 11.4 |
| 10 | 64 | + .267103E-03 | + .886291E-06 | 283.83 | +0.18 | +10.11 | 11.6 |
| 9 | 32 | + .664783E-03 | + .190451E-05 | 761.50 | +0.19 | +10.88 | 11.7 |
| 8 | 16 | + .101021E-02 | + .214116E-05 | 2782.47 | -0.06 | -3.38 | 11.8 |
| 7 | 8 | + .134471E-02 | + .193397E-05 | 12086.50 | -0.48 | -27.25 | 11.8 |
| 6 | 4 | + .150181E-02 | + .164850E-05 | 41497.60 | -0.97 | -55.70 | 11.9 |

Station No. 262 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/Km) | H (γ) | (Ω·m) | (rad) | I (A) | | |
| 15 | 2048 | + .105833E-03 | + .661695E-07 | 249.82 | -1.12 | -64.23 | 3.7 |
| 14 | 1024 | + .393712E-03 | + .240732E-06 | 522.42 | +0.98 | +56.41 | 7.3 |
| 13 | 512 | + .767813E-03 | + .603310E-06 | 632.69 | -0.25 | -14.24 | 9.8 |
| 12 | 256 | + .886220E-03 | + .874156E-06 | 802.96 | -0.45 | -25.62 | 10.9 |
| 11 | 128 | + .871376E-03 | + .121100E-05 | 808.99 | -0.36 | -20.89 | 11.4 |
| 10 | 64 | + .484587E-03 | + .950883E-06 | 811.60 | -0.16 | -9.09 | 11.6 |
| 9 | 32 | + .979115E-03 | + .225099E-05 | 1182.49 | -0.09 | -5.42 | 11.6 |
| 8 | 16 | + .128189E-02 | + .230463E-05 | 3867.32 | -0.25 | -14.28 | 11.6 |
| 7 | 8 | + .149854E-02 | + .180293E-05 | 17271.00 | -0.49 | -28.17 | 11.6 |
| 6 | 4 | + .170463E-02 | + .162915E-05 | 54740.40 | -0.81 | -46.27 | 11.8 |

**** Measured Data List ****

Station No. 263 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------|----------------|----------------|----------------------|------------------|---------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) |
| 15 2048 | + .124900E-03 | + .558301E-07 | 488.75 | -1.14 | 3.7 |
| 14 1024 | + .454565E-03 | + .227037E-06 | 782.94 | +0.96 | 7.3 |
| 13 512 | + .884536E-03 | + .514420E-06 | 1154.93 | -0.32 | 9.8 |
| 12 256 | + .102467E-02 | + .727787E-06 | 1548.64 | -0.62 | 10.9 |
| 11 128 | + .992097E-03 | + .100059E-05 | 1536.10 | -0.53 | 11.4 |
| 10 64 | + .513746E-03 | + .845784E-06 | 1153.00 | -0.57 | 11.6 |
| 9 32 | + .750339E-03 | + .194005E-05 | 934.91 | -0.76 | 11.6 |
| 8 16 | + .691452E-03 | + .202289E-05 | 1460.46 | -0.96 | 11.6 |
| 7 8 | + .667880E-03 | + .149305E-05 | 5002.50 | -1.20 | 11.6 |
| 6 4 | + .704926E-03 | + .196541E-05 | 6432.10 | -1.22 | 11.8 |

Station No. 264 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------|----------------|----------------|----------------------|------------------|---------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) |
| 15 2048 | + .617183E-04 | + .544972E-07 | 125.25 | -1.35 | 3.7 |
| 14 1024 | + .267698E-03 | + .190646E-06 | 385.09 | +0.93 | 7.3 |
| 13 512 | + .567502E-03 | + .479935E-06 | 546.17 | -0.34 | 9.8 |
| 12 256 | + .670842E-03 | + .703550E-06 | 710.30 | -0.61 | 10.9 |
| 11 128 | + .631500E-03 | + .101211E-05 | 608.29 | -0.63 | 11.4 |
| 10 64 | + .320838E-03 | + .781085E-06 | 527.26 | -0.75 | 11.6 |
| 9 32 | + .468011E-03 | + .192862E-05 | 368.04 | -1.00 | 11.6 |
| 8 16 | + .412761E-03 | + .197626E-05 | 545.28 | -1.29 | 11.6 |
| 7 8 | + .323116E-03 | + .218662E-05 | 545.90 | -1.53 | 11.6 |
| 6 4 | + .282561E-03 | + .227918E-05 | 768.49 | -1.52 | 11.8 |

**** Measured Data List ****

Tx dipole No. 2

| Station No. 265 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .119526E-03 | + .350079E-07 | 1138.40 | -0.99 | -56.51 | 3.7 |
| 14 | 1024 | + .534642E-03 | + .199553E-06 | 1401.97 | +0.95 | +54.25 | 7.3 |
| 13 | 512 | + .116635E-02 | + .422215E-06 | 2980.92 | -0.45 | -25.69 | 9.8 |
| 12 | 256 | + .138021E-02 | + .630364E-06 | 3745.39 | -0.64 | -36.76 | 10.9 |
| 11 | 128 | + .126803E-02 | + .924504E-06 | 2939.43 | -0.65 | -37.10 | 11.4 |
| 10 | 64 | + .642823E-03 | + .804094E-06 | 1997.19 | -0.91 | -52.24 | 11.6 |
| 9 | 32 | + .942746E-03 | + .189565E-05 | 1545.81 | -1.49 | -85.12 | 11.6 |
| 8 | 16 | + .762212E-03 | + .289206E-05 | 1269.16 | +0.87 | +50.03 | 11.6 |
| 7 | 8 | + .532333E-03 | + .262082E-05 | 1031.41 | +0.29 | +16.44 | 11.6 |
| 6 | 4 | + .402842E-03 | + .278295E-05 | 1047.68 | -0.50 | -28.70 | 11.8 |

Tx dipole No. 2

| Station No. 266 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .667238E-04 | + .585435E-07 | 126.85 | -0.97 | -55.81 | 3.7 |
| 14 | 1024 | + .259590E-03 | + .168482E-06 | 463.66 | +1.08 | +61.89 | 7.3 |
| 13 | 512 | + .544045E-03 | + .418016E-06 | 661.68 | -0.34 | -19.24 | 9.8 |
| 12 | 256 | + .677359E-03 | + .643664E-06 | 865.18 | -0.60 | -34.58 | 10.9 |
| 11 | 128 | + .679450E-03 | + .847369E-06 | 1004.59 | -0.65 | -37.17 | 11.4 |
| 10 | 64 | + .355018E-03 | + .727301E-06 | 744.60 | -0.62 | -35.45 | 11.6 |
| 9 | 32 | + .740128E-03 | + .186888E-05 | 980.24 | -0.80 | -45.73 | 11.6 |
| 8 | 16 | + .980293E-03 | + .242477E-05 | 2043.07 | -1.08 | -61.77 | 11.6 |
| 7 | 8 | + .119191E-02 | + .281329E-05 | 4487.43 | -1.28 | -73.30 | 11.6 |
| 6 | 4 | + .133133E-02 | + .291369E-05 | 10438.90 | -1.47 | -83.98 | 11.8 |

**** Measured Data List ****

Tx dipole No. 2

| Station No. 267 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | | |
| 15 | 2048 | + .411569E-04 | + .709041E-07 | 32.90 | -0.39 | -22.16 | 3.7 |
| 14 | 1024 | + .144393E-03 | + .361419E-06 | 31.17 | -1.43 | -81.81 | 7.5 |
| 13 | 512 | + .223327E-03 | + .745539E-06 | 35.05 | +0.56 | +31.88 | 10.1 |
| 12 | 256 | + .203048E-03 | + .110704E-05 | 26.28 | +0.54 | +30.94 | 11.2 |
| 11 | 128 | + .203868E-03 | + .152114E-05 | 28.07 | +0.70 | +40.28 | 11.7 |
| 10 | 64 | + .178512E-03 | + .135068E-05 | 54.59 | +0.72 | +41.07 | 11.9 |
| 9 | 32 | + .511346E-03 | + .333825E-05 | 146.65 | +0.92 | +52.88 | 11.9 |
| 8 | 16 | + .708742E-03 | + .370135E-05 | 458.32 | +1.00 | +57.27 | 12.0 |
| 7 | 8 | + .815117E-03 | + .335862E-05 | 1472.51 | +1.02 | +58.51 | 12.0 |
| 6 | 4 | + .870230E-03 | + .310038E-05 | 3939.20 | +1.23 | +70.30 | 12.3 |

Tx dipole No. 2

| Station No. 268 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | | |
| 15 | 2048 | + .120138E-03 | + .814542E-07 | 212.44 | -0.91 | -52.23 | 3.7 |
| 14 | 1024 | + .535506E-03 | + .424961E-06 | 310.14 | +0.84 | +48.27 | 7.5 |
| 13 | 512 | + .116886E-02 | + .972939E-06 | 563.78 | -0.44 | -25.48 | 10.0 |
| 12 | 256 | + .132456E-02 | + .136736E-05 | 733.10 | -0.62 | -35.39 | 11.2 |
| 11 | 128 | + .114051E-02 | + .168774E-05 | 713.53 | -0.56 | -32.08 | 11.6 |
| 10 | 64 | + .548778E-03 | + .145260E-05 | 446.02 | -0.56 | -31.91 | 11.9 |
| 9 | 32 | + .830143E-03 | + .357001E-05 | 337.95 | -0.89 | -51.22 | 11.9 |
| 8 | 16 | + .732142E-03 | + .384699E-05 | 452.75 | -1.24 | -71.00 | 11.9 |
| 7 | 8 | + .613995E-03 | + .327008E-05 | 881.36 | -1.51 | -86.74 | 12.0 |
| 6 | 4 | + .553408E-03 | + .278628E-05 | 1972.47 | +1.49 | +85.52 | 12.1 |

**** Measured Data List ****

Tx dipole No. 2

| Station No. 269 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | | |
| 15 | 2048 | + .234551E-03 | + .640723E-07 | 1308.68 | -1.29 | -74.06 | 3.7 |
| 14 | 1024 | + .116083E-02 | + .345796E-06 | 2201.04 | +0.86 | +49.26 | 7.4 |
| 13 | 512 | + .267961E-02 | + .839911E-06 | 3975.92 | -0.49 | -28.18 | 9.9 |
| 12 | 256 | + .309696E-02 | + .123081E-05 | 4946.28 | -0.65 | -36.99 | 11.1 |
| 11 | 128 | + .268238E-02 | + .163299E-05 | 4215.97 | -0.55 | -31.52 | 11.6 |
| 10 | 64 | + .130227E-02 | + .141509E-05 | 2646.59 | -0.56 | -32.35 | 11.8 |
| 9 | 32 | + .197077E-02 | + .342151E-05 | 2073.55 | -1.01 | -58.01 | 11.8 |
| 8 | 16 | + .179288E-02 | + .362867E-05 | 3051.54 | -1.42 | -81.58 | 11.9 |
| 7 | 8 | + .868816E-03 | + .148386E-05 | 8570.53 | +1.06 | +60.91 | 11.9 |
| 6 | 4 | + .137858E-02 | + .232974E-05 | 17507.30 | +1.20 | +68.75 | 12.1 |

Tx dipole No. 2

| Station No. 270 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | | |
| 15 | 2048 | + .219853E-03 | + .673191E-07 | 1041.57 | -1.44 | -82.37 | 3.7 |
| 14 | 1024 | + .117179E-02 | + .374331E-06 | 1913.90 | +0.83 | +47.65 | 7.4 |
| 13 | 512 | + .277545E-02 | + .933191E-06 | 3455.30 | -0.50 | -28.56 | 10.0 |
| 12 | 256 | + .320946E-02 | + .128583E-05 | 4867.28 | -0.61 | -35.17 | 11.0 |
| 11 | 128 | + .276590E-02 | + .169332E-05 | 4168.83 | -0.57 | -32.52 | 11.5 |
| 10 | 64 | + .133273E-02 | + .142851E-05 | 2720.01 | -0.61 | -34.88 | 11.7 |
| 9 | 32 | + .199583E-02 | + .346374E-05 | 2075.08 | -0.96 | -55.27 | 11.8 |
| 8 | 16 | + .172985E-02 | + .367018E-05 | 2776.83 | -1.43 | -82.17 | 11.8 |
| 7 | 8 | + .137370E-02 | + .250237E-05 | 7533.93 | +1.32 | +75.68 | 11.9 |
| 6 | 4 | + .116177E-02 | + .220654E-05 | 13860.70 | +1.11 | +63.70 | 12.0 |

**** Measured Data List ****

Station No. 271 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .125248E-03 | + .665865E-07 | 345.52 | -1.11 | -63.42 | 3.7 |
| 14 | 1024 | + .657679E-03 | + .360541E-06 | 649.90 | +0.92 | +52.73 | 7.4 |
| 13 | 512 | + .158478E-02 | + .810595E-06 | 1493.11 | -0.43 | -24.49 | 9.9 |
| 12 | 256 | + .184115E-02 | + .124334E-05 | 1713.12 | -0.57 | -32.73 | 11.0 |
| 11 | 128 | + .164230E-02 | + .164004E-05 | 1566.79 | -0.45 | -25.55 | 11.5 |
| 10 | 64 | + .820347E-03 | + .136156E-05 | 1134.41 | -0.39 | -22.30 | 11.7 |
| 9 | 32 | + .128958E-02 | + .344299E-05 | 876.82 | -0.42 | -24.31 | 11.7 |
| 8 | 16 | + .110318E-02 | + .348231E-05 | 1254.50 | -0.45 | -25.87 | 11.8 |
| 7 | 8 | + .948253E-03 | + .241991E-05 | 3838.75 | -0.25 | -14.51 | 11.9 |
| 6 | 4 | + .905902E-03 | + .142096E-05 | 20322.00 | +0.09 | +5.42 | 12.0 |

Station No. 272 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .828358E-04 | + .617385E-07 | 175.80 | -0.86 | -49.47 | 3.7 |
| 14 | 1024 | + .399314E-03 | + .299013E-06 | 348.32 | +1.05 | +59.89 | 7.4 |
| 13 | 512 | + .947524E-03 | + .731108E-06 | 656.11 | -0.25 | -14.37 | 9.9 |
| 12 | 256 | + .111988E-02 | + .111333E-05 | 790.47 | -0.49 | -28.05 | 11.0 |
| 11 | 128 | + .997976E-03 | + .158147E-05 | 622.21 | -0.37 | -21.01 | 11.5 |
| 10 | 64 | + .545193E-03 | + .135292E-05 | 507.47 | -0.29 | -16.46 | 11.7 |
| 9 | 32 | + .870802E-03 | + .321205E-05 | 459.36 | -0.25 | -14.22 | 11.7 |
| 8 | 16 | + .869921E-03 | + .317784E-05 | 936.71 | -0.21 | -11.80 | 11.8 |
| 7 | 8 | + .883142E-03 | + .231254E-05 | 3646.06 | -0.11 | -6.18 | 11.8 |
| 6 | 4 | + .946736E-03 | + .142222E-05 | 22156.10 | -0.10 | -5.94 | 12.0 |

**** Measured Data List ****

Station No. 273 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Current I(A) | | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|-----------------|--------|------|
| 15 | 2048 | + .570563E-04 | + .456806E-07 | 152.35 | -1.22 | -69.62 | 3.7 |
| 14 | 1024 | + .230814E-03 | + .198905E-06 | 263.01 | +1.20 | +68.70 | 7.4 |
| 13 | 512 | + .536730E-03 | + .589560E-06 | 323.76 | -0.19 | -11.15 | 9.9 |
| 12 | 256 | + .687852E-03 | + .802156E-06 | 574.46 | -0.27 | -15.58 | 11.0 |
| 11 | 128 | + .711616E-03 | + .128316E-05 | 480.56 | -0.06 | -3.55 | 11.4 |
| 10 | 64 | + .595737E-03 | + .114579E-05 | 844.79 | +0.08 | +4.32 | 11.7 |
| 9 | 32 | + .155656E-02 | + .272632E-05 | 2037.31 | +0.16 | +9.15 | 11.7 |
| 8 | 16 | + .217762E-02 | + .283254E-05 | 7387.91 | -0.11 | -6.49 | 11.7 |
| 7 | 8 | + .264095E-02 | + .262846E-05 | 25238.10 | -0.49 | -28.21 | 11.8 |
| 6 | 4 | + .292451E-02 | + .188906E-05 | 119835.00 | -0.79 | -45.29 | 12.0 |

Station No. 274 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Current I(A) | | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|-----------------|--------|------|
| 15 | 2048 | + .478151E-03 | + .473396E-07 | 9962.81 | -1.20 | -68.99 | 3.7 |
| 14 | 1024 | + .240216E-02 | + .237328E-06 | 20009.50 | +1.03 | +58.78 | 7.4 |
| 13 | 512 | + .555169E-02 | + .552245E-06 | 39477.30 | -0.24 | -13.90 | 9.9 |
| 12 | 256 | + .636761E-02 | + .903759E-06 | 38782.70 | -0.51 | -29.42 | 10.9 |
| 11 | 128 | + .551987E-02 | + .127122E-05 | 29460.10 | -0.57 | -32.73 | 11.4 |
| 10 | 64 | + .265796E-02 | + .109352E-05 | 18462.50 | -0.92 | -52.52 | 11.6 |
| 9 | 32 | + .472353E-02 | + .268082E-05 | 19403.30 | +1.45 | +83.19 | 11.7 |
| 8 | 16 | + .639634E-02 | + .283443E-05 | 63656.40 | +0.66 | +38.01 | 11.7 |
| 7 | 8 | + .688390E-02 | + .206862E-05 | 276854.00 | +0.22 | +12.51 | 11.7 |
| 6 | 4 | + .749824E-02 | + .116696E-05 | 2064310.00 | -0.56 | -31.92 | 11.9 |

**** Measured Data List ****

Station No. 275 TX dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------|------------------|------|
| 15 | 2048 | + .818729E-04 | + .436333E-07 | 343.83 | -1.22 | -70.18 | 3.7 |
| 14 | 1024 | + .344559E-03 | + .172708E-06 | 777.38 | +1.04 | +59.35 | 7.4 |
| 13 | 512 | + .776666E-03 | + .439743E-06 | 1218.51 | -0.29 | -16.63 | 9.9 |
| 12 | 256 | + .943954E-03 | + .712687E-06 | 1370.55 | -0.42 | -24.29 | 10.9 |
| 11 | 128 | + .882420E-03 | + .100318E-05 | 1208.96 | -0.42 | -23.96 | 11.4 |
| 10 | 64 | + .524769E-03 | + .930779E-06 | 993.33 | -0.49 | -28.08 | 11.6 |
| 9 | 32 | + .929981E-03 | + .221090E-05 | 1105.83 | -0.59 | -33.98 | 11.7 |
| 8 | 16 | + .109614E-02 | + .256587E-05 | 2281.26 | -0.84 | -48.07 | 11.7 |
| 7 | 8 | + .129556E-02 | + .289099E-05 | 5020.65 | -1.05 | -60.12 | 11.9 |
| 6 | 4 | + .141249E-02 | + .310006E-05 | 10380.00 | -1.34 | -76.90 | 11.9 |

Station No. 276 TX dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------|------------------|------|
| 15 | 2048 | + .808231E-04 | + .391195E-07 | 416.85 | +0.57 | +32.51 | 3.7 |
| 14 | 1024 | + .347857E-03 | + .211054E-06 | 530.57 | +0.95 | +54.47 | 7.4 |
| 13 | 512 | + .767626E-03 | + .478286E-06 | 1006.20 | -0.35 | -20.02 | 9.9 |
| 12 | 256 | + .897078E-03 | + .775540E-06 | 1045.30 | -0.48 | -27.57 | 10.9 |
| 11 | 128 | + .799031E-03 | + .114311E-05 | 763.44 | -0.58 | -33.39 | 11.4 |
| 10 | 64 | + .400391E-03 | + .980037E-06 | 521.59 | -0.86 | -49.51 | 11.6 |
| 9 | 32 | + .572957E-03 | + .226375E-05 | 400.38 | -1.33 | -75.93 | 11.7 |
| 8 | 16 | + .466291E-03 | + .249064E-05 | 438.13 | +1.13 | +64.68 | 11.7 |
| 7 | 8 | + .317707E-03 | + .235177E-05 | 456.25 | +0.46 | +26.19 | 11.8 |
| 6 | 4 | + .189357E-03 | + .285227E-05 | 220.37 | -0.23 | -13.28 | 11.9 |

**** Measured Data List ****

| Station No. 277 | | Tx dipole No. 2 | | | | | |
|-----------------|----------------|-----------------|----------------------|------------------|---------|--------|------|
| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .124155E-03 | + .313111E-07 | 1535.44 | -1.33 | -76.14 | 3.7 |
| 14 | 1024 | + .497945E-03 | + .137257E-06 | 2570.55 | +1.06 | +60.86 | 7.4 |
| 13 | 512 | + .108381E-02 | + .363118E-06 | 3479.96 | -0.36 | -20.70 | 9.9 |
| 12 | 256 | + .130525E-02 | + .581307E-06 | 3938.85 | -0.47 | -27.15 | 11.0 |
| 11 | 128 | + .142282E-02 | + .855935E-06 | 4317.56 | -0.51 | -29.10 | 11.4 |
| 10 | 64 | + .841016E-03 | + .846954E-06 | 3081.33 | -0.59 | -33.62 | 11.6 |
| 9 | 32 | + .174207E-02 | + .225670E-05 | 3724.48 | -0.79 | -45.27 | 11.7 |
| 8 | 16 | + .217001E-02 | + .270450E-05 | 8047.42 | -1.08 | -62.06 | 11.7 |
| 7 | 8 | + .260534E-02 | + .311994E-05 | 17433.10 | -1.36 | -78.13 | 11.8 |
| 6 | 4 | + .291037E-02 | + .363657E-05 | 32024.40 | -1.50 | -86.03 | 11.9 |

| Station No. 278 | | Tx dipole No. 2 | | | | | |
|-----------------|----------------|-----------------|----------------------|------------------|---------|--------|------|
| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .843711E-04 | + .364739E-07 | 522.54 | -0.76 | -43.56 | 3.7 |
| 14 | 1024 | + .275809E-03 | + .140444E-06 | 753.25 | +1.20 | +68.57 | 7.4 |
| 13 | 512 | + .558846E-03 | + .340896E-06 | 1049.79 | -0.15 | -8.81 | 9.9 |
| 12 | 256 | + .765363E-03 | + .511786E-06 | 1747.23 | -0.42 | -23.81 | 11.0 |
| 11 | 128 | + .839761E-03 | + .961194E-06 | 1192.64 | -0.36 | -20.50 | 11.4 |
| 10 | 64 | + .702938E-03 | + .731284E-06 | 2887.44 | -0.43 | -24.61 | 11.6 |
| 9 | 32 | + .194526E-02 | + .217160E-05 | 5015.05 | -0.72 | -41.39 | 11.7 |
| 8 | 16 | + .286882E-02 | + .303204E-05 | 11190.40 | -1.07 | -61.15 | 11.7 |
| 7 | 8 | + .357696E-02 | + .364511E-05 | 24074.00 | -1.24 | -71.14 | 11.8 |
| 6 | 4 | + .398493E-02 | + .424124E-05 | 44139.20 | -1.42 | -81.43 | 11.9 |

**** Measured Data List ****

Station No. 279 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .744373E-04 | + .820512E-07 | 80.37 | -0.97 | -55.45 | 3.7 |
| 14 | 1024 | + .362429E-03 | + .406302E-06 | 155.41 | +0.92 | +52.71 | 7.4 |
| 13 | 512 | + .838752E-03 | + .102167E-05 | 263.27 | -0.42 | -24.10 | 9.9 |
| 12 | 256 | + .959230E-03 | + .144705E-05 | 343.30 | -0.62 | -35.73 | 11.0 |
| 11 | 128 | + .827272E-03 | + .184590E-05 | 313.83 | -0.54 | -31.22 | 11.4 |
| 10 | 64 | + .408999E-03 | + .155625E-05 | 215.84 | -0.60 | -34.48 | 11.7 |
| 9 | 32 | + .610179E-03 | + .360409E-05 | 179.14 | -0.77 | -44.12 | 11.7 |
| 8 | 16 | + .461182E-03 | + .354619E-05 | 211.41 | -1.06 | -60.50 | 11.7 |
| 7 | 8 | + .289271E-03 | + .250653E-05 | 332.97 | -1.26 | -71.93 | 11.8 |
| 6 | 4 | + .182578E-03 | + .204593E-05 | 398.19 | -0.91 | -51.94 | 12.0 |

Station No. 280 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .970176E-04 | + .972034E-07 | 97.28 | -1.22 | -69.83 | 3.7 |
| 14 | 1024 | + .451612E-03 | + .501460E-06 | 158.41 | +0.84 | +47.86 | 7.4 |
| 13 | 512 | + .103779E-02 | + .116204E-05 | 311.56 | -0.48 | -27.60 | 9.9 |
| 12 | 256 | + .118546E-02 | + .161228E-05 | 422.36 | -0.65 | -37.53 | 11.0 |
| 11 | 128 | + .102607E-02 | + .200752E-05 | 408.18 | -0.61 | -34.80 | 11.4 |
| 10 | 64 | + .505378E-03 | + .157710E-05 | 320.90 | -0.64 | -36.62 | 11.7 |
| 9 | 32 | + .725733E-03 | + .354790E-05 | 261.51 | -0.84 | -48.19 | 11.7 |
| 8 | 16 | + .560206E-03 | + .360657E-05 | 301.59 | -1.10 | -63.19 | 11.7 |
| 7 | 8 | + .357103E-03 | + .257844E-05 | 479.53 | -1.33 | -76.32 | 11.8 |
| 6 | 4 | + .215350E-03 | + .181814E-05 | 701.47 | -1.52 | -86.94 | 12.0 |

**** Measured Data List ****

Station No. 281 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------|------------------|------|
| 15 | 2048 | + .139963E-03 | + .731039E-07 | 357.97 | -1.33 | -75.96 | 3.7 |
| 14 | 1024 | + .691001E-03 | + .412347E-06 | 548.48 | +0.77 | +44.15 | 7.4 |
| 13 | 512 | + .157850E-02 | + .940112E-06 | 1101.26 | -0.51 | -29.06 | 9.9 |
| 12 | 256 | + .179968E-02 | + .138534E-05 | 1318.45 | -0.70 | -40.20 | 11.0 |
| 11 | 128 | + .153662E-02 | + .178919E-05 | 1152.50 | -0.68 | -38.69 | 11.7 |
| 10 | 64 | + .732030E-03 | + .144446E-05 | 802.60 | -0.83 | -47.63 | 11.7 |
| 9 | 32 | + .109506E-02 | + .312866E-05 | 765.66 | -1.32 | -75.42 | 11.7 |
| 8 | 16 | + .938787E-03 | + .320911E-05 | 1069.73 | +1.20 | +68.54 | 11.7 |
| 7 | 8 | + .715585E-03 | + .244353E-05 | 2144.01 | +0.42 | +24.05 | 11.8 |
| 6 | 4 | + .602436E-03 | + .264982E-05 | 2584.39 | -0.49 | -28.24 | 12.0 |

Station No. 282 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------|------------------|------|
| 15 | 2048 | + .918317E-04 | + .103672E-06 | 76.62 | -1.34 | -76.91 | 3.7 |
| 14 | 1024 | + .467061E-03 | + .549970E-06 | 140.86 | +0.63 | +36.29 | 7.4 |
| 13 | 512 | + .107540E-02 | + .114791E-05 | 342.84 | -0.59 | -33.96 | 9.9 |
| 12 | 256 | + .123187E-02 | + .158227E-05 | 473.55 | -0.79 | -45.36 | 11.0 |
| 11 | 128 | + .112981E-02 | + .189705E-05 | 554.21 | -0.81 | -46.40 | 11.7 |
| 10 | 64 | + .578458E-03 | + .145420E-05 | 494.48 | -0.87 | -49.57 | 11.7 |
| 9 | 32 | + .883522E-03 | + .319690E-05 | 477.37 | -1.08 | -61.67 | 11.7 |
| 8 | 16 | + .781782E-03 | + .328284E-05 | 708.89 | -1.25 | -71.61 | 11.7 |
| 7 | 8 | + .727583E-03 | + .359094E-05 | 1026.33 | -1.39 | -79.64 | 11.8 |
| 6 | 4 | + .720069E-03 | + .393017E-05 | 1678.40 | -1.53 | -87.70 | 12.0 |

*** Measured Data List ***

Station No. 283 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .156077E-03 | + .982892E-07 | 246.25 | -1.40 | -80.44 | 3.7 |
| 14 | 1024 | + .754576E-03 | + .468189E-06 | 507.33 | +0.65 | +37.29 | 7.4 |
| 13 | 512 | + .171494E-02 | + .104002E-05 | 1062.13 | -0.66 | -37.62 | 9.9 |
| 12 | 256 | + .198343E-02 | + .138548E-05 | 1601.12 | -0.85 | -48.53 | 11.0 |
| 11 | 128 | + .179988E-02 | + .174987E-05 | 1653.09 | -0.85 | -48.54 | 11.4 |
| 10 | 64 | + .940992E-03 | + .136098E-05 | 1493.89 | -1.00 | -57.09 | 11.7 |
| 9 | 32 | + .143270E-02 | + .304017E-05 | 1388.02 | -1.28 | -73.12 | 11.7 |
| 8 | 16 | + .126508E-02 | + .359916E-05 | 1544.35 | -1.52 | -86.92 | 11.7 |
| 7 | 8 | + .115874E-02 | + .389362E-05 | 2214.13 | -0.03 | -2.00 | 11.8 |
| 6 | 4 | + .114209E-02 | + .476252E-05 | 2875.37 | +0.03 | +1.73 | 12.0 |

Station No. 284 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .104092E-03 | + .107550E-06 | 91.48 | -1.38 | -79.09 | 3.7 |
| 14 | 1024 | + .525483E-03 | + .511032E-06 | 206.52 | +0.67 | +38.45 | 7.4 |
| 13 | 512 | + .118575E-02 | + .108581E-05 | 465.84 | -0.67 | -38.11 | 9.9 |
| 12 | 256 | + .136542E-02 | + .146527E-05 | 678.39 | -0.88 | -50.62 | 11.0 |
| 11 | 128 | + .126512E-02 | + .180254E-05 | 769.68 | -0.92 | -52.69 | 11.4 |
| 10 | 64 | + .656003E-03 | + .140314E-05 | 683.06 | -1.04 | -59.49 | 11.7 |
| 9 | 32 | + .980178E-03 | + .323123E-05 | 575.11 | -1.33 | -76.34 | 11.7 |
| 8 | 16 | + .847338E-03 | + .378857E-05 | 625.28 | +0.53 | +30.61 | 11.7 |
| 7 | 8 | + .765749E-03 | + .448575E-05 | 728.52 | +1.52 | +87.17 | 11.8 |
| 6 | 4 | + .741846E-03 | + .438288E-05 | 1432.45 | -1.52 | -87.19 | 12.0 |

**** Measured Data List ****

Station No. 285 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | |
| 15 | 2048 | + .114111E-03 | + .575903E-07 | -1.19 | -68.39 | 3.7 |
| 14 | 1024 | + .511360E-03 | + .316514E-06 | +0.90 | +51.84 | 7.4 |
| 13 | 512 | + .106443E-02 | + .657037E-06 | -0.41 | -23.44 | 9.9 |
| 12 | 256 | + .122546E-02 | + .102436E-05 | -0.62 | -35.35 | 11.0 |
| 11 | 128 | + .127542E-02 | + .147651E-05 | -0.60 | -34.18 | 11.4 |
| 10 | 64 | + .883339E-03 | + .134883E-05 | -0.71 | -40.68 | 11.7 |
| 9 | 32 | + .194998E-02 | + .319866E-05 | -0.90 | -51.50 | 11.7 |
| 8 | 16 | + .246747E-02 | + .419589E-05 | -1.11 | -63.82 | 11.7 |
| 7 | 8 | + .282412E-02 | + .494049E-05 | -1.34 | -76.59 | 11.8 |
| 6 | 4 | + .306251E-02 | + .560238E-05 | -1.47 | -84.13 | 12.0 |

Station No. 286 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | |
| 15 | 2048 | + .785018E-03 | + .631534E-07 | +0.05 | +2.71 | 3.7 |
| 14 | 1024 | + .373911E-02 | + .272303E-06 | +0.79 | +45.17 | 7.4 |
| 13 | 512 | + .793616E-02 | + .752460E-06 | -0.47 | -26.70 | 9.9 |
| 12 | 256 | + .900633E-02 | + .108913E-05 | -0.60 | -34.46 | 11.0 |
| 11 | 128 | + .829632E-02 | + .167071E-05 | -0.78 | -44.46 | 11.4 |
| 10 | 64 | + .438103E-02 | + .145969E-05 | -1.03 | -59.04 | 11.7 |
| 9 | 32 | + .657839E-02 | + .325489E-05 | -1.44 | -82.51 | 11.7 |
| 8 | 16 | + .572397E-02 | + .416487E-05 | +1.49 | +85.26 | 11.7 |
| 7 | 8 | + .525879E-02 | + .492048E-05 | +1.46 | +83.51 | 11.8 |
| 6 | 4 | + .520043E-02 | + .585590E-05 | +1.44 | +82.35 | 12.0 |

*** Measured Data List ***

Station No. 287 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .890795E-04 | + .598959E-07 | 216.00 | +0.27 | +15.53 | 3.7 |
| 14 | 1024 | + .389661E-03 | + .275221E-06 | 391.51 | +0.93 | +53.02 | 7.4 |
| 13 | 512 | + .801923E-03 | + .786272E-06 | 406.33 | -0.32 | -18.20 | 9.9 |
| 12 | 256 | + .931370E-03 | + .128483E-05 | 410.53 | -0.54 | -30.75 | 11.0 |
| 11 | 128 | + .942890E-03 | + .182112E-05 | 418.86 | -0.65 | -37.12 | 11.4 |
| 10 | 64 | + .597614E-03 | + .159930E-05 | 436.35 | -0.83 | -47.53 | 11.7 |
| 9 | 32 | + .123675E-02 | + .381536E-05 | 656.71 | -1.03 | -59.30 | 11.7 |
| 8 | 16 | + .144536E-02 | + .461583E-05 | 1225.63 | -1.24 | -71.00 | 11.7 |
| 7 | 8 | + .159667E-02 | + .487061E-05 | 2686.60 | -1.42 | -81.63 | 11.8 |
| 6 | 4 | + .171956E-02 | + .580162E-05 | 4392.46 | -1.51 | -86.62 | 12.0 |

Station No. 288 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .176525E-03 | + .877101E-07 | 395.56 | -1.37 | -78.36 | 3.7 |
| 14 | 1024 | + .790979E-03 | + .371099E-06 | 887.32 | +0.93 | +53.23 | 7.4 |
| 13 | 512 | + .171673E-02 | + .891131E-06 | 1449.70 | -0.41 | -23.58 | 9.9 |
| 12 | 256 | + .195532E-02 | + .146579E-05 | 1390.22 | -0.65 | -37.20 | 11.0 |
| 11 | 128 | + .180402E-02 | + .216259E-05 | 1087.32 | -0.93 | -53.03 | 11.4 |
| 10 | 64 | + .957544E-03 | + .191196E-05 | 783.81 | -1.33 | -76.35 | 11.7 |
| 9 | 32 | + .146060E-02 | + .474950E-05 | 591.08 | +1.38 | +79.21 | 11.7 |
| 8 | 16 | + .124252E-02 | + .611457E-05 | 516.16 | +1.20 | +68.90 | 11.7 |
| 7 | 8 | + .112486E-02 | + .701149E-05 | 643.46 | +1.30 | +74.76 | 11.8 |
| 6 | 4 | + .111276E-02 | + .743966E-05 | 1118.59 | +1.30 | +74.35 | 12.0 |

*** Measured Data List ***

Station No. 289 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I (A) | | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|------------------|--------|------|
| 15 | 2048 | + .410441E-03 | + .694447E-07 | 3411.32 | -1.15 | -65.98 | 3.7 |
| 14 | 1024 | + .192838E-02 | + .422182E-06 | 4074.90 | +0.88 | +50.18 | 7.4 |
| 13 | 512 | + .436678E-02 | + .829142E-06 | 10834.90 | -0.36 | -20.75 | 9.9 |
| 12 | 256 | + .498774E-02 | + .151179E-05 | 8503.80 | -0.66 | -37.58 | 11.0 |
| 11 | 128 | + .459820E-02 | + .228748E-05 | 6313.65 | -0.98 | -55.89 | 11.4 |
| 10 | 64 | + .243634E-02 | + .209516E-05 | 4225.61 | -1.39 | -79.49 | 11.7 |
| 9 | 32 | + .383664E-02 | + .525175E-05 | 3335.59 | +1.36 | +77.79 | 11.7 |
| 8 | 16 | + .336154E-02 | + .694224E-05 | 2930.80 | +1.24 | +71.05 | 11.7 |
| 7 | 8 | + .321995E-02 | + .799635E-05 | 4053.73 | +1.32 | +75.47 | 11.8 |
| 6 | 4 | + .323933E-02 | + .893256E-05 | 6575.50 | +1.41 | +80.76 | 12.0 |

Station No. 290 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Current I (A) | | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|------------------|--------|------|
| 15 | 2048 | + .109334E-03 | + .963379E-07 | 125.78 | -1.12 | -64.00 | 3.7 |
| 14 | 1024 | + .423696E-03 | + .427034E-06 | 192.27 | +0.79 | +45.24 | 7.4 |
| 13 | 512 | + .870429E-03 | + .793079E-06 | 470.54 | -0.59 | -34.01 | 9.9 |
| 12 | 256 | + .108551E-02 | + .141217E-05 | 461.62 | -0.86 | -49.41 | 11.0 |
| 11 | 128 | + .106136E-02 | + .219064E-05 | 366.78 | -1.21 | -69.51 | 11.4 |
| 10 | 64 | + .568846E-03 | + .218286E-05 | 212.22 | -1.54 | -88.25 | 11.7 |
| 9 | 32 | + .845228E-03 | + .578503E-05 | 133.42 | +1.34 | +76.54 | 11.7 |
| 8 | 16 | + .775630E-03 | + .790813E-05 | 120.25 | +1.34 | +76.61 | 11.7 |
| 7 | 8 | + .770271E-03 | + .930002E-05 | 171.50 | +1.40 | +80.41 | 11.8 |
| 6 | 4 | + .776240E-03 | + .105240E-04 | 272.02 | +1.45 | +83.05 | 12.0 |

*** Measured Data List ***

Station No. 291 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .165771E-03 | + .953431E-07 | 295.21 | -1.44 | -82.79 | 3.7 |
| 14 | 1024 | + .812008E-03 | + .538008E-06 | 444.91 | +0.80 | +45.88 | 7.5 |
| 13 | 512 | + .185919E-02 | + .119319E-05 | 948.39 | -0.53 | -30.35 | 10.0 |
| 12 | 256 | + .215116E-02 | + .167059E-05 | 1295.39 | -0.67 | -38.62 | 11.1 |
| 11 | 128 | + .186195E-02 | + .207297E-05 | 1260.58 | -0.63 | -35.97 | 11.6 |
| 10 | 64 | + .961074E-03 | + .182211E-05 | 869.39 | -0.58 | -33.28 | 11.8 |
| 9 | 32 | + .134976E-02 | + .389040E-05 | 752.33 | -0.80 | -45.60 | 11.8 |
| 8 | 16 | + .104650E-02 | + .394125E-05 | 881.30 | -1.00 | -57.49 | 11.8 |
| 7 | 8 | + .702567E-03 | + .268927E-05 | 1706.26 | -1.07 | -61.45 | 12.0 |
| 6 | 4 | + .472497E-03 | + .188257E-05 | 3149.66 | -0.79 | -44.98 | 12.2 |

Station No. 292 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | | |
| 15 | 2048 | + .125557E-03 | + .992601E-07 | 156.26 | -1.18 | -67.33 | 3.7 |
| 14 | 1024 | + .572201E-03 | + .433164E-06 | 340.82 | +0.98 | +56.26 | 7.5 |
| 13 | 512 | + .127426E-02 | + .102133E-05 | 608.06 | -0.32 | -18.39 | 10.0 |
| 12 | 256 | + .144398E-02 | + .155884E-05 | 670.36 | -0.47 | -26.66 | 11.1 |
| 11 | 128 | + .134752E-02 | + .203970E-05 | 681.96 | -0.47 | -26.74 | 11.5 |
| 10 | 64 | + .810141E-03 | + .172591E-05 | 688.55 | -0.31 | -17.85 | 11.8 |
| 9 | 32 | + .152726E-02 | + .403131E-05 | 897.04 | -0.21 | -12.26 | 11.8 |
| 8 | 16 | + .167345E-02 | + .379174E-05 | 2434.77 | -0.18 | -10.50 | 11.8 |
| 7 | 8 | + .191820E-02 | + .305733E-05 | 9841.09 | -0.37 | -21.21 | 11.9 |
| 6 | 4 | + .204428E-02 | + .181793E-05 | 63226.00 | -0.58 | -33.40 | 12.0 |

**** Measured Data List ****

Station No. 293 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Phase Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------------|------------------|------|
| 15 | 2048 | + .256044E-03 | + .125424E-06 | 406.97 | -1.31 | -75.32 | 3.7 |
| 14 | 1024 | + .112008E-02 | + .608539E-06 | 661.69 | +0.99 | +56.79 | 7.4 |
| 13 | 512 | + .239361E-02 | + .126137E-05 | 1406.62 | -0.34 | -19.43 | 9.9 |
| 12 | 256 | + .264730E-02 | + .193916E-05 | 1456.03 | -0.53 | -30.24 | 11.0 |
| 11 | 128 | + .229795E-02 | + .242838E-05 | 1399.16 | -0.54 | -31.04 | 11.5 |
| 10 | 64 | + .114288E-02 | + .208152E-05 | 942.09 | -0.65 | -37.45 | 11.7 |
| 9 | 32 | + .178135E-02 | + .466700E-05 | 910.55 | -0.87 | -49.62 | 11.8 |
| 8 | 16 | + .138057E-02 | + .438853E-05 | 1237.06 | -1.06 | -60.72 | 11.8 |
| 7 | 8 | + .921981E-03 | + .299777E-05 | 2364.76 | -1.09 | -62.58 | 11.8 |
| 6 | 4 | + .590917E-03 | + .205572E-05 | 4131.36 | -1.10 | -63.22 | 12.0 |

Station No. 294 Tx dipole No. 2

| Frequency No. f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity (Ω·m) | Phase Difference (rad) | Phase Difference (deg) | Current I (A) | |
|-------------------------|--------------------------------|----------------------------|----------------------------------|---------------------------|---------------------------|------------------|------|
| 15 | 2048 | + .146371E-03 | + .110081E-06 | 172.66 | -0.88 | -50.56 | 3.7 |
| 14 | 1024 | + .588149E-03 | + .458790E-06 | 320.98 | +1.21 | +69.23 | 7.4 |
| 13 | 512 | + .118658E-02 | + .122353E-05 | 367.39 | -0.16 | -8.97 | 9.9 |
| 12 | 256 | + .127139E-02 | + .185617E-05 | 366.53 | -0.40 | -22.79 | 11.0 |
| 11 | 128 | + .107116E-02 | + .258608E-05 | 268.07 | -0.46 | -26.53 | 11.4 |
| 10 | 64 | + .530541E-03 | + .219952E-05 | 181.82 | -0.62 | -35.61 | 11.6 |
| 9 | 32 | + .856332E-03 | + .502841E-05 | 181.26 | -0.92 | -52.51 | 11.7 |
| 8 | 16 | + .668519E-03 | + .489287E-05 | 233.35 | -1.18 | -67.35 | 11.8 |
| 7 | 8 | + .418965E-03 | + .344299E-05 | 370.19 | -1.40 | -80.21 | 11.8 |
| 6 | 4 | + .238447E-03 | + .204909E-05 | 677.07 | -1.39 | -79.70 | 11.9 |

*** Measured Data List ***

Station No. 295 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .427155E-03 | + .109086E-06 | 1497.37 | -1.04 | -59.78 | 3.7 |
| 14 | 1024 | + .180365E-02 | + .518093E-06 | 2367.13 | +1.03 | +58.90 | 7.4 |
| 13 | 512 | + .386334E-02 | + .122020E-05 | 3915.84 | -0.33 | -18.89 | 9.9 |
| 12 | 256 | + .434496E-02 | + .173802E-05 | 4882.57 | -0.53 | -30.44 | 11.0 |
| 11 | 128 | + .378061E-02 | + .234174E-05 | 4072.55 | -0.49 | -28.18 | 11.4 |
| 10 | 64 | + .206257E-02 | + .193202E-05 | 3561.60 | -0.48 | -27.74 | 11.6 |
| 9 | 32 | + .347376E-02 | + .431117E-05 | 4057.79 | -0.51 | -29.01 | 11.7 |
| 8 | 16 | + .323779E-02 | + .396035E-05 | 8354.91 | -0.49 | -27.84 | 11.7 |
| 7 | 8 | + .320991E-02 | + .310402E-05 | 26734.90 | -0.47 | -26.66 | 11.8 |
| 6 | 4 | + .324413E-02 | + .221256E-05 | 107493.00 | -0.48 | -27.28 | 11.9 |

Station No. 296 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .111139E-03 | + .782139E-07 | 197.18 | -0.44 | -25.24 | 3.7 |
| 14 | 1024 | + .365140E-03 | + .361633E-06 | 199.12 | +1.37 | +78.47 | 7.4 |
| 13 | 512 | + .689073E-03 | + .851460E-06 | 255.84 | +0.08 | +4.66 | 9.8 |
| 12 | 256 | + .823142E-03 | + .133105E-05 | 298.78 | -0.26 | -15.09 | 10.9 |
| 11 | 128 | + .828650E-03 | + .182707E-05 | 321.41 | -0.18 | -10.18 | 11.4 |
| 10 | 64 | + .705178E-03 | + .156491E-05 | 634.56 | -0.04 | -2.12 | 11.6 |
| 9 | 32 | + .193693E-02 | + .341711E-05 | 2008.11 | +0.02 | +1.09 | 11.7 |
| 8 | 16 | + .259005E-02 | + .322655E-05 | 8054.70 | -0.17 | -9.96 | 11.7 |
| 7 | 8 | + .305251E-02 | + .268383E-05 | 32340.50 | -0.54 | -31.20 | 11.8 |
| 6 | 4 | + .333342E-02 | + .256370E-05 | 84571.50 | -0.96 | -55.03 | 11.9 |

*** Measured Data List ***

Station No. 297 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) | | |
| 15 | 2048 | + .457130E-04 | + .107123E-06 | 17.78 | -1.19 | -68.40 | 3.7 |
| 14 | 1024 | + .165833E-03 | + .434173E-06 | 28.49 | +1.16 | +66.35 | 7.4 |
| 13 | 512 | + .339604E-03 | + .109769E-05 | 37.39 | -0.28 | -16.14 | 9.9 |
| 12 | 256 | + .462207E-03 | + .140873E-05 | 84.10 | -0.43 | -24.39 | 11.0 |
| 11 | 128 | + .550437E-03 | + .182658E-05 | 141.89 | -0.25 | -14.15 | 11.4 |
| 10 | 64 | + .603159E-03 | + .156671E-05 | 463.17 | -0.10 | -5.45 | 11.6 |
| 9 | 32 | + .167080E-02 | + .311990E-05 | 1792.44 | +0.04 | +2.57 | 11.7 |
| 8 | 16 | + .233549E-02 | + .312094E-05 | 6999.98 | -0.22 | -12.43 | 11.7 |
| 7 | 8 | + .283686E-02 | + .276217E-05 | 26370.40 | -0.71 | -40.75 | 11.8 |
| 6 | 4 | + .298468E-02 | + .294128E-05 | 51486.30 | -1.00 | -57.49 | 11.9 |

Station No. 298 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) | | |
| 15 | 2048 | + .118597E-03 | + .111964E-06 | 109.57 | -1.19 | -68.29 | 3.7 |
| 14 | 1024 | + .590271E-03 | + .527099E-06 | 244.93 | +0.79 | +45.32 | 7.4 |
| 13 | 512 | + .137321E-02 | + .140828E-05 | 371.41 | -0.47 | -27.17 | 9.9 |
| 12 | 256 | + .153835E-02 | + .201655E-05 | 454.66 | -0.71 | -40.42 | 10.9 |
| 11 | 128 | + .134826E-02 | + .248092E-05 | 461.47 | -0.71 | -40.83 | 11.4 |
| 10 | 64 | + .695431E-03 | + .197835E-05 | 386.14 | -0.85 | -48.69 | 11.7 |
| 9 | 32 | + .103788E-02 | + .413469E-05 | 393.81 | -1.17 | -66.83 | 11.7 |
| 8 | 16 | + .832060E-03 | + .413305E-05 | 506.61 | -1.41 | -80.54 | 11.7 |
| 7 | 8 | + .527949E-03 | + .329485E-05 | 641.88 | +1.39 | +79.60 | 11.8 |
| 6 | 4 | + .370986E-03 | + .244750E-05 | 1148.78 | +1.08 | +62.01 | 11.9 |

*** Measured Data List ***

Station No. 299 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Current I(A) | | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|-----------------|--------|------|
| 15 | 2048 | + .105318E-03 | + .938025E-07 | 123.11 | -1.21 | -69.38 | 3.7 |
| 14 | 1024 | + .570795E-03 | + .566669E-06 | 198.17 | +0.72 | +41.32 | 7.4 |
| 13 | 512 | + .131927E-02 | + .133240E-05 | 382.96 | -0.52 | -29.69 | 9.9 |
| 12 | 256 | + .151140E-02 | + .190966E-05 | 489.37 | -0.71 | -40.88 | 11.0 |
| 11 | 128 | + .132017E-02 | + .251576E-05 | 430.27 | -0.75 | -42.81 | 11.4 |
| 10 | 64 | + .660833E-03 | + .194524E-05 | 360.65 | -0.97 | -55.72 | 11.6 |
| 9 | 32 | + .102296E-02 | + .390629E-05 | 428.62 | -1.38 | -79.25 | 11.7 |
| 8 | 16 | + .806745E-03 | + .376548E-05 | 573.78 | +1.41 | +80.57 | 11.7 |
| 7 | 8 | + .502028E-03 | + .286039E-05 | 770.10 | +0.99 | +56.46 | 11.8 |
| 6 | 4 | + .280588E-03 | + .314700E-05 | 397.48 | +0.72 | +41.34 | 11.9 |

Station No. 300 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Current I(A) | | |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|-----------------|--------|------|
| 15 | 2048 | + .610945E-04 | + .897110E-07 | 45.29 | -1.19 | -68.44 | 3.7 |
| 14 | 1024 | + .284899E-03 | + .434989E-06 | 83.78 | +0.93 | +53.13 | 7.4 |
| 13 | 512 | + .621893E-03 | + .109049E-05 | 127.04 | -0.33 | -19.06 | 9.9 |
| 12 | 256 | + .703073E-03 | + .169346E-05 | 134.66 | -0.49 | -28.09 | 11.0 |
| 11 | 128 | + .809370E-03 | + .237634E-05 | 181.26 | -0.57 | -32.62 | 11.4 |
| 10 | 64 | + .672734E-03 | + .200845E-05 | 350.60 | -0.58 | -33.11 | 11.6 |
| 9 | 32 | + .179381E-02 | + .397435E-05 | 1273.21 | -0.63 | -36.30 | 11.7 |
| 8 | 16 | + .238846E-02 | + .434803E-05 | 3771.91 | -0.92 | -52.79 | 11.7 |
| 7 | 8 | + .279411E-02 | + .503759E-05 | 7690.99 | -1.20 | -68.79 | 11.8 |
| 6 | 4 | + .298358E-02 | + .516737E-05 | 16668.80 | -1.38 | -78.79 | 11.9 |

**** Measured Data List ****

Tx dipole No. 2

| Station No. 301 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/Km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .474244E-04 | + .632750E-07 | 54.86 | -0.85 | -48.67 | 3.7 |
| 14 | 1024 | + .174114E-03 | + .334516E-06 | 52.91 | +1.29 | +73.93 | 7.4 |
| 13 | 512 | + .352746E-03 | + .804063E-06 | 75.18 | +0.07 | +3.82 | 9.9 |
| 12 | 256 | + .407485E-03 | + .151268E-05 | 56.69 | -0.25 | -14.13 | 11.0 |
| 11 | 128 | + .505711E-03 | + .224146E-05 | 79.54 | -0.47 | -27.08 | 11.5 |
| 10 | 64 | + .495711E-03 | + .196936E-05 | 198.00 | -0.60 | -34.56 | 11.7 |
| 9 | 32 | + .145751E-02 | + .434950E-05 | 701.82 | -0.80 | -45.76 | 11.7 |
| 8 | 16 | + .200838E-02 | + .542669E-05 | 1712.10 | -1.08 | -62.11 | 11.7 |
| 7 | 8 | + .236140E-02 | + .639458E-05 | 3409.24 | -1.29 | -73.99 | 11.8 |
| 6 | 4 | + .251782E-02 | + .670139E-05 | 7058.15 | -1.49 | -85.44 | 11.9 |

Tx dipole No. 2

| Station No. 302 | | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|-----------------|----------|---------------|----------------------|----------------|----------------------|------------------|---------|
| No. f(Hz) | E(mV/Km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .898250E-04 | + .799527E-07 | 123.26 | -1.24 | -70.85 | 3.7 |
| 14 | 1024 | + .494761E-03 | + .443298E-06 | 243.29 | +0.82 | +46.77 | 7.4 |
| 13 | 512 | + .110560E-02 | + .105309E-05 | 430.55 | -0.42 | -24.33 | 9.9 |
| 12 | 256 | + .128269E-02 | + .168900E-05 | 450.58 | -0.59 | -33.62 | 11.0 |
| 11 | 128 | + .134377E-02 | + .254979E-05 | 433.97 | -0.83 | -47.58 | 11.4 |
| 10 | 64 | + .102603E-02 | + .223836E-05 | 656.61 | -1.02 | -58.71 | 11.6 |
| 9 | 32 | + .244888E-02 | + .534256E-05 | 1313.15 | -1.23 | -70.64 | 11.7 |
| 8 | 16 | + .316176E-02 | + .695632E-05 | 2582.32 | -1.36 | -77.76 | 11.7 |
| 7 | 8 | + .365918E-02 | + .819528E-05 | 4984.03 | -1.47 | -83.95 | 11.8 |
| 6 | 4 | + .390704E-02 | + .933648E-05 | 8755.87 | -1.55 | -88.55 | 11.9 |

*** Measured Data List ***

Station No. 303 TX dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|------------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) (deg) | I(A) | |
| 15 2048 | + .714770E-04 | + .114053E-06 | 38.35 | -0.37 | -21.44 | 3.7 |
| 14 1024 | + .243877E-03 | + .652086E-06 | 27.32 | -1.34 | -76.58 | 2.5 |
| 13 512 | + .372701E-03 | + .160739E-05 | 21.00 | +0.58 | +33.40 | 10.0 |
| 12 256 | + .319832E-03 | + .245288E-05 | 13.28 | +0.50 | +28.47 | 11.1 |
| 11 128 | + .280497E-03 | + .335424E-05 | 10.93 | +0.56 | +32.14 | 11.6 |
| 10 64 | + .241559E-03 | + .319607E-05 | 17.85 | +0.84 | +48.38 | 11.8 |
| 9 32 | + .563113E-03 | + .774411E-05 | 33.05 | +1.09 | +62.59 | 11.9 |
| 8 16 | + .638543E-03 | + .839607E-05 | 72.30 | +1.08 | +62.05 | 11.9 |
| 7 8 | + .698818E-03 | + .767435E-05 | 207.29 | +1.15 | +65.77 | 12.0 |
| 6 4 | + .760252E-03 | + .704796E-05 | 581.78 | +1.25 | +71.74 | 12.2 |

Station No. 304 TX dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|------------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) (deg) | I(A) | |
| 15 2048 | + .438591E-03 | + .136356E-06 | 1010.35 | -0.85 | -48.66 | 3.7 |
| 14 1024 | + .160523E-02 | + .761307E-06 | 868.33 | +1.42 | +81.42 | 7.5 |
| 13 512 | + .258301E-02 | + .181431E-05 | 791.75 | +0.10 | +5.77 | 10.0 |
| 12 256 | + .234777E-02 | + .267706E-05 | 600.88 | -0.17 | -9.75 | 11.1 |
| 11 128 | + .183341E-02 | + .368328E-05 | 387.14 | -0.24 | -14.03 | 11.6 |
| 10 64 | + .879925E-03 | + .350459E-05 | 197.00 | -0.45 | -25.67 | 11.8 |
| 9 32 | + .147002E-02 | + .845148E-05 | 189.09 | -0.82 | -47.12 | 11.8 |
| 8 16 | + .130177E-02 | + .911060E-05 | 255.20 | -1.01 | -57.60 | 11.9 |
| 7 8 | + .963055E-03 | + .830158E-05 | 336.45 | -1.11 | -63.36 | 12.0 |
| 6 4 | + .707306E-03 | + .748725E-05 | 446.21 | -1.20 | -68.79 | 12.2 |

**** Measured Data List ****

Station No. 305 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (deg) | I(A) | |
| 15 | 2048 | +.233912E-03 | +.168058E-06 | -0.76 | -43.83 | 3.7 |
| 14 | 1024 | +.808508E-03 | +.909178E-06 | +1.43 | +81.94 | 7.4 |
| 13 | 512 | +.125639E-02 | +.214184E-05 | +0.15 | +8.80 | 9.9 |
| 12 | 256 | +.112971E-02 | +.318240E-05 | -0.19 | -11.08 | 11.1 |
| 11 | 128 | +.868551E-03 | +.433724E-05 | -0.33 | -18.90 | 11.5 |
| 10 | 64 | +.451708E-03 | +.413466E-05 | -0.71 | -40.43 | 11.7 |
| 9 | 32 | +.872147E-03 | +.969678E-05 | -1.09 | -62.56 | 11.8 |
| 8 | 16 | +.848599E-03 | +.102362E-04 | -1.32 | -75.77 | 11.8 |
| 7 | 8 | +.757628E-03 | +.981328E-05 | -1.44 | -82.74 | 11.9 |
| 6 | 4 | +.704815E-03 | +.921788E-05 | -0.51 | -29.43 | 12.1 |

Station No. 306 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f(HZ) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) | |
| 15 | 2048 | +.601218E-03 | +.186567E-06 | -0.76 | -43.73 | 3.7 |
| 14 | 1024 | +.204759E-02 | +.100194E-05 | +1.47 | +84.25 | 7.5 |
| 13 | 512 | +.310454E-02 | +.224399E-05 | +0.16 | +8.91 | 10.0 |
| 12 | 256 | +.270868E-02 | +.331166E-05 | -0.17 | -9.85 | 11.1 |
| 11 | 128 | +.203265E-02 | +.443009E-05 | -0.29 | -16.60 | 11.5 |
| 10 | 64 | +.991087E-03 | +.408630E-05 | -0.60 | -34.39 | 11.7 |
| 9 | 32 | +.172671E-02 | +.936285E-05 | -1.01 | -57.62 | 11.8 |
| 8 | 16 | +.157839E-02 | +.956607E-05 | -1.28 | -73.20 | 11.8 |
| 7 | 8 | +.133412E-02 | +.840543E-05 | -1.45 | -83.13 | 11.9 |
| 6 | 4 | +.121189E-02 | +.786408E-05 | -1.56 | -89.19 | 12.0 |

*** Measured Data List ***

Tx dipole No. 2

| Station No. 307 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .389889E-03 | + .231680E-06 | 276.57 | -0.79 | -45.17 | 3.7 |
| 14 | 1024 | + .132989E-02 | + .114991E-05 | 261.23 | +1.43 | +81.72 | 7.5 |
| 13 | 512 | + .201503E-02 | + .252686E-05 | 248.41 | +0.12 | +6.91 | 10.0 |
| 12 | 256 | + .175121E-02 | + .371362E-05 | 173.73 | -0.21 | -12.20 | 11.1 |
| 11 | 128 | + .131044E-02 | + .501857E-05 | 106.54 | -0.32 | -18.31 | 11.6 |
| 10 | 64 | + .660125E-03 | + .457699E-05 | 65.00 | -0.67 | -38.35 | 11.7 |
| 9 | 32 | + .121778E-02 | + .105706E-04 | 82.95 | -1.07 | -61.23 | 11.8 |
| 8 | 16 | + .114284E-02 | + .109655E-04 | 135.78 | -1.31 | -74.79 | 11.8 |
| 7 | 8 | + .100003E-02 | + .985156E-05 | 257.61 | -1.46 | -83.48 | 11.9 |
| 6 | 4 | + .925207E-03 | + .925813E-05 | 499.35 | +0.01 | +0.52 | 12.0 |

Tx dipole No. 2

| Station No. 308 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|-----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | (deg) | I (A) | |
| 15 | 2048 | + .433605E-03 | + .218329E-06 | 385.18 | -0.63 | -36.07 | 3.7 |
| 14 | 1024 | + .155436E-02 | + .121993E-05 | 317.07 | +1.52 | +86.90 | 7.5 |
| 13 | 512 | + .245259E-02 | + .293779E-05 | 272.25 | +0.18 | +10.25 | 10.0 |
| 12 | 256 | + .218019E-02 | + .437035E-05 | 194.42 | -0.19 | -10.66 | 11.1 |
| 11 | 128 | + .166780E-02 | + .588777E-05 | 125.37 | -0.34 | -19.42 | 11.5 |
| 10 | 64 | + .861349E-03 | + .545546E-05 | 77.90 | -0.68 | -39.23 | 11.7 |
| 9 | 32 | + .159460E-02 | + .124387E-04 | 102.71 | -1.06 | -60.51 | 11.8 |
| 8 | 16 | + .146437E-02 | + .127237E-04 | 165.57 | -1.23 | -70.76 | 11.9 |
| 7 | 8 | + .121524E-02 | + .116284E-04 | 273.04 | -1.37 | -78.56 | 12.1 |
| 6 | 4 | + .107071E-02 | + .109128E-04 | 481.33 | -1.51 | -86.23 | 12.1 |

**** Measured Data List ****

Station No. 309 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|------------|----------------|----------------|----------------------|------------------|---------|
| No. f (Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) |
| 15 2048 | + .238454E-03 | + .250946E-06 | 88.18 | -0.54 | 3.7 |
| 14 1024 | + .844447E-03 | + .139630E-05 | 71.44 | -1.50 | 7.5 |
| 13 512 | + .129375E-02 | + .347713E-05 | 54.08 | +0.31 | 10.0 |
| 12 256 | + .109752E-02 | + .520039E-05 | 34.80 | -0.05 | 11.1 |
| 11 128 | + .846483E-03 | + .690260E-05 | 23.50 | -0.16 | 11.5 |
| 10 64 | + .418822E-03 | + .647422E-05 | 13.08 | -0.28 | 11.7 |
| 9 32 | + .621680E-03 | + .145405E-04 | 11.42 | -0.46 | 11.8 |
| 8 16 | + .493709E-03 | + .150130E-04 | 13.52 | -0.39 | 11.8 |
| 7 8 | + .332331E-03 | + .140422E-04 | 14.00 | -0.07 | 11.9 |
| 6 4 | + .245992E-03 | + .138482E-04 | 15.78 | +0.41 | 12.0 |

Station No. 310 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current |
|------------|----------------|----------------|----------------------|------------------|---------|
| No. f (Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | I(A) |
| 15 2048 | + .107044E-02 | + .208250E-06 | 2580.21 | -0.81 | 3.7 |
| 14 1024 | + .433023E-02 | + .129958E-05 | 2168.44 | +1.35 | 7.5 |
| 13 512 | + .753917E-02 | + .321495E-05 | 2148.11 | -0.03 | 9.9 |
| 12 256 | + .765155E-02 | + .490631E-05 | 1900.12 | -0.46 | 11.1 |
| 11 128 | + .615383E-02 | + .637796E-05 | 1454.61 | -0.64 | 11.5 |
| 10 64 | + .393349E-02 | + .587463E-05 | 1401.02 | -1.13 | 11.7 |
| 9 32 | + .920961E-02 | + .131119E-04 | 3083.41 | -1.42 | 11.8 |
| 8 16 | + .965690E-02 | + .134063E-04 | 6485.90 | -0.52 | 11.8 |
| 7 8 | + .945936E-02 | + .122507E-04 | 14905.40 | +1.48 | 11.9 |
| 6 4 | + .936879E-02 | + .118650E-04 | 31174.80 | +1.45 | 12.0 |

*** Measured Data List ***

Station No. 311 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .274044E-03 | + .302987E-06 | 79.89 | -1.24 | -71.24 | 3.7 |
| 14 | 1024 | + .142342E-02 | + .174151E-05 | 130.48 | +0.94 | +53.67 | 7.5 |
| 13 | 512 | + .292109E-02 | + .424562E-05 | 184.91 | -0.39 | -22.27 | 10.0 |
| 12 | 256 | + .331752E-02 | + .613980E-05 | 228.09 | -0.74 | -42.52 | 11.1 |
| 11 | 128 | + .277837E-02 | + .731601E-05 | 225.35 | -0.87 | -49.97 | 11.5 |
| 10 | 64 | + .197198E-02 | + .669470E-05 | 271.14 | -1.27 | -72.89 | 11.7 |
| 9 | 32 | + .461360E-02 | + .150426E-04 | 587.91 | -1.46 | -83.86 | 11.8 |
| 8 | 16 | + .478217E-02 | + .154097E-04 | 1203.85 | -0.88 | -50.44 | 11.8 |
| 7 | 8 | + .463555E-02 | + .142653E-04 | 2639.85 | +1.50 | +86.16 | 11.9 |
| 6 | 4 | + .457882E-02 | + .138932E-04 | 5430.93 | +1.47 | +84.02 | 12.0 |

Station No. 312 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|-----------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f(Hz) | E(mV/km) | H(γ) | ($\Omega \cdot m$) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .155979E-03 | + .318549E-06 | 23.41 | -0.57 | -32.94 | 3.7 |
| 14 | 1024 | + .544452E-03 | + .170413E-05 | 19.94 | +1.51 | +86.30 | 7.4 |
| 13 | 512 | + .890232E-03 | + .409922E-05 | 18.42 | +0.04 | +2.41 | 9.9 |
| 12 | 256 | + .860599E-03 | + .605660E-05 | 15.77 | -0.41 | -23.54 | 11.1 |
| 11 | 128 | + .681913E-03 | + .759872E-05 | 12.58 | -0.66 | -37.72 | 11.5 |
| 10 | 64 | + .475224E-03 | + .697336E-05 | 14.51 | -1.15 | -66.17 | 11.7 |
| 9 | 32 | + .103393E-02 | + .153482E-04 | 28.36 | -1.37 | -78.62 | 11.8 |
| 8 | 16 | + .104417E-02 | + .155308E-04 | 56.50 | -1.52 | -87.09 | 11.8 |
| 7 | 8 | + .100969E-02 | + .145178E-04 | 120.92 | +1.53 | +87.91 | 11.9 |
| 6 | 4 | + .102050E-02 | + .142462E-04 | 256.57 | +1.46 | +83.84 | 12.0 |

*** Measured Data List ***

Station No. 313 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Current I(A) |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|-----------------|
| 15 2048 | + .148136E-02 | + .129398E-06 | 12798.70 | +0.90 | 3.7 |
| 14 1024 | + .296499E-02 | + .580987E-06 | 5086.79 | -0.08 | 7.5 |
| 13 512 | + .196070E-02 | + .129840E-05 | 890.76 | -1.27 | 10.0 |
| 12 256 | + .105664E-02 | + .214041E-05 | 190.39 | -1.34 | 11.1 |
| 11 128 | + .457010E-03 | + .274031E-05 | 43.46 | -0.71 | 11.6 |
| 10 64 | + .283768E-03 | + .266146E-05 | 35.53 | -0.81 | 11.8 |
| 9 32 | + .455828E-03 | + .665267E-05 | 29.34 | -0.76 | 11.8 |
| 8 16 | + .359804E-03 | + .726192E-05 | 30.69 | -0.60 | 11.8 |
| 7 8 | + .245099E-03 | + .639794E-05 | 36.69 | -0.28 | 11.9 |
| 6 4 | + .173425E-03 | + .606229E-05 | 40.92 | +0.17 | 12.0 |

Station No. 314 Tx dipole No. 2

| Frequency No. f(Hz) | Electric Field E(mV/km) | Magnetic Field H(γ) | Apparent Resistivity ($\Omega \cdot m$) | Phase Difference (rad) | Current I(A) |
|------------------------|-------------------------------|------------------------------------|---|---------------------------|-----------------|
| 15 2048 | + .482912E-03 | + .143218E-06 | 1110.30 | +0.71 | 3.7 |
| 14 1024 | + .199630E-02 | + .652958E-06 | 1825.63 | +0.76 | 7.4 |
| 13 512 | + .301430E-02 | + .131757E-05 | 2044.48 | -0.19 | 10.0 |
| 12 256 | + .296210E-02 | + .212439E-05 | 1518.87 | -0.45 | 11.1 |
| 11 128 | + .245634E-02 | + .282149E-05 | 1184.24 | -0.31 | 11.5 |
| 10 64 | + .114085E-02 | + .256937E-05 | 616.11 | -0.49 | 11.8 |
| 9 32 | + .198791E-02 | + .649141E-05 | 586.13 | -0.86 | 11.9 |
| 8 16 | + .174717E-02 | + .682760E-05 | 818.55 | -1.09 | 11.8 |
| 7 8 | + .138556E-02 | + .619530E-05 | 1250.45 | -1.24 | 11.9 |
| 6 4 | + .112117E-02 | + .545988E-05 | 2108.38 | -1.44 | 12.0 |

**** Measured Data List ****

Tx dipole No. 2

| Station No. 315 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f(Hz) | E(mV/km) | H(γ) | (Ω·m) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .413812E-03 | + .149544E-06 | 747.77 | -1.17 | -67.32 | 3.7 |
| 14 | 1024 | + .170658E-02 | + .710685E-06 | 1126.23 | +1.01 | +57.60 | 7.5 |
| 13 | 512 | + .307375E-02 | + .161351E-05 | 1417.61 | -0.22 | -12.74 | 10.0 |
| 12 | 256 | + .305531E-02 | + .225898E-05 | 1429.15 | -0.41 | -23.48 | 11.2 |
| 11 | 128 | + .243685E-02 | + .297843E-05 | 1045.94 | -0.38 | -21.87 | 11.7 |
| 10 | 64 | + .117156E-02 | + .283651E-05 | 533.11 | -0.58 | -33.16 | 11.9 |
| 9 | 32 | + .205663E-02 | + .698019E-05 | 542.57 | -0.99 | -56.97 | 11.9 |
| 8 | 16 | + .192769E-02 | + .739513E-05 | 849.36 | -1.28 | -73.28 | 12.0 |
| 7 | 8 | + .164360E-02 | + .648870E-05 | 1604.04 | -1.46 | -83.76 | 12.0 |
| 6 | 4 | + .147089E-02 | + .574610E-05 | 3276.32 | +0.51 | +29.33 | 12.0 |

Tx dipole No. 2

| Station No. 316 | | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | |
|-----------------|----------|----------------|----------------|----------------------|------------------|---------|------|
| No. f(Hz) | E(mV/km) | H(γ) | (Ω·m) | (rad) | (deg) | I(A) | |
| 15 | 2048 | + .440326E-03 | + .132941E-06 | 1071.35 | -1.25 | -71.79 | 3.7 |
| 14 | 1024 | + .191635E-02 | + .655114E-06 | 1671.26 | +1.01 | +57.62 | 7.5 |
| 13 | 512 | + .347933E-02 | + .153047E-05 | 2018.84 | -0.19 | -11.05 | 10.0 |
| 12 | 256 | + .345952E-02 | + .225607E-05 | 1837.04 | -0.44 | -25.38 | 11.2 |
| 11 | 128 | + .275608E-02 | + .308884E-05 | 1243.98 | -0.50 | -28.87 | 11.7 |
| 10 | 64 | + .141912E-02 | + .289536E-05 | 750.73 | -1.04 | -59.74 | 11.9 |
| 9 | 32 | + .376673E-02 | + .724553E-05 | 1689.15 | -1.55 | -89.05 | 11.9 |
| 8 | 16 | + .468664E-02 | + .754602E-05 | 4821.66 | +1.32 | +75.77 | 12.0 |
| 7 | 8 | + .510242E-02 | + .645377E-05 | 15626.70 | +1.23 | +70.71 | 12.0 |
| 6 | 4 | + .539977E-02 | + .555309E-05 | 47277.10 | +1.27 | +72.81 | 12.0 |

**** Measured Data List ****

Station No. 317 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) | | |
| 15 | 2048 | + .779535E-03 | + .219765E-06 | 1228.73 | -0.92 | -52.59 | 3.7 |
| 14 | 1024 | + .303965E-02 | + .119667E-05 | 1260.18 | +1.28 | +73.24 | 7.4 |
| 13 | 512 | + .521111E-02 | + .290198E-05 | 1259.59 | -0.08 | -4.71 | 10.0 |
| 12 | 256 | + .518992E-02 | + .422077E-05 | 1181.21 | -0.47 | -27.01 | 11.1 |
| 11 | 128 | + .408156E-02 | + .555461E-05 | 843.66 | -0.66 | -37.68 | 11.6 |
| 10 | 64 | + .266057E-02 | + .508697E-05 | 854.83 | -1.22 | -70.05 | 11.9 |
| 9 | 32 | + .671517E-02 | + .114037E-04 | 2167.21 | -1.55 | -88.69 | 11.9 |
| 8 | 16 | + .774362E-02 | + .116741E-04 | 5499.87 | +1.41 | +80.64 | 12.0 |
| 7 | 8 | + .820715E-02 | + .105003E-04 | 15273.00 | +1.34 | +76.72 | 11.9 |
| 6 | 4 | + .854310E-02 | + .998163E-05 | 36626.70 | +1.34 | +76.78 | 12.0 |

Station No. 318 Tx dipole No. 2

| Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Current | | |
|------------|----------------|----------------|----------------------|------------------|---------|--------|------|
| No. f (Hz) | E (mV/km) | H (γ) | (Ω·m) | (rad) | I (A) | | |
| 15 | 2048 | + .424077E-03 | + .257107E-06 | 265.68 | -0.94 | -53.95 | 3.7 |
| 14 | 1024 | + .184073E-02 | + .143154E-05 | 322.93 | +1.18 | +67.51 | 7.4 |
| 13 | 512 | + .342078E-02 | + .356355E-05 | 359.95 | -0.23 | -13.24 | 9.9 |
| 12 | 256 | + .362415E-02 | + .504639E-05 | 402.94 | -0.62 | -35.30 | 11.0 |
| 11 | 128 | + .295115E-02 | + .634572E-05 | 337.94 | -0.77 | -44.21 | 11.5 |
| 10 | 64 | + .204855E-02 | + .582397E-05 | 386.64 | -1.31 | -74.83 | 11.7 |
| 9 | 32 | + .516497E-02 | + .132784E-04 | 945.64 | -1.57 | -89.69 | 11.8 |
| 8 | 16 | + .588022E-02 | + .138311E-04 | 2259.33 | +1.47 | +83.98 | 11.8 |
| 7 | 8 | + .618847E-02 | + .130152E-04 | 5652.03 | +1.41 | +80.74 | 11.9 |
| 6 | 4 | + .641626E-02 | + .123384E-04 | 13521.20 | +1.38 | +79.33 | 12.0 |

