

8530

13°20'

8520

8510

8530

13°20'

8520

8510

8510

8510

8500


8500


8490

8490

X Mino Buriti

X SAMA





**LEGEND**

- Anomaly zone
- As ≥ 8 ppm
- 5 ≤ As ≤ 7 ppm
- Sampling point
- Geological boundary
- Lithological limit
- Fault
- Synclinal axis
- Anticlinal axis
- Synclinorium axis
- Anticlinorium axis
- Bedding plane
- Schistosity (S1)
- Schistosity (S2)
- Lincation
- Lineament

GEOLOGICAL SURVEY  
 IN  
 PALMEIRÓPOLIS, BRAZIL  
 PHASE I


PL. 13  
 16207  
 16207

**Geochemical Anomaly Map of As (Stream)**

JAPAN INTERNATIONAL COOPERATION AGENCY  
 METAL MINING AGENCY OF JAPAN  
 DEC. 1985

Scale 1:50,000





8510

8510

8500


8500


8490

8490

X Mino Buriti

X SAMA






**LEGEND**

- High score zone
- Factor score  $\geq 1.0$
- $0.5 \leq$  Factor score  $< 1.0$
- Sampling point
- Geological boundary
- Lithological limit
- Fault
- Synclinal axis
- Anticlinal axis
- Synclinorium axis
- Anticlinorium axis
- Bedding plane
- Schistosity (S1)
- Schistosity (S2)
- Lineation
- Lineament

GEOLOGICAL SURVEY  
IN  
PALMEIRÓPOLIS, BRAZIL  
PHASE I


PI. II-14  
16207  
圖書資料室

Factor Analysis Map of Geochemical Data of  
Stream Sediments, Factor 1 (Cu-Zn)




JAPAN INTERNATIONAL COOPERATION AGENCY  
METAL MINING AGENCY OF JAPAN  
DEC. 1986


Scale 1:50,000















**LEGEND**

- High score zone
- Factor score  $\geq 1.0$
- $0.5 \leq$  Factor score  $< 1.0$
- Sampling point
- Geological boundary
- Lithological limit
- Fault
- Synclinal axis
- Anticlinal axis
- Synclinorium axis
- Anticlinorium axis
- Bedding plane
- Schistosity (S1)
- Schistosity (S2)
- Lineation
- Lineament

GEOLOGICAL SURVEY  
IN  
PALMEIRÓPOLIS, BRAZIL  
PHASE I

PL. II-15  
16207  
国書資料室蔵


**Factor Analysis Map of Geochemical Data of Stream Sediments, Factor 2 (As-Pb)**




JAPAN INTERNATIONAL COOPERATION AGENCY  
METAL MINING AGENCY OF JAPAN  
DEC. 1986

Scale 1:50,000







8510

8500

8490


X Mino Buriti


X SAMA

8510

8500

8490





- LEGEND**
- High score zone  
Factor score  $\geq 1.0$
  - $0.5 \leq$  Factor score  $< 1.0$
  - Sampling point
  - Geological boundary
  - Lithological limit
  - Fault
  - Synclinal axis
  - Anticlinal axis
  - Synclinorium axis
  - Anticlinorium axis
  - Bedding plane
  - Schistosity (S1)
  - Schistosity (S2)
  - Lineation
  - Lineament

PL. II-16

GEOLOGICAL SURVEY  
IN  
PALMEIRÓPOLIS, BRAZIL  
PHASE I

Factor Analysis Map of Geochemical Data of  
Stream Sediments, Factor 3 (Pb-Zn)

JAPAN INTERNATIONAL COOPERATION AGENCY  
METAL MINING AGENCY OF JAPAN  
DEC. 1986

Scale 1:50,000