


| Factor No. | Sample No. | Moist. Value | Organ. Value | Analysis |           |       |
|------------|------------|--------------|--------------|----------|-----------|-------|
|            |            |              |              | Fixed C  | Potential | 100%  |
| Est Factor | 2217       | 9            | 1.5          | 10 ~ 14  | 1.5 ~ 1.9 | 2.0 ~ |

Concerned Element : Co, Mn, Zn



| Factor No. | Sample No. | Mile Wink | Prevalence | Abundance |         |       |
|------------|------------|-----------|------------|-----------|---------|-------|
|            |            |           |            | 1-5       | 6-10    | 11-15 |
| 2nd Factor | 2217       | 0         | 1.5        | 1.0-1.4   | 1.5-1.9 | 2.0-  |

Concerned Element: Hg, Ag, Cu



| Factor No. | Sample No. | Mean Value | Median Value | ANOSIV  |         |       |
|------------|------------|------------|--------------|---------|---------|-------|
|            |            |            |              | Disturb | Process | Regio |
| 3rd Factor | 2217       | 0          | 1.5          | 1.0-1.4 | 1.5-1.9 | 2.0+  |

Covered Element: As, Hg, Mo



PL. 7-2

THE MINERAL EXPLORATION  
- MINERAL DEPOSITS AND TECTONICS OF TWO  
CONTRASTING GEOLOGIC ENVIRONMENT  
IN  
THE REPUBLIC OF THE PHILIPPINES  
PHASE I  
DISTRIBUTION FACTOR SCORES OF STREAM  
SEDIMENT SAMPLES (FACTOR ANALYSIS)  
MASBATE AREA

國際協力事業団  
15164  
圖書資料室

JAPAN INTERNATIONAL COOPERATION AGENCY  
METAL MINING AGENCY OF JAPAN  
MARCH 1986

Scale 1 : 250,000