```
Ni
                                                                                 Sb Hg
                          N
                                       РЪ
                                                                             Bi
                                              Αg
                                                    Zn
                                                                Mn
                                                                        Asi
                                  Cu
kS.No.
                   F
                                                          10 .170
                                                                       2 150
                                                                                - 50
2850111 116343 1400 12300
                                   12
                                       ~10
                                              -- 1
                                                    44
                                                                                       . 55
2850111 116353 1600
2850111 116363 1800
                                   9
                                       -10
                                              -1
                                                    39
                                                           9
                                                             120
                                                                      2
                                                                           120
                                                                                -50
                                                                                      -40
                        12200
                                       -10
                                                    49
                                                          10
                                                             170
                                                                          280
                                                                                 ~50
                                                                                      44
                        12400
                                   133
                                              --1
                                                             230
                                                                                       44
                                                                                 90
2850111 116373 400
                        12000
                                   10
                                       -10
                                              -1
                                                    59.
                                                          12
                                                                      13
                                                                          1.60
                                       -10
                                                    72
                                                             150
                                                                     . 2
                                                                          190
                                                                                 60
                                                                                       55
2850111 116383 500
                        12200
                                   .9
                                              -, 1
                                                          13
                                                    52
                                                              140
                                                                          270
                                                                                -50
                                   12
                                       -10
                                                          11
                                                                      1
2850111 116393 700
                        .12300
                                              -1
                                                             170
                                                                                -50
                                                                                       40
2850111 116403 700
                        12300
                                   13
                                       -10
                                              ~1
                                                    60
                                                          12
                                                                       1
                                                                          210
                                                          14
                                                             ..310
                                                                          120
                                                                                -50
                                                                                       59
2850111 116413 500
                        11600
                                   11
                                       -10
                                              -1
                                                    49
                                                                       .3
                                                                          240
                                                                                 -50
                                                                                       40
                        11500
                                   11
                                       -10
                                              -1:
                                                    48.
                                                          10 210
                                                                       2
2850111 116423 700
                                                              270
                                                                           200
                                                                                 55
                                                                                      . 4A
2850111 116433 800
                        13100
                                  10
                                       -10
                                              -1
                                                    66
                                                          13
                                                                       4
2850111 116443 1000
2850111 116453 1100
                                                              /170
                                                                           380
                                                                                 50
                                                                                      -40
                        13100
                                   12
                                       -1.0
                                              -1
                                                    51
                                                          10
                                                                       2
                                                               150
                                                                           440
                                                                                    -40
                        17900
                                        10
                                                                                 -50
                                   11
                                              -- 1
                                                    44
                                                               180
                                                                                      -40
2850111 116463 1300
                                                          10
                                                                       2
                                                                                - 50
                        8300
                                   11
                                       -10
                                              -- 1
                                                    39
                                                                          210
275011 11647 3 9800
                                                    49
                                                         240
                                                               320
                                                                       3
                                                                                ~50
                                                                                      --40
                        14000
                                   14
                                        .11
                                              --1
                                                                          80
                                                    56 4700 1560
                                                                                -50
                                                                                      : 62
                                   17
                                              -- 1
                                                                           -50
275011 11648 1 6400
                        15700
                                       -10
                                                                     1
                                                    54:4400.1650
275011 11649 1 6400
                        16200
                                   17
                                       -10
                                              -1
                                                                      - 1
                                                                           60
                                                                                -50
                                                                                       66
                        0088
                                   ÍO.
                                       -10
                                              -1:
                                                    26
                                                         147
                                                              120
                                                                           54
                                                                                -50
                                                                                       48
275011 11650 3 8800
                                                                                      -40
                                       -10
                                              -1
                                                           7
                                                              140
                                                                      7
                                                                           54
                                                                                250
2850111 116515 8900
                        5200
                                    ٨
                                                    18
2850111 116525 9000
                        5500
                                        .12
                                              -1
                                                    18
                                                           6
                                                               160
                                                                       В
                                                                           60
                                                                                360
                                                                                      -40
                                              -1
                                                               90
                                                                       7
                                                                                200
                                                                                      -40
                        5100
                                        11
                                                    19
                                                           7
                                                                           120
2850111 116535 8800
                                                           7
                                                               190
                                                                                300.
                                                                                       40
                                                    27
                                                                     12
2850111 116545 8500
                        5500
                                   10
                                        .13
                                              -1
                                                                          180
                                                           7
                                                              :180
                                                                                350
                                                                                      40
2850111 116555 9000
                        4700
                                   10
                                       - 12
                                              -1
                                                    29
                                                                      10
                                                                          120
2850111 116565 9100
2850111 116575 10100
                                              -1
                                                    27
                                                           7
                                                               120
                                                                                280
                                                                                      -40
                        3800
                                   10
                                       -10
                                                                           120
                                              -1
                                        12
                                                    17
                                                           3.
                                                              320
                                                                      20
                                                                          76
                                                                                140
                                                                                       40
                        3000
                                   6
                                                                                : 90
                                                              330
                                                                          100
                                                                                       44
2850111 116583 3700
                        7500
                                   18
                                       -10
                                              -- 1
                                                    74
                                                          15
                                                                       2
2850111 116593
                 3400
                        6500
                                   -2
                                       -10
                                              -1
                                                     7
                                                          . 2
                                                              140
                                                                     4
                                                                          -50
                                                                                130
                                                                                      -40
                                   -2i
                                       -10
                                              -1.
                                                           2
                                                              170
                                                                           -50
                                                                                110
                                                                                      -40
                        A500
                                                    -6
2850111 114403 3400
2850111 116614 3800
                        6700 →
                                       -10
                                              -1
                                                    19
                                                           5
                                                             180
                                                                       4
                                                                          . 90
                                                                                240
                                                                                       ·40
                                                                                150
                                                                                      -40
2850111 116623
                 3700
                        6700
                                   17
                                       -10
                                                    56
                                                          13
                                                             240
                                                                           160
                                              -1
                                              -1:
                                                          19
                                                             -310
                                                                          200
                                                                                90
                                                                                     40
                        7600 S
                                       -10
                                                    83
                                                                       2
2850111 116633
                 3700
                                   26:
                                                                                150
2850111 116643 3300
                        7500
                                   20
                                       11
                                              -1
                                                    65
                                                          10
                                                              510
                                                                          170
                                                                                       87
2850111 116653 3400
                        7400
                                   25
                                       -10
                                              --1:
                                                   104
                                                          20
                                                              490
                                                                       4
                                                                          200
                                                                                100
                                                                                       44
                                                                                220
                                                                                       44
28501110116664
                                              -1
                                                           7
                                                               420
                                                                       5
                                                                           54
                        5500
                                   2
                                       -10
                                                    7
                 3300
2850111 116674 1300
                        3000
                                   -2
                                       --10
                                              -1
                                                     6
                                                           2
                                                               . 70
                                                                       2
                                                                           50
                                                                                190
                                                                                       44
2850111 116684 3200
2850111 116694 2300
                                              -1
                                                               110
                                                                                220
                                                                                       44
                        5400
                                   -2
                                       -10
                                                    - 5
                                                           2
                                                                       4
                                                                           76
                                                    57
                                                                          250
                                                                                140
                                                                                       52
                        1500
                                   19
                                        17
                                              -1
                                                          18
                                                              210
                                                                       7
                                                                          80
                                                                                 95
                                                                                      :48
2850111 116704 2200
                        1400
                                   Q
                                       -10
                                              -1
                                                    26
                                                          . 9
                                                              -180
                                                                       3
2850111 116714 1500
                        2400
                                   9
                                       -10
                                              -1
                                                    28
                                                           8
                                                              160
                                                                      2
                                                                          100
                                                                                 75
                                                                                      -40
                                              -1
                                                               170
                                                                                230
                                                                                      230
2850111 116724 1400
                        2500
                                                           5
                                                                       5
                                                                          100
                                    ሖ
                                       -12
                                                    14:
2850111 116734 1300
                        3000
                                              -1
                                                    28
                                                           7
                                                              200
                                                                       3
                                                                          130
                                                                                160
                                                                                      220
                                   12
                                       11
2850111 116744 1400
                        3200
                                   4
                                        10
                                                    11
                                                           4
                                                              220
                                                                       4
                                                                           90
                                                                                130
                                                                                      . 52
                                              ~1
                                              -1
                                                          -2
                                                              30
                                                                           -50
                                                                                130
                                                                                      -40
2850111 116754
                 2600
                        3100
                                   -2
                                       -10
                                                     4
                                                                       1
                                                                                     44
2850111 116764 2200
                        4100
                                       -10
                                                    10
                                                           3
                                                               140
                                                                           64
                                                                                140
                                   3
2850111 116774 2000
                        4000
                                   8
                                       -10
                                              -1
                                                    25
                                                           6
                                                               130
                                                                       2.
                                                                           90
                                                                                 .90
                                                                                      -40
                                                                                270
                                                                                       44
                                                           4
                                                               140
2850111 116783 1200
                        4400
                                   3
                                       -10
                                              -1
                                                    10
                                                                       6
                                                                           60
2850111 116793 1200
                        4200
                                   -2
                                       -10
                                                     5
                                                           2
                                                               70
                                                                       6
                                                                          -50
                                                                                300
                                                                                       62
2850111 116803 1200
                                                           3
                                                                90
                                                                           64
                                                                                250
                                                                                       52
                        4200
                                   -2
                                                     è
                                                                       6
                                       ~10
                                              -1
2850111 116813 900
                        5300
                                   19
                                       --10
                                              -1
                                                    33
                                                          13
                                                              340
                                                                       2
                                                                          100
                                                                                190
                                                                                       76
                                              -1
                                                          10
                                                               170
                                                                          130
                                                                                90
                                                                                      -40
2850111 116823 800
                        9800
                                   12
                                       -10
                                                    38
2850111 116833 100
                        10100
                                   12
                                        11
                                                    29
                                                          10
                                                              200
                                                                          150
                                                                                :80
                                                                                      -40
Lithology (L) Codes are ;
O-GRANITE
             1-U/MAFICS
                                2-LIMESTONE
                                             3-SEDIMENTS
                                                                 4-PEB. PHYLL ITE
5-SCHISTS
```

MINUS figure indicate BELOW DETECTION and 0 NOT ANALYZED. Time taken (Minutes): 35

The secretary of

```
As Bi
                                                                                    Sb Hg
                                                            Ni ប Mn
*S.No.
               La E
                       . . . N
                                   Cu.
                                          PЬ
                                                      Zn
                                                                                    90:
2850111 114843 100
                                          11
                         10200
                                   - 13
                                                -1
                                                      40
                                                            11 240
                                                                         3
                                                                             140
                                                                                        . 48
                                                                                         -40
275011 11685 3 26500 10500
                                                               190
                                                                         Š
                                                                             150
                                                                                   100
                                                -- i
                                                      50
                                                           14
                                    16
                                          12
                                                                                    80
                                                                                         40
                                                           8 190
                                                                              96
2850111 116863 1100
                         9900
                                     7
                                         -10
                                                -1
                                                      20
                                                                         -2
2850111 116873 1000
                         9900
                                                      47
                                                                 180
                                                                         3
                                                                             120
                                                                                   ~50°
                                                                                        - .~40°
                                    12
                                         --10
                                                -1
                                                            10
2850111 116883 1300
                                                                                        -40
                         9900
                                                      43
                                                                 240
                                                                         2
                                                                             120
                                                                                   -50
                                    12
                                          13
                                                -- 1
                                                            12
                                                                160
                                                                         2.
                                                                             120
                                                                                    60
                                                                                        -40
2850111 116893 1300
                         10000
                                     В
                                          10
                                                --1
                                                      28
                                                             А
                                                                                         -40
2850111 116903 1100
                         10200
                                                -1
                                                      47
                                                            12
                                                                250
                                                                         4
                                                                             160
                                                                                    70
                                    14
                                          13
2850111 116913 800
                         10500
                                                      52
                                                            11
                                                                230
                                                                         3
                                                                             150
                                                                                   : 75
                                                                                        -40
                                    13
                                          12
                                                -1
                                                                                    70
                                                                                         -40
                                                                210
                                                                         2
                                                                             160..
2850111 116923 1000
                         10600
                                                      58
                                    13
                                          12
                                                -- 1
                                                           -13
2850111 116933 500
                                                      55
                                                            15
                                                                 170
                                                                         4
                                                                             180
                                                                                    95
                                                                                         -40
                         10700
                                    23
                                         13
2850111 116943 1100
                                                                220
                                                                         .6
                                                                             160
                                                                                    95
                                                                                        -40
                         11000
                                    14
                                         -10
                                                -1
                                                      55
                                                            13
                                                                                    85
                                                                                         44
2850111 116953 900
                                                                340
                                                                         4
                                                                             160
                         11300
                                    14
                                          13
                                                -1
                                                      70
                                                            14
275011 11701 2
                  14400 18800.
                                    22
                                                -1
                                                      43
                                                          108
                                                                240
                                                                         5
                                                                             120
                                                                                   -50
                                                                                          83
                                          11
27501 11702
                  13600 500
                                                      48 1830
                                                                 980
                                                                         2
                                                                             . 50
                                                                                   -50
                                                                                          52
                                    11
                                         -10
                                                -- 1
                                                                             -50
                                                                                   -50
                                        -10
                                                                 40Ô
                                                                         1
                                                                                          76
               2
                  14500 900
                                                -- 1
                                                      24
                                                          A30.
27501 11703
                                     7
                                                                                   -50
27501 11704
               .2
                  15800
                         1500
                                    10
                                        -10
                                                -1
                                                      34
                                                          800
                                                                 179
                                                                         2
                                                                              50
                                                                                          62
27501 11705
                                        -10
                                                                 340
                                                                             64
                                                                                   -50
                                                                                          52
               3
                 14500 1100
                                                -- j.
                                                      35
                                                         1110
                                    11
                                                                 330
                                                                         1
                                                                              60
                                                                                   -50
                                                                                          44
27501 11706
               3 15200 1B00
                                     7
                                         -10
                                                --- ₹
                                                      31
                                                          780
                                                         1020
                                                                                   -50
                                                                                          44
                                                                 240
                                                                             76
27501 11707
               . 1
                  14700 2300
                                     8
                                        -10
                                                -1
                                                      32
                                                                         - 1
27501 11708
              1
                 14800 2800
                                    11
                                        -10
                                                -1
                                                      46
                                                          340
                                                                 210
                                                                             96
                                                                                   ~50
                                                                                          48
                                                                             -50
                                                                                  -50
                                                         3300
                                                                1070
                                                                       ...1
                                                                                          44
27501 11709
                                                -1
                                                      44
               : 1
                 14800 3200
                                    18
                                        -10
                                                                                          48
                                                         1320
                                                                             -50
                                                                                   -50
27501 11710
               3
                 13900 1300
                                    12
                                        -10
                                                -1
                                                      45
                                                                 480
                                                                         2
                                                                             -50
27501 11711
                                                          570
                                                                 150
                                                                        18
                                                                                   320
                                                                                          40
               3
                 13700 1300
                                        -10
                                                -1
                                                      46
              1 13800 1400
                                                                             -50
                                                                                   -50
                                                                                          40
                                                      37
                                                          1310.
                                                                 540
                                                                        :2
27501 11712
27501 11713
                                    13
                                        -10
                                                -- 1
                                                                         2
                                                                             -50
                                                                                   -50
                                                                                          52
                                                         1070
                                                                 450
               į
                  13400 1800
                                    10
                                        ~1Ô
                                                -1
                                                      37
27501 I1714
27501 I1715
                                                                         2
                                                                             ~50
                                                                                   -50
                                                                                         -40
                                        -10
                                                      35
                                                         1150
                                                                 370
               1 13400 1700
                                    13
                                                      40
                                                          1160
                                                                 360
                                                                         2
                                                                              54
                                                                                   -50
                                                                                          40
               1 13200 1800
                                         ~10
                                                -1
                                    13
                                                         1440
                                                                                   -50
                                                                                          55
                                                                         3
                                                                              50
                                                                 690
275011 11716 3 14300 18800
                                    16
                                        -10
                                                -- 1
                                                      64
                                                          183
                                                                 120
                                                                         2
                                                                              60
                                                                                   -50
                                                                                         -40
275011 11717 2 14300 18500
                                        -10
                                                      24
                                                                         2
                                                                              50
                                                                                   -50
                                                                                         -40
275011 11718 2 14100 18400
                                     8
                                        -10
                                                -1
                                                      29
                                                          300
                                                                 230
                                                          500
                                                                 1.30
                                                                             -50
                                                                                   -50
                                                                                          40
                                                      25
                                                                        -1
275011 11719 3
                 14100 18600
                                     3
                                        -10
                                                -1
                                                                                         -40
                                                                             -50
275011 11720 3 14100 18600
                                                                                   -50
                                                      24
                                                          500
                                                                 130
                                                                         2
                                         ~10
275011 11721 3 13200 18700
275011 11722 3 13500 18800
275011 11723 3 12800 17400.
                                                      50
                                                          320
                                                                 330
                                                                         3
                                                                              64
                                                                                   -50
                                                                                          44
                                         -10
                                                --1
                                    13
                                                -1
                                                          970
                                                                             -50
                                                                                   -50
                                                                                         -40
                                                                 480
                                                                         3
                                                      71
                                    15
                                        ~10
                                                                             -50
                                                                                         -40
                                        -10
                                                      48
                                                          131
                                                                 980
                                                                         1
                                                                                   -50
                                                                                         -40
                                                           290
                                                                 400
                                                                         2
                                                                             -50
                                                                                   -50
                                         -10
                                                -1
                                                      33
275011 11724 3 12700 17300
                                     7
                                                          520
                                                                         2
                                                                             50
                                                                                   -50
                                                                                         -40
275011 11725 3 13300 18300
275011 11726 3 13300 18400
                                         -10
                                                -1
                                                      38
                                                                 160
                                                                                         -40
                                                                             -50
                                                                                   -50
                                        ~1Ò
                                                -1
                                                       5
                                                            32
                                                                 -10
                                                                        -1
275011 11727 2 13700 19300
                                     7
                                         -10
                                                -1
                                                      22
                                                          320
                                                                  90
                                                                         2
                                                                             -50
                                                                                   -50
                                                                                         -40
                                                      97
                                                                         3
                                                                                   -50
                                                                                         --4€
                                                          360
                                                                 310
                                                                              64
275011 11728 1 9400
                         18300
                                    17
                                        -10
                                                -- 1
                                                                                          52
275011 11729 1 9400
                                         -10
                                                -1
                                                      29
                                                          280
                                                                 180
                                                                         1
                                                                             -50
                                                                                   -50
                         18200
                                                           330
                                                                 200
                                                                         2
                                                                             -50
                                                                                   -50
                                                                                         -40
                                        --10
                                                -1
                                                      41
275011 11730 1 8500
                         18200
                                                                             -50
                                                                                   -50
                                                                                          48
                                                          850
                                                                 350
                                                                         1
                                                -- 1
                                                      60
275011 11731 1
                  8400
                         18000
                                    13
                                        ~10
                                                                             -50
                                                                                   -50
                                                                                          40
                                                                 240
275011 11732 1 10100 18000
                                        -10
                                                -1
                                                      35
                                                           320
                                                                         1
                                                      40
                                                           290
                                                                 220
                                                                         1
                                                                             -50
                                                                                   -50
                                                                                         -40
                 10400 17700
                                    10
                                         -10
                                                -- 1
275011 11733 1
                                                      41
                                                           350
                                                                 360
                                                                              50
                                                                                   -50
                                                                                         -40
275011 11734 1 10300 17800
275011 11735 4 10400 17800
                                                                         2
                                         -10
                                                -1
                 10300 17800
                                    12
                                                                                         -40
                                                                                   -50
                                                                 100
                                                                         i
                                                                             -50
                                        ~10
                                                -1
                                                      17
                                                           100
                                                           136
                                                                 190
                                                                         2
                                                                              70
                                                                                   -50
                                                                                         -40
                                     9
                                         -10
                                                -1
                                                      34
275011 11736 1 10000 17500
                                                                             -50
                                                -1
                                                           380
                                                                 140
                                                                         2
                                                                                   -50
                                                                                         -40
                 10000 17600
                                    10
                                        -10
                                                      36
275011 11737 1
                                                                             -50
                                                                                   -50
                                                                                         -40
275011 11738 1 9600 17700
                                                                 280
                                    15
                                         -10
                                                      47
                                                           490
Lithology (L) Codes are :
                                                                   4-PEB, PHYLLITE
                                 2-LIMESTONE
                                                  3-SEDIMENTS
                1-U/MAFICS
O-GRANITE
5-SCH1STS
MINUS figure indicate BELOW DETECTION and O NOT ANALYZED.
Time taken (Minutes) : 37
```

```
Pi Sb Ha
                                          FЪ
                                                             Ni
                                                                 Mo
                                                                           As
                                                Ασ
                                                      Zn
              L E
                                   Cu
                                                                             84 -50 160
                                                      35 2100 210
                                                                         1-1-5
275011 11739 3 10900 17600
                                     7
                                         -10
                                                -- 1
                                                                                  ~50
                                                -- 1
                                                      45 3220 250
                                                                       1
                                                                               76
                                                                                          48
                                     Q
                                         -10
275011 11740 3 10900 17600
                                                                        -1
                                                            97
                                                                 70
                                                                              -50
                                                                                    -50
                                                                                          -40
                                         -10
                                                --1
                                                      24
275011 11741 1 9600 17600
                                     7
                                                                             110 -50
                                                                                          100
                                                                70
                                                                       X2:
                                         -10
                                                      13
                                                            12
275011 11742 2 12300 14800
                                     2
                                                                -240
                                                                             220
                                                                                   -50
                                                                                          200
                                    14
                                          10
                                                -1
                                                      43
                                                            80
                                                                        -- i -
275011 11743 2 12500 15500
                                                      43 1090 1820
                                                                        -1
                                                                              -50 -50
                                                                                          44
275011 11744 1 6300 13800
                                    27
                                         -10
                                                -1
                                                                        -1
                                                                                           78
275011 11745 1 6500
                                    11
                                         -10
                                                      51 3700 1290
                                                                             -50
                                                                                   -50
                        14400
                                                      69
                                                          1390
                                                                 950
                                                                          5
                                                                             -50
                                                                                    -50
                                                                                          -40
275011 11746 1 6700 14700
                                         -10
                                                ~1
                                    29
275011 11747 1 10700 14200
275011 11748 1 10900 14800
                                                                 480
                                                                        11/1
                                                                              74
                                                                                    -50
                                                                                          -40
                                    14
                                         12
                                                -1
                                                      51
                                                          3700
                                                                         -1
                                                           760
                                                                 450
                                                                              ~50
                                                                                   ~50
                                                                                          52
                                    17
                                         -10
                                                -1
                                                      62
                                                      XA.
                                                          4250
                                                                 350
                                                                         1
                                                                              -50
                                                                                   -50
                                                                                          -40
                                         -10
275011 11749 2 14600 17600
                                    . 6
                                                --- 1
                                                                                    -50
                                                                               96
                                                                                          120
275011 11750 2 14700 17600
                                         13
                                                -1
                                                      70
                                                           580
                                                                 360
                                                                          .3
                                    19
                                                                             76
                                         --10
                                                -1
                                                      25
                                                          3900
                                                                 200
                                                                                   -50
                                                                                         -40
275011 11751 2 14500 17900
                                     3
                                                      58 4480
                                                                 640
                                                                             -50
                                                                                     80
                                                                                          170
                                                                          ٨
275011 11752 2 14700 18200
                                    14
                                         14
                                                -- 1
                                                                              -50
275011 11753 3 13300 17400
                                                -1
                                                      EE
                                                          3820
                                                                 350
                                                                          7
                                                                                    -50
                                                                                          40
                                     À
                                         -10
                                                                                          -40
                                                      46 2500
                                                                 330
                                                                          3
                                                                              100
                                                                                     60
                                         -10
275011 11754 3 9400 14500
                                    10
                                                -1
                                                           900
                                                                 330
                                                                          5
                                                                              -50
                                                                                     68
                                                                                           56
27501 11755 1 13100 1600
                                    14
                                         -10
                                                -1
                                                      43
                                                                                          -40
                                                           183
                                                                 400
                                                                          2
                                                                               .76
                                                                                    -50
275011 11756 3 9400 14400
                                    13
                                         ~1Ò
                                                -1
                                                      43
                                                                                   -50
275011 11757 1 8500
275011 11758 1 8400
                                         -10
                                                           480
                                                                 590
                                                                          2
                                                                              96
                                                                                          76
                                                -1
                                                      53
                         14500
                                    16
                                                                             170
                                                                                    -50
                                                                                          ~40
                        14400
                                    21
                                         -10
                                                -- 1
                                                      55
                                                           126
                                                                 360
                                                                          3
                                                                                   -50
                                                                                           70
                                                      31
                                                          2460
                                                                 350
                                                                         - 1
                                                                             110
                                     8
                                         -10
                                                -1
275011 11759 3 11400 17500
275011 11760 3 11400 17500
275011 11761 1 7800 14800
                                                                              -50
                                                                                    -50
                                                                                           97
                                                -1
                                     7
                                         -10
                                                      30
                                                          2200
                                                                 210
                                                                          t
                                         -10
                                                                                    -50
                                                          3420
                                                                 610
                                                                          5
                                                                              -50
                                                                                           48
                                                -1
                                                      53
275011 11762 3 11400 17700
                                                      31 2770
                                                                 390
                                                                          4
                                                                               66
                                                                                    -50
                                                                                           52
                                    10
                                         -10
                                                -- 1
275011 11763 3 11900 18300
275011 11764 3 11600 18400
                                                                              -50
                                                                                    -50
                                                           800
                                                                 400
                                                                          2
                                         -10
                                                -1
                                                      30
                                                                                           ሐሐ
                                    14
                                                           930
                                                                 550
                                                                          3
                                                                              -50
                                                                                    64
                                                                                           68
                                         -10
                                                -1
                                                      46
                                                      44
                                                                 230
                                                                               76
                                                                                    -50
                                                                                           56
                                                           146
                                                                          1
                                                -1
275011 11765 1 11300 17300
                                    10
                                         ~10
                                                                                    -50
275011 11766 2 10800 11800
275011 11767 2 10600 11400
                                                                               96
                                     8
                                         -10
                                                --- 1
                                                      23
                                                            13
                                                                 270
                                                                          2
                                                                                           68
                                                -1
                                                      58 2190
                                                                 590
                                                                          3
                                                                              100
                                                                                     76
                                                                                          130
                                    15
                                         -10
                                                                               94
                                                                                           72
275011 11768 3 10300 9900
                                     8
                                          18
                                                -1
                                                      40
                                                           125
                                                                 190
                                                                          3
                                                                                     64
275011 11769 3 8700 9700
275011 11770 3 8700 9500
28501V 11771 5 19600 5900
                                    34
                                          17
                                                      86
                                                            30
                                                                 460
                                                                          4
                                                                             210
                                                                                    130
                                                                                           60
                                                -1
                                                                 740
                                                                          5
                                                                             210
                                                                                    150
                                                                                           60
                                    26
                                          17
                                                -- 1
                                                      78
                                                            28
                                                                 200
                                                                                           56
                                          14
                                                      38
                                                            13
                                                                          Δ
                                                                             160
                                                                                    120
                                    15
28501V 11772 5 19200 5600
28501V 11773 5 19100 5600
28501V 11774 5 18800 5600
                                         -10
                                                       6
                                                             2
                                                                  30
                                                                          1
                                                                              150
                                                                                     68
                                                                                           76
                                     Ž
                                                -\mathbf{1}
                                                                 290
                                                                             270
                                                                                    140
                                                                                           4R
                                    14
                                         11
                                                -1
                                                      45
                                                             16
                                                                          4
                                                      19
                                                                  80
                                                                          3
                                                                             130
                                                                                     60
                                                                                          -40
                                                              6
                                         ~10
                                                                  80
                                                                          2
                                                                             230
                                                                                    -50
                                                                                          -4Ó
2850IV 11775 5 18700 5600
                                     3
                                         -10
                                                -1
                                                      21
                                                              6
                                                                              -50
                                                                                    -50
                                                                                          -40
                                    -2
                                         -10
                                                -1
                                                       4
                                                             2
                                                                  20
                                                                          1
28501V 11776 5 22000 8000
                                                      64 3900
                                                                 820
                                                                              -50
                                                                                    -50
                                                                                          52
                         18600
                                    24
                                         -10
                                                -1
                                                                          2
27491 11801
               1 1600.
                                                      51 2600
                                                                 740
                                                                          1
                                                                              ~50
                                                                                    -50
                                                                                          -40
275011 11802 1 1300
                         500
                                    13
                                         -10
                                                -1
275011 11803 1 500
275011 11804 1 400
                                                      42 1800
                                                                 520
                                                                          1
                                                                             -50
                                                                                    -50
                                                                                          150
                         1000
                                    10
                                         -10
                                         -10
                                                      53 1140
                                                                 370
                                                                          2
                                                                              -50
                                                                                    -50
                                                                                          100
                                                -1
                         900
                                     R
                                                                          2
                                                                                          129
27491 11805 1 1600
                         18300
                                         -10
                                                -- i
                                                      40
                                                          860
                                                                 650
                                                                              -50
                                                                                    -50
27491 I1806
27491 I1807
              1 1700
                                                          3600
                                                                1050
                                                                             -50
                                                                                    -50
                                                                                          B4
                         18400
                                         -10
                                                -1
                                                      61
                                    32
                                                          4000
                                                                1470
                                                                         -- 1
                                                                              -50
                                                                                   -50
                                                                                           92
                                                -- 1
                                                      45
               1 1400
                         18400
                                    19
                                         -10
27491 11808 1 1300
                                                                              --50
                                                                                    -50
                                                                                          140
                                                      40
                                                           820
                                                                 550
                                                                         1
                         18500
                                    17
                                         -10
                                                -- 1
                                                      36
                                                          2900
                                                                 890
                                                                         -1
                                                                              -50
                                                                                   -50
                                                                                          110
                         18000
                                    14
                                         -10
27491 11809 1 700
                                                                              -50
                                                                                   -50
                                                          3500 1170
                                                                                           94
                                                                         2
27491 11810
                         18200
                                    13
                                         -10
                                                -1
                                                      44
               1 600
                                                -1
275011 11811 1 7400
                                         -10
                                                      32 1630 1560
                                                                              -50
                                                                                    -50
                                                                                           72
                                    11
                         3300
                                                         1460
                                                                 800
                                                                              -50
                                                                                    -50
                                                                                           66
                                         ~10
                                                      28
275011 11812 1 7500
                         3200
Lithology (L) Codes are :
                                 2-LIMESTONE
                                                   3-SEDIMENTS 4-PEB. PHYLLITE
Q-GRANITE
                 1-U/MAFICE
5-SCHISTS
```

MINUS figure indicate BELOW DETECTION and O NOT ANALYZED.

Time taken (Minutes) : 38

```
As Bi
                                                                                Sb Ho
*S.No.
             L. E
                        N
                                       Pb
                                                   Zn :
                                                          Ni.
                                                             : Mn
275011 11813 1 7300
                       2900
                                  15
                                      -10
                                             -1
                                                   32 2000
                                                            450
                                                                    1.1
                                                                        ~50
                                                                              ~50
                                                                                    . 66
                                                                                    60
275011 11814 1 8300
                                                                         -50
                                                                               -50
                                  17
                                                   35 2300 1120
                                                                   - 1
                       3000
                                      -10
                                             -- 1
                                                                                     41
275011 11815 1 8300
                        3300
                                      -10
                                                   27 1650
                                                             740
                                                                   --1
                                                                         -50
                                                                               -50
                                                                         -50
-50
                                                                   . . 1
                                                                               -50
                                                                                     -40
2750II I1816 1 8400
                        2700
                                   7
                                                   24 1280
                                                             690
                                      -10
                                             -1
                                                                                    ~40
275011 11817 1 8500
                                                             870
                                                                   , .-- 1
                                                                               -50
                        2800
                                  16
                                      ~10
                                             -1
                                                   35 2200
                                             -1
                                                                                     --40
2750II | I1818 | 1 | 6800
                        2900
                                      -10
                                                   30 2500
                                                             800
                                                                         ~50
                                                                               -50
                                  15
275011 11819 1 8800
                       3900
                                  14
                                      ~10
                                                   32 2200
                                                            1070
                                                                         -50
                                                                               -50
                                             -- 1
                                                                         -50
                                                                               -50
                                                                                     52
275011 11820 1 8800
                       3900
                                  11:
                                      ~10
                                             -1
                                                   28 1760
                                                             770
                                                                     1
                                                                                      98
275011 11021 3 7200
                        4200
                                  12
                                      -10
                                             -1
                                                   46 1330
                                                             960
                                                                         ~50
                                                                               -50
                                                                                     98
                                                             760
                                                                   . j.j..1
                                                                         -50
                                                                               -50
275011 11822 3 7600
                        4800
                                                   51 :1750
                                  14
                                      -10
                                             ~1
275011 11823 3 7400
                        4800
                                  17
                                      -10
                                             -- 1
                                                   51 2100
                                                            1100
                                                                     1
                                                                         ~50
                                                                               -50
                                                                                    110
                                                                              -50
275011 11824 3 7100
                        4400
                                      ~10
                                                   27
                                                        58
                                                             200
                                                                         . 76
                                                                                     62
                                   7
                                             -1
                                                                               -50
                                                            1100
                                                                   7.75 1
                                                                         -50
                                                                                     110
275011 11825 3 7100
                       6400
                                  18
                                      -10
                                             -1
                                                   50
                                                      1340
                                                   24
                                                             330
                                                                     1
                                                                          96
                                                                               -50
                                                                                     AH
275011 11826 3
                7800
                       7800
                                   8
                                      -10
                                             -1
275011 11827 3 8400
                                                             390
                                                                         210
                                                                               -50
                                                                                      94
                       8200
                                             -1
                                                   56
                                                         16
                                  17
                                       13
                                                                                     76
                                                             600
                                                                         110
                                                                               -50
275011 11828 3 8500
                       8100
                                  11
                                       1 i
                                             --1
                                                   36
                                                         10
                                                             130
                                                                         ~50
                                                                               -50
                                                                                     -40
27501 11829 1
                 3900
                       -19000
                                       -10
                                             -1
                                                   23
                                                         96
                                   6
                                             - i
                                                   33 2080
                                                             250
                                                                         -50
                                                                              -50
                                                                                     -40
                                      -10
27491 11830 1
                 4800
                       18700
                                   я
                                                                    . 1
                                                                                     40
                                                             280
                                                                         -50
                                                                               -50
27491 11831 1
                 4800
                       17800
                                      -10
                                             -- 1
                                                   36
                                                      3510
                                  11
                                                             420
                                                                         -50
                                                                               -50
                                                                                      44
                 4900
                        17800
                                  14
                                      -10
                                             --- 1
                                                   31
                                                        60
27491 11832
              1
                                                             210
                                                                         110
                                                                                54
                                   9
                                             -- 1
                                                   38 2600
27491 11833
              3
                 3500
                       18000
                                      -10
                                                                     5
                                                                                     68
                                   9
                                                   38
                                                             260
                                                                         160
                                                                               260
275011 11834 3 15400 1300
                                       10
                                                   25
                                                             100
                                                                     2
                                                                         96
                                                                               100
275011 11835 3 15200 1900
                                       -10
                                             ~1
                                   6
                                                                                      52
                                                                         150
                                                                               100
275011 11836
              3
                15600
                       2400
                                  11
                                       12
                                             -- i
                                                   41
                                                         11
                                                             280
                                                                     3
                                                                                      78
275011 11837 3 15700 3800
                                                             240
                                                                         170
                                                                               260
                                       10
                                             -1
                                                   45
                                                         13
                                  11
                                                             220
                                                                         110
                                                                               120
                                                                                      48
                                      -10
                                                   44
                                                         12
                                                                     2
275011 11838 3 15100 2300
                                   Q
                                             -1
                                                                                      54
                                                                     3
                                      -10
                                                   45
                                                         12
                                                             160
                                                                         150
                                                                               110
275011 11839
                16200 4500
                                   9
                                                                               96
                                                                         150
                                                                                      60
275011 11840 3 16200 4500
                                   9
                                       -10
                                             -1
                                                   45
                                                         11
                                                             160
                                                                         140
                                                                               170
                                                                                      84
                                                              70
                                                                     4
                                                   57
275011 11841 3
                15000 3200
                                  59
                                       10
                                             -1
                                                         31
2750II I1842 3
                15900 4800
                                  15
                                       13
                                             -1
                                                   88
                                                         17
                                                             280
                                                                     4
                                                                         180
                                                                                64
                                                                                      48
                                                             270
                                                                         110
                                                                                60
                                       10
                                             -1
                                                   60
                                                         16
275011 11843 3
                16200 5200
                                  13
                                                            160
                                                                                62
                                                                                      66
                                       10
                                             -1
                                                   55
                                                         17
                                                                     2
                                                                         280
2750II I1844 3
                16500 5600
                                                             180
                                                                     2
                                                                         270
                                                                                76
                                                                                      44
275011 11845 3 16400 5700
                                       13
                                             -1
                                                   51
                                                         15
                                  12
                                                   47
                                                         10
                                                             160
                                                                         190
                                                                               ~50
                                                                                      52
2750II I1846 3
                 16400 5900
                                      -10
                                             -1
                                                                               -50
                                                            120
                                                                         200
                                                                                      52
                                                   28
                16400 6200
                                      -10
275011 11847 3
                                                   42
                                                         11
                                                             130
                                                                         230
                                                                                76
                                                                                     48
275011 11848 3 16500 6300
                                   9
                                      -10
                                             -1
                                                                     3
                                                                          76
                                                                                      56
                                                             170
                                                                                68
275011 11849 3
                16600 6400
                                  11
                                      -10
                                             -1
                                                   60
                                                         15
                                                   52
                                                             400
                                                                         140
                                                                                92
                                                                                      56
275011 11850 3 16900 6500
                                      -10
                                                         13
                                   8
                                                                         170
                                                   57
                                                             160
                                                                     2
                                                                                60
                                                                                      66
                                                         14
2750II I1851 3 16800 6600
                                  10
                                      -10
                                             -1
                                                             740
                                                                         180
                                                                               120
                                                                                      66
                                      -10
                                             -1
                                                   48
                                                         12
275011 11852 3
                16900 6900
                                  10
                                                  • 66
                                                             180
                                                                         110
                                                                               ~50
                                                                                     110
                                             -- 1
                                                         18
                16700 6800
                                  14
                                       10
275011 11853 3
                                                         18
                                                             180
                                                                     1
                                                                         -50
                                                                               -50
                                                                                     56
                17400 6600
                                             -1
                                                   64
                                  12.
                                       10
275011 11854 3
                                                                         ~50
                                                                               -50
                                                                                     60
275011 11855 3 16500 6600
                                                   29
                                                          7
                                                             110
                                                                     1
                                   5
                                      -10
                                                   31
                                                              80
                                                                         -50
                                                                                60
                                                                                     110
                                             -1
                                   7
                                      -10
275011 11856 3
                14600 4400
                                                             100
                                                                     4
                                                                         -50
                                                                               120
                                                                                     68
275011 11857 3 14200 4500
                                   5
                                      -10
                                             -1
                                                   19
                                       -10
                                             -1
                                                   44
                                                         18
                                                             200
                                                                         160
                                                                               140
                                                                                     220
                                  12
275011 11858 3 14000 4600
                                                             130
                                                                          76
                                                                               120
275011 11859 3 13900 4900
275011 11860 3 13900 4900
                                   8
                                      ~10
                                             -1
                                                   36
                                                         14
                                                             190
                                                                                96
                                                                                      72
                                                                          46
                                             --- 1
                                                   38
                                                         16
                                                                     3
                                      -10
                                                                     3
                                                                         140
                                                                                92
                                                                                      60
                                      -10
                                             -1
                                                   49
                                                         15
                                                             160
                                  11
275011 11861 3 15000 4800
                                                             170
                                             -- 1
                                                                               110
                                                                         160
275011 11862 3 15200 5700
                                      ~10
                                                   55
                                                         17
                                  14
 Lithology (L) Codes are :
                                                               4-PEB.PHYLLITE
             1-U/MAFICS
                               2-LIMESTONE 3-SEDIMENTS
O-BRANITE
5-SCHISTS
MINUS figure indicate BELOW DETECTION and O NOT ANALYZED.
Time taken (Minutes) : 59
```

	•								
*8.No. B L ME ON B Cu	Рb	Ag	Zn -	Ni	Mn	A:	5 P	i SE	syHgara
275011 11863 3 15100 5900 7	-10	<u>i</u>	39	12	240	2	75	70	40
275011 11864 3 15200 5900 14	11	1	61	- 16	150	2	150	50	48
275011 11865 3 15500 6500 5	-10	-1	23	5	BO	1.1	65	-50	52
275011 11866 3 15300 6600 13	-10	<b>1</b>	60	16	170	. 4	110	~50	. 68
275011 11867 3 15600 7100 14	-10	<b>-1</b>	69	20	240	3	100	85	62
275011 11868 3 14400 5200 3	-10	<b>1</b>	14	3	30	· · 3 ·	-50	320	82
275011 11869 3 14300 5900 4	-10	i	24	6	50	4	-50	110	82
275011 11870 3 13600 5300 B	-10	-1::	20	30	160	15	100	1120	192
275011 11871 3 13300 5300 10	-10	-1	42	18	110	4	100	500	832
275011 11872 3 12400 6100 12	-10	<b>~1</b>	43	43	280	4	65	260	180
275011 11873 3 12200 6800 11	-10	-1	27	156	410	2	92	170	272
275011 11874 3 12300 6900 9	-10	-1	4B	12	150	2	92	170	44
275011 11875 3 16200 8800 11	10	- i	40	3480	900	3	55	50	118
2750II I1876 3 16200 8700 9	-10	-1	49	13	150	::3	120	70	-40
275011 11877 3 12400 7400 11	12	-1	49	151	200	4	69	120	72
275011 11878 3 12700 7500 9	-10	~1	42	149	90	4	78	70	40
275011 11879 3 13700 8300 3	-10	- <b>i</b>	39	ร	70	3		100	49
275011 11880 3 13700 8300 B	-10	-1	39	<del>9</del> 0	110	2	120	-50	52
275011 11881 3 14000 B100 12	~10	-1	39		330	3	150	90	100
275011 11882 3 15300 7800 10	-10	-1	51		140	ંડ	170	90	60
275011 11883 3 13800 5700 11	13	i	49	11	400	4	78	120	88
275011 11884 3 14700 7400 20	13	- <b>i</b>	64	15	520	3	75		5600
275011 11885 3 15800 8700 10	-10	-1	48	10	160	3	92	-50	84
275011 11886 3 16800 8800 10	-10	-1	58	10	190	2	110		-40
275011 11887 3 15700 8800 5	-10	-1	35	7	120	$-\frac{1}{2}$	90	-50	88
그는 전화적에 가면 없이 왜 전하셔요. 그는 그렇게 하는 일이 되었다고 그는 그 그	13	-1	46	12	390	5	150	70	68
	-10	-1	43	10	160	3	180	60	92
	10	- <u>1</u>	52	10	200	3	170	80	94
그 선생님은 모든 사람은 사람이 되었다. 그는 그래요? 그는 그리고 있는 것이다.	-10	-1	31		130	3	170	50	-40
275011 11891 3 16600 9200 6 275011 11892 3 16600 9100 12	10	-1 -1	65		260	3	180	70	-40
그는 그 전에 가장 그를 보면 없는 것 같아. 그 가는 그 사람들이 되었다.	11	-i	58	16	240	3	140	50	104
		- T.		16	340	3	130	-50	88
275011 11894 3 17100 9300 14	11	-1	76	16	310	3	120	70	~40
275011 11895 3 17200 9400 14	12	-i	72			<b>2</b>	92	-50	40
2750II I1896 3 17400 9600 10	10	-1	49	14	140	4.4			~40
275011 11897 3 17500 9500 14	11	- i	76	16	300	-1	170	55	
2750II I1898 1 11700 2800 14	-10	-1		2740	250	3	100	150	64
275011 11899 1 11800 2500 13	-10	-1	***	1070	700	- <u>i</u>	55	130	68
2750II I1900 1 11800 2500 14	-10	-1			1040	3	69	150	68
28501V 11901 3 5500 13100 15	10	-1	35	12	360	4	140	140	-40
2850IV 11902 3 5100 13100 16	10	- 1	45	12	400	5	170	160	-40
28501V 11903 3 4900 13100 16	10	-1	39	11	300	5	130	160	-40
2850IV 11904 3 5100 13500 6	10	-1	20	5	200	3.	130	60	-40
2850IV I1905 3 4800 13400 11	-10	-1	29	8	160	4	110	160	-40
2B301V 11906 3 3000 10900 10	11	-i	14	4	170	3	150	200	-40
28501V 11907 3 3500 11600 9	-10	-1	25	7	180	1	100	110	-40
28501V 11908 3 3600 11700 4	-10	<b>-1</b>	13	3	290	5	85	55	-40
2850IV I1909 3 3100 12300 5	-10	-1	16	4	3.50	4	100	50	110
2850IV I1910 3 3200 12400 B	10	-1	27	В	180	5	120	-50	-40
28501V 11911 3 1700 13500 5	10	-1	12	3	210	5	110	50	~40
28501V 11912 3 1200 12800 4	-10	1	9	. 3	140	- 3	85	-50	-40
Lithology (L) Codes are :	.54.		1.5						
O-GRANITE 1-U/MAFICS 2-LIM	ESTONE	3-9	BEDI	MENTS	4-PI	EB.PH	IYLLII	ſΈ	ara, to for
5-SCHISTS					4.			n North Co.	s to the second

5-SCHISTS
MINUS figure indicate BELOW DETECTION and O NOT ANALYZED.
Time taken (Minutes): 41

```
Bi Sb Hg
              L E
                                                                      As .
                         N
                                                   Ζn
                                                         Ni
                                                             Mn
                                                                                     ₽4
2850IV 11913 3 5300
                       12200
                                 12
                                       13
                                             -1
                                                   23
                                                         5
                                                             360
                                                                   - 3
                                                                       130
                                                                               55 🗆
                                                             300
28501V 11914 3 5600
                                                                        200 180
                       12100
                                  16
                                       15
                                             -1
                                                   39
                                                                     5
                                                                                     52
2850IV I1815 3 5500
                       11900
                                             -1
                                                             250
                                                                     5
                                                                        130
                                                                              100
                                  14
                                      : 12
                                                   26
                                                             210
                                                                                    -40
2850IV 11916 3 5800
                       11800
                                                         7
                                                                     6
                                                                       140
                                                                               60
                                                   2R
                                  1.3
                                       10
                                             ·-- j
2950IV 11917
                                                                        100
                                                                               60
                                                                                    -40
              3 5000
                       12900
                                      -10
                                                   25
                                                             230
                                                                     4
28501V 11918 3 4400
                                                                        92
                                                                              -50
                                                                                    -40
                                  5
                                      410
                                                         8
                                                             380
                                                                     2
                       13000
                                             -1
                                                   26
                                                                              220
                                                                                    -40
28501V 11919 3 4800
                                                             640
                                                                     17
                                                                        180
                       14400
                                  25
                                      15
                                             -1
                                                   40
                                                        12
2850IV 11920 3 4800
2850IV 11921 3 4900
                                                                   - 5
                                                             810
                                                                        150
                                                                              160
                                                                                    -40
                       14400
                                  25
                                       15
                                             --1
                                                   44
                                                        12
                                                                  5
                                                                              220
                                                                                    ~40
                                                                        110
                                             ~1
                                                   19
                                                         7
                                                             330
                       14400
                                  10
                                       12
                                                                                    -40
                                      -10
                                                                              110
2850IV 11922 3 3800
                       13600
                                 . 7
                                                   21
                                                             150
                                                                     3
                                                                        130
                                                                        92
                                                                                   -40
2850IV 11923 3 3700
                                                         7
                                                            280
                                                                     2
                                                                              70
                       13500
                                 - 8
                                      --10
                                                   29
                                             -1
                                                                  5
                                                            470
                                                                              350
                                                                                    82
27501 11924
              3 21100 13400
                                  17.
                                      - 11
                                             -1
                                                   41
                                                        12
                                                                        170
27501 11925 3 24100 12800
                                                                  27 E 1 1
                                                                        -50
                                                                              140
                                                                                   40
                                             -1
                                                        12
                                                            650
                                      -10
                                                   63
                                  13
                                             -1
                                                                  4
                                                            110
                                                                        ~50
                                                                              220
                                                                                    -40
27501 11926
              3 25200 13100
                                   6
                                      -10
                                                   33
                                                        10
27501 11927 3 25100 13000
27501 11928 3 24900 12600
                                             -1
                                                   39
                                                            440
                                                                     b
                                                                         60
                                                                              240
                                                                                    --40
                                  1.1
                                      -10
                                                        10
                                                                        . 90
                                                                              190
                                                                                    -40
                                      -10
                                                        12
                                                            400
                                                   42
                                  14
                                             -- 1
                                                                        - 90
                                                                                    -40
                                                                              280
27501 11929 3 25000 12600
                                  6
                                      ~10
                                                   19
                                                             150
                                                                     .5
                                                                                    -40
                                                         3
                                                             30
                                                                     3
                                                                        -50
                                                                              -50
                                      -10
                                                   14
2850IV 11930 3 100
                       15500
                                  -2
                                             --1
                                                                                  -40
285017 11931 3 1300
                       12700
                                       14
                                                   12
                                                             280
                                                                        110
                                                                              200
                                   ፚ
2850IV 11932 3 1000
                                                                                   --40
                                                             340
                                                                        100
                                                                              100
                                             -- 1
                                                   12
                       12300
                                   1
                                       16
                                             -1
                                                                                     94
                                                           180
                                                                     7
                                                                        130
                                                                              330
2850IV 11933 3 800
                       12200
                                       13
                                                   14
                       12300
                                                                         92
                                                                              180
                                                                                     72
28501V 11934 3 700
                                   5
                                                   21
                                                         7
                                                             190
                                      -10
                                             -1
                                                                              280
                                                                                     44
                                                         2
                                                                     7
                                                                        120
28501V 11935 3 400
                        12000
                                   4
                                       11
                                             -- 1
                                                  . · •
                                                             120
28501V 11936 3 500
                                                            30
                                                                        -50
                                                                             -50
                                                                                   -40
                       11900
                                  -2
                                      --10
                                             -1
                                                          3
                                                                              110
                                                                                    -40
                                                                     4
                                                                        100
                                   7
                                             -1
                                                             150
2850IV 11937 3 600
                        14100
                                      -10
                                                   23
                                                         6
28501V 11938 3 2000
28501V 11939 3 2100
                                                                                    -40
                       15600
                                   9
                                       13
                                             -- 1
                                                   18
                                                             280
                                                                     5
                                                                        140
                                                                              320
                                                                        150
                                                                              250
                                                                                    -40
                                   9
                                             -1
                                                             220
                                       12
                                                  18
                       12300
2850IV 11940 3 2100
                                  3
                                             -1
                                                   14
                                                             110
                                                                     2
                                                                        74
                                                                              160
                                                                                    --40
                       12300
                                      ~10
                                      -10
                                                                     2
                                                                         67
                                                                              320
                                                                                     72
                                  4
                                             -1
                                                   16
                                                         4
                                                             140
28501V 11941 3 3900
                       14200
                                                                                    -40
                                                                        210
                                                                              120
28501V 11942
              3 3500
                       14900
                                  20
                                       21
                                             -- <u>i</u>
                                                   37.
                                                        11
                                                             480
                                                                     6
2850IV 11943 3 5700
                                                                              120
                                                                                    -40
                                       21
                                             -1
                                                   35
                                                             440
                                                                     6
                                                                        240
                       18000
                                  20
                                                                                    -40
                                             -1
                                                                              ~50
                                                         5
                                                             150
                                                                        160
2850IV 11944 3 4500
                                  Θ
                                       13
                                                   35
                                                                     1
                                             -1
                                                   25
                                                         6
                                                             260
                                                                        180
                                                                              120
                                                                                    48
28501V 11945 3 3800
                       17400
                                  13
                                       12
                                             -1
                                                                              140
                                                                                    -40
                                                             220
                                                                        140
2850111 119465 20300 15700
                                       10
                                                   23
Lithology (L) Codes are :
                                               3-SEDIMENTS 4-PER.PHYLLITE
               1-U/MAFICE
                               2-LIMESTONE
5-8CH18T8
```

MINUS figure indicate BELOW DETECTION and O NOT ANALYZED.

Time taken (Minutes) : 1

```
kB.No.
                      E N
                                                       Ni
                                     Cu
                                            Ag
                                                  Zn
                                                               .Mn As
                                                                            Sh
                                                                                  Ha
V27491V 0405
                 0.18100 11500
                                                  66 2500 1800
                                                                   --1
                                                                        -50
                                                                              110
                                      44
                                            -1
                 0 18100 11500 >D
                                                                               74
 27491V 0406
                                                  58 2930, 1260
                                      15
                                                                    --1
                                                                         .-.50
                                                                                       Ò
                                                                                              Ò.
                                            ---1
√27491V·0407
                 0 17300 11500
                                            -1
                                                  54
                                                      2600, 1580
                                                                         -50
                                                                                47
                                                                                       Q
                                                                                              Ō
                                      36
                                                                    <u>-- 1</u>
12749 IV 0408
                 0 17300 11400
                                      46
                                            -1
                                                  75
                                                       480, 3300
                                                                         -50
                                                                                46
                                                                                             0
                                                                     1
                                                                                       0
                                                                    - 1
 ,27491V+0409
                 0 17000 11700
                                      17
                                            - 1
                                                  48 1510 1370
                                                                         -50
                                                                                50
                                                                                       Ò
                                                                                             Ü
327491V-0410
                 0 16100 11800
                                      15
                                            .... 1
                                                  75:
                                                     5000
                                                           2800
                                                                    -- 1
                                                                         -50
                                                                                B3
                                                                                       0
                                                                                             0
                                            -1
                                                                         -50
12749JV 0411
                                                  58 5000 2400
                 0
                   18200 11900.
                                      22
                                                                    -1
                                                                                45
                                                                                       O
                                                                                             O
,2749IV°0412
                 3
                   18000 10500
                                      22
                                            ...1
                                                  37
                                                      500
                                                             770
                                                                         ~50
                                                                               -40
                                                                                             0
N27491V0□413
                                      50
                                                  71
                                                       300, 2000
                                                                               · 52
                 4
                   17900 10600
                                            -1
                                                                    - 2
                                                                         -50:
                                                                                       O
                                                                                             O
J27491V-0414
                 4
                   17300 10800
                                            --1
                                                  85
                                                      3700
                                                           1900
                                                                     1
                                                                         -50
                                                                                78
                                      64
                                                                                       O
                                                                                             0
327491V: 0415
                 0 17100 11700
                                     112
                                            -- 1
                                                  93
                                                     3830 2370
                                                                    -1
                                                                         --50
                                                                                52
                                                                                       Û
                                                                                             Ò
-12749IV-0416
                 Ó
                   17200 12300
                                      69
                                            -- <u>1</u>
                                                 156
                                                     7000, 3500
                                                                    -1
                                                                         .-50.
                                                                               120
                                                                                       0
                                                                                             0
327491V-0417
                 0 17100 12400
                                      89
                                            -1.
                                                  46
                                                      1280 1210
                                                                         -50
                                                                               . 40
                                                                                       0
                                                                                             0
                                                                    -1
                                                                    <u>.... 1</u>
~2749IV~0418
                   17000 12600
                                     100
                                            -1
                                                  59
                                                      1450.
                                                           2250
                                                                         ~50
                                                                               -40
                                                                                       0
                                                                                             0
                 0
1274910-0419
                 0 17100 12600
                                      99
                                            -- j
                                                  48
                                                      1000, 1400
                                                                    -1
                                                                         -50
                                                                               40
                                                                                       0
                                                                                             O:
                 0 17100 12600 >D102
                                                       950 1370
                                            -- 1
                                                  45
                                                                               -40
√27491V·0420
                                                                    -1
                                                                         -50
                                                                                       Õ
                                                                                             O
12749IV-0421
                 0
                   17200 13100
                                     156
                                            -- 1
                                                  51
                                                      810
                                                           1560
                                                                    . 1
                                                                          50
                                                                                64
                                                                                       Ó
                                                                                             Ó
427491V:0422
                                            ---1
                 Õ
                   17300 13100
                                      97
                                                  49
                                                      1200
                                                           1100
                                                                    --- 1
                                                                          50
                                                                               110
                                                                                       O
                                                                                             O
~2749IVoD423
                                      55
                                                       400
                                                                         220
                 2 18000 10200
                                                  76
                                                           1800
                                                                               120
                                                                                       Ó
                                                                                             Ō
                                                           1730
12749IV0D424
                 3 18000 10300
                                      50
                                            -- 1
                                                  67:
                                                      9500
                                                                     1
                                                                          50
                                                                               240
                                                                                       Ò
                                                                                             O
427491V 01425
                    17300 10800
                                      57
                                            -1
                                                  80
                                                      360
                                                           1550
                                                                     2
                                                                         140
                                                                               120
                                                                                             0
                 2
                                                                                       0
327491Va0426
                 4
                   18300 11100
                                      37
                                            -- 1
                                                  66
                                                      500
                                                            800
                                                                     1
                                                                         -50
                                                                               51
                                                                                       Ō
                                                                                             O
127491Va0427
                 5 18200 11000
                                      42
                                            -- 1
                                                  62
                                                     2000
                                                           1700
                                                                         -50
                                                                               69
                                                                                       O
                                                                                             0
12749IV0 0428
                 2 19000 10200
                                            --1
                                                  61
                                                      720
                                                           1300
                                                                         ~50
                                                                               360
                                                                                       Q
                                                                                             O
                                      61
J27491V00429
                 2
                   19900 9900
                                      40
                                            -- 1
                                                  75
                                                       470
                                                            910
                                                                     1
                                                                          50
                                                                                40
                                                                                       0
                                                                                             O
327491V0 D430
                 2
                   20800 9500
                                      62
                                            --- 1
                                                  74
                                                       200
                                                           1360
                                                                     2
                                                                         30022300
                                                                                       O
                                                                                             0
                   20700 9700
$27491V 0431
                                            -1
                                                  53
                                                       450
                                                                         140
                                                                               120
                                                                                       Ó
                                                                                             ũ
                 2
                                      33
                                                            710
                                                                     1
                   20100 8900
                                      57.
                                                       220
                                                             990
                                                                              2500
                                                                                             0
127491V,0432
                 2
                                                  68
                                                                         180
                                                                                       Ö.
                                                                         .50
                                                                               340
                                                                                             0
                   18500 8700
                                      ₽Ó
                                                  95
                                                        60 1360
                                                                                       0
127491Ve 0433:
                 2
                                            -- 3
                                                                     -1
√27491V0D434
                   19200 8600
                                      70
                                                        70 1170
                                                                         320
                                                                               480
                                                                                             0
                                            - 1
                                                  86
                   18800 9400
                                                  92
                                                        60, 1470
                                                                               260
                                                                                             0
-2749IV. D435
                                      71
                                                                         ~50
                                                                                       O
                 .7
                                            -1
J27491V VD436
                 4
                   20700 10800
                                      30
                                            -1
                                                  56
                                                       940
                                                           1140
                                                                         -50
                                                                               44
                                                                                       Ö
                                                                                             O
32749IV 0437
                 2
                   18500 8500
                                      83
                                            -1
                                                 118
                                                        60 1620
                                                                         2201
                                                                              4500
                                                                                       Ö
                                                                                             a
                                                                                             Ó
42749 IV, D438
                 O.
                   20800 10800
                                      19
                                            -1
                                                  71 5000 1590
                                                                    -- 1
                                                                         -50
                                                                               130
                                                                                       O
                                            -1
                                                  72
                                                     5000
                                                                               100
                                                                                             Ó
12749IV-0439
                   20700 11600
                                      17
                                                           1570
                                                                         -50
                                                                                       O
                 O.
                   20700 11600 >D
                                                     2860 1500
127491V-0440
                                            ---1
                                                  52
                                                                    <u>,</u> 1
                                                                         -50
                                                                               -40
                                                                                       Ò
                                                                                             0
                 0
                                      16
                                           -1
32749IV-0441
                   20000 12300
                                      37
                                                 119
                                                     5000 1800
                                                                     1
                                                                         -50
                                                                               160
                                                                                       Ò
                                                                                             O
                 Q.
 2750111 0442
                 0
                   -58700-8900
                                      24
                                            -1
                                                  49
                                                     1240
                                                            850
                                                                     2
                                                                         ~50
                                                                               180
                                                                                       Ó
                                                                                             Ö
 $27491V°0443
                 0 19500 11400
                                      42
                                            -- 1
                                                  66
                                                      570
                                                           2000
                                                                     1
                                                                         -50
                                                                               170
                                                                                       Ô
                                                                                             Õ
32749IV=0444
                                                  81 5000
                                                                                57
                 0.14400 10700
                                      37
                                            --- 1
                                                           2500
                                                                         -50
                                                                                       Ō
                                                                                             0
                                                                         -50
                                                                                             O
12749IV · 0445
                 0 15300 12400
                                      81
                                            -1
                                                  87
                                                     4000
                                                           3000
                                                                    ~1
                                                                                RO
                                                                                       Ò
                                                     5600
                                                                         --50
                                                                                             O
 √27491V • 0446
                 0
                   15200 10900
                                      16
                                            -- i
                                                  52
                                                           6600
                                                                                48
                                                                                       O
                                                                                             o
                   15400 11000
                                      12
                                            --- 1
                                                 61
                                                     3500 1600
                                                                    --1
                                                                         --50
                                                                                81
                                                                                       Ó
327491V×0447
                 Õ
127491V,044B
                   15600 11900
                                      25
                                            -- 1
                                                     6000
                                                           2800
                                                                    -- 1
                                                                         --50
                                                                                68
                                                                                       O
                 Ō
                                                  70
                 0 14600 10300
                                                                                             Ō
127491Von449
                                      16
                                            – i
                                                  69
                                                     5500
                                                           2130
                                                                    -- 1
                                                                         -50
                                                                                99
                                                                                       Ō
                                                                    --- 1
                                                                                             Ò
>27491V·0450
                 0
                   14500 10300
                                      25
                                            -- i
                                                  81
                                                     5000
                                                           2500
                                                                         -50
                                                                                65
                                                                                       Ω
\2749IV.0451
                                      47
                                            -1
                                                  55
                                                     2000
                                                           1250
                                                                         -50
                                                                                44
                                                                                       Ô
                                                                                             Û
                 0 15500 13000
                                                                                52
                                                                                             o
                                                                    -- 1
                                                                         -50
                                                                                       O
42749IV.0452
                 0 15700 13700
                                      24
                                            -- 1
                                                  68
                                                     2300
                                                           1490
                                           -1
                                                                    -1
                                                                         ~50
                                                                                             0
→ 2749 IV : 0453
                 0 16600 44900
                                      46
                                                  35
                                                      860
                                                            680
                                                                               150
                                                                                       O
27:910:0454
                                                                    -1
                                                                                52
                                                                                             0
                 0 17800 15100
                                      88
                                            -1
                                                  48
                                                      990 1370
                                                                         -50
                                                                                       Ó
  Lithology (L) Codes are :
```

O-HARZBURGITE 1-SV GABBRO 2-MP BASALT 3-T SILTSTONE 4-S S MINE FM. 5-METAMORPHICS

MINUS figure indicate BELOW DETECTION and O NOT ANALYZED.

Time taken (Minutes): 2

5-METAMORPHICS

Time taken (Minutes): 3

```
*B. No.
                Lon E
                                    Cur
                                           Ag
                                                      Νi
                                                              Mn
                                                                    As
                                                                                Нg
                                                 20
127491V 90455 0 17800 15000
                                                 58 2300 1570
                                                                   -1 -50
                                                                             50
                                                                                     0
                                    36
                                           -- 1
327491V 0456 0 17400 17000
                                                                                     Ō.
                                     74
                                           -- 1
                                                 38
                                                     840:1050
                                                                  ·-- i
                                                                       ~50
                                                                             -40
                                                                             -40
1275011100457 0 20600 1900
                                     10
                                           -1
                                                                 --1
                                                                        -50
                                                 78
                                                    3500 2000
                                                                             40.
427491V:045B € 0
                                                                                     O.
                                                                                           O
                  16300 18300
                                     20
                                           -1
                                                 63
                                                    1700 2000
                                                                  -- 1
                                                                       -50
v2750111-0459 0
                   20400 1800
                                                                       ~50
                                                                             --4a
                                                                                     \mathbf{O}
                                                                                           Ö
                                      ~
                                           --- 1
                                                 51
                                                    1200
                                                          1060
12750111-0460 0 20400 1800>D
                                                                             -40
                                                                                            O
                                      =
                                           -- 1
                                                 50
                                                    1100
                                                           970
                                                                  -- 1
                                                                       ~50
                                                                                     O
                                                                      240027700
J27491V60461
                4 22700 2100
                                     47
                                           -- 1
                                                 55
                                                     300, 2220
                                                                                     \alpha
                                                                                            O
J27491V00462
                2,16900 7500
                                     59
                                           -- 1
                                                 79
                                                     800
                                                          1650
                                                                       380
                                                                             660
                                                                                      Õ
                                                                                            0
                                                                    1
1 275011100463
                0
                                                                       -50
                                                                             : 40
                                                                                           O
                   20600 2200
                                      4
                                           -- i
                                                 등
                                                    1800
                                                           69Ö
                                                                   -- 1
                                                                                     O
J27491V+0464
                  17000 7400
                                     28
                                           --1
                                                 43
                                                     760
                                                          1430
                                                                       300 2500
                                                                                     Q
                                                                                            Ó
√27491Vo0465
                5
                                                                                            O
                   22000 2700
                                                                       200
                                                                             690
                                                                                     O
                                     34
                                           -- 1
                                                 45
                                                     400
                                                           680
                                                                    1
127491V: D466
                4
                   21900 3000
                                     2.6
                                                     300
                                                           770
                                                                       70:
                                                                             490
                                                                                     O
                                                                                            O
                                           -- 1
                                                 36
                                                                    1
127491V00467
                3 21800 2900
                                                     220 2900
                                                                      282021300
                                                                                            Ō
                                     59
                                                 74
                                                                    2
                                           ·- 1
                                                                      292011100
                                                                                     Ó
                                                                                            O
J27491V.0468
                2 21700 2700
                                     48
                                           --- i
                                                81
                                                     100
                                                           920
                                                                    2
J27491Ve 0469
                                                                      1700 8200
                   21700 3000
                                     59
                                           -- 1
                                                86
                                                     100
                                                          1140
                                                                                     O
                                                                                            0
                                                          800
√2749IV°D470
                3
                   23300 900
                                                                       71066500
                                                                                            0
                                                                                     O
                                     36
                                           -- i
                                                 47
                                                     710
J27491V40471
                   23400 1000
                                     24
                                                 42
                                                     640 1280
                                                                       20045000
                                                                                     O
                                                                                            Õ
12749IV00472
                4
                                                 47
                                                    1390.
                                                                       -50: 3200
                                                                                      Õ
                                                                                            0
                   23600 1700
                                     20
                                                          1200
                                           -1
127491V •D473
                4
                   21500 3500
                                     61
                                           -- 1
                                                89
                                                     300
                                                          1030
                                                                       220 1500
                                                                                     0
                                                                                            Ò
127491V:0474
                                                                        90
                                                                                     Ø
                                                                                            Ō.
                  21600 3700
                                           -1
                                                 -: 4
                                                     400
                                                           790
                                                                             450
                                                                                            Q
127491700475
                  23700 1700
                                                54
                                                    1080
                                                           720
                                                                       320
                                                                             870
                                                                                     O
                4
                                     36
                                           -- 1
127491V-0476
                   23400 900
                                     38
                                                                      124084000
                                                                                     O
                                                                                            O
                                           -- 1
                                                58
                                                     570.1310
1274919 0477
                5
                   21000 3800
                                                           760
                                                                       110
                                                                             170
                                                                                      Ó
                                                                                            Õ
                                     35
                                           --1
                                                53
                                                     450.
                                                                                     O
                                                                                            O
127491V • 0478
                   20600 4300
                                     33
                                           -1
                                                     380
                                                          1050
                                                                    1
                                                                       180
                                                                             180
                3
                                                 47
$2749IV 60479
                2
                   20500 4200
                                     71
                                                107
                                                     120
                                                           850
                                                                       220
                                                                             280
                                                                                     Ø
                                                                                            O
                                           -- i
                2
                                                           770
                                                                       240
                                                                             220
                                                                                     0
                                                                                            O
127491V.0480
                   20500 4200
                                     67
                                          --1
                                                101
                                                     100
                                                                    1
27491400481
                                                     160 1240
                2
                   19800 4100
                                     63
                                           -. j
                                                89
                                                                        70
                                                                             280
                                                                                     0
                                                                                            Û
                                                                             340
                                                                                     Ó
                                                                                            Ŏ
√27491V0∏482
                   19600 3700
                                     74
                                           -- 1
                                                104
                                                     100.1000
                                                                   -1
                                                                        --50
                2
12749100 0483
                   19500 3700
                                     65
                                                111
                                                     130
                                                           850
                                                                       220
                                                                             270
                                                                                     O
                                                                                            O
                                           - 1
                                           -, t
                                                                             -40
127491V-04B4
                 5
                   19500 5700
                                     56
                                                     540.
                                                          800
                                                                        -50
                                                                                      0
                                                                                            0
                                                63
                                                                            9800
                                                                       340:
                                                                                     Ó
                                                                                            Ō
                                                     300 1350
                                                                  . 1
J27491V:0485
                   19900 6900
                                     52
                                           -- 1
                                                 46
-27491V 0486
                5
                   19400 5700
                                     56
                                           -1
                                                 72
                                                     300
                                                          1150
                                                                   2
                                                                       280
                                                                             590
                                                                                     0
                                                                                            0
                                                                                      0
                                                                                            o
                                          -1
                                                                       -50
                                                                             120
                                                     1000/1100
                                                                   -- 1
>2749IV+0487
                1
                   22700 5700
                                     46
                                                 76
                                                 43
                                                     360
                                                           650
                                                                       32013500
                                                                                      Ò
                                                                                            G
327491V0D4BB
                 Ó
                   20000 7500
                                     72
                                                 38
                                                     170
                                                           600
                                                                       110
                                                                              83
                                                                                      0
                                                                                            0
₹27491Vo 0489
                                                                   -- i
                 1
                   20700 8300
                                     27
                                           -1
                                                                   - 1
                                                                        70
                                                                                     O
                                                                                            O
                   21300 7000
                                     35
                                          -1
                                                 45
                                                     150
                                                           810
                                                                             110
127491% 0490
                                                          1500
                                                                        70
                                                                             100
                                                                                     O
                                                                                            O
                                     40
                                           - 1
                                                 35
                                                     100
127491V 0491
                 1
                   21300 6300
                                                     200
                                                           750
                                                                        110
                                                                              59
                                                                                     O
                                                                                            0
                                                 40
                                                                   -1
427491V+0492
                1
                   21400 6400
                                     27
                                           -- 1
                                     54
                                                      30
                                                           770
                                                                   1
                                                                       240
                                                                              95
                                                                                     0
                                                                                            O
J2749IV.0493
               . 1
                   21300 5800
                                           -- 1
                                                 46
                                                    2200
                                                          1340
                                                                        ~50
                                                                             180
                                     25
                                           -- 1
                                                 79
127491V0D494
                Õ
                   22200 5500
                                                     880 1070
                                                                   -- 1
                                                                        70.3200
                                                                                     O
                                                                                            Õ
127491V00495
                   22300 5400
                                     52
                                          --1
                                                 71
                                                                        90.
                                                                            4800
                                                                                     Õ
                                                                                            Ò
                                     29
                                           -1
                                                 52
                                                     840
                                                          1290
                                                                    2
27491Va 0496
                   25100 1700
                Ô
327491V·0497
                                                                        -50
                                                                            190ŏ
                                                                                            Õ
                                     21
                                                 50
                                                     700
                                                          1110
                                                                   -1
                Õ
                   25100 2700
                                           --- 1
                                                                                      O.
                                                                                            Ó
                                                     540
                                                          1490
                                                                    1
                                                                        90
                                                                           1400
427491V 0498
                5
                  19800 5400
                                     48
                                                 61
                  19700 5400
                                     47
                                           -1
                                                88
                                                     150
                                                          1150
                                                                       480
                                                                            2200
                                                                                     0
                4
√27491V·0499
                                                                                      Ò
                                                                                            Ő
~27491V · 0500
                                     47
                                           -- 1
                                                 87
                                                     270
                                                          1220
                                                                    1
                                                                       500
                                                                            3200
                4
                   19700 5400
127491Va 0890
                   22200 9900
                                     34
                                           -- 1
                                                 71
                                                    2670
                                                           600
                                                                        140
                                                                              45
                · 1
                                                                             450
                                                                                      O
                                                                                            O
                                                 64 9300
                                                           640
                                                                    2
                                                                        180
427491V 0891
                   22100 10700
                                    104
                                           -- 1
                                     25
                                                115 6000
                                                          3200
                                                                    1
                                                                        50
                                                                             110
                                                                                      Û
                                                                                            a
 274919:0892
                0 22200 11400
                                           -- 1
                                           --1
                                                86 6000 1180
                                                                              69
£7491V-0893
                0 22400 10700
                                     48
  Lithology (L) Codes are :
                                  2-MP BASALT 3-T SILISTONE 4-8 S MINE FM.
 O-HARZBURGITE 1-8V GABBRO
```

MINUS figure indicate BELOW DETECTION and O NOT ANALYZED.

King Baranga

```
Sb Hg
                    E
                                  Cu :
                                         Ag
                                               Zn
                                                    Ni
                                                           Mn
                                                                 ĤБ
J27491V-0894 0 22300 11700
                                       - 1
                                               86 5000 1330
                                                                    -50
                                                                          80
                                                                                  0
                                   3.6
                                                                -1
127491V-0895 0 22600 12800
                                   13
                                         -1
                                               65 4500 1790
                                                               --1
                                                                    ~50
                                                                          110
                                                                                  0
                                                                                        Ò
127491V 0896 0 22300 12300
                                   25
                                         -- 1
                                               92
                                                  9900 2890
                                                                --- 1
                                                                     -50
                                                                          130
                                                                                        ò
                                                                                  Û
127491V · 0897 0 22100 13000
                                         -- 1
                                              101 8000 1470
                                                                J-1
                                                                    ·-50
                                   21.
                                                                          140
                                                                                  Δ
                                                                                        Δ
J27491V-0898 0 22000 12700
                                   33
                                              121 7800 1600
                                                                    ~50
                                                                          150
                                                                                  Ò
                                                                                        Ö
√27491V.0899 : 0 22200 13600
                                               70 4800 1650
                                                                -1
                                                                    ~50
                                                                          140
                                   14
                                         -- 1
                                                                                  Ò
                                                                                        n
127491V 0900 0 22200 13600 > D
                                         -1
                                               64 3700
                                                       1900
                                                               --1
                                                                    -50
                                   13
                                                                          120
                                                                                  Ò
                                                                                        Ü
√27491V-0356B Q 22000 13700
                                         -- i
                                               96 7900 1900
                                   21
                                                                --1
                                                                     -50
                                                                                        Ô
                                                                          130
                                                                                  O
127491V°03569 0 22200 14400
                                   15
                                         -1
                                               71 7900 2150
                                                                -1
                                                                    -50
                                                                          230
                                                                                  Ö
                                                                                        0
427491V-03570 0 22000 15000
                                   36
                                         -- i
                                             22011400 4190
                                                                     -50
                                                                          230
                                                                                  Ò
                                                                                        ñ
                                                                 1
$27491V+03571 0 21800 15100
                                   26
                                         -1
                                              127 9700
                                                       2210
                                                                 . 1
                                                                    -50
                                                                          150
                                                                                  0
                                                                                        Ó
$27491V-03572 0 21800 15700
                                   25
                                              127 8300 2110
                                                                    -50
                                                                          160
                                                                                        Ò
                                                                -1
<sup>1</sup>27491V-03573 0 21400 12700
                                   29
                                         -- 1
                                              100 8200 2740
                                                                -- 1
                                                                    -50
                                                                          130
                                                                                  O.
                                                                                        O
427491V-03574 0 20700 13000
                                   35
                                         -1
                                              125 7400 1610
                                                                          100
                                                                     -50
                                                                                        0
127491V 03575 0 21400 13200
                                             134 8200 1790
                                                                    ~50
                                                                          100
                                   36
                                         -1
                                                                                  Ó
                                                                                        Ó
                                                                -1
√27491V°03576 0 20900 13500
                                   34
                                         ·-- 1
                                             211 9100 4200
                                                                    -50
                                                                          150
                                                                                  Ú.
                                                                                        Û
127491V-03577 0 20600 13600
                                   36
                                         -1
                                              120 5000 1800
                                                                     -50
                                                                           91
                                                                                  Ó
                                                                                        O
                                                                --1
√27491V·0357B 0 20500 13400
                                         -- 1
                                                                -1
                                   30
                                               96 9600 1550
                                                                     -50
                                                                          230
                                                                                  a
                                                                                        n
                                         -1
                                               33 4900 2900
427491V-03579 0 19500 13400
                                   26
                                                                 1
                                                                    -50
                                                                          210
                                                                                        o
127491V-03580 0 19500 13400 >D
                                   26
                                         -1
                                               71 4700 1780
                                                                -- 1
                                                                    --50
                                                                          170
                                                                                  o
                                                                                        0
427491V 03581 0 21500 15700
                                   27
                                         -1
                                              129 8500 2600
                                                                    -50
                                                                          140
                                                                                  0
                                                                                        0
427491V-03582 0 20900 14200
                                   38
                                         -- 1
                                              178 7700
                                                       2500
                                                                     --50
                                                                           93
                                                                                  Ô
                                                                                        o
                                                                 -1
                                                                    -50
4274919-03583 0 20400 14300
                                   37
                                         -1
                                              165 8100
                                                       2930
                                                                          170
                                                                                  \mathbf{O}
                                                                                        O
                                                                 -1
127491V-03584 0 20400 14400
                                   42
                                         -- 1
                                              143
                                                  7400
                                                       2180
                                                                     -50
                                                                          120
                                                                                        0
√27491V/03585 0 20300 15000
                                   34
                                         --- 1
                                              145 8000 2250
                                                                    -50
                                                                                  Ó
                                                                 1
                                                                          110
                                                                                        Õ
J 27491V-03586 0 20400 14900
                                    7
                                         -- 1
                                              56 2500
                                                                     -50
                                                                           46
                                                         860
                                                                                        0
$27491V 03587 0 20400 15200
                                   32
                                         - 1
                                              180 7400 3800
                                                                     -50
                                                                          120
                                                                                  Ġ
                                                                                        O.
                                                                 -1
427491V+03588 0 20800 15800
                                   34
                                         -1
                                              176 6500 4700
                                                                     -50
                                                                          120
                                                                                  0
                                                                                        O
                                                                 1
127491V D3589 0 20300 15400
                                   34
                                         -1
                                             194 5600 3100
                                                                 2
                                                                     -50
                                                                          120
                                                                                  Ó
                                                                                        0
127491V+03590 0 20100 15400
                                                                     --50
                                   22
                                         -1
                                              153 9500 2310
                                                                 1
                                                                          150.
                                                                                  Ó
                                                                                        n
127491V-03591 0 19800 15600
                                   45
                                         -- 1
                                              149 8000 1570
                                                                 1
                                                                     -50
                                                                          110
                                                                                  0
                                                                                        O
427491V+03592 0 19700 15500
                                         -- 1
                                   78
                                             116 5500: 2280
                                                                    -50
                                                                          110
                                                                                        O
                                                                ---
                                                                                  Õ
427491V-03593 0 20000 16300
                                         -- i
                                              192 6000 3290
                                                                    -50
                                                                          150
                                   24
2749IV-D3594 0 19600 16300
                                              107 5000 1490
                                                                    -50
                                   33
                                         -1
                                                                          77
                                                                                  0
                                                                                        Ó
                                                                 1
427491V D3595 0 19600 16800
                                   22
                                         -1
                                              139 5800 1700
                                                                     ~50
                                                                          80
                                                                                  0
                                                                                        O
~27491V°03596 0 19500 16800
                                   34
                                         -- i
                                             113 4400 1770
                                                                     -50
                                                                          69
                                                                                        O
                                                                 1
                                                                                  O
$27491V-03597 0 19300 17100
                                  156
                                             169 3600 1900
                                                                          110:
                                         -1
                                                                 1
                                                                    -50
                                                                                  \alpha
                                                                                        O
                                             102 5200 1510
12749IV-0359B; 0 19500 17200
                                   23
                                         -1
                                                                     -50
                                                                           74
                                                                                  O
127491V=03599 0 18800 17300
                                  240
                                         -- 1
                                             176 3600 2150
                                                                 1
                                                                     -50
                                                                          110
                                                                                  O
                                                                                        Ò
-27491V-03600 0 18800 17300≥D
                                             250 4200 4500
                                                                    -50
                                  160
                                         -- 1
                                                                           66
                                                                                        0
-274919 03778 0 19200 17500
                                  140
                                             270 8500 5020
                                                                    -50
                                                                          110
                                                                                  O
                                                                                        O
                                         -1
                                                                 4
12749IV-03779 0 18800 17500
                                  196
                                         -- i
                                              157 3000 1240
                                                                 1
                                                                    -50
                                                                                  O
                                                                                        Ó
                                                                           66
127491V+03780 0 18800 17500>D
                                  210
                                         -- 1
                                             153 3100
                                                       1750
                                                                    ~50
                                                                           94
                                                                 -1
                                                                                        O
127491V-03781 0 18500 18100
                                                                    -50
                                                                           90
                                  198
                                         --1
                                             176 3400 1530
                                                                . 1
                                                                                  O
                                                                                        O
                                                                          45
<sup>1</sup> 27491V∘D3782 O 1910O 15300
                                    Q
                                         -1
                                               87
                                                  7600
                                                         780
                                                                -- i
                                                                     -50
                                                                                  Õ
42749IV 037B3 0 18700 15200
                                               83 2800 2000
                                                                    -50
                                                                          140
                                  124
                                         -- 1
                                                                --- 1
                                                                                  Ò
                                                                                        O

√27491V, 03784 O 19800 17500

                                   30
                                         -- 1
                                              152 9100
                                                       2900
                                                                     ~50
                                                                          100
                                                                                        Ò
427491V°03785 0 19800 17600
                                                                    -50
                                                                           70
                                                                                        Ô
                                   37
                                              128 4600 1200
                                                                -1
                                                                                  0
                                         --- 1
42749IV:03786 0 19900 17900
                                   15
                                         -1
                                               82 5000 1490
                                                                --1
                                                                    -50
                                                                          130
                                                                                  O
                                                                                        O
127491V-03787 0 19800 18000
                                             128 5400 1850
                                                                -1
                                                                     -50
                                   28
                                         -1
  Lithology (L) Codes are:
```

MINUS figure indicate BELOW DEFECTION and O NOT ANALYZED.

Time taken (Minutes): 4

Time taken (Minutes): 6

```
Ŀ,
 *S.No.
                     E
                                            Aq
                                                  Žn
                                                                      f15
                                                                             នង 🕝
                                                                                  Ha
) 274910 03788 0 19800 18900
                                      39
                                            ·- 1
                                                 129
                                                      5500 1650
                                                                         -50
                                                                               110
                                                                                        Ò
                                                                    ·-·1.
427491Va03789 0 18800 15100
                                                                                        [\mathbf{0}_{2},\cdots,2]
                                      82
                                            -- 1
                                                  98 3700
                                                            2100
                                                                    -- 1
                                                                          --50
                                                                                1.05
                                                                                              0
1 27491V 03790 0 18600 14500
                                                                     <u>- 1</u>
                                      70
                                            -- 1
                                                 124
                                                      5000
                                                            2400
                                                                          -50
                                                                                120
→27491V•03791 0 20300 17000
                                      25%
                                                            2300
                                            -- 1
                                                 174
                                                      5500
                                                                     1
                                                                         ~50
                                                                                120
                                                                                        Ó.
                                                                                              Ó
127491V003792 0 20300 17400
                                      18
                                            -1
                                                      5400
                                                            1480
                                                                          -50
                                                                                 QQ
                                                                                        \mathbf{n}
                                                                                              0
                                                 116
\27491V*03793 0 21200 17200
                                      25
                                                      7200
                                                            3900
                                                                                 Q=
                                            --- 1
                                                 168
                                                                    -1
                                                                          -50
                                                                                        O
                                                                                              Õ
3 2749IV 03794 0 21800 17100
                                      26
                                            -1
                                                                                        O
                                                                                              O
                                                 164 5700
                                                            1190
                                                                    -- 1
                                                                          -50
                                                                                 97
~27491V。03795 1
                    23400 10400
                                      79
                                            .-- 1
                                                  36
                                                        36
                                                             370
                                                                     . 2
                                                                          ~50
                                                                                 45
                                                                                        O.
127491V-03796 1 23700 10600
                                     120
                                            - i
                                                  49
                                                                          -50
                                                       120
                                                             900
                                                                                        O.
                                                                                              Ö
                                                                      1
                                                                                 H2
1274917-03797 1 23600 11600
                                     149
                                            -- 1
                                                  57
                                                       140
                                                             700
                                                                          -50
                                                                                 91
                                                                                        O:
                                                                                              Ω
127491Ve 03798 1
                    24600 11300
                                      61
                                            -- i
                                                  38
                                                        70
                                                                      1
                                                                          -50
                                                                                 69
                                                                                        Ŏ,
                                                                                              Ó
                                                             660
$27491V003799 1 24300 11800
                                      98
                                            -- 1
                                                  52
                                                        80
                                                            1020
                                                                      2
                                                                          -50
                                                                                 87
                                                                                        \mathbf{O}
                                                                                              Ô
<sup>1</sup>27491V003800 1 24300 11800
                                      79
                                                  50
                                                        80
                                                            1220
                                                                          -50
                                                                                 7.9
                                                                                        Ó:
                                                                                              O
                   24100 11700
J27491Vo04001 1
                                     163
                                            --- 1
                                                  49
                                                       210
                                                             510
                                                                         --50
                                                                                 43
                                                                                        O
                                                                                              O
                                                                    --- 1
                    23900 12200
327491V, D4002 1
                                     290.
                                            ~· j
                                                  65
                                                       510
                                                             740
                                                                      3
                                                                         -50
                                                                                 45.
                                                                                        Ó
                                                                                              Ó
42749IV004003 1
                   23700.12600
                                     125
                                            -- 1
                                                      2300
                                                             970
                                                                         -50
                                                                                 96
                                                                                        Ō
                                                  59
                                                                    -1
127491V+04004 1 23800 12600
                                     630
                                                                         ~50
                                                                                 7R
                                                                                        O
                                                                                              Ō
                                            -- 1
                                                  50
                                                        70
                                                            1300
                                                                     - 2
427491V 04005 0 26700 13800
                                            -1
                                                      4600
                                                                          -50
                                                                                        Ō
                                      10.
                                                  63
                                                            2190
                                                                     -- 1
                                                                                 58
                                                                                              O
127491V-04006 0 25800 14100
                                                                     -- 1
                                                                          -50
                                            -- 1
                                                                                 71
                                                                                        O.
                                                                                              Ô
                                      13
                                                  A9
                                                      5600
                                                            2040
327491V-04007 0 25500 14300
                                      10
                                            -- 1
                                                  54
                                                      3700
                                                            1410
                                                                    \div 1
                                                                         ~50
                                                                                 SA
                                                                                        Ō
                                                                                              O
                                            ~1
>27491V 0400B 0
                   25500 14500
                                      11
                                                      4600
                                                            1500
                                                                    -- 1
                                                                          -50
                                                                                 80
                                                                                        O
                                                                                              0
                                                  53
√27491V 04009 0 25700 14400
                                                      3900
                                            -1
                                                                    -1
                                                                                        Û:
                                                                                              O
                                       9
                                                  52
                                                            2320
                                                                         -50
                                                                                 81
                                                                    -1
427491VJD4351 0 24800 14800
                                            - 1
                                                      4800
                                                                         -50
                                                                                 ÇÇ
                                                                                        O
                                                                                              O
                                      12
                                                  75
                                                            1090
127491V-04352 0 25000 14900
                                            -- <u>j</u>
                                                      5000
                                                            1500
                                                                     -1
                                                                          -50
                                                                                 77
                                                                                        O
                                                                                              O
                                      11
                                                  60
$27491\(\nabla\) 04353 \(\nabla\)
                   24800 15200
                                      12
                                            -1
                                                  58
                                                      4100
                                                            1.130
                                                                    -1
                                                                         -50
                                                                                 44
                                                                                        Õ
                                                                                              O
                                                                                 97
~27491V 04354 0 24900 15600
                                      10
                                            -- 1
                                                  62 5300
                                                            1900
                                                                          -50
                                                                                        \mathbf{o}
                                                                                              0
427491V 04355 0 24700 15500
                                                                                 79
                                      15
                                                  82 7800
                                                            1900
                                                                          -50
                                                                                        O
                                                                                              0
                                            -- 1
                                                                    -- 1
427491V:04356:0
                    24300 15800
                                      14
                                            -1
                                                      5300
                                                            3300
                                                                      4
                                                                         -50
                                                                                150
                                                                                        \alpha
                                                                                              O
                                                  76
→27491V 04357 0 24400 15900
                                      13
                                            -1
                                                  69
                                                      5300
                                                            1160
                                                                    : 1
                                                                          -50
                                                                                81
                                                                                              Ō
                                                                                        Ó
$27491V+04358 0 24300 16200
                                                  84 5000
                                                                     14.1
                                                                                              O
                                      17
                                            -- 1
                                                            1580
                                                                         -50
                                                                               120
427491V+04359 O
                   24400 16300
                                      15
                                            -1
                                                  78 8100
                                                            1610
                                                                    - 1
                                                                          ~50
                                                                                120
                                                                                        Õ
                                                                                              0
$27491V004360 0 24400 16300
                                                                                        Ó
                                                  85 8700 1770
                                                                    ....
                                                                          -50
                                                                                150
                                                                                              O
                                            ·-- i
                                      16
127491V 04361 0
                   24500 16300
                                      14
                                            --1
                                                  9211000 2170
                                                                    -- <u>1</u>
                                                                         -50
                                                                               140
                                                                                        O
                                                                                              Ō
127491V+04362: 0. 24300-16700
                                            -- 1
                                                 103 9800
                                                                    -- 1
                                                                         --50
                                                                                150
                                                                                        O
                                                                                              Ö
                                      18
                                                            2160
≥27491V•04363 O
                   24600 16900
                                      13
                                            -1
                                                  81 8600
                                                            1500
                                                                    -- 1
                                                                         --50
                                                                                170
                                                                                        O
                                                                                              O
                                            -- 1
                                                                                150
~27491V°04364°0 24500 17000
                                      16
                                                  77 6100
                                                            1580
                                                                         ~50
                                                                                        O
127491V 04365 0 24100 17600
                                            ÷- 1
                                                      4400
                                                             980
                                                                         ~50
                                                                               82
                                                                                        Û
                                                                                              Ò
                                                  57
                                                                    -1
                                      13
$27491VeD4366.0
                   23800 17400
                                      18
                                            -1
                                                  83
                                                      5500
                                                            1840
                                                                    -1
                                                                          -50
                                                                                160
                                                                                        O
                                                                                              Û
                                            - 1
                                                      5500
                                                            1500
                                                                     -1
                                                                          -50
                                                                                140
227491V+04367 0 23900:17500
                                      16
                                                  85
                                                                                              Ò
327491V-04368 0 24600 14700
                                      14
                                            -- 1
                                                  80 6300:
                                                            2680
                                                                    -1
                                                                          -50
                                                                               110
                                                                                        O
                                                      6200
                                                                                180
                                                                                        0
                                                                                              Ó
127491V 04369 0
                   26100 15400
                                      14
                                                            2400
                                                                          -50
                   25900 15800
                                                                    .-- 1
                                                                          -50
                                                                                120
                                                                                        Ŏ
27491V-04370 0
                                            -1
                                                  74 8600
                                                            1700
                                      1 1
                                                                          ~50
                                                                                95
                                                                                        O
127491V 4D4371 O
                   23400 14200
                                      17
                                            -- 1
                                                 103
                                                      6900
                                                            2040
                                                                     -1
                                                                                              Õ
                                                                    -1
                                                                                        Ō
42749IV-04372 0 24600 13300
                                      12
                                            -- 1
                                                  59
                                                      4500
                                                            1380
                                                                          -50
                                                                                110
                                                                                              0
                                                                                .79
                                                                                        Õ
                                                                                              Õ
                                            -- 1
                                                  83 5500
                                                           1360
                                                                     - i
                                                                          -50
2274919 04373 0 24500 13300
                                      14
127491V-04374 0 23500 13400
                                      14
                                            --- 1
                                                  87
                                                      7700
                                                            1600
                                                                    ·- i
                                                                          -50
                                                                                120
                                                                                        Ò
                                                                                              O
427491V 04375 0 23500 13400 > D
                                            -- 1
                                                      4400
                                                            1540
                                                                     -1
                                                                          -50
                                                                                86
                                                                                        Û
                                                                                              Ò
                                      10
                                                  66
$27491V-04376 0 23400 13500
                                      19
                                            -- 1
                                                 112
                                                      8000
                                                            1400
                                                                    - 1
                                                                         -50
                                                                                 81
                                                                                        Ŏ
                                                                                              0
                                                     3500 2160
4 27491V 004377 0 25700 4400
                                       8
                                            -- 1
                                                  55
                                                                    -- 1
                                                                          -50
                                                                              1090
                                                                                        O
                                                                                              Ò
                                                  54 1200 1100
                                                                          -50
                                                                               220
                                                                                              0
27491V 04378 1 25600 5000
                                      28
                                            -· 1
  Lithology (L) Codes are :
 O-HARZEURGITE 1-8V GABBRO 2-MF BASALT
                                                    3-T SILTSTONE 4-S S MINE FM.
 5-METAMORPHICS
 MINUS figure indicate BELOW DETECTION and 0 NOT ANALYZED.
```

Charles Walley Street

```
1. . .
                    .E
                                                Zń
                                                      Ni -
                                                             Νò
                                                                   As
                                                                          Sb
                                                                               Ha
√27491V 04379 0 25800 5400.
                                                                      -50
                                    4
                                          -1
                                                44 1700 1050
                                                                            146
                                                                                    Ó
                                                                  --1
127491V-04380 0 25800 5400 D
                                          -1
                                    - 3
                                                33 1000
                                                          920
                                                                 ....
                                                                      -50
                                                                            105
                                                                                    Ö
                                                                                          Ó
                                          - 1
N2750111 (043B11 26600 2400
                                    21
                                                79
                                                   2400 2040
                                                                      -50
                                                                             A1
                                                                                    O
                                                                                          Ó
V2750111:043821 26000 2100
                                          -- i
                                    1.3
                                                   2600
                                                          .870
                                                                  -- 1
                                                                      -50
                                                                                    O
                                                                                          Ó
                                                56
                                                                             81
                                          -1
v2750111 043830 26100 2500
                                    15
                                                58 2800 1180
                                                                  - 1
                                                                      -50
                                                                             54
                                                                                    Ó
                                                                                          Ó
                                          -1
J2750111°043840 25800 2600
                                    21
                                                74
                                                    3500 1000
                                                                  -1
                                                                      ~50
                                                                             51
                                                                                    Ò
                                                                                          Ó
                                                                      -50
                                          -- 1
V2750111 043850 25700 2400
                                                                  ---
                                    13
                                                62
                                                   3300 1200
                                                                             82
                                                                                    Ů.
                                                                                          Ó
V2750111 v043860 25300 2400
                                    29
                                          -- 1
                                                53 2500 1900
                                                                  1
                                                                      -50
                                                                             179
                                          -1
                                                83 4400 2160
                                                                  - 1
                                                                       -50
                                                                                    Ó.
$2750111*043B70 25100 2500
                                    21
                                                                             49
                                                                                          Ó
V2750111.043880 24700 2700
                                          -1
                                                    2500 1530
                                                                      -50
                                                                                    Ó
                                    17
                                                56
                                                                             56
                                                                                          O
√2750111 · 043890 · 24400 · 2700
                                          -1
                                                   3700 1400
                                    19
                                                68
                                                                   1
                                                                       85
                                                                             120
                                                                                    Õ
                                                                                          Ò
V2750111-043900 24400 2600
                                    15
                                          --1
                                                   2800 1180
                                                                  -1
                                                                      --50
                                                                             77
                                                                                    Ω
                                                                                          O
N2750111-043910 24200 2700
                                    16
                                          -1
                                                79
                                                    4800 1430
                                                                      -50
                                                                              70
                                                                                    0
                                                                                          Ó
                                    19
                                                    3400 1100
                                                                 - i
                                                                      ~5ò
                                                                             91
J2750111 D43920 24000 2800
                                                                                    O
                                                                                          ũ
                                          --- 1
                                                66
v2750111:043930 26000 2300
                                    12
                                                51
                                                    3000 1630
                                                                      -50
                                                                              4a
                                                                                    Ó.
                                                                                          0
v2750111.043940 25300 1700
                                                    3600 1770
                                                                       -50
                                                                                    0
                                                                                          Õ
                                                56
                                                                  -- 1
                                                                             73
                                    45
                                          -- 1
v2750111.043950 25300/1600
                                    13
                                          -1
                                                49
                                                    3100 1690
                                                                  _ 1
                                                                      -50
                                                                              65
                                                                                    Ō
                                                                                          Õ
                                          -- 1
√2750111¢043960 24800 1500 ·
                                    12
                                                48
                                                   2100 1120
                                                                      -50
                                                                             105
                                                                                    Ó
                                                                                          O
                                          -- 1
√ 2750111- D43970 24400 1700
                                                49
                                                   3700 1300
                                                                  -1
                                                                      -50
                                                                             79
                                                                                    Ô
                                                                                          0
                                    10
                                                                  -1
v2750111+ 043980 24000 1700
                                     9
                                          -- i
                                                49
                                                   3400
                                                         1340
                                                                      -50
                                                                             67
                                                                                    O
                                                                                          Ø
v2750111-043990 23900 1300
                                    14
                                          -- 1
                                                60
                                                   3900
                                                         1560
                                                                  -1
                                                                      -50
                                                                             94
                                                                                    O
                                                                                          0
J2750111 044000 23900 1300°
                                                54 4000
                                                                  4
                                                                      -50
                                    12
                                          -1
                                                         1560
                                                                             71
                                                                                    O.
                                                                                          O
V2750111.044010 24100:1300
                                    21
                                          --- 1
                                                50
                                                    1200
                                                           470
                                                                  4.1
                                                                      -50
                                                                             58
                                                                                    O
                                                                                          0
                                                56 4200 1760
                                                                      -50
v2750111+044020 24600 1600
                                          --- 1
                                                                                    O
                                    43
                                                                  -1
                                                                             89
                                                                                          O
J2750111-044030 24300 2900
                                                50 4800 4200
                                                                  -1
                                                                      -50
                                                                             88
                                                                                    O
                                                                                          0
                                    16
                                          -1
V2750111,044040 26800 600
                                    10
                                          -1
                                                49
                                                   2600
                                                         1060
                                                                      -50
                                                                            150
                                                                                    O
                                                                                          0
                                                                  -1
                                          -1
                                                                      -50
J 2750111 044050 26300 600
                                    16
                                                70
                                                   5200
                                                         2520
                                                                  -1
                                                                             73
                                                                                    n
                                                                                          O
                                                                  i 1
√2750111°044060 25700 700
                                                86
                                    21
                                          -1
                                                   5800 3400
                                                                      -50
                                                                            120
                                                                                          Ö
                                                   3900 2500
                                                                 " - j
√2750111 D44070 25700 800
                                          -1
                                                                      -50
                                    14
                                                                            4.200
                                                                                    ()
                                                                                          Ō
                                                57
v27501110044080 25200 300
                                    16
                                          -1
                                                68
                                                   5000 2900
                                                                  -1
                                                                      - 50
                                                                            160
                                                                                    O
                                                                                          Ó
                                          -1
12750111 044090 25400 800
                                                   2700
                                                         1890
                                                                  -1
                                                                      -50
                                                                                    O
                                     7
                                                38
                                                                             70
                                                                                          O
Y2750111°044100 25300 700
>27491Y₀04411 0 24900 9200
                                                66 4800 1700
                                    15
                                          -1
                                                                  - 1
                                                                      -50
                                                                            160
                                                                                    O
                                                                                          Û
                                          -1
                                     5
                                                55
                                                   2000
                                                         2510
                                                                  - 1
                                                                      -50
                                                                            170
                                                                                    Ü
                                                                                          0
427491Vo04412 1 24900 9600
                                          -1
                                                38
                                                    170 1390
                                                                 -1
                                                                      -50
                                                                            100
                                                                                    0
                                                                                          O
                                    50
<sup>4</sup>27491V°B4413; 0: 25700; 6000
                                          ~ 1
                                                54
                                                   2000
                                                         2020
                                                                 -1
                                                                      ~50
                                                                            240
                                                                                    Ó
                                    14
                                                                                          o
127491V404414 0 24800 6100
                                                43
                                                   ..1500 2490
                                                                      -50
                                                                            210
                                                                                    O
                                                                                          Ô
                                    -3
                                          -- 1
                                                                  -1
427491V:04415 0 24800 6200
                                    16
                                          -1
                                                58
                                                   1500 1700
                                                                  -- 1
                                                                      -50
                                                                            240
                                                                                    O
                                                                                          Ò
                                                     600:1270
                                                                            140
127491Vo04421 0 18200 6800
                                          -- 1
                                                59
                                                                       75
                                                                                          0
                                     9
                                                   2800 1400
427491V004422:0 18700 6700
                                          -- 1
                                                59
                                                                      -50
                                                                             50
                                                                                    0
                                                                                          Õ
                                                                  -1
127491V004423 0 17100 6400
                                   164
                                          -- 1
                                                53
                                                    780 2280
                                                                      ~50
                                                                           9480
                                                                                    O
                                                                                          Ō
                                                                   -1
                                          - 1
327491V 04424 0 17100 6200
                                    34
                                                   4100:3000
                                                                      550
                                                83
                                                                   1
                                                                            280
                                                                                    O
                                                                                          O
                                                   2400. 2230
                                                                      130
>2749IV 04425 0 17200 6200
                                    44
                                          -1
                                                59
                                                                   1
                                                                             79
                                                                                    Ò
                                                                                          O
                                                                            270
427491V 04426 2 17400 8200
                                    55
                                                69
                                                    270
                                                         2140
                                                                      260
                                                                                    0
                                                                                          Ò
<sup>1</sup>27491V084427 2 16900 8600
                                          – i
                                                      80 2700
                                                                   2
                                                                      85
                                                                           130
                                    58
                                                58
                                                                                    0
                                                                                          Ø
√27491V°D4428 4 16600 8600
                                    44
                                                56
                                                     220 1750
                                                                      210
                                                                           -210
                                                                                    o
                                                                                          0
$27491V004429 4 16300 6700
                                                    520
                                                         1930
                                                                       65
                                                                            200
                                                                                    Ó
                                                                                          O
                                    62
                                          -1
                                                68
                                                                  -1
√27491V°D4435 2 15800 6800
                                    56
                                          --1
                                                68
                                                    660
                                                         2110
                                                                   2
                                                                      35ô.
                                                                            860
                                                                                    O
                                                                                          O
                                                         2100
                                                                   2
                                                                       50
                                                                             89
√27491V×04436 O 15000 6700
                                    61
                                                78
                                                   1100
                                                                                    Ó
 $7491V 04437 0 13900 6400
                                                64
                                                    .860 .2236
                                                                   1
                                                                      -50
                                                                             53
                                                                                          Ö
                                    5.3
                                          -- 1
                                                                                    O
 27491V404438 3 14900 6800
                                                67
                                                    700 2480
                                                                   2
                                                                       95
                                                                            310
                                                                                          0
                                    56
                                          -1
  Lithology (L) Codes are:
```

5-METAMORPHICS MINUS figure indicate BELOW DETECTION and 0 NOT ANALYZED. Time taken (Minutes): 7

2-MP BASALT

O-HARZEURGITE 1-SV GARBRO

3-1 SHLTSTONE 4-5 S MINE FM.

3-T SILISIONE 4-5 S MINE FM.

```
*S. No.
                                                   Zn
                                                                Νn
                                                                      As
                                                                             Sb.
                                            An
127491V:05601 0 24300 4000
                                      10
                                            -1
                                                   99
                                                      4600.4400
                                                                     --1
                                                                         110
                                                                                220
127491V 05602 0 23800 3800
                                                                          ×50
                                                                                370
                                                                                               Ō
                                                  48
                                                      2500 1700
                                                                                         O
                                      16
                                            -- 1
                                                                     --1
427491V/05603 0 23B00 3900
                                      20
                                            -1
                                                      1900
                                                            1680
                                                                     .~ i
                                                                          ~50
                                                                                220
                                                                                         O
                                                                                               O
                                                  51
127491V 05604 0
                                                                                               O.
                   23200 4000
                                      14
                                            -1
                                                  48
                                                      2500
                                                            1200
                                                                     ·-- 3
                                                                          ~50
                                                                                370
√2749IV∘05605 0
                                                                                190
                   23200 4200
                                      23
                                            -1
                                                      1100
                                                            1140
                                                                     --- 1
                                                                          -50
                                                                                         Ü
                                                                                               o
                                                   45
J27491V+05606 0 22700 4200
                                                                                               Ō
                                      18
                                            - 1
                                                  50 3100
                                                            1560
                                                                     --1
                                                                          -50
                                                                                350
                                                                                         O
√27491V 05607 0
                                                                               1300
                                                                                               Ö.
                   25900
                           2700
                                      36
                                            -1
                                                  44
                                                       550
                                                            1230
                                                                          -50
                                                                                         Ō
127491V-05608 O
                                                                                100
                                                                                               Ö
                   24000 3100
                                            ---1
                                                       490
                                                                          -50
                                                                                         O.
                                      42
                                                  45
                                                            1250
                                                                      1
42749IV<sub>0</sub>05609 0 19500 7400
                                      35
                                            -1
                                                  55
                                                       740
                                                            1270
                                                                      1
                                                                          150
                                                                                190
                                                                                         O
                                                                                               O
42749IV-05610 0
                                                                                               Ö
                   19000 6600
                                      32
                                                  51
                                                       900
                                                            1720
                                                                      :2
                                                                          98026100
                                                                                         Ó
                                            -1
<sup>1</sup>27491V。05611 0 19300 6600
                                                      2800
                                      23
                                            -- 1
                                                  53
                                                            1990
                                                                          -50
                                                                                240
                                                                                         O
                                                                                               Ū
√2749IV•05612 0 18700 6400
                                      13
                                                  46
                                                      3900
                                                            2220
                                                                          -50
                                                                                320
                                                                                         O
                                                                                               O
√27491V-05613 4 18400
                                                                                490
                                                                                               O
                           5900
                                      39
                                            -- 1
                                                  60
                                                      1100
                                                            1610
                                                                      1
                                                                          120
                                                                                         0
~27491V~05614 4
                                                                                               Ö
                                            -- 1
                                                                                 88
                   18600 5800
                                      45
                                                  58
                                                       230
                                                            1230
                                                                      1
                                                                          -50
                                                                                         O
32749IV-05615 4
                                                                                               Ò
                   18200
                           5600
                                      47
                                                       470
                                                            1870
                                                                          ~50
                                                                                170
                                                                                         Ô
127491V · 05616 4
                                                                                               0
                   18200
                           5700
                                      37
                                            -- 1
                                                  56
                                                       770
                                                            1320
                                                                          26027600
                                                                                         Ó
$27491V-05617 3 17800 5100
                                            --- 1
                                                  59
                                                                                               Ō
                                      5.7
                                                       420
                                                            1650
                                                                          100
                                                                                ARO
                                                                                         Õ
427491V 05618 4 17700 5200
                                      41
                                            -- 1
                                                            1320
                                                                          340
                                                                               4500
                                                                                         Ò
                                                                                               Ō
                                                       460
42749IV-05619 4
                   17500
                                                  45
                                                       64Û
                                                            1020
                                                                      1
                                                                          -50
                                                                                100
                                                                                         Ô
                                                                                               O
                           5000
                                      26
                                            -- 1
                           5000>D
 274910-05620 4
                                                                          --50
                                                                                72
                                                                                         Ō
                                                                                               Ŭ
                   17500
                                      32
                                            - i
                                                  48
                                                       700
                                                             7.30
                                                                      1
327491V0 05621 4
                                      52
                                                       340
                                                            1570
                                                                      2
                                                                          410
                                                                                320
                                                                                         Ŏ
                                                                                               Ò
                   16900 4600
                                            -- 1
                                                  60
J27491Va05622 4
                           4800
                                      45
                                                       560
                                                            1350
                                                                      1
                                                                          330
                                                                               3200
                                                                                         Ó
                    17400
                                            -- 1
                                                  66
                                                                         180099999
927491V0 04445 2
                   21600
                           200
                                      63
                                            -- 1
                                                  72
                                                       175
                                                            1300
                                                                     -- 1
                                                                                         O
                                                                                               Õ
~27491V<sub>0</sub>04446 2
                                      71
                                                  84
                                                             960
                                                                     -1
                                                                           60
                                                                                260
                                                                                         O
                   20900
                          1800
                                                        65
                                                                                               Ō
J27491V004447 2
                                      58
                                                  75
                                                        94
                                                             980
                                                                      į
                                                                          130
                                                                                540
                                                                                         Ó
                   21200
                           1600
                                            -- 1
                                      69
                                            -- i
                                                             940
                                                                                480
                                                                                               Ō
J2749IV004448 2
                                                                     ... 1
                                                                          -50
                                                                                         Ō
                   20400
                           2300
                                                  84
                                                        64
127491V 04449 2
                                      72
                                            -1
                                                 100
                                                       147
                                                            1220
                                                                      1
                                                                          460
                                                                                085
                                                                                         Ō
                                                                                               Ö
                   21000 1800
327491V<sub>0</sub> 04450 2
                           2500
                                      80
                                                 102
                                                       149
                                                            1220
                                                                      2
                                                                          690
                                                                                890
                                                                                               O
                   21200
                                            -1
                                            -1
                                                                      2
                                                                                 84
                                                  75
                                                            1140
                                                                           66
                                                                                         O
√27491V 04451 2
                   20800 400
                                      68
                                                        63
27491V004452 2
                   20900 400
                                      37
                                            - 1
                                                        46
                                                             840
                                                                      3
                                                                           88
                                                                                140
                                                                                         a
                                                                                               O
$27491Vo04453 2
                           600
                                      19
                                            -1
                                                  88
                                                        63
                                                            1320
                                                                      2
                                                                          -50
                                                                                180
                                                                                         0
                                                                                               Ó
                   20300
                                                            1010
                                                                      1
                                                                          ~50
                                                                                250
                                                                                         Ó
△27491V°04454 2
                   19800
                          1000
                                      67
                                            -- 1
                                                 200
                                                        -8
                                                                                180
<sup>∆</sup>27491V∘D4455 2
                                      8Ò
                                            -1
                                                  83
                                                        59
                                                            1050
                                                                      i
                                                                           60
                                                                                         O
                   19800 1100
127491V004456 2
                   23400 1300
                                      67
                                                  83
                                                        52
                                                             820
                                                                          -50
                                                                                620
                                            -- 1
                                                            1090
                                                                                270
                                                                           .56
                                                                                         Ò
                                                        57
                                                                      1
~27491V4D4457
                 2
                   19500
                          . 1400
                                      84
                                            -1
                                                  FIG
                                      70
                                                        58
                                                            1010
                                                                      1
                                                                          -50
                                                                                270
                                                                                         Ô
                                                                                               Õ
327491V00445B 2
                   19200
                          1700
                                                  81
                                                                                570
                                                                                         Ó
                                                                                               O
                   19300 1700
                                      93
                                            --1
                                                  90
                                                        58
                                                             950
                                                                          280
-27491V004459 2
                   19300 1700 >D
                                                                                130
                                                                                               Ó
                                            -- 1
                                                        54
                                                            1010
                                                                      1
                                                                           66
                                                                                         Ó
327491V<sub>0</sub>04460 2
                                      84
                                                  88
                                                                                240
                                                                                               a
                                      67
                                            --- 1
                                                  72
                                                        57
                                                             970
                                                                     -- 1
                                                                          -50
                                                                                         Õ
27491V 034461 2
                   18600 2000
                                                  93
                                                                                140
                                                                                         Ö
                                                                                               Ó
¥27491Vo04462 2
                   18900 2500
                                      90
                                            -1
                                                        56
                                                             910
                                                                          110
                                                                                270
                                      64
                                            -1
                                                  81
                                                        59
                                                             9.20
                                                                      1
                                                                          -50
                                                                                         O
274919004463 2
                   18500
                           2700
                                                                                220
27491V°04464 2
                   18600, 2700
                                     121
                                            -- 1
                                                  96
                                                         60
                                                            1360
                                                                     -- t
                                                                          -50
                                                                                         Õ
                                                                                               O
                                                        57
                                                            1870
                                                                          -50
                                                                                220
                                                                                         Ó
                                                                                               O
$27491VaB4465 2
                   18500
                                     158
                                            -- 1
                                                 116
                                                                      1
                           2700
                                                            1210
                                                                                260
                                      75
                                                  85
                                                        58
                                                                      1
                                                                          120
$27491V+D4466 2
                   18400
                           3400
                                            -- 1
                                                                                         Ó
                                                                                               O
                                                                                 RO
                                      13
                                            -- 1
                                                  51 1650
                                                             650
                                                                     .-- 1
                                                                          -50
>27491V×04467 0
                   16900 500
                                            -1
                                                            1140
                                                                     ·-- į
                                                                          --50
                                                                               1200
                                                                                         Ó
                                                                                               Õ
X27491V20446B 0 17100 600
                                      23
                                                      1830
                                                      1510
                                                             650
                                                                     -1
                                                                          -50
                                                                                 96
                                      10
                                            -- 1
                                                  58
-27491V · D4469 0 17300 800
                                                                                -40
                                                                                         Ó
                                                                                               o
                                                             740
                                                                     -1
                                                                          ~50
27491V004470 0 17100 B00
                                      12
                                            -- 1
                                                  39
                                                      1170
                                                      1690
                                                            1300
                                                                     -- j
                                                                          -50
                                                                                 74
                                                                                         Ò
                                                                                               Õ
$27491V 04471 0 16800 2300
                                      22
                                            -- i
                                                   64
                                                            1170
                                                                          -50
<sup>1</sup>27491V∘04472 0 16700 2300
                                                      1570
                                      18
                                            -1
                                                  56
  Lithology (L) Codes are :
```

5-METAMORPHICS MINUS figure indicate BELOW DETECTION and O NOT ANALYZED.

2-MP BASALT

Time taken (Minutes) : 9

O-HARZBURGITE 1-SV GABBRO

File Name : DAT2PALWAN RETRIEVED File Number : 7 DATE 103 july86 / 104 to 104.

*S.No.	L.	E.	N I	Du Ag	Zn	Ni	Mn	As	Sb	Hg		
127491V:0447									-50 9			
12749IV 0447												
\27491V+0447												
J 27491V 0447	601	5300 2	700	291	84	1970	1380	· · · · · · ·	-50 410	00 (	) · · · · ·	Ó
Lithology	(L.) C	odes ar	<b>e</b> 1	1000				1, 4	100	A Jeron	6 4 T	
O-HARZBURGI	TE 1-	BY: BABI	3RD 2	-MF BASA	LT	5-T S1	LTST0!	NE 4-8	SMINE	- FM.		ŷ.
5-METAMORPH	ICS :								F 172	100	1. 1.	
MINUS figur	e ind:	icate I	BELOW DI	ETECTION	and (	TON C	ANAL.Y	ZED				
Time taken	(Mi nu	tes):	9						100			

Appendix 9-3 Analytical Data of Stream Sediment Samples (III) (South-Western Palawan)

	÷.
Cabb by Cabb b	
£8888888888888888888888888888888888888	848 848
$\begin{array}{c} \mathbb{F} \\ 00000000000000000000000000000000000$	NNN
φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ	n @ 4
0 M M M O 4 M M C C V W M I 1 4 9 9 8 0 0 4 0 M O W O W O W O W O W O W O W O W O W O	W 0. 1-
$\frac{1}{2}$ $\frac{1}$	ஸ்ஸ் ஸ் ஸ்
E	Ø 11 O
2222832424242522833252834542845555555555	wo.⊱
	X X X 0 0 0 0 4 4
112525 125252	1050 1500 2200
. $0.0000000000000000000000000000000000$	000 000 000
$\frac{\Delta}{\Delta} \nabla \Delta \Delta$	00 00 00 444
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	4 4 W

WW 4 W 2 W 2 W 2 W 2 W 2 W 2 W 2 W 2 W 2 W 3 W 2 W 4 W 4 W 6 W 2 W 6 W 2 W 7 W 2 W 8 W 8 W 9 W 8 W 9 W 8 W 9 W 9 W	20 120 120 2100 860 50
00000000000000000000000000000000000000	046 076 0710 0410 0410 0410 0410
00000000000000000000000000000000000000	δονωνωσ
$\begin{array}{c} \text{V.} \\ \text{WR}448074400400000000000000000000000000000$	<i>C</i> I W O D OO CI C -
$\begin{array}{c} $1000000000000000000000000000000000000$	7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
044889449449499999449999999999999999999	C C B W W C B
$\begin{array}{c} \circ \circ$	
WUUW 4 WUW UU	000 4 4 10 10 4 10 4 4 10 10 4 4 10
<u> </u>	4 W 40 U 12 U
	0800000
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	~~~~~~ r o o o o o o o
727 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 1 3 W W W W W W W W W W W W W W W W W W
7.000 0.000	11.66.000 100000000000000000000000000000
$\begin{array}{c} NNNNV + NV + \mathsf$	นีนหนังหนัง
0.000000000000000000000000000000000000	20000000000000000000000000000000000000
$ \begin{array}{c} \mathbf{n} \mathbf{u} \mathbf{u} \mathbf{u} \mathbf{u} \mathbf{u} \mathbf{u} \mathbf{u} u$	
$ \begin{array}{c} 0.00000000000000000000000000000000000$	00000000 4000000

64 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•
	22
<ul><li>พ.ช.๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐๐</li></ul>	N
WYN 2 2 C R W C 4 C 2 W R W 2 C C C C C C C C C C C C C C C C C C	N
99 C 89 9 6 6 C 1 1 1 1 1 1 1 0 8 8 8 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0
$\begin{array}{c} GWW4WW4WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW$	n Y
$\begin{array}{c} \bullet \bullet$	.*
4444WWWWR4444WWRRKKWWWWWWWWWWWWWWWWWWWW	
$\stackrel{ ightarrow}{\leftarrow}$	<u>n</u>
$\begin{array}{c} \text{"""} 2 & 2 & 2 & 2 & 4 & 4 & 4 & 4 & 4 & 4 &$	ກ
$\begin{array}{c} \wedge \wedge & \wedge $	Υ <u>ς</u>
$\begin{array}{c} \texttt{T} \texttt{T} \texttt{G} \texttt{G} \texttt{G} \texttt{G} \texttt{G} \texttt{G} \texttt{G} G$	SSU KGA
8399 81-39 40 88 88 88 89 40 40 89 40 89 40 89 40 89 89 89 40 40 89 89 89 89 40 40 89 89 89 89 89 80 80 80 80 80 80 80 80 80 80 80 80 80	400 Z350 KGA
25200 18200 6 4 4 4 0 0 0 0 1 1 1 1 2 2 5 0 0 0 0 4 4 4 2 5 0 0 0 0 4 4 4 2 5 0 0 0 0 4 4 4 2 5 0 0 0 0 4 4 4 2 5 0 0 0 0 4 4 4 2 5 0 0 0 0 4 4 4 2 5 0 0 0 0 4 4 4 2 5 0 0 0 0 4 4 4 2 5 0 0 0 0 4 4 4 2 5 0 0 0 0 4 4 4 2 5 0 0 0 4 4 4 4 2 5 0 0 0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	75 5400 Z350 KGA
222600 24150 165000	62 27475 5400 2350 KGA

00000000000000000000000000000000000000
 010 010 000 000 000 000 000 000 000 000
00000000000000000000000000000000000000
*  **  **  **  **  **  **  **  **  **
0000
######################################
$\phi$
4 4 4 4 û 4 W W 4 4 W W C W C C W W W W W W W W A 4 4 W W W A A A W W A 4 A A A A
ՠ ՠ թ տ տ տ տ տ տ տ տ տ տ տ տ տ տ տ տ տ
4 4 W W 4 U U U U U U U U U U U U U U U
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
22220000000000000000000000000000000000
12200 1100000 12000 100000 100000 100000 100000 100000 100000 100000 110
$\begin{array}{c} 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 $
$\begin{array}{c} \Omega  \Omega  \Omega  \Omega  \Omega  \Omega  \Omega  \Omega  \Omega  \Omega $
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

```
\mathsf{M}
                                                 \begin{array}{c} 0.000\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00
```

```
ուրը ըրդ արարարան արարարարարի արարարարարի ուրդ արարարարարի ուրդ արարարարի ուրդ արարարարի ուրդ արարարարի ուրդ ա
```

TANNA 14700 222800 222800 22100 22100 22100 22100 22100 22100 22100 22100 22100 22100 22100 22100 22100  $\begin{array}{c} \mathsf{C}_{\mathsf{L}}\mathsf{C}_{\mathsf{L}}\mathsf{C}_{\mathsf{L}}\mathsf{G}_{\mathsf{R}}\mathsf{G}$   $\mathsf{WWW4} = \mathsf{WW0} \mathsf{HHW4} \mathsf{WW0} \mathsf{HHW4} \mathsf{HHW0} \mathsf{HHW4} \mathsf{HHW0} \mathsf{HHW4} \mathsf{HHW0} \mathsf{HHW4} \mathsf{HHW0} \mathsf{HHW4} \mathsf{HHW0} \mathsf{HH$ 

```
\overline{\mathsf{M}}
```

```
reretritititititi
```

```
^{-1} 4 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 ^{-1} 10 
 \frac{1}{2} \frac{1}
  <u>ႹჃჁჁჁႪჅჁჅჾჁჅႯႶႶႯႷႮႷჽჽႮჄႯႦႦႦჄႷႯႯႣႯႯႯႯႯႯႯႯႻႯႯႣჾႣჾႧႷ</u>
ჄႯჄჅჿჃႪჄჅႯჅႻჄჅႯႺჁႻႷჁჃႻႻႯႮႴႻႷႯႴჄჅႷჃႻჿჿႶჁႽႯჃჿჿჿჁჁႶႮჄჇ
```

```
      иммоноонионного обрабования

      иммоноония

      иммоноонионного обрабования

      иммоноонионного обрабования

    <
```

1,000 1,000
22222222222222222222222222222222222222
0000000
724488484-12100-10-10-10-10-10-10-10-10-10-10-10-10-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\frac{1}{2} \frac{1}{2} \frac{1}$
$^{44}$
4480000000000000044446444411000000000000
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
XX XXX XX
$\begin{array}{c} +0.789 \\ +0.149 \\ +0.000 \\ +0.00$
### ##################################
$\begin{array}{c} 0.00000000000000000000000000000000000$
$ \begin{array}{llllllllllllllllllllllllllllllllllll$
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
4
485508888888888888888888888888888888888
0.00000000000000000000000000000000000
00000000000000000000000000000000000000
######################################
$ \begin{array}{c} \circ \circ$
24205564482442844224424444444444444444444444
ក្នុងក្នុង
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
777777777777777777777777777777777777777
00000000000000000000000000000000000000
114
22222222222222222222222222222222222222
E E E E E E E E E E E E E E E E E E E
88888888888888888888888888888888888888

```
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12100
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
\mathsf{G}_{\mathsf{MA}}
```

```
\frac{a}{1} \frac{a}
```

```
លាលាលាលាលាលាលាលាលាលាលាលាលាសាសាសាលា បាសាសាលាសាសាសាលា មេ មាន មាន មាន មាន បាន មាន មាន មាន មាន មាន មាន មាន មាន មាន
```

211 W W W W W W W W W W W W W W W W W W
488888888888888888888888888888888888888
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
11111111111111111111111111111111111111
21222222222222222222222222222222222222
oooooooooooooooooooooooooooooooooooooo
04444804444044444444444444444444444444
សល់ស្រុលលល់ <sup>ដី</sup> ដីដីស្រុសសសសលសល់សម្មាល ដីសដីនីជីធីដីសសល់សលសល់ស្រុសសលសសលសល់សេសលល់ ភេឌិស្តិសិសសហសហសហសហសេស ដីស្ដីនីជីធីដីសសល់សល់ស្រុសសល់សេសលេសលេសល
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
9 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1121 1121 1122 1122 1122 1122 1122 112
00000000000000000000000000000000000000
$\begin{array}{c} \mathtt{O} \mathtt{O} \mathtt{O} \mathtt{O} \mathtt{O} \mathtt{O} \mathtt{O} O$
00000000000000000000000000000000000000

	# 4 2 0 1 4 2 4 2 4 2 4 2 4 2 4 2 4 2 4 2 4 2 4
	888888888888888888888888888888888888888
	00000000000000000000000000000000000000
	90004040000000000000000000000000000000
	4 W 4 W W W W W C 4 W C W C 4 W C W C 4 W C W C
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	CWCW4CWWGGGGGGW4444444WWGUW111GWWG GGWWIW4444 OC8404WGW44444440000COBCCM3GMAGHWAMAAACCCWGWGW4044
ě	ម្តេចក្រុម ក្នុង ក្នុង ក្រុម មេសាសសេសសេសសេសសេសសេសសេសសេសសេសសេសសេសសេសសេស
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	NN N N N N N N N N N N N N N N N N N N
	112000 120000 12000 12000 12000 12000 12000 12000 12000 12000 120000 12000 12000 12000 12000 12000 12000 12000 12000 120000 12000 12000 12000 12000 12000 12000 12000 12000 120000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 1200
-	22 22 22 22 22 22 22 22 22 22 22 22 22
	00000000000000000000000000000000000000
	$\mathbf{K} \mathbf{K} \mathbf{K} \mathbf{K} \mathbf{K} \mathbf{K} \mathbf{K} \mathbf{K} $
	00000000000000000000000000000000000000

	,
122 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	28000 190000 280000 280000
20	0000
	5.04.00
8 4 8 8 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1280 1020 1020
VVVWVVVWVVVWWVVWWVVWWVVWVVVVVVVVVVVVVV	15 17 17 17 17 17 17 17 17 17 17 17 17 17
0	11 1 04 70 0 10 0
ທານ	
и и и и и и и и и и и и и и и и и и и	0 H H M 1 M M M
មិន មើល	n,មា ហា ហៈ
	276
ក្នុងគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺគឺ	3252
EMWAWWWWWWWA440WWW         14400           EWWAWWWWWWWA440WW         14400           EWWAWWWWWWWWW         14400           EWWAWWWW         14400           WOOOOWW         14400 <t< td=""><td>J 44 L≻ CD →</td></t<>	J 44 L≻ CD →
41110000000000000000000000000000000000	1250 1850 1700
$\begin{array}{c} 7222222222222222222222222222222222222$	0 0 0 0 1 4 4 4 0 00 00 00
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	4141414
######################################	2000

11
222222222222222222222222222222222222222
1. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.
4 2 4 2 4 2 4 1 1 1 1 2 1 2 2 2 2 2 2 2
WGGW4WWW4WHGGGH64         1111         11         11         11         11         11         11         11         11         11         11         11         11         12
, , , , , , , , , , , , , , , , , , ,
$\begin{array}{c} C @ C C @ G C @ G C C G G G G G G G G$
0.00 សមាសម្រេស សមាស្រី ស្រី សមាសមាសមាសមាសមាសមាសមាសមាសមាសមាសមាសមាសមាស
444WW446C444
4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
00000000000000000000000000000000000000
11111111111111111111111111111111111111

	4448411 12828111 12828 11 1 1 1 1 1 1 1 1 1 1
	48888888888888888888888888888888888888
	00-141-1-0-0000000000000000000000000000
	4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	W11122222WWW11111WWW222221111211 11 111 1
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	00000000000000000000000000000000000000
	00000000000000000000000000000000000000
	18250 18
	44 W 44 W W 4 W W W W W W W W W W W W W
	00000000000000000000000000000000000000
	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
٠.	11111111111111111111111111111111111111

	00000000000000000000000000000000000000
	888884888888888888888888888888888888888
	00044440000404040400000000000000000000
	21111 188 8 8 8 8 4 1 1 8 8 8 8 8 8 8 8 8
	111 1 1111 121 111 1 1 1 1 1 1 1 1 1 1
	4444 4444
	$\frac{1}{2} \frac{1}{2} \frac{1}$
	$\begin{array}{c} 240W144W4W4W4W244WW244WWW999WWWW999WW4W4WW4\\ 25144000WW1540WW9W999WW999WW999WW999W99W99W99W99W99W9$
	$\omega$ លេល លេល ប្រក្បាញ លេខ ប្រកាស ប្រកាស ប្រកាស បាន ប្រកាស បាន ប្រកាស បាន បាន ប្រកាស បាន
	авамагопичения 4 остисованнями и пин паннаданнами ввамагомиченомоматьном областиченом областиче
	21 88 88 87 87 77 77 77 89 80 80 80 80 80 80 80 80 80 80 80 80 80
	11111111111111111111111111111111111111
	22222222222222222222222222222222222222
·	3333333333333333333333333333333333 40000000000
	$\begin{array}{c} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 $

	101 101 102 101 101 101 101 101 101 101
	222222222222222222222222222222222222222
	004000440040000730000444400000000000000
•	11
	11 11 1111 1111 1111
	404 0 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	້ທຸກທຸກທຸກທຸກທຸກທຸກທຸກທຸກທຸກທຸກທຸກທຸກທຸກທ
	W4 RV W U U U U U U U U U U U U U U U U U U
	ាំស្រាស់ ស្រាស់ ស្រ 
	1100 1 1 1 1 1 1 1 1 1 0 0 0 0 1 1 0
	\$
·	00000000000000000000000000000000000000
	999999999999999999999999999999999999
	アンドイトインアンアンアンアンアンアンアンアンアンアンアンアンアンアンアンアンアンアン
	$\begin{array}{c} 1 \\ 2 \\ 3 \\ 3 \\ 4 \\ 4 \\ 4 \\ 4 \\ 4 \\ 4 \\ 4 \\ 4$
	<b>-384</b>

 WWWWW. 4 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2
000000000000000000000000000000000000000
11 1112
4 W W U U U U U U U U U U U U U U U U U
 72441414
 8-74-78-49-78-8-78-8-78-8-78-8-78-8-78-8
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
77677777777777777777777777777777777777
2000 2010
22222222222222222222222222222222222222
22222222222222222222222222222222222222
の必要と呼ばれている自己では、これは、これになるなどでいる。またでいる。現在できるできるとなっている。これにいい、これにいいにはいいにはいいにはいいにはいいにはいいにはいいにはいいにはいいにはいい
12111111111111111111111111111111111111

to de la composition La composition de la 

e di Catalogia e in de la manganta di Catalogia e indicata di Catalogia e indi

Appendix 10-1 Analytical Data of Heavy Mineral Samples in Palawan (North-Eastern Palawan)

Appendix 10 Analytical Data of Heavy Mineral Samples in Palawan 10-1 North-Eastern Palawan

Quad	Sample	Location				
Sheet No.	No.	Easting	Northing	Au	(ppb) Ga (ppm)	Ag (ppb)
29514	NA007	05950	17500	50	<del>-</del> 2	-100
29523	Nao22	02300	09700	11	i i i i i i i i i i i i i i i i i i i	n .
29533	NA047	02800	07750	H		n i
29533	NA053	11600	05150	11	2.6	n n
29523	NB015	21425	04650	,n	-2	$\mathbf{H}_{-\frac{1}{2}} = \mathbb{R}^{2}$
28521	NB027	25300	18175	11	1. <b>0</b>	, <b>#</b>
29523	NCC05	04550	05300	17	0	n
29533	NCC17	00250	11750	n.	u. "	н [
29533	NCO35	01400	03500	, <b>H</b> ,	$\mathbf{H}_{t+1, t+1}$	H garage
29523	NCO42	14350	15155	- 11	n	н
29523	NB009	06500	00220	-30	-4	-100
28521	ND023	25300	07100	-20	-2	п
28532	NDC34	29725	18275		n	
28531	NECO1	21300	05900	, u	n .	11
28532	MEO15	22400	04000		n,	и.
28532	NEC14	22400	05000		<b>n</b>	<b>11</b>
28532	NEO15	23200	05900	• #	<b>U</b>	11
28531	NEO19	22700	08300	n	13 :	n .
28542	NEC36	24900	04800	not	enough samples	
29534	NEO4C	06400	11500	-20	2.3	-100
29534	NeO45	06500	11700	-25	3.6	U
28532	NFO01	23000	13100	not	enough samples	
28531	NFO29	24900	16300	-30	-4	-100
29534	NF056	04500	06350	not	enough samples	
29534	NGO38	04300	05000		n	11.0
28532	NHOO7	234CO	16400	-20	<b>-</b> 2	-100
28531	NH037	27000	17000	<b>.H</b>	<b>11</b>	H to the
29534	NHO47	06200	15700	not	enough samples	
28531	<b>NHO58</b>	30700	02900	**	W,	
29534	NH062	01400	02700		n ;	
28522	NkOOl	2 <sup>4</sup> 650	15850	-20	<b>-</b> 2	-100
28511	икоо8	22850	15100	2300	H. The state of th	110
28522	NKO19	24050	08900	-20	11	100
28521	Nk032	15800	16500	<b>B</b>	<b>-</b> 3	n 1 1 1 1 1
28521	NK037	16650	14200	n	-2	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
28521	NK058	11850	17300	-30	3.3	If the second
28521	NK062	10000	17050	not	enough samples	

	Sample	a agaigat ar k	and water	Transport		
Sheet No.	No.	Easting	Northing	T		) Ag (ppb)
28521	игозо	18850	16550	of the second second	nough sam	
28521	NLO49	16950	12800	-20	-2	-100
28521	NL062	11300	06250	not e	enough sam	1. S. C.
28514	NJ019	00250	13050	-20	<b>-</b> 2	-100
28521	NJ024	20650	03350	п	11	The state of the s
28521	NJ036	16250	12000	11	2.2	11
28521	NJ044	16750	12000	ii.	-2	a di
28511	NMO10	25000	10850	missi	Lng	
28521	NM048	12100	12700	-20	-2	-100
2951 <sup>4</sup>	NNo15	09850	03550	3300	-4	300
29514	NNO17	09800	02350	<b>-</b> 20	<b>-</b> 5	-200
29514	ииого	07500	01200	n	_4	-100
29513	IIN032	06550	17650	H	-3	31
29513	NNO43	07600	13500	ìi	n .	u
29 <b>51</b> 3	NNO77	1160C	12550	u	-2	H
29514	NNO89	17500	00650	not end	ough sampl	es
39514	NPOC5	05650	03800	-20	-2	-100
39514	Np032	06600	09300	n.	· · · · · · · · · · · · · · · · · · ·	n n
295 <b>1</b> 2	NP070	06600	18000	<b>-</b> 25	-3	n
29511 29511	NPO84	07200	01700		igh sample	5
29511	NPO85	06250	02100	u,	· -	
29513	NQ002	02950	18200	1000	· <b>-</b> 2	-100
29513	NQ012	01700	16250	140	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	n
29514	NQ065	17100	02700		ough sampl	es
29514	NQ080	15950	07750		1	
	NQ087	23800	08800	1	1	
29511	NROOT	2,000 04500	01000	-20	-2	-100
29510	NRO45	22700	07150	9600	11	720
28511	NRO45 NRO64	19850	01000	150	11	-100
28511	The second second	**	1.5 &	-20	11	-100
29511	NRO71	11850	05350	-20 H	: <b>U</b>	n
29511	NR076	11100	06300	11	u .	11
29511	NRO85	10200	08050		**:	11
29511	NRO90	13250	09300		- H	11
29511 28512	NR1o2 NSO17	18700 13000	06100 11100	not e	n nough samp	
	NsO48	26500	9950	nov er	u tough samp	
28512			11800	1.70		100
28512	NSO49	26600	* * * * * * * * * * * * * * * * * * * *	470 120	-4 -	-100 "
28512	NS062	17500	8300	120	<del>-</del> 2	
28512	NS070	9400	13300		nough samp	les -100
28512	NS091	12300	13900	460	-2	- 100

Sho	et No	Sample No.	Easting	Nonthina	Ass (minh)	· Go (nam)	Ag (pp
		The Revenue Turks of the	Table 1	Northing 2900	Au (ppb) -25		-100
285	5.3	NSC95	10650		-25 -40	-2	-200
285		NS-104	12100	6700	• _ •	<b>-</b> 5	and the second
285	<b>V</b> ( )	NS110	7700	16800	-20	<b>-2</b>	-100
285	130	SOOTM	12450	6600	not e	nough samp.	Les
285	\$	NT028	23400	14150			
285	1.1	NTO47	14600	14100	e e e		
285	7.5	NT054	17500	15000		Н	
285	4	NTO79	12150	7600		o o	1. 5. 18. 2 1. 5. 18. 2
281	and the second	800ия	12600	2700		11	
285	£	NUO15	18800	6200		<b>!!</b> 	
285	11	·NuO21	19300	1900		ii	
285	Althoration in the said	NU)025	21300	<i>1</i> :50		ti i i i i i i i i i i i i i i i i i i	
285	12	NU033	18200	8900		11	
285	11	NU056	12200	1200	-40	~5	-200
285	11	NU059	12500	3100		nough samo.	les
285	11	NU075	12250	3 <sup>4,</sup> 50	en e	ir .	
285	12	NVC11	13700	8400		11	
285	12	NVO13	14500	5300	60	-2	-100
295	13	и <b>л</b> 013	3600	5450	not e	nough sampl	les
295	13	NV032	1700	7450		u i	
295	13	NVC38	130C	9200		H .	
285	12	NV053	23300	5800		И	
285	12	NV057	173500	4250		11	``:
285	12	NV064	16600	6100		H	
285	12	NV080	13700	14600		31	.*
285		NV103	13500	3600		71	
285		NV113	6250	850		n	
285	13	NWOO6	19000	8300	-20	<b>-</b> 2	-10
285		NWO18	20500	10600	51	· n	. 1
285	-	NWO22	26100	1700	l1	n	11
285		NWO25	1200	700	, n	. 11	11
285		NWO42	4ó0	16300	n	n	. 11
285		NW048	7200	5400	11	n .	11
258	August 1	NW062	6800	17300	11	11	· 1
285	7 1 1 1 1	NW066	8200	15100	п	. !!	; u
285	1.7	NVO74	13500	9400	, u	ti '	11
285		ихол8	13500	500	<b>\$1</b>	n	
285	1000	NXO29	2100	8300	n	tt ,	, r
285		Nx055	10200	14100	tt .	n	
285	1	NX062	16400	8800	σ.	11.	
		Nx071	18000	4300	ti.		
285			4.		<b>11</b>	11	11
289	22	NX074	17700	5500	• • • •	• .	
				-389-			
		•					

	Sample					J. 11 27 350 4
Sheet No.	No.	Easting	Northing	(dqq) uA	Ga (ppm)	Ag (ppb)
28513	NY023	20750	100	-20	-2	-100
28512	NYO34	350	6500	tt	.11	U
28511	NY048	3625	3750	480	11	n Sa
28511	Ny059	6350	7450	-20	11	u
28522	NY074	20325	1,350	<b>u</b>	ii,	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
28511	NY075	19125	17600	h h	. 11	H
28513	NZO12	12000	6950	u	11	nt.
28513	NZ046	5200	400		11	1 <b>11</b> 12.7 (1)
28511	NZ053	8950	12000	u	Ш	н
2851.1	NZ057	9250	17000	n.	27	H
- 28511	NZ066	19200	16800	140	-2	
				The second secon	•	

1.30.35

Appendix 10-2 Analytical Data of Heavy Mineral Samples in Palawan (South-Western Palawan)


	•						
-	٠						
						•	
						•	
		-Western Pal	**				
	Sheet No.	Sample No.		Northing		Ga (ppm)	•
	27493	BCC1	7650	11800	<b>-</b> 20	2.8	-100
	27493	B011	13650	9400	. 11	7.6	T#
٠.	27493	BO19	850	950	ij.	7.6	1.1.111
	26492	B032	22050	5750	the state of the state of	2.3	. 11
	56495	BO41	20700	5750	er i a "	3.3	
	27493	B053	4250	1200		5.3	ii 
٠.	27484	во60	19450	18100		7.7	
	27493	во70	15150	5350		4.C	
	27493	В077	20500	15350	n	-2 <sub>,</sub>	
	2 <b>7</b> 493	C029	11800	6300	##	11.5	н
	26492	C036	25600	7450		16.8	11
-	27493	CO45	440C	13700	ri .	12.2	ti
	27493	C052	54CO	14900		7.7	11
	27493	C060	4250	1950	11	10.2	tr.
	27484	co68	10500	16900	1f	7.2	H
	271:84	co69	10250	1 <b>7</b> 050	11	3.5	11
	27493	co86	21650	3250	H .	5.8	ir
	27493	co88	16800	6200	11	2.6	tt.
	274:93	DOC4			n	9,0	
	26492	D031			11	5•2	П
	27 <sup>1</sup> ;93	D039		•	, ii	5.2	n n
	27484	DO45		•	TI .	6.2	11
	27493	D055	o Maria de Maria de Caracteria		11	9.6	11
	27484	D056			H	<b>-</b> 2	11
		D056	*		11	6.1	
	27484				n	2.6	11 12 11 11 11 11 11 11 11 11 11 11 11 1
	27493	D067	2000	18000	u	2.C	13
	26482	E001	27000				 H
	26481	E009	17675	15050	11	-2 v	11
	26481	E010	17550	15150	n	*	17
	26481	E011	17425	15550	•	4.4	
	26481	E017				2.4	1 - 1
	26492	E019				-2	
	26492	E020	ta e			11	
	26482	F006			The state of the s	in .	11
	26482	F016			n Wasan S	2.5	11
	26482	F030			lt.	-2	11
	26481	F038			11	2.2	H .
	26481	F042			<b>13</b>	<b>-</b> 2	11
	26481	F046			μ	2.7	. 11
	26481	F056			n .	2.1	11
				* * * * * * * * * * * * * * * * * * * *	and the second second	4	

	·	1 .			y.		•					
		* *								•		
	Sheet	No.	Sample	Ma	Easting		Northi	no	Au (nnt	o) Ga (ppm)	Ag (ppb	)
•	27484	10.	F060	.140	DOD OTHE	5		** <b>&amp;</b>	-20	10.2	-10	
	27484		F073		·				n	5.4	u u	
	27484		F087			:			n	-2	n	
	26482		G003		19350		11000		u	Ħ	u u	
	26482	-	G010		19100		18000		ti .	H.	: 11	
	27484	1. 1. 1	G022		00825		06000		'n	2.4	п	÷.,
	27484		G029		09325	٠.	06000		11	<u> </u>	1 ti	: ::-,
	27484		G040		08175		06550	••	<b>-</b> 25	<b>-</b> 3	n i	
	27484		G040	100	20325	• •	09825		-20	<b>-</b> 2	i s n	
	27484		H2±		2072)		0,02,7			n	100	0
			но45						n n	9.1	-10	
	27493 27493		но45		•	:			n	-2	- 11	• 1
	27484		ноос						n n	2.7		
	*		но82						11	2.6	II.	
	27484 27484		но83					÷	íΙ	<b>5.</b> 2	11 H	
	27484		н1003				•		11	2.1		
		* * .	N 25						n e	-2	· v∵ní	
	27484 26481		H102					,	ŗť.	2 <b>.</b> 6	. 25 <b>.</b>	:
			J033	.:			-		n i	7.7	f: ni	
	27484		J048						*	enough sample		٠.
	26481		J052	•					=20	3.0	-100	n
	26482		K025	1						enough sample	100	
	27484		K030						-20	-2	~100	
	26481		K035				•			enough sample		
	26481		коз6						,not	enough sampre	D.	
	26481		Ko45							u v		
	26481		K053				•		-40	<b>-</b> 5	-20	n
	26481		ко69			-			34.50	15.9	-1.00	
	27484		К077						-20 11	5.5	-1.0	
	26481		K091						, , , , , , , , , , , , , , , , , , ,	⊃• <i>⊃</i> -2		
	26481	•	L028							ے۔ enough sample,		
	27484		M061	•			٠		пос	n n sampre	<b>.</b> .	
	27484		мо68							11		
	26481		M079	:			15100		20	•	10	^
	26471		CN1S1		12200		15100		<b>-</b> 20 "	-2 n	-10	
	26471		CN2S1		L0700		16300		"	**************************************	11.	
	26471		CN3S1		L2900		16100				u.	
	26482		CPOO1		12000		09600		-30 30	-4 -2	11	
	26482		CP008		08600		13000		-20 20		ti	
	26482		CP016		20000		17500	* •	-20 700	2.6	u H	
	26482		CPO1-(	4) .	15700		08000		300	<b>-</b> 2	. 11	
							٠					
				•			-392					
						-	تعرر			•		

							•
			•			i e	
	•				•		
			•				
	Sheet No.	Sample No.	Easting	Northing	Au (ppb)	Ga (ppm)	Ag (ppb)
	26482	CPO2-(4)	15700	08100	-20	-2	-100
:	26483	CPO#7	17900	05500	_l <sub>1</sub> 0	-5	-200
	26483	CP0183	23700	08400	- <u>2</u> 0	-2	-100
	26483	CP02S3	23700	08400	mis	ssing	
	26483	CP03S3	23700	08400	<del>-</del> 25	-3	-100
	2648.2	CQ001	11900	09400	-20	<b>-2</b>	-100
	26482	CQ007	08875	07400	, p	ıt	2.00
	26482	CQ 00 9	08650	08350	u	in the second of the second	
	26482	<b>c</b> 0022	15100	09500	tf	ît	the transfer of
	26482	CQ023	14950	08825	11	. 11	n n
	.26482	CQ030	16125	12500	i i i i i i i i i i i i i i i i i i i	1	11
	26474	CQ053	06050	09900	mis	ssing	
	26474	CQ057	09325	13500	38	2.5	-100
	26474	CQ071	11-250	08500	<b>-</b> 20	3.7	in .
	26474	CQ077	19600	10950	o o	3.3	. 11
	26471	CRCO1	1o4:50	08540	mis	ssing	
	26471	CR002	25400	08535		II .	
	26471	CR003	40350	08525		` <b>11</b>	
	26471	CROO4	50250	08535		ii .	
	26471	CS017	03800	03600	-20	-2	-100
	26481	CSO49	02800	00300	u u	n.	u.
	26481	CS051	04400	01750	:	11 .	u i
	26482	CS033	00150	13500	11	· n	15.
	26482	Cs035	01000	13500	н	11	11
	26482	cs038	01700	13750	B	. 11	<b>(11</b>
	26471	CS1S5	04500	15500	#f	U	II
	26471	CS2S5	05600	14600	В	H	H ·
	26471	CS 3S 5	05800	14300	11	II	ii .
	26471	CS4S5	07100.	14400	11	11	11
'.	26471	CS5S5	07000	14500	1#	11	
•	26471	csis6	04000	13000		sing	
	26471	CS2S6	03400	13500	-20	. <del>-</del> 2	-100
	26471	CS1S8	02750	64600	n	11	11
	26471	CS2S8	03050	06600	"	11	, n n
	26471	CS3S8	01800	0 6950	11	11	
	26474	CS1S9	25400	05800			II  1
•	26474	CSES9	25200	05400	n n		11
	26471	Ct011	27050	01000	11	II .	11
	26471	СТ037	03950	12100	. 11	11	!! !!
	26474	CT049	24100	01750	11		. 11
٠	26474	СТ062	19350	05250	11	3.5	
						•	
				-393 —			
			•	- 373 ····			

	•						
	Sheet No.	Sample No.	Easting	Northing	Au (ppb)	Ga (ppm)	Ag (ppb)
	26474	CT063	19550	05300	-20	2.3	-100
	26474	СТ075	17900	03700	The state of the state of	5.1	The state of
	26474	СТ076	17700	03650	n	3.6	***
	26471	CU024	17750	15250	11	-2	
	26481	CU048			9	i i i i i i i i i i i i i i i i i i i	The Many .
	26481	Cu070	08250	04350	u u	ii.	11
	26471	CV1S5	•		11	11	
	26471	CV285			$(1, 2, \dots, \mathbf{H}) \in \mathbf{H}$	10.	1.1
	26471	CV007				11	$\mathbf{u}_{i}$
	26471	CV012				:	1 1 H 2 M
	26482	CXO42	02500	14800	n	ot enough s	amples.
	26482	CXO43	02800	14700	-20	<del>-</del> 2	-100
	26482	CXO44	02700	14400		11	u
	26483	cx060	26900	17700	t1	ü	H
	26471	CY013	17500	17000		***	ii ii
-	26471	CY027	12500	9900	-40	-5	-200
	26471	CYo28	12600	10200	30	-17	-100
	26471	CYC3 <sup>l</sup> l	7500	11600		missing	$x_{i}(x_{i}) \in \mathbb{R}^{n}$
	261-82	CYO42	20400	5150	-20	-2	-1co
	26483	CY067	24500	13200	11	11	, H
	26482	CZ006	17325	03125		<b>11</b> ·	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
	26482	CZ038	20550	06200	A Commence	missing	0.51
	26482	CZ043	21100	03940	-20	-2	-J00
	26482	CZ045	21830	01075		missing	in the second
	26474	CZ082	14200	00650	-20	5.1	-100

Apendix 11 Locality Map and Table of Surveyed Small Islands in North-Eastern Palawan



in Taytay Area , Palawan.

(31) Cadlao Is.

(32) Cauayan Is. (33) Lalutaya Is.

Table of Surveyed Small Islands
In Taytay Area, Palawan.

NO.	Name of Lsland	1/50.000 Topo.	No. of Topo. Map	Name of Formation	Rock Facies	Mineralization	Evalu- ation
1	Cabul i	Labutaya Island /Tiniguiban	2854 II / 2954 III	Granodiorite	Medium grain porph ritic Granodiorite	NIL.	Е
2	Darocotan	Tiniguiban	2954Ⅲ	Granodiorite	Medium grain porphyritic Granodiorite	NIL	E
3	Barangonan	И	и	Liminangeong F.	Stratified chert and quartzite NE-SW direction syncline axis	NIL	E
4	Hoc	Dipnay	2953 <b>IV</b>	Liminangcong F.	Chert and quartzite NNE-SSW direction folding axis	NIL	E
5	Binulbulan	<b>"</b>	"	Liminangcong F.	Stratified chert, quartzite and sandstone	NIL	E
6	Bagambangan Maosonan	11	" " " " " " " " " " " " " " " " " " " "	Liminangcong F.	Massive quartzite, massive and stratified chert with gray to greenish gray color.	Nil	E
7	Batas	Dipnay /Casian	2953IV/2953III	Liminangeong F.	Chert, quartzite and sandstone.	Iron oxide	Е
8	Pangisian	Casian	2953Ⅲ	Liminangcone F.	Gray to white colored massive chert.	Iron oxide	E
9	Mayteguid	"	"	Pabellion Linestone Guinlo F.	Stratified limestone Conglomerate, sandstone	NIL NIL	E E
				Liminangcong F. Bacuit F.	White or red chert and quartzite. Alternation shale and sandstone	Iron oxide NIL	E E
1 0	Calabugdong	"	<i>ii</i>	Liminangcong F.	Mainly white to red massive or stratified chert interbedded	Fe, Mn oxide fill up cracks.	E
	Small Bulucan	"	"	<b>"</b>	black slate folding axis NE to SW Stratified chert	Fe,Mn oxide fill up intergravel space of ch	E ert
1 1	Binga	<b>"</b>	"	Liminangcong F.	White chert	NIL	E
1 2	Manbanen	"	"	Guinlo F. Liminangcong F.	Coarse sandstone and conglomerate white to gray layered or massive chert and sandstone.  folding axis NE-SW direction.	NIL Mn oxide	E E
1 3	Cagdanao	"	"	Liminangeong F. Bacuit F.	Ked to gray color layered chert Massive sandstone	Iron oxide NIL	E E
14	Casian		"	Guinlo F. Liminangcong F.	Massive sandstone White chert, quartzite, conglomerate limestone lens, anticline axis NE-	NIL Mn oxide	E
				Bacuit F.	Alternation sandstone, shale, sla	te NIL NIL	E E
1 5	Debangan	"	"	Liminangcong F. Bacuit F.	Lavered-Massive chert. slate folding axis N-S to NE-SW. Alternation sandstone, slate.	NIL	E E
1 6	Pabellion Baradasen	Calabadian "	2952IV ″	Pabellion Linestone	Dark gray massive limestone mono- clinic stracture decline to W.	NIL NIL	E