

## **B. ROAD INFORMATION**

### **B.1 Physical Structure**



PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters					PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carrigeaway (No. Lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	Condition	
ROXAS BOULEVARD	Del Pan Bridge - P. Burgos	1.5	37.0	24.0 (6)	4.0	5.0	4.0	Asph.	Service road (2 lanes) Service road (2 lanes)	
	P. Burgos - P. Quirino	2.3	41.0	28.0 (8)	4.5	4.5	4.0	Conc.		
	P. Quirino - Vito Cruz	0.6	55.0	40.0 (6)	6.0	4.0	4.0	Conc.		
	Vito Cruz - Redemptorist	3.1	41.0	28.0 (6)	4.5	4.5	4.0	Conc.		
	Redemptorist - MIA Road	1.5	50.0	41.0 (6)	1.0	0	4.0	Conc.		
QUIRINO AVENUE	Redemptorist - MIA Road	1.6	20.8	14.0 (4)	2.8	4.0	-	Asph.		
	MIA Road - Real	7.4	11.1	11.1 (2)	-	-	-	Asph.		
TAFT AVENUE	Lawton - City Hall	0.6	42.4	32.0 (8)	3.4	4.0	3.0	Conc.		
	City Hall - Remedios	2.0	43.5	27.0 (8)	4.5	10.5	1.5	Conc.		
	Remedios - Pres. Quirino	0.3	39.7	26.3 (8)	5.0	6.9	1.5	Conc.		
	Pres. Quirino - Buendia	0.9	20.0	13.8 (4)	2.8	2.4	1.0	Conc.		
	Buendia - EDSA	4.6	20.5	13.0 (4)	3.0	4.5	-	Conc.		
SOUTH SUPER HIGHWAY	Pres. Quirino - EDSA	4.5	36.0	30.0 (6)	2.0	2.0	3.0	Conc.	Service road both sides (2 lanes) ea.	
	EDSA - Muntinlupa	29.5	32.0	30.0 (6)	-	-	2.0	Conc.		
BUENDIA	Roxas Blvd. - Taft Avenue	0.8	17.9	14.4 (4)	1.5	2.0	-	Conc.		
	Taft Avenue - SSH	0.6	17.9	14.4 (4)	1.5	2.0	-	Conc.		
	SSH - Ayala Avenue	0.9	34.4	24.0 (6)	2.5	3.9	4.0	Conc.		
	Ayala Avenue - EDSA	2.0	32.2	20.2 (6)	4.0	4.0	4.0	Asph.		
AYALA AVENUE	Buendia - EDSA	1.8	43.4	26.4 (8)	6.0	7.0	4.0	Asph.		
SHAW BOULEVARD	R. Magsaysay - Sta. Mesa	0.3	27.2	21.0 (6)	2.0	2.2	2.0	Conc.		
	Sta. Mesa - P. Sanchez	0.3	15.0	10.4 (2)	2.3	2.3	-	Conc.		
	P. Sanchez - EDSA	3.2	19.9	16.8 (4)	1.2	1.9	-	Asph.		

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carriageway (No. Lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	
ORTIGAS AVENUE	EDSA - W. Capitol Drive	1.4	26.0	20.5 (6)	1.9	2.5	1.0	Conc.	Service road (1 Lane)
	W. Capitol Dr. - Dr.S. Antonio	0.7	26.0	16.5 (4)	1.6	2.9	-	Asph.	
C. M. RECTO AVENUE	Aurora Blvd. - Santolan	1.0	14.0	14.0 (4)	-	-	-	Asph.	Service road (1 Lane)
	Santolan - Roosevelt	0.5	24.5	18.0 (4)	2.0	2.0	2.5	Conc.	
R. MAGSAYSAY BLVD.	Roosevelt - EDSA	1.8	30.5	23.0 (4)	1.0	2.0	2.5	Conc.	Service road (1 Lane)
	EDSA - Dr. S. Antonio	2.6	24.5	18.0 (4)	2.0	2.0	2.5	Conc.	
AURORA BOULEVARD	Dr. S. Antonio - Cainta Junc.	2.1	7.0	7.0 (2)	-	-	-	Conc.	Service road (1 Lane)
	Del Pan - Asuncion	0.3	8.2	8.0 (2)	-	-	0.2	Conc.	
E. RODRIGUEZ	Asuncion - J. Luna	0.3	49.3	36.6 (10)	4.8	4.9	3.0	Conc.	Service road (1 Lane)
	J. Luna - J. A. Santos	0.5	37.4	23.0 (6)	5.75	5.75	2.9	Conc.	
LERMA/ESPAÑA	J. A. Santos - Rizal Ave.	0.7	37.4	23.0 (6)	5.75	5.75	2.9	Conc.	Service road (1 Lane)
	Rizal Avenue - Quezon Blvd.	0.3	37.4	23.0 (6)	5.75	5.75	2.9	Conc.	
ESPAÑA	Quezon Blvd. - Legarda	0.9	37.4	23.0 (6)	5.75	5.75	2.9	Conc.	Service road (1 Lane)
	C. M. Recto - Nagtahan	1.0	21.8	16.8 (4)	2.6	2.5	-	Conc.	
ESPANA	Nagtahan - V. Mapa	1.7	28.8	24.0 (6)	2.0	2.0	0.8	Asph.	Service road (1 Lane)
	V. Mapa - F. Roman	0.9	26.9	21.0 (6)	2.0	2.4	1.5	Asph.	
ESPAÑA	F. Roman - EDSA	3.6	15.8	12.0 (4)	1.8	2.0	-	Asph.	Service road (1 Lane)
	EDSA - 20th Avenue	1.3	19.4	14.0 (4)	2.4	3.0	-	Conc.	
ESPAÑA	20th Avenue - A. Bonifacio	1.8	11.0	9.0 (2)	1.0	1.0	-	Asph.	Service road (1 Lane)
	Welcome Rotonda - C. Benitez	5.1	14.3	12.4 (4)	1.0	1.0	-	Conc.	
ESPAÑA	Andalucia - P. Paredes	0.3	31.3	23.2 (4)	2.5	3.2	2.4	Conc.	Service road (1 Lane)
	P. Paredes - Welcome Rtda.	2.0	38.4	24.8 (8)	5.8	5.8	1.95	Conc.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carriageway (No. lanes)	Sidewalk Right Left	Median Strip	Type	Condition	
QUEZON AVENUE	Welcome Rotonda - EDSA	4.6	36.0	25.0 (8)	2.0	2.0	6.95	Asph	
MARCOS AVENUE	EDSA - Asian Inst. of Tourism Asian Inst. of Tourism - Ipo Road	2.3 12.2	36.0 22.0	25.0 (8) 22.0 (6)	2.0	2.0	6.95	Asph. Asph.	
QUEZON BOULEVARD	Quezon Bridge - C. M. Recto	0.4	23.0	18.0 (4)	2.0	2.0	1.0	Conc.	
ANDALUCIA	C. M. Recto - Laong Laan	0.9	23.0	18.0 (4)	2.0	2.0	1.0	Conc.	
LAONG LAAN	Andalucia - A. Mendoza	0.3	17.1	12.0 (2)	2.5	2.6	-	Conc.	
A. BONIFACIO	Laong Laan - Blumentritt Blumentritt - Del Monte Del Monte - EDSA	1.3 1.3 1.3	20.3 17.5 29.0	14.5 (4) 17.5 (4) 22.5 (6)	2.1	2.8	0.8	Conc. Conc. Conc./Asph.	
NORTH DIVERSION ROAD	EDSA - Valenzuela	5.8	30.6	24.6 (4)	-	-	-	Conc.	
QUIRINO HIGHWAY	North Diversion Road - Baesa Baesa - Susano Road	1.2 7.4	8.0 16.0	8.0 (2) 16.0 (4)	-	-	-	Asph. Asph.	
RIZAL AVENUE	McArthur Br. - C.M. Recto C. M. Recto - Tayuman Tayuman - Rizal Ave. Ext. Rizal Avenue - EDSA	0.4 1.8 1.3 2.4	19.0 19.0 19.0 24.8	15.0 (4) 15.0 (4) 15.0 (4) 20.0 (6)	2.0	2.0	-	Conc. Conc. Conc. Conc.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carriageway (No. lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	
J. A. SANTOS	C. M. Recto - Tayuman Tayuman - Rizal Ave. Ext.	1.2 1.7	31.6	25.7 (6)	1.2	4.7	-	Conc.	
			34.4	26.4 (6)	3.6	4.4	-	Conc.	
REINA REGENTE	Binondo - C. M. Recto	0.6	19.0	16.5 (4)	1.2	1.3	-	Conc.	
DAPITAN	Andalucia - A. Mendoza	0.5	11.5	8.4 (2)	1.5	1.6	-	Conc.	
MCARTHUR HIGHWAY	EDSA - Mal-Val Bridge Mal-Val Bridge - Meycauyan Junction	2.9 5.2	19.4	12.4 (4)	2.0	3.8	1.2	Asph.	
			14.0	14.0 (4)	-	-	-	Asph.	
JUAN LUNA	Jones Bridge - Binondo Binondo - C. M. Recto C. M. Recto - Tayuman Tayuman - Sofis Sofis - EDSA	0.6 0.6 1.4 1.1 3.5	16.8	12.0 (2)	1.8	3.0	-	Conc.	
			16.8	12.0 (2)	1.8	3.0	-	Conc.	
			16.8	12.0 (2)	1.8	3.0	-	Conc.	
			20.4	16.2 (4)	2.0	2.2	-	Conc.	
			14.7	11.3 (2)	2.1	1.3	-	Conc.	
TAYUMAN	Juan Luna - J. A. Santos J. A. Santos - Rizal Avenue	0.9 0.5	11.3	8.65 (2)	1.3	1.3	-	Conc.	
			11.3	8.65 (2)	1.3	1.3	-	Conc.	
GOV. FORBES	Rizal Avenue - Laong Laan Laong Laan - España España - R. Magsaysay	0.8 0.5 1.1	22.4	18.0 (4)	1.2	1.4	1.8	Conc.	
			22.4	18.0 (4)	1.2	1.4	1.8	Conc.	
			29.0	26.0 (6)	1.0	1.0	1.0	Conc.	
PRES. QUIRINO	R. Magsaysay - SSH SSH - Taft Avenue Taft Avenue - Roxas Blvd.	2.7 0.9 1.1	24.8	21.0 (6)	1.0	1.0	1.8	Conc.	
			20.0	16.4 (4)	1.0	1.0	1.6	Conc.	
			20.0	16.4 (4)	1.0	1.0	1.6	Conc.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total (No. lanes)	Carriageway	Sidewalk Right	Sidewalk Left	Median Strip	Type	
SAMSON ROAD EDSA	Sangandaan - Rizal Ave. Ext.	1.3	18.5	15.0 (4)	1.5	2.0	-	Conc.	Service road (1 lane each both sides)
	Rizal Ave. Ext. - A. Bonifacio	1.5	45.5	36.0 (6)	2.5	2.5	4.5	Conc.	
	A. Bonifacio - Quezon Ave. Ext.	4.3	26.4	24.0 (6)	-	-	2.4	Conc.	
	Quezon Ave. Ext. - South East	1.4	30.2	24.0 (6)	1.8	2.0	2.4	Conc.	
	South East - Aurora Blvd.	1.4	46.4	40.0 (10)	2.0	2.0	2.4	Conc.	
	Aurora Blvd. - P. Tuazon	2.5	45.4	35.6 (8)	1.8	2.0	2.4	Conc.	
	P. Tuazon - Ortigas	2.7	41.8	35.6 (8)	1.8	2.0	2.4	Conc.	
	Ortigas - Buendia	3.1	40.5	35.6 (8)	1.0	1.5	2.4	Conc.	
	Buendia - SSH	4.0	30.6	24.0 (6)	2.0	2.2	2.4	Conc.	
	SSH - Taft Avenue	1.6	42.2	36.0 (8)	1.8	2.0	2.4	Conc.	
REDEMPTORIST	Mexico Road - Roxas Blvd.	0.3	18.5	14.0 (4)	2.1	2.4	-	Asph.	
MEXICO ROAD	Taft Avenue - Redemptorist	0.8	18.8	13.0 (4)	2.8	3.0	-	Conc.	
PEDRO GIL	Roxas Blvd. - Taft Avenue	0.9	15.3	10.1 (2)	2.6	2.6	-	Conc.	
	Taft Avenue - Pres. Quirino	1.1	18.0	10.5 (2)	2.3	5.2	-	Conc.	
	Pres. Quirino - Tejeron	1.1	18.2	12.1 (2)	2.0	4.1	-	Conc.	
J. P. RIZAL	Pedro Gil - EDSA	4.1	12.7	9.0 (2)	1.7	2.0	-	Conc.	
	EDSA - West Rembo	1.8	15.0	15.0 (4)	-	-	-	Conc.	
	West Rembo - South Cembo	1.7	6.5	6.5 (2)	-	-	-	Conc.	
A. MABINI	T. M. Kalaw - Pedro Gil	0.9	16.0	9.0 (2)	3.5	3.5	-	Conc.	
	Pedro Gil - Pres. Quirino	1.1	16.0	9.0 (2)	3.5	3.5	-	Conc.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters					PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carrigeaway (No. lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	Condition	
F. B. HARRISON	Pres. Quirino - Buendia Buendia - Libertad Libertad - Mexico Road	1.4 0.7 1.5	16.0 15.1 15.1	9.0 (2) 10.1 (2) 10.1 (2)	3.5 2.3 2.3	3.5 2.7 2.7	- - -	Conc. Conc. Conc.		
P. BURGOS	Roxas Blvd. - Orosa Orosa - Taft Avenue	0.8 0.8	25.2 17.5	21.0 (6) 14.0 (4)	1.4 1.5	1.8 2.0	1.0 -	Conc. Conc.		
AYALA BOULEVARD	Taft Avenue - Ayala Bridge Ayala Bridge -	0.8	25.0	23.0 (6)	1.0	1.0	-	Conc.		
P. CASAL	Ayala Bridge - Arlegui	0.9	17.0	14.0 (4)	1.0	1.0	1.0	Conc.		
LEGARDA	Arlegui - C.M. Recto	0.5	22.8	18.0 (4)	2.0	2.0	0.80	Conc.		
AURORA BOULEVARD	Dimasajang - Rizal Ave. Ext.	0.9	27.0	18.0 (6)	4.5	4.5	-	Conc.		
PEDRO GIL	Teneron - Calderon	0.9	13.4	12.2 (2)	-	1.2	-	Conc.		
NEW PANADEROS	Calderon - Panaderos Bridge	2.3	13.0	9.0 (2)	1.8	2.2	-	Conc.		
GEN. KALENTONG	Panaderos Bridge - Shaw Blvd.	1.5	19.3	14.0 (4)	2.5	2.8	-	Conc.		
REAL	Quirino Avenue - SSH	10.0	6.9	6.9 (2)	-	-	-	Conc.		



PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carriageway (No. Lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	
NATIONAL ROAD	SSH - Muntinlupa	5.0	14.0	14.0 (4)	-	-	-	Conc.	
DR. A. SANTOS AVENUE	Quirino Avenue - SSH	7.6	7.3	7.3 (2)	-	-	-	Conc.	
BAGUMBAYAN	Sucat - Pres. M. L. Quezon	4.4	6.1	6.1 (2)	-	-	-	Conc.	
PRES. M. L. QUEZON	Bagumbayan - National Road	4.5	6.1	6.1 (2)	-	-	-	Conc.	
UPPER BICUTAN	SSH - Pres. M. L. Quezon	1.5	6.1	6.1 (2)	-	-	-	Conc.	
ALMEDA/J. LUNA	M. L. Quezon - Dr.S. Antonio	4.8	7.0	7.0 (2)	-	-	-	Conc.	
DR. SIXTO ANTONIO AVE.	J. Luna - Ortigas Avenue	3.0	9.4	9.4 (2)	-	-	-	Asph.	
A. RODRIGUEZ AVENUE	Ortigas Ave. - Marcos Highway	2.7	7.0	7.0 (2)	-	-	-	Conc.	
A. BONIFACIO	Marcos Highway - Sumulong Highway	6.6	17.0	12.0 (4)	2.0	2.0	1.0	Conc.	
DR. J. P. RIZAL	Sumulong Highway - San Mateo	4.3	7.0	7.0 (2)	-	-	-	Conc.	
MARCOS HIGHWAY	Marcos Highway - Sumulong Highway	1.8	7.0	7.0 (2)	-	-	-	Conc.	
	Aurora Blvd. - Sumulong Highway	5.6	25.0	20.0 (4)	-	-	5.0	Conc.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carriageway (No. lanes)	Sidewalk Right Left	Median Strip	Type	Condition	
E. RODRIGUEZ AVENUE	Pasig Blvd. - Doña J. Vargas Doña Vargas - Ortigas Ave. Ortigas Ave. - Santolan Rd.	0.9 2.1 3.2	18.0	16.0 (4)	1.0	1.0	-	Conc. Conc./Asph. Asph.	
			37.4	32.0 (6)	1.2	1.2	2.0		
			10.0	10.0 (2)	-	-	-		
SANTOLAN ROAD	E. Rodriguez - Katipunan Ave.	2.2	11.0	9.0 (2)	1.0	1.0	-	Conc.	
KATIPUNAN ROAD	Santolan Rd. - Aurora Blvd. Aurora Blvd. - Marcos Ave.	2.0 2.6	16.6	12.3 (4)	2.1	2.2	-	Asph. Asph.	
			16.6	12.3 (4)	2.1	2.2	-		
LUZON AVENUE	Marcos Ave. - Fairview Ave.	4.6	10.0	10.0 (2)	-	-	-	Asph.	
TORRES BUGALLON	McArthur Highway - North Div. Road	4.2	7.0	7.0 (2)	-	-	-	Asph.	
STA. QUITERIA	North Div. Rd. - Quirino Highway	2.1	6.0	6.0 (2)	-	-	-	Conc.	
TANDANG SORA	Quirino Highway - Katipunan Rd.	5.6	10.2	10.2 (2)	-	-	-	Asph.	
MAYSAN ROAD	McArthur Highway - North Div. Road	3.2	6.5	6.5 (2)	-	-	-	Conc.	
GENERAL LUIS	North Div. Rd. - Quirino Highway	5.4	6.5	6.5 (2)	-	-	-	Conc.	
NOVALICHES IPO ROAD	Gen. Luis - Sapang Palay	6.9	6.0	6.0 (2)	-	-	-	Conc.	
REGALADO	Novaliches Ipo Rd. - Fairview Avenue	4.5	20.0	20.0 (4)	-	-	-	Asph.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total (No. lanes)	Carriageway	Sidewalk Right	Sidewalk Left	Median Strip	Type	
LITEX ROAD	Fairview Ave. - Montalban	5.9	10.0 (2)	-	-	-	-	Asph.	
A. MABINI	Samson Rd.- Gov. Santiago	1.3	6.2 (2)	-	-	-	-	Conc.	
GOV. SANTIAGO	A. Mabini - McArthur Highway	1.1	6.8 (2)	-	-	-	-	Conc.	
CONGRESSIONAL AVENUE	EDSA - Mindanano Road	3.4	22.0 (4)	-	-	-	2.0	Conc.	
MINDANAO ROAD	EDSA - Tandang Sora	2.6	26.6 (6)	1.3	1.3	4.0	-	Conc.	
VISAYAS AVENUE	Elliptical Road - Tandang Sora	2.4	23.0 (4)	-	-	-	3.0	Conc.	
ROOSEVELT AVENUE	EDSA - Del Monte Avenue	2.0	19.1 (4)	1.5	1.9	-	-	Conc./Asph.	
GEN. ARANETA AVENUE	Del Monte Ave. - Quezon Ave.	1.0	11.1 (2)	1.0	1.0	-	-	Conc.	
EAST AVENUE	Aurora Blvd. - E. Rodriguez	1.5	30.1 (4)	3.1	3.1	8.9	-	Conc./Asph.	
	E. Rodriguez - Quezon Ave.	1.0	7.6 (2)	-	-	-	-	Asph.	
	Quezon Ave. - Del Monte	1.4	11.4 (2)	1.2	1.5	-	-	Asph.	
	EDSA - Marcos Avenue	1.8	29.8 (4)	2.2	3.0	-	-	Conc./Asph.	
NORTH AVENUE	EDSA - Marcos Avenue	1.5	16.0 (4)	1.0	1.0	-	-	Asph.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carriageway (No. lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	
TIMOG AVENUE	EDSA - Quezon Avenue	2.0	23.0	18.0 (4)	2.3	2.7	-	Asph.	
WEST AVENUE	EDSA - Quezon Avenue	2.1	20.0	15.0 (4)	2.5	2.5	-	Asph.	
HONORIO LOPEZ BLVD.	J. Luna - Dagat-dagatan Dagat-dagatan - Estrella	1.9 2.3	14.0 8.0	14.0 (4) 8.0 (2)	-	-	-	Conc. Asph.	
10TH AVENUE	8th Street - A. Mabini	1.8	13.0	11.0 (2)	0.9	1.1	-	Conc.	
HEROES DEL 96	Samson Road - W. 10th Ave.	0.7	7.0	7.0 (2)	-	-	-	Conc.	
8TH AVENUE	EDSA - 7th Avenue	0.9	7.0	7.0 (2)	-	-	-	Asph.	
7TH AVENUE	Rizal Avenue Ext. - A. Bonifacio	1.1	7.0	7.0 (2)	-	-	-	Asph.	
4TH AVENUE	Rizal Avenue Ext. - A. Mabini	0.8	6.0	5.0 (2)	-	-	-	Asph.	
HERMOSA	J. A. Santos - J. Luna	0.6	12.0	10.0 (2)	1.0	1.0	-	Asph.	
PAMPANGA	J. Luna - Earnshaw	0.3	14.0	12.0 (2)	1.0	1.0	-	Asph.	
EARNSHAW	J. Luna - H. Lopez Blvd.	0.6	7.0	7.0 (2)	-	-	-	Asph.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carrigeeway (No. lanes)	Sidewalk Right	Median Left Strip	Type	Condition	
MORIONES	J. Luna - Sande Sande - Sta. Maria Santa Maria - Marcos Rd.	0.1 0.3 0.8	10.4 25.5 25.5	8.4 (2) 16.0 (4) 22.0 (6)	1.0 1.5 1.5	1.0 2.5 2.0	- 6.0 2.0	Conc. Conc. Conc.	
C. PALANCA	McArthur Br. - Ayala Br.	0.9	17.0	13.0 (4)	2.0	2.0	-	Conc.	
AQUANA	Jones Br. - Bonifacio Dr.	1.0	23.6	16.6 (4)	3.0	4.0	-	Conc.	
ARLEGUI	Quezon Blvd. - J. Nepumuceno	0.6	11.0	9.0 (2)	1.0	1.0	-	Conc.	
CONCEPCION	P. Burgos - Ayala Blvd.	0.5	20.5	13.5 (2)	3.0	4.0	-	Conc.	
ROMUALDEZ	Ayala Blvd. - Gen. Luna	1.1	11.5	9.0 (2)	1.0	1.5	-	Conc.	
SN. MARCELINO	Concepcion - P. Gil P. Gil - Sn Andres	1.2 0.8	12.0 12.0	10.0 (2) 10.0 (2)	1.0 1.0	1.0 1.0	- -	Asph. Asph.	
M.Y. OROSA	P. Burgos - T.M. Kalaw	0.1	18.8	15.0 (4)	1.8	2.0	1.0	Conc.	
T.M. KALAW	Taft Ave. - Roxas Blvd.	0.9	30.6	25.0 (8)	2.8	2.8	-	Conc.	
U.N. AVE.	Roxas Blvd. - P. Quirino	1.8	16.8	13.1 (4)	1.7	1.9	-	Conc./Asph.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length : kms.	Total	Carriageway (No. Lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	
PADRE FAURA	Roxas Blvd. - Gen. Luna	0.6	18.6	11.0 (2)	3.3	3.3	-	Asph.	
M. II. DEL PILAR	T.M. Kalaw - P. Quirino	1.8	9.1	7.1 (2)	1.0	1.0	-	Conc.	
PRES. QUIRINO	U.N. Ave - Plaza Dilao	0.8	16.0	15.0 (4)	2.0	2.0	1.0	Conc.	
PAZ M. GUAZON	U.N. Ave. - Nagtahan	0.8	16.2	12.0 (4)	2.0	2.2	-	Asph.	
GEN. LUNA	Taft Ave. - P. Gil	1.1	13.9	9.9 (2)	1.1	2.9	-	Conc.	
SINGALONG	Gen. Luna - V. Cruz	1.6	13.5	10.0 (2)	1.5	2.0	-	Conc.	
LEON GUINTO	P. Faura - Buendia	3.0	18.9	12.0 (2)	3.0	3.9	-	Asph.	
ZOBEL ROXAS	Arellano - V. Cruz	0.5	13.5	13.0 (4)	-	-	0.5	Conc.	
V. Cruz	Roxas Blvd. - Taft Ave. Taft Ave. - Pasong Tamo Pasong Tamo - Ayala	0.8 2.0 0.9	15.7 14.9 12.2	10.0 (2) 11.2 (2) 7.8 (2)	2.8 1.8 2.1	2.9 1.9 2.3	- - -	Conc. Conc. Conc.	
KAWGONG	Zobel Roxas - Buendia	0.9	12.2	7.8 (2)	2.1	2.3	-	Conc.	
ESTRADA	Taft Ave. - Bautista	4.8	10.2	8.0 (2)	1.2	1.2	-	Asph.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :kms.	Total (No. lanes)	Carrigeeway	Sidewalk Right	Median Left	Strip	Type	
BAUTISTA	Estrada - V. Cruz Zobel Roxas - Buendia	0.3	9.1	8.1 (2)	0.5	0.5	-	Asph. Asph.	
		0.8	5.7	5.7 (2)	-	-	-		
SAN ANDRES	P. Quirino - Zapiro	0.8	14.7	9.1 (2)	2.8	2.8	-	Conc.	
A. FRANCISCO	Zapiro - Tejeron	1.0	14.9	10.5 (2)	2.2	2.2	-	Asph.	
PASIG LINE	Pedro Gil - Pasong Tamo Pasong Tamo - Makati Ave.	1.5	7.5	7.5 (2)	-	-	-	Conc. Conc.	
		1.7	7.5	7.5 (2)	-	-	-		
PASONG TAMO	EDSA - Pasay Rd. Pasay Rd. - Buendia Buendia - Kamagong Kamagong - J. P. Rizal	1.0	19.8	13.0 (2)	3.3	3.5	-	Conc. Conc. Conc. Conc.	
		1.0	16.8	13.0 (2)	2.7	1.1	-		
		0.1	13.8	11.0 (2)	1.4	1.4	-		
		0.1	14.5	11.0 (2)	1.7	1.8	-		
LIBERTAD	Roxas Blvd. - Taft Ave. Taft Ave. - SSH SSH - EDSA	0.5	13.0	7 (2)	3.0	3.0	-	Conc. Conc. Asph.	
		1.1	9.0	7 (2)	1.0	1.0	-		
		1.5	18.5	13.1 (4)	2.7	2.7	-		
PASEO DE ROXAS	Pasay Rd. - Buendia	1.1	23.7	17.0 (4)	3.2	3.5	-	Asph.	
MAKATI AVE.	Pasay Rd. - Ayala Ave. Ayala Ave. - Buendia Buendia - J.P. Rizal	0.9	27.0	18.0 (6)	2.9	3.1	3.0	Asph. Asph. Asph.	
		0.4	33.0	20.0 (6)	4.0	5.0	4.0		
		0.8	15.7	13.1 (4)	1.3	1.3	-		
REPOSO	Metropolitan - J.P. Rizal	0.3	12.0	10.0 (2)	1.0	1.0	-	Asph.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :kms.	Total	Carrilageway (No. lanes)	Sidewalk Right Left Strip	Median Strip	Type	Condition	
LAURA/ CARREON	Nagtahan - Pedro Gil	1.9	13.3	11.0 (2)	0.8	1.5	-	Conc.	
D. TUAZON	Sgt. E. Rivera - E. Rodriguez Jr.	3.1	13.9	12.1 (4)	0.8	0.8	-	Asph.	
MAYON	Del Monte - España	2.3	15.1	11.8 (2)	1.3	2.0	-	Asph.	
BLUMENTRITT	Rizal Ave. - Aurora Blvd.	0.8	14.0	10.0 (2)	2.0	2.0	-	Conc.	
RETIRO	Dimasalang - Talayan Talayan - Del Monte	2.3 1.7	12.3 12.3	6.8 (2) 6.8 (2)	2.5 2.5	3.0 3.0	-	Conc. Conc.	
DEL MONTE	A. Bonifacio - Roosevelt Roosevelt - West Ave.	2.5 1.1	19.7 12.3	15.2 (4) 6.7 (2)	1.8 2.8	2.7 2.8	-	Conc./Asph. Conc.	
BANAWE	Sgt. E. Rivera - E. Rodriguez E. Rodriguez - G. Tuazon	3.3 0.4	15.0 15.0	13.0 (2) 13.0 (2)	1.0 1.0	1.0 1.0	-	Asph. Asph.	
LAONG-LAAN	Dimasalang - Mayon	1.4	17.1	12.0 (2)	2.5	2.6	-	Conc.	
DAPITAN	A. Mendoza - Mayon	1.5	11.5	8.4 (2)	1.5	1.6	-	Conc.	
M. DELA FUENTE	Dimasalang - R. Magsaysay	2.2	14.5	10.0 (2)	2.0	2.5	-	Conc.	
V.G. CRUZ	Dimasalang - R. Magsaysay	2.2	12.3	9.0 (2)	1.5	1.8	-	Conc.	



PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters					PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carrigeeway (No. lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	Condition	
G. TUAZON	A. Mendoza - E. Quintos	0.7	11.0	9.0 (2)	1.0	1.0	-	Asph.		
	E. Quintos - Santol	0.9	9.0	7.0 (2)	1.0	1.0	-	Conc.		
	Santol - R. Magsaysay	0.6	9.0	7.0 (2)	1.0	1.0	-	Conc.		
ROCES AVE.	Quezon Ave. - T. Morato	3.5	19.6	14.7 (4)	1.2	1.3	2.4	Conc.		
TOMAS MORATO	E. Rodriguez - Roces Ave.	0.5	24.9	20.1 (6)	1.7	3.1	-	Asph.		
	Roces Ave. - Timog Ave.	0.7	22.0	12.0 (4)	5.0	5.0	-	Asph.		
KAMUNING	T. Morato - EDSA	1.4	13.6	9.1 (2)	2.2	2.3	-	Conc.		
NEW YORK	E. Rodriguez - EDSA	0.5	7.0	7.0 (2)	-	-	-	Asph.		
HEMADY	E. Rodriguez - Aurora Blvd.	1.1	12.0	10.0 (2)	1.0	1.0	-	Asph.		
GILMORE	E. Rodriguez - Aurora Blvd.	1.2	12.0	10.0 (2)	1.0	1.0	-	Asph.		
DORA RODRIGUEZ	E. Rodriguez - N. Domingo	1.4	12.0	10.0 (2)	1.0	1.0	-	Asph.		
	N. Domingo - Ortigas	0.6	12.0	10.0 (2)	1.0	1.0	-	Asph.		
OLD STA. MESA	R. Magsaysay - N. Domingo	0.5	14.2	11.1 (2)	1.3	1.8	-	Asph.		
	N. Domingo - F. Roman	0.1	10.0	8.0 (2)	1.0	1.0	-	Conc.		
	Roman - Aurora Blvd.	0.4	9.4	7.4 (2)	1.0	1.0	-	Asph.		
BLUMENTRITT	N. Domingo - A. Bonifacio	0.8	14.0	12.0 (4)	1.0	1.0	-	Conc.		
	A. Bonifacio - P. Sanchez	0.1	8.3	7.0 (2)	0.5	0.8	-	Conc.		

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carrilgeway (No. lanes)	Sidewalk Right	Median Left	Strip	Type	
WILSON	Blumentritt - S. Barcelo S. Barcelo - Ortigas	1.1	20.1	14.1 (4)	3.0	3.0	-	Conc.	
		1.5	20.1	14.1 (4)	3.0	3.0	-	Conc.	
VALENZUELA	Old Sta. Mesa - V. Mapa	0.3	11.0	9.0 (2)	1.0	1.0	-	Asph.	
PINAGLABANAN	N. Domingo - F. Rojas F. Rojas - Valentina Dr. Valentina Dr. - Eisenhower Eisenhower - EDSA	0.3	10.3	9.0 (2)	0.5	0.8	-	Conc.	
		1.8	14.0	14.0 (4)	-	-	-	Conc.	
		0.8	8.2	8.2 (2)	-	-	-	Asph.	
		0.6	17.0	14.0 (4)	1.0	2.0	-	Conc.	
P. TUAZON	N. Domingo - EDSA	1.1	11.0	7.0 (2)	2.0	2.0	-	Conc.	
BONI AVE.	G. Kalentong - A.T. Reyes A.T. Reyes - EDSA	0.5	9.0	7.0 (2)	1.0	1.0	-	Asph.	
		2.9	19.8	14.4 (4)	1.8	1.9	1.7	Conc.	
M. NAVAL	Estrella - A. Cruz	0.9	7.0	7.0 (2)	1.6	1.6	-	Asph.	
GEN. LUNA	Rizal Ave. - Gov. Pascual Gov. Pascual - M. Blas M. Blas - Pinagkabalian Pinagkabalian - Panghulo Panghulo - M. H. del Pilar	1.4	9.2	6.0 (2)	1.6	1.6	-	Conc.	
		1.0	9.2	6.0 (2)	1.6	1.6	-	Conc.	
		1.0	9.2	6.0 (2)	1.6	1.6	-	Conc.	
		0.4	9.2	6.0 (2)	1.6	1.6	-	Conc.	
PANGHULO	M.H. del Pilar - Pinagkabalian	1.5	9.0	7.0 (2)	1.0	1.0	-	Conc.	
RODRIGUEZ	Panghulo - M.H. del Pilar	0.1	9.0	7.0 (2)	1.0	1.0	-	Conc.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carriageway (No. lanes)	Sidewalk Right	Median Left	Strip	Type	
M.H. DEL PILAR	Rodriguez - P. Valenzuela	2.8	9.0	7.0 (2)	1.0	1.0	-	Conc./Asph.	
	P. Valenzuela - Pasolo	0.5	9.0	7.0 (2)	1.0	1.0	-	Conc./Asph.	
	Pasolo - McArthur	1.2	9.0	7.0 (2)	1.0	1.0	-	Conc./Asph.	
PASOLO	M.H. Del Pilar - G. Santiago	2.9	9.0	7.0 (2)	1.0	1.0	-	Conc./Asph.	
GOV. PASCUAL	Gen. Luna - Sisa	1.9	9.4	7.4 (2)	1.0	1.0	-	Conc.	
	Sisa - McArthur	1.0	9.4	7.4 (2)	1.0	1.0	-	Conc.	
ROAD I	Mindanao - Visayan	0.8	12.0	10.0 (2)	1.0	1.0	-	Conc.	
UNIVERSITY	Don Marcos - Osmeña	0.4	16.0	8.0 (2)	1.0	1.0	6.0	Conc.	
OSMENA	University - Katipunan	0.3	12.0	10.0 (2)	1.0	1.0	-	Asph.	
ROXAS	University - Katipunan	0.5	13.8	10.6 (2)	1.6	1.6	-	Asph.	
KALAYAAN	Elliptical - Kamias	1.9	24.7	14.4 (4)	1.3	1.0	8.0	Asph.	
V. LUNA	East Ave. - Anonas	0.9	15.8	12.0 (2)	1.9	1.9	-	Asph.	
ANONAS	Kalayaan - Aurora Blvd.	0.1	20.1	14.1 (2)	3.0	3.0	-	Conc.	
KAMIAS	EDSA - Anonas	1.4	17.6	11.8 (2)	3.0	2.8	-	Conc.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carrigeeway (No. lanes)	Sidewalk Right	Median Left Strip	Type	Condition	
NEW YORK	EDSA - Yale Yale - Santolan	0.8 2.0	9.0	7.0 (2)	1.0	1.0	Asph.		
			14.0	12.0 (4)	1.0	1.0	Asph.		
P. TUAZON	EDSA - Katipunan	2.6	11.0	7.0 (2)	2.0	2.0	Conc.		
SANTOLAN	EDSA - KATIPUNAN Katipunan - EDSA	2.2 2.3	11.0	9.0 (2)	1.0	1.0	Conc.		
			11.0	9.0 (2)	1.0	1.0	Conc.		
BAYAN-BAYANAN	Dr. J.P. Rizal - Liwasang Kalayaan	1.4	10.0	10.0 (2)	-	-	Asph.		
KATIPUNAN	Liwasang Kalayaan - Molina Molina - Sumulong Hiway	0.6 0.5	6.0	6.00(2)	-	-	Asph.		
			5.6	5.6 (2)	-	-	Asph.		
C. RAYMUNDO	Ortigas - Dr. S. Antonio	3.3	8.0	8.0 (2)	-	-	Asph.		
MERALCO	Ortigas - Capt. H. Javier Capt. H. Javier - Pasig Blvd.	0.5 1.1	15.2	14.0 (4)	1.2	-	Asph.		
			28.9	19.2 (4)	3.1	3.1	Conc.		
CAPT. H. JAVIER	Meralco - Pasig Blvd.	0.8	18.3	14.0 (4)	2.3	2.0	Conc.		
PIONEER	EDSA - PASIG BLVD.	1.5	10.0	8.0 (2)	1.0	1.0	Asph.		
MCKINLEY	EDSA - Nichols/McKinley Nichols/McKinley - West Rambo	1.6 1.5	16.5	13.6 (2)	1.6	1.3	Asph.		
			16.5	13.6 (2)	1.6	1.3	Asph.		

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :kms.	Total	Carrigeveay (No. lanes)	Sidewalk Right	Median Left Strip	Type	Condition	
AURORA BLVD.	EDSA - Airport Ave.	1.2	25.6	20.4 (6)	2.0	1.7	1.5	Conc.	
AIRPORT RD.	Roxas Blvd. - Quirino Ave. Quirino Ave. - Nichols Nichols - Nichols/Mckinley Nichols/Mckinley - SSH	1.0 2.5 1.5 1.1	10.0 16.8 16.8 16.8	8.0 (2) 14.8 (4) 14.8 (4) 14.8 (4)	1.0 1.0 1.0 1.0	1.0 1.0 1.0 1.0	- - - -	Asph. Asph. Asph. Asph.	
DOMESTIC	Airport Ave. - MIA Rd.	1.1	10.9	9.0 (2)	1.0	.9	-	Conc.	
MIA ROAD	Roxas Blvd. - Imelda Ave.	1.0	29.0	20.0 (6)	5.0	4.0	-	Asph.	
IMELDA AVE.	MIA Rd. - Multinational Multinational - Sucat Rd.	1.0 2.5	16.5 7.2	14.0 (4) 7.2 (2)	1.0	1.0	0.5	Conc. Conc.	
NAGA ROAD.	Quirino - National Hiway	4.4	12.0	10.0 (2)	1.0	1.0	-	Conc.	
MARCOS ALVARES	National Hiway - Cavite/L.P. Boundary	2.4	12.0	10.0 (2)	1.0	1.0	-	Conc.	
DON MANOLO	National Hiway - A. Aguirre	2.1	12.0	10.0 (2)	1.0	1.0	-	Conc.	
A. AGUIRRE	Dallas - Sucat Rd.	4.9	17.0	15.0 (2)	1.0	1.0	-	Conc.	
DON JESUS	Don Manolo - SSH	1.7	12.0	10.0 (2)	1.0	1.0	-	Conc.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carriageway (No. lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	
GREEN HEIGHTS	Sucat Rd. - Opa	1.1	14.0	14.0 (2)	-	-	-	Conc.	
DOÑA SOLEDAD	SSH - Russia	2.2	10.0	10.0 (2)	-	-	-	Asph.	
ARMSTRONG	Imelda - SSH	4.2	12.0	12.0 (2)	-	-	-	Conc.	
SERVICE RD (R)	Nichols/McKinley - Nat'l Rd.	12.0	7.0	7.0 (2)	-	-	-	Asph.	
SERVICE RD. (L.)	Magallanes - Nat'l Rd.	13.2	7.0	7.0 (2)	-	-	-	Asph.	
MIA ROAD	Quirino Ave. - MIA	1.1	16.8	14.8 (4)	1.0	1.0	-	Asph.	
T. CLAUDIO	Roxas Blvd. - Quirino Ave.	0.4	8.8	6.8 (2)	1.0	1.0	-	Asph.	
LEVERIZA	Remedios - Rizal Memorial	0.8	6.3	5.0 (2)	0.5	0.8	-	Asph.	
	Vito Cruz - Buendia	0.7	6.3	5.0 (2)	0.5	0.8	-	Asph.	
	Buendia - Libertad	0.3	6.3	5.0 (2)	0.5	0.8	-	Asph.	
PARK AVE.	Libertad - Mexico Rd.	1.0	6.0	6.0 (2)	-	-	-	Conc.	
A. LUNA	Buendia - Libertad	0.7	7.3	7.3 (2)	-	-	-	Conc.	
ADRIATICO	P. Faura - P. Gil	0.5	11.0	9.0 (2)	1.0	1.0	-	Asph.	
	P. Gil - P. Quirino	0.3	11.0	9.0 (2)	1.0	1.0	-	Asph.	
	P. Quirino - Vito Cruz	0.6	31.0	26.0 (4)	1.5	1.5	2.0	Asph.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total	Carriageway (No. lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	
DOMINGA	Vito Cruz - Buendia	1.0	6.4	6.4 (2)	-	-	-	Conc.	
P. BURGOS	Buendia - Libertad	0.7	6.4	6.4 (2)	-	-	-	Conc.	
ZAMORA	Libertad - EDSA	1.0	6.4	6.4 (2)	-	-	-	Conc.	
DEL PAN BRIDGE		0.2	23.0	20.0 (6)	1.0	1.0	1.0	Asph.	
JONES BRIDGE		0.1	23.0	20.0 (4)	1.0	1.0	1.0	Asph.	
MARTHUR BRIDGE		0.1	23.0	20.0 (4)	1.0	1.0	1.0	Asph.	
QUEZON BRIDGE		0.1	23.4	20.0 (6)	1.3	1.3	0.8	Asph.	
AYALA BRIDGE		0.1	24.0	20.0 (6)	1.0	1.0	2.0	Asph.	
NAGTAHAN BRIDGE		0.2	24.5	20.0 (6)	1.0	1.0	2.5	Asph.	
ARAGON	A. Mendoza - Dimasalang	0.4	7.0	7.0 (2)	-	-	-	Asph.	
V. FUGOSO	T. Mapua - Andaluia	0.2	17.6	14.4 (2)	1.2	2.0	-	Asph.	
SAMBANG	Rizal Avenue - Andaluia	0.2	15.0	12.0 (2)	1.5	1.5	-	Asph.	

PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :Kms.	Total Carriageway (No. lanes)	Sidewalk Right	Sidewalk Left	Median Strip	Type	Condition	
BAMBANG (cont'd)									
LOPE DE VEGA	Rizal Ave. - J.A. Santos	0.7	10.2	8.0 (2)	1.1	1.1	-	Asph.	
ANTIPOLO	P. Guevarra - Rizal Ave.	0.1	15.2	12.0 (2)	1.6	1.6	-	Asph.	
F. HUERTAS	P. Guevarra - F. Huertas	0.1	13.1	8.9 (2)	2.3	1.9	-	Asph.	
OROQUIETA	Antipolo - Tayuman	1.0	15.3	12.0 (2)	1.7	1.6	-	Conc.	
T. MAPUA	Antipolo - Tayuman	0.1	16.3	12.0 (2)	2.0	2.3	-	Asph.	
CAVITE	Cavite - Laguna V. Fugoso - C.M. Recto C.M. Recto - McArthur Br.	0.3 0.4 0.7	16.3 13.3 13.5	12.0 (2) 10.0 (2) 10.0 (2)	2.0 1.8 1.9	2.3 1.5 1.6	-	Asph. Asph. Asph.	
LAGUNA	Rizal Ave. - Dimasalang Rizal Ave. - J.A. Santos	0.2 0.4	16.2 12.0	11.8 (2) 12.0 (2)	3.1 -	1.3 -	-	Asph. Asph.	
BATANGAS	Ipil - F. Huertas	0.4	16.5	12.0 (2)	2.5	2.0	-	Asph.	
BUGALLON	Ipil - F. Huertas	0.3	16.5	12.0 (2)	2.5	2.0	-	Asph.	
	Cavite - J.A. Santos	0.3	15.0	11.0 (2)	2.0	2.0	-	Asph.	



PHYSICAL STRUCTURE

Corridor/Road	ROAD SECTION		ROAD WIDTH : meters				PAVEMENT		Remarks
	Name	Length :kms.	Total	Carrige-way (No. lanes)	Sidewalk Right	Median Left	Strip	Type	
3rd AVE.	Rizal Ave. Ext. - D. Aquino	0.3	6.0	6.0 (2)	-	-	-	Asph.	
5th AVE.	Rizal Ave. Ext. - D. Aquino	0.3	7.0	7.0 (2)	-	-	-	Asph.	
6th AVE.	Rizal Ave. Ext. - A. Bonifacio	1.0	6.0	6.0 (2)	-	-	-	Asph.	
A. DEL MUNDO	3rd Avenue - 10th Avenue	1.0	6.0	6.0 (2)	-	-	-	Asph.	
P. SEVILLA	3rd Avenue - 10th Avenue	1.0	6.0	6.0 (2)	-	-	-	Asph.	
5th ST.	10th Avenue - EDSA	0.3	7.0	7.0 (2)	-	-	-	Asph.	
P. GUEVARRA	Blumentritt - Antipolo	0.2	10.0	8.0 (2)	1.0	1.0	-	Asph.	



## **B.2 Traffic Data**



TRAFFIC DATA

ROAD SECTION		AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC				Remarks	
Corridor/Road Name	Length :Kms.	VOLUME				% of Bus/ Jpy.	Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction			
		Car	Truck	Bus	Jeepney Others						Total		
<b>ROXAS BLVD.:</b>													
Del Pan Bridge - P. Burgos	1.5	65,700	800	600	700	0	67,800	2.0	7.5	17 - 19	19.4	53.7	
P. Burgos - P. Quirino	2.3	65,700	800	600	700	0	67,800	2.0	7.5	17 - 19	19.4	53.7	
P. Quirino - V. Cruz	0.6	65,700	800	1,300	600	0	68,400	2.8	7.6	17 - 19	19.7	50.5	
V. Cruz - Redemptorist	3.1	65,700	800	1,300	600	0	68,400	2.8	5.4	7 - 9	4.1	58.7	
Redemptorist- MIA Road	1.5	39,200	1,300	2,500	5,100	0	48,100	15.8	8.0	7 - 9	4.7	71.5	
<b>QUIRINO AVE.:</b>													
Redemptorist- MIA Road	1.6	3,200	100	2,900	12,300	0	18,500	82.2	7.3	7 - 9	0.1	64.2	
MIA Road - Real	7.4	18,300	1,800	2,900	12,500	0	35,500	43.4	7.9	7 - 9	6.1	60.0	
<b>TAFT AVE.:</b>													
Lawton - City Hall	0.6	18,900	600	7,000	38,900	0	65,400	69.7	7.1	17 - 19	10.8	(55.0)	
City Hall - Remedios	2.0	18,900	600	7,000	38,900	0	65,400	69.7	7.1	17 - 19	10.9	(55.0)	
Remedios - P. Quirino	0.3	12,600	400	5,200	27,500	0	45,700	71.6	10.1	7 - 9	11.1	55.9	
P. Quirino - Buendia	0.9	11,900	500	2,900	15,000	0	30,300	59.1	6.7	17 - 19	7.8	53.3	
Buendia - EDSA	4.6	12,100	700	3,600	21,100	100	37,600	65.1	4.6	17 - 19	10.6	71.6	
<b>SOUTH SUPERHIGHWAY</b>													
Pres. Quirino - EDSA	4.5	66,600	3,100	2,700	400	100	72,900	4.3	6.8	8 - 9	16.5	54.1	
EDSA - Muntinlupa	29.5	18,300	1,400	1,900	4,900	0	26,500	25.7	12.3	7 - 8	5.7	84.3	
<b>BUENDIA:</b>													
Roxas Blvd. - Taft Ave.	0.8	25,400	500	600	400	0	26,900	3.7	6.6	7 - 9	3.8	57.8	
Taft Ave. - SSH	0.6	42,700	600	3,100	4,900	0	51,300	15.6	6.4	7 - 9	8.3	52.9	
SSH - Ayala Ave.	0.9	25,600	300	2,000	2,800	0	30,700	15.6	10.2	16 - 17	8.2	57.6	
Ayala Ave. - EDSA	2.0	25,600	300	2,000	2,800	0	30,700	15.6	13.8	17 - 18	4.9	(55.0)	
<b>AYALA AVE.</b>													
Buendia - EDSA	1.9	25,600	300	2,000	2,800	0	30,700	15.6	13.8	8 - 9	4.9	68.8	
<b>SHAW BLVD.:</b>													
R. Magsaysay - Sta. Mesa	0.3	39,000	1,300	2,700	21,400	0	64,400	37.4	5.8	17 - 18	9.4	(55.0)	
Sta. Mesa - P. Sanchez	0.3	39,000	1,300	2,700	21,400	0	64,400	37.4	5.8	17 - 18	9.4	(55.0)	
P. Sanchez - EDSA	3.2	23,000	1,700	2,400	10,200	0	37,300	33.8	8.5	18 - 19	6.6	(55.0)	

TRAFFIC DATA

ROAD SECTION	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)										PEAK HOUR TRAFFIC				Remarks
		TRAFFIC VOLUME										Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction	
		Car	Truck	Bus	Jeepney	Others	Total	% of Bus/ Jpy.								
EDSA - W. Capitol Drive W. Capitol Dr. - Dr. S. Antonio	1.4 0.7	21,000 21,000	1,500 1,500	1,200 1,200	5,100 5,100	0 0	28,800 28,800	21.9 21.9				11.9 11.9	7 - 8 7 - 8	5.5 5.5	(55.0) (55.0)	
ORTIGAS AVE.:																
Aurora Blvd. - Santolan	1.0	20,300	600	100	0	0	21,000	0.5				13.2	17 - 18	2.0	(55.0)	
Santolan - Roosevelt	0.5	49,100	1,000	600	800	0	51,500	27.2				7.1	16 - 17	1.4	(55.0)	
Roosevelt - EDSA	1.8	49,100	1,000	600	800	0	51,500	27.2				7.1	16 - 17	1.4	(55.0)	
EDSA - Dr. S. Antonio	2.6	35,200	1,100	600	1,000	0	37,900	4.2				9.7	16 - 17	1.4	(55.0)	
Dr. S. Antonio - Cainta Junc.	2.1	35,200	1,100	600	1,000	0	37,900	4.2				9.7	16 - 17	1.4	(55.0)	
C. M. RECTO:																
Del Pan - Asuncion	0.3	4,400	300	2,400	17,700	1,300	26,100	77.0				9.4	7 - 9	8.7	59.0	
Asuncion - J. Luna	0.3	4,400	300	2,400	17,700	1,300	26,100	77.0				10.0	7 - 9	9.7	52.6	
J. Luna - J.A. Santos	0.5	5,800	400	2,600	25,400	1,200	35,400	79.1				7.4	17 - 19	9.7	52.6	
J.A. Santos - Rizal Ave.	0.7	9,800	200	500	9,100	600	20,200	47.5				22.1	17 - 19	6.1	69.2	
Rizal Ave. - Quezon Blvd.	0.3	7,400	100	500	8,300	100	16,400	53.7				27.3	17 - 19	6.1	69.2	
Quezon Blvd. - Legarda	0.9	12,900	200	1,300	17,500	0	31,900	58.9				7.1	17 - 19	3.4	50.1	
R. MAGSAYSAY:																
C.M. Recto - Nagtahan	1.0	4,200	200	1,200	27,100	0	32,700	86.5				6.6	17 - 18	5.5	54.8	
Nagtahan - V. Mapa	1.7	39,000	1,300	2,700	21,400	0	64,400	37.4				5.8	17 - 18	9.4	61.5	
AURORA BLVD.:																
V. Mapa - F. Roman	0.9	38,100	1,200	1,100	10,600	0	51,000	23.0				6.0	17 - 18	1.8	54.0	
F. Roman - EDSA	3.6	25,700	600	900	11,900	0	39,100	32.7				7.1	17 - 18	2.0	63.5	
EDSA - 20th Ave.	1.3	22,100	400	2,900	25,000	0	50,400	55.4				5.4	7 - 9	4.4	60.3	
20th Ave. - A. Bonifacio	1.8	22,100	400	2,900	25,000	0	50,400	55.4								
E. RODRIGUEZ:																
Welcome Rtda. - C. Benitez	5.1	20,100	400	1,300	22,200	0	44,000	53.4				5.3	18 - 19	0.5	(55.0)	
LERMA/ESPAÑA																
Andalucia - P. Paredes	0.3	32,900	800	1,100	45,000	0	79,800	57.8				3.8	7 - 9	3.4	56.9	
ESPANA:																
P. Paredes - Welcome Rtda.	2.0	29,000	400	1,100	45,000	0	75,500	61.1				5.6	7 - 9	2.5	62.3	

TRAFFIC DATA

R O A D S E C T I O N	Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)							PEAK HOUR TRAFFIC			Remarks	
			T R A F F I C V O L U M E							Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle		% Traffic in Heavy Direction
			Car	Truck	Bus	Jepney	Others	Total	% of Bus/ Jpy.					
QUEZON AVE.:	Wellcome Rtda. - EDSA	4.6	28,900	500	1,100	22,800	0	53,300	44.8	6.4	9 - 10	4.0	(55.0)	
MARCOS AVE.:	EDSA - Asian Inst. of Tourism Asian Inst. of Tourism - IPC Rd.	2.3 12.2	13,200 13,200	300 300	800 800	600 600	0	14,900 14,900	9.4 9.4	13.9 13.9	8 - 9 8 - 9	7.6 2.1	(55.0) (55.0)	
QUEZON BLVD.	Quezon Brg. - C.M. Recto	0.4	9,400	400	2,300	19,100	0	31,200	68.5	15.3	7 - 9	10.4	61.4	
ANDALUCIA	C.M. Rector - Laon-Laan	0.9	9,400	400	2,300	19,100	0	31,200	68.6	9.9	17 - 19	10.0	57.7	
LAON-LAAN	Andalucia - A. Mendoza	0.3	7,400	300	200	10,600	0	18,500	68.1	3.3	17 - 19	29.8	78.3	
A. BONIFACIO	Laon-Laan - Blumentritt Blumentritt - Del Monte Del Monte - EDSA	1.3 1.3 1.3	7,700 7,700 7,700	800 800 800	200 200 200	6,700 6,700 6,700	0	15,300 15,300 15,300	45.1 45.1 45.1	14.5 13.8	7 - 9 7 - 8	13.9 5.9	63.9 (55.0)	
N. DIVERSION ROAD:	EDSA - Valenzuela	5.8	15,700	5,000	4,000	2,900	0	27,600	25.1	16.4	7 - 9	8.5	62.4	
QUIRINO HIGHWAY:	N. Diversion Rd. - BAESA Baesa - Susano Rd.	1.2 7.4												
RIZAL AVE.:	McArthur Br. - D. M. Rector C.M. Recto - Tayuman Tayuman - Rizal Ave. Ext. Rizal Ave. - EDSA	0.4 1.8 1.3 2.4	8,400 6,300 10,600 29,400	100 100 300 1,800	1,200 1,200 1,100 3,700	13,400 19,900 17,000 25,400	100 100 200 200	23,200 27,600 29,200 60,500	62.9 76.4 62.0 48.1	19.4 9.0 6.8 5.8	7 - 9 17 - 19 7 - 9 17 - 19	3.1 4.6 3.8 5.2	62.6 57.7 54.9 51.7	

TRAFFIC DATA

ROAD SECTION	Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC				Remarks	
			T R A F F I C V O L U M E		% of Bus/ Others		Total	flow Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction			
Car	Truck	Bus	Jeepney	Others	% of Bus/ Others	Total						ADT	Period	% of Heavy Vehicle
J.A. SANTOS	C.M. Recto - Tayuman Tayuman - Rizal Ave. Ext.	1.2 1.7	18,100 26,700	700 1,500	800 1,700	1,800 13,000	800 400	20,400 43,300	12.7 33.9	11.9 6.7	7 - 9 7 - 9	3.7 4.9	59.8 59.5	
REINA REGENTE	Binondo - C.M. Rector	0.6	30,500	1,300	200	900	0	32,900	24.8	5.8	7 - 9	1.5	55.3	
DAPITAN	Andalucia - A. Mendoza	0.5												
MCARTHUR HI-WAY	EDSA-Mal-Vol Bridge Mal-Vol Br. - Meycauayan Junc	2.9 5.2	22,000 22,000	2,300 2,300	100 100	20,700 20,700	0 0	45,100 45,100	46.1 46.1	6.2 6.2	17 - 19 17 - 19	12.8 12.8	67.9 67.9	
JUAN LUNA	Jones Br - Binondo Binondo - C.M. Recto C.M. Recto - Tayuman Tayuman - Solis Solis - EDSA	0.6 0.6 1.4 1.1 3.5	1,200 1,200 1,800 15,500 4,300	100 100 200 3,800 400	100 100 100 200 100	5,700 5,700 2,900 11,200 6,200	100 100 400 600 0	7,200 7,200 5,400 31,300 11,000	80.6 80.6 55.6 36.4 57.3	6.2 6.2 4.5 8.1 24.0	7 - 9 7 - 9 17 - 19 17 - 19 9 - 10	1.8 1.8 1.2 4.5 11.8	100.0 100.0 100.0 58.8 (55.0)	
TAYUMAN	J. Luna - J.A. Santos J.A. Santos - Rizal Ave.	0.9 0.5	8,200 16,600	1,600 1,500	200 400	4,200 4,500	400 200	14,600 23,200	30.1 21.1	7.6 4.8	17 - 19 17 - 19	13.2 13.2	50.4 50.4	
GOV. FORBES	Rizal Ave. - Laong Laan Laong Laan - España España - R. Magsaysay	0.8 0.5 1.1	15,000 40,000 31,400	1,500 2,100 1,300	100 900 600	4,300 2,800 1,400	100 0 0	21,000 45,800 34,700	21.0 8.1 5.8	6.5 4.5 5.5	7 - 9 7 - 9 11 - 12	31.0 20.9 16.9	52.2 51.9 (55.0)	
PRES. QUIRINO	R. Magsaysay - SSH SSH - Taft Ave. Taft Ave. - Roxas Blvd.	2.7 0.9 1.1	51,100 37,500 20,700	700 1,100 400	1,100 1,800 600	2,300 200 100	100 100 0	55,300 40,700 21,800	6.1 4.9 3.2	7.1 8.1 9.6	8 - 9 7 - 9 7 - 9	12.4 17.5 14.0	61.0 63.8 63.8	



TRAFFIC DATA

ROAD SECTION	Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)										PEAK HOUR TRAFFIC				Remarks
			T R A F F I C V O L U M E										hour Ratio % to ADT	Peak Hr. Period	% of heavy Vehicle	% Traffic in heavy Direction	
			Car	Truck	Bus	Jeepney	Others	Total	% of Bus/ Jpy.								
SAMSON ROAD:	Sangandaan - Rizal Ave. Ext.	1.3	8,300	900	600	6,500	0	16,300	43.6	9.8	7 - 9	23.6	63.7				
EDSA	Rizal Ave. Ext. - A. Ronifacio	1.5	15,900	1,700	6,300	5,300	0	29,200	39.7	5.9	7 - 9	22.9	57.7				
	A. Bonifacio - Quezon Ave. Ext.	4.3	35,300	3,500	8,900	400	0	48,100	19.3	2.8	17 - 18	20.9	(55.0)				
	Quezon Ave. Ext. - Southeast	1.4	32,900	2,900	8,300	0	0	44,100	18.8	3.0	17 - 18	20.9	(55.0)				
	Southeast - Aurora Blvd.	1.4	60,000	2,400	12,100	100	0	74,600	16.4	1.8	17 - 18	20.9	(55.0)				
	Aurora Blvd. - P. Tuazon	2.5	68,700	2,300	9,600	0	0	80,600	11.9	6.7	17 - 18	13.4	(55.0)				
	P. Tuazon - Ortigas	2.7	68,700	2,300	9,600	0	0	80,600	11.9	6.7	7 - 8	13.4	(55.0)				
	Ortigas - Buendia	3.1	85,200	3,400	10,000	1,300	0	99,900	11.3	0.6	7 - 8	17.4	(55.0)				
	Buendia - SSH	4.0	47,800	2,400	7,700	0	0	57,900	13.3	2.7	8 - 9	5.9	(55.0)				
	SSH - Taft Ave.	1.6	32,500	1,300	6,900	7,700	200	86,100	17.0	3.5	17 - 19	15.5	54.7				
REDEMPTORIST	Mexico Rd - Roxas Blvd.	0.3	3,100	100	1,400	2,200	0	6,800	60.7	6.1	7 - 9	20.8	68.5				
MEXICO ROAD	Taft Ave. - Redemptorist	0.8	21,900	800	8,900	15,700	0	47,300	52.0	2.5	7 - 9	21.0	53.7				
PEDRO GIL	Roxas Blvd. - Taft Ave.	0.9	9,100	100	100	4,900	0	14,200	34.8	6.9	7 - 9	1.3	(55.0)				
	Taft Ave. - Pres. Quirino	1.1	7,900	200	700	6,600	100	15,500	47.1	6.0	9 - 10	28.0	(55.0)				
	Pres. Quirino - Tejeron	1.1	21,000	1,200	2,700	7,600	200	32,700	31.5	2.8	9 - 10	28.0	(55.0)				
J.P. Rizal	P. Gil - EDSA	4.1	14,200	800	1,400	10,000	0	26,400	43.2	5.1	8 - 9	4.0	(55.0)				
	EDSA - West Rembo	1.8	9,400	700	800	9,100	0	20,000	49.5	3.9	9 - 10	6.7	(55.0)				
	West Rembo - South Cembo	1.7	9,400	700	800	9,100	0	20,000	49.5	3.9	9 - 10	6.7	(55.0)				
A. MABINI	T.M. Kalaw - Pedro Gil	0.9	8,800	100	200	9,600	0	18,700	52.4	7.6	7 - 9	2.4	51.6				
	Pedro Gil - Pres. Quirino	1.1	7,700	200	200	6,300	0	14,400	45.1	6.2	7 - 9	2.0	46.1				

TRAFFIC DATA

ROAD SECTION		AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC				Remarks	
Corridor/Road Name	Length :Kms.	TRAFFIC VOLUME						Hour Ratio % to ADT	Peak hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction		
		Car	Truck	Bus	Jeepney	Others	Total						% of Bus/ Jpy.
F.B. HARRISON : Pres. Quirino - Buendia Buendia - Libertad Libertad - Mexico Road	1.4 0.7 1.5	5,500 3,800 2,600	200 200 100	300 100 100	11,000 15,200 6,900	0 0 100	17,000 19,300 9,700	2.7 0.1 71.5	9.7 7.1 3.3	7 - 9 7 - 9 7 - 9	2.4 2.4 0	89.2 74.8 (55.0)	
P. BURGOS Roxas Blvd - Orosa Orosa - Taft Ave.	0.8 0.8	29,700 35,300	1,400 500	900 1,700	9,500 28,200	0 0	41,500 65,700	24.3 45.5	5.7 7.4	17 - 19 7 - 9	3.5 2.9	60.0 57.9	
AYALA BLVD. Taft Ave. - Ayala Bridge	0.8	26,000	3,200	300	700	0	29,600	1.3	6.3	17 - 19	2.7	69.0	
P. CASAL Ayala Br - Arlegui	0.9	24,500	900	6,600	24,600	0	56,600	55.2	5.7	17 - 19	11.2	52.1	
LEGARDA Arlegui - C.M. Recto	0.5	16,000	1,500	500	16,500	0	34,500	49.2	9.7	7 - 9	5.3	54.2	
AURORA BLVD. Dimasatang - Rizal Ave. Ext.	0.9	28,000	1,300	900	11,500	300	42,000	29.5	6.3	17 - 19	2.3	56.1	
PEDRO GIL Tejeron - Calderon	0.9	21,000	1,100	2,700	7,600	200	32,600	23.8	6.3	17 - 19	9.2	58.6	
NEW PANADEROS Calderon - Panaderos Br.	2.3	14,700	1,000	2,000	6,600	100	24,400	35.4	6.1	7 - 9	11.8	58.3	
GEN. KALENTONG Panaderos Br - Shaw Blvd.	1.5	18,600	700	100	5,900	200	25,500	23.4	5.8	7 - 9	25.5	72.0	
REAL Quirino Ave. - SSH	10.0												

TRAFFIC DATA

ROAD SECTION	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)				PEAK HOUR TRAFFIC			Remarks
		TRAFFIC VOLUME				Hour Ratio % to ADT	Peak hr. Period	% of heavy Vehicle	
Corridor/Road Name		Car	Truck	Bus	Jeepney				Others
NATIONAL ROAD SSH - Muntinlupa	5.0								
DR. A. SANTOS Quirino Ave. - SSH	7.6								
BAGUMBAYAN Sucat - Pres. M. L. Quezon	4.4								
PRES. M.L. QUEZON Bagumbayan - Nat'l Road	4.5								
UPPER BICUTAN SSH - PRES. M.L. Quezon	1.5								
ALMEDA/J. LUNA Pres. M.L. Quezon - Dr. S. Antonio	4.8								
DR. SIXTO ANTONIO Juan Luna - Ortigas Ave.	3.0								
A. RODRIGUEZ Ortigas Ave. - Marcos Highway	2.7								
A. BONIFACIO Marcos Highway - Sumulong Highway	6.6								
DR. J.P. RIZAL Sumulong - San Mateo Marcos Hiway - Sumulong Highway	4.3								
MARCOS HIGHWAY Aurora Blvd. - Sumulong Highway	5.6								

TRAFFIC DATA

ROAD SECTION	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)					PEAK HOUR TRAFFIC				Remarks	
		TRAFFIC VOLUME					Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction		
		Car	Truck	Bus	Jeepney	Others						Total
E. RODRIGUEZ AVE. Pasig Blvd. - Doña J. Vargas Doña J. Vargas - Ortigas Ave. Ortigas Ave. - Santolan	0.9 2.1 3.2											
SANTOLAN RD. E. Rodriguez - Katipunan	2.2											
KATIPUNAN Santolan - Aurora Blvd. Aurora Blvd. - Marcos Ave.	2.0 2.6											
LUZON AVE. Marcos Ave. - Fairview Ave.	4.6											
TORRES BUGALLO McArthur Hiway - N. Div. Rd.	4.2											
STA. QUITERIA N. Div. Rd. - Quirino Highway	2.1											
TANDANG SORA Quirino Hiway - Katipunan	5.6											
MAYSAN ROAD McArthur Highway - North Diversion	Rd.3.2											
GENERAL LUIS N. Div. Rd. - Quirino Highway	5.4											
NOVALICHES - IPO Gen. Luis - Sapang Palay	6.9											
REGALADO Nov. IPO Rd. - Fairview Ave.	4.5											

TRAFFIC DATA

ROAD SECTION Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC				Remarks		
		TRAFFIC VOLUME						Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction			
		Car	Truck	Bus	Jeepney	Others	Total							
LITEX ROAD Fairview Ave. - Montalban	5.9													
A. MABINI Samson Rd. - Gov. Santiago	1.3													
GOV. SANTIAGO A. Mabini - McArthur Highway	1.1													
CONGRESSIONAL EDSA - Mindanao Rd.	3.4													
MINDANAO AVE. EDSA - Tandang Sora	2.6													
VISAYAS AVE. Elliptical Rd. - Tandang Sora	2.4													
ROOSEVELT EDSA - Del Monte Del Monte Ave. - Quezon Ave.	2.0 1.0	16,300 16,500	1,300 1,000	900 900	7,400 6,600	100 200	26,000 25,200	31.8 30.0	6.4 6.6	17 - 19 7 - 9	6.7 6.4	50.1 59.3		
GEN. ARANETA Aurora Blvd. - E. Rodriguez E. Rodriguez - Quezon Ave. Quezon Ave. - Del Monte	1.5 1.0 1.4	22,100	400	100	1,200	0	23,800	5.5	6.4	17 - 19	2.2	59.8		
EAST AVE. EDSA - Marcos Ave.	1.8	37,000	700	2,600	4,000	0	44,300	14.9	6.9	7 - 9	4.9	52.8		
NORTH AVENUE EDSA - Marcos Ave.	1.5	14,300	800	200	4,600	0	19,900	24.0	6.8	7 - 9	20.0	56.8		

TRAFFIC DATA

ROAD SECTION Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC			Remarks		
		TRAFFIC VOLUME						Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle		% Traffic in Heavy Direction	
		Car	Truck	Bus	Jeepney	Others	Total						
TIMOG AVE. EDSA - Quezon Ave.	2.0	24,000	800	500	1,500	0	26,800	7.3	5.9	7 - 9	5.8	53.8	
WEST AVE. EDSA - Quezon Ave.	2.1	22,100	500	300	1,100	0	24,000	5.7	3.1	7 - 9	4.0	100.0	
H. LOPEZ BLVD. J. Luna - Dagat-Dagatan Dagat-Dagatan - Estrella 10th Ave.	1.9 2.3									7 - 9	7.2	51.6	
HEROES DEL 96 Samson Rd. - W 10th Ave.	0.7									7 - 9	7.7	(55.0)	
8th ST. EDSA - 7th Ave.	0.9									7 - 8	5.2	(55.0)	
7th Ave. Rizal Ave. Ext. - A. Bonifacio	1.1	7,200	800	100	3,600	0	11,700	1.5	6.1	17 - 19	7.7	(55.0)	
4th Ave. Rizal Ave. - A. Mabini	0.8									15 - 16	8.8	(55.0)	
HERMOSA J.A. Santos - J. Luna	0.6									7 - 9	4.6	98.3	
PAMPANGA J. Luna - Earnshaw	0.3												
EARNSHAW J. Luna - H. Lopez Blvd.	0.6												

TRAFFIC DATA

ROAD SECTION		Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC				Remarks
Corridor/Road Name			Car	Truck	Bus	Jeepney	Others	Total	% of Bus/ Jpy.	Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	
MORIONES	J. Luna - Sande Sande - Sta. Maria Santa Maria - Marcos Rd.	0.1 0.3 0.8	14,300	4,000	100	4,100	600	23,000	3.5	4.5	17 - 18	27.3	(55.0)
C. PALANCA	McArthur Br. - Ayala Br.	0.9	11,100	300	2,200	4,700	0	18,000	37.5	6.4	7 - 9	11.1	55.6
AQUANA	Jones Br. - Bonifacio Dr.	1.0											
ARLEGUI	Quezon Blvd. - J. Nepumuceno	0.6											
CONCEPCION	P. Burgos - Ayala Blvd.	0.5											
ROMUALDEZ	Ayala Blvd. - Gen. Luna	1.1											
SN. MARCELINO	Concepcion - P. Gil P. Gil - Sn Andres	1.2 0.8	11,800 10,200	1,800 1,400	300 200	100 100	0 0	13,900 11,900	2.4 2.1	7.4 6.9	17 - 19 7 - 9	5.5 2.7	100.0 100.0
M.Y. OROSA	P. Burgos - T.M. Kalaw	0.1	20,000	500	300	14,900	0	35,700	42.6	7.1	7 - 9	1.4	62.1
T.M. KALAW	Taft Ave. - Roxas Blvd.	0.9	21,400	400	300	12,300	0	34,500	36.6	8.0	7 - 9	7.4	60.3
U.N. AVENUE	Roxas Blvd. - P. Quirino	1.8	13,700	100	100	100	0	13,900	1.0	12.2	7 - 9	0.8	55.5

TRAFFIC DATA

ROAD SECTION	Length :kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC				Remarks	
		T R A F F I C V O L U M E		Total		hour ratio % to ADT	Peak hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction				
Corridor/Road Name		Car	Truck	Bus	Jeepney					Others	% of Bus/ Jpy.		
PADRE FAURA Roxas Blvd. - Gen. Luna	0.6	5,800	100	100	3,500	0	9,400	37.2	6.3	7 - 9	1.5	100.0	
M.H. DEL PILAR T.M. Kalaw - P. Quirino	1.8	8,700	100	200	9,600	0	18,500	52.8	5.7	7 - 9	2.9	100.0	
P. QUIRINO U.N. Ave - Plaza Dilao	0.8	4,100	400	100	100	0	4,500	1.5	7.6	17 - 19	2.6	96.9	
PAS M. GUAZON U.N. Ave - Nagtahan	0.8	15,900	1,900	400	1,300	0	19,400	8.6	8.2	17 - 19	3.7	67.0	
GENERAL LUNA Taft Ave. - P. Gil	1.1	20,100	1,700	1,400	100	100	23,400	6.3	2.1	17 - 19	0	100.0	
SINGALONG Gen. Luna - V. Cruz	1.6												
LEON GUINTO P. Faura - Buendia	3.0									17 - 19	0	(55.0)	
ZOBEL ROXAS Arellano - V. Cruz	0.5												
V. CRUZ Roxas Blvd. - Taft Ave. Taft Ave. - Pasong Tamo Pasong Tamo - Ayala	0.8 2.0 0.9	10,500 23,500	100 300	100 700	4,800 1,500	0	15,500 26,000	31.4 8.7	7.1 5.9	17 - 19 17 - 19	7.9 4.2	(55.0) 100.0	
KAMAGONG Zobel Roxas - Buendia	0.9												
ESTRADA Taft Ave. - Bautista	4.8												



TRAFFIC DATA

ROAD SECTION	Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC				Remarks	
			TRAFFIC VOLUME						Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction		
			Car	Truck	Bus	JEEPNEY	Others	Total						
BAUTISTA	Estrada - V. Cruz Zobel Roxas - Buendia	0.3 0.8												
SN. ANDRES	P. Quirino - Zapiro	0.8												
A. FRANCISCO	Zapiro - Tejeron	1.0												
PASIG LINE	Pedro Gil - Pasong Tamo Pasong Tamo - Makati Ave.	1.5 1.7												
PASONG TAMO	EDSA - Pasay Rd. Pasay Rd. - Buendia Buendia - Kamagong Kamagong - J. P. Rizal	1.0 1.0 0.7 0.1	10,600 12,500	500 600	100 100	2,900 2,500	0 0	14,100 15,700	21.2 16.5	6.8 5.8	7 - 9 7 - 9	4.6 3.3	50.0 56.4	
LIBERTAD	Roxas Blvd. - Taft Ave. Taft Ave. - SSH SSH - EDSA	0.5 1.1 1.5	6,100 5,400 38,900	200 200 1,100	100 100 300	7,600 8,700 2,100	100 100 100	14,100 14,500 42,500	54.3 60.0 5.8	5.4 5.9 6.3	7 - 9 7 - 9 7 - 9	1.2 1.1 2.7	(55.0) (55.0) 57.3	
PASEO DE ROXAS	Pasay Rd. - Buendia	1.1	34,000	348	200	100	0	34,600	0.	6.0	7 - 9	1.2	71.9	
MAKATI AVE.	Pasay Rd. - Ayala Ave. Ayala Ave. - Buendia Buendia - J.P. Rizal	0.9 0.4 0.8	35,100 37,800 10,900	400 400 400	800 400 200	700 1,100 1,200	0 0 100	37,000 39,700 12,300	4.2 3.9 11.4	6.2 7.1 6.7	17 - 19 17 - 19 17 - 19	2.3 1.5 2.3	57.7 55.5 59.3	
REPOSO	Metropolitan - J.P. Rizal	0.3												

TRAFFIC DATA

ROAD SECTION	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC			Remarks		
		TRAFFIC VOLUME						Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle		% Traffic in Heavy Direction	
		Car	Truck	Bus	Jeepney	Others	Total						% of Bus/ Jpy.
Laura/Carreon Nagtahan - Pedro Gil	1.9												
D. Tuazon Sgt. E. Rivera - E. Rodriguez Jr.	3.1												
Mayon Del Monte - España	2.3	15,600	2,000	400	6,100	300	24,300	26.7	6.6	7 - 9	7.4	83.2	
Blumentritt Rizal Ave. - Aurora Blvd.	0.8	27,400	1,900	600	19,400	1,100	50,500	39.7	3.7	7 - 9	0.4	67.3	
Retiro Dimasalang - Talayan Talayan - Del Monte	2.3 1.7												
Del Monte A. Bonifacio - Roosevelt Roosevelt - West Ave.	2.5 1.1	12,200 9,000	1,300 800	100 100	5,800 200	200 0	19,500 10,100	29.9 2.8	5.8 6.5	7 - 9 17 - 19	7.0 13.6	63.6 53.9	
Banaue Sgt. E. Rivera - E. Rodriguez E. Rodriguez - G. Tuazon	3.3 0.4												
Laong-Laan Dimasalang - Mayon	1.4												
Dapitan A. Mendoza - Mayon	1.5												
M. Dela Fuente Dimasalang - R. Magsaysay	2.2	11,300	500	1,000	1,400	0	14,200	16.9	7.6	7 - 9	6.7	100.0	
V. G. Cruz Dimasalang - R. Magsaysay	2.2												

TRAFFIC DATA

ROAD SECTION Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)							PEAK HOUR TRAFFIC				Remarks	
		TRAFFIC VOLUME							Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction		
		Car	Truck	Bus	Jeepney	Others	Total	% of Bus/ Jpy.						
G. TUAZON A. Mendoza - E. Quintos E. Quintos - Santo1 Santo1 - R. Magsaysay	0.7 0.9 0.6													
ROCES AVE. Quezon Ave. - T. Morato	3.5	18,600	600	400	600	0	20,200	4.8	5.6	7 - 9	5.0	54.8		
T. MORATO E. Rodriguez - Roces Ave. Roces Ave. - Timog Ave.	0.5 0.7	46,300 16,600	1,500 700	500 100	6,200 1,600	100 0	54,600 19,000	12.3 8.8	6.2 6.3	7 - 9 7 - 9	3.2 3.6	58.1 77.0		
KAMUNING T. Morato - EDSA	1.4	14,500	300	400	10,400	200	25,800	41.9	6.2	7 - 9	2.6	56.0		
NEW YORK E. Rodriguez - EDSA	0.5													
HEMADY E. Rodriguez - Aurora Blvd.	1.1									17 - 18	2.0	(55.0)		
GILMORE E. Rodriguez - Aurora Blvd.	1.2									17 - 18	0.8	(55.0)		
DONA RODRIGUEZ E. Rodriguez - N. Domingo N. Domingo - Ortigas	1.4 0.6									17 - 18	0.6	(55.0)		
OLD STA. MESA R. Magsaysay - N. Domingo N. Domingo - F. Roman Roman - Aurora Blvd.	0.5 0.1 0.4	11,200 9,500 11,200	500 500 400	100 300 100	9,800 12,000 3,700	0 0 0	21,600 22,300 15,400	45.8 55.2 24.0	5.8 6.5 6.8	7 - 9 7 - 9 17 - 19	49.7 2.4 11.1	63.1 50.3 63.1		
BLUMENTRITT N. Domingo - A. Bonifacio A. Bonifacio - P. Sanchez	0.8 0.1													

TRAFFIC DATA

ROAD SECTION	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)					PEAK HOUR TRAFFIC			Remarks			
		TRAFFIC VOLUME					Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle		% Traffic in Heavy Direction		
		Car	Truck	Bus	Jepney Others	Total						% of Bus/ Jpy.	
WILSON Blumentritt - S. Barcelo - S. Barcelo - Ortigas	1.1 1.5												
VALENZUELA Old Sta. Mesa - V. Mapa	0.3												
PINAGLABANAN N. Domingo - F. Rojas F. Rojas - Valentina Dr. Valentina Dr. - Eisenhower Eisenhower - EDSA	0.3 1.8 0.8 0.6	18,400 37,900 51,600 42,800	500 3,300 1,800 1,700	200 500 400 300	2,400 200 100 100	0 0 0 0	21,500 41,900 53,900 44,900	12.2 1.8 0.9 0.8	7.3 5.6 5.1 6.6	7 - 9 7 - 9 7 - 9 7 - 9	2.3 2.2 1.5 3.0	54.1 60.2 50.4 63.1	
P. TUAZON N. Domingo - EDSA	1.1												
BONI AVE. G. Kalentong - A.T. Reyes A.T. Reyes - EDSA	0.5 2.9												
M. NAVAL Estrella - A. Cruz	0.9												
GEN. LUNA Rizal Ave. - Gov. Pascual Gov. Pascual - M. Blas M. Blas - Pinagkabalian Pinagkabalian - Panghulo Panghulo - M. H. del Pilar	1.4 1.0 1.0 1.4 0.4												
PANGHULO M.H. del Pilar - Pinagkabalian	1.5												
RODRIGUEZ Panghulo - M.H. del Pilar	0.1												

TRAFFIC DATA

ROAD SECTION	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)					PEAK HOUR TRAFFIC			Remarks		
		Car	Truck	Bus	Jeepney	Others	Total	Hour Ratio % to ADT	Peak Hr. Period		% of heavy Vehicle	% Traffic in heavy Direction
M.H. DEL PILAR Rodriguez - P. Valenzuela P. Valenzuela - Pasolo Pasolo - McArthur	2.8 0.5 1.2											
PASOLO M.H. Del Pilar - G. Santiago	2.9											
GOV. PASCUAL Gen. Luna - Sisa Sisa - McArthur	1.9 1.0											
ROAD 1 Mindanao - Visayan	0.8											
UNIVERSITY Don Marcos - Osmeña	0.4											
OSMEÑA University - Katipunan	0.3											
ROXAS University - Katipunan	0.5											
KALAYAAN Elliptical - Kamias	1.9											
V. Luna East Ave. - Anonas	0.9											
ANONAS Kalayaan - Aurora Blvd.	0.1											
KAMIAS EDSA - Anonas	1.4	18,200	700	300	4,100	0	23,300	18.8	6.3	7 - 9	2.0	57.3

TRAFFIC DATA

ROAD SECTION	Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC				Remarks	
			TRAFFIC VOLUME						Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction		
			Car	Truck	Bus	Jeepney	Others	Total						
NEW YORK	EDSA - Yale Yale - Santolan	0.8 2.0												
P. TUAZON	EDSA - Katipunan	2.6												
SANTOLAN	EDSA - KATIPUNAN Katipunan - EDSA	2.2 2.3	14,300 19,200	500 700	200 200	5,500 5,500	0 0	20,500 25,600	27.6 22.2	5.5 6.0	17 - 19 7 - 9	2.2 1.9	58.6 60.3	
BAYAN-BAYANAN	Dr. J.P. Rizal - Liwasang Kalayaan	1.4												
KATIPUNAN	Liwasang Kalayaan - Molina Molina - Sumulong Hiway	0.6 0.5												
C. RAYMUNDO	Ortigas - Dr. S. Antonio	3.3												
MERALCO	Ortigas - Capt. H. Javier Capt. H. Javier - Pasig Blvd.	0.5 0.8												
CAPT. H. JAVIER	Meralco - Pasig Blvd.	1.5												
PIONEER	EDSA - PASIG BLVD.	1.6												
MCKINLEY	EDSA - Nichols/McKinley Nichols/McKinley - West Rembo	1.5 1.5	44,700	1,500	4,500	1,000	0	51,700	430.9	4.6	8 - 9	0.8	(55.0)	

TRAFFIC DATA

ROAD SECTION	Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC			Remarks		
			TRAFFIC VOLUME						Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle		% Traffic in Heavy Direction	
			Car	Truck	Bus	Jeepney	Others	Total						% of Bus/ Jpy.
AURORA BLVD. EDSA - Airport Ave.		1.2	38,700	1,400	1,600	1,500	500	43,600	7.1	6.2	17 - 19	4.2	54.9	
AIRPORT ROAD Roxas Blvd. - Quirino Ave. Quirino Ave. - Nichols Nichols - Nichols/Mckinley Nichols/Mckinley - SSH		1.0 2.5 1.5 1.1												
DOMESTIC Airport Ave. - MIA Rd.		1.1												
MIA ROAD Roxas Blvd. - Imelda Ave.		1.0	32,100	700	5,400	8,900	100	47,200	30.3	6.6	17 - 19	6.5	69.1	
IMELDA AVE. MIA Rd. - Multinational Multinational - Sucat Rd.		1.0 2.5												
NAGA ROAD Quirino - National Hiway		4.4												
MARCOS ALVAREZ National Hiway - Cavite/L.P. Boundary		2.4												
DON MANOLO National Hiway - A. Aguirre		2.1												
A. AGUIRRE Dallas - Sucat Rd.		4.9												
DON JESUS Don Manolo - SSH		1.7												

TRAFFIC DATA

ROAD SECTION	Corridor/Road Name	Length Kms.	AVERAGE DAILY TRAFFIC (ADT)					PEAK HOUR TRAFFIC				Remarks		
			TRAFFIC VOLUME					Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction			
			Car	Truck	Bus	Jeepney	Others						Total	% of Bus/ Jpy.
GREEN HEIGHTS	Sucat Rd. - Opa	1.1												
DONA SOLEDAD	SSH - Russia	2.2												
ARMSTRONG	Imelda - SSH	4.2												
SERVICE ROAD (R)	Nichols/McKinley - Nat'l Rd.	12.0												
SERVICE ROAD (L)	Magallanes - Nat'l Rd.	13.2												
MIA ROAD	Quirino Ave. - MIA	1.1	31,100	1,100	1,000	4,700	0	37,900	20.3	5.9	7 - 9	3.3	51.0	
T. CLAUDIO	Roxas Blvd. - Quirino Ave.	0.4									7 - 9	0	100.0	
LEVERIZA	Remedio - Rizal Memorial	0.8									17 - 19	2.1	(53.2)	
	Vito Cruz - Buendia	0.7									17 - 19	0	(55.0)	
	Buendia - Libertad	0.3									17 - 19	0	(55.0)	
PARK AVENUE	Libertad - Mexico Rd.	1.0									17 - 19	0	(55.0)	
A. LUNA	Buendia - Libertad	0.7									17 - 19	0	(55.0)	
ADRIATICO	P. Faura - P. Gil	0.5									17 - 19	0	(55.0)	
	P. Gil - P. Quirino	0.3									17 - 19	0	(55.0)	
	P. Quirino - Vito Cruz	0.6									17 - 19	0	(55.0)	



TRAFFIC DATA

ROAD SECTION Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC			Remarks	
		T R A F F I C V O L U M E						hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle		% Traffic in heavy Direction
		Car	Truck	Bus	Jeepney	Others	Total					
DOMINGA Vito Cruz - Buendia	1.0								17 - 19	0	(55.0)	
P. BURGOS Buendia - Libertad	0.7								17 - 19	0	(55.0)	
ZAMORA Libertad - EDSA	1.0								17 - 19	0	(55.0)	
DEL PAN BR.	0.2	24,500	4,100	200	3,600	0	32,400	11.8	17 - 19	0.3	57.5	
JONES BRIDGE	0.1	17,400	200	200	5,900	200	23,900	25.5	7 - 9	1.1	67.5	
MCARTHUR BRIDGE	0.1	8,800	100	1,200	28,600	100	38,800	76.9	7 - 9	2.9	50.3	
QUEZON BRIDGE	0.1	39,300	1,200	5,800	24,400	100	70,800	42.7	7 - 9	5.3	51.2	
AYALA BRIDGE	0.1	39,400	2,300	3,500	200	100	45,500	8.3	7 - 9	5.2	54.3	
NAGTAHAN BRIDGE	0.2	54,300	1,900	100	600	100	57,000	1.3	7 - 9	0.2	52.9	
ARAGON A. Mendoza - Dimasatang	0.4	16,100	1,200	700	3,700	100	21,800	20.3	7 - 9	5.7	57.0	
V. FUGUSO T. Mapua - Andalucia	0.2	3,400	100	200	100	600	4,400	480.5	7 - 9	3.2	63.2	

TRAFFIC DATA

ROAD SECTION	Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)						PEAK HOUR TRAFFIC				Remarks	
			TRAFFIC VOLUME						Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle	% Traffic in Heavy Direction		
			Car	Truck	Bus	Jeepney	Others	Total						
BAMBANG	Rizal Ave. - Andaluacia Rizal Ave. - J.A. Santos	0.2 0.7	8,400 8,400	100 300	100 100	100 100	0 0	8,700 8,900	139.8 190.3	7.7 7.1	7 - 9 7 - 9	4.2 4.6	57.9 55.9	
LOPE DE VEGA	P. Guevarra - Rizal Ave.	0.1	2,200	100	100	500	0	2,900	9.7	7.0	7 - 9	2.0	22.1	
ANTIPOLO	P. Guevarra - F. Huertas	0.1									7 - 9	0	100.0	
F. HUERTAS	Antipolo - Tayuman	1.0									7 - 9	0	100.0	
OROQUIETA	Antipolo - Tayuman	0.1									7 - 9	0	100.0	
T. MAPUA	Cavite - Laguna V. Fugoso - C.M. Recto C.M. Recto - McArthur Br.	0.3 0.4 0.7									7 - 9 7 - 9 7 - 9	0 0 0	(55.0) (55.0) (55.0)	
CAVITE	Rizal Ave. - Dimasalang Rizal Ave. - J.A. Santos	0.2 0.4									7 - 9 7 - 9	0 0	(55.0) (55.0)	
LAGUNA	Ipil - F. Huertas	0.4	1,700	100	100	3,400	0	5,300	3.5	7.4	7 - 9	2.3	(55.0)	
BATANGAS	Ipil - F. Huertas	0.3									7 - 9	4.7	(55.0)	
BUGALLON	Cavite - J.A. Santos	0.3										0	(55.0)	

TRAFFIC DATA

ROAD SECTION Corridor/Road Name	Length :Kms.	AVERAGE DAILY TRAFFIC (ADT)					PEAK HOUR TRAFFIC			Remarks	
		TRAFFIC VOLUME					Hour Ratio % to ADT	Peak Hr. Period	% of Heavy Vehicle		% Traffic in Heavy Direction
		Car	Truck	Bus	Jeepney	Others Total					
3rd AVE. Rizal Ave. Ext. - D. Aquino	0.3							17 - 19	10.1	59.4	
5th AVE. Rizal Ave. - D. Aquino	0.3							17 - 19	10.1	59.4	
6th AVE. Rizal Ave. Ext. - A. Bonifacio	1.0							17 - 19	7.7	36.5	
A. DEL MUNDO 3rd Ave. - 10th Ave.	1.0							17 - 19	7.9	36.5	
P. SEVILLA 3rd Ave. - 10th Ave.	1.0							17 - 19	7.9	36.5	
5th St. 10th Ave. - EDSA	0.3							7 - 9	7.7	36.5	
P. GUEVARRA Blumentritt - Antipolo	0.2										



### **B.3 Traffic Capacity**



TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)	Daily	Peak Hour		
ROXAS BLVD.:										
Del Pan Bridge - P. Burgos	1.5	24.0 (6)	54,000	900	6,621	1,185	1.26	1.32		
P. Burgos - P. Quirino	2.3	28.0 (8)	72,000	900	6,621	1,185	0.94	1.32		
P. Quirino - V. Cruz	0.6	40.0 (6)	54,000	900	6,761	855	1.27	0.95		
V. Cruz - Redemptorist	3.1	28.0 (6)	54,000	900	3,942	771	1.27	0.86		
Redemptorist- MIA Road	1.5	41.0 (6)	54,000	900	4,292	1,093	0.89	1.14		
QUIRINO AVE.:										
Redemptorist- MIA Road	1.6	14.0 (4)	36,000	720	2,134	685	0.51	0.95		
MIA Road - Real	7.4	11.1 (2)	12,000	1,040	3,476	3,476	2.96	3.34		
TAFT AVE.:										
Lawton - City Hall	0.6	32.0 (8)	72,000	900	6,790	934	0.90	1.04		
City Hall - Remedios	2.0	27.0 (8)	72,000	900	6,777	932	0.90	1.04		
Remedios - P. Quirino	0.3	26.3 (8)	72,000	900	6,762	945	0.63	1.05		
P. Quirino - Buendia	0.9	13.8 (4)	36,000	900	2,877	757	0.84	0.85		
Buendia - EDSA	4.6	13.0 (4)	36,000	900	2,534	908	1.04	1.01		
SOUTH SUPERHIGHWAY										
Pres. Quirino - EDSA	4.5	30.0 (6)	54,000	900	6,181	1,115	1.35	1.24		
EDSA - Muntinlupa	29.5	30.0 (6)	54,000	900	3,898	1,095	0.49	1.22		
BUENDIA:										
Roxas Blvd. - Taft Ave.	0.8	14.4 (4)	36,000	900	1,984	573	0.75	0.64		
Taft Ave. - SSH	0.6	14.4 (4)	36,000	720	3,846	1,017	1.43	1.41		
SSH - Ayala Ave.	0.9	24.0 (6)	54,000	900	3,707	712	0.57	0.79		
Ayala Ave. - EDSA	2.0	20.2 (6)	54,000	900	4,655	853	0.57	0.95		
AYALA AVE.										
Buendia - EDSA	1.9	26.4 (8)	72,000	900	4,655	801	0.43	0.90		
SHAW BLVD.:										
R. Magsaysay - Sta. Mesa	0.3	21.0 (6)	54,000	900	5,128	940	1.19	1.04		
Sta. Mesa - P. Sanchez	0.3	10.4 (2)	12,000	1,040	5,128	2,820	5.37	2.71		
P. Sanchez - EDSA	3.2	16.8 (4)	36,000	900	3,806	1,047	1.04	1.16		

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carrigeaway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)			Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)	Daily Hour	Peak Hour			
EDSA - W. Capitol Drive W. Capitol Dr. - Dr. S. Antonio	1.4 0.7	20.5 (6) 16.5 (4)	54,000 36,000	900 720	28,800 28,800	4,043 4,043	741 1,112	0.53 0.80	0.82 1.54		
ORTIGAS AVE.:											
Aurora Blvd. - Santolan	1.0	14.0 (4)	36,000	720	21,000	3,251	894	0.58	1.24		
Santolan - Roosevelt	0.5	18.0 (4)	36,000	900	51,500	3,775	1,038	1.43	1.15		
Roosevelt - EDSA	1.8	23.0 (4)	36,000	900	51,500	3,775	1,038	1.43	1.15		
EDSA - Dr. S. Antonio	2.6	18.0 (4)	36,000	900	37,900	3,775	1,038	1.05	1.15		
Dr. S. Antonio - Cainta Junc.	2.1	7.0 (2)	12,000	1,040	37,900	3,775	2,076	3.16	2.00		
C. M. RECTO:											
Del Pan - Asuncion	0.3	8.0 (2)	12,000	1,040	26,100	3,121	1,841	2.18	1.77		
Asuncion - J. Luna	0.3	36.6 (10)	90,000	900	26,100	3,834	403	0.29	0.45		
J. Luna - J.A. Santos	0.5	23.0 (6)	54,000	900	35,400	3,834	672	0.66	0.75		
J.A. Santos - Rizal Ave.	0.7	23.0 (6)	54,000	900	20,200	6,293	1,452	0.37	1.61		
Rizal Ave. - Quezon Blvd.	0.3	23.0 (6)	54,000	900	16,400	6,293	1,452	0.30	1.61		
Quezon Blvd. - Legarda	0.9	23.0 (6)	54,000	900	31,900	3,031	506	0.59	0.56		
R. MAGSAYSAY:											
C.M. Recto - Nagtahan	1.0	16.8 (4)	36,000	900	32,700	3,221	883	0.91	0.98		
Nagtahan - V. Mapa	1.7	24.0 (6)	54,000	900	64,400	5,128	1,051	1.19	1.17		
AURORA BLVD.:											
V. Mapa - F. Roman	0.9	21.0 (6)	54,000	900	51,000	3,565	642	0.94	0.71		
F. Roman - EDSA	3.6	12.0 (4)	36,000	900	39,100	3,251	1,032	1.09	1.15		
EDSA - 20th Ave.	1.3	14.0 (4)	36,000	900	50,400			1.40			
20th Ave. - A. Bonifacio	1.8	9.0 (2)	12,000	1,040	50,400			4.20			
E. RODRIGUEZ:											
Welcome Rtda. - C. Benitez	5.1	12.4 (4)	36,000	720	44,000	6,882	1,892	1.22	2.53		
LERMA/ESPANA											
Andalucia - P. Paredes	0.3	23.2 (4)	36,000	900	79,800	4,261	1,212	2.22	1.35		
ESPANA:											
P. Paredes - Welcome Rtda..	2.0	24.8 (8)	72,000	900	75,500	5,620	875	1.05	0.97		



TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/hr)	ADT	Peak Hour (PCU/Lane/Hr)	Daily Hour	Peak Hour		
QUEZON AVE.: Welcome Rtda. - EDSA	4.6	25.0 (8)	72,000	900	53,300	4,347	598	0.74	0.66	
MARCOS AVE.: EDSA - Asian Inst. of Tourism Asian Inst. of Tourism - IPO Rd.	2.3 12.2	25.0 (8) 22.0 (6)	54,000 36,000	900 900	14,900 14,900	2,348 2,837	323 520	0.21 0.28	0.36 0.58	
QUEZON BLVD. Quezon Brg. - C.M. Recto	0.4	18.0 (4)	36,000	900	31,200	6,360	1,952	0.87	2.17	
ANDALUCIA C.M. Recto - Laon-Laan	0.9	18.0 (4)	36,000	900	31,200	4,250	1,226	0.87	1.36	
LAON-LAAN Andalucia - A. Mendoza	0.3	12.0 (2)	12,000	1,040	18,500	922	361	1.54	0.35	
A. BONIFACIO Laon-Laah - Blumentritt Blumentritt - Del Monte Del Monte - EDSA	1.3 1.3 1.3	14.6 (4) 17.5 (4) 22.5 (6)	36,000 36,000 54,000	900 900 900	15,300 15,300 15,300	3,097 2,610 2,610	989 478 478	0.43 0.43 0.28	1.10 0.53 0.53	
N. DIVERSION ROAD: EDSA - Valenzuela	5.8	24.6 (4)	36,000	900	27,600			0.77		
QUIRINO HIGHWAY: N. Diversion Rd. - BAESA Baesa - Susano Rd.	1.2 7.4	8.0 (2) 16.0 (4)	12,000 36,000	1,040 900						
RIZAL AVE.: McArthur Br. - D. M. Recto C.M. Recto - Tayuman Tayuman - Rizal Ave. Ext. Rizal Ave. - EDSA	0.4 1.8 1.3 2.4	15.0 (4) 15.0 (4) 15.0 (4) 20.0 (6)	36,000 36,000 36,000 54,000	720 720 720 900	23,200 27,600 29,200 60,500	3,788 8,282 2,923 4,836	1,185 2,389 802 833	0.64 0.77 0.81 1.12	1.65 3.32 1.11 0.93	

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)			Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)	Daily Hour	Peak Hour			
J.A. SANTOS C.M. Recto - Tayuman Tayuman - Rizal Ave. Ext.	1.2	25.7 (6)	54,000	900	20,400	2,622	523	0.38	0.58		
	1.7	26.4 (6)	54,000	900	43,300	3,345	663	0.80	0.74		
REINA REGENTE Binondo - C.M. Rector	0.6	16.5 (4)	36,000	720	32,900	1,998	552	0.91	0.77		
DAPITAN Andalucia - A. Mendoza	0.5	8.4 (2)	18,000	720	45,100			2.51			
MCARTHUR HI-WAY EDSA-Mal-Val Bridge Mal-Val Br. - Meycauyan Junc	2.9	12.4 (4)	36,000	900	45,100	4,053	1,376	1.25	1.91		
	5.2	14.0 (4)	36,000	720	45,100	4,053	1,376	1.25	1.91		
JUAN LUNA Jones Br - Binondo Binondo - C.M. Recto C.M. Recto - Tayuman Tayuman - Solis Solis - EDSA	0.6	12.0 (2)	18,000	720	7,200	663	663	0.40	0.92		
	0.6	12.0 (2)	18,000	720	7,200	663	663	0.40	0.92		
	1.4	12.0 (2)	18,000	720	5,400	324	324	0.30	0.45		
	1.1	16.2 (4)	36,000	720	31,300	3,315	974	0.87	1.35		
	3.5	11.3 (2)	12,000	1,040	11,000	3,849	2,117	0.92	2.04		
TAYUMAN J. Luna - J.A. Santos J.A. Santos - Rizal Ave.	0.9	8.7 (2)	12,000	1,040	14,600	1,478	745	1.22	0.72		
	0.5	8.7 (2)	12,000	1,040	23,200	1,478	745	1.93	0.72		
GOV. FORBES Rizal Ave. - Laong Laan Laong Laan - España España - R. Magsaysay	0.8	18.0 (4)	36,000	900	21,000	2,093	546	0.58	0.61		
	0.5	18.0 (4)	36,000	900	45,800	2,850	740	1.27	0.92		
	1.1	26.0 (6)	54,000	900	34,700	2,416	443	0.64	0.49		
PRES. QUIRINO R. Magsaysay - SSH SSH - Taft Ave. Taft Ave. - Roxas Blvd.	2.7	1.0 (6)	54,000	900	55,300	4,663	948	1.02	1.05		
	0.9	16.4 (4)	36,000	900	40,700	4,148	1,323	1.13	1.47		
	1.1	16.4 (4)	36,000	900	21,800	2,534	808	0.61	0.90		

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio Daily	Vol/Cap. Ratio Peak Hour	Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT (PCU/Hour)	Peak Hour (PCU/Lane/Hr)				
<b>SAMSON ROAD:</b>										
Sangandaan - Rizal Ave. Ext.	1.3	15.0 (4)	36,000	720	16,300	2,506	0.45	1.11		
<b>EDSA</b>										
Rizal Ave. Ext. - A. Bonifacio	1.5	36.0 (6)	54,000	900	29,200	1,743	0.54	0.35		
A. Bonifacio - Quezon Ave. Ext.	4.3	24.0 (6)	54,000	900	48,100	1,743	0.89	0.35		
Quezon Ave. Ext. - Southeast	1.4	24.0 (6)	54,000	900	44,100	1,743	0.82	0.35		
Southeast - Aurora Blvd.	1.4	40.0 (10)	90,000	900	74,600	1,743	0.83	0.21		
Aurora Blvd. - P. Tuazon	2.5	35.6 (8)	72,000	900	80,600	6,509	1.12	0.99		
P. Tuazon - Ortigas	2.7	35.6 (8)	72,000	900	80,600	6,509	1.12	0.99		
Ortigas - Buendia	3.1	35.6 (8)	72,000	900	89,900	4,568	1.39	0.70		
Buendia - SSH	4.0	24.0 (6)	54,000	900	57,900	2,095	1.07	0.43		
SSH - Taft Ave.	1.6	36.0 (8)	72,000	900	86,100	3,918	1.20	0.60		
<b>REDEMPTORIST</b>										
Mexico Rd - Roxas Blvd.	0.3	14.0 (4)	36,000	720	6,800	556	0.14	0.26		
<b>MEXICO ROAD</b>										
Taft Ave. - Redemptorist	0.8	13.0 (4)	36,000	720	47,300	1,940	1.31	0.72		
<b>PEDRO GIL</b>										
Roxas Blvd. - Taft Ave.	0.9	10.1 (2)	12,000	1,040	14,200	1,288	1.18	0.68		
Taft Ave. - Pres. Quirino	1.1	10.5 (2)	12,000	1,040	15,500	1,226	1.29	0.65		
Pres. Quirino - Tejeron	1.1	12.1 (2)	12,000	1,040	32,700	1,226	2.73	0.65		
<b>J.P. Rizal</b>										
P. Gil - EDSA	4.1	9.0 (2)	12,000	1,040	26,400	1,768	2.20	0.93		
EDSA - West Rembo	1.8	15.0 (4)	36,000	720	20,000	1,013	0.56	0.39		
West Rembo - So. Cembo	1.7	6.5 (2)	12,000	1,040	20,000	1,013	1.67	0.54		
<b>A. MADINI</b>										
T.M. Kalaw - Pedro Gil	0.9	9.0 (2)	18,000	720	1,779	1,779	2.47			
Pedro Gil - Pres. Quirino	1.1	9.0 (2)	18,000	720	1,138	1,138	1.58			

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)			Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	(PCU/Hour)	Peak Hour (PCU/Lane/Hr)	Daily Hour	Peak Hour		
F.B. HARRISON : Pres. Quirino - Buendia Buendia - Libertad Libertad - Mexico Road	1.4 0.7 1.5	9.0 (2) 10.1 (2) 10.1 (2)	12,000 12,000 12,000	1,040 1,040 1,040	17,000 19,300 9,700	2,425 1,917 474	2,163 1,434 261	1.42 1.61 0.81	2.08 1.38 0.25		
P. BURGOS Roxas Blvd - Orosa Orosa - Taft Ave.	0.8 0.8	21.0 (6) 14.0 (4)	54,000 54,000	900 900	41,500 65,700	2,740 6,134	548 1,184	0.77 1.22	0.61 1.32		
AYALA BLVD. Taft Ave. - Ayala Bridge	0.8	23.0 (6)	36,000	900	29,600	1,945	671	0.82	0.75		
P. CASAL Ayala Br - Arlegui	0.9	14.0 (4)	36,000	900	56,600	4,476	1,166	1.57	1.30		
LEGARDA Arlegui - C.M. Recto	0.5	18.0 (4)	36,000	900	34,500	4,531	1,228	0.96	1.36		
AURORA BLVD. Dimasalang - Rizal Ave. Ext.	0.9	18.0 (6)	54,000	900	42,000	3,087	866	0.78	0.96		
PEDRO GIL Tejeron - Calderon	0.9	12.2 (2)	12,000	1,040	32,600	2,566	1,504	2.72	1.45		
NEW PANADEROS Calderon - Panaderos Br.	2.3	9.0 (2)	12,000	1,040	24,400	1,970	1,149	2.03	1.10		
GEN. KALENTONG Panaderos Br - Shaw Blvd.	1.5	14.0 (4)	36,000	720	25,500	2,065	743	0.71	1.03		
REAL Quirino Ave. - SSH	10.0	6.9 (2)	12,000	1,040							

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio	Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT (PCU/Hour)	Peak Hour (PCU/Lane/Hr)			
NATIONAL ROAD SSH - Muntinlupa	5.0	14.0 (4)	36,000	720					
DR. A. SANTOS Quirino Ave. - SSH	7.6	7.3 (2)	12,000	1,040					
BAGUMBAYAN Sucat - Pres. M. L. Quezon	4.4	6.1 (2)	12,000	920					
PRES. M.L. QUEZON Bagumbayan - Nat'l Road	4.5	6.1 (2)	12,000	920					
UPPER BICUTAN SSH - PRES. M.L. Quezon	1.5	6.1 (2)	12,000	920					
ALMEDA/J. LUNA Pres. M.L. Quezon - Dr. S. Antonio	4.8	7.0 (2)	12,000	1,040					
DR. SIXTO ANTONIO Juan Luna - Ortigas Ave.	3.0	9.4 (2)	12,000	1,040					
A. RODRIGUEZ Ortigas Ave. - Marcos Hi-way	2.7	7.0 (2)	12,000	1,040					
A. BONIFACIO Marcos Hiway - Sumulong	6.6	12.0 (4)	36,000	900					
DR. J.P. RIZAL Sumulong - San Mateo Marcos Hiway - Sumulong Hiway	4.3 1.8	7.0 (2) 7.0 (2)	12,000 12,000	1,040 1,040					
MARCOS HI-WAY Aurora Blvd. - Sumulong Hiway	5.6	20.0 (4)	36,000	1,300					

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Yo1/Cap. Ratio	Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT (PCU/Hour)	Peak Hour (PCU/Lane/Hr)			
E. RODRIGUEZ AVE.									
Pasig Blvd. - Doña J. Vargas	0.9	16.0 (4)	36,000	720					
Doña J. Vargas - Ortigas Ave.	2.1	32.0 (6)	54,000	900					
Ortigas Ave. - Santolan	3.2	10.0 (2)	12,000	1,400					
SANTOLAN RD.									
E. Rodriguez - Katipunan	2.2	9.0 (2)	12,000	1,040					
KATIPUNAN									
Santolan - Aurora Blvd.	2.0	12.3 (4)	36,000	720					
Aurora Blvd. - Marcos Ave.	2.5	12.3 (4)	36,000	720					
LUZON AVE.									
Marcos Ave. - Fairview Ave.	4.6	10.0 (2)	12,000	1,040					
TORRES BUGALLO									
McArthur Hiway - N. Div. Rd.	4.2	7.0 (2)	12,000	1,040					
STA. QUITERIA									
N. Div. Rd. - Quirino Hiway	2.1	6.0 (2)	12,000	690					
TANDANG SORA									
Quirino Hiway - Katipunan	5.6	10.2 (2)	12,000	1,040					
MAYSAN ROAD									
McArthur Hiway - N. Div. Rd.	3.2	6.5 (2)	12,000	920					
GENERAL LUIS									
N. Div. Rd. - Quirino Hiway	5.4	6.5 (2)	12,000	920					
NOVALICHES - IPO									
Gen. Luis - Sapang Palay	6.9	6.0 (2)	12,000	690					
REGALADO									
Nov. IPO Rd. - Fairview Ave.	4.5	20.0 (4)	12,000	720					

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT (PCU/Hour)	Peak Hour (PCU/Lane/Hr)	Daily	Hour		
LITEX ROAD Fairview Ave. - Montalban	5.9	10.0 (2)	12,000	1,040						
A. MABINI Samson Rd. - Gov. Santiago	1.3	6.2 (2)	12,000	920						
GOV. SANTIAGO A. Mabini - McArthur Hiway	1.1	6.8 (2)	12,000	1,040						
CONGRESSIONAL EDSA - Mindanao Rd.	3.4	20.0 (4)	36,000	900						
MINDANAO AVE. EDSA - Tandang Sora	2.6	20.0 (6)	54,000	900						
VISAYAS AVE. Elliptical Rd. - Tandang Sora	2.4	20.0 (4)	36,000	900						
ROOSEVELT EDSA - Del Monte Del Monte Ave. - Quezon Ave.	2.0 1.0	15.5 (4) 9.0 (2)	36,000 12,000	720 1,040	26,000 25,200	2,081 2,075	521 1,230	0.72 2.10	0.72 1.18	
GEN. ARANETA Aurora Blvd. - E. Rodriguez E. Rodriguez - Quezon Ave. Quezon Ave. - Del Monte	1.5 1.0 1.4	15.0 (4) 7.5 (2) 8.7 (2)	36,000 12,000 12,000	900 1,040 1,040	23,800	1,617	483	0.66	0.54	
EAST AVE. EDSA - Marcos Ave.	1.8	23.5 (4)	36,000	720	44,300	3,393	896	1.23	1.24	
NORTH AVENUE EDSA - Marcos Ave.	1.5	14.0 (4)	36,000	720	19,900	1,769	502	0.55	0.70	

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)	Daily	Hour		
TIMOG AVE. EDSA - Quezon Ave.	2.0	18.0 (4)	36,000	720	26,800	1,766	475	0.74	0.66	
WEST AVE. EDSA - Quezon Ave.	2.1	15.0 (4)	36,000	720	24,000	814	407	0.67	0.56	
H. LOPEZ BLVD. J. Luna - Dagat-Dagatan Dagat-Dagatan - Estrella	1.9 2.3	14.0 (4) 8.0 (2)	36,000 12,000	720 1,040						
10th Ave. 8th St. - A. Mabini	1.8	11.0 (2)	12,000	1,040	14,700	1,150	598	1.23	0.57	
HEROES DEL '96 Samson Rd. - W 10th Ave.	0.7	7.0 (2)	12,000	1,040		2,532	1,393		1.34	
8th ST. EDSA - 7th Ave.	0.9	7.0 (2)	12,000	1,040		4,684	2,576		2.48	
7th Ave. Rizal Ave. Ext. - A. Bonifacio	1.1	7.0 (2)	12,000	1,040	11,700	895	492	0.98	0.47	
4th Ave. Rizal Ave. - A. Mabini	0.8	6.0 (2)	12,000	690		5,978	3,288		4.77	
HERMOSA J.A. Santos - J. Luna	0.6	10.0 (2)	12,000	1,040		635	624		0.60	
PAMPANGA J. Luna - Earnshaw	0.3	12.0 (2)	12,000	1,040						
EARNSHAW J. Luna - H. Lopez Blvd.	0.6	7.0 (2)	12,000	1,040						



TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio	Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)			
MORIONES									
J. Luna - Sande	0.1	8.4 (2)	12,000	1,040	23,000	1,598	1.92	0.85	
Sande - Sta. Maria	0.3	16.0 (4)	36,000	900	1,511	879		0.59	
Santa Maria - Marcos Rd.	0.8	22.0 (6)	54,000	900		427			
C. PALANCA									
McArthur Br. - Ayala Br.	0.9	13.0 (4)	36,000	720	18,000		0.50		
ADUANA									
Jones Br. - Bonifacio Dr.	1.0	16.6 (4)	36,000	720					
ARLEGUI									
Quezon Blvd. - J. Nepumuceno	0.6	9.0 (2)	18,000	720					
CONCEPCION									
P. Burgos - Ayala Blvd.	0.5	13.5 (2)	12,000	1,040					
ROMUALDEZ									
Ayala Blvd. - Gen. Luna	1.1	9.0 (2)	12,000	1,040					
SN. MARCELINO									
Concepcion - P. Gil	1.2	10.0 (2)	12,000	1,040	13,900	1,116	1.16	1.07	
P. Gil - Sn Andres	0.8	10.0 (2)	12,000	1,040	11,900	848	0.99	0.81	
M.Y. OROSA									
P. Burgos - T.M. Kalaw	0.1	15.0 (4)	36,000	900	35,700	3,254	0.99	1.12	
T.M. KALAW									
Taft Ave. - Roxas Blvd.	0.9	25.0 (8)	72,000	900	34,500	3,788	0.48	0.63	
U.N. AVENUE									
Roxas Blvd. - P. Quirino	1.8	13.1 (4)	36,000	720	13,900	1,727	0.39	0.79	

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)	Daily Hour	Peak Hour		
PADRE FAURA Roxas Blvd. - Gen. Luna	0.6	11.0 (2)	18,000	720	9,400	741	0.52	1.03		
M.H. DEL PILAR T.M. Kalaw - P. Quirino	1.8	7.1 (2)	18,000	720	18,500	1,360	1.03	1.89		
P. QUIRINO U.N. Ave - Plaza Dilao	0.8	15.0 (4)	36,000	900	4,500	357	0.13	0.19		
PAS M. GUAZON U.N. Ave. - Nagtahan	0.8	12.0 (4)	36,000	720	19,400	1,734	0.54	0.73		
GENERAL LUNA Taft Ave. - P. Gil	1.1	9.9 (2)	12,000	1,040	23,400	490	1.95	0.47		
SINGALONG Gen. Luna - V. Cruz	1.6	10.0 (2)	12,000	1,040						
LEON GUINTO P. Faura - Buendia	3.0	12.0 (2)	12,000	1,040		1,178		0.62		
ZOBEL ROXAS Arellano - V. Cruz	0.5	13.0 (4)	36,000	900						
V. CRUZ Roxas Blvd. - Taft Ave. Taft Ave. - Pasong Tamo Pasong Tamo - Ayala	0.8 2.0 0.9	10.0 (2) 11.2 (2) 7.8 (2)	12,000 12,000 12,000	1,040 1,040 1,040	15,500 26,000	1,422 1,660	1.29 2.17	0.75 1.60		
KAWAGONG Zobel Roxas - Buendia	0.9	7.8 (2)	18,000	720						
ESTRADA Taft Ave. - Bautista	4.8	8.0 (2)	12,000	1,040						

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)	Daily Hour	Peak Hour		
BAUTISTA Estrada - V. Cruz Zobel Roxas - Buendia	0.3 0.8	8.1 (2) 5.7 (2)	12,000 12,000	1,040 1,040						
SN. ANDRES P. Quirino - Zapiro	0.8	9.1 (2)	12,000	1,040						
A. FRANCISCO Zapiro - Tejeron	1.0	10.5 (2)	12,000	1,040						
PASIG LINE Pedro Gil - Pasong Tamo Pasong Tamo - Makati Ave.	1.5 1.7	7.5 (2) 7.5 (2)	12,000 12,000	1,040 1,040						
PASONG TAMO EDSA - Pasay Rd. Pasay Rd. - Buendia Buendia - Kamagong Kamagong - J. P. Rizal	1.0 1.0 0.1 0.1	13.0 (2) 13.0 (2) 11.0 (2) 11.0 (2)	12,000 12,000 12,000 12,000	1,040 1,040 1,040 1,040	14,100 15,700	1,137 1,070	569 603	1.18 1.31	0.55 0.58	
LIBERTAD Roxas Blvd. - Taft Ave. Taft Ave. - SSH SSH - EDSA	0.5 1.1 1.5	7.0 (2) 7.0 (2) 13.1 (4)	12,000 12,000 36,000	1,040 1,040 720	14,100 14,500 42,500	1,030 1,163 9,402	566 639 2,694	1.18 1.21 1.18	0.54 0.61 3.74	
PASEO DE ROXAS Pasay Rd. - Buendia	1.1	17.0 (4)	36,000	720	34,600	2,104	756	0.96	1.05	
MAKATI AVE. Pasay Rd. - Ayala Ave. Ayala Ave. - Buendia Buendia - J.P. Rizal	0.9 0.4 0.8	18.0 (6) 20.0 (6) 13.1 (4)	54,000 54,000 36,000	900 900 720	37,000 39,700 12,300	2,411 2,927 897	464 542 266	0.69 0.74 0.34	0.52 0.60 0.37	
REPOSO Metropolitan - J.P. Rizal	0.3	10.0 (2)	12,000	1,040						

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol./Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)	Daily	Peak Hour		
Laura/Carreon Nagtahan - Pedro Gil	1.9	11.0 (2)	12,000	1,040	24,300	1,995	2.03	1.60		
D. Tuazon Sgt. E. Rivera - E. Rodriguez Jr.	3.1	12.1 (4)	36,000	720						
MAYON Del Monte - España	2.3	11.8 (2)	12,000	1,040	50,500	2,780	4.21	1.80		
BLUMENTRITT Rizal Ave. - Aurora Blvd.	0.8	10.0 (2)	12,000	1,040						
RETIRO Dimasalang - Talayan Talayan - Del Monte	2.3 1.7	6.8 (2) 6.8 (2)	12,000 12,000	1,040 1,040						
DEL MONTE A. Bonifacio - Roosevelt Roosevelt - West Ave.	2.5 1.1	15.2 (4) 6.7 (2)	36,000 12,000	720 1,040	19,500 10,100	1,605 792		0.54 0.84	0.71 0.41	
BANAUÉ Sgt. E. Rivera - E. Rodriguez E. Rodriguez - G. Tuazon	3.3 0.4	13.0 (2) 13.0 (2)	12,000 12,000	1,040 1,040						
LAONG-LAAN Dimasalang - Mayon	1.4	12.0 (2)	12,000	1,040						
DAPITAN A. Mendoza - Mayon	1.5	8.4 (2)	12,000	1,040	14,200	1,298	1.18	1.25		
M. DELA FUENTE Dimasalang - R. Magsaysay	2.2	10.0 (2)	12,000	1,040						
V. G. CRUZ Dimasalang - R. Magsaysay	2.2	9.0 (2)	12,000	1,040						

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT (PCU/Hour)	Peak Hour (PCU/Lane/Hr)	Daily Hour	Peak Hour		
G. TUAZON										
A. Mendoza - E. Quintos	0.7	9.0 (2)	12,000	1,040						
E. Quintos - Santol	0.9	7.0 (2)	12,000	1,040						
Santol - R. Magsaysay	0.6	7.0 (2)	12,000	1,040						
ROCES AVE.										
Quezon Ave. - T. Morato	3.5	14.7 (4)	36,000	900	20,200	1,245	341	0.56	0.38	
T. MORATO										
E. Rodriguez - Roces Ave.	0.5	20.1 (6)	54,000	720	54,600	3,766	730	1.01	1.01	
Roces Ave. - Timog Ave.	0.7	12.0 (4)	36,000	720	19,000	1,307	503	0.53	0.70	
KAMUNING										
T. Morato - EDSA	1.4	9.1 (2)	12,000	1,040	25,800	2,001	1,120	2.15	1.08	
NEW YORK										
E. Rodriguez - EDSA	0.5	7.0 (2)	12,000	1,040						
HEMADY										
E. Rodriguez - Aurora Blvd.	1.1	10.0 (2)	12,000	1,040		3,251	1,788		1.72	
GILMORE										
E. Rodriguez - Aurora Blvd.	1.2	10.0 (2)	12,000	1,040		998	549		0.53	
DOÑA RODRIGUEZ										
E. Rodriguez - N. Domingo	1.4	10.0 (2)	12,000	1,040		1,512	832		0.80	
N. Domingo - Ortigas	0.6	10.0 (2)	12,000	1,040						
OLD STA. MESA										
R. Magsaysay - N. Domingo	0.5	11.1 (2)	12,000	1,040	21,600	2,197	1,386	1.80	1.33	
N. Domingo - F. Roman	0.1	8.0 (2)	12,000	1,040	22,300	1,929	970	1.86	0.93	
Roman - Aurora Blvd.	0.4	7.4 (2)	12,000	1,040	15,400	1,355	856	1.28	0.82	
BLUMENTRITT										
N. Domingo - A. Bonifacio	0.8	12.0 (4)	36,000	720						
A. Bonifacio - P. Sanchez	0.1	7.0 (2)	12,000	1,040						

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY (Vehicles/Day)(PCU/Lane/Hr.)		TRAFFIC (PCU)		Vol/Cap. Ratio Peak Hour	Observed Travel Speed KPH	Remarks
			ADT	Peak Hour	ADT	Peak Hour			
<b>WILSON</b> Blumentritt - S. Barcelo - S. Barcelo - Ortigas	1.1 1.5	14.1 (4) 14.1 (4)	36,000 36,000	720 720					
<b>VALENZUELA</b> Old Sta. Mesa - V. Mapa	0.3	9.0 (2)	12,000	1,040	21,500	1.79			
<b>PINAGLABANAN</b> N. Domingo - F. Rojas F. Rojas - Valentina Dr. Valentina Dr. - Eisenhower Eisenhower - EDSA	0.3 1.8 0.8 0.6	9.0 (2) 14.0 (4) 8.2 (2) 14.0 (4)	12,000 36,000 12,000 36,000	1,040 720 1,040 720	41,900 53,900 44,900	3.49 1.50 3.74	0.88 1.01 0.68 1.36		
<b>P. TUAZON</b> N. Domingo - EDSA	1.1	7.0 (2)	12,000	1,040					
<b>BONI AVE.</b> G. Kalentong - A.T. Reyes A.T. Reyes - EDSA	0.5 2.9	7.0 (2) 14.4 (4)	12,000 36,000	1,040 900					
<b>M. NAVAL</b> Estrella - A. Cruz	0.9	7.0 (2)	12,000	1,040					
<b>GEN. LUNA</b> Rizal Ave. - Gov. Pascual Gov. Pascual - M. Blas M. Blas - Pinagkabalian Pinagkabalian - Panghulo Panghulo - M. H. del Pilar	1.4 1.0 1.0 1.4 0.4	6.0 (2) 6.0 (2) 6.0 (2) 6.0 (2) 6.0 (2)	12,000 12,000 12,000 12,000 12,000	690 690 690 690 690					
<b>PANGHULO</b> M.H. del Pilar - Pinagkabalian	1.5	7.0 (2)	12,000	1,040					
<b>RODRIGUEZ</b> Panghulo - M.H. del Pilar	0.1	7.0 (2)	12,000	1,040					

TRAFFIC CAPACITY

Corridor/Road Name	Length : Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio		Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/hr)	ADT (PCU/hour)	Peak Hour (PCU/Lane/Hr)	Daily Hour	Peak Hour		
M.H. DEL PILAR										
Rodriguez - P. Valenzuela	2.8	7.0 (2)	12,000	1,040						
P. Valenzuela - Pasolo	0.5	7.0 (2)	12,000	1,040						
Pasolo - McArthur	1.2	7.0 (2)	12,000	1,040						
PASOLO										
M.H. Del Pilar - G. Santiago	2.9	7.0 (2)	12,000	1,040						
GOV. PASCUAL										
Gen. Luna - Sisa	1.9	7.4 (2)	12,000	1,040						
Sisa - McArthur	1.0	7.4 (2)	12,000	1,040						
ROAD I										
Mindanao - Visayan	0.8	10.0 (2)	12,000	1,040						
UNIVERSITY										
Don Marcos - Osmeña	0.4	8.0 (2)	12,000	1,040						
OSMEÑA										
University - Katipunan	0.3	10.0 (2)	12,000	1,040						
ROXAS										
University - Katipunan	0.5	10.6 (2)	12,000	1,040						
KALAYAAN										
Elliptical - Kamias	1.9	14.4 (4)	36,000	900						
V. Luna										
East Ave. - Anonas	0.9	12.0 (2)	12,000	1,040						
ANONAS										
Kalayaan - Aurora Blvd.	0.1	14.1 (2)	12,000	1,040						
KAMIAS										
EDSA - Anonas	1.4	11.8 (2)	12,000	1,040	23,300	1,652	946	1.94	0.91	

TRAFFIC CAPACITY

Corridor/Road Name	Length :kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol./Cap. Ratio Peak Hour	Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak hour (PCU/Lane/Hr)			
NEW YORK EDSA - Yale Yale - Santolan	0.8 2.0	7.0 (2) 12.0 (4)	12,000 36,000	1,040 720	1,308 1,766	766 532	0.74 0.74		
P. TUAZON EDSA - Katipunan	2.6	7.0 (2)	12,000	1,040					
SANTOLAN EDSA - KATIPUNAN Katipunan - EDSA	2.2 2.3	9.0 (2) 9.0 (2)	12,000 12,000	1,040 1,040	20,500 25,600		1.71 2.13		
BAYAN-BAYANAN Dr. J.P. Rizal - Liwasang Kalayaan	1.4	10.0 (2)	12,000	1,040					
KATIPUNAN Liwasang Kalayaan - Molina Molina - Sumulong Hiway	0.6 0.5	6.0 (2) 5.6 (2)	12,000 12,000	690 690					
C. RAYMUNDO Ortigas - Dr. S. Antonio	3.3	8.0 (2)	12,000	1,040					
MERALCO Ortigas - Capt. H. Javier Capt. H. Javier - Pasig Blvd.	0.5 1.1	14.0 (4) 19.2 (4)	36,000 36,000	720 900					
CAPT. H. JAVIER Meralco - Pasig Blvd.	0.8	14.0 (4)	36,000	720					
PIONEER EDSA - PASIG BLVD.	1.5	8.0 (2)	12,000	1,040					
MCKINLEY EDSA - Nichols/McKinley Nichols/McKinley - West Rembo	1.6 1.5	13.6 (2) 13.6 (2)	12,000 12,000	1,040 1,040	51,700 2,469	1,358	4.31 1.31		



TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio	Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT (PCU/Day)	Peak Hour (PCU/Lane/Hr)			
AURORA BLVD. EDSA - Airport Ave.	1.2	20.4 (6)	54,000	900	43,600	2,894	0.81	1.53	
AIRPORT ROAD Roxas Blvd. - Quirino Ave. Quirino Ave. - Nichols Nichols - Nichols/Mckinley Nichols/Mckinley - SSH	1.0 2.5 1.5 1.1	8.0 (2) 14.8 (4) 14.8 (4) 14.8 (4)	12,000 36,000 36,000 36,000	1,094 720 720 720					
DOMESTIC Airport Ave. - MIA Rd.	1.1	9.0 (2)	12,000	1,040					
MIA ROAD Roxas Blvd. - Imelda Ave.	1.0	20.0 (6)	54,000	720	47,200	3,746	0.87	1.20	
IMELDA AVE. MIA Rd. - Multinational Multinational - Sucat Rd.	1.0 2.5	14.0 (4) 7.2 (2)	36,000 12,000	900 1,040					
NAGA ROAD Quirino - National Hiway	4.4	10.0 (2)	12,000	1,040					
MARCOS ALVAREZ National Hiway - Cavite/L.P. Boundary	2.4	10.0 (2)	12,000	1,040					
DON MANOLO National Hiway - A. Aguirre	2.1	10.0 (2)	12,000	1,040					
A. AGUIRRE Dallas - Sucat Rd.	4.9	15.0 (2)	12,000	1,040					
DON JESUS Don Manolo - SSH	1.7	10.0 (2)	12,000	1,040					

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol./Cap. Ratio Peak Daily Hour	Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)			
GREEN HEIGHTS Sucat Rd. - Opal	1.1	14.0 (2)	12,000	1,040					
DOSA SOLEDAD SSH - Russia	2.2	10.0 (2)	12,000	1,040					
ARMSTRONG Imelda - SSH	4.2	12.0 (2)	12,000	1,040					
SERVICE ROAD (R) Nichols/McKinley - Nat'l Rd.	12.0	7.0 (2)	12,000	1,040					
SERVICE ROAD (L) Magallanes - Nat'l Rd.	13.2	7.0 (2)	12,000	1,040					
MIA ROAD Quirino Ave. - MIA	1.1	14.8 (4)	36,000	720	37,900	2,489	635	1.05	0.88
T. CLAUDIO Roxas Blvd. - Quirino Ave.	0.4	6.8 (2)	18,000	720		1,277	1,277	1.77	
LEVERIZA Remedios- Rizal Memorial Vito Cruz - Buendia	0.8 0.7	5.0 (2) 5.0 (2)	18,000 18,000	720 720		49 232	26 128	0.04 0.18	
Buendia - Libertad	0.3	5.0 (2)	18,000	720		520	286	0.40	
PARK AVENUE Libertad - Mexico Rd.	1.0	6.0 (2)	18,000	720		985	542	0.75	
A. LUNA Buendia - Libertad	0.7	7.3 (2)	12,000	1,040		208	114	0.11	
ADRIATICO P. Faura - P. Gil P. Gil - P. Quirino P. Quirino - Vito Cruz	0.5 0.3 0.6	9.0 (2) 9.0 (2) 26.0 (4)	12,000 12,000 36,000	1,040 1,040 900		242 605 305	133 333 84	0.13 0.32 0.09	

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY ADT (Vehicles/Day) (PCU/Lane/Hr)	TRAFFIC (PCU)		Vol/Cap. Ratio Daily	Observed Travel Speed KPH	Remarks
				ADT	Peak Hour (PCU/Hour)			
DOMINGA Vito Cruz - Buendia	1.0	6.4 (2)	18,000	243	133	0.19		
P. BURGOS Buendia - Libertad	0.7	6.4 (2)	18,000	243	133	0.19		
ZAMORA Libertad - EDSA	1.0	6.4 (2)	18,000	243	133	0.19		
DEL PAN BR.	0.2	20.0 (6)	54,000	32,000	2,880	0.60	0.61	
JONES BRIDGE	0.1	20.0 (4)	36,000	23,900	4,088	0.66	1.53	
MCARTHUR BRIDGE	0.1	20.0 (4)	36,000	38,800	4,707	1.08	1.32	
QUEZON BRIDGE	0.1	20.0 (6)	54,000	70,800	5,512	1.31	1.57	
AYALA BRIDGE	0.1	20.0 (6)	54,000	45,500	3,246	0.84	0.65	
NAGTAHAN BRIDGE	0.2	20.0 (6)	54,000	57,000	4,797	1.06	0.94	
ARAGON A. Mendoza - Dimasalang	0.4	7.0 (2)	12,000	21,800	1,702	1.82	0.93	
V. FUGUSO T. Mapua - Andalu'cia	0.2	14.4 (2)	12,000	4,400	302	0.37	0.18	

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carriageway Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio Peak Daily Hour	Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT (PCU/Hour)	Peak Hour (PCU/Lane/Hr)			
BAMBANG Rizal Ave. - Andaluacia Rizal Ave. - J.A. Santos	0.2 0.7	12.0 (2) 8.0 (2)	12,000 12,000	1,040 1,040	8,700 8,900	717 679	415 379	0.73 0.74	0.40 0.36
LOPE DE VEGA P. Guevarra - Rizal Ave.	0.1	12.0 (2)	12,000	1,040	2,900	231	51	0.24	0.05
ANTIPOLO P. Guevarra - F. Huertas	0.1	8.9 (2)	12,000	1,040	1,040				0.26
F. HUERTAS Antipolo - Tayuman	1.0	12.0 (2)	18,000	720					1.27
OROQUIETA Antipolo - Tayuman	0.1	12.0 (2)	18,000	720					1.31
T. MAPUA Cavite - Laguna V. Fugoso - C.M. Recto C.M. Recto - McArthur Br.	0.3 0.4 0.7	12.0 (2) 10.0 (2) 10.0 (2)	12,000 12,000 12,000	1,040 1,040 1,040					0.20 0.20 0.20
CAVITE Rizal Ave. - Dimasalang Rizal Ave. - J.A. Santos	0.2 0.4	11.8 (2) 12.0 (2)	12,000 12,000	1,040 1,040					0.20 0.50
LAGUNA Ipil - F. Huertas	0.4	12.0 (2)	12,000	1,040	5,360	520	544	0.44	0.29
BATANGAS Ipil - F. Huertas	0.3	12.0 (2)	12,000	1,040		559	307		0.30
BUGALLON Cavite - J.A. Santos	0.3	11.0 (2)	12,000	1,040		945	520		0.50

TRAFFIC CAPACITY

Corridor/Road Name	Length :Kms.	Carrage-way Width (No. of Lanes)	ESTIMATED CAPACITY		TRAFFIC (PCU)		Vol/Cap. Ratio	Observed Travel Speed KPH	Remarks
			ADT (Vehicles/Day)	Peak Hour (PCU/Lane/Hr)	ADT	Peak Hour (PCU/Lane/Hr)			
3rd AVE.									
Rizal Ave. Ext. - D. Aquino	0.3	6.0 (2)	12,000	690	456	271		0.39	
5th AVE.									
Rizal Ave. - D. Aquino	0.3	7.0 (2)	12,000	1,040	456	271		0.26	
6th AVE.									
Rizal Ave. Ext. - A. Bonifacio	1.0	6.0 (2)	12,000	690	895	326		0.47	
A. DEL MUNDO									
3rd Ave. - 10th Ave.	1.0	6.0 (2)	12,000	690	449	164		0.24	
P. SEVILLA									
3rd Ave. - 10th Ave.	1.0	6.0 (2)	12,000	690	449	164		0.24	
5th St.									
10th Ave. - EDSA	0.3	7.0 (2)	12,000	1,040	895	326		0.31	
P. GUEVARRA									
Blumentritt - Antipolo	0.2	8.0 (2)	12,000	1,040					





JICA

