

1986/11/6 (THU) 14: 4: 5

1979-NEN (S-54)

MAE LA LUANG EVAPORATION

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	4.70	5.00	6.00	4.00	5.00	4.70	2.00	5.00	1.00	3.50	5.00
2	3.40	4.90	5.00	6.00	5.00	4.50	1.30	4.00	3.20	5.40	4.00	4.00
3	3.20	4.00	4.90	6.00	5.00	4.00	1.10	2.90	1.00	4.00	4.30	4.80
4	3.10	4.00	5.00	5.90	6.00	5.50	2.00	1.90	3.50	5.30	3.50	4.50
5	2.50	4.20	5.40	6.00	6.00	5.00	2.00	4.10	2.20	2.00	4.00	4.00
6	3.00	4.50	5.50	5.50	6.00	5.00	4.30	1.40	3.80	5.60	4.50	3.50
7	3.30	4.40	5.40	5.70	5.00	5.00	3.00	2.40	3.50	2.00	4.00	3.20
8	3.60	4.60	5.50	5.00	6.00	4.50	3.00	1.50	3.50	7.50	3.00	3.00
9	4.00	4.70	5.00	6.00	6.00	6.50	3.50	2.00	4.50	2.30	3.60	3.00
10	3.00	5.00	5.00	6.00	4.00	3.00	6.80	4.00	5.30	1.00	1.00	3.00
11	3.00	4.10	5.40	7.00	4.00	4.00	4.60	3.10	6.20	1.00	1.30	3.00
12	3.00	4.10	5.40	6.50	6.00	4.50	2.60	1.40	3.00	2.10	1.60	3.40
13	3.50	4.00	5.00	6.80	2.00	6.20	1.90	2.40	2.00	5.00	4.00	3.50
14	4.00	4.50	5.10	10.00	4.00	1.50	5.00	4.60	5.00	4.00	4.00	3.60
15	3.30	4.40	5.50	6.70	7.00	2.50	5.50	1.80	4.80	3.50	4.10	3.50
16	3.50	5.00	5.50	6.50	4.00	6.00	4.00	4.70	5.30	5.00	4.50	3.00
17	3.80	5.00	5.30	6.90	3.00	5.50	2.00	1.50	5.00	5.80	3.50	3.70
18	4.00	5.00	5.30	6.40	5.00	5.00	2.40	3.50	1.00	4.50	3.80	3.50
19	3.00	4.40	5.30	6.90	3.00	4.00	5.10	3.30	1.00	4.00	3.60	3.50
20	3.10	5.00	6.00	6.50	6.00	3.50	5.00	1.30	2.40	3.60	3.60	3.80
21	3.00	5.00	5.50	6.90	3.00	4.90	5.50	1.70	2.70	3.00	3.50	3.00
22	3.00	5.10	5.50	6.50	6.00	2.90	4.70	2.50	2.50	4.00	4.60	5.00
23	3.40	4.90	5.00	6.60	3.90	4.40	4.00	2.00	4.90	4.50	4.00	5.40
24	4.00	4.90	5.00	6.00	3.50	6.00	3.00	3.30	5.00	6.50	3.80	3.50
25	3.00	5.00	5.50	6.00	2.00	3.00	5.30	4.30	4.40	4.80	3.50	3.40
26	4.00	5.00	5.90	6.50	5.40	2.30	4.00	3.40	5.00	4.50	3.50	3.50
27	4.00	5.30	5.90	5.20	2.00	1.50	6.90	3.40	2.30	3.00	3.50	3.00
28	4.00	5.00	6.00	5.50	1.00	3.30	3.50	1.00	2.60	6.70	3.40	3.00
29	4.20	4.20	6.10	5.20	2.00	8.30	4.00	2.00	4.50	1.40	3.20	3.00
30	4.20	4.00	6.00	4.00	3.00	2.00	6.00	3.50	3.20	2.50	3.50	3.00
31	3.20	6.00	6.00	4.00	4.00	4.00	3.70	5.00	3.00	3.00	3.00	3.50
TOTAL	105.30	130.70	148.10	186.50	192.80	189.30	120.40	89.90	107.60	118.50	105.90	111.80
AVERAGE	3.40	4.67	5.42	6.22	6.28	6.31	3.88	2.77	3.59	3.82	3.53	3.61
MAXIMUM	4.20	5.30	6.10	10.00	7.00	8.30	6.90	5.00	6.20	7.50	4.60	5.40
MINIMUM	2.00	4.00	4.90	4.00	1.00	1.50	1.10	1.00	1.00	1.00	1.00	3.00

***** ANNUAL *****
 ***** TOTAL AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** 1502.80 *****
 ***** 4.12 *****
 ***** 10.00 *****
 ***** 1.00 *****

1986/11/6 (THU) 14:41:5

1980-NEW (S-55)

MAE LA LUANG EVAPORATION

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	4.00	5.00	5.00	7.20	2.60	2.80	1.00	4.20	1.80	3.00	3.50
2	3.00	5.00	6.40	5.00	6.50	2.50	5.10	1.00	4.00	3.00	4.00	3.00
3	3.00	5.00	5.40	6.00	6.00	2.60	3.00	3.60	3.00	3.20	3.00	4.00
4	3.30	4.00	5.00	6.40	6.50	1.70	1.70	2.00	3.50	3.00	4.00	4.00
5	3.00	5.00	5.00	6.50	7.50	4.00	2.90	1.00	4.20	1.00	1.00	3.40
6	3.00	5.00	4.00	6.50	6.50	4.00	3.40	1.00	4.00	1.80	2.00	3.50
7	3.00	5.00	6.30	6.00	7.00	1.00	2.20	3.40	3.50	2.00	3.00	3.50
8	3.40	5.00	6.00	6.00	7.00	2.00	4.00	3.60	1.00	2.20	1.00	3.00
9	3.00	5.30	5.70	6.00	7.00	2.40	3.80	4.20	1.00	2.50	3.00	2.50
10	3.00	6.00	6.80	5.40	5.00	1.00	3.80	4.00	3.50	4.60	2.00	2.00
11	3.50	5.00	6.00	5.60	6.40	4.90	2.80	1.80	1.00	3.00	3.00	3.00
12	3.00	5.40	4.70	6.00	5.00	3.60	3.50	1.00	3.40	3.00	3.50	2.80
13	3.00	4.20	5.50	6.00	7.00	4.50	4.00	2.50	2.40	1.00	4.00	1.00
14	3.50	5.00	5.00	7.00	8.50	4.00	3.10	3.00	5.00	2.50	2.00	1.00
15	3.70	4.00	6.00	7.20	7.60	4.50	4.10	3.50	2.00	3.60	3.50	2.00
16	3.60	3.00	7.20	3.00	7.50	5.50	2.20	3.50	1.50	3.90	4.00	2.50
17	5.40	4.80	6.50	6.80	8.00	5.00	3.20	1.60	2.00	2.00	4.50	3.00
18	4.70	5.00	6.00	2.80	8.00	2.00	1.90	3.50	1.00	4.00	3.00	3.00
19	4.00	4.50	5.60	5.00	5.50	2.20	4.00	3.00	3.50	3.40	2.00	3.00
20	4.60	4.00	5.40	5.00	4.50	1.20	1.00	3.40	1.60	1.00	3.00	3.30
21	3.50	4.00	5.00	6.00	1.40	4.50	3.70	2.30	2.50	2.50	3.20	3.50
22	3.50	4.50	5.00	7.00	2.50	1.90	1.60	2.90	2.60	3.00	3.50	3.00
23	3.00	3.50	5.00	7.50	3.20	2.90	2.90	6.40	3.50	3.00	4.00	3.00
24	3.00	5.00	5.00	8.00	1.00	2.00	4.40	4.00	1.00	3.60	3.00	3.00
25	3.50	5.00	4.80	7.00	3.50	3.00	3.50	3.50	3.50	3.50	3.00	3.30
26	3.60	5.00	5.50	4.00	3.40	3.00	1.00	1.20	1.70	4.00	4.50	3.50
27	4.00	5.00	6.00	5.50	3.60	1.50	5.20	2.20	1.00	4.50	2.00	2.80
28	4.00	5.40	4.00	7.00	1.00	1.00	2.00	3.30	2.00	4.50	3.00	3.00
29	5.00	5.00	5.50	5.40	5.40	3.50	2.00	2.60	1.50	5.00	3.00	3.00
30	5.50	5.50	5.50	7.00	1.00	3.40	1.20	2.50	1.50	3.00	3.00	3.20
31	3.00	3.00	5.50	5.50	2.00	3.80	3.80	3.60	3.00	3.00	3.00	3.00
TOTAL	111.30	138.40	170.30	160.20	142.20	89.80	95.50	86.30	75.90	92.10	90.70	91.30
AVERAGE	3.59	4.78	5.49	6.91	5.23	2.99	3.08	2.78	2.53	2.97	3.02	2.95
MAXIMUM	5.50	6.00	7.20	8.00	8.50	5.50	6.00	6.40	5.00	5.00	4.50	4.00
MINIMUM	3.00	3.00	4.00	2.80	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 1364.20 5.78 8.50 1.00 *****

1986/11/6 (THU) 14: 4: 5

1967-NEN (S-42)

SOP HAN EVAPORATION

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.50	4.50	4.50	6.50	8.00	4.80	4.50	5.00	1.00	3.00	2.00	4.00
2	3.50	5.60	5.50	7.50	10.80	5.60	2.00	1.50	0.50	0.80	2.00	2.00
3	4.50	5.00	5.50	8.00	7.00	7.00	6.00	2.00	4.00	3.50	4.00	1.80
4	4.50	4.50	5.00	8.50	8.00	4.00	1.70	2.50	2.00	4.00	3.00	3.00
5	4.00	5.00	5.70	7.50	7.50	4.50	5.50	3.70	3.00	4.50	3.50	1.50
6	3.00	5.50	5.50	8.00	7.00	2.00	3.80	3.00	4.50	4.50	3.00	1.00
7	4.00	5.50	6.00	7.50	8.50	4.00	2.50	2.00	5.00	4.00	4.00	1.40
8	3.50	7.00	4.80	7.50	9.00	6.50	2.20	1.00	3.10	5.00	4.50	1.50
9	4.00	5.00	5.00	7.00	8.50	5.90	1.00	4.50	5.00	4.00	4.00	1.00
10	4.00	5.00	5.00	7.00	6.00	3.00	3.80	6.00	1.10	6.80	3.50	1.50
11	3.50	5.00	4.50	8.00	9.00	3.00	4.50	1.70	2.00	4.00	3.70	1.80
12	3.50	5.00	4.50	8.50	8.00	3.50	4.10	2.00	4.70	2.90	4.00	2.00
13	4.00	4.50	5.00	8.50	6.00	5.00	3.00	3.00	4.00	4.00	3.80	2.50
14	3.00	5.00	6.00	8.00	7.00	5.00	4.30	1.50	7.20	4.50	1.00	2.00
15	4.00	4.00	5.50	8.00	4.50	3.00	2.80	6.00	1.50	7.00	3.00	2.00
16	4.50	4.50	6.50	7.50	7.80	5.50	0.60	1.50	0.90	9.50	3.00	2.50
17	5.00	4.00	6.00	8.50	4.30	1.00	3.30	1.30	4.00	4.50	3.00	2.50
18	4.50	5.00	5.50	9.80	2.50	10.00	5.00	3.50	3.00	4.50	2.50	2.50
19	4.00	4.50	6.00	9.00	3.00	4.90	5.00	0.40	7.80	6.00	2.00	2.00
20	4.50	4.00	5.50	5.00	4.00	3.50	3.00	2.10	5.00	3.50	2.00	4.50
21	4.00	4.50	6.50	6.00	2.20	7.00	5.00	3.50	8.00	4.60	2.00	3.00
22	4.50	4.50	7.00	6.00	3.00	4.00	5.20	0.20	1.50	2.00	3.00	1.00
23	4.50	4.50	6.50	7.50	5.20	9.00	3.50	1.00	1.80	2.20	2.50	1.50
24	4.50	5.00	6.00	8.00	6.00	2.00	2.50	5.10	3.50	4.50	3.00	2.00
25	4.00	5.60	6.50	7.00	4.00	6.00	0.80	8.00	1.20	0.50	2.00	2.50
26	4.50	5.50	6.00	8.00	3.50	7.00	2.80	4.50	3.00	3.00	2.00	2.00
27	4.50	5.50	7.00	7.50	5.00	5.00	1.00	4.00	5.40	3.10	2.00	1.50
28	4.00	5.00	6.50	7.50	5.00	7.50	2.40	0.90	6.40	4.00	2.50	2.00
29	4.50	5.50	5.50	8.00	5.00	1.00	3.50	1.00	3.80	4.00	2.50	2.50
30	4.50	6.00	7.00	7.80	6.00	4.50	5.00	4.00	4.00	3.00	2.00	2.00
31	5.00	7.00	7.00	7.00	3.00	3.00	2.80	3.00	3.00	4.00	2.00	2.00
TOTAL	127.00	138.70	179.50	230.60	184.30	144.70	104.70	80.40	107.90	125.40	85.150	65.00
AVERAGE	4.10	4.95	5.79	7.69	5.95	4.82	3.44	2.88	3.60	4.05	2.85	2.10
MAXIMUM	3.00	7.00	7.00	9.80	10.60	10.00	6.00	8.00	8.00	9.50	4.50	4.50
MINIMUM	3.00	4.00	4.50	5.00	2.20	1.00	0.60	0.20	0.50	0.50	1.00	1.00

***** ANNUAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** TOTAL *****
 ***** 1584.70 *****
 ***** 4.34 *****
 ***** 10.80 *****
 ***** 0.20 *****

1986/11/ 6 (THU) 14: 4: 5

1968-NEN (S-43)

SOP HAN EVAPORATION

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	6.50	6.00	8.00	6.00	3.00	4.80	4.00	6.50	4.00	4.00	4.00
2	2.00	4.00	5.50	8.00	7.00	5.00	1.50	3.00	5.00	2.00	3.50	3.00
3	2.00	3.50	6.00	8.00	6.00	4.70	1.50	1.00	4.00	1.50	4.50	3.00
4	2.00	4.00	5.80	8.50	6.00	5.00	1.00	4.00	3.50	4.80	3.50	3.00
5	2.50	4.50	5.80	8.00	8.50	1.00	6.00	7.00	5.00	3.80	4.50	4.00
6	2.00	4.00	6.00	8.00	7.80	1.00	5.50	0.50	6.00	4.50	4.00	3.50
7	2.00	4.50	6.00	6.00	2.60	1.50	5.00	4.00	3.00	2.00	3.80	3.00
8	2.00	4.50	6.00	7.00	6.00	3.00	5.00	2.00	2.00	5.00	4.00	3.50
9	2.50	4.50	5.00	7.00	4.30	5.00	2.00	3.50	2.00	3.00	4.00	3.80
10	2.50	4.50	6.00	7.00	4.00	3.90	3.00	1.50	2.00	1.00	4.00	3.50
11	2.50	4.50	6.00	7.00	5.50	2.40	5.00	1.00	1.00	5.00	4.00	3.00
12	2.70	4.50	6.00	7.50	4.00	2.10	3.00	1.00	2.00	3.00	3.50	4.00
13	2.50	4.50	5.50	7.50	7.00	0.20	1.00	2.00	2.00	2.00	4.00	2.00
14	3.80	4.50	6.40	7.50	6.00	3.90	11.00	2.00	4.00	1.00	3.50	3.00
15	4.80	4.50	7.00	8.00	6.80	5.00	6.00	2.00	0.40	2.00	2.50	4.00
16	3.00	5.00	5.00	8.00	6.00	0.60	1.90	4.00	4.00	5.80	4.50	3.00
17	5.10	5.00	5.90	7.00	6.50	4.50	6.50	0.0	4.00	2.00	3.50	3.50
18	2.50	5.00	7.00	7.00	6.80	5.00	7.00	5.00	2.00	2.50	2.80	3.00
19	2.50	5.50	7.00	4.50	7.00	3.10	7.00	5.00	4.00	2.50	3.50	3.00
20	2.00	5.70	6.00	6.50	8.50	4.50	8.00	3.00	5.00	3.50	4.00	2.00
21	3.00	6.00	6.30	7.00	4.90	2.00	1.00	3.00	4.00	4.00	4.00	2.00
22	2.00	5.00	5.00	8.50	6.00	0.70	4.00	1.50	4.00	0.50	3.00	3.00
23	3.00	6.00	6.00	8.00	6.00	3.80	4.00	1.00	4.00	2.00	4.50	3.00
24	3.00	5.50	6.00	8.20	6.00	5.50	6.00	0.50	2.70	3.80	3.00	3.00
25	2.60	6.00	7.00	6.00	6.00	3.00	1.70	0.30	5.00	5.00	3.00	2.50
26	3.00	6.00	6.80	6.00	6.50	3.50	0.50	3.50	3.50	2.50	4.00	1.50
27	3.00	6.00	7.50	5.00	6.20	7.80	8.20	0.0	4.00	2.50	2.50	2.50
28	2.80	7.00	0.0	4.90	6.50	4.00	4.50	3.00	0.80	4.00	3.00	2.00
29	3.00	6.30	0.0	4.00	7.00	3.70	5.50	3.00	4.00	4.00	3.50	1.80
30	3.00	3.00	0.0	7.00	6.80	0.50	1.50	6.00	2.00	5.50	4.50	2.50
31	3.00	7.00	7.00	7.00	7.00	5.90	5.90	7.50	7.50	4.00	2.50	2.50
TOTAL	84.30	147.00	170.80	210.60	191.00	98.90	135.20	86.90	104.70	98.60	111.40	91.10
AVERAGE	2.72	5.07	5.51	7.02	6.16	3.19	4.36	2.80	3.49	3.18	3.71	2.94
MINIMUM	2.00	3.50	0.0	4.00	2.60	0.20	0.50	0.0	0.40	0.50	2.50	1.50
MAXIMUM	5.10	7.00	7.50	8.50	8.50	7.80	11.00	7.50	6.50	5.80	4.50	4.00

***** ANNUAL *****
 ***** TOTAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** 1550.50 *****
 ***** 4.18 *****
 ***** 11.00 *****
 ***** 0.0 *****

SOP MAN EVAPORATION 1969-MEN (S-44)

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.50	3.50	6.50	7.00	8.00	0.0	6.60	1.50	4.00	6.00	3.00	2.50
2	3.50	4.00	6.00	8.00	9.00	4.50	4.50	1.50	5.00	3.00	4.00	3.00
3	3.00	4.00	6.00	8.00	9.50	7.00	0.50	1.00	6.00	4.00	3.00	3.00
4	3.00	4.50	7.00	7.50	10.00	6.00	3.50	1.00	1.50	3.00	3.00	4.00
5	3.00	4.50	8.00	8.00	10.00	3.00	5.00	1.50	4.50	3.00	2.00	1.00
6	2.00	4.00	7.00	7.00	7.00	3.00	3.70	1.80	4.00	4.50	3.00	2.00
7	3.00	4.50	6.00	7.80	11.50	5.50	2.00	1.00	4.00	4.00	4.00	0.0
8	4.00	4.00	7.00	6.00	4.50	2.00	3.00	1.50	5.00	5.00	3.50	2.50
9	4.00	4.50	6.00	5.50	6.00	2.00	1.70	2.50	4.00	3.50	4.00	5.00
10	3.80	5.00	6.00	7.00	6.00	2.50	3.70	1.20	5.00	4.00	3.00	5.00
11	3.50	5.00	6.00	7.50	7.00	5.00	5.00	2.00	5.50	4.50	3.50	4.00
12	4.00	5.20	6.00	7.50	7.00	3.00	2.80	1.50	3.50	5.00	3.00	2.00
13	3.80	6.00	6.50	8.00	4.50	3.50	3.50	2.00	5.00	7.00	2.50	1.50
14	4.00	4.50	7.00	8.50	8.00	4.00	2.50	2.00	4.00	1.00	1.00	1.50
15	3.50	5.00	6.50	8.00	8.00	4.00	1.50	2.00	2.50	1.00	3.00	2.00
16	4.00	4.50	5.00	7.00	8.00	4.10	1.30	3.80	5.00	5.00	2.50	2.50
17	4.00	5.00	2.00	8.50	3.00	2.80	1.30	2.50	3.50	4.50	3.00	2.50
18	3.50	5.00	5.50	9.80	6.50	3.00	2.10	2.50	4.50	4.50	3.50	1.50
19	1.00	5.00	6.40	6.00	4.00	3.00	2.90	1.80	2.50	4.00	3.00	2.00
20	2.00	5.00	6.00	7.00	6.50	0.50	3.90	3.00	5.00	5.00	2.50	2.00
21	2.50	5.00	6.00	9.00	7.00	2.00	1.20	4.00	5.00	5.20	1.50	3.00
22	2.50	6.00	7.00	10.00	6.00	3.00	1.00	3.00	4.00	2.00	2.00	2.00
23	3.50	6.00	6.00	10.00	5.00	4.00	5.00	5.50	5.00	4.50	3.00	2.00
24	4.00	3.50	7.00	10.00	4.50	3.80	5.00	4.50	4.50	4.00	2.50	2.00
25	4.00	7.00	7.00	10.50	3.00	3.00	2.50	5.00	5.50	3.00	1.00	2.50
26	3.80	5.80	7.00	10.00	3.00	5.00	1.00	4.00	5.00	6.00	3.00	2.00
27	4.00	6.00	8.00	7.50	3.00	6.00	3.00	4.00	5.30	6.00	3.00	2.00
28	4.50	5.50	7.00	7.50	2.50	6.00	0.50	4.50	5.00	4.50	3.50	2.50
29	2.50	7.50	9.50	9.50	3.00	2.00	1.50	4.00	3.50	3.00	3.00	2.00
30	3.00	9.00	6.50	9.00	2.00	3.50	1.90	4.00	5.00	4.00	3.00	2.50
31	3.50	7.00	7.00	7.00	0.50	2.00	2.00	4.00	4.00	3.00	1.00	3.00
TOTAL	103.90	139.50	198.40	242.60	189.50	106.70	85.60	84.10	131.80	126.70	85.50	74.00
AVERAGE	3.35	4.98	6.40	8.09	5.92	3.56	2.76	2.71	4.39	4.09	2.85	2.39
MAXIMUM	4.50	7.00	8.00	10.50	11.50	7.00	6.60	5.50	6.00	7.00	4.00	5.00
MINIMUM	1.00	3.50	2.00	5.50	0.50	0.0	0.50	1.00	1.50	1.00	1.00	0.0

ANNUAL
 TOTAL AVERAGE MAXIMUM MINIMUM
 1562.30 4.28 11.50 0.0

SOP HAN EVAPORATION

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.50	5.50	6.00	9.00	6.00	2.00	3.00	6.00	2.00	2.00	2.00
2	2.50	3.00	6.00	8.00	9.50	3.00	6.00	4.00	3.00	5.00	1.00	3.00
3	2.00	3.00	7.50	2.00	7.00	5.00	6.00	6.00	3.00	6.00	4.00	2.00
4	2.50	4.50	6.00	9.00	6.00	2.00	6.50	5.00	4.00	5.00	3.00	2.00
5	2.50	4.00	6.50	2.00	7.00	3.00	5.00	4.00	4.00	1.50	4.00	3.00
6	2.00	4.00	8.00	6.00	5.00	5.00	3.50	0.50	3.00	7.00	3.00	3.00
7	2.50	4.00	3.00	8.00	9.00	6.00	6.00	4.50	3.00	6.00	5.00	3.50
8	3.00	3.00	6.00	8.00	8.00	4.50	5.00	2.00	6.00	4.00	4.00	2.00
9	2.50	3.00	6.00	7.00	7.00	4.00	0.50	2.50	4.00	4.00	4.00	3.00
10	2.00	3.50	6.50	7.00	8.00	5.00	4.00	6.00	3.00	3.00	4.50	3.00
11	2.00	3.50	6.00	6.50	7.00	5.50	4.00	2.00	3.00	4.00	4.00	3.00
12	2.50	5.00	6.50	5.00	7.50	8.00	4.50	5.00	9.00	5.00	1.00	2.00
13	4.00	4.00	8.00	6.50	8.00	3.00	5.50	6.00	6.00	4.00	5.00	3.00
14	3.50	6.00	7.00	7.00	6.00	3.00	2.00	3.00	4.00	3.00	1.00	3.50
15	3.00	5.00	6.00	8.50	7.00	4.50	2.00	3.00	2.00	4.00	3.00	2.00
16	3.00	5.50	8.00	7.00	3.00	7.50	3.00	5.00	7.00	5.00	2.00	3.00
17	2.50	6.00	6.50	8.00	4.00	6.50	4.00	4.00	8.00	4.00	2.00	3.00
18	2.00	6.00	8.00	6.00	6.00	4.00	4.00	6.00	6.00	4.00	3.00	2.00
19	2.50	5.50	6.50	6.50	6.50	2.00	4.00	6.00	4.00	3.00	4.00	3.00
20	2.50	6.00	7.50	6.00	3.00	5.00	4.00	1.00	4.00	2.00	3.00	3.50
21	3.00	5.00	5.00	9.00	3.00	6.00	4.00	4.00	3.00	2.50	2.00	1.00
22	2.50	4.50	6.00	9.00	6.00	4.00	4.00	2.00	5.00	3.00	3.00	2.00
23	3.50	4.00	7.50	7.50	8.00	1.50	4.00	5.00	5.00	3.00	4.00	2.50
24	3.00	5.00	2.00	8.00	3.00	3.00	4.00	4.00	1.50	3.00	3.00	3.00
25	3.00	5.50	3.00	8.00	6.00	3.50	3.50	4.00	3.00	4.00	2.00	2.00
26	3.00	6.00	5.00	8.00	2.50	5.00	4.00	2.00	1.50	3.00	1.00	4.00
27	3.00	5.50	7.00	8.00	2.00	4.00	6.00	3.00	5.00	2.50	3.00	3.00
28	3.50	6.00	8.00	6.00	6.00	3.00	5.00	5.00	5.00	1.00	2.00	4.00
29	3.00	7.00	7.00	8.00	1.00	2.00	2.50	3.00	6.00	4.00	3.00	1.00
30	4.50	10.50	6.00	6.00	1.00	5.50	6.50	3.00	3.00	2.00	3.00	3.00
31	3.00	9.00	9.00	6.00	6.00	3.50	3.00	3.00	3.00	3.50	3.00	3.00
TOTAL	96.00	128.50	201.00	208.00	161.50	130.50	128.00	116.50	130.00	115.00	88.50	83.00
AVERAGE	2.77	4.59	6.48	6.93	5.85	4.35	4.13	3.76	4.33	3.71	2.95	2.68
MAXIMUM	4.50	6.00	10.50	9.00	9.50	8.00	6.50	6.00	9.00	7.00	5.00	4.00
MINIMUM	2.00	3.00	2.00	2.00	1.00	1.50	0.50	0.50	1.50	1.00	1.00	1.00

***** ANNUAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** 1596.50 *****
 ***** 4.37 *****
 ***** 10.50 *****
 ***** 0.50 *****

1986/11/6 (THU) 14: 4: 5

1971-NEN (S-46)

SOP. PAN EVAPORATION

#DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.00	4.00	7.00	7.00	1.50	4.00	1.00	5.00	2.00	2.00	2.00
2	3.00	3.00	4.00	6.00	7.00	4.50	3.60	1.80	3.00	3.50	3.00	3.00
3	4.00	4.00	6.00	5.00	6.00	4.60	4.00	3.50	2.50	1.50	1.00	1.00
4	3.00	5.00	5.00	6.00	7.00	4.00	2.80	3.00	3.60	2.00	2.00	2.00
5	3.00	4.00	5.00	5.00	7.00	2.50	1.80	3.00	3.50	2.00	3.00	1.00
6	3.00	3.00	5.50	5.00	5.00	3.80	6.00	3.50	4.00	2.00	3.00	3.00
7	2.00	3.00	4.00	5.50	6.00	3.50	5.70	4.00	4.00	3.00	3.00	2.00
8	3.00	4.00	6.00	8.00	5.00	4.00	4.30	3.00	3.00	4.00	2.00	2.00
9	2.00	3.00	7.00	6.00	5.00	5.00	3.60	4.30	4.00	3.00	2.00	2.00
10	3.00	4.00	5.00	5.00	6.50	3.00	3.00	3.40	3.00	4.00	2.00	3.00
11	3.00	3.00	6.00	4.00	6.00	3.00	4.00	2.00	5.00	3.00	2.00	2.00
12	2.00	3.00	5.00	5.00	6.00	6.00	3.50	1.50	4.00	4.00	3.00	3.00
13	3.00	4.00	9.00	6.00	7.00	2.50	5.00	3.00	6.00	3.00	4.00	2.00
14	3.00	3.00	2.00	5.00	6.00	4.00	4.00	3.50	5.00	3.00	2.00	2.00
15	3.00	4.00	3.00	7.00	6.50	7.00	2.00	2.00	7.00	3.00	3.00	3.00
16	2.00	4.50	5.00	6.00	7.00	5.00	3.60	5.00	2.70	4.00	2.00	2.00
17	2.50	3.00	4.00	7.00	8.00	4.50	2.80	3.50	3.50	3.00	2.00	2.00
18	3.00	6.00	4.00	6.00	7.00	4.00	3.00	5.50	3.00	3.00	3.00	2.00
19	2.00	4.50	3.00	7.00	8.00	6.50	2.60	5.00	4.00	3.00	2.00	2.00
20	3.00	4.00	4.00	6.00	4.00	3.00	4.40	6.00	6.50	5.00	3.00	2.00
21	2.00	4.50	5.00	4.00	6.00	2.50	2.40	4.00	4.00	3.00	3.00	1.00
22	3.00	3.00	6.00	6.00	7.00	5.00	2.90	3.00	3.00	4.00	3.00	2.00
23	3.00	3.50	6.00	6.00	5.00	3.50	2.30	4.80	4.00	3.00	4.00	2.00
24	3.50	5.00	5.00	5.00	4.00	4.60	2.40	4.00	3.50	2.00	3.00	2.00
25	2.50	4.00	5.00	6.00	7.00	5.00	1.70	3.00	5.00	4.00	2.00	1.50
26	3.00	5.00	5.00	6.00	3.00	6.00	3.00	4.00	2.00	1.00	2.00	2.00
27	2.00	4.00	4.00	6.50	8.00	5.00	3.00	3.50	5.00	4.00	1.00	3.00
28	3.00	3.00	6.00	7.00	7.00	5.00	2.60	3.00	4.00	3.00	2.00	5.00
29	3.00	3.00	5.00	7.00	3.00	7.50	1.80	2.00	5.00	1.00	2.00	2.00
30	3.00	6.00	6.00	6.00	5.50	3.00	2.60	4.50	1.50	6.00	3.00	2.00
31	2.00	2.00	5.50	7.00	7.00	4.00	4.00	6.00	6.00	2.00	3.00	3.00
TOTAL	86.50	107.00	155.00	177.00	189.50	128.80	102.60	110.30	119.30	94.00	74.00	68.50
AVERAGE	2.73	3.82	5.00	5.90	6.11	4.29	3.30	3.56	3.98	3.03	2.47	2.21
MAXIMUM	4.00	6.00	9.00	9.00	8.00	7.50	6.00	6.00	7.00	6.00	4.00	5.00
MINIMUM	2.00	3.00	2.00	6.00	3.00	1.50	1.70	1.00	1.50	1.00	1.00	1.00

 ANNUAL

 TOTAL AVERAGE MAXIMUM MINIMUM
 1410.30 3.85 9.00 1.00

1986/11/ 6 (THU) 14: 4: 5

1972-NEN (S-47)

SOP HAN EVAPORATION

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	4.00	6.00	7.00	7.50	6.00	2.00	3.60	2.70	4.40	3.00	4.00
2	3.00	4.00	6.00	7.00	7.00	3.00	4.00	1.00	2.20	5.70	2.60	2.00
3	2.50	4.50	5.00	7.00	7.00	5.00	3.00	1.50	3.00	3.00	3.00	2.00
4	2.00	4.00	6.00	7.00	7.00	5.10	3.00	1.20	5.00	2.80	3.00	2.00
5	3.00	5.00	6.00	7.00	7.00	5.00	3.00	2.10	5.20	3.00	2.80	3.00
6	3.50	4.00	6.00	7.00	8.00	5.50	3.00	2.00	4.40	4.00	2.50	3.00
7	5.00	5.00	6.00	7.00	4.00	6.00	6.50	4.50	3.80	3.00	1.40	1.00
8	4.00	6.00	5.00	8.00	6.00	2.80	4.00	2.00	2.80	4.00	3.00	1.00
9	3.00	6.00	5.00	7.00	7.00	3.00	4.00	2.00	4.60	5.00	4.00	0.10
10	3.00	5.00	5.00	4.00	6.00	4.00	2.50	6.40	8.00	4.80	3.00	3.00
11	3.00	4.00	6.00	3.50	8.00	3.00	3.40	5.60	4.00	4.00	3.00	2.00
12	3.00	5.00	6.00	2.00	8.00	4.00	2.30	4.50	5.60	3.00	2.00	3.00
13	3.50	4.50	6.00	4.00	8.00	2.00	3.60	2.50	4.00	4.00	3.00	0.50
14	4.00	5.00	6.00	5.00	8.00	4.20	1.30	7.00	6.00	4.00	2.00	3.00
15	2.00	5.00	6.00	6.00	8.00	5.00	1.50	4.40	5.00	5.00	4.00	3.00
16	4.00	4.50	6.00	7.00	8.00	4.50	2.30	4.70	5.00	6.00	2.00	3.00
17	3.00	6.00	7.00	7.00	5.80	3.00	1.30	5.00	4.00	5.00	2.00	3.00
18	3.00	6.00	6.00	7.00	2.00	3.00	7.00	7.00	2.90	3.00	2.20	1.00
19	4.00	6.00	5.00	7.00	4.00	4.00	5.10	5.50	3.80	4.00	3.20	1.00
20	4.00	6.00	6.00	7.00	6.00	4.50	0.10	6.00	3.50	4.20	1.00	2.00
21	3.00	6.00	5.00	7.00	8.00	5.00	0.90	5.50	2.00	3.00	2.40	2.00
22	3.50	6.00	6.50	7.00	8.00	4.00	2.90	2.00	3.30	4.00	3.20	2.00
23	3.00	5.00	6.00	7.00	2.00	5.00	1.50	3.00	4.50	3.00	3.00	2.00
24	3.00	5.00	5.50	7.00	3.00	2.00	2.50	6.00	3.30	3.00	2.40	2.00
25	3.50	6.00	6.00	7.00	3.00	5.50	3.00	4.00	3.00	4.00	3.90	3.00
26	2.00	5.00	6.00	7.00	2.00	7.00	1.60	1.30	4.40	5.00	2.20	2.00
27	2.00	6.00	6.00	7.00	8.00	2.00	0.50	4.00	4.00	3.00	1.00	1.00
28	3.00	6.00	6.00	7.00	2.00	5.50	1.20	3.00	4.70	3.00	3.00	3.00
29	2.00	6.00	6.00	6.50	3.00	2.60	4.40	4.00	4.40	3.00	3.00	1.00
30	2.00	7.00	7.00	7.00	8.00	6.00	0.20	4.00	4.00	3.00	2.00	2.00
31	4.00	4.00	6.50	6.50	6.50	2.20	2.20	4.00	4.00	3.00	1.00	1.00
TOTAL	96.50	150.50	182.50	193.00	185.80	127.20	85.80	119.30	125.10	111.90	78.80	65.60
AVERAGE	3.11	5.19	5.89	6.43	5.99	4.24	2.70	3.85	4.10	3.84	2.63	2.05
MAXIMUM	5.00	6.00	7.00	8.00	8.00	7.00	7.00	7.00	8.00	6.00	4.00	4.00
MINIMUM	2.00	4.00	5.00	2.00	2.00	2.00	0.10	1.00	2.00	2.80	1.00	0.10

***** ANNUAL *****
 ***** TOTAL *****
 ***** AVERAGE ***** 4.16 *****
 ***** MAXIMUM ***** 8.00 *****
 ***** MINIMUM ***** 0.10 *****

SOP HAN EVAPORATION

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	2.00	6.00	6.00	6.50	6.00	4.30	3.50	2.00	3.00	3.00	3.00
2	3.00	4.00	6.00	5.00	7.00	6.00	4.30	5.00	4.00	3.00	4.00	4.00
3	2.00	3.00	5.00	5.00	3.40	2.00	5.00	3.00	3.00	2.00	2.00	2.00
4	3.00	3.00	5.00	6.00	4.20	4.00	4.30	4.50	4.00	4.00	2.00	2.00
5	1.00	5.00	6.00	7.00	2.10	4.00	5.00	5.00	2.00	2.00	2.00	2.00
6	2.00	5.00	4.00	7.00	3.50	5.00	3.00	2.00	3.00	4.00	2.00	2.00
7	3.00	4.00	4.50	7.00	3.30	6.00	2.00	1.00	4.00	2.00	4.00	4.00
8	3.00	3.00	2.50	7.00	4.00	3.80	4.70	6.40	3.00	2.00	2.00	2.00
9	2.00	4.00	4.00	8.00	7.00	2.00	2.90	3.00	3.00	5.00	2.00	2.00
10	2.00	3.00	5.00	8.00	7.00	5.30	4.70	2.00	4.00	2.00	2.00	2.00
11	3.00	3.00	6.00	7.00	7.50	3.40	3.50	4.00	4.00	4.80	2.00	2.00
12	4.00	4.00	6.50	8.00	5.10	4.00	4.00	3.00	3.00	2.30	3.00	3.00
13	3.00	4.00	5.00	4.00	3.40	4.00	4.00	2.00	4.00	3.00	2.00	2.00
14	2.00	4.00	4.00	8.00	5.60	4.00	4.00	3.00	3.00	3.00	3.00	3.00
15	3.00	5.00	6.00	7.00	3.60	2.00	2.00	4.00	2.00	2.00	2.00	2.00
16	3.00	4.00	5.00	8.00	4.70	4.30	4.70	3.70	2.00	2.00	2.00	2.00
17	3.00	5.00	5.00	9.00	5.00	2.20	2.00	2.80	3.00	3.00	3.00	3.00
18	4.00	5.00	6.00	8.00	5.50	2.00	2.00	3.00	3.00	2.00	2.00	2.00
19	3.00	5.00	6.00	8.00	3.40	2.60	3.40	3.40	2.00	2.00	2.00	2.00
20	2.00	5.00	8.00	9.00	4.10	1.50	4.10	5.00	2.00	2.00	2.00	2.00
21	4.00	6.00	4.00	4.00	4.50	4.00	4.00	4.00	4.00	4.10	2.00	2.00
22	3.00	6.00	6.00	6.00	7.00	3.40	3.40	2.50	2.00	0.50	3.00	3.00
23	3.00	6.00	7.00	7.00	8.00	2.20	2.00	3.50	2.00	3.00	2.00	2.00
24	2.00	5.00	7.90	9.00	3.50	4.00	4.00	4.00	2.00	4.00	2.00	2.00
25	4.00	5.00	4.20	6.00	4.50	4.00	4.00	3.00	5.00	3.00	4.00	4.00
26	2.00	6.00	6.60	8.00	3.20	3.80	5.00	5.00	2.10	5.50	2.00	2.00
27	4.00	5.00	4.00	9.00	4.00	3.00	4.00	4.00	4.00	3.00	2.00	2.00
28	2.00	5.00	5.00	9.00	3.70	4.00	5.00	3.20	2.00	2.00	3.00	3.00
29	3.00	3.00	6.00	9.00	7.00	3.00	4.00	4.00	3.00	3.00	2.00	3.00
30	4.00	4.00	4.00	7.00	5.50	3.00	4.00	1.00	4.00	4.00	2.00	2.00
31	1.00	1.00	6.00	6.00	6.50	5.00	5.00	5.00	2.00	2.00	3.00	3.00
TOTAL	85.00	125.00	167.20	216.00	153.30	108.50	43.70	35.00	100.80	96.50	76.70	76.00
AVERAGE	2.74	4.46	5.39	7.20	4.95	3.62	3.97	4.33	3.36	3.11	2.56	2.45
MAXIMUM	4.00	6.00	8.00	9.00	8.00	6.00	5.00	5.00	6.40	6.00	4.80	4.00
MINIMUM	1.00	2.00	2.50	4.00	2.10	1.50	2.00	3.00	1.00	2.00	0.50	2.00

***** ANNUAL *****
 ***** AVERAGE ***** MAXIMUM ***** MINIMUM *****
 ***** TOTAL *****
 ***** 1283.70 ***** 3.99 ***** 9.00 ***** 0.50 *****

1986/11/ 6 (THU) 14: 4: 5

1974-NEN (S-49)

SOP HAN EVAPORATION

#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	2.00	4.00	6.00	6.00	1.50	2.60	4.00	3.60	2.10	3.00	2.00
2	2.00	2.00	3.60	7.00	6.00	3.70	1.50	3.00	1.60	2.00	3.00	2.00
3	2.00	2.00	4.00	6.00	7.00	2.00	3.00	4.00	2.80	5.00	3.00	2.00
4	3.00	2.00	4.00	7.00	7.00	1.50	3.20	2.90	2.00	1.60	2.00	2.00
5	3.00	2.00	4.00	7.00	7.00	5.80	2.20	1.40	3.00	4.00	1.20	2.00
6	2.00	2.00	4.00	7.00	5.70	3.30	3.30	3.50	1.90	2.10	1.20	1.10
7	3.00	2.00	4.00	7.00	7.00	2.70	3.70	2.80	3.00	2.00	1.50	2.00
8	3.00	2.00	3.00	7.00	6.00	3.80	1.60	2.30	1.00	2.00	4.00	2.00
9	2.00	2.00	4.00	5.60	6.00	0.50	1.60	1.90	1.00	0.20	1.00	2.00
10	2.00	2.00	4.00	5.00	7.20	0.10	2.70	1.10	4.00	3.70	2.10	2.00
11	2.00	2.00	5.00	7.00	5.00	2.00	1.60	2.10	1.60	2.00	3.60	2.00
12	3.00	2.00	5.00	6.00	8.50	3.00	3.20	3.70	1.70	3.00	0.70	2.00
13	2.00	3.00	5.00	7.00	4.00	2.80	2.40	3.10	1.70	2.30	1.40	2.00
14	3.00	2.00	6.00	5.00	3.00	3.60	2.60	2.50	3.30	2.00	3.00	2.00
15	2.00	2.00	5.00	5.00	3.00	2.00	2.20	2.50	2.90	2.00	2.00	2.00
16	2.00	2.00	5.00	6.50	5.00	3.30	3.60	1.30	2.00	2.00	2.20	2.00
17	3.00	3.00	4.00	4.00	4.50	3.00	3.70	0.80	3.40	0.70	3.00	2.00
18	2.00	2.00	6.00	7.00	5.00	2.00	1.50	0.60	2.40	1.00	2.00	2.00
19	2.00	3.00	5.00	7.00	3.80	3.00	2.20	0.90	3.00	2.00	2.00	3.00
20	3.00	3.00	6.00	6.00	7.50	3.10	1.20	1.70	3.80	4.70	2.00	2.00
21	3.00	4.00	5.00	7.00	6.40	2.50	3.30	4.00	4.00	3.00	2.00	2.00
22	3.00	4.00	6.00	5.90	2.00	1.40	1.00	3.00	3.00	2.70	2.00	2.00
23	3.00	3.00	4.00	4.00	1.30	2.20	2.60	2.10	5.00	2.20	2.00	2.00
24	2.00	4.00	6.00	6.00	0.70	1.20	1.50	1.00	1.50	2.00	2.00	2.00
25	2.00	4.00	6.00	4.80	3.00	2.50	3.50	1.50	3.50	0.50	2.00	2.00
26	3.00	4.00	6.00	4.50	3.00	4.00	2.00	1.20	1.00	2.00	2.00	3.00
27	3.00	3.00	6.00	5.00	5.00	4.00	3.90	1.20	4.60	3.00	2.00	2.00
28	3.00	4.00	4.00	1.90	3.50	1.70	1.90	2.60	3.00	4.00	2.00	2.00
29	3.00	4.00	4.80	1.50	3.40	2.00	1.30	3.50	2.00	3.00	2.00	2.00
30	2.00	5.00	3.00	3.00	1.30	4.00	4.30	1.80	3.50	3.00	2.00	3.00
31	2.00	6.10	3.00	3.00	3.00	2.90	2.90	2.70	3.00	3.00	2.00	2.00
TOTAL	78.00	74.00	149.50	170.10	146.60	76.00	77.60	70.60	80.80	75.00	63.90	64.10
AVERAGE	2.52	2.64	4.82	5.67	4.73	2.53	2.50	2.28	2.69	2.42	2.13	2.07
MAXIMUM	3.00	4.00	6.10	7.00	8.50	4.00	4.30	4.00	5.00	5.00	4.00	3.00
MINIMUM	2.00	2.00	3.00	1.50	0.70	0.10	1.00	0.60	1.00	0.20	0.70	1.10

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 1126.20 3.09 8.50 0.10 *****

1986/11/6 (THU) 14:4:5

1975-NEN (S-50)

SOP HAN EVAPORATION

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.00	3.00	7.00	3.00	3.00	2.80	1.70	0.80	2.70	2.20	1.60
2	2.00	3.00	3.00	4.00	4.80	4.60	0.90	3.00	1.70	1.80	3.00	2.40
3	3.00	4.00	5.00	6.00	3.10	2.00	3.40	3.40	3.00	1.50	1.60	3.60
4	3.00	3.00	5.00	4.00	4.00	3.00	2.30	2.70	2.00	3.00	2.70	2.40
5	1.40	3.00	5.00	5.00	4.00	0.80	7.40	1.70	2.40	1.30	2.00	3.80
6	0.90	3.00	4.00	5.00	5.60	1.50	2.50	2.70	1.90	2.40	2.80	2.00
7	0.60	3.00	5.00	7.00	0.40	1.80	2.20	3.00	1.60	2.20	2.00	2.30
8	0.80	3.00	6.00	5.00	2.30	3.20	2.20	1.70	4.10	2.00	3.20	1.80
9	0.70	3.00	5.00	4.00	3.00	2.40	0.70	4.00	3.60	3.00	2.40	3.00
10	5.00	3.00	4.00	7.00	4.00	1.90	1.90	2.00	2.30	2.60	2.00	1.00
11	4.00	3.00	5.00	5.00	6.00	1.10	3.00	1.80	4.40	3.60	2.20	3.00
12	2.00	3.00	5.00	7.00	5.60	2.40	1.00	2.40	1.00	3.20	3.20	1.30
13	2.00	3.00	5.00	5.00	4.00	3.00	3.60	2.40	2.80	4.80	2.80	3.00
14	2.00	3.00	5.00	5.00	4.00	5.20	0.60	1.80	3.20	3.40	2.00	2.80
15	2.00	3.00	5.00	7.00	5.00	1.70	2.70	2.00	2.00	1.30	3.00	3.40
16	2.00	3.00	6.50	7.00	5.00	2.40	2.30	0.90	3.40	2.50	3.20	3.00
17	2.00	3.00	5.00	6.00	4.70	1.80	2.00	1.70	1.50	4.00	2.00	2.80
18	2.00	4.00	5.00	7.00	4.70	1.00	1.00	1.30	1.80	4.20	3.20	3.20
19	2.00	4.00	4.00	5.00	4.10	5.00	2.00	1.60	3.00	3.20	2.20	2.00
20	1.90	3.00	4.00	5.00	3.00	3.00	3.00	2.40	3.00	2.30	3.60	2.00
21	3.00	3.00	7.00	5.00	4.60	1.40	3.30	2.70	2.00	3.50	3.00	3.00
22	2.00	3.00	4.00	6.00	3.00	2.80	3.00	2.00	1.30	2.80	2.80	2.00
23	2.00	3.00	4.00	6.00	4.10	3.00	3.30	1.80	1.90	3.30	3.40	2.00
24	2.00	4.00	4.00	6.00	3.70	3.80	3.40	2.00	1.70	2.00	3.60	2.80
25	2.00	4.00	3.00	7.00	3.00	4.00	2.00	1.50	3.00	3.00	3.00	2.00
26	2.00	3.00	6.00	6.00	4.20	4.80	2.30	2.40	4.20	2.00	1.60	2.40
27	2.00	5.00	5.00	6.00	3.20	3.60	3.40	1.00	3.40	3.30	2.80	3.60
28	2.00	4.00	6.00	7.00	3.30	1.40	2.00	1.30	1.30	2.10	2.00	2.40
29	2.00	6.00	6.00	7.00	1.20	2.80	3.00	1.70	1.30	1.80	3.00	3.00
30	2.00	4.00	4.00	4.00	3.00	1.40	3.00	0.80	1.90	1.50	3.00	2.40
31	3.00	6.00	6.00	4.40	4.40	3.60	3.60	2.00	4.30	4.30	2.00	2.00
TOTAL	65.30	92.00	169.50	175.00	118.00	81.70	79.80	62.80	71.50	85.20	79.50	78.00
AVERAGE	2.11	3.29	4.82	5.83	3.81	2.72	2.57	2.03	2.38	2.75	2.65	2.52
MAXIMUM	5.00	5.00	7.00	8.00	6.00	5.20	7.40	4.00	4.40	4.60	3.60	3.80
MINIMUM	0.60	3.00	3.00	4.00	0.40	0.80	0.60	0.80	0.80	1.30	1.60	1.00

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 118.30 3.12 8.00 0.40 *****

1986/11/6 (THU) 14: 4: 5

1976-MEN (S-51)

SOP HAN EVAPORATION

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.20	6.00	6.20	4.20	5.00	4.20	2.80	3.70	3.00	2.60	1.60
2	2.20	3.40	5.60	6.40	1.00	3.50	3.50	1.20	4.70	3.00	3.00	2.40
3	2.00	3.30	5.40	6.70	3.40	3.20	3.20	1.70	3.80	2.10	2.80	2.60
4	1.40	2.60	4.60	6.20	3.80	1.60	3.50	1.40	4.60	3.00	3.00	3.00
5	2.00	2.50	5.20	7.00	3.60	5.40	1.80	1.80	4.20	2.60	2.80	3.20
6	2.60	2.70	5.00	7.20	1.20	2.30	1.80	1.70	3.30	3.00	2.40	2.80
7	2.00	3.20	5.40	7.00	5.30	2.80	1.80	2.20	1.60	3.80	3.50	3.00
8	2.70	3.20	5.70	7.40	5.70	3.50	2.60	1.70	4.40	3.00	2.20	2.00
9	3.00	3.70	6.00	4.30	3.20	3.30	1.50	2.60	2.30	2.60	3.00	1.50
10	2.50	3.60	6.30	6.70	3.30	1.90	1.80	1.20	3.90	3.40	2.50	1.80
11	2.20	3.20	5.80	7.00	6.00	1.90	2.90	2.80	2.00	6.20	2.10	1.90
12	3.20	4.00	6.40	7.40	3.50	3.60	3.60	2.30	1.70	4.00	2.00	2.30
13	3.00	4.30	5.00	7.00	4.60	2.20	4.00	2.30	4.80	4.80	2.60	2.60
14	2.00	4.00	6.60	6.00	4.10	3.00	3.60	2.30	3.60	4.60	3.00	1.90
15	2.20	4.60	6.00	8.00	5.00	2.80	5.30	1.40	3.80	3.40	2.40	2.30
16	3.00	3.70	6.20	7.40	3.50	3.50	5.00	1.00	3.30	3.00	2.30	3.00
17	2.20	4.70	6.00	7.00	5.00	5.30	3.40	3.00	4.10	2.30	3.00	3.60
18	3.00	4.40	5.80	7.60	6.00	5.30	4.00	3.40	3.00	1.80	2.00	3.80
19	2.50	4.80	5.80	8.00	3.30	5.00	3.20	5.60	1.40	2.70	2.50	3.40
20	3.20	4.20	6.70	7.00	4.30	5.30	1.70	2.30	3.00	2.40	3.00	3.50
21	3.70	5.00	3.70	5.00	4.20	4.90	3.70	4.00	4.10	2.30	3.20	3.00
22	3.20	5.30	5.70	7.00	5.70	5.30	2.50	3.10	2.50	2.00	2.60	3.00
23	3.40	5.70	6.40	6.50	4.10	4.10	3.60	2.00	3.80	3.60	3.00	3.20
24	3.00	5.40	6.80	6.00	6.60	2.10	3.00	2.70	2.10	3.00	3.20	3.40
25	3.00	5.70	6.20	4.20	4.20	3.60	1.30	2.90	1.40	2.60	2.00	3.00
26	2.70	6.00	6.40	6.50	3.50	3.20	1.00	3.90	4.30	0.70	3.00	3.00
27	2.60	6.00	6.70	7.00	4.00	4.00	1.40	3.40	1.90	1.60	2.60	3.50
28	3.00	5.80	7.00	6.30	3.40	4.00	3.00	3.20	2.40	2.60	2.40	3.20
29	2.40	5.70	7.30	5.70	4.00	4.20	3.60	3.60	2.50	1.00	2.00	3.70
30	3.20	6.00	6.00	2.70	3.50	3.20	3.00	2.50	3.50	2.00	2.00	3.50
31	3.00	6.00	6.00	6.00	3.50	3.50	1.60	3.00	3.00	2.00	1.70	1.70
TOTAL	82.10	123.90	183.70	194.40	126.50	109.00	91.00	79.00	95.70	88.10	78.70	86.40
AVERAGE	2.65	4.27	5.93	6.48	4.08	3.63	2.94	2.55	3.19	2.84	2.62	2.79
MAXIMUM	3.70	6.00	7.30	8.00	6.60	5.40	5.30	5.60	4.80	6.20	3.50	3.80
MINIMUM	1.40	2.50	3.70	2.70	1.00	1.60	1.00	1.00	1.40	0.70	2.00	1.50

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 138.50 3.66 8.00 0.70 *****

SOP HAN EVAPORATION

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	0.50	3.40	4.00	5.00	7.00	2.00	1.80	1.50	3.00	3.30	3.20	
2	1.00	3.20	4.10	4.00	7.20	1.80	1.90	2.20	4.60	3.00	3.60	
3	0.90	3.40	3.80	4.10	7.40	1.80	1.90	3.00	4.00	3.00	3.40	
4	1.50	3.30	3.80	6.70	7.50	2.80	2.20	1.80	3.40	3.40	3.30	
5	2.50	2.80	3.90	1.90	6.50	2.80	2.20	1.50	3.20	4.00	3.60	
6	2.50	3.00	3.00	4.20	7.30	3.00	2.60	2.30	0.90	3.60	3.00	
7	3.00	3.30	2.60	4.70	5.10	3.10	3.00	3.30	1.30	3.30	3.40	
8	2.70	3.00	3.40	4.60	6.00	3.80	1.00	3.20	0.80	2.60	3.20	
9	2.60	3.20	2.80	4.00	6.90	4.00	3.00	3.00	1.00	2.70	3.40	
10	2.80	3.00	3.50	5.30	5.30	4.00	3.80	1.60	1.60	4.00	3.70	
11	2.50	3.50	3.60	5.80	5.60	2.20	4.00	1.40	1.70	3.00	3.30	
12	2.30	3.00	4.00	4.10	7.00	1.50	4.30	3.20	2.70	3.20	4.00	
13	2.00	3.40	4.20	5.80	0.90	1.80	3.20	1.60	3.50	3.30	2.40	
14	2.40	3.50	4.00	5.60	2.30	2.90	2.30	2.50	1.50	3.40	3.00	
15	2.10	3.40	4.80	5.50	0.90	3.30	2.80	3.00	2.60	3.80	3.40	
16	2.00	3.50	5.20	6.00	1.20	3.00	2.00	1.60	3.00	4.00	2.30	
17	2.20	3.60	5.60	4.80	2.00	3.20	2.80	1.80	3.60	3.60	3.40	
18	2.50	3.30	6.00	4.00	4.10	3.60	4.50	2.90	3.00	3.50	3.60	
19	2.50	3.30	5.40	4.00	4.70	4.00	3.00	2.00	2.00	4.40	3.50	
20	2.00	3.20	5.00	5.80	5.70	4.00	4.10	2.50	3.00	2.80	4.00	
21	2.50	3.20	6.00	6.20	4.00	1.70	2.30	2.40	3.40	2.20	2.00	
22	2.00	3.50	6.00	7.00	6.20	3.70	3.10	2.30	2.30	3.60	2.00	
23	2.50	3.80	6.20	6.50	3.60	3.30	2.40	2.60	4.00	2.90		
24	3.00	3.60	4.00	6.80	1.80	3.10	3.40	1.40	4.00	1.80		
25	3.10	3.50	5.30	6.60	4.00	3.20	2.50	4.00	5.00	3.00		
26	2.40	3.60	5.10	7.00	5.40	2.20	3.20	1.60	3.40	3.00		
27	2.70	3.70	4.30	6.90	2.90	2.00	3.60	1.90	3.00	2.80		
28	3.00	3.80	6.00	7.20	1.10	1.70	1.60	2.30	4.30	3.00		0.50
29	3.00		5.50	6.80	1.10	3.20	0.90	2.10	2.70	3.80		0.80
30	2.90		4.70	6.80	4.30	3.10	0.90	1.50	4.60	3.70		0.90
31	3.20		5.20		2.40		1.20	2.60		3.00		0.0
TOTAL	72.50	94.10	140.80	164.70	137.40	85.60	81.50	70.60	87.10	100.70	70.70	2.20
AVERAGE	2.34	3.36	4.54	5.49	4.43	2.85	2.63	2.28	2.90	3.25	3.21	0.55
MAXIMUM	3.20	3.80	6.20	7.20	7.50	4.00	4.50	4.00	5.00	4.40	4.00	0.90
MINIMUM	0.50	2.80	2.60	1.90	0.90	1.50	0.90	1.40	0.80	1.80	2.00	0.0

***** ANNUAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** 1107.90 *****
 ***** 3.36 *****
 ***** 7.50 *****
 ***** 0.0 *****

SOP HAN EVAPORATION

#DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.00	4.60	5.80	7.00	4.00	3.60	1.50	2.10	2.20	5.30	3.70
2	2.20	3.00	5.20	5.80	6.40	4.30	1.80	2.20	1.30	1.70	3.60	3.30
3	1.50	0.50	5.50	5.80	7.20	2.50	1.40	2.50	1.00	2.00	4.50	3.70
4	1.30	2.80	5.30	6.40	6.10	3.40	2.80	4.10	1.50	1.50	4.00	2.60
5	1.50	3.00	5.20	6.80	4.80	3.60	2.00	2.20	1.50	2.70	4.60	3.00
6	1.20	3.30	5.40	6.50	4.00	5.00	1.20	2.00	4.00	3.00	4.80	3.40
7	1.70	3.40	5.30	6.50	6.80	2.20	2.20	0.80	3.70	2.00	4.50	2.50
8	2.00	3.40	5.80	6.60	6.00	1.70	2.80	1.30	3.00	3.70	3.80	2.70
9	2.20	3.00	5.70	6.80	8.00	3.00	1.50	0.40	3.50	1.70	4.00	3.00
10	1.70	3.30	5.40	6.30	6.40	2.70	3.20	2.30	3.70	1.80	3.60	3.20
11	2.50	3.30	5.80	6.00	6.10	4.50	0.70	2.00	2.10	3.10	3.20	3.60
12	1.60	3.50	6.00	5.80	3.40	4.80	2.00	3.00	4.20	2.70	3.00	2.80
13	1.80	3.80	5.80	2.30	3.20	4.60	2.00	1.50	4.70	5.20	4.20	3.00
14	2.20	4.00	5.60	4.20	2.70	5.30	0.70	0.20	4.00	4.80	4.80	3.20
15	2.70	4.00	5.80	5.40	1.00	3.80	2.30	1.40	2.30	3.70	3.00	3.00
16	2.20	4.00	6.00	6.00	0.80	4.10	3.20	1.30	3.20	4.60	3.40	3.40
17	2.00	3.50	6.30	4.50	1.40	3.30	2.30	1.90	5.20	4.20	3.00	3.50
18	1.90	3.80	6.30	5.40	2.90	3.40	2.10	2.60	2.20	3.00	3.20	3.20
19	2.00	4.00	6.00	6.00	2.00	3.50	1.70	4.00	1.80	2.40	3.60	3.40
20	2.10	4.00	6.00	6.40	4.00	1.50	2.60	3.00	3.50	4.40	4.00	3.60
21	2.00	4.20	6.00	6.60	4.20	1.70	2.50	1.80	3.70	4.60	3.30	3.30
22	2.00	4.50	6.40	6.70	4.00	2.70	1.00	2.80	2.10	4.00	4.00	2.60
23	2.30	4.30	6.40	6.60	4.60	1.50	3.40	2.00	2.20	4.20	3.00	2.80
24	2.80	4.00	6.30	7.40	3.30	1.80	2.00	4.30	3.50	3.50	4.20	2.00
25	2.80	4.00	6.20	6.80	3.40	2.30	2.00	4.00	2.80	3.00	4.60	2.60
26	2.90	3.80	6.30	7.60	1.70	4.00	1.00	3.10	5.00	3.60	4.80	3.00
27	3.00	1.50	6.20	7.00	2.20	0.70	1.50	1.60	3.10	4.00	3.00	2.30
28	2.80	4.20	6.20	7.20	4.20	0.60	1.80	3.30	3.00	4.20	3.50	2.00
29	3.00	3.00	6.50	7.00	5.20	2.20	1.70	3.00	2.00	4.00	4.00	2.50
30	3.10	4.50	6.20	7.30	4.60	3.30	3.70	0.80	2.60	4.60	3.20	3.00
31	3.00	6.00	6.00	6.40	3.80	1.50	1.90	3.20	4.80	4.60	2.40	2.40
TOTAL	68.10	97.10	181.80	185.50	131.60	92.00	63.20	71.50	88.30	104.90	115.50	92.50
AVERAGE	2.20	3.47	5.86	6.18	4.25	3.07	2.04	2.31	2.94	3.38	3.65	2.98
MAXIMUM	3.10	4.50	6.50	7.60	8.00	5.30	3.70	4.30	5.20	5.20	5.30	3.70
MINIMUM	1.20	0.50	4.60	2.30	0.80	0.60	0.70	0.20	1.00	1.50	3.00	2.00

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 1891.80 3.54 8.00 0.20 *****

1986/11/ 6 (THU) 14: 4: 5

1979-MEN (S-54)

SOP HAN EVAPORATION

DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	4.20	5.40	7.00	7.00	6.00	1.50	1.70	4.30	5.00	4.20	2.00
2	2.80	3.40	5.00	7.00	2.40	5.00	4.40	2.00	2.30	4.70	3.50	3.00
3	3.00	4.70	5.30	8.00	6.00	3.60	3.00	1.30	3.60	4.40	3.40	3.40
4	2.70	5.00	7.40	7.30	7.40	4.00	1.70	2.20	2.20	3.50	4.20	2.60
5	2.00	3.60	6.00	8.00	7.70	4.20	1.50	1.80	2.80	4.00	3.20	3.20
6	3.00	4.00	5.70	8.30	7.50	3.60	2.30	1.50	1.40	1.80	4.00	2.80
7	3.40	3.50	6.00	7.00	6.30	4.70	1.80	1.80	2.00	2.00	4.20	2.00
8	3.60	3.80	6.30	7.30	6.00	5.00	3.40	1.10	5.20	2.40	2.40	3.00
9	2.00	4.60	6.00	7.60	6.30	2.60	2.60	3.20	4.00	2.40	3.00	3.20
10	2.40	5.00	6.40	8.00	0.80	3.50	4.30	3.40	4.20	3.00	3.00	3.00
11	3.20	4.70	6.60	7.00	3.60	1.90	2.90	3.00	3.20	3.50	3.20	2.00
12	3.00	4.00	7.00	7.30	5.00	2.10	2.40	1.30	5.00	3.00	3.40	3.00
13	3.00	5.00	8.00	8.00	5.30	2.80	1.60	1.20	4.70	4.00	3.00	3.40
14	2.60	5.30	6.30	5.70	5.00	1.50	1.90	2.00	2.00	3.50	4.00	3.00
15	2.80	4.00	6.70	2.30	4.70	2.50	2.30	2.10	4.20	4.00	3.00	2.60
16	3.20	4.40	7.00	6.70	7.30	1.70	4.30	1.50	4.00	3.80	3.20	2.10
17	3.00	4.60	6.20	7.00	4.60	3.30	1.80	1.70	3.90	4.50	3.00	2.00
18	2.50	5.00	6.70	8.20	4.10	2.20	3.60	1.00	3.70	3.60	3.00	3.00
19	3.00	6.00	7.00	6.40	4.70	4.40	3.10	1.40	2.60	3.40	3.40	1.50
20	2.40	5.70	8.00	8.00	3.40	2.60	4.00	1.00	4.00	2.50	3.00	2.00
21	2.60	5.00	7.00	7.40	4.30	3.80	3.80	1.70	5.00	2.60	2.40	2.70
22	2.80	6.40	6.00	8.00	2.20	0.40	1.40	1.80	0.90	2.00	2.50	3.00
23	3.00	6.30	6.70	6.00	1.40	0.50	2.20	0.40	2.60	4.20	3.00	2.60
24	3.20	5.00	6.50	4.40	1.50	0.60	2.50	2.80	5.00	3.60	2.70	2.50
25	3.40	6.40	6.00	4.30	2.20	3.00	3.70	2.40	3.00	4.30	3.60	2.50
26	4.00	6.00	6.20	3.80	4.00	1.40	3.00	1.30	2.40	3.50	3.00	2.30
27	3.40	5.50	6.40	2.50	4.60	2.20	3.20	2.80	2.80	2.20	2.80	3.00
28	3.70	6.00	7.00	3.40	5.00	2.30	1.50	4.00	3.20	3.00	3.60	2.20
29	4.30	7.50	4.30	4.30	5.20	1.60	4.40	4.60	3.10	3.50	2.40	3.20
30	4.50	6.00	7.20	6.00	6.00	2.30	3.50	4.00	2.30	3.00	3.00	3.00
31	4.00	7.40	7.40	6.50	6.50	1.40	1.40	2.60	3.50	3.50	2.40	2.40
TOTAL	95.50	137.30	201.20	192.20	148.00	85.30	85.10	64.70	97.60	105.00	96.30	82.20
AVERAGE	3.08	4.40	6.49	6.41	4.77	2.84	2.75	2.09	3.25	3.39	3.21	2.65
MAXIMUM	4.50	6.40	8.00	8.30	7.70	6.00	4.40	4.60	5.20	5.00	4.20	3.40
MINIMUM	2.00	3.50	5.00	2.30	0.80	0.40	1.40	0.40	0.90	1.80	2.40	1.50

***** ANNUAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** TOTAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** TOTAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****

1986/11/6 (THU) 14: 4: 5

1980-NEN (S-55)

SOP HAN EVAPORATION

#DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	4.00	7.00	7.00	7.70	4.00	2.40	2.80	1.60	2.00	3.60	2.60
2	2.80	4.00	6.60	6.00	6.20	1.60	3.40	3.60	2.20	1.90	3.00	3.00
3	2.50	4.00	7.00	6.20	4.50	3.40	2.90	3.00	1.00	1.70	4.00	3.00
4	3.00	4.00	6.50	6.00	5.50	0.60	2.70	2.90	2.60	3.80	3.00	3.60
5	3.20	4.60	6.00	8.00	7.00	2.70	1.80	2.50	3.00	3.90	4.00	3.40
6	3.10	4.00	5.00	7.00	6.40	2.20	3.40	1.40	3.50	2.00	4.70	3.00
7	3.00	4.30	6.40	4.30	7.50	4.00	1.60	2.50	0.90	0.60	3.00	3.30
8	3.20	4.00	6.30	5.50	7.30	3.40	2.30	1.80	1.50	2.00	1.60	3.00
9	3.00	5.00	5.00	7.00	7.00	5.10	2.40	3.00	2.20	4.00	2.00	2.40
10	3.60	5.00	5.60	8.00	7.00	4.00	3.70	2.60	2.80	4.30	3.40	3.00
11	3.00	4.00	5.20	7.00	7.20	4.70	1.30	2.20	2.20	2.40	4.00	3.20
12	2.00	4.30	4.60	7.20	8.00	4.00	2.90	2.00	2.60	3.00	3.00	3.50
13	2.40	4.40	4.00	7.50	8.30	3.00	3.00	3.00	1.30	4.00	4.00	3.00
14	3.70	4.00	5.00	8.00	8.00	2.00	1.40	2.30	2.00	3.00	3.30	2.40
15	2.60	3.60	5.30	7.20	7.70	4.10	1.50	3.00	2.30	2.90	4.60	3.00
16	3.00	4.00	6.00	8.50	8.20	2.90	1.30	3.60	5.80	2.20	3.00	3.20
17	3.40	3.80	7.00	7.00	8.50	1.60	1.50	1.50	1.50	2.00	4.20	3.60
18	4.00	4.60	6.00	7.20	5.10	4.60	1.80	5.20	1.20	3.70	4.00	3.60
19	3.00	5.00	5.50	7.00	3.50	4.00	1.10	2.30	2.10	3.00	1.40	3.50
20	2.00	5.00	6.00	5.80	3.30	1.60	1.60	2.60	2.60	5.30	3.20	3.80
21	3.20	5.30	6.00	7.00	4.70	1.90	1.70	1.20	2.00	3.00	2.00	3.20
22	2.60	5.00	5.00	8.00	1.00	1.40	1.30	1.40	3.60	4.20	3.00	3.40
23	2.00	6.00	6.00	7.70	0.40	2.90	2.00	1.20	4.00	4.00	3.60	2.60
24	2.00	6.20	5.00	7.00	1.10	3.50	1.50	0.40	3.60	4.60	2.30	2.90
25	3.00	6.00	5.70	8.70	4.00	4.70	1.40	1.00	4.00	4.30	3.00	3.00
26	2.70	6.00	5.40	8.00	2.30	2.50	1.50	1.40	2.90	4.70	3.00	2.60
27	3.50	6.30	5.00	7.30	3.20	1.10	2.00	3.00	3.00	4.00	3.00	3.80
28	3.00	7.00	6.20	7.50	1.80	1.80	1.80	1.60	2.00	4.00	3.50	4.30
29	3.40	6.00	4.80	8.00	4.20	2.90	2.60	4.00	1.20	4.00	3.00	2.50
30	3.00	6.00	7.80	8.30	2.50	2.50	2.40	2.40	3.40	2.00	3.00	2.50
31	3.00	6.80	6.80	1.50	1.50	1.20	1.20	2.40	1.60	1.60	4.20	4.20
TOTAL	90.90	189.40	191.70	215.80	160.80	88.70	62.80	72.50	74.60	98.70	96.40	97.70
AVERAGE	2.93	4.61	5.86	7.17	5.17	2.96	2.03	2.34	2.49	3.18	3.21	3.15
MAXIMUM	4.00	7.00	7.80	8.70	8.50	5.10	3.70	5.20	5.80	5.30	4.70	4.30
MINIMUM	2.00	3.60	4.00	4.30	0.40	0.60	1.00	0.40	0.90	0.60	1.40	2.40

***** ANNUAL *****

 | TOTAL | AVERAGE | MAXIMUM | MINIMUM |
 | 1378.60 | 3.77 | 8.70 | 0.60 |

1986/11/6 (THU) 14: 4: 5

1970-NEN (S-45)

BAN THA RUA EVAPORATION

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	4.00	4.00	4.00	5.00	4.00	3.00	1.00	3.00	3.00	2.00	2.20
2	3.00	4.00	3.00	3.00	7.00	2.70	4.00	3.00	3.40	4.00	4.00	0.70
3	3.00	3.00	4.00	4.00	6.00	2.70	1.00	2.00	2.00	4.00	4.00	2.00
4	3.00	3.00	4.00	5.00	3.00	3.00	2.00	2.00	3.00	4.00	4.00	2.00
5	2.00	3.00	4.00	5.00	5.00	2.20	2.50	1.90	2.00	4.00	2.00	2.00
6	3.00	2.00	4.00	3.00	4.00	4.00	1.60	2.30	3.00	4.00	2.00	2.00
7	3.00	4.00	4.00	5.00	5.00	1.60	2.00	1.30	2.50	4.00	2.00	2.00
8	2.00	3.00	4.00	4.00	3.00	2.50	2.00	2.80	4.00	5.00	4.00	3.00
9	3.00	3.00	4.00	5.00	6.00	2.80	4.70	1.60	1.30	5.00	5.00	4.00
10	3.00	3.00	5.00	5.00	6.00	2.20	1.50	2.00	1.30	4.00	2.00	4.00
11	2.00	4.00	5.00	5.00	6.00	2.20	2.20	2.50	1.30	5.00	3.00	5.00
12	2.00	4.00	5.00	5.00	3.00	2.50	2.00	3.00	2.30	5.00	2.00	5.00
13	3.00	3.00	5.00	5.00	3.00	1.80	1.00	3.00	3.00	5.00	2.00	4.00
14	2.00	3.00	5.00	6.00	5.00	2.90	1.00	2.50	4.00	5.00	3.00	3.00
15	2.00	3.00	5.00	5.00	2.00	2.30	1.30	1.60	3.00	3.00	3.00	4.00
16	2.00	3.00	5.00	5.00	2.40	3.90	1.00	1.50	0.30	3.20	2.00	4.00
17	2.00	3.00	5.00	5.00	1.30	3.00	1.00	3.10	3.50	4.00	2.00	4.00
18	3.00	4.00	5.00	5.00	1.00	2.00	1.20	4.00	0.70	4.00	3.00	4.00
19	3.00	4.00	5.00	6.00	2.70	3.50	1.20	4.00	5.00	5.00	3.00	4.00
20	3.00	3.00	6.00	6.00	2.50	2.60	3.00	4.00	5.00	1.40	3.00	4.00
21	3.00	3.00	5.00	6.00	2.00	2.00	1.20	4.00	2.00	4.00	4.00	5.00
22	2.00	4.00	6.00	6.00	3.00	2.30	1.00	4.00	1.30	1.40	3.00	5.00
23	3.00	4.00	6.00	6.00	4.40	2.00	2.50	5.50	3.00	4.00	3.00	5.00
24	3.00	4.00	3.40	6.00	2.50	4.00	1.30	1.40	2.00	3.00	3.00	5.00
25	3.00	3.00	4.00	6.00	3.50	4.00	1.30	1.00	1.00	4.00	2.00	4.00
26	3.00	4.00	5.00	5.50	4.00	2.50	1.00	1.30	6.20	0.70	2.00	5.00
27	3.00	3.00	6.00	4.50	4.00	2.30	1.80	1.80	6.20	1.00	3.00	3.00
28	3.00	2.00	6.00	6.00	4.00	3.40	3.00	1.70	3.50	2.00	3.00	3.00
29	3.00	6.00	6.00	6.00	3.00	3.00	0.90	1.90	4.00	2.00	0.30	4.00
30	3.00	6.00	6.00	5.00	4.00	2.00	4.00	2.30	1.00	2.00	0.50	4.00
31	3.00	3.00	5.00	5.00	3.40	3.00	3.00	3.00	1.00	1.00	4.00	4.00
TOTAL	84.00	93.00	145.40	155.50	116.70	81.90	60.20	77.00	83.60	107.20	81.10	111.90
AVERAGE	2.71	3.32	4.69	5.18	3.83	2.73	1.94	2.48	2.79	3.46	2.70	3.61
MINIMUM	2.00	2.00	2.00	3.00	1.00	1.60	0.90	1.00	0.30	0.70	0.30	0.70
MAXIMUM	3.00	4.00	6.00	6.00	7.00	4.00	4.70	5.50	6.20	5.50	5.00	5.00

***** ANNUAL *****

 TOTAL AVERAGE MAXIMUM MINIMUM

 1199.70 3.29 7.00 0.30

BAN THA RUA EVAPORATION

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	4.00	3.00	3.00	4.00				2.30	2.30	3.00	3.00	2.50
2	3.00	3.00	4.00	4.00				1.40	3.00	2.30	3.00	3.00
3	3.00	3.00	4.00	4.00				2.50	3.60	3.50	3.50	3.00
4	3.00	4.00	4.00	4.00				2.70	1.30	3.50	3.50	3.00
5	3.00	3.00	4.00	4.00				3.00	3.00	4.00	3.00	3.00
6	3.00	3.00	4.00	4.00				1.40	3.00	4.00	2.50	3.00
7	3.00	3.00	4.00	4.00				2.10	2.00	3.50	3.00	3.00
8	4.00	3.00	4.00	5.00				2.70	2.00	3.50	2.00	3.00
9	4.00	3.00	4.00	5.00				1.40	2.20	3.00	2.80	3.00
10	4.00	3.00	4.00	6.00				1.20	3.00	3.00	3.00	3.00
11	3.00	3.00	4.00	6.00				2.10	3.00	3.00	3.00	3.00
12	4.00	3.00	2.00	6.00				2.50	2.30	3.00	3.00	3.00
13	4.00	3.00	3.00	6.00				1.10	3.00	4.00	3.00	2.50
14	3.00	3.00	2.00	6.00				4.00	3.00	4.00	3.00	2.50
15	3.00	3.00	3.00	6.00				2.00	3.00	5.00	3.00	2.00
16	3.00	3.00	3.00	5.00				2.30	3.00	5.00	3.00	2.00
17	3.00	3.00	3.00	4.00				2.30	3.00	4.00	2.50	2.50
18	2.00	3.00	3.00	3.00				2.00	3.50	3.00	2.00	3.00
19	3.00	3.00	3.00	3.80			4.60	2.30	3.10	4.00	2.00	3.00
20	2.00	3.00	4.00	5.00			2.10	1.50	3.00	3.00	2.00	3.00
21	3.00	3.00	4.00	4.00				1.20	3.00	3.00	2.50	2.50
22	2.00	3.00	4.00	5.00				1.30	4.00	3.00	2.50	2.50
23	3.00	3.00	4.00	6.00				3.00	4.00	4.50	2.50	2.50
24	3.00	3.00	4.00	6.00				2.00	4.00	3.00	2.50	2.50
25	3.00	3.00	4.00	5.00				1.00	5.00	3.00	2.00	2.50
26	3.00	3.00	4.00	5.00				1.70	6.00	2.00	2.50	2.50
27	3.00	3.00	4.00	4.00				1.80	3.00	6.50	2.50	2.00
28	3.00	4.00	4.00	5.00				4.30	3.00	4.70	3.00	2.50
29	3.00	4.00	4.00	5.00				0.60	4.00	3.00	2.80	2.10
30	3.00	4.00	4.00	4.00				1.70	3.00	7.80	2.50	2.10
31	3.00	4.00	4.00	4.00				1.30	3.80	3.00	2.00	2.00
TOTAL	96.00	85.00	113.60	139.80			26.30	69.70	94.80	113.80	80.60	81.70
AVERAGE	3.10	3.04	3.66	4.82			2.02	2.25	3.16	3.67	2.69	2.64
MINIMUM	2.00	3.00	2.00	3.00			0.60	1.10	1.30	2.00	2.00	2.00
MAXIMUM	4.00	4.00	4.00	6.00			4.60	4.00	6.00	7.80	3.50	3.00

***** ANNUAL *****
 TOTAL AVERAGE MAXIMUM MINIMUM
 901.30 3.16 7.80

BAN THA RUA EVAPORATION

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	1.50	3.00	5.00	5.00	8.00	4.80	2.90	2.00	2.70	3.00	3.00	2.00
2	2.50	3.00	4.50	5.00	8.00	2.70	2.50	1.60	2.00	3.00	3.00	2.00
3	3.00	3.00	4.00	6.00	7.00	4.30	1.90	2.00	2.30	4.00	3.00	2.00
4	3.00	3.00	3.00	6.00	7.00	3.90	2.30	1.80	3.70	1.50	3.00	2.00
5	3.00	3.00	3.00	5.00	7.00	6.00	1.00	2.40	3.70	2.00	1.60	2.00
6	3.00	3.00	3.00	6.00	7.00	4.90	1.70	2.50	2.70	3.00	2.00	2.00
7	3.00	3.00	3.00	6.00	7.00	8.00	4.10	3.00	3.00	3.00	1.60	2.80
8	3.00	3.00	3.00	6.00	7.00	2.80	2.70	3.00	2.00	4.00	2.00	2.00
9	3.00	3.00	3.00	6.00	8.00	3.90	1.80	1.60	2.40	3.00	2.00	2.00
10	3.00	3.00	3.00	5.50	8.00	6.00	2.00	1.50	2.70	2.00	3.00	3.00
11	3.00	3.00	5.00	2.50	9.00	5.30	1.50	2.00	4.00	3.00	3.00	3.00
12	3.00	3.00	4.50	2.40	9.00	2.30	1.60	3.50	5.00	1.70	3.00	3.00
13	3.00	3.00	5.00	5.00	8.00	2.80	1.30	2.00	3.90	3.00	2.00	2.00
14	3.00	3.50	4.00	5.00	9.00	2.00	1.50	1.40	3.60	2.00	2.00	3.00
15	2.50	4.00	5.00	5.00	5.40	3.70	1.90	1.70	5.00	1.80	2.90	3.00
16	3.00	4.00	5.00	5.00	7.00	3.50	2.40	1.40	3.00	4.50	3.50	2.00
17	3.00	3.50	6.00	6.00	3.30	2.60	1.30	2.90	4.00	3.00	3.00	2.00
18	3.00	4.00	6.00	6.00	3.00	3.60	4.00	3.00	3.70	3.00	2.00	2.00
19	3.00	4.00	6.00	7.00	6.00	2.10	1.80	1.90	3.20	1.60	2.20	2.00
20	3.00	4.00	5.00	7.00	5.00	2.90	2.40	1.20	4.70	3.00	2.00	2.00
21	3.00	4.00	6.00	6.00	6.00	2.80	1.40	1.00	1.50	1.60	2.40	2.00
22	2.50	4.50	5.00	5.00	6.00	7.00	2.00	1.20	1.90	2.00	2.20	3.00
23	3.00	5.00	6.00	7.00	7.30	4.60	1.60	1.00	3.30	3.00	3.00	3.00
24	3.00	4.50	5.00	7.00	3.20	3.80	1.00	1.30	3.60	3.00	2.00	3.00
25	3.00	4.50	5.00	7.00	4.40	6.00	1.80	1.30	2.50	3.00	1.80	2.00
26	3.00	4.50	5.00	6.00	3.00	4.00	1.50	1.20	1.80	3.00	2.70	3.00
27	3.00	4.50	4.00	7.10	3.00	4.30	1.60	2.20	2.70	1.00	2.00	3.00
28	3.00	4.50	5.00	7.00	2.60	3.20	2.50	2.50	3.00	2.30	2.00	3.00
29	3.00	5.00	6.00	8.00	5.10	1.50	1.90	2.00	2.00	4.00	2.00	2.00
30	3.00	6.00	8.00	8.00	9.00	4.50	1.30	3.00	3.00	3.00	3.00	3.00
31	3.00	5.00	5.00	6.00	6.00	2.00	2.00	1.90	2.00	2.00	2.00	3.00
TOTAL	90.00	107.00	144.00	175.70	194.30	119.20	61.20	61.40	98.60	88.00	72.90	75.80
AVERAGE	2.90	3.49	4.65	5.86	6.27	3.97	1.97	1.98	3.09	2.68	2.43	2.45
MAXIMUM	3.00	5.00	6.00	8.00	9.00	6.00	4.10	3.50	5.00	4.50	3.50	3.00
MINIMUM	1.50	3.00	3.00	2.50	2.60	1.50	1.00	1.00	1.50	1.00	1.60	2.00

ANNUAL
 TOTAL AVERAGE MAXIMUM MINIMUM
 1277.10 3.49 9.00 1.00

1986/11/ 6 (THU) 14: 4: 5

1973-NEN (S-48)

BAN THA RUA EVAPORATION

#DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.00	4.00	5.00	7.00	5.00	4.00	3.10	2.20	3.20	2.00	3.00
2	3.00	3.00	5.00	5.00	6.50	6.00	3.70	2.50	2.60	3.00	3.00	3.00
3	3.00	2.00	4.00	5.00	4.30	4.70	4.50	1.80	1.80	4.00	3.00	2.00
4	2.00	3.00	4.00	5.00	1.00	3.70	5.30	3.00	2.00	4.00	3.00	2.00
5	3.00	2.00	5.00	6.00	1.00	5.00	2.00	1.80	2.60	3.00	3.00	2.00
6	2.00	3.00	4.00	6.00	1.00	4.70	1.70	1.90	3.00	4.50	2.00	2.00
7	3.00	2.00	2.00	5.00	0.30	2.60	2.70	3.00	2.00	3.00	2.00	2.00
8	3.00	2.00	1.00	6.00	3.40	4.00	3.50	2.00	2.00	4.00	2.00	2.00
9	2.00	3.00	6.00	6.00	4.00	0.50	3.00	3.00	2.70	4.60	2.50	2.00
10	3.00	3.00	6.00	6.00	5.00	3.50	1.00	1.00	2.50	2.50	2.00	2.00
11	2.00	2.00	6.00	7.00	6.00	3.50	4.50	2.00	3.00	4.30	2.00	2.00
12	2.00	3.00	5.00	7.00	6.00	1.40	2.00	1.50	3.00	4.00	2.00	2.00
13	3.00	2.00	5.00	6.00	2.00	1.50	2.30	1.00	2.30	4.00	2.00	2.00
14	2.00	2.00	6.00	6.00	3.70	1.30	2.30	1.50	4.00	3.00	2.00	3.00
15	2.00	3.00	6.00	7.00	1.50	2.30	4.20	1.00	4.00	4.00	2.00	3.00
16	2.00	4.00	5.00	7.00	2.50	0.60	1.90	2.50	3.00	3.00	3.00	2.00
17	2.00	4.00	4.00	7.00	4.00	1.00	2.00	1.50	2.40	2.80	2.30	3.00
18	2.00	4.00	5.00	7.00	4.80	1.30	1.50	2.00	4.20	3.00	2.00	2.00
19	3.00	4.00	5.00	7.00	4.00	3.40	1.00	3.00	4.00	3.00	2.00	2.00
20	3.00	3.00	5.00	8.00	2.00	1.30	3.30	1.00	5.00	3.00	2.00	3.00
21	2.00	4.00	5.00	8.00	2.00	1.00	3.10	1.50	3.00	4.00	1.40	2.00
22	2.00	4.00	4.00	7.00	5.00	3.80	2.00	2.00	3.40	3.00	1.70	2.00
23	3.00	4.00	4.00	7.00	6.00	4.00	2.70	2.50	4.30	4.00	2.00	2.00
24	3.00	3.00	5.00	7.00	4.00	4.00	2.30	1.20	5.00	3.50	2.00	2.00
25	2.00	4.00	4.70	7.00	4.00	3.20	2.00	2.00	4.00	3.00	2.00	3.00
26	3.00	5.00	5.00	8.00	2.00	5.00	1.20	3.00	3.20	4.00	2.00	2.00
27	2.00	4.00	6.00	9.00	4.80	2.30	1.90	2.50	3.00	4.00	2.00	2.00
28	2.00	5.00	5.00	9.00	5.40	4.50	3.00	2.00	3.00	3.00	2.00	2.00
29	2.00	6.00	6.00	9.00	2.30	1.00	3.00	2.50	3.00	4.00	2.00	2.00
30	2.00	6.00	6.00	8.00	4.80	1.20	3.00	3.00	2.00	3.00	3.00	2.00
31	2.00	6.00	6.00	8.00	3.30	4.00	4.00	2.00	3.00	3.00	3.00	3.00
TOTAL	74.00	90.00	149.70	203.00	113.60	87.30	84.60	66.50	92.20	108.40	65.90	70.00
AVERAGE	2.39	3.21	4.83	6.77	3.66	2.91	2.73	2.15	3.07	3.50	2.20	2.26
MAXIMUM	3.00	5.00	6.00	9.00	7.00	6.00	5.30	3.10	5.00	4.60	3.00	3.00
MINIMUM	2.00	2.00	1.00	5.00	0.30	0.50	1.00	1.00	1.80	1.80	1.40	2.00

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 1205.20 3.30 9.00 0.30 *****

1986/11/6 (THU) 14: 4: 5

1974-NEN (S-49)

BAN THA RUA EVAPORATION

DAYS	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	2.00	4.00	5.00	5.00	0.70	1.40	3.00	2.20	1.70	3.00	1.00
2	3.00	3.00	4.00	5.00	6.00	5.10	2.60	5.00	2.30	1.10	2.00	2.00
3	2.00	3.00	4.00	5.00	6.50	1.00	2.40	1.80	1.30	5.90	3.00	2.00
4	2.00	3.00	4.00	4.00	4.00	0.40	2.10	3.00	2.00	5.00	2.00	4.00
5	2.00	3.00	4.00	6.00	5.00	1.50	2.50	3.30	1.20	4.00	2.00	2.00
6	1.00	3.00	4.00	6.50	4.00	1.60	0.60	2.40	1.00	1.50	1.10	2.00
7	2.00	3.00	5.00	6.00	5.00	3.00	0.30	2.40	1.00	2.00	1.00	3.00
8	2.00	2.00	5.00	6.00	5.00	2.00	1.90	4.20	2.00	5.00	6.00	3.00
9	2.00	3.00	4.00	5.50	7.00	0.50	1.30	1.30	3.00	2.30	2.00	1.00
10	2.00	2.00	4.00	6.00	7.00	0.70	4.60	1.70	3.00	4.00	2.00	1.00
11	3.00	2.00	5.00	6.40	6.50	5.00	3.60	5.20	4.80	4.10	1.00	2.00
12	3.00	2.00	5.00	5.00	7.00	2.10	2.90	0.30	2.40	5.00	1.50	3.00
13	3.00	3.00	5.00	6.00	5.50	4.00	1.40	1.20	4.80	4.70	1.80	2.00
14	2.00	3.00	5.00	7.00	5.00	3.30	1.40	1.80	3.10	4.00	2.00	2.00
15	2.00	2.00	9.00	6.00	2.20	0.80	1.70	2.20	3.00	2.80	3.00	3.00
16	3.00	3.00	9.00	6.50	4.20	0.50	1.50	1.00	1.20	2.00	3.00	2.00
17	2.00	3.00	5.00	2.00	3.50	1.30	2.60	7.10	2.50	3.10	2.50	3.00
18	3.00	3.00	5.00	6.00	4.70	0.40	1.70	0.40	3.70	7.00	2.00	2.00
19	2.00	4.00	9.00	7.00	5.50	3.20	1.70	0.20	2.00	7.10	2.00	3.00
20	3.00	4.00	6.50	7.00	4.00	2.40	2.00	0.20	1.80	7.40	3.00	3.00
21	3.00	4.00	6.00	7.00	1.70	6.80	2.50	2.30	7.00	3.00	2.00	2.00
22	2.00	4.00	7.00	7.00	2.00	1.10	3.00	1.70	5.70	4.00	2.00	3.00
23	3.00	3.00	3.50	6.00	2.00	1.00	3.10	2.70	3.90	3.00	2.00	3.00
24	2.00	3.00	3.50	6.00	0.60	3.50	0.70	3.60	2.40	3.00	2.00	3.00
25	2.00	3.00	5.00	6.50	3.40	1.90	3.00	1.10	2.00	3.70	3.00	3.00
26	3.00	4.00	5.00	2.00	1.20	4.00	3.90	1.90	2.20	4.00	3.00	2.00
27	3.00	4.00	5.00	4.60	2.00	3.00	1.60	1.70	2.20	3.50	2.00	3.00
28	3.00	4.00	6.00	3.00	2.00	2.20	2.40	1.60	3.10	2.00	2.00	3.00
29	3.00	5.70	0.50	0.50	2.70	3.00	2.40	2.20	4.70	1.10	2.00	2.00
30	3.00	5.00	5.00	4.00	3.00	4.00	2.70	3.50	5.00	2.00	2.00	2.00
31	3.00	5.50	5.50	3.80	3.80	2.60	2.60	2.00	2.00	2.00	4.00	4.00
TOTAL	77.00	85.00	162.70	160.50	127.00	70.00	67.30	72.00	86.50	111.00	67.90	76.00
AVERAGE	2.48	3.04	5.25	5.35	4.10	2.33	2.17	2.32	2.89	3.58	2.26	2.45
MAXIMUM	3.00	4.00	9.00	7.00	7.00	6.80	4.60	7.10	7.00	7.40	6.00	4.00
MINIMUM	1.00	2.00	3.50	0.50	0.60	0.40	0.30	0.20	1.00	1.10	1.00	1.00

ANNUAL
 TOTAL | AVERAGE | MAXIMUM | MINIMUM
 1162.90 | 3.19 | 9.00 | 0.20

1986/11/6 (THU) 14: 4: 5
1975-NEN (S-50)

BAH THA RUA EVAPORATION

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	2.00	4.00	5.00	6.00	1.00	3.00	1.20	3.00	3.00	3.00	2.00
2	3.00	3.00	5.00	5.00	5.00	3.50	3.00	2.70	2.60	4.50	3.00	3.00
3	2.00	2.00	4.00	5.00	3.50	4.00	2.00	3.50	3.00	4.30	4.00	3.00
4	2.00	3.00	4.00	4.00	4.00	2.50	3.00	4.00	4.00	2.00	4.00	2.00
5	1.00	3.00	4.00	5.00	3.00	2.50	3.00	3.50	2.00	2.10	3.00	3.00
6	2.50	3.00	4.00	6.00	3.20	1.50	2.50	4.00	2.00	3.00	3.00	3.00
7	2.00	3.00	4.00	6.00	2.00	1.00	3.00	1.00	2.00	4.20	4.00	3.00
8	2.00	3.00	5.00	5.00	5.00	2.50	3.50	1.00	3.00	2.00	3.00	2.00
9	5.00	3.00	6.00	5.00	1.00	2.60	2.50	1.00	2.00	3.00	3.00	2.00
10	2.00	3.00	5.00	5.00	6.00	2.50	2.00	3.00	3.00	4.00	3.00	3.00
11	1.00	3.00	5.00	5.00	4.00	3.00	1.00	3.60	3.00	3.00	4.00	3.30
12	2.00	3.00	5.00	6.00	4.00	1.50	1.50	2.80	3.00	4.00	3.00	2.00
13	2.00	3.00	6.00	6.00	5.20	2.00	3.50	2.00	2.00	4.00	3.00	3.00
14	3.00	3.00	6.00	6.00	3.70	3.00	1.50	2.50	2.00	4.70	3.00	3.00
15	3.00	4.00	6.00	5.00	4.00	4.00	1.70	2.00	2.00	4.00	3.00	3.00
16	2.00	3.00	5.00	7.00	6.00	4.00	2.30	2.30	2.50	4.00	4.00	3.00
17	2.00	4.00	6.00	7.00	3.40	3.00	4.00	2.50	3.20	4.00	3.00	2.00
18	3.00	3.00	5.00	6.00	3.50	3.00	1.50	2.60	3.00	4.00	3.10	3.00
19	2.00	3.00	5.00	6.00	5.30	2.50	3.00	5.00	4.00	3.00	3.00	2.00
20	2.00	3.00	5.00	6.00	4.20	3.00	5.00	5.00	2.10	4.00	3.00	2.00
21	2.00	3.00	6.00	6.00	3.20	3.00	6.00	3.80	2.00	4.00	3.00	3.00
22	3.00	4.00	5.00	7.00	2.50	2.00	4.00	2.50	2.80	3.00	3.00	2.00
23	3.00	3.00	4.00	8.00	1.60	4.00	5.50	3.70	3.00	3.40	3.00	2.00
24	3.00	3.00	3.00	7.00	2.80	2.00	5.00	2.60	3.10	3.00	2.00	2.00
25	3.00	4.00	4.00	7.00	2.50	2.00	3.50	2.20	3.00	3.00	2.00	2.00
26	2.00	4.00	5.00	8.00	4.00	2.00	3.00	1.20	4.00	3.00	3.00	2.00
27	2.00	4.00	5.00	7.00	3.00	3.00	4.00	1.20	3.80	3.00	3.00	2.00
28	3.00	3.00	5.00	7.00	4.00	2.00	4.00	2.30	4.00	2.00	2.00	2.00
29	3.00	3.00	5.00	7.00	2.50	3.00	5.00	2.40	4.00	2.90	3.00	2.00
30	2.00	3.00	5.00	6.00	3.20	2.00	4.70	3.00	4.00	2.00	3.00	2.00
31	3.00	3.00	5.00	5.00	1.00	4.40	4.40	3.00	3.00	3.00	2.00	2.00
TOTAL	75.50	88.00	151.00	181.00	112.30	77.60	101.60	82.10	87.10	104.10	92.10	75.30
AVERAGE	2.44	3.14	4.87	6.03	3.62	2.59	3.28	2.65	2.90	3.36	3.07	2.43
MAXIMUM	5.00	4.00	6.00	8.00	6.00	4.00	6.00	5.00	4.00	4.70	4.00	3.30
MINIMUM	1.00	2.00	3.00	4.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	2.00

***** ANNUAL *****
 TOTAL | AVERAGE | MAXIMUM | MINIMUM |
 | 1227.70 | 3.36 | 6.00 | 1.00 |

1986/11/ 6 (THU) 14: 4: 5

BAN THA RUA EVAPORATION 1976-NEN (S-51)

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	3.00	4.50	6.20	2.70	4.00	2.00	4.00	4.60	1.20	4.00	4.00
2	3.00	2.50	4.30	5.70	2.30	3.20	2.00	4.00	3.00	1.30	3.00	3.00
3	3.00	2.00	4.00	6.00	0.50	1.90	2.00	2.00	2.00	1.00	4.00	3.00
4	2.00	2.50	4.00	6.30	3.00	1.90	2.00	2.50	1.00	2.70	3.00	3.00
5	2.00	2.00	4.30	6.00	2.60	3.20	1.50	2.00	2.50	3.00	4.00	4.00
6	3.00	2.00	4.20	6.30	2.00	3.00	2.00	2.00	2.00	4.50	3.00	3.00
7	3.00	2.00	4.00	6.00	4.00	1.00	2.00	4.00	2.80	5.00	5.00	3.00
8	3.00	2.20	4.30	5.50	4.50	2.00	1.00	2.00	1.90	3.00	4.00	3.00
9	3.00	2.50	4.00	5.90	3.70	2.90	1.00	3.00	1.00	5.00	3.00	4.00
10	3.00	2.00	4.00	5.70	3.30	4.50	2.00	2.00	1.00	2.90	4.00	3.00
11	3.00	2.50	4.30	6.00	4.00	2.00	2.00	2.00	2.50	4.00	4.00	3.00
12	2.00	3.00	4.00	7.00	5.70	1.80	4.00	2.80	2.00	4.20	3.00	4.00
13	2.00	2.50	4.00	8.00	1.20	1.60	3.00	1.50	1.30	2.40	4.00	3.00
14	3.00	3.00	4.50	7.50	3.00	3.00	2.00	2.00	1.00	3.20	5.00	3.00
15	3.00	4.00	5.00	8.00	3.80	4.00	2.00	2.60	2.00	3.40	5.00	4.00
16	3.00	3.70	5.30	7.00	2.00	3.00	3.00	4.00	1.50	3.10	4.00	4.00
17	2.00	4.00	5.00	7.50	6.70	4.00	3.00	6.00	3.00	2.40	3.00	5.00
18	3.00	4.00	5.00	7.50	5.00	5.20	2.00	3.00	4.00	1.80	4.00	5.00
19	3.00	3.60	5.00	7.50	5.00	7.00	3.00	4.00	3.00	1.40	3.00	5.00
20	2.00	4.00	4.50	7.00	5.50	6.00	2.00	4.00	2.00	3.70	3.00	5.00
21	3.00	4.00	4.50	8.00	3.40	6.40	3.00	4.00	2.00	3.00	3.00	4.00
22	2.00	4.00	5.00	7.00	4.10	4.00	2.00	3.00	2.70	5.00	4.00	5.00
23	2.00	4.00	6.00	6.60	0.60	1.10	1.00	2.00	3.00	2.00	3.00	4.00
24	3.00	4.00	6.30	7.50	3.60	3.00	3.00	2.50	3.00	4.00	3.00	5.00
25	2.00	4.00	6.00	6.00	1.90	4.00	2.00	3.00	1.00	3.00	3.00	4.00
26	3.00	3.70	6.30	6.50	1.50	2.00	1.00	2.00	3.00	1.60	4.00	4.00
27	2.20	4.00	6.00	6.50	1.90	3.50	2.00	3.50	1.00	1.20	3.00	4.00
28	2.50	4.50	6.50	5.50	2.20	3.00	4.00	4.00	0.70	4.00	3.00	3.00
29	3.00	4.30	7.00	3.90	2.50	4.00	3.00	3.00	4.00	3.00	3.00	3.00
30	2.20	7.00	7.00	4.50	2.10	1.00	2.00	4.00	2.50	2.00	3.00	4.00
31	2.20	6.00	6.00	6.00	2.00	3.00	3.00	4.00	4.00	3.00	3.00	2.40
TOTAL	81.10	93.50	194.80	194.80	96.30	93.90	69.150	93.40	67.00	91.00	107.00	116.40
AVERAGE	2.62	3.22	4.99	6.49	3.11	3.13	2.24	3.01	2.23	2.94	3.57	3.75
MAXIMUM	3.00	4.50	7.00	8.00	6.70	7.00	4.00	6.00	4.60	5.00	5.00	5.00
MINIMUM	2.00	2.00	4.00	3.90	0.50	0.10	1.00	1.50	0.70	1.00	3.00	2.40

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 1258.70 3.44 8.00 0.10 *****

1986/11/6 (THU) 14:4:5

1977-NEN (S-52)

BAN THA RUA EVAPORATION

DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	3.20	4.00	4.00	4.30	6.30	2.10	1.50	1.70	2.50	3.20	3.20	2.80
2	4.00	3.50	4.00	4.50	6.80	2.00	1.60	3.50	5.00	4.50	3.00	2.50
3	3.20	3.00	3.50	1.70	7.00	1.20	1.60	2.40	3.00	3.80	3.40	2.00
4	3.90	4.00	4.70	5.40	8.20	3.30	1.10	2.00	1.30	4.50	3.00	2.50
5	4.00	3.60	4.80	3.00	7.50	2.40	2.30	2.00	0.70	5.70	3.30	2.00
6	5.00	3.80	4.20	5.50	7.00	5.00	2.00	2.00	0.50	3.20	4.00	2.00
7	5.00	3.00	4.00	5.00	6.90	2.70	4.20	1.90	2.40	2.40	3.50	3.50
8	4.00	3.00	4.50	5.30	8.50	3.00	1.40	3.00	2.40	3.50	3.00	2.50
9	5.00	3.60	4.60	4.10	8.00	4.00	4.00	2.00	1.20	1.70	2.90	2.60
10	6.00	3.80	4.00	4.80	8.00	3.80	3.00	3.00	1.50	3.00	3.20	2.50
11	5.00	3.00	4.50	5.00	8.30	5.20	6.00	3.50	1.00	3.50	2.80	2.80
12	5.00	2.40	4.50	5.80	4.30	3.40	3.40	3.50	2.00	4.20	3.00	2.50
13	5.00	3.00	4.90	5.10	5.00	3.20	5.00	2.50	2.50	4.20	3.00	2.00
14	6.00	3.00	4.00	5.00	2.10	2.50	6.00	2.50	1.50	4.30	3.20	3.00
15	6.00	3.00	4.50	6.10	5.10	5.40	5.50	3.00	1.60	4.00	3.00	2.50
16	3.00	3.00	4.60	5.40	1.80	2.50	6.00	1.00	2.50	3.80	3.50	2.80
17	3.00	3.00	4.50	5.60	5.00	3.30	5.00	1.60	2.00	2.50	3.50	2.50
18	2.00	3.00	4.80	6.00	6.00	2.90	5.70	2.70	3.30	3.50	3.00	3.00
19	3.00	4.00	5.00	5.30	6.00	3.10	5.60	3.30	1.00	4.20	3.00	2.30
20	4.00	4.00	4.00	6.00	5.50	2.20	6.60	3.70	2.00	4.00	4.00	2.60
21	3.00	4.00	5.00	6.00	7.00	4.40	3.10	3.40	2.30	3.90	4.00	3.00
22	3.00	4.60	5.00	6.00	6.00	3.00	3.90	2.80	5.70	3.20	3.50	2.50
23	5.00	4.00	4.00	5.90	2.50	5.50	4.10	2.30	2.30	1.20	3.00	2.50
24	4.00	4.80	2.00	6.00	3.50	1.60	4.20	4.00	1.00	1.70	3.20	3.00
25	3.00	4.60	3.50	7.00	2.00	1.00	5.20	2.00	5.50	4.50	3.50	2.50
26	4.00	4.30	4.00	5.80	3.30	2.00	4.90	3.00	4.00	5.00	3.50	3.00
27	4.00	4.50	5.50	7.00	3.30	3.20	5.20	2.00	3.00	5.00	3.00	2.60
28	4.00	4.50	6.00	6.20	2.90	2.00	3.20	2.70	4.20	2.60	2.80	1.60
29	3.00	3.00	5.80	7.00	2.80	2.80	2.80	2.80	2.90	3.50	3.50	1.80
30	4.00	3.00	3.90	7.00	1.20	1.80	2.40	1.50	4.60	4.60	2.50	1.00
31	3.00	4.00	4.10	4.10	0.80	1.50	2.60	1.50	2.80	2.80	2.50	2.00
TOTAL	125.30	102.00	136.40	162.80	159.10	89.90	121.60	78.90	74.90	111.10	97.00	75.90
AVERAGE	4.04	3.64	4.40	5.43	5.13	3.00	3.92	2.55	2.50	3.58	3.23	2.45
MAXIMUM	6.00	4.80	6.00	7.00	8.50	5.50	6.60	4.00	5.70	5.70	4.00	3.00
MINIMUM	2.00	2.40	2.00	1.70	0.80	1.00	1.10	1.00	0.50	1.20	2.50	1.00

***** ANNUAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** TOTAL *****
 ***** 1334.90 *****
 ***** 3.66 *****
 ***** 8.50 *****
 ***** 0.50 *****

1986/11/ 6 (THU) 14: 4: 5

1978-NEN (S-53)

BAN THA RUA EVAPORATION

#DAYS	1	2	3	4	5	6	7	8	9	10	11	12
1	2.50	2.50	3.50	5.00	6.00	1.50	2.00	1.70	2.60	2.00	2.00	2.40
2	3.50	3.00	3.00	5.50	6.00	2.50	1.50	2.30	2.00	1.10	2.00	2.00
3	3.00	1.10	2.50	5.00	5.50	2.00	1.50	2.00	1.20	2.00	2.00	2.50
4	3.50	3.00	3.00	4.50	6.00	1.80	1.40	1.50	1.70	1.70	2.50	2.20
5	3.60	3.20	3.00	5.00	3.70	1.60	2.00	0.50	0.80	2.20	2.00	2.00
6	2.50	3.00	3.50	4.50	5.00	2.30	2.30	1.00	3.00	2.80	2.00	2.00
7	3.00	3.00	3.50	4.50	5.00	2.60	2.50	0.50	3.40	4.00	2.00	2.30
8	3.50	2.50	3.00	5.00	2.80	3.50	1.70	1.00	1.90	4.00	3.00	2.50
9	3.40	3.00	3.50	5.50	6.00	4.00	2.00	1.00	3.00	3.00	2.50	2.00
10	2.00	2.50	4.00	6.00	3.30	2.80	1.70	2.00	3.50	1.80	2.00	2.20
11	1.70	2.30	4.00	5.00	2.70	3.00	2.00	2.00	3.50	2.40	2.50	2.40
12	2.40	2.50	3.50	5.50	4.50	3.60	1.50	0.30	3.50	1.90	2.50	2.50
13	3.00	2.50	4.00	4.50	2.80	3.30	2.50	0.50	2.00	4.50	3.00	2.50
14	2.50	2.50	4.00	5.00	1.80	3.80	2.10	0.20	2.50	3.00	2.00	2.20
15	2.50	2.00	4.50	6.00	1.20	4.20	2.50	0.50	3.00	3.50	2.50	2.50
16	2.50	2.50	4.50	3.80	1.20	3.50	1.80	1.00	3.00	4.00	2.00	2.40
17	2.50	2.50	4.20	2.50	1.50	4.00	2.90	2.20	3.50	4.00	2.00	2.60
18	2.00	2.20	5.00	5.00	1.40	3.20	3.00	2.00	1.50	4.00	2.00	2.30
19	2.50	2.50	4.00	6.00	3.30	3.80	3.00	2.20	1.90	4.50	2.00	2.50
20	3.00	3.00	3.50	6.00	4.50	4.50	2.50	2.50	3.80	4.00	3.10	2.30
21	3.00	2.50	4.00	5.50	4.50	4.40	2.60	1.30	5.00	3.00	2.50	2.00
22	2.50	2.50	5.00	6.00	5.00	3.90	1.20	2.50	1.00	3.00	2.50	2.20
23	2.50	2.50	5.00	5.50	1.60	3.00	2.20	4.00	2.00	4.00	2.30	2.00
24	3.00	3.00	5.20	5.00	1.30	3.30	2.40	4.00	3.20	4.50	2.00	2.20
25	2.50	2.50	5.50	6.00	1.90	4.10	3.00	2.00	4.00	2.50	2.20	2.40
26	2.50	2.50	5.00	5.00	1.30	3.80	2.50	2.00	4.50	3.00	2.20	2.00
27	3.00	3.00	5.50	6.00	2.00	3.30	2.00	2.00	3.70	3.50	2.30	1.90
28	3.00	3.00	5.00	5.50	2.60	3.30	0.60	2.50	2.00	4.50	2.10	1.90
29	2.50	2.50	5.20	6.00	2.80	3.70	1.40	1.00	1.00	4.50	2.20	2.00
30	3.00	3.00	4.50	5.50	3.00	2.20	3.50	0.80	1.50	5.00	2.20	1.80
31	3.00	3.00	4.50	5.50	2.00	2.00	3.90	3.00	3.00	3.00	1.50	1.50
TOTAL	85.60	72.80	128.10	155.80	102.20	96.50	67.20	52.00	79.20	100.90	68.10	68.20
AVERAGE	2.76	2.60	4.13	5.19	3.30	3.22	2.17	1.68	2.64	3.25	2.27	2.20
MAXIMUM	3.60	3.20	5.50	6.00	6.00	6.50	3.90	4.00	5.00	5.00	3.10	2.60
MINIMUM	1.70	1.10	2.50	2.50	1.20	1.50	0.60	0.20	0.80	1.10	2.00	1.50

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 1076.60 2.95 6.00 0.20 *****

1986/11/6 (THU) 14: 4: 5

1979-NEN (S-54)

BAN THA RUA EVAPORATION

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	2.00	4.50	6.50	7.00	4.50	3.10	1.30	3.00	3.90	2.50	2.50
2	2.00	3.00	4.00	6.80	5.80	4.20	3.20	1.40	3.20	4.40	3.00	2.60
3	1.50	3.20	4.70	7.40	6.00	3.50	4.00	1.40	4.20	4.00	2.70	2.40
4	2.20	3.00	4.50	6.40	6.50	2.00	3.70	1.50	3.50	4.50	2.60	2.60
5	2.40	3.10	4.50	6.80	7.00	4.50	3.80	1.40	2.30	3.20	2.80	2.80
6	2.00	2.90	5.00	7.00	6.00	3.20	1.20	1.60	3.30	3.00	3.40	2.70
7	2.30	2.70	5.20	6.50	6.60	4.50	3.50	2.00	2.90	3.40	3.20	3.00
8	2.20	2.80	4.50	7.00	6.00	4.50	2.50	1.90	3.00	3.30	2.80	3.20
9	2.00	2.50	4.00	7.00	6.00	4.00	3.30	2.80	4.00	3.40	3.70	2.80
10	2.50	3.00	6.00	6.50	6.50	4.00	4.20	3.00	5.00	4.00	3.00	2.10
11	2.20	3.50	6.20	6.20	4.20	2.00	3.20	2.20	4.20	4.00	3.20	2.70
12	2.00	3.80	6.00	7.00	5.00	4.50	2.50	1.10	4.00	3.50	4.00	2.80
13	2.00	3.90	6.50	7.00	3.80	5.00	3.20	1.00	4.30	4.00	3.70	2.30
14	2.20	3.40	6.00	7.20	5.00	3.60	3.10	1.00	3.80	4.00	3.30	3.20
15	2.00	3.00	6.20	6.60	4.10	3.00	2.30	1.60	4.40	4.30	4.00	3.00
16	2.00	3.20	5.00	7.00	4.40	4.20	2.70	1.60	4.30	4.00	3.50	2.10
17	2.20	3.50	6.00	7.00	5.00	3.00	2.50	1.00	4.00	3.60	4.00	2.20
18	2.50	4.00	6.00	6.50	5.00	4.90	2.90	0.50	4.30	4.00	3.00	2.40
19	2.00	4.00	7.00	5.90	4.50	4.20	3.40	1.10	3.90	3.50	2.60	2.30
20	1.50	3.50	6.70	7.00	5.00	3.00	4.20	1.70	4.00	4.00	2.80	2.50
21	1.70	4.00	6.00	6.00	2.00	2.50	3.00	1.90	3.50	3.80	3.40	2.60
22	2.00	6.80	7.00	7.00	2.00	2.40	3.50	1.10	4.00	4.00	4.00	2.70
23	2.50	4.30	6.00	6.20	1.50	3.10	3.00	2.20	4.00	3.90	3.50	3.10
24	3.00	4.30	5.00	4.50	3.20	3.80	4.50	3.00	4.20	3.00	3.00	3.00
25	2.80	4.80	6.00	3.80	2.70	3.50	4.00	2.80	3.80	3.00	2.70	2.50
26	3.00	4.30	5.20	6.40	3.00	3.30	3.00	2.90	3.30	3.00	2.40	3.20
27	2.20	4.50	6.40	7.30	4.00	3.60	3.00	1.20	1.90	3.30	3.00	3.10
28	2.50	4.30	6.00	3.40	3.00	3.20	3.00	4.40	3.30	2.60	3.10	2.80
29	2.60	7.10	3.70	3.70	5.20	3.40	3.20	4.20	2.70	3.00	3.00	3.10
30	2.30	6.20	6.20	6.20	5.40	3.50	4.20	3.80	3.60	2.30	2.20	3.20
31	2.50	7.00	7.00	4.00	4.00	1.30	3.60	3.60	2.80	2.80	3.00	3.00
TOTAL	69.40	98.50	176.20	190.40	146.60	108.60	98.20	62.20	106.70	110.30	94.70	84.50
AVERAGE	2.23	3.17	5.68	6.35	4.73	3.62	3.17	2.01	3.56	3.56	3.16	2.73
MAXIMUM	3.00	4.80	7.10	7.40	7.00	5.00	4.50	4.40	5.00	4.50	4.00	3.20
MINIMUM	1.50	2.00	4.00	3.70	1.50	2.00	1.20	0.50	0.80	2.50	2.20	2.10

ANNUAL
 TOTAL | AVERAGE | MAXIMUM | MINIMUM
 1346.00 | 3.69 | 7.40 | 0.50

1986/11/6 (THU) 14: 4: 5

1980-NEN (S-55)

BAN THA RUA EVAPORATION

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	2.80	3.00	5.20	5.60	8.00	2.80	3.00	2.00	2.00	2.80	2.10	3.20
2	2.50	2.50	5.40	6.00	8.00	2.10	2.00	3.00	1.20	1.90	3.00	3.20
3	3.00	3.30	5.40	6.00	9.00	2.30	2.30	3.20	1.50	2.50	3.20	3.00
4	2.50	3.50	5.00	6.00	6.40	1.90	2.30	3.00	1.60	2.50	2.70	2.80
5	2.80	3.50	5.50	5.00	6.60	2.70	1.10	1.80	2.70	3.00	3.00	3.00
6	2.90	3.80	5.50	6.00	5.80	2.20	1.00	2.30	2.80	3.30	3.00	2.60
7	2.80	3.80	5.40	6.30	7.00	2.70	1.30	1.80	2.00	2.00	4.00	3.00
8	2.30	3.70	6.50	5.90	8.00	5.50	2.40	2.60	3.10	2.00	2.00	3.10
9	3.00	3.70	6.40	5.90	7.20	4.00	2.00	2.00	2.00	3.00	2.00	2.50
10	2.50	3.50	6.50	8.00	8.00	4.00	2.00	2.00	5.00	3.50	3.00	2.00
11	3.00	3.90	6.00	6.00	8.50	3.30	1.40	3.10	3.00	3.50	3.40	3.50
12	2.90	4.00	5.00	6.00	8.00	3.10	1.50	2.40	2.40	3.30	3.00	2.20
13	2.80	4.00	5.00	6.50	8.00	3.70	1.70	4.00	2.60	2.70	3.30	3.20
14	2.50	3.80	5.80	6.50	8.50	4.00	1.00	3.00	2.10	2.80	3.10	3.00
15	2.60	3.40	4.50	7.00	7.50	3.50	1.80	4.20	2.20	2.00	3.00	2.00
16	2.70	3.80	5.30	7.50	7.90	3.50	2.60	6.40	2.30	2.80	3.50	2.00
17	2.80	3.00	6.70	6.30	8.00	2.30	3.10	3.60	2.70	1.30	3.00	4.00
18	2.50	3.20	7.00	7.00	6.10	4.00	2.40	3.00	2.00	3.20	3.10	3.00
19	3.00	3.60	6.10	7.30	4.10	3.00	2.10	3.00	1.00	3.00	3.20	3.10
20	2.70	3.60	6.00	7.50	4.20	2.40	2.00	2.80	2.10	2.30	3.10	3.00
21	3.10	3.70	6.90	7.30	2.00	2.10	4.10	1.20	2.40	2.50	2.30	3.00
22	3.00	3.80	6.20	7.50	2.50	2.60	3.50	1.00	3.50	4.00	3.10	2.50
23	2.00	4.00	6.00	7.00	0.30	2.80	2.60	0.80	2.00	3.40	2.20	2.00
24	2.40	5.00	6.00	8.00	1.00	2.80	1.40	1.10	2.80	3.40	2.60	3.20
25	2.20	4.50	5.70	9.50	3.00	2.70	2.90	0.40	3.80	3.90	2.50	2.40
26	2.80	4.60	6.80	8.00	3.70	2.70	1.30	1.30	5.00	4.20	2.70	3.00
27	3.10	4.60	6.50	8.00	2.00	2.10	2.00	2.30	3.10	2.80	3.30	3.00
28	3.20	5.00	6.00	8.00	3.10	1.70	2.20	2.90	3.20	3.40	3.00	3.40
29	3.00	5.20	6.00	8.20	3.60	1.60	2.00	3.70	2.50	3.00	3.10	3.20
30	3.20	3.00	5.90	8.00	3.80	2.20	1.30	2.50	3.00	2.00	3.00	2.00
31	3.00	3.00	5.30	3.00	2.80	1.20	1.20	3.70	3.70	3.00	2.00	2.40
TOTAL	85.60	111.20	181.70	207.80	172.60	86.30	66.00	78.10	77.60	89.00	87.50	87.50
AVERAGE	2.76	3.83	5.86	6.93	5.57	2.88	2.06	2.52	2.59	2.87	2.92	2.82
MAXIMUM	3.20	5.20	7.00	8.50	9.00	5.50	4.10	4.40	5.00	4.20	4.00	4.00
MINIMUM	2.00	2.50	4.50	3.60	0.30	3.60	1.00	0.40	1.00	1.30	2.00	2.00

ANNUAL
 TOTAL AVERAGE MAXIMUM MINIMUM
 1328.90 3.63 9.00 0.30

1986/11/6 (THU) 16: 4:56

NAM NGAO EVAPORATION

1984-NEN (S-59)

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	0.90	1.60	3.00	4.30	3.90							
2	1.40	0.30	2.40	2.10	2.10							
3	1.80	1.10	1.90	3.50	3.40							
4	1.60	0.40	4.00	2.50	2.50							
5	2.90	2.20	3.10	2.20	2.10							
6	2.00	2.80	2.70	3.80	3.10							
7	1.10	1.90	3.00	3.70	2.00							
8	1.30	3.10	3.40	3.00	3.30							
9	1.20	4.60	2.00	3.80	2.00							
10	0.20	2.30	2.80	3.20	2.80							
11	1.90	3.30	1.00	2.50	2.40							
12	1.30	4.00	3.10	3.40	2.90							
13	1.00	4.10	2.20	3.10	2.50							
14	1.00	4.90	2.20	3.60	2.30							
15	0.30	2.30	2.30	2.80	2.70							
16	1.00	3.10	1.30	4.30	2.90							
17	0.20	3.60	2.70	2.70	2.80							
18	3.10	3.40	2.20	2.60	2.20							
19	3.70	3.30	1.50	2.70	2.00							
20	3.30	3.90	3.10	3.90	2.00							
21	1.30	2.70	2.50	3.40	2.20							
22	1.20	3.30	2.90	2.50	3.50							
23	0.50	1.30	4.50	2.60	3.60							
24	0.30	2.20	4.10	2.30	2.90							
25	0.10	3.40	2.90	2.90	2.20							
26	1.60	5.60	4.10	2.60	3.10							
27	1.40	5.30	3.70	2.50	2.60							
28	1.70	3.60	2.00	1.70	2.70							
29	2.20	1.70	3.30	3.60	2.90							
30	2.60	0.70	2.40	1.80	2.40							
31	1.60	2.60	2.60	1.80	3.20							
TOTAL	44.70	86.00	85.40	90.00	83.20							
AVERAGE	1.44	2.87	2.75	3.00	2.68							
MAXIMUM	3.70	5.60	4.50	4.30	3.90							
MINIMUM	0.10	0.30	1.00	1.70	2.00							

ANNUAL
 TOTAL AVERAGE MAXIMUM MINIMUM
 389.30 2.54 5.60 0.10

1986/11/6 (THU) 14: 4:56

1985-NEN (S-60)

NAM NGAO EVAPORATION

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.30	3.00	4.90	5.20	4.80	1.90						
2	2.60	2.70	4.80	7.10	6.20	0.20						
3	2.90	3.60	5.40	5.90	4.80	1.40						
4	2.30	4.20	5.00	6.20	5.60	1.20						
5	3.10	3.60	4.50	6.10	6.70	0.90						
6	2.10	3.10	5.00	6.40	7.40	1.20						
7	2.70	3.00	6.00	7.10	7.00	2.00						
8	2.10	4.10	5.30	6.10	2.90	0.60						
9	3.10	4.00	5.40	7.40	3.60	0.30						
10	2.40	3.50	6.00	8.40	6.30	0.90						
11	2.50	2.10	5.60	8.00	8.70	1.30						
12	2.20	3.00	5.40	7.00	5.50	1.70						
13	2.40	3.50	6.80	7.00	6.40	1.90						
14	2.20	3.30	5.70	7.50	8.00	0.70						
15	3.10	3.80	5.10	6.80	5.40	1.80						
16	2.50	5.80	4.20	6.10	4.00	1.10						
17	3.80	2.20	6.30	6.40	2.70	1.70						
18	1.80	4.30	5.10	7.60	3.20	1.80						
19	1.70	4.50	5.20	7.70	4.30	3.50						
20	1.50	5.00	5.80	8.10	6.30	2.00						
21	2.70	4.90	4.30	6.50	4.00	2.60						
22	2.10	4.20	5.50	6.40	4.40	2.20						
23	3.00	4.60	6.10	7.40	5.50	0.90						
24	3.90	3.80	6.00	5.30	2.00	0.30						
25	3.00	5.00	7.00	7.70	3.40	0.60						
26	2.80	4.00	6.00	6.90	4.80	1.20						
27	2.50	6.50	6.30	4.60	3.80	1.60						
28	3.50	6.00	6.70	6.40	4.30	0.10						
29	3.10	6.00	6.60	6.90	1.40	0.30						
30	2.20	6.40	6.40	5.60	1.20	0.10						
31	3.90	4.00	4.00		0.30							
TOTAL	92.00	111.50	172.60	202.20	144.80	38.00						
AVERAGE	2.65	3.98	5.57	6.74	4.67	1.27						
MAXIMUM	3.90	6.50	7.00	8.40	8.70	3.50						
MINIMUM	1.50	2.10	4.00	4.60	0.30	0.10						

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 730.90 4.15 8.70 0.10 *****

1986/11/6 (THU) 14: 4:56

1984-NEN (S-59)

WANG KHAN EVAPORATION

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL								68.60	113.60	100.80	87.80	82.30
AVERAGE								2.22	3.79	3.95	2.93	2.65
MAXIMUM								4.20	7.50	5.50	3.70	3.50
MINIMUM								0.10	0.30	1.70	1.80	2.00

 ANNUAL

 TOTAL AVERAGE MAXIMUM MINIMUM
 453.30 2.96 7.50 0.10

1986/11/6 (THU) 14: 4:56

1985-NEN (S-60)

WANG KHAN EVAPORATION

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.10	3.10	5.90	5.30	6.30	1.40						
2	3.10	2.90	5.10	6.70	5.40	2.70						
3	3.40	3.80	4.60	5.20	4.70	2.30						
4	3.20	3.70	4.20	6.60	4.50	2.50						
5	3.00	3.90	4.90	7.90	6.00	3.88						
6	1.60	4.40	5.80	7.30	6.70	1.02						
7	1.50	2.10	6.20	6.20	7.40	2.50						
8	2.30	3.80	5.00	8.50	6.40	0.22						
9	2.90	4.10	6.10	4.20	6.90	3.04						
10	2.30	2.90	4.40	5.80	6.00	2.24						
11	3.20	3.20	5.40	8.80	6.80	1.06						
12	3.40	3.60	6.10	5.60	5.80	3.64						
13	2.40	3.10	5.80	8.80	7.10	3.00						
14	2.70	2.80	6.00	9.00	6.80	2.10						
15	3.40	5.10	6.60	9.50	7.80	3.10						
16	2.60	4.20	5.00	7.20	6.20	1.20						
17	2.90	3.90	4.20	7.10	3.60	4.26						
18	2.50	5.90	5.00	6.20	3.90	3.80						
19	2.90	4.50	5.70	4.70	5.90	3.20						
20	1.80	4.80	4.80	5.70	4.30	5.30						
21	3.10	5.60	4.10	6.70	3.10	4.20						
22	3.20	4.70	3.40	6.80	3.70	5.20						
23	2.90	4.80	5.50	6.70	2.90	1.70						
24	3.60	4.60	5.40	5.20	2.10	2.50						
25	3.00	4.60	7.00	7.10	3.80	2.20						
26	2.90	5.30	7.70	6.00	6.30	2.44						
27	1.50	5.70	5.20	5.60	4.10	1.76						
28	3.20	5.20	6.00	5.10	2.20	1.90						
29	4.30		5.10	6.10	3.30	0.30						
30	3.10		5.00	4.80	4.80	0.30						
31	2.30		6.70		2.40							
TOTAL	86.30	116.30	167.90	196.40	157.20	73.56						
AVERAGE	2.78	4.15	5.42	6.55	5.07	2.45						
MAXIMUM	4.30	5.90	7.70	9.50	7.80	5.30						
MINIMUM	1.50	2.10	3.40	4.20	2.10	0.30						

 A N N U A L

 TOTAL AVERAGE MAXIMUM MINIMUM

 797.66 4.41 9.50

1986/11/6 (THU) 14: 4:56

1983-NEN (S-50)

MAE SUAD EVAPORATION

DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	8.40	2.90	2.40	1.30	2.40	1.30	2.40	2.40	2.40	2.80	1.70	4.60
2	7.50	2.50	1.60	1.60	1.60	1.60	1.60	1.60	3.90	5.10	1.80	2.50
3	6.00	2.90	1.80	2.90	1.80	2.90	1.80	2.90	2.10	1.30	2.00	2.30
4	8.70	3.10	4.10	3.20	4.10	3.20	4.10	3.20	2.10	1.30	2.00	0.60
5	7.80	3.40	3.00	4.30	3.00	4.30	3.00	4.30	2.50	2.20	3.70	2.50
6	9.60	1.10	4.90	4.00	4.90	4.00	4.90	4.00	1.30	3.30	4.20	2.00
7	8.30	2.20	6.00	1.50	6.00	1.50	6.00	1.50	2.40	4.40	2.70	2.90
8	8.60	3.70	4.50	3.50	4.50	3.50	4.50	3.50	3.50	1.80	1.40	4.20
9	7.60	3.00	5.40	3.20	5.40	3.20	5.40	3.20	3.10	3.10	2.50	1.40
10	7.80	4.90	5.00	4.20	5.00	4.20	5.00	4.20	3.60	4.00	1.80	2.80
11	9.00	4.70	5.80	4.80	5.80	4.80	5.80	4.80	2.40	2.60	2.40	1.90
12	8.40	4.90	3.90	3.80	3.90	3.80	3.90	3.80	1.30	2.80	1.80	2.20
13	7.70	3.10	4.70	2.20	4.70	2.20	4.70	2.20	2.50	1.90	2.00	1.80
14	7.10	5.40	0.80	4.30	0.80	4.30	0.80	4.30	2.00	4.00	3.00	2.70
15	8.00	4.70	3.20	4.90	3.20	4.90	3.20	4.90	3.90	2.90	3.80	1.90
16	4.50	5.50	2.20	2.20	2.20	2.20	2.20	2.20	3.20	1.90	3.90	2.20
17	7.50	4.00	3.70	1.90	3.70	1.90	3.70	1.90	3.80	4.10	1.30	2.60
18	8.20	4.90	2.40	2.00	2.40	2.00	2.40	2.00	2.60	4.90	3.30	2.20
19	8.20	5.00	1.10	4.20	1.10	4.20	1.10	4.20	2.70	1.90	2.80	2.50
20	8.60	2.60	4.90	2.70	4.90	2.70	4.90	2.70	4.40	1.20	2.20	3.80
21	7.60	4.50	3.80	0.80	3.80	0.80	3.80	0.80	3.40	3.30	2.60	1.60
22	8.10	3.70	5.10	2.70	5.10	2.70	5.10	2.70	4.00	3.90	2.50	2.60
23	8.40	3.80	4.40	1.90	4.40	1.90	4.40	1.90	2.60	3.50	3.40	2.60
24	7.10	2.80	3.00	1.60	3.00	1.60	3.00	1.60	4.50	3.90	3.40	2.50
25	3.40	3.50	2.60	1.00	2.60	1.00	2.60	1.00	5.30	3.90	1.20	3.60
26	3.90	3.90	2.80	2.80	2.80	2.80	2.80	2.80	4.90	3.90	3.40	3.10
27	4.00	2.00	3.00	2.10	3.00	2.10	3.00	2.10	3.80	4.60	4.20	1.60
28	2.60	2.20	4.40	1.00	4.40	1.00	4.40	1.00	4.40	2.00	3.10	0.30
29	2.90	3.70	2.00	3.10	2.00	3.10	2.00	3.10	2.80	3.10	3.40	2.70
30	3.40	2.60	1.30	3.10	1.30	3.10	1.30	3.10	2.20	3.20	2.70	2.40
31	3.80	1.30	1.30	2.00	1.30	2.00	1.30	2.00	1.30	2.00	1.20	3.20
TOTAL	212.70	106.90	103.80	84.60	94.10	94.90	80.00	75.60	94.90	94.90	80.00	75.60
AVERAGE	6.86	3.45	3.35	2.73	3.44	3.06	2.67	2.44	3.44	3.06	2.67	2.44
MAXIMUM	9.60	5.50	6.00	4.90	5.30	5.10	4.20	4.60	5.30	5.10	4.20	4.60
MINIMUM	2.60	1.10	0.80	0.80	1.30	1.20	1.20	0.30	1.30	1.20	1.20	0.30

 ANNUAL

 TOTAL | AVERAGE | MAXIMUM | MINIMUM

 852.00 | 3.48 | 9.60 | 0.30

1986/11/ 6 (THU) 14: 4:56

1984-NEN (S-59)

MAE SUAD EVAPORATION

*DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.40	5.30	5.20	8.00	7.20	2.70	3.00	2.10	3.00	3.30	2.50	3.40
2	2.90	3.40	4.80	8.90	6.50	3.50	2.40	4.70	1.20	3.00	3.00	3.30
3	2.30	3.70	6.00	7.70	7.20	4.60	3.40	2.50	1.60	2.30	3.40	2.80
4	3.10	2.50	6.70	7.50	7.10	4.20	1.50	3.00	2.30	6.80	3.20	3.20
5	2.00	5.40	6.00	7.70	6.00	3.70	2.10	3.00	1.60	3.20	2.20	2.90
6	3.00	3.30	6.70	6.80	2.90	5.20	4.80	0.90	4.70	3.50	2.70	3.00
7	2.10	4.00	5.40	7.10	4.90	2.50	2.70	0.60	4.10	3.40	3.50	2.90
8	3.10	4.10	6.70	6.20	4.50	5.90	4.00	1.20	5.00	3.50	2.90	2.80
9	3.30	1.60	4.00	8.30	5.80	3.20	3.20	3.40	4.00	2.90	3.40	2.60
10	2.80	3.30	7.20	7.00	4.40	5.00	0.50	2.10	2.60	3.20	3.20	2.50
11	2.90	3.00	5.70	5.80	6.80	3.80	0.90	3.40	4.40	3.80	2.70	2.80
12	3.30	3.90	7.30	6.60	7.00	2.50	1.60	2.20	4.70	2.90	2.70	2.90
13	1.50	4.10	7.80	7.80	7.20	5.40	1.60	2.30	3.50	3.20	3.20	4.80
14	3.30	3.30	6.20	4.80	6.40	1.40	1.70	0.40	7.00	2.80	3.90	4.30
15	2.40	5.00	6.40	7.60	4.30	3.40	2.50	2.50	5.10	3.10	3.20	2.20
16	2.70	5.70	6.30	6.40	5.60	2.60	3.40	2.50	3.80	2.40	3.00	2.90
17	3.20	5.20	7.10	8.00	6.40	0.70	4.80	2.70	4.40	3.60	3.10	1.70
18	3.40	5.20	6.50	7.60	5.50	1.80	3.90	3.40	3.50	2.50	2.20	2.30
19	3.20	4.20	7.50	7.60	6.70	0.20	4.30	2.10	6.70	1.30	3.00	2.80
20	3.50	5.70	6.60	8.80	5.80	0.20	2.40	3.50	6.30	3.70	3.20	2.70
21	3.40	5.60	7.30	6.90	5.10	2.10	2.30	2.30	5.40	3.60	3.30	2.60
22	3.30	5.40	7.90	6.20	6.00	2.10	2.00	1.80	2.30	4.10	3.00	3.00
23	3.00	4.50	8.10	10.20	8.00	1.30	2.60	1.40	3.30	4.40	3.50	2.40
24	2.90	4.70	7.80	2.30	5.90	3.40	3.40	1.40	2.70	3.70	2.50	2.90
25	3.20	4.10	7.90	6.70	6.00	1.10	3.10	2.70	4.40	4.10	3.90	3.10
26	3.40	5.50	7.20	2.50	6.20	2.90	3.00	1.90	4.70	2.90	2.90	2.90
27	3.60	4.80	6.90	5.00	3.70	2.60	3.00	1.10	5.30	3.80	2.40	2.70
28	3.40	4.60	5.20	5.80	3.00	3.30	4.80	2.60	4.10	2.20	1.40	3.20
29	3.00	4.50	6.40	4.90	2.30	3.70	1.60	3.30	2.20	3.10	3.70	3.80
30	2.90	6.50	6.00	6.00	0.90	5.40	2.60	3.30	2.10	2.30	3.50	3.70
31	2.30	8.40	8.40	8.40	1.60	1.60	2.30	2.00	2.90	2.90	3.40	3.40
TOTAL	90.80	125.60	206.00	202.70	127.00	93.10	85.40	72.30	116.00	102.50	90.20	92.40
AVERAGE	2.93	4.23	6.85	6.76	5.39	3.10	2.75	2.33	3.87	3.27	3.01	2.98
MAXIMUM	3.60	5.70	8.40	10.20	8.00	5.90	4.80	4.70	7.00	6.80	5.90	4.80
MINIMUM	1.50	1.60	4.00	2.30	0.90	0.20	0.50	0.40	1.20	1.30	1.40	1.70

 A N N U A L

 TOTAL AVERAGE MAXIMUM MINIMUM
 1423.00 3.94 10.20 0.20

1986/11/ 6 (THU) 14: 4:56

1985-NEN (S-60)

MAE SUAD EVAPORATION

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.20	4.00	5.90	7.30	5.60	0.58						
2	3.40	2.70	4.70	7.00	5.90	3.82						
3	3.70	3.90	5.00	6.90	4.60	3.04						
4	3.50	5.20	6.50	6.90	4.90	1.62						
5	3.60	4.30	4.80	8.50	7.00	1.58						
6	3.10	4.30	5.90	7.60	8.70	2.00						
7	2.90	4.40	5.80	8.20	7.10	3.36						
8	3.00	4.60	7.20	7.80	8.00	2.70						
9	3.30	5.10	6.30	7.70	6.70	1.20						
10	2.50	4.50	6.80	8.50	7.20	4.30						
11	2.90	3.40	6.50	8.00	7.90	1.10						
12	2.20	3.80	7.70	9.40	6.40	3.58						
13	3.90	4.70	5.60	6.60	7.40	1.70						
14	2.90	4.30	6.80	8.10	6.80	1.28						
15	3.50	4.90	6.90	7.30	5.70	3.62						
16	3.70	4.90	6.20	9.30	6.40	0.78						
17	2.70	5.50	6.70	5.30	3.00	1.42						
18	3.50	6.10	6.00	9.00	4.70	3.62						
19	2.90	5.20	5.80	6.50	4.20	4.00						
20	2.30	6.20	6.50	9.30	6.10	3.78						
21	2.20	6.00	5.70	7.50	5.70	3.52						
22	4.60	4.70	6.10	7.90	4.80	3.96						
23	3.10	5.70	6.20	8.70	4.50	1.44						
24	4.00	3.70	6.90	6.30	3.50	1.80						
25	3.50	7.10	7.90	8.60	4.50	1.60						
26	3.60	5.30	5.90	7.10	5.50	1.90						
27	3.70	7.20	6.10	9.10	4.40	0.80						
28	4.10	6.50	6.90	7.50	4.40	1.30						
29	3.50	6.10	5.80	6.10	4.00	0.10						
30	3.70	6.70	6.70	6.10	3.10	0.40						
31	4.10	4.90			2.60							
TOTAL	102.20	138.20	193.30	229.80	171.30	65.70						
AVERAGE	3.30	4.94	6.24	7.66	5.53	2.19						
MAXIMUM	4.60	7.20	7.90	9.40	8.70	4.30						
MINIMUM	2.20	2.70	4.70	5.30	2.60	0.10						

***** ANNUAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** 900.50 *****
 ***** 4.98 *****
 ***** 9.40 *****
 ***** 0.10 *****

[5] Relative Humidity

Sop Han	(1967 – 1984)
Ban Tha Rua Pha Lae	(1972 – 1984)
Wang Khan	(1984 – 1985)
Nam Ngao	(1984 – 1985)
Mae Suad	(1983 – 1985)

1966/11/6 (THU) 13:40:26

1967-NEN (S-42)

SOP HAN RELATIVE HUMIDITY

DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	90	90	85	76	70	85	87	87	87	83	88	89
2	90	89	88	75	61	75	85	81	86	89	88	90
3	90	90	88	70	70	83	85	85	87	90	87	87
4	88	94	94	75	64	81	84	85	85	84	84	88
5	85	95	92	80	73	76	80	86	85	86	90	87
6	86	88	85	75	65	82	70	86	86	79	89	90
7	84	95	81	74	64	92	90	88	85	88	89	89
8	94	94	87	78	60	85	87	88	81	88	88	88
9	95	84	85	75	64	74	86	87	80	86	80	89
10	95	88	91	74	68	84	74	85	88	89	84	88
11	95	92	85	70	80	85	90	88	85	87	88	90
12	94	93	87	78	86	84	73	86	81	81	87	90
13	95	94	85	81	80	87	86	86	85	86	89	86
14	89	93	90	81	81	80	80	80	85	80	90	87
15	90	95	86	75	78	82	85	85	86	83	90	86
16	87	86	85	75	77	80	85	82	86	85	88	92
17	90	90	86	75	87	86	87	87	87	87	87	89
18	88	94	87	77	93	85	85	86	85	89	90	90
19	94	89	80	83	85	85	80	83	80	82	88	90
20	92	94	79	91	85	85	75	85	86	85	89	89
21	96	93	89	85	90	84	80	88	81	85	85	92
22	95	94	83	75	90	74	81	88	88	87	87	90
23	93	93	84	80	85	76	82	85	80	88	84	86
24	95	95	83	80	82	75	80	89	84	90	90	85
25	95	93	82	70	87	83	85	88	88	90	90	87
26	94	90	75	78	83	76	87	85	85	88	85	90
27	95	93	78	68	82	75	87	89	90	80	86	92
28	92	90	79	70	87	86	86	90	90	90	90	90
29	96	96	73	70	75	85	86	87	85	85	85	84
30	93	93	74	75	80	86	86	85	85	85	88	90
31	89	91	74	74	81	76	76	85	86	86	86	90
TOTAL	2844	2568	2602	2292	2427	2441	2577	2671	2568	2653	2621	2750
AVERAGE	92	92	84	76	78	81	83	86	86	86	87	89
MAXIMUM	96	95	92	91	93	92	90	90	90	90	90	92
MINIMUM	84	84	73	68	60	74	73	80	80	79	80	84

***** ANNUAL *****
 TOTAL | AVERAGE | MAXIMUM | MINIMUM |
 31014 | 85 | 96 | 60

1986/11/ 6 (THU) 13:40:26

SOP HAN RELATIVE HUMIDITY 1968-NEN (S-43)

SOP HAN RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	90	93	86	70	80	68	85	86	85	88	87	86
2	89	87	81	75	82	78	85	88	81	83	89	88
3	90	91	90	70	75	75	85	85	85	83	88	86
4	90	91	92	60	70	86	85	90	85	85	85	89
5	88	88	92	58	90	86	78	85	85	87	90	89
6	91	90	86	68	80	87	87	82	85	86	89	90
7	87	94	90	72	85	88	86	83	85	85	86	86
8	86	90	91	71	86	85	90	88	88	85	87	87
9	90	87	89	69	84	82	88	90	90	86	90	86
10	83	86	88	72	87	85	88	89	85	85	86	88
11	92	85	90	70	75	83	88	88	88	90	81	88
12	91	88	82	70	80	70	86	90	85	83	87	90
13	92	90	75	60	80	65	90	90	85	85	87	91
14	90	85	82	70	75	88	85	90	85	87	87	91
15	89	85	85	62	74	90	85	90	90	90	90	92
16	92	87	85	70	73	85	90	85	85	88	86	91
17	90	87	86	70	73	88	75	85	88	86	88	87
18	91	85	85	73	75	80	83	85	90	85	90	91
19	85	85	76	80	78	85	88	82	88	87	89	80
20	93	82	81	65	67	85	84	85	85	89	88	88
21	94	85	71	70	86	86	88	85	84	85	86	89
22	90	86	66	66	80	89	83	85	85	86	88	90
23	90	88	83	68	71	88	85	90	88	90	89	87
24	91	86	80	68	74	87	86	90	88	85	86	90
25	94	86	82	70	73	83	78	88	86	87	91	90
26	92	87	80	88	75	75	90	88	85	88	84	88
27	86	84	80	80	78	82	88	85	88	84	81	90
28	91	84	69	78	84	84	85	88	85	85	90	90
29	88	86	70	70	71	85	90	90	85	85	91	90
30	90	82	82	82	66	86	88	88	88	86	90	87
31	93	87	84	71	77	84	85	87	86	85	88	88
TOTAL	2792	2528	2345	2115	2389	2507	2647	2653	2593	2669	2666	2743
AVERAGE	90	87	84	71	77	84	85	87	86	86	88	88
MAXIMUM	94	94	92	88	90	90	90	90	90	90	91	92
MINIMUM	84	82	69	58	66	68	75	82	81	83	81	80

 A.N.N.U.A.L

 TOTAL AVERAGE MAXIMUM MINIMUM

 30647. 84. 94. 58. *****

1986/11/6 (THU) 13:40:26

1969-NEN (S-44)

SOP HAN RELATIVE HUMIDITY

RDAYS	1	2	3	4	5	6	7	8	9	10	11	12
1	91.	92.	90.	74.	62.	80.	86.	90.	85.	87.	86.	88.
2	90.	94.	85.	65.	58.	85.	74.	89.	80.	86.	85.	89.
3	90.	94.	88.	68.	56.	70.	82.	88.	80.	87.	85.	90.
4	91.	94.	87.	68.	62.	80.	80.	88.	90.	88.	84.	90.
5	92.	93.	86.	61.	63.	82.	84.	90.	86.	80.	86.	90.
6	92.	90.	85.	80.	61.	85.	84.	81.	88.	84.	78.	86.
7	91.	90.	80.	68.	74.	80.	79.	80.	84.	84.	84.	90.
8	92.	90.	87.	65.	85.	90.	83.	88.	85.	85.	88.	90.
9	91.	91.	96.	78.	75.	85.	85.	88.	85.	84.	90.	90.
10	91.	91.	86.	69.	82.	82.	72.	85.	83.	80.	85.	90.
11	92.	91.	85.	70.	75.	85.	85.	84.	85.	84.	85.	90.
12	92.	91.	84.	62.	70.	82.	84.	90.	78.	78.	88.	90.
13	92.	88.	83.	60.	75.	87.	81.	90.	84.	88.	86.	91.
14	93.	88.	86.	69.	88.	88.	83.	83.	85.	80.	90.	89.
15	94.	90.	75.	65.	70.	85.	80.	85.	88.	86.	89.	90.
16	92.	90.	84.	75.	65.	85.	84.	84.	83.	86.	82.	89.
17	94.	90.	87.	64.	75.	80.	86.	84.	85.	86.	84.	85.
18	91.	90.	85.	59.	76.	86.	85.	85.	85.	85.	88.	88.
19	91.	90.	80.	67.	75.	89.	89.	84.	81.	86.	87.	85.
20	91.	87.	80.	65.	76.	85.	89.	80.	80.	85.	89.	90.
21	91.	85.	79.	65.	75.	85.	80.	86.	88.	88.	86.	91.
22	90.	88.	74.	64.	76.	85.	85.	88.	86.	85.	86.	90.
23	91.	86.	78.	60.	80.	87.	80.	84.	80.	87.	80.	87.
24	90.	83.	77.	60.	85.	80.	83.	85.	82.	84.	88.	90.
25	93.	91.	70.	60.	82.	84.	85.	85.	83.	85.	90.	91.
26	94.	88.	71.	65.	80.	80.	90.	85.	84.	85.	90.	88.
27	90.	90.	71.	68.	80.	79.	85.	85.	85.	86.	90.	89.
28	91.	89.	75.	70.	90.	83.	90.	95.	84.	90.	89.	89.
29	85.	85.	75.	68.	88.	80.	90.	80.	82.	85.	90.	90.
30	90.	90.	70.	60.	90.	88.	90.	83.	86.	86.	81.	90.
31	90.	90.	70.	60.	90.	88.	85.	85.	87.	87.	81.	90.
TOTAL	2828.	2512.	2506.	1990.	2319.	2503.	2601.	2666.	2541.	2629.	2592.	2765.
AVERAGE	91.	90.	81.	66.	75.	83.	84.	86.	85.	85.	86.	89.
MAXIMUM	94.	94.	96.	80.	90.	90.	90.	95.	90.	88.	90.	91.
MINIMUM	85.	83.	70.	59.	56.	70.	72.	80.	80.	78.	78.	85.

ANNUAL
 TOTAL | AVERAGE | MAXIMUM | MINIMUM |
 30452. | 83. | 96. | 56.

1986/11/ 6 (THU) 13:40:26

1970-NEH (S-45)

SOP HAN RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	91.	92.	85.	68.	58.	84.	84.	67.	85.	80.	85.	90.
2	90.	88.	84.	68.	53.	85.	75.	85.	85.	85.	90.	92.
3	90.	90.	84.	73.	60.	85.	80.	85.	90.	82.	78.	90.
4	91.	90.	85.	64.	60.	88.	80.	88.	85.	88.	85.	90.
5	91.	90.	84.	90.	60.	75.	80.	86.	88.	88.	85.	90.
6	91.	90.	85.	85.	80.	84.	85.	88.	88.	74.	88.	90.
7	90.	91.	86.	77.	80.	80.	84.	86.	85.	85.	80.	90.
8	88.	92.	86.	65.	78.	85.	85.	85.	80.	80.	80.	90.
9	88.	91.	85.	70.	70.	85.	85.	80.	85.	80.	90.	88.
10	90.	91.	84.	75.	70.	82.	88.	85.	90.	85.	85.	85.
11	90.	90.	82.	65.	70.	80.	82.	86.	90.	88.	80.	85.
12	90.	89.	79.	70.	71.	80.	85.	82.	90.	85.	90.	90.
13	90.	81.	70.	75.	74.	85.	85.	80.	90.	85.	88.	90.
14	91.	84.	78.	65.	65.	86.	88.	88.	85.	85.	85.	85.
15	90.	82.	80.	60.	80.	85.	90.	88.	90.	90.	70.	85.
16	90.	85.	80.	65.	80.	88.	85.	85.	88.	85.	85.	90.
17	90.	84.	75.	70.	90.	80.	80.	83.	90.	85.	90.	90.
18	90.	85.	70.	62.	91.	80.	88.	82.	90.	90.	90.	92.
19	88.	85.	78.	65.	88.	85.	85.	85.	85.	85.	90.	92.
20	90.	80.	82.	60.	85.	80.	87.	90.	80.	85.	90.	90.
21	90.	89.	80.	60.	90.	80.	88.	82.	85.	88.	90.	90.
22	90.	86.	69.	65.	90.	84.	85.	86.	90.	85.	88.	88.
23	90.	84.	65.	60.	85.	85.	88.	85.	85.	90.	85.	90.
24	90.	85.	86.	78.	85.	90.	85.	90.	85.	90.	85.	90.
25	92.	84.	82.	60.	85.	85.	90.	92.	90.	90.	90.	90.
26	90.	85.	65.	70.	83.	85.	85.	85.	90.	90.	90.	90.
27	91.	80.	64.	65.	73.	85.	88.	85.	85.	90.	88.	88.
28	89.	88.	60.	84.	75.	82.	81.	90.	85.	90.	90.	85.
29	92.	80.	70.	70.	80.	80.	85.	88.	90.	85.	90.	90.
30	91.	85.	70.	58.	85.	88.	85.	85.	90.	80.	85.	85.
31	82.	82.	62.	62.	82.	80.	80.	85.	90.	90.	90.	90.
TOTAL	2786.	2428.	2395.	2037.	2379.	2468.	2636.	2459.	2608.	2650.	2595.	2760.
AVERAGE	90.	87.	77.	69.	77.	82.	85.	86.	87.	85.	87.	89.
MAXIMUM	92.	92.	86.	90.	91.	88.	90.	90.	90.	90.	90.	92.
MINIMUM	82.	80.	60.	58.	53.	68.	75.	80.	80.	74.	70.	85.

***** ANNUAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** 30407 *****
 ***** 85 *****
 ***** 92 *****
 ***** 53 *****

1986/11/6 (THU) 13:40:26

1971-NEN (S-46)

SOP HAN RELATIVE HUMIDITY

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	85	90	85	80	65	90	90	90	90			
2	95	90	84	65	60	86	90	85	80			
3	90	90	90	90	58	90	90	90	90			
4	90	90	80	85	65	90	90	88	85			
5	95	94	80	80	78	92	85	90	92			
6	94	90	94	75	95	90	90	90	90			
7	92	90	80	80	80	90	85	90	90			
8	90	90	85	88	90	90	90	90	90			
9	90	90	85	75	85	90	88	92	90			
10	90	90	85	80	80	90	85	93	90			
11	94	90	80	75	90	88	90	91	88			
12	90	94	95	70	95	80	90	90	85			
13	90	92	94	75	75	85	90	85	85			
14	90	94	85	80	80	80	90	90	90			
15	90	90	95	75	70	75	92	90	92			
16	90	93	90	60	75	80	84	90	85			
17	88	88	90	65	65	80	90	90	90			
18	90	90	90	75	70	75	93	85	90			
19	90	81	94	70	75	85	90	90	94			
20	90	83	92	65	65	85	90	90	92			
21	90	83	80	90	85	80	85	90	90			
22	90	92	80	80	80	80	90	88	90			
23	90	90	85	70	90	86	90	90	90			
24	90	90	75	70	90	90	92	90	90			
25	90	85	90	75	90	90	91	90	90			
26	92	90	85	68	95	90	90	90	90			
27	88	94	80	80	85	85	92	92	90			84
28	91	95	85	70	90	90	88	90	90			85
29	90	90	80	75	90	90	90	90	90			85
30	90	90	80	65	90	90	90	90	90			80
31	90	90	80	80	95	88	88	90	90			81
TOTAL	2804	2516	2658	2221	2489	2582	2760	2778	1868			415
AVERAGE	90	90	86	74	80	86	89	90	89			83
MAXIMUM	95	95	95	90	95	92	93	93	94			85
MINIMUM	85	81	75	60	56	75	82	85	80			80

 ANNUAL

 TOTAL AVERAGE MAXIMUM MINIMUM
 23094 86 95

SOP MAN RELATIVE HUMIDITY 1972-MEN (S-47)

SOP MAN RELATIVE HUMIDITY

DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	81	88	80	70	75	75	80	90	86	86	88	88
2	85	80	80	74	78	80	75	87	85	89	86	88
3	82	84	80	82	86	75	78	87	86	85	88	88
4	80	80	81	80	87	80	80	88	85	90	87	86
5	82	80	81	74	75	87	79	89	85	89	88	86
6	85	82	80	77	75	80	84	88	84	88	88	87
7	85	86	82	75	72	84	82	82	85	89	87	88
8	84	83	80	74	70	80	82	87	70	88	99	90
9	85	78	81	75	72	83	86	86	86	89	86	89
10	85	80	80	81	75	86	87	86	87	86	86	90
11	80	82	80	90	67	85	87	85	90	88	86	89
12	83	82	81	85	72	80	88	85	87	86	86	88
13	85	81	82	85	76	85	89	86	80	88	90	87
14	82	86	80	74	85	85	89	88	85	89	90	88
15	85	80	80	78	75	86	86	89	86	89	88	88
16	84	80	80	80	72	84	89	89	85	89	90	87
17	88	86	76	75	73	85	88	88	86	86	88	90
18	86	80	76	80	75	80	85	86	88	87	87	90
19	86	82	80	75	82	83	84	84	87	86	90	88
20	87	85	82	74	75	89	87	85	89	88	88	88
21	85	85	82	76	76	75	86	88	88	86	88	90
22	87	85	75	78	75	80	88	89	89	87	88	88
23	84	85	83	80	75	80	85	87	89	86	87	87
24	86	80	82	80	80	82	79	89	89	86	89	90
25	85	85	80	74	75	76	87	88	87	86	88	86
26	85	80	83	75	82	77	87	90	87	86	88	88
27	86	85	82	74	76	80	89	84	84	85	88	87
28	85	86	80	82	80	80	88	86	89	86	90	90
29	82	80	76	72	76	84	88	80	89	87	88	87
30	83	75	73	72	72	82	89	85	87	88	85	89
31	85	80	80	78	78	81	87	86	88	88	90	90
TOTAL	2613	2405	2430	2322	2329	2450	2640	2690	2579	2706	2644	2736
AVERAGE	84	83	80	77	75	82	85	87	86	87	86	88
MAXIMUM	88	89	83	90	86	89	89	90	90	89	99	90
MINIMUM	80	78	75	70	67	75	75	80	70	85	85	86

 ANNUAL

 TOTAL AVERAGE MAXIMUM MINIMUM

 30594. 84. 99. 87.

1986/11/ 6 (THU) 13:40:26

1973-NEN (S-48)

SOP HAN RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	90.	88.	88.	86.	87.	87.	87.	86.	86.	86.	86.	85.
2	87.	90.	86.	86.	85.	87.	85.	87.	85.	84.	83.	87.
3	87.	91.	88.	86.	79.	87.	85.	87.	85.	85.	88.	89.
4	86.	86.	89.	90.	88.	88.	88.	89.	88.	87.	85.	90.
5	89.	88.	89.	87.	87.	87.	87.	87.	88.	85.	87.	87.
6	89.	90.	88.	88.	85.	88.	85.	89.	87.	86.	87.	89.
7	90.	90.	86.	87.	87.	87.	85.	87.	88.	87.	88.	90.
8	89.	89.	89.	85.	88.	89.	88.	84.	86.	83.	88.	90.
9	87.	88.	90.	95.	84.	88.	85.	86.	86.	86.	86.	89.
10	85.	90.	89.	82.	84.	87.	90.	83.	85.	87.	87.	88.
11	87.	88.	86.	85.	85.	89.	82.	80.	87.	88.	86.	88.
12	87.	91.	85.	85.	81.	89.	88.	82.	87.	87.	90.	85.
13	92.	90.	88.	86.	88.	87.	88.	88.	85.	84.	85.	86.
14	91.	90.	89.	88.	85.	85.	87.	83.	85.	88.	88.	89.
15	87.	87.	85.	83.	87.	89.	82.	83.	86.	87.	86.	87.
16	90.	87.	84.	84.	86.	84.	87.	82.	87.	88.	88.	89.
17	89.	88.	89.	81.	87.	87.	87.	84.	86.	87.	88.	88.
18	88.	90.	83.	83.	86.	85.	83.	87.	86.	87.	87.	86.
19	90.	88.	86.	80.	88.	86.	88.	82.	86.	88.	88.	86.
20	91.	88.	85.	77.	83.	87.	86.	86.	87.	87.	90.	86.
21	90.	89.	85.	78.	88.	88.	85.	84.	87.	88.	89.	87.
22	88.	87.	85.	79.	88.	87.	86.	85.	88.	86.	89.	86.
23	88.	88.	85.	78.	88.	87.	83.	87.	88.	86.	88.	86.
24	90.	89.	89.	83.	82.	88.	80.	85.	87.	87.	87.	86.
25	88.	89.	89.	81.	89.	84.	83.	87.	86.	86.	88.	86.
26	89.	90.	85.	75.	89.	85.	85.	85.	85.	86.	87.	90.
27	91.	85.	89.	82.	87.	88.	85.	84.	86.	86.	91.	87.
28	91.	87.	89.	80.	86.	89.	88.	88.	86.	86.	90.	86.
29	88.	88.	88.	70.	88.	87.	87.	87.	87.	87.	79.	87.
30	90.	90.	90.	73.	87.	85.	80.	80.	88.	86.	83.	88.
31	91.	84.	84.	85.	85.	86.	87.	87.	88.	88.	87.	87.
TOTAL	2755.	2484.	2700.	2476.	2653.	2606.	2650.	2645.	2585.	2693.	2631.	2701.
AVERAGE	89.	89.	87.	83.	86.	87.	85.	85.	86.	87.	88.	87.
MAXIMUM	92.	91.	90.	95.	89.	89.	90.	89.	88.	88.	91.	90.
MINIMUM	85.	86.	83.	70.	76.	83.	80.	80.	80.	85.	85.	79.

***** ANNUAL *****

 TOTAL | AVERAGE | MAXIMUM | MINIMUM |
 31579. | 87. | 95. | 70. |

SOP HAN RELATIVE HUMIDITY 1974-MEN (S-49)

SOP HAN RELATIVE HUMIDITY

#DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	86	87	86	90	86	93	87	90	86	90	90	90
2	87	90	86	86	84	89	89	92	90	90	90	90
3	86	90	87	80	87	88	90	90	90	87	90	92
4	89	89	89	81	76	94	88	82	91	89	90	92
5	85	90	89	80	70	92	87	90	90	90	91	93
6	86	87	86	81	82	84	91	90	89	90	90	91
7	89	89	86	77	83	91	85	89	90	90	91	91
8	90	88	86	81	76	93	90	89	90	90	88	92
9	87	91	90	74	76	91	89	90	90	88	91	91
10	86	87	90	90	87	94	91	90	90	90	91	93
11	85	89	85	78	90	90	91	90	91	89	90	93
12	89	90	86	84	81	88	87	90	89	90	90	92
13	90	86	86	74	86	90	91	90	90	90	90	92
14	90	86	86	83	88	89	90	89	89	90	91	91
15	92	89	86	79	89	90	91	90	90	90	91	90
16	91	91	85	80	88	91	90	89	90	91	91	93
17	90	87	85	92	86	91	91	89	90	91	90	91
18	91	87	88	88	86	90	91	89	90	90	91	92
19	87	90	87	89	85	95	90	90	90	90	91	91
20	89	88	87	86	85	90	90	90	90	90	90	92
21	90	89	85	80	91	89	91	90	90	92	92	89
22	89	88	80	70	93	88	90	89	90	91	92	92
23	91	87	82	88	91	91	90	88	89	92	91	92
24	90	91	86	89	91	89	89	90	86	89	90	92
25	87	87	89	86	92	90	91	90	91	91	92	93
26	88	88	88	89	85	90	92	90	90	91	91	91
27	91	87	87	85	90	87	90	90	89	90	92	93
28	89	87	71	88	92	92	91	91	90	90	91	93
29	88	88	89	87	91	86	92	90	90	90	90	93
30	90	87	91	86	93	84	90	89	89	91	91	93
31	88	88	77	78	78	90	92	90	91	91	91	93
TOTAL	2746	2478	2665	2491	2660	2695	2788	2777	2688	2793	2719	2846
AVERAGE	89	89	86	83	86	90	90	90	90	90	91	92
MAXIMUM	92	91	91	92	93	95	92	92	91	92	92	93
MINIMUM	85	86	71	70	70	84	85	82	86	87	86	89

 ANNUAL

 TOTAL AVERAGE MAXIMUM MINIMUM

 32346 89 95 70

SOP HAN RELATIVE HUMIDITY

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	93	93	90	85	75	85	89	90	89	90	90	90
2	94	91	91	84	80	90	86	92	90	90	92	91
3	91	94	91	82	87	86	90	90	89	90	90	90
4	92	93	92	85	80	90	89	90	90	89	90	91
5	89	93	92	89	78	90	85	89	91	91	92	89
6	93	94	90	90	73	89	90	90	90	90	90	92
7	92	94	90	82	88	88	90	90	91	91	91	91
8	93	94	90	85	89	86	90	90	89	91	91	92
9	92	91	90	90	87	87	89	90	92	90	91	91
10	92	94	91	85	78	85	88	91	91	89	90	92
11	94	93	91	85	80	88	89	90	91	90	90	91
12	93	91	91	88	80	90	89	91	91	90	90	91
13	93	92	91	83	86	87	90	90	90	89	90	90
14	94	93	90	80	81	86	89	91	90	90	89	92
15	91	93	91	86	85	86	90	91	90	90	91	91
16	93	92	89	86	85	89	90	89	90	91	91	92
17	93	92	88	90	83	88	90	91	89	90	92	92
18	93	91	90	87	86	88	91	90	90	88	90	93
19	93	91	90	82	85	89	91	89	91	90	90	95
20	93	91	90	89	77	87	89	88	90	91	91	94
21	92	91	88	86	88	89	89	90	90	90	90	93
22	93	90	88	82	85	90	90	89	90	89	92	94
23	92	93	87	86	86	87	86	87	90	88	92	94
24	92	92	89	84	85	88	90	90	91	91	92	94
25	93	92	87	75	86	88	90	89	91	91	92	93
26	92	91	86	79	85	87	90	91	92	90	93	92
27	94	91	88	75	88	88	90	91	92	91	93	94
28	94	91	89	70	87	89	90	91	91	92	93	91
29	92	89	87	80	81	89	88	91	91	89	92	93
30	92	88	88	72	88	90	90	90	91	93	90	90
31	90	84	84	86	86	86	88	91	89	89	90	92
TOTAL	2866	2581	2789	2592	2588	2660	2785	2792	2743	2793	2741	2850
AVERAGE	92	92	89	83	83	88	89	90	90	90	91	92
MAXIMUM	94	94	92	90	89	90	91	92	92	93	93	95
MINIMUM	89	90	84	70	75	85	85	87	89	88	89	89

 ANNUAL

 TOTAL AVERAGE MAXIMUM MINIMUM

 32590 89 95 70

SOP HAN RELATIVE HUMIDITY

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	86	89	85	74	91	82	93	90	91	92	92	90
2	84	89	87	78	87	77	90	86	90	87	94	89
3	82	88	79	79	89	75	86	91	85	89	92	90
4	78	87	74	81	72	88	90	93	87	92	88	89
5	83	87	86	73	80	89	93	87	89	92	93	85
6	81	85	89	76	88	87	82	90	90	91	92	88
7	83	86	90	78	76	89	86	84	91	87	91	89
8	79	85	81	77	71	88	90	91	91	91	92	89
9	82	83	81	82	72	87	90	93	88	92	91	87
10	81	85	79	72	82	85	88	92	89	92	91	84
11	78	80	78	80	79	88	80	91	91	86	91	88
12	80	81	77	77	80	82	82	92	92	91	94	90
13	79	80	80	82	87	88	85	91	92	90	96	89
14	78	85	81	79	85	86	81	91	91	87	91	91
15	78	85	83	68	78	88	90	86	89	92	92	89
16	78	82	81	76	82	76	82	90	88	91	91	89
17	79	86	79	81	79	76	86	90	92	91	91	90
18	74	86	81	82	78	71	82	90	92	91	91	92
19	84	82	80	84	77	82	90	90	87	91	92	93
20	84	86	82	81	80	90	90	91	91	91	93	92
21	82	83	81	81	80	88	91	92	88	92	93	91
22	84	81	81	79	87	87	91	91	91	91	94	94
23	83	85	87	86	85	87	92	92	91	90	94	93
24	86	88	84	83	82	88	91	92	91	89	89	93
25	88	84	82	91	79	87	91	87	92	90	84	94
26	86	81	81	83	77	86	91	92	92	91	92	94
27	87	87	91	83	79	88	91	87	90	91	84	91
28	88	76	81	92	76	93	92	89	91	87	87	92
29	87	78	82	77	88	83	91	91	91	82	89	92
30	89	89	77	86	83	84	93	92	91	82	86	89
31	87	87	86	84	84	84	93	91	89	80	89	89
TOTAL	2558	2440	2336	2401	2513	2547	2749	2795	2704	2775	2730	2795
AVERAGE	83	84	82	80	81	85	89	90	90	90	91	90
MAXIMUM	89	89	90	92	91	93	93	93	92	92	96	94
MINIMUM	74	76	74	68	71	71	80	84	85	80	84	84

***** ANNUAL *****

TOTAL AVERAGE MAXIMUM MINIMUM

31543 86 96 60

SOP HAN RELATIVE HUMIDITY

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	85	92	89	89	88	89	90	90	89	86	89	89
2	87	93	90	92	82	90	89	90	88	88	87	90
3	87	94	89	88	82	90	91	90	88	87	89	90
4	86	95	90	88	80	89	90	90	88	89	89	90
5	84	93	90	91	84	92	89	83	88	88	89	90
6	80	92	86	90	74	90	90	90	88	88	87	90
7	82	91	91	89	80	91	91	89	88	91	88	90
8	84	90	89	89	91	90	92	90	89	89	89	90
9	86	92	89	87	89	92	91	89	90	89	89	90
10	87	92	92	90	89	85	94	87	90	89	89	90
11	88	90	92	90	90	88	95	91	89	88	89	91
12	90	89	90	89	90	90	90	91	89	88	89	91
13	90	92	88	88	88	90	91	88	88	88	90	90
14	91	88	90	89	86	90	90	90	89	88	89	90
15	92	92	90	87	92	89	90	86	88	89	89	90
16	90	91	90	90	92	89	87	87	88	84	90	90
17	86	89	87	88	92	87	90	90	88	89	90	90
18	93	90	90	88	87	88	91	86	87	88	90	90
19	90	89	86	80	92	83	89	88	88	89	90	88
20	93	90	91	92	89	88	91	89	89	87	90	88
21	88	90	87	87	87	88	91	88	88	89	91	89
22	86	91	80	88	87	89	85	88	88	86	89	90
23	90	90	91	88	89	88	89	88	88	88	89	89
24	94	90	90	85	88	90	91	88	88	89	90	90
25	91	90	92	89	89	90	88	88	84	89	90	90
26	90	90	84	88	88	85	87	85	85	87	89	90
27	91	87	90	85	86	80	87	85	86	89	89	90
28	89	87	93	85	87	80	90	87	89	89	89	89
29	90	90	85	85	85	80	90	88	86	89	90	90
30	94	89	91	85	84	84	90	87	87	90	88	90
31	93	87	87	87	87	87	90	88	89	89	89	89
TOTAL	2747	2527	2754	2638	2701	2636	2791	2740	2636	2738	2674	2784
AVERAGE	89	90	89	88	87	88	90	88	88	88	89	90
MAXIMUM	94	95	93	92	92	92	95	91	90	90	91	91
MINIMUM	80	78	80	80	74	60	85	83	84	86	87	88

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 32366 ***** 89 ***** 95 ***** 74 *****

SOP HAN RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	88	91	90	87	85	89	88	85	89	90	90	89
2	88	90	90	87	81	87	89	86	90	90	89	86
3	89	90	90	85	85	89	89	89	89	92	90	90
4	90	90	90	88	83	90	89	87	87	90	89	90
5	89	89	89	87	80	85	87	89	89	91	93	93
6	89	90	90	88	87	87	89	88	88	92	91	91
7	89	90	90	87	89	88	89	89	89	88	88	90
8	88	90	90	86	81	91	89	87	87	90	89	90
9	90	92	90	85	80	90	87	89	87	87	87	92
10	89	91	90	78	82	89	90	88	86	88	89	88
11	89	91	90	87	80	89	89	87	88	88	88	88
12	89	90	91	81	89	89	89	87	85	89	89	90
13	89	91	93	86	84	90	87	90	91	90	90	90
14	89	91	91	79	86	82	88	89	89	88	88	91
15	90	91	88	80	90	85	89	88	88	89	90	93
16	90	91	90	84	90	85	84	89	87	89	89	91
17	90	90	90	82	90	90	87	88	87	90	90	90
18	89	89	90	89	90	90	88	87	90	90	92	92
19	90	89	88	85	92	89	89	85	90	88	90	90
20	90	89	90	83	89	90	88	86	89	89	89	94
21	90	90	90	83	85	90	87	89	90	90	90	92
22	90	90	91	82	84	89	89	89	92	88	89	90
23	89	90	90	80	90	90	90	85	90	92	90	92
24	90	90	88	76	88	90	91	86	87	88	87	95
25	90	89	86	87	87	90	88	85	88	88	91	92
26	90	89	86	79	89	90	89	85	89	90	88	72
27	87	89	87	76	80	90	90	88	85	89	90	85
28	90	90	85	77	87	89	90	87	89	88	89	83
29	90	90	88	83	82	90	85	88	89	88	90	76
30	89	90	88	78	87	88	87	88	89	90	88	90
31	90	90	88	88	89	89	89	88	88	86	89	89
TOTAL	2769	2522	2765	2488	2652	2654	2739	2711	2653	2756	2680	2764
AVERAGE	89	90	89	83	86	88	88	87	88	88	89	89
MAXIMUM	90	92	93	89	92	91	91	90	92	92	93	95
MINIMUM	87	89	85	76	80	82	84	85	85	85	87	72

 ANNUAL

 TOTAL | AVERAGE | MAXIMUM | MINIMUM |

 32153. | 88. | 95. | 72. |

1986/11/ 6 (THU) 13:40:26

1979-NEN (S-54)

SOP HAN RELATIVE HUMIDITY

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	89	87	88	85	88	90	85	88	89	78	90	90
2	80	86	86	80	80	80	86	87	90	89	87	89
3	80	87	86	79	90	85	87	86	88	88	89	89
4	79	86	90	81	89	89	88	87	87	87	87	92
5	83	90	86	70	82	87	86	90	86	90	86	91
6	80	85	85	82	75	88	87	89	88	90	87	91
7	88	87	88	84	84	87	88	90	89	89	89	89
8	87	85	84	84	72	88	89	89	88	90	88	93
9	86	85	83	85	87	83	84	88	89	88	86	90
10	89	84	86	83	78	90	85	86	87	89	87	92
11	85	90	85	82	89	89	83	87	88	87	89	93
12	86	87	88	80	88	90	88	89	89	87	90	93
13	83	86	84	81	75	90	81	89	90	86	89	91
14	88	87	90	85	77	89	90	89	87	87	89	89
15	88	87	89	89	88	90	89	89	88	85	89	91
16	88	88	85	88	86	89	87	90	85	88	91	92
17	88	88	88	87	90	90	80	88	88	87	91	91
18	88	88	88	79	82	87	90	86	85	88	89	90
19	88	89	84	87	87	89	88	89	87	87	90	90
20	88	89	85	86	89	88	89	90	88	87	91	90
21	90	87	85	78	90	90	86	89	89	89	91	90
22	88	86	84	85	86	89	85	89	86	89	89	91
23	89	88	80	88	88	90	88	90	90	90	92	90
24	85	89	80	71	98	89	86	87	90	89	91	91
25	88	88	88	89	88	87	89	90	88	90	90	90
26	87	87	89	87	89	90	87	89	86	90	91	90
27	88	88	89	80	83	89	89	90	80	89	92	91
28	85	90	83	90	86	90	86	88	88	90	89	90
29	88	83	89	90	83	87	88	90	89	89	88	90
30	89	84	89	84	87	89	87	86	90	89	94	94
31	88	88	86	86	86	86	85	88	90	90	85	85
TOTAL	2675	2447	2668	2497	2637	2651	2696	2743	2634	2731	2677	2812
AVERAGE	86	87	86	85	85	88	87	88	88	88	89	91
MAXIMUM	90	90	90	90	98	90	90	90	90	90	92	94
MINIMUM	79	84	80	70	70	80	80	80	80	78	86	85

***** ANNUAL *****

TOTAL AVERAGE MAXIMUM MINIMUM

31866 87 87 90

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	93	90	90	85	70	79	90	89	89	89	82	84
2	89	89	85	70	62	79	90	87	90	90	83	85
3	91	90	90	76	84	89	87	90	90	90	82	84
4	90	90	85	80	81	85	81	90	90	89	85	85
5	92	91	85	80	93	88	85	90	90	90	82	85
6	89	88	85	80	80	90	90	90	90	89	81	84
7	90	90	85	80	75	85	90	89	90	88	82	85
8	91	89	86	90	70	89	90	90	90	90	83	85
9	90	90	90	85	69	90	90	90	90	90	84	84
10	92	89	83	85	74	90	88	90	90	89	83	85
11	90	92	87	78	76	85	88	89	89	89	82	84
12	88	89	91	84	62	85	90	90	89	86	83	85
13	95	93	91	79	73	84	90	88	89	89	82	86
14	93	88	82	70	74	90	92	87	89	90	83	85
15	93	80	76	85	73	89	90	90	88	89	82	87
16	90	90	85	70	69	90	89	86	89	90	83	85
17	85	93	89	72	69	88	90	85	89	90	82	84
18	90	90	85	91	74	89	90	86	90	89	83	86
19	90	89	84	75	70	85	90	90	90	90	84	86
20	80	91	80	85	90	85	90	89	90	90	84	85
21	91	88	85	90	89	90	89	90	89	90	84	85
22	90	87	80	72	88	90	90	89	88	75	83	85
23	94	88	89	65	90	90	90	90	89	76	84	86
24	91	87	79	73	90	90	87	90	89	81	84	85
25	91	89	86	74	89	90	90	90	90	82	84	85
26	90	89	89	75	89	85	88	90	88	82	84	84
27	90	84	84	67	88	90	90	90	90	84	84	86
28	89	86	83	70	90	90	90	87	87	87	83	85
29	90	86	84	69	90	90	90	87	88	85	84	86
30	91	85	85	70	87	90	89	89	89	82	84	84
31	89	89	80	78	78	90	90	88	83	83	85	85
TOTAL	2805	2585	2630	2327	2466	2409	2763	2755	2678	2696	2488	2635
AVERAGE	90	89	85	78	80	87	89	89	89	87	83	85
MAXIMUM	95	93	91	91	93	90	92	90	90	90	84	87
MINIMUM	85	84	76	65	62	65	81	85	87	75	81	84

 A N N U A L

 TOTAL AVERAGE MAXIMUM MINIMUM

 31445 86 95 82

SOP HAN RELATIVE HUMIDITY

DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	85.	89.	89.	87.	84.	90.	89.	86.	89.	88.	84.	81.
2	86.	90.	89.	86.	82.	89.	89.	88.	88.	90.	85.	81.
3	86.	85.	90.	85.	87.	90.	90.	89.	90.	89.	85.	82.
4	86.	89.	90.	84.	87.	89.	88.	89.	88.	87.	85.	82.
5	86.	90.	85.	83.	86.	90.	88.	89.	85.	85.	88.	83.
6	85.	90.	86.	84.	81.	86.	90.	88.	89.	90.	89.	82.
7	86.	90.	79.	82.	87.	86.	89.	88.	89.	90.	89.	84.
8	86.	90.	81.	80.	90.	90.	89.	88.	89.	88.	90.	83.
9	86.	86.	80.	85.	84.	90.	88.	89.	88.	90.	90.	84.
10	86.	90.	83.	86.	80.	88.	88.	87.	88.	88.	89.	82.
11	85.	90.	84.	87.	86.	90.	89.	89.	89.	89.	90.	83.
12	86.	90.	85.	75.	79.	90.	87.	90.	89.	89.	90.	84.
13	86.	90.	87.	86.	72.	90.	87.	89.	87.	89.	89.	83.
14	86.	90.	85.	88.	89.	90.	89.	88.	90.	88.	88.	82.
15	85.	89.	86.	86.	72.	89.	89.	88.	89.	87.	89.	84.
16	86.	86.	85.	91.	74.	90.	88.	86.	88.	86.	90.	83.
17	85.	87.	85.	90.	78.	89.	89.	86.	89.	88.	85.	83.
18	85.	87.	84.	89.	99.	90.	87.	87.	89.	88.	85.	83.
19	85.	89.	86.	85.	88.	89.	88.	87.	91.	86.	85.	84.
20	85.	88.	87.	84.	86.	90.	87.	86.	89.	87.	86.	84.
21	89.	89.	86.	86.	89.	89.	88.	88.	89.	88.	85.	84.
22	89.	90.	85.	83.	85.	89.	89.	88.	87.	89.	86.	84.
23	90.	89.	86.	87.	87.	89.	89.	88.	87.	88.	85.	85.
24	88.	89.	89.	85.	88.	90.	85.	86.	90.	87.	82.	85.
25	90.	90.	90.	87.	90.	90.	89.	88.	89.	88.	80.	85.
26	86.	86.	89.	86.	87.	89.	88.	87.	90.	86.	80.	84.
27	88.	88.	86.	84.	89.	89.	89.	86.	90.	85.	80.	84.
28	89.	89.	85.	83.	88.	90.	88.	87.	91.	85.	80.	84.
29	90.	90.	85.	84.	89.	90.	87.	88.	88.	85.	81.	84.
30	87.	80.	80.	78.	90.	88.	97.	86.	88.	85.	81.	83.
31	90.	82.	82.	90.	90.	88.	88.	87.	84.	84.	81.	83.
TOTAL	2688.	2483.	2649.	2546.	2609.	2678.	2733.	2716.	2662.	2712.	2571.	2582.
AVERAGE	87.	89.	85.	85.	84.	89.	88.	88.	89.	87.	86.	83.
MAXIMUM	90.	90.	90.	91.	90.	90.	90.	90.	91.	90.	90.	85.
MINIMUM	85.	85.	79.	75.	67.	86.	85.	86.	85.	84.	80.	81.

 ANNUAL

 TOTAL AVERAGE MAXIMUM MINIMUM

 31629. 97. 91. 67.

1986/11/6 (THU) 13:41:14

1982-NEN (S-57)

SOP HAN RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	85	85	85	81	82	87	90	92	86	89	86	80
2	84	85	85	80	74	89	91	91	90	90	87	89
3	85	86	85	81	81	86	90	90	83	90	86	89
4	85	87	84	84	77	87	90	87	88	89	87	88
5	84	86	85	81	90	89	84	83	87	90	86	89
6	83	86	85	84	86	76	76	90	90	89	87	90
7	84	85	85	86	85	84	84	89	87	90	86	89
8	84	85	85	86	84	89	89	90	92	89	87	90
9	84	85	85	86	85	90	90	85	92	90	87	89
10	84	85	85	80	79	89	89	87	91	89	86	88
11	84	84	85	86	75	87	87	85	88	90	87	89
12	84	86	84	80	80	87	87	92	87	93	86	90
13	84	85	85	84	84	88	84	90	86	92	87	89
14	85	85	84	86	88	86	86	89	87	91	88	90
15	85	85	85	83	89	88	88	90	86	84	88	89
16	85	85	85	85	84	87	87	90	89	85	88	90
17	85	85	85	86	85	87	87	90	88	86	87	88
18	85	85	85	85	85	88	84	90	88	85	88	89
19	85	86	83	83	82	90	84	91	89	86	87	90
20	85	85	85	85	85	88	83	89	89	86	89	90
21	85	85	82	84	87	91	86	90	88	86	88	91
22	85	85	84	85	86	90	87	91	87	87	89	90
23	84	86	84	81	85	91	88	90	86	86	88	90
24	85	86	81	82	86	89	89	91	90	86	89	91
25	85	84	85	78	87	89	87	90	92	87	89	90
26	85	86	82	75	90	90	88	91	91	86	89	90
27	85	85	80	80	89	91	85	87	93	86	89	91
28	85	85	83	78	90	87	85	90	88	87	88	91
29	85	85	84	76	91	89	90	89	91	86	89	91
30	85	80	80	78	90	89	90	88	90	87	86	89
31	85	84	84	85	85	90	90	87	86	86	91	91
TOTAL	2633	2588	2604	2469	2606	2086	2697	2764	2667	2725	2626	2772
AVERAGE	85	83	84	82	84	89	87	89	89	88	88	89
MAXIMUM	85	87	85	86	91	91	91	92	93	93	93	91
MINIMUM	83	84	80	75	68	85	76	83	83	84	86	80

 | A.N.U.A.L. |
 |*****|
 | TOTAL | AVERAGE | MAXIMUM | MINIMUM |
 |*****|
 | 30975. | 87. | 93. | 80. |
 |*****|

1986/11/ 6 (THU) 13:41:14

1983-NEW (S-58)

SOP HAN RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	90	92	88	80	75	85	89	92	92	87	97	92
2	90	88	87	85	76	82	88	89	90	89	90	93
3	89	88	87	87	67	85	90	90	89	87	89	92
4	90	88	87	72	85	87	91	89	88	89	90	91
5	90	89	89	73	73	89	88	88	87	90	91	92
6	89	91	88	69	72	88	89	88	90	88	86	91
7	90	90	87	74	60	89	87	86	89	90	90	90
8	89	91	86	75	78	84	87	87	90	87	88	90
9	90	88	87	84	60	82	83	89	92	89	90	91
10	91	88	85	85	66	86	84	87	88	90	90	92
11	91	89	86	66	67	84	82	81	87	86	90	90
12	90	88	87	80	73	89	89	88	90	90	90	91
13	90	89	88	67	70	91	88	87	82	88	89	90
14	91	88	85	87	67	89	83	89	89	89	90	91
15	90	89	83	75	78	88	87	86	85	90	89	87
16	91	88	80	76	75	80	88	83	85	90	90	88
17	91	87	85	76	88	84	90	85	89	88	90	85
18	91	87	84	73	77	87	86	89	88	87	88	90
19	89	88	83	77	64	88	90	88	87	88	90	89
20	89	85	85	78	72	89	91	86	89	89	90	88
21	91	87	86	63	81	86	85	85	86	90	90	90
22	90	88	85	70	70	82	83	83	88	90	89	91
23	90	87	80	72	69	79	85	85	87	87	88	90
24	89	88	78	83	66	83	90	88	90	82	88	92
25	87	90	81	77	77	87	91	87	87	87	88	89
26	90	90	86	75	89	85	88	90	83	87	89	91
27	89	89	84	73	88	86	85	87	88	88	87	92
28	91	90	85	68	89	88	87	88	87	87	88	88
29	90	87	85	77	87	87	90	90	88	88	89	91
30	89	88	83	72	82	86	91	87	87	86	90	88
31	91	81	81	78	78	88	91	88	90	90	89	89
TOTAL	2788	2481	2632	2269	2319	2509	2713	2714	2637	2739	2674	2794
AVERAGE	90	89	85	76	75	86	88	88	88	88	89	90
MAXIMUM	91	92	89	87	89	91	91	92	92	90	91	93
MINIMUM	87	85	78	63	60	78	82	81	82	86	86	85

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 31329 ***** 86 ***** 93 ***** 60 *****

1986/11/ 6 (THU) 13:41:14

SOP HAN 1984-NEN (S-59)

RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	91.	90.	86.	83.	82.	93.	88.	87.	87.	88.	87.	89.
2	90.	89.	85.	84.	78.	93.	88.	92.	85.	90.	88.	87.
3	89.	89.	86.	83.	83.	87.	87.	93.	88.	89.	85.	88.
4	90.	87.	88.	85.	88.	93.	88.	87.	87.	88.	87.	88.
5	90.	88.	87.	73.	81.	87.	87.	87.	88.	87.	88.	90.
6	88.	89.	86.	69.	82.	86.	86.	87.	87.	89.	87.	91.
7	91.	86.	88.	80.	90.	85.	86.	87.	81.	85.	85.	90.
8	93.	83.	86.	85.	86.	87.	92.	87.	88.	88.	86.	89.
9	88.	86.	86.	86.	89.	88.	87.	87.	88.	90.	87.	88.
10	92.	90.	88.	80.	85.	87.	87.	87.	89.	89.	85.	87.
11	89.	87.	86.	82.	86.	87.	92.	87.	88.	87.	88.	90.
12	90.	88.	86.	81.	83.	85.	92.	85.	85.	90.	87.	91.
13	91.	89.	88.	80.	80.	93.	92.	87.	78.	88.	86.	90.
14	92.	87.	86.	92.	78.	93.	82.	87.	71.	87.	85.	88.
15	90.	88.	86.	84.	86.	82.	88.	88.	72.	90.	88.	90.
16	91.	85.	86.	80.	85.	87.	87.	87.	73.	86.	90.	86.
17	92.	87.	86.	81.	89.	85.	88.	86.	72.	85.	89.	90.
18	91.	88.	82.	83.	74.	93.	93.	86.	85.	86.	85.	92.
19	90.	86.	86.	76.	76.	93.	87.	88.	87.	96.	87.	90.
20	89.	85.	88.	80.	80.	93.	93.	87.	88.	88.	88.	91.
21	93.	87.	85.	76.	86.	93.	82.	85.	85.	86.	88.	88.
22	92.	85.	82.	84.	79.	87.	87.	86.	88.	89.	88.	90.
23	93.	88.	86.	80.	86.	87.	86.	87.	80.	90.	87.	89.
24	90.	87.	82.	92.	78.	82.	92.	88.	80.	82.	88.	87.
25	90.	83.	86.	87.	74.	88.	87.	87.	85.	86.	91.	88.
26	87.	88.	95.	86.	76.	93.	87.	88.	86.	85.	90.	90.
27	89.	84.	81.	92.	75.	93.	87.	87.	84.	85.	86.	91.
28	87.	80.	85.	92.	82.	92.	87.	88.	87.	88.	87.	87.
29	88.	86.	87.	83.	89.	92.	87.	85.	85.	86.	86.	88.
30	87.	86.	86.	80.	83.	92.	86.	86.	71.	85.	88.	87.
31	89.	87.	87.	88.	90.	93.	88.	88.	86.	86.	89.	89.
TOTAL	2752.	2522.	2657.	2459.	2569.	2684.	2725.	2706.	2500.	2720.	2622.	2759.
AVERAGE	90.	87.	86.	82.	82.	89.	88.	87.	83.	88.	87.	89.
MAXIMUM	93.	90.	88.	92.	90.	93.	93.	93.	88.	90.	91.	92.
MINIMUM	87.	83.	81.	65.	74.	83.	85.	81.	71.	85.	85.	86.

***** ANNUAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** 31695 *****
 ***** 87 *****
 ***** 93 *****
 ***** 65 *****

1986/11/ 6 (THU) 13:40:26

1972-MEN (S-47)

BAN THA RUA PHA LAE RELATIVE HUMIDITY

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	89.	96.	96.	94.	83.	90.	96.	96.	98.	97.	96.	95.
2	97.	97.	97.	92.	82.	92.	97.	96.	95.	98.	96.	96.
3	97.	98.	96.	92.	80.	89.	94.	97.	96.	98.	95.	97.
4	94.	98.	96.	93.	80.	90.	100.	92.	98.	97.	95.	97.
5	93.	97.	95.	86.	78.	98.	90.	94.	96.	96.	96.	94.
6	94.	98.	95.	86.	79.	97.	97.	97.	99.	97.	97.	96.
7	94.	98.	95.	86.	73.	94.	94.	99.	97.	94.	96.	96.
8	94.	97.	98.	92.	78.	87.	95.	99.	96.	96.	97.	97.
9	96.	93.	98.	90.	80.	94.	94.	98.	97.	97.	94.	98.
10	94.	97.	97.	82.	80.	89.	94.	98.	98.	98.	95.	98.
11	96.	96.	97.	98.	77.	93.	98.	99.	97.	99.	95.	97.
12	94.	98.	97.	93.	82.	90.	98.	98.	92.	97.	95.	98.
13	96.	98.	94.	96.	77.	93.	98.	98.	91.	97.	96.	97.
14	95.	98.	95.	96.	85.	95.	98.	99.	94.	94.	97.	96.
15	97.	98.	96.	90.	76.	88.	98.	98.	93.	94.	97.	96.
16	95.	98.	95.	95.	74.	88.	97.	99.	97.	97.	98.	94.
17	98.	97.	97.	86.	86.	92.	97.	97.	97.	95.	98.	95.
18	94.	99.	98.	89.	94.	92.	95.	99.	93.	94.	96.	94.
19	96.	97.	97.	87.	92.	92.	92.	97.	98.	96.	96.	95.
20	97.	99.	99.	89.	82.	95.	94.	99.	92.	97.	97.	94.
21	96.	98.	98.	87.	90.	90.	91.	98.	92.	97.	97.	93.
22	95.	97.	97.	82.	85.	90.	94.	98.	99.	97.	98.	93.
23	96.	96.	97.	83.	79.	90.	95.	98.	97.	96.	98.	90.
24	97.	96.	95.	81.	83.	92.	96.	98.	94.	95.	98.	92.
25	96.	97.	95.	83.	83.	92.	97.	97.	95.	96.	98.	90.
26	98.	98.	94.	84.	94.	94.	95.	97.	96.	97.	98.	92.
27	97.	98.	95.	81.	95.	88.	97.	97.	99.	98.	98.	92.
28	96.	96.	94.	87.	95.	87.	98.	95.	100.	98.	96.	95.
29	96.	98.	94.	82.	91.	94.	94.	96.	97.	98.	95.	94.
30	97.	92.	92.	85.	92.	91.	95.	94.	96.	92.	95.	94.
31	95.	94.	94.	85.	85.	92.	92.	92.	92.	95.	94.	94.
TOTAL	2957.	2824.	2973.	2646.	2588.	2728.	2961.	3009.	2885.	2987.	2893.	2939.
AVERAGE	95.	97.	96.	88.	83.	91.	96.	97.	96.	96.	96.	95.
MAXIMUM	98.	99.	99.	98.	95.	98.	100.	99.	100.	99.	98.	98.
MINIMUM	89.	93.	92.	81.	73.	87.	90.	92.	91.	92.	94.	90.

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 34390. 94. 100. 73. *****

BAN THA RUA PHA LAE RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	95	99	99	90	88	92	94	94	96	99	95	94
2	97	99	98	94	85	99	94	94	93	98	96	94
3	89	99	99	94	93	99	94	92	95	97	96	96
4	95	100	100	92	94	96	96	92	94	92	94	94
5	93	100	100	99	99	92	92	94	94	90	95	94
6	95	100	99	92	100	88	92	97	95	89	97	93
7	95	100	98	95	97	92	94	95	96	91	98	94
8	96	98	100	92	94	97	94	94	95	90	98	95
9	94	100	94	96	94	97	94	96	92	98	95	94
10	94	99	100	87	89	99	96	96	90	96	99	94
11	94	99	99	82	92	99	94	93	96	91	99	98
12	95	99	98	90	97	94	92	96	92	98	96	98
13	94	100	98	87	89	97	92	96	97	97	96	99
14	94	99	94	94	94	97	96	96	96	97	95	95
15	97	99	98	87	94	100	93	97	90	96	96	91
16	94	99	100	90	92	99	96	96	90	98	98	95
17	97	98	98	93	94	99	97	97	94	97	95	93
18	95	100	98	92	97	99	98	96	97	98	97	92
19	94	98	98	83	97	95	97	96	96	97	90	90
20	94	97	98	95	97	92	99	96	97	96	97	91
21	94	98	97	89	97	97	97	96	96	97	96	92
22	94	97	95	84	96	94	95	96	97	97	92	92
23	94	95	98	87	92	94	96	97	97	96	98	93
24	96	98	97	87	87	89	97	97	96	97	94	92
25	93	100	100	87	92	90	96	98	97	98	97	92
26	95	99	95	85	100	94	96	98	96	98	97	95
27	95	99	90	88	98	91	97	96	92	98	97	94
28	95	98	96	81	92	91	95	94	94	100	95	91
29	95	95	94	83	99	94	92	94	96	98	98	89
30	99	100	100	85	96	96	96	92	97	96	96	92
31	98	98	96	94	94	92	92	94	94	96	96	95
TOTAL	2939	2766	3032	2680	2918	2845	2942	2956	2843	2977	2898	2900
AVERAGE	95	99	98	89	94	94	95	95	95	96	97	94
MAXIMUM	99	100	100	99	100	100	99	98	97	100	99	99
MINIMUM	89	95	90	81	85	88	91	92	90	89	94	89

***** ANNUAL *****

TOTAL	AVERAGE	MAXIMUM	MINIMUM
*****	*****	*****	*****
34697.	95.	100.	81.
*****	*****	*****	*****

1986/11/ 6 (THU) 13:40:26

BAN THA RUA PHA LAE RELATIVE HUMIDITY

1974-MEN (S-49)

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	92	96	95	98	97	97	99	97	99	99	99	100
2	92	96	95	95	96	97	96	98	99	97	99	99
3	91	95	95	95	97	97	97	99	97	100	99	96
4	92	97	96	96	97	97	97	96	97	100	99	98
5	98	98	95	86	97	96	99	99	96	99	99	99
6	94	91	96	88	92	96	99	92	96	99	100	100
7	92	90	94	91	97	97	99	99	96	99	99	100
8	91	94	96	96	82	96	99	99	99	100	98	100
9	94	97	94	97	92	97	99	99	99	98	97	100
10	90	90	96	95	86	96	98	99	99	98	97	99
11	92	93	96	96	87	97	99	99	98	99	97	98
12	94	92	96	95	92	97	99	92	98	99	98	98
13	92	93	96	85	92	97	99	99	99	99	99	97
14	92	97	96	95	92	97	99	96	97	100	98	98
15	91	93	96	90	97	97	99	99	95	99	91	95
16	92	95	97	96	87	96	96	99	96	100	93	100
17	91	96	96	89	87	97	98	97	97	99	95	98
18	94	95	97	96	87	96	99	98	100	99	96	95
19	94	95	98	90	92	97	99	99	99	98	97	94
20	93	96	98	87	88	99	99	98	100	98	95	93
21	95	96	98	92	97	94	96	97	100	97	93	97
22	95	92	97	87	99	99	98	99	100	95	89	98
23	96	95	96	78	90	97	99	97	98	95	90	95
24	94	96	86	88	98	97	98	99	99	92	95	98
25	92	92	95	90	98	96	99	98	100	93	95	97
26	92	96	76	99	99	97	99	99	100	92	96	97
27	90	94	91	97	90	89	97	95	100	97	96	96
28	90	96	95	97	100	99	98	99	99	96	96	97
29	90	90	95	97	98	96	96	98	100	96	96	99
30	95	96	96	97	98	95	98	97	98	97	97	98
31	96	96	95	95	98	98	98	97	98	98	97	97
TOTAL	2876	2640	2938	2768	2888	2895	3044	3029	2949	3027	2790	3026
AVERAGE	93	94	95	92	93	97	98	98	98	98	96	98
MAXIMUM	98	98	98	99	100	99	99	99	100	100	100	100
MINIMUM	90	90	76	78	82	89	96	92	95	92	89	93

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 34970 ***** 96 ***** 100 ***** 76 *****

1986/11/ 6 (THU) 13:40:26

1975-NEW (S-50)

BAN THA RUA PHA LAE RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	97.	98.	98.	98.	98.	98.	99.	99.	99.	99.	99.	93.
2	98.	98.	99.	99.	96.	98.	99.	98.	98.	99.	99.	93.
3	98.	99.	99.	98.	99.	98.	99.	99.	99.	99.	97.	96.
4	97.	99.	99.	98.	96.	99.	99.	98.	98.	98.	99.	96.
5	97.	99.	98.	98.	98.	98.	98.	99.	99.	99.	98.	93.
6	95.	99.	98.	99.	95.	98.	99.	99.	99.	99.	99.	95.
7	97.	98.	98.	98.	99.	99.	98.	98.	99.	99.	99.	93.
8	96.	98.	98.	98.	99.	98.	99.	99.	99.	99.	99.	90.
9	95.	98.	98.	98.	98.	99.	99.	98.	98.	98.	99.	92.
10	95.	98.	98.	99.	99.	98.	99.	99.	98.	98.	98.	93.
11	98.	98.	98.	98.	98.	98.	98.	99.	99.	98.	99.	94.
12	98.	98.	99.	99.	97.	99.	99.	99.	99.	98.	98.	96.
13	98.	98.	98.	98.	95.	99.	99.	98.	99.	99.	99.	91.
14	98.	97.	98.	97.	99.	99.	98.	99.	98.	99.	97.	96.
15	94.	96.	98.	99.	99.	98.	99.	99.	99.	99.	99.	94.
16	94.	97.	99.	99.	98.	98.	99.	99.	99.	98.	95.	91.
17	95.	96.	99.	99.	97.	99.	99.	99.	99.	98.	96.	95.
18	97.	97.	99.	99.	99.	99.	99.	98.	99.	98.	95.	92.
19	98.	97.	98.	98.	98.	99.	98.	99.	98.	97.	97.	94.
20	98.	97.	98.	98.	97.	98.	99.	98.	98.	98.	96.	94.
21	97.	97.	98.	99.	98.	99.	97.	99.	99.	99.	98.	97.
22	96.	97.	99.	98.	99.	99.	98.	98.	98.	98.	96.	95.
23	98.	99.	98.	98.	98.	99.	99.	98.	99.	98.	95.	98.
24	98.	97.	98.	98.	98.	98.	99.	99.	99.	98.	95.	96.
25	97.	98.	99.	97.	99.	99.	98.	98.	98.	98.	98.	96.
26	98.	97.	98.	98.	99.	98.	99.	98.	99.	99.	92.	96.
27	98.	97.	98.	98.	97.	99.	98.	99.	99.	98.	95.	94.
28	98.	98.	98.	98.	98.	98.	98.	99.	99.	98.	90.	96.
29	99.	99.	98.	99.	99.	98.	99.	98.	98.	99.	91.	96.
30	98.	99.	98.	98.	99.	98.	99.	99.	99.	98.	93.	95.
31	98.	99.	99.	98.	98.	99.	99.	98.	99.	99.	99.	98.

TOTAL | 3008. | 2735. | 3049. | 2949. | 3037. | 2955. | 3054. | 3059. | 2959. | 3053. | 2898. | 2930. |

AVERAGE | 97. | 98. | 98. | 98. | 98. | 99. | 99. | 99. | 99. | 98. | 97. | 95. |

MAXIMUM | 99. | 99. | 99. | 99. | 99. | 99. | 99. | 99. | 99. | 99. | 99. | 99. |

MINIMUM | 94. | 96. | 98. | 97. | 95. | 98. | 98. | 98. | 98. | 98. | 90. | 90. |

ANNUAL

TOTAL | AVERAGE | MAXIMUM | MINIMUM |

35686. | 98. | 99. | 90. |

1986/11/ 6 (THU) 13:40:26

1976-MEN (S-51)

BAN THA RUA PHA LAE RELATIVE HUMIDITY

#DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	95	90	95	94	90	96	96	96	94	85	80	95
2	92	93	97	95	98	96	97	97	94	98	96	98
3	94	98	95	93	98	96	98	92	92	95	96	98
4	98	95	98	96	92	94	98	90	92	97	96	99
5	96	98	93	95	88	96	97	96	98	94	88	97
6	97	97	97	98	96	98	95	92	97	96	95	98
7	92	98	97	96	95	98	96	96	95	96	95	98
8	94	94	95	98	90	97	96	96	98	97	98	92
9	97	95	98	90	95	97	95	96	98	97	98	98
10	94	87	95	94	90	97	98	94	96	98	96	98
11	97	95	97	92	96	96	98	93	97	98	92	98
12	93	96	95	88	95	98	97	90	92	90	97	98
13	90	94	93	84	98	98	96	96	92	97	99	97
14	95	94	95	88	92	97	96	98	96	98	99	91
15	95	96	95	86	92	94	97	96	97	98	98	95
16	97	95	94	84	92	97	97	96	95	97	99	95
17	95	94	91	86	92	95	94	95	96	81	97	98
18	95	96	92	84	92	96	95	95	94	98	94	96
19	95	97	95	88	96	95	96	91	96	98	98	91
20	95	98	94	88	94	97	96	93	96	96	98	81
21	97	98	93	88	94	96	88	92	94	92	98	94
22	93	95	93	88	92	97	94	96	95	98	98	96
23	97	97	96	92	94	95	95	92	97	91	99	77
24	97	95	93	92	96	96	95	96	98	76	90	82
25	95	95	93	89	96	96	98	92	92	84	90	81
26	96	97	91	90	96	95	97	92	97	84	95	85
27	95	95	93	90	96	96	98	92	97	97	98	85
28	95	97	96	88	92	96	95	98	92	73	95	87
29	95	95	92	89	92	96	96	96	92	62	93	85
30	95	94	94	90	94	96	96	92	97	97	95	87
31	97	97	93	90	92	96	97	96	97	97	97	86
TOTAL	2948	2768	2928	2713	2905	2887	2977	2922	2856	2855	2860	2856
AVERAGE	95	95	94	90	94	96	96	94	95	92	95	92
MAXIMUM	98	98	98	98	98	98	98	98	98	98	99	99
MINIMUM	90	87	91	84	88	94	88	90	92	62	80	77

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 34675 ***** 94 ***** 99 ***** 62 *****

1986/11/ 6 (THU) 13:40:26

BAN THA RUA PHA LAE RELATIVE HUMIDITY. 1977-NEN (S-52)

DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	91.	87.			97.	95.	95.	94.	93.	89.	88.	90.
2	95.	98.			94.	95.	96.	96.	92.	90.	89.	96.
3	97.	88.			95.	95.	95.	93.	93.	88.	88.	90.
4	97.	97.			95.	96.	96.	94.	91.	88.	88.	97.
5	97.	79.			95.	95.	93.	96.	90.	89.	88.	97.
6	97.	95.			94.	95.	94.	96.	89.	89.	89.	98.
7	94.	89.			86.	95.	93.	94.	89.	89.	89.	90.
8	95.	95.			95.	95.	92.	96.	87.	88.	87.	97.
9	93.	93.			95.	95.	92.	96.	89.	87.	89.	97.
10	98.	95.			92.	95.	92.	96.	89.	89.	89.	98.
11	96.	90.			94.	95.	92.	94.	89.	89.	88.	97.
12	90.	95.			95.	95.	92.	94.	89.	89.	90.	98.
13	92.	94.			96.	95.	93.	93.	89.	88.	89.	98.
14	97.	97.			96.	95.	91.	96.	88.	90.	88.	90.
15	89.	98.			95.	95.	89.	96.	88.	88.	90.	90.
16	98.			96.	96.	95.	93.	94.	88.	89.	88.	98.
17	94.			95.	95.	96.	92.	94.	88.	90.	90.	98.
18	98.			94.	96.	97.	91.	93.	88.	89.	91.	90.
19	98.			92.	96.	93.	92.	92.	88.	90.	86.	97.
20	93.			98.	96.	95.	93.	93.	89.	88.	89.	90.
21	91.			92.	96.	95.	93.	94.	88.	89.	90.	97.
22	98.			91.	95.	95.	91.	93.	88.	88.	88.	92.
23	97.			96.	94.	94.	91.	96.	88.	89.	89.	88.
24	97.			96.	95.	95.	89.	94.	89.	90.	86.	94.
25	98.			92.	95.	95.	93.	94.	88.	93.	91.	96.
26	95.			98.	95.	95.	93.	94.	87.	88.	89.	94.
27	96.			95.	95.	95.	91.	94.	89.	94.	91.	98.
28	89.			91.	95.	95.	88.	96.	88.	90.	89.	96.
29	91.			95.	95.	94.	89.	88.	88.	89.	91.	94.
30	93.			94.	95.	95.	93.	86.	88.	93.	86.	92.
31	97.			95.	95.	93.	93.	88.	91.	91.	91.	94.
TOTAL	2964.	1390.		1415.	2939.	2869.	2863.	2901.	2669.	2762.	2677.	2931.
AVERAGE	95.	93.		94.	95.	95.	95.	94.	89.	89.	89.	95.
MAXIMUM	98.	98.		98.	97.	97.	96.	96.	93.	93.	97.	98.
MINIMUM	89.	79.		91.	86.	95.	88.	86.	87.	88.	86.	88.

***** ANNUAL *****
 ***** AVERAGE *****
 ***** MAXIMUM *****
 ***** MINIMUM *****
 ***** TOTAL *****
 ***** 28336 *****
 ***** 93 *****
 ***** 98 *****

1986/11/6 (THU) 15:40:26

1978-MEN (S-53)

BAN THA RUA PHA LAE RELATIVE HUMIDITY

DAY*	1	2	3	4	5	6	7	8	9	10	11	12
1	92.	91.	91.	80.	81.	94.	85.	94.	97.	95.	96.	88.
2	90.	97.	93.	80.	86.	88.	89.	95.	97.	97.	91.	94.
3	86.	96.	86.	84.	86.	90.	89.	97.	97.	97.	85.	88.
4	89.	91.	93.	82.	82.	90.	85.	95.	95.	97.	96.	92.
5	90.	95.	96.	86.	87.	92.	91.	98.	97.	97.	96.	95.
6	95.	96.	96.	88.	90.	84.	90.	95.	95.	97.	93.	94.
7	90.	93.	95.	83.	94.	85.	90.	97.	97.	97.	87.	96.
8	88.	95.	93.	81.	86.	88.	90.	98.	94.	94.	87.	95.
9	86.	94.	95.	83.	88.	90.	92.	97.	95.	97.	94.	97.
10	84.	97.	91.	84.	87.	93.	90.	96.	87.	95.	94.	93.
11	84.	93.	95.	84.	95.	92.	92.	97.	95.	97.	95.	96.
12	88.	84.	97.	84.	90.	92.	89.	95.	93.	88.	93.	96.
13	90.	84.	97.	89.	90.	91.	91.	97.	96.	92.	89.	92.
14	91.	88.	95.	88.	97.	88.	88.	90.	99.	95.	89.	96.
15	97.	88.	96.	85.	94.	88.	90.	97.	95.	92.	95.	92.
16	97.	89.	95.	79.	97.	86.	90.	96.	90.	96.	96.	91.
17	98.	85.	96.	74.	95.	82.	90.	97.	94.	96.	92.	94.
18	97.	86.	95.	96.	98.	82.	90.	94.	94.	95.	87.	92.
19	96.	89.	93.	83.	95.	88.	89.	94.	97.	93.	87.	92.
20	98.	89.	93.	80.	94.	84.	88.	94.	95.	92.	83.	94.
21	96.	81.	93.	86.	90.	84.	86.	97.	94.	95.	93.	93.
22	96.	87.	93.	86.	86.	93.	90.	96.	95.	95.	98.	95.
23	88.	90.	93.	76.	90.	86.	92.	94.	95.	92.	89.	92.
24	97.	93.	95.	84.	93.	82.	93.	93.	94.	92.	90.	95.
25	97.	92.	95.	76.	90.	86.	91.	95.	95.	94.	90.	94.
26	96.	92.	93.	76.	94.	94.	98.	96.	95.	95.	90.	90.
27	95.	91.	90.	82.	90.	90.	90.	95.	92.	92.	96.	93.
28	96.	92.	93.	77.	90.	92.	92.	95.	92.	95.	93.	93.
29	88.	93.	93.	79.	91.	86.	92.	95.	97.	92.	96.	93.
30	87.	86.	90.	79.	90.	92.	94.	95.	97.	96.	89.	93.
31	90.	92.	92.	90.	90.	92.	92.	97.	97.	97.	98.	97.
TOTAL	2852.	2540.	2897.	2467.	2793.	2652.	2798.	2958.	2843.	2944.	2751.	2893.
AVERAGE	92.	91.	93.	82.	90.	88.	90.	95.	95.	95.	92.	93.
MINIMUM	98.	97.	97.	89.	98.	94.	98.	98.	99.	97.	98.	97.
MINIMUM	84.	81.	86.	74.	81.	82.	85.	90.	87.	88.	83.	88.

***** ANNUAL *****

 TOTAL / AVERAGE / MAXIMUM / MINIMUM
 33378. / 91. / 99. / 74.

1986/11/ 6 (THU) 13:40:26

BAN THA RUA PHA LAE 1979-NEN (S-54)

RELATIVE HUMIDITY

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	98	96	99	89	97	94	97	98	98	94	89	99
2	94	97	99	88	90	90	98	96	95	97	90	97
3	88	98	98	87	97	92	96	98	97	98	89	93
4	88	98	96	79	78	95	98	97	97	88	85	96
5	96	98	96	82	88	95	98	98	98	89	84	95
6	94	98	100	87	88	96	98	99	97	92	84	93
7	95	98	95	89	86	94	98	98	97	91	89	98
8	90	97	96	82	88	94	96	98	97	90	87	95
9	95	98	97	86	89	94	97	98	97	84	84	98
10	94	96	97	88	97	99	96	95	97	91	87	94
11	94	100	98	81	96	99	98	98	97	90	91	94
12	96	100	98	88	90	100	96	98	97	87	89	98
13	86	99	100	87	87	94	94	98	98	96	88	97
14	94	100	98	88	90	94	97	98	97	86	88	96
15	94	98	97	75	87	94	97	100	96	96	90	97
16	93	96	100	84	93	94	97	99	95	92	89	98
17	89	97	98	74	94	98	94	98	94	89	94	96
18	95	100	92	74	96	95	98	98	96	96	88	98
19	97	90	89	80	87	96	92	99	98	90	89	98
20	96	96	90	100	97	97	88	97	94	93	89	95
21	98	100	85	98	96	97	94	98	95	93	89	94
22	98	96	73	85	94	96	98	100	95	92	85	94
23	98	96	91	85	94	95	95	98	95	95	91	96
24	94	96	96	86	95	95	99	98	97	98	95	98
25	95	94	98	100	97	97	97	98	97	95	89	97
26	95	100	98	94	96	96	95	98	96	97	96	95
27	96	100	99	89	92	96	99	98	98	96	96	95
28	96	93	95	94	93	97	97	97	97	95	95	98
29	94	96	95	92	92	95	98	98	94	98	88	94
30	96	96	91	95	95	94	99	99	97	96	95	98
31	95	97	97	90	90	96	96	97	96	96	97	97
TOTAL	2931	2725	2948	2593	2845	2863	2986	3039	2897	2888	2681	2979
AVERAGE	95	97	95	86	92	93	96	98	97	93	89	96
MAXIMUM	98	100	100	100	97	100	99	100	98	98	96	99
MINIMUM	86	90	73	74	78	90	88	95	94	86	84	93

 ANNUAL

 TOTAL AVERAGE MAXIMUM MINIMUM

 34374. 94. 100. 73.

1986/11/ 6 (THU) 13:40:26

BAN THA RUA PHA LAE RELATIVE HUMIDITY

1980-MEN (S-55)

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	96	90	98	78	92	97	96	94	94	96	98	93
2	94	98	98	84	97	95	97	95	97	94	95	98
3	96	96	96	82	76	92	95	95	97	96	95	98
4	94	99	95	86	90	94	92	95	98	97	94	98
5	96	95	96	90	92	95	98	95	95	94	96	93
6	96	93	91	86	90	97	95	97	96	95	93	98
7	96	96	98	93	98	98	98	95	97	95	98	93
8	96	96	98	74	90	94	96	97	95	98	94	92
9	94	98	98	86	92	94	97	95	96	87	94	96
10	96	89	87	79	92	92	97	97	95	98	93	95
11	90	89	98	92	86	94	97	98	92	92	98	95
12	98	98	93	95	90	94	95	92	97	94	92	97
13	98	95	96	85	90	90	97	95	97	98	94	97
14	98	98	95	86	78	97	95	97	98	95	97	89
15	95	97	91	90	80	93	95	95	97	98	93	94
16	98	98	96	90	79	92	97	97	96	95	91	97
17	95	98	97	87	79	94	94	94	98	98	96	93
18	98	97	97	83	78	94	94	97	95	98	94	98
19	98	96	92	92	92	92	98	98	98	98	95	96
20	96	97	91	94	92	94	97	95	98	95	93	93
21	96	94	93	92	94	97	97	96	98	97	98	96
22	98	98	90	79	97	97	96	98	96	98	94	98
23	96	98	92	92	97	96	94	97	97	96	98	94
24	95	98	89	84	95	97	98	97	97	97	93	98
25	94	97	84	83	94	98	94	98	98	98	97	98
26	97	96	92	82	97	97	95	98	94	96	93	92
27	96	96	94	80	96	92	95	96	94	94	95	94
28	99	96	92	92	96	94	95	96	95	95	89	96
29	98	96	92	80	94	98	95	98	97	94	98	94
30	99	99	84	92	92	97	97	96	98	98	97	93
31	95	95	84	94	94	90	90	96	96	98	97	95
TOTAL	2981	2783	2887	2601	2789	2845	2874	2880	2890	2882	2845	2981
AVERAGE	96	96	93	87	90	95	96	96	96	96	95	95
MAXIMUM	99	99	98	96	97	98	98	98	98	98	98	98
MINIMUM	90	89	84	74	76	90	92	92	92	92	89	89

ANNUAL
 TOTAL AVERAGE MAXIMUM MINIMUM
 34508 94 99 74

1986/11/6 (THU) 13:40:26

BAN THA RUA PHA LAE 1981-MEN (S-56)

RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	96.	94.	98.	96.	92.	98.	95.	98.	97.	98.	97.	98.
2	93.	98.	98.	95.	94.	94.	92.	97.	98.	97.	95.	98.
3	93.	97.	98.	97.	92.	98.	98.	98.	98.	98.	96.	97.
4	98.	98.	99.	98.	97.	95.	95.	97.	98.	98.	98.	98.
5	94.	98.	98.	97.	97.	98.	97.	98.	98.	98.	97.	97.
6	92.	97.	96.	98.	95.	95.	95.	95.	98.	97.	98.	98.
7	98.	98.	97.	97.	97.	97.	92.	98.	98.	98.	97.	98.
8	98.	96.	98.	95.	90.	98.	97.	95.	97.	98.	98.	98.
9	91.	98.	97.	96.	94.	95.	97.	98.	98.	98.	98.	97.
10	98.	96.	98.	89.	98.	97.	98.	97.	98.	95.	96.	98.
11	94.	91.	98.	93.	98.	97.	95.	98.	95.	97.	95.	97.
12	96.	96.	98.	97.	91.	97.	95.	98.	94.	97.	97.	98.
13	94.	92.	94.	98.	97.	94.	95.	93.	94.	98.	97.	95.
14	90.	98.	98.	92.	98.	95.	98.	98.	97.	98.	98.	98.
15	98.	95.	98.	92.	95.	98.	97.	97.	94.	98.	97.	98.
16	96.	98.	96.	95.	98.	98.	94.	98.	98.	98.	98.	97.
17	97.	98.	94.	97.	97.	95.	97.	98.	98.	98.	98.	98.
18	91.	98.	97.	97.	98.	97.	92.	97.	98.	97.	98.	93.
19	96.	98.	96.	90.	98.	97.	94.	97.	95.	98.	98.	97.
20	94.	98.	98.	92.	98.	95.	97.	98.	98.	97.	96.	98.
21	92.	98.	97.	92.	98.	94.	98.	98.	98.	95.	97.	98.
22	96.	98.	98.	97.	97.	94.	98.	97.	96.	96.	98.	98.
23	97.	98.	96.	95.	98.	97.	98.	97.	97.	97.	98.	96.
24	98.	97.	93.	94.	97.	98.	98.	94.	98.	98.	96.	98.
25	95.	98.	97.	95.	94.	97.	94.	96.	97.	98.	98.	97.
26	98.	96.	96.	94.	98.	98.	96.	96.	98.	98.	98.	96.
27	98.	98.	92.	95.	98.	98.	98.	97.	98.	97.	97.	97.
28	92.	98.	94.	87.	97.	97.	97.	97.	96.	98.	97.	98.
29	96.	98.	98.	97.	95.	94.	95.	98.	95.	98.	98.	98.
30	98.	98.	96.	92.	98.	95.	98.	96.	98.	98.	98.	98.
31	92.	94.	94.	98.	98.	95.	95.	95.	98.	98.	98.	98.
TOTAL	2949.	2714.	2995.	2839.	2982.	2893.	2976.	3002.	2910.	3082.	2916.	2724.
AVERAGE	95.	97.	97.	95.	96.	96.	96.	97.	97.	97.	97.	97.
MAXIMUM	98.	99.	99.	98.	98.	98.	98.	98.	98.	98.	98.	98.
MINIMUM	90.	91.	92.	87.	90.	94.	92.	93.	94.	95.	95.	95.

ANNUAL
 TOTAL | AVERAGE | MAXIMUM | MINIMUM
 34822. | 96. | 99. | 87.

1986/11/6 (THU) 13:41:14

BAN THA RUA PHA LAE RELATIVE HUMIDITY 1981-REN (S-56)

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	96.	94.	98.	96.	92.	98.	95.	98.	97.	98.	97.	98.
2	93.	98.	98.	95.	94.	97.	92.	97.	98.	97.	95.	98.
3	93.	99.	98.	97.	92.	98.	98.	98.	98.	98.	96.	97.
4	98.	98.	99.	98.	97.	95.	95.	97.	98.	98.	98.	98.
5	94.	98.	98.	97.	97.	98.	97.	98.	98.	98.	97.	97.
6	92.	97.	96.	98.	95.	95.	95.	95.	98.	97.	98.	98.
7	98.	98.	97.	97.	97.	98.	92.	98.	98.	98.	97.	98.
8	98.	96.	98.	95.	90.	98.	97.	95.	97.	98.	98.	98.
9	91.	98.	97.	96.	94.	95.	97.	98.	98.	98.	98.	97.
10	98.	96.	98.	89.	98.	97.	98.	97.	98.	95.	96.	98.
11	94.	91.	98.	93.	98.	97.	95.	98.	95.	97.	95.	97.
12	96.	96.	98.	97.	91.	97.	95.	98.	94.	97.	97.	98.
13	94.	92.	94.	98.	97.	94.	95.	93.	94.	68.	97.	95.
14	90.	98.	98.	92.	98.	95.	98.	98.	98.	97.	98.	98.
15	98.	95.	98.	92.	95.	98.	97.	97.	94.	98.	97.	98.
16	96.	98.	96.	95.	98.	98.	94.	98.	98.	98.	98.	97.
17	97.	98.	94.	97.	97.	95.	97.	98.	98.	98.	98.	98.
18	91.	98.	97.	97.	98.	97.	92.	97.	98.	97.	97.	93.
19	96.	97.	96.	90.	98.	97.	94.	97.	95.	98.	98.	97.
20	94.	98.	98.	92.	98.	95.	97.	98.	98.	97.	96.	98.
21	92.	98.	97.	92.	98.	94.	98.	98.	98.	95.	97.	98.
22	96.	98.	98.	97.	97.	94.	98.	97.	96.	96.	98.	98.
23	97.	98.	96.	95.	98.	97.	98.	97.	97.	97.	98.	96.
24	98.	97.	93.	94.	97.	98.	98.	94.	68.	98.	96.	98.
25	95.	98.	97.	95.	94.	97.	94.	96.	97.	98.	98.	97.
26	98.	96.	96.	94.	98.	98.	96.	96.	98.	98.	98.	96.
27	98.	98.	92.	95.	98.	98.	98.	95.	97.	98.	97.	97.
28	92.	98.	94.	87.	97.	98.	98.	97.	96.	98.	97.	98.
29	96.	96.	98.	97.	95.	94.	95.	98.	95.	98.	98.	98.
30	98.	96.	96.	92.	98.	95.	98.	96.	98.	98.	98.	97.
31	92.	92.	94.	98.	98.	95.	95.	95.	98.	98.	98.	96.
TOTAL	2949.	2714.	2995.	2839.	2882.	2893.	2876.	3002.	2880.	2992.	2916.	3015.
AVERAGE	95.	97.	97.	95.	96.	96.	96.	97.	96.	97.	97.	97.
MAXIMUM	98.	99.	99.	98.	98.	98.	98.	98.	98.	98.	98.	98.
MINIMUM	90.	91.	92.	87.	90.	94.	92.	93.	68.	68.	95.	93.

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 35153. 96. 99. 68. *****

BAN THA RUA PHA LAE RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	98.	98.	98.	96.	88.	96.	96.	98.	95.	95.	96.	98.
2	98.	97.	96.	95.	90.	97.	95.	97.	97.	97.	96.	95.
3	98.	98.	95.	90.	87.	98.	97.	96.	96.	97.	96.	96.
4	97.	98.	96.	94.	98.	97.	94.	98.	98.	97.	96.	97.
5	99.	98.	96.	93.	94.	96.	96.	97.	98.	98.	98.	96.
6	98.	99.	96.	94.	98.	97.	95.	97.	93.	98.	96.	97.
7	98.	98.	98.	86.	97.	98.	97.	98.	95.	97.	90.	98.
8	98.	98.	98.	92.	96.	97.	98.	96.	96.	96.	98.	95.
9	97.	99.	97.	98.	94.	98.	97.	97.	98.	96.	96.	96.
10	97.	98.	96.	96.	97.	97.	98.	98.	96.	98.	98.	96.
11	98.	98.	96.	98.	98.	98.	96.	98.	96.	98.	98.	99.
12	98.	98.	98.	97.	95.	98.	96.	96.	96.	96.	98.	92.
13	98.	98.	95.	96.	96.	98.	96.	98.	97.	98.	98.	93.
14	98.	98.	96.	96.	96.	98.	96.	98.	90.	98.	98.	98.
15	97.	98.	94.	96.	94.	96.	98.	97.	87.	97.	98.	95.
16	97.	98.	98.	98.	93.	96.	97.	98.	98.	98.	97.	97.
17	97.	98.	97.	98.	94.	98.	95.	98.	96.	96.	92.	98.
18	98.	97.	98.	97.	98.	97.	98.	98.	96.	97.	98.	98.
19	98.	98.	94.	92.	95.	97.	98.	98.	96.	98.	96.	98.
20	99.	98.	96.	96.	94.	96.	96.	96.	96.	96.	96.	98.
21	98.	97.	97.	96.	98.	98.	96.	98.	98.	96.	96.	96.
22	97.	97.	96.	96.	96.	98.	98.	98.	97.	97.	98.	98.
23	98.	97.	91.	92.	97.	97.	98.	98.	96.	96.	95.	97.
24	97.	96.	95.	93.	97.	97.	92.	98.	96.	94.	96.	95.
25	98.	97.	96.	96.	98.	96.	96.	97.	98.	96.	96.	95.
26	98.	98.	94.	90.	97.	98.	97.	98.	96.	96.	96.	98.
27	98.	98.	97.	94.	98.	96.	96.	96.	96.	96.	90.	98.
28	98.	98.	94.	94.	98.	96.	98.	98.	94.	98.	91.	97.
29	97.	97.	94.	90.	98.	95.	98.	96.	96.	95.	87.	95.
30	97.	97.	92.	94.	98.	98.	98.	98.	94.	96.	98.	97.
31	98.	97.	97.	96.	96.	97.	97.	95.	96.	96.	96.	98.
TOTAL	3030.	2739.	2968.	2828.	2948.	2913.	2998.	3015.	2881.	2886.	2882.	2994.
AVERAGE	98.	98.	96.	94.	95.	97.	97.	97.	96.	96.	96.	97.
MAXIMUM	99.	99.	98.	98.	98.	98.	98.	98.	98.	98.	98.	99.
MINIMUM	97.	96.	94.	86.	87.	94.	92.	95.	87.	90.	87.	92.

***** ANNUAL *****
 ***** TOTAL AVERAGE MAXIMUM MINIMUM *****
 ***** 35181. 96. 99. 85. *****

1986/11/ 6 (THU) 13:41:14

1983-NEN (S-58)

BAN THA RUA PHA LAE RELATIVE HUMIDITY

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	97	98	97	93	92	90	90	92	92	91	92	90
2	98	90	94	93	90	89	92	92	92	92	92	92
3	95	93	96	93	88	89	90	91	91	92	93	90
4	91	95	94	92	90	80	90	90	91	92	93	90
5	98	95	93	83	88	90	90	90	93	92	92	91
6	97	86	93	90	90	80	91	91	92	92	90	91
7	96	95	93	82	83	85	91	91	91	91	90	87
8	93	98	86	90	90	90	91	91	91	91	92	90
9	98	95	93	90	90	90	90	92	91	92	92	91
10	95	84	94	92	90	90	90	90	92	92	92	92
11	94	95	95	87	90	92	91	91	91	92	92	92
12	95	98	95	93	90	88	92	92	92	92	92	86
13	98	95	95	91	90	90	92	91	91	91	93	93
14	97	95	94	86	94	89	90	92	91	91	93	93
15	95	90	93	92	90	87	90	90	92	91	92	86
16	95	88	96	90	90	85	90	90	92	92	92	91
17	92	95	93	92	90	82	90	90	92	90	92	94
18	90	95	92	95	90	94	92	90	91	90	92	92
19	92	95	89	90	90	90	91	90	91	92	89	90
20	95	95	84	94	90	86	91	91	91	90	86	87
21	95	96	92	89	90	84	90	91	91	92	93	87
22	97	95	89	92	90	88	90	92	92	93	89	83
23	95	90	89	86	90	90	90	92	91	92	85	89
24	94	90	91	94	91	91	90	92	92	93	90	88
25	97	93	97	90	90	90	92	91	92	89	89	89
26	98	90	96	92	90	94	90	91	92	88	94	89
27	95	96	84	82	87	87	92	92	90	92	94	93
28	95	97	83	92	86	91	92	92	92	93	88	92
29	96	93	93	90	90	91	91	91	92	93	90	93
30	99	99	95	96	90	90	92	91	92	93	90	93
31	96	96	84	90	92	92	91	91	92	93	90	93
TOTAL	2958	2619	2852	2711	621	1156	2760	2823	2746	2839	2733	2797
AVERAGE	95	94	92	90	89	89	89	91	92	92	91	90
MAXIMUM	99	98	97	96	92	94	92	92	93	93	94	94
MINIMUM	90	84	83	82	83	84	80	90	90	88	85	83

 ANNUAL

 TOTAL AVERAGE MAXIMUM MINIMUM

 29615 91 99 80
