

Ser No.	Sample No.	Coordination X Y	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Sb ppm	As ppm	Hg ppb	Mo ppm	N ppm	Fe %	Mn ppm	Ba ppm	U ppm
281	KS0069	91266 6217	tr.	0.7	4	6	19	16.0	19	31	tr.	1	0.86	75	145	0.6
282	MS0937	91467 5369	0.3	tr.	12	141	87	24.0	812	154	1.6	5	3.88	746	210	0.8
283	MS0938	91411 5416	2.0	3.4	12	79	910	5.6	1270	301	0.8	2	2.34	19000	220	1.0
284	MS0939	91998 5848	0.9	4.9	15	15	49	10400.0	7952	984	tr.	62	2.04	370	65	0.2
285	MS0940	91944 5810	0.4	0.6	15	168	872	2320.0	1984	408	tr.	38	4.12	2280	310	0.4
286	MS0941	92004 5887	0.5	tr.	10	24	93	4400.0	1360	650	tr.	15	5.56	1320	220	0.4
287	MS0942	92060 5880	tr.	tr.	3	4	34	74.4	52	80	0.8	1	2.80	127	105	0.2
288	MS0943	92184 5946	tr.	tr.	1	tr.	23	78.4	28	134	tr.	1	0.96	19	70	0.2
289	MS0944	92143 5903	tr.	tr.	tr.	6	8	388.0	39	53	tr.	1	0.46	50	80	0.1
290	MS0945	92277 5771	tr.	tr.	6	15	32	16.8	2	67	1.4	2	2.84	229	320	0.4
291	MS0946	92221 5745	0.2	tr.	5	15	32	14.0	16	109	0.8	1	1.83	329	90	0.5
292	MS0948	92099 5837	tr.	tr.	8	12	42	64.0	164	80	tr.	1	3.10	159	130	0.2
293	MS0949	92029 5811	3.1	1.9	7	459	130	10080.0	5883	871	tr.	18	2.24	449	55	0.1
294	MS0950	92741 5755	3.7	0.8	4	153	28	10640.0	628	328	1.4	16	1.04	150	50	0.4
295	MS0951	92162 5760	0.2	0.6	9	17	36	33.6	11	67	tr.	1	3.49	150	95	0.2
296	MS0952	92107 5807	tr.	0.4	3	7	110	18.8	41	67	0.6	1	2.19	189	90	0.2
297	MS0953	92279 5638	tr.	0.6	20	20	169	2.8	2	67	0.8	1	4.98	688	220	0.6
298	MS0954	92188 5633	tr.	0.3	tr.	8	36	27.6	4	60	tr.	1	1.19	40	70	0.2
299	MS0955	91843 5678	tr.	0.5	10	13	47	40.0	10	100	1.2	1	2.23	169	175	0.3
300	MS0956	91862 5711	tr.	0.6	12	19	170	5.6	tr.	73	0.8	1	3.22	199	170	0.4
301	MS0957	91846 5788	tr.	tr.	8	tr.	51	4.8	tr.	73	1.2	2	1.88	209	160	0.6
302	MS0958	91889 5770	7.7	0.3	6	14	42	7480.0	516	204	0.8	5	3.46	210	105	0.2
303	MS0959	91748 5683	tr.	0.4	18	23	149	6.0	6	65	2.0	5	2.24	309	360	0.2
304	MS0960	91741 5746	tr.	0.4	7	7	28	14.8	42	83	1.6	4	1.59	90	240	0.3
305	MS0961	91798 5821	tr.	0.3	6	1	139	tr.	26	46	0.8	1	2.67	50	110	0.1
306	MS0962	91815 5813	tr.	0.2	3	9	309	tr.	5	55	0.8	2	0.83	30	110	0.4
307	MS0963	91714 5705	tr.	0.3	4	11	90	tr.	1	46	0.8	1	1.65	80	170	0.2
308	MS0964	91736 5758	2.4	0.3	5	13	100	21.0	126	65	tr.	1	1.65	140	160	0.2
309	MS0965	92110 5598	tr.	0.1	8	7	70	25.8	15	55	tr.	1	5.02	99	65	0.2
310	MS0966	92037 5650	tr.	0.2	7	12	79	tr.	5	46	0.8	1	5.22	677	145	0.3
311	MS0967	92016 5638	tr.	0.3	14	7	63	18.2	9	55	0.8	1	4.28	478	105	0.2
312	MS0968	92096 5558	tr.	0.2	51	7	50	80.4	24	93	0.8	1	3.77	130	90	0.2
313	MS0969	92143 5542	tr.	0.1	6	4	28	91.8	23	130	0.6	1	1.66	30	70	0.1
314	MS0970	92077 5558	1.4	0.5	18	6	86	1152.0	162	260	tr.	1	6.00	208	65	0.2
315	MS0971	92096 5477	3.7	0.8	10	8	75	1592.0	186	344	0.6	18	4.49	290	55	0.2
316	MS0972	92025 5524	4.2	0.1	3	5	43	1408.0	79	213	tr.	21	2.30	239	65	0.1
317	MS0973	92050 5530	1.6	0.2	2	11	38	27.0	146	223	0.6	1	1.43	279	50	0.2
318	MS0974	92014 5498	0.8	0.2	3	7	34	752.0	351	1330	0.6	23	2.64	1370	50	0.2
319	MS0975	92023 5490	0.5	0.3	3	16	58	560.0	169	15700	tr.	17	4.18	566	55	0.3
320	MS0976	92024 5475	tr.	0.2	6	6	41	536.0	78	268	tr.	2	2.63	139	65	0.2

Ser No.	Sample No.	Coordination X Y	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Sb ppm	As ppm	Hg ppb	Mo ppm	N ppm	Fe %	Mn ppm	Ba ppm	U ppm
321	MS0977	92026 5460	tr.	6.0	5	30	120	392.0	13	846	1.0	110	5.66	340	230	0.7
322	MS0978	92041 5430	5.7	0.8	6	22	220	153.0	169	251	0.8	39	7.41	1000	30	0.6
323	MS0979	92081 5367	0.5	0.2	3	4	37	tr.	60	136	1.0	100	1.70	100	30	0.2
324	MS0980	92142 5363	tr.	0.2	2	10	110	tr.	27	54	0.6	1	1.93	140	35	0.1
325	MS0981	92140 5376	tr.	0.3	2	14	200	tr.	83	74	0.8	1	3.38	220	30	0.2
326	MS0982	92082 5312	tr.	0.3	10	7	90	tr.	6	61	0.6	1	3.11	40	55	0.2
327	MS0983	92100 5318	tr.	0.4	24	18	160	tr.	14	129	1.6	1	6.70	200	110	0.6
328	MS0984	92015 5303	tr.	0.5	23	19	340	3.8	37	109	1.2	1	10.44	120	70	0.4
329	MS0985	92275 5381	tr.	tr.	2	10	37	9.0	47	116	0.8	1	1.76	100	30	0.4
330	MS0986	92227 5455	tr.	tr.	2	3	33	tr.	39	210	0.8	1	1.55	140	30	0.4
331	MS0987	92218 5452	tr.	tr.	5	4	26	tr.	19	122	0.8	1	1.66	80	30	0.3
332	MS0988	92190 5509	tr.	tr.	7	2	25	143.0	64	1090	1.2	1	1.28	80	30	0.6
333	MS0989	92121 5485	1.2	0.9	2	5	24	145.0	27	156	1.2	1	1.34	200	50	0.4
334	MS0990	92107 5495	3.0	0.2	3	8	34	75.2	33	190	1.2	1	1.77	140	60	0.4
335	MS0991	92095 5474	1.0	0.4	4	13	40	908.0	215	170	1.4	12	2.31	160	60	0.4
336	MS0992	92136 5457	2.3	0.2	5	10	37	124.0	49	224	0.8	1	1.69	260	60	0.5
337	MS0993	92101 5275	tr.	0.4	4	15	150	25.8	122	258	1.6	10	7.47	300	50	0.6
338	MS0994	92120 5241	tr.	0.1	5	6	36	tr.	22	95	0.8	1	1.65	80	50	0.4
339	MS0996	92196 5300	tr.	0.5	4	12	74	28.0	54	102	1.6	3	4.51	140	55	0.4
340	MS0997	92201 5342	tr.	0.3	10	9	60	tr.	5	47	0.8	1	4.09	80	105	0.5
341	MS0998	92257 5197	tr.	0.6	16	14	78	tr.	5	40	1.2	1	5.69	100	135	0.4
342	MS0999	92235 5181	tr.	0.2	4	5	42	tr.	5	96	0.6	1	1.60	40	110	0.4
343	MS1000	92303 5190	tr.	tr.	3	2	44	36.6	5	78	0.6	1	0.85	40	65	0.4
344	MS1001	92387 5226	tr.	0.3	8	9	50	tr.	20	168	0.8	1	2.70	120	120	0.4
345	MS1003	92044 5011	tr.	0.4	24	14	73	tr.	9	90	1.6	1	4.61	140	185	0.6
346	MS1005	92018 5458	2.5	0.2	2	11	30	22.6	51	354	1.2	40	2.58	120	25	0.8
347	MS1006	91890 5426	0.6	0.3	4	22	26	11.8	51	10200	1.0	1	1.49	600	90	0.8
348	MS1007	91915 5409	tr.	0.2	2	2	36	41.0	37	792	1.0	2	1.43	180	50	0.4
349	MS1008	91817 5347	tr.	0.3	5	8	58	1.6	55	1460	1.0	4	1.56	120	50	0.6
350	MS1009	91822 5397	tr.	0.2	8	10	39	tr.	40	270	0.6	1	2.38	160	70	0.5
351	MS1010	91757 5437	tr.	0.9	24	80	350	612.0	778	264	tr.	1	2.39	202	80	0.8
352	MS1011	91736 5430	3.4	1.0	23	38	38	87.0	62	84	0.8	3	1.00	160	90	0.8
353	MS1012	91686 5476	3.2	0.3	25	40	47	137.0	129	54	1.0	5	1.47	470	110	0.8
354	MS1013	91626 5436	1.5	3.9	38	34	146	124.0	353	72	1.2	4	2.15	1600	210	1.5
355	MS1014	91615 5408	2.6	1.1	6	9	17	6.1	41	36	tr.	2	1.02	184	200	0.6
356	MS1015	91632 5376	tr.	0.1	10	18	39	tr.	24	30	1.0	2	1.89	244	255	0.5
357	MS1016	91536 5322	5.8	1.2	40	261	219	44.6	334	78	1.6	3	2.21	1180	200	0.8
358	MS1017	91497 5292	61.2	7.6	174	740	545	50.3	111	132	1.6	2	1.43	307	170	0.6
359	MS1018	91323 5324	tr.	tr.	2	8	31	24.5	18	114	tr.	2	0.43	29	50	0.6
360	MS1019	91375 5287	1.7	0.3	5	146	52	368.0	454	246	tr.	6	1.86	1140	50	0.6

Ser No.	Sample No.	Coordination X Y	Au PPM	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Sb PPM	As PPM	Hg PPM	Mo PPM	W PPM	Fe %	Mn PPM	Ba PPM	U PPM
361	MS1020	91437 5261	tr.	7.2	30	171	77	157.0	103	90	1.2	2	1.70	342	150	0.6
362	MS1021	91409 5164	3.1	0.1	24	37	59	tr.	62	99	1.6	2	2.32	321	255	0.6
363	MS1022	91370 5092	tr.	0.2	20	16	82	tr.	15	43	0.8	1	5.77	275	330	0.6
364	MS1023	91318 5019	tr.	tr.	29	19	138	tr.	13	62	0.6	1	5.24	780	305	0.6
365	MS1024	91624 5521	tr.	1.1	12	14	32	14.0	118	43	0.8	3	2.00	67	110	0.6
366	MS1025	91582 5521	tr.	0.5	15	56	122	tr.	92	37	1.6	4	2.05	209	160	0.8
367	MS1026	91480 5469	8.2	5.7	17	30	56	tr.	120	49	1.2	7	0.85	168	80	0.4
368	MS1027	91500 5495	tr.	0.2	1	12	23	tr.	20	37	tr.	1	0.26	1080	65	0.8
369	MS1028	92040 5199	tr.	0.5	3	10	59	tr.	48	558	1.0	2	3.35	310	30	0.8
370	MS1029	91895 5103	tr.	0.7	11	13	72	tr.	113	10500	1.2	3	4.83	278	40	0.6
371	MS1030	91920 5151	tr.	0.9	14	37	90	tr.	97	322	1.2	3	12.18	1860	65	0.9
372	MS1031	91976 5110	tr.	0.4	23	11	65	154.0	22	86	1.2	1	5.36	202	105	0.6
373	MS1032	91510 5310	15.1	1.9	27	86	45	12.3	38	68	3.6	2	1.12	262	135	0.4
374	MS1033	91501 5316	1.2	4.3	15	74	60	29.8	65	55	1.2	5	2.01	235	255	0.6
375	MS1034	91486 5311	tr.	tr.	6	22	75	tr.	28	117	tr.	3	1.50	81	170	0.9
376	MS1035	91526 5205	tr.	0.3	40	18	23	tr.	28	31	5.0	5	1.00	102	135	0.4
377	MS1036	91580 5422	0.4	0.7	76	34	59	241.0	240	31	0.8	8	1.77	1040	160	0.4
378	MS1037	91654 5403	1.3	0.7	29	58	68	108.0	240	37	1.2	4	1.64	669	230	0.8
379	MS1038	91775 5329	tr.	0.2	16	12	75	22.8	23	186	0.8	1	3.44	228	110	0.7
380	MS1039	91335 5388	1.4	1.3	12	165	63	149.0	297	124	tr.	2	1.07	330	105	0.4
381	MS1040	91344 5376	1.3	0.2	7	17	59	109.0	221	124	1.4	450	1.69	458	60	0.7
382	MS1041	91361 5378	1.3	0.4	12	31	60	99.4	214	207	1.2	28	1.97	4320	70	1.2
383	MS1042	91245 5300	9.1	0.2	9	22	34	24.9	66	123	0.8	30	1.03	168	160	0.6
384	MS1043	92188 5042	tr.	0.3	8	8	40	tr.	tr.	392	tr.	1	2.25	98	90	0.4
385	MS1044	92185 5109	tr.	0.6	17	15	78	28.0	10	115	0.8	1	4.97	169	135	0.2
386	MS1045	91079 5149	0.5	0.6	8	20	148	48.6	310	454	1.8	3	7.26	821	80	0.8
387	MS1049	90775 4998	tr.	0.3	4	7	21	tr.	tr.	92	tr.	1	0.95	102	95	2.5
388	MS1050	90770 5018	0.8	0.1	2	3	13	tr.	tr.	258	tr.	1	0.34	54	65	1.0
389	MS1051	91478 5069	0.8	0.2	26	69	11	12.3	67	107	tr.	7	1.01	293	175	0.6
390	MS1052	91489 5068	0.5	0.6	34	70	54	14.4	45	56	2.8	7	0.97	97	215	0.8
391	MS1053	91434 5100	17.9	4.0	19	28	75	tr.	22	108	tr.	1	3.99	220	280	0.6
392	MS1054	91503 5081	0.5	0.3	6	26	41	tr.	17	37	0.8	1	0.53	6	50	0.9
393	MS1055	90377 4815	0.8	0.4	3	11	14	tr.	tr.	37	0.8	1	2.29	135	190	3.3
394	MS1056	90324 4805	0.8	0.6	4	7	25	tr.	tr.	32	tr.	1	2.87	218	230	2.2
395	MS1057	90442 4815	0.5	0.4	5	8	34	tr.	tr.	42	0.6	1	1.69	239	320	2.9
396	MS1058	90589 4861	0.5	0.2	2	4	12	tr.	tr.	32	tr.	1	0.79	70	130	2.6
397	MS1059	90580 4851	0.5	0.2	3	4	17	tr.	tr.	42	0.8	1	0.93	103	200	1.0
398	MS1060	90727 4978	0.5	tr.	2	tr.	13	tr.	7	1570	tr.	1	7.16	81	30	0.8
399	MS1061	91485 5204	tr.	0.8	24	18	177	tr.	9	79	tr.	1	8.42	960	305	0.6
400	MS1062	91506 5183	tr.	0.2	78	10	18	tr.	tr.	32	3.7	6	0.40	215	50	0.3

Ser No.	Sample No.	Coordination X Y	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Sb ppm	As ppm	Hg ppb	Mo ppm	W ppm	Fe %	Mn ppm	Ba ppm	U ppm
401	MS1063	91515 5165	tr.	0.3	168	7	37	tr.	tr.	28	5.8	5	1.02	334	150	0.3
402	MS1064	91510 5133	tr.	0.5	86	10	39	tr.	tr.	42	5.5	7	0.79	62	65	0.4
403	MS1065	91513 5072	tr.	6.7	29	31	58	1.3	tr.	58	1.0	3	0.64	75	105	0.8
404	MS1066	91550 5099	tr.	0.5	43	69	49	2.5	38	29	0.8	8	1.29	142	210	0.4
405	MS1067	91533 5077	15.1	0.5	55	41	46	tr.	11	58	1.2	5	1.16	123	70	1.0
406	MS1068	91743 5086	tr.	0.4	5	17	59	31.5	75	887	1.2	23	2.35	188	65	1.2
407	MS1069	91649 5035	tr.	0.2	9	35	50	0.6	67	243	0.6	2	1.78	79	175	0.2
408	MS1070	91699 5076	1.9	0.2	4	10	60	0.6	38	1680	tr.	2	1.32	49	60	0.2
409	MS1071	91734 5010	tr.	0.4	12	17	73	0.9	32	342	0.8	3	3.87	109	160	0.2
410	MS1072	91810 5082	tr.	0.6	15	22	27	tr.	7	75	2.0	4	1.65	256	90	0.6
411	MS1073	91827 5091	tr.	0.4	7	14	68	2.8	163	394	0.6	5	3.68	206	65	0.8
412	MS1074	91892 5074	tr.	0.4	19	15	76	1.6	30	371	tr.	2	6.93	53	110	0.2
413	MS1075	90050 4667	tr.	0.2	1	6	11	tr.	tr.	40	tr.	1	0.45	74	135	1.0
414	MS1076	90128 4690	tr.	0.3	1	6	8	0.9	tr.	29	tr.	1	0.42	58	185	1.0
415	MS1079	90226 4773	tr.	0.4	5	8	37	tr.	tr.	50	tr.	1	2.70	202	110	0.8
416	MS1080	91239 4805	tr.	0.3	13	14	70	0.6	17	69	tr.	4	3.61	191	190	1.2
417	MS1081	91275 4848	tr.	0.3	10	23	32	0.9	26	29	tr.	2	1.50	112	145	0.4
418	MS1082	91309 5216	tr.	0.3	18	38	57	6.0	95	63	0.6	2	2.09	348	160	0.2
419	MS1083	91300 5221	tr.	0.3	14	29	45	17.7	91	40	tr.	4	1.57	248	230	0.4
420	MS1084	91275 4915	0.2	0.4	15	16	64	tr.	tr.	58	tr.	1	3.13	355	200	0.2
421	MS1085	91236 4973	tr.	0.5	27	21	89	tr.	tr.	81	tr.	1	5.47	474	215	0.2
422	MS1086	91539 4798	tr.	0.3	16	18	47	0.6	17	42	tr.	2	2.69	167	240	0.2
423	MS1087	91537 4776	tr.	0.5	15	27	102	3.2	7	26	tr.	1	3.78	422	160	0.2
424	MS1088	91443 5655	tr.	0.4	17	17	135	0.9	tr.	79	tr.	1	4.82	309	320	0.2
425	MS1089	91416 5649	tr.	0.7	15	19	127	tr.	2	116	tr.	1	4.85	278	160	0.2
426	MS1090	91400 5635	tr.	0.6	19	20	138	tr.	5	137	tr.	1	5.11	189	215	0.4
427	MS1091	91384 5587	tr.	0.7	23	25	130	0.6	7	132	tr.	1	6.36	691	215	0.6
428	MS1092	91212 5428	tr.	0.3	4	6	34	73.4	29	159	tr.	1	0.84	78	330	0.6
429	MS1093	91248 5472	tr.	0.6	18	25	106	1.0	10	111	0.6	1	5.02	257	105	0.9
430	MS1094	91286 5535	tr.	0.3	8	16	36	6.6	38	201	1.0	1	3.19	325	190	0.7
431	MS1095	91355 5588	tr.	0.3	6	10	35	1.5	30	116	0.6	1	1.92	131	105	0.8
432	MS1096	91573 5723	tr.	0.6	32	32	164	10.3	18	84	1.2	1	8.14	761	105	0.6
433	MS1097	91527 5713	tr.	0.7	22	28	138	0.9	6	95	tr.	1	6.40	634	215	0.6
434	MS1098	91538 5806	tr.	0.2	2	5	16	tr.	tr.	26	tr.	1	0.65	17	320	0.8
435	MS1099	90784 5145	tr.	0.6	54	22	296	111.0	17	233	0.8	1	7.58	1200	65	0.4
436	MS1100	90540 5215	tr.	4.0	18	20	135	tr.	6	79	tr.	1	7.36	976	210	0.3
437	MS1101	90579 5150	tr.	0.1	1	5	5	tr.	tr.	37	tr.	1	0.30	17	240	0.4
438	MS1102	91119 5339	tr.	0.4	12	18	146	1.8	52	153	1.0	2	6.14	385	30	0.4
439	MS1103	91062 5276	tr.	1.0	21	41	209	16.2	156	355	tr.	5	16.36	2140	110	0.7
440	MS1104	91062 5234	tr.	0.7	20	25	150	tr.	tr.	100	1.0	1	6.77	454	280	0.6

Ser. No.	Sample No.	Coordination X Y	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Sb ppm	As ppm	Hg ppb	Mo ppm	W ppm	Fe Z	Mn ppm	Ba ppm	U ppm
441	MS1105	91257 4765	tr.	0.4	13	18	103	tr.	6	84	0.6	5	3.30	207	200	0.4
442	MS1106	91262 4764	tr.	0.5	19	20	124	tr.	11	85	0.8	1	5.76	463	225	0.4
443	MS1107	91276 4768	tr.	0.4	16	22	78	1.2	19	115	1.2	1	3.26	181	185	0.6
444	MS1108	91123 4847	tr.	0.4	14	16	109	tr.	3	195	1.0	1	3.34	489	225	0.6
445	MS1109	91458 5448	1.0	0.7	11	19	58	tr.	99	48	1.2	5	0.62	351	65	0.4
446	MS1110	91400 5454	3.2	1.9	9	44	52	208.0	167	97	1.5	7	0.55	290	65	0.4
447	MS1111	91404 5453	0.7	0.1	5	15	26	tr.	63	30	tr.	1	0.32	204	40	0.2
448	MS1112	91557 5001	tr.	0.6	20	34	69	3.1	3	42	1.2	1	2.25	233	320	0.4
449	MS1113	91593 5005	tr.	0.3	5	16	33	1.6	15	54	tr.	1	0.63	106	190	0.6
450	MS1114	91608 4963	1.3	0.5	13	16	76	tr.	17	73	tr.	1	3.34	292	210	0.4
451	MS1115	91483 5045	tr.	0.4	35	68	111	4.9	75	54	6.0	3	1.78	314	335	0.4
452	MS1116	90950 5048	tr.	0.9	24	23	447	9.1	311	6280	4.4	18	4.50	243	105	2.0
453	MS1117	90754 4885	tr.	0.9	18	15	137	tr.	10	233	0.6	1	4.83	335	225	0.8
454	MS1118	90461 4744	tr.	0.2	1	2	5	tr.	7	88	tr.	1	0.26	23	50	0.2
455	MS1119	90589 4795	tr.	0.3	10	6	43	1.0	95	466	0.8	6	1.82	37	40	1.0
456	MS1120	90346 4733	tr.	0.3	2	5	13	tr.	5	69	tr.	1	0.89	69	210	2.0
457	MS1121	90321 4737	tr.	0.5	2	6	16	tr.	tr.	69	tr.	1	0.73	98	210	2.0
458	MS1122	90291 4709	tr.	0.2	tr.	4	8	tr.	5	56	tr.	1	0.65	49	250	0.9
459	MS1124	91211 5075	tr.	0.2	4	6	58	3.3	88	711	0.8	1	0.89	55	80	0.6
460	MS1125	91178 5040	tr.	0.3	30	11	43	tr.	6	4790	0.8	1	1.71	157	150	1.0
461	MS1126	91148 4992	tr.	0.2	5	9	45	tr.	tr.	42	0.6	1	2.03	384	95	0.5
462	MS1127	91003 5198	tr.	0.4	10	12	101	3.3	5	113	0.8	1	2.44	252	135	0.6
463	MS1128	91380 4829	tr.	3.7	25	116	134	18.9	140	31	2.0	10	2.24	363	185	0.8
464	MS1129	91375 4857	tr.	0.5	14	16	75	0.6	7	31	1.0	1	2.77	215	240	0.2
465	MS1130	91414 4888	tr.	0.5	35	16	48	tr.	tr.	35	1.2	1	1.89	291	360	0.2
466	MS1131	91425 4899	tr.	0.5	19	43	69	3.4	30	31	0.8	1	2.43	276	360	0.2
467	MS1132	91487 4896	tr.	0.4	20	19	50	3.4	21	19	1.2	1	1.72	223	230	0.2
468	MS1133	91557 4865	tr.	0.5	25	21	131	1.3	110	54	1.2	1	4.45	428	320	0.3
469	MS1134	91563 4876	tr.	0.4	11	13	58	0.6	13	42	tr.	1	2.69	185	225	0.4
470	MS1135	91321 4853	tr.	0.3	8	10	48	tr.	16	31	tr.	1	2.12	102	175	0.2
471	MS1136	91929 4992	tr.	0.3	11	13	57	tr.	tr.	4080	0.8	1	3.00	285	135	0.4
472	MS1139	90020 5850	tr.	tr.	2	3	8	tr.	3	35	tr.	1	0.63	33	90	1.0
473	MS1140	90050 5900	tr.	0.1	3	6	13	tr.	3	35	tr.	1	0.72	64	105	1.6
474	MS1141	90040 5900	tr.	0.1	3	6	14	tr.	tr.	-	tr.	1	0.55	14	90	0.5
475	MS1142	89985 5885	tr.	0.2	2	4	10	tr.	3	35	tr.	1	0.70	63	105	1.2
476	MS1143	90175 5350	tr.	0.3	5	6	22	tr.	2	10	tr.	1	2.88	299	110	0.6
477	MS1144	90245 5435	tr.	0.1	1	3	19	tr.	4	10	tr.	1	1.08	156	80	0.4
478	MS1146	90310 5400	tr.	0.2	3	4	13	tr.	2	28	tr.	1	0.82	42	80	0.4
479	MS1147	90375 5405	tr.	0.2	2	3	5	tr.	2	14	tr.	1	0.47	28	70	1.0
480	MS1148	90430 5380	tr.	0.3	6	11	22	tr.	2	11	tr.	1	7.40	39	105	0.6

Ser No.	Sample No.	Coordination X Y	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Sb ppm	As ppm	Hg ppb	Mo ppm	N ppm	Fe %	Mn ppm	Ba ppm	U ppm
481	MS1149	90425 5355	tr.	0.6	10	13	85	tr.	2	11	tr.	1	3.95	751	185	0.4
482	MS1154	90095 5230	tr.	tr.	1	3	13	tr.	tr.	11	tr.	1	0.38	35	80	0.6
483	PS0001	90195 4865	tr.	0.5	7	11	34	tr.	2	6	tr.	1	6.52	358	255	3.0
484	PS0002	90190 4875	tr.	0.3	2	9	23	tr.	tr.	17	tr.	1	2.98	207	170	2.6
485	PS0004	90350 4930	tr.	0.4	4	13	17	tr.	2	28	tr.	1	1.48	155	240	4.2
486	PS0007	90435 4930	tr.	0.4	6	8	46	tr.	5	22	tr.	1	1.92	195	290	3.0
487	PS0008	90415 4925	tr.	0.3	4	5	24	tr.	2	17	tr.	1	1.10	146	215	3.0
488	PS0012	90620 4905	tr.	0.4	2	tr.	17	tr.	5	17	tr.	1	0.60	68	65	1.6
489	PS0014	90640 4950	tr.	0.3	4	6	36	tr.	2	31	tr.	1	0.62	23	90	0.7
490	PS0020	90670 4725	tr.	tr.	2	4	15	tr.	38	218	tr.	1	0.93	559	40	0.4
491	PS0021	90565 4720	tr.	0.1	3	7	17	tr.	5	28	tr.	1	0.66	748	160	3.0
492	PS0022	90760 4955	tr.	0.1	2	6	14	tr.	6	73	tr.	1	0.60	474	130	4.2
493	PS0024	90355 4710	tr.	0.4	tr.	8	16	tr.	5	6	tr.	1	3.08	128	210	1.6
494	PS0025	90740 5045	tr.	0.1	4	6	30	tr.	2	358	tr.	1	1.19	58	105	1.2
495	PS0029	92255 5020	tr.	0.2	5	10	34	tr.	6	20	tr.	1	1.28	55	105	0.8
496	PS0030	92180 4865	tr.	0.5	8	6	40	tr.	5	46	tr.	1	2.32	121	110	0.6
497	PS0031	92165 4875	tr.	0.3	8	12	46	tr.	91	41	tr.	1	2.11	104	105	0.6
498	PS0032	92130 4850	tr.	0.2	7	6	40	tr.	2	40	tr.	1	1.62	113	135	0.4
499	PS0033	92145 4815	tr.	0.4	9	9	76	tr.	3	40	tr.	1	2.89	201	135	0.4
500	PS0034	92155 4795	tr.	0.3	10	13	63	tr.	2	7	tr.	1	1.15	42	120	0.4
501	PS0035	92115 4785	tr.	0.2	10	5	33	tr.	3	23	tr.	1	1.15	42	120	0.6
502	PS0036	92190 4780	tr.	0.3	9	9	70	tr.	5	20	tr.	1	3.20	210	150	0.6
503	PS0037	92195 4720	tr.	0.1	6	3	41	tr.	34	7	tr.	6	1.46	183	135	0.7
504	PS0038	92210 4730	tr.	0.1	6	12	39	tr.	7	14	tr.	1	1.74	219	215	1.2
505	PS0040	92235 4685	tr.	0.3	6	14	42	tr.	9	7	tr.	1	2.36	154	190	1.0
506	PS0041	92240 4695	tr.	0.1	7	6	35	tr.	5	4	tr.	1	1.91	71	160	0.9
507	PS0042	92140 4750	tr.	0.4	16	14	110	tr.	6	8	tr.	1	4.73	222	210	0.6
508	PS0043	92125 4705	tr.	0.2	6	11	39	tr.	7	4	tr.	1	1.61	34	110	0.6
509	PS0045	92145 4685	tr.	0.3	14	14	69	tr.	10	4	tr.	1	3.12	156	170	0.8
510	PS0046	92285 5000	tr.	0.4	14	15	80	tr.	8	8	tr.	1	4.84	119	80	0.4
511	PS0047	92285 4900	tr.	0.2	8	5	51	tr.	5	4	tr.	1	2.62	48	95	0.8
512	PS0048	92255 4885	tr.	0.2	6	10	42	tr.	7	8	tr.	1	2.06	63	135	1.0
513	PS0049	92320 4910	tr.	0.3	9	10	68	tr.	6	8	tr.	1	2.95	176	130	0.4
514	PS0051	92315 4885	tr.	0.4	13	6	90	tr.	6	4	tr.	1	4.72	67	160	0.4
515	PS0052	92330 4880	tr.	0.2	4	3	34	tr.	4	8	tr.	1	1.98	31	95	0.8
516	PS0053	92405 4800	tr.	0.1	3	4	27	tr.	5	4	tr.	1	1.22	25	95	1.0
517	PS0054	92395 4765	tr.	0.3	9	9	67	tr.	6	12	tr.	1	3.45	93	135	0.8
518	PS0056	92385 4730	tr.	0.2	8	2	29	tr.	7	4	tr.	1	1.04	18	110	0.8
519	PS0057	92395 4715	tr.	0.3	7	5	49	tr.	4	12	tr.	1	2.77	126	90	0.6
520	PS0060	92575 5205	tr.	0.6	17	14	80	tr.	tr.	20	tr.	1	5.91	102	135	0.4

Ser No.	Sample No.	Coordination X Y	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Sb ppm	As ppm	Hg ppb	Mo ppm	W ppm	Fe %	Mn ppm	Ba ppm	U ppm
521	PS0061	92600 5185	tr.	0.4	6	9	40	tr.	tr.	7	tr.	1	1.64	18	80	0.3
522	PS0062	92610 5680	tr.	0.6	14	14	115	tr.	tr.	17	tr.	1	6.91	263	90	0.4
523	PS0064	92570 5140	tr.	0.6	18	14	73	tr.	tr.	17	tr.	1	6.24	270	185	0.4
524	PS0066	92435 5160	tr.	0.4	11	7	74	tr.	10	113	tr.	1	2.42	118	130	0.4
525	PS0067	92440 5175	tr.	0.4	12	15	78	tr.	6	34	tr.	1	2.36	172	120	0.4
526	PS0068	92385 5140	tr.	0.2	5	8	31	tr.	40	7990	tr.	1	1.29	97	95	0.4
527	PS0069	91320 4040	tr.	0.6	17	21	43	tr.	12	177	tr.	1	1.12	208	215	1.0
528	PS0070	91325 4050	tr.	1.0	3	11	7	tr.	23	53	tr.	4	0.12	38	80	1.8
529	PS0071	90305 4105	tr.	0.8	11	13	51	tr.	tr.	188	tr.	1	2.01	204	160	0.6
530	PS0072	91270 4045	tr.	0.5	11	9	30	tr.	9	207	tr.	1	1.12	208	190	1.2
531	PS0073	91255 4050	tr.	8.3	14	15	40	tr.	15	59	tr.	1	1.57	197	230	0.6
532	PS0074	91385 4310	tr.	0.6	18	21	86	tr.	24	71	tr.	1	3.02	253	210	0.4
533	PS0075	91330 4330	tr.	0.4	8	15	50	tr.	21	41	tr.	1	1.34	67	185	0.4
534	PS0076	91330 4340	tr.	0.5	14	19	84	tr.	tr.	59	tr.	1	3.29	284	200	0.4
535	PS0077	91315 4345	tr.	0.4	10	16	54	1.0	24	35	tr.	1	1.91	128	225	0.2
536	PS0078	91325 4355	tr.	0.7	18	23	77	tr.	1	35	tr.	1	2.29	337	200	0.2
537	PS0079	91285 4365	tr.	0.2	7	15	31	tr.	4	18	tr.	1	1.12	244	240	0.2
538	PS0080	91405 4460	tr.	0.7	16	15	85	tr.	3	53	tr.	1	3.07	273	230	0.4
539	PS0081	91425 4485	tr.	0.6	20	21	49	0.7	7	39	2.4	6	2.05	157	280	0.4
540	SS0001	92520 5270	tr.	0.2	5	3	30	tr.	20	6090	tr.	1	1.34	59	110	0.8
541	SS0002	92430 5295	tr.	0.3	6	3	41	tr.	2	1850	tr.	1	2.06	40	110	0.6
542	SS0003	92400 5230	tr.	0.1	5	7	26	tr.	16	114	tr.	1	1.88	49	105	0.4
543	SS0004	92330 5275	tr.	0.3	5	4	57	tr.	15	59	tr.	1	3.52	173	95	0.4
544	SS0006	92545 5435	tr.	0.3	6	5	54	211.0	4	27	tr.	1	2.93	152	130	0.3
545	SS0007	92610 5595	tr.	0.4	9	15	63	34.0	12	9	1.6	1	3.28	159	120	0.4
546	SS0008	92615 5650	tr.	0.6	11	9	77	tr.	tr.	22	tr.	3	5.58	161	110	0.4
547	SS0009	92605 5665	tr.	0.7	9	11	68	tr.	tr.	22	tr.	11	4.74	307	210	0.4
548	SS0010	89355 5610	tr.	0.2	tr.	3	8	tr.	tr.	22	tr.	1	0.13	21	90	0.8
549	SS0011	89330 5630	tr.	0.1	1	5	9	tr.	2	36	tr.	1	0.16	18	90	0.8
550	SS0012	89320 5625	tr.	0.1	1	4	10	tr.	4	36	tr.	1	0.24	19	120	0.8
551	SS0013	89485 5700	tr.	0.1	3	5	12	tr.	8	36	tr.	1	0.51	18	150	0.8
552	SS0014	89495 5705	tr.	0.1	1	3	5	tr.	8	36	tr.	1	0.14	12	80	1.4
553	SS0015	90170 5845	tr.	0.1	3	6	12	tr.	4	36	tr.	1	1.24	61	90	0.6
554	SS0016	90200 5827	tr.	0.1	1	2	6	tr.	3	9	tr.	1	0.18	22	70	0.4
555	SS0017	90092 5790	tr.	0.1	1	4	7	tr.	6	36	tr.	1	0.39	33	95	1.3
556	SS0018	90083 5920	tr.	tr.	2	6	9	tr.	6	32	tr.	1	0.33	25	105	0.8
557	SS0019	90095 5585	tr.	tr.	9	7	36	tr.	tr.	32	tr.	1	2.13	79	65	0.6
558	SS0020	90105 5635	tr.	tr.	3	1	7	tr.	18	48	tr.	1	0.19	45	55	0.6
559	SS0021	90225 5640	tr.	0.3	2	2	7	tr.	8	41	tr.	1	0.46	29	55	0.4
560	SS0022	90170 5625	tr.	0.2	2	4	15	tr.	tr.	32	tr.	1	0.39	18	55	0.6

Ser No.	Sample No.	Coordination X Y	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Sb ppm	As ppm	Hg ppb	Mo ppm	W ppm	Fe %	Mn ppm	Ba ppm	U ppm
561	SS0023	90198 5110	tr.	0.5	9	11	33	tr.	4	32	tr.	1	1.80	158	80	0.8
562	SS0024	90260 5110	tr.	0.2	1	3	10	tr.	3	54	tr.	1	0.42	37	170	1.2
563	SS0026	90255 5210	tr.	0.3	8	10	48	tr.	tr.	32	tr.	1	3.05	303	170	0.4
564	SS0028	90405 4595	tr.	0.5	2	8	12	tr.	9	32	tr.	1	0.74	179	240	1.0
565	SS0029	90400 4585	tr.	0.4	1	5	11	tr.	2	44	tr.	1	0.65	99	340	1.8
566	SS0030	90360 4570	tr.	0.3	2	7	13	tr.	-	32	tr.	1	0.78	112	260	2.6
567	SS0031	90365 4585	tr.	0.2	2	5	10	tr.	2	32	tr.	1	0.43	104	150	1.4
568	SS0032	90505 4405	tr.	0.2	3	7	14	tr.	3	28	tr.	1	0.95	83	300	1.8
569	SS0033	90540 4395	tr.	0.1	3	5	20	tr.	3	54	tr.	1	0.98	62	105	0.8
570	SS0034	90523 4415	tr.	0.2	2	5	16	tr.	4	71	0.8	1	1.09	119	190	1.2
571	SS0035	90535 4445	tr.	0.1	1	2	3	tr.	3	58	tr.	1	0.14	14	50	0.8
572	SS0036	90590 4485	0.6	0.2	1	5	10	tr.	4	21	tr.	1	0.66	54	170	1.6
573	SS0038	90655 4655	tr.	0.1	7	5	56	tr.	8	41	tr.	1	0.91	165	90	0.4
574	SS0040	90670 4570	tr.	0.1	3	3	21	tr.	13	37	tr.	1	1.81	67	105	0.6
575	SS0041	90680 4525	tr.	0.1	5	3	41	tr.	5	37	tr.	1	2.46	181	110	0.2
576	SS0042	90670 4520	tr.	0.3	12	11	76	4.2	7	28	tr.	1	1.15	363	130	0.4
577	SS0043	90490 4695	tr.	0.2	2	6	22	tr.	4	37	0.8	1	2.64	37	95	1.2
578	SS0044	90505 4630	tr.	0.1	tr.	3	7	tr.	6	-	tr.	1	0.25	19	160	0.1
579	SS0048	91770 4655	tr.	0.2	10	10	48	tr.	5	78	tr.	1	2.25	181	170	0.1
580	SS0049	91830 4635	tr.	0.2	12	10	41	tr.	7	31	tr.	1	2.93	248	145	0.1
581	SS0050	91835 4610	tr.	0.2	9	8	30	tr.	50	19	tr.	1	1.87	109	110	0.1
582	SS0051	91825 4555	tr.	0.3	17	11	64	tr.	15	3	tr.	1	1.50	147	65	0.1
583	SS0052	91840 4560	tr.	0.3	12	9	22	tr.	18	19	tr.	1	1.50	147	190	0.1
584	SS0053	91750 4650	tr.	0.4	20	15	61	tr.	18	12	tr.	1	4.84	222	140	0.1
585	SS0054	91770 4570	tr.	0.3	17	10	106	tr.	5	212	tr.	1	1.07	284	130	0.1
586	SS0055	91760 4565	tr.	0.4	20	15	58	tr.	14	25	tr.	1	4.92	265	160	0.1
587	SS0056	91785 4500	tr.	0.3	13	11	81	tr.	4	184	tr.	1	3.60	126	120	0.1
588	SS0057	91770 4460	tr.	0.4	21	16	72	tr.	22	426	tr.	1	3.38	203	185	0.1
589	SS0058	91785 4460	tr.	0.4	19	15	65	tr.	15	162	tr.	1	3.37	268	170	0.1
590	SS0059	91790 4475	tr.	0.4	19	15	61	1.3	9	190	tr.	1	3.08	218	190	0.1
591	SS0060	91795 4705	tr.	0.3	4	7	13	tr.	7	9460	tr.	1	0.98	23	80	0.1
592	SS0061	91810 4710	tr.	0.6	12	6	86	tr.	6	8277	tr.	1	3.72	326	145	0.1
593	SS0062	91825 4715	tr.	0.6	11	9	56	tr.	4	308	tr.	1	2.75	122	180	0.1
594	SS0063	91840 4720	tr.	0.3	9	7	29	tr.	11	9720	tr.	1	1.85	127	145	0.1
595	SS0065	91870 4750	tr.	0.4	11	11	64	tr.	tr.	9540	tr.	1	4.66	425	95	0.1
596	SS0067	91865 4795	tr.	0.4	12	11	36	tr.	17	15800	tr.	1	2.97	134	160	0.1
597	SS0068	92050 4690	tr.	0.1	3	5	10	tr.	69	56	tr.	1	0.57	25	95	0.1
598	SS0069	92050 4755	tr.	0.2	5	8	20	tr.	21	39	tr.	1	1.36	31	130	0.1
599	SS0070	91945 4715	tr.	0.2	10	9	39	tr.	11	45	tr.	1	3.68	161	105	0.1
600	SS0071	91955 4705	tr.	0.2	8	8	28	tr.	16	10300	tr.	1	1.94	81	110	0.1

Ser No.	Sample No.	Coordination X Y	Au PPM	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Sb PPM	As PPM	Hg PPM	Mo PPM	W PPM	Fe %	Mn PPM	Ba PPM	U PPM
601	SS0072	91975 4710	tr.	0.2	5	5	33	tr.	3	33	tr.	1	1.38	76	95	0.1
602	SS0073	91995 4720	tr.	0.2	9	4	37	tr.	6	22	tr.	1	1.82	127	110	0.1
603	SS0074	91955 4795	tr.	0.5	16	12	81	tr.	5	33	tr.	1	3.74	106	150	0.6
604	SS0075	91980 4835	tr.	0.2	7	5	29	tr.	7	59	tr.	1	1.09	56	130	0.8
605	SS0076	90915 3960	tr.	0.5	13	15	51	tr.	4	69	tr.	1	2.22	173	210	0.6
606	SS0077	90810 3860	tr.	0.6	12	16	48	tr.	3	88	tr.	1	2.11	143	225	0.6
607	SS0078	90805 3845	tr.	0.7	19	14	53	tr.	8	49	tr.	1	2.47	181	250	0.4
608	SS0079	90760 3830	tr.	0.6	15	17	57	tr.	2	69	1.2	1	2.72	197	250	0.5
609	SS0080	90750 3810	tr.	0.6	15	16	59	tr.	tr.	59	0.6	3	2.16	216	260	0.4
610	SS0081	90745 3800	tr.	0.4	17	18	51	0.8	5	49	tr.	1	2.57	192	250	0.6
611	SS0082	90850 3780	tr.	0.5	21	24	58	tr.	4	20	tr.	1	2.93	517	510	1.2
612	SS0083	90875 3790	tr.	0.5	18	18	58	tr.	5	29	tr.	1	1.97	262	230	0.6
613	SS0084	90840 3760	tr.	0.6	22	24	75	tr.	4	10	0.6	1	2.74	385	410	1.3
614	SS0085	90825 3725	tr.	0.6	26	23	71	tr.	4	24	tr.	1	2.73	414	320	0.8
615	SS0086	90840 3720	tr.	0.6	25	20	62	0.7	10	33	tr.	1	2.89	218	270	0.6
616	SS0087	90910 3550	tr.	0.2	15	10	36	tr.	3	17	tr.	1	1.17	129	270	1.4
617	SS0088	90865 3500	tr.	0.1	9	9	21	tr.	4	17	tr.	1	0.97	99	200	0.8
618	SS0089	90845 3475	tr.	0.3	10	10	22	tr.	2	8	tr.	1	1.28	169	185	1.0
619	SS0090	90820 3455	tr.	0.2	7	7	18	tr.	6	17	tr.	1	0.74	121	180	1.0
620	SS0091	90765 3440	tr.	0.3	6	8	15	tr.	5	33	tr.	1	0.72	108	190	1.0
621	SS0092	90760 3455	tr.	0.4	10	11	31	tr.	3	74	tr.	1	1.22	122	305	0.2
622	SS0093	90730 3465	tr.	0.4	11	10	33	tr.	1	74	tr.	1	1.35	129	280	0.4
623	SS0094	90720 3450	tr.	0.1	2	4	7	tr.	1	66	tr.	1	0.11	32	55	0.4
624	SS0095	90710 3460	tr.	0.4	11	16	37	tr.	7	33	tr.	1	1.79	239	170	1.0
625	SS0096	90990 3920	tr.	2.2	12	14	31	tr.	15	33	tr.	1	1.44	165	160	0.4
626	SS0097	90970 3975	tr.	0.4	10	14	32	tr.	8	33	tr.	1	1.28	125	145	0.6
627	SS0098	91025 4010	tr.	0.4	13	11	26	15.4	6	40	tr.	1	1.23	87	160	0.8
628	SS0099	91050 4040	tr.	0.4	16	14	47	tr.	15	79	tr.	1	2.17	124	150	0.5
629	SS0100	90980 4110	tr.	0.6	13	13	41	tr.	8	52	tr.	1	1.82	81	150	0.5
630	SS0101	91000 4175	tr.	0.2	9	9	24	tr.	8	40	tr.	1	0.95	50	130	0.6
631	SS0102	91005 4210	tr.	0.4	10	13	42	tr.	189	11154	tr.	1	1.70	58	130	0.3
632	SS0103	91020 4210	tr.	0.8	15	14	79	0.7	15	4092	tr.	1	3.09	113	130	0.4
633	SS0104	91045 4215	tr.	0.5	15	13	77	64.4	637	114642	1.0	1	3.17	113	280	0.4
634	SS0105	91090 4205	tr.	0.6	17	12	89	76.9	710	86445	1.2	1	4.20	262	230	0.6
635	SS0106	91115 4195	tr.	0.4	9	10	47	tr.	13	306	tr.	1	2.08	149	180	0.2
636	SS0107	91170 4200	tr.	0.2	12	14	55	1.1	11	204	tr.	1	1.71	141	180	0.3
637	SS0108	91160 4220	tr.	0.4	15	12	57	1.2	12	56	tr.	1	1.87	143	160	0.4
638	SS0109	90470 5890	tr.	0.3	1	1	3	tr.	5	31	tr.	1	0.50	10	50	1.3
639	SS0110	90485 5895	tr.	0.4	2	2	8	tr.	14	18	tr.	1	0.66	15	70	1.6
640	SS0111	90460 5920	tr.	0.4	3	3	12	tr.	4	27	tr.	1	0.95	20	80	0.9

Ser No.	Sample No.	Coordination X	Coordination Y	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Sb ppm	As ppm	Hg ppb	Mo ppm	N ppm	Fe %	Mn ppm	Ba ppm	U ppm
641	SS0112	90470	5935	tr.	0.5	2	2	7	tr.	3	22	tr.	1	0.40	15	80	1.0
642	SS0114	90705	5970	tr.	0.2	1	tr.	5	tr.	12	18	tr.	1	0.09	10	65	0.9
643	SS0115	90710	5985	tr.	0.2	4	5	20	tr.	7	22	tr.	1	0.83	165	110	1.0
644	SS0116	90745	5950	tr.	tr.	1	2	7	tr.	2	13	tr.	1	0.07	25	40	0.4
645	SS0118	90800	5985	tr.	0.5	3	4	12	tr.	1	13	tr.	1	0.56	100	120	0.6
646	SS0119	90785	5985	tr.	0.3	2	5	9	tr.	tr.	13	tr.	1	0.37	45	90	0.8
647	SS0120	90615	5765	tr.	0.3	1	3	6	tr.	1	18	tr.	1	0.07	tr.	50	0.4
648	SS0121	90625	5750	tr.	0.4	1	3	9	tr.	tr.	13	tr.	1	0.04	5	50	0.4
649	SS0123	90445	5590	tr.	0.5	1	4	7	tr.	1	13	tr.	1	0.08	5	50	0.4
650	SS0124	90460	5585	tr.	0.2	1	2	12	tr.	2	13	tr.	1	0.03	tr.	40	0.4
651	SS0125	90525	5575	tr.	0.3	1	4	5	tr.	2	9	tr.	1	0.09	tr.	40	0.4
652	SS0126	90960	6070	tr.	0.7	8	7	28	tr.	tr.	18	tr.	1	0.78	105	270	0.6
653	SS0127	90950	6050	tr.	0.7	6	7	23	tr.	3	26	tr.	1	0.96	100	220	0.8
654	SS0128	90900	6030	tr.	0.8	3	5	15	tr.	2	17	tr.	1	0.76	70	160	1.2
655	SS0129	90445	5040	tr.	0.7	4	5	19	tr.	2	70	tr.	1	0.52	25	300	1.6
656	SS0130	90475	5055	tr.	0.4	5	4	18	tr.	4	74	0.8	1	0.93	55	220	1.8
657	SS0131	90500	5055	tr.	0.5	5	3	12	tr.	3	57	0.8	1	1.06	55	200	1.2
658	SS0132	90520	5060	tr.	0.4	4	2	6	tr.	3	642	0.8	1	0.40	10	210	1.0
659	SS0134	90710	5070	tr.	0.5	2	1	12	tr.	3	-	tr.	1	0.42	20	55	0.8
660	SS0135	92920	5745	tr.	0.5	3	3	22	4.5	4	-	tr.	1	1.23	505	65	0.6
661	SS0136	92300	5740	tr.	1.3	10	11	46	27.4	3	-	3.6	8	3.10	290	210	0.4
662	SS0137	92160	5750	1.9	0.7	3	6	30	1780.0	107	-	tr.	25	1.43	210	65	0.3
663	SS0138	92005	5615	tr.	1.4	12	13	42	1120.0	174	-	tr.	1	1.76	125	120	0.6

Table A-9 Geochemical Anomalous Areas

(1)

Name of Anomalous Area	Approximate Areal Extent of Anomalous Samples Km ²	Anomalous Samples			Geology	Remarks	Priority	
		Anomalous Element	No. of Samples	Range of Values				Total No. of Samples
1. Bt. Pangga	3.3	Au Sb W As Ag Hg Pb Zn	6 10 5 8 2 5 3 1	0.2-3.7 ppm 18.8-10,640 ppm 15-62 ppm 41-7952 ppm 1.9-4.9 ppm 328-984 ppb 153-459 ppm 872 ppm	10	Underlain mainly by the Bau limestone, small Tertiary intrusive stocks, sills and dikes. Two major faults in area.	Heavily prospected and several old Sb & Au workings in the area. Samples are contaminated to varying degrees. Two stone quarries on the S edge of limestone hill and one operating mine in the SE corner of the area. Potential for other Sb and Au deposits in the area and also for W mineralization.	Recommended for follow-up work by means not affected by geochemical contamination.
2. G. Sirenggok	2	Sb Au W As Zn Mo Ba	7 2 3 1 3 1 1	4.8-7480 ppm 2.4-7.7 ppm 4-5 ppm 516.0 ppm 149-309 ppm 2.0 ppm 360 ppm	8	Underlain by Tertiary intrusive stocks and mainly shale and limestone of the Pedawan Formation and the Bau limestone. Hydrothermally bleached, pyritized intrusion breccia especially near contact of intrusive in the SW margin.	Area heavily prospected in the past. One small old working near S margin of intrusive. Potential for Sb, Au	Recommended for follow-up work by means not affected by geochemical contamination.
3. G. Serambu	9	Sb W Au Ag Zn Mo	5 2 1 1 1 1	2.8-34.0 ppm 8.11 ppm 0.2 ppm 1.3 ppm 169 ppm 3.6 ppm	6	Underlain by Tertiary intrusive and shale and sandstone of the Pedawan Formation.	No known old workings in the area. Potential for Sb, W and Au mineralization.	Recommended for follow-up work.

Name of Anomalous Area	Approximate Areal Extent of Catchment of Anomalous Samples Km ²	Anomalous Samples				Geology	Remarks	Priority
		Anomalous Element	No. of Samples	Range of Values	Total No. of Samples			
4. Jambusan	13	Au	14	0.5-5.7 ppm	39	Underlain by the Bau Limestone and shale and some sandstone of the Pedawan Formation. Some Tertiary dikes and sills.	Heavily prospected and many small old Sb & Au workings in the area. Anomalous values reflect the mined area. All samples are geochemically contaminated to varying degrees. Potential for other Au and Sb and for W deposits in the area. Gold >10 grains per 50 μ sediments detected in 6 panned concentrate samples.	Recommended for immediate follow-up work by means not seriously affected by geochemical contamination.
		Sb	26	3.8-1592.0 ppm				
		W	11	12-110 ppm				
		As	24	40-215 ppm				
		Ag	2	1.4, 6.0 ppm				
		Hg	17	213-15,700 ppb				
		Cu	1	51 ppm				
		Zn	4	150-340 ppm				
5. Tai Parit	> 9	Au	14	0.3-9.1 ppm		Underlain by Bau Limestone, shale and minor sandstone of the Pedawan Formation and argillaceous limestone, shale and sandstone of the Krian Member and small stocks, dikes and sills, hydrothermally bleached and in cases pyritized. Important faults include the Tai Parit, Krian, Johara and the Gumbang faults.	Heavily prospected and many old workings located in the area. All samples are contaminated to varying degrees. The heavily prospected and mined area for Sb and Au are shown by anomalous values for these elements and As in the samples. The area is also anomalous for W Potential for other Au and Sb and for W deposits exists in the area.	The area is recommended for immediate follow-up work by means not seriously affected by geochemical contamination.
		Sb	18	3.3-612.0 ppm				
		As	21	48-1270 ppm				
		W	10	4-450 ppm				
		Ag	4	1.3-5.7 ppm				
		Hg	4	246-4790 ppb				
		Cu	1	30 ppm				
		Zn	2	350,910 ppm				
		Pb	11	36-165 ppm				
		Mn	4	746-19,000 ppm				

Name of Anomalous Area	Approximate Areal Extent of Catchment of Anomalous Samples Km ²	Anomalous Samples				Geology	Remarks	Priority
		Anomalous Element	No. of Samples	Range of Values	Total No. of Samples			
6. G. Ropih/ G. Juala	6.5	Cu	16	29-174 ppm	25	Underlain by Tertiary intrusive porphyry stocks, dikes and/or sills and the Bau Limestone. NNE Faults and NE to NW and radial fractures. Igneous rocks mostly hydrothermally altered.	Heavily prospected and several old Sb and Au workings in the G. Juala area. A few known small veins of massive sulphides, mainly galena, sphalerite, pyrrhotite and pyrite in this area. Samples contaminated. One old working known in the G. Ropih area. Cobble-size floars of massive pyrite found in stream draining the S part of the intrusive. Little geochemical contamination. Potential for Cu, Mo, Au & W mineralization in the G. Ropih area and for other Cu, Pb, Ag, Au & Sb occurrences in the G. Juala area. Gold > 10 grains/50 g of sediment detected in 5 panned concentrate samples.	Recommended for immediate follow-up work.
		Mo	6	2.8-5.8 ppm				
		Pb	11	37-740 ppm				
		Zn	4	146-545 ppm				
		Au	13	0.5-61.2 ppm				
		Sb	11	6.1-157 ppm				
		W	13	4-13 ppm				
		As	13	41-353 ppm				
		Ag	7	1.2-7.6 ppm				
		Ba	1	385 ppm				
7. Jagoi 1	1	Au	2	0.5, 0.8 ppm	3	Underlain mainly by the Bau Limestone and the Jagoi granodiorite. Some small Tertiary dikes occur in the area.	A gold occurrence known in the area.	Not recommended for follow-up work.
		Hg	3	258-1570 ppm				
8. Jagoi 2	2.0	U	4	3.0-4.2 ppm	4	Underlain mainly by Jagoi granodiorite.	Anomalous values for U probably reflect the higher U content of the granitic body.	Not recommended for follow-up work.
		Au	1	0.8 ppm				
9. Jagoi 3	2.5	Au	3	0.8 ppm	3	Underlain mainly by the Jagoi granodiorite and by the Bau Limestone along its S contact. Some small Tertiary dikes occur within the area.	No known mineralization or working known in the area.	Recommended for follow-up work.
		U	1	3.3 ppm				

Name of Anomalous Area	Approximate Areal Extent of Catchment of Anomalous Samples Km ²	Anomalous Samples			Geology	Remarks	Priority
		Anomalous Element	No. of Samples	Range of Values			
10. Jagoi 4	> 2.5	U	3	2.0-3.0 ppm	Underlain mainly by the Jagoi granodiorite intrusive.	Not recommended for immediate follow-up work.	
11. Jagoi 5	9.5	U Ba	24 2	1.8-9.0 ppm 2.2, 385 ppm	Underlain mainly by the Jagoi granodiorite intrusive.	Recommended for follow-up work by a rapid scintillometer survey.	
12. Kg. S. Maung	> 2.5	Ba Ag Mn	4 2 4	350-370 ppm 1.2, 1.3 ppm 1090-1920 ppm	Underlain by shale, mudstone and some sandstone of the Pedawan Formation.	Potential for Ba mineralization. Recommended for follow-up work.	
13. G. Tra'an	13	Au Sb W As Ag Hg Ba Cu Pb	2 8 5 4 3 1 3 3 4	0.6-1.3 ppm 3.1-18.9 ppm 5-11 ppm 75-140 ppm 3.7-34 ppm 1160 ppm 345-360 ppm 29-35 ppm 43-143 ppm	Underlain by Tertiary intrusive stock and shale and sandstone of the Pedawan Formation. Minor limestone and some dikes and sills.	Small old workings for Au and Sb near S. Monggak and G. Ngian. Also placer gold occurrence known at S. Gunong Dyan draining the S slope of G. Tra'an. Gold > 10 grain/50 l sediments detected in 5 panned concentrate samples. Area has potential for Sb mineralization outside known localities of stibnite old workings. Possibility of base metals especially Pb mineralization at G. Tra'an and the N part of G. Ngian. Potential for Au especially in the S part of G. Tra'an. Potential for W mineralization in the G. Duyan area.	Recommended for follow-up work.
14. G. Tegora	18	Hg Ba Cu Zn Sb W	26 3 1 2 2 2	251-105,000 ppb 345-3280 ppm 50 ppm 156,166 ppm 2.9, 3.7 ppm 4, 7 ppm	Underlain by shale, mudstone and sandstone of the Pedawan Formation. Minor igneous dikes and sills and thin calcareous beds.	Recommended for immediate follow-up work.	

(5)

Name of Anomalous Area	Approximate Areal Extent of Catchment of Anomalous Samples Km ²	Anomalous Samples			Geology	Remarks	Priority
		Anomalous Element	No. of Samples	Range of Values			
15. Kisam 1	> 1.3	U	4	2.6-5.2 ppm	Underlain by the Jagoi granodiorite.	Anomalous values probably reflect the higher U and Ba contents of the granitic body.	Recommended for follow-up work by a rapid scintillometer survey.
		Ba	3	300-385 ppm			
16. Kisam 2	1	U	3	2.6-4.6 ppm	Underlain by the Jagoi granodiorite.	Anomalous values probably reflect the higher U and Ba contents of the granitic body.	Recommended for follow-up work by a rapid scintillometer survey.
		Ba	3	350-480 ppm			
		Mn	1	860 ppm			
17. Bt. Tebang	2	Hg	6	396-114,642 ppb	Underlain by Tertiary intrusive porphyry and shale and some sandstone of the Pedawan Formation.	Old Gading Mercury Mine near Bt. Tebang. All samples contaminated by mining.	Not recommended for follow-up work.
		As	3	189-710 ppm			
		Sb	2	64.4, 76.9 ppm			
		Zn	1	309 ppm			
18. G. Api	5	Au	1	0.5 ppm	Underlain by Tertiary intrusive stock and shale and sandstone of the Pedawan Formation.	One old mine working for Au reported in the area. Gold > 10 grains/50 l detected in 4 panned concentrate samples from the area. Potential for Au mineralization.	Recommended for immediate follow-up work.
		W	1	15 ppm			
		Ag	1	2.8 ppm			
		Hg	2	214, 258 ppb			
19. S. Puteh	2.5	Au	1	19.8 ppm	Underlain by hydrothermally altered, Tertiary intrusive stock, volcanic breccia and volcanic-mud flow deposit, and shale and sandstone of the Pedawan Formation.	Gold reported to occur in S. Puteh. Potential for Au and Ag mineralization.	Recommended for immediate follow-up work.
		Sb	2	2.8, 4.0 ppm			
		Ag	2	2.2, 8.3 ppm			
		Cu	1	34 ppm			
		Mo	1	1.8 ppm			

Panned Concentrate Samples

Ser No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g)/50l	Magnetic Fraction Wt. (g)/50l	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
1	BC0011	90772	4220	60	1.1	0.1	3	0.92	0.08	2.50	9.1
2	BC0012	90777	4175	60	0.7	0.1	0	0.58	0.08	0.00	14.3
3	BC0013	90768	4130	60	9.0	0.6	68	7.50	0.50	56.67	6.7
4	BC0014	90795	4090	50	21.6	3.2	13	21.60	3.20	13.00	14.8
5	BC0015	90737	4075	50	1.0	0.1	12	1.00	0.10	12.00	10.0
6	BC0016	90727	4022	50	3.5	0.5	27	3.50	0.50	27.00	14.3
7	BC0020	90700	4230	50	2.3	0.4	2	2.30	0.40	2.00	17.4
8	BC0021	90693	4217	50	0.8	0.0	0	0.80	0.00	0.00	0.0
9	BC0023	90682	4135	45	1.1	0.1	0	1.22	0.11	0.00	9.1
10	BC0024	90657	4132	50	20.6	13.5	0	20.60	13.50	0.00	65.5
11	BC0026	90883	4415	40	2.4	0.2	0	3.00	0.25	0.00	8.3
12	BC0028	90872	4320	40	2.1	0.2	7	2.63	0.25	8.75	9.5
13	BC0029	90922	4322	40	0.6	0.0	4	0.75	0.00	5.00	0.0
14	BC0031	90965	4245	50	4.2	0.4	0	4.20	0.40	0.00	9.5
15	BC0032	90900	4522	50	0.8	0.1	0	0.80	0.10	0.00	12.5
16	BC0034	90848	4467	50	0.7	0.1	0	0.70	0.10	0.00	14.3
17	BC0036	91000	4392	50	12.8	10.2	1	12.80	10.20	1.00	79.7
18	BC0037	91036	4370	50	5.7	2.8	0	5.70	2.80	0.00	49.1
19	BC0038	91052	4371	50	1.2	0.1	0	1.20	0.10	0.00	8.3
20	JC0001	92560	5310	75	1.9	0.1	1	1.27	0.07	0.67	5.3
21	JC0002	92560	5320	65	1.0	0.0	1	0.77	0.00	0.77	0.0
22	JC0003	92595	5330	90	1.6	0.0	0	0.89	0.00	0.00	0.0
23	JC0004	92665	5370	60	6.2	4.2	1	5.17	3.50	0.83	67.7
24	JC0005	92580	5280	40	7.1	0.5	0	8.88	0.63	0.00	7.0
25	JC0006	92640	5305	50	1.3	0.1	0	1.30	0.10	0.00	7.7
26	JC0007	92820	5380	50	2.9	0.0	0	2.90	0.00	0.00	0.0
27	JC0008	92840	5390	50	2.6	0.0	0	2.60	0.00	0.00	0.0
28	JC0009	89837	5605	75	2.2	0.1	0	1.47	0.07	0.00	4.5
29	JC0010	89607	5680	75	3.8	0.2	0	2.53	0.13	0.00	5.3
30	JC0016	89577	5690	75	0.9	0.0	0	0.60	0.00	0.00	0.0
31	JC0017	89827	5782	50	0.0	0.0	0	0.00	0.00	0.00	0.0
32	JC0018	89807	5777	50	1.2	0.1	0	1.20	0.10	0.00	8.3
33	JC0019	89730	5840	50	2.0	0.1	0	2.00	0.10	0.00	5.0
34	JC0021	89773	5840	50	1.0	0.0	0	1.00	0.00	0.00	0.0
35	JC0022	89786	5845	50	3.8	0.6	0	3.80	0.60	0.00	15.8
36	JC0024	89830	5845	40	0.4	0.1	0	0.50	0.13	0.00	25.0
37	JC0025	89840	5850	45	1.0	0.1	0	1.11	0.11	0.00	10.0
38	JC0028	90067	5525	40	6.7	0.4	0	8.38	0.50	0.00	6.0
39	JC0029	90087	5514	50	0.6	0.0	0	0.60	0.00	0.00	0.0
40	JC0032	90220	5487	45	0.6	0.1	0	0.67	0.11	0.00	16.7

Ser No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g/50l)	Magnetic Fraction Wt. (g/50l)	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
41	JC0033	90267	5607	40	1.2	0.1	0	1.50	0.13	0.00	8.3
42	JC0034	90310	5527	40	0.1	0.0	0	0.13	0.00	0.00	0.0
43	JC0036	90326	5537	40	0.8	0.0	0	1.00	0.00	0.00	0.0
44	JC0039	89857	4972	60	4.7	1.4	0	3.92	1.17	0.00	29.8
45	JC0040	89832	4976	60	4.3	1.3	0	3.58	1.08	0.00	30.2
46	JC0041	89782	4963	80	12.0	5.3	0	7.50	3.31	0.00	44.2
47	JC0042	89683	4950	80	11.4	8.4	0	7.13	5.25	0.00	73.7
48	JC0043	89908	4984	35	35.0	23.3	0	50.00	33.29	0.00	66.6
49	JC0044	89917	4993	40	29.6	25.8	1	37.00	32.25	1.25	87.2
50	JC0045	89773	4477	50	2.7	0.8	0	2.70	0.80	0.00	29.6
51	JC0047	89786	4455	60	3.0	0.4	0	2.50	0.33	0.00	13.3
52	JC0051	89810	4393	50	11.9	9.1	0	11.90	9.10	0.00	76.5
53	JC0052	89767	4510	55	9.9	6.3	0	9.00	5.73	0.00	63.6
54	JC0053	89826	4574	50	25.5	22.0	0	25.50	22.00	0.00	86.3
55	JC0056	89822	4584	60	4.7	0.8	0	3.92	0.67	0.00	17.0
56	JC0057	89800	4706	50	3.1	0.1	0	3.10	0.10	0.00	3.2
57	JC0060	89747	4720	40	1.8	0.1	0	2.25	0.13	0.00	5.6
58	JC0062	89772	4768	40	1.6	0.5	0	2.00	0.63	0.00	31.3
59	JC0063	89757	4778	50	2.9	1.2	0	2.90	1.20	0.00	41.4
60	JC0064	89747	4778	50	5.1	3.2	0	5.10	3.20	0.00	62.7
61	JC0067	89887	4700	50	4.9	0.9	0	4.90	0.90	0.00	18.4
62	JC0071	89832	4780	50	6.9	2.4	0	6.90	2.40	0.00	34.8
63	JC0072	89822	4787	50	4.2	2.3	0	4.20	2.30	0.00	54.8
64	JC0074	89783	4820	50	8.1	5.4	0	8.10	5.40	0.00	66.7
65	JC0075	89770	4815	45	24.2	16.2	1	26.89	18.00	1.11	66.9
66	JC0076	89912	4555	40	2.1	0.3	0	2.63	0.38	0.00	14.3
67	JC0077	89932	4553	50	4.2	2.5	0	4.20	2.50	0.00	59.5
68	JC0078	89834	4544	60	37.8	28.6	0	31.50	23.83	0.00	75.7
69	JC0079	89822	4602	50	1.1	0.0	0	1.10	0.00	0.00	0.0
70	JC0080	89957	4640	40	2.6	0.2	0	3.25	0.25	0.00	7.7
71	JC0081	91690	4634	50	2.8	0.1	0	2.80	0.10	0.00	3.6
72	JC0083	91685	4588	50	3.3	0.2	0	3.30	0.20	0.00	6.1
73	JC0085	91638	4523	50	1.6	0.1	0	1.60	0.10	0.00	6.3
74	JC0086	91665	4443	50	10.1	0.1	0	10.10	0.10	0.00	1.0
75	JC0088	91705	4413	50	10.5	0.0	0	10.50	0.00	0.00	0.0
76	JC0091	91752	4404	50	0.7	0.0	0	0.70	0.00	0.00	0.0
77	JC0092	91510	4430	65	5.9	0.2	0	4.54	0.15	0.00	3.4
78	JC0093	91493	4423	50	0.6	0.0	0	0.60	0.00	0.00	0.0
79	JC0095	91455	4475	50	1.5	0.3	0	1.50	0.30	0.00	20.0
80	JC0098	91527	4525	45	0.5	0.0	0	0.56	0.00	0.00	0.0

Ser. No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g)/50l	Magnetic Fraction Wt. (g)/50l	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
81	JC0099	91577	4600	50	1.3	0.1	2	1.30	0.10	2.00	7.7
82	JC0100	91577	4627	60	1.5	0.1	1	1.25	0.08	0.83	6.7
83	JC0102	91653	4600	75	0.8	0.1	0	0.53	0.07	0.00	12.5
84	JC0103	91700	4678	60	1.4	0.1	1	1.17	0.08	0.83	7.1
85	JC0104	91751	4715	50	0.6	0.0	1	0.60	0.00	1.00	0.0
86	JC0105	92002	4572	55	1.0	0.1	0	0.91	0.09	0.00	10.0
87	JC0106	92027	4525	75	1.2	0.1	0	0.80	0.07	0.00	8.3
88	JC0107	92032	4518	75	0.7	0.1	0	0.47	0.07	0.00	14.3
89	JC0108	92050	4482	50	0.6	0.0	0	0.60	0.00	0.00	0.0
90	JC0113	92084	4392	65	0.5	0.0	0	0.38	0.00	0.00	0.0
91	JC0114	92042	4650	60	1.2	0.1	0	1.00	0.08	0.00	8.3
92	JC0116	90960	3855	75	1.5	0.1	0	1.00	0.07	0.00	6.7
93	JC0121	90930	3750	55	1.2	0.1	0	1.09	0.09	0.00	8.3
94	JC0126	90905	3580	90	8.1	0.6	0	4.50	0.33	0.00	7.4
95	JC0130	90905	3605	60	0.4	0.0	0	0.33	0.00	0.00	0.0
96	JC0131	90877	3650	80	2.2	0.9	0	1.38	0.56	0.00	40.9
97	JC0136	90915	3635	45	1.0	0.1	0	1.11	0.11	0.00	10.0
98	JC0137	90940	3655	70	1.6	0.1	0	1.14	0.07	0.00	6.3
99	JC0138	90923	3715	70	0.7	0.1	0	0.50	0.07	0.00	14.3
100	JC0139	90955	3817	80	0.7	0.3	1	0.44	0.19	0.63	42.9
101	JC0140	90985	3860	75	1.2	0.5	5	0.80	0.33	3.33	41.7
102	JC0141	90965	3890	100	2.0	0.2	0	1.00	0.10	0.00	10.0
103	JC0142	91005	4125	120	1.4	0.1	0	0.58	0.04	0.00	7.1
104	JC0147	90270	5850	50	3.3	0.3	0	3.30	0.30	0.00	9.1
105	JC0150	90230	5950	40	0.3	0.0	0	0.38	0.00	0.00	0.0
106	JC0151	90303	5870	40	4.2	0.6	0	5.25	0.75	0.00	14.3
107	JC0152	90330	5880	40	2.3	0.1	0	2.88	0.13	0.00	4.3
108	JC0153	90375	5872	40	1.3	1.1	1	1.63	1.38	1.25	84.6
109	JC0156	91230	5938	40	2.8	1.6	0	3.50	2.00	0.00	57.1
110	JC0157	90550	5317	40	2.4	0.0	0	3.00	0.00	0.00	0.0
111	JC0158	90623	5373	40	0.3	0.0	0	0.38	0.00	0.00	0.0
112	JC0160	90557	5587	45	5.3	0.1	0	5.89	0.11	0.00	1.9
113	JC0161	90595	5593	40	0.8	0.0	0	1.00	0.00	0.00	0.0
114	JC0164	90870	5775	35	0.7	0.0	0	1.00	0.00	0.00	0.0
115	JC0167	91040	5700	40	24.5	20.5	0	30.63	25.63	0.00	83.7
116	JC0168	89788	5290	50	1.8	0.3	0	1.80	0.30	0.00	16.7
117	JC0173	89767	5287	50	1.4	0.3	0	1.40	0.30	0.00	21.4
118	JC0174	91052	4807	40	3.8	0.0	0	4.75	0.00	0.00	0.0
119	JC0176	91016	4803	50	0.4	0.0	0	0.40	0.00	0.00	0.0
120	JC0181	92315	5332	40	2.7	0.1	0	3.38	0.13	0.00	3.7

Ser. No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g)/50l	Magnetic Fraction Wt. (g)/50l	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
121	KC0001	B9956	4635	60	10.0	5.3	0	8.33	4.42	0.00	53.0
122	KC0002	89965	4650	70	20.4	5.7	0	14.57	4.07	0.00	27.9
123	KC0003	90031	4597	100	0.9	0.3	0	0.45	0.15	0.00	33.3
124	KC0004	90102	4600	80	11.4	9.3	0	7.13	5.81	0.00	81.6
125	KC0005	90127	4614	80	8.5	7.5	0	5.31	4.69	0.00	88.2
126	KC0006	90215	4705	125	4.9	1.1	0	1.96	0.44	0.00	22.4
127	KC0007	90262	4712	125	16.3	14.2	0	6.52	5.68	0.00	87.1
128	KC0008	90252	4650	100	18.5	15.3	0	9.25	7.65	0.00	82.7
129	KC0009	90168	4756	100	4.4	1.1	0	2.20	0.55	0.00	25.0
130	KC0010	90156	4750	100	10.4	4.7	0	5.20	2.35	0.00	45.2
131	KC0011	90135	4783	75	29.0	27.1	0	19.33	18.07	0.00	93.4
132	KC0013	90042	4707	130	9.7	4.8	0	3.73	1.85	0.00	49.5
133	KC0014	89965	4685	150	4.5	2.1	0	1.50	0.70	0.00	46.7
134	KC0015	91856	5018	70	23.5	19.0	7	16.79	13.57	5.00	80.9
135	KC0016	91800	4985	150	6.9	1.5	1	2.30	0.50	0.33	21.7
136	KC0017	91646	4896	130	8.0	1.2	32	3.08	0.46	12.31	15.0
137	KC0018	91650	4909	150	3.7	0.4	2	1.23	0.13	0.67	10.8
138	KC0019	91778	4865	160	4.9	0.2	0	1.53	0.06	0.00	4.1
139	KC0020	91764	4877	150	1.6	0.0	0	0.53	0.00	0.00	0.0
140	KC0021	91925	4995	130	7.2	0.6	0	2.77	0.23	0.00	6.3
141	KC0022	92000	5001	130	6.6	0.3	0	2.54	0.12	0.00	4.5
142	KC0023	91898	5101	85	20.9	6.4	0	12.29	3.76	0.00	30.6
143	KC0024	91816	5087	50	50.0	42.1	0	50.00	42.10	0.00	84.2
144	KC0025	92052	5155	100	14.4	1.4	4	7.20	0.70	2.00	9.7
145	KC0027	92280	5172	80	12.2	0.4	0	7.63	0.25	0.00	3.3
146	KC0028	92163	5100	120	1.6	0.1	1	0.67	0.04	0.42	6.3
147	KC0029	92119	5018	130	5.5	0.1	0	2.12	0.04	0.00	1.8
148	KC0030	92084	4999	150	4.6	0.9	0	1.53	0.30	0.00	19.6
149	KC0031	91498	4419	80	1.8	0.0	0	1.13	0.00	0.00	0.0
150	KC0032	91471	4355	70	0.6	0.1	0	0.43	0.07	0.00	16.7
151	KC0034	91455	4293	95	1.1	0.2	0	0.58	0.11	0.00	18.2
152	KC0035	91368	4250	50	1.1	0.7	0	1.10	0.70	0.00	63.6
153	KC0036	91356	4227	80	1.3	0.1	0	0.81	0.06	0.00	7.7
154	KC0037	91328	4181	70	4.4	0.6	2	3.14	0.43	1.43	13.6
155	KC0040	91090	4469	80	1.4	0.5	0	0.88	0.31	0.00	35.7
156	KC0042	91245	4450	90	0.8	0.1	0	0.44	0.06	0.00	12.5
157	KC0046	90605	5846	80	9.5	0.8	0	5.94	0.50	0.00	8.4
158	KC0047	90700	5845	75	6.6	1.0	0	4.40	0.67	0.00	15.2
159	MC0937	91467	5369	65	14.8	0.6	0	11.38	0.46	0.00	4.1
160	MC0939	91998	5848	40	20.1	0.1	7	25.13	0.13	8.75	0.5

Ser. No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g)/50l	Magnetic Fraction Wt. (g)/50l	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
161	MC0941	92004	5887	105	7.1	0.2	0	3.38	0.10	0.00	2.8
162	MC0945	92277	5771	25	25.1	4.8	0	50.20	9.60	0.00	19.1
163	MC0946	92221	5745	30	15.4	3.4	0	25.67	5.67	0.00	22.1
164	MC0947	92160	5760	50	8.8	0.5	3	8.80	0.50	3.00	5.7
165	MC0948	92099	5837	55	9.3	2.0	0	8.45	1.82	0.00	21.5
166	MC0949	92029	5811	50	12.2	0.5	4	12.20	0.50	4.00	4.1
167	MC0950	92041	5755	70	20.0	0.5	3	14.29	0.36	2.14	2.5
168	MC0951	92162	5760	55	21.5	11.8	0	19.55	10.73	0.00	54.9
169	MC0952	92107	5807	75	6.2	0.8	0	4.13	0.53	0.00	12.9
170	MC0955	91843	5678	95	9.5	4.0	0	5.00	2.11	0.00	42.1
171	MC0956	91862	5711	100	11.6	5.7	0	5.80	2.85	0.00	49.1
172	MC0957	91846	5788	75	13.7	9.8	0	9.13	6.53	0.00	71.5
173	MC0958	91889	5770	60	17.7	1.0	0	14.75	0.83	0.00	5.6
174	MC0961	91798	5821	70	14.1	5.6	1	10.07	4.00	0.71	39.7
175	MC0962	91815	5813	90	14.5	1.3	0	8.06	0.72	0.00	9.0
176	MC0963	91714	5705	115	12.8	4.8	0	5.57	2.09	0.00	37.5
177	MC0964	91736	5758	100	11.9	1.7	0	5.95	0.85	0.00	14.3
178	MC0965	92110	5598	100	4.2	0.2	8	2.10	0.10	4.00	4.8
179	MC0967	92016	5638	120	8.1	0.3	2	3.38	0.13	0.83	3.7
180	MC0969	92143	5542	125	4.7	0.2	0	1.88	0.08	0.00	4.3
181	MC0970	92077	5558	130	7.6	0.1	166	2.92	0.04	63.85	1.3
182	MC0971	92096	5477	80	9.2	0.2	7	5.75	0.13	4.38	2.2
183	MC0972	92025	5524	120	10.1	0.6	420	4.21	0.25	175.00	5.9
184	MC0973	92050	5530	75	9.0	1.9	50	6.00	1.27	33.33	21.1
185	MC0974	92014	5498	30	32.9	7.2	75	54.83	12.00	125.00	21.9
186	MC0975	92023	5490	40	20.4	4.1	21	25.50	5.13	26.25	20.1
187	MC0976	92024	5475	85	19.1	1.6	6	11.24	0.94	3.53	8.4
188	MC0977	92026	5460	35	18.3	0.4	0	26.14	0.57	0.00	2.2
189	MC0978	92041	5430	50	22.3	0.7	0	22.30	0.70	0.00	3.1
190	MC0979	92081	5367	55	16.6	0.2	8	15.09	0.18	7.27	1.2
191	MC0980	92142	5363	60	12.8	0.1	0	10.67	0.08	0.00	0.8
192	MC0981	92140	5376	20	26.6	0.0	0	66.50	0.00	0.00	0.0
193	MC0983	92100	5318	55	7.1	0.0	0	6.45	0.00	0.00	0.0
194	MC0984	92015	5303	65	10.0	0.0	0	7.69	0.00	0.00	0.0
195	MC0985	92275	5381	75	14.4	0.2	0	9.60	0.13	0.00	1.4
196	MC0986	92227	5455	85	12.4	0.0	0	7.29	0.00	0.00	0.0
197	MC0987	92218	5452	65	7.3	0.0	0	5.62	0.00	0.00	0.0
198	MC0988	92190	5509	35	23.9	0.1	0	34.14	0.14	0.00	0.4
199	MC0989	92121	5485	55	31.0	1.5	0	28.18	1.36	0.00	4.8
200	MC0990	92107	5495	55	24.0	2.1	0	21.82	1.91	0.00	8.8

Ser. No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g)/50l	Magnetic Fraction Wt. (g)/50l	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
201	MC0991	92095	5474	60	14.0	0.5	4	11.67	0.42	3.33	3.6
202	MC0992	92136	5457	60	19.0	0.7	0	15.83	0.58	0.00	3.7
203	MC0993	92101	5275	50	21.8	0.4	0	21.80	0.40	0.00	1.8
204	MC0994	92120	5241	60	7.2	0.2	0	6.00	0.17	0.00	2.8
205	MC0995	92177	5221	75	10.1	0.1	0	6.73	0.07	0.00	1.0
206	MC0996	92196	5300	50	17.5	0.4	0	17.50	0.40	0.00	2.3
207	MC0998	92257	5197	95	4.0	0.7	0	2.11	0.37	0.00	17.5
208	MC0999	92235	5181	110	4.0	1.7	0	1.82	0.77	0.00	42.5
209	MC1000	92303	5190	75	1.9	0.3	0	1.27	0.20	0.00	15.8
210	MC1001	92387	5226	60	15.2	0.1	0	12.67	0.08	0.00	0.7
211	MC1002	91993	4996	90	2.0	0.1	0	1.11	0.06	0.00	5.0
212	MC1003	92044	5011	105	2.7	0.1	0	1.29	0.05	0.00	3.7
213	MC1004	92053	5156	105	4.1	0.3	0	1.95	0.14	0.00	7.3
214	MC1005	92018	5458	25	29.7	0.8	0	59.40	1.60	0.00	2.7
215	MC1006	91890	5426	95	24.2	0.8	41	12.74	0.42	21.58	3.3
216	MC1007	91915	5409	115	11.4	1.1	15	4.96	0.48	6.52	9.6
217	MC1008	91817	5347	140	18.1	0.4	1	6.46	0.14	0.36	2.2
218	MC1009	91822	5397	145	21.5	0.9	0	7.41	0.31	0.00	4.2
219	MX1011	91736	5430	150	21.4	1.2	0	7.13	0.40	0.00	5.6
220	MC1012	91686	5476	175	17.9	1.1	0	5.11	0.31	0.00	6.1
221	MC1013	91626	5436	100	24.1	1.5	0	12.05	0.75	0.00	6.2
222	MC1014	91615	5408	80	24.3	0.0	0	15.19	0.00	0.00	0.0
223	MC1015	91632	5376	125	21.5	2.0	0	8.60	0.80	0.00	9.3
224	MC1016	91536	5322	130	21.4	1.9	0	8.23	0.73	0.00	8.9
225	MC1017	91497	5292	90	21.0	3.5	0	11.67	1.94	0.00	16.7
226	MC1018	91323	5324	80	16.9	7.3	0	10.56	4.56	0.00	43.2
227	MC1019	91375	5287	100	12.8	1.8	1	6.40	0.90	0.50	14.1
228	MC1020	91437	5261	115	19.4	3.3	0	8.43	1.43	0.00	17.0
229	MC1021	91409	5164	155	16.3	0.6	0	5.26	0.19	0.00	3.7
230	MC1023	91318	5019	95	13.1	7.2	0	6.89	3.79	0.00	55.0
231	MC1024	91624	5521	90	7.4	0.1	0	4.11	0.06	0.00	1.4
232	MC1025	91582	5521	130	16.5	1.0	0	6.35	0.38	0.00	6.1
233	MC1026	91480	5469	45	32.7	4.4	0	36.33	4.89	0.00	13.5
234	MC1027	91500	5495	120	8.7	1.4	3	3.63	0.58	1.25	16.1
235	MC1028	92040	5199	95	19.3	16.8	0	10.16	8.84	0.00	87.0
236	MC1029	91895	5103	70	19.4	7.7	0	13.86	5.50	0.00	39.7
237	MC1030	91920	5151	55	25.1	17.1	0	22.82	15.55	0.00	68.1
238	MC1032	91510	5310	95	19.7	6.6	24	10.37	3.47	12.63	33.5
239	MC1033	91501	5316	70	27.4	1.0	25	19.57	0.71	17.86	3.6
240	MC1034	91486	5311	30	30.8	2.8	0	51.33	4.67	0.00	9.1

Ser. No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g/50l)	Magnetic Fraction Wt. (g/50l)	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
241	MC1035	91526	5205	85	21.6	8.1	0	12.71	4.76	0.00	37.5
242	MC1036	91580	5422	80	18.1	2.2	0	11.31	1.38	0.00	12.2
243	MC1037	91654	5403	50	27.1	1.6	61	27.10	1.60	61.00	5.9
244	MC1038	91775	5329	100	6.3	0.3	1	3.15	0.15	0.50	4.8
245	MC1039	91335	5388	100	22.7	6.9	0	11.35	3.45	0.00	30.4
246	MC1040	91344	5376	25	34.4	3.3	0	68.80	6.60	0.00	9.6
247	MC1041	91361	5378	75	7.0	0.7	0	4.67	0.47	0.00	10.0
248	MC1042	91245	5300	90	21.5	4.5	0	11.94	2.50	0.00	20.9
249	MC1043	92188	5042	90	5.4	0.3	17	3.00	0.17	9.44	5.6
250	MC1044	92185	5109	100	5.3	2.2	0	2.65	1.10	0.00	41.5
251	MC1045	91079	5149	95	17.7	0.1	0	9.32	0.05	0.00	0.6
252	MC1046	90654	4934	85	1.1	0.4	0	0.65	0.24	0.00	36.4
253	MC1047	90621	4898	85	1.9	0.9	0	1.12	0.53	0.00	47.4
254	MC1048	90753	4870	125	8.6	2.3	0	3.44	0.92	0.00	26.7
255	MC1049	90775	4998	125	4.5	1.9	0	1.80	0.76	0.00	42.2
256	MC1050	90770	5018	125	12.7	1.1	0	5.08	0.44	0.00	8.7
257	MC1051	91478	5069	150	28.3	2.3	1	9.43	0.77	0.33	8.1
258	MC1052	91489	5068	60	40.1	2.5	33	33.42	2.08	27.50	6.2
259	MC1053	91434	5100	150	9.6	0.1	1	3.20	0.03	0.33	1.0
260	MC1054	91503	5081	50	39.0	1.5	14	39.00	1.50	14.00	3.8
261	MC1055	90377	4815	45	11.9	1.7	0	13.22	1.89	0.00	14.3
262	MC1056	90324	4805	80	16.5	12.5	0	10.31	7.81	0.00	75.8
263	MC1057	90442	4815	75	1.8	0.7	0	1.20	0.47	0.00	38.9
264	MC1058	90589	4861	110	5.2	0.1	0	2.36	0.05	0.00	1.9
265	MC1059	90580	4851	100	5.5	0.2	0	2.75	0.10	0.00	3.6
266	MC1060	90727	4978	60	9.2	0.9	0	7.67	0.75	0.00	9.8
267	MC1061	91485	5204	75	8.7	0.1	0	5.80	0.07	0.00	1.1
268	MC1062	91506	5183	90	31.4	1.7	1	17.44	0.94	0.56	5.4
269	MC1063	91515	5165	80	14.2	0.6	0	8.88	0.38	0.00	4.2
270	MC1064	91510	5133	75	26.5	2.9	0	17.67	1.93	0.00	10.9
271	MC1065	91513	5072	50	46.2	1.1	58	46.20	1.10	58.00	2.4
272	MC1066	91550	5099	80	40.1	4.0	1	25.06	2.50	0.63	10.0
273	MC1067	91533	5077	75	40.5	5.8	14	27.00	3.87	9.33	14.3
274	MC1068	91743	5086	85	24.5	3.2	0	14.41	1.88	0.00	13.1
275	MC1069	91649	5035	125	27.9	1.4	0	11.16	0.56	0.00	5.0
276	MC1070	91699	5076	120	8.1	0.4	3	3.38	0.17	1.25	4.9
277	MC1071	91734	5010	65	35.9	1.6	0	27.62	1.23	0.00	4.5
278	MC1072	91810	5082	30	43.8	31.3	1	73.00	52.17	1.67	71.5
279	MC1073	91827	5091	80	30.3	2.4	0	18.94	1.50	0.00	7.9
280	MC1074	91892	5074	60	11.7	0.0	0	9.75	0.00	0.00	0.0

Ser. No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Mt. (g)	No. of Gold Grains	Concent. Weight (g/50l)	Magnetic Fraction Wt. (g/50l)	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
281	MC1075	90054	4667	85	5.5	1.2	0	3.24	0.71	0.00	21.8
282	MC1076	90128	4690	65	11.0	1.4	0	8.46	1.08	0.00	12.7
283	MC1077	90075	4724	85	4.9	0.7	0	2.88	0.41	0.00	14.3
284	MC1078	90156	4754	65	13.3	1.7	0	10.23	1.31	0.00	12.8
285	MC1079	90226	4773	60	38.7	24.1	0	32.25	20.08	0.00	62.3
286	MC1080	91239	4805	120	23.4	1.9	2	9.75	0.79	0.83	8.1
287	MC1081	91275	4848	120	19.3	4.4	0	8.04	1.83	0.00	22.8
288	MC1082	91309	5216	125	21.5	0.4	0	8.60	0.16	0.00	1.9
289	MC1083	91300	5221	125	37.4	0.9	0	14.96	0.36	0.00	2.4
290	MC1084	91275	4915	110	11.7	4.9	0	5.32	2.23	0.00	41.9
291	MC1085	91236	4973	100	6.1	2.7	1	3.05	1.35	0.50	44.3
292	MC1086	91539	4798	140	4.0	0.4	0	1.43	0.14	0.00	10.0
293	MC1087	91537	4776	120	4.5	1.0	0	1.88	0.42	0.00	22.2
294	MC1088	91443	5655	95	26.3	9.7	0	13.64	5.11	0.00	36.9
295	MC1089	91416	5649	75	2.4	0.0	1	1.60	0.00	0.67	0.0
296	MC1090	91400	5635	60	12.2	0.0	0	10.17	0.00	0.00	0.0
297	MC1091	91384	5587	80	10.4	0.0	1	6.50	0.00	0.63	0.0
298	MC1092	91212	5428	100	9.2	0.5	0	4.60	0.25	0.00	5.4
299	MC1093	91248	5472	75	5.6	0.3	0	3.73	0.20	0.00	5.4
300	MC1094	91286	5535	75	10.6	0.4	0	7.07	0.27	0.00	3.8
301	MC1095	91355	5588	110	4.3	0.1	0	1.95	0.05	0.00	2.3
302	MC1096	91573	5723	55	6.2	0.1	0	5.64	0.09	0.00	1.6
303	MC1097	91527	5713	75	6.0	0.1	0	4.00	0.07	0.00	1.7
304	MC1098	91538	5806	85	1.0	0.0	0	0.59	0.00	0.00	0.0
305	MC1099	90784	5145	55	23.5	0.1	0	21.36	0.09	0.00	0.4
306	MC1100	90540	5215	80	4.7	0.1	0	2.94	0.06	0.00	2.1
307	MC1101	90579	5150	75	0.8	0.3	0	0.53	0.20	0.00	37.5
308	MC1102	91119	5339	75	22.4	0.2	0	14.93	0.13	0.00	0.9
309	MC1103	91062	5276	65	25.3	0.0	0	19.46	0.00	0.00	0.0
310	MC1104	91062	5234	80	4.0	0.0	0	2.50	0.00	0.00	0.0
311	MC1105	91257	4765	125	3.5	0.1	32	1.40	0.04	12.80	2.9
312	MC1106	91262	4764	90	5.1	0.0	0	2.83	0.00	0.00	0.0
313	MC1107	91276	4768	90	3.2	0.1	2	1.78	0.06	1.11	3.1
314	MC1108	91123	4847	60	1.1	0.4	13	0.92	0.33	10.83	36.4
315	MC1109	91458	5448	125	35.2	4.2	0	14.08	1.68	0.00	11.9
316	MC1110	91400	5454	90	33.4	3.4	0	18.56	1.89	0.00	10.2
317	MC1111	91404	5453	55	38.6	2.8	0	35.09	2.55	0.00	7.3
318	MC1112	91557	5001	100	12.9	0.2	0	6.45	0.10	0.00	1.6
319	MC1113	91593	5005	165	29.0	0.1	0	8.79	0.03	0.00	0.3
320	MC1114	91608	4963	100	6.8	0.9	0	3.40	0.45	0.00	13.2

Ser No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g)/50l	Magnetic Fraction Wt. (g)/50l	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
321	MC1115	91483	5045	85	11.1	0.1	0	6.53	0.06	0.00	0.9
322	MC1116	90950	5040	85	16.9	0.1	0	9.94	0.06	0.00	0.6
323	MC1117	90754	4885	75	1.5	0.0	0	1.00	0.00	0.00	0.0
324	MC1118	90461	4744	50	0.5	0.0	0	0.50	0.00	0.00	0.0
325	MC1119	90589	4795	50	12.5	0.3	0	12.50	0.30	0.00	2.4
326	MC1120	90346	4733	100	6.9	2.0	0	3.45	1.00	0.00	29.0
327	MC1121	90321	4737	80	6.1	1.1	0	3.81	0.69	0.00	18.0
328	MC1122	90291	4709	85	2.3	0.4	0	1.35	0.24	0.00	17.4
329	MC1123	90263	4715	90	1.9	0.3	0	1.06	0.17	0.00	15.8
330	MC1124	91211	5075	85	7.0	1.6	0	4.12	0.94	0.00	22.9
331	MC1125	91178	5040	85	7.9	1.0	0	4.65	0.59	0.00	12.7
332	MC1126	91148	4992	55	0.4	0.1	0	0.36	0.09	0.00	25.0
333	MC1127	91003	5198	90	16.2	2.8	0	9.00	1.56	0.00	17.3
334	MC1128	91380	4829	130	19.7	7.4	0	7.58	2.85	0.00	37.6
335	MC1129	91375	4857	105	1.5	0.3	0	0.71	0.14	0.00	20.0
336	MC1131	91425	4899	125	2.5	0.1	2	1.00	0.04	0.80	4.0
337	MC1132	91487	4896	125	4.3	1.2	1	1.72	0.48	0.40	27.9
338	MC1133	91557	4865	95	10.8	0.2	2	5.68	0.11	1.05	1.9
339	MC1134	91563	4876	100	2.0	0.0	1	1.00	0.00	0.50	0.0
340	MC1135	91321	4853	90	10.6	0.1	0	5.89	0.06	0.00	0.9
341	MC1136	91929	4992	80	5.1	0.3	0	3.19	0.19	0.00	5.9
342	MC1137	91800	4983	120	8.4	0.5	1	3.50	0.21	0.42	6.0
343	MC1138	90075	5854	85	4.9	0.4	0	2.88	0.24	0.00	8.2
344	MC1144	90245	5435	150	5.9	0.1	0	1.97	0.03	0.00	1.7
345	MC1149	90425	5355	110	1.6	0.0	0	0.73	0.00	0.00	0.0
346	MC1152	90015	5200	110	4.2	1.6	0	1.91	0.73	0.00	38.1
347	MC1153	90010	5210	75	7.1	3.0	1	4.73	2.00	0.67	42.3
348	PC0001	90195	4865	40	25.8	20.5	0	32.25	25.63	0.00	79.5
349	PC0003	90295	4915	40	10.7	9.5	0	13.38	11.88	0.00	88.8
350	PC0006	90430	4910	40	0.5	0.2	0	0.63	0.25	0.00	40.0
351	PC0009	90565	4870	40	1.7	0.1	0	2.13	0.13	0.00	5.9
352	PC0013	90655	4935	50	0.2	0.0	0	0.20	0.00	0.00	0.0
353	PC0017	90725	4745	40	0.8	0.0	0	1.00	0.00	0.00	0.0
354	PC0021	90565	4720	50	0.9	0.1	0	0.90	0.10	0.00	11.1
355	PC0023	90795	4980	35	0.9	0.1	0	1.29	0.14	0.00	11.1
356	PC0024	90355	4710	35	4.0	2.6	0	5.71	3.71	0.00	65.0
357	PC0025	90740	5045	50	0.3	0.1	0	0.30	0.10	0.00	33.3
358	PC0028	92194	5020	50	1.3	0.0	1	1.30	0.00	1.00	0.0
359	PC0029	92255	5020	50	4.3	0.2	0	4.30	0.20	0.00	4.7
360	PC0030	92180	4865	45	0.6	0.2	0	0.67	0.22	0.00	33.3

Ser No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g)/50l	Magnetic Fraction Wt. (g)/50l	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
361	PC0032	92130	4850	45	0.9	0.1	0	1.00	0.11	0.00	11.1
362	PC0033	92145	4815	40	1.1	0.2	0	1.38	0.25	0.00	18.2
363	PC0035	92115	4785	45	2.3	0.2	0	2.56	0.22	0.00	8.7
364	PC0038	92210	4730	40	1.7	0.2	0	2.13	0.25	0.00	11.8
365	PC0039	92230	4700	40	2.6	0.2	0	3.25	0.25	0.00	7.7
366	PC0044	92130	4675	40	1.7	0.2	0	2.13	0.25	0.00	11.8
367	PC0045	92145	4665	35	0.6	0.1	0	0.86	0.14	0.00	16.7
368	PC0046	92285	5000	55	1.8	0.0	0	1.64	0.00	0.00	0.0
369	PC0047	92285	4900	30	1.5	0.2	0	2.50	0.33	0.00	13.3
370	PC0048	92255	4885	35	3.5	0.0	0	5.00	0.00	0.00	0.0
371	PC0050	92315	4895	35	1.3	0.1	0	1.86	0.14	0.00	7.7
372	PC0053	92405	4800	35	2.5	0.1	0	3.57	0.14	0.00	4.0
373	PC0054	92395	4765	35	1.4	0.0	0	2.00	0.00	0.00	0.0
374	PC0055	92395	4725	30	2.4	0.2	0	4.00	0.33	0.00	8.3
375	PC0059	92580	5215	45	4.1	0.3	0	4.56	0.33	0.00	7.3
376	PC0063	92590	5065	30	1.6	0.1	0	2.67	0.17	0.00	6.3
377	PC0067	92440	5175	30	2.0	0.1	0	3.33	0.17	0.00	5.0
378	PC0073	91255	4050	60	1.5	0.1	0	1.25	0.08	0.00	6.7
379	PC0074	91385	4310	100	1.3	0.1	0	0.65	0.05	0.00	7.7
380	PC0078	91325	4355	90	0.6	0.1	0	0.33	0.06	0.00	16.7
381	PC0080	91405	4460	90	1.4	0.1	0	0.78	0.06	0.00	7.1
382	SC0002	92430	5295	40	0.9	0.1	1	1.13	0.13	1.25	11.1
383	SC0003	92400	5230	30	0.9	0.0	0	1.50	0.00	0.00	0.0
384	SC0004	92330	5275	50	6.2	0.2	0	6.20	0.20	0.00	3.2
385	SC0006	92545	5435	50	16.1	2.4	0	16.10	2.40	0.00	14.9
386	SC0007	92610	5595	50	6.4	1.5	0	6.40	1.50	0.00	23.4
387	SC0010	89355	5610	60	2.7	0.2	0	2.25	0.17	0.00	7.4
388	SC0011	89330	5630	55	1.6	0.2	0	1.45	0.18	0.00	12.5
389	SC0012	89320	5625	45	1.9	0.2	0	2.11	0.22	0.00	10.5
390	SC0013	89485	5700	50	3.4	0.3	2	3.40	0.30	2.00	8.8
391	SC0014	89495	5705	40	1.4	0.1	0	1.75	0.13	0.00	7.1
392	SC0015	90170	5845	65	2.0	0.1	1	1.54	0.08	0.77	5.0
393	SC0016	90200	5827	70	1.1	0.1	0	0.79	0.07	0.00	9.1
394	SC0017	90092	5790	50	1.8	0.1	0	1.80	0.10	0.00	5.6
395	SC0018	90083	5920	50	1.5	0.1	0	1.50	0.10	0.00	6.7
396	SC0019	90095	5585	50	0.5	0.0	0	0.50	0.00	0.00	0.0
397	SC0020	90105	5635	50	1.2	0.1	0	1.20	0.10	0.00	8.3
398	SC0021	90225	5640	45	0.6	0.0	0	0.67	0.00	0.00	0.0
399	SC0022	90170	5625	55	0.2	0.1	0	0.18	0.09	0.00	50.0
400	SC0023	90198	5110	35	0.3	0.0	0	0.43	0.00	0.00	0.0

Ser. No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g)/50l	Magnetic Fraction Wt. (g)/50l	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
401	SC0024	90260	5110	50	0.3	0.1	0	0.30	0.10	0.00	33.3
402	SC0025	90350	5140	45	0.1	0.0	0	0.11	0.00	0.00	0.0
403	SC0026	90255	5210	55	2.7	0.1	0	2.45	0.09	0.00	3.7
404	SC0027	90445	4600	85	1.0	0.3	0	0.59	0.18	0.00	30.0
405	SC0028	90405	4595	60	0.4	0.2	0	0.33	0.17	0.00	50.0
406	SC0029	90400	4585	50	0.4	0.1	0	0.40	0.10	0.00	25.0
407	SC0030	90360	4570	60	1.3	0.4	0	1.08	0.33	0.00	30.8
408	SC0031	90365	4585	50	0.3	0.2	0	0.30	0.20	0.00	66.7
409	SC0032	90505	4405	50	0.5	0.1	0	0.50	0.10	0.00	20.0
410	SC0033	90540	4395	55	2.0	0.1	0	1.82	0.09	0.00	5.0
411	SC0034	90523	4415	55	0.4	0.1	0	0.36	0.09	0.00	25.0
412	SC0035	90535	4445	50	1.3	0.1	0	1.30	0.10	0.00	7.7
413	SC0036	90590	4485	50	1.1	0.1	0	1.10	0.10	0.00	9.1
414	SC0037	90660	4555	55	1.1	0.1	0	1.00	0.09	0.00	9.1
415	SC0038	90655	4655	60	2.8	0.1	0	2.33	0.08	0.00	3.6
416	SC0039	90685	4595	55	0.7	0.0	0	0.64	0.00	0.00	0.0
417	SC0041	90680	4525	60	0.8	0.0	0	0.67	0.00	0.00	0.0
418	SC0042	90670	4520	60	1.3	0.0	0	1.08	0.00	0.00	0.0
419	SC0043	90490	4695	70	14.3	0.7	0	10.21	0.50	0.00	4.9
420	SC0045	90585	4670	60	1.0	0.1	0	0.83	0.08	0.00	10.0
421	SC0047	91735	4675	85	2.9	0.1	0	1.71	0.06	0.00	3.4
422	SC0048	91770	4655	70	2.7	0.1	0	1.93	0.07	0.00	3.7
423	SC0050	91835	4610	95	8.4	0.1	0	4.42	0.05	0.00	1.2
424	SC0051	91825	4555	80	10.2	0.1	0	6.38	0.06	0.00	1.0
425	SC0052	91840	4560	70	2.7	0.1	1	1.93	0.07	0.71	3.7
426	SC0053	91750	4650	70	8.3	0.1	0	5.93	0.07	0.00	1.2
427	SC0054	91770	4570	65	4.1	0.1	0	3.15	0.08	0.00	2.4
428	SC0055	91760	4565	70	7.0	0.1	0	5.00	0.07	0.00	1.4
429	SC0058	91785	4460	70	7.7	0.0	0	5.50	0.00	0.00	0.0
430	SC0059	91790	4475	60	8.1	0.5	0	6.75	0.42	0.00	6.2
431	SC0061	91810	4710	60	2.0	0.0	0	1.67	0.00	0.00	0.0
432	SC0062	91825	4715	60	1.7	0.0	0	1.42	0.00	0.00	0.0
433	SC0065	91870	4750	50	1.4	0.0	5	1.40	0.00	5.00	0.0
434	SC0066	91880	4785	60	3.4	0.1	0	2.83	0.08	0.00	2.9
435	SC0068	92050	4690	60	2.1	0.0	1	1.75	0.00	0.83	0.0
436	SC0071	91955	4705	60	3.4	0.0	0	2.83	0.00	0.00	0.0
437	SC0074	91955	4795	60	3.0	0.1	0	2.50	0.08	0.00	3.3
438	SC0076	90915	3960	75	2.9	0.5	1	1.93	0.33	0.67	17.2
439	SC0096	90990	3920	70	1.2	0.4	0	0.86	0.29	0.00	33.3
440	SC0098	91025	4010	100	2.1	0.3	0	1.05	0.15	0.00	14.3

Ser. No.	Sample No.	Coordination		Field Sample Vol. (l)	Concent. Weight (g)	Magnetic Fraction Wt. (g)	No. of Gold Grains	Concent. Weight (g)/50l	Magnetic Fraction Wt. (g)/50l	No. of Gold Grains/50l	Magnetic Fraction %
		X	Y								
441	SC0099	91050	4040	100	2.6	0.2	1	1.30	0.10	0.50	7.7
442	SC0100	90980	4110	100	14.0	9.6	5	7.00	4.80	2.50	68.6
443	SC0109	90470	5890	85	3.0	0.3	0	1.76	0.18	0.00	10.0
444	SC0110	90485	5895	70	4.0	1.1	0	2.86	0.79	0.00	27.5
445	SC0113	90720	5965	90	6.4	1.3	0	3.56	0.72	0.00	20.3
446	SC0117	90800	5960	80	32.4	7.7	1	20.25	4.81	0.63	23.8
447	SC0122	90640	5765	70	1.2	0.0	0	0.86	0.00	0.00	0.0
448	SC0133	90565	5100	50	0.4	0.1	0	0.40	0.10	0.00	25.0
449	SC0134	90710	5070	50	2.1	0.2	0	2.10	0.20	0.00	9.5
450	SC0135	92920	5745	60	13.2	1.2	0	11.00	1.00	0.00	9.1
451	SC0136	92300	5740	35	25.0	7.1	0	35.71	10.14	0.00	28.4
452	TC0225	90900	3815	100	0.3	0.0	0	0.15	0.00	0.00	0.0
453	TC0226	90900	3580	100	2.9	0.5	1	1.45	0.25	0.50	17.2
454	TC0227	90950	4200	125	13.2	3.7	0	5.28	1.48	0.00	28.0

1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that proper record-keeping is essential for transparency and accountability, particularly in the context of financial reporting and auditing. The text highlights that without reliable records, it becomes difficult to verify the accuracy of financial statements and to identify any potential discrepancies or irregularities.

2. The second part of the document focuses on the role of internal controls in ensuring the integrity of financial information. It explains that internal controls are designed to prevent and detect errors and fraud, thereby safeguarding the organization's assets and ensuring the reliability of its financial data. The text notes that effective internal controls are a key component of a strong corporate governance framework and are critical for maintaining the trust of investors and other stakeholders.

3. The third part of the document addresses the challenges associated with implementing and maintaining robust internal control systems. It identifies common obstacles such as limited resources, lack of employee awareness, and resistance to change. The text suggests that organizations should invest in training and education to ensure that all employees understand their role in maintaining internal controls. Additionally, it recommends regular monitoring and evaluation of the control system to identify areas for improvement and to ensure that the controls remain effective over time.

4. The fourth part of the document discusses the impact of external factors on internal control systems. It notes that changes in the regulatory environment, technological advancements, and market conditions can all influence the effectiveness of internal controls. Organizations must stay up-to-date on these external factors and be prepared to adapt their internal control systems accordingly. The text emphasizes that a proactive approach to monitoring and updating internal controls is essential for maintaining their effectiveness in a dynamic business environment.

5. The fifth and final part of the document concludes by reiterating the importance of internal controls and the need for continuous improvement. It states that internal controls are not a one-time exercise but an ongoing process that requires regular attention and resources. Organizations should foster a culture of transparency and accountability, where employees are encouraged to report any potential issues or concerns. By doing so, organizations can ensure the integrity of their financial information and maintain the confidence of their stakeholders.

JICA