

APPENDICES

Table List of the Results of Geochemical Analysis (1)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
A-1-1	<1	0.1	7	14	20	1	2	A-3-16	<1	0.1	10	26	28	1	5
A-1-2	18	0.1	8	12	18	1	2	A-3-17	<1	0.1	9	38	34	2	8
A-1-3	2	0.1	4	14	18	2	5	A-3-18	1	0.1	6	32	25	1	4
A-1-4	14	0.1	29	19	61	2	13	A-3-19	<1	0.1	5	31	22	1	6
A-1-5	35	0.1	16	18	69	1	7	A-3-20	<1	0.1	8	29	30	1	7
A-1-6	50	0.1	39	22	110	5	5	A-3-21	1	0.1	11	24	28	1	11
A-1-7	17	0.5	29	12	65	1	2	A-4-1	4	0.1	111	28	102	1	31
A-1-8	3	0.1	9	5	32	1	2	A-4-2	4	0.1	150	18	50	1	20
A-1-9	<1	0.1	11	8	30	1	2	A-4-3	4	0.1	110	17	60	1	8
A-1-10	3	0.1	10	23	34	1	2	A-4-4	4	0.1	166	28	98	1	36
A-1-11	2	0.1	10	47	32	1	5	A-4-5	6	0.1	136	30	58	1	29
A-1-12	<1	0.1	5	16	27	1	2	A-4-6	5	0.1	148	15	53	1	18
A-1-13	<1	0.1	6	17	39	1	2	A-4-7	4	0.1	225	46	58	1	31
A-1-14	<1	0.1	5	23	19	1	4	A-4-8	5	0.1	115	17	55	1	17
A-1-15	<1	0.1	4	25	7	1	3	A-4-9	8	0.1	110	14	65	1	7
A-1-16	<1	0.1	4	32	6	1	5	A-4-10	1	0.1	72	16	70	1	5
A-1-17	<1	0.1	4	22	21	1	2	A-4-11	1	0.1	102	48	156	1	34
A-1-18	<1	0.1	4	14	16	1	1	A-4-12	13	0.1	93	16	65	1	32
A-1-19	4	0.1	4	12	14	1	1	A-4-13	<1	0.1	92	15	58	1	11
A-1-20	<1	0.1	3	14	14	1	1	A-4-14	2	0.1	67	9	43	1	8
A-1-21	<1	0.1	5	31	30	1	3	A-4-15	3	0.1	77	13	52	1	11
A-2-1	3	0.1	65	6	34	1	4	A-4-16	16	0.1	37	18	55	1	10
A-2-2	4	0.1	62	6	32	1	7	A-4-17	5	0.1	27	17	49	1	5
A-2-3	5	0.1	67	4	38	1	9	A-4-18	<1	0.1	30	24	36	1	9
A-2-4	<1	0.1	50	2	40	1	13	A-4-19	<1	0.1	12	26	30	1	3
A-2-5	2	0.1	48	4	33	1	7	A-4-20	3	0.2	52	19	51	1	16
A-2-6	2	0.1	65	4	64	1	36	A-4-21	<1	0.1	41	15	40	1	8
A-2-7	1	0.1	25	15	48	1	9	A-5-1	1	0.1	55	8	37	1	4
A-2-8	<1	0.1	9	18	27	1	5	A-5-2	4	0.1	74	9	54	1	6
A-2-9	2	0.1	45	15	68	1	27	A-5-3	3	0.1	84	11	55	1	5
A-2-10	2	0.1	6	14	27	1	4	A-5-4	3	0.1	103	16	61	1	10
A-2-11	<1	0.1	4	17	21	1	3	A-5-5	6	0.1	130	15	56	1	26
A-2-12	<1	0.1	3	16	26	1	5	A-5-6	4	0.1	94	11	62	1	7
A-2-13	<1	0.1	3	16	22	1	2	A-5-7	4	0.1	89	13	70	1	7
A-2-14	<1	0.1	5	23	25	1	6	A-5-8	7	0.1	105	13	72	1	12
A-2-15	<1	0.1	6	21	33	1	6	A-5-9	4	0.1	102	23	72	1	21
A-2-16	<1	0.1	5	18	22	1	3	A-5-10	5	0.1	118	22	65	1	7
A-2-17	<1	0.1	4	21	22	1	2	A-5-11	8	0.1	103	30	75	1	14
A-2-18	2	0.1	4	14	19	1	1	A-5-12	4	0.1	87	19	65	1	21
A-2-19	<1	0.1	4	11	19	1	1	A-5-13	5	0.1	125	21	83	1	20
A-2-20	<1	0.1	6	12	15	1	2	A-5-14	6	0.1	183	21	27	1	45
A-2-21	<1	0.1	5	15	20	1	2	A-5-15	1	0.1	58	18	58	1	18
A-3-1	3	0.1	142	11	77	1	43	A-5-16	<1	0.1	51	27	48	1	15
A-3-2	3	0.1	123	8	52	1	24	A-5-17	1	0.1	110	11	53	1	17
A-3-3	4	0.1	81	7	38	1	24	A-5-18	3	0.1	84	9	45	1	9
A-3-4	10	0.1	71	8	45	1	11	A-5-19	1	0.1	72	11	58	1	27
A-3-5	6	0.1	86	7	75	1	44	A-5-20	2	0.1	91	11	64	1	32
A-3-6	6	0.1	49	14	59	1	27	A-5-21	3	0.1	140	10	62	1	27
A-3-7	2	0.1	82	6	53	1	28	A-6-1	2	0.1	78	11	68	1	12
A-3-8	3	0.1	78	9	46	1	8	A-6-2	3	0.1	85	9	64	1	5
A-3-9	<1	0.1	73	12	68	1	25	A-6-3	3	0.1	90	9	56	1	6
A-3-10	2	0.1	100	14	73	1	38	A-6-4	3	0.1	126	8	65	1	10
A-3-11	13	0.1	152	12	54	1	8	A-6-5	5	0.1	171	13	78	1	34
A-3-12	3	0.1	104	12	56	1	6	A-6-6	10	0.1	193	2	51	1	26
A-3-13	1	0.1	121	9	58	1	12	A-6-7	4	0.1	106	5	69	1	13
A-3-14	<1	0.1	37	23	40	1	14	A-6-8	7	0.1	100	2	49	1	6
A-3-15	2	0.3	30	28	33	1	6	A-6-9	3	0.1	95	4	57	1	7

Table List of the Results of Geochemical Analysis (2)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
A-6-10	2	0.1	114	4	58	1	7	A-9-4	11	0.1	128	7	73	2	16
A-6-11	10	0.1	140	4	59	1	13	A-9-5	8	0.1	120	5	59	1	9
A-6-12	5	0.1	230	5	60	1	23	A-9-6	5	0.1	117	6	59	1	13
A-6-13	2	0.1	88	7	64	1	47	A-9-7	4	0.1	92	6	73	1	14
A-6-14	3	0.1	120	8	48	1	16	A-9-8	59	0.1	150	10	79	1	38
A-6-15	2	0.1	108	13	62	1	26	A-9-9	4	0.1	82	5	110	1	39
A-6-16	<1	0.1	68	13	60	1	22	A-9-10	3	0.1	80	3	64	1	10
A-6-17	6	0.1	71	5	45	1	4	A-9-11	3	0.1	82	2	43	2	8
A-6-18	5	0.1	68	5	37	1	2	A-9-12	<1	0.1	68	2	48	1	3
A-6-19	4	0.1	72	2	40	1	4	A-9-13	3	0.1	87	6	42	1	9
A-6-20	2	0.1	123	5	64	1	19	A-9-14	1	0.1	67	6	51	1	7
A-6-21	2	0.1	83	5	64	1	8	A-9-15	3	0.1	64	7	55	1	12
A-7-1	2	0.1	93	4	65	1	12	A-9-16	2	0.1	82	12	71	1	13
A-7-2	<1	0.1	149	1	104	1	29	A-9-17	2	0.1	50	7	38	1	3
A-7-3	3	0.1	106	4	43	1	4	A-9-18	<1	0.1	43	5	55	1	5
A-7-4	<1	0.1	129	6	37	1	4	A-9-19	2	0.1	52	8	38	1	2
A-7-5	9	0.1	127	3	44	1	6	A-9-20	2	0.1	62	8	43	1	2
A-7-6	3	0.1	103	2	39	1	3	A-9-21	4	0.1	60	7	47	1	4
A-7-7	3	0.1	109	3	65	1	6	A-10-1	2	0.1	81	12	59	1	23
A-7-8	17	0.1	120	4	53	1	13	A-10-2	6	0.1	112	12	70	1	39
A-7-9	6	0.1	110	4	71	1	12	A-10-3	4	0.1	151	8	79	1	34
A-7-10	3	0.1	107	3	60	2	34	A-10-4	4	0.1	167	4	85	1	24
A-7-11	7	0.1	75	10	81	1	46	A-10-5	3	0.1	147	11	72	1	28
A-7-12	2	0.1	62	6	76	1	29	A-10-6	3	0.1	115	15	65	1	40
A-7-13	3	0.1	53	6	62	1	17	A-10-7	1	0.1	77	14	76	1	31
A-7-14	3	0.1	94	5	61	1	12	A-10-8	<1	0.1	78	10	63	1	46
A-7-15	3	0.1	73	15	77	1	43	A-10-9	2	0.1	62	13	55	1	33
A-7-16	4	0.1	78	6	54	1	5	A-10-10	3	0.1	68	12	34	1	29
A-7-17	5	0.1	90	10	62	1	10	A-10-11	1	0.1	79	8	56	1	8
A-7-18	<1	0.1	48	11	50	1	17	A-10-12	3	0.1	80	6	51	1	13
A-7-19	<1	0.1	68	15	58	1	18	A-10-13	4	0.1	95	7	62	1	9
A-7-20	4	0.1	66	4	44	1	7	A-10-14	2	0.1	58	7	54	1	3
A-7-21	4	0.1	66	5	45	1	9	A-10-15	3	0.1	67	10	49	1	3
A-8-1	<1	0.1	86	3	77	1	42	A-10-16	19	0.1	74	11	68	1	6
A-8-2	2	0.1	92	6	56	1	27	A-10-17	7	0.1	52	22	62	1	14
A-8-3	2	0.1	91	3	47	1	5	A-10-18	2	0.1	58	20	60	1	18
A-8-4	2	0.1	100	4	46	1	5	A-10-19	4	0.1	63	6	46	1	5
A-8-5	4	0.1	132	4	64	1	13	A-10-20	3	0.1	53	8	39	1	2
A-8-6	4	0.1	120	6	66	2	19	A-10-21	5	0.1	33	4	23	1	2
A-8-7	3	0.2	127	4	75	1	17	A-11-1	3	0.1	81	12	76	1	34
A-8-8	2	0.1	55	6	64	1	11	A-11-2	6	0.1	110	11	74	1	45
A-8-9	2	0.1	54	6	55	1	8	A-11-3	5	0.1	79	9	74	1	29
A-8-10	3	0.1	54	6	54	1	28	A-11-4	<1	0.1	59	7	62	1	6
A-8-11	6	0.1	75	3	72	1	25	A-11-5	7	0.1	58	9	52	1	6
A-8-12	2	0.1	69	4	51	1	11	A-11-6	3	0.1	47	10	49	1	4
A-8-13	1	0.1	75	6	53	2	14	A-11-7	8	0.1	41	7	58	1	5
A-8-14	2	0.1	75	10	66	1	14	A-11-8	3	0.1	25	13	75	1	14
A-8-15	3	0.1	68	12	64	1	22	A-11-9	<1	0.1	28	12	70	1	11
A-8-16	2	0.1	79	14	84	1	33	A-11-10	2	0.1	28	13	59	1	10
A-8-17	<1	0.1	53	7	60	1	8	A-11-11	2	0.1	28	15	64	1	11
A-8-18	6	0.1	46	9	48	1	11	A-11-12	<1	0.1	25	15	86	1	10
A-8-19	1	0.1	53	18	59	1	17	A-11-13	<1	0.1	25	15	70	1	14
A-8-20	6	0.1	81	10	60	1	6	A-11-14	2	0.1	21	11	6	1	10
A-8-21	5	0.1	76	8	55	1	3	A-11-15	2	0.1	28	13	65	1	13
A-9-1	2	0.1	81	3	54	1	11	A-11-16	2	0.1	27	14	74	1	13
A-9-2	5	0.1	140	3	74	1	31	A-11-17	2	0.1	23	13	72	1	12
A-9-3	6	0.1	98	2	51	1	10	A-11-18	<1	0.1	22	14	70	1	10

Table List of the Results of Geochemical Analysis (3)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
A-11-19	<1	0.1	23	11	66	1	12	A-14-13	<1	0.1	13	6	21	5	2
A-11-20	2	0.1	20	19	94	1	10	A-14-14	<1	0.1	18	13	21	10	3
A-11-21	2	0.1	16	15	66	1	8	A-14-15	<1	0.1	23	8	14	5	2
A-12-1	6	0.1	71	4	41	2	7	A-14-16	<1	0.1	18	5	12	2	2
A-12-2	4	0.1	98	4	57	1	14	A-14-17	<1	0.1	23	3	13	1	1
A-12-3	5	0.1	97	4	55	1	26	A-14-18	8	0.1	12	4	12	4	3
A-12-4	7	0.1	95	8	54	1	45	A-14-19	<1	0.1	5	5	13	5	3
A-12-5	6	0.1	100	5	59	1	36	A-14-20	<1	0.1	6	6	19	1	3
A-12-6	2	0.1	81	4	61	1	21	A-14-21	<1	0.1	8	13	19	1	3
A-12-7	<1	0.1	57	10	51	1	28	A-15-1	<1	0.1	23	8	19	6	3
A-12-8	3	0.1	42	7	69	1	19	A-15-2	4	0.1	32	14	52	1	8
A-12-9	<1	0.1	27	10	78	1	14	A-15-3	<1	0.2	14	10	20	7	3
A-12-10	3	0.1	26	10	82	1	14	A-15-4	<2	0.3	15	7	12	6	1
A-12-11	2	0.1	25	9	74	1	5	A-15-5	<1	0.2	12	7	9	3	2
A-12-12	2	0.1	24	10	73	1	12	A-15-6	<1	0.3	18	6	10	5	2
A-12-13	<1	0.1	24	13	81	1	15	A-15-7	<1	0.1	7	5	10	1	1
A-12-14	2	0.1	21	10	73	1	14	A-15-8	<1	0.3	20	7	9	2	2
A-12-15	<1	0.1	25	10	70	1	12	A-15-9	<1	0.3	10	6	14	3	1
A-12-16	2	0.1	26	12	83	1	11	A-15-10	<1	0.2	15	6	10	1	2
A-12-17	1	0.1	24	12	83	1	13	A-15-11	<1	0.3	15	6	12	4	3
A-12-18	1	0.1	26	10	80	1	9	B-1-1	3	0.3	51	9	45	1	5
A-12-19	1	0.1	23	10	79	1	10	B-1-2	7	0.4	100	13	68	2	48
A-12-20	<1	0.1	28	10	78	1	9	B-1-3	5	0.1	118	10	58	1	23
A-12-21	<1	0.1	26	10	73	1	11	B-1-4	7	0.1	124	7	60	1	25
A-13-1	2	0.1	95	9	56	2	11	B-1-5	6	0.2	131	5	54	2	25
A-13-2	2	0.1	110	5	61	1	13	B-1-6	4	0.1	106	1	55	1	12
A-13-3	2	0.1	82	7	54	1	12	B-1-7	8	0.1	156	7	63	2	45
A-13-4	2	0.1	91	8	61	1	21	B-1-8	2	0.1	66	1	49	1	37
A-13-5	4	0.1	68	10	74	1	30	B-1-9	3	0.3	96	4	46	1	12
A-13-6	6	0.1	25	7	77	1	7	B-1-10	5	0.2	103	5	49	2	11
A-13-7	<1	0.1	22	6	72	1	9	B-2-1	1	0.1	91	3	50	1	23
A-13-8	1	0.1	10	8	74	1	8	B-2-2	3	0.2	90	4	48	1	24
A-13-9	2	0.1	34	12	44	2	6	B-2-3	3	0.2	115	12	49	1	22
A-13-10	1	0.1	25	12	47	1	9	B-2-4	3	0.1	100	10	51	1	27
A-13-11	<1	0.1	48	7	51	2	12	B-2-5	4	0.1	250	7	122	1	41
A-13-12	63	0.2	37	10	67	4	3	B-2-6	4	0.1	84	14	53	1	7
A-13-13	3	0.1	17	12	44	1	5	B-2-7	<1	0.2	52	11	50	1	16
A-13-14	2	0.1	12	13	40	1	4	B-2-8	3	0.2	27	7	37	1	19
A-13-15	14	0.1	20	13	44	1	3	B-2-9	1	0.2	45	5	43	1	14
A-13-16	2	0.1	24	10	100	1	14	B-2-10	2	0.2	62	8	29	1	10
A-13-17	<1	0.2	21	10	76	1	11	B-3-1	41	0.2	97	11	81	1	42
A-13-18	<1	0.1	21	10	107	1	14	B-3-2	3	0.2	57	4	55	1	8
A-13-19	<1	0.1	25	11	68	1	11	B-3-3	1	0.2	143	4	48	1	20
A-13-20	2	0.1	22	10	67	1	9	B-3-4	2	0.2	103	4	42	1	20
A-13-21	<1	0.1	27	12	71	1	12	B-3-5	2	0.3	48	13	60	1	10
A-14-1	2	0.1	98	9	72	1	27	B-3-6	56	0.3	48	10	35	1	11
A-14-2	<1	0.1	59	11	27	2	5	B-3-7	6	0.4	44	90	124	1	7
A-14-3	1	0.1	60	9	29	7	4	B-3-8	2	0.4	46	113	90	1	7
A-14-4	2	0.1	37	7	20	7	3	B-3-9	3	0.3	40	52	100	1	36
A-14-5	1	0.1	24	11	55	1	7	B-3-10	4	0.2	68	18	65	1	8
A-14-6	1	0.1	12	8	13	6	3	B-4-1	3	0.2	17	17	54	1	7
A-14-7	<1	0.1	20	13	15	7	4	B-4-2	2	0.3	17	16	52	1	7
A-14-8	<1	0.1	24	8	13	6	2	B-4-3	9	0.2	16	15	51	1	7
A-14-9	<1	0.1	27	6	14	1	2	B-4-4	2	0.1	16	16	39	1	5
A-14-10	4	0.1	30	8	19	1	3	B-4-5	<1	0.3	16	15	42	1	7
A-14-11	<1	0.1	27	10	18	2	3	B-4-6	1	0.2	17	16	55	1	8
A-14-12	<1	0.1	22	8	21	2	2	B-4-7	9	0.2	24	10	65	1	11

205

Table List of the Results of Geochemical Analysis (4)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
B- 4- 8	2	0.2	26	14	70	1	16	C- 1- 4	1	0.2	25	17	50	1	3
B- 4- 9	2	0.4	31	14	74	1	18	C- 1- 5	3	0.2	26	17	46	1	2
B- 4-10	3	0.3	50	9	82	1	8	C- 1- 6	15	0.2	30	14	37	1	2
B- 4-11	14	0.3	120	10	69	1	5	C- 1- 7	3	0.3	20	20	23	1	2
B- 4-12	11	0.2	92	10	43	2	5	C- 1- 8	10	0.2	19	40	32	1	2
B- 4-13	4	0.2	53	13	41	1	34	C- 1- 9	5	0.1	18	60	41	1	4
B- 4-14	4	0.2	58	8	36	1	4	C- 1-10	5	0.2	12	42	33	1	4
B- 4-15	3	0.2	72	14	45	2	24	C- 1-11	3	0.2	25	42	44	1	6
B- 4-16	2	0.2	72	11	41	1	7	C- 2- 1	<1	0.3	14	11	36	1	3
B- 4-17	3	0.3	80	10	43	1	8	C- 2- 2	2	0.1	19	14	49	1	1
B- 4-18	3	0.2	86	8	63	1	11	C- 2- 3	2	0.2	24	22	86	1	3
B- 4-19	3	0.1	115	7	47	2	10	C- 2- 4	3	0.2	26	23	46	1	2
B- 4-20	4	0.2	75	17	49	1	8	C- 2- 5	10	0.2	30	11	51	1	4
B- 5- 1	8	0.2	95	1	28	2	4	C- 2- 6	25	0.1	34	24	53	1	2
B- 5- 2	7	0.1	93	2	29	1	3	C- 2- 7	5	0.4	14	43	41	1	8
B- 5- 3	7	0.1	50	6	37	1	3	C- 2- 8	1	0.2	23	25	24	1	3
B- 5- 4	2	0.1	53	10	45	1	4	C- 2- 9	3	0.1	45	35	29	1	3
B- 5- 5	9	0.3	84	13	44	1	21	C- 2-10	3	0.2	25	41	70	1	8
B- 5- 6	4	0.2	52	15	45	2	4	C- 2-11	6	0.2	21	30	41	1	5
B- 5- 7	<1	0.1	33	5	34	1	8	C- 3- 1	4	0.2	20	17	47	1	9
B- 5- 8	<1	0.2	93	6	45	2	8	C- 3- 2	5	0.1	19	16	65	1	5
B- 5- 9	3	0.1	90	5	38	1	15	C- 3- 3	4	0.3	25	20	62	1	8
B- 5-10	7	0.1	166	12	58	1	44	C- 3- 4	13	0.2	27	58	70	1	21
B- 5-11	2	0.1	136	7	33	1	10	C- 3- 5	11	0.2	46	29	43	1	21
B- 5-12	1	0.1	144	6	50	1	18	C- 3- 6	176	0.2	40	44	83	1	22
B- 5-13	2	0.1	42	8	73	1	14	C- 3- 7	15	0.2	45	70	91	1	12
B- 5-14	3	0.1	75	9	51	1	14	C- 3- 8	5	0.2	24	39	46	1	3
B- 5-15	2	0.1	114	5	54	1	34	C- 3- 9	5	0.2	14	27	57	1	8
B- 5-16	<1	0.2	105	5	49	1	18	C- 3-10	<1	0.2	17	22	44	1	9
B- 5-17	3	0.2	83	3	44	1	29	C- 3-11	<1	0.2	10	13	30	1	3
B- 5-18	1	0.1	87	6	56	1	22	C- 4- 1	4	0.1	15	19	42	1	2
B- 5-19	<1	0.2	27	10	69	1	15	C- 4- 2	8	0.2	14	14	37	1	2
B- 5-20	1	0.2	27	8	73	1	13	C- 4- 3	28	0.1	24	30	62	1	5
B- 5-21	<1	0.2	24	8	63	1	12	C- 4- 4	20	0.3	48	84	62	1	21
B- 6- 1	2	0.2	73	1	37	1	3	C- 4- 5	29	0.4	40	43	108	1	4
B- 6- 2	3	0.1	92	4	28	1	3	C- 4- 6	35	0.2	40	26	60	1	4
B- 6- 3	2	0.3	91	16	64	1	25	C- 4- 7	11	0.2	23	32	48	1	4
B- 6- 4	5	0.1	83	14	56	1	19	C- 4- 8	7	0.1	24	31	51	1	3
B- 6- 5	8	0.3	76	7	45	2	6	C- 4- 9	<1	0.3	16	20	35	1	2
B- 6- 6	4	0.4	80	6	49	1	8	C- 4-10	<1	0.3	10	10	18	1	2
B- 6- 7	4	0.3	145	5	46	1	12	C- 4-11	<1	0.2	8	21	23	1	2
B- 6- 8	4	0.2	97	7	46	1	9	C- 5- 1	3	0.2	13	16	29	1	6
B- 6- 9	8	0.1	45	9	46	1	4	C- 5- 2	7	0.2	12	15	50	1	5
B- 6-10	5	0.1	38	7	42	1	3	C- 5- 3	7	0.1	11	8	23	1	2
B- 6-11	3	0.1	100	7	45	1	11	C- 5- 4	93	0.1	30	14	44	1	2
B- 6-12	<1	0.2	94	14	64	1	19	C- 5- 5	4	0.2	30	60	46	1	3
B- 6-13	4	0.2	120	15	68	1	10	C- 5- 6	59	0.4	53	110	185	1	21
B- 6-14	8	0.2	104	16	54	1	6	C- 5- 7	5	0.1	17	20	43	1	2
B- 6-15	4	0.1	140	12	64	1	9	C- 5- 8	3	0.1	9	15	35	1	7
B- 6-16	6	0.1	70	20	44	1	6	C- 5- 9	5	0.1	13	21	28	1	2
B- 6-17	7	0.1	100	19	55	1	8	C- 5-10	5	0.2	9	22	22	1	2
B- 6-18	6	0.1	68	8	64	1	5	C- 5-11	3	0.1	22	21	31	1	3
B- 6-19	6	0.1	100	6	75	1	7	C- 6- 1	5	0.1	15	13	34	1	5
B- 6-20	12	0.1	195	9	160	2	28	C- 6- 2	2	0.1	16	14	41	1	2
C- 1- 1	1	0.1	24	16	46	1	17	C- 6- 3	1	0.1	20	22	42	1	8
C- 1- 2	2	0.1	24	20	63	1	3	C- 6- 4	5	0.2	23	37	51	1	11
C- 1- 3	<1	0.2	25	11	64	1	2	C- 6- 5	4	0.1	12	16	35	1	2

Table List of the Results of Geochemical Analysis (5)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
C-6-6	3	0.5	18	23	150	1	14	C-11-8	<1	0.1	6	12	24	1	2
C-6-7	14	0.2	19	37	113	1	7	C-11-9	<1	0.1	7	14	19	1	1
C-6-8	3	0.1	19	19	50	1	4	C-11-10	<1	0.1	11	14	33	1	7
C-6-9	2	0.1	14	22	30	1	2	C-11-11	<1	0.1	10	17	30	1	5
C-6-10	3	0.3	16	25	26	1	2	C-12-1	2	0.1	15	11	39	1	3
C-6-11	2	0.1	20	23	26	1	4	C-12-2	2	0.2	20	18	30	1	3
C-7-1	4	0.2	13	13	35	1	3	C-12-3	<1	0.1	11	9	21	1	1
C-7-2	3	0.1	26	15	60	1	16	C-12-4	2	0.1	24	29	38	1	3
C-7-3	5	0.1	35	18	36	1	4	C-12-5	<1	0.1	5	13	21	1	2
C-7-4	3	0.4	21	15	32	1	3	C-12-6	1	0.1	6	17	21	1	2
C-7-5	3	0.1	17	25	39	1	3	C-12-7	<1	0.1	7	11	27	1	2
C-7-6	<1	0.1	10	12	37	1	4	C-12-8	<1	0.1	8	11	14	1	2
C-7-7	1	0.1	15	28	47	1	4	C-12-9	<1	0.1	6	6	13	1	2
C-7-8	<1	0.1	8	19	27	1	3	C-12-10	<1	0.1	11	15	21	1	2
C-7-9	2	0.1	18	15	46	1	4	C-12-11	1	0.1	8	11	20	1	2
C-7-10	6	0.1	16	27	32	1	3	C-13-1	2	0.1	21	17	25	1	15
C-7-11	4	0.2	12	11	25	1	3	C-13-2	<1	0.2	12	25	36	1	2
C-8-1	3	0.1	16	21	56	1	3	C-13-3	<1	0.1	10	28	25	1	2
C-8-2	4	0.1	27	19	73	1	29	C-13-4	<1	0.1	6	15	21	1	1
C-8-3	5	0.1	11	9	20	1	2	C-13-5	<1	0.1	7	21	27	1	3
C-8-4	7	0.2	9	22	17	1	2	C-13-6	<1	0.1	6	9	17	1	2
C-8-5	2	0.1	9	17	30	1	2	C-13-7	<1	0.1	7	6	21	1	2
C-8-6	2	0.1	9	15	31	1	4	C-13-8	<1	0.1	24	13	26	1	3
C-8-7	3	0.1	21	24	33	1	3	C-13-9	<1	0.1	17	15	28	1	2
C-8-8	2	0.2	13	16	33	1	3	C-13-10	<1	0.1	34	19	23	1	3
C-8-9	<1	0.1	11	17	27	1	3	C-13-11	<1	0.1	36	11	25	1	2
C-8-10	5	0.1	21	15	25	1	2	C-14-1	<1	0.1	11	8	26	2	1
C-8-11	2	0.2	12	8	24	1	2	C-14-2	4	0.1	8	22	27	1	1
C-9-1	4	0.2	23	17	36	1	2	C-14-3	3	0.1	7	16	21	1	1
C-9-2	3	0.1	17	17	41	1	3	C-14-4	<1	0.1	12	22	28	1	1
C-9-3	<1	0.2	20	12	57	1	3	C-14-5	2	0.1	8	12	31	1	3
C-9-4	2	0.1	14	5	14	1	2	C-14-6	<1	0.1	22	28	40	2	9
C-9-5	1	0.2	7	8	13	2	1	C-14-7	<1	0.1	8	11	19	1	1
C-9-6	9	0.4	10	14	20	1	1	C-14-8	<1	0.1	15	10	21	1	2
C-9-7	2	0.1	10	19	26	1	3	C-14-9	<1	0.1	15	40	31	1	3
C-9-8	3	0.1	13	19	31	1	3	C-14-10	4	0.1	14	17	18	1	2
C-9-9	7	0.1	19	16	29	1	2	C-14-11	<1	0.1	14	13	17	1	2
C-9-10	5	0.1	41	18	28	1	3	C-15-1	1	0.1	16	12	24	1	2
C-9-11	5	0.1	50	20	45	1	10	C-15-2	<1	0.1	8	22	26	1	2
C-10-1	3	0.1	40	21	75	1	21	C-15-3	<1	0.1	6	15	25	1	2
C-10-2	2	0.1	21	15	36	1	3	C-15-4	<1	0.1	6	13	24	1	1
C-10-3	2	0.1	26	21	73	1	15	C-15-5	<1	0.2	10	23	24	1	1
C-10-4	<1	0.1	21	12	29	1	2	C-15-6	<1	0.1	18	12	30	1	3
C-10-5	<1	0.1	10	8	16	1	2	C-15-7	1	0.1	12	13	20	1	1
C-10-6	14	0.1	50	27	94	1	7	C-15-8	<1	0.1	9	18	20	1	1
C-10-7	2	0.1	25	12	37	1	3	C-15-9	1	0.1	10	10	18	1	1
C-10-8	9	0.1	25	18	33	1	3	C-15-10	4	0.1	10	7	17	1	2
C-10-9	10	0.1	60	20	39	1	6	C-15-11	2	0.1	14	11	18	2	3
C-10-10	3	0.2	36	19	31	1	7	C-16-1	7	0.1	22	9	31	1	3
C-10-11	3	0.1	17	11	29	1	2	C-16-2	8	0.1	16	8	24	1	2
C-11-1	<1	0.1	18	13	50	1	3	C-16-3	4	0.1	24	8	31	1	2
C-11-2	3	0.1	23	21	70	1	4	C-16-4	<1	0.1	21	18	30	1	3
C-11-3	<1	0.2	12	26	26	1	2	C-16-5	<1	0.1	9	8	26	1	2
C-11-4	<1	0.1	7	14	19	1	2	C-16-6	2	0.1	10	26	34	3	3
C-11-5	<1	0.1	7	12	17	1	2	C-16-7	3	0.1	11	14	23	1	2
C-11-6	1	0.2	8	9	21	1	1	C-16-8	3	0.1	12	12	20	1	1
C-11-7	<1	0.1	7	8	15	1	1	C-16-9	<1	0.1	14	11	18	1	1

Table List of the Results of Geochemical Analysis (6)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
C-16-10	6	0.1	24	10	25	1	2	C-18-5	<1	0.1	12	15	31	1	3
C-16-11	6	0.1	37	20	28	1	2	C-18-6	<1	0.1	9	12	26	1	1
C-16-12	52	0.1	180	10	39	2	1	C-18-7	<1	0.1	13	15	34	1	6
C-16-13	65	0.4	700	46	110	2	8	C-18-8	<1	0.1	13	13	33	1	9
C-16-14	<1	0.2	37	25	41	2	3	C-18-9	<1	0.1	13	14	32	1	4
C-16-15	22	0.4	135	20	80	5	4	C-18-10	4	0.1	18	14	33	1	3
C-16-16	74	0.3	550	60	160	1	15	C-18-11	<1	0.1	14	11	29	1	3
C-16-17	173	0.5	630	30	126	2	9	C-18-12	3	0.1	43	20	40	1	4
C-16-18	15	0.1	36	9	21	1	1	C-18-13	4	0.1	40	21	41	1	4
C-16-19	2	0.1	12	14	18	1	2	C-18-14	5	0.1	13	14	23	1	1
C-16-20	1	0.1	9	9	18	1	1	C-18-15	3	0.1	21	13	27	1	1
C-16-21	<1	0.1	10	7	18	1	2	C-18-16	7	0.2	38	22	56	1	3
C-16.5-12	1	0.1	9	13	21	1	2	C-18-17	147	0.1	32	24	60	1	5
C-16.5-13	1	0.2	11	13	11	1	2	C-18-18	8	0.1	17	20	38	1	3
C-16.5-14	<1	0.1	36	22	32	1	4	C-18-19	<1	0.1	9	12	18	5	3
C-16.5-15	9	0.1	90	17	105	1	9	C-18-20	<1	0.1	6	9	12	4	3
C-16.5-16	65	0.2	300	16	96	1	2	C-18-21	<1	0.1	10	11	16	6	1
C-16.5-17	15	0.1	100	16	29	1	1	C-18.5-7	6	0.1	13	16	33	1	2
C-16.5-18	2	0.2	19	15	17	1	1	C-18.5-8	<1	0.1	7	16	27	1	2
C-16.5-19	<1	0.1	13	16	23	3	2	C-18.5-9	1	0.1	8	22	37	1	4
C-16.5-20	<1	0.1	11	12	20	1	3	C-18.5-10	<1	0.1	10	14	42	1	2
C-16.5-21	5	0.2	11	11	13	1	1	C-18.5-12	2	0.1	29	13	31	1	4
C-17-1	1	0.1	12	10	9	1	1	C-18.5-13	3	0.1	30	22	34	1	5
C-17-2	4	0.2	16	14	21	1	2	C-18.5-14	6	0.1	13	15	29	1	2
C-17-3	2	0.2	12	19	38	1	3	C-18.5-15	132	0.1	95	36	127	7	12
C-17-4	<1	0.1	14	16	40	1	5	C-18.5-16	19	0.1	96	10	47	3	2
C-17-5	<1	0.1	16	16	24	1	2	C-18.5-17	36	0.2	198	7	48	2	2
C-17-6	<1	0.1	7	15	21	1	1	C-18.5-18	3	0.1	13	7	17	1	1
C-17-7	<1	0.2	8	18	17	1	2	C-18.5-19	<1	0.1	12	11	17	2	3
C-17-8	2	0.2	10	14	28	1	2	C-18.5-20	<1	0.1	7	11	13	1	2
C-17-9	<1	0.1	8	14	17	1	1	C-18.5-21	<1	0.1	8	16	17	5	2
C-17-10	<1	0.1	8	16	20	1	2	C-19-1	3	0.1	16	5	10	1	1
C-17-11	<1	0.1	9	20	28	1	2	C-19-2	<1	0.1	23	5	12	1	2
C-17-12	<1	0.2	9	17	18	1	2	C-19-3	2	0.1	17	1	16	1	2
C-17-13	<1	0.1	37	23	33	1	3	C-19-4	2	0.1	21	4	37	1	2
C-17-14	<1	0.1	40	17	36	1	3	C-19-5	<1	0.1	12	13	41	1	2
C-17-15	27	0.4	235	12	32	2	4	C-19-6	<1	0.1	11	12	42	1	5
C-17-16	32	0.1	170	10	30	2	2	C-19-7	<1	0.1	11	23	32	1	2
C-17-17	55	0.3	130	8	48	1	1	C-19-8	<1	0.1	15	12	34	1	3
C-17-18	15	0.2	53	12	27	1	1	C-19-9	3	0.1	13	15	32	1	2
C-17-19	42	0.3	130	8	52	2	1	C-19-10	78	0.1	135	58	58	2	4
C-17-20	24	0.2	43	23	23	1	1	C-19-11	99	0.2	670	115	115	2	18
C-17-21	5	0.2	21	20	16	1	1	C-19-12	94	0.1	630	117	117	3	7
C-17.5-12	<1	0.1	13	16	18	1	2	C-19-13	<1	0.1	35	45	45	1	3
C-17.5-13	1	0.1	40	24	34	1	4	C-19-14	3	0.1	16	24	24	2	4
C-17.5-14	9	0.1	200	22	27	4	5	C-19-15	3	0.1	13	26	26	2	3
C-17.5-15	57	0.1	355	16	40	1	1	C-19-16	3	0.1	6	20	20	1	2
C-17.5-16	91	0.1	360	17	44	1	1	C-19-17	<1	0.1	7	15	15	1	2
C-17.5-17	18	0.1	68	12	22	1	1	C-19-18	<1	0.1	6	16	16	2	1
C-17.5-18	27	0.1	38	11	18	1	1	C-19-19	1	0.1	6	12	20	6	2
C-17.5-19	3	0.1	20	11	18	1	1	C-19-20	<1	0.1	6	13	18	11	2
C-17.5-20	<1	0.1	21	17	24	1	3	C-19-21	<1	0.1	4	10	13	3	1
C-17.5-21	2	0.1	13	10	15	2	1	C-19.5-7	10	0.1	34	10	54	1	2
C-18-1	1	0.1	13	9	20	1	1	C-19.5-9	<1	0.1	18	8	41	1	7
C-18-2	3	0.1	17	9	19	1	1	C-19.5-13	6	0.1	45	20	37	1	5
C-18-3	2	0.1	21	6	19	1	1	C-19.5-15	<1	0.1	8	24	19	1	5
C-18-4	2	0.1	24	11	22	1	2	C-20-1	1	0.1	18	5	23	1	2

Table List of the Results of Geochemical Analysis (7)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
C-20-2	6	0.1	16	4	19	1	2	C-24-3	15	0.1	18	7	38	1	2
C-20-3	3	0.1	19	6	23	1	2	C-24-4	4	0.1	20	21	54	1	2
C-20-4	2	0.1	16	5	13	1	1	C-24-5	11	0.1	8	17	25	1	2
C-20-5	<1	0.1	8	4	19	1	1	C-24-6	<1	0.1	7	21	25	1	2
C-20-6	3	0.1	18	3	21	1	1	C-24-7	126	0.1	225	8	113	1	3
C-20-7	3	0.1	22	4	27	1	2	C-24-8	36	0.1	1200	7	265	2	4
C-20-8	4	0.1	28	7	47	1	2	C-24-9	<1	0.1	14	10	21	1	2
C-20-9	3	0.1	18	4	25	1	1	C-24-10	<1	0.1	33	20	20	5	2
C-20-10	<1	0.1	35	21	42	1	5	C-24-11	1	0.1	48	70	28	5	3
C-20-11	6	0.2	56	23	56	1	4	C-25-1	<1	0.1	20	15	35	1	8
C-20-12	2	0.2	31	16	35	1	4	C-25-2	3	0.1	21	27	64	1	2
C-20-13	1	0.1	33	20	33	1	5	C-25-3	3	0.1	14	12	43	1	3
C-20-14	<1	0.1	33	20	33	1	4	C-25-4	<1	0.1	7	12	34	1	2
C-20-15	<1	0.1	4	24	26	2	4	C-25-5	4	0.1	36	22	41	1	5
C-20-16	<1	0.1	3	18	26	2	2	C-25-6	8	0.1	19	12	30	1	2
C-20-17	<1	0.1	4	30	29	1	1	C-25-7	<1	0.1	10	26	26	1	2
C-20-18	<1	0.1	4	25	20	1	1	C-25-8	<1	0.1	8	20	23	1	2
C-20-19	2	0.1	5	18	22	1	2	C-25-9	<1	0.1	7	15	29	1	3
C-20-20	<1	0.1	9	43	46	6	4	C-25-10	<1	0.1	8	21	30	1	1
C-20-21	1	0.1	7	27	46	28	2	C-25-11	<1	0.1	7	14	25	1	2
C-21-1	5	0.1	22	6	17	1	2	C-26-1	5	0.1	23	28	45	1	2
C-21-2	33	0.1	43	13	57	1	3	C-26-2	3	0.1	16	26	47	1	4
C-21-3	5	0.1	31	28	45	1	5	C-26-3	2	0.1	18	16	50	1	4
C-21-4	9	0.1	46	22	16	1	13	C-26-4	<1	0.1	28	30	66	1	12
C-21-5	11	0.1	26	18	32	1	5	C-26-5	<1	0.1	5	6	14	1	1
C-21-6	93	0.1	48	27	42	10	7	C-26-6	1	0.1	8	18	32	1	3
C-21-7	9	0.1	5	21	25	2	13	C-26-7	<1	0.1	7	23	31	2	2
C-21-8	<1	0.1	5	17	27	1	13	C-26-8	<1	0.1	7	21	29	1	3
C-21-9	4	0.1	4	13	28	2	2	C-26-9	<1	0.1	7	21	30	1	3
C-21-10	<1	0.1	7	24	35	1	2	C-26-10	<1	0.1	7	21	28	1	3
C-21-11	<1	0.1	16	29	43	4	2	C-26-11	<1	0.1	7	18	25	1	3
C-21-5-9	2	0.1	30	16	36	1	4	C-26-12	<1	0.1	6	18	30	1	2
C-21-5-13	2	0.1	9	32	31	7	2	C-26-13	<1	0.1	3	14	24	1	2
C-22-1	3	0.1	18	10	25	1	4	C-26-14	<1	0.1	3	36	25	1	3
C-22-2	4	0.1	30	17	44	1	11	C-26-15	<1	0.1	4	18	24	1	2
C-22-3	4	0.1	16	8	27	1	2	C-27-1	6	0.1	21	18	56	1	2
C-22-4	3	0.1	20	10	62	1	5	C-27-2	3	0.1	16	16	37	1	2
C-22-5	5	0.1	25	19	70	1	14	C-27-3	3	0.1	20	17	46	1	3
C-22-6	<1	0.1	7	20	24	1	2	C-27-4	1	0.1	7	12	34	1	3
C-22-7	<1	0.1	7	18	23	2	3	C-27-5	2	0.1	7	17	31	1	3
C-22-8	<1	0.1	7	22	28	1	3	C-27-6	<1	0.1	5	14	23	1	2
C-22-9	<1	0.1	7	23	25	1	3	C-27-7	<1	0.1	7	22	39	1	1
C-22-10	<1	0.2	8	32	32	1	2	C-27-8	<1	0.1	6	20	28	1	1
C-22-11	<1	0.1	25	50	50	1	4	C-27-9	<1	0.1	5	14	24	1	1
C-23-1	3	0.1	16	17	21	1	2	C-27-10	<1	0.1	5	10	24	1	1
C-23-2	8	0.1	18	17	35	1	3	C-27-11	<1	0.1	3	10	24	1	1
C-23-3	17	0.1	36	10	35	1	4	C-27-12	2	0.1	3	10	22	1	1
C-23-4	2	0.1	10	6	22	1	2	C-27-13	<1	0.1	3	14	22	1	2
C-23-5	<1	0.1	6	20	26	1	2	C-27-14	<1	0.1	3	6	17	1	1
C-23-6	<1	0.1	7	19	30	1	1	C-27-15	<1	0.1	4	6	22	1	2
C-23-7	<1	0.1	12	25	30	1	1	C-28-1	5	0.1	17	18	46	1	3
C-23-8	<1	0.1	8	40	36	2	1	C-28-2	<1	0.1	8	47	13	1	1
C-23-9	<1	0.1	32	62	62	1	3	C-28-3	9	0.1	13	10	29	2	1
C-23-10	<1	0.1	28	45	51	1	3	C-28-4	5	0.2	21	27	51	1	3
C-23-11	<1	0.1	8	13	36	1	2	C-28-5	<1	0.1	5	14	25	1	1
C-24-1	1	0.1	9	10	35	1	1	C-28-6	5	0.1	33	18	32	1	3
C-24-2	1	0.1	20	28	30	1	3	C-28-7	5	0.1	22	17	28	1	3

Table List of the Results of Geochemical Analysis (8)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
C-28-8	6	0.1	8	10	26	2	1	C-32-10	5	0.1	8	17	31	1	1
C-28-9	<1	0.1	8	19	31	1	2	C-33-1	1	0.1	8	10	27	1	1
C-28-10	<1	0.1	6	18	31	1	2	C-33-2	3	0.1	17	10	30	1	6
C-28-11	<1	0.1	6	10	35	1	2	C-33-3	3	0.1	8	6	26	1	2
C-28-12	<1	0.1	3	20	38	2	1	C-33-4	1	0.1	8	8	23	1	2
C-28-13	<1	0.1	4	17	27	1	2	C-33-5	1	0.1	12	12	36	1	3
C-28-14	2	0.1	4	21	32	1	2	C-33-6	4	0.1	27	14	34	2	6
C-28-15	2	0.1	7	14	31	1	2	C-33-7	30	0.1	35	20	43	1	5
C-29-1	6	0.1	15	15	48	1	8	C-33-8	11	0.2	25	27	34	1	4
C-29-2	4	0.1	11	22	44	1	3	C-33-9	6	0.1	22	22	32	1	2
C-29-3	4	0.1	8	6	25	1	2	C-33-10	21	0.1	8	25	45	1	4
C-29-4	6	0.1	28	32	61	1	4	C-34-1	19	0.1	14	21	46	1	9
C-29-5	5	0.1	15	15	48	1	2	C-34-2	8	0.1	9	6	26	1	3
C-29-6	1	0.1	28	18	32	1	3	C-34-3	3	0.1	9	5	26	1	2
C-29-7	<1	0.1	7	17	38	1	2	C-34-4	5	0.1	10	6	22	1	2
C-29-8	11	0.1	9	10	30	1	1	C-34-5	3	0.1	8	3	19	1	1
C-29-9	20	0.1	8	10	25	1	1	C-34-6	4	0.1	17	12	25	1	3
C-29-10	324	0.1	21	18	29	1	1	C-34-7	6	0.1	41	25	45	2	5
C-29-11	1	0.1	30	21	38	2	4	C-34-8	2	0.1	30	22	40	1	5
C-29-12	<1	0.1	4	17	20	2	2	C-34-9	4	0.1	17	26	36	1	3
C-29-13	<1	0.1	6	15	25	2	1	C-34-10	26	0.1	10	28	29	1	4
C-29-14	<1	0.1	6	10	25	1	1	C-35-2	<1	0.1	6	13	23	1	2
C-29-15	7	0.1	5	22	25	1	1	C-35-3	<1	0.1	5	6	19	1	2
C-30-1	13	0.1	8	15	21	1	1	C-35-4	<1	0.1	5	6	16	1	1
C-30-2	14	0.1	17	14	37	1	1	C-35-5	<1	0.1	5	6	18	2	1
C-30-3	5	0.1	17	24	37	1	2	C-35-6	<1	0.1	5	8	34	1	2
C-30-4	24	0.1	19	20	50	1	4	C-35-7	<1	0.1	4	13	20	1	2
C-30-9A	2	0.1	5	14	26	1	1	C-35-8	<1	0.1	5	22	15	1	2
C-30-6	12	0.1	19	25	50	1	2	C-35-9	<1	0.1	5	13	10	1	1
C-30-7	2	0.1	8	25	40	1	2	C-35-10	<1	0.1	3	13	12	1	1
C-30-8	5	0.1	8	21	43	1	1	C-35-11	2	0.1	3	5	17	1	1
C-30-9B	1	0.1	6	14	22	1	1	C-36-1	<1	0.1	3	6	15	1	1
C-30-10	<1	0.1	5	15	24	1	2	C-36-2	<1	0.1	3	13	15	1	1
C-30-11	<1	0.1	6	20	32	1	2	C-36-3	<1	0.1	4	5	16	1	1
C-30-12	<1	0.1	4	18	27	1	3	C-36-4	<1	0.2	4	6	14	1	1
C-30-13	<1	0.1	5	18	25	1	1	C-36-5	2	0.1	4	4	17	1	1
C-30-14	<1	0.1	5	20	28	1	2	C-36-6	2	0.1	4	5	15	1	1
C-30-15	<1	0.1	5	18	34	2	2	C-36-7	27	0.1	48	5	22	2	1
C-31-1	26	0.1	8	14	30	1	2	C-36-8	69	0.1	120	6	36	7	1
C-31-2	3	0.1	8	11	36	1	3	C-36-9	36	0.1	35	4	27	1	1
C-31-3	7	0.1	21	34	32	1	3	C-36-10	64	0.2	53	2	34	1	1
C-31-4	39	0.1	17	13	39	1	7	C-36-11	<1	0.1	4	14	29	2	2
C-31-5	<1	0.1	36	29	44	1	6	C-36-12	<1	0.1	4	7	19	1	1
C-31-6	3	0.1	20	27	45	2	2	C-36-13	<1	0.2	4	7	20	1	1
C-31-7	6	0.1	8	24	33	1	2	C-36-14	<1	0.1	3	8	12	1	1
C-31-8	<1	0.1	4	5	18	1	1	C-36-15	<1	0.1	4	16	19	1	1
C-31-9	<1	0.1	4	9	23	1	1	C-36-16	<1	0.2	5	43	30	1	7
C-31-10	<1	0.1	5	25	28	1	2	C-37-1	<1	0.1	4	19	20	1	1
C-32-1	5	0.1	8	15	56	1	2	C-37-2	<1	0.1	3	14	22	1	1
C-32-2	6	0.1	18	9	17	1	3	C-37-3	<1	0.1	4	16	19	1	2
C-32-3	<1	0.1	15	10	32	1	2	C-37-4	2	0.1	3	6	18	1	1
C-32-4	<1	0.1	9	10	37	1	2	C-37-5	<1	0.1	3	2	18	1	1
C-32-5	<1	0.1	25	18	33	1	3	C-37-6	<1	0.1	5	14	25	1	1
C-32-6	1	0.1	26	20	26	1	2	C-37-7	8	0.1	8	3	18	1	1
C-32-7	7	0.1	13	29	35	1	2	C-37-8	60	0.1	110	3	26	2	1
C-32-8	24	0.1	12	21	38	1	1	C-37-9	26	0.1	45	3	30	1	1
C-32-9	2	0.1	16	12	24	1	2	C-37-10	18	0.1	37	3	24	2	1

Table List of the Results of Geochemical Analysis (9)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
C-37-11	<1	0.1	5	4	19	1	1	C-41-4	3	0.1	7	61	45	1	3
C-37-12	<1	0.1	5	18	23	1	1	C-41-5	<1	0.1	4	20	24	1	1
C-37-13	<1	0.1	5	16	33	1	3	C-41-6	<1	0.1	3	15	23	1	1
C-37-14	2	0.1	5	25	28	1	2	C-41-7	<1	0.1	3	7	16	1	1
C-37-15	<1	0.1	4	12	20	1	1	C-41-8	<1	0.1	5	18	24	1	2
C-37-16	3	0.1	5	6	23	1	1	C-41-9	<1	0.1	4	14	17	1	1
C-38-1	<1	0.1	5	15	28	1	2	C-41-10	1	0.1	3	17	24	1	1
C-38-2	<1	0.1	5	23	27	1	3	C-41-11	2	0.1	34	12	40	1	12
C-38-3	<1	0.1	5	12	28	1	2	C-42-1	4	0.1	17	5	25	1	2
C-38-4	<1	0.2	5	18	29	2	2	C-42-2	5	0.1	9	5	13	1	1
C-38-5	1	0.1	5	20	28	2	2	C-42-3	5	0.1	5	14	16	1	1
C-38-6	<1	0.1	4	11	29	1	2	C-42-4	1	0.1	3	34	24	1	2
C-38-7	<1	0.1	4	17	27	1	1	C-42-5	<1	0.1	4	46	34	5	3
C-38-8	114	0.1	12	16	46	1	4	C-42-6	<1	0.1	5	11	17	1	1
C-38-9	2	0.1	5	52	41	1	3	C-42-7	2	0.1	5	26	28	1	2
C-38-10	17	0.1	12	150	60	1	6	C-42-8	<1	0.1	5	36	27	1	3
C-38-11	1	0.1	6	35	31	1	2	C-42-9	4	0.1	100	25	65	1	41
C-38-12	<1	0.1	5	23	27	2	1	C-42-10	10	0.1	110	7	44	1	10
C-38-13	2	0.1	6	22	36	1	2	C-42-11	2	0.1	186	6	70	1	32
C-38-14	2	0.1	5	38	35	1	1	C-43-1	6	0.2	56	33	37	1	4
C-38-15	<1	0.1	4	11	13	2	1	C-43-2	6	0.1	36	13	32	1	2
C-38-16	<1	0.1	4	8	5	1	1	C-43-3	2	0.1	6	12	17	1	2
C-39-1	<1	0.1	5	13	21	1	1	C-43-4	<1	0.1	5	14	23	1	2
C-39-2	1	0.1	6	26	25	1	3	C-43-5	<1	0.1	4	10	22	1	2
C-39-3	<1	0.1	5	20	30	1	2	C-43-6	<1	0.1	3	6	17	2	1
C-39-4	<1	0.1	5	18	30	1	1	C-43-7	<1	0.1	3	5	16	1	2
C-39-5	<1	0.1	5	39	32	1	4	C-43-8	2	0.1	6	10	21	1	2
C-39-6	3	0.1	5	32	32	1	3	C-43-9	5	0.1	105	11	63	1	22
C-39-7	1	0.1	5	50	29	1	3	C-43-10	21	0.1	120	5	39	1	17
C-39-8	19	0.1	16	43	29	1	4	C-43-11	2	0.1	97	4	43	1	11
C-39-9	458	0.1	5	400	43	1	5	C-44-1	4	0.1	13	18	42	1	6
C-39-10	<1	0.1	4	27	30	1	3	C-44-2	5	0.1	24	20	45	1	2
C-39-11	<1	0.1	3	20	29	1	1	C-44-3	18	0.1	12	17	34	1	3
C-39-12	<1	0.1	3	17	23	1	1	C-44-4	<1	0.1	5	38	6	1	2
C-39-13	<1	0.1	4	24	21	1	1	C-44-5	1	0.1	6	6	13	1	1
C-39-14	2	0.1	4	32	20	1	1	C-44-6	11	0.1	12	12	37	1	3
C-39-15	<1	0.1	4	16	18	1	2	C-44-7	<1	0.1	6	18	21	2	2
C-39-16	2	0.1	5	16	17	1	2	C-44-8	4	0.1	7	15	27	1	2
C-40-1	<1	0.1	5	6	16	1	1	C-44-9	4	0.1	15	10	30	1	3
C-40-2	1	0.1	6	20	23	1	2	C-44-10	18	0.1	84	4	33	1	6
C-40-3	<1	0.1	7	30	35	1	2	C-44-11	1	0.1	86	3	50	1	44
C-40-4	14	0.1	19	27	30	1	2	CB-16.5	<1	0.1	12	20	25	1	2
C-40-5	88	0.1	46	34	42	1	6	CB-17.5	<1	0.1	10	14	39	1	3
C-40-6	2	0.1	5	18	29	1	2	CB-18.5	<1	0.1	14	9	36	1	6
C-40-7	<1	0.1	5	15	26	1	2	CB-19.5	17	0.1	67	40	78	1	7
C-40-8	<1	0.1	4	24	23	1	2	CB-20.5	3	0.1	28	18	34	2	2
C-40-9	<1	0.1	3	33	25	1	2	CB-21.5	6	0.1	20	15	25	2	1
C-40-10	3	0.1	3	24	28	1	2	CB-22.5	<1	0.1	8	26	41	1	2
C-40-11	<1	0.1	4	34	35	1	3	CB-23.5	<1	0.1	10	22	29	1	2
C-40-12	<1	0.2	5	61	37	1	2	CB-24.5	1	0.1	17	9	30	1	1
C-40-13	<1	0.1	4	28	34	1	1	CB-35	<1	0.1	6	20	28	1	1
C-40-14	<1	0.1	4	19	16	1	1	CB-36	<1	0.1	4	11	35	1	1
C-40-15	<1	0.1	4	21	22	2	2	CB-37	<1	0.1	5	11	29	1	1
C-40-16	4	0.1	6	32	31	1	5	D-1-1	3	0.1	17	20	33	1	5
C-41-1	2	0.1	21	23	27	1	2	D-1-2	7	0.1	5	16	17	1	3
C-41-2	24	0.1	82	20	30	1	3	D-1-3	<1	0.1	31	23	27	1	3
C-41-3	<1	0.1	6	70	39	1	5	D-1-4	<1	0.1	5	20	19	1	2

Table List of the Results of Geochemical Analysis (10)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
D-1-5	<1	0.1	6	16	19	1	1	E-3-9	2	0.1	40	22	139	1	35
D-1-6	<1	0.1	6	28	40	1	4	E-3-10	<1	0.1	34	17	55	1	8
D-1-7	1	0.1	6	5	23	1	2	E-3-11	<1	0.1	5	6	12	2	2
D-1-8	2	0.1	10	28	21	1	2	E-4-1	3	0.1	38	25	54	1	7
D-1-9	3	0.1	15	20	21	7	2	E-4-2	<1	0.1	33	14	44	1	5
D-1-10	1	0.1	24	21	22	6	2	E-4-3	<1	0.1	22	16	46	1	3
D-1-5-10	2	0.3	18	25	20	1	2	E-4-4	2	0.1	43	34	112	1	38
D-2-1	3	0.1	20	18	30	1	3	E-4-5	5	0.1	58	45	124	1	37
D-2-2	4	0.2	26	25	33	1	3	E-4-6	3	0.1	28	16	71	1	6
D-2-3	1	0.1	22	7	18	1	2	E-4-7	1	0.1	25	14	60	1	4
D-2-4	<1	0.1	60	27	35	5	4	E-4-8	<1	0.1	19	11	29	1	3
D-2-5	1	0.1	29	23	22	2	1	E-4-9	2	0.1	18	11	21	1	1
D-2-6	3	0.3	23	22	20	2	2	E-4-10	2	0.1	7	10	11	1	1
D-2-7	4	0.1	34	34	29	8	3	E-4-11	<1	0.1	2	3	5	1	1
D-2-8	11	0.1	15	26	37	10	4	E-5-1	<1	0.4	33	36	67	1	12
D-2-9	3	0.1	52	40	34	8	5	E-5-2	3	0.3	20	19	45	1	6
D-2-10	4	0.1	19	31	22	7	2	E-5-3	<1	0.3	25	18	50	1	5
D-3-1	<1	0.1	20	16	20	1	3	E-5-4	3	0.3	18	27	70	1	16
D-3-2	<1	0.1	16	16	18	1	2	E-5-5	<1	0.2	20	22	68	1	15
D-3-3	2	0.1	30	25	22	4	3	E-5-6	4	0.1	68	46	118	1	45
D-3-4	<1	0.1	39	18	20	3	2	E-5-7	4	0.2	53	54	84	1	46
D-3-5	<1	0.2	14	20	18	1	1	E-5-8	4	0.2	57	46	135	1	54
D-3-6	1	0.1	6	13	19	8	1	E-5-9	<1	0.1	177	18	109	1	34
D-3-7	2	0.1	15	15	22	10	3	E-5-10	<1	0.1	25	16	26	1	6
D-3-8	1	0.1	43	24	50	14	9	E-5-11	2	0.2	29	19	43	1	7
D-3-9	5	0.1	26	20	24	10	1	E-6-1	<1	0.1	28	26	57	1	10
D-3-10	7	0.1	62	43	54	18	3	E-6-2	1	0.1	27	28	65	1	18
E-1-1	<1	0.1	46	14	61	1	22	E-6-3	<1	0.1	28	28	88	1	22
E-1-2	4	0.1	100	15	68	1	10	E-6-4	10	0.1	63	24	80	1	17
E-1-3	3	0.1	85	6	39	1	8	E-6-5	7	0.1	83	44	144	1	28
E-1-4	5	0.1	145	2	37	1	7	E-6-6	3	0.2	40	42	79	1	44
E-1-5	10	0.1	140	9	55	1	42	E-6-7	<1	0.3	27	12	43	1	3
E-1-6	3	0.1	43	14	46	1	6	E-6-8	<1	0.2	19	10	43	1	5
E-1-7	6	0.1	43	10	50	1	4	E-6-9	<1	0.1	19	14	40	1	1
E-1-8	5	0.1	43	10	56	1	4	E-6-10	<1	0.1	5	6	23	1	2
E-1-9	3	0.1	43	14	120	1	17	E-6-11	1	0.2	16	17	23	1	2
E-1-10	3	0.1	20	16	30	1	2	E-7-1	<1	0.2	44	24	65	2	30
E-1-11	1	0.1	16	22	29	1	2	E-7-2	2	0.1	17	18	67	2	18
E-2-1	2	0.1	52	13	61	1	14	E-7-3	<1	0.2	17	19	56	1	11
E-2-2	2	0.1	75	25	77	1	23	E-7-4	<1	0.2	28	24	68	1	18
E-2-3	<1	0.7	29	22	83	1	14	E-7-5	2	0.1	40	22	85	2	6
E-2-4	33	0.1	59	12	86	1	7	E-7-6	<1	0.1	29	15	87	1	16
E-2-5	7	0.1	83	14	88	1	7	E-7-7	2	0.1	27	14	40	1	6
E-2-6	16	0.1	65	12	105	1	10	E-7-8	2	0.3	14	11	32	1	2
E-2-7	3	0.1	52	25	90	1	39	E-7-9	5	0.3	22	15	39	1	2
E-2-8	<1	0.1	32	23	97	1	29	E-7-10	2	0.4	22	24	58	1	3
E-2-9	<1	0.1	32	15	64	1	18	E-7-11	4	0.2	58	4	65	1	9
E-2-10	1	0.1	20	16	32	1	5	E-8-1	<1	0.2	19	11	70	1	13
E-2-11	<1	0.2	16	10	18	1	2	E-8-2	3	0.1	34	18	60	1	14
E-3-1	4	0.2	107	25	13	1	38	E-8-3	<1	0.1	26	15	74	1	16
E-3-2	<1	0.1	33	19	78	1	22	E-8-4	<1	0.1	29	16	48	1	6
E-3-3	3	0.1	51	42	118	1	35	E-8-5	2	0.2	29	17	77	1	16
E-3-4	9	0.1	81	28	100	1	22	E-8-6	<1	0.2	37	22	80	2	18
E-3-5	17	0.1	80	38	144	1	15	E-8-7	<1	0.4	49	23	56	1	8
E-3-6	6	0.1	54	17	75	1	8	E-8-8	1	0.3	35	29	60	1	5
E-3-7	<1	0.1	15	11	76	1	2	E-8-9	<1	0.3	8	18	60	1	12
E-3-8	3	0.1	22	16	40	1	12	E-8-10	6	0.2	26	14	49	1	3

Table List of the Results of Geochemical Analysis (11)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
E-8-11	3	0.4	47	12	37	1	8	E-14-2	<1	0.1	15	8	69	1	20
E-9-1	<1	0.2	22	3	77	1	16	E-14-3	<1	0.1	7	10	69	1	13
E-9-2	<1	0.3	19	18	76	1	21	E-14-4	<1	0.1	12	10	70	1	18
E-9-3	2	0.2	24	16	60	2	11	E-14-5	<1	0.1	6	11	56	2	7
E-9-4	<1	0.3	29	17	80	2	19	E-14-6	<1	0.1	6	14	73	1	22
E-9-5	<1	0.3	6	14	48	1	6	E-14-7	<1	0.3	6	10	63	1	17
E-9-6	5	0.2	41	22	60	1	10	E-14-8	<1	0.1	19	14	51	1	5
E-9-7	<1	0.1	30	24	68	1	18	E-14-9	5	0.1	28	18	76	1	3
E-9-8	15	0.2	19	32	89	1	15	E-14-10	4	0.1	39	22	49	1	3
E-9-9	2	0.2	30	20	37	1	3	E-14-11	13	0.2	40	23	92	1	18
E-9-10	4	0.2	37	11	42	1	3	E-15-1	<1	0.2	6	6	60	1	13
E-9-11	1	0.3	40	10	50	1	3	E-15-2	<1	0.1	16	2	63	1	14
E-10-1	1	0.3	24	18	58	1	21	E-15-3	<1	0.1	15	7	63	1	17
E-10-2	<1	0.2	48	15	71	1	27	E-15-4	<1	0.1	33	8	80	1	20
E-10-3	<1	0.4	34	7	68	1	18	E-15-5	<1	0.1	5	15	47	1	7
E-10-4	<1	0.2	17	12	73	1	23	E-15-6	<1	0.1	8	9	70	1	12
E-10-5	1	0.2	21	18	69	1	22	E-15-7	<1	0.1	17	20	79	1	18
E-10-6	<1	0.2	23	18	73	1	17	E-15-8	3	0.1	48	24	82	1	18
E-10-7	2	0.3	24	22	61	1	20	E-15-9	3	0.1	45	22	59	1	3
E-10-8	2	0.3	18	18	65	1	14	E-15-10	3	0.1	31	21	46	1	3
E-10-9	2	0.2	37	24	62	1	16	E-15-11	3	0.1	46	18	65	1	4
E-10-10	<1	0.3	31	16	96	1	21	E-16-1	<1	0.1	29	10	85	1	13
E-10-11	<1	0.3	18	10	44	1	2	E-16-2	<1	0.1	14	8	75	1	16
E-11-1	<1	0.2	24	10	56	1	15	E-16-3	<1	0.2	13	17	90	1	17
E-11-2	<1	0.1	22	9	70	1	18	E-16-4	<1	0.2	31	13	68	1	18
E-11-3	<1	0.1	13	16	77	1	23	E-16-5	<1	0.2	29	20	84	1	25
E-11-4	<1	0.1	33	13	62	1	16	E-16-6	<1	0.2	44	28	83	2	22
E-11-5	<1	0.1	33	10	80	1	20	E-16-7	2	0.3	38	26	82	1	25
E-11-6	2	0.1	6	7	59	1	17	E-16-8	3	0.1	15	11	35	1	2
E-11-7	3	0.2	18	8	77	1	20	E-16-9	5	0.1	22	16	36	1	1
E-11-8	<1	0.1	21	22	37	1	5	E-16-10	2	0.1	32	20	25	1	2
E-11-9	2	0.1	17	12	47	1	3	E-16-11	1	0.1	28	14	34	1	2
E-11-10	3	0.1	15	10	45	1	2	E-17-1	1	0.3	45	21	89	1	26
E-11-11	<1	0.2	19	12	72	1	3	E-17-2	<1	0.3	48	25	96	1	19
E-12-1	2	0.2	20	20	54	1	9	E-17-3	1	0.2	40	23	80	1	14
E-12-2	<1	0.1	78	78	79	1	8	E-17-4	<1	0.2	21	12	78	1	14
E-12-3	<1	0.1	7	8	50	1	6	E-17-5	<1	0.1	27	14	77	1	18
E-12-4	1	0.1	9	16	63	1	12	E-17-6	5	0.1	19	14	63	1	5
E-12-5	<1	0.1	5	7	52	1	6	E-17-7	3	0.1	35	17	60	1	4
E-12-6	<1	0.1	22	6	73	1	25	E-17-8	2	0.1	13	8	26	1	2
E-12-7	<1	0.1	10	6	60	1	16	E-17-9	3	0.1	17	16	26	1	2
E-12-8	2	0.1	5	13	74	1	12	E-17-10	4	0.2	40	10	46	1	5
E-12-9	3	0.2	33	12	88	1	15	E-17-11	3	0.1	31	10	47	1	3
E-12-10	6	0.1	27	18	77	1	19	E-18-1	<1	0.3	38	20	72	1	13
E-12-11	<1	0.1	22	19	77	1	4	E-18-2	<1	0.3	44	16	82	1	12
E-13-1	<1	0.1	25	12	70	2	21	E-18-3	2	0.3	34	24	81	1	8
E-13-2	<1	0.1	20	8	65	1	17	E-18-4	1	0.2	51	25	120	1	24
E-13-3	<1	0.1	13	8	80	1	15	E-18-5	<1	0.2	24	10	70	1	13
E-13-4	<1	0.1	6	12	82	1	11	E-18-6	<1	0.3	21	20	82	1	17
E-13-5	<1	0.1	25	16	68	2	19	E-18-7	2	0.1	24	24	100	1	21
E-13-6	<1	0.1	6	14	62	1	8	E-18-8	13	0.2	19	16	76	1	10
E-13-7	<1	0.1	5	15	61	2	9	E-18-9	7	0.1	18	9	40	1	3
E-13-8	4	0.3	37	26	104	2	25	E-18-10	5	0.1	35	15	110	1	10
E-13-9	4	0.1	22	20	76	1	3	E-18-11	4	0.1	6	10	50	1	6
E-13-10	<1	0.1	58	24	77	2	6	E-19-1	9	0.1	60	19	80	1	10
E-13-11	2	0.3	55	28	85	1	29	E-19-2	<1	0.1	30	14	76	1	17
E-14-1	<1	0.2	17	12	60	1	21	E-19-3	2	0.2	36	28	86	1	18

Table List of the Results of Geochemical Analysis (12)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
E-19-4	4	0.1	50	10	39	1	4	E-24-6	6	0.1	45	32	64	1	8
E-19-5	3	0.1	53	11	46	1	3	E-24-7	1	0.1	6	16	23	1	2
E-19-6	3	0.2	45	19	46	1	5	E-24-8	2	0.1	15	17	34	1	2
E-19-7	<1	0.3	28	16	69	1	18	E-24-9	1	0.1	38	13	68	1	13
E-19-8	2	0.4	31	32	97	1	18	E-24-10	2	0.1	55	15	65	1	12
E-19-9	6	0.1	27	30	105	2	13	E-24-11	4	0.1	40	11	48	2	8
E-19-10	15	0.3	26	26	126	1	20	E-25-1	<1	0.1	4	18	26	1	1
E-19-11	5	0.1	50	14	44	1	3	E-25-2	2	0.1	4	13	21	1	2
E-20-1	<1	0.1	5	28	29	1	3	E-25-3	<1	0.1	3	26	28	1	4
E-20-2	1	0.1	30	22	54	1	9	E-25-4	<1	0.1	5	31	36	2	2
E-20-3	2	0.1	28	18	69	1	13	E-25-5	<1	0.1	4	19	25	1	2
E-20-4	1	0.1	38	24	66	1	17	E-25-6	<1	0.1	4	14	16	1	1
E-20-5	1	0.1	30	22	60	1	9	E-25-7	2	0.1	17	24	38	1	3
E-20-6	2	0.1	37	15	43	1	4	E-25-8	<1	0.1	28	22	59	1	7
E-20-7	5	0.1	42	26	53	2	10	E-25-9	7	0.1	19	26	36	2	3
E-20-8	1	0.1	28	16	50	1	13	E-25-10	2	0.1	25	14	38	1	3
E-20-9	7	0.1	22	20	68	1	10	E-25-11	2	0.1	24	16	40	1	2
E-20-10	3	0.1	23	10	55	1	13	E-26-1	<1	0.1	4	14	24	1	1
E-20-11	5	0.1	17	9	72	1	7	E-26-2	<1	0.1	3	16	23	2	1
E-21-1	<1	0.1	5	23	66	1	8	E-26-3	<1	0.1	4	20	22	1	1
E-21-2	48	0.1	39	24	38	1	4	E-26-4	<1	0.1	3	12	20	1	2
E-21-3	2	0.1	19	18	52	1	7	E-26-5	<1	0.1	3	9	17	1	1
E-21-4	1	0.1	48	18	42	1	9	E-26-6	<1	0.1	4	14	16	1	1
E-21-5	6	0.1	85	14	66	1	2	E-26-7	<1	0.1	13	22	26	1	1
E-21-6	4	0.1	50	9	40	1	2	E-26-8	3	0.2	42	25	61	1	10
E-21-7	4	0.1	50	8	48	2	2	E-26-9	6	0.3	185	23	52	1	12
E-21-8	3	0.1	48	5	47	2	2	E-26-10	10	0.3	64	20	110	1	19
E-21-9	3	0.1	40	22	82	1	16	E-26-11	5	0.2	55	20	70	2	3
E-21-10	3	0.1	24	11	88	1	17	E-27-1	<1	0.2	4	10	18	1	2
E-21-11	7	0.1	31	10	65	1	3	E-27-2	<1	0.1	3	8	20	1	1
E-22-1	4	0.1	4	16	32	1	2	E-27-3	<1	0.2	4	13	27	1	1
E-22-2	5	0.1	22	10	32	2	2	E-27-4	<1	0.2	4	18	25	1	1
E-22-3	5	0.2	40	20	50	1	4	E-27-5	<1	0.1	3	11	21	1	1
E-22-4	4	0.1	32	22	53	1	9	E-27-6	<1	0.2	3	12	20	1	1
E-22-5	8	0.1	48	14	42	1	5	E-27-7	<1	0.1	2	14	20	1	2
E-22-6	3	0.1	60	21	62	1	9	E-27-8	<1	0.1	2	10	20	1	2
E-22-7	4	0.1	58	14	34	1	3	E-27-9	1	0.2	2	11	24	1	1
E-22-8	2	0.1	48	12	62	1	3	E-27-10	1	0.1	2	10	25	1	1
E-22-9	4	0.1	60	32	95	1	43	E-27-11	<1	0.2	4	19	29	1	1
E-22-10	<1	0.1	35	16	82	1	13	E-27-12	15	0.1	40	20	25	3	1
E-22-11	12	0.1	55	28	98	1	7	E-27-13	6	0.2	24	8	28	2	1
E-23-1	<1	0.1	3	18	25	1	2	E-27-14	<1	0.1	43	56	80	3	5
E-23-2	<1	0.1	3	18	28	1	3	E-27-15	3	0.3	21	30	62	1	5
E-23-3	<1	0.1	5	20	42	2	4	E-27-16	5	0.2	31	26	60	1	13
E-23-4	5	0.1	72	17	105	1	3	E-27-17	24	0.1	35	19	64	1	9
E-23-5	59	0.1	38	24	60	1	8	E-27-18	15	0.1	41	22	59	1	6
E-23-6	6	0.1	18	20	77	1	10	E-27-19	7	0.2	33	30	84	1	20
E-23-7	5	0.2	18	19	58	1	6	E-27-20	11	0.1	18	30	90	1	13
E-23-8	2	0.1	64	22	69	1	11	E-27-21	10	0.3	48	30	157	2	20
E-23-9	3	0.1	61	20	69	1	10	E-28-1	<1	0.1	7	32	33	1	4
E-23-10	2	0.1	24	18	66	1	10	E-28-2	<1	0.1	5	20	40	1	7
E-23-11	10	0.1	31	15	88	1	16	E-28-3	<1	0.1	6	30	30	1	1
E-24-1	<1	0.1	4	26	34	1	6	E-28-4	4	0.1	58	10	55	1	2
E-24-2	<1	0.1	4	23	26	1	2	E-28-5	<1	0.2	4	24	32	2	1
E-24-3	<1	0.1	6	26	33	1	5	E-28-6	<1	0.1	2	24	35	1	1
E-24-4	<1	0.1	23	18	40	1	4	E-28-7	<1	0.1	4	26	40	2	7
E-24-5	<1	0.1	5	22	45	1	6	E-28-8	<1	0.1	6	26	39	1	3

Table List of the Results of Geochemical Analysis (1 3)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
E-28-9	<1	0.1	3	28	22	1	2	E-31-3	8	0.1	45	11	33	1	3
E-28-10	2	0.1	3	24	26	2	1	E-31-4	2	0.1	73	11	38	1	5
E-28-11	14	0.1	6	14	20	2	1	E-31-5	5	0.1	56	10	35	1	4
E-28-12	162	0.1	130	12	22	12	1	E-31-6	1	0.1	17	10	52	1	7
E-28-13	72	0.1	50	10	20	7	1	E-31-7	11	0.1	40	12	34	1	4
E-28-14	32	0.3	93	20	30	12	3	E-31-8	22	0.1	30	7	33	1	3
E-28-15	19	0.2	66	20	48	6	3	E-31-9	16	0.1	42	14	53	1	4
E-28-16	6	0.1	20	16	40	3	6	E-31-10	24	0.1	22	14	48	1	3
E-28-17	10	0.1	25	14	45	2	3	E-31-11	40	0.1	26	24	49	2	3
E-28-18	7	0.1	20	8	29	1	2	E-31-12	4	0.1	45	40	72	1	8
E-28-19	10	0.1	15	10	22	1	3	E-31-13	11	0.1	35	44	72	1	7
E-28-20	3	0.1	22	8	35	1	4	E-31-14	8	0.1	38	20	56	1	8
E-28-21	4	0.1	19	10	31	1	5	E-31-15	5	0.1	32	20	72	1	11
E-29-1	<1	0.1	4	10	12	1	1	E-31-16	4	0.1	20	8	31	1	4
E-29-2	<1	0.1	4	20	32	1	1	E-31-17	<1	0.1	25	14	60	1	9
E-29-3	<1	0.1	4	12	31	1	1	E-31-18	3	0.1	24	5	25	1	1
E-29-4	<1	0.1	4	18	34	1	1	E-31-19	2	0.1	38	6	34	1	2
E-29-5	<1	0.1	4	24	35	1	5	E-31-20	2	0.1	53	8	61	1	4
E-29-6	<1	0.1	3	14	38	1	7	E-31-21	<1	0.1	6	29	33	1	2
E-29-7	<1	0.1	2	18	23	1	1	E-32-1	5	0.1	50	12	45	1	11
E-29-8	<1	0.1	3	17	34	1	2	E-32-2	4	0.1	100	19	61	1	16
E-29-9	2	0.1	2	32	23	1	1	E-32-3	66	0.1	40	12	39	1	2
E-29-10	<1	0.1	3	12	25	1	1	E-32-4	13	0.1	30	13	56	1	3
E-29-11	<1	0.1	2	18	26	1	1	E-32-5	19	0.1	38	22	41	1	3
E-29-12	6	0.1	2	17	25	1	2	E-32-6	6	0.1	45	36	123	1	12
E-29-13	3	0.1	5	17	30	1	2	E-32-7	8	0.1	30	36	56	2	5
E-29-14	12	0.1	5	16	29	2	2	E-32-8	14	0.1	68	28	67	1	15
E-29-15	56	1.0	73	134	119	1	3	E-32-9	17	0.1	46	24	69	1	7
E-29-16	2	0.1	26	15	53	1	8	E-32-10	3	0.1	9	9	32	1	2
E-29-17	12	0.1	33	32	54	1	10	E-32-11	13	0.1	48	8	41	1	2
E-29-18	8	0.1	30	21	51	1	4	E-33-1	4	0.1	57	12	53	1	5
E-29-19	3	0.1	26	16	33	1	3	E-33-2	3	0.1	50	20	57	1	5
E-29-20	7	0.1	28	8	45	1	3	E-33-3	2	0.1	39	22	63	1	21
E-29-21	46	0.1	88	30	154	1	10	E-33-4	3	0.1	39	14	60	1	8
E-30-1	1	0.1	4	30	42	1	6	E-33-5	10	0.1	75	20	52	2	7
E-30-2	<1	0.1	4	26	30	1	2	E-33-6	3	0.2	39	19	67	1	11
E-30-3	<1	0.1	3	25	26	1	3	E-33-7	4	0.3	22	24	58	1	16
E-30-4	<1	0.1	3	23	24	1	2	E-33-8	8	0.3	27	14	34	1	5
E-30-5	<1	0.1	5	17	25	2	7	E-33-9	2	0.2	34	12	46	1	2
E-30-6	<1	0.1	4	30	43	1	8	E-33-10	3	0.1	43	10	68	1	2
E-30-7	<1	0.1	5	22	35	2	6	E-33-11	4	0.1	48	8	44	1	2
E-30-8	<1	0.1	5	16	30	1	5	EB-10.5	<1	0.1	42	28	115	1	5
E-30-9	1	0.1	3	22	27	1	3	EB-11.5	<1	0.1	38	52	87	1	6
E-30-10	3	0.1	3	24	31	1	5	EB-28	8	0.1	36	13	84	1	10
E-30-11	<1	0.1	4	25	31	1	4	EB-29	<1	0.1	36	20	71	1	16
E-30-12	5	0.1	5	29	37	1	5	EB-30	6	0.1	41	18	84	1	4
E-30-13	<1	0.3	15	26	52	1	8	F-1-1	<1	0.3	42	28	115	1	5
E-30-14	<1	0.1	29	20	68	1	11	F-1-2	3	0.2	38	52	87	1	6
E-30-15	<1	0.1	40	25	79	1	15	F-1-3	2	0.1	36	13	84	1	10
E-30-16	15	0.1	44	46	90	1	25	F-1-4	17	0.2	36	20	71	1	16
E-30-17	15	0.1	33	15	37	1	8	F-1-5	112	0.1	41	18	84	1	4
E-30-18	9	0.1	34	16	38	1	3	F-1-6	3	0.3	33	19	74	1	7
E-30-19	6	0.1	22	15	42	1	2	F-1-7	4	0.1	26	15	75	1	2
E-30-20	6	0.1	47	20	47	1	6	F-1-8	98	0.1	30	20	70	1	2
E-30-21	4	0.1	82	12	46	1	3	F-1-9	22	0.1	21	26	76	1	13
E-31-1	5	0.1	56	12	36	1	5	F-1-10	112	0.1	15	11	41	1	2
E-31-2	2	0.1	26	10	42	1	6	F-1-11	3	0.3	22	10	60	1	2

Table List of the Results of Geochemical Analysis (1 4)

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm	Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm	Co ppm
F-2-1	4	0.2	22	22	67	1	15	F-6-10	3	0.1	50	19	77	1	19
F-2-2	98	0.2	72	30	195	1	31	F-6-11	<1	0.1	104	19	94	1	31
F-2-3	22	0.2	57	58	190	1	4	F-7-1	1	0.1	60	22	48	1	8
F-2-4	3	0.3	34	36	115	1	23	F-7-2	<1	0.1	15	23	49	1	2
F-2-5	8	0.1	290	66	264	12	41	F-7-3	1	0.1	24	210	100	1	9
F-2-6	13	0.1	20	20	56	1	3	F-7-4	<1	0.1	8	22	50	1	5
F-2-7	7	0.1	22	16	55	1	4	F-7-5	2	0.1	43	34	70	1	6
F-2-8	4	0.1	36	24	107	1	17	F-7-6	<1	0.1	22	16	74	1	19
F-2-9	48	0.1	53	44	74	1	8	F-7-7	18	0.1	24	30	104	1	1
F-2-10	34	0.1	51	28	63	1	8	F-7-8	<1	0.1	85	22	65	1	25
F-2-11	8	0.1	28	22	45	1	3	F-7-9	23	0.1	100	12	84	1	41
F-3-1	5	0.1	19	30	59	1	5	F-7-10	1	0.1	96	14	74	1	37
F-3-2	4	0.1	36	44	71	1	18	F-7-11	5	0.1	100	8	62	1	34
F-3-3	3	0.1	40	62	80	2	30	F-8-1	3	0.1	18	24	57	1	4
F-3-4	51	0.1	24	46	79	1	17	F-8-2	5	0.1	26	21	43	1	2
F-3-5	2	0.1	18	40	63	1	10	F-8-3	5	0.1	33	24	43	1	3
F-3-6	33	0.1	54	34	54	1	5	F-8-4	<1	0.1	23	20	42	1	2
F-3-7	13	0.1	82	34	87	2	8	F-8-5	3	0.1	26	26	45	1	2
F-3-8	7	0.1	26	26	47	1	2	F-8-6	1	0.1	27	20	45	1	2
F-3-9	4	0.1	30	26	110	1	8	F-8-7	4	0.1	75	21	92	1	38
F-3-10	<1	0.1	25	30	76	1	14	F-8-8	1	0.1	56	16	85	1	16
F-3-11	34	0.1	17	18	50	1	6	F-8-9	3	0.1	60	22	82	1	29
F-3.5-3	2	0.1	25	32	68	1	9	F-8-10	2	0.1	57	12	76	1	27
F-3.5-5	6	0.1	235	44	108	11	26	F-8-11	3	0.1	74	7	74	1	10
F-4-1	<1	0.1	9	20	66	1	18	F-9-1	2	0.1	30	14	34	1	2
F-4-2	1	0.1	6	18	55	1	5	F-9-2	8	0.1	50	13	33	11	2
F-4-3	2	0.1	18	22	42	1	9	F-9-3	4	0.1	74	15	57	4	12
F-4-4	4	0.1	140	58	130	6	39	F-9-4	5	0.1	110	18	62	1	18
F-4-5	6	0.1	130	50	130	8	34	F-9-5	5	0.1	85	19	66	2	22
F-4-6	7	0.1	100	36	90	1	17	F-9-6	3	0.1	48	28	48	4	9
F-4-7	4	0.1	85	22	60	2	9	F-9-7	5	0.1	84	20	77	1	17
F-4-8	8	0.1	215	46	74	7	2	F-9-8	1	0.1	54	14	67	1	6
F-4-9	2	0.1	44	12	48	1	2	F-9-9	<1	0.1	34	12	40	1	2
F-4-10	11	0.1	30	10	74	1	3	F-9-10	7	0.1	86	12	74	1	8
F-4-11	1	0.1	24	24	65	1	9	F-9-11	<1	0.1	85	18	110	1	45
F-4.5-3	1	0.1	29	20	34	5	2	F-10-1	5	0.1	45	12	60	5	4
F-4.5-5	4	0.1	74	18	75	3	2	F-10-2	3	0.1	82	7	52	45	6
F-5-1	1	0.1	13	20	52	1	2	F-10-3	5	0.1	88	12	66	6	42
F-5-2	<1	0.1	29	26	58	1	7	F-10-4	4	0.1	56	18	48	1	11
F-5-3	<1	0.1	16	24	52	1	3	F-10-5	4	0.1	74	10	63	1	6
F-5-4	<1	0.1	23	15	40	2	4	F-10-6	2	0.1	17	3	38	1	3
F-5-5	8	0.1	18	32	60	1	2	F-10-7	9	0.1	24	8	45	1	4
F-5-6	2	0.1	164	28	90	3	11	F-10-8	2	0.1	70	22	96	1	33
F-5-7	3	0.1	26	38	63	1	5	F-10-9	<1	0.1	33	12	44	1	6
F-5-8	3	0.1	26	12	45	1	2	F-10-10	<1	0.1	54	13	72	1	5
F-5-9	3	0.1	26	18	55	1	3	F-10-11	7	0.1	60	16	84	1	32
F-5-10	<1	0.1	52	20	55	1	17	F-11-1	6	0.1	118	13	85	1	21
F-5-11	4	0.1	38	32	84	1	15	F-11-2	17	0.1	70	13	90	1	36
F-6-1	10	0.1	22	18	40	1	3	F-11-3	6	0.1	72	14	43	1	6
F-6-2	1	0.1	16	18	37	1	2	F-11-4	<1	0.1	29	11	53	1	3
F-6-3	<1	0.1	22	15	41	1	3	F-11-5	2	0.1	18	12	36	1	2
F-6-4	<1	0.1	17	17	52	1	3	F-11-6	1	0.1	18	4	30	1	1
F-6-5	6	0.1	14	11	45	1	2	F-11-7	<1	0.1	21	4	27	1	2
F-6-6	2	0.1	18	34	65	2	4	F-11-8	1	0.1	24	2	32	2	2
F-6-7	<1	0.1	19	42	70	1	8	F-11-9	58	0.1	54	14	77	1	35
F-6-8	3	0.1	29	28	52	1	3	F-11-10	<1	0.1	62	14	54	1	10
F-6-9	3	0.1	42	22	52	1	9	F-11-11	<1	0.1	195	4	90	1	26

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (1)

Geomagnetic Value of G. S. 43,490 nT

Date : 18/07/1986 Date : 19/07/1986 Date : 20/07/1986 Date : 21/07/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	00	43396	6	00	43393	6	00	43403	6	00	43407
6	30	43410	6	30	43393	6	30	43400	6	30	43450
7	00	43413	7	00	43397	7	00	43400	7	00	43470
7	30	43410	7	30	43397	7	30	43407	7	30	43477
8	00	43417	8	00	43390	8	00	43408	8	00	43470
8	30	43420	8	30	43403	8	30	43407	8	30	43473
9	00	43414	9	00	43410	9	00	43403	9	00	43480
9	30	43400	9	30	43413	9	30	43402	9	30	43482
10	00	43403	10	00	43411	10	00	43403	10	00	43483
10	30	43410	10	30	43407	10	30	43403	10	30	43483
11	00	43417	11	00	43395	11	00	43403	11	00	43483
11	30	43410	11	30	43397	11	30	43400	11	30	43478
12	00	43410	12	00	43400	12	00	43407	12	00	43467
12	30	43410	12	30	43407	12	30	43400	12	30	43457
13	00	43417	13	00	43400	13	00	43403	13	00	43450
13	30	43413	13	30	43400	13	30	43400	13	30	43443
14	00	43410	14	00	43400	14	00	43397	14	00	43440
14	30	43410	14	30	43400	14	30	43390	14	30	43440
15	00	43397	15	00	43393	15	00	43391	15	00	43433
15	30	43397	15	30	43390	15	30	43393	15	30	43420
16	00	43397	16	00	43387	16	00	43387	16	00	43403
16	30	43400	16	30	43387	16	30	43390	16	30	43390
17	00	43400	17	00	43380	17	00	43390	17	00	43403
17	30	43390	17	30	43390	17	30	43390	17	30	43403
18	00	43380	18	00	43397	18	00	43397	18	00	43403

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (2)

Geomagnetic Value of G. S. 43, 490 nT

Date : 22/07/1986 Date : 23/07/1986 Date : 24/07/1986 Date : 25/07/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	00	43407	6	00	43393	6	00	43410	6	00	43400
6	30	43397	6	30	43390	6	30	43400	6	30	43403
7	00	43400	7	00	43390	7	00	43401	7	00	43400
7	30	43403	7	30	43393	7	30	43403	7	30	43397
8	00	43407	8	00	43393	8	00	43413	8	00	43407
8	30	43410	8	30	43405	8	30	43423	8	30	43410
9	00	43417	9	00	43407	9	00	43429	9	00	43417
9	30	43420	9	30	43413	9	30	43437	9	30	43423
10	00	43423	10	00	43417	10	00	43447	10	00	43425
10	30	43420	10	30	43410	10	30	43453	10	30	43420
11	00	43413	11	00	43413	11	00	43465	11	00	43410
11	30	43411	11	30	43419	11	30	43467	11	30	43407
12	00	43413	12	00	43420	12	00	43460	12	00	43403
12	30	43413	12	30	43420	12	30	43453	12	30	43403
13	00	43403	13	00	43413	13	00	43453	13	00	43400
13	30	43400	13	30	43410	13	30	43453	13	30	43395
14	00	43403	14	00	43413	14	00	43450	14	00	43393
14	30	43393	14	30	43407	14	30	43443	14	30	43397
15	00	43387	15	00	43402	15	00	43424	15	00	43393
15	30	43383	15	30	43400	15	30	43400	15	30	43390
16	00	43382	16	00	43393	16	00	43395	16	00	43393
16	30	43380	16	30	43387	16	30	43393	16	30	43390
17	00	43380	17	00	43387	17	00	43393	17	00	43387
17	30	43380	17	30	43387	17	30	43393	17	30	43383
18	00	43383	18	00	43387	18	00	43400	18	00	43383

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (3)

Geomagnetic Value of G. S. 43,490 nT

Date : 26/07/1986 Date : 27/07/1986 Date : 28/07/1986 Date : 29/07/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	05	43387	6	00	43370	6	02	43390	6	00	43380
6	30	43387	6	30	43372	6	30	43387	6	30	43380
7	00	43380	7	00	43377	7	00	43387	7	00	43380
7	30	43382	7	30	43387	7	30	43390	7	30	43387
8	00	43383	8	00	43397	8	00	43393	8	00	43387
8	30	43380	8	30	43400	8	30	43393	8	30	43395
9	00	43380	9	00	43400	9	00	43395	9	00	43400
9	30	43385	9	30	43403	9	30	43397	9	30	43400
10	00	43390	10	00	43403	10	00	43403	10	00	43397
10	30	43397	10	30	43400	10	30	43404	10	30	43397
11	00	43400	11	00	43403	11	00	43400	11	00	43405
11	30	43395	11	30	43404	11	30	43400	11	30	43412
12	00	43390	12	00	43402	12	00	43397	12	00	43414
12	30	43387	12	30	43395	12	30	43397	12	30	43412
13	00	43383	13	00	43393	13	00	43395	13	00	43407
13	30	43380	13	30	43392	13	30	43393	13	30	43404
14	00	43383	14	00	43395	14	00	43390	14	00	43403
14	30	43383	14	30	43387	14	30	43380	14	30	43402
15	00	43380	15	00	43383	15	00	43373	15	00	43393
15	30	43370	15	30	43377	15	30	43367	15	30	43393
16	00	43369	16	00	43363	16	00	43370	16	00	43393
16	30	43368	16	30	43360	16	30	43373	16	30	43390
17	00	43370	17	00	43343	17	00	43377	17	00	43383
17	30	43377	17	30	43333	17	30	43380	17	30	43380
18	00	43385	18	00	43333	18	00	43377	18	00	43377

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (4)

Geomagnetic Value of G. S. 43,490 nT

Date : 30/07/1986 Date : 31/07/1986 Date : 01/08/1986 Date : 02/08/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	04	43390	6	00	43383	6	00	43377	6	00	43390
6	30	43388	6	30	43393	6	30	43383	6	30	43390
7	00	43386	7	00	43395	7	00	43387	7	00	43390
7	30	43384	7	30	43397	7	30	43390	7	30	43393
8	00	43382	8	00	43400	8	00	43397	8	00	43403
8	30	43381	8	30	43404	8	30	43400	8	30	43407
9	00	43383	9	00	43410	9	00	43407	9	00	43403
9	30	43388	9	30	43407	9	30	43403	9	30	43407
10	00	43394	10	00	43403	10	00	43404	10	00	43407
10	30	43400	10	30	43400	10	30	43404	10	30	43407
11	00	43408	11	00	43403	11	00	43407	11	00	43407
11	30	43417	11	30	43404	11	30	43408	11	30	43410
12	00	43428	12	00	43400	12	00	43405	12	00	43410
12	30	43436	12	30	43400	12	30	43403	12	30	43410
13	00	43443	13	00	43407	13	00	43403	13	00	43403
13	30	43440	13	30	43406	13	30	43400	13	30	43400
14	00	43432	14	00	43397	14	00	43403	14	00	43398
14	30	43426	14	30	43397	14	30	43402	14	30	43400
15	00	43420	15	00	43400	15	00	43397	15	00	43403
15	30	43417	15	30	43407	15	30	43400	15	30	43402
16	00	43420	16	00	43410	16	00	43407	16	00	43400
16	30	43417	16	30	43410	16	30	43403	16	30	43400
17	00	43394	17	00	43393	17	00	43397	17	00	43397
17	30	43383	17	30	43380	17	30	43393	17	30	43393
18	00	43383	18	00	43370	18	00	43397	18	00	43390

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (5)

Geomagnetic Value of G. S. 43, 490 nT

Date : 03/08/1986 Date : 04/08/1986 Date : 05/08/1986 Date : 06/08/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	00	43390	6	00	43383	6	00	43390	6	00	43400
6	30	43403	6	30	43387	6	30	43390	6	30	43400
7	00	43400	7	00	43390	7	00	43390	7	00	43400
7	30	43400	7	30	43395	7	30	43400	7	30	43404
8	00	43407	8	00	43399	8	00	43405	8	00	43410
8	30	43407	8	30	43402	8	30	43408	8	30	43410
9	00	43410	9	00	43405	9	00	43410	9	00	43410
9	30	43410	9	30	43407	9	30	43410	9	30	43417
10	00	43413	10	00	43407	10	00	43410	10	00	43423
10	30	43420	10	30	43400	10	30	43407	10	30	43423
11	00	43422	11	00	43395	11	00	43410	11	00	43423
11	30	43423	11	30	43396	11	30	43413	11	30	43425
12	00	43423	12	00	43404	12	00	43415	12	00	43430
12	30	43417	12	30	43408	12	30	43415	12	30	43430
13	00	43413	13	00	43408	13	00	43415	13	00	43420
13	30	43407	13	30	43406	13	30	43414	13	30	43417
14	00	43407	14	00	43403	14	00	43413	14	00	43417
14	30	43406	14	30	43403	14	30	43412	14	30	43410
15	00	43403	15	00	43399	15	00	43410	15	00	43408
15	30	43390	15	30	43396	15	30	43408	15	30	43400
16	00	43383	16	00	43392	16	00	43405	16	00	43393
16	30	43373	16	30	43390	16	30	43400	16	30	43391
17	00	43380	17	00	43387	17	00	43398	17	00	43390
17	30	43397	17	30	43387	17	30	43392	17	30	43393
18	00	43400	18	00	43387	18	00	43392	18	00	43393

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (6)

Geomagnetic Value of G. S. 43,490 nT

Date : 07/08/1986 Date : 08/08/1986 Date : 09/08/1986 Date : 10/08/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	00	43397	6	00	43400	6	00	43410	6	00	43400
6	30	43397	6	30	43400	6	30	43410	6	30	43400
7	00	43397	7	00	43400	7	00	43410	7	00	43393
7	30	43400	7	30	43400	7	30	43410	7	30	43395
8	00	43408	8	00	43403	8	00	43420	8	00	43400
8	30	43410	8	30	43400	8	30	43424	8	30	43403
9	00	43417	9	00	43410	9	00	43427	9	00	43403
9	30	43424	9	30	43420	9	30	43433	9	30	43407
10	00	43437	10	00	43417	10	00	43433	10	00	43420
10	30	43440	10	30	43427	10	30	43433	10	30	43423
11	00	43447	11	00	43430	11	00	43437	11	00	43426
11	30	43450	11	30	43433	11	30	43440	11	30	43427
12	00	43445	12	00	43440	12	00	43443	12	00	43430
12	30	43437	12	30	43430	12	30	43450	12	30	43430
13	00	43433	13	00	43423	13	00	43450	13	00	43430
13	30	43423	13	30	43420	13	30	43444	13	30	43432
14	00	43423	14	00	43420	14	00	43440	14	00	43430
14	30	43427	14	30	43420	14	30	43440	14	30	43420
15	00	43430	15	00	43413	15	00	43430	15	00	43413
15	30	43417	15	30	43413	15	30	43413	15	30	43400
16	00	43410	16	00	43410	16	00	43403	16	00	43397
16	30	43397	16	30	43400	16	30	43403	16	30	43393
17	00	43397	17	00	43400	17	00	43397	17	00	43380
17	30	43397	17	30	43400	17	30	43397	17	30	43390
18	00	43397	18	00	43400	18	00	43397	18	00	43390

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (7)

Geomagnetic Value of G. S. 43,490 nT

Date : 11/08/1986 Date : 12/08/1986 Date : 13/08/1986 Date : 14/08/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	00	43397	6	00	43393	6	00	43390	6	00	43397
6	30	43397	6	30	43393	6	30	43390	6	30	43397
7	00	43407	7	00	43397	7	00	43400	7	00	43400
7	30	43410	7	30	43400	7	30	43401	7	30	43400
8	00	43407	8	00	43403	8	00	43403	8	00	43404
8	30	43410	8	30	43410	8	30	43404	8	30	43408
9	00	43410	9	00	43420	9	00	43410	9	00	43410
9	30	43414	9	30	43427	9	30	43420	9	30	43410
10	00	43423	10	00	43430	10	00	43423	10	00	43414
10	30	43427	10	30	43433	10	30	43427	10	30	43416
11	00	43430	11	00	43433	11	00	43430	11	00	43416
11	30	43423	11	30	43433	11	30	43433	11	30	43414
12	00	43420	12	00	43430	12	00	43437	12	00	43410
12	30	43423	12	30	43427	12	30	43430	12	30	43410
13	00	43430	13	00	43427	13	00	43410	13	00	43417
13	30	43423	13	30	43423	13	30	43400	13	30	43420
14	00	43420	14	00	43410	14	00	43400	14	00	43414
14	30	43420	14	30	43403	14	30	43396	14	30	43408
15	00	43417	15	00	43397	15	00	43393	15	00	43407
15	30	43410	15	30	43390	15	30	43390	15	30	43413
16	00	43400	16	00	43387	16	00	43383	16	00	43400
16	30	43400	16	30	43380	16	30	43377	16	30	43390
17	00	43390	17	00	43377	17	00	43370	17	00	43400
17	30	43400	17	30	43383	17	30	43367	17	30	43393
18	00	43400	18	00	43383	18	00	43367	18	00	43393

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (8)

Geomagnetic Value of G. S. 43,490 nT

Date : 15/08/1986 Date : 18/08/1986 Date : 19/08/1986 Date : 20/08/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	00	43393	6	00	43407	6	00	43410	6	00	43397
6	30	43393	6	30	43407	6	30	43410	6	30	43397
7	00	43390	7	00	43417	7	00	43412	7	00	43397
7	30	43400	7	30	43420	7	30	43416	7	30	43406
8	00	43403	8	00	43424	8	00	43423	8	00	43420
8	30	43410	8	30	43430	8	30	43423	8	30	43430
9	00	43418	9	00	43430	9	00	43433	9	00	43437
9	30	43427	9	30	43436	9	30	43436	9	30	43440
10	00	43433	10	00	43443	10	00	43443	10	00	43440
10	30	43438	10	30	43447	10	30	43447	10	30	43443
11	00	43443	11	00	43450	11	00	43443	11	00	43443
11	30	43440	11	30	43450	11	30	43440	11	30	43443
12	00	43434	12	00	43450	12	00	43437	12	00	43437
12	30	43430	12	30	43447	12	30	43434	12	30	43430
13	00	43424	13	00	43440	13	00	43434	13	00	43422
13	30	43413	13	30	43436	13	30	43433	13	30	43417
14	00	43400	14	00	43433	14	00	43426	14	00	43407
14	30	43400	14	30	43430	14	30	43424	14	30	43400
15	00	43403	15	00	43430	15	00	43417	15	00	43393
15	30	43403	15	30	43420	15	30	43410	15	30	43388
16	00	43403	16	00	43410	16	00	43403	16	00	43386
16	30	43401	16	30	43410	16	30	43396	16	30	43390
17	00	43400	17	00	43413	17	00	43393	17	00	43400
17	30	43393	17	30	43413	17	30	43390	17	30	43393
18	00	43393	18	00	43413	18	00	43390	18	00	43393

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (9)

Geomagnetic Value of G. S. 43, 490 nT

Date : 21/08/1986 Date : 22/08/1986 Date : 23/08/1986 Date : 24/08/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	00	43393	6	00	43387	6	00	43387	6	00	43393
6	30	43393	6	30	43387	6	30	43387	6	30	43393
7	00	43392	7	00	43391	7	00	43383	7	00	43400
7	30	43397	7	30	43398	7	30	43390	7	30	43403
8	00	43400	8	00	43403	8	00	43403	8	00	43405
8	30	43400	8	30	43413	8	30	43407	8	30	43403
9	00	43406	9	00	43420	9	00	43410	9	00	43400
9	30	43410	9	30	43423	9	30	43413	9	30	43397
10	00	43414	10	00	43422	10	00	43417	10	00	43404
10	30	43420	10	30	43413	10	30	43413	10	30	43413
11	00	43423	11	00	43403	11	00	43410	11	00	43410
11	30	43413	11	30	43400	11	30	43410	11	30	43404
12	00	43403	12	00	43400	12	00	43407	12	00	43403
12	30	43400	12	30	43400	12	30	43397	12	30	43400
13	00	43403	13	00	43403	13	00	43390	13	00	43400
13	30	43400	13	30	43400	13	30	43387	13	30	43397
14	00	43397	14	00	43393	14	00	43381	14	00	43393
14	30	43393	14	30	43387	14	30	43377	14	30	43390
15	00	43387	15	00	43370	15	00	43370	15	00	43390
15	30	43380	15	30	43366	15	30	43363	15	30	43390
16	00	43368	16	00	43380	16	00	43370	16	00	43390
16	30	43360	16	30	43383	16	30	43373	16	30	43397
17	00	43350	17	00	43380	17	00	43373	17	00	43403
17	30	43353	17	30	43387	17	30	43370	17	30	43403
18	00	43353	18	00	43387	18	00	43370	18	00	43403

TABLE OF GEOMAGNETIC VALUES OBSERVED AT JANGKAT (1 0)

Geomagnetic Value of G, S, 43,490 nT

Date : 25/08/1986 Date : 26/08/1986 Date : 27/08/1986 Date : 28/08/1986

Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT	Hour	Min.	Mag. nT
6	00	43397	6	00	43393	6	00	43377	6	00	43380
6	30	43397	6	30	43393	6	30	43377	6	30	43380
7	00	43403	7	00	43390	7	00	43380	7	00	43387
7	30	43403	7	30	43390	7	30	43387	7	30	43392
8	00	43407	8	00	43390	8	00	43387	8	00	43396
8	30	43413	8	30	43383	8	30	43383	8	30	43400
9	00	43410	9	00	43402	9	00	43390	9	00	43397
9	30	43403	9	30	43410	9	30	43397	9	30	43396
10	00	43400	10	00	43412	10	00	43400	10	00	43400
10	30	43404	10	30	43413	10	30	43398	10	30	43403
11	00	43393	11	00	43403	11	00	43394	11	00	43406
11	30	43393	11	30	43400	11	30	43397	11	30	43410
12	00	43397	12	00	43400	12	00	43403	12	00	43417
12	30	43400	12	30	43403	12	30	43401	12	30	43417
13	00	43403	13	00	43400	13	00	43400	13	00	43417
13	30	43397	13	30	43387	13	30	43393	13	30	43413
14	00	43393	14	00	43380	14	00	43391	14	00	43408
14	30	43390	14	30	43379	14	30	43391	14	30	43403
15	00	43390	15	00	43373	15	00	43376	15	00	43397
15	30	43390	15	30	43370	15	30	43377	15	30	43390
16	00	43393	16	00	43373	16	00	43371	16	00	43388
16	30	43397	16	30	43377	16	30	43373	16	30	43393
17	00	43383	17	00	43377	17	00	43377	17	00	43393
17	30	43387	17	30	43373	17	30	43380	17	30	43387
18	00	43387	18	00	43373	18	00	43380	18	00	43387

Record of the Drilling Operation (1) (MJI-1, MJI-2)

	Drilling length			Total		Shift		Working man	
	Shift.1	Shift.2	Shift.3	Drilling	Core length	Drilling	Total	Engineer	Worker
	m	m	m	m	m	shift	shift	man	man
61.10.20	Mct								
21	Mct				M J I - 1				
22	Crs								
23	Crs.Trp								
24	Rsb								
25	Rsb						6	48	120
26	14.80	6.00 NWR	12.00	32.80	27.30				
27	12.20	9.00	15.00	36.20	31.20				
28	15.50	14.20	12.10	41.80	41.80				
29	13.60	15.00	11.60	40.20	40.20				
30	Ocp								
31	Dmt					12	14	40	130
Total	56.10	44.20	50.70	151.00	140.50	12	20	88	250
					M J I - 2				
61.11.1	Crs.Ppc						1	8	20
2	Ppc								
3	Pds								
4	Rsb	Rsb							
5	13.30	16.30	14.30 NWCp	43.90	9.30				
6	9.30 BNCp	12.00	12.00	33.30	33.30				
7	12.60	13.40	12.00	38.00	38.00				
8	11.90	12.60	11.30	35.80	35.80	12	16	56	150
9	Ocp								
10	Dmt								
							2	16	21
Total	47.10	54.30	49.60	151.00	116.40	12	19	80	191

Abbreviation

Ppc ; Preperation of accessibility Bdb ; Bridgebuilding
Mct ; Miscellaneous time Cmt ; Cementig work
Pds ; Preparation for drilling site Cmt-c ; Cutting cementing part
Trp ; Transportation Icp ; Inserting casing pipe
Crs ; Clearing of the site Ocp ; Taking out casing pipe
Rsb ; Reassemblage Stw ; Stopping for water leakage

Record of the Drilling Operation (2) (MJI-3, MJI-4)

	Drilling length			Total		Shift		Working man	
	Shift.1	Shift.2	Shift.3	Drilling	Core length	Drilling	Total	Engineer	Worker
	m	m	m	m	m	shift	shift	man	man
61.10.5	Crs, Trp								
6	Rsb	Rsb			M J I - 4				
7	11.20	12.30	13.50	37.00	26.40				
8	13.50	12.50	12.00	38.00	38.00				
9	6.00 ^{icp}	15.00	15.00	36.00	36.00				
10	13.50	13.00	12.00	38.50	38.50				
11	2.90 ^{ocp}		2.90	2.90	2.90	13	16	56	105
	47.10	52.80	52.50	152.40	141.80	13	16	56	105
12	Dmt(Trp)						1	8	10
Total	47.10	52.80	52.50	152.40	141.80	13	17	54	115
					M J I - 3				
61.10.12	(Dmt)	Trp							
13	Rsb	Rsb							
14	9.00	12.40	15.00	36.40	32.40				
15	12.40	12.60	13.60	38.60	38.60				
16	6.20 ^{icp}	15.00	15.50	36.70	36.70				
17	15.00	12.40	11.90	39.30	39.30				
18	Ocp					12	16	48	118
	42.60	52.40	56.00	151.00	147.00	12	16	48	118
19	Dmt						1	8	22
Total	42.60	52.40	56.00	151.00	147.00	12	17	56	140

Abbreviation

Ppc	; Preperation of accessibility	Bdb	; Bridgebuilding
Mct	; Miscellaneous time	Cmt	; Cementig work
Pds	; Preparation for drilling site	Cmt-c	; Cutting cementing part
Trp	; Transportation	Icp	; Inserting casing pipe
Crs	; Clearing of the site	Ocp	; Taking out casing pipe
Rsb	; Reassemblage	Stw	; Stopping for water leakage

Record of the Drilling Operation (3) (MJI-5, MJI-6)

	Drilling length			Total		Shift		Working man	
	Shift.1	Shift.2	Shift.3	Drilling	Core length	Drilling	Total	Engineer	Worker
	m	m	m	m	m	shift	shift	man	man
61.9.15	Bdb								
16	Bdb								
17	Bdb				MJI-5				
18	Bdb								
19	Trp,Crs								
20	Rsbp						6	38	101
21	Rsb								
22	Rsb								
23	12.50	9.00 ^{Rsb}	15.50	37.00	25.00				
24	12.00	13.00	10.00	35.00	35.00				
25	6.20 ^{Icp}	15.50	15.50	37.20	37.20				
26	13.90	15.50	12.40	41.80	41.80				
27	Ocp	Dmt	---			12	16	56	84
Total	44.60	53.00	53.40	151.00	139.00	12	22	94	185
					MJI-6				
61.9.28	Crs	Trp	Rsb						
29	Rsb	Rsb	12.50	12.50	6.20				
30	12.50	13.00	12.00	37.50	37.50				
61.10.1	15.50 ^{Icp}	9.00	15.00	39.50	39.50				
2	15.50	13.50	12.00	41.00	41.00				
3	12.00	8.50	Ocp	20.50	20.50				
4	Dmt	---	---			12	19	42	92
Total	55.50	44.00	51.50	151.00	144.70	12	19	42	92
Total									

Abbreviation

Ppc ; Preperation of accessibility Bdb ; Bridgebuilding
Mct ; Miscellaneous time Cmt ; Cementig work
Pds ; Preperation for drilling site Cmt-c ; Cutting cementing part
Trp ; Transportation Icp ; Inserting casing pipe
Crs ; Clearing of the site Ocp ; Taking out casing pipe
Rsb ; Reassemblage Stw ; Stoping for water leakage

Record of the Drilling Operation (4) (MJI-7, MJI-8)

	Drilling length			Total		Shift		Working man	
	Shift.1	Shift.2	Shift.3	Drilling	Core length	Drilling	Total	Engineer	Worker
	m	m	m	m	m	shift	shift	man	man
61.8.24	Camp								
25	Rsb								
26	Rsb				M J I - 7				
27	Rsb								
28	1.60	---	---	1.60	0				
29	Camp								
30	11.50 ^{NW}	10.40	15.00	36.90	32.30	4	9	42	118
31	0.10 ^{Stw}	11.90	14.90	26.90	26.90				
61.9.1	9.00	12.00	11.80	32.80	32.80				
2	8.30	Stw	9.50	17.80	17.80				
3	10.80	Stw	9.50	20.30	20.30				
4	5.90	8.00	Ocp	13.90	13.90				
5	Crs	Dnt	---						
Total	47.20	42.30	60.70	150.20	144.00	12	17	36	68
					M J I - 8				
61.9.6	Trp						1	6	13
7	Rsb	---	---						
8	10.90	12.00	8.60 ^{Stw}	31.50	27.00				
9	1.00 ^{Stw}	---	5.70 ^{Stw}	6.70	6.10				
10	15.80	Icp	15.20	31.00	31.00				
11	14.90	12.00	9.00	35.90	35.90				
12	8.40 ^{Stw}	0.30	12.00	20.70	20.70				
13	14.90	11.20	Ocp	25.20	25.20	15	19	42	77
14	Dnt						1	6	9
Total	65.00	35.50	50.50	151.00	145.90	15	21	54	99

Abbreviation

- | | | | |
|-----|---------------------------------|-------|------------------------------|
| Ppc | ; Preparation of accessibility | Bdb | ; Bridgebuilding |
| Mct | ; Miscellaneous time | Cmt | ; Cementig work |
| Pds | ; Preparation for drilling site | Cmt-c | ; Cutting cementing part |
| Trp | ; Transportation | Icp | ; Inserting casing pipe |
| Crs | ; Clearing of the site | Ocp | ; Taking out casing pipe |
| Rsb | ; Reassemblage | Stw | ; Stopping for water leakage |

Record of the Drilling Operation (5) (MJI-9, MJI-10)

	Drilling length			Total		Shift		Working man	
	Shift.1	Shift.2	Shift.3	Drilling	Core length	Drilling	Total	Engineer	Worker
	m	m	m	m	m	shift	shift	man	man
61.11.11	Bdb								
12	Bdb				MJI-10				
13	Bdb								
14	Crs								
15	Trp						5	30	105
16	Rsb								
17	Rsb								
18	26.00	6.80 ^{NWC}	9.00 ^{BWCP}	41.80	15.25				
19	13.40	12.60	12.00	38.00	36.75				
20	11.90	12.00	12.00	35.90	35.60				
21	13.20	12.80	9.30	35.30	35.30				
22	Ocp					12	15	42	63
23	Dnt						1	6	9
Total	64.50	44.20	42.30	151.00	122.90	12	21	78	177
61.11.24	Bdb				MJI-9				
25	Bdb								
26	Bdb								
27	Crs								
28	Trp								
29	Rsb						6	36	132
30	Rsb								
61.12.1	11.20 ^{NWCP}	12.00	9.80 ^{BWCP}	33.00	9.35				
2	14.20	15.20	12.80	42.00	37.95				
3	15.00	12.60	12.00	39.60	39.60				
4	14.10	12.00	10.50	36.60	36.60				
5	Ocp								
6	Dnt					12	15	42	85
Total	54.30	51.80	45.1	151.20	123.50	12	21	78	217

Abbreviation

Ppc	; Preparation of accessibility	Bdb	; Bridgebuilding
Mct	; Miscellaneous time	Cmt	; Cementig work
Pds	; Preparation for drilling site	Cat-c	; Cutting cementing part
Trp	; Transportation	Icp	; Inserting casing pipe
Crs	; Clearing of the site	Ocp	; Taking out casing pipe
Rsb	; Reassemblage	Stw	; Stopping for water leakage

Summary of the Drilling Operation (MJI-1)

Operation	Survey Period				Total man day		
	Period	Days	Work shift	Off shift	Engineer	Worker	
Preparation	10.20.1986~10.25.1986	6	6		48	196	
Drilling	10. 7.1986~10.11.1986	5	Drilling		24	36	
			Recovering		8	3	
Removing	10.30.1986~10.31.1986	2	1		8	40	
Total	10.20.1986~10.31.1986	12	20		88	250	
Drilling Length	150.00m		4.40m	Core recovery of 100m hole			
Length planned		Overburden		Depth of hole	Core recovery	Core recovery cumulated	
Increase or Decrease in length	1.00	Core length	140.50	(m)	(%)	(%)	
				0 ~ 100	93.7	93.7	
Length drilled	151.00m	Core recovery	95.8	100 ~ 151.00	100	95.8	
Working hours	h	%	%	Efficiency of Drilling			
Drilling	70.00	67.30	43.8	Total m/work period(m/day)	151.00m/12 days (12.58 m/day)		
Other working	23.00	22.1	14.4	Total m/total shift (m/shift)	151.00m/20 shifts (7.55m/shift)		
Recovering	11.00	10.6	6.9	Drilling length/bit(each sized bit)			
Total	104.00	100	65.0	Bit size	HX	NQ	BQ
Reassemblage	28.00		17.5	Drilled length	4.40	76.60m	70.00m
Dismantlement	12.00		7.5	Core length	0.00	70.50m	70.00m
Water transportation							
Road construction and others	16.00		10.0				
G.Total	160.00		100				
Casing pipe inserted							
Size	Meterage (m)	Meterage drilling × 100 length (%)	Recovery (%)				
HX	1.00	0.6	100				
NW	15.00	9.9	100				
BW	81.00	53.6	100				

Summary of the Drilling Operation (MJI-2)

	Survey Period				Total man day		
	Period	Days	Work shift	Off shift	Engineer	Worker	
Operation			shift	shift	man	man	
Preparation	11. 1.1986~11. 4.1986	4	5		32	137	
Drilling	11. 5.1986~11. 8.1986	4	Drilling		32	36	
			Recovering				
Removing	11. 9.1986~11.10.1986	2	2		16	18	
Total	11. 1.1986~11.10.1986	10	19		80	191	
Drilling Length				Core recovery of 100m hole			
Length planned	150.00m	Overburden	12.90m	Depth of hole (m)	Core recovery (%)	Core recovery cumulated (%)	
Increase or Decrease in length	m 1.00	Core length	m 116.40				0 ~ 100
Length drilled	151.00m	Core recovery	% 84.2	100 ~ 151.00	100	84.2	
Working hours	h	%	%	Efficiency of Drilling			
Drilling	73.00	70.20	48.0	Total m/work period(m/day)	151.00m/10 days (15.10 m/day)		
Other working	23.00	22.1	15.1		Total m/total shift (m/shift)	151.00m/19 shifts (7.94m/shift)	
Recovering	8.00	7.7	5.3	Drilling length/bit(each sized bit)			
Total	104.00	100	68.4		Bit size	HX	NQ
Reassemblage	20.00		13.2	Drilled length		12.90	32.10m
Dismantlement	8.00		5.3	Core length	0.00	10.40m	106.00m
Water transportation							
Road construction and others	20.00		13.1				
G.Total	152.00		100				
Casing pipe inserted							
Size	Meterage (m)	Meterage drilling length (%)	Recovery (%)				
HX	1.00	0.6	100				
NW	26.00	17.2	100				
BW	45.00	29.8	100				

Summary of the Drilling Operation (MJI-3)

	Survey Period				Total man day		
	Period	Days	Work shift	Off shift	Engineer	Worker	
Operation			shift	shift	man	man	
Preparation	10.12.1986~10.13.1986	2	3		8	58	
Drilling	10.7.1986~10.11.1986	5	Drilling		32	36	
			Recovering		8	3	
Removing	10.19.1986~10.19.1986	1	1		8	40	
Total	10.12.1986~10.19.1986	7	17		56	140	
Drilling Length				Core recovery of 100m hole			
Length planned	150.00m		4.00m	Depth of hole (m)	Core recovery (%)	Core recovery cumulated (%)	
Increase or Decrease in length	m 1.00	Overburden Core length	m 147.00				
Length drilled	151.00m	Core recovery	% 100.0	0 ~ 100	100	100	
				100 ~ 151.00	100	100	
Working hours	h	%	%	Efficiency of Drilling			
Drilling	78.00	75.00	57.4	Total m/work period(m/day)	151.00m/ 7 days		
Other working	18.00	17.3	13.2		(21.57 m/day)		
Recovering	8.00	7.7	5.9	Total m/total shift (m/shift)	151.00m/17 shifts		
Total	104.00	100	76.5		(8.88m/shift)		
Reassemblage	24.00		17.6	Drilling length/bit(each sized bit)			
Dismantlement	8.00		5.9	Bit size	HX	NQ	BQ
Water transportation				Drilled length	4.00	71.00m	76.00m
Road construction and others				Core length	0.00	71.00m	76.00m
G.Total	136.00		100				
Casing pipe inserted							
Size	Meterage (m)	Meterage drilling length (%)	Recovery (%)				
HX	1.00	0.6	100				
NW	6.00	4.0	100				
BW	75.00	49.7	100				

Summary of the Drilling Operation (MJI-4)

Operation	Survey Period				Total man day		
	Period	Days	Work shift	Off shift	Engineer	Worker	
Preparation	10. 5. 1986~10. 6. 1986	2	3		16	67	
Drilling	10. 7. 1986~10. 11. 1986	5	Drilling		40	39	
			Recovering				
Removing	10. 12. 1986~10. 12. 1986	1	1		8	9	
Total	10. 5. 1986~10. 12. 1986	8	17		64	115	
Drilling Length			Core recovery of 100m hole				
Length planned	150.00m	Overburden	10.60m	Depth of hole (m)	Core recovery (%)	Core recovery cumulated (%)	
Increase or Decrease in length	m 2.40	Core length	m 141.80				
Length drilled	152.40m	Core recovery	% 100.0	0 ~ 100	100	100	
Working hours	h	%	%	Efficiency of Drilling			
Drilling	79.00	76.00	58.0	Total m/work	152.40m/ 8 days		
Other working	19.00	18.3	14.0	period(m/day)	(19.05 m/day)		
Recovering	6.00	5.7	4.4	Total m/total	152.40m/17 shifts		
Total	104.00	100	76.5	shift (m/shift)	(8.96m/shift)		
Reassemblage	20.00		14.7	Drilling length/bit(each sized bit)			
Dismantlement	12.00		8.8	Bit size	HX	NQ	BQ
Water transportation				Drilled			
Road construction and others				length	11.20	63.80m	87.4m
G.Total	136.00		100	Core			
				length	0.60	63.80m	77.40m
Casing pipe inserted							
Size	Meterage	Meterage drilling × 100 length	Recovery				
	(m)	(%)	(%)				
HX	1.00	0.6	100				
NW	11.20	7.3	100				
BV	75.00	49.2	100				

Summary of the Drilling Operation (MJI-5)

Operation	Survey Period				Total man day		
	Period	Days	Work shift	Off shift	Engineer	Worker	
Preparation	9.15.1986~ 9.22.1986	8	8		54	131	
Drilling	9.23.1986~ 9.26.1986	4	Drilling		24	36	
			Recovering		6	27	
Removing	9.27.1986~ 9.27.1986	1	1		8	9	
Total	9.15.1986~ 9.27.1986	13	22		94	185	
Drilling Length	150.00m	Overburden	8.80m	Core recovery of 100m hole			
Length planned	m		m	Depth of hole (m)	Core recovery (%)	Core recovery cumulated (%)	
Increase or Decrease in length	1.00	Core length	139.00	0 ~ 100	96.4	96.4	
Length drilled	151.00m	Core recovery	97.7	100 ~ 151.00	100	97.7	
Working hours	h	%	%	Efficiency of Drilling			
Drilling	78.00	75.90	44.3	Total m/work period(m/day)	151.00m/ 3 days (11.61 m/day)		
Other working	18.00	17.3	10.2	Total m/total shift (m/shift)	151.00m/22 shifts (6.86m/shift)		
Recovering	8.00	7.7	4.5	Drilling length/bit(each sized bit)			
Total	104.00	100	59.1	Bit size	HX	NQ	BQ
Reassemblage	32.00		18.2	Drilled length	8.80	63.20m	79.00m
Dismantlement	8.00		4.5	Core length	0.00	60.00m	79.00m
Water transportation							
Road construction and others	32.00		18.2				
G.Total	176.00		100				
Casing pipe inserted	Size	Meterage (m)	Meterage drilling × 100 length (%)	Recovery (%)			
	HX	1.00	0.6	100			
	NW	12.80	8.4	100			
	BW	72.00	47.7	100			

Summary of the Drilling Operation (MJI-6)

Operation	Survey Period				Total man day		
	Period	Days	Work shift	Off shift	Engineer	Worker	
Preparation	9.28.1986~ 9.29.1986	2	5 shift		12 man	28 man	
Drilling	9.30.1986~10. 4.1986	4	Drilling		18	36	
			Recovering		6	9	
Removing	9.27.1986~ 9.27.1986	1	1		8	9	
Total	9.28.1986~10. 4.1986	7	19		42	92	
Drilling Length			Core recovery of 100m hole				
Length planned	150.00m	Overburden	6.30m	Depth of hole (m)	Core recovery (%)	Core recovery cumulated (%)	
Increase or Decrease in length	m 1.00	Core length	m 144.70				0 ~ 100
Length drilled	151.00m	Core recovery	% 100.0	100 ~ 151.00	100	100	
Working hours	h	%	%	Efficiency of Drilling			
Drilling	78.00	75.00	51.3	Total m/work period(m/day)		151.00m/ 3 days (11.61 m/day)	
Other working	17.00	16.3	11.2	Total m/total shift (m/shift)		151.00m/22 shifts (6.86m/shift)	
Recovering	9.00	8.7	5.9	Drilling length/bit(each sized bit)			
Total	104.00	100	68.4	Bit size	HX	NQ	BQ
Reassemblage	32.00		21.1	Drilled length	6.30	62.70m	82.00m
Dismantlement	16.00		10.5	Core length	0.00	62.70m	82.00m
Water transportation							
Road construction and others							
G.Total	152.00		100				
Casing pipe inserted	Meterage		Recovery				
Size	Meterage (m)	drilling × 100 length (%)					
HX	1.00	0.6	100				
NW	6.30	4.2	100				
BW	69.00	45.7	100				

Summary of the Drilling Operation (MJ1-7)

	Survey Period				Total man day	
	Period	Days	Work shift	Off shift	Engineer	Worker
Operation			shift	shift	man	man
Preparation	8.24.1986~8.27.1986	4	3	1	24	117
Drilling	8.28.1986~9.4.1986	8	Drilling			
			16	1	42	51
			Recovering			
			3		6	9
Removing	9.5.1986~9.5.1986	1	2		6	9
Total	8.24.1986~9.5.1986	13	24	2	78	186
Drilling length				Core recovery of 100m hole		
Length planned	150m		6.00m	Depth of hole (m)	Core recovery (%)	Core recovery cumulated (%)
Increase or Decrease in length	m	Overburden	m			
	0.20	Core length	144.0	0 ~ 100	99.8	99.8
Length drilled	150.20m	Core recovery	99.8	100 ~ 150.20	100	99.8
Working hours	h	%	%	Efficiency of Drilling		
Drilling	85.30	59.4	41.1	Total m/work period(m/day)	150.20m/13 days	
Other working	25.50	17.9	12.4		(11.55 m/day)	
Recovering	32.40	22.7	15.7	Total m/total shift (m/shift)	150.20m/26 shifts	
Total	144.00	100	69.2		(5.78m/shift)	
Reassemblage	24.00		11.5	Drilling length/bit(each sized bit)		
Dismantlement	16.00		7.8	Bit size	HX	NQ
Water transportation				Drilled length	6.00	144.20m
Road construction and others	24.00		11.5	Core length	0.00	144.00m
G.Total	208.00		100			
Casing pipe inserted						
Size	Meterage (m)	Meterage drilling length (%)	Recovery (%)			
HX	1.60	1.1	100			
NW	6.00	4.0	100			
NW			100			

Summary of the Drilling Operation (MJI-8)


Operation	Survey Period				Total man day		
	Period	Days	Work shift	Off shift	Engineer	Worker	
			shift	shift	man	man	
Preparation	9. 6.1986~ 9. 7.1986	2	2		12	18	
Drilling	9. 8.1986~ 9.13.1986	6	Drilling		30	45	
			Recovering		6	27	
Removing	9.14.1986~ 9.14.1986	1	1		6	9	
Total	9. 6.1986~ 9.14.1986	9	21	2	54	99	
Drilling Length			Core recovery of 100m hole				
Length planed	150.00m	Overburden	4.50m	Depth of hole (m)	Core recovery (%)	Core recovery cumulated (%)	
Increase or Decrease in length	m	Core length	m	0 ~ 100	99.3	99.3	
	1.00	145.90		100 ~ 150.20	100	99.5	
Length drilled	151.00m	Core recovery	99.5 %				
Working hours	h	%	%	Efficiency of Drilling			
Drilling	79.00	54.90	47.0	Total m/work period(m/day)	151.00m/ 9 days (16.77 m/day)		
Other working	25.30	17.7	15.2	Total m/total shift (m/shift)	151.00m/21 shifts (7.19m/shift)		
Recovering	39.30	27.4	23.6	Drilling length/bit(each sized bit)			
Total	144.00	100	85.7	Bit size	HX	NQ	BQ
Reassemblage	12.00		7.1	Drilled length	4.50	49.50m	97.00m
Dismantlement	12.00		7.2	Core length	0.00	48.90m	
Water transportation							
Road construction and others							
G.Total	168.00		100				
Casing pipe inserted	Meterage drilling × 100 length (%)		Recovery (%)				
Size	Meterage (m)						
HX	1.00	0.6	100				
NW	4.50	2.9	100				
BW	54.00	35.8	100				

Summary of the Drilling Operation (MJI-9)


Operation	Survey Period				Total man day		
	Period	Days	Work shift	Off shift	Engineer	Worker	
Preparation	11.24.1986~11.30.1986	7	7		42	154	
Drilling	12.1.1986~12.4.1986	4	Drilling		24	36	
			Recovering				
Removing	12.5.1986~12.6.1986	2	2		12	27	
Total	11.24.1986~12.6.1986	13	21		78	217	
Drilling Length	150.00m	Overburden	11.20m	Core recovery of 100m hole			
Length planned	m		m	Depth of hole (m)	Core recovery (%)	Core recovery cumulated (%)	
Increase or Decrease in length	1.20	Core length	123.50	0 ~ 100	81.4	81.4	
Length drilled	151.20m	Core recovery	88.2	100 ~ 151.20	100	88.2	
Working hours	h	%	%	Efficiency of Drilling			
Drilling	78.00	75.00	46.4	Total m/work period(m/day)	151.00m/10 days (15.10 m/day)		
Other working	18.00	17.3	10.7	Total m/total shift (m/shift)	151.00m/19 shifts (7.94m/shift)		
Recovering	8.00	7.7	4.8	Drilling length/bit(each sized bit)			
Total	104.00	100	61.9	Bit size	HX	NQ	BQ
Reassemblage	16.00		9.5	Drilled length	11.20	21.80m	118.20m
Dismantlement	8.00		4.8	Core length	0.00	9.35m	114.15m
Water transportation							
Road construction and others	40.00		23.8				
G.Total	168.00		100				
Casing pipe inserted	Size	Meterage (m)	Meterage drilling × 100 length (%)	Recovery (%)			
	HX	1.00	0.6	100			
	NW	11.20	7.4	100			
	BW	33.00	21.8	100			

Summary of the Drilling Operation (MJ1-10)


Operation	Survey Period				Total man day	
	Period	Days	Work shift	Off shift	Engineer	Worker
Preparation	11.11.1986~11.17.1986	7	7		42	123
Drilling	11.18.1986~11.21.1986	4	Drilling		24	36
			Recovering			
Removing	11.22.1986~11.23.1986	2	2		16	18
Total	11.11.1986~11.23.1986	13	21		78	177
Drilling Length				Core recovery of 100m hole		
Length planed	150.00m		15.00m	Depth of hole (m)	Core recovery (%)	Core recovery cumulated (%)
Increase or Decrease in length	m 1.00	Overburden Core length	m 122.90			
Length drilled	151.00m	Core recovery	% 90.3	100 ~ 151.00	100	90.3
Working hours	h	%	%	Efficiency of Drilling		
Drilling	75.00	72.10	44.6	Total m/work period(m/day)	151.00m/10 days	
Other working	21.00	20.2	12.6		(15.10 m/day)	
Recovering	8.00	7.7	4.8	Total m/total shift (m/shift)	151.00m/19 shifts	
Total	104.00	100	61.9		(7.94m/shift)	
Reassemblage	16.00		9.5	Drilling length/bit(each sized bit)		
Dismantlement	8.00		4.8	Bit size	HX	NQ
Water transportation				Drilled		BQ
Road construction and others	40.00		23.8	length	26.00	6.80m
G.Total	168.00		100	Core		118.20m
				length	0.00	6.25m
Casing pipe inserted						
Size	Meterage (m)	Meterage drilling × 100 length (%)	Recovery (%)			
HX	1.00	0.6	100			
NW	26.00	17.2	100			
BW	32.80	21.7	100			




Drilling Progress (MJI-2)




Drilling Progress (MJI-3)




Drilling Progress (MJT-6)



Drilling Progress (MJI-7)



Drilling Progress (MJI-8)



Drilling Progress (MJI-10)

JICA