

\*\*\* Measured Data List \*\*\*

Station No.71 Date 1984/ 11/18 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1428 E±0	0.1164 E-3	149	-5906	0.38	216	75
13	1024	0.3477 E±0	0.3448 E-3	199	0.525	0.52	30.1	130
12	512	0.4696 E±0	0.6005 E-3	239	0.588	0.59	33.7	130
11	256	0.7496 E±0	0.1352 E-2	239	0.655	0.66	37.5	130
10	128	0.1320 E+1	0.3466 E-2	227	0.484	0.48	27.7	130
9	64	0.1504 E+1	0.4415 E-2	363	0.302	0.30	17.3	130
8	32	0.3401 E+1	0.1037 E-1	671	0.236	0.24	13.5	130
7	16	0.3514 E+1	0.1135 E-1	1198	6.573	0.29	16.6	130
6	8	0.2874 E+1	0.1078 E-1	1775	0.376	0.38	21.5	130
5	4	0.2147 E+1	0.1000 E-1	2304	0.423	0.42	24.2	130

Station No.72 Date 1984/ 11/18 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3711 E±0	0.1493 E-3	604	-6059	0.22	129	75
13	1024	0.8100 E±0	0.3777 E-3	898	0.414	0.41	23.7	130
12	512	0.1116 E+1	0.6575 E-3	1126	0.512	0.51	29.4	130
11	256	0.1857 E+1	0.1500 E-2	1197	0.580	0.58	33.3	130
10	128	0.3366 E+1	0.3828 E-2	1208	0.416	0.42	23.8	130
9	64	0.3895 E+1	0.4846 E-2	2019	0.216	0.22	12.4	130
8	32	0.9352 E+1	0.1130 E-1	4279	0.152	0.15	8.7	130
7	16	0.1015 E+2	0.1237 E-1	8407	6.531	0.25	14.2	130
6	8	0.8298 E+1	0.1140 E-1	13251	0.417	0.42	23.9	130
5	4	0.5920 E+1	0.1054 E-1	15773	0.505	0.51	29.0	130

\*\*\* Measured Data List \*\*\*

Station No. 73

Date 1984/ 11/18

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2543 E±0	0.1118 E-3	508	0.106	0.11	6.1	75
13	1024	0.8343 E±0	0.3649 E-3	1001	0.271	0.27	15.5	130
12	512	0.1248 E+1	0.6146 E-3	1638	6.703	0.42	24.1	130
11	256	0.1814 E+1	0.1291 E-2	1504	0.639	0.64	36.6	130
10	128	0.3344 E+1	0.3277 E-2	1627	6.706	0.42	24.2	130
9	64	0.3980 E+1	0.4288 E-2	2691	0.328	0.33	18.8	130
8	32	0.8265 E+1	1.0064 E-2	4215	0.305	0.31	17.5	130
7	16	0.7821 E+1	0.1105 E-1	6266	0.277	0.28	15.9	130
6	8	0.6695 E+1	0.1074 E-1	9718	0.192	0.19	11.0	130
5	4	0.6197 E+1	0.1029 E-1	18130	0.088	0.09	5.0	130

Station No. 74

Date 1984/ 11/18

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1424 E+1	0.8857 E-4	25533	-6.015	0.27	15.4	75
13	1024	0.3745 E+1	0.2725 E-3	36910	0.467	0.47	26.7	130
12	512	0.5317 E+1	0.4945 E-3	45157	0.564	0.56	32.3	130
11	256	0.8457 E+1	0.1136 E-2	43297	0.671	0.67	38.5	130
10	128	0.1512 E+2	0.2961 E-2	40783	0.500	0.50	28.6	130
9	64	0.1779 E+2	0.3925 E-2	64207	0.335	0.34	19.2	130
8	32	0.3999 E+2	0.9381 E-2	113573	0.283	0.28	16.2	130
7	16	0.4055 E+2	0.1053 E-1	185213	6.604	0.32	18.4	130
6	8	0.3317 E+2	0.1012 E-1	268766	6.671	0.39	22.2	130
5	4	0.2537 E+2	0.9738 E-2	339533	3.488	0.35	19.8	130

\*\*\* Measured Data List \*\*\*

Station No.75

Date 1984/ 11/18

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.4665 E±0	1.0237 E-3	1839	-6.084	0.20	11.4	7.5
13	1024	0.1268 E+1	0.3297 E-3	2943	0.360	0.36	20.6	13.0
12	512	0.1809 E+1	0.5747 E-3	3873	0.485	0.49	27.8	13.0
11	256	0.2830 E+1	0.1237 E-2	4172	0.607	0.61	34.8	13.0
10	128	0.5123 E+1	0.3158 E-2	4111	0.463	0.46	26.5	13.0
9	64	0.6048 E+1	0.4171 E-2	6569	0.322	0.32	18.4	13.0
8	32	0.1332 E+2	0.1004 E-1	11004	0.285	0.28	16.3	13.0
7	16	0.1315 E+2	0.1104 E-1	17760	6.580	0.30	17.0	13.0
6	8	0.1084 E+2	0.1063 E-1	26043	6.580	0.30	17.0	13.0
5	4	0.8770 E+1	0.1015 E-1	37300	6.532	0.25	14.2	13.0

Station No.76

Date 1984/ 11/18

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C(deg)	
14	2048	0.2499 E±0	0.1226 E-3	411	0.365	0.36	20.9	7.5
13	1024	0.6306 E±0	0.3323 E-3	703	0.511	0.51	29.3	13.0
12	512	0.9164 E±0	0.5959 E-3	924	0.573	0.57	32.8	13.0
11	256	0.1496 E+1	0.1364 E-2	939	0.634	0.63	36.3	13.0
10	128	0.2819 E+1	0.3655 E-2	930	6.744	0.46	26.4	13.0
9	64	0.3368 E+1	0.4815 E-2	1529	0.309	0.31	17.7	13.0
8	32	0.7513 E+1	0.1143 E-1	2698	0.269	0.27	15.4	13.0
7	16	0.7531 E+1	0.1253 E-1	4514	0.306	0.31	17.5	13.0
6	8	0.6153 E+1	0.1204 E-1	6528	0.372	0.37	21.3	13.0
5	4	0.4716 E+1	0.1127 E-1	8748	0.349	0.35	20.0	13.0

\*\*\* Measured Data List \*\*\*

Date 1984/ 11/19 Tx Bipole No. 1

Station No. 77

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2354 E±0	0.2100 E-3	119	0.629	0.63	36.0	75
13	1024	0.6352 E±0	0.6845 E-3	168	0.559	0.56	32.1	130
12	512	0.9695 E±0	0.1270 E-2	227	0.526	0.53	30.2	130
11	256	0.1613 E+1	0.2738 E-2	271	0.523	0.52	30.0	130
10	128	0.3049 E+1	0.6805 E-2	314	6.702	0.42	24.0	130
9	64	0.3426 E+1	0.8690 E-2	486	0.262	0.26	15.0	130
8	32	0.7525 E+1	0.1953 E-1	928	0.190	0.19	10.9	130
7	16	0.7488 E+1	0.2001 E-1	1750	0.235	0.24	13.5	130
6	8	0.5956 E+1	0.1791 E-1	2766	0.338	0.34	19.4	130
5	4	0.4339 E+1	0.1622 E-1	3760	0.390	0.39	22.4	130

Date 1984/ 11/19 Tx Bipole No. 1

Station No. 78

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.2966 E±0	0.2256 E-3	168	-5.653	0.63	36.1	75
13	1024	0.7644 E±0	0.7709 E-3	192	0.604	0.60	34.6	130
12	512	0.1130 E+1	0.1423 E-2	246	0.580	0.58	33.3	130
11	256	0.1794 E+1	0.3041 E-2	276	0.609	0.61	34.9	130
10	128	0.3210 E+1	0.7502 E-2	286	0.501	0.50	28.7	130
9	64	0.3338 E+1	0.9204 E-2	411	0.341	0.34	19.6	130
8	32	0.6840 E+1	0.2053 E-1	694	0.240	0.24	13.7	130
7	16	0.6681 E+1	0.2119 E-1	1242	6.505	0.22	12.7	130
6	8	0.5424 E+1	0.1902 E-1	2032	0.246	0.25	14.1	130
5	4	0.4213 E+1	0.1726 E-1	2981	0.218	0.22	12.5	130

\*\*\* Measured Data List \*\*\*

Station No. 79

Date 1984/ 11/19

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.3458 E±0	0.1918 E-3	302	-5.780	0.50	28.9	7.5
13	1024	0.1123 E+1	0.6054 E-3	663	0.401	0.40	23.0	13.0
12	512	0.1959 E+1	0.1178 E-2	1080	0.428	0.43	24.5	13.0
11	256	0.3416 E+1	0.2769 E-2	1188	0.462	0.46	26.4	13.0
10	128	0.7201 E+1	0.7099 E-2	1608	0.335	0.34	19.2	13.0
9	64	0.7910 E+1	0.8591 E-2	2649	0.257	0.26	14.7	13.0
8	32	0.1628 E+3	0.1906 E-1	4561	0.211	0.21	12.1	13.0
7	16	0.1569 E+2	0.1980 E-1	7850	6.495	0.21	12.1	13.0
6	8	0.1287 E+2	0.1809 E-1	12806	6.503	0.22	12.6	13.0
5	4	0.1042 E+2	0.1636 E-1	20260	6.461	0.18	10.2	13.0

Station No. 80

Date 1984/ 11/19

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.5117 E±0	0.1691 E-3	897	-5.916	0.37	21.0	7.5
13	1024	0.1739 E+1	0.6167 E-3	1553	0.293	0.29	16.8	13.0
12	512	0.3111 E+1	0.1199 E-2	2627	0.366	0.37	20.9	13.0
11	256	0.5406 E+1	0.2758 E-2	3001	0.409	0.41	23.4	13.0
10	128	0.1204 E+2	0.7307 E-2	4403	0.274	0.27	15.7	13.0
9	64	0.1337 E+2	0.8635 E-2	7496	0.215	0.22	12.3	13.0
8	32	0.2757 E+2	0.1903 E-1	13125	0.193	0.19	11.1	13.0
7	16	0.2641 E+2	0.1968 E-1	22517	6.472	0.19	10.8	13.0
6	8	0.2187 E+2	0.1799 E-1	36933	6.472	0.19	10.8	13.0
5	4	0.1805 E+2	0.1632 E-1	61180	6.425	0.14	8.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 81

Date 1984/ 11/19

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2439 E+0	0.1522 E-3	251	-5.766	0.52	29.7	75
13	1024	0.7485 E+0	0.5321 E-3	386	0.478	0.48	27.4	130
12	512	0.1244 E+1	0.1028 E-2	573	0.485	0.49	27.8	130
11	256	0.2077 E+1	0.2427 E-2	572	0.522	0.52	29.9	130
10	128	0.4559 E+1	0.6331 E-2	810	0.328	0.33	18.8	130
9	64	0.5163 E+1	0.7724 E-2	1396	0.253	0.25	14.5	130
8	32	0.9167 E+1	0.1489 E-1	2369	0.227	0.23	13.0	130
7	16	0.8986 E+1	0.1598 E-1	3951	65.03	0.22	12.6	130
6	8	0.8332 E+1	0.1660 E-1	6299	64.85	0.20	11.6	130
5	4	0.6913 E+1	0.1517 E-1	10378	64.23	0.14	8.0	130

Station No. 82

Date 1984/ 11/20

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7580 E+0	0.1424 E-3	2775	-5.827	0.46	26.2	75
13	1024	0.2155 E+1	0.4724 E-3	4066	0.448	0.45	25.7	130
12	512	0.3437 E+1	0.9395 E-3	5231	0.501	0.50	28.7	130
11	256	0.5636 E+1	0.2166 E-2	5288	0.539	0.54	30.9	130
10	128	0.1234 E+2	0.5864 E-2	6917	0.341	0.34	19.5	130
9	64	0.1473 E+2	0.7490 E-2	12081	0.242	0.24	13.9	130
8	32	0.3158 E+2	0.1711 E-1	21300	0.210	0.21	12.0	130
7	16	0.3086 E+2	0.1804 E-1	36466	64.94	0.21	12.1	130
6	8	0.2587 E+2	0.1702 E-1	57723	65.01	0.22	12.5	130
5	4	0.2129 E+2	0.1579 E-1	91000	64.47	0.16	9.4	130

\*\*\* Measured Data List \*\*\*

Station No. 83

Date 1984/ 11/20

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	PD-C(deg)		
14	2048	0.6800 E±0	0.1245 E-3	2914	0.595	0.60	341	7.5
13	1024	0.1938 E+1	0.4196 E-3	4025	0.571	0.57	327	13.0
12	512	0.3093 E+1	0.8549 E-3	5114	0.650	0.65	372	13.0
11	256	0.4650 E+1	0.2097 E-2	3842	0.572	0.57	328	13.0
10	128	0.1143 E+2	0.5704 E-2	6270	6.641	0.36	20.5	13.0
9	64	0.1269 E+2	0.7167 E-2	9802	0.317	0.32	18.2	13.0
8	32	0.2533 E+2	0.1640 E-1	14904	0.251	0.25	14.4	13.0
7	16	0.2440 E+2	0.1734 E-1	24746	0.168	0.17	9.6	13.0
6	8	0.2164 E+2	0.1613 E-1	44983	0.082	0.08	4.7	13.0
5	4	0.1999 E+2	0.1481 E-1	91107	-0.027	-0.03	-1.6	13.0

Station No.84

Date 1984/ 11/20

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	PD-C(deg)		
14	2048	0.7090 E±0	0.1217 E-3	3326	0.647	0.65	37.1	7.5
13	1024	0.1909 E+1	0.4548 E-3	3442	0.702	0.70	40.2	13.0
12	512	0.2893 E+1	0.9342 E-3	3744	0.794	0.79	45.5	13.0
11	256	0.4286 E+1	0.2421 E-2	2448	0.653	0.65	37.4	13.0
10	128	0.1028 E+2	0.6539 E-2	3861	6.693	0.41	23.5	13.0
9	64	0.1090 E+2	0.8045 E-2	5732	0.367	0.37	21.0	13.0
8	32	0.2090 E+2	0.1805 E-1	8384	0.282	0.28	16.2	13.0
7	16	0.1983 E+2	0.1893 E-1	13725	0.184	0.18	10.6	13.0
6	8	0.1771 E+2	0.1777 E-1	24830	0.088	0.09	5.0	13.0
5	4	0.1657 E+2	0.1649 E-1	50447	0.030	0.03	1.7	13.0

\*\*\* Measured Data List \*\*\*

Station No. 85

Date 1984/ 11/20

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field		Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)				PD-C(rad)	PD-C(deg)		
14	2048	0.1729 E±0		0.1524 E-3	126	0.459	0.46	263	75
13	1024	0.4304 E±0		0.4460 E-3	171	0.300	0.30	172	130
12	512	0.8213 E±0		0.8899 E-3	332	0.060	0.06	34	130
11	256	0.2041 E+1		0.2089 E-2	745	6.370	0.09	50	130
10	128	0.5298 E+1		0.5604 E-2	1365	6.284	0.00	0.0	130
9	64	0.7693 E+1		0.7893 E-2	2968	0.025	0.03	15	130
8	32	0.1716 E+2		0.1833 E-1	5479	0.032	0.03	18	130
7	16	0.1769 E+2		0.1942 E-1	10368	-0.015	-0.01	-0.9	130
6	8	0.1721 E+2		0.1823 E-1	22297	-0.066	-0.07	-3.8	130
5	4	0.1739 E+2		0.1720 E-1	51133	-0.079	-0.08	-4.5	130

Station No. 86

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field		Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)				PD-C(rad)	PD-C(deg)		
14	2048	0.1358 E±0		0.6971 E-4	372	-5.426	0.86	49.1	75
13	1024	0.2872 E±0		0.2258 E-3	316	0.654	0.65	37.4	130
12	512	0.3569 E±0		0.3598 E-3	384	0.730	0.73	41.8	130
11	256	0.5365 E±0		0.7286 E-3	424	0.753	0.75	43.1	130
10	128	0.7676 E±0		0.1705 E-2	317	0.836	0.84	47.9	130
9	64	0.7958 E±0		0.2691 E-2	274	0.465	0.47	26.7	130
8	32	0.1957 E+1		0.7268 E-2	453	0.137	0.14	7.9	130
7	16	0.2209 E+1		0.7833 E-2	1007	6.161	-0.12	-7.0	130
6	8	0.2235 E+1		0.6817 E-2	2714	5.987	-0.30	-17.0	130
5	4	0.2357 E+1		0.5748 E-2	8439	5.962	-0.32	-18.4	130



\*\*\* Measured Data List \*\*\*

Station No. 87 Date 1984/ 11/21 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.3030 E±0	0.1053 E-3	812	-5.667	0.62	35.3	7.5
13	1024	0.6530 E±0	0.2590 E-3	1248	0.558	0.56	32.0	13.0
12	512	0.7959 E±0	0.3922 E-3	1610	0.577	0.58	33.1	13.0
11	256	0.1192 E+1	0.7662 E-2	1895	0.649	0.65	37.2	13.0
10	128	0.1706 E+1	0.1742 E-2	1551	-2.480	0.66	37.9	13.0
9	64	0.2071 E+1	0.2817 E-2	1688	-2.819	0.32	18.5	13.0
8	32	0.5092 E+1	0.7202 E-2	3125	-3.046	0.10	5.5	13.0
7	16	0.5335 E+1	0.7589 E-2	6177	3.032	-0.11	-6.3	13.0
6	8	0.4872 E+1	0.6055 E-2	15739	2.857	-0.28	-16.3	13.0
5	4	0.4659 E+1	0.4726 E-2	48593	2.763	-0.38	-21.7	13.0

Station No. 88 Date 1984/ 11/21 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1744 E±0	0.1061 E-3	264	0.725	0.72	41.5	7.5
13	1024	0.3563 E±0	0.2910 E-3	293	0.636	0.64	36.4	13.0
12	512	0.4074 E±0	0.4433 E-3	331	0.693	0.69	39.7	13.0
11	256	0.5747 E±0	0.8630 E-3	347	0.730	0.73	41.8	13.0
10	128	0.8192 E±0	0.1975 E-2	267	0.736	0.74	42.1	13.0
9	64	0.9242 E±0	0.3043 E-2	288	0.350	0.35	20.1	13.0
8	32	0.2252 E+1	0.7685 E-2	536	0.079	0.08	4.5	13.0
7	16	0.2447 E+1	0.8007 E-2	1168	6.157	-0.13	-7.2	13.0
6	8	0.2365 E+1	0.6585 E-2	3226	5.983	-0.30	-17.2	13.0
5	4	0.2363 E+1	0.5229 E-2	10255	2.845	-0.30	-17.0	13.0

\*\*\* Measured Data List \*\*\*

Station No. 89

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7152 E-1	0.8851 E-4	66	-1.857	1.28	73.6	7.5
13	1024	0.2329 E±0	0.2368 E-3	190	-2.601	0.54	31.0	13.0
12	512	0.3383 E±0	0.3931 E-3	290	3.670	0.53	30.3	13.0
11	256	0.5566 E±0	0.7921 E-3	386	3.753	0.61	35.0	13.0
10	128	0.7688 E±0	0.1948 E-2	243	3.832	0.69	39.6	13.0
9	64	0.8538 E+1	0.3018 E-2	250	3.251	0.11	6.2	13.0
8	32	0.2465 E+1	0.7644 E-2	650	2.747	-0.39	-2.26	13.0
7	16	0.3818 E+1	0.7783 E-2	3010	2.450	-0.69	-3.96	13.0
6	8	0.4982 E+1	0.6272 E-2	15779	-0.740	-0.74	-4.24	13.0
5	4	0.5753 E+1	0.4757 E-2	73330	-0.638	-0.64	-3.66	13.0

Station No. 90

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4491 E-1	0.1007 E-3	19	0.449	0.45	25.7	7.5
13	1024	0.5357 E-1	0.2603 E-3	10	-4.541	-1.40	-80.2	13.0
12	512	0.5689 E-1	0.4115 E-3	7	2.500	-0.64	-36.7	13.0
11	256	0.7284 E-1	0.8060 E-3	5	3.199	0.06	3.3	13.0
10	128	0.5293 E-1	0.1974 E-3	1	3.727	0.59	33.5	13.0
9	64	0.9246 E-1	0.3159 E-2	3	1.279	1.28	73.3	13.0
8	32	0.7051 E-1	0.7674 E-2	53	1.524	1.52	87.3	13.0
7	16	0.1456 E+1	0.7570 E-2	463	-1.429	-1.43	-81.9	13.0
6	8	0.2082 E+1	0.5836 E-2	3193	-1.226	-1.23	-70.2	13.0
5	4	0.2431 E+1	0.4117 E-2	12995	-1.007	-1.01	-57.7	13.0

\*\*\* Measured Data List \*\*\*

Station No. 91

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1067 E±0	0.1053 E-2	101	0.569	0.57	32.6	7.5
13	1024	0.1439 E±0	0.2851 E-2	50	-5.237	1.05	59.9	1.30
12	512	0.1260 E±0	0.4409 E-2	32	1.120	1.12	64.2	1.30
11	256	0.1185 E±0	0.8238 E-2	16	1.080	1.08	61.9	1.30
10	128	0.2256 E±0	0.2247 E-1	16	6.607	0.32	18.5	1.30
9	64	0.5377 E±0	0.3416 E-1	70	0.388	0.39	2.22	1.30
8	32	0.1628 E+1	0.8161 E-1	249	0.769	0.77	4.41	1.30
7	16	0.2359 E+1	0.7638 E-1	1192	1.175	1.18	6.73	1.30
6	8	0.2992 E+1	0.5760 E-1	7015	1.507	1.51	8.63	1.30
5	4	0.3436 E+1	0.3724 E-1	42717	1.703	-1.44	-8.24	1.30

Station No. 92

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1893 E±0	0.1400 E-3	179	-0.029	-0.03	-1.6	7.5
13	1024	0.1247 E±0	0.3288 E-3	28	-4.316	-1.17	-6.73	1.30
12	512	0.1972 E±0	0.5376 E-3	52	2.785	-0.36	-20.4	1.30
11	256	0.2553 E±0	0.1018 E-2	49	3.799	0.66	37.7	1.30
10	128	0.2400 E±0	0.3123 E-2	10	4.147	1.01	57.6	1.30
9	64	0.3086 E±0	0.4509 E-2	15	1.192	1.19	68.3	1.30
8	32	0.2829 E+1	0.1027 E-1	475	1.397	1.40	80.1	1.30
7	16	0.5956 E+1	0.9526 E-2	4874	1.586	-1.56	-89.2	1.30
6	8	0.8429 E+1	0.6896 E-2	37350	1.762	-1.38	-79.0	1.30
5	4	0.1002 E+2	0.4828 E-2	215333	1.927	-1.21	-69.6	1.30

\*\*\* Measured Data List \*\*\*

Station No. 93

Date 1984/ 11/21

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8170 E±0	0.1565 E-3	2663	-5825	0.46	263	7.5
13	1024	0.1906 E+1	0.4524 E-3	3468	0.494	0.49	283	13.0
12	512	0.2354 E+1	0.7392 E-3	3960	0.463	0.46	265	13.0
11	256	0.3622 E+1	0.1350 E-2	5624	0.466	0.47	267	13.0
10	128	0.7455 E+1	0.3849 E-2	5888	0.292	0.29	167	13.0
9	64	0.1048 E+2	0.5534 E-2	11213	-3077	0.06	37	13.0
8	32	0.2399 E+2	0.1237 E-1	23520	-3183	-0.04	-24	13.0
7	16	0.2416 E+2	0.1178 E-1	42610	6124	-0.16	-91	13.0
6	8	0.2175 E+2	0.9307 E-2	136500	6010	-0.27	-157	13.0
5	4	0.2022 E+2	0.7163 E-2	399233	5988	-0.29	-169	13.0

Station No. 94

Date 1984/ 11/22

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1852 E±0	0.1236 E-3	220	0.492	0.49	282	7.5
13	1024	0.3586 E±0	0.3236 E-3	240	0.646	0.65	370	13.0
12	512	0.3861 E±0	0.4954 E-3	237	0.757	0.76	434	13.0
11	256	0.5041 E±0	0.9748 E-3	207	0.727	0.73	416	13.0
10	128	0.7559 E±0	0.2280 E-2	172	6871	0.59	337	13.0
9	64	0.1105 E+1	0.3578 E-2	298	0.330	0.33	189	13.0
8	32	0.2679 E+1	0.8911 E-2	565	0.324	0.32	186	13.0
7	16	0.2582 E+1	0.9151 E-2	995	0.445	0.45	255	13.0
6	8	0.1850 E+1	0.7577 E-2	1490	0.692	0.69	396	13.0
5	4	0.1160 E+1	0.6261 E-2	1696	1.040	1.04	596	13.0

\*\*\* Measured Data List \*\*\*

Station No.95 Date 1984/ 11/22 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.2353 E±0	0.1387 E-3	281	-5.813	0.47	7.5
13	1024	0.4664 E±0	0.3603 E-3	328	0.672	0.67	13.0
12	512	0.5094 E±0	0.5695 E-3	309	0.790	0.79	13.0
11	256	0.6740 E±0	0.1159 E-2	264	0.751	0.75	13.0
10	128	0.1058 E+1	0.2769 E-2	228	0.568	0.57	13.0
9	64	0.1533 E+1	0.4188 E-2	419	0.341	0.34	13.0
8	32	0.3810 E+1	0.1043 E-1	838	0.402	0.40	13.0
7	16	0.3753 E+1	0.1075 E-1	1523	6.931	0.65	13.0
6	8	0.2917 E+1	0.9486 E-2	2367	1.076	1.08	13.0
5	4	0.2199 E+1	0.8101 E-2	3683	1.628	-1.51	13.0

Station No.96 Date 1984/ 11/22 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.3671 E±0	0.1490 E-3	598	0.550	0.55	7.5
13	1024	0.7723 E±0	0.3870 E-3	778	0.656	0.66	13.0
12	512	0.8837 E±0	0.6293 E-3	804	0.724	0.72	13.0
11	256	0.1231 E+1	0.1243 E-2	767	0.725	0.72	13.0
10	128	0.1903 E+1	0.2991 E-2	632	0.621	0.62	13.0
9	64	0.2424 E+1	0.4450 E-2	927	0.346	0.35	13.0
8	32	0.5848 E+1	0.1105 E-1	1749	0.275	0.27	13.0
7	16	0.5623 E+1	0.1139 E-1	3048	0.318	0.32	13.0
6	8	0.4162 E+1	0.9802 E-2	4507	0.407	0.41	13.0
5	4	0.2811 E+1	0.8421 E-2	5570	0.434	0.43	13.0

\*\*\* Measured Data List \*\*\*

Station No. 97

Date 1984/ 11/22

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1337 E-2	0.1108 E-4	142	-5648	0.64	7.5
13	1024	0.4549 E-2	0.3222 E-4	389	2551	-0.59	130
12	512	0.7507 E-2	0.5331 E-4	774	2990	-0.15	130
11	256	0.1337 E-1	0.1087 E-3	1184	-2811	0.33	130
10	128	0.1703 E-1	0.2752 E-3	599	3610	0.47	130
9	64	0.1527 E-1	0.4085 E-3	436	-3640	-0.50	130
8	32	0.8674 E-1	0.9823 E-3	4873	-4286	-1.14	130
7	16	0.1926 E+0	0.1013 E-2	45200	2009	-1.13	130
6	8	0.2834 E+0	0.8756 E-3	261400	2197	-0.94	130
5	4	0.3403 E+0	0.7229 E-3	1108800	2444	-0.70	130

Station No. 98

Date 1984/ 11/22

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.1050 E+0	0.1332 E-2	61	-5512	0.77	7.5
13	1024	0.4011 E+0	0.3723 E-2	227	0019	0.02	130
12	512	0.4361 E+0	0.6352 E-2	184	0839	0.84	130
11	256	0.3780 E+0	0.1358 E-1	61	0903	0.90	130
10	128	0.7037 E+0	0.3544 E-1	62	0411	0.41	130
9	64	0.1293 E+1	0.5144 E-1	197	0444	0.44	130
8	32	0.4545 E+1	0.1221 E+0	865	0878	0.88	130
7	16	0.7272 E+1	0.1258 E+0	4177	1440	1.44	130
6	8	0.9614 E+1	0.1067 E+0	20303	1925	-1.22	130
5	4	0.1137 E+2	0.9043 E-1	79163	5486	-0.80	130

\*\*\* Measured Data List \*\*\*

Station No. 99 Date 1984/ 11/22 Tx Bipole No. 1

Frequency		Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
No.	f (Hz)					PD-C (rad)	PD-C (deg)	
14	2048	0.1531 E±0	0.1454 E-2	108	-5.501	0.78	44.8	7.5
13	1024	0.2248 E±0	0.4183 E-2	57	1.181	1.18	67.6	13.0
12	512	0.2024 E±0	0.7168 E-2	31	1.278	1.28	73.3	13.0
11	256	0.2211 E±0	0.1477 E-1	18	0.945	0.95	54.2	13.0
10	128	0.4002 E±0	0.3845 E-1	17	0.870	0.87	49.8	13.0
9	64	0.5688 E±0	0.5547 E-1	33	0.508	0.51	29.1	13.0
8	32	0.1804 E+1	0.1288 E±0	123	0.741	0.74	42.4	13.0
7	16	0.2619 E+1	0.1295 E±0	511	1.258	1.26	72.1	13.0
6	8	0.3352 E+1	0.1097 E±0	2332	1.775	-1.37	-78.3	13.0
5	4	0.3917 E+1	0.9508 E+1	9002	2.196	-0.95	-54.2	13.0

Station No. 100 Date 1984/ 11/22 Tx Bipole No. 1

Frequency		Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
No.	f (Hz)					PD-C (rad)	PD-C (deg)	
14	2048	0.6593 E±0	0.1573 E-3	1771	0.844	0.84	48.3	7.5
13	1024	0.1358 E+1	0.4661 E-3	1658	0.786	0.79	45.0	13.0
12	512	0.1606 E+1	0.8105 E-3	1533	0.689	0.69	39.5	13.0
11	256	0.2532 E+1	0.1667 E-2	1832	0.601	0.60	34.4	13.0
10	128	0.5088 E+1	0.4473 E-2	2023	6.632	0.35	20.0	13.0
9	64	0.6826 E+1	0.6262 E-2	3713	0.183	0.18	10.5	13.0
8	32	0.1526 E+2	0.1445 E-1	6979	0.081	0.08	4.7	13.0
7	16	0.1546 E+2	0.1478 E-1	136767	3.129	-0.01	-0.7	13.0
6	8	0.1409 E+2	0.1293 E-1	29730	30.45	-0.10	-5.5	13.0
5	4	0.1329 E+2	0.1132 E-1	68947	30.14	-0.13	-7.3	13.0

\*\*\* Measured Data List \*\*\*

Station No. 101

Date 1984/ 11/22

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3423 E±0	0.1822 E-3	348	0.494	0.49	283	75
13	1024	0.7842 E±0	0.5404 E-3	412	0.480	0.48	275	130
12	512	0.1051 E+1	0.9290 E-3	531	0.401	0.40	230	130
11	256	0.1746 E+1	0.1758 E-2	771	0.395	0.40	227	130
10	128	0.3717 E+1	0.4587 E-2	1027	0.232	0.23	133	130
9	64	0.5034 E+1	0.6299 E-2	1995	-3.016	0.13	7.2	130
8	32	0.1143 E+2	0.1458 E-1	3843	-3.046	0.10	5.5	130
7	16	0.1118 E+2	0.1471 E-1	7228	3.210	0.07	3.9	130
6	8	0.9207 E+1	0.1256 E-1	13446	3.177	0.04	2.0	130
5	4	0.7543 E+1	0.1050 E-1	25807	3.163	0.02	1.2	130

Station No. 102

Date 1984/ 11/20

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2250 E±0	0.1573 E-3	201	0.576	0.58	330	75
13	1024	0.5764 E±0	0.5123 E-3	247	0.626	0.63	359	130
12	512	0.7722 E±0	0.9024 E-3	286	0.732	0.73	420	130
11	256	0.1206 E+1	0.1911 E-2	311	0.833	0.83	477	130
10	128	0.1707 E+1	0.8809 E-2	163	0.839	0.84	481	130
9	64	0.1890 E+1	0.6937 E-2	232	0.383	0.38	220	130
8	32	0.5018 E+1	0.1585 E-1	626	0.426	0.43	244	130
7	16	0.5414 E+1	0.1644 E-1	1356	0.801	0.80	459	130
6	8	0.4783 E+1	0.1467 E-1	2656	1.378	1.38	789	130
5	4	0.4495 E+1	0.1346 E-1	5577	1.956	-1.19	-67.9	130



\*\*\* Measured Data List \*\*\*

Station No.103

Date 1984/ 11/20

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1376 E±0	0.1630 E-3	66	-5887	0.40	227	75
13	1024	0.3744 E±0	0.4987 E-3	110	0.387	0.39	222	130
12	512	0.5226 E±0	0.8583 E-3	145	0.402	0.40	230	130
11	256	1.0008 E+1	0.1845 E-2	230	0.388	0.39	222	130
10	128	0.1976 E+1	0.4901 E-2	254	0.205	0.20	117	130
9	64	0.2979 E+1	0.6796 E-2	601	0.066	0.07	38	130
8	32	0.7250 E+1	0.1579 E-1	1318	0.112	0.11	64	130
7	16	0.7175 E+1	0.1635 E-1	2407	3368	0.23	130	130
6	8	0.5549 E+1	0.1430 E-1	3766	3489	0.35	199	130
5	4	0.3763 E+1	0.1269 E-1	4404	3602	0.46	264	130

Station No.104

Date 1984/ 11/20

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.8614 E-1	0.1688 E-3	26	-5703	0.58	333	75
13	1024	0.2276 E±0	0.5476 E-3	34	0.514	0.51	294	130
12	512	0.3211 E±0	0.9834 E-3	42	0.444	0.44	254	130
11	256	0.6310 E±0	0.2218 E-2	63	0.338	0.34	193	130
10	128	0.1345 E+1	0.5794 E-2	84	0.193	0.19	110	130
9	64	0.2011 E+1	0.8267 E-2	185	0.059	0.06	34	130
8	32	0.4773 E+1	0.1925 E-1	384	0.055	0.06	32	130
7	16	0.4855 E+1	0.2007 E-1	732	6355	0.07	41	130
6	8	0.4233 E+1	0.1840 E-1	1321	6346	0.06	36	130
5	4	0.3804 E+1	0.1725 E-1	2431	6310	0.03	16	130

\*\*\* Measured Data List \*\*\*

Station No. 105

Date 1984/ 11/20

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference		Current I (A)
					PD(rad)	Corrected Phase Difference PD-C(deg)	
14	2048	0.8674 E-1	1.0110 E-4	72	-0.007	-0.01	7.5
13	1024	0.1686 E±0	0.3225 E-3	53	0.483	0.48	13.0
12	512	0.2251 E±0	0.5918 E-3	57	1.098	1.10	13.0
11	256	0.2830 E±0	0.1328 E-2	35	1.317	1.32	13.0
10	128	0.5809 E±0	0.3613 E-2	41	1.797	-1.35	13.0
9	64	0.6195 E±0	0.5250 E-2	43	1.481	1.48	13.0
8	32	0.3815 E+1	0.1242 E-1	590	1.414	1.41	13.0
7	16	0.8302 E+1	0.1296 E-1	5130	1.761	-1.38	13.0
6	8	0.1220 E+2	0.1138 E-1	28743	5.287	-1.00	13.0
5	4	0.1503 E+2	0.1034 E-1	103960	5.603	-0.68	13.0

Station No. 106

Date 1984/ 11/23

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference		Current I (A)
					PD(rad)	Corrected Phase Difference PD-C(deg)	
14	2048	0.2224 E±0	0.2424 E-3	82	0.337	0.34	7.5
13	1024	0.5828 E±0	0.7215 E-3	127	0.366	0.37	13.0
12	512	0.8535 E±0	0.1224 E-2	190	6.682	0.40	13.0
11	256	0.1388 E+1	0.2458 E-2	249	0.534	0.53	13.0
10	128	0.2633 E+1	0.6686 E-2	243	6.672	0.39	13.0
9	64	0.3150 E+1	0.8557 E-2	423	0.225	0.22	13.0
8	32	0.6828 E+1	0.1915 E-1	795	0.188	0.19	13.0
7	16	0.6575 E+1	0.1958 E-1	1410	0.200	0.20	13.0
6	8	0.5367 E+1	0.1782 E-1	2267	0.231	0.23	13.0
5	4	0.4292 E+1	0.1630 E-1	3469	0.195	0.20	13.0

\*\*\* Measured Data List \*\*\*

Station No. 107 Date 1984/ 11/23 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2999 E±0	0.1868 E-3	252	0.366	0.37	20.9	7.5
13	1024	0.7590 E±0	0.5508 E-3	371	0.352	0.35	20.2	13.0
12	512	0.1048 E+1	0.9051 E-3	524	6.647	0.36	20.9	13.0
11	256	0.1687 E+1	0.1765 E-2	714	0.461	0.46	26.4	13.0
10	128	0.3468 E+1	0.4914 E-2	778	6.588	0.31	17.5	13.0
9	64	0.4556 E+2	0.6605 E-2	1487	0.164	0.16	9.4	13.0
8	32	0.1007 E+1	0.1497 E-1	2829	0.118	0.12	6.8	13.0
7	16	0.9897 E+1	0.1533 E-1	5255	0.089	0.09	5.1	13.0
6	8	0.8509 E+1	0.1369 E-1	9668	0.070	0.07	4.0	13.0
5	4	0.7359 E+1	0.1780 E-1	18589	0.012	0.01	0.7	13.0

Station No. 108 Date 1984/ 11/23 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5468 E±0	0.2120 E-3	617	-5.828	0.46	26.1	7.5
13	1024	0.1357 E+1	0.6761 E-3	787	0.439	0.44	25.1	13.0
12	512	0.1939 E+1	0.1165 E-2	1082	0.421	0.42	24.1	13.0
11	256	0.3133 E+1	0.2428 E-2	1300	0.543	0.54	31.1	13.0
10	128	0.6210 E+1	0.6481 E-2	1426	0.317	0.32	18.2	13.0
9	64	0.8004 E+1	0.8579 E-2	2719	0.177	0.18	10.1	13.0
8	32	0.1713 E+2	0.1879 E-1	5198	0.123	0.12	7.0	13.0
7	16	0.1670 E+2	0.1902 E-1	9615	6.378	0.09	5.4	13.0
6	8	0.1424 E+2	0.1696 E-1	17607	6.352	0.07	3.9	13.0
5	4	0.1247 E+2	0.1491 E-1	35227	6.333	0.05	2.8	13.0

\*\*\* Measured Data List \*\*\*

Station No. 109 Date 1984/ 11/23 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.3056 E±0	0.1847 E-3	269	0.472	0.47	27.0	7.5
13	1024	0.7256 E±0	0.5676 E-3	319	0.561	0.56	32.1	13.0
12	512	0.8772 E±0	0.9436 E-3	337	0.639	0.64	34.6	13.0
11	256	0.1319 E+1	0.1827 E-2	407	0.718	0.72	41.1	13.0
10	128	0.2315 E+1	0.5304 E-2	293	0.610	0.61	35.0	13.0
9	64	0.2739 E+1	0.7051 E-2	471	0.343	0.34	19.7	13.0
8	32	0.6230 E+1	0.1561 E-1	996	0.359	0.36	20.6	13.0
7	16	0.5967 E+1	0.1531 E-1	1897	0.593	0.59	34.0	13.0
6	8	0.4609 E+1	0.1304 E-1	3123	1.013	1.01	58.1	13.0
5	4	0.3425 E+1	0.1076 E-1	5064	1.561	1.56	89.4	13.0

Station No. 110 Date 1984/ 11/23 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.8947 E±0	0.1714 E-3	2667	0.477	0.48	27.3	7.5
13	1024	0.2074 E+1	0.5242 E-3	3056	0.566	0.57	32.4	13.0
12	512	0.2540 E+1	0.8490 E-3	3496	0.623	0.54	30.9	13.0
11	256	0.3862 E+1	0.1607 E-2	4513	0.561	0.56	32.1	13.0
10	128	0.7613 E+1	0.4619 E-2	4244	0.652	0.37	21.1	13.0
9	64	0.1058 E+2	0.6294 E-2	7959	0.169	0.17	9.7	13.0
8	32	0.2250 E+2	0.1423 E-1	15625	3.236	0.09	5.4	13.0
7	16	0.2209 E+2	0.1430 E-1	29800	3.208	0.07	3.8	13.0
6	8	0.1845 E+2	0.1207 E-1	58410	3.154	0.01	0.7	13.0
5	4	0.1577 E+2	0.1047 E-1	113693	3.125	-0.02	-1.0	13.0

\*\*\* Measured Data List \*\*\*

Station No. 111

Date 1984/ 11/23

Tx Bipole No. 1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference	Corrected Phase Difference		Current I (A)
	f (Hz)	E (mV/km)	H ( $\gamma$ )		PD (rad)	PD-C (rad)	PD-C (deg)	
14	2048	0.7689 E+0	0.1625 E-3	2190	-5.705	0.58	33.1	7.5
13	1024	0.1693 E+1	0.4591 E-3	2657	0.607	0.61	34.8	13.0
12	512	0.2001 E+1	0.7511 E-3	2771	0.552	0.55	31.6	13.0
11	256	0.3306 E+1	0.1477 E-2	3914	0.499	0.50	28.6	13.0
10	128	0.6621 E+1	0.4086 E-2	4102	0.316	0.32	18.1	13.0
9	64	0.9271 E+1	0.5792 E-2	7992	0.125	0.12	7.1	13.0
8	32	0.2126 E+2	0.1328 E-1	16017	0.047	0.05	2.7	13.0
7	16	0.1419 E+2	0.1332 E-1	31763	6.276	-0.01	-0.4	13.0
6	8	0.1881 E+2	0.1156 E-1	65350	6.219	-0.06	-3.7	13.0
5	4	0.1691 E+2	0.9739 E-1	151060	6.170	-0.11	-6.5	13.0

Station No. 112

Date 1984/ 11/23

Tx Bipole No. 1

No.	Frequency	Electric Field	Magnetic Field	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference	Corrected Phase Difference		Current I (A)
	f (Hz)	E (mV/km)	H ( $\gamma$ )		PD (rad)	PD-C (rad)	PD-C (deg)	
14	2048	0.3804 E+0	0.1272 E-3	877	0.674	0.67	38.6	7.5
13	1024	0.8108 E+0	0.4150 E-3	747	0.739	0.74	42.3	13.0
12	512	1.0030 E+1	0.7258 E-3	747	6.896	0.61	35.1	13.0
11	256	0.1777 E+1	0.1545 E-2	1015	3.633	0.49	28.2	13.0
10	128	0.3777 E+1	0.4271 E-2	1207	3.419	0.28	15.9	13.0
9	64	0.5480 E+1	0.6129 E-2	2498	3.258	0.12	6.7	13.0
8	32	0.1275 E+2	0.1422 E-1	5026	3.235	0.09	5.4	13.0
7	16	0.1273 E+2	0.1464 E-1	9452	3.233	0.09	5.2	13.0
6	8	0.1095 E+2	0.1324 E-1	17094	3.205	0.06	3.6	13.0
5	4	0.9652 E+1	0.1208 E-1	31917	3.181	0.04	2.2	13.0

\*\*\* Measured Data List \*\*\*

Station No. 113

Date 1984/ 11/24

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1153 E±0	0.5802 E-4	391	-5688	0.60	341	75
13	1024	0.2305 E±0	0.1414 E-3	520	0.533	0.53	305	130
12	512	0.2938 E±0	0.2287 E-3	649	0.532	0.53	305	130
11	256	0.4538 E±0	0.4481 E-3	802	0.578	0.58	331	130
10	128	0.6972 E±0	0.1115 E-2	611	0.481	0.48	275	130
9	64	0.1248 E+1	0.1951 E-2	1280	0.198	0.20	113	130
8	32	0.3435 E+1	0.5184 E-2	2743	0.207	0.21	119	130
7	16	0.3464 E+1	0.5357 E-2	5226	3.488	0.35	199	130
6	8	0.2517 E+1	0.4347 E-2	8397	3.711	0.57	325	130
5	4	0.1546 E+1	0.2922 E-2	14150	4.080	0.94	538	130

Station No. 114

Date 1984/ 11/24

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3221 E±0	0.5119 E-3	38	0.798	0.80	457	75
13	1024	0.8117 E±0	0.1623 E-2	49	0.507	0.51	290	130
12	512	0.1107 E+1	0.2918 E-2	56	6.795	0.51	293	130
11	256	0.1821 E+1	0.5681 E-2	80	0.567	0.57	325	130
10	128	0.2693 E+1	0.1386 E-1	59	3.721	0.58	332	130
9	64	0.3868 E+1	0.2303 E-1	88	3.273	0.13	75	130
8	32	0.1071 E+2	0.6034 E-1	194	3.065	-0.08	-44	130
7	16	0.1228 E+2	0.6311 E-1	474	2.890	-0.25	-144	130
6	8	0.1241 E+2	0.5238 E-1	1405	2.729	-0.41	-237	130
5	4	0.1276 E+2	0.4181 E-1	4660	2.749	-0.39	-225	130

\*\*\* Measured Data List \*\*\*

Station No. 115

Date 1984/ 11/24

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.2120 E±0	0.6709 E-4	976	0.429	0.43	246	75
13	1024	0.4330 E±0	0.1527 E-3	1578	0.538	0.54	308	130
12	512	0.5440 E±0	0.2444 E-3	1936	0.633	0.63	363	130
11	256	0.7850 E±0	0.4796 E-3	2097	0.650	0.65	373	130
10	128	0.1187 E+1	0.1161 E-2	1633	6.872	0.59	337	130
9	64	0.1846 E+1	0.1980 E-2	2716	0.317	0.32	181	130
8	32	0.4919 E+1	0.5375 E-2	5234	0.300	0.30	172	130
7	16	0.4890 E+1	0.5572 E-2	9636	3.534	0.39	225	130
6	8	0.3570 E+1	0.4280 E-2	17424	-2.517	0.62	358	130
5	4	0.2305 E+1	0.3013 E-2	29633	-2.092	1.05	601	130

Station No. 116

Date 1984/ 11/24

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1381 E±0	0.6207 E-4	484	-5.859	0.42	243	75
13	1024	0.2930 E±0	0.1675 E-3	632	0.479	0.48	274	130
12	512	0.3821 E±0	0.2696 E-3	785	0.473	0.47	271	130
11	256	0.5934 E±0	0.5345 E-3	964	0.602	0.60	345	130
10	128	0.8981 E±0	0.1263 E-2	790	0.580	0.58	332	130
9	64	0.1406 E+1	0.2164 E-2	1320	0.237	0.24	136	130
8	32	0.3960 E+1	0.6024 E-2	2700	0.184	0.18	106	130
7	16	0.4007 E+1	0.6385 E-2	4964	6.520	0.24	135	130
6	8	0.2969 E+1	0.5385 E-2	7153	0.340	0.34	195	130
5	4	0.1898 E+1	0.4302 E-2	9839	0.369	0.37	211	130

\*\*\* Measured Data List \*\*\*

Station No. 117 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1203 E±0	0.5439 E-4	486	0.576	0.58	330	7.5
13	1024	0.2783 E±0	0.1205 E-3	1056	0.371	0.37	212	130
12	512	0.3722 E±0	0.1821 E-3	1633	6.675	0.39	225	130
11	256	0.6286 E±0	0.3412 E-3	2659	0.406	0.41	233	130
10	128	0.9560 E±0	0.8018 E-3	2225	6.753	0.47	269	130
9	64	0.1531 E+1	0.1493 E-2	3283	0.058	0.06	33	130
8	32	0.4748 E+1	0.4146 E-2	8203	2.962	-0.18	-103	130
7	16	0.5545 E+1	0.4476 E-2	19342	2.776	-0.37	-209	130
6	8	0.5096 E+1	0.3330 E-2	54030	2.538	-0.60	-346	130
5	4	0.4886 E+1	0.2239 E-2	239133	2.348	-0.79	-455	130

Station No. 118 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1585 E±0	0.1364 E-3	135	0.240	0.24	137	7.5
13	1024	0.3635 E±0	0.3925 E-3	166	0.386	0.39	221	130
12	512	0.4795 E±0	0.6679 E-3	201	6.697	0.41	237	130
11	256	0.8537 E±0	0.1360 E-2	308	0.325	0.33	186	130
10	128	0.1874 E+1	0.3513 E-2	446	6.472	0.19	108	130
9	64	0.3000 E+1	0.5254 E-2	1019	0.148	0.15	8.5	130
8	32	0.7369 E+1	0.1241 E-1	2204	0.309	0.31	17.7	130
7	16	0.7258 E+1	0.1281 E-1	4010	0.616	0.62	35.3	130
6	8	0.5607 E+1	0.1122 E-1	6241	1.070	1.07	61.3	130
5	4	0.4329 E+1	0.1100 E-1	8069	1.664	-1.48	-84.6	130



\*\*\* Measured Data List \*\*\*

Station No. 119 Date 1984/ 11/24 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3751 E±0	0.1134 E-3	1072	0.462	0.46	26.5	75
13	1024	0.9268 E±0	0.3157 E-3	1685	0.471	0.47	27.0	130
12	512	0.1228 E+1	0.5391 E-3	2024	6.776	0.49	28.3	130
11	256	0.2024 E+1	0.1100 E-2	2645	0.474	0.47	27.1	130
10	128	0.3636 E+1	0.2784 E-2	2666	6.622	0.34	19.4	130
9	64	0.5811 E+1	0.4168 E-2	6072	0.165	0.16	9.4	130
8	32	0.1426 E+2	0.1024 E-1	12113	0.200	0.20	11.5	130
7	16	0.1370 E+2	0.1065 E-1	20680	0.297	0.30	17.0	130
6	8	0.1014 E+2	0.9361 E-2	29468	0.429	0.43	24.6	130
5	4	0.6882 E+1	0.8201 E-2	35210	0.464	0.46	26.6	130

Station No. 120 Date 1984/ 11/25 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7350 E±0	0.1850 E-3	1488	0.441	0.44	25.3	75
13	1024	0.2191 E+1	0.6341 E-3	2333	0.368	0.37	21.1	130
12	512	0.3623 E+1	0.1146 E-2	3902	6.682	0.40	22.8	130
11	256	0.5811 E+1	0.2502 E-2	4215	0.533	0.53	30.5	130
10	128	0.1253 E+2	0.6930 E-2	5107	6.615	0.33	19.0	130
9	64	0.1429 E+2	0.8557 E-2	8710	3.360	0.22	12.5	130
8	32	0.2977 E+2	0.1895 E-1	15432	3.300	0.16	9.1	130
7	16	0.2915 E+2	0.1951 E-1	27923	3.250	0.11	6.2	130
6	8	0.2574 E+2	0.1787 E-1	51856	3.194	0.05	3.0	130
5	4	0.2343 E+2	0.1654 E-1	100400	3.147	0.01	0.3	130

\*\*\* Measured Data List \*\*\*

Station No. 121 Date 1984/ 11/25 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3663 E±0	0.2518 E-3	207	0.298	0.30	17.1	7.5
13	1024	0.1137 E+1	0.8638 E-3	338	0.289	0.29	16.5	130
12	512	0.1809 E+1	0.1466 E-2	595	6.622	0.34	19.4	130
11	256	0.2940 E+1	0.3009 E-2	746	0.492	0.49	28.2	130
10	128	0.5580 E+1	0.7782 E-2	796	6.653	0.37	21.2	130
9	64	0.6216 E+1	0.9538 E-2	1328	0.231	0.23	13.3	130
8	32	0.1339 E+2	0.2118 E-1	2499	0.186	0.19	10.7	130
7	16	0.1294 E+2	0.2162 E-1	4478	0.217	0.22	12.4	130
6	8	0.1028 E+2	0.1930 E-1	7090	0.264	0.26	15.1	130
5	4	0.7866 E+1	0.1745 E-1	10154	0.269	0.27	15.4	130

Station No. 122 Date 1984/ 11/25 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5213 E±0	0.2128 E-3	588	0.235	0.23	13.4	7.5
13	1024	0.1613 E+1	0.7263 E-3	963	0.349	0.35	20.0	130
12	512	0.2523 E+1	0.1325 E-2	1417	0.499	0.50	28.6	130
11	256	0.4095 E+1	0.3158 E-2	1313	0.653	0.65	37.4	130
10	128	0.7292 E+1	0.8219 E-2	1230	0.453	0.45	25.9	130
9	64	0.8082 E+1	0.9809 E-2	2121	0.244	0.24	14.0	130
8	32	0.1755 E+2	0.2154 E-1	4148	-2.935	0.21	11.8	130
7	16	0.1713 E+2	0.2240 E-1	7308	3.412	0.27	15.5	130
6	8	0.1346 E+2	0.2048 E-1	14658	3.487	0.35	19.8	130
5	4	0.1006 E+2	0.1925 E-1	13640	3.510	0.37	21.1	130

\*\*\* Measured Data List \*\*\*

Station No. 123 Date 1984/ 11/25 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.4006 E±0	-0.2620 E-3	229	0.250	14.3	7.5
13	1024	0.1303 E+1	0.9096 E-3	401	0.322	18.4	13.0
12	512	0.2061 E+1	0.1651 E-2	609	6.755	27.0	13.0
11	256	0.3243 E+1	0.3882 E-2	545	0.582	33.3	13.0
10	128	0.6246 E+1	0.9743 E-2	642	6.656	21.3	13.0
9	64	0.6724 E+1	0.1133 E-1	1101	0.237	13.6	13.0
8	32	0.1385 E+2	0.2435 E-1	2022	0.189	10.8	13.0
7	16	0.1344 E+2	0.2517 E-1	3564	0.199	11.4	13.0
6	8	0.1119 E+2	0.2322 E-1	5807	0.212	12.2	13.0
5	4	0.9187 E+1	0.2169 E-1	8973	3.310	9.6	13.0

Station No. 124 Date 1984/ 11/25 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.7338 E±0	0.1832 E-3	1580	0.315	18.0	7.5
13	1024	0.2453 E+1	0.5412 E-3	2719	0.435	24.9	13.0
12	512	0.3845 E+1	0.1329 E-2	3271	6.960	38.8	13.0
11	256	0.6150 E+1	0.3664 E-2	2201	0.598	34.2	13.0
10	128	0.1352 E+2	0.9252 E-2	3336	6.669	22.1	13.0
9	64	0.1344 E+2	0.1054 E-1	5084	0.337	19.3	13.0
8	32	0.2522 E+2	0.2255 E-1	7820	0.276	15.8	13.0
7	16	0.2358 E+2	0.2352 E-1	12566	0.217	12.5	13.0
6	8	0.2041 E+2	0.2216 E-1	21197	0.153	8.8	13.0
5	4	0.1845 E+2	0.2111 E-1	38207	0.081	4.7	13.0

\*\*\* Measured Data List \*\*\*

Station No. 125

Date 1984/ 11/26

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3365 E+0	0.1749 E-3	364	0.394	0.39	226	7.5
13	1024	0.1032 E+1	0.5740 E-3	633	0.411	0.41	235	13.0
12	512	0.1731 E+1	0.1124 E-2	926	6.736	0.45	259	13.0
11	256	0.2941 E+1	0.2707 E-2	922	0.476	0.48	273	13.0
10	128	0.6733 E+1	0.7127 E-2	1395	6.568	0.28	163	13.0
9	64	0.7551 E+1	0.8516 E-2	2456	0.227	0.23	130	13.0
8	32	0.1544 E+2	0.1863 E-1	4293	0.208	0.21	119	13.0
7	16	0.1471 E+2	0.1928 E-1	7279	0.212	0.21	122	13.0
6	8	0.1207 E+2	0.1769 E-1	11649	0.223	0.22	128	13.0
5	4	0.9859 E+1	0.1613 E-1	18686	0.179	0.18	103	13.0

Station No. 126

Date 1984/ 11/26

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2394 E+0	0.1571 E-3	227	0.338	0.34	193	7.5
13	1024	0.7525 E+0	0.5435 E-3	374	0.429	0.43	246	13.0
12	512	0.1235 E+1	0.1068 E-2	523	6.760	0.48	273	13.0
11	256	0.2087 E+1	0.2626 E-2	493	0.485	0.48	278	13.0
10	128	0.4907 E+1	0.6988 E-2	770	6.552	0.27	153	13.0
9	64	0.5585 E+1	0.8299 E-2	1415	0.213	0.21	122	13.0
8	32	0.1142 E+2	0.1805 E-1	2502	0.194	0.19	111	13.0
7	16	0.1093 E+2	0.1876 E-1	4238	0.199	0.20	114	13.0
6	8	0.9007 E+1	0.1723 E-1	6830	0.203	0.20	116	13.0
5	4	0.7401 E+1	0.1580 E-1	10968	0.158	0.16	90	13.0

\*\*\* Measured Data List \*\*\*

Station No. 127 Date 1984/ 11/26 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2223 E±0	0.1197 E-3	339	0.550	0.55	31.5	7.5
13	1024	0.7688 E±0	0.3948 E-3	741	0.651	0.65	37.3	13.0
12	512	0.1135 E+1	0.7596 E-3	873	0.676	0.68	38.7	13.0
11	256	0.1773 E+1	0.1977 E-2	629	0.661	0.66	37.9	13.0
10	128	0.4037 E+1	0.5247 E-2	925	0.331	0.33	18.9	13.0
9	64	0.4685 E+1	0.6358 E-2	1697	0.253	0.26	15.0	13.0
8	32	0.9447 E+1	0.1407 E-1	2819	0.236	0.24	13.5	13.0
7	16	0.8894 E+1	0.1485 E-1	4486	6.497	0.21	1.22	13.0
6	8	0.7432 E+1	0.1363 E-1	7433	6.443	0.16	9.1	13.0
5	4	0.6507 E+1	0.1268 E-1	13161	6.352	0.07	4.0	13.0

Station No. 128 Date 1984/ 11/26 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4436 E±0	0.1528 E-3	830	0.397	0.40	2.27	7.5
13	1024	0.1164 E+1	0.5022 E-3	1049	0.495	0.50	2.84	13.0
12	512	0.1781 E+1	0.9461 E-3	1385	0.553	0.55	3.17	13.0
11	256	0.2881 E+1	0.2335 E-2	1190	0.578	0.58	3.31	13.0
10	128	0.6454 E+1	0.6233 E-2	1681	0.312	0.31	1.79	13.0
9	64	0.7344 E+1	0.7399 E-2	3078	0.220	0.22	1.26	13.0
8	32	0.1548 E+2	0.1635 E-1	5601	0.189	0.19	1.08	13.0
7	16	0.1506 E+2	0.1702 E-1	9787	6.488	0.20	1.17	13.0
6	8	0.1233 E+2	0.1548 E-1	15753	6.501	0.22	1.25	13.0
5	4	0.1007 E+2	0.1441 E-1	24440	6.473	0.19	1.09	13.0

\*\*\* Measured Data List \*\*\*

Station No. 129

Date 1984/ 11/26

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.5501 E±0	0.1510 E-3	1299	0.534	0.53	7.5
13	1024	0.1239 E+1	0.5018 E-3	1192	0.544	0.54	13.0
12	512	0.1889 E+1	0.9453 E-3	1559	0.602	0.60	13.0
11	256	0.3081 E+1	0.2460 E-2	1226	0.624	0.62	13.0
10	128	0.6808 E+1	0.6637 E-2	1645	0.350	0.35	13.0
9	64	0.7617 E+1	0.7805 E-2	2976	0.228	0.23	13.0
8	32	0.1626 E+2	0.1704 E-1	5506	0.185	0.19	13.0
7	16	0.1555 E+2	0.1752 E-1	9845	6.482	0.20	13.0
6	8	0.1278 E+2	0.1626 E-1	15958	6.515	0.23	13.0
5	4	0.1015 E+2	0.1471 E-1	23817	3.364	0.22	13.0

Station No. 130

Date 1984/ 11/26

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.4443 E±0	0.1343 E-3	1079	3.590	0.45	7.5
13	1024	0.2854 E+1	0.4861 E-3	1237	3.648	0.51	13.0
12	512	0.1826 E+1	0.9246 E-3	1524	3.729	0.59	13.0
11	256	0.3031 E+1	0.2404 E-2	1242	-2.510	0.63	13.0
10	128	0.6623 E+1	0.6549 E-2	1600	3.502	0.36	13.0
9	64	0.7574 E+1	0.7864 E-2	2899	-2.923	0.22	13.0
8	32	0.1596 E+2	0.1739 E-1	5266	-2.964	0.18	13.0
7	16	0.1556 E+2	0.1784 E-1	9506	3.330	0.19	13.0
6	8	0.1269 E+2	0.1595 E-1	15834	3.362	0.22	13.0
5	4	0.1030 E+2	0.1487 E-1	24013	2.991	-0.15	13.0

\*\*\* Measured Data List \*\*\*

Station No. 131      Date 1984/ 11/27      Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	PD-C (deg)	Current I (A)
14	2048	0.3387 E±0	0.7008 E-4	1281	3.772	0.63	36.1	7.5
13	1024	0.8781 E±0	0.3611 E-3	1112	38.15	0.67	38.6	13.0
12	512	0.1235 E+1	0.7065 E-3	1193	-2.416	0.73	41.6	13.0
11	256	0.1978 E+1	0.1863 E-2	1881	-2.376	0.77	43.8	13.0
10	128	0.3985 E+1	0.5126 E-2	945	3.579	0.44	25.1	13.0
9	64	0.4550 E+1	0.6247 E-2	1658	-2.888	0.25	14.5	13.0
8	32	0.9797 E+1	0.1384 E-1	3130	-29.44	0.20	11.3	13.0
7	16	0.9754 E+1	0.1462 E-1	5564	3.353	0.21	12.1	13.0
6	8	0.8026 E+1	0.1352 E-1	8814	3.374	0.23	13.3	13.0
5	4	0.6362 E+1	0.1244 E-1	13087	3.379	0.24	13.6	13.0

Station No. 132      Date 1984/ 11/27      Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	PD-C (deg)	Current I (A)
14	2048	0.2942 E±0	0.6847 E-4	2010	-2.517	0.62	35.8	7.5
13	1024	0.1433 E+1	0.3514 E-3	3274	-2.531	0.61	35.0	13.0
12	512	0.2265 E+1	0.7438 E-3	3621	-2.477	0.66	38.1	13.0
11	256	0.3965 E+1	0.2093 E-2	2804	3.743	0.60	34.5	13.0
10	128	0.9769 E+1	0.5992 E-2	4156	3.445	0.30	17.4	13.0
9	64	0.1150 E+2	0.7282 E-2	7789	3.344	0.20	11.6	13.0
8	32	0.2443 E+2	0.1603 E-1	14515	3.331	0.19	10.9	13.0
7	16	0.2343 E+2	0.1660 E-1	24750	3.344	0.20	11.6	13.0
6	8	0.1915 E+2	0.1519 E-1	39747	3.351	0.21	12.0	13.0
5	4	0.1566 E+2	0.1408 E-1	61827	3.315	0.17	9.9	13.0

\*\*\* Measured Data List \*\*\*

Station No.133 Date 1984/ 11/27 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2791 E±0	0.6562 E-4	1777	-0.343	-0.34	7.5
13	1024	0.1331 E+1	0.3954 E-3	2221	0.470	0.47	130
12	512	0.2277 E+1	0.8373 E-3	2888	0.542	0.54	130
11	256	0.4524 E+1	0.2505 E-2	2548	6.491	0.21	130
10	128	0.1213 E+2	0.7152 E-2	4592	6.492	0.21	130
9	64	0.1423 E+2	0.8486 E-2	8790	0.150	0.15	130
8	32	0.2937 E+2	0.1826 E-1	16178	0.150	0.15	130
7	16	0.2792 E+2	0.1854 E-1	28337	0.168	0.17	130
6	8	0.2272 E+2	0.1667 E-1	46473	0.173	0.17	130
5	4	0.1880 E+2	0.1487 E-1	79910	0.123	0.12	130

Station No.134 Date 1984/ 11/27 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.4321 E±0	0.1116 E-3	1469	0.823	0.82	7.5
13	1024	0.1723 E+1	0.6361 E-3	1451	0.648	0.65	130
12	512	0.2431 E+1	0.1200 E-2	1604	0.719	0.72	130
11	256	0.4098 E+1	0.3385 E-2	1145	0.684	0.68	130
10	128	0.9010 E+1	0.9178 E-2	1506	0.382	0.38	130
9	64	0.9615 E+1	0.1047 E-1	2637	0.244	0.24	130
8	32	0.1925 E+2	0.2193 E-1	4819	0.179	0.18	130
7	16	0.1834 E+2	0.2201 E-1	8677	6.449	0.17	130
6	8	0.1503 E+2	0.1953 E-1	14802	6.442	0.16	130
5	4	0.1228 E+2	0.1729 E-1	25227	6.405	0.12	130



\*\*\* Measured Data List \*\*\*

Station No. 135

Date 1984/ 11/27

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	PD-C(deg)	Current I (A)
14	2048	0.3250 E±0	0.1323 E-3	600	0.871	0.87	499	75
13	1024	0.1252 E+1	0.6799 E-3	662	0.617	0.62	353	130
12	512	0.1803 E+1	0.1309 E-2	741	0.693	0.69	397	130
11	256	0.3139 E+1	0.3526 E-2	619	0.670	0.67	384	130
10	128	0.6453 E+1	0.9408 E-2	735	0.458	0.46	262	130
9	64	0.6479 E+1	0.1068 E-1	1151	0.309	0.31	177	130
8	32	0.1256 E+2	0.2229 E-1	1986	0.219	0.22	125	130
7	16	0.1181 E+2	0.2228 E-1	3514	0.183	0.18	105	130
6	8	0.9630 E+1	0.1937 E-1	6063	0.176	0.18	101	130
5	4	0.7754 E+1	0.1748 E-1	9845	0.130	0.13	74	130

Station No. 136

Date 1984/ 11/28

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	PD-C(deg)	Current I (A)
14	2048	0.2093 E±0	0.1465 E-3	200	0.819	0.82	469	75
13	1024	0.6581 E±0	0.6732 E-3	186	0.745	0.74	427	130
12	512	0.9565 E±0	0.1354 E-2	195	0.694	0.69	398	130
11	256	0.1658 E+1	0.3522 E-2	173	0.681	0.68	390	130
10	128	0.3365 E+1	0.9338 E-2	203	0.464	0.46	266	130
9	64	0.3333 E+1	0.1051 E-1	314	0.312	0.31	179	130
8	32	0.6470 E+1	0.2202 E-1	540	0.218	0.22	125	130
7	16	0.6138 E+1	0.2216 E-1	959	6.464	0.18	104	130
6	8	0.4978 E+1	0.1941 E-1	1644	6.445	0.16	93	130
5	4	0.4094 E+1	0.1735 E-1	2783	6.403	0.12	69	130

\*\*\* Measured Data List \*\*\*

Station No. 137

Date 1984/ 11/28

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)	E (mV/km)	H (r)	H (r)		PD (rad)	PD-C (rad)	PD-C (deg)	PD-C (deg)	
14	2048	0.1306	E±0	0.1397	E-3	85	0.432	0.43	248	75	
13	1024	0.5111	E±0	0.5218	E-3	187	0.272	0.27	156	130	
12	512	0.9615	E±0	0.1018	E-2	348	6.641	0.36	205	130	
11	256	0.1849	E+1	0.2838	E-2	331	6.599	0.32	181	130	
10	128	0.4741	E+1	0.7491	E-2	625	6.486	0.20	116	130	
9	64	0.5188	E+2	0.8659	E-2	1121	0.183	0.18	105	130	
8	32	0.1042	E+2	0.1858	E-1	1966	0.191	0.19	110	130	
7	16	0.9791	E+1	0.1893	E-1	3326	0.201	0.20	115	130	
6	8	0.7963	E+1	0.1713	E-1	5403	0.221	0.22	126	130	
5	4	0.6457	E+1	0.1617	E-1	8184	0.174	0.17	100	130	

Station No. 138

Date 1984/ 11/28

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference		Corrected Phase Difference		Current I (A)
		E (mV/km)	E (mV/km)	H (r)	H (r)		PD (rad)	PD-C (rad)	PD-C (deg)	PD-C (deg)	
14	2048	0.1687	E±0	0.1971	E-3	74	0.579	0.58	332	75	
13	1024	0.5611	E±0	0.8273	E-3	90	0.459	0.46	263	130	
12	512	0.1014	E+1	0.1638	E-2	150	6.678	0.40	226	130	
11	256	0.1915	E+1	0.4111	E-2	169	6.642	0.36	205	130	
10	128	0.3891	E±0	0.1103	E-2	345	6.441	0.16	90	130	
9	64	0.5076	E+1	0.1191	E-1	567	0.155	0.16	89	130	
8	32	0.1019	E+2	0.2489	E-1	1046	0.144	0.14	82	130	
7	16	0.9551	E+1	0.2464	E-1	1879	0.153	0.15	88	130	
6	8	0.7797	E+1	0.2196	E-1	3152	0.164	0.16	94	130	
5	4	0.6371	E+1	0.1980	E-1	5174	3.259	0.12	67	130	

\*\*\* Measured Data List \*\*\*

Station No. 139

Date 1984/ 11/28

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2278 E±0	0.2173 E-3	107	0.676	0.58	38.7	7.5
13	1024	0.6089 E±0	0.8211 E-3	107	0.547	0.55	31.3	13.0
12	512	0.9751 E±0	0.1550 E-1	155	6.789	0.51	29.0	13.0
11	256	0.1685 E+1	0.3783 E-2	155	0.470	0.47	26.9	13.0
10	128	0.3876 E+1	0.9748 E-2	247	6.532	0.25	14.2	13.0
9	64	0.4189 E+1	0.1094 E-1	458	0.175	0.17	10.0	13.0
8	32	0.8572 E+1	0.2316 E-1	856	0.151	0.15	8.6	13.0
7	16	0.8222 E+1	0.2339 E-1	1544	0.164	0.16	9.4	13.0
6	8	0.6679 E+1	0.2072 E-1	2596	0.186	0.19	10.7	13.0
5	4	0.5431 E+1	0.1894 E-1	4113	0.160	0.16	9.2	13.0

Station No. 140

Date 1984/ 11/28

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3364 E-1	0.1714 E-3	392	0.758	0.76	43.4	7.5
13	1024	0.1019 E±0	0.7308 E-3	417	-54.68	0.82	46.7	13.0
12	512	0.1264 E±0	0.1320 E-2	357	0.840	0.84	48.1	13.0
11	256	0.2216 E±0	0.3732 E-2	275	0.604	0.60	34.6	13.0
10	128	0.4929 E±0	0.9340 E-2	434	0.380	0.38	21.8	13.0
9	64	0.4866 E±0	0.1018 E-1	714	0.301	0.30	17.3	13.0
8	32	0.9267 E±0	0.2132 E-1	1181	0.251	0.25	14.4	13.0
7	16	0.8427 E±0	0.2108 E-1	1997	0.228	0.23	13.1	13.0
6	8	0.6728 E±0	0.1885 E-1	3185	0.223	0.22	12.8	13.0
5	4	0.5185 E±0	0.1687 E-1	5113	0.175	0.18	10.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 141

Date 1984/ 11/29

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	PD-C(deg)		
14	2048	0.4026 E±0	0.7893 E-4	2643	2200	-0.94	-540	7.5
13	1024	0.1026 E+1	0.4644 E-3	952	0.802	0.80	4.59	1.30
12	512	0.1409 E+1	0.9067 E-3	944	0.886	0.89	5.07	1.30
11	256	0.2217 E+1	0.2667 E-2	540	0.888	0.89	5.09	1.30
10	128	0.4623 E+1	0.7728 E-2	561	6.808	0.53	30.1	1.30
9	64	0.4972 E+1	0.9231 E-2	906	0.314	0.31	1.80	1.30
8	32	0.1029 E+2	0.1999 E-1	1656	0.214	0.21	1.23	1.30
7	16	0.9933 E+1	0.2009 E-1	3056	0.183	0.18	1.05	1.30
6	8	0.8220 E+1	0.1806 E-1	5182	0.823	-0.22	-1.28	1.30
5	4	0.6540 E+1	0.1643 E-1	7792	0.181	0.18	1.03	1.30

Station No. 142

Date 1984/ 11/29

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
					PD(rad)	PD-C(deg)		
14	2048	0.2712 E±0	0.2176 E-3	151	-0.096	-0.10	-5.5	7.5
13	1024	0.5569 E±0	0.2536 E-3	942	0.169	0.17	9.7	1.30
12	512	0.7396 E±0	0.3851 E-3	1441	6.523	0.24	13.7	1.30
11	256	0.1136 E+1	0.7001 E-3	2056	0.355	0.36	20.8	1.30
10	128	0.2121 E+1	0.1552 E-2	2920	6.602	0.32	18.2	1.30
9	64	0.2241 E+1	0.1784 E-2	4929	0.333	0.33	19.1	1.30
8	32	0.4731 E+1	0.4409 E-2	7196	0.415	0.41	23.8	1.30
7	16	0.4739 E+1	0.5444 E-2	9478	0.470	0.47	26.9	1.30
6	8	0.3919 E+1	0.5821 E-2	11323	0.493	0.49	28.0	1.30
5	4	0.3069 E+1	0.5798 E-2	13667	-2.741	0.40	23.0	1.30

\*\*\* Measured Data List \*\*\*

Station No. 143 Date 1984/ 11/29 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2064 E±0	0.6847 E-4	807	0.736	0.74	42.2	75
13	1024	0.7110 E±0	0.3216 E-3	955	0.649	0.65	37.2	130
12	512	0.9885 E±0	0.6736 E-3	842	0.798	0.80	45.7	130
11	256	0.1627 E+1	0.1820 E-2	625	0.790	0.79	45.3	130
10	128	0.3395 E+1	0.5213 E-2	662	6.742	0.46	26.3	130
9	64	0.3900 E+1	0.6502 E-2	1124	0.279	0.28	16.0	130
8	32	0.8439 E+1	0.1462 E-1	2083	0.216	0.22	12.4	130
7	16	0.8258 E+1	0.1518 E-1	3696	0.219	0.22	12.5	130
6	8	0.6840 E+1	0.1415 E-1	5841	0.257	0.26	14.7	130
5	4	0.5413 E+1	0.1268 E-1	9115	0.236	0.24	13.5	130

Station No. 144 Date 1984/ 11/29 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.0793 E+1	0.1328 E-3	3517	-0.002	-0.00	-0.1	7.5
13	1024	0.8407 E±0	0.4657 E-3	638	0.366	0.37	2.10	13.0
12	512	0.1282 E+1	0.9129 E-3	770	0.469	0.47	2.69	13.0
11	256	0.2547 E+1	0.2671 E-2	710	6.535	0.25	1.44	13.0
10	128	0.8201 E+1	0.7852 E-2	1704	6.372	0.09	5.1	13.0
9	64	0.9945 E+1	0.9310 E-2	3565	0.089	0.09	5.1	13.0
8	32	0.2087 E+2	0.2017 E-1	6696	0.123	0.12	7.0	13.0
7	16	0.1990 E+2	0.2054 E-1	11735	0.160	0.16	9.2	13.0
6	8	0.1609 E+2	0.1829 E-1	19354	0.180	0.18	10.3	13.0
5	4	0.1320 E+2	0.1697 E-1	30250	0.107	0.11	6.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 145 Date 1984/ 11/29 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5779 E±0	0.3474 E-3	270	-0.166	-0.17	-9.5	7.5
13	1024	0.6141 E±0	0.4272 E-3	404	0.489	0.49	28.0	13.0
12	512	0.9076 E±0	0.8397 E-3	457	0.634	0.63	36.3	13.0
11	256	0.1655 E+1	0.2622 E-2	310	0.367	0.37	21.0	13.0
10	128	0.5350 E+1	0.7768 E-2	741	0.122	0.12	7.0	13.0
9	64	0.6530 E+1	0.9238 E-2	1562	0.103	0.10	5.9	13.0
8	32	0.1374 E+2	0.1982 E-1	3001	0.110	0.11	6.3	13.0
7	16	0.1312 E+2	0.1977 E-1	5502	6.412	0.13	7.4	13.0
6	8	0.1076 E+2	0.1751 E-1	9440	6.429	0.15	8.4	13.0
5	4	0.8831 E+1	0.1568 E-1	15859	6.408	0.12	7.1	13.0

Station No. 146 Date 1984/ 11/30 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1614 E+1	0.1021 E-2	245	0.145	0.14	8.3	7.5
13	1024	0.4043 E±0	0.4168 E-3	184	0.446	0.45	25.6	13.0
12	512	0.5169 E±0	0.7746 E-3	174	0.540	0.54	31.0	13.0
11	256	0.9433 E±0	0.2232 E-2	139	6.684	0.40	23.0	13.0
10	128	0.2928 E+1	0.6774 E-2	292	6.423	0.14	8.0	13.0
9	64	0.3692 E+1	0.8387 E-2	606	0.114	0.11	6.5	13.0
8	32	0.7973 E+1	0.1855 E-1	1155	0.131	0.13	7.5	13.0
7	16	0.7654 E+1	0.1885 E-1	2039	0.169	0.17	9.7	13.0
6	8	0.6162 E+1	0.1681 E-1	3360	0.199	0.20	11.4	13.0
5	4	0.4957 E+1	0.1518 E-1	5259	0.147	0.15	8.4	13.0

\*\*\* Measured Data List \*\*\*

Station No. 147 Date 1984/ 11/30 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2397 E+0	0.2859 E-3	69	0.507	0.51	290	75
13	1024	0.2539 E+0	0.3466 E-3	105	0.955	0.96	547	130
12	512	0.3335 E+0	0.6873 E-3	92	0.944	0.94	541	130
11	256	0.5407 E+0	0.2017 E-2	56	0.798	0.80	457	130
10	128	0.1326 E+1	0.6082 E-2	74	67.10	0.43	244	130
9	64	0.1571 E+1	0.7544 E-2	135	0.272	0.27	156	130
8	32	0.3313 E+1	0.1675 E-1	245	0.214	0.21	123	130
7	16	0.3142 E+1	0.1692 E-1	431	0.208	0.21	119	130
6	8	0.2547 E+1	0.1517 E-1	704	0.226	0.23	130	130
5	4	0.2046 E+1	0.1398 E-1	1071	33.09	0.17	96	130

Station No. 148 Date 1984/ 11/30 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3436 E+2	0.3153 E-1	117	0.931	0.93	534	75
13	1024	0.2297 E+1	0.2651 E-2	146	1.010	1.01	579	130
12	512	0.1686 E+1	0.2044 E-2	266	0.977	0.98	560	130
11	256	0.2362 E+1	0.3236 E-2	416	67.02	0.42	240	130
10	128	0.6818 E+1	0.6983 E-2	1489	63.73	0.09	52	130
9	64	0.8975 E+1	0.8183 E-2	3759	0.265	0.26	152	130
8	32	0.1969 E+2	0.1778 E-1	7659	3.241	0.10	57	130
7	16	0.1895 E+2	0.1803 E-1	13810	3.284	0.14	8.2	130
6	8	0.1536 E+2	0.1600 E-1	23037	33.13	0.17	9.8	130
5	4	0.1218 E+2	0.1421 E-1	36720	329.5	0.15	8.8	130

\*\*\* Measured Data List \*\*\*

Station No. 149 Date 1984/ 11/30 Tx Bipole No. 1

No.	Frequency		Electric Field		Magnetic Field		Apparent Resistivity		Phase Difference		Corrected Phase Difference		Current I (A)
	f (Hz)		E (mV/km)		H (γ)		$\rho_a(\Omega\text{-m})$		PD(rad)		PD-C(rad)	PD-C(deg)	
14	2048		0.2645 E+2		0.1844 E-1		201		-2.207		0.93	53.5	7.5
13	1024		0.2168 E+1		0.1611 E-2		354		-2.208		0.93	53.5	13.0
12	512		0.1978 E+1		0.1414 E-2		764		-2.148		0.99	56.9	13.0
11	256		0.3100 E+1		0.2770 E-2		978		6.653		0.37	21.2	13.0
10	128		0.1038 E+2		0.6745 E-2		3700		6.354		0.07	4.1	13.0
9	64		0.1325 E+2		0.7964 E-2		8648		0.062		0.06	3.5	13.0
8	32		0.2868 E+2		0.1734 E-1		17098		0.092		0.09	5.2	13.0
7	16		0.2780 E+1		0.1749 E-1		31580		0.130		0.13	7.5	13.0
6	8		0.2273 E+2		0.1543 E-1		54250		0.157		0.16	9.0	13.0
5	4		0.1851 E+2		0.1386 E-1		87587		0.122		0.12	7.0	13.0

Station No. 150 Date 1984/ 11/30 Tx Bipole No. 1

No.	Frequency		Electric Field		Magnetic Field		Apparent Resistivity		Phase Difference		Corrected Phase Difference		Current I (A)
	f (Hz)		E (mV/km)		H (γ)		$\rho_a(\Omega\text{-m})$		PD(rad)		PD-C(rad)	PD-C(deg)	
14	2048		0.1083 E+2		0.1864 E-1		33		1.166		1.17	66.8	7.5
13	1024		0.1651 E+1		0.1810 E-2		154		0.975		0.97	55.8	13.0
12	512		0.1993 E+1		0.1509 E-2		682		1.041		1.04	59.6	13.0
11	256		0.3456 E+1		0.3163 E-2		933		6.593		0.31	17.8	13.0
10	128		0.1224 E+2		0.7689 E-2		3960		6.346		0.06	3.6	13.0
9	64		0.1507 E+2		0.8871 E-2		9013		0.066		0.07	3.8	13.0
8	32		0.3184 E+2		0.1885 E-1		17841		0.094		0.09	5.4	13.0
7	16		0.3066 E+2		0.1893 E-1		32800		0.126		0.13	7.2	13.0
6	8		0.2523 E+2		0.1680 E-1		56380		0.156		0.16	8.9	13.0
5	4		0.2068 E+2		0.1499 E-1		95160		0.128		0.13	7.3	13.0



\*\*\* Measured Data List \*\*\*

Station No. 151 Date 1984/ 11/30 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1652 E+1	0.2964 E-3	3038	-5974	0.31	17.7	75
13	1024	0.7502 E±0	0.4452 E-3	555	0.411	0.41	235	130
12	512	0.1122 E+1	0.8681 E-3	653	0.609	0.61	349	130
11	256	0.2520 E+1	0.2981 E-2	558	0.199	0.20	114	130
10	128	0.8373 E+1	0.8553 E-2	1497	0.072	0.07	41	130
9	64	0.9846 E+1	0.9842 E-2	3127	0.073	0.07	42	130
8	32	0.2018 E+2	0.2073 E-1	5922	0.093	0.09	54	130
7	16	0.1915 E+2	0.2063 E-1	10758	6.401	0.12	68	130
6	8	0.1562 E+2	0.1812 E-1	18599	6.420	0.14	78	130
5	4	0.1292 E+2	0.1622 E-1	31723	3.244	0.10	59	130

Station No. 152 Date 1984/ 12/1 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4281 E±0	0.2594 E-3	267	-3.556	-0.41	-23.7	75
13	1024	0.9380 E±0	0.5912 E-3	464	0.585	0.59	335	130
12	512	0.1321 E+1	0.1064 E-2	602	0.734	0.73	421	130
11	256	0.2419 E-1	0.3622 E-2	348	0.034	0.03	2.0	130
10	128	0.7790 E+1	0.9984 E-2	951	0.099	0.10	5.7	130
9	64	0.9011 E+1	0.1162 E-1	2036	0.076	0.08	4.4	130
8	32	0.1848 E+2	0.2313 E-1	3989	0.080	0.08	4.6	130
7	16	0.1761 E+2	0.2282 E-1	7450	3.235	0.09	5.4	130
6	8	0.1455 E+2	0.2002 E-1	13200	3.243	0.10	5.8	130
5	4	0.1201 E+2	0.1770 E-1	23030	3.233	0.09	5.3	130

\*\*\* Measured Data List \*\*\*

Station No. 153

Date 1984/12/1

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.9023 E±0	0.2443 E-3	1344	-0.220	-0.22	-12.6	75
13	1024	0.8045 E±0	0.5152 E-3	476	0.474	0.47	27.2	130
12	512	0.1106 E+1	0.1006 E-2	472	0.626	0.63	35.9	130
11	256	0.2773 E+1	0.3467 E-2	500	0.157	0.16	9.0	130
10	128	0.8241 E+1	0.9187 E-2	1258	0.099	0.10	5.7	130
9	64	0.8998 E+1	0.1009 E-1	2483	0.107	0.11	6.1	130
8	32	0.1805 E+2	0.2102 E-1	4608	0.123	0.12	7.1	130
7	16	0.1693 E+2	0.2090 E-1	8201	3.294	0.15	8.7	130
6	8	0.1371 E+2	0.1861 E-1	13559	3.294	0.15	8.8	130
5	4	0.1127 E+2	0.1701 E-1	21970	3.249	0.11	6.1	130

Station No. 154

Date 1984/12/1

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4582 E±0	0.1371 E-3	1092	1.205	1.20	69.0	75
13	1024	0.1560 E+1	0.5005 E-3	1900	0.753	0.75	43.1	130
12	512	0.2038 E+1	0.1015 E-2	1575	0.957	0.96	54.8	130
11	256	0.4006 E+1	0.5718 E-2	983	68.03	0.52	29.8	130
10	128	0.1026 E+2	0.9244 E-2	1924	6.603	0.33	18.3	130
9	64	0.1039 E+2	0.1035 E-1	3321	0.252	0.25	14.4	130
8	32	0.2035 E+2	0.2120 E-1	5601	0.206	0.21	11.8	130
7	16	0.1864 E+2	0.2115 E-1	9711	0.190	0.19	10.9	130
6	8	0.1536 E+2	0.1885 E-1	16610	0.192	0.19	11.0	130
5	4	0.1271 E+2	0.1724 E-1	27147	0.140	0.14	8.0	130

\*\*\* Measured Data List \*\*\*

Station No.155

Date 1984/12/1

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.7695 E+0	0.2168 E-3	1191	0.261	0.26	150	7.5
13	1024	0.1096 E+1	0.5367 E-3	816	0.619	0.62	35.5	13.0
12	512	0.1381 E+1	0.1048 E-2	677	0.815	0.82	46.7	13.0
11	256	0.3509 E+1	0.3870 E-2	642	65.03	0.22	12.6	13.0
10	128	0.1008 E+2	0.9820 E-2	1645	64.22	0.14	8.0	13.0
9	64	0.1050 E+2	0.1053 E-1	3109	0.143	0.14	8.2	13.0
8	32	0.2070 E+2	0.2175 E-1	5609	0.157	0.16	9.0	13.0
7	16	0.1916 E+2	0.2175 E-1	9701	0.180	0.18	10.3	13.0
6	8	0.1563 E+2	0.1979 E-1	15600	0.195	0.20	11.2	13.0
5	4	0.1262 E+2	0.1824 E-1	25687	0.154	0.15	8.8	13.0

Station No.156

Date 1984/12/1

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.8083 E+1	0.1160 E-2	4737	-0.138	-0.14	-7.9	7.5
13	1024	0.2507 E+1	0.6690 E-3	2746	0.372	0.37	21.3	13.0
12	512	0.2522 E+1	0.1165 E-2	1733	0.562	0.56	32.2	13.0
11	256	0.9755 E+1	0.4533 E-2	3592	62.55	-0.03	-1.6	13.0
10	128	0.2682 E+2	0.1131 E-1	8786	63.27	0.04	2.5	13.0
9	64	0.2730 E+2	0.1180 E-1	16726	0.650	0.65	37.3	13.0
8	32	0.5268 E+2	0.2389 E-1	30380	0.133	0.13	7.6	13.0
7	16	0.4671 E+2	0.2282 E-1	52423	0.172	0.17	9.8	13.0
6	8	0.3834 E+2	0.2072 E-1	85560	0.190	0.19	10.9	13.0
5	4	0.3132 E+2	0.1919 E-1	133133	3.286	0.14	8.3	13.0

\*\*\* Measured Data List \*\*\*

Station No. 157

Date 1984/12/2

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1161 E+2	0.2838 E-3	86505	-1825	132	75.5	7.5
13	1024	0.1393 E+1	0.5177 E-3	1421	0.977	0.98	56.0	130
12	512	0.2613 E+1	1.0049 E-3	2656	1.188	1.12	64.0	130
11	256	0.6627 E+1	0.3626 E-2	2611	0.325	0.32	18.6	130
10	128	0.2077 E+2	0.9322 E-2	7758	0.127	0.13	7.2	130
9	64	0.2313 E+2	0.1038 E-1	16344	0.098	0.10	5.6	130
8	32	0.4650 E+2	0.2069 E-1	31577	0.102	0.10	5.8	130
7	16	0.4400 E+2	0.2044 E-1	57880	6.397	0.11	6.5	130
6	8	0.3607 E+2	0.1759 E-1	105250	6.403	0.12	6.9	130
5	4	0.2981 E+2	0.1603 E-1	172930	6.383	0.10	5.7	130

Station No. 158

Date 1984/12/2

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2325 E+1	0.2200 E-2	10915	3.996	0.85	48.6	7.5
13	1024	0.1092 E+1	0.3721 E-2	1467	0.958	0.96	54.9	130
12	512	0.1430 E+1	0.8217 E-2	1141	1.093	1.09	62.6	130
11	256	0.3922 E+1	0.3362 E-1	1063	6.539	0.26	14.6	130
10	128	0.1330 E+2	0.9296 E-1	3086	6.413	0.13	7.4	130
9	64	0.1401 E+2	0.1011 E+0	6003	0.124	0.12	7.1	130
8	32	0.2761 E+2	0.2069 E+0	11127	0.125	0.12	7.1	130
7	16	0.2561 E+2	0.2021 E+0	20068	0.143	0.14	8.2	130
6	8	0.2067 E+2	0.1779 E+0	33735	0.166	0.17	9.5	130
5	4	0.1659 E+2	0.1576 E-1	55393	0.134	0.13	7.7	130

\*\*\* Measured Data List \*\*\*

Station No. 159

Date 1984/ 12/2

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2542 E+1	0.5750 E-2	1908	0.096	0.10	7.5
13	1024	0.6776 E±0	0.4777 E-2	397	0.345	0.35	13.0
12	512	0.9410 E±0	0.9165 E-2	412	0.464	0.46	13.0
11	256	0.2194 E+1	0.3273 E-1	352	6.489	0.21	13.0
10	128	0.5588 E+1	0.9343 E-1	613	6.390	0.11	13.0
9	64	0.6698 E+1	0.1067 E±0	1242	0.080	0.08	13.0
8	32	0.1389 E+2	0.2233 E±0	2416	0.107	0.11	13.0
7	16	0.1307 E+2	0.2213 E±0	4362	0.150	0.15	13.0
6	8	0.1048 E+2	0.1961 E±0	7134	0.178	0.18	13.0
5	4	0.8330 E+1	0.1742 E-1	11354	0.142	0.14	13.0

Station No. 160

Date 1984/ 12/2

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.7923 E±0	0.1755 E-2	2015	-3.204	-0.06	7.5
13	1024	0.6926 E±0	0.3987 E-2	585	3.490	0.35	13.0
12	512	0.1016 E+1	0.7550 E-2	710	3.834	0.69	13.0
11	256	0.2551 E+1	0.2650 E-1	453	3.411	0.27	13.0
10	128	0.6590 E+1	0.7743 E-1	1155	3.414	0.27	13.0
9	64	0.7332 E+1	0.6345 E-1	2078	-2.998	0.14	13.0
8	32	0.1482 E+2	0.1903 E±0	3787	-2.957	0.18	13.0
7	16	0.1364 E+2	0.1872 E±0	6638	3.314	0.17	13.0
6	8	0.1590 E+2	0.1598 E±0	10950	3.341	0.20	13.0
5	4	0.8101 E+1	0.2680 E-1	16873	3.325	0.18	13.0

\*\*\* Measured Data List \*\*\*

Station No. 161 Date 1984/12/2 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.1000 E+0	0.1160 E-3	72	1.971	-1.17	7.5
13	1024	0.5580 E+0	0.3512 E-3	493	-2.564	0.58	13.0
12	512	0.7267 E+0	0.7258 E-3	392	-2.379	0.76	13.0
11	256	0.2355 E+1	0.2208 E-2	471	3.339	0.20	13.0
10	128	0.7957 E+1	0.8681 E-2	1006	3.307	0.17	13.0
9	64	0.7358 E+1	0.9518 E-2	1867	3.292	0.15	13.0
8	32	0.1436 E+2	0.1950 E-1	3890	3.302	0.16	13.0
7	16	0.1308 E+2	0.1912 E-1	5853	3.327	0.19	13.0
6	8	0.1002 E+1	0.1635 E-1	9433	-2.946	0.20	13.0
5	4	0.7720 E+1	0.1423 E-1	14582	-2.958	0.18	13.0

Station No. 162 Date 1984/12/3 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.4487 E+2	0.7195 E-2	3797	-5.934	0.35	7.5
13	1024	0.3546 E+1	0.7996 E-3	3845	0.436	0.44	13.0
12	512	0.2792 E+1	0.9445 E-3	3179	0.453	0.45	13.0
11	256	0.4881 E+1	0.2652 E-2	2649	0.208	0.21	13.0
10	128	0.1425 E+2	0.7431 E-2	5749	0.086	0.09	13.0
9	64	0.1747 E+2	0.8933 E-2	11953	0.090	0.09	13.0
8	32	0.3652 E+2	0.1911 E-1	22830	0.112	0.11	13.0
7	16	0.4385 E+2	0.1904 E-1	41150	6.436	0.15	13.0
6	8	0.2729 E+2	0.1657 E-1	68310	6.455	0.17	13.0
5	4	0.2154 E+2	0.1501 E-1	105303	6.425	0.14	13.0

\*\*\* Measured Data List \*\*\*

Station No. 163

Date 1984/ 12/3

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2327 E+2	0.1669 E-2	18989	-2.980	0.16	9.3	7.5
13	1024	0.2834 E+1	0.4841 E-3	6697	-2.689	0.45	25.9	13.0
12	512	0.2669 E+1	0.8271 E-3	4069	-2.578	0.56	32.3	13.0
11	256	0.5850 E+1	0.2903 E-2	3170	3.357	0.22	12.4	13.0
10	128	0.1733 E+2	0.8414 E-2	6630	3.260	0.12	6.8	13.0
9	64	0.1992 E+2	0.9532 E-2	13645	3.239	0.10	5.6	13.0
8	32	0.4132 E+2	0.2023 E-1	22707	3.269	0.13	7.3	13.0
7	16	0.3852 E+2	0.2019 E-1	45513	3.309	0.17	9.6	13.0
6	8	0.3079 E+2	0.1814 E-1	72043	3.349	0.21	11.9	13.0
5	4	0.2425 E+2	0.1608 E-1	113773	3.294	0.15	8.8	13.0

Station No. 164

Date 1984/ 12/3

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1857 E+1	0.2130 E-2	74	-3.634	-0.49	-28.2	7.5
13	1024	0.9788 E+0	0.5910 E-3	536	0.949	0.95	54.3	13.0
12	512	0.1293 E+1	0.7539 E-3	661	0.887	0.89	50.8	13.0
11	256	0.3255 E+1	0.3526 E-2	666	0.270	0.27	15.5	13.0
10	128	0.1015 E+2	0.9726 E-2	1702	0.140	0.14	8.0	13.0
9	64	0.1116 E+2	0.1075 E-1	3367	0.112	0.11	6.4	13.0
8	32	0.2245 E+2	0.2224 E-1	6367	0.115	0.12	6.6	13.0
7	16	0.2164 E+2	0.2194 E-1	11497	6.420	0.14	7.9	13.0
6	8	0.1705 E+2	0.1915 E-1	19832	6.447	0.16	9.4	13.0
5	4	0.1375 E+2	0.1690 E-1	33113	6.399	0.12	6.6	13.0

\*\*\* Measured Data List \*\*\*

Date 1984/ 12/ 3 Tx Bipole No. 1

Station No. 165

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.6511 E+1	0.1932 E-2	1109	-2332	0.81	46.4	7.5
13	1024	0.1071 E+1	0.6583 E-3	517	0.893	0.89	51.2	13.0
12	512	0.1604 E+1	0.1108 E-2	820	0.969	0.97	55.5	13.0
11	256	0.8417 E+1	0.4332 E-2	965	0.227	0.23	13.0	13.0
10	128	0.1395 E+2	0.1112 E-1	2456	0.120	0.12	6.9	13.0
9	64	0.1469 E+2	0.1161 E-1	4996	0.101	0.10	5.8	13.0
8	32	0.2901 E+2	0.2354 E-1	9490	0.100	0.10	5.7	13.0
7	16	0.2727 E+2	0.2321 E-1	17259	6.398	0.11	6.6	13.0
6	8	0.2232 E+2	0.2033 E-1	30130	6.400	0.12	6.7	13.0
5	4	0.1857 E+2	0.1826 E-1	51740	3.222	0.08	4.6	13.0

Date 1984/ 12/ 3 Tx Bipole No. 1

Station No. 166

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2073 E+2	0.2215 E-2	8557	-0.136	0.14	-7.8	7.5
13	1024	0.2726 E+1	0.6495 E-3	3448	0.320	0.32	18.3	13.0
12	512	0.2049 E+1	0.1134 E-2	1276	0.487	0.49	27.9	13.0
11	256	0.9158 E+1	0.4652 E-2	3027	6.253	0.03	-1.7	13.0
10	128	0.2325 E+2	0.1140 E-1	6496	6.356	0.07	4.2	13.0
9	64	0.2257 E+2	0.1165 E-1	11728	0.126	0.13	7.2	13.0
8	32	0.4250 E+2	0.2333 E-1	20733	0.163	0.16	9.3	13.0
7	16	0.3825 E+2	0.2291 E-1	34837	0.202	0.20	11.6	13.0
6	8	0.2982 E+2	0.2008 E-1	55133	0.222	0.22	12.7	13.0
5	4	0.2389 E+2	0.1833 E-1	84947	0.112	0.17	9.9	13.0



\*\*\* Measured Data List \*\*\*

Station No. 167 Date 1984/ 12/ 3 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field		Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)				PD-C (rad)	PD-C (deg)		
14	2048	0.1855	E+2	0.1004	E-2	33343	-5969	0.31	180	7.5
13	1024	0.2717	E+1	0.5032	E-3	5501	0.842	0.84	482	13.0
12	512	0.2452	E+1	0.1144	E-2	1762	1.127	1.13	646	13.0
11	256	0.8117	E+1	0.4728	E-2	2302	0.204	0.20	117	13.0
10	128	0.2049	E+2	0.1057	E-1	5875	0.105	0.10	60	13.0
9	64	0.1994	E+2	0.1024	E-1	11842	0.096	0.10	55	13.0
8	32	0.3829	E+2	0.2021	E-1	22430	0.097	0.10	56	13.0
7	16	0.3591	E+2	0.3962	E-1	41060	6.397	0.11	65	13.0
6	8	0.2998	E+2	0.1756	E-1	72827	6.405	0.12	70	13.0
5	4	0.2560	E+2	0.1590	E-1	127490	6.343	0.06	34	13.0

Station No. 168 Date 1984/ 12/ 4 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field		Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)				PD-C (rad)	PD-C (deg)		
14	2048	0.1179	E+1	0.3305	E-3	1244	0.852	0.85	488	7.5
13	1024	0.1249	E+1	0.5617	E-3	966	0.606	0.61	347	13.0
12	512	0.1154	E+1	0.1882	E-2	372	0.711	0.71	408	13.0
11	256	0.7437	E+1	0.5438	E-2	1461	6.336	0.05	30	13.0
10	128	0.1759	E+2	0.1234	E-1	3171	6.399	0.12	66	13.0
9	64	0.1570	E+2	0.1168	E-1	5642	0.150	0.15	86	13.0
8	32	0.2808	E+2	0.2262	E-1	9629	0.170	0.17	97	13.0
7	16	0.2485	E+2	0.2172	E-1	16365	0.185	0.19	106	13.0
6	8	0.1958	E+2	0.1897	E-1	26630	0.200	0.20	115	13.0
5	4	0.1566	E+2	0.1713	E-1	41830	3.281	0.14	80	13.0

\*\*\* Measured Data List \*\*\*

Station No. 169 Date 1984/12/4 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1550 E+1	0.1554 E-3	10477	-0.153	-0.15	-89	7.5
13	1024	0.1176 E+1	0.3667 E-3	2009	0.477	0.48	27.3	13.0
12	512	0.1495 E+1	0.8867 E-3	1111	-0.119	-0.12	-6.8	13.0
11	256	0.1335 E+2	0.4194 E-2	7918	-0.057	-0.06	3.3	13.0
10	128	0.3058 E+2	0.1009 E-1	14342	0.106	0.11	6.1	13.0
9	64	0.2711 E+2	0.9719 E-2	24313	0.165	0.17	9.5	13.0
8	32	0.4804 E+2	0.1872 E-1	41187	0.198	0.20	11.3	13.0
7	16	0.4188 E+2	0.3812 E-1	66757	65.29	0.25	1.41	13.0
6	8	0.3107 E+2	0.1525 E-1	103817	0.285	0.28	1.63	13.0
5	4	0.2296 E+2	0.1333 E-1	148463	0.230	0.23	1.32	13.0

Station No. 170 Date 1984/12/4 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1834 E+0	0.1223 E-3	235	0.633	0.63	36.3	7.5
13	1024	0.6612 E+0	0.3309 E-3	781	0.755	0.75	43.3	13.0
12	512	0.7162 E+0	0.2974 E-3	251	0.144	0.14	8.2	13.0
11	256	0.6904 E+1	0.4157 E-2	2154	6.295	0.01	0.7	13.0
10	128	0.1517 E+2	0.9403 E-2	4117	6.413	0.13	7.5	13.0
9	64	0.1331 E+2	0.8754 E-2	6935	0.181	0.18	10.4	13.0
8	32	0.2258 E+2	0.1658 E-1	11588	0.205	0.21	11.8	13.0
7	16	0.4457 E+2	0.1570 E-1	19107	0.227	0.23	13.0	13.0
6	8	0.1457 E+2	0.1316 E-1	30617	0.242	0.24	13.8	13.0
5	4	0.1139 E+2	0.1145 E-1	46980	0.188	0.19	10.8	13.0

\*\*\* Measured Data List \*\*\*

Station No. 171

Date 1984/ 12/ 4

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.2004 E±0	0.6477 E-4	600	2.075	-1.07	-61.6	7.5
13	1024	0.4521 E±0	0.3105 E-4	337	1.075	1.08	61.6	13.0
12	512	0.3527 E±0	0.8251 E-3	70	0.779	0.78	44.7	13.0
11	256	0.3240 E+1	0.4381 E-2	428	6.389	0.11	6.0	13.0
10	128	0.7640 E+1	0.1325 E-1	904	6.412	0.13	7.4	13.0
9	64	0.6752 E+1	0.9135 E-2	1728	0.146	0.15	8.3	13.0
8	32	0.1195 E+2	0.1707 E-1	3037	0.158	0.16	9.1	13.0
7	16	0.1034 E+2	0.1616 E-1	5259	0.179	0.18	10.2	13.0
6	8	0.7852 E+1	0.1338 E-1	8700	0.188	0.19	10.8	13.0
5	4	0.6991 E+1	0.1169 E-1	13537	0.155	0.16	8.9	13.0

Station No. 172

Date 1984/ 12/ 4

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.6737 E±0	0.7087 E-4	9425	1.155	1.16	66.2	7.5
13	1024	0.1265 E+1	0.3277 E-3	2910	1.051	1.05	60.2	13.0
12	512	0.1237 E+1	0.7701 E-3	1009	1.118	1.12	64.0	13.0
11	256	0.7242 E+1	0.4622 E-2	1918	6.488	0.20	11.7	13.0
10	128	0.1958 E+2	0.1164 E-1	4418	6.420	0.14	7.9	13.0
9	64	0.1831 E+2	0.1094 E-1	8751	0.126	0.13	7.2	13.0
8	32	0.3307 E+2	0.2075 E-1	15865	0.136	0.14	7.8	13.0
7	16	0.9161 E+2	0.1936 E-1	28343	0.157	0.16	9.0	13.0
6	8	0.2238 E+2	0.1620 E-1	47707	0.179	0.18	10.2	13.0
5	4	0.1729 E+2	0.1377 E-1	78817	0.158	0.16	9.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 173 Date 1984/ 12/ 5 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4518 E±0	0.4070 E-3	120	0.329	0.33	18.9	7.5
13	1024	0.1325 E+1	0.1289 E-2	206	0.395	0.39	22.6	13.0
12	512	0.1836 E+1	0.2174 E-2	279	6.831	0.55	31.4	13.0
11	256	0.2920 E+1	0.5271 E-2	240	0.464	0.46	26.6	13.0
10	128	0.6137 E+1	0.1223 E-1	393	0.329	0.33	18.9	13.0
9	64	0.5728 E+1	0.1836 E-1	615	0.306	0.31	17.5	13.0
8	32	0.1300 E+2	0.2638 E-1	953	0.266	0.27	15.2	13.0
7	16	0.9309 E+1	0.2582 E-1	1548	0.225	0.23	12.9	13.0
6	8	0.7596 E+1	0.2383 E-1	2541	-1.425	-1.42	-81.6	13.0
5	4	0.6533 E+1	0.2199 E-1	4414	1.605	-1.54	-88.0	13.0

Station No. 174 Date 1984/ 12/ 5 Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.9570 E±0	0.4389 E-3	475	0.196	0.20	11.2	7.5
13	1024	0.2688 E+1	0.1275 E-2	868	0.315	0.32	18.1	13.0
12	512	0.3817 E+1	0.2114 E-2	1274	6.768	0.48	27.8	13.0
11	256	0.5880 E+1	0.4759 E-2	1161	0.545	0.54	31.2	13.0
10	128	0.1107 E+2	0.1134 E-1	1491	0.372	0.37	21.3	13.0
9	64	0.1068 E+2	0.1234 E-1	2341	0.286	0.29	16.4	13.0
8	32	0.2028 E+2	0.2567 E-1	3902	0.223	0.22	12.8	13.0
7	16	0.1909 E+2	0.2586 E-1	6808	0.202	0.20	11.6	13.0
6	8	0.1587 E+2	0.2376 E-1	11156	0.188	0.19	10.8	13.0
5	4	0.1334 E+2	0.2165 E-1	19000	0.129	0.13	7.4	13.0

\*\*\* Measured Data List \*\*\*

Station No. 175 Date 1984/12/5 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.7903 E+0	0.3708 E-3	444	-5.883	0.40	229	7.5
13	1024	0.2131 E+1	0.1147 E-2	675	0.402	0.40	230	13.0
12	512	0.3031 E+1	0.1918 E-2	976	0.519	0.52	297	13.0
11	256	0.4626 E+1	0.4365 E-2	877	0.579	0.58	332	13.0
10	128	0.8583 E+1	0.1033 E-1	1080	0.409	0.41	235	13.0
9	64	0.8405 E+1	0.1145 E-1	1684	0.304	0.30	174	13.0
8	32	0.1614 E+2	0.2390 E-1	2848	0.224	0.22	128	13.0
7	16	0.1524 E+2	0.2426 E-1	4932	6.478	0.19	112	13.0
6	8	0.1268 E+2	0.2212 E-1	8222	6.466	0.18	105	13.0
5	4	0.1061 E+2	0.2024 E-1	13741	6.417	0.13	77	13.0

Station No. 176 Date 1984/12/5 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2177 E+1	0.4563 E-3	2227	0.189	0.19	108	7.5
13	1024	0.5763 E+1	0.1284 E-2	3934	0.241	0.24	138	13.0
12	512	0.8209 E+1	0.2056 E-2	6407	0.372	0.37	213	13.0
11	256	0.1255 E+2	0.4259 E-2	6782	0.467	0.47	268	13.0
10	128	0.2381 E+2	0.1011 E-1	8672	0.339	0.34	194	13.0
9	64	0.2401 E+2	0.1140 E-1	13849	0.248	0.25	142	13.0
8	32	0.4798 E+2	0.2447 E-1	24027	0.189	0.19	108	13.0
7	16	0.4555 E+2	0.2454 E-1	43057	6.439	0.16	89	13.0
6	8	0.3862 E+2	0.2245 E-1	74017	6.430	0.15	84	13.0
5	4	0.3265 E+2	0.2010 E-1	132033	6.381	0.10	56	13.0

\*\*\* Measured Data List \*\*\*

Station No. 177 Date 1984/ 12/ 5 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.6811 E+0	0.3902 E-3	301	0.225	129	7.5
13	1024	0.1736 E+1	0.1088 E-2	498	0.329	189	130
12	512	0.2388 E+1	0.1761 E-2	719	0.453	259	130
11	256	0.3619 E+1	0.3690 E-2	752	0.538	308	130
10	128	0.6578 E+1	0.8882 E-2	858	0.388	222	130
9	64	0.6854 E+1	0.1026 E-1	1394	0.261	150	130
8	32	0.1411 E+2	0.2232 E-1	2499	0.193	111	130
7	16	0.1361 E+2	0.2277 E-1	4464	0.18	104	130
6	8	0.1119 E+2	0.2033 E-1	7578	0.18	106	130
5	4	0.9185 E+1	0.1871 E-1	12057	0.14	82	130

Station No. 178 Date 1984/ 12/ 5 Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.4664 E+0	0.2595 E-3	316	0.287	164	7.5
13	1024	0.1217 E+1	0.7888 E-3	465	0.401	230	130
12	512	0.1745 E+1	0.1369 E-2	635	6.793	292	130
11	256	0.2607 E+1	0.3006 E-2	588	0.602	345	130
10	128	0.5133 E+1	0.7754 E-2	685	6.699	238	130
9	64	0.5505 E+1	0.9285 E-2	1099	0.305	174	130
8	32	0.1116 E+2	0.2064 E-1	1822	0.239	137	130
7	16	0.1071 E+2	0.2135 E-1	3144	0.201	115	130
6	8	0.9097 E+1	0.1990 E-1	5226	0.164	94	130
5	4	0.7894 E+1	0.1856 E-1	9048	0.110	63	130

\*\*\* Measured Data List \*\*\*

Station No. 179      Date 1984/ 12/ 6      Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.6842 E±0	0.2358 E-3	827	0.541	0.54	310	7.5
13	1024	0.1512 E+1	0.6994 E-3	913	0.634	0.63	363	130
12	512	0.1975 E+1	0.1217 E-2	1028	0.643	0.64	368	130
11	256	0.3063 E+1	0.2651 E-2	1043	0.730	0.73	418	130
10	128	0.5031 E+1	0.6852 E-2	830	0.584	0.58	335	130
9	64	0.5505 E+1	0.8434 E-2	1332	0.295	0.29	169	130
8	32	0.1248 E+2	0.1884 E-1	2743	0.235	0.24	135	130
7	16	0.1237 E+2	0.1975 E-1	4914	0.322	0.32	184	130
6	8	0.9544 E+1	0.1795 E-1	7072	0.462	0.46	265	130
5	4	0.6651 E+1	0.1632 E-1	8267	0.541	0.54	310	130

Station No. 180      Date 1984/ 12/ 6      Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.8278 E±0	0.1851 E-3	1974	0.646	0.65	370	7.5
13	1024	0.1873 E+1	0.5524 E-3	2248	0.679	0.68	389	130
12	512	0.2452 E+1	0.9867 E-3	2411	0.683	0.68	392	130
11	256	0.3922 E+1	0.2144 E-2	2572	0.759	0.76	435	130
10	128	0.6358 E+1	0.5793 E-2	1883	0.613	0.61	351	130
9	64	0.7268 E+1	0.7468 E-2	2959	0.311	0.31	178	130
8	32	0.1694 E+2	0.1702 E-1	6189	0.263	0.26	151	130
7	16	0.1672 E+2	0.1773 E-1	11116	0.379	0.38	217	130
6	8	0.1263 E+2	0.1604 E-1	15504	0.566	0.57	324	130
5	4	0.8339 E+1	0.1458 E-1	16367	0.723	0.72	414	130

\*\*\* Measured Data List \*\*\*

Date 1984/12/6 Tx Bipole No.1

Station No.181

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1045 E±0	0.1737 E-3	36	0.460	0.46	267	75
13	1024	0.2992 E±0	0.5649 E-3	55	0.414	0.41	237	130
12	512	0.4496 E±0	0.9924 E-3	80	6737	0.45	260	130
11	256	0.7517 E±0	0.2011 E-2	109	0.556	0.56	319	130
10	128	0.1285 E+1	0.5293 E-2	92	6780	0.50	284	130
9	64	0.1569 E+1	0.7105 E-2	153	0.254	0.25	146	130
8	32	0.3662 E+1	0.1638 E-1	312	0.237	0.24	136	130
7	16	0.3585 E+1	0.1682 E-1	568	0.359	0.36	205	130
6	8	0.2666 E+1	0.1480 E-1	822	0.562	0.56	322	130
5	4	0.1723 E+1	0.1285 E-1	899	0.773	0.77	443	130

Date 1984/12/7 Tx Bipole No.1

Station No.182

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1131 E±0	0.1319 E-3	80	-5624	0.66	378	75
13	1024	0.2469 E±0	0.3710 E-3	90	0.770	0.77	441	130
12	512	0.3078 E±0	0.6697 E-3	83	0.838	0.84	480	130
11	256	0.4554 E±0	0.1516 E-2	70	0.870	0.87	498	130
10	128	0.7138 E±0	0.3956 E-2	51	0.827	0.83	474	130
9	64	0.7238 E±0	0.5577 E-2	53	0.528	0.53	303	130
8	32	0.1582 E+1	0.1343 E-1	87	0.347	0.35	199	130
7	16	0.1533 E+1	0.1414 E-1	147	6591	0.31	176	130
6	8	0.1199 E+1	0.1262 E-1	226	0.330	0.33	189	130
5	4	0.8915 E±0	0.1111 E-1	322	0.298	0.30	171	130



\*\*\* Measured Data List \*\*\*

Station No. 183

Date 1984/ 12/ 7

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.1681 E±0	0.1282 E-3	179	0.683	0.68	39.1	7.5
13	1024	0.3501 E±0	0.3679 E-3	177	0.641	0.64	36.7	13.0
12	512	0.4498 E±0	0.6463 E-3	198	6.922	0.64	36.6	13.0
11	256	0.7759 E±0	0.1425 E-2	232	0.587	0.59	33.6	13.0
10	128	0.1352 E+1	0.3522 E-2	236	6.797	0.51	29.4	13.0
9	64	0.1656 E+1	0.4916 E-2	355	0.306	0.31	17.5	13.0
8	32	0.3782 E+1	0.1211 E-1	609	0.233	0.23	13.3	13.0
7	16	0.3725 E+1	0.1305 E-1	1018	0.186	0.19	10.6	13.0
6	8	0.3164 E+1	0.1195 E-1	1754	0.126	0.13	7.2	13.0
5	4	0.2755 E+1	0.1082 E-1	3207	0.112	0.11	6.4	13.0

Station No. 184

Date 1984/ 12/ 7

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a$ ( $\Omega$ -m)	Phase Difference PD (rad)	Corrected Phase Difference PD-C (rad)	Corrected Phase Difference PD-C (deg)	Current I (A)
14	2048	0.2725 E±0	0.1420 E-3	345	0.596	0.60	34.2	7.5
13	1024	0.5739 E±0	0.3818 E-3	442	0.503	0.60	34.5	13.0
12	512	0.7483 E±0	0.6758 E-3	480	6.870	0.59	33.6	13.0
11	256	0.1269 E+1	0.1462 E-2	588	0.529	0.53	30.3	13.0
10	128	0.2333 E+1	0.3549 E-2	675	6.725	0.44	25.3	13.0
9	64	0.2771 E+1	0.4843 E-2	1015	0.285	0.29	16.3	13.0
8	32	0.6408 E+1	0.1172 E-1	1868	0.238	0.24	13.6	13.0
7	16	0.6429 E+1	0.1274 E-1	1381	0.264	0.26	15.1	13.0
6	8	0.5106 E+1	0.1144 E-1	4983	0.312	0.31	17.9	13.0
5	4	0.3828 E+1	0.1011 E-1	6920	0.299	0.30	17.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 185

Date 1984/ 12/ 7

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.3430 E±0	0.1687 E-3	404	-5695	0.59	33.7	7.5
13	1024	0.7848 E±0	0.4814 E-3	519	0.682	0.68	39.1	13.0
12	512	0.9630 E±0	0.8572 E-3	493	0.789	0.79	45.2	13.0
11	256	0.1429 E+1	0.1880 E-2	451	0.807	0.81	46.2	13.0
10	128	0.2341 E+1	0.6460 E-2	326	0.687	0.59	39.4	13.0
9	64	0.2642 E+1	0.6923 E-2	455	0.379	0.38	21.7	13.0
8	32	0.6199 E+1	0.1596 E-1	943	0.321	0.32	18.4	13.0
7	16	0.6141 E+1	0.1662 E-1	1706	6.755	0.47	27.0	13.0
6	8	0.4651 E+1	0.1522 E-1	2333	0.764	0.76	43.7	13.0
5	4	0.3021 E+1	0.1401 E-1	2455	4.247	1.10	63.3	13.0

Station No. 186

Date 1984/ 12/ 7

Tx Bipole No. 1

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.5354 E±0	0.2901 E-3	944	0.528	0.53	30.3	7.5
13	1024	0.1368 E+1	0.5612 E-3	1156	0.591	0.59	33.9	13.0
12	512	0.1768 E+1	0.9707 E-3	1310	0.638	0.64	36.5	13.0
11	256	0.2833 E+1	0.2150 E-2	1356	0.637	0.64	36.5	13.0
10	128	0.5120 E+1	0.5635 E-2	1290	6.765	0.48	27.6	13.0
9	64	0.6157 E+1	0.7428 E-2	2140	0.270	0.27	15.5	13.0
8	32	0.1423 E+2	0.1739 E-1	4186	0.221	0.22	12.7	13.0
7	16	0.1397 E+2	0.1818 E-1	7384	0.265	0.26	15.2	13.0
6	8	0.1128 E+2	0.1668 E-1	11152	0.353	0.35	20.2	13.0
5	4	0.6416 E+1	0.1479 E-1	15334	0.366	0.37	20.9	13.0

\*\*\* Measured Data List \*\*\*

Station No. 187

Date 1984/ 12/ 7

Tx Bipole No.1

No.	Frequency f (Hz)	Electric Field E(mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected		Current I (A)
						Phase Difference PD-C(rad)	PD-C(deg)	
14	2048	0.1506 E±0	0.2259 E-3	64	0.434	0.43	24.9	7.5
13	1024	0.4711 E±0	0.6901 E-3	92	0.471	0.47	27.0	13.0
12	512	0.6542 E±0	0.1453 E-2	116	0.832	0.55	31.5	13.0
11	256	0.1246 E+1	0.2442 E-2	143	0.689	0.69	39.5	13.0
10	128	0.1654 E+1	0.6548 E-2	100	0.627	0.63	35.9	13.0
9	64	0.1822 E+1	0.8495 E-2	149	0.319	0.32	18.3	13.0
8	32	0.4209 E+1	0.1887 E-1	311	0.279	0.28	16.0	13.0
7	16	0.3117 E+1	0.1927 E-1	571	0.420	0.42	24.1	13.0
6	8	0.3099 E+1	0.1772 E-1	787	0.673	0.67	38.0	13.0
5	4	0.2014 E+1	0.1571 E-1	790	0.924	0.92	53.0	13.0

Station No. 188

Date 1984/ 12/ 10

Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected		Current I (A)
						Phase Difference PD-C(rad)	PD-C(deg)	
14	2048	0.1875 E±0	0.1098 E-3	291	0.158	0.16	9.0	5.5
13	1024	0.7037 E±0	0.4366 E-3	508	0.195	0.19	11.2	10.0
12	512	0.1505 E+1	0.9579 E-3	964	0.261	0.26	15.0	13.0
11	256	0.2201 E+1	0.1630 E-2	1425	0.399	0.40	22.9	13.0
10	128	0.3173 E+1	0.3262 E-2	1479	0.276	0.28	15.8	13.0
9	64	0.4404 E+1	0.4467 E-2	3038	0.182	0.18	10.4	13.0
8	32	0.1041 E+2	0.1084 E-1	5758	0.214	0.21	12.3	13.0
7	16	0.1033 E+2	0.1193 E-1	9379	6.566	0.28	16.2	13.0
6	8	0.8223 E+2	0.1122 E-1	13441	6.623	0.34	19.5	13.0
5	4	0.6381 E+1	0.1069 E-1	17815	0.319	0.32	18.3	13.0

\*\*\* Measured Data List \*\*\*

Station No. 189

Date 1984/ 12/ 10

Tx Bipole No.2

No.	Frequency		Electric Field		Magnetic Field		Apparent Resistivity		Phase Difference		Corrected Phase Difference		Current	
	f (Hz)		E (mV/km)		H (γ)		$\rho_a(\Omega\text{-m})$		PD(rad)		PD-C(rad)		PD-C(deg)	I (A)
14	2048		0.1730 E±0		0.1204 E-3		207		0.143		0.14		8.2	5.5
13	1024		0.6933 E±0		0.5034 E-3		370		0.144		0.14		8.3	10.0
12	512		0.1496 E+1		0.1161 E-2		649		6.542		0.26		14.8	13.0
11	256		0.2108 E+1		0.1916 E-2		945		0.383		0.38		21.9	13.0
10	128		0.3140 E+1		0.3836 E-2		1058		6.537		0.25		14.5	13.0
9	64		0.4173 E+1		0.5106 E-2		2087		0.185		0.18		10.6	13.0
8	32		0.9471 E+1		0.1219 E-1		3772		0.207		0.21		11.9	13.0
7	16		0.9225 E+1		0.1297 E-1		6322		0.262		0.26		15.0	13.0
6	8		0.7509 E+1		0.1238 E-1		9049		0.300		0.30		17.2	13.0
5	4		0.5916 E+1		0.1148 E-1		13269		0.268		0.27		15.4	13.0

Station No. 190

Date 1984/ 12/ 10

Tx Bipole No.2

No.	Frequency		Electric Field		Magnetic Field		Apparent Resistivity		Phase Difference		Corrected Phase Difference		Current	
	f (Hz)		E (mV/km)		H (γ)		$\rho_a(\Omega\text{-m})$		PD(rad)		PD-C(rad)		PD-C(deg)	I (A)
14	2048		0.1638 E±0		0.1290 E-3		152		0.289		0.29		16.5	5.5
13	1024		0.6434 E±0		0.5026 E-3		310		0.299		0.30		17.1	10.0
12	512		0.1244 E+1		0.1097 E-2		502		0.662		0.38		21.7	13.0
11	256		0.1650 E+1		0.1813 E-2		647		0.507		0.51		29.1	13.0
10	128		0.2357 E+1		0.3686 E-2		637		6.678		0.39		22.6	13.0
9	64		0.2947 E+1		0.4975 E-2		1097		0.269		0.27		15.4	13.0
8	32		0.6686 E+1		0.1217 E-1		1887		0.259		0.26		14.9	13.0
7	16		0.6496 E+1		0.1314 E-1		3054		0.273		0.27		15.7	13.0
6	8		0.5314 E+1		0.1247 E-1		4541		0.294		0.29		16.8	13.0
5	4		0.4331 E+1		0.1173 E-1		6819		0.230		0.23		13.2	13.0

\*\*\* Measured Data List \*\*\*

Station No. 191 Date 1984/ 12/ 10 Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1771 E±0	0.1431 E-3	145	0.078	0.08	4.5	5.5
13	1024	0.9920 E±0	0.5371 E-3	474	0.140	0.14	80	10.0
12	512	0.2079 E+1	0.1425 E-2	832	6.533	0.25	143	13.0
11	256	0.2840 E+1	0.2316 E-2	1175	0.381	0.38	21.9	13.0
10	128	0.4440 E+1	0.4691 E-2	1400	0.541	0.26	148	13.0
9	64	0.5679 E+1	0.6105 E-2	2704	0.212	0.21	128	13.0
8	32	0.1243 E+2	0.1446 E-1	4618	0.224	0.22	128	13.0
7	16	0.1193 E+2	0.1539 E-1	7508	0.238	0.24	136	13.0
6	8	0.9529 E+1	0.1451 E-1	11399	0.244	0.24	140	13.0
5	4	0.8173 E+1	0.1360 E-1	18259	0.198	0.20	113	13.0

Station No. 192 Date 1984/ 12/ 10 Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Corrected Phase Difference PD-C(deg)	Current I (A)
14	2048	0.1981 E±0	0.1444 E-3	183	0.250	0.25	143	5.5
13	1024	0.8382 E±0	0.6016 E-3	321	0.237	0.24	136	10.0
12	512	0.1581 E+1	0.0490 E-2	526	0.328	0.33	188	13.0
11	256	0.2223 E+1	0.2424 E-2	696	0.441	0.44	253	13.0
10	128	0.3522 E+1	0.4911 E-2	800	0.314	0.31	180	13.0
9	64	0.4342 E+1	0.6400 E-2	1443	0.267	0.27	153	13.0
8	32	0.9350 E+1	0.1528 E-1	2423	0.271	0.27	155	13.0
7	16	0.8942 E+1	0.2398 E-1	3762	6.588	0.31	175	13.0
6	8	0.7053 E+1	0.1504 E-1	5496	6.600	0.32	182	13.0
5	4	0.5638 E+1	0.1431 E-1	7870	0.256	0.26	146	13.0

\*\*\* Measured Data List \*\*\*

Station No. 193 Date 1984/12/10 Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2449 E±0	0.2635 E-3	448	0.280	0.28	16.1	5.5
13	1024	0.5616 E±0	0.5359 E-3	566	0.416	0.42	23.9	10.0
12	512	0.1860 E+1	0.1235 E-2	896	6.765	0.48	27.6	13.0
11	256	0.3013 E+1	0.2129 E-2	1004	0.547	0.55	31.3	13.0
10	128	0.5632 E+1	0.4559 E-2	1153	6.638	0.35	20.3	13.0
9	64	0.4322 E+1	0.5950 E-2	2052	0.309	0.31	17.7	13.0
8	32	0.1285 E+2	0.1457 E-1	3288	0.319	0.32	18.3	13.0
7	16	0.9517 E+1	0.1513 E-1	4943	0.343	0.34	19.7	13.0
6	8	0.7635 E+1	0.1452 E-1	6913	0.367	0.37	21.0	13.0
5	4	0.6026 E+1	0.1375 E-1	9634	0.290	0.29	16.6	13.0

Station No. 194 Date 1984/12/10 Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2652 E±0	0.8690 E-4	932	-5.699	0.58	33.5	5.5
13	1024	0.8591 E±0	0.4485 E-3	701	0.634	0.63	36.3	10.0
12	512	0.1607 E+1	0.1114 E-2	813	0.643	0.64	36.9	13.0
11	256	0.2050 E+1	0.2047 E-2	784	0.667	0.67	38.2	13.0
10	128	0.3436 E+1	0.4539 E-2	906	0.405	0.40	23.2	13.0
9	64	0.4146 E+1	0.5864 E-2	1563	0.359	0.36	20.6	13.0
8	32	0.8813 E+1	0.1415 E-1	2422	0.373	0.37	21.3	13.0
7	16	0.8223 E+1	0.1550 E-1	3519	6.702	0.42	24.0	13.0
6	8	0.6408 E+1	0.1515 E-1	4471	0.454	0.46	26.0	13.0
5	4	0.4819 E+1	0.1455 E-1	5487	0.394	0.39	22.6	13.0

\*\*\* Measured Data List \*\*\*

Station No. 195

Date 1984/12/11

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	Corrected PD-C(deg)	
14	2048	0.6796 E±0	0.9915 E-4	4602	0.590	0.59	55
13	1024	0.2441 E+1	0.5026 E-3	4782	0.667	0.67	100
12	512	0.4358 E+1	0.1240 E-2	4828	0.660	0.66	130
11	256	0.5595 E+1	0.2236 E-2	4890	0.646	0.65	130
10	128	0.9645 E+1	0.4934 E-2	5972	0.368	0.37	130
9	64	0.1181 E+2	0.6328 E-2	10890	0.344	0.34	130
8	32	0.2427 E+2	0.1501 E-1	16335	0.357	0.36	130
7	16	0.2231 E+2	0.1624 E-1	23587	6.648	0.37	130
6	8	0.1780 E+2	0.1566 E-1	32545	6.641	0.36	130
5	4	0.1443 E+2	0.1547 E-1	43490	6.546	0.26	130

Station No. 196

Date 1984/12/11

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	Corrected PD-C(deg)	
14	2048	0.1725 E±0	0.1154 E-3	221	0.416	0.42	55
13	1024	0.6516 E±0	0.4939 E-3	340	0.605	0.60	100
12	512	0.1104 E+1	0.1148 E-2	361	0.641	0.64	130
11	256	0.1369 E+1	0.1990 E-2	370	0.681	0.68	130
10	128	0.2065 E+1	0.4286 E-2	363	0.455	0.46	130
9	64	0.2525 E+1	0.5645 E-2	625	0.364	0.36	130
8	32	0.5277 E+1	0.1348 E-1	958	0.356	0.36	130
7	16	0.4923 E+1	0.1467 E-1	1407	6.643	0.36	130
6	8	0.3959 E+1	0.1430 E-1	1917	6.643	0.36	130
5	4	0.3150 E+1	0.1368 E-1	2669	0.281	0.28	130

\*\*\* Measured Data List \*\*\*

Station No. 197 Date 1984/12/11 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.2185 E±0	0.1380 E-3	248	0.354	0.35	20.3	5.5
13	1024	0.8507 E±0	0.5640 E-3	445	0.454	0.45	26.0	10.0
12	512	0.1430 E+1	0.1207 E-2	548	6.853	0.57	32.7	13.0
11	256	0.1738 E+1	0.2021 E-2	578	0.662	0.66	37.9	13.0
10	128	0.2416 E+1	0.4214 E-2	514	0.512	0.51	29.3	13.0
9	64	0.2904 E+1	0.5606 E-2	839	0.372	0.37	21.3	13.0
8	32	0.6198 E+1	0.1340 E-1	1338	0.341	0.34	19.5	13.0
7	16	0.5884 E+1	0.1462 E-1	2023	0.345	0.34	19.8	13.0
6	8	0.4679 E+1	0.1371 E-1	2912	0.349	0.35	20.0	13.0
5	4	0.3730 E+1	0.1307 E-1	4076	0.283	0.28	16.2	13.0

Station No. 198 Date 1984/12/11 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD (rad)	Corrected Phase Difference		Current I (A)
						PD-C (rad)	PD-C (deg)	
14	2048	0.1026 E±0	0.1070 E-3	8387	0.351	0.35	20.1	5.5
13	1024	0.4005 E+1	0.4628 E-3	14332	0.550	0.55	31.5	10.0
12	512	0.6729 E+1	0.1055 E-2	15888	6.935	0.65	37.4	13.0
11	256	0.8158 E+1	0.1841 E-2	15341	0.702	0.70	40.2	13.0
10	128	0.1170 E+2	0.3861 E-2	14356	0.482	0.48	27.6	13.0
9	64	0.1420 E+2	0.5155 E-2	23697	0.375	0.38	21.5	13.0
8	32	0.3000 E+2	0.1236 E-1	36790	0.350	0.35	20.1	13.0
7	16	0.2842 E+2	0.1349 E-1	55497	0.362	0.36	20.8	13.0
6	8	0.2292 E+2	0.1322 E-1	75240	0.368	0.37	21.1	13.0
5	4	0.1799 E+2	0.1229 E-1	107180	0.285	0.29	16.4	13.0



\*\*\* Measured Data List \*\*\*

Station No. 199      Date 1984/12/11      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\cdot m)$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.1687 E±0	0.1108 E-3	216	0.650	0.65	37.2
13	1024	0.3983 E±0	0.4965 E-3	124	0.753	0.75	43.1
12	512	0.6441 E±0	0.1124 E-2	126	0.749	0.75	42.9
11	256	0.7522 E±0	0.1968 E-2	114	0.783	0.78	44.9
10	128	0.1040 E+1	0.4147 E-2	98	0.541	0.54	31.0
9	64	0.1239 E+1	0.5333 E-2	169	0.384	0.38	22.0
8	32	0.2646 E+1	0.1263 E-1	274	0.358	0.36	20.5
7	16	0.2527 E+1	0.1367 E-1	427	0.403	0.40	23.1
6	8	0.1981 E+1	0.1320 E-1	563	0.476	0.48	27.3
5	4	0.1428 E+1	0.1249 E-1	654	0.455	0.46	26.1

Station No. 200      Date 1984/12/11      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\cdot m)$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.2109 E±0	0.1237 E-3	284	0.429	0.43	24.6
13	1024	0.7479 E±0	0.5078 E-3	424	0.584	0.58	33.5
12	512	0.1214 E+1	0.1118 E-2	461	0.674	0.67	38.6
11	256	0.1442 E+1	0.1911 E-2	445	0.740	0.74	42.4
10	128	0.1959 E+1	0.3984 E-2	378	0.547	0.55	31.3
9	64	0.2314 E+1	0.5215 E-2	615	0.410	0.41	23.5
8	32	0.4925 E+1	0.1273 E-1	935	0.373	0.37	21.4
7	16	0.4643 E+1	0.1394 E-1	1387	6.646	0.36	20.8
6	8	0.3751 E+1	0.1359 E-1	1905	6.631	0.35	19.9
5	4	0.2964 E+1	0.1266 E-1	2740	6.559	0.28	15.8

\*\*\* Measured Data List \*\*\*

Station No. 201

Date 1984/12/12

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)			PD-C (rad)	PD-C (deg)		
14	2048	0.2934	E±0	0.1339	E-3	454	0.155	8.9	5.5
13	1024	0.1126	E+1	0.5369	E-3	842	0.475	27.2	10.0
12	512	0.1820	E+1	0.1139	E-2	998	0.584	33.5	13.0
11	256	0.2196	E+1	0.1906	E-2	1030	0.661	37.9	13.0
10	128	0.3097	E+1	0.3854	E-2	1009	0.474	27.2	13.0
9	64	0.3727	E+1	0.5115	E-2	1659	0.374	21.4	13.0
8	32	0.7918	E+1	0.1257	E-1	2480	0.349	20.0	13.0
7	16	0.7436	E+1	0.1369	E-1	3687	6.616	19.0	13.0
6	8	0.5979	E+1	0.1285	E-1	5408	6.590	17.6	13.0
5	4	0.4915	E+1	0.1232	E-1	7962	6.504	12.7	13.0

Station No. 202

Date 1984/12/12

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)			PD-C (rad)	PD-C (deg)		
14	2048	0.8131	E±0	0.1359	E-3	3497	0.299	17.1	5.5
13	1024	0.2878	E+1	0.5184	E-3	6025	0.456	26.1	10.0
12	512	0.4649	E+1	0.1078	E-2	7260	0.571	32.7	13.0
11	256	0.5626	E+1	0.1797	E-2	7657	0.627	35.9	13.0
10	128	0.7517	E+1	0.3494	E-2	7063	0.504	28.9	13.0
9	64	0.9107	E+1	0.4740	E-2	11537	0.341	19.5	13.0
8	32	0.2034	E+2	0.1157	E-1	19318	0.301	17.2	13.0
7	16	0.1983	E+2	0.1265	E-1	30703	0.308	17.6	13.0
6	8	0.1614	E+2	0.1214	E-1	43720	0.318	18.2	13.0
5	4	0.1275	E+2	0.1135	E-1	65950	0.268	15.4	13.0

\*\*\* Measured Data List \*\*\*

Station No. 203

Date 1984/12/12

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2856 E+0	0.1641 E-3	296	0.369	21.1	5.5
13	1024	0.9298 E+0	0.5650 E-3	529	0.524	30.0	10.0
12	512	0.1462 E+1	0.1209 E-2	571	0.630	36.1	13.0
11	256	0.1738 E+1	0.2023 E-2	577	0.668	38.3	13.0
10	128	0.2434 E+1	0.4144 E-2	539	0.484	27.8	13.0
9	64	0.2963 E+1	0.5496 E-2	908	0.354	20.3	13.0
8	32	0.6362 E+1	0.1315 E-1	1462	0.320	18.4	13.0
7	16	0.6111 E+1	0.1435 E-1	2267	0.617	19.1	13.0
6	8	0.4944 E+1	0.1383 E-1	3193	0.626	19.7	13.0
5	4	0.3902 E+1	0.1280 E-1	4643	0.647	15.1	13.0

Station No. 204

Date 1984/12/12

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD(rad)	PD-C(deg)	
14	2048	0.2297 E+0	0.7002 E-4	1064	0.517	29.6	5.5
13	1024	0.5971 E+0	0.2845 E-3	860	0.661	37.9	10.0
12	512	0.9203 E+0	0.6188 E-3	865	0.716	41.0	13.0
11	256	0.1072 E+1	0.1072 E-2	781	0.734	42.1	13.0
10	128	0.1564 E+1	0.2238 E-2	763	0.458	26.2	13.0
9	64	0.1913 E+1	0.2870 E-2	1389	0.323	18.5	13.0
8	32	0.4191 E+1	0.6850 E-2	2339	0.305	17.5	13.0
7	16	0.4024 E+1	0.7427 E-2	3669	0.620	19.3	13.0
6	8	0.3240 E+1	0.7214 E-2	5042	0.374	21.5	13.0
5	4	0.2465 E+1	0.6782 E-2	6605	0.316	18.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 205 Date 1984/12/12 Tx Bipole No. 2

No.	Frequency	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
	f (Hz)				PD(rad)	PD-C(deg)	
14	2048	0.3669 E±0	0.1521 E-3	569	0.500	0.50	5.5
13	1024	0.9279 E±0	0.4987 E-3	668	0.627	0.63	10.0
12	512	0.1468 E+1	0.1120 E-2	671	0.696	0.70	13.0
11	256	0.1812 E+1	0.1986 E-2	650	0.698	0.70	13.0
10	128	0.2696 E+1	0.4182 E-2	649	0.472	0.47	13.0
9	64	0.3324 E+1	0.5553 E-2	1120	0.362	0.36	13.0
8	32	0.7075 E+1	0.1328 E-1	1773	0.333	0.33	13.0
7	16	0.6713 E+1	0.1446 E-1	2689	6.613	0.33	13.0
6	8	0.5423 E+1	0.1381 E-1	3858	6.612	0.33	13.0
5	4	0.4343 E+1	0.1301 E-1	5578	6.540	0.26	13.0

Station No. 206 Date 1984/12/13 Tx Bipole No. 2

No.	Frequency	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
	f (Hz)				PD(rad)	PD-C(deg)	
14	2048	0.6491 E-1	0.1652 E-3	15	0.271	0.27	5.5
13	1024	0.1876 E±0	0.4781 E-3	30	0.153	0.15	10.0
12	512	0.4522 E±0	0.1139 E-2	62	0.152	0.15	13.0
11	256	0.6669 E±0	0.1854 E-2	101	0.274	0.27	13.0
10	128	0.1017 E+1	0.3435 E-2	137	0.157	0.16	13.0
9	64	0.1432 E+1	0.4618 E-2	301	0.127	0.13	13.0
8	32	0.3353 E+1	0.1121 E-1	559	0.192	0.19	13.0
7	16	0.3232 E+1	0.1176 E-1	945	6.569	0.29	13.0
6	8	0.2417 E+1	0.1041 E-1	1373	0.394	0.39	13.0
5	4	0.1690 E+1	0.9098 E-2	1731	0.399	0.40	13.0

\*\*\* Measured Data List \*\*\*

Station No. 207

Date 1984/12/13

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8378 E-1	0.1634 E-3	26	0.041	0.04	2.3	5.5
13	1024	0.5215 E±0	0.8264 E-3	78	-0.017	-0.02	-1.0	10.0
12	512	0.1285 E+1	0.1990 E-2	163	0.084	0.08	4.8	13.0
11	256	0.1880 E+1	0.3125 E-2	282	0.161	0.16	9.2	13.0
10	128	0.2938 E+1	0.5724 E-2	412	0.130	0.13	7.4	13.0
9	64	0.3985 E+1	0.7594 E-2	861	0.101	0.10	5.8	13.0
8	32	0.8946 E+1	0.1779 E-1	1580	0.139	0.14	8.0	13.0
7	16	0.8631 E+1	0.1836 E-1	2763	6.464	0.18	10.4	13.0
6	8	0.6892 E+1	0.1617 E-1	4539	6.501	0.22	12.5	13.0
5	4	0.5406 E+1	0.1453 E-1	6921	0.200	0.20	11.4	13.0

Station No. 208

Date 1984/12/13

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1387 E±0	0.1521 E-3	81	0.152	0.15	8.7	5.5
13	1024	0.4799 E±0	0.6167 E-3	121	0.153	0.15	8.8	10.0
12	512	0.9807 E±0	0.1363 E-2	202	6.543	0.26	14.9	13.0
11	256	0.1363 E+1	0.2241 E-2	267	0.385	0.38	22.0	13.0
10	128	0.2168 E+1	0.4636 E-2	346	6.532	0.25	14.3	13.0
9	64	0.2756 E+1	0.5841 E-2	696	0.209	0.21	12.0	13.0
8	32	0.6013 E+1	0.1363 E-1	1216	0.270	0.27	15.5	13.0
7	16	0.5592 E+1	0.1429 E-1	1916	0.367	0.37	21.0	13.0
6	8	0.4208 E+1	0.1328 E-1	2507	0.477	0.48	27.3	13.0
5	4	0.2958 E+1	0.1237 E-1	2770	0.481	0.48	27.6	13.0

\*\*\* Measured Data List \*\*\*

Station No. 209

Date 1984/12/13

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2659 E±0	0.1587 E-3	282	0.299	0.30	17.1	5.5
13	1024	0.9221 E±0	0.6365 E-3	411	0.420	0.42	24.1	10.0
12	512	0.1600 E±1	0.1416 E-2	498	0.456	0.46	26.1	13.0
11	256	0.2075 E+1	0.2388 E-2	587	0.524	0.52	30.0	13.0
10	128	0.3577 E+1	0.5099 E-2	777	0.315	0.31	18.0	13.0
9	64	0.4297 E+1	0.6299 E-2	1453	0.274	0.27	15.7	13.0
8	32	0.8858 E+1	0.1447 E-1	2341	0.329	0.33	18.8	13.0
7	16	0.8149 E+1	0.1556 E-1	3427	6.683	0.40	22.9	13.0
6	8	0.6190 E+1	0.1492 E-1	4303	0.467	0.47	26.8	13.0
5	4	0.4500 E+2	0.1418 E-1	5041	0.401	0.40	23.0	13.0

Station No. 210

Date 1984/12/13

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4036 E±0	0.1312 E-3	924	0.571	0.57	32.7	5.5
13	1024	0.1431 E+1	0.6086 E-3	1082	0.576	0.58	33.0	10.0
12	512	0.2487 E+1	0.1432 E-2	1179	6.852	0.57	32.6	13.0
11	256	0.3079 E+1	0.2586 E-1	1107	0.548	0.55	31.4	13.0
10	128	0.6125 E+1	0.5512 E-2	1949	6.528	0.24	14.0	13.0
9	64	0.6995 E+1	0.6467 E-2	3656	0.323	0.32	18.5	13.0
8	32	0.1345 E+1	0.1465 E-1	5273	0.398	0.40	22.8	13.0
7	16	0.1184 E+2	0.1561 E-1	7188	0.456	0.46	26.1	13.0
6	8	0.8981 E+1	0.1538 E-1	8530	0.493	0.49	28.2	13.0
5	4	0.6746 E+1	0.1486 E-1	10309	0.444	0.44	25.4	13.0

\*\*\* Measured Data List \*\*\*

Station No. 211

Date 1984/12/13

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD-C(rad)	PD-C(deg)	
14	2048	0.5185 E+1	0.1568 E-3	1075	0.677	38.8	5.5
13	1024	0.1676 E+1	0.7258 E-3	1042	0.530	30.3	10.0
12	512	0.2928 E+1	0.1663 E-2	1166	0.832	31.4	13.0
11	256	0.3637 E+1	0.2967 E-2	1154	0.566	32.4	13.0
10	128	0.7337 E+1	0.6349 E-2	2086	0.559	15.8	13.0
9	64	0.8074 E+1	0.7372 E-2	3749	0.355	20.4	13.0
8	32	0.1543 E+2	0.1651 E-1	5455	0.456	26.1	13.0
7	16	0.1327 E+2	0.1761 E-1	7097	0.570	32.6	13.0
6	8	0.9595 E+1	0.1705 E-1	7922	0.692	39.7	13.0
5	4	0.6112 E+1	0.1637 E-1	6982	0.688	39.4	13.0

Station No. 212

Date 1984/12/13

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
					PD-C(rad)	PD-C(deg)	
14	2048	0.4916 E+0	0.1448 E-3	1070	0.551	31.6	5.5
13	1024	0.1627 E+1	0.7051 E-3	1040	0.563	32.2	10.0
12	512	0.2883 E+1	0.1635 E-2	1215	0.568	32.5	13.0
11	256	0.3452 E+1	0.2846 E-2	1150	0.542	31.0	13.0
10	128	0.6772 E+1	0.6192 E-2	1869	0.268	15.4	13.0
9	64	0.7795 E+1	0.7339 E-2	3525	0.339	19.4	13.0
8	32	0.1498 E+2	0.1643 E-1	5201	0.398	22.8	13.0
7	16	0.1324 E+2	0.1759 E-1	7076	0.678	26.6	13.0
6	8	0.9757 E+1	0.1661 E-1	8875	0.503	28.8	13.0
5	4	0.7249 E+1	0.1634 E-1	9605	0.457	26.2	13.0

\*\*\* Measured Data List \*\*\*

Station No. 213 Date 1984/12/14 Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference		Current I (A)
					PD (rad)	PD-C (deg)	
14	2048	0.3276 E+2	0.1426 E-1	516	0.835	0.83	47.8
13	1024	0.2011 E+1	0.1337 E-2	438	0.818	0.82	46.9
12	512	0.2146 E+1	0.1659 E-2	658	0.545	0.54	31.2
11	256	0.2805 E+1	0.2809 E-2	779	0.474	0.47	27.2
10	128	0.5663 E+1	0.6199 E-2	1331	0.151	0.15	8.6
9	64	0.7295 E+1	0.7661 E-2	2834	0.153	0.15	8.7
8	32	0.1555 E+1	0.1719 E-1	5112	0.201	0.20	11.5
7	16	0.1488 E+2	0.1845 E-1	8136	6.527	0.24	14.0
6	8	0.1205 E+2	0.1715 E-1	12331	6.546	0.26	15.1
5	4	0.9872 E+1	0.1647 E-1	17969	6.490	0.21	11.8

Station No. 214 Date 1984/12/14 Tx Bipole No.2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference		Current I (A)
					PD (rad)	PD-C (deg)	
14	2048	0.4997 E+2	0.1095 E-1	2035	0.794	0.79	45.8
13	1024	0.3440 E+1	0.1281 E-2	1411	0.781	0.78	44.8
12	512	0.3013 E+1	0.1786 E-2	1144	6.734	0.45	25.8
11	256	0.3973 E+1	0.3007 E-2	1337	3.563	0.42	24.2
10	128	0.8368 E+1	0.6576 E-2	2530	3.292	0.15	8.6
9	64	0.1011 E+2	0.7801 E-2	5245	0.175	0.18	10.1
8	32	0.2100 E+2	0.1756 E-1	8944	0.241	0.24	13.8
7	16	0.1969 E+2	0.1873 E-1	13823	0.296	0.30	16.9
6	8	0.1574 E+2	0.1777 E-1	19605	0.308	0.31	17.6
5	4	0.1279 E+2	0.1695 E-1	28483	0.240	0.24	13.7



\*\*\* Measured Data List \*\*\*

Station No. 215 Date 1984/12/14 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.1174 E+2	0.1428 E-1	56	0.324	0.32	18.6	5.5
13	1024	0.2617 E+1	0.1704 E-2	461	0.248	0.25	14.2	10.0
12	512	0.4726 E+1	0.2376 E-2	1562	0.293	0.29	16.8	13.0
11	256	0.6283 E+1	0.3832 E-2	2100	0.281	0.28	16.1	13.0
10	128	0.1330 E+2	0.8165 E-2	4148	0.101	0.10	5.8	13.0
9	64	0.1554 E+2	0.9384 E-2	8573	0.154	0.15	8.8	13.0
8	32	0.3045 E+2	0.2005 E-1	14418	0.221	0.22	12.6	13.0
7	16	0.2821 E+2	0.2117 E-1	22173	6.557	0.27	15.7	13.0
6	8	0.2269 E+2	0.2029 E-1	31260	6.572	0.29	16.5	13.0
5	4	0.1832 E+2	0.1889 E-1	47050	6.505	0.22	12.7	13.0

Station No. 216 Date 1984/12/14 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H ( $\gamma$ )	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.4360 E+2	0.1745 E-1	610	0.711	0.71	40.7	5.5
13	1024	0.4156 E+1	0.1900 E-2	938	0.455	0.45	26.1	10.0
12	512	0.6203 E+1	0.2456 E-2	2492	6.571	0.29	16.5	13.0
11	256	0.7966 E+1	0.3928 E-2	3213	0.298	0.30	17.1	13.0
10	128	0.1719 E+2	0.8248 E-2	6787	6.368	0.08	4.9	13.0
9	64	0.1958 E+2	0.9195 E-2	14176	0.147	0.15	8.4	13.0
8	32	0.3818 E+2	0.1946 E-1	24057	0.226	0.23	12.9	13.0
7	16	0.3487 E+2	0.2029 E-1	3692	0.287	0.29	16.4	13.0
6	8	0.2792 E+2	0.1934 E-1	51495	0.302	0.30	17.3	13.0
5	4	0.2277 E+2	0.1841 E-1	75935	0.227	0.23	13.0	13.0

\*\*\* Measured Data List \*\*\*

Station No. 217 Date 1984/12/14 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.1649 E+2	0.6035 E-2	730	-54.69	0.81	5.5
13	1024	0.1831 E+1	0.1125 E-2	516	0.090	0.09	10.0
12	512	0.5211 E+1	0.2946 E-2	1222	0.308	0.31	13.0
11	256	0.6076 E+1	0.4791 E-2	1238	0.328	0.33	13.0
10	128	0.1320 E+2	0.9903 E-2	2774	0.097	0.10	13.0
9	64	0.1442 E+2	0.1073 E-1	5644	0.158	0.16	13.0
8	32	0.2758 E+2	0.5170 E-1	9669	0.230	0.23	13.0
7	16	0.2499 E+2	0.2292 E-1	14860	6.566	0.28	13.0
6	8	0.2012 E+2	0.2201 E-1	20883	6.579	0.30	13.0
5	4	0.1656 E+2	0.2107 E-1	30873	6.513	0.23	13.0

Station No. 218 Date 1984/12/14 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference PD-C(rad)	Current I (A)
14	2048	0.1883 E+2	0.3606 E-2	2663	-25.27	0.61	5.5
13	1024	0.3096 E+1	0.1079 E-2	1629	0.221	0.22	10.0
12	512	0.4729 E+1	0.2219 E-2	1774	6.522	0.24	10.0
11	256	0.6055 E+1	0.3768 E-2	2018	0.258	0.26	13.0
10	128	0.1335 E+2	0.7912 E-2	4449	6.331	0.05	13.0
9	64	0.1498 E+2	0.8611 E-2	9456	0.150	0.15	13.0
8	32	0.2901 E+2	0.1839 E-1	15555	0.248	0.25	13.0
7	16	0.2631 E+2	0.1939 E-1	23000	0.312	0.31	13.0
6	8	0.2111 E+2	0.1883 E-1	31433	0.322	0.32	13.0
5	4	0.1740 E+2	0.1842 E-1	44623	0.237	0.24	13.0

\*\*\* Measured Data List \*\*\*

Station No. 219

Date 1984/12/14

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)			PD(rad)	PD-C(deg)		
14	2048	0.4618 E+2	0.4618 E+2	0.6916 E-2	4349	4560	142	81.2	5.5
13	1024	0.4851 E+1	0.4851 E+1	0.8643 E-3	6154	0.553	0.55	31.7	10.0
12	512	0.5804 E+1	0.5804 E+1	0.2801 E-2	1656	0.428	0.43	24.5	13.0
11	256	0.6677 E+1	0.6677 E+1	0.4773 E-2	1529	0.387	0.39	22.2	13.0
10	128	0.1411 E+2	0.1411 E+2	0.9916 E-2	3164	0.137	0.14	7.8	13.0
9	64	0.1475 E+2	0.1475 E+2	0.1833 E-1	6380	0.210	0.21	12.0	13.0
8	32	0.2729 E+2	0.2729 E+2	0.2138 E-1	10189	0.295	0.30	16.9	13.0
7	16	0.2413 E+2	0.2413 E+2	0.2248 E-1	14393	6635	0.35	20.1	13.0
6	8	0.1924 E+2	0.1924 E+2	0.2223 E-1	18728	6620	0.34	19.3	13.0
5	4	0.1582 E+2	0.1582 E+2	0.2135 E-1	27370	6530	0.25	14.1	13.0

Station No. 220

Date 1984/12/15

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (r)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)			PD(rad)	PD-C(deg)		
14	2048	0.9213 E+2	0.9213 E+2	0.5603 E-2	26397	-2609	0.53	30.5	5.5
13	1024	0.1841 E+2	0.1841 E+2	0.6039 E-3	181575	0.727	0.73	41.7	10.0
12	512	0.2513 E+2	0.2513 E+2	0.2165 E-2	52623	6859	0.58	33.0	13.0
11	256	0.2926 E+2	0.2926 E+2	0.4180 E-2	38280	0.468	0.47	26.8	13.0
10	128	0.6236 E+2	0.6236 E+2	0.8387 E-2	86397	6443	0.16	9.2	13.0
9	64	0.6414 E+2	0.6414 E+2	0.8482 E-2	178707	0.252	0.25	14.4	13.0
8	32	0.1160 E+3	0.1160 E+3	0.1769 E-1	268367	0.364	0.36	20.9	13.0
7	16	0.1010 E+3	0.1010 E+3	0.1899 E-1	353833	0.418	0.42	24.0	13.0
6	8	0.8014 E+2	0.8014 E+2	0.1877 E-1	456250	0.404	0.40	23.1	13.0
5	4	0.5670 E+2	0.5670 E+2	0.1875 E-1	637033	3411	0.27	15.5	13.0

\*\*\* Measured Data List \*\*\*

Station No. 221 Date 1984/12/15 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8667 E+1	0.8332 E-3	10567	-5451	0.82	47.7	5.5
13	1024	0.4873 E+1	0.1553 E-2	1922	0.370	0.37	21.2	10.0
12	512	0.7722 E+1	0.3266 E-2	2184	6.770	0.49	27.9	13.0
11	256	0.8779 E+1	0.5864 E-2	1719	0.400	0.40	22.9	13.0
10	128	0.1909 E+2	0.1196 E-1	3979	6.402	0.12	6.8	13.0
9	64	0.1919 E+2	0.1154 E-1	8648	0.195	0.19	11.2	13.0
8	32	0.3432 E+2	0.2311 E-1	13781	0.287	0.29	16.4	13.0
7	16	0.3023 E+2	0.2428 E-1	19378	0.345	0.34	19.8	13.0
6	8	0.2434 E+2	0.2385 E-1	26023	0.326	0.33	18.7	13.0
5	4	0.2053 E+2	0.2382 E-1	37157	0.227	0.23	13.0	13.0

Station No. 222 Date 1984/12/15 Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a$ (Ω-m)	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.2364 E+2	0.3182 E-2	5393	-6.271	0.01	0.7	5.5
13	1024	0.4138 E+2	0.1584 E-2	1283	0.539	0.54	30.9	10.0
12	512	0.5893 E+1	0.3294 E-2	1231	0.539	0.54	30.9	13.0
11	256	0.6643 E+1	0.6150 E-2	912	0.402	0.40	23.1	13.0
10	128	0.1484 E+2	0.1225 E-1	2292	0.122	0.12	7.0	13.0
9	64	0.1450 E+2	0.1180 E-1	4715	0.206	0.21	11.8	13.0
8	32	0.2585 E+2	0.2353 E-1	7542	0.306	0.31	17.5	13.0
7	16	0.2263 E+2	0.2481 E-1	10400	6.640	0.36	20.4	13.0
6	8	0.1831 E+2	0.2469 E-1	13759	6.618	0.34	19.2	13.0
5	4	0.1545 E+2	0.2477 E-1	19456	6.511	0.23	13.1	13.0

\*\*\* Measured Data List \*\*\*

Station No. 223

Date 1984/12/15

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
		E (mV/km)	H ( $\gamma$ )	PD(rad)	PD-C(deg)				
14	2048	0.1070 E+3	0.7676 E-2	18963	0.416	0.42	23.8	5.5	
13	1024	0.1337 E+2	0.2208 E-2	7190	0.499	0.50	28.6	10.0	
12	512	0.1879 E+2	0.4126 E-2	8103	6.687	0.40	23.2	13.0	
11	256	0.2336 E+2	0.7745 E-2	7112	0.229	0.23	13.1	13.0	
10	128	0.5551 E+2	0.1517 E-1	20920	6.293	0.01	0.6	13.0	
9	64	0.5469 E+2	0.1386 E-1	49340	0.146	0.15	8.3	13.0	
8	32	0.9569 E+2	0.2731 E-1	76703	0.249	0.25	14.3	13.0	
7	16	0.8333 E+2	0.2836 E-1	107890	0.306	0.31	17.6	13.0	
6	8	0.6831 E+2	0.2794 E-1	149463	0.293	0.29	16.8	13.0	
5	4	0.5875 E+2	0.2782 E-1	222967	0.196	0.20	11.2	13.0	

Station No. 224

Date 1984/12/15

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field		Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference		Current I (A)
		E (mV/km)	H ( $\gamma$ )	PD(rad)	PD-C(deg)				
14	2048	0.3348 E+2	0.5569 E-2	3529	0.126	0.13	7.2	5.5	
13	1024	0.5831 E+1	0.2445 E-2	1111	0.499	0.50	28.6	10.0	
12	512	0.8669 E+1	0.5008 E-2	1170	0.430	0.43	24.6	13.0	
11	256	0.1141 E+2	0.9526 E-2	1111	0.175	0.17	10.0	13.0	
10	128	0.2767 E+2	0.1892 E-1	3342	0.011	0.01	0.6	13.0	
9	64	0.2681 E+2	0.1767 E-1	7192	0.124	0.12	7.1	13.0	
8	32	0.4651 E+2	0.3358 E-1	11988	0.230	0.23	13.2	13.0	
7	16	0.4065 E+2	0.3435 E-1	17497	6.565	0.28	16.1	13.0	
6	8	0.3359 E+2	0.3383 E-1	24640	6.543	0.26	14.9	13.0	
5	4	0.2924 E+2	0.3359 E-1	37887	3.316	0.17	10.0	13.0	

\*\*\* Measured Data List \*\*\*

Station No. 225

Date 1984/12/15

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.8144 E+2	0.1839 E-1	1916	-2.272	0.87	4.99	5.5
13	1024	0.1081 E+2	0.3041 E-2	2477	3.772	0.63	36.1	10.0
12	512	0.1245 E+2	0.3835 E-2	4119	3.765	0.62	35.7	13.0
11	256	0.1491 E+2	0.7502 E-2	3086	-2.847	0.29	1.69	13.0
10	128	0.3215 E+2	0.1312 E-1	9389	-3.096	0.05	2.6	13.0
9	64	0.2964 E+2	0.1151 E-1	19013	-2.952	0.19	10.9	13.0
8	32	0.5147 E+2	0.2300 E-1	31283	-2.844	0.30	17.0	13.0
7	16	0.4630 E+2	0.2523 E-1	42093	3.451	0.31	17.7	13.0
6	8	0.4052 E+2	0.2610 E-1	60257	3.375	0.23	13.4	13.0
5	4	0.3739 E+2	0.2640 E-1	100253	3.278	0.14	7.8	13.0

Station No. 226

Date 1984/12/15

Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field E (mV/km)	Magnetic Field H (γ)	Apparent Resistivity $\rho_a(\Omega\text{-m})$	Phase Difference PD(rad)	Corrected Phase Difference		Current I (A)
						PD-C(rad)	PD-C(deg)	
14	2048	0.6201 E+2	0.1223 E-1	2511	0.619	0.62	35.5	5.5
13	1024	0.7684 E+1	0.2335 E-2	2126	0.578	0.58	33.1	10.0
12	512	0.8634 E+1	0.3180 E-2	2879	0.474	0.47	27.2	13.0
11	256	0.1052 E+2	0.6123 E-2	2307	0.152	0.15	8.7	13.0
10	128	0.2741 E+2	0.1089 E-1	9896	-0.116	-0.12	-6.6	13.0
9	64	0.2841 E+2	0.1012 E-1	24100	0.138	0.14	7.9	13.0
8	32	0.5028 E+2	0.2061 E-1	37187	0.271	0.27	15.5	13.0
7	16	0.4474 E+2	0.2244 E-1	49697	6.581	0.30	17.1	13.0
6	8	0.3853 E+2	0.2332 E-1	68237	6.533	0.25	14.3	13.0
5	4	0.3505 E+2	0.2349 E-1	111253	6.434	0.15	8.6	13.0

\*\*\* Measured Data List \*\*\*

Station No. 227      Date 1984/12/16      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)			PD(rad)	PD-C(deg)		
14	2048	0.5548	E+1	0.2731	E-2	403	-0.353	-20.2	5.5
13	1024	0.2167	E+1	0.1958	E-2	228	0.322	18.4	10.0
12	512	0.3405	E+1	0.4114	E-2	268	6.618	19.2	13.0
11	256	0.4459	E+1	0.7323	E-2	293	6.380	5.5	13.0
10	128	0.1240	E+1	0.1562	E-1	985	6.266	-1.0	13.0
9	64	0.1257	E+2	0.1547	E-1	2071	0.119	6.8	13.0
8	32	0.2208	E+2	0.2982	E-1	3427	0.229	13.1	13.0
7	16	0.1896	E+2	0.2995	E-1	5008	0.289	16.6	13.0
6	8	0.1525	E+2	0.2905	E-1	6893	0.284	16.3	13.0
5	4	0.1285	E+2	0.2792	E-1	10586	0.202	11.5	13.0

Station No. 228      Date 1984/12/16      Tx Bipole No. 2

No.	Frequency f (Hz)	Electric Field		Magnetic Field H (γ)	Apparent Resistivity ρ <sub>a</sub> (Ω-m)	Phase Difference		Current I (A)	
		E (mV/km)	E (mV/km)			PD(rad)	PD-C(deg)		
14	2048	0.9771	E+2	0.2697	E-1	1282	3.602	26.4	5.5
13	1024	0.8115	E+1	0.3612	E-2	1002	-2.672	26.9	10.0
12	512	0.8609	E+1	0.4363	E-2	1527	3.309	9.6	13.0
11	256	0.1300	E+2	0.7586	E-2	2297	3.015	-7.2	13.0
10	128	0.3560	E+2	0.1463	E-1	8908	2.961	-10.3	13.0
9	64	0.3486	E+2	0.1317	E-1	23134	3.222	4.6	13.0
8	32	0.5995	E+2	0.2606	E-1	33077	3.401	14.9	13.0
7	16	0.5087	E+2	0.2380	E-1	43833	3.501	20.6	13.0
6	8	0.4007	E+2	0.2744	E-1	53317	3.483	19.6	13.0
5	4	0.3345	E+2	0.2719	E-1	75657	3.382	13.8	13.0