

*** Measured Data List ***

Station No. 229

Date 1984/12/16

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3511 E+2 | 0.3544 E-1 | 96 | 0.051 | 0.05 | 2.9 | 5.5 |
| 13 | 1024 | 0.4421 E+1 | 0.5104 E-2 | 147 | 0.225 | 0.23 | 1.29 | 10.0 |
| 12 | 512 | 0.4085 E+1 | 0.6215 E-2 | 169 | 3.332 | 0.19 | 10.9 | 13.0 |
| 11 | 256 | 0.5958 E+1 | 0.1866 E-1 | 244 | 3.103 | -0.04 | - 2.2 | 13.0 |
| 10 | 128 | 0.1683 E+2 | 0.2460 E-1 | 731 | 3.104 | -0.04 | - 2.2 | 13.0 |
| 9 | 64 | 0.1665 E+2 | 0.2396 E-1 | 1508 | -3.070 | 0.07 | 4.1 | 13.0 |
| 8 | 32 | 0.2851 E+2 | 0.4424 E-1 | 2595 | -2.980 | 0.16 | 9.3 | 13.0 |
| 7 | 16 | 0.2445 E+2 | 0.4268 E-1 | 4103 | 3.354 | 0.21 | 12.2 | 13.0 |
| 6 | 8 | 0.1981 E+2 | 0.3934 E-1 | 6337 | 3.349 | 0.21 | 11.9 | 13.0 |
| 5 | 4 | 0.1694 E+2 | 0.3770 E-1 | 10099 | 3.284 | 0.14 | 8.1 | 13.0 |

Station No. 230

Date 1984/12/16

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3341 E+2 | 0.8766 E-2 | 1419 | -0.064 | -0.06 | -3.7 | 5.5 |
| 13 | 1024 | 0.7146 E+1 | 0.2759 E-2 | 1311 | 0.242 | 0.24 | 1.39 | 10.0 |
| 12 | 512 | 0.1116 E+2 | 0.5314 E-2 | 1722 | 0.279 | 0.28 | 1.60 | 13.0 |
| 11 | 256 | 0.1417 E+2 | 0.9414 E-2 | 1769 | 0.138 | 0.14 | 7.9 | 13.0 |
| 10 | 128 | 0.3548 E+2 | 0.1957 E-1 | 5138 | 0.001 | 0.00 | 0.1 | 13.0 |
| 9 | 64 | 0.3509 E+2 | 0.1852 E-1 | 11218 | 0.107 | 0.11 | 6.1 | 13.0 |
| 8 | 32 | 0.6131 E+2 | 0.3534 E-1 | 18800 | 0.208 | 0.21 | 11.9 | 13.0 |
| 7 | 16 | 0.5346 E+2 | 0.3552 E-1 | 28307 | 6.551 | 0.27 | 15.3 | 13.0 |
| 6 | 8 | 0.4336 E+2 | 0.3436 E-1 | 39807 | 6.545 | 0.26 | 15.0 | 13.0 |
| 5 | 4 | 0.3679 E+2 | 0.3314 E-1 | 61613 | 6.472 | 0.19 | 10.8 | 13.0 |

*** Measured Data List ***

Station No. 231

Date 1984/12/16

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------|-----------|--|------------------|
| | | | | | PD(rad) | PD-C(rad) | | |
| 14 | 2048 | 0.3058 E+2 | 0.5219 E-2 | 3351 | -0.002 | -0.00 | -0.1 | 5.5 |
| 13 | 1024 | 0.6939 E+1 | 0.2183 E-2 | 1975 | 0.368 | 0.37 | 21.1 | 10.0 |
| 12 | 512 | 0.9973 E+1 | 0.4307 E-2 | 2094 | 0.424 | 0.42 | 24.3 | 13.0 |
| 11 | 256 | 0.1189 E+2 | 0.7782 E-2 | 1824 | 0.233 | 0.23 | 13.3 | 13.0 |
| 10 | 128 | 0.2948 E+2 | 0.1588 E-1 | 5388 | 0.036 | 0.04 | 2.1 | 13.0 |
| 9 | 64 | 0.2911 E+2 | 0.1536 E-1 | 11234 | 0.137 | 0.14 | 7.8 | 13.0 |
| 8 | 32 | 0.5092 E+2 | 0.2960 E-1 | 18492 | 0.237 | 0.24 | 13.6 | 13.0 |
| 7 | 16 | 0.4462 E+2 | 0.3033 E-1 | 27053 | 6.570 | 0.29 | 16.4 | 13.0 |
| 6 | 8 | 0.3645 E+2 | 0.2950 E-1 | 38157 | 6.544 | 0.26 | 15.0 | 13.0 |
| 5 | 4 | 0.3132 E+2 | 0.2871 E-1 | 59517 | 6.467 | 0.18 | 10.6 | 13.0 |

Station No. 232

Date 1984/12/16

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------|-----------|--|------------------|
| | | | | | PD(rad) | PD-C(rad) | | |
| 14 | 2048 | 0.8121 E+1 | 0.1441 E-2 | 3103 | -0.190 | -0.19 | -10.9 | 5.5 |
| 13 | 1024 | 0.3641 E+1 | 0.1370 E-2 | 1379 | 0.421 | 0.42 | 24.1 | 10.0 |
| 12 | 512 | 0.6117 E+1 | 0.2959 E-2 | 1670 | 0.465 | 0.47 | 26.7 | 13.0 |
| 11 | 256 | 0.7269 E+1 | 0.5552 E-2 | 1340 | 0.335 | 0.33 | 19.2 | 13.0 |
| 10 | 128 | 0.1688 E+2 | 0.1117 E-1 | 3563 | 0.078 | 0.08 | 4.5 | 13.0 |
| 9 | 64 | 0.1710 E+2 | 0.1102 E-1 | 7523 | 0.186 | 0.19 | 10.7 | 13.0 |
| 8 | 32 | 0.3052 E+2 | 0.2211 E-1 | 11909 | 0.290 | 0.29 | 16.6 | 13.0 |
| 7 | 16 | 0.2687 E+2 | 0.2334 E-1 | 16558 | 6.626 | 0.34 | 19.6 | 13.0 |
| 6 | 8 | 0.2192 E+2 | 0.2342 E-1 | 21893 | 6.597 | 0.31 | 18.0 | 13.0 |
| 5 | 4 | 0.1867 E+2 | 0.2311 E-1 | 32640 | 6.504 | 0.22 | 12.7 | 13.0 |

*** Measured Data List ***

Date 1984/12/16 Tx Bipole No.2

Station No.233

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.9833 E+1 | 0.2685 E-3 | 130948 | -0.102 | -0.10 | -5.9 | 5.5 |
| 13 | 1024 | 0.1698 E+2 | 0.1187 E-2 | 40017 | 0.378 | 0.38 | 21.6 | 10.0 |
| 12 | 512 | 0.3258 E+2 | 0.2641 E-2 | 59453 | 0.438 | 0.44 | 25.1 | 13.0 |
| 11 | 256 | 0.3865 E+2 | 0.4851 E-2 | 49593 | 0.352 | 0.35 | 20.2 | 13.0 |
| 10 | 128 | 0.8847 E+2 | 0.9885 E-2 | 125396 | 0.075 | 0.08 | 4.3 | 13.0 |
| 9 | 64 | 0.9046 E+2 | 0.9847 E-2 | 263732 | 0.188 | 0.19 | 10.8 | 13.0 |
| 8 | 32 | 0.1632 E+3 | 0.1997 E-1 | 418433 | 0.290 | 0.29 | 16.6 | 13.0 |
| 7 | 16 | 0.1449 E+3 | 0.2124 E-1 | 581933 | 6.627 | 0.34 | 19.7 | 13.0 |
| 6 | 8 | 0.1183 E+3 | 0.2121 E-1 | 778667 | 6.602 | 0.32 | 18.3 | 13.0 |
| 5 | 4 | 0.1002 E+3 | 0.2080 E-1 | 1162433 | 6.493 | 0.21 | 12.0 | 13.0 |

Date 1984/12/16 Tx Bipole No.2

Station No.234

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2269 E+1 | 0.1596 E-3 | 19766 | -1.309 | -1.31 | -75.0 | 5.5 |
| 13 | 1024 | 0.4211 E+1 | 0.9127 E-3 | 4157 | 0.466 | 0.47 | 26.7 | 10.0 |
| 12 | 512 | 0.7654 E+1 | 0.2060 E-2 | 5391 | 6.822 | 0.54 | 30.9 | 13.0 |
| 11 | 256 | 0.8962 E+1 | 0.3983 E-2 | 3954 | 0.446 | 0.45 | 25.5 | 13.0 |
| 10 | 128 | 0.1962 E+2 | 0.7931 E-2 | 9560 | 6.414 | 0.13 | 7.5 | 13.0 |
| 9 | 64 | 0.2032 E+2 | 0.7940 E-2 | 20460 | 0.238 | 0.24 | 13.6 | 13.0 |
| 8 | 32 | 0.3675 E+2 | 0.1670 E-1 | 30397 | 0.357 | 0.36 | 20.5 | 13.0 |
| 7 | 16 | 0.3225 E+2 | 0.1815 E-1 | 39453 | 0.418 | 0.42 | 24.0 | 13.0 |
| 6 | 8 | 0.2556 E+2 | 0.1841 E-1 | 48190 | 0.392 | 0.39 | 22.5 | 13.0 |
| 5 | 4 | 0.2114 E+2 | 0.1825 E-1 | 67183 | 0.268 | 0.27 | 15.4 | 13.0 |

*** Measured Data List ***

Station No. 235 Date 1984/12/17 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field | | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference | | Current I (A) | | |
|-----|---------------------|----------------|-----------|-------------------------|---|---------------------|-----------|------------------|------|------|
| | | E (mV/km) | E (mV/km) | | | PD-C(rad) | PD-C(deg) | | | |
| 14 | 2048 | 0.1774 | E+2 | 0.2504 | E-2 | 4903 | -0.017 | -0.02 | -1.0 | 5.5 |
| 13 | 1024 | 0.2986 | E+1 | 0.9678 | K-3 | 1859 | 0.350 | 0.35 | 20.0 | 10.0 |
| 12 | 512 | 0.3724 | E+1 | 0.1914 | E-2 | 1479 | 6.617 | 0.33 | 19.1 | 13.0 |
| 11 | 256 | 0.4609 | E+2 | 0.3389 | E-2 | 1446 | 0.342 | 0.34 | 19.6 | 13.0 |
| 10 | 128 | 0.1018 | E+2 | 0.7061 | E-2 | 3246 | 6.380 | 0.10 | 5.5 | 13.0 |
| 9 | 64 | 0.1124 | E+2 | 0.7519 | E-2 | 6985 | 0.190 | 0.19 | 10.9 | 13.0 |
| 8 | 32 | 0.2131 | E+2 | 0.1598 | E-1 | 11115 | 0.304 | 0.30 | 17.4 | 13.0 |
| 7 | 16 | 0.1869 | E+2 | 0.1688 | E-1 | 15346 | 0.373 | 0.37 | 21.4 | 13.0 |
| 6 | 8 | 0.1460 | E+2 | 0.1641 | E-1 | 19788 | 0.377 | 0.38 | 21.6 | 13.0 |
| 5 | 4 | 0.1171 | E+2 | 0.1621 | E-1 | 26077 | 0.275 | 0.27 | 15.7 | 13.0 |

Station No. 236 Date 1984/12/17 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field | | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference | | Current I (A) | | |
|-----|---------------------|----------------|-----------|-------------------------|---|---------------------|-----------|------------------|-------|------|
| | | E (mV/km) | E (mV/km) | | | PD-C(rad) | PD-C(deg) | | | |
| 14 | 2048 | 0.3781 | E+1 | 0.6243 | E-3 | 3581 | -0.197 | -0.20 | -11.3 | 5.5 |
| 13 | 1024 | 0.2792 | E+1 | 0.8431 | E-3 | 2142 | 0.314 | 0.31 | 18.0 | 10.0 |
| 12 | 512 | 0.4887 | E+1 | 0.1849 | E-2 | 2728 | 0.391 | 0.39 | 22.4 | 13.0 |
| 11 | 256 | 0.5987 | E+1 | 0.3297 | E-2 | 2576 | 0.409 | 0.41 | 23.4 | 13.0 |
| 10 | 128 | 0.1270 | E+2 | 0.6841 | E-2 | 5381 | 0.134 | 0.13 | 7.7 | 13.0 |
| 9 | 64 | 0.1390 | E+2 | 0.7370 | E-2 | 11126 | 0.224 | 0.22 | 12.9 | 13.0 |
| 8 | 32 | 0.2634 | E+2 | 0.1584 | E-1 | 17278 | 0.327 | 0.33 | 18.7 | 13.0 |
| 7 | 16 | 0.2342 | E+2 | 0.1713 | E-1 | 23363 | 6.677 | 0.39 | 22.6 | 13.0 |
| 6 | 8 | 0.1834 | E+2 | 0.1698 | E-1 | 29183 | 6.675 | 0.39 | 22.4 | 13.0 |
| 5 | 4 | 0.1463 | E+2 | 0.1650 | E-1 | 39277 | 6.567 | 0.28 | 16.3 | 13.0 |

*** Measured Data List ***

Station No. 237

Date 1984/12/17

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|------------------|-----------|------------------|
| | | | | | PD(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2058 E+1 | 0.1990 E-3 | 10452 | -5.155 | 1.13 | 5.5 |
| 13 | 1024 | 0.2303 E+1 | 0.8035 E-3 | 1604 | 0.335 | 0.34 | 10.0 |
| 12 | 512 | 0.4912 E+1 | 0.1838 E-2 | 2789 | 0.393 | 0.39 | 13.0 |
| 11 | 256 | 0.6012 E+1 | 0.3240 E-2 | 2690 | 0.412 | 0.41 | 13.0 |
| 10 | 128 | 0.1265 E+2 | 0.6831 E-2 | 5357 | 0.126 | 0.13 | 13.0 |
| 9 | 64 | 0.1414 E+2 | 0.7421 E-2 | 11344 | 0.205 | 0.21 | 13.0 |
| 8 | 32 | 0.2691 E+2 | 0.1574 E-1 | 18274 | 0.290 | 0.29 | 13.0 |
| 7 | 16 | 0.2424 E+2 | 0.1678 E-1 | 26083 | 6.629 | 0.35 | 13.0 |
| 6 | 8 | 0.1928 E+2 | 0.1650 E-1 | 34157 | 6.623 | 0.34 | 13.0 |
| 5 | 4 | 0.1568 E+2 | 0.1583 E-1 | 49090 | 6.545 | 0.26 | 13.0 |

Station No. 238

Date 1984/12/18

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|------------------|-----------|------------------|
| | | | | | PD(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4888 E±0 | 0.1391 E-3 | 1135 | 0.194 | 0.19 | 5.5 |
| 13 | 1024 | 0.2377 E+1 | 0.6018 E-3 | 3048 | 0.343 | 0.34 | 10.0 |
| 12 | 512 | 0.3918 E+1 | 0.1225 E-2 | 3994 | 0.496 | 0.50 | 13.0 |
| 11 | 256 | 0.4658 E+1 | 0.1966 E-2 | 4383 | 0.603 | 0.60 | 13.0 |
| 10 | 128 | 0.6246 E+1 | 0.3852 E-2 | 4133 | 0.481 | 0.48 | 13.0 |
| 9 | 64 | 0.7503 E+1 | 0.5217 E-2 | 6464 | 0.370 | 0.37 | 13.0 |
| 8 | 32 | 0.1602 E+2 | 0.1256 E-1 | 10169 | 0.333 | 0.33 | 13.0 |
| 7 | 16 | 0.1530 E+2 | 0.1370 E-1 | 15602 | 6.606 | 0.32 | 13.0 |
| 6 | 8 | 0.1225 E+2 | 0.1283 E-1 | 22823 | 6.593 | 0.31 | 13.0 |
| 5 | 4 | 1.0002 E+1 | 0.1221 E-1 | 33577 | 6.521 | 0.24 | 13.0 |

*** Measured Data List ***

Station No. 239 Date 1984/12/18 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (r) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3005 E+0 | 0.1187 E-3 | 634 | 0.182 | 0.18 | 10.4 | 5.5 |
| 13 | 1024 | 0.1497 E+1 | 0.5494 E-3 | 1452 | 0.345 | 0.34 | 19.7 | 10.0 |
| 12 | 512 | 0.2050 E+1 | 0.1144 E-2 | 1931 | 0.489 | 0.49 | 28.0 | 13.0 |
| 11 | 256 | 0.3072 E+1 | 0.1777 E-2 | 2335 | 0.601 | 0.60 | 34.5 | 13.0 |
| 10 | 128 | 0.3966 E+1 | 0.3495 E-2 | 2012 | 0.510 | 0.51 | 29.2 | 13.0 |
| 9 | 64 | 0.4758 E+1 | 0.4754 E-2 | 3129 | 0.376 | 0.38 | 21.6 | 13.0 |
| 8 | 32 | 0.1037 E+2 | 0.1168 E-1 | 4931 | 0.335 | 0.33 | 19.2 | 13.0 |
| 7 | 16 | 0.9930 E+1 | 0.1280 E-1 | 7524 | 0.309 | 0.31 | 17.7 | 13.0 |
| 6 | 8 | 0.8152 E+1 | 0.1234 E-1 | 10911 | 0.320 | 0.32 | 18.3 | 13.0 |
| 5 | 4 | 0.6530 E+1 | 0.1139 E-1 | 16573 | 0.235 | 0.24 | 13.5 | 13.0 |

Station No. 240 Date 1984/12/18 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (r) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2756 E+0 | 0.1485 E-3 | 354 | 0.162 | 0.16 | 9.3 | 5.5 |
| 13 | 1024 | 0.1251 E+1 | 0.6301 E-3 | 743 | 0.244 | 0.24 | 14.0 | 10.0 |
| 12 | 512 | 0.2147 E+1 | 0.1248 E-2 | 1193 | 0.403 | 0.40 | 23.1 | 13.0 |
| 11 | 256 | 0.2615 E+1 | 0.1907 E-2 | 1469 | 0.536 | 0.54 | 30.7 | 13.0 |
| 10 | 128 | 0.3318 E+1 | 0.3575 E-2 | 1346 | 0.501 | 0.50 | 28.7 | 13.0 |
| 9 | 64 | 0.3883 E+1 | 0.4832 E-2 | 2018 | 0.358 | 0.36 | 20.5 | 13.0 |
| 8 | 32 | 0.8649 E+1 | 0.1210 E-1 | 3193 | 0.311 | 0.31 | 17.8 | 13.0 |
| 7 | 16 | 0.8326 E+1 | 0.1305 E-1 | 5086 | 0.303 | 0.30 | 17.3 | 13.0 |
| 6 | 8 | 0.6791 E+1 | 0.1223 E-1 | 7714 | 0.305 | 0.31 | 17.5 | 13.0 |
| 5 | 4 | 0.5523 E+1 | 0.1182 E-1 | 10921 | 0.219 | 0.22 | 12.6 | 13.0 |

*** Measured Data List ***

Station No. 241 Date 1984/12/18 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field | | Magnetic Field | | Apparent Resistivity $\rho_a(\Omega\cdot m)$ | Phase Difference | | Current I (A) |
|-----|---------------------|----------------|------------|----------------|----------------|--|---------------------|------------|------------------|
| | | E (mV/km) | E (mV/km) | H (γ) | H (γ) | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.2092 E±0 | 0.1685 E-3 | 0.151 | 0.337 | 193 | 0.34 | 193 | 5.5 |
| 13 | 1024 | 0.7663 E±0 | 0.6586 E-3 | 263 | -5.920 | 208 | 0.36 | 208 | 10.0 |
| 12 | 512 | 0.1296 E+1 | 0.1296 E-2 | 391 | 0.438 | 251 | 0.44 | 251 | 13.0 |
| 11 | 256 | 0.1550 E+1 | 0.1917 E-2 | 504 | 0.539 | 309 | 0.54 | 309 | 13.0 |
| 10 | 128 | 0.1869 E+1 | 0.3377 E-2 | 479 | 0.551 | 316 | 0.55 | 316 | 13.0 |
| 9 | 64 | 0.2071 E+1 | 0.4578 E-2 | 640 | 0.397 | 228 | 0.40 | 228 | 13.0 |
| 8 | 32 | 0.4572 E+1 | 0.1127 E-1 | 1028 | 0.320 | 183 | 0.32 | 183 | 13.0 |
| 7 | 16 | 0.4469 E+1 | 0.1229 E-1 | 1653 | 0.317 | 182 | 0.32 | 182 | 13.0 |
| 6 | 8 | 0.3618 E+1 | 0.1156 E-1 | 2449 | 0.344 | 197 | 0.34 | 197 | 13.0 |
| 5 | 4 | 0.2765 E+1 | 0.1079 E-1 | 3401 | 0.278 | 159 | 0.28 | 159 | 13.0 |

Station No. 242 Date 1984/12/18 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field | | Magnetic Field | | Apparent Resistivity $\rho_a(\Omega\cdot m)$ | Phase Difference | | Current I (A) |
|-----|---------------------|----------------|------------|----------------|----------------|--|---------------------|------------|------------------|
| | | E (mV/km) | E (mV/km) | H (γ) | H (γ) | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.1994 E±0 | 0.1593 E-3 | 146 | 0.432 | 247 | 0.43 | 247 | 5.5 |
| 13 | 1024 | 0.8198 E±0 | 0.5933 E-3 | 371 | 0.356 | 204 | 0.36 | 204 | 10.0 |
| 12 | 512 | 0.1409 E+1 | 0.1204 E-2 | 535 | 0.436 | 250 | 0.44 | 250 | 13.0 |
| 11 | 256 | 0.1706 E+1 | 0.1776 E-2 | 720 | 0.541 | 310 | 0.54 | 310 | 13.0 |
| 10 | 128 | 0.2075 E+1 | 0.3168 E-2 | 671 | 0.531 | 304 | 0.53 | 304 | 13.0 |
| 9 | 64 | 0.2335 E+1 | 0.4353 E-2 | 899 | 0.389 | 223 | 0.39 | 223 | 13.0 |
| 8 | 32 | 0.5227 E+1 | 0.1090 E-1 | 1438 | 0.311 | 178 | 0.31 | 178 | 13.0 |
| 7 | 16 | 0.5237 E+1 | 0.1236 E-1 | 2244 | 0.291 | 167 | 0.29 | 167 | 13.0 |
| 6 | 8 | 0.4288 E+1 | 0.1151 E-1 | 3471 | 0.274 | 157 | 0.27 | 157 | 13.0 |
| 5 | 4 | 0.3544 E+1 | 0.1085 E-1 | 5433 | 0.197 | 113 | 0.20 | 113 | 13.0 |

*** Measured Data List ***

Station No. 243

Date 1984/12/18

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1787 E±0 | 0.1369 E-3 | 167 | 0.307 | 0.31 | 176 | 5.5 |
| 13 | 1024 | 0.4295 E±0 | 0.4216 E-3 | 203 | 0.352 | 0.35 | 20.2 | 10.0 |
| 12 | 512 | 0.7925 E±0 | 0.8682 E-3 | 326 | 0.427 | 0.43 | 24.5 | 13.0 |
| 11 | 256 | 0.1022 E+1 | 0.1357 E-2 | 443 | 0.539 | 0.54 | 30.9 | 13.0 |
| 10 | 128 | 0.1225 E+1 | 0.2423 E-2 | 399 | 0.623 | 0.62 | 35.7 | 13.0 |
| 9 | 64 | 0.1336 E+1 | 0.3371 E-2 | 491 | 0.413 | 0.41 | 23.7 | 13.0 |
| 8 | 32 | 0.3313 E+1 | 0.8831 E-2 | 880 | 0.337 | 0.34 | 19.3 | 13.0 |
| 7 | 16 | 0.3373 E+1 | 0.0995 E 1 | 1437 | 6.698 | 0.42 | 23.8 | 13.0 |
| 6 | 8 | 0.2667 E+1 | 0.0968 E-2 | 1891 | 0.561 | 0.56 | 32.1 | 13.0 |
| 5 | 4 | 0.1760 E+1 | 0.8869 E-2 | 1969 | 0.617 | 0.62 | 35.4 | 13.0 |

Station No. 244

Date 1984/12/18

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1964 E±0 | 0.1418 E-3 | 189 | 0.317 | 0.32 | 18.2 | 5.5 |
| 13 | 1024 | 0.5835 E±0 | 0.4555 E-3 | 314 | 0.238 | 0.24 | 13.6 | 10.0 |
| 12 | 512 | 0.1120 E+1 | 0.9486 E-3 | 545 | 0.302 | 0.30 | 17.3 | 13.0 |
| 11 | 256 | 0.1516 E+1 | 0.1450 E-2 | 853 | 0.409 | 0.41 | 23.5 | 13.0 |
| 10 | 128 | 0.1857 E+1 | 0.2469 E-2 | 885 | 0.463 | 0.46 | 26.5 | 13.0 |
| 9 | 64 | 0.2135 E+1 | 0.3455 E-2 | 1193 | 0.329 | 0.33 | 18.8 | 13.0 |
| 8 | 32 | 0.5356 E+1 | 0.9215 E-2 | 2111 | 0.260 | 0.26 | 14.9 | 13.0 |
| 7 | 16 | 0.5557 E+1 | 0.1043 E-1 | 3583 | 6.584 | 0.30 | 17.2 | 13.0 |
| 6 | 8 | 0.4570 E+1 | 0.1003 E-1 | 5188 | 6.639 | 0.36 | 20.4 | 13.0 |
| 5 | 4 | 0.3493 E+1 | 0.9290 E-2 | 6959 | 0.309 | 0.31 | 17.7 | 13.0 |

*** Measured Data List ***

Station No. 245

Date 1984/12/18

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-------------------------------|------------------|
| | | | | | | Phase Difference PD-C(rad) | Phase Difference PD-C(deg) | |
| 14 | 2048 | 0.1871 E±0 | 0.1088 E-3 | 290 | 0.522 | 0.52 | 299 | 5.5 |
| 13 | 1024 | 0.3587 E±0 | 0.2816 E-3 | 335 | 0.439 | 0.44 | 251 | 10.0 |
| 12 | 512 | 0.6595 E±0 | 0.5836 E-3 | 488 | 0.452 | 0.45 | 259 | 13.0 |
| 11 | 256 | 0.8827 E±0 | 0.9414 E-3 | 668 | 0.517 | 0.52 | 296 | 13.0 |
| 10 | 128 | 0.1055 E+1 | 0.1639 E-2 | 647 | 0.577 | 0.58 | 331 | 13.0 |
| 9 | 64 | 0.1199 E+1 | 0.2322 E-2 | 838 | 0.366 | 0.37 | 210 | 13.0 |
| 8 | 32 | 0.3167 E+1 | 0.6387 E-2 | 1548 | 0.276 | 0.28 | 158 | 13.0 |
| 7 | 16 | 0.3338 E+1 | 0.7385 E-2 | 2555 | 0.342 | 0.34 | 196 | 13.0 |
| 6 | 8 | 0.2698 E+1 | 0.5803 E-2 | 3625 | 0.427 | 0.43 | 245 | 13.0 |
| 5 | 4 | 0.1929 E+1 | 0.5389 E-2 | 4560 | 0.467 | 0.47 | 268 | 13.0 |

Station No. 246

Date 1984/12/17

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-------------------------------|------------------|
| | | | | | | Phase Difference PD-C(rad) | Phase Difference PD-C(deg) | |
| 14 | 2048 | 0.1354 E+2 | 0.1337 E-3 | 10015 | -0.158 | -0.16 | -90 | 5.5 |
| 13 | 1024 | 0.4727 E+1 | 0.7320 E-3 | 8143 | 0.500 | 0.50 | 287 | 10.0 |
| 12 | 512 | 0.7354 E+1 | 0.1632 E-2 | 7931 | 0.456 | 0.46 | 261 | 13.0 |
| 11 | 256 | 0.9947 E+1 | 0.2854 E-2 | 9403 | 0.391 | 0.39 | 224 | 13.0 |
| 10 | 128 | 0.2094 E+2 | 0.6153 E-2 | 18092 | 0.121 | 0.12 | 69 | 13.0 |
| 9 | 64 | 0.2576 E+2 | 0.7275 E-2 | 39167 | 0.170 | 0.17 | 97 | 13.0 |
| 8 | 32 | 0.5289 E+2 | 0.1622 E-1 | 66443 | 0.240 | 0.24 | 138 | 13.0 |
| 7 | 16 | 0.4958 E+2 | 0.1744 E-1 | 101050 | 6.580 | 0.30 | 170 | 13.0 |
| 6 | 8 | 0.4022 E+2 | 0.1687 E-1 | 142080 | 6.597 | 0.31 | 180 | 13.0 |
| 5 | 4 | 0.3279 E+2 | 0.1642 E-1 | 199493 | 6.525 | 0.24 | 139 | 13.0 |

*** Measured Data List ***

Station No. 247

Date 1984/12/17

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (r) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3172 E+1 | 0.1086 E-2 | 834 | -6.069 | 0.21 | 123 | 5.5 |
| 13 | 1024 | 0.1192 E+1 | 0.6676 E-2 | 624 | 0.551 | 0.55 | 31.6 | 10.0 |
| 12 | 512 | 0.1970 E+1 | 0.1556 E-2 | 627 | 0.488 | 0.49 | 27.9 | 13.0 |
| 11 | 256 | 0.2883 E+1 | 0.2775 E-2 | 723 | 0.436 | 0.44 | 25.0 | 13.0 |
| 10 | 128 | 0.5499 E+1 | 0.5912 E-2 | 1351 | 0.150 | 0.15 | 8.6 | 13.0 |
| 9 | 64 | 0.6724 E+1 | 0.7062 E-2 | 2832 | 0.203 | 0.20 | 11.6 | 13.0 |
| 8 | 32 | 0.1370 E+2 | 0.1588 E-1 | 4650 | 0.267 | 0.27 | 15.3 | 13.0 |
| 7 | 16 | 0.1276 E+2 | 0.1704 E-1 | 7005 | 6.592 | 0.31 | 17.7 | 13.0 |
| 6 | 8 | 0.1033 E+2 | 0.1674 E-1 | 9519 | 6.598 | 0.31 | 18.0 | 13.0 |
| 5 | 4 | 0.8368 E+1 | 0.1600 E-1 | 13698 | 6.529 | 0.25 | 14.1 | 13.0 |

Station No. 248

Date 1984/12/17

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (r) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.6216 E±0 | 0.5257 E-3 | 133 | 0.828 | 0.83 | 47.5 | 5.5 |
| 13 | 1024 | 0.9929 E±0 | 0.6718 E-3 | 427 | -5.697 | 0.59 | 33.6 | 10.0 |
| 12 | 512 | 0.1677 E+1 | 0.1500 E-2 | 488 | 0.553 | 0.55 | 31.7 | 13.0 |
| 11 | 256 | 0.2177 E+1 | 0.2631 E-2 | 535 | 0.494 | 0.49 | 28.3 | 13.0 |
| 10 | 128 | 0.4240 E+1 | 0.5688 E-2 | 869 | 6.461 | 0.18 | 10.2 | 13.0 |
| 9 | 64 | 0.5379 E+1 | 0.6992 E-2 | 1849 | 0.184 | 0.18 | 10.5 | 13.0 |
| 8 | 32 | 0.1142 E+2 | 0.1594 E-1 | 3206 | 0.237 | 0.24 | 13.6 | 13.0 |
| 7 | 16 | 0.1083 E+2 | 0.1702 E-1 | 5062 | 0.284 | 0.28 | 16.3 | 13.0 |
| 6 | 8 | 0.8761 E+2 | 0.1633 E-1 | 7071 | 0.312 | 0.31 | 17.9 | 13.0 |
| 5 | 4 | 0.7039 E+1 | 0.1563 E-1 | 10191 | 0.253 | 0.25 | 14.5 | 13.0 |

*** Measured Data List ***

Station No. 249 Date 1984/12/17 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|--------------------------------|--|------------------|
| 14 | 2048 | 0.6888 E+1 | 0.5947 E-3 | 13101 | -6222 | 0.06 | 5.5 |
| 13 | 1024 | 0.4058 E+1 | 0.5681 E-3 | 7209 | 0.414 | 0.41 | 10.0 |
| 12 | 512 | 0.6702 E+1 | 0.1465 E-2 | 8027 | 0.407 | 0.41 | 13.0 |
| 11 | 256 | 0.9613 E+1 | 0.2574 E-2 | 10896 | 0.378 | 0.38 | 13.0 |
| 10 | 128 | 0.1870 E+2 | 0.5515 E-2 | 17909 | 0.177 | 0.18 | 13.0 |
| 9 | 64 | 0.2357 E+2 | 0.6983 E-2 | 35593 | 0.206 | 0.21 | 13.0 |
| 8 | 32 | 0.4997 E+2 | 0.1632 E-1 | 58607 | 0.254 | 0.25 | 13.0 |
| 7 | 16 | 0.4684 E+2 | 0.1737 E-1 | 90890 | 6.568 | 0.29 | 13.0 |
| 6 | 8 | 0.3752 E+2 | 0.1636 E-1 | 131463 | 6.566 | 0.28 | 13.0 |
| 5 | 4 | 0.3084 E+2 | 0.1574 E-1 | 191883 | 6.505 | 0.22 | 13.0 |

Station No. 250 Date 1984/12/19 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|--------------------------------|--|------------------|
| 14 | 2048 | 0.2483 E+1 | 0.5296 E-3 | 2148 | -6109 | 0.17 | 5.5 |
| 13 | 1024 | 0.1893 E+1 | 0.6695 E-3 | 1501 | 0.445 | 0.44 | 10.0 |
| 12 | 512 | 0.2973 E+1 | 0.1401 E-2 | 1761 | 0.472 | 0.47 | 13.0 |
| 11 | 256 | 0.4130 E+1 | 0.2439 E-2 | 2241 | 0.414 | 0.41 | 13.0 |
| 10 | 128 | 0.7567 E+1 | 0.5226 E-2 | 3240 | 0.211 | 0.21 | 13.0 |
| 9 | 64 | 0.9866 E+1 | 0.6780 E-2 | 6618 | 0.207 | 0.21 | 13.0 |
| 8 | 32 | 0.2148 E+2 | 0.1599 E-1 | 11281 | 0.234 | 0.23 | 13.0 |
| 7 | 16 | 0.2036 E+2 | 0.1690 E-1 | 18147 | 6.549 | 0.27 | 13.0 |
| 6 | 8 | 0.1667 E+2 | 0.1620 E-1 | 26477 | 6.561 | 0.28 | 13.0 |
| 5 | 4 | 0.1347 E+2 | 0.1515 E-1 | 39557 | 6.502 | 0.22 | 13.0 |

*** Measured Data List ***

Station No. 251 Date 1984/12/19 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.5431 E+0 | 0.4475 E-3 | 144 | -6.015 | 0.27 | 15.4 | 5.5 |
| 13 | 1024 | 0.9269 E+0 | 0.6293 E-3 | 424 | 0.516 | 0.52 | 29.6 | 10.0 |
| 12 | 512 | 0.1454 E+1 | 0.1306 E-2 | 484 | 0.563 | 0.56 | 32.3 | 13.0 |
| 11 | 256 | 0.1858 E+1 | 0.2268 E-2 | 524 | 0.518 | 0.52 | 29.7 | 13.0 |
| 10 | 128 | 0.3271 E+1 | 0.4807 E-2 | 723 | 0.246 | 0.25 | 14.1 | 13.0 |
| 9 | 64 | 0.4410 E+1 | 0.6389 E-2 | 1489 | 0.190 | 0.19 | 10.9 | 13.0 |
| 8 | 32 | 0.1002 E+1 | 0.1536 E-1 | 2658 | 0.208 | 0.21 | 11.9 | 13.0 |
| 7 | 16 | 0.9723 E+1 | 0.1637 E-1 | 4410 | 6.535 | 0.25 | 14.4 | 13.0 |
| 6 | 8 | 0.7922 E+1 | 0.1550 E-1 | 6534 | 6.560 | 0.28 | 15.9 | 13.0 |
| 5 | 4 | 0.6321 E+1 | 0.1439 E-1 | 9652 | 6.507 | 0.22 | 12.8 | 13.0 |

Station No. 252 Date 1984/12/19 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.5089 E+0 | 0.2794 E-3 | 324 | 0.716 | 0.72 | 41.0 | 5.5 |
| 13 | 1024 | 0.1022 E+1 | 0.5782 E-3 | 610 | 0.534 | 0.53 | 30.6 | 10.0 |
| 12 | 512 | 0.1564 E+1 | 0.1212 E-2 | 650 | 0.601 | 0.60 | 34.4 | 13.0 |
| 11 | 256 | 0.1926 E+1 | 0.2094 E-2 | 661 | 0.593 | 0.59 | 34.0 | 13.0 |
| 10 | 128 | 0.3054 E+1 | 0.4404 E-2 | 766 | 0.326 | 0.33 | 18.7 | 13.0 |
| 9 | 64 | 0.4041 E+1 | 0.5886 E-2 | 1473 | 0.239 | 0.24 | 13.7 | 13.0 |
| 8 | 32 | 0.9086 E+1 | 0.1407 E-1 | 2605 | 0.234 | 0.23 | 13.4 | 13.0 |
| 7 | 16 | 0.8874 E+1 | 0.1512 E-1 | 4306 | 0.270 | 0.27 | 15.5 | 13.0 |
| 6 | 8 | 0.7063 E+1 | 0.1388 E-1 | 6472 | 0.283 | 0.28 | 16.2 | 13.0 |
| 5 | 4 | 0.5665 E+1 | 0.1325 E-1 | 9147 | 0.261 | 0.26 | 14.9 | 13.0 |

*** Measured Data List ***

Station No. 253

Date 1984/12/19

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3254 E±0 | 0.1656 E-3 | 381 | 0.122 | 0.12 | 7.0 | 5.5 |
| 13 | 1024 | 0.7651 E±0 | 0.4944 E-3 | 468 | 0.502 | 0.50 | 288 | 10.0 |
| 12 | 512 | 0.1225 E+1 | 0.1053 E-2 | 528 | 0.571 | 0.57 | 327 | 13.0 |
| 11 | 256 | 0.1597 E+1 | 0.1840 E-2 | 588 | 0.562 | 0.56 | 322 | 13.0 |
| 10 | 128 | 0.2507 E+1 | 0.3889 E-2 | 649 | 0.346 | 0.35 | 198 | 13.0 |
| 9 | 64 | 0.3287 E+1 | 0.5181 E-1 | 1272 | 0.254 | 0.25 | 146 | 13.0 |
| 8 | 32 | 0.7404 E+1 | 0.1254 E-1 | 2179 | 0.258 | 0.26 | 148 | 13.0 |
| 7 | 16 | 0.7248 E+1 | 0.1377 E-1 | 3465 | 0.282 | 0.28 | 162 | 13.0 |
| 6 | 8 | 0.5889 E+1 | 0.1300 E-1 | 5130 | 0.294 | 0.29 | 168 | 13.0 |
| 5 | 4 | 0.4736 E+1 | 0.1222 E-1 | 7510 | 0.220 | 0.22 | 126 | 13.0 |

Station No. 254

Date 1984/12/19

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2452 E±0 | 0.1783 E-3 | 222 | -0.403 | -0.40 | -23.1 | 5.5 |
| 13 | 1024 | 0.4027 E±0 | 0.6333 E-3 | 79 | 0.442 | 0.44 | 253 | 10.0 |
| 12 | 512 | 0.7357 E±0 | 0.1474 E-2 | 97 | 0.442 | 0.44 | 253 | 13.0 |
| 11 | 256 | 0.1001 E+1 | 0.2643 E-2 | 112 | 0.410 | 0.41 | 235 | 13.0 |
| 10 | 128 | 0.2057 E+1 | 0.5656 E-2 | 207 | 0.150 | 0.15 | 86 | 13.0 |
| 9 | 64 | 0.2531 E+1 | 0.7845 E-2 | 427 | 0.212 | 0.21 | 121 | 13.0 |
| 8 | 32 | 0.5152 E+1 | 0.1557 E-1 | 684 | 0.277 | 0.28 | 159 | 13.0 |
| 7 | 16 | 0.4782 E+1 | 0.1675 E-1 | 1019 | 6.600 | 0.32 | 182 | 13.0 |
| 6 | 8 | 0.3881 E+1 | 0.1627 E-1 | 1401 | 6.604 | 0.32 | 184 | 13.0 |
| 5 | 4 | 0.3154 E+1 | 0.1589 E-1 | 1969 | 6.520 | 0.24 | 135 | 13.0 |

*** Measured Data List ***

Station No. 255

Date 1984/12/19

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2464 E+1 | 0.2995 E-3 | 6363 | -0.041 | -0.04 | -23 | 5.5 |
| 13 | 1024 | 0.2902 E+1 | 0.6714 E-3 | 3649 | 0.440 | 0.44 | 25.2 | 10.0 |
| 12 | 512 | 0.5052 E+1 | 0.1514 E-2 | 4350 | 0.438 | 0.44 | 25.1 | 13.0 |
| 11 | 256 | 0.7010 E+1 | 0.2636 E-2 | 5427 | 0.419 | 0.42 | 24.0 | 13.0 |
| 10 | 128 | 0.1352 E+2 | 0.5656 E-2 | 8926 | 0.203 | 0.21 | 11.8 | 13.0 |
| 9 | 64 | 0.1654 E+2 | 0.7098 E-2 | 16981 | 0.250 | 0.25 | 14.3 | 13.0 |
| 8 | 32 | 0.3304 E+2 | 0.1617 E-1 | 26097 | 0.289 | 0.29 | 16.6 | 13.0 |
| 7 | 16 | 0.3062 E+2 | 0.1740 E-1 | 38710 | 6.589 | 0.31 | 17.5 | 13.0 |
| 6 | 8 | 0.2476 E+2 | 0.1648 E-1 | 56500 | 6.563 | 0.28 | 16.1 | 13.0 |
| 5 | 4 | 0.245 E+2 | 0.1579 E-1 | 83830 | 6.483 | 0.20 | 11.4 | 13.0 |

Station No. 256

Date 1984/12/20

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1554 E±0 | 0.1835 E-3 | 67 | 0.431 | 0.43 | 24.7 | 5.5 |
| 13 | 1024 | 0.4824 E±0 | 0.6753 E-3 | 100 | 0.623 | 0.62 | 35.7 | 10.0 |
| 12 | 512 | 0.7909 E±0 | 0.1534 E-2 | 104 | 0.613 | 0.61 | 35.1 | 13.0 |
| 11 | 256 | 0.9913 E±0 | 0.2634 E-2 | 111 | 0.584 | 0.58 | 33.5 | 13.0 |
| 10 | 128 | 0.1673 E+1 | 0.5577 E-2 | 141 | 0.332 | 0.33 | 19.0 | 13.0 |
| 9 | 64 | 0.2051 E+1 | 0.6989 E-1 | 269 | 0.292 | 0.29 | 16.7 | 13.0 |
| 8 | 32 | 0.4161 E+1 | 0.1603 E-1 | 421 | 0.302 | 0.30 | 17.3 | 13.0 |
| 7 | 16 | 0.3873 E+1 | 0.1720 E-1 | 634 | 6.600 | 0.32 | 18.2 | 13.0 |
| 6 | 8 | 0.3103 E+1 | 0.1635 E-1 | 901 | 6.582 | 0.30 | 17.1 | 13.0 |
| 5 | 4 | 0.2513 E+1 | 0.1544 E-1 | 1325 | 6.520 | 0.24 | 13.6 | 13.0 |

*** Measured Data List ***

Station No. 257 Date 1984/12/20 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3509 E±0 | 0.1830 E-3 | 350 | 0.124 | 0.12 | 7.1 | 5.5 |
| 13 | 1024 | 0.7744 E+1 | 0.6958 E-3 | 242 | 0.666 | 0.67 | 38.2 | 10.0 |
| 12 | 512 | 0.1224 E+1 | 0.1581 E-2 | 234 | 0.653 | 0.65 | 37.4 | 13.0 |
| 11 | 256 | 0.1505 E+1 | 0.2744 E-2 | 235 | 0.597 | 0.60 | 34.2 | 13.0 |
| 10 | 128 | 0.2632 E+1 | 0.5764 E-2 | 326 | 0.324 | 0.32 | 18.5 | 13.0 |
| 9 | 64 | 0.3085 E+1 | 0.6996 E-2 | 608 | 0.312 | 0.31 | 17.9 | 13.0 |
| 8 | 32 | 0.6042 E+1 | 0.1579 E-2 | 915 | 0.333 | 0.33 | 19.1 | 13.0 |
| 7 | 16 | 0.5476 E+1 | 0.1677 E-1 | 1338 | 0.333 | 0.33 | 19.1 | 13.0 |
| 6 | 8 | 0.4427 E+1 | 0.1604 E-1 | 1902 | 0.311 | 0.31 | 17.8 | 13.0 |
| 5 | 4 | 0.3643 E+1 | 0.3643 E-1 | 2862 | 0.216 | 0.22 | 12.4 | 13.0 |

Station No. 258 Date 1984/12/20 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.7239 E±0 | 0.3167 E-3 | 511 | 0.093 | 0.09 | 5.3 | 5.5 |
| 13 | 1024 | 0.1680 E+1 | 0.9674 E-3 | 589 | 0.540 | 0.54 | 31.0 | 10.0 |
| 12 | 512 | 0.2623 E+1 | 0.2056 E-2 | 636 | 0.570 | 0.57 | 32.6 | 13.0 |
| 11 | 256 | 0.3140 E+1 | 0.3410 E-2 | 659 | 0.569 | 0.57 | 32.6 | 13.0 |
| 10 | 128 | 0.5431 E+1 | 0.7114 E-2 | 906 | 0.302 | 0.30 | 17.3 | 13.0 |
| 9 | 64 | 0.6048 E+1 | 0.8115 E-2 | 1736 | 0.296 | 0.30 | 17.0 | 13.0 |
| 8 | 32 | 0.1143 E+2 | 0.1762 E-1 | 2629 | 0.320 | 0.32 | 18.4 | 13.0 |
| 7 | 16 | 0.1023 E+2 | 0.1852 E-1 | 3817 | 6.603 | 0.32 | 18.3 | 13.0 |
| 6 | 8 | 0.8289 E+1 | 0.1761 E-1 | 5541 | 6.549 | 0.27 | 15.2 | 13.0 |
| 5 | 4 | 0.7055 E+1 | 0.1688 E-1 | 8730 | 6.464 | 0.18 | 10.3 | 13.0 |

*** Measured Data List ***

Station No. 259

Date 1984/ 12/ 20

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4547 E+0 | 0.3236 E-3 | 193 | -5.865 | 0.42 | 240 | 5.5 |
| 13 | 1024 | 0.1133 E+1 | 0.3999 E-2 | 250 | 0.609 | 0.61 | 349 | 10.0 |
| 12 | 512 | 0.1758 E+1 | 0.2142 E-2 | 263 | 0.623 | 0.62 | 357 | 13.0 |
| 11 | 256 | 0.2041 E+1 | 0.3577 E-2 | 255 | 0.616 | 0.62 | 353 | 13.0 |
| 10 | 128 | 0.3447 E+1 | 0.7369 E-2 | 342 | 0.302 | 0.30 | 173 | 13.0 |
| 9 | 64 | 0.3813 E+1 | 0.8242 E-2 | 659 | 0.281 | 0.28 | 161 | 13.0 |
| 8 | 32 | 0.7235 E+1 | 0.1767 E-1 | 1048 | 0.311 | 0.31 | 178 | 13.0 |
| 7 | 16 | 0.6479 E+1 | 0.1849 E-1 | 1535 | 0.313 | 0.31 | 179 | 13.0 |
| 6 | 8 | 0.5242 E+1 | 0.1751 E-1 | 2241 | 0.280 | 0.28 | 160 | 13.0 |
| 5 | 4 | 0.4463 E+1 | 0.1656 E-1 | 3538 | 0.172 | 0.17 | 99 | 13.0 |

Station No. 260

Date 1984/ 12/ 20

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.9942 E+0 | 0.5524 E-3 | 316 | 0.071 | 0.07 | 41 | 5.5 |
| 13 | 1024 | 0.2727 E+1 | 0.1190 E-2 | 1026 | 0.450 | 0.45 | 258 | 10.0 |
| 12 | 512 | 0.4379 E+1 | 0.2423 E-2 | 1276 | 0.484 | 0.48 | 277 | 13.0 |
| 11 | 256 | 0.5198 E+1 | 0.3904 E-2 | 1385 | 0.489 | 0.49 | 280 | 13.0 |
| 10 | 128 | 0.9682 E+1 | 0.8170 E-2 | 2194 | 0.210 | 0.21 | 120 | 13.0 |
| 9 | 64 | 0.1100 E+1 | 0.9207 E-2 | 4460 | 0.221 | 0.22 | 127 | 13.0 |
| 8 | 32 | 0.2169 E+2 | 0.1997 E-1 | 7369 | 0.262 | 0.26 | 150 | 13.0 |
| 7 | 16 | 0.1983 E+2 | 0.2097 E-1 | 11187 | 6.586 | 0.30 | 173 | 13.0 |
| 6 | 8 | 0.1571 E+2 | 0.1954 E-1 | 16174 | 6.584 | 0.30 | 173 | 13.0 |
| 5 | 4 | 0.1281 E+2 | 0.1881 E-1 | 23233 | 6.518 | 0.24 | 135 | 13.0 |

*** Measured Data List ***

Station No. 261 Date 1984/12/20 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.5511 E±0 | 0.7246 E-3 | 56 | -0.323 | -0.32 | -185 | 55 |
| 13 | 1024 | 0.2311 E+1 | 0.1146 E-2 | 1097 | 0.484 | 0.48 | 278 | 100 |
| 12 | 512 | 0.4526 E+1 | 0.2371 E-2 | 1431 | 0.507 | 0.51 | 291 | 130 |
| 11 | 256 | 0.5337 E+1 | 0.3910 E-2 | 1455 | 0.482 | 0.48 | 276 | 130 |
| 10 | 128 | 0.1037 E+2 | 0.8183 E-2 | 2484 | 0.173 | 0.17 | 9.9 | 130 |
| 9 | 64 | 0.1191 E+2 | 0.9251 E-2 | 5365 | 0.192 | 0.19 | 11.0 | 130 |
| 8 | 32 | 0.2356 E+2 | 0.1949 E-1 | 9136 | 0.247 | 0.25 | 14.2 | 130 |
| 7 | 16 | 0.2153 E+2 | 0.2301 E-1 | 14009 | 6.578 | 0.30 | 16.9 | 130 |
| 6 | 8 | 0.1718 E+2 | 0.1930 E-1 | 19813 | 6.597 | 0.31 | 18.0 | 130 |
| 5 | 4 | 0.1395 E+2 | 0.1850 E-1 | 28420 | 6.529 | 0.25 | 14.1 | 130 |

Station No. 262 Date 1984/12/21 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1803 E±0 | 0.1490 E-1 | 1430 | 2.091 | -1.05 | -60.2 | 55 |
| 13 | 1024 | 0.1405 E+1 | 0.1293 E-1 | 230 | 0.603 | 0.60 | 34.5 | 100 |
| 12 | 512 | 0.2389 E+1 | 0.2668 E-1 | 313 | 0.563 | 0.56 | 32.3 | 130 |
| 11 | 256 | 0.2735 E+1 | 0.4377 E-2 | 305 | 0.502 | 0.50 | 28.8 | 130 |
| 10 | 128 | 0.5465 E+1 | 0.9157 E-2 | 557 | 0.160 | 0.16 | 9.2 | 130 |
| 9 | 64 | 0.6117 E+1 | 0.9806 E-2 | 1216 | 0.178 | 0.18 | 10.2 | 130 |
| 8 | 32 | 0.1195 E+1 | 0.2061 E-1 | 2102 | 0.241 | 0.24 | 13.8 | 130 |
| 7 | 16 | 0.1082 E+2 | 0.2121 E-1 | 3251 | 0.297 | 0.30 | 17.0 | 130 |
| 6 | 8 | 0.8639 E+1 | 0.2022 E-1 | 4562 | 0.321 | 0.32 | 18.4 | 130 |
| 5 | 4 | 0.6960 E+1 | 0.1943 E-1 | 6417 | 0.254 | 0.25 | 14.5 | 130 |

*** Measured Data List ***

Station No. 263

Date 1984/12/21

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|------------------|
| 14 | 2048 | 0.1723 E+1 | 0.1518 E-2 | 126 | 0.502 | 0.50 | 5.5 |
| 13 | 1024 | 0.1862 E+1 | 0.1594 E-2 | 267 | 0.308 | 0.31 | 10.0 |
| 12 | 512 | 0.3376 E+1 | 0.3188 E-2 | 438 | 0.325 | 0.32 | 13.0 |
| 11 | 256 | 0.4008 E+1 | 0.5137 E-2 | 476 | 0.310 | 0.31 | 13.0 |
| 10 | 128 | 0.8875 E+1 | 0.1087 E-1 | 1042 | 0.057 | 0.06 | 13.0 |
| 9 | 64 | 0.9689 E+1 | 0.1132 E-1 | 2290 | 0.126 | 0.13 | 13.0 |
| 8 | 32 | 0.1848 E+1 | 0.2308 E-1 | 4007 | 0.208 | 0.21 | 13.0 |
| 7 | 16 | 0.1671 E+2 | 0.2358 E-1 | 6278 | 0.271 | 0.27 | 13.0 |
| 6 | 8 | 0.1354 E+2 | 0.2272 E-1 | 8875 | 0.291 | 0.29 | 13.0 |
| 5 | 4 | 0.1109 E+2 | 0.2176 E-1 | 2993 | 0.221 | 0.22 | 13.0 |

Station No. 264

Date 1984/12/22

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|------------------|
| 14 | 2048 | 0.8882 E+1 | 0.3049 E-2 | 829 | 0.133 | 0.13 | 5.5 |
| 13 | 1024 | 0.3420 E+1 | 0.2014 E-2 | 563 | 0.365 | 0.36 | 10.0 |
| 12 | 512 | 0.5097 E+1 | 0.4021 E-2 | 628 | 0.440 | 0.44 | 13.0 |
| 11 | 256 | 0.6014 E+1 | 0.6944 E-2 | 569 | 0.272 | 0.27 | 13.0 |
| 10 | 128 | 0.1457 E+2 | 0.1449 E-1 | 1591 | 0.050 | 0.05 | 13.0 |
| 9 | 64 | 0.1503 E+2 | 0.1457 E-1 | 3324 | 0.132 | 0.13 | 13.0 |
| 8 | 32 | 0.2643 E+2 | 0.2792 E-1 | 5601 | 0.211 | 0.21 | 13.0 |
| 7 | 16 | 0.2339 E+2 | 0.2837 E-1 | 8484 | 6.529 | 0.25 | 13.0 |
| 6 | 8 | 0.1949 E+2 | 0.2718 E-1 | 12853 | 6.498 | 0.22 | 13.0 |
| 5 | 4 | 0.1717 E+2 | 0.2660 E-1 | 20827 | 6.422 | 0.14 | 13.0 |

*** Measured Data List ***

Station No.265 Date 1984/12/22 Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3191 E+1 | 0.2417 E-2 | 170 | -0.058 | -0.06 | -3.3 | 5.5 |
| 13 | 1024 | 0.2079 E+1 | 0.2051 E-2 | 201 | 0.437 | 0.44 | 25.0 | 10.0 |
| 12 | 512 | 0.3132 E+1 | 0.4054 E-2 | 233 | 6.799 | 0.52 | 29.5 | 13.0 |
| 11 | 256 | 0.3528 E+1 | 0.6730 E-2 | 215 | 0.453 | 0.45 | 25.9 | 13.0 |
| 10 | 128 | 0.7271 E+1 | 0.1413 E-1 | 414 | 6.417 | 0.13 | 7.7 | 13.0 |
| 9 | 64 | 0.7523 E+1 | 0.1413 E-1 | 886 | 0.151 | 0.15 | 8.6 | 13.0 |
| 8 | 32 | 0.1342 E+2 | 0.2730 E-1 | 1518 | 0.200 | 0.20 | 11.5 | 13.0 |
| 7 | 16 | 0.1190 E+2 | 0.2718 E-1 | 2397 | 0.213 | 0.21 | 12.2 | 13.0 |
| 6 | 8 | 0.1007 E+2 | 0.2584 E-1 | 3798 | 0.184 | 0.18 | 10.5 | 13.0 |
| 5 | 4 | 0.8981 E+1 | 0.2481 E-1 | 6549 | 0.094 | 0.09 | 5.4 | 13.0 |

Station No.266 Date 1984/12/22 Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4934 E+0 | 0.1100 E-2 | 20 | 0.443 | 0.44 | 25.4 | 5.5 |
| 13 | 1024 | 0.6795 E+0 | 0.1702 E-2 | 31 | 0.822 | 0.82 | 47.1 | 10.0 |
| 12 | 512 | 0.9582 E+0 | 0.3579 E-2 | 28 | 0.786 | 0.79 | 45.0 | 13.0 |
| 11 | 256 | 0.9839 E+0 | 0.6089 E-2 | 20 | 0.663 | 0.66 | 38.0 | 13.0 |
| 10 | 128 | 0.1900 E+1 | 0.1240 E-1 | 37 | 0.263 | 0.26 | 15.1 | 13.0 |
| 9 | 64 | 0.1924 E+1 | 0.1248 E-1 | 74 | 0.259 | 0.26 | 14.9 | 13.0 |
| 8 | 32 | 0.3359 E+1 | 0.2432 E-1 | 119 | 0.315 | 0.31 | 18.0 | 13.0 |
| 7 | 16 | 0.2877 E+1 | 0.2457 E-1 | 171 | 0.353 | 0.35 | 20.2 | 13.0 |
| 6 | 8 | 0.2245 E+1 | 0.2327 E-1 | 233 | 0.342 | 0.34 | 19.6 | 13.0 |
| 5 | 4 | 0.1826 E+1 | 0.2257 E-1 | 327 | 0.254 | 0.25 | 14.5 | 13.0 |

*** Measured Data List ***

Station No. 267

Date 1984/12/22

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field | | Magnetic Field | | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|----------------|--|----------------|--|--|---------------------|------|-------------------------------|-----------|------------------|
| | | E (mV/km) | | H (γ) | | | PD(rad) | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3421 E+1 | | 0.2184 E-2 | | 240 | -5.969 | 0.31 | 180 | | 5.5 |
| 13 | 1024 | 0.2357 E+1 | | 0.2105 E-2 | | 245 | 0.655 | 0.65 | 37.5 | | 10.0 |
| 12 | 512 | 0.3350 E+1 | | 0.4196 E-2 | | 249 | 0.656 | 0.66 | 37.6 | | 13.0 |
| 11 | 256 | 0.3481 E+1 | | 0.7109 E-2 | | 187 | 0.520 | 0.52 | 29.8 | | 13.0 |
| 10 | 128 | 0.7462 E+1 | | 0.1460 E-1 | | 408 | 0.165 | 0.16 | 9.4 | | 13.0 |
| 9 | 64 | 0.7497 E+1 | | 0.1437 E-1 | | 851 | 0.209 | 0.21 | 12.0 | | 13.0 |
| 8 | 32 | 0.1324 E+2 | | 0.2775 E-1 | | 1422 | 0.280 | 0.28 | 16.1 | | 13.0 |
| 7 | 16 | 0.1132 E+2 | | 0.2795 E-1 | | 2051 | 6.623 | 0.34 | 19.5 | | 13.0 |
| 6 | 8 | 0.8817 E+1 | | 0.2663 E-1 | | 2740 | 0.349 | 0.35 | 20.0 | | 13.0 |
| 5 | 4 | 0.7063 E+1 | | 0.2555 E-1 | | 3822 | 6.540 | 0.26 | 14.7 | | 13.0 |

Station No. 268

Date 1984/12/22

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field | | Magnetic Field | | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|----------------|--|----------------|--|--|---------------------|-------|-------------------------------|-----------|------------------|
| | | E (mV/km) | | H (γ) | | | PD(rad) | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.5823 E+1 | | 0.2077 E-2 | | 768 | -0.115 | -0.11 | -6.6 | | 13.0 |
| 13 | 1024 | 0.4804 E+1 | | 0.2183 E-2 | | 946 | 0.497 | 0.50 | 28.5 | | 13.0 |
| 12 | 512 | 0.7053 E+1 | | 0.4326 E-2 | | 1038 | 0.552 | 0.55 | 31.6 | | 13.0 |
| 11 | 256 | 0.7603 E+1 | | 0.7241 E-2 | | 862 | 0.484 | 0.48 | 27.7 | | 13.0 |
| 10 | 128 | 0.1572 E+2 | | 0.1490 E-1 | | 1738 | 0.158 | 0.16 | 9.0 | | 13.0 |
| 9 | 64 | 0.1579 E+2 | | 0.1462 E-1 | | 3642 | 0.184 | 0.18 | 10.5 | | 13.0 |
| 8 | 32 | 0.2822 E+2 | | 0.2848 E-1 | | 6132 | 0.250 | 0.25 | 14.3 | | 13.0 |
| 7 | 16 | 0.2448 E+2 | | 0.2846 E-1 | | 9254 | 6.572 | 0.29 | 16.5 | | 13.0 |
| 6 | 8 | 0.1965 E+2 | | 0.2720 E-1 | | 13058 | 6.558 | 0.27 | 15.7 | | 13.0 |
| 5 | 4 | 0.1647 E+2 | | 0.2612 E-1 | | 19880 | 6.483 | 0.20 | 11.4 | | 13.0 |

*** Measured Data List ***

Station No. 269

Date 1984/ 12/ 22

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------|-----------|------------------|
| | | | | | PD(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1261 E+2 | 0.1220 E-2 | 10428 | -0.336 | -0.34 | 5.5 |
| 13 | 1024 | 0.5428 E+1 | 0.1686 E-2 | 2025 | 0.622 | 0.62 | 10.0 |
| 12 | 512 | 0.7419 E+1 | 0.3532 E-2 | 1724 | 0.657 | 0.66 | 13.0 |
| 11 | 256 | 0.8021 E+1 | 0.6202 E-2 | 1316 | 0.560 | 0.56 | 13.0 |
| 10 | 128 | 0.1575 E+2 | 0.1250 E-1 | 2478 | 0.199 | 0.20 | 13.0 |
| 9 | 64 | 0.1575 E+2 | 0.1214 E-1 | 5260 | 0.213 | 0.21 | 13.0 |
| 8 | 32 | 0.2822 E+2 | 0.2396 E-1 | 8669 | 0.277 | 0.28 | 13.0 |
| 7 | 16 | 0.2446 E+2 | 0.2410 E-1 | 12877 | 0.312 | 0.31 | 13.0 |
| 6 | 8 | 0.1986 E+2 | 0.2348 E-1 | 17875 | 0.288 | 0.29 | 13.0 |
| 5 | 4 | 0.1684 E+2 | 0.2297 E-1 | 26890 | 0.193 | 0.19 | 13.0 |

Station No. 270

Date 1984/ 12/ 22

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------|-----------|------------------|
| | | | | | PD(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1470 E+1 | 0.1921 E-2 | 5719 | -0.108 | -0.11 | 5.5 |
| 13 | 1024 | 0.4916 E+1 | 0.1581 E-2 | 1906 | 0.517 | 0.52 | 10.0 |
| 12 | 512 | 0.6740 E+1 | 0.3156 E-2 | 1757 | 0.564 | 0.56 | 13.0 |
| 11 | 256 | 0.7425 E+1 | 0.5541 E-2 | 1403 | 0.499 | 0.50 | 13.0 |
| 10 | 128 | 0.1517 E+2 | 0.1125 E-1 | 2839 | 0.162 | 0.16 | 13.0 |
| 9 | 64 | 0.1547 E+2 | 0.1116 E-1 | 6018 | 0.202 | 0.20 | 13.0 |
| 8 | 32 | 0.2781 E+2 | 0.2222 E-1 | 9882 | 0.275 | 0.28 | 13.0 |
| 7 | 16 | 0.2457 E+2 | 0.2293 E-1 | 14349 | 0.320 | 0.32 | 13.0 |
| 6 | 8 | 0.1989 E+2 | 0.2243 E-1 | 19670 | 0.312 | 0.31 | 13.0 |
| 5 | 4 | 0.1669 E+2 | 0.2178 E-1 | 29237 | 0.209 | 0.21 | 13.0 |

*** Measured Data List ***

Station No. 271

Date 1984/12/21

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1050 E+2 | 0.1430 E-2 | 5260 | -0.104 | -0.10 | -59 | 5.5 |
| 13 | 1024 | 0.4230 E+1 | 0.1099 E-3 | 2892 | 0.368 | 0.37 | 21.1 | 10.0 |
| 12 | 512 | 0.7281 E+1 | 0.2387 E-2 | 3634 | 0.429 | 0.43 | 24.6 | 13.0 |
| 11 | 256 | 0.8691 E+1 | 0.4297 E-2 | 3196 | 0.389 | 0.39 | 22.3 | 13.0 |
| 10 | 128 | 0.1915 E+2 | 0.8799 E-2 | 7403 | 0.102 | 0.10 | 5.8 | 13.0 |
| 9 | 64 | 0.2045 E+2 | 0.9140 E-2 | 15337 | 0.207 | 0.21 | 11.8 | 13.0 |
| 8 | 32 | 0.3736 E+2 | 0.1885 E-1 | 23873 | 0.305 | 0.30 | 17.5 | 13.0 |
| 7 | 16 | 0.3322 E+2 | 0.2045 E-1 | 32973 | 6.642 | 0.36 | 20.6 | 13.0 |
| 6 | 8 | 0.2673 E+2 | 0.2020 E-1 | 43763 | 6.634 | 0.35 | 20.1 | 13.0 |
| 5 | 4 | 0.2205 E+2 | 0.1986 E-1 | 61205 | 6.543 | 0.26 | 14.9 | 13.0 |

Station No.272

Date 1984/12/21

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4154 E+1 | 0.1935 E-2 | 450 | -6.508 | -0.22 | -12.9 | 5.5 |
| 13 | 1024 | 0.3665 E+1 | 0.1672 E-2 | 939 | 0.260 | 0.26 | 14.9 | 10.0 |
| 12 | 512 | 0.6272 E+1 | 0.3245 E-2 | 1448 | 0.326 | 0.33 | 18.6 | 13.0 |
| 11 | 256 | 0.7505 E+1 | 0.5276 E-2 | 1581 | 0.325 | 0.32 | 18.6 | 13.0 |
| 10 | 128 | 0.1596 E+2 | 0.1098 E-1 | 3298 | 0.075 | 0.08 | 4.3 | 13.0 |
| 9 | 64 | 0.1724 E+2 | 0.1148 E-1 | 7046 | 0.152 | 0.15 | 8.7 | 13.0 |
| 8 | 32 | 0.3194 E+2 | 0.2317 E-1 | 11879 | 0.240 | 0.24 | 13.8 | 13.0 |
| 7 | 16 | 0.2837 E+2 | 0.2387 E-1 | 17656 | 6.583 | 0.30 | 17.2 | 13.0 |
| 6 | 8 | 0.2275 E+2 | 0.2314 E-1 | 24167 | 6.587 | 0.30 | 17.4 | 13.0 |
| 5 | 4 | 0.1848 E+2 | 0.2228 E-1 | 34430 | 6.490 | 0.21 | 11.8 | 13.0 |

*** Measured Data List ***

Date 1984/12/21 Tx Bipole No.2

Station No.273

| No. | Frequency f (Hz) | Electric Field E(mv/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1332 E+1 | 0.7658 E-3 | 296 | -6.564 | -0.28 | -1.61 | 5.5 |
| 13 | 1024 | 0.2383 E+1 | 0.1479 E-2 | 507 | 0.335 | 0.33 | 1.92 | 10.0 |
| 12 | 512 | 0.4116 E+1 | 0.3018 E-2 | 727 | 0.380 | 0.38 | 2.18 | 13.0 |
| 11 | 256 | 0.4952 E+1 | 0.4898 E-2 | 799 | 0.399 | 0.40 | 2.28 | 13.0 |
| 10 | 128 | 0.9833 E+1 | 0.1025 E-1 | 1439 | 0.147 | 0.15 | 8.4 | 13.0 |
| 9 | 64 | 0.1066 E+2 | 0.1092 E-1 | 2979 | 0.199 | 0.20 | 11.4 | 13.0 |
| 8 | 32 | 0.1971 E+2 | 0.2231 E-1 | 4878 | 0.269 | 0.27 | 15.4 | 13.0 |
| 7 | 16 | 0.1730 E+2 | 0.2276 E-1 | 7222 | 6.589 | 0.31 | 17.5 | 13.0 |
| 6 | 8 | 0.1379 E+2 | 0.2167 E-1 | 10133 | 6.578 | 0.29 | 16.9 | 13.0 |
| 5 | 4 | 0.1143 E+2 | 0.2090 E-1 | 14969 | 6.500 | 0.22 | 12.4 | 13.0 |

Date 1984/12/23 Tx Bipole No.2

Station No. 274

| No. | Frequency f (Hz) | Electric Field E(mv/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3138 E+0 | 0.2833 E-3 | 117 | 0.819 | 0.82 | 4.69 | 5.5 |
| 13 | 1024 | 0.1196 E+1 | 0.1192 E-2 | 197 | 0.628 | 0.63 | 3.60 | 10.0 |
| 12 | 512 | 0.1582 E+1 | 0.2524 E-2 | 210 | 0.640 | 0.64 | 3.67 | 13.0 |
| 11 | 256 | 0.2048 E+1 | 0.4166 E-2 | 189 | 0.630 | 0.63 | 3.61 | 13.0 |
| 10 | 128 | 0.3542 E+1 | 0.8617 E-2 | 264 | 0.288 | 0.29 | 1.65 | 13.0 |
| 9 | 64 | 0.3855 E+1 | 0.9367 E-2 | 529 | 0.278 | 0.28 | 1.59 | 13.0 |
| 8 | 32 | 0.7119 E+1 | 0.1943 E-1 | 837 | 0.318 | 0.32 | 1.82 | 13.0 |
| 7 | 16 | 0.6313 E+1 | 0.2030 E-1 | 1209 | 6.627 | 0.34 | 1.97 | 13.0 |
| 6 | 8 | 0.4984 E+1 | 0.1936 E-1 | 1657 | 0.326 | 0.33 | 1.87 | 13.0 |
| 5 | 4 | 0.3839 E+1 | 0.1716 E-1 | 2356 | 6.546 | 0.26 | 1.50 | 13.0 |

*** Measured - Data List ***

Station No. 275

Date 1984/ 12/ 23

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|--|------------------|
| 14 | 2048 | 0.3906 E±0 | 0.4800 E-3 | 65 | 0.737 | 0.74 | 422 | 5.5 |
| 13 | 1024 | 0.1842 E+1 | 0.1556 E-2 | 270 | 0.562 | 0.56 | 322 | 10.0 |
| 12 | 512 | 0.2949 E+1 | 0.3257 E-2 | 325 | 0.561 | 0.56 | 322 | 13.0 |
| 11 | 256 | 0.3302 E+1 | 0.5330 E-2 | 390 | 0.528 | 0.53 | 302 | 13.0 |
| 10 | 128 | 0.6394 E+1 | 0.1116 E-1 | 513 | 0.196 | 0.20 | 113 | 13.0 |
| 9 | 64 | 0.6752 E+1 | 0.1157 E-1 | 1065 | 0.213 | 0.21 | 122 | 13.0 |
| 8 | 32 | 0.1227 E+2 | 0.2317 E-1 | 1753 | 0.267 | 0.27 | 153 | 13.0 |
| 7 | 16 | 0.1075 E+2 | 0.2345 E-1 | 2626 | 0.298 | 0.30 | 171 | 13.0 |
| 6 | 8 | 0.8638 E+1 | 0.2251 E-1 | 3682 | 0.286 | 0.29 | 164 | 13.0 |
| 5 | 4 | 0.7179 E+1 | 0.2165 E-1 | 5500 | 0.198 | 0.20 | 113 | 13.0 |

Station No. 275

Date 1984/ 12/ 23

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|--|------------------|
| 14 | 2048 | 0.1956 E±0 | 0.2712 E-3 | 51 | 1.451 | 1.45 | 832 | 5.5 |
| 13 | 1024 | 0.1015 E+1 | 0.1300 E-2 | 119 | 0.677 | 0.68 | 388 | 10.0 |
| 12 | 512 | 0.1622 E+1 | 0.2837 E-2 | 127 | 0.637 | 0.64 | 365 | 13.0 |
| 11 | 256 | 0.1758 E+1 | 0.4762 E-2 | 106 | 0.573 | 0.57 | 328 | 13.0 |
| 10 | 128 | 0.3606 E+1 | 0.1006 E-1 | 201 | 0.229 | 0.23 | 131 | 13.0 |
| 9 | 64 | 0.3813 E+1 | 0.1068 E-1 | 398 | 0.282 | 0.28 | 162 | 13.0 |
| 8 | 32 | 0.6895 E+1 | 0.2195 E-1 | 617 | 0.358 | 0.36 | 205 | 13.0 |
| 7 | 16 | 0.5841 E+1 | 0.2234 E-1 | 855 | 6.706 | 0.42 | 242 | 13.0 |
| 6 | 8 | 0.4356 E+1 | 0.2136 E-1 | 1039 | 0.455 | 0.45 | 260 | 13.0 |
| 5 | 4 | 0.3248 E+1 | 0.1953 E-1 | 1258 | 0.402 | 0.40 | 230 | 13.0 |

*** Measured Data List ***

Station No. 277

Date 1984/12/23

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4008 E+0 | 0.1588 E-3 | 635 | 0.958 | 0.96 | 549 | 5.5 |
| 13 | 1024 | 0.2350 E+1 | 0.1159 E-2 | 804 | 0.482 | 0.48 | 276 | 10.0 |
| 12 | 512 | 0.4069 E+1 | 0.2571 E-2 | 984 | 0.479 | 0.48 | 275 | 13.0 |
| 11 | 256 | 0.4836 E+1 | 0.4215 E-2 | 1029 | 0.444 | 0.44 | 255 | 13.0 |
| 10 | 128 | 0.1019 E+2 | 0.9033 E-2 | 1987 | 0.162 | 0.16 | 93 | 13.0 |
| 9 | 64 | 0.1115 E+2 | 0.9802 E-2 | 4045 | 0.225 | 0.23 | 129 | 13.0 |
| 8 | 32 | 0.2066 E+2 | 0.2016 E-1 | 5376 | 0.297 | 0.30 | 170 | 13.0 |
| 7 | 16 | 0.1801 E+2 | 0.2109 E-1 | 9112 | 0.336 | 0.34 | 193 | 13.0 |
| 6 | 8 | 0.1416 E+2 | 0.2019 E-1 | 12300 | 0.334 | 0.33 | 191 | 13.0 |
| 5 | 4 | 0.1152 E+2 | 0.1946 E-1 | 17529 | 0.232 | 0.23 | 133 | 13.0 |

Station No. 278

Date 1984/12/23

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2642 E+0 | 0.1666 E-3 | 247 | -5800 | 0.48 | 277 | 5.5 |
| 13 | 1024 | 0.1176 E+1 | 0.1020 E-2 | 257 | 0.422 | 0.42 | 242 | 10.0 |
| 12 | 512 | 0.2108 E+1 | 0.2236 E-2 | 347 | 0.425 | 0.42 | 243 | 13.0 |
| 11 | 256 | 0.2561 E+1 | 0.3644 E-2 | 386 | 0.409 | 0.41 | 234 | 13.0 |
| 10 | 128 | 0.4251 E+1 | 0.7824 E-2 | 735 | 0.177 | 0.18 | 101 | 13.0 |
| 9 | 64 | 0.5934 E+1 | 0.8879 E-2 | 1395 | 0.256 | 0.26 | 147 | 13.0 |
| 8 | 32 | 0.1113 E+2 | 0.1903 E-1 | 2137 | 0.329 | 0.33 | 188 | 13.0 |
| 7 | 16 | 0.9739 E+1 | 0.1985 E-1 | 3007 | 6654 | 0.37 | 212 | 13.0 |
| 6 | 8 | 0.7609 E+1 | 0.1921 E-1 | 3876 | 0.371 | 0.37 | 213 | 13.0 |
| 5 | 4 | 0.6000 E+1 | 0.1835 E-1 | 5260 | 0.282 | 0.28 | 161 | 13.0 |

*** Measured Data List ***

Station No. 279

Date 1984/ 12/ 25

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.8089 E±0 | 0.2458 E-2 | 10.577 | 0.047 | 0.05 | 2.7 | 55 |
| 13 | 1024 | 0.7475 E±0 | 0.2075 E-2 | 25 | 0.348 | 0.35 | 1.99 | 100 |
| 12 | 512 | 0.1325 E+1 | 0.4161 E-2 | 40 | 6.598 | 0.32 | 18.1 | 130 |
| 11 | 256 | 0.1739 E+1 | 0.7061 E-2 | 47 | 0.131 | 0.13 | 7.5 | 130 |
| 10 | 128 | 0.4778 E+1 | 0.1557 E-1 | 147 | 0.223 | -0.06 | -3.4 | 130 |
| 9 | 64 | 0.5197 E+1 | 0.1606 E-1 | 328 | 0.033 | 0.03 | 1.9 | 130 |
| 8 | 32 | 0.9565 E+1 | 0.3105 E-1 | 593 | 0.104 | 0.10 | 5.9 | 130 |
| 7 | 16 | 0.8887 E+1 | 0.3139 E-1 | 1002 | 0.124 | 0.12 | 7.1 | 130 |
| 6 | 8 | 0.7938 E+1 | 0.2996 E-1 | 1755 | 0.096 | 0.10 | 5.5 | 130 |
| 5 | 4 | 0.7470 E+1 | 0.2939 E-1 | 3230 | 0.050 | 0.05 | 2.9 | 130 |

Station No. 280

Date 1984/ 12/ 25

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.8966 E±0 | 0.5460 E-3 | 788 | -5.096 | 1.19 | 68.0 | 55 |
| 13 | 1024 | 0.1195 E+1 | 0.1384 E-2 | 983 | 0.613 | 0.61 | 35.1 | 100 |
| 12 | 512 | 0.1926 E+1 | 0.2980 E-2 | 1047 | 0.607 | 0.61 | 34.8 | 130 |
| 11 | 256 | 0.2168 E+1 | 0.5217 E-2 | 870 | 0.432 | 0.43 | 24.7 | 130 |
| 10 | 128 | 0.5026 E+1 | 0.1091 E-1 | 612 | 0.223 | 0.22 | 12.8 | 130 |
| 9 | 64 | 0.5023 E+1 | 0.1135 E-1 | 332 | 0.355 | 0.35 | 20.3 | 130 |
| 8 | 32 | 0.8521 E+1 | 0.2284 E-1 | 135 | 0.510 | 0.51 | 29.2 | 130 |
| 7 | 16 | 0.6836 E+1 | 0.2361 E-1 | 163 | 6.958 | 0.67 | 38.7 | 130 |
| 6 | 8 | 0.4564 E+1 | 0.2301 E-1 | 145 | 0.825 | 0.83 | 47.3 | 130 |
| 5 | 4 | 0.2834 E+1 | 0.2297 E-1 | 263 | 0.870 | 0.87 | 49.9 | 130 |

*** Measured Data List ***

Station No. 281

Date 1984/12/25 Tx Bipole No.2

| No. | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Corrected Phase Difference | | Current |
|-----|-----------|----------------|----------------|----------------------|------------------|----------------------------|-----------|---------|
| | f (Hz) | E (mV/km) | H (γ) | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.5870 E+0 | 0.4063 E-3 | 203 | 0.076 | 0.08 | 4.4 | 5.5 |
| 13 | 1024 | 0.2247 E+1 | 0.1437 E-2 | 478 | 0.556 | 0.56 | 32.0 | 10.0 |
| 12 | 512 | 0.3822 E+1 | 0.3126 E-2 | 584 | 0.499 | 0.50 | 28.6 | 13.0 |
| 11 | 256 | 0.4531 E+1 | 0.5293 E-2 | 572 | 0.370 | 0.37 | 21.2 | 13.0 |
| 10 | 128 | 0.1055 E+2 | 0.1127 E-1 | 1369 | 0.058 | 0.06 | 3.3 | 13.0 |
| 9 | 64 | 0.1177 E+2 | 0.1191 E-1 | 3050 | 0.117 | 0.12 | 6.7 | 13.0 |
| 8 | 32 | 0.2215 E+2 | 0.2405 E-1 | 5300 | 0.174 | 0.17 | 10.0 | 13.0 |
| 7 | 16 | 0.2052 E+2 | 0.2479 E-1 | 8560 | 0.461 | 0.18 | 10.2 | 13.0 |
| 6 | 8 | 0.1784 E+2 | 0.2385 E-1 | 13992 | 0.435 | 0.15 | 8.7 | 13.0 |
| 5 | 4 | 0.1641 E+2 | 0.2332 E-1 | 24773 | 0.354 | 0.07 | 4.0 | 13.0 |

Station No. 282

Date 1984/12/25 Tx Bipole No.2

| No. | Frequency | Electric Field | Magnetic Field | Apparent Resistivity | Phase Difference | Corrected Phase Difference | | Current |
|-----|-----------|----------------|----------------|----------------------|------------------|----------------------------|-----------|---------|
| | f (Hz) | E (mV/km) | H (γ) | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3753 E±0 | 0.2592 E-3 | 205 | 1.386 | 1.39 | 79.4 | 5.5 |
| 13 | 1024 | 0.1982 E+1 | 0.1407 E-2 | 388 | 0.608 | 0.61 | 34.9 | 10.0 |
| 12 | 512 | 0.3217 E+1 | 0.3036 E-2 | 438 | 0.592 | 0.59 | 33.9 | 13.0 |
| 11 | 256 | 0.3517 E+1 | 0.4995 E-2 | 387 | 0.514 | 0.51 | 29.4 | 13.0 |
| 10 | 128 | 0.7541 E+1 | 0.1072 E-1 | 774 | 0.260 | 0.26 | 14.9 | 13.0 |
| 9 | 64 | 0.7568 E+1 | 0.1142 E-1 | 1436 | 0.347 | 0.35 | 19.9 | 13.0 |
| 8 | 32 | 0.1336 E+2 | 0.2313 E-1 | 2086 | 0.463 | 0.46 | 26.5 | 13.0 |
| 7 | 16 | 0.1093 E+2 | 0.2367 E-1 | 2666 | 0.677 | 0.59 | 34.0 | 13.0 |
| 6 | 8 | 0.7475 E+1 | 0.2247 E-1 | 2766 | 0.718 | 0.72 | 41.2 | 13.0 |
| 5 | 4 | 0.4746 E+1 | 0.2202 E-1 | 2323 | 0.746 | 0.75 | 42.7 | 13.0 |

*** Measured Data List ***

Station No. 283

Date 1984/ 12/ 25

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.5258 E+0 | 0.2125 E-3 | 564 | -5.289 | 0.99 | 57.0 | 5.5 |
| 13 | 1024 | 0.2498 E+1 | 0.1359 E-2 | 660 | 0.612 | 0.61 | 35.1 | 10.0 |
| 12 | 512 | 0.4075 E+1 | 0.2935 E-2 | 752 | 0.577 | 0.58 | 33.1 | 13.0 |
| 11 | 256 | 0.4599 E+1 | 0.4825 E-2 | 709 | 0.507 | 0.51 | 29.1 | 13.0 |
| 10 | 128 | 0.9468 E+1 | 0.1035 E-1 | 1307 | 0.208 | 0.21 | 11.9 | 13.0 |
| 9 | 64 | 0.1022 E+2 | 0.1115 E-1 | 2625 | 0.249 | 0.25 | 14.3 | 13.0 |
| 8 | 32 | 0.1869 E+2 | 0.2275 E-1 | 4217 | 0.315 | 0.31 | 18.0 | 13.0 |
| 7 | 16 | 0.1619 E+2 | 0.2331 E-1 | 6030 | 0.360 | 0.36 | 20.6 | 13.0 |
| 6 | 8 | 0.1247 E+2 | 0.2196 E-1 | 8057 | 0.360 | 0.36 | 20.6 | 13.0 |
| 5 | 4 | 0.9906 E+1 | 0.2125 E-1 | 10861 | 0.270 | 0.27 | 15.5 | 13.0 |

Station No. 284

Date 1984/ 12/ 25

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.6006 E+0 | 0.2366 E-3 | 602 | 0.443 | 0.44 | 25.4 | 5.5 |
| 13 | 1024 | 0.2073 E+1 | 0.1106 E-2 | 686 | 0.560 | 0.56 | 32.1 | 10.0 |
| 12 | 512 | 0.3397 E+1 | 0.2323 E-2 | 835 | 0.528 | 0.53 | 30.2 | 13.0 |
| 11 | 256 | 0.3899 E+1 | 0.3698 E-2 | 868 | 0.516 | 0.52 | 29.6 | 13.0 |
| 10 | 128 | 0.7455 E+1 | 0.7762 E-2 | 1442 | 0.241 | 0.24 | 13.8 | 13.0 |
| 9 | 64 | 0.8237 E+1 | 0.8630 E-2 | 2846 | 0.267 | 0.27 | 15.5 | 13.0 |
| 8 | 32 | 0.1543 E+2 | 0.0608 E-1 | 4444 | 0.325 | 0.33 | 18.5 | 13.0 |
| 7 | 16 | 0.1340 E+2 | 0.1878 E-1 | 6359 | 0.374 | 0.37 | 21.4 | 13.0 |
| 6 | 8 | 0.1020 E+2 | 0.1771 E-1 | 8296 | 0.398 | 0.40 | 22.8 | 13.0 |
| 5 | 4 | 0.7841 E+1 | 0.1674 E-1 | 10971 | 0.313 | 0.31 | 17.9 | 13.0 |

*** Measured Data List ***

Station No. 285 Date 1984/ 12/ 25 Tx Bipole No. 2

Station No. 285

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3890 E±0 | 0.2046 E±0 | 356 | 0.717 | 0.72 | 41.1 | 5.5 |
| 13 | 1024 | 0.1168 E+1 | 0.1023 E-3 | 255 | 0.523 | 0.52 | 30.0 | 10.0 |
| 12 | 512 | 0.2006 E+1 | 0.2187 E-2 | 328 | 0.564 | 0.56 | 32.3 | 13.0 |
| 11 | 256 | 0.2224 E+1 | 0.3538 E-2 | 308 | 0.569 | 0.57 | 32.6 | 13.0 |
| 10 | 128 | 0.4306 E+1 | 0.7415 E-2 | 527 | 0.385 | 0.38 | 22.0 | 13.0 |
| 9 | 64 | 0.4359 E+1 | 0.8330 E-2 | 855 | 0.526 | 0.53 | 30.1 | 13.0 |
| 8 | 32 | 0.7646 E+1 | 0.1777 E-1 | 1156 | 0.666 | 0.67 | 38.2 | 13.0 |
| 7 | 16 | 0.6225 E+1 | 0.1866 E-1 | 1391 | 0.917 | 0.92 | 52.6 | 13.0 |
| 6 | 8 | 0.4278 E+1 | 0.1823 E-1 | 1377 | 1.266 | 1.27 | 72.6 | 13.0 |
| 5 | 4 | 0.2752 E+1 | 0.1749 E-1 | 1247 | 1.694 | -1.45 | -83.0 | 13.0 |

Station No. 286 Date 1984/ 12/ 24 Tx Bipole No. 2

Station No. 286

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.8605 E+1 | 0.3762 E-2 | 511 | -0.543 | -0.54 | -31.1 | 5.5 |
| 13 | 1024 | 0.1909 E+1 | 0.2417 E-2 | 121 | 0.586 | 0.59 | 33.6 | 10.0 |
| 12 | 512 | 0.2340 E+1 | 0.5322 E-2 | 75 | 0.514 | 0.51 | 29.5 | 13.0 |
| 11 | 256 | 0.3104 E+1 | 0.1010 E-1 | 74 | 0.062 | 0.06 | 3.5 | 13.0 |
| 10 | 128 | 0.8834 E+1 | 0.1985 E-1 | 309 | 6.190 | -0.09 | -5.3 | 13.0 |
| 9 | 64 | 0.8850 E+1 | 0.1840 E-1 | 722 | 0.080 | 0.08 | 4.6 | 13.0 |
| 8 | 32 | 0.1498 E+2 | 0.3382 E-1 | 1226 | 0.238 | 0.24 | 13.6 | 13.0 |
| 7 | 16 | 0.1244 E+2 | 0.3346 E-1 | 1727 | 0.355 | 0.35 | 20.3 | 13.0 |
| 6 | 8 | 0.9333 E+2 | 0.3178 E-1 | 2156 | 0.387 | 0.39 | 22.2 | 13.0 |
| 5 | 4 | 0.7312 E+1 | 0.3062 E-1 | 2838 | 0.305 | 0.31 | 17.5 | 13.0 |

*** Measured Data List ***

Station No. 287

Date 1984/12/24

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|--------------------------------|---|------------------|
| 14 | 2048 | 0.1123 E+2 | 0.3654 E-2 | 922 | -0.184 | -0.18 | 5.5 |
| 13 | 1024 | 0.6236 E+1 | 0.3591 E-2 | 589 | -5.792 | 0.49 | 10.0 |
| 12 | 512 | 0.8514 E+1 | 0.5974 E-2 | 582 | 0.574 | 0.57 | 13.0 |
| 11 | 256 | 0.9843 E+1 | 0.1301 E-1 | 447 | 0.267 | 0.27 | 13.0 |
| 10 | 128 | 0.2314 E+2 | 0.2471 E-1 | 1370 | 0.021 | 0.02 | 13.0 |
| 9 | 64 | 0.2199 E+2 | 0.2214 E-1 | 3083 | 0.102 | 0.10 | 13.0 |
| 8 | 32 | 0.3732 E+2 | 0.4031 E-1 | 5354 | 0.203 | 0.20 | 13.0 |
| 7 | 16 | 0.3184 E+2 | 0.3089 E-1 | 8146 | 0.266 | 0.27 | 13.0 |
| 6 | 8 | 0.2578 E+2 | 0.3765 E-1 | 11741 | 0.259 | 0.26 | 13.0 |
| 5 | 4 | 0.2204 E+2 | 0.3654 E-1 | 18242 | 0.174 | 0.17 | 13.0 |

Station No. 288

Date 1984/12/24

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|--------------------------------|---|------------------|
| 14 | 2048 | 0.6279 E+1 | 0.2911 E-2 | 454 | -0.144 | -0.14 | 5.5 |
| 13 | 1024 | 0.4848 E+1 | 0.3327 E-2 | 415 | 0.541 | 0.54 | 10.0 |
| 12 | 512 | 0.6760 E+1 | 0.6475 E-2 | 425 | 0.670 | 0.67 | 13.0 |
| 11 | 256 | 0.7298 E+1 | 0.1205 E-1 | 286 | 0.446 | 0.45 | 13.0 |
| 10 | 128 | 0.1487 E+2 | 0.2255 E-1 | 673 | 3.138 | 0.14 | 13.0 |
| 9 | 64 | 0.1361 E+2 | 0.2023 E-1 | 1414 | 0.135 | 0.14 | 13.0 |
| 8 | 32 | 0.2323 E+2 | 0.3669 E-1 | 2504 | 0.162 | 0.16 | 13.0 |
| 7 | 16 | 0.2083 E+2 | 0.3583 E-1 | 4224 | 0.165 | 0.17 | 13.0 |
| 6 | 8 | 0.1835 E+2 | 0.3459 E-1 | 7035 | 0.133 | 0.13 | 13.0 |
| 5 | 4 | 0.1694 E+2 | 0.3367 E-1 | 12560 | 0.063 | 0.06 | 13.0 |

*** Measured Data List ***

Station No. 289

Date 1984/ 12/ 24

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | Phase Difference PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1647 E+1 | 0.1226 E-2 | 176 | -0.071 | -0.07 | -4.1 | 55 |
| 13 | 1024 | 0.6479 E+1 | 0.3613 E-2 | 628 | 0.658 | 0.66 | 37.7 | 100 |
| 12 | 512 | 0.9491 E+1 | 0.7374 E-2 | 646 | 0.764 | 0.76 | 43.8 | 130 |
| 11 | 256 | 0.1029 E+2 | 0.1422 E-1 | 409 | 0.459 | 0.46 | 26.3 | 130 |
| 10 | 128 | 0.2013 E+2 | 0.2546 E-1 | 977 | 0.163 | 0.16 | 9.3 | 130 |
| 9 | 64 | 0.1747 E+2 | 0.2189 E-1 | 1990 | 0.149 | 0.15 | 8.5 | 130 |
| 8 | 32 | 0.2935 E+2 | 0.3906 E-1 | 3529 | 0.159 | 0.16 | 9.1 | 130 |
| 7 | 16 | 0.2659 E+2 | 0.3837 E-1 | 6003 | 0.144 | 0.14 | 8.3 | 130 |
| 6 | 8 | 0.2392 E+2 | 0.3688 E-1 | 10515 | 0.105 | 0.10 | 6.0 | 130 |
| 5 | 4 | 0.2255 E+2 | 0.3617 E-1 | 19424 | 0.211 | 0.21 | 12.1 | 130 |

Station No. 290

Date 1984/ 12/ 24

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | Phase Difference PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1925 E+2 | 0.3258 E-2 | 3408 | -0.227 | -0.23 | -13.0 | 55 |
| 13 | 1024 | 0.1003 E+2 | 0.3145 E-2 | 1985 | 0.412 | 0.41 | 23.6 | 100 |
| 12 | 512 | 0.1407 E+2 | 0.6128 E-2 | 2061 | 0.508 | 0.51 | 29.1 | 130 |
| 11 | 256 | 0.1782 E+2 | 0.1141 E-1 | 1903 | 0.147 | 0.15 | 8.4 | 130 |
| 10 | 128 | 0.4482 E+2 | 0.2223 E-1 | 6353 | 0.009 | 0.01 | 0.5 | 130 |
| 9 | 64 | 0.4196 E+2 | 0.2013 E-1 | 13575 | 0.130 | 0.13 | 7.5 | 130 |
| 8 | 32 | 0.6971 E+2 | 0.3661 E-1 | 22653 | 0.249 | 0.25 | 14.3 | 130 |
| 7 | 16 | 0.5759 E+2 | 0.3577 E-1 | 32397 | 0.328 | 0.33 | 18.8 | 130 |
| 6 | 8 | 0.4463 E+2 | 0.3411 E-1 | 42800 | 0.326 | 0.33 | 18.7 | 130 |
| 5 | 4 | 0.3665 E+2 | 0.3327 E-1 | 60686 | 0.237 | 0.24 | 13.6 | 130 |

*** Measured Data List ***

Station No. 291

Date 1984/ 12/26

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.3320 E±0 | 0.1219 E-3 | 724 | 0.564 | 0.56 | 323 | 5.5 |
| 13 | 1024 | 0.1640 E+1 | 0.4440 E-3 | 2667 | -5.828 | 0.45 | 261 | 10.0 |
| 12 | 512 | 0.2741 E+1 | 0.9238 E-3 | 3105 | 0.528 | 0.53 | 303 | 13.0 |
| 11 | 256 | 0.3442 E-1 | 0.1477 E-2 | 4244 | 0.610 | 0.61 | 349 | 13.0 |
| 10 | 128 | 0.4296 E-1 | 0.2789 E-2 | 3613 | 0.529 | 0.53 | 303 | 13.0 |
| 9 | 64 | 0.5020 E+1 | 0.3847 E-2 | 5320 | 0.360 | 0.36 | 206 | 13.0 |
| 8 | 32 | 0.1158 E+2 | 0.9802 E-2 | 8728 | 0.274 | 0.27 | 157 | 13.0 |
| 7 | 16 | 0.1161 E+2 | 0.1074 E-1 | 14596 | 0.238 | 0.24 | 136 | 13.0 |
| 6 | 8 | 0.9932 E+1 | 0.1012 E-1 | 24063 | 0.211 | 0.21 | 121 | 13.0 |
| 5 | 4 | 0.8573 E+1 | 0.9651 E-2 | 40400 | 0.131 | 0.13 | 75 | 13.0 |

Station No. 292

Date 1984/ 12/26

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.3341 E±0 | 0.1361 E-3 | 597 | 0.350 | 0.35 | 201 | 5.5 |
| 13 | 1024 | 0.1416 E+1 | 0.5554 E-3 | 1269 | -5.951 | 0.33 | 190 | 10.0 |
| 12 | 512 | 0.2442 E+1 | 0.1084 E-2 | 1983 | 0.428 | 0.43 | 245 | 13.0 |
| 11 | 256 | 0.3043 E+1 | 0.1664 E-2 | 2611 | 0.524 | 0.52 | 300 | 13.0 |
| 10 | 128 | 0.3764 E+1 | 0.2991 E-2 | 2474 | 0.523 | 0.52 | 300 | 13.0 |
| 9 | 64 | 0.4371 E+1 | 0.4158 E-2 | 3437 | 0.365 | 0.37 | 209 | 13.0 |
| 8 | 32 | 0.9927 E+1 | 0.1246 E-1 | 5625 | 0.287 | 0.29 | 165 | 13.0 |
| 7 | 16 | 0.9853 E+1 | 0.1135 E-1 | 9429 | 0.269 | 0.27 | 154 | 13.0 |
| 6 | 8 | 0.8271 E+1 | 0.1083 E-1 | 14585 | 0.266 | 0.27 | 152 | 13.0 |
| 5 | 4 | 0.6915 E+1 | 0.1076 E-1 | 20692 | 0.184 | 0.18 | 105 | 13.0 |

*** Measured Data List ***

Station No.293

Date 1984/12/26 Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) | |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------|-----------|------------------|-----|
| | | | | | PD(rad) | PD-C(deg) | | |
| 14 | 2048 | 0.1133 E±0 | 0.1234 E-3 | 87 | 0.355 | 0.36 | 20.3 | 55 |
| 13 | 1024 | 0.4606 E±0 | 0.5264 E-3 | 150 | 0.422 | 0.42 | 24.2 | 100 |
| 12 | 512 | 0.7828 E±0 | 0.1081 E-2 | 205 | 0.524 | 0.52 | 30.0 | 130 |
| 11 | 256 | 0.6786 E-2 | 0.1225 E-4 | 240 | 2.644 | -0.50 | -28.5 | 130 |
| 10 | 128 | 0.1247 E+1 | 0.3501 E-2 | 198 | 0.569 | 0.57 | 32.6 | 130 |
| 9 | 64 | 0.1456 E+1 | 0.4817 E-2 | 286 | 0.400 | 0.40 | 22.9 | 130 |
| 8 | 32 | 0.3142 E+1 | 0.1181 E-1 | 442 | 0.337 | 0.34 | 19.3 | 130 |
| 7 | 16 | 0.3063 E+1 | 0.1289 E-1 | 706 | 0.323 | 0.32 | 18.5 | 130 |
| 6 | 8 | 0.2494 E+1 | 0.1228 E-1 | 1031 | 0.321 | 0.32 | 18.4 | 130 |
| 5 | 4 | 0.2019 E+1 | 0.1169 E-1 | 1492 | 0.229 | 0.23 | 13.1 | 130 |

Station No.294

Date 1984/12/26 Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) | |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------|-----------|------------------|-----|
| | | | | | PD(rad) | PD-C(deg) | | |
| 14 | 2048 | 0.1124 E±0 | 0.1122 E-3 | 104 | 0.590 | 0.59 | 33.8 | 5.5 |
| 13 | 1024 | 0.2465 E±0 | 0.4496 E-3 | 59 | -5738 | 0.55 | 31.3 | 100 |
| 12 | 512 | 0.4299 E±0 | 0.9973 E-3 | 74 | 0.629 | 0.63 | 36.1 | 130 |
| 11 | 256 | 0.5459 E±0 | 0.1709 E-2 | 80 | 0.714 | 0.71 | 40.9 | 130 |
| 10 | 128 | 0.7061 E±0 | 0.3555 E-2 | 62 | 0.610 | 0.61 | 35.0 | 130 |
| 9 | 64 | 0.8171 E±0 | 0.4785 E-2 | 91 | 0.408 | 0.41 | 23.4 | 130 |
| 8 | 32 | 0.1866 E+1 | 0.1176 E-1 | 157 | 0.367 | 0.37 | 21.0 | 130 |
| 7 | 16 | 0.1803 E+1 | 0.1273 E-1 | 251 | 0.455 | 0.45 | 26.1 | 130 |
| 6 | 8 | 0.1366 E+1 | 0.1209 E-1 | 319 | 0.591 | 0.59 | 33.8 | 130 |
| 5 | 4 | 0.9271 E±0 | 0.1158 E-1 | 311 | 0.650 | 0.65 | 37.2 | 130 |

*** Measured Data List ***

Station No. 295 Date 1984/ 12/ 27 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (rad) | Corrected Phase Difference PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------------------|---|---|------------------|
| 14 | 2048 | 0.3126 E±0 | 0.1202 E-3 | 667 | 0.718 | 0.72 | 41.1 | 5.5 |
| 13 | 1024 | 0.1259 E+1 | 0.5846 E-3 | 907 | 0.467 | 0.47 | 26.7 | 10.0 |
| 12 | 512 | 0.2291 E+1 | 0.1408 E-2 | 1034 | 6.817 | 0.53 | 30.6 | 13.0 |
| 11 | 256 | 0.2860 E+1 | 0.2473 E-2 | 1045 | 0.537 | 0.54 | 30.8 | 13.0 |
| 10 | 128 | 0.5333 E+1 | 0.5308 E-2 | 1577 | 6.535 | 0.25 | 14.4 | 13.0 |
| 9 | 64 | 0.6553 E+1 | 0.6613 E-2 | 3068 | 0.266 | 0.27 | 15.2 | 13.0 |
| 8 | 32 | 0.1329 E+2 | 0.1501 E-1 | 4896 | 0.319 | 0.32 | 18.3 | 13.0 |
| 7 | 16 | 0.1230 E+2 | 0.1620 E-1 | 7200 | 0.379 | 0.38 | 21.7 | 13.0 |
| 6 | 8 | 0.9516 E+1 | 0.1654 E-1 | 9253 | 0.419 | 0.42 | 24.0 | 13.0 |
| 5 | 4 | 0.7244 E+1 | 0.1493 E-1 | 11770 | 0.345 | 0.35 | 19.8 | 13.0 |

Station No. 296 Date 1984/ 12/ 27 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (rad) | Corrected Phase Difference PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------------------|---|---|------------------|
| 14 | 2048 | 0.2967 E±0 | 0.1029 E-3 | 825 | 0.421 | 0.42 | 24.1 | 5.5 |
| 13 | 1024 | 0.1495 E+1 | 0.6295 E-3 | 1102 | 0.415 | 0.41 | 23.8 | 10.0 |
| 12 | 512 | 0.2759 E+1 | 0.1486 E-2 | 1345 | 6.782 | 0.50 | 28.6 | 13.0 |
| 11 | 256 | 0.3508 E+1 | 0.2605 E-2 | 1386 | 0.515 | 0.51 | 29.5 | 13.0 |
| 10 | 128 | 0.6508 E+1 | 0.5622 E-2 | 2074 | 6.523 | 0.24 | 13.7 | 13.0 |
| 9 | 64 | 0.8050 E+1 | 0.6997 E-2 | 4137 | 0.255 | 0.26 | 14.6 | 13.0 |
| 8 | 32 | 0.1627 E+2 | 0.1584 E-1 | 6595 | 0.296 | 0.30 | 17.0 | 13.0 |
| 7 | 16 | 0.1503 E+2 | 0.1697 E-1 | 9303 | 0.336 | 0.34 | 19.3 | 13.0 |
| 6 | 8 | 0.1184 E+2 | 0.1603 E-1 | 13634 | 0.352 | 0.35 | 20.1 | 13.0 |
| 5 | 4 | 0.9433 E+1 | 0.1551 E-1 | 18504 | 0.277 | 0.28 | 15.9 | 13.0 |

*** Measured Data List ***

Station No. 297

Date 1984/ 12/ 27

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|----------------------------------|----------------------------------|------------------|
| | | | | | | Phase Difference PD-C(rad) | Phase Difference PD-C(deg) | |
| 14 | 2048 | 0.3246 E+0 | 0.1300 E-3 | 638 | -5988 | 0.30 | 169 | 55 |
| 13 | 1024 | 0.1508 E+1 | 0.7444 E-3 | 804 | 0.367 | 0.37 | 210 | 100 |
| 12 | 512 | 0.2680 E+1 | 0.1642 E-2 | 1041 | 0.453 | 0.45 | 259 | 130 |
| 11 | 256 | 0.3435 E+1 | 0.2779 E-2 | 1193 | 0.487 | 0.49 | 279 | 130 |
| 10 | 128 | 0.6058 E+1 | 0.5887 E-2 | 1655 | 0.266 | 0.27 | 152 | 130 |
| 9 | 64 | 0.7591 E+1 | 0.7528 E-2 | 3179 | 0.258 | 0.26 | 148 | 130 |
| 8 | 32 | 0.1552 E+2 | 0.1719 E-1 | 5080 | 0.286 | 0.29 | 164 | 130 |
| 7 | 16 | 0.1426 E+2 | 0.1809 E-1 | 7767 | 6.585 | 0.30 | 173 | 130 |
| 6 | 8 | 0.1140 E+2 | 0.1716 E-1 | 11030 | 6.580 | 0.30 | 170 | 130 |
| 5 | 4 | 0.9249 E+1 | 0.1630 E-1 | 16108 | 6.516 | 0.23 | 134 | 130 |

Station No. 298

Date 1984/ 12/ 27

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|----------------------------------|----------------------------------|------------------|
| | | | | | | Phase Difference PD-C(rad) | Phase Difference PD-C(deg) | |
| 14 | 2048 | 0.9996 E+0 | 0.1251 E-3 | 50 | 0.721 | 0.72 | 413 | 55 |
| 13 | 1024 | 0.4017 E+1 | 0.6567 E-3 | 129 | 0.605 | 0.61 | 347 | 100 |
| 12 | 512 | 0.7017 E+1 | 0.1600 E-2 | 239 | 0.624 | 0.62 | 357 | 130 |
| 11 | 256 | 0.8748 E+1 | 0.2832 E-2 | 411 | 0.593 | 0.59 | 340 | 130 |
| 10 | 128 | 0.1598 E+2 | 0.6112 E-2 | 526 | 6.583 | 0.30 | 172 | 130 |
| 9 | 64 | 0.1872 E+2 | 0.7408 E-2 | 804 | 0.306 | 0.31 | 175 | 130 |
| 8 | 32 | 0.3652 E+2 | 0.1667 E-1 | 1510 | 0.335 | 0.34 | 192 | 130 |
| 7 | 16 | 0.3313 E+2 | 0.1782 E-1 | 2736 | 0.342 | 0.34 | 196 | 130 |
| 6 | 8 | 0.2708 E+2 | 0.1734 E-1 | 4672 | 0.306 | 0.31 | 175 | 130 |
| 5 | 4 | 0.2262 E+2 | 0.1677 E-1 | 7854 | 0.206 | 0.21 | 118 | 130 |

*** Measured Data List ***

Station No. 299 Date 1984/ 12/26 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|-----------|------------------|
| 14 | 2048 | 0.1084 E±0 | 0.1526 E-3 | 50 | 0.317 | 0.32 | 18.2 | 5.5 |
| 13 | 1024 | 0.3489 E±0 | 0.4292 E-3 | 129 | 0.132 | 0.13 | 7.5 | 10.0 |
| 12 | 512 | 0.7140 E±0 | 0.9128 E-3 | 239 | 6.467 | 0.18 | 10.5 | 13.0 |
| 11 | 256 | 0.1033 E+1 | 0.1425 E-2 | 411 | 0.256 | 0.26 | 14.6 | 13.0 |
| 10 | 128 | 0.1343 E+1 | 0.2314 E-2 | 526 | 0.332 | 0.33 | 19.0 | 13.0 |
| 9 | 64 | 0.1692 E+1 | 0.3335 E-2 | 804 | 0.205 | 0.20 | 11.7 | 13.0 |
| 8 | 32 | 0.4381 E+1 | 0.8911 E-2 | 1510 | 0.154 | 0.15 | 8.8 | 13.0 |
| 7 | 16 | 0.4672 E+1 | 0.9985 E-2 | 2736 | 0.158 | 0.16 | 9.1 | 13.0 |
| 6 | 8 | 0.4068 E+1 | 0.9410 E-2 | 4672 | 0.152 | 0.15 | 8.7 | 13.0 |
| 5 | 4 | 0.3524 E+1 | 0.8891 E-2 | 7854 | 0.114 | 0.11 | 6.5 | 13.0 |

Station No. 300 Date 1984/ 12/26 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|-----------|------------------|
| 14 | 2048 | 0.1511 E±0 | 0.1151 E-3 | 171 | 0.439 | 0.44 | 25.1 | 5.5 |
| 13 | 1024 | 0.4470 E±0 | 0.3425 E-3 | 333 | 0.357 | 0.36 | 20.5 | 10.0 |
| 12 | 512 | 0.8819 E±0 | 0.7466 E-3 | 545 | 0.375 | 0.37 | 21.5 | 13.0 |
| 11 | 256 | 0.1202 E+1 | 0.1207 E-2 | 774 | 0.474 | 0.47 | 27.2 | 13.0 |
| 10 | 128 | 0.1511 E+1 | 0.2145 E-2 | 776 | 0.513 | 0.51 | 29.4 | 13.0 |
| 9 | 64 | 0.1818 E+1 | 0.3100 E-2 | 1074 | 0.311 | 0.31 | 17.8 | 13.0 |
| 8 | 32 | 0.4553 E+1 | 0.8188 E-2 | 1932 | 0.242 | 0.24 | 13.9 | 13.0 |
| 7 | 16 | 0.4769 E+1 | 0.9363 E-2 | 3244 | 0.243 | 0.24 | 13.9 | 13.0 |
| 6 | 8 | 0.4025 E+1 | 0.8985 E-2 | 5018 | 0.246 | 0.25 | 14.1 | 13.0 |
| 5 | 4 | 0.3342 E+1 | 0.6177 E-2 | 7808 | 0.160 | 0.16 | 9.1 | 13.0 |

*** Measured Data List ***

Station No. 301

Date 1984/12/27

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (rad) | Corrected Phase Difference PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|---|---|------------------|
| 14 | 2048 | 0.1002 E+1 | 0.2186 E-3 | 2128 | -2185 | 0.96 | 548 | 5.5 |
| 13 | 1024 | 0.2929 E+1 | 0.7341 E-3 | 3112 | -2491 | 0.65 | 373 | 10.0 |
| 12 | 512 | 0.4907 E+1 | 0.1565 E-2 | 3839 | 3947 | 0.81 | 46.1 | 13.0 |
| 11 | 256 | 0.4962 E+1 | 0.2645 E-2 | 2750 | 3806 | 0.66 | 38.1 | 13.0 |
| 10 | 128 | 0.1099 E+2 | 0.5015 E-2 | 7505 | 4064 | 0.92 | 52.8 | 13.0 |
| 9 | 64 | 0.1053 E+2 | 0.4996 E-2 | 14590 | 4615 | 1.47 | 84.4 | 13.0 |
| 8 | 32 | 0.2365 E+2 | 0.1047 E-1 | 31910 | -1197 | -1.20 | -68.6 | 13.0 |
| 7 | 16 | 0.3023 E+2 | 0.1084 E-1 | 97303 | -0.853 | -0.85 | -48.9 | 13.0 |
| 6 | 8 | 0.3539 E+2 | 0.1030 E-1 | 295167 | -0.527 | -0.53 | -30.2 | 13.0 |
| 5 | 4 | 0.3874 E+2 | 0.9945 E-2 | 758050 | -0.362 | -0.36 | -20.7 | 13.0 |

Station No. 302

Date 1984/12/27

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (rad) | Corrected Phase Difference PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|---|---|------------------|
| 14 | 2048 | 0.7825 E+0 | 0.2249 E-3 | 1160 | 0.505 | 0.51 | 28.9 | 5.5 |
| 13 | 1024 | 0.3405 E+1 | 0.1151 E-2 | 1710 | 0.329 | 0.33 | 18.9 | 10.0 |
| 12 | 512 | 0.6232 E+1 | 0.2472 E-2 | 2536 | 6.652 | 0.37 | 21.1 | 13.0 |
| 11 | 256 | 0.7529 E+1 | 0.4026 E-2 | 2732 | 0.339 | 0.34 | 19.4 | 13.0 |
| 10 | 128 | 0.1663 E+2 | 0.8508 E-2 | 5968 | 6.380 | 0.10 | 5.5 | 13.0 |
| 9 | 64 | 0.1848 E+2 | 0.9305 E-2 | 12326 | 0.182 | 0.18 | 10.4 | 13.0 |
| 8 | 32 | 0.3452 E+2 | 0.1936 E-1 | 19865 | 0.263 | 0.26 | 15.1 | 13.0 |
| 7 | 16 | 0.3037 E+2 | 0.1989 E-1 | 29143 | 0.303 | 0.30 | 17.4 | 13.0 |
| 6 | 8 | 0.2447 E+2 | 0.1914 E-1 | 40857 | 0.291 | 0.29 | 16.7 | 13.0 |
| 5 | 4 | 0.1958 E+2 | 0.1785 E-1 | 60280 | 0.195 | 0.19 | 11.2 | 13.0 |

*** Measured Data List ***

Date 1985/ 1 /12 Tx Bipole No. 2

Station No. 303

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4328 E+1 | 0.1837 E-2 | 542 | -0.052 | -0.05 | -30 | 55 |
| 13 | 1024 | 0.1496 E+1 | 0.1036 E-2 | 408 | 0.542 | 0.54 | 31.1 | 100 |
| 12 | 512 | 0.2515 E+1 | 0.2246 E-2 | 479 | 6.730 | 0.45 | 25.6 | 130 |
| 11 | 256 | 0.3255 E+1 | 0.3695 E-2 | 606 | 0.371 | 0.37 | 21.3 | 130 |
| 10 | 128 | 0.6770 E+1 | 0.7961 E-2 | 1130 | 3.265 | 0.12 | 7.1 | 130 |
| 9 | 64 | 0.8109 E+1 | 0.9210 E-2 | 2422 | 3.274 | 0.13 | 7.6 | 130 |
| 8 | 32 | 0.1619 E+2 | 0.1974 E-2 | 4200 | 3.348 | 0.21 | 11.8 | 130 |
| 7 | 16 | 0.1498 E+2 | 0.2053 E-2 | 6556 | 3.396 | 0.25 | 14.6 | 130 |
| 6 | 8 | 0.1199 E+2 | 0.1914 E-2 | 9810 | 3.410 | 0.27 | 15.4 | 130 |
| 5 | 4 | 0.9743 E+1 | 0.1792 E-1 | 14774 | 3.344 | 0.20 | 11.6 | 130 |

I

Date 1985/ 1 /12 Tx Bipole No. 2

Station No. 304

| No. | Frequency f (Hz) | Electric Field E(mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2279 E+1 | 0.7161 E-3 | 990 | 1.370 | 1.37 | 78.5 | 55 |
| 13 | 1024 | 0.1555 E+1 | 0.1083 E-2 | 403 | 0.431 | 0.43 | 24.7 | 100 |
| 12 | 512 | 0.3302 E+1 | 0.2413 E-2 | 731 | 6.659 | 0.38 | 21.5 | 130 |
| 11 | 256 | 0.4177 E+1 | 0.3907 E-2 | 893 | 0.378 | 0.38 | 21.6 | 130 |
| 10 | 128 | 0.8391 E+1 | 0.8314 E-2 | 1592 | 5.406 | 0.12 | 7.1 | 130 |
| 9 | 64 | 0.9804 E+1 | 0.9435 E-2 | 3374 | 0.146 | 0.15 | 8.3 | 130 |
| 8 | 32 | 0.1943 E+2 | 0.1987 E-1 | 5980 | 0.191 | 0.19 | 11.0 | 130 |
| 7 | 16 | 0.1761 E+2 | 0.2024 E-1 | 9744 | 0.227 | 0.23 | 13.0 | 130 |
| 6 | 8 | 0.1446 E+2 | 0.1879 E-1 | 14802 | 0.244 | 0.24 | 14.0 | 130 |
| 5 | 4 | 0.1174 E+2 | 0.1751 E-1 | 22480 | 0.178 | 0.18 | 10.2 | 130 |

*** Measured Data List ***

Station No. 305 Date 1985/ 1 / 12 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.2382 E+1 | 0.5655 E-3 | 1733 | 0.686 | 0.69 | 39.3 | 5.5 |
| 13 | 1024 | 0.1669 E+1 | 0.1150 E-2 | 411 | 0.375 | 0.38 | 21.5 | 10.0 |
| 12 | 512 | 0.3061 E+1 | 0.2571 E-2 | 554 | 0.393 | 0.39 | 22.5 | 13.0 |
| 11 | 256 | 0.3837 E+1 | 0.4106 E-2 | 682 | 0.398 | 0.40 | 22.8 | 13.0 |
| 10 | 128 | 0.7552 E+1 | 0.9657 E-2 | 1201 | 6.443 | 0.16 | 9.1 | 13.0 |
| 9 | 64 | 0.8691 E+1 | 0.9657 E-2 | 2530 | -0.163 | -0.16 | -9.3 | 13.0 |
| 8 | 32 | 0.1677 E+2 | 0.2006 E-1 | 4368 | 0.213 | 0.21 | 12.2 | 13.0 |
| 7 | 16 | 0.1534 E+2 | 0.2046 E-1 | 7025 | 0.257 | 0.26 | 14.7 | 13.0 |
| 6 | 8 | 0.1214 E+2 | 0.1883 E-1 | 10380 | 0.272 | 0.27 | 15.6 | 13.0 |
| 5 | 4 | 0.9827 E+1 | 0.1779 E-1 | 15256 | 0.209 | 0.21 | 12.0 | 13.0 |

Station No. 306 Date 1985/ 1 / 12 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.7407 E±0 | 0.4480 E-3 | 267 | 0.447 | 0.45 | 25.6 | 5.5 |
| 13 | 1024 | 0.1008 E+1 | 0.1013 E-2 | 193 | 0.528 | 0.53 | 30.2 | 10.0 |
| 12 | 512 | 0.1927 E+1 | 0.2330 E-2 | 260 | 0.462 | 0.46 | 26.4 | 13.0 |
| 11 | 256 | 0.2312 E+1 | 0.3780 E-2 | 292 | 0.468 | 0.47 | 26.8 | 13.0 |
| 10 | 128 | 0.4321 E+1 | 0.7981 E-2 | 458 | 6.470 | 0.19 | 10.7 | 13.0 |
| 9 | 64 | 0.4976 E+1 | 0.8990 E-2 | 957 | -0.175 | -0.18 | -10.0 | 13.0 |
| 8 | 32 | 0.9712 E+1 | 0.1883 E-1 | 1663 | 0.218 | 0.22 | 12.5 | 13.0 |
| 7 | 16 | 0.8839 E+1 | 0.1893 E-1 | 2727 | 0.253 | 0.25 | 14.5 | 13.0 |
| 6 | 8 | 0.7083 E+1 | 0.1772 E-1 | 3993 | 0.263 | 0.26 | 15.1 | 13.0 |
| 5 | 4 | 0.5737 E+1 | 0.1643 E-1 | 6099 | 0.202 | 0.20 | 11.6 | 13.0 |

*** Measured Data List ***

Station No. 307

Date 1985/ 1 / 7 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1104 E±0 | 0.1201 E-3 | 83 | 0.291 | 0.29 | 16.7 | 5.5 |
| 13 | 1024 | 0.4463 E±0 | 0.4296 E-3 | 218 | 0.125 | 0.12 | 7.2 | 10.0 |
| 12 | 512 | 0.9729 E±0 | 0.3997 E-2 | 366 | 6.493 | 0.21 | 12.0 | 13.0 |
| 11 | 256 | 0.1444 E+1 | 0.1657 E-2 | 593 | 0.309 | 0.31 | 17.7 | 13.0 |
| 10 | 128 | 0.2116 E+1 | 0.3084 E-2 | 719 | 6.480 | 0.20 | 11.3 | 13.0 |
| 9 | 64 | 0.3058 E+1 | 0.4209 E-2 | 1640 | 0.119 | 0.12 | 6.8 | 13.0 |
| 8 | 32 | 0.7319 E+1 | 0.1036 E-1 | 3118 | 0.173 | 0.17 | 9.9 | 13.0 |
| 7 | 16 | 0.7215 E+1 | 0.1115 E-1 | 5237 | 0.235 | 0.24 | 13.5 | 13.0 |
| 6 | 8 | 0.5764 E+1 | 0.1034 E-1 | 7769 | 0.289 | 0.29 | 16.6 | 13.0 |
| 5 | 4 | 0.4409 E+1 | 0.9017 E-2 | 11109 | 0.282 | 0.28 | 16.1 | 13.0 |

Station No. 308

Date 1985/ 1 / 7 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1628 E±0 | 0.1514 E-3 | 113 | 0.198 | 0.20 | 11.3 | 5.5 |
| 13 | 1024 | 0.5934 E±0 | 0.5776 E-3 | 207 | 0.331 | 0.33 | 18.9 | 10.0 |
| 12 | 512 | 0.1021 E+1 | 0.1183 E-2 | 291 | 0.431 | 0.43 | 24.7 | 13.0 |
| 11 | 256 | 0.1185 E+1 | 0.1860 E-2 | 317 | 0.551 | 0.55 | 31.6 | 13.0 |
| 10 | 128 | 0.1753 E+1 | 0.3667 E-2 | 357 | 0.288 | 0.29 | 16.5 | 13.0 |
| 9 | 64 | 0.2284 E+1 | 0.4588 E-2 | 775 | 0.241 | 0.24 | 13.8 | 13.0 |
| 8 | 32 | 0.4907 E+1 | 0.1056 E-1 | 1352 | 0.311 | 0.31 | 17.8 | 13.0 |
| 7 | 16 | 0.4540 E+1 | 0.1104 E-1 | 2093 | 0.432 | 0.43 | 24.8 | 13.0 |
| 6 | 8 | 0.3325 E+1 | 0.1044 E-1 | 2537 | 0.571 | 0.57 | 32.7 | 13.0 |
| 5 | 4 | 0.2219 E+1 | 0.9864 E-2 | 2533 | 0.593 | 0.59 | 34.0 | 13.0 |

*** Measured Data List ***

Station No. 309

Date 1985/ 1 / 7

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C (rad) | PD-C(deg) | |
| 14 | 2048 | 0.1881 E+0 | 0.1612 E-3 | 133 | 0.351 | 0.35 | 20.1 | 5.5 |
| 13 | 1024 | 0.5377 E+0 | 0.5541 E-3 | 184 | 0.517 | 0.52 | 29.6 | 10.0 |
| 12 | 512 | 0.8358 E+0 | 0.1145 E-2 | 218 | 0.629 | 0.63 | 36.0 | 13.0 |
| 11 | 256 | 0.8723 E+0 | 0.1799 E-2 | 183 | 0.731 | 0.73 | 41.9 | 13.0 |
| 10 | 128 | 0.1290 E+1 | 0.3583 E-2 | 202 | 0.411 | 0.41 | 23.6 | 13.0 |
| 9 | 64 | 0.1514 E+1 | 0.4122 E-2 | 422 | 0.389 | 0.39 | 22.3 | 13.0 |
| 8 | 32 | 0.3090 E+1 | 0.9356 E-2 | 682 | 0.530 | 0.53 | 30.3 | 13.0 |
| 7 | 16 | 0.2773 E+1 | 0.9737 E-2 | 1014 | 0.799 | 0.80 | 45.8 | 13.0 |
| 6 | 8 | 0.1990 E+1 | 0.8959 E-2 | 1234 | 1.220 | 1.22 | 69.9 | 13.0 |
| 5 | 4 | 0.1444 E+1 | 0.8498 E-2 | 1450 | 1.755 | -1.39 | -7.95 | 13.0 |

Station No. 310

Date 1985/ 1 / 7

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C (rad) | PD-C(deg) | |
| 14 | 2048 | 0.4245 E+0 | 0.1802 E-3 | 546 | 0.498 | 0.50 | 28.6 | 5.5 |
| 13 | 1024 | 0.8927 E+0 | 0.6401 E-3 | 380 | 0.673 | 0.67 | 38.5 | 10.0 |
| 12 | 512 | 0.1350 E+1 | 0.1345 E-2 | 394 | 0.772 | 0.77 | 44.2 | 13.0 |
| 11 | 256 | 0.1301 E+1 | 0.2172 E-2 | 281 | 0.899 | 0.90 | 51.5 | 13.0 |
| 10 | 128 | 0.2131 E+1 | 0.4340 E-2 | 377 | 0.692 | 0.69 | 39.6 | 13.0 |
| 9 | 64 | 0.2128 E+1 | 0.4920 E-2 | 585 | 0.883 | 0.88 | 50.6 | 13.0 |
| 8 | 32 | 0.4357 E+1 | 0.1088 E-1 | 1003 | 1.206 | 1.21 | 69.1 | 13.0 |
| 7 | 16 | 0.4951 E+1 | 0.1140 E-1 | 2357 | 1.674 | -1.47 | -8.41 | 13.0 |
| 6 | 8 | 0.5520 E+1 | 0.1076 E-1 | 6585 | 2.172 | -0.97 | -5.56 | 13.0 |
| 5 | 4 | 0.6131 E+1 | 0.1023 E-1 | 17951 | 2.496 | -0.65 | -3.70 | 13.0 |

*** Measured Data List ***

Station No. 311

Date 1984/12/28

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3145 E±0 | 0.9655 E-3 | 161 | 0.789 | 0.79 | 452 | 5.5 |
| 13 | 1024 | 0.1818 E+1 | 0.1151 E-2 | 481 | 0.311 | 0.31 | 178 | 10.0 |
| 12 | 512 | 0.3265 E+1 | 0.2311 E-2 | 780 | 0.355 | 0.35 | 203 | 13.0 |
| 11 | 256 | 0.3753 E+1 | 0.3604 E-2 | 847 | 0.366 | 0.37 | 210 | 13.0 |
| 10 | 128 | 0.7591 E+1 | 0.7289 E-2 | 1694 | 0.146 | 0.15 | 83 | 13.0 |
| 9 | 64 | 0.8352 E+1 | 0.7966 E-2 | 3413 | 0.245 | 0.24 | 140 | 13.0 |
| 8 | 32 | 0.1565 E+2 | 0.1698 E-1 | 5311 | 0.356 | 0.36 | 204 | 13.0 |
| 7 | 16 | 0.1322 E+2 | 0.1735 E-1 | 7254 | 6746 | 0.46 | 265 | 13.0 |
| 6 | 8 | 0.9587 E+1 | 0.1671 E-1 | 8251 | 0.537 | 0.54 | 30.8 | 13.0 |
| 5 | 4 | 0.6694 E+1 | 0.1559 E-1 | 9221 | 0.500 | 0.50 | 38.7 | 13.0 |

Station No. 312

Date 1984/12/28

Tx Bipole No.2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1973 E±0 | 0.5571 E-3 | 12 | -0.199 | -0.20 | -114 | 5.5 |
| 13 | 1024 | 0.7762 E±0 | 0.9252 E-3 | 138 | 0.261 | 0.26 | 149 | 10.0 |
| 12 | 512 | 0.1436 E+1 | 0.1824 E-2 | 242 | 0.302 | 0.30 | 173 | 13.0 |
| 11 | 256 | 0.1685 E+1 | 0.2314 E-2 | 256 | 0.294 | 0.29 | 169 | 13.0 |
| 10 | 128 | 0.3570 E+1 | 0.5525 E-2 | 652 | 0.009 | 0.01 | 0.5 | 13.0 |
| 9 | 64 | 0.4010 E+1 | 0.5594 E-2 | 1550 | 0.165 | 0.16 | 94 | 13.0 |
| 8 | 32 | 0.7512 E+1 | 0.1185 E-1 | 2513 | 0.329 | 0.33 | 188 | 13.0 |
| 7 | 16 | 0.6408 E+1 | 0.1226 E-1 | 3416 | 6744 | 0.46 | 264 | 13.0 |
| 6 | 8 | 0.4549 E+1 | 0.1152 E-1 | 3896 | 0.548 | 0.55 | 314 | 13.0 |
| 5 | 4 | 0.3166 E+1 | 0.5316 E-1 | 4031 | 0.538 | 0.54 | 30.8 | 13.0 |

*** Measured Data List ***

Station No. 313

Date 1984/12/28

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|--|------------------|
| 14 | 2048 | 0.9244 E±0 | 0.5980 E-2 | 32 | -0.494 | -0.49 | -283 | 5.5 |
| 13 | 1024 | 0.8721 E±0 | 0.1499 E-2 | 66 | 0.063 | 0.06 | 3.6 | 10.0 |
| 12 | 512 | 0.1709 E+1 | 0.2886 E-2 | 140 | 0.078 | 0.08 | 4.5 | 13.0 |
| 11 | 256 | 0.2227 E+1 | 0.4419 E-2 | 198 | 0.055 | 0.05 | 3.1 | 13.0 |
| 10 | 128 | 0.5332 E+1 | 0.8931 E-2 | 557 | -0.119 | -0.12 | -68 | 13.0 |
| 9 | 64 | 0.6428 E+1 | 0.9950 E-2 | 1304 | -0.005 | -0.01 | -0.3 | 13.0 |
| 8 | 32 | 0.1272 E+2 | 0.2035 E-1 | 2443 | 0.080 | 0.08 | 4.6 | 13.0 |
| 7 | 16 | 0.1170 E+2 | 0.2007 E-1 | 4247 | 0.127 | 0.13 | 7.3 | 13.0 |
| 6 | 8 | 0.9949 E+1 | 0.1881 E-1 | 6997 | 0.147 | 0.15 | 8.4 | 13.0 |
| 5 | 4 | 0.8713 E+1 | 0.1757 E-1 | 12300 | 0.086 | 0.09 | 4.9 | 13.0 |

Station No. 314

Date 1984/12/29

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|--|------------------|
| 14 | 2048 | 0.1743 E±0 | 0.1324 E-3 | 156 | 0.280 | 0.28 | 16.0 | 5.5 |
| 13 | 1024 | 0.5601 E±0 | 0.4961 E-3 | 249 | 0.418 | 0.42 | 24.0 | 10.0 |
| 12 | 512 | 0.9868 E±0 | 0.1069 E-2 | 333 | 0.471 | 0.47 | 27.0 | 13.0 |
| 11 | 256 | 0.1283 E+1 | 0.1758 E-2 | 399 | 0.549 | 0.55 | 31.5 | 13.0 |
| 10 | 128 | 0.1713 E+1 | 0.3439 E-2 | 388 | 0.447 | 0.45 | 25.6 | 13.0 |
| 9 | 64 | 0.2171 E+1 | 0.4588 E-2 | 700 | 0.257 | 0.26 | 14.8 | 13.0 |
| 8 | 32 | 0.5064 E+1 | 0.1125 E-1 | 1266 | 0.248 | 0.25 | 14.2 | 13.0 |
| 7 | 16 | 0.4983 E+1 | 0.1218 E-1 | 2092 | 0.294 | 0.29 | 16.8 | 13.0 |
| 6 | 8 | 0.3962 E+1 | 0.1149 E-1 | 2971 | 0.342 | 0.34 | 19.6 | 13.0 |
| 5 | 4 | 0.3050 E+1 | 0.1352 E-1 | 4200 | 0.291 | 0.29 | 16.6 | 13.0 |

*** Measured Data List ***

Date 1984/12/29 Tx Bipole No. 2

Station No. 315

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3814 E±0 | 0.1509 E-3 | 716 | 0.334 | 0.33 | 19.2 | 5.5 |
| 13 | 1024 | 0.1274 E+1 | 0.4579 E-3 | 1514 | 0.449 | 0.45 | 25.7 | 10.0 |
| 12 | 512 | 0.2089 E+1 | 0.9435 E-3 | 1898 | 0.527 | 0.53 | 30.2 | 13.0 |
| 11 | 256 | 0.2575 E+1 | 0.1557 E-2 | 2138 | 0.569 | 0.57 | 32.6 | 13.0 |
| 10 | 128 | 0.3234 E+1 | 0.2908 E-2 | 1932 | 0.527 | 0.53 | 30.2 | 13.0 |
| 9 | 64 | 0.3888 E+1 | 0.3964 E-2 | 3006 | 0.342 | 0.34 | 19.6 | 13.0 |
| 8 | 32 | 0.9261 E+1 | 0.9980 E-2 | 5382 | 0.277 | 0.28 | 15.8 | 13.0 |
| 7 | 16 | 0.9249 E+1 | 0.1086 E-1 | 9062 | 0.298 | 0.30 | 17.0 | 13.0 |
| 6 | 8 | 0.7353 E+1 | 0.1002 E-2 | 13849 | 0.346 | 0.35 | 19.8 | 13.0 |
| 5 | 4 | 0.5743 E+1 | 0.9180 E-2 | 19576 | 0.312 | 0.31 | 17.8 | 13.0 |

Date 1984/12/29 Tx Bipole No. 2

Station No. 316

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1748 E±0 | 0.1525 E-3 | 285 | 0.432 | 0.43 | 24.7 | 5.5 |
| 13 | 1024 | 0.5266 E±0 | 0.2954 E-3 | 639 | 0.412 | 0.41 | 23.6 | 10.0 |
| 12 | 512 | 0.9805 E±0 | 0.6594 E-3 | 864 | 0.462 | 0.46 | 26.4 | 13.0 |
| 11 | 256 | 0.1337 E+1 | 0.1112 E-2 | 1131 | 0.537 | 0.54 | 30.8 | 13.0 |
| 10 | 128 | 0.1708 E+1 | 0.2109 E-2 | 1025 | 0.511 | 0.51 | 29.3 | 13.0 |
| 9 | 64 | 0.2145 E+1 | 0.3041 E-2 | 1555 | 0.286 | 0.29 | 16.4 | 13.0 |
| 8 | 32 | 0.5369 E+1 | 0.7910 E-2 | 2879 | 0.241 | 0.24 | 13.8 | 13.0 |
| 7 | 16 | 0.5561 E+1 | 0.8899 E-2 | 4882 | 0.254 | 0.25 | 14.6 | 13.0 |
| 6 | 8 | 0.4682 E+1 | 0.8622 E-2 | 7388 | 0.248 | 0.25 | 14.2 | 13.0 |
| 5 | 4 | 0.3854 E+1 | 0.8034 E-2 | 11509 | 0.199 | 0.20 | 11.4 | 13.0 |

*** Measured Data List ***

Station No. 317

Date 1984/12/29

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference | | Current I (A) | |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------|-----------|------------------|-----|
| | | | | | PD(rad) | PD-C(deg) | | |
| 14 | 2048 | 0.1071 E±0 | 0.1449 E-3 | 54 | 0.313 | 0.31 | 180 | 130 |
| 13 | 1024 | 0.1883 E±0 | 0.3504 E-3 | 59 | 0.318 | 0.32 | 182 | 130 |
| 12 | 512 | 0.3554 E±0 | 0.7440 E-3 | 89 | 0.366 | 0.37 | 210 | 130 |
| 11 | 256 | 0.4873 E±0 | 0.1200 E-2 | 129 | 0.443 | 0.44 | 254 | 130 |
| 10 | 128 | 0.5931 E±0 | 0.2118 E-2 | 123 | 0.479 | 0.48 | 275 | 130 |
| 9 | 64 | 0.7633 E±0 | 0.3026 E-2 | 199 | 0.242 | 0.24 | 139 | 130 |
| 8 | 32 | 0.2045 E+1 | 0.8125 E-2 | 396 | 0.226 | 0.23 | 130 | 130 |
| 7 | 16 | 0.2117 E+1 | 0.8807 E-2 | 723 | 0.286 | 0.29 | 164 | 130 |
| 6 | 8 | 0.1681 E+1 | 0.8455 E-2 | 989 | 0.386 | 0.39 | 221 | 130 |
| 5 | 4 | 0.1251 E+1 | 0.7534 E-2 | 1250 | 0.348 | 0.35 | 200 | 130 |

Station No. 318

Date 1984/12/29

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference | | Current I (A) | |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------|-----------|------------------|-----|
| | | | | | PD(rad) | PD-C(deg) | | |
| 14 | 2048 | 0.1789 E±0 | 0.1265 E-3 | 196 | 0.445 | 0.45 | 255 | 55 |
| 13 | 1024 | 0.5406 E±0 | 0.3249 E-3 | 544 | 0.293 | 0.29 | 168 | 100 |
| 12 | 512 | 0.1043 E+1 | 0.6785 E-3 | 897 | 0.264 | 0.26 | 151 | 130 |
| 11 | 256 | 0.1518 E+1 | 0.1103 E-2 | 1500 | 0.351 | 0.35 | 201 | 130 |
| 10 | 128 | 0.1968 E+1 | 0.1878 E-2 | 1697 | 0.403 | 0.40 | 231 | 130 |
| 9 | 64 | 0.2468 E+1 | 0.2717 E-2 | 2580 | 0.217 | 0.22 | 125 | 130 |
| 8 | 32 | 0.6583 E+1 | 0.7415 E-2 | 4926 | 0.154 | 0.15 | 8.9 | 130 |
| 7 | 16 | 0.7063 E+1 | 0.8384 E-2 | 8871 | 0.138 | 0.14 | 7.9 | 130 |
| 6 | 8 | 0.6329 E+1 | 0.8098 E-2 | 15294 | 0.158 | 0.16 | 9.0 | 130 |
| 5 | 4 | 0.5574 E+1 | 0.7384 E-2 | 28487 | 0.071 | 0.07 | 4.1 | 130 |

*** Measured Data List ***

Station No. 319

Date 1984/12/28

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1888 E+2 | 0.4735 E-2 | 1553 | -0.155 | -0.16 | -8.9 | 5.5 |
| 13 | 1024 | 0.4200 E+1 | 0.1555 E-2 | 1272 | 0.237 | 0.24 | 13.6 | 10.0 |
| 12 | 512 | 0.4082 E+1 | 0.2554 E-2 | 998 | 6.755 | 0.47 | 27.0 | 13.0 |
| 11 | 256 | 0.4831 E+1 | 0.4443 E-2 | 925 | 0.275 | 0.27 | 15.8 | 13.0 |
| 10 | 128 | 0.1175 E+2 | 0.8570 E-2 | 2939 | 6.404 | 0.12 | 6.9 | 13.0 |
| 9 | 64 | 0.1133 E+2 | 0.8602 E-2 | 5915 | 0.361 | 0.36 | 20.7 | 13.0 |
| 8 | 32 | 0.1969 E+2 | 0.1707 E-1 | 8310 | 0.638 | 0.64 | 36.6 | 13.0 |
| 7 | 16 | 0.1526 E+2 | 0.1780 E-1 | 9188 | 0.958 | 0.96 | 54.9 | 13.0 |
| 6 | 8 | 0.1004 E+1 | 0.1788 E-1 | 78 ² 5 | 1.324 | 1.32 | 7.58 | 13.0 |
| 5 | 4 | 0.6360 E+1 | 0.1746 E-1 | 66 ² 2 | 1.715 | -1.43 | -8.17 | 13.0 |

Station No. 320

Date 1984/12/28

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E(mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.5000 E+0 | 0.1826 E-2 | 7.3 | -0.019 | -0.02 | -1.1 | 5.5 |
| 13 | 1024 | 0.6030 E+0 | 0.1975 E-2 | 19 | 0.359 | 0.36 | 20.5 | 10.0 |
| 12 | 512 | 0.9887 E+0 | 0.3616 E-2 | 29 | 0.454 | 0.45 | 26.0 | 13.0 |
| 11 | 256 | 0.1097 E+1 | 0.5743 E-2 | 28 | 0.421 | 0.42 | 24.1 | 13.0 |
| 10 | 128 | 0.2162 E+1 | 0.1149 E-1 | 55 | 0.335 | 0.33 | 19.2 | 13.0 |
| 9 | 64 | 0.2005 E+1 | 0.1135 E-1 | 97 | 0.479 | 0.48 | 27.4 | 13.0 |
| 8 | 32 | 0.3302 E+1 | 0.2179 E-1 | 144 | 0.723 | 0.72 | 41.4 | 13.0 |
| 7 | 16 | 0.2622 E+1 | 0.2120 E-1 | 191 | 1.093 | 1.09 | 62.6 | 13.0 |
| 6 | 8 | 0.1924 E+1 | 0.1978 E-1 | 237 | 1.616 | -1.53 | -8.74 | 13.0 |
| 5 | 4 | 0.1554 E+1 | 0.1853 E-1 | 351 | 2.130 | -1.01 | -5.80 | 13.0 |

*** Measured Data List ***

Station No. 321

Date 1984/12/28

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2001 E±0 | 0.5037 E-3 | 15 | 3.966 | 0.82 | 47.2 | 5.5 |
| 13 | 1024 | 0.4493 E±0 | 0.1304 E-2 | 23 | -2.487 | 0.65 | 37.5 | 10.0 |
| 12 | 512 | 0.6965 E±0 | 0.2522 E-2 | 30 | 3.939 | 0.80 | 45.7 | 13.0 |
| 11 | 256 | 0.7022 E±0 | 0.4192 E-2 | 22 | 3.996 | 0.85 | 49.0 | 13.0 |
| 10 | 128 | 0.1326 E+1 | 0.8091 E-2 | 42 | 4.066 | 0.92 | 52.9 | 13.0 |
| 9 | 64 | 0.1166 E+1 | 0.7878 E-2 | 68 | 4.483 | -1.34 | 76.8 | 13.0 |
| 8 | 32 | 0.2342 E+1 | 0.1545 E-1 | 144 | -1.350 | -1.35 | -77.4 | 13.0 |
| 7 | 16 | 0.2861 E+1 | 0.1536 E-1 | 433 | -0.954 | -0.95 | -54.7 | 13.0 |
| 6 | 8 | 0.3315 E+1 | 0.1434 E-1 | 1336 | -0.633 | -0.63 | -36.3 | 13.0 |
| 5 | 4 | 0.3593 E+1 | 0.1380 E-1 | 3394 | -0.416 | -0.42 | -23.8 | 13.0 |

Station No. 322

Date 1984/12/30

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3876 E+1 | 0.1922 E-2 | 397 | -0.327 | -0.33 | -18.8 | 5.5 |
| 13 | 1024 | 0.2645 E+1 | 0.1710 E-2 | 467 | 0.208 | 0.21 | 11.9 | 10.0 |
| 12 | 512 | 0.4221 E+1 | 0.3208 E-2 | 676 | 6.636 | 0.35 | 20.2 | 13.0 |
| 11 | 256 | 0.4865 E+1 | 0.5100 E-2 | 711 | 0.290 | 0.29 | 16.6 | 13.0 |
| 10 | 128 | 0.1044 E+2 | 0.1035 E-1 | 1590 | 0.142 | 0.14 | 8.1 | 13.0 |
| 9 | 64 | 0.1074 E+2 | 0.1049 E-1 | 3273 | 0.259 | 0.26 | 14.9 | 13.0 |
| 8 | 32 | 0.1872 E+2 | 0.2032 E-1 | 5299 | 0.437 | 0.44 | 25.1 | 13.0 |
| 7 | 16 | 0.1479 E+2 | 0.1959 E-1 | 7126 | 0.672 | 0.67 | 38.5 | 13.0 |
| 6 | 8 | 0.9724 E+1 | 0.1797 E-1 | 7322 | 0.952 | 0.95 | 54.5 | 13.0 |
| 5 | 4 | 0.5766 E+1 | 0.1712 E-1 | 5672 | 1.221 | 1.22 | 70.0 | 13.0 |

*** Measured Data List ***

Station No. 323

Date 1984/12/30

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.3475 E+0 | 0.1314 E-3 | 690 | -1.272 | -1.27 | -729 | 55 |
| 13 | 1024 | 0.1180 E+1 | 0.1002 E-2 | 271 | 0.434 | 0.43 | 249 | 100 |
| 12 | 512 | 0.1973 E+1 | 0.2299 E-2 | 288 | 0.648 | 0.65 | 371 | 130 |
| 11 | 256 | 0.2204 E+1 | 0.4081 E-2 | 228 | 0.672 | 0.67 | 385 | 130 |
| 10 | 128 | 0.4285 E+1 | 0.9536 E-2 | 316 | 0.584 | 0.58 | 334 | 130 |
| 9 | 64 | 0.4136 E+1 | 0.1076 E-1 | 461 | 0.668 | 0.67 | 383 | 130 |
| 8 | 32 | 0.7149 E+1 | 0.2276 E-1 | 617 | 0.895 | 0.90 | 513 | 130 |
| 7 | 16 | 0.5846 E+1 | 0.2440 E-1 | 718 | 1.273 | 1.27 | 730 | 130 |
| 6 | 8 | 0.4431 E+1 | 0.2466 E-1 | 807 | 1.774 | -1.37 | -783 | 130 |
| 5 | 4 | 0.3753 E+1 | 0.2448 E-1 | 1176 | 2.276 | -0.87 | -496 | 130 |

Station No. 324

Date 1984/12/30

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.9377 E+1 | 0.2912 E-2 | 1013 | 0.795 | 0.80 | 456 | 55 |
| 13 | 1024 | 0.1231 E+1 | 0.1791 E-2 | 92 | 0.886 | 0.89 | 507 | 100 |
| 12 | 512 | 0.1555 E+1 | 0.4903 E-2 | 39 | 0.333 | 0.33 | 191 | 130 |
| 11 | 256 | 0.2635 E+1 | 0.9227 E-2 | 64 | 6.328 | 0.05 | 26 | 130 |
| 10 | 128 | 0.8466 E+1 | 0.2469 E-1 | 184 | 6.279 | -0.00 | -0.2 | 130 |
| 9 | 64 | 0.9320 E+1 | 0.2603 E-1 | 378 | 0.060 | 0.06 | 34 | 130 |
| 8 | 32 | 0.1690 E+2 | 0.5079 E-1 | 692 | 0.119 | 0.12 | 68 | 130 |
| 7 | 16 | 0.1578 E+2 | 0.5128 E-1 | 1182 | 0.134 | 0.13 | 77 | 130 |
| 6 | 8 | 0.1438 E+2 | 0.5010 E-1 | 2059 | 0.115 | 0.11 | 66 | 130 |
| 5 | 4 | 0.1353 E+2 | 0.4981 E-1 | 3692 | 0.065 | 0.06 | 37 | 130 |

*** Measured Data List ***

Station No. 325

Date 1984/12/30

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1410 E+1 | 0.4964 E-2 | 7.877 | 0.633 | 0.63 | 36.3 | 5.5 |
| 13 | 1024 | 0.6013 E±0 | 0.2646 E-2 | 10 | 0.485 | 0.49 | 27.8 | 10.0 |
| 12 | 512 | 0.1098 E+1 | 0.5282 E-2 | 17 | 6.463 | 0.18 | 10.3 | 13.0 |
| 11 | 256 | 0.1875 E+1 | 0.9139 E-2 | 33 | 6.180 | -0.10 | -5.9 | 13.0 |
| 10 | 128 | 0.6231 E+1 | 0.2340 E-1 | 111 | 6.174 | -0.11 | -6.3 | 13.0 |
| 9 | 64 | 0.6827 E+1 | 0.2474 E-1 | 238 | -0.016 | -0.02 | -0.9 | 13.0 |
| 8 | 32 | 0.1274 E+2 | 0.4738 E-1 | 452 | 0.036 | 0.04 | 2.0 | 13.0 |
| 7 | 16 | 0.1204 E+2 | 0.4637 E-1 | 844 | 0.058 | 0.06 | 3.3 | 13.0 |
| 6 | 8 | 0.1103 E+2 | 0.4461 E-1 | 1530 | 0.042 | 0.04 | 2.4 | 13.0 |
| 5 | 4 | 0.1046 E+2 | 0.4322 E-1 | 2928 | 3.146 | 0.00 | 0.2 | 13.0 |

Station No. 326

Date 1984/12/30

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E(mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2109 E+2 | 0.5879 E-2 | 1258 | -0.094 | -0.09 | -5.4 | 5.5 |
| 13 | 1024 | 0.5469 E+1 | 0.2369 E-2 | 1041 | 0.141 | 0.14 | 8.1 | 10.0 |
| 12 | 512 | 0.5282 E+1 | 0.3132 E-2 | 1133 | 6.575 | 0.29 | 16.7 | 13.0 |
| 11 | 256 | 0.6428 E+1 | 0.4994 E-2 | 1295 | 6.256 | -0.03 | -1.5 | 13.0 |
| 10 | 128 | 0.1716 E+2 | 0.9600 E-2 | 4990 | 6.217 | -0.07 | -3.8 | 13.0 |
| 9 | 64 | 0.1774 E+2 | 0.9400 E-2 | 11132 | 0.165 | 0.16 | 9.4 | 13.0 |
| 8 | 32 | 0.2984 E+2 | 0.1737 E-1 | 18457 | 0.411 | 0.41 | 23.5 | 13.0 |
| 7 | 16 | 0.2257 E+2 | 0.1662 E-1 | 28443 | 0.688 | 0.69 | 39.4 | 13.0 |
| 6 | 8 | 0.1444 E+2 | 0.1528 E-1 | 22347 | 0.984 | 0.98 | 56.4 | 13.0 |
| 5 | 4 | 0.8383 E+1 | 0.1464 E-1 | 16398 | 1.228 | 1.23 | 70.3 | 13.0 |

*** Measured Data List ***

Station No. 327

Date 1985/ 1 / 2

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) | |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------|-----------|------------------|-----|
| | | | | | PD-C(rad) | PD-C(deg) | | |
| 14 | 2048 | 0.6739 E-1 | 0.1919 E-1 | 12 | 0.259 | 0.26 | 149 | 55 |
| 13 | 1024 | 0.7801 E±0 | 0.2712 E-2 | 16 | 0.450 | 0.45 | 258 | 100 |
| 12 | 512 | 0.4065 E±0 | 0.2527 E-2 | 10125 | 0.927 | 0.93 | 531 | 130 |
| 11 | 256 | 0.5629 E±0 | 0.4345 E-2 | 13118 | 0.856 | 0.86 | 490 | 130 |
| 10 | 128 | 0.1867 E+1 | 0.7160 E-2 | 106 | 1.121 | 1.12 | 643 | 130 |
| 9 | 64 | 0.2464 E+1 | 0.5571 E-2 | 612 | 1.368 | 1.37 | 784 | 130 |
| 8 | 32 | 0.6689 E+1 | 0.8869 E-2 | 3555 | 1.371 | 1.37 | 785 | 130 |
| 7 | 16 | 0.9071 E+1 | 0.7254 E-2 | 19552 | 1.120 | 1.12 | 642 | 130 |
| 6 | 8 | 0.1052 E+2 | 0.5876 E-2 | 84490 | 0.839 | 0.84 | 480 | 130 |
| 5 | 4 | 0.1127 E+2 | 0.5498 E-2 | 212350 | 0.531 | 0.53 | 304 | 130 |

Station No. 328

Date 1985/ 1 / 2

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) | |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------|-----------|------------------|-----|
| | | | | | PD-C(rad) | PD-C(deg) | | |
| 14 | 2048 | 0.5304 E+1 | 0.1011 E-1 | 27 | 3.152 | 0.01 | 0.6 | 55 |
| 13 | 1024 | 0.1025 E+1 | 0.2361 E-2 | 37 | -3.068 | 0.07 | 42 | 100 |
| 12 | 512 | 0.8866 E±0 | 0.2470 E-2 | 53 | 3.220 | 0.08 | 45 | 130 |
| 11 | 256 | 0.1090 E+1 | 0.3652 E-2 | 74 | 3.104 | -0.04 | -22 | 130 |
| 10 | 128 | 0.2887 E+1 | 0.7553 E-2 | 228 | 3.059 | -0.08 | -47 | 130 |
| 9 | 64 | 0.3295 E+1 | 0.8002 E-2 | 530 | 3.268 | 0.13 | 73 | 130 |
| 8 | 32 | 0.5819 E+1 | 0.1479 E-1 | 968 | 3.517 | 0.38 | 215 | 130 |
| 7 | 16 | 0.4679 E+1 | 0.1262 E-1 | 1718 | -2429 | 0.71 | 408 | 130 |
| 6 | 8 | 0.3377 E+1 | 0.9617 E-2 | 3087 | -1927 | 1.21 | 696 | 130 |
| 5 | 4 | 0.2689 E+1 | 0.7510 E-2 | 6625 | -1347 | -1.35 | -77.2 | 130 |

*** Measured Data List ***

Station No. 329

Date 1985/ 1 / 2

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C (rad) | PD-C(deg) | |
| 14 | 2048 | 0.3206 E±0 | 0.1378 E-2 | 53 | 0.272 | 0.27 | 15.6 | 5.5 |
| 13 | 1024 | 0.3889 E±0 | 0.1312 E-2 | 17 | 0.162 | 0.16 | 9.3 | 10.0 |
| 12 | 512 | 0.8087 E±0 | 0.2504 E-2 | 41 | 6.423 | 0.14 | 8.0 | 13.0 |
| 11 | 256 | 0.1096 E+1 | 0.3951 E-2 | 60 | 0.054 | 0.05 | 3.1 | 13.0 |
| 10 | 128 | 0.2571 E+1 | 0.7816 E-2 | 169 | 6.219 | -0.06 | -3.7 | 13.0 |
| 9 | 64 | 0.3169 E+1 | 0.9112 E-2 | 378 | 0.039 | 0.04 | 2.2 | 13.0 |
| 8 | 32 | 0.6159 E+1 | 0.1842 E-1 | 698 | 0.132 | 0.13 | 7.6 | 13.0 |
| 7 | 16 | 0.5298 E+1 | 0.1724 E-1 | 1180 | 0.222 | 0.22 | 12.7 | 13.0 |
| 6 | 8 | 0.3894 E+1 | 0.1477 E-1 | 1764 | 0.303 | 0.30 | 17.3 | 13.0 |
| 5 | 4 | 0.2824 E+1 | 0.1324 E-1 | 2369 | 0.286 | 0.29 | 16.4 | 13.0 |

Station No. 330

Date 1985/ 1 / 2

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C (rad) | PD-C(deg) | |
| 14 | 2048 | 0.6071 E±0 | 0.5030 E-3 | 142 | 3.152 | 0.01 | 0.6 | 5.5 |
| 13 | 1024 | 0.7280 E±0 | 0.7288 E-3 | 195 | -3.068 | 0.07 | 4.2 | 10.0 |
| 12 | 512 | 0.1215 E+1 | 0.1347 E-2 | 318 | 3.220 | 0.08 | 4.5 | 13.0 |
| 11 | 256 | 0.1449 E+1 | 0.2188 E-2 | 352 | 3.104 | -0.04 | -2.2 | 13.0 |
| 10 | 128 | 0.2743 E+1 | 0.3950 E-2 | 753 | 3.059 | -0.08 | -4.7 | 13.0 |
| 9 | 64 | 0.3266 E+1 | 0.4226 E-2 | 1866 | 3.268 | 0.13 | 7.3 | 13.0 |
| 8 | 32 | 0.6621 E+1 | 0.8952 E-2 | 3420 | 3.517 | 0.38 | 21.5 | 13.0 |
| 7 | 16 | 0.5666 E+1 | 0.8770 E-2 | 5219 | -2.429 | 0.71 | 40.8 | 13.0 |
| 6 | 8 | 0.4063 E+1 | 0.8032 E-2 | 6402 | -1.927 | 1.21 | 69.6 | 13.0 |
| 5 | 4 | 0.2941 E+1 | 0.7339 E-2 | 8031 | -1.347 | -1.35 | -77.2 | 13.0 |

*** Measured Data List ***

Station No. 331

Date 1985/1/2

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.1815 E±0 | 0.3572 E-3 | 11 | 0.612 | 0.61 | 35.1 | 55 |
| 13 | 1024 | 0.2628 E±0 | 0.8804 E-3 | 17 | 0.412 | 0.41 | 23.6 | 10.0 |
| 12 | 512 | 0.4050 E±0 | 0.1542 E-2 | 27 | 0.381 | 0.38 | 21.8 | 13.0 |
| 11 | 256 | 0.4480 E±0 | 0.2226 E-2 | 32 | 0.424 | 0.42 | 24.3 | 13.0 |
| 10 | 128 | 0.6733 E±0 | 0.3863 E-2 | 47 | 0.077 | 0.08 | 4.4 | 13.0 |
| 9 | 64 | 0.8652 E±0 | 0.4263 E-2 | 129 | 0.066 | 0.07 | 3.8 | 13.0 |
| 8 | 32 | 0.1837 E+1 | 0.9071 E-2 | 256 | 0.171 | 0.17 | 9.8 | 13.0 |
| 7 | 16 | 0.1640 E+1 | 0.8690 E-2 | 445 | 0.332 | 0.33 | 19.0 | 13.0 |
| 6 | 8 | 0.1180 E+1 | 0.7571 E-2 | 608 | 0.510 | 0.51 | 29.2 | 13.0 |
| 5 | 4 | 0.7572 E±0 | 0.6540 E-2 | 640 | 0.617 | 0.62 | 35.3 | 13.0 |

Station No. 332

Date 1985/1/2

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.8649 E±0 | 0.2423 E-3 | 1246 | 0.384 | 0.38 | 22.0 | 55 |
| 13 | 1024 | 0.1571 E+1 | 0.5884 E-3 | 1394 | 0.415 | 0.42 | 23.8 | 10.0 |
| 12 | 512 | 0.2306 E+1 | 0.1105 E-2 | 1632 | 0.500 | 0.50 | 28.6 | 13.0 |
| 11 | 256 | 0.2715 E+1 | 0.1757 E-2 | 1954 | 0.520 | 0.52 | 29.3 | 13.0 |
| 10 | 128 | 0.4044 E+1 | 0.3151 E-2 | 2574 | 0.196 | 0.20 | 11.3 | 13.0 |
| 9 | 64 | 0.4717 E+1 | 0.3568 E-2 | 6154 | 0.176 | 0.18 | 10.1 | 13.0 |
| 8 | 32 | 0.1046 E+2 | 0.8122 E-2 | 10380 | 0.283 | 0.28 | 16.2 | 13.0 |
| 7 | 16 | 0.8953 E+1 | 0.8432 E-2 | 14099 | 0.408 | 0.41 | 23.4 | 13.0 |
| 6 | 8 | 0.6818 E+1 | 0.8043 E-2 | 17964 | 0.557 | 0.56 | 31.9 | 13.0 |
| 5 | 4 | 0.4820 E+1 | 0.7680 E-2 | 19701 | 0.618 | 0.62 | 35.4 | 13.0 |

*** Measured Data List ***

Station No. 333 Date 1985/1/2 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C (rad) | PD-C(deg) | |
| 14 | 2048 | 0.1269 E±0 | 0.2744 E-3 | 21 | 0.279 | 0.28 | 16.0 | 5.5 |
| 13 | 1024 | 0.4335 E±0 | 0.7920 E-3 | 58 | 0.088 | 0.09 | 5.1 | 10.0 |
| 12 | 512 | 0.8520 E±0 | 0.1525 E-2 | 122 | 6.398 | 0.12 | 6.6 | 13.0 |
| 11 | 256 | 0.1093 E+1 | 0.2235 E-2 | 187 | 0.186 | 0.19 | 10.6 | 13.0 |
| 10 | 128 | 0.1597 E+1 | 0.3711 E-2 | 289 | 6.196 | -0.09 | -5.0 | 13.0 |
| 9 | 64 | 0.2604 E+1 | 0.4780 E-2 | 928 | -0.130 | -0.13 | -7.5 | 13.0 |
| 8 | 32 | 0.6620 E+1 | 0.1146 E-1 | 2086 | -0.075 | -0.08 | -4.3 | 13.0 |
| 7 | 16 | 0.7277 E+1 | 0.1246 E-1 | 4260 | -0.046 | -0.05 | -2.6 | 13.0 |
| 6 | 8 | 0.7115 E+1 | 0.1188 E-1 | 9233 | -0.032 | -0.03 | -1.8 | 13.0 |
| 5 | 4 | 0.6850 E+1 | 0.1169 E-1 | 17178 | 3.104 | -0.04 | -2.1 | 13.0 |

Station No. 334 Date 1985/1/4 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C (rad) | PD-C(deg) | |
| 14 | 2048 | 0.5980 E-1 | 0.7443 E-4 | 63 | -3.442 | -0.30 | -17.2 | 5.5 |
| 13 | 1024 | 0.1758 E±0 | 0.5174 E-3 | 22 | -2.796 | 0.35 | 1.98 | 10.0 |
| 12 | 512 | 0.2732 E±0 | 0.8973 E-3 | 37 | 3.629 | 0.49 | 2.79 | 13.0 |
| 11 | 256 | 0.2946 E±0 | 0.1207 E-2 | 47 | 3.977 | 0.84 | 4.78 | 13.0 |
| 10 | 128 | 0.2558 E±0 | 0.2033 E-2 | 25 | 3.895 | 0.75 | 4.31 | 13.0 |
| 9 | 64 | 0.3782 E±0 | 0.2631 E-2 | 65 | 3.870 | 0.73 | 4.17 | 13.0 |
| 8 | 32 | 0.9555 E±0 | 0.6179 E-2 | 172 | 4.200 | 1.06 | 6.06 | 13.0 |
| 7 | 16 | 0.1372 E+1 | 0.5955 E-2 | 663 | -1.652 | 1.49 | 8.54 | 13.0 |
| 6 | 8 | 0.1673 E+1 | 0.4790 E-2 | 2946 | -1.223 | -1.22 | -7.01 | 13.0 |
| 5 | 4 | 0.1908 E+1 | 0.3779 E-2 | 12861 | -0.930 | -0.98 | -5.33 | 13.0 |

*** Measured Data List ***

Station No. 335 Date 1985/1/4 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|------------------|
| 14 | 2048 | 0.2462 E-1 | 0.2028 E-3 | 1.4 | -2003 | 1.14 | 5.5 |
| 13 | 1024 | 0.1039 E±0 | 0.2818 E-3 | 27 | -2698 | 0.44 | 10.0 |
| 12 | 512 | 0.2288 E±0 | 0.6443 E-3 | 49 | 3312 | 0.17 | 13.0 |
| 11 | 256 | 0.4045 E±0 | 0.1075 E-2 | 110 | 3262 | 0.12 | 13.0 |
| 10 | 128 | 0.5630 E±0 | 0.1734 E-2 | 165 | 3131 | -0.01 | 13.0 |
| 9 | 64 | 0.9151 E±0 | 0.2375 E-2 | 464 | 3033 | -0.11 | 13.0 |
| 8 | 32 | 0.2424 E+1 | 0.5993 E-2 | 1023 | 3108 | -0.03 | 13.0 |
| 7 | 16 | 0.2412 E+1 | 0.5879 E-2 | 2106 | 3069 | -0.07 | 13.0 |
| 6 | 8 | 0.1986 E+1 | 0.4712 E-2 | 4452 | 3080 | -0.06 | 13.0 |
| 5 | 4 | 0.1510 E+1 | 0.3345 E-2 | 10279 | -3240 | -0.10 | 13.0 |

Station No. 336 Date 1985/1/4 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|------------------|
| 14 | 2048 | 0.2970 E±0 | 0.3293 E-3 | 80 | 3718 | 0.58 | 5.5 |
| 13 | 1024 | 0.6507 E±0 | 0.6025 E-3 | 228 | -2568 | 0.57 | 10.0 |
| 12 | 512 | 0.1040 E+1 | 0.1180 E-2 | 303 | 0.722 | 0.58 | 13.0 |
| 11 | 256 | 0.1178 E+1 | 0.1991 E-2 | 247 | 3657 | 0.52 | 13.0 |
| 10 | 128 | 0.2049 E+1 | 0.3670 E-2 | 487 | 3207 | 0.06 | 13.0 |
| 9 | 64 | 0.2498 E+1 | 0.3899 E-2 | 1283 | 3256 | 0.11 | 13.0 |
| 8 | 32 | 0.4978 E+1 | 0.8101 E-2 | 2360 | 3368 | 0.23 | 13.0 |
| 7 | 16 | 0.4433 E+1 | 0.8268 E-2 | 3592 | 3468 | 0.33 | 13.0 |
| 6 | 8 | 0.3354 E+1 | 0.7925 E-2 | 4480 | -2744 | 0.40 | 13.0 |
| 5 | 4 | 0.2465 E+1 | 0.7372 E-2 | 5593 | -2811 | 0.33 | 13.0 |

*** Measured Data List ***

Station No. 337 Date 1985/1/4 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4552 E±0 | 0.3191 E-2 | 200 | 0.310 | 0.31 | 17.8 | 5.5 |
| 13 | 1024 | 0.1667 E+1 | 0.9527 E-2 | 597 | 0.301 | 0.30 | 17.3 | 10.0 |
| 12 | 512 | 0.2758 E+1 | 0.1774 E-1 | 944 | 0.361 | 0.36 | 20.7 | 13.0 |
| 11 | 256 | 0.3072 E+1 | 0.2701 E-1 | 1010 | 0.404 | 0.40 | 23.1 | 13.0 |
| 10 | 128 | 0.5172 E+1 | 0.5055 E-1 | 1636 | 6.294 | 0.01 | 0.6 | 13.0 |
| 9 | 64 | 0.6792 E+1 | 0.5734 E-1 | 4385 | -0.011 | -0.01 | -0.6 | 13.0 |
| 8 | 32 | 0.1447 E+2 | 0.1219 E±0 | 8808 | 0.044 | 0.04 | 2.5 | 13.0 |
| 7 | 16 | 0.1407 E+2 | 0.1235 E±0 | 16225 | 0.064 | 0.06 | 3.6 | 13.0 |
| 6 | 8 | 0.1239 E+2 | 0.1148 E±0 | 29146 | 0.058 | 0.06 | 3.3 | 13.0 |
| 5 | 4 | 0.1106 E+2 | 0.1049 E±0 | 55647 | 3.095 | -0.05 | -2.7 | 13.0 |

Station No. 338 Date 1985/1/4 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3583 E±0 | 0.2853 E-3 | 147 | 0.396 | 0.40 | 22.7 | 5.5 |
| 13 | 1024 | 0.8783 E±0 | 0.7319 E-3 | 280 | 0.507 | 0.51 | 29.1 | 10.0 |
| 12 | 512 | 0.1282 E+1 | 0.1357 E-2 | 348 | 0.595 | 0.59 | 34.1 | 13.0 |
| 11 | 256 | 0.1320 E+1 | 0.2082 E-2 | 314 | 0.651 | 0.69 | 37.3 | 13.0 |
| 10 | 128 | 0.1887 E+1 | 0.4027 E-2 | 344 | 0.299 | 0.30 | 17.1 | 13.0 |
| 9 | 64 | 0.2228 E+1 | 0.4435 E-2 | 789 | 0.221 | 0.22 | 12.7 | 13.0 |
| 8 | 32 | 0.4466 E+1 | 0.9325 E-2 | 1434 | 0.295 | 0.30 | 16.9 | 13.0 |
| 7 | 16 | 0.3933 E+1 | 0.9356 E-2 | 2209 | 0.407 | 0.41 | 23.3 | 13.0 |
| 6 | 8 | 0.2798 E+1 | 0.8365 E-2 | 2797 | 0.558 | 0.56 | 32.0 | 13.0 |
| 5 | 4 | 0.1790 E+1 | 0.7483 E-2 | 2868 | 0.595 | 0.60 | 34.1 | 13.0 |

*** Measured Data List ***

Station No. 339

Date 1985/ 1 / 4

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|--|------------------|
| 14 | 2048 | 0.4466 E±0 | 0.3085 E-3 | 205 | 0.280 | 0.28 | 160 | 5.5 |
| 13 | 1024 | 0.9701 E±0 | 0.7205 E-3 | 354 | 0.372 | 0.37 | 213 | 10.0 |
| 12 | 512 | 0.1430 E+1 | 0.1282 E-2 | 487 | 0.430 | 0.43 | 246 | 13.0 |
| 11 | 256 | 0.1509 E+1 | 0.1825 E-2 | 534 | 0.529 | 0.53 | 303 | 13.0 |
| 10 | 128 | 0.2063 E+1 | 0.3410 E-2 | 572 | 0.190 | 0.19 | 109 | 13.0 |
| 9 | 64 | 0.2717 E+1 | 0.3964 E-2 | 1469 | 0.125 | 0.13 | 72 | 13.0 |
| 8 | 32 | 0.5823 E+1 | 0.8640 E-2 | 2839 | 0.194 | 0.19 | 111 | 13.0 |
| 7 | 16 | 0.5366 E+1 | 0.8500 E-2 | 4865 | 0.306 | 0.31 | 175 | 13.0 |
| 6 | 8 | 0.3898 E+1 | 0.7214 E-2 | 7662 | 0.465 | 0.47 | 267 | 13.0 |
| 5 | 4 | 0.2661 E+1 | 0.6710 E-2 | 7992 | 0.391 | 0.39 | 224 | 13.0 |

Station No. 340

Date 1985/ 1 / 5

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|--|------------------|
| 14 | 2048 | 0.4454 E±0 | 0.1670 E-3 | 696 | -2.769 | 0.37 | 213 | 5.5 |
| 13 | 1024 | 0.9202 E±0 | 0.4621 E-3 | 774 | -2.691 | 0.45 | 258 | 13.0 |
| 12 | 512 | 0.1412 E+1 | 0.8841 E-3 | 998 | 3.630 | 0.49 | 280 | 13.0 |
| 11 | 256 | 0.1551 E+1 | 0.1341 E-2 | 1046 | 3.731 | 0.59 | 338 | 13.0 |
| 10 | 128 | 0.2065 E+1 | 0.2455 E-2 | 1105 | 3.324 | 0.18 | 105 | 13.0 |
| 9 | 64 | 0.2882 E+1 | 0.2937 E-2 | 3009 | 3.234 | 0.09 | 53 | 13.0 |
| 8 | 32 | 0.6503 E+1 | 0.6712 E-2 | 5866 | 3.339 | 0.20 | 113 | 13.0 |
| 7 | 16 | 0.6066 E+1 | 0.6882 E-2 | 9712 | 3.440 | 0.30 | 171 | 13.0 |
| 6 | 8 | 0.4494 E+1 | 0.6084 E-2 | 13641 | -2.751 | 0.39 | 224 | 13.0 |
| 5 | 4 | 0.3137 E+1 | 0.5678 E-2 | 15674 | -0.003 | -0.00 | -0.2 | 13.0 |

*** Measured Data List ***

Station No. 341 Date 1985/ 1 / 5 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------|-----------|------------------|
| | | | | | PD(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2170 E±0 | 0.1453 E-3 | 220 | 0.513 | 294 | 5.5 |
| 13 | 1024 | 0.8604 E±0 | 0.4499 E-3 | 714 | 0.146 | 84 | 10.0 |
| 12 | 512 | 0.1609 E+1 | 0.8989 E-3 | 1252 | 6.525 | 138 | 13.0 |
| 11 | 256 | 0.2054 E+1 | 0.1335 E-3 | 1849 | 0.363 | 208 | 13.0 |
| 10 | 128 | 0.2802 E+1 | 0.2374 E-2 | 2177 | 6.420 | 78 | 13.0 |
| 9 | 64 | 0.4149 E+1 | 0.3124 E-2 | 5513 | 0.026 | 1.5 | 13.0 |
| 8 | 32 | 0.9960 E+1 | 0.7552 E-2 | 10873 | 0.071 | 4.1 | 13.0 |
| 7 | 16 | 0.1007 E+2 | 0.7887 E-2 | 20357 | 0.088 | 5.0 | 13.0 |
| 6 | 8 | 0.8668 E+1 | 0.7171 E-2 | 36537 | 0.107 | 6.1 | 13.0 |
| 5 | 4 | 0.7467 E+1 | 0.6463 E-2 | 66097 | 0.050 | 2.9 | 13.0 |

Station No. 342 Date 1985/ 1 / 5 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|---------------------|-----------|------------------|
| | | | | | PD(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4112 E±0 | 0.1367 E-3 | 888 | -3.058 | 48 | 5.5 |
| 13 | 1024 | 0.3078 E±0 | 0.2661 E-3 | 262 | -3.001 | 8.1 | 10.0 |
| 12 | 512 | 0.6787 E±0 | 0.6017 E-3 | 497 | 3.223 | 47 | 13.0 |
| 11 | 256 | 0.1095 E+1 | 0.1038 E-2 | 895 | 3.414 | 15.6 | 13.0 |
| 10 | 128 | 0.1553 E+1 | 0.1813 E-2 | 1108 | 3.205 | 3.6 | 13.0 |
| 9 | 64 | 0.2514 E+1 | 0.2477 E-2 | 3219 | 3.166 | 1.4 | 13.0 |
| 8 | 32 | 0.6386 E+1 | 0.6255 E-2 | 6516 | 3.301 | 9.1 | 13.0 |
| 7 | 16 | 0.6272 E+1 | 0.6705 E-2 | 10830 | 3.441 | 17.2 | 13.0 |
| 6 | 8 | 0.4769 E+1 | 0.6203 E-2 | 14780 | -2.680 | 26.5 | 13.0 |
| 5 | 4 | 0.3218 E+1 | 0.5650 E-2 | 16012 | -2.615 | 30.2 | 13.0 |

*** Measured Data List ***

Station No. 343

Date 1985/ 1 / 5

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|------------------|
| 14 | 2048 | 0.9210 E-1 | 0.8816 E-4 | 111 | 3.142 | 0.00 | 5.5 |
| 13 | 1024 | 0.2290 E±0 | 0.4371 E-3 | 54 | 0.125 | 0.12 | 10.0 |
| 12 | 512 | 0.5220 E±0 | 0.9603 E-3 | 115 | 6.434 | 0.15 | 13.0 |
| 11 | 256 | 0.7367 E±0 | 0.1549 E-2 | 177 | 0.360 | 0.36 | 13.0 |
| 10 | 128 | 0.1012 E+1 | 0.2799 E-2 | 204 | 6.397 | 0.11 | 13.0 |
| 9 | 64 | 0.1561 E+1 | 0.3764 E-2 | 518 | 0.135 | 0.14 | 13.0 |
| 8 | 32 | 0.3662 E+1 | 0.9394 E-2 | 950 | 0.266 | 0.27 | 13.0 |
| 7 | 16 | 0.3408 E+1 | 0.9763 E-2 | 1523 | 0.423 | 0.42 | 13.0 |
| 6 | 8 | 0.2508 E+1 | 0.9162 E-2 | 1873 | 0.646 | 0.65 | 13.0 |
| 5 | 4 | 0.1585 E+1 | 0.8148 E-2 | 1893 | -23.42 | 0.80 | 13.0 |

Station No. 344

Date 1985/ 1 / 5

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|------------------|
| 14 | 2048 | 0.2719 E-1 | 0.1126 E-3 | 57 | -2729 | 0.41 | 5.5 |
| 13 | 1024 | 0.1594 E±0 | 0.5091 E-3 | 19 | -2814 | 0.33 | 10.0 |
| 12 | 512 | 0.3166 E±0 | 0.1041 E-2 | 36 | 3.497 | 0.36 | 13.0 |
| 11 | 256 | 0.3701 E±0 | 0.1500 E-2 | 47 | 3.677 | 0.54 | 13.0 |
| 10 | 128 | 0.4773 E±0 | 0.2749 E-2 | 46 | 3.387 | 0.25 | 13.0 |
| 9 | 64 | 0.4627 E±0 | 0.3646 E-2 | 114 | 3.333 | 0.19 | 13.0 |
| 8 | 32 | 0.1577 E+1 | 0.8640 E-2 | 208 | 3.455 | 0.31 | 13.0 |
| 7 | 16 | 0.1457 E+1 | 0.8846 E-2 | 339 | 3.631 | 0.49 | 13.0 |
| 6 | 8 | 0.1035 E+1 | 0.7582 E-2 | 466 | -23.65 | 0.78 | 13.0 |
| 5 | 4 | 0.6596 E±0 | 0.6219 E-2 | 506 | -1.993 | 1.15 | 13.0 |

*** Measured Data List ***

Station No. 345 Date 1985/1/5 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1480 E+1 | 0.1337 E-3 | 115 | 0.165 | 0.16 | 9.4 | 5.5 |
| 13 | 1024 | 0.5162 E±0 | 0.5430 E-3 | 176 | 0.385 | 0.39 | 22.1 | 10.0 |
| 12 | 512 | 0.8758 E±0 | 0.1060 E-2 | 267 | 0.458 | 0.46 | 26.2 | 13.0 |
| 11 | 256 | 0.9640 E±0 | 0.1636 E-2 | 271 | 0.623 | 0.62 | 35.7 | 13.0 |
| 10 | 128 | 0.1360 E+1 | 0.3166 E-2 | 288 | 0.299 | 0.30 | 17.2 | 13.0 |
| 9 | 64 | 0.1862 E+1 | 0.3974 E-2 | 686 | 0.291 | 0.29 | 16.7 | 13.0 |
| 8 | 32 | 0.4146 E+1 | 0.9333 E-2 | 1233 | 0.457 | 0.46 | 26.2 | 13.0 |
| 7 | 16 | 0.3808 E+1 | 0.9722 E-2 | 1918 | 0.746 | 0.75 | 42.7 | 13.0 |
| 6 | 8 | 0.2838 E+1 | 0.9039 E-2 | 2465 | 1.168 | 1.17 | 66.9 | 13.0 |
| 5 | 4 | 0.2065 E+1 | 0.8475 E-2 | 2969 | 1.683 | -1.46 | -83.6 | 13.0 |

Station No. 346 Date 1985/1/6 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E(mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|----------------------------|-------------------------|---|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4442 E±0 | 0.1433 E-3 | 947 | -2869 | 0.27 | 15.6 | 5.5 |
| 13 | 1024 | 0.8732 E±0 | 0.2557 E-3 | 2285 | -2802 | 0.34 | 19.5 | 10.0 |
| 12 | 512 | 0.1570 E+1 | 0.5308 E-3 | 3419 | 3.545 | 0.40 | 23.1 | 13.0 |
| 11 | 256 | 0.2077 E+1 | 0.8791 E-3 | 4366 | 3.651 | 0.51 | 29.2 | 13.0 |
| 10 | 128 | 0.2546 E+1 | 0.1536 E-2 | 4305 | 3.739 | 0.60 | 34.2 | 13.0 |
| 9 | 64 | 0.3086 E+1 | 0.2304 E-2 | 5604 | 3.413 | 0.27 | 15.6 | 13.0 |
| 8 | 32 | 0.8511 E+1 | 0.6203 E-2 | 11039 | 3.373 | 0.23 | 13.3 | 13.0 |
| 7 | 16 | 0.8767 E+1 | 0.7106 E-2 | 18871 | 3.409 | 0.27 | 15.3 | 13.0 |
| 6 | 8 | 0.7112 E+1 | 0.6907 E-2 | 25705 | 0.317 | 0.32 | 18.2 | 13.0 |
| 5 | 4 | 0.5505 E+1 | 0.6568 E-2 | 38135 | -2819 | 0.32 | 18.5 | 13.0 |

*** Measured Data List ***

Station No. 347

Date 1985/ 1 / 6

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (rad) | Corrected Phase Difference PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|---|---|------------------|
| 14 | 2048 | 0.1713 E±0 | 0.1444 E-3 | 127 | 0.304 | 0.30 | 17.4 | 5.5 |
| 13 | 1024 | 0.3886 E±0 | 0.3430 E-3 | 251 | 0.228 | 0.23 | 13.1 | 10.0 |
| 12 | 512 | 0.7901 E±0 | 0.7265 E-3 | 460 | 6.550 | 0.27 | 15.3 | 13.0 |
| 11 | 256 | 0.1179 E+1 | 0.1216 E-2 | 713 | 0.338 | 0.34 | 19.3 | 13.0 |
| 10 | 128 | 0.1506 E+1 | 0.2064 E-2 | 832 | 0.373 | 0.37 | 21.4 | 13.0 |
| 9 | 64 | 0.2003 E+1 | 0.3043 E-2 | 1354 | 0.158 | 0.16 | 9.1 | 13.0 |
| 8 | 32 | 0.5362 E+1 | 0.8088 E-2 | 2747 | 0.141 | 0.14 | 8.1 | 13.0 |
| 7 | 16 | 0.5692 E+1 | 0.8845 E-2 | 5050 | 0.170 | 0.17 | 9.8 | 13.0 |
| 6 | 8 | 0.4819 E+1 | 0.8313 E-2 | 8403 | 0.209 | 0.21 | 12.0 | 13.0 |
| 5 | 4 | 0.4037 E+1 | 0.7890 E-2 | 13315 | 0.177 | 0.18 | 10.1 | 13.0 |

Station No. 348

Date 1985/ 1 / 6

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (rad) | Corrected Phase Difference PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|---|---|------------------|
| 14 | 2048 | 0.1590 E±0 | 0.1424 E-2 | 123 | 0.113 | 0.11 | 6.5 | 5.5 |
| 13 | 1024 | 0.2631 E±0 | 0.3527 E-2 | 103 | 0.363 | 0.36 | 20.8 | 10.0 |
| 12 | 512 | 0.4721 E±0 | 0.7623 E-2 | 150 | 6.658 | 0.38 | 21.5 | 13.0 |
| 11 | 256 | 0.6707 E±0 | 0.1264 E-1 | 220 | 0.459 | 0.46 | 26.3 | 13.0 |
| 10 | 128 | 0.8788 E±0 | 0.2296 E-1 | 229 | 0.411 | 0.41 | 23.6 | 13.0 |
| 9 | 64 | 0.1167 E+1 | 0.3290 E-1 | 393 | 0.189 | 0.19 | 10.8 | 13.0 |
| 8 | 32 | 0.3142 E+1 | 0.8611 E-1 | 832 | 0.226 | 0.23 | 12.9 | 13.0 |
| 7 | 16 | 0.3203 E+1 | 0.9526 E-1 | 1414 | 0.350 | 0.35 | 10.0 | 13.0 |
| 6 | 8 | 0.2466 E+1 | 0.8829 E-1 | 1952 | 0.537 | 0.54 | 30.8 | 13.0 |
| 5 | 4 | 0.1647 E+1 | 0.8112 E-1 | 2067 | 0.572 | 0.57 | 32.8 | 13.0 |

*** Measured Data List ***

Station No. 349 Date 1985/ 1 / 6 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.8810 E-1 | 0.1668 E-2 | 25 | 0.539 | 0.59 | 33.7 | 5.5 |
| 13 | 1024 | 0.1429 E±0 | 0.3187 E-2 | 40 | 0.383 | 0.38 | 21.9 | 10.0 |
| 12 | 512 | 0.3341 E±0 | 0.7726 E-2 | 73 | 6.538 | 0.25 | 14.6 | 13.0 |
| 11 | 256 | 0.5564 E±0 | 0.1303 E-1 | 142 | 0.268 | 0.27 | 15.4 | 13.0 |
| 10 | 128 | 0.7192 E±0 | 0.2165 E-1 | 172 | 6.560 | 0.28 | 15.9 | 13.0 |
| 9 | 64 | 0.1021 E+1 | 0.3095 E-1 | 340 | 0.106 | 0.11 | 6.1 | 13.0 |
| 8 | 32 | 0.2731 E+1 | 0.8188 E-1 | 695 | 0.110 | 0.11 | 6.3 | 13.0 |
| 7 | 16 | 0.2885 E+1 | -0.9044 E-1 | 1272 | 0.160 | 0.16 | 9.2 | 13.0 |
| 6 | 8 | 0.2369 E+1 | 0.8156 E-1 | 2109 | 0.208 | 0.21 | 11.9 | 13.0 |
| 5 | 4 | 0.1852 E+1 | 0.7601 E-1 | 349 | 0.212 | 0.21 | 12.1 | 13.0 |

Station No. 350 Date 1985/ 1 / 6 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.7500 E-1 | 0.1303 E-3 | 52 | 0.490 | 0.49 | 28.1 | 5.5 |
| 13 | 1024 | 0.1301 E±0 | 0.3009 E-3 | 36 | 0.708 | 0.71 | 40.6 | 10.0 |
| 12 | 512 | 0.2082 E±0 | 0.6674 E-3 | 38 | 0.509 | 0.51 | 29.2 | 13.0 |
| 11 | 256 | 0.3260 E±0 | 0.1158 E-2 | 60 | 0.400 | 0.40 | 22.9 | 13.0 |
| 10 | 128 | 0.4284 E±0 | 0.2069 E-2 | 67 | 6.618 | 0.34 | 19.2 | 13.0 |
| 9 | 64 | 0.6611 E±0 | 0.3001 E-2 | 152 | 0.166 | 0.17 | 9.5 | 13.0 |
| 8 | 32 | 0.1774 E+1 | 0.7838 E-2 | 320 | 0.281 | 0.28 | 16.1 | 13.0 |
| 7 | 16 | 0.1797 E+1 | 0.8523 E-2 | 555 | 0.516 | 0.52 | 29.6 | 13.0 |
| 6 | 8 | 0.1352 E+1 | 0.7698 E-2 | 771 | 0.874 | 0.87 | 50.1 | 13.0 |
| 5 | 4 | 0.8907 E±0 | 0.6669 E-2 | 872 | 1.334 | 1.33 | 76.4 | 13.0 |

*** Measured Data List ***

Station No. 351

Date 1985/ 1 / 6

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|--|--|------------------|
| 14 | 2048 | 0.1201 E±0 | 0.1146 E-3 | 99 | -3.023 | 0.12 | 68 | 5.5 |
| 13 | 1024 | 0.2455 E±0 | 0.3566 E-3 | 93 | -2.854 | 0.29 | 16.5 | 10.0 |
| 12 | 512 | 0.5510 E±0 | 0.8245 E-3 | 174 | 3.318 | 0.18 | 10.1 | 13.0 |
| 11 | 256 | 0.9345 E±0 | 0.1454 E-2 | 323 | 3.377 | 0.24 | 13.5 | 13.0 |
| 10 | 128 | 0.1329 E+1 | 0.2627 E-2 | 400 | 3.360 | 0.22 | 12.5 | 13.0 |
| 9 | 64 | 0.1956 E+1 | 0.3734 E-2 | 858 | 3.229 | 0.09 | 5.0 | 13.0 |
| 8 | 32 | 0.5337 E+1 | 0.9575 E-2 | 1764 | 3.299 | 0.16 | 9.0 | 13.0 |
| 7 | 16 | 0.5154 E+1 | 0.1043 E-1 | 3041 | 3.402 | 0.26 | 14.9 | 13.0 |
| 6 | 8 | 0.4058 E+1 | 0.9813 E-2 | 4276 | -2.801 | 0.34 | 19.5 | 13.0 |
| 5 | 4 | 0.2956 E+1 | 0.9103 E-2 | 5275 | -2.755 | 0.39 | 22.2 | 13.0 |

Station No. 352

Date 1985/ 1 / 6

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Corrected Phase Difference PD-C(deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|--------------------------------|--|--|------------------|
| 14 | 2048 | 0.5148 E-1 | 0.1361 E-3 | 13 | 0.369 | 0.37 | 21.1 | 5.5 |
| 13 | 1024 | 0.1774 E±0 | 0.5682 E-3 | 19 | 0.195 | 0.20 | 11.2 | 10.0 |
| 12 | 512 | 0.4206 E±0 | 0.1294 E-2 | 41 | 6.440 | 0.16 | 9.0 | 13.0 |
| 11 | 256 | 0.6820 E±0 | 0.2149 E-2 | 79 | 0.230 | 0.23 | 13.2 | 13.0 |
| 10 | 128 | 0.9637 E±0 | 0.3801 E-2 | 100 | 6.473 | 0.19 | 10.9 | 13.0 |
| 9 | 64 | 0.1389 E+1 | 0.5360 E-2 | 210 | 0.101 | 0.10 | 5.8 | 13.0 |
| 8 | 32 | 0.3401 E+1 | 0.1326 E-1 | 411 | 0.131 | 0.13 | 7.5 | 13.0 |
| 7 | 16 | 0.3424 E+1 | 0.1416 E-1 | 731 | 0.190 | 0.19 | 10.9 | 13.0 |
| 6 | 8 | 0.2762 E+1 | 0.1297 E-1 | 1133 | 0.244 | 0.24 | 14.0 | 13.0 |
| 5 | 4 | 0.2151 E+1 | 0.1162 E-1 | 1714 | 0.221 | 0.22 | 12.7 | 13.0 |

*** Measured Data List ***

Station No. 353 Date 1985/ 1 / 7 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2117 E±0 | 0.2378 E-3 | 78 | -2708 | 0.43 | 248 | 55 |
| 13 | 1024 | 0.1874 E±0 | 0.2221 E-3 | 137 | -2976 | 0.17 | 95 | 100 |
| 12 | 512 | 0.3728 E±0 | 0.4926 E-3 | 224 | 3334 | 0.19 | 110 | 130 |
| 11 | 256 | 0.5867 E±0 | 0.8263 E-3 | 394 | 3431 | 0.29 | 166 | 130 |
| 10 | 128 | 0.7288 E±0 | 0.1362 E-2 | 450 | 3385 | 0.24 | 139 | 130 |
| 9 | 64 | 0.1065 E+1 | 0.1883 E-2 | 1014 | 3178 | 0.04 | 21 | 130 |
| 8 | 32 | 0.3054 E+1 | 0.5098 E-2 | 2245 | 3257 | 0.12 | 66 | 130 |
| 7 | 16 | 0.3098 E+1 | 0.5281 E-2 | 4307 | 3373 | 0.23 | 132 | 130 |
| 6 | 8 | 0.2370 E+1 | 0.4570 E-2 | 7160 | -2707 | 0.43 | 249 | 130 |
| 5 | 4 | 0.1504 E+1 | 0.3484 E-2 | 9365 | -2602 | 0.54 | 309 | 130 |

Station No. 354 Date 1985/ 1 / 7 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2831 E±0 | 0.3781 E-3 | 55 | -2684 | 0.46 | 262 | 55 |
| 13 | 1024 | 0.2338 E±0 | 0.2352 E-3 | 193 | -3010 | 0.13 | 75 | 100 |
| 12 | 512 | 0.4764 E±0 | 0.5135 E-3 | 359 | 3298 | 0.16 | 89 | 130 |
| 11 | 256 | 0.7018 E±0 | 0.8102 E-2 | 525 | 3326 | 0.18 | 106 | 130 |
| 10 | 128 | 0.9047 E±0 | 0.1295 E-2 | 764 | 3334 | 0.19 | 110 | 130 |
| 9 | 64 | 0.1394 E+1 | 0.1868 E-2 | 1741 | 3141 | -0.00 | -0.1 | 130 |
| 8 | 32 | 0.3838 E+1 | 0.4759 E-2 | 4069 | 3226 | 0.08 | 48 | 130 |
| 7 | 16 | 0.3858 E+1 | 0.4850 E-2 | 7647 | 3315 | 0.17 | 9.9 | 130 |
| 6 | 8 | 0.2866 E+1 | 0.3657 E-2 | 15361 | -2755 | 0.39 | 221 | 130 |
| 5 | 4 | 0.1879 E+1 | 0.2915 E-2 | 21683 | -2444 | 0.70 | 400 | 130 |

*** Measured Data List ***

Station No. 355

Date 1985/1/8

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2276 E±0 | 0.2126 E-3 | 113 | -2.811 | 0.33 | 189 | 5.5 |
| 13 | 1024 | 0.7103 E-1 | 0.2727 E-3 | 13319 | -2.284 | 0.86 | 491 | 10.0 |
| 12 | 512 | 0.9631 E±0 | 0.5594 E-3 | 12 | 3.882 | 0.74 | 424 | 13.0 |
| 11 | 256 | 0.1384 E±0 | 0.9019 E-3 | 19 | 4.083 | 0.94 | 540 | 13.0 |
| 10 | 128 | 0.1061 E±0 | 0.1511 E-2 | 7801 | 4.346 | 1.20 | 690 | 13.0 |
| 9 | 64 | 0.1528 E±0 | 0.2195 E-2 | 15 | 3.910 | 0.77 | 440 | 13.0 |
| 8 | 32 | 0.5907 E±0 | 0.6104 E-2 | 58 | 4.254 | 1.11 | 637 | 13.0 |
| 7 | 16 | 0.9577 E±0 | 0.6644 E-2 | 260 | -1.544 | -1.54 | -884 | 13.0 |
| 6 | 8 | 0.1235 E+1 | 0.6050 E-2 | 1056 | -1.046 | -1.05 | -600 | 13.0 |
| 5 | 4 | 0.1461 E+1 | 0.5096 E-2 | 4501 | -0.667 | -0.67 | -382 | 13.0 |

Station No. 356

Date 1985/1/8

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4186 E±0 | 0.3377 E-3 | 150 | 0.266 | 0.27 | 152 | 5.5 |
| 13 | 1024 | 0.1778 E±0 | 0.2180 E-3 | 147 | 0.397 | 0.40 | 227 | 10.0 |
| 12 | 512 | 0.3114 E±0 | 0.4362 E-3 | 199 | 0.452 | 0.45 | 259 | 13.0 |
| 11 | 256 | 0.4038 E±0 | 0.7408 E-3 | 234 | 0.612 | 0.61 | 351 | 13.0 |
| 10 | 128 | 0.4369 E±0 | 0.1206 E-2 | 191 | 0.787 | 0.79 | 451 | 13.0 |
| 9 | 64 | 0.4762 E±0 | 0.1679 E-2 | 251 | 0.351 | 0.35 | 201 | 13.0 |
| 8 | 32 | 0.1468 E+1 | 0.4784 E-2 | 589 | 0.401 | 0.40 | 230 | 13.0 |
| 7 | 16 | 0.1673 E+1 | 0.5396 E-2 | 1202 | 0.693 | 0.69 | 397 | 13.0 |
| 6 | 8 | 0.1410 E+1 | 0.4917 E-2 | 2057 | 1.195 | 1.19 | 685 | 13.0 |
| 5 | 4 | 0.1213 E+1 | 0.4740 E-2 | 3511 | 1.860 | -1.28 | -734 | 13.0 |

*** Measured Data List ***

Station No. 357 Date 1985/1/8 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (rad) | PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|---|------------|------------------|
| 14 | 2048 | 0.4641 E±0 | 0.7426 E-3 | 38 | 0.130 | 0.13 | 7.4 | 55 |
| 13 | 1024 | 0.1343 E±0 | 0.1739 E-3 | 119 | -5.631 | 0.65 | 37.3 | 100 |
| 12 | 512 | 0.1441 E±0 | 0.3650 E-3 | 61 | 0.740 | 0.74 | 42.4 | 130 |
| 11 | 256 | 0.2105 E±0 | 0.5626 E-3 | 110 | 1.158 | 1.16 | 66.4 | 130 |
| 10 | 128 | 0.2129 E±0 | 0.8165 E-3 | 108 | 1.920 | -1.22 | -7.00 | 130 |
| 9 | 64 | 0.2149 E±0 | 0.1197 E-2 | 103 | 1.625 | 0.84 | 48.1 | 130 |
| 8 | 32 | 0.1023 E±1 | 0.3322 E-2 | 593 | 1.483 | 1.48 | 85.0 | 130 |
| 7 | 16 | 0.2038 E±1 | 0.3262 E-2 | 4917 | 1.539 | 1.54 | 88.2 | 130 |
| 6 | 8 | 0.2968 E±1 | 0.2619 E-2 | 46010 | 1.468 | 1.47 | 84.1 | 130 |
| 5 | 4 | 0.3552 E±1 | 0.1816 E-2 | 153570 | 1.343 | 1.34 | 76.9 | 130 |

Station No. 358 Date 1985/1/8 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (rad) | PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|---|------------|------------------|
| 14 | 2048 | 0.1304 E±1 | 0.1007 E-2 | 164 | -2.772 | 0.37 | 21.2 | 55 |
| 13 | 1024 | 0.3107 E±0 | 0.1058 E-3 | 1524 | 3.462 | 0.32 | 18.4 | 100 |
| 12 | 512 | 0.3959 E±0 | 0.2566 E-3 | 941 | 4.011 | 0.87 | 49.8 | 130 |
| 11 | 256 | 0.4638 E±0 | 0.4330 E-3 | 920 | 4.072 | 0.93 | 53.3 | 130 |
| 10 | 128 | 0.4422 E±0 | 0.7415 E-3 | 562 | 4.352 | 1.21 | 69.3 | 130 |
| 9 | 64 | 0.4184 E±0 | 0.1061 E-2 | 495 | 3.928 | 0.79 | 45.0 | 130 |
| 8 | 32 | 0.1610 E±1 | 0.3030 E-2 | 1764 | 3.994 | 0.85 | 48.8 | 130 |
| 7 | 16 | 0.2433 E±1 | 0.3061 E-2 | 7362 | -1.825 | 1.32 | 7.54 | 130 |
| 6 | 8 | 0.3345 E±1 | 0.2495 E-2 | 44703 | -1.436 | -1.44 | -82.3 | 130 |
| 5 | 4 | 0.3921 E±1 | 0.1989 E-2 | 202870 | -1.156 | -1.16 | -66.2 | 130 |

*** Measured Data List ***

Station No. 359

Date 1985/1/8

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field | | Magnetic Field | | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) |
|-----|---------------------|----------------|----------------|----------------|-----------|--|---------------------|------|------------------|
| | | E (mV/km) | H (γ) | PD-C (rad) | PD-C(deg) | | | | |
| 14 | 2048 | 0.8994 E+1 | 0.6820 E-2 | 170 | 0.079 | 0.08 | 4.5 | 5.5 | |
| 13 | 1024 | 0.5093 E+0 | 0.3014 E-3 | 591 | -0.078 | -0.08 | -4.5 | 10.0 | |
| 12 | 512 | 0.3600 E+0 | 0.3624 E-3 | 364 | 6.492 | 0.21 | 12.0 | 13.0 | |
| 11 | 256 | 0.5825 E+0 | 0.5333 E-3 | 638 | 0.277 | 0.28 | 15.9 | 13.0 | |
| 10 | 128 | 0.7181 E+0 | 0.8822 E-3 | 1035 | 0.311 | 0.31 | 17.8 | 13.0 | |
| 9 | 64 | 0.7510 E+0 | 0.1189 E-2 | 1247 | 3.308 | 0.17 | 9.6 | 13.0 | |
| 8 | 32 | 0.2334 E+1 | 0.3392 E-2 | 2962 | 3.310 | 0.17 | 9.6 | 13.0 | |
| 7 | 16 | 0.2738 E+1 | 0.4037 E-2 | 5753 | 3.424 | 0.28 | 16.2 | 13.0 | |
| 6 | 8 | 0.2213 E+1 | 0.3073 E-2 | 12975 | -2.662 | 0.48 | 27.5 | 13.0 | |
| 5 | 4 | 0.1674 E+1 | 0.1870 E-2 | 33850 | -2.208 | 0.98 | 53.5 | 13.0 | |

Station No. 360

Date 1985/1/8

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field | | Magnetic Field | | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) |
|-----|---------------------|----------------|----------------|----------------|-----------|--|---------------------|------|------------------|
| | | E (mV/km) | H (γ) | PD-C (rad) | PD-C(deg) | | | | |
| 14 | 2048 | 0.3099 E+2 | 0.5495 E-2 | 3105 | 0.218 | 0.22 | 12.5 | 5.5 | |
| 13 | 1024 | 0.1166 E+1 | 0.1457 E-3 | 12581 | 0.090 | 0.10 | 5.5 | 10.0 | |
| 12 | 512 | 0.4335 E+0 | 0.2473 E-3 | 1204 | 0.488 | 0.49 | 27.9 | 13.0 | |
| 11 | 256 | 0.6581 E+0 | 0.4432 E-3 | 1723 | 0.563 | 0.56 | 32.3 | 13.0 | |
| 10 | 128 | 0.7028 E+0 | 0.7106 E-3 | 1533 | 0.704 | 0.70 | 40.3 | 13.0 | |
| 9 | 64 | 0.8383 E+0 | 0.9801 E-2 | 2289 | 0.371 | 0.37 | 21.2 | 13.0 | |
| 8 | 32 | 0.2574 E+1 | 0.2806 E-2 | 5259 | 0.431 | 0.43 | 24.7 | 13.0 | |
| 7 | 16 | 0.3058 E+1 | 0.3085 E-2 | 12286 | 0.777 | 0.78 | 44.5 | 13.0 | |
| 6 | 8 | 0.2913 E+1 | 0.2502 E-2 | 32330 | 1.414 | 1.41 | 81.0 | 13.0 | |
| 5 | 4 | 0.2997 E+1 | 0.2135 E-2 | 98717 | 1.794 | -1.35 | -77.2 | 13.0 | |

*** Measured Data List ***

Date 1985/1/9 Tx Bipole No. 2

Station No. 361

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------|-----------|------------------|
| | | | | | PD(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1662 E+1 | 0.2222 E-2 | 55 | 0.466 | 0.47 | 5.5 |
| 13 | 1024 | 0.9117 E-1 | 0.7984 E-3 | 267 | 3.191 | 0.05 | 10.0 |
| 12 | 512 | 0.2733 E+0 | 0.3199 E-3 | 285 | 0.425 | 0.43 | 13.0 |
| 11 | 256 | 0.3801 E+0 | 0.5341 E-3 | 415 | 0.437 | 0.44 | 13.0 |
| 10 | 128 | 0.4104 E+0 | 0.7941 E-3 | 401 | 0.526 | 0.53 | 13.0 |
| 9 | 64 | 0.4796 E+0 | 0.1090 E-2 | 605 | 0.238 | 0.24 | 13.0 |
| 8 | 32 | 0.1438 E+1 | 0.3022 E-2 | 1416 | 0.230 | 0.23 | 13.0 |
| 7 | 16 | 0.1567 E+1 | 0.3129 E-2 | 3139 | 0.423 | 0.42 | 13.0 |
| 6 | 8 | 0.1292 E+1 | 0.2550 E-2 | 6186 | 0.761 | 0.76 | 13.0 |
| 5 | 4 | 0.1014 E+0 | 0.1670 E-2 | 17425 | 1.223 | 1.22 | 13.0 |

Date 1985/1/9 Tx Bipole No. 2

Station No. 362

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------|-----------|------------------|
| | | | | | PD(rad) | PD-C(deg) | |
| 14 | 2048 | 0.8597 E+0 | 0.7271 E-3 | 137 | 1.704 | -1.44 | 5.5 |
| 13 | 1024 | 0.2013 E+0 | 0.1563 E-3 | 329 | 0.104 | 0.10 | 10.0 |
| 12 | 512 | 0.3521 E+0 | 0.3863 E-3 | 305 | 0.259 | 0.26 | 13.0 |
| 11 | 256 | 0.4802 E-1 | 0.5180 E-3 | 540 | 0.325 | 0.33 | 13.0 |
| 10 | 128 | 0.5879 E+0 | 0.9854 E-3 | 557 | 0.394 | 0.39 | 13.0 |
| 9 | 64 | 0.7428 E+0 | 0.1282 E-2 | 1050 | 3.227 | 0.09 | 13.0 |
| 8 | 32 | 0.2165 E+1 | 0.3551 E-2 | 2322 | 3.268 | 0.13 | 13.0 |
| 7 | 16 | 0.2266 E+1 | 0.3605 E-2 | 4941 | 3.382 | 0.24 | 13.0 |
| 6 | 8 | 0.1728 E+1 | 0.2791 E-2 | 9780 | -2.678 | 0.46 | 13.0 |
| 5 | 4 | 0.1163 E+1 | 0.2479 E-2 | 11060 | -2.370 | 0.77 | 13.0 |

*** Measured Data List ***

Station No. 363 Date 1985/ 1 / 9 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3428 E±0 | 0.2932 E-3 | 134 | 0.142 | 0.14 | 81 | 55 |
| 13 | 1024 | 0.1889 E±0 | 0.2220 E-3 | 142 | 0.273 | 0.27 | 157 | 10.0 |
| 12 | 512 | 0.3437 E±0 | 0.4508 E-3 | 227 | 6.660 | 0.38 | 21.6 | 13.0 |
| 11 | 256 | 0.4798 E±0 | 0.7315 E-3 | 336 | 0.527 | 0.53 | 30.2 | 13.0 |
| 10 | 128 | 0.4852 E±0 | 0.1191 E-2 | 270 | 0.570 | 0.57 | 32.7 | 13.0 |
| 9 | 64 | 0.6834 E±0 | 0.1738 E-2 | 483 | 0.354 | 0.35 | 20.3 | 13.0 |
| 8 | 32 | 0.2018 E+1 | 0.4609 E-2 | 1189 | 0.522 | 0.52 | 29.9 | 13.0 |
| 7 | 16 | 0.2414 E+1 | 0.4841 E-2 | 3108 | 0.907 | 0.91 | 52.0 | 13.0 |
| 6 | 8 | 0.2516 E+1 | 0.3862 E-2 | 10667 | 1.417 | 1.42 | 81.2 | 13.0 |
| 5 | 4 | 0.2524 E+1 | 0.3051 E-2 | 39287 | 1.905 | -1.24 | -70.8 | 13.0 |

Station No. 364 Date 1985/ 1 / 9 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.4727 E±0 | 0.2270 E-3 | 425 | 0.263 | 0.26 | 151 | 55 |
| 13 | 1024 | 0.2890 E±0 | 0.2356 E-3 | 297 | 0.331 | 0.33 | 189 | 10.0 |
| 12 | 512 | 0.5175 E±0 | 0.4851 E-3 | 445 | 0.484 | 0.48 | 27.7 | 13.0 |
| 11 | 256 | 0.6492 E±0 | 0.7732 E-3 | 551 | 0.602 | 0.60 | 34.5 | 13.0 |
| 10 | 128 | 0.6971 E±0 | 0.1257 E-2 | 480 | 0.705 | 0.71 | 40.4 | 13.0 |
| 9 | 64 | 0.7450 E±0 | 0.1788 E-2 | 542 | 0.396 | 0.40 | 22.7 | 13.0 |
| 8 | 32 | 0.2175 E+1 | 0.4872 E-2 | 1245 | 0.400 | 0.40 | 22.9 | 13.0 |
| 7 | 16 | 0.2411 E+1 | 0.5397 E-2 | 2495 | 0.674 | 0.67 | 38.6 | 13.0 |
| 6 | 8 | 0.2019 E+1 | 0.4988 E-2 | 4095 | 1.164 | 1.16 | 66.7 | 13.0 |
| 5 | 4 | 0.1672 E+1 | 0.4067 E-2 | 8522 | 1.704 | -1.44 | -82.4 | 13.0 |

*** Measured Data List ***

Station No. 365 Date 1985/1/9 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------|-----------|------------------|
| | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1495 E±0 | 0.1728 E-3 | 73 | 1.289 | 1.29 | 55 |
| 13 | 1024 | 0.5160 E±0 | 0.2422 E-3 | 826 | 0.419 | 0.42 | 100 |
| 12 | 512 | 0.8167 E±0 | 0.4738 E-3 | 1162 | 0.545 | 0.55 | 130 |
| 11 | 256 | 0.1026 E+1 | 0.7878 E-3 | 1326 | 0.520 | 0.52 | 130 |
| 10 | 128 | 0.1249 E+1 | 0.1332 E-2 | 1373 | 0.548 | 0.55 | 130 |
| 9 | 64 | 0.1378 E+1 | 0.1870 E-2 | 1697 | 0.263 | 0.26 | 130 |
| 8 | 32 | 0.3874 E+1 | 0.5203 E-2 | 3466 | 0.111 | 0.11 | 130 |
| 7 | 16 | 0.4439 E+1 | 0.6026 E-2 | 6995 | 0.070 | 0.07 | 130 |
| 6 | 8 | 0.4065 E+1 | 0.5506 E-2 | 13655 | 0.058 | 0.06 | 130 |
| 5 | 4 | 0.3644 E+1 | 0.4863 E-2 | 30250 | 3.116 | -0.03 | 130 |

Station No. 366 Date 1985/1/9 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------|-----------|------------------|
| | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3278 E±0 | 0.1961 E-3 | 274 | 0.588 | 0.59 | 55 |
| 13 | 1024 | 0.2948 E±0 | 0.1803 E-3 | 499 | 0.672 | 0.67 | 100 |
| 12 | 512 | 0.4451 E±0 | 0.3924 E-3 | 502 | 0.708 | 0.71 | 130 |
| 11 | 256 | 0.5389 E±0 | 0.6649 E-3 | 517 | 0.649 | 0.65 | 130 |
| 10 | 128 | 0.6397 E±0 | 0.1117 E-2 | 513 | 0.627 | 0.63 | 130 |
| 9 | 64 | 0.6842 E±0 | 0.1584 E-2 | 583 | 0.353 | 0.35 | 130 |
| 8 | 32 | 0.1938 E+1 | 0.4367 E-2 | 1232 | 0.224 | 0.22 | 130 |
| 7 | 16 | 0.2137 E+1 | 0.5012 E-2 | 2272 | 0.240 | 0.24 | 130 |
| 6 | 8 | 0.1758 E+1 | 0.4587 E-2 | 3678 | 0.341 | 0.34 | 130 |
| 5 | 4 | 0.1280 E+1 | 0.3891 E-2 | 5416 | 0.344 | 0.34 | 130 |

*** Measured Data List ***

Station No. 367 Date 1985/1/9 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (γ rad) | Corrected Phase Difference PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|---|---|------------------|
| 14 | 2048 | 0.2671 E±0 | 0.2148 E-3 | 148 | 0.368 | 0.37 | 21.1 | 55 |
| 13 | 1024 | 0.4533 E-1 | 0.1744 E-3 | 13244 | -5350 | 0.93 | 53.5 | 100 |
| 12 | 512 | 0.7594 E-1 | 0.3778 E-3 | 15 | 0.765 | 0.76 | 43.8 | 130 |
| 11 | 256 | 0.9148 E-1 | 0.6510 E-3 | 16 | 0.763 | 0.76 | 43.7 | 130 |
| 10 | 128 | 0.1067 E±0 | 0.1091 E-2 | 14949 | 0.965 | 0.96 | 55.3 | 130 |
| 9 | 64 | 0.9377 E±0 | 0.1491 E-2 | 13 | 0.482 | 0.48 | 27.6 | 130 |
| 8 | 32 | 0.3520 E±0 | 0.4248 E-2 | 43 | 0.573 | 0.57 | 32.8 | 130 |
| 7 | 16 | 0.5239 E±0 | 0.5005 E-2 | 138 | 1.074 | 1.07 | 61.6 | 130 |
| 6 | 8 | 0.6027 E±0 | 0.4793 E-2 | 418 | 1.714 | -1.43 | -81.8 | 130 |
| 5 | 4 | 0.6796 E±0 | 0.4342 E-2 | 1445 | 2.204 | -0.94 | -53.7 | 130 |

Station No. 368 Date 1985/1/10 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ_a (Ω -m) | Phase Difference PD (rad) | Corrected Phase Difference PD-C (γ rad) | Corrected Phase Difference PD-C (deg) | Current I (A) |
|-----|---------------------|-----------------------------|----------------------------------|--|---------------------------------|---|---|------------------|
| 14 | 2048 | 0.5579 E±0 | 0.2986 E-3 | 342 | 0.455 | 0.46 | 26.1 | 55 |
| 13 | 1024 | 0.3906 E±0 | 0.2274 E-3 | 577 | 0.477 | 0.48 | 27.3 | 100 |
| 12 | 512 | 0.6289 E±0 | 0.4682 E-3 | 705 | 0.519 | 0.52 | 29.7 | 130 |
| 11 | 256 | 0.8071 E±0 | 0.7724 E-3 | 853 | 0.503 | 0.50 | 28.8 | 130 |
| 10 | 128 | 0.9685 E±1 | 0.1204 E-2 | 1069 | 0.571 | 0.57 | 32.7 | 130 |
| 9 | 64 | 0.9990 E±0 | 0.1637 E-2 | 1164 | 0.293 | 0.29 | 16.8 | 130 |
| 8 | 32 | 0.2992 E±1 | 0.4768 E-2 | 2460 | 0.190 | 0.19 | 10.9 | 130 |
| 7 | 16 | 0.3428 E-5 | 0.5481 E-5 | 4781 | 0.267 | 0.27 | 15.3 | 130 |
| 6 | 8 | 0.2712 E±1 | 0.4999 E-2 | 7379 | 0.429 | 0.43 | 24.6 | 130 |
| 5 | 4 | 0.1895 E±1 | 0.4395 E-2 | 9298 | 0.506 | 0.51 | 29.0 | 130 |

*** Measured Data List ***

Station No. 369

Date 1985/1/10

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|------------------|
| 14 | 2048 | 0.4991 E±0 | 0.3319 E-3 | 222 | 0.647 | 0.65 | 5.5 |
| 13 | 1024 | 0.1635 E±0 | 0.1640 E-3 | 196 | -6.610 | 0.93 | 10.0 |
| 12 | 512 | 0.2404 E±0 | 0.3419 E-3 | 193 | 0.787 | 0.79 | 13.0 |
| 11 | 256 | 0.2937 E±0 | 0.5932 E-3 | 192 | 0.743 | 0.74 | 13.0 |
| 10 | 128 | 0.3416 E±0 | 0.9941 E-3 | 185 | 0.816 | 0.82 | 13.0 |
| 9 | 64 | 0.3218 E±0 | 0.1353 E-2 | 177 | 0.465 | 0.47 | 13.0 |
| 8 | 32 | 0.1026 E+1 | 0.3561 E-2 | 449 | 0.403 | 0.40 | 13.0 |
| 7 | 16 | 0.1242 E+1 | 0.4473 E-2 | 964 | 0.698 | 0.70 | 13.0 |
| 6 | 8 | 0.1099 E+1 | 0.4298 E-2 | 1883 | 1.195 | 0.19 | 13.0 |
| 5 | 4 | 0.9209 E±0 | 0.3712 E-2 | 3118 | 1.810 | -1.33 | 13.0 |

Station No. 370

Date 1985/1/10

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference PD-C(rad) | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|--|------------------|
| 14 | 2048 | 0.8407 E±0 | 0.6773 E-3 | 150 | 3.455 | 0.31 | 5.5 |
| 13 | 1024 | 0.1647 E±0 | 0.1041 E-3 | 500 | -2.312 | 0.83 | 10.0 |
| 12 | 512 | 0.1615 E±0 | 0.2158 E-3 | 219 | 4.645 | 1.50 | 13.0 |
| 11 | 256 | 0.1938 E±0 | 0.3699 E-3 | 214 | 5.040 | -1.24 | 13.0 |
| 10 | 128 | 0.2794 E±0 | 0.6079 E-3 | 331 | 5.657 | -0.63 | 13.0 |
| 9 | 64 | 0.2566 E±0 | 0.9598 E-3 | 224 | -0.733 | -0.73 | 13.0 |
| 8 | 32 | 0.1073 E+1 | 0.2630 E-2 | 1040 | -1.183 | -1.18 | 13.0 |
| 7 | 16 | 0.2329 E+1 | 0.2800 E-2 | 8694 | -1.335 | -1.33 | 13.0 |
| 6 | 8 | 0.3398 E+1 | 0.1979 E-2 | 74337 | -1.226 | -1.23 | 13.0 |
| 5 | 4 | 0.4096 E+1 | 0.1420 E-2 | 432233 | -1.210 | -1.21 | 13.0 |

*** Measured Data List ***

Station No. 371

Date 1985/1/10

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.2711 E±0 | 0.3611 E-3 | 55 | 3.623 | 0.48 | 27.6 | 5.5 |
| 13 | 1024 | 0.1851 E±0 | 0.1721 E-3 | 226 | -2837 | 0.30 | 17.4 | 10.0 |
| 12 | 512 | 0.3281 E±0 | 0.3684 E-3 | 311 | 3583 | 0.44 | 25.3 | 13.0 |
| 11 | 256 | 0.4368 E±0 | 0.6261 E-3 | 381 | 3621 | 0.48 | 27.5 | 13.0 |
| 10 | 128 | 0.5317 E±0 | 0.9965 E-3 | 445 | 3692 | 0.55 | 31.5 | 13.0 |
| 9 | 64 | 0.5773 E±0 | 0.1472 E-2 | 481 | 3365 | 0.22 | 12.8 | 13.0 |
| 8 | 32 | 0.1753 E+1 | 0.4149 E-2 | 1115 | 3290 | 0.15 | 8.5 | 13.0 |
| 7 | 16 | 0.1961 E+1 | 0.4685 E-2 | 2192 | 3342 | 0.20 | 1.5 | 13.0 |
| 6 | 8 | 0.1620 E+1 | 0.4296 E-2 | 3565 | -2852 | 0.29 | 16.6 | 13.0 |
| 5 | 4 | 0.1139 E+1 | 0.4591 E-2 | 4989 | -2740 | 0.40 | 23.0 | 13.0 |

Station No. 372

Date 1985/1/10

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity ρ _a (Ω-m) | Phase Difference PD (rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|---|---------------------------------|-------------------------------|------------|------------------|
| | | | | | | PD-C (rad) | PD-C (deg) | |
| 14 | 2048 | 0.3233 E±0 | 0.7076 E-3 | 20 | 0.561 | 0.56 | 32.1 | 5.5 |
| 13 | 1024 | 0.5399 E-1 | 0.1268 E-3 | 36 | 0.346 | 0.35 | 19.8 | 10.0 |
| 12 | 512 | 0.1031 E±0 | 0.3049 E-3 | 45 | 0.527 | 0.53 | 30.2 | 13.0 |
| 11 | 256 | 0.1399 E±0 | 0.5187 E-3 | 57 | 0.536 | 0.54 | 30.7 | 13.0 |
| 10 | 128 | 0.2677 E±0 | 0.6034 E-3 | 74 | 0.716 | 0.72 | 41.0 | 13.0 |
| 9 | 64 | 0.1489 E±0 | 0.1057 E-2 | 62 | 0.437 | 0.44 | 25.0 | 13.0 |
| 8 | 32 | 0.5136 E±0 | 0.3281 E-2 | 153 | 0.436 | 0.44 | 25.0 | 13.0 |
| 7 | 16 | 0.6503 E±0 | 0.3586 E-2 | 412 | 0.725 | 0.73 | 41.6 | 13.0 |
| 6 | 8 | 0.6596 E±0 | 0.2675 E-2 | 1413 | -1950 | 1.19 | 68.3 | 13.0 |
| 5 | 4 | 0.7104 E±0 | 0.1906 E-2 | 6556 | -1490 | -1.49 | -85.4 | 13.0 |

*** Measured Data List ***

Station No. 373

Date 1985/ 1./ 11

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.1644 E±0 | 0.1020 E-3 | 266 | 0.256 | 0.26 | 14.7 | 55 |
| 13 | 1024 | 0.1102 E±0 | 0.3507 E-3 | 19 | 0.547 | 0.55 | 31.3 | 10.8 |
| 12 | 512 | 0.2528 E±0 | 0.8411 E-3 | 35 | 6.520 | 0.24 | 13.6 | 13.0 |
| 11 | 256 | 0.4843 E±0 | 0.1545 E-2 | 77 | 0.184 | 0.18 | 10.5 | 13.0 |
| 10 | 128 | 0.6830 E±0 | 0.2595 E-2 | 108 | 6.404 | 0.12 | 6.9 | 13.0 |
| 9 | 64 | 0.1107 E+1 | 0.3795 E-2 | 266 | 0.040 | 0.04 | 2.3 | 13.0 |
| 8 | 32 | 0.2992 E+1 | 0.1012 E-1 | 547 | 0.135 | 0.14 | 7.7 | 13.0 |
| 7 | 16 | 0.3033 E+1 | 0.1096 E-1 | 957 | 0.261 | 0.26 | 14.9 | 13.0 |
| 6 | 8 | 0.2354 E+1 | 0.6805 E-2 | 1383 | 0.403 | 0.40 | 23.1 | 13.0 |
| 5 | 4 | 0.1665 E+1 | 0.8993 E-2 | 1688 | 0.437 | 0.44 | 25.0 | 13.0 |

Station No. 374

Date 1985/ 1./ 11

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.3174 E±0 | 0.1410 E-3 | 483 | 0.343 | 0.34 | 19.6 | 55 |
| 13 | 1024 | 0.5447 E±0 | 0.2504 E-3 | 925 | 0.352 | 0.35 | 20.2 | 10.0 |
| 12 | 512 | 0.9441 E±0 | 0.5313 E-3 | 1249 | 0.505 | 0.51 | 29.0 | 13.0 |
| 11 | 256 | 0.1189 E+1 | 0.8694 E-3 | 1491 | 0.567 | 0.57 | 32.5 | 13.0 |
| 10 | 128 | 0.1399 E+1 | 0.1503 E-2 | 1354 | 0.605 | 0.61 | 34.7 | 13.0 |
| 9 | 64 | 0.1626 E+1 | 0.2193 E-2 | 1719 | 0.299 | 0.30 | 17.1 | 13.0 |
| 8 | 32 | 0.3745 E+1 | 0.4996 E-2 | 3519 | 0.220 | 0.22 | 12.6 | 13.0 |
| 7 | 16 | 0.4873 E+1 | 0.6825 E-2 | 6372 | 0.274 | 0.27 | 15.7 | 13.0 |
| 6 | 8 | 0.3930 E+1 | 0.6209 E-2 | 10017 | 0.383 | 0.38 | 21.9 | 13.0 |
| 5 | 4 | 0.2951 E+1 | 0.5698 E-2 | 13433 | 0.344 | 0.34 | 19.7 | 13.0 |

*** Measured Data List ***

Station No. 375

Date 1985/1/11

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.5409 E±0 | 0.1336 E-3 | 1668 | 0.441 | 0.44 | 253 | 55 |
| 13 | 1024 | 0.5378 E±0 | 0.2190 E-3 | 1249 | 0.736 | 0.74 | 422 | 100 |
| 12 | 512 | 0.8202 E±0 | 0.4518 E-3 | 1288 | 0.787 | 0.79 | 451 | 130 |
| 11 | 256 | 0.9585 E±0 | 0.7677 E-3 | 1218 | 0.824 | 0.82 | 472 | 130 |
| 10 | 128 | 0.1034 E+1 | 0.1346 E-2 | 922 | 0.885 | 0.89 | 50.7 | 130 |
| 9 | 64 | 0.1034 E+1 | 0.1964 E-2 | 866 | 0.517 | 0.52 | 29.6 | 130 |
| 8 | 32 | 0.2971 E+1 | 0.5379 E-2 | 1907 | 0.432 | 0.43 | 24.7 | 130 |
| 7 | 16 | 0.3268 E+1 | 0.6171 E-2 | 3507 | 0.652 | 0.65 | 37.4 | 130 |
| 6 | 8 | 0.2634 E+1 | 0.6112 E-2 | 4644 | 1.060 | 1.06 | 60.8 | 130 |
| 5 | 4 | 0.1906 E+1 | 0.5522 E-2 | 5953 | 1.566 | 0.52 | 29.7 | 130 |

Station No. 376

Date 1985/1/11

Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field E (mV/km) | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference PD(rad) | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|-----------------------------|-------------------------|--|--------------------------------|-------------------------------|-----------|------------------|
| | | | | | | PD-C(rad) | PD-C(deg) | |
| 14 | 2048 | 0.2795 E±0 | 0.1004 E-3 | 770 | 0.637 | 0.64 | 36.5 | 55 |
| 13 | 1024 | 0.3917 E±0 | 0.2020 E-3 | 738 | 0.640 | 0.64 | 36.7 | 100 |
| 12 | 512 | 0.6124 E±0 | 0.4505 E-3 | 732 | 0.699 | 0.70 | 40.1 | 130 |
| 11 | 256 | 0.7819 E±0 | 0.7576 E-3 | 832 | 0.627 | 0.63 | 35.9 | 130 |
| 10 | 128 | 0.9544 E±0 | 0.1306 E-2 | 834 | 0.662 | 0.66 | 37.9 | 130 |
| 9 | 64 | 0.1036 E+1 | 0.1885 E-2 | 943 | 0.376 | 0.38 | 21.5 | 130 |
| 8 | 32 | 0.2982 E+1 | 0.5269 E-2 | 1924 | 0.274 | 0.27 | 15.7 | 130 |
| 7 | 16 | 0.7342 E+1 | 0.6300 E-2 | 3473 | 0.370 | 0.37 | 21.2 | 130 |
| 6 | 8 | 0.6447 E+1 | 0.6157 E-2 | 4860 | 0.549 | 0.55 | 31.4 | 130 |
| 5 | 4 | 0.5466 E+1 | 0.5661 E-2 | 5571 | 0.586 | 0.59 | 33.6 | 130 |

*** Measured Data List ***

Station No. 377 Date 1985/ 1 / 11 Tx Bipole No. 2

| No. | Frequency f (Hz) | Electric Field | | Magnetic Field H (γ) | Apparent Resistivity $\rho_a(\Omega\text{-m})$ | Phase Difference | | Corrected Phase Difference | | Current I (A) |
|-----|---------------------|----------------|-----------|-------------------------|--|---------------------|-----------|-------------------------------|-----------|------------------|
| | | E (mV/km) | E (mV/km) | | | PD(rad) | PD-C(rad) | PD-C(deg) | PD-C(deg) | |
| 14 | 2048 | 0.2786 | E±0 | 0.9970 | E-4 | 1466 | 0.566 | 0.57 | 324 | 55 |
| 13 | 1024 | 0.3917 | E±0 | 0.2020 | E-3 | 2648 | 0.576 | 0.58 | 330 | 100 |
| 12 | 512 | 0.6124 | E±0 | 0.4505 | E-3 | 2604 | 0.649 | 0.65 | 372 | 130 |
| 11 | 256 | 0.7819 | E±0 | 0.7576 | E-3 | 2973 | 0.540 | 0.54 | 310 | 130 |
| 10 | 128 | 0.9544 | E±0 | 0.1306 | E-2 | 3591 | 0.547 | 0.55 | 313 | 130 |
| 9 | 64 | 0.1036 | E+1 | 0.1885 | E-2 | 4501 | 0.293 | 0.29 | 168 | 130 |
| 8 | 32 | 0.2982 | E+1 | 0.5376 | E-2 | 9241 | -0.183 | -0.18 | -105 | 130 |
| 7 | 16 | 0.3279 | E+1 | 0.6221 | E-2 | 16980 | 0.217 | 0.22 | 124 | 130 |
| 6 | 8 | 0.2615 | E+1 | 0.5933 | E-2 | 22410 | 0.227 | 0.23 | 130 | 130 |
| 5 | 4 | 0.1819 | E+1 | 0.5454 | E-2 | 46870 | 3.102 | -0.04 | -23 | 130 |

11. Comparison between Apparent Resistivity Anomaly and Geology

Apx. 11 Comparison between Apparent Resistivity Anomaly and Geology

(1)

| Locality & Code No. | Resistivity Value (Analyzed) | Geology (Rock code) | Mineralization & Alteration | Ore Deposit | Feature * ① remarks |
|------------------------------|---|-------------------------------------|-----------------------------|--|---|
| 1) West of Descubridora (11) | (No. 17, 40, 43) Depth 30 to 60m: 60 to 70 Ω-m (Lp) 150 to 300m: 10 to 25 Ω-m (Lp) lower : 300 to 5,000 Ω-m (Hp) | (Tssl) (Kdc2) (Kshl) (Koh) | Silification | Descubridora (Kuroko type deposit) is located to the east of anomaly. | ① Corresponds to west extension of Descubridora Kuroko type deposit. Seems to be west slope of domical structure. Ore horizon tuff extension or mineralization expected. Zn single-element showing type in geochemical exploration. |
| 2) South of Descubridora | (No. 24, 46, 48, 49) Depth 30 to 90m: 40 to 110 Ω-m (Lp) 130 to 600m: 8 to 240 Ω-m (Lp) lower : 600 to 10,000 Ω-m (Hp) | (Tssl) (Koh) (Kshl) | Silification | Descubridora (Kuroko type deposit) is located to the north of anomaly. | Single-element showing type in geochemical exploration, but presumed to be due to vein. |
| 3) El Penon (13) | (No. 89, 90, 114) Depth 20 to 150m: 37 to 150 Ω-m (Lp) 50 to 600m: 2 to 200 Ω-m (Lp) lower : 5,000 to 60,000 Ω-m (Hp) | (Tssl) | | | |
| 4) Aranjuez (14) | (No. 55, 56, 69, 182) Depth 23 to 220m: 20 to 120 Ω-m (Lp) 300 to 550m: 30 to 150 Ω-m (Lp) lower : 500 to 6,000 Ω-m (Hp) | (Kshl) (Q) | Silification | La America (Kuroko type deposit) (On the edge of low resistivity zone) | ① Corresponds to north extension of La America Kuroko type deposit. Seems to be north slope of domical structure. Ore horizon tuff extension or mineralization expected. Multi element showing type in geochemical exploration. |

Lp: Low resistivity (under 200 Ω-m)
Mp: Medium resistivity (200 to 2,000 Ω-m)
Hp: High resistivity (over 2,000 Ω-m)

| Locality & Code No. | Resistivity Value (Analyzed) | Geology (Rock code) | Mineralization & Alteration | Ore Deposit | Feature * <input checked="" type="radio"/> remark <input type="radio"/> |
|---------------------------------|---|---------------------|-----------------------------|-------------|---|
| 5) Northwest of La America (L5) | (No. 98,104,105) Depth 13 to 100m: 10 to 150 Ω -m (Lp) 300 to 450m: 40 to 180 Ω -m (Lp) lower : over 800 Ω -m | (Q) (Kshl) | | | <input checked="" type="radio"/> Multi-element (Ag-Pb-Zn) showing type in geochemical exploration corresponds to northeast extension of Descubridora-La America deposit. Seems to be north slope of domical structure. Mineralization existence expected. |
| 6) Tepeguaje (L6) | (No. 103,106,181,187) Depth 30 to 55m : 25 to 70 Ω -m (Lp) 300 to 700m: 280 to 800 Ω -m (Slight Hp) lower : 800 to 4,000 Ω -m (Hp) | (Q) (Kshl) | | | |
| 7) San Miguel (L7) | (No. 367,372) Depth 10 to 28m : 8 to 20 Ω -m (Lp) 300 to 600m: 20 to 170 Ω -m lower : 1,500 to 6,000 Ω -m (Hp) | (Q) (Tssl) | | | |
| 8) North of San Miguel (L8) | (No. 357,361,365,371) Depth 100 to 600m: 110 to 800 Ω -m (Slightly Lp) 800 to 2,000m: 800 to 3,000 Ω -m (Hp) lower : 10,000 to 20,000 Ω -m (Hp) | (Q) (Tssl) | | | |
| 9) North of Tescalama Uno (L9) | (No. 299,317) Depth 45 to 70 m : 50 Ω -m (Lp) down to 600m: 500 Ω -m (Slightly Lp) lower : 1,200 to 8,000 Ω -m (Hp) | (Kshl) | | | Multi-element showing type in geochemical exploration. |
| 10) East of El Capulin (L10) | (No. 349,350,353,354) Depth 20 to 55 m : 20 to 60 Ω -m (Lp) down to 400m: 110 Ω -m (Lp) lower : 800 to 20,000 Ω -m (Hp) | (Tssl) | | | |

| Locality & Code No. | Resistivity Value (Analyzed) | Geology (Rock code) | Mineralization & Alteration | Ore Deposit | Feature * \odot remark \circ |
|--|---|----------------------------|-----------------------------|-------------|----------------------------------|
| 11) East of Platanito (L11) | (No. 331,333,334,335) Depth 15 to 45 m : 10 to 20 Ω -m (Lp) down to 500m: 250 Ω -m (Slightly Lp) lower : 600 to 17,000 Ω -m(Hp) | (Tadl) | | | |
| 12) North of La Queseria (L12) | (No. 206,207,344,352) Depth 15 to 30 m : 6 to 26 Ω -m (Lp) lower : 500 to 7,000 Ω -m (Hp) | (Kshl) (Tadl) | | | |
| 13) North of C.El Pintor (L13) | (No. 137,138) Depth 15 to 110m : 20 to 90 Ω -m (Lp) lower : 3,000 to 8,000 Ω -m (Hp) | (Tssl) (Adl) | | | |
| 14) South of La Yerbabuena (L14) | (No. 147) Depth down to 200m: 100 Ω -m (Lp) down to 300m: 50 Ω -m (Lp) lower : 1,000 Ω -m (Slightly Hp) | (Tadl) (Kshl) | | | |
| 15) The upper stream of Rio Aguacate (L15) | (No. 256) Depth down to 40m : 70 Ω -m (Lp) down to 400m: 160 Ω -m (Lp) lower : 1,800 Ω -m (Slightly Hp) | (Tadl) | | | |
| 16) North of Toledo (L16) | (No. 170,306) Depth 75 to 80 m : 120 to 200 Ω -m (Lp) down to 700m: 1,000 Ω -m (Slightly Hp) lower : 4,000 to 6,000 Ω -m (Hp) | (Kshl) (Tadl) (Kdc2) | | | |
| 17) Mezcales (L17) | (No. 215) Depth down to 30m : 60 Ω -m (Lp) lower : 47,500 Ω -m (Hp) | (Kshl) | | | |

| Locality & Code No. | Resistivity Value (Analyzed) | Geology (Rock code) | Mineralization & Alteration | Ore Deposit | Feature * \odot remark |
|-------------------------------------|--|---------------------------|-----------------------------|-----------------------------|---|
| 18) El Rubi & Ocotilan tunnel (L18) | (No. 261,262) Depth 110 to 120m: 200 to 300 Ω -m (Lp) down to 400m: 500 Ω -m (Slightly Hp) lower : 6,500 to 25,000 Ω -m (Hp) | (Tadl) (Kshl) | Silication | Iron pyrites narrow deposit | \odot Signs of mineralization in shallow depth, but small scale and do not extend to the depth. Multi-element showing type in geochemical exploration in the southwest extension. |
| 19) East of El Rubi tunnel (L19) | (No. 266,275,276) Depth 20 to 200m: 70 to 150 Ω -m (Lp) 200 to 480m: 50 to 520 Ω -m (Slightly Lp) lower : 500 to 6,000 Ω -m (Hp) | (Adl) (Kshl) (Tadl) | | | |
| 20) Las Jicamas (L20) | (No. 279,320,321) Depth 14 to 25m : 6 to 11.9-m (Lp) lower : 120 to 3,300 Ω -m (Slightly Hp) | (Tadl) (Q) | | | |
| 21) La Palma (L21) | (No. 312,313,326,327,328) | (Tadl) (Q) | | | |
| 22) Los Sapiros (L22) | (No. 293,294) | (Tadl) | | | Possibility of fine dissemination in Tadl. |

(High Apparent Resistivity Anomaly) (5)

| Locality & Code No. | Resistivity Value (Analyzed) | Geology (Rock code) | Mineralization & Alteration | Ore Deposit | Feature * Ⓞ remarks |
|----------------------------------|--|---------------------|-----------------------------|---|--|
| 1) Southeast of Las Majadas (H1) | (No. 16,18,19) Depth 140 to 200m: 800 to 2,000 Ω -m (Hp) down to 1,500m: 5,000 Ω -m (Hp) lower : 2,000 to 10,000 Ω -m (Hp) | (Tss1) (Tad3) | | | |
| 2) West of El Penon (H2) | (No. 36,52,57,87,96,119) Depth 130 to 500m: 700 to 1,000 Ω -m (Hp) lower : 750 to 3,000 Ω -m (Hp) | (Kdc2) | Silification | La America Kuroko type deposit (Middle between Hp and Lp) | MRZ/HRZ distributed nearby Descubridra and La America close relation to igneous activity associated with deposit. In geochemical exploration multi-element showing type in the north of MRZ/HRZ, and single-element showing type in the south. |
| 3) East of C. Piedra Raiad (H3) | (No. 11,27,28,65) Depth 100 to 150m: 1,000 to 2,500 Ω -m lower : 3,000 to 13,000 Ω -m (Hp) | (Tad1) (Ad1) | | | |
| 4) South of Tescalamauno (H4) | (No. 93,110,111) Depth 180 to 350m: 1,500 to 2,000 Ω -m (Hp) lower : 7,500 Ω -m (Hp) | (Ksh1) (Kdc2) | Some silification | | |
| 5) North of San Isidor (H5) | (No. 82,83,84,176) Depth 40 to 300m : 800 to 3,000 Ω -m (Hp) lower : over 4,000 Ω -m (Hp) | (Tad1) (Kahl) | | | |
| 6) South of Los Sapitos (H6) | (No. 291,292,315) Depth 130 to 340m: 600 to 2,400 Ω -m (Ho) lower : over 3,500 Ω -m (Hp) | (Tad1) | | | |
| 7) Platanito (H7) | (No. 332,340,341) Depth 45 to 200m : 100 to 600 Ω -m (Slightly Hp) lower : over 1,700 Ω -m | (Tad1) | | | |
| 8) C. El Pintor (H8) | (No. 202) Depth down to 500m: 4,500 Ω -m (Hp) lower : 12,000 Ω -m (Hp) | (Ad1) (Tss1) | | | |

Lp: Low resistivity (under 200 to 2,000 Ω -m)
Mp: Medium resistivity (200 to 2,000 Ω -m)
Hp: High resistivity (over 2,000 Ω -m)

| Locality & Code No. | Resistivity Value (Analyzed) | Geology (Rock code) | Mineralization & Alteration | Ore Deposit | Feature * \odot remarks |
|--|---|---|-----------------------------|---|--|
| 9) Rio Aguacate (H9) | (No. 298) Depth down to 250m: 6,500 Ω -m (Hp) lower : 7,500 Ω -m (Hp) | (Tadl) (Kshl) | | | |
| 10) Las Jicamas (H10) | (No. 301,302) Depth 55 to 100m: 500 to 800 Ω -m (Slightly Hp) 100 to 600m: 3,000 Ω -m (Hp) lower : 6,000 Ω -m (Hp) | (Tadl) | | | |
| 11) South of La Yerbabuena (H10) | (No. 132,141,144) Depth 100 to 300m: 500 to 5,000 Ω -m (Hp) 300 to 800m: 400 to 900 Ω -m (Slightly Hp) lower : over 8,000 Ω -m (Hp) | (Kshl) (Tadl) | | | |
| 12) Toledo (H12) | (No. 157,158,167,168) Depth 130 to 600m: 500 to 1,500 Ω -m (Hp) lower : over 3,000 Ω -m (Hp) | (Tadl) (Kshl) | | | |
| 13) The upper stream of Rio Mezcales (H13) | (No. 249,250,255) Depth 200 to 450m: 1,300 to 6,800 Ω -m(Hp) lower : 2,500 Ω -m (Hp) | (Kshl) (Tadl) | | | |
| 14) Mezcales (H14) | (No. 214,218,246) Depth 180 to 450m: 1,000 to 5,000 Ω -m(Hp) 800 to 1,300m: over 2,000 Ω -m (Hp) | (Kshl) | | | |
| 15) Espinos de Pena (H15) | (No. 220,221,222,231,232,237) Depth 200 to 280m: 1,000 to 2,600 Ω -m (Hp) lower : over 1,300 Ω -m (Hp) | (Gph) (Kde2) (Kdcl) (Kbsl) (Kshl) | Silification | El Rubi Kuroko type deposit (shallow depth) | In geochemical exploring multi element (Ag-Pd-Zn) showing type in the south-east of Espinos de Pena. |