




COMMON INTEREST
RIGHTS ATTACHED
RIGHTS AND STAKES
RESERVE

AMERICAN MAPS
PHILADELPHIA
PSEUDO-CYANITY 1
SCALE 1:50,000
DATE 1910
FROM ORIGINAL SURVEY
BY THE U.S. ARMY
ENGINEERS
MADE IN U.S.A.



UNITED STATES GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
ALBUQUERQUE, NEW MEXICO
1964






PL. 08853

AIRBORNE MAGNETIC SURVEY
OF
NORTHEASTERN LUZON
PHILIPPINES
PSEUDO-GRAVITY MAP PG-2


LOCATION INDEX




SCALE 1:100,000

METAL MINING AGENCY OF JAPAN
JAPAN INTERNATIONAL COOPERATION AGENCY
GOVERNMENT OF JAPAN
January-March 1976

Prepared by Dishmetal Exploration Co., Ltd.




- CONTOUR INTERVAL
- 50 gammas
 - 10 gammas
- TOTAL INTENSITY 40,000 gammas
- FLIGHT ALTITUDE 2,000 m.A.S.L.
- FLIGHT LINE SPACING
- TRAVERSE 1,500 meters
 - TIE 10,000 meters
- WORKING MINE X
- ABANDONED MINE X



PL 08853

AIRBORNE MAGNETIC SURVEY
OF
NORTHEASTERN LUZON
PHILIPPINES
PSEUDO-GRAVITY MAP PG-2



LOCATION INDEX



SCALE 1 : 100,000


METAL MINING AGENCY OF JAPAN
JAPAN INTERNATIONAL COOPERATION AGENCY
GOVERNMENT OF JAPAN
January-March 1975

Prepared by Distinetel Exploration Co., Ltd.




- CONTOUR INTERVAL
- 50 gammas
 - 10 gammas
- TOTAL INTENSITY 40,000 gammas
- FLIGHT ALTITUDE 2,000 m A.S.L.
- FLIGHT LINE SPACING
- TRAVERSE 1,500 meters
 - TIE 10,000 meters
- WORKING MINE X
- ABANDONED MINE X

S E A



CONTOUR INTERVAL
 TOTAL INTENSITY
 FLIGHT ALTITUDE
 FLIGHT LINE SPACING
 TRAVERSE
 TIE
 WORKING MINE
 ABANDONED MINE


50 gammas
 10 gammas
 40,000 gammas
 2,000 M.A.S.L.
 1,500 meters
 10,000 meters
 ✕
 ✕



PL 4-8853
 國土地院
 航空重力調査

AIRBORNE MAGNETIC SURVEY
 OF
 NORTHEASTERN LUZON
 PHILIPPINES
 PSEUDO-GRAVITY MAP PG-2


LOCATION INDEX




SCALE 1:100,000

METAL MINING AGENCY OF JAPAN
 JAPAN INTERNATIONAL COOPERATION AGENCY
 GOVERNMENT OF JAPAN
 January-March 1975

Prepared by Bichimetal Exploration Co., Ltd



CONTOUR INTERVAL	50 gammas
	10 gammas
TOTAL INTENSITY	40,000 gammas
FLIGHT ALTITUDE	2,000 m A.S.L.
FLIGHT LINE SPACING	
TRAVERSE	1,500 meters
TIE	10,000 meters
WORKING MINE	×
ABANDONED MINE	×



15°15'

15°30'

15°45'

120°15'

121°00'

121°15'

121°30'

121°45'

122°00'

122°15'

122°30'

122°45'

123°00'

123°15'

123°30'

123°45'

124°00'

124°15'

124°30'

124°45'

125°00'

125°15'

125°30'

125°45'

126°00'

126°15'

126°30'

126°45'

127°00'

127°15'

127°30'

127°45'

128°00'

128°15'

128°30'

128°45'

129°00'

129°15'

129°30'

129°45'

130°00'

130°15'

130°30'

130°45'

131°00'

131°15'

131°30'

131°45'

132°00'

132°15'

132°30'

132°45'

133°00'

133°15'

133°30'

133°45'

134°00'

134°15'

134°30'

134°45'

135°00'

135°15'

135°30'

135°45'

136°00'

136°15'

136°30'

136°45'

137°00'

137°15'

137°30'

137°45'

138°00'

138°15'

138°30'

138°45'

139°00'

139°15'

139°30'

139°45'

140°00'

140°15'

140°30'

140°45'

141°00'

141°15'

141°30'

141°45'

142°00'

142°15'

142°30'

142°45'

143°00'

143°15'

143°30'

143°45'

144°00'

144°15'

144°30'

144°45'

145°00'

145°15'

145°30'

145°45'

146°00'

146°15'

146°30'

146°45'

147°00'

147°15'

147°30'

147°45'

148°00'

148°15'

148°30'

148°45'

149°00'

149°15'

149°30'

149°45'

150°00'

150°15'

150°30'

150°45'

151°00'

151°15'

151°30'

151°45'

152°00'

152°15'

152°30'

152°45'

153°00'

153°15'

153°30'

153°45'

154°00'

154°15'

154°30'

154°45'

155°00'

155°15'

155°30'

155°45'

156°00'

156°15'

156°30'

156°45'

157°00'

157°15'

157°30'

157°45'

158°00'

158°15'

158°30'

158°45'

159°00'

159°15'

159°30'

159°45'

160°00'

160°15'

160°30'

160°45'

161°00'

161°15'

161°30'

161°45'

162°00'

162°15'

162°30'

162°45'

163°00'

163°15'

163°30'

163°45'

164°00'

164°15'

164°30'

164°45'

165°00'

165°15'

165°30'

165°45'

166°00'

166°15'

166°30'

166°45'

167°00'

167°15'

167°30'

167°45'

168°00'

168°15'

168°30'

168°45'

169°00'

169°15'

169°30'

169°45'

170°00'

170°15'

170°30'

170°45'

171°00'

171°15'

171°30'

171°45'

172°00'

172°15'

172°30'

172°45'

173°00'

173°15'

173°30'

173°45'

174°00'

174°15'

174°30'

174°45'

175°00'

175°15'

175°30'

175°45'

176°00'

176°15'

176°30'

176°45'

177°00'

177°15'

177°30'

177°45'

178°00'

178°15'

178°30'

178°45'

179°00'

179°15'

179°30'

179°45'

180°00'

180°15'

180°30'

180°45'

181°00'

181°15'

181°30'

181°45'

182°00'

182°15'

182°30'

182°45'

183°00'

183°15'

183°30'

183°45'

184°00'

184°15'

184°30'

184°45'

185°00'

185°15'

185°30'

185°45'

186°00'

186°15'

186°30'

186°45'

187°00'

187°15'

187°30'

187°45'

188°00'

188°15'

188°30'

188°45'

189°00'

189°15'

189°30'

189°45'

190°00'

190°15'

190°30'

190°45'

191°00'

191°15'

191°30'

191°45'

192°00'

192°15'

192°30'

192°45'

193°00'

193°15'

193°30'

193°45'

194°00'

194°15'

194°30'

194°45'

195°00'

195°15'

195°30'

195°45'

196°00'

196°15'

196°30'


196°45'


197°00'

197°15'

197°30'


<





CONTOUR INTERVAL
 ~~~~~ 50 gammas  
 ~~~~~ 10 gammas  
 TOTAL INTENSITY 40,000 gammas
 FLIGHT ALTITUDE 2,000 M.S.L.
 FLIGHT LINE SPACING
 TRAVERSE 1,500 meters
 TIE 10,000 meters
 WORKING MINE X
 ABANDONED MINE X

08853
图例
图名



AIRBORNE MAGNETIC SURVEY
OF
NORTHEASTERN LUZON
PHILIPPINES
PSEUDO-GRAVITY MAP
SCALE 1:50,000
DATE AND AREA OF SURVEY
AS PER AIRBORNE MAGNETIC SURVEY REPORT
NO. 1000 OF 1954
PREPARED BY B. H. BROWN

CONTOUR INTERVAL 5
TOTAL INTENSITY 4000
FLIGHT ALTITUDE 7000
FLIGHT LINE SPACING TRAVERSE 1.50
MILES
WAGONS BANE
ABANDONED BANE

08853
研究資料室

PL 84

AIRBORNE MAGNETIC SURVEY
OF
NORTHEASTERN LUZON
PHILIPPINES
PSEUDO-GRAVITY MAP PO-2



SCALE 1:25000

DATA BY: H. H. HARRIS JR.
JAPAN INTERNATIONAL COOPERATION AGENCY
MINISTRY OF DEFENSE
FROM: MAR 1975

PROJ: U.S. BROWN EQUATORIAL GRASS

CONTOUR INTERVAL
~ 50 gamma
- 50 gamma

TOTAL INTENSITY 4,000 gamma


FLIGHT ALTITUDE 2,000 M ASL

FLIGHT LINE SPACING 1,500 METERS


TRAVERSE 100 METERS


WORKING SCALE X

ABANGORIO MNE X




Scale 1:50,000
CENTRO AMERICA
PAIS GUATEMALA
REGION ALTURA
Escala 1:50,000
1950
MONTAÑAS
DE
GUATEMALA






Sheet of 8-10000 Series Map

CONTOUR INTERVAL 20 FEET
TOTAL INTENSITY 40000000
FLIGHT ALTITUDE 20000 FT
FLIGHT LINE SPACING 1000 FT
THE WOODS MAP
ARRANGED MAP




50 gammas
 10 gammas
 40,000 gammas
 2,000 m.A.S.L.
 FLIGHT ALTITUDE
 TRVERSE 1,500 meters
 THE
 10,000 meters
 WORKING MINE
 ABANDONED MINE




AIRBORNE MAGNETIC SURVEY
 OF
 NORTHEASTERN LUZON
 PHILIPPINES
 PSEUDO-GRAVITY MAP PG-3
 LOCATION INDEX

SCALE 1:100,000

METAL MINING AGENCY OF JAPAN
 JAPAN INTERNATIONAL COOPERATION AGENCY
 GOVERNMENT OF JAPAN
 Jowary-Tsack 1976
 Prepared by Blhmetel Exploration Co. Ltd.




PL 08853
 08853
 08853



PL 708853

AIRBORNE MAGNETIC SURVEY
OF
NORTHEASTERN LUZON
PHILIPPINES
PSEUDO-GRAVITY MAP PG-3



LOCATION INDEX



SCALE 1:100,000


METAL MINING AGENCY OF JAPAN
JAPAN INTERNATIONAL COOPERATION AGENCY
GOVERNMENT OF JAPAN
January-March 1975

Prepared by Bishmetal Exploration Co., Ltd.




- CONTOUR INTERVAL
 - 50 gammas
 - 10 gammas
- TOTAL INTENSITY 40,000 gammas
- FLIGHT ALTITUDE 2,000 M.S.L.
- FLIGHT LINE SPACING
 - TRAVERSE 1,500 meters
 - TIE 10,000 meters
- WORKING MINE
- ABANDONED MINE


S E A




CONTOUR INTERVAL
 50 gammas
 10 gammas
 TOTAL INTENSITY 40,000 gammas
 FLIGHT ALTITUDE 2,000 m.A.S.L.
 FLIGHT LINE SPACING
 TRAVERSE 1,500 meters
 TIE 10,000 meters
 WORKING MINE X
 ABANDONED MINE X



国院協力調査
 RL 0885
 調査資料番号





AIRBORNE MAGNETIC SURVEY
 OF
 NORTHEASTERN LUZON
 PHILIPPINES
 PSEUDO-GRAVITY MAP PG-3




METAL MINING AGENCY OF JAPAN
 JAPAN INTERNATIONAL COOPERATION AGENCY
 GOVERNMENT OF JAPAN
 January-March 1975
 Prepared by Gishimelot Exploration Co., Ltd

| | |
|---------------------|---------------|
| CONTOUR INTERVAL | 50 gammas |
| | 10 gammas |
| TOTAL INTENSITY | 40,000 gammas |
| FLIGHT ALTITUDE | 2,000 M.S.L. |
| FLIGHT LINE SPACING | |
| TRAVERSE | 1,500 meters |
| TIE | 10,000 meters |
| WORKING MINE | ⊗ |
| ABANDONED MINE | ⊗ |









| | |
|---------------------|---------------|
| CONTOUR INTERVAL | 50 gammas |
| | 10 gammas |
| TOTAL INTENSITY | 40,000 gammas |
| FLIGHT ALTITUDE | 2,000 M.S.L. |
| FLIGHT LINE SPACING | |
| TRAVERSE | 1,500 meters |
| TIE | 10,000 meters |
| WORKING MINE | × |
| ABANDONED MINE | × |

CONTOUR INTERVAL
1000
TOTAL HEIGHT
50000
FLIGHT ALTITUDE
7000
FLIGHT LINE SPACING
1500
SCALE
1:50000
WORKING MAP
X

ARABIAN MAGNETIC SURVEY
OF
NORTH-EASTERN LUZON
PHILIPPINES
PSEUDO-COASTAL MAP BY
LIEUTENANT
MAJOR
H. H. HARRIS
1911
Scale 1:50,000
This map is based on the
original data of the
ARABIAN MAGNETIC SURVEY
OF NORTH-EASTERN LUZON
PHILIPPINES
1911
and is a reproduction of
the original data
with certain additions
and corrections.



08853
08853



PL. B-7

AIRBORNE MAGNETIC SURVEY
OF
NORTHERN LUZON
PHILIPPINES
PSEUDO-GRAVITY MAP PG-3

Scale 1:250,000

Map by U.S. Army Air Corps, 1947
Revised by U.S. Army Air Corps, 1950



CONTOUR INTERVAL 50 gamma

TOTAL INTENSITY 40,000 gamma

FLIGHT ALTITUDE 2,000 MSL


FLIGHT LINE SPACING 1,500 METERS

THE 10,000 gamma

WORKING MAP

ABANDONED MAP

CONTROL INTERVAL
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
6000
6500
7000
7500
8000
8500
9000
9500
10000
10500
11000
11500
12000
12500
13000
13500
14000
14500
15000
15500
16000
16500
17000
17500
18000
18500
19000
19500
20000
20500
21000
21500
22000
22500
23000
23500
24000
24500
25000
25500
26000
26500
27000
27500
28000
28500
29000
29500
30000
30500
31000
31500
32000
32500
33000
33500
34000
34500
35000
35500
36000
36500
37000
37500
38000
38500
39000
39500
40000
40500
41000
41500
42000
42500
43000
43500
44000
44500
45000
45500
46000
46500
47000
47500
48000
48500
49000
49500
50000
50500
51000
51500
52000
52500
53000
53500
54000
54500
55000
55500
56000
56500
57000
57500
58000
58500
59000
59500
60000
60500
61000
61500
62000
62500
63000
63500
64000
64500
65000
65500
66000
66500
67000
67500
68000
68500
69000
69500
70000
70500
71000
71500
72000
72500
73000
73500
74000
74500
75000
75500
76000
76500
77000
77500
78000
78500
79000
79500
80000
80500
81000
81500
82000
82500
83000
83500
84000
84500
85000
85500
86000
86500
87000
87500
88000
88500
89000
89500
90000
90500
91000
91500
92000
92500
93000
93500
94000
94500
95000
95500
96000
96500
97000
97500
98000
98500
99000
99500
100000






Figure 1. Luzon, Philippines

CONTOUR INTERVAL 400 meters
 TOTAL INTERSECT 45000 meters
 FRONT ALTIMETER 20000 meters
 FRONT VIEW SPACING 1000 meters
 FRONT VIEW SCALE 1:100000
 HORIZONTAL SCALE 1:100000
 ADAPTED FROM