

付 録

1 建設物価資料

			UNIT	UNIT PRICE	
				BAHT	SATANE
1.	E	CAST-IN-SITU			
1.1	Eq4	READY-MIX CONCRETE (TRANSPORTATION INCLUDED WITHIN 5~10 KMS)			
.1	"	POLTLAND CEMENT, ELEPHANT BRAND 250 KG/M ³	CU.M.	800	
.2	"	" " " 300 KG/M ³	"	855	
.3	"	" GREEN SERPENT BRAND 250 KG/M ³	"	800	
.4	"	" " " 300 KG/M ³	"	855	
.5	"	" DIAMOND BRAND 250 KG/M ³	"	800	
.6	"	" " " 300 KG/M ³	"	855	
2	F	MASONRY (BRICK, BLOCK) SIZE WIDTHxHEIGHTxLENGTH			
2.1	Ff	CORPORAL BLOCK SIZE 90x190x390MM (No.C4-1) WEIGHT 11.3 KG/PC	PIECE	4	20
2.2	"	" " SIZE 190x190x390MM (No.C8-1) WEIGHT 16.7 KG/PC	"	6	50
2.3	"	CONCRETE BLOCK 70x190x390MM (MARKET IN GENERAL)	"	2	50
2.4	"	" " 90x190x390 (")	"	2	70
2.5	"	DETAC BLOCK 70x190x390MM (No.D-701) WEIGHT 7.0 KG/PC	"	2	80
2.6	"	" " 90x190x390MM (No.D-910) WEIGHT 8.5 KG/PC	"	3	10
2.7	"	D.A. BLOCK VENTILATION TYPE 90x190x390MM (No.DA-103)	"	6	-
2.8	"	" " DECORATION TYPE 90x190x190MM (No.DA-127)	"	3	-
2.9	Fg2	ORDINARY BRICK (MORN BRICK) SIZE 70x35x160MM	1,000	220 ~250	
2.10	"	CHONBURI BRICK (W/2 HOLES) 70x30x160MM	1,000	400 ~450	
2.11	"	HOLLOW BRICK S.B.P. SIZE 80x120x250MM (No.W4) NON-BEARING TYPE	PIECE	2	90
2.12	"	" " 80x125x250 (No.W14) BEARING TYPE	"	3	95
2.13	"	" " C.M. 80x145x290 (No.10B5) NON-BEARING TYPE	"	3	75
2.14	"	" " 80x145x290 (No.21A) DECORATION & BEARING TYPE	"	6	50
2.15	"	FIRE-RESISTING BRICK SIZE 115x76x230 (No.ST76)	"	11	-

			UNIT	UNIT PRICE	
				BAHT	SATANE
S.	8	READY-MADE STRUCTURAL MEMBER			
S.1	G12	N.C. PILE (TRANSPORTATION INCLUDED WITHIN BKK METROPOLIS)			
.1	"	HOLLOW POLYGON (M.P.) SIZE 150x150MMx4.00M	PILE	220	
.2	"	" (A.R.E.) " 4.00	"	220	
.3	"	" (S.T.) " 5.00	"	250	
.4	"	CENTRIFUGAL PILE SIZE ϕ 350MMx10.50Mx2 (COMPOSITE)	"	5,685	
S.2	G12	PRESTRESSED CONCRETE PILE (TRANSPORTATION INC. IN BKK AREA)			
.1	"	□ (C.PAC) SIZE 220x220MMx10.50M	P	1,555	
.2	"	" 350x350 x21.00M	"	7,850	
.3	"	" 400x400 x21.00M	"	9,400	
.4	"	SOLID SQUARE □ (SUPER-P) SIZE 180x180MMx10.50M	P	987	
.5	"	" (SUPER-P) 260x260MMx10.50M	"	2,150	
.6	"	" (TPC) 250x250 x21.00M	"	4,345	
.7	"	" (MCON) 350x350 x23.00M	"	9,550	
.8	"	" (S.P.A.) 180x180 x21.00 x3 (COMPOSITE)	"		
.9	"	" (U.C.M.) 180x180 x6.00	"	650	
.10	"	" (U.C.M.) 180x180 x21.00M	"	2,300	
.11	"	" (M.P.) 150x150 x6.00	"	468	
.12	"	" (A.R.E.) 180x180 x5.00	"	400	
.13	"	I SECTION (MCON) 260x260MMx21.00M	"	2,750	
.14	"	" (S.P.A.)	"		
.15	"	" (I-PRESTRESSED PILE)	"	480	
.16	"	" (")	"	1,215	
.17	"	" (S.T.)	"	300	
.18	"	" (A.R.E.)	"	2,770	
.19	"	DH SECTION (CPAC) 300x300MMx21.00M	"	4,065	
.20	"	" (TPC)	"	3,778	
.21	"	Y SECTION (P.C.C.) LENGTH=20M(Y-114) BEARING CAP. 40T	"	3,810	
.22	"	" (PCC)	"	225	
.23	"	" (PCC)	"	6,220	
.24	"	SOLID OCTAGON (T.P.C.) 250x250MMx21.00M	"	4,345	

			UNIT	UNIT PRICE	
				BAHT	SATANE
3.3		R.C. FENCE POST			
.1	GF2	GENERAL MARKET LENGTH 2.10M W/BASE SIZE 275x275MM	P	60	
.2	"	" " 2.70	"	65	
.3	"	(ARE) 2.10 (PRESTRESSED CONC.)	"	60	
.4	"	(ARE)	"	70	
.5	"	(C-PAC)	"	60	
.6	"	(C-PAC)	"	70	
3.4	GF2	PRESTRESS CONC. ELECTRICAL POST			
.1	"	(ARE) LENGTH 8.00M	P	975	
.2	"	(ARE)	"	1,150	
.3	"	(C-PAC)	"	-	
.4	"	(C-PAC)	"	-	
.5	"	(C-PAC) 10.50M	"	-	
3.5	GF2	R.C. FOOTING POST W/BASE (SIZE 275x275MM) GENERAL MARKET			
.1	"	POST SIZE 100x100MMx1.00M	P	40	
.2	"	" 100x100MMx2.00M	"	80	
.3	"	" 100x100MMx3.00M	"	120	
.4	"	" "	"	50	
.5	"	" "	"	100	
.6	"	" "	"	150	
3.6	Gi	WOODEN PILE-BARK SMASHING (FULL SIZE)			
.1	"	φ 75MMx3.00M	P	25~30	
.2	"	φ100 x4.00	"	40~45	
.3	"	φ125 x5.00	"	70~80	
.4	"	φ150 x6.00	"	140 ~160	
.5	"	φ200 x8.00 (PINE TREE)	"	290	
.6	"	φ250 x10.00 (PINE TREE)	"	500	
4	H	SECTIONAL MEMBER			
4.1	Hh2	STRUCTURAL STEEL (LENGTH 6.00M PER PIECE)			
.1	"	ANGLE STEEL (EQUAL LEG) SIZE 3.0x40x40MM	PIECE	90	
.2	"	" " 4.0x40x40	"	120	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.3	Hh2	ANGLE STEEL (EQUAL LEGO) SIZE 4.0x50x50MM	PIECE	160	
.4	"	" " 6.0x50x50	"	210	
.5	"	" " 6.0x65x65	"	290	
.6	"	" " 8.0x65x65	"	370	
.7	"	" " 6.0x75x75	"	320	
.8	"	" " 9.0x75x75	"	480	
.9	"	LIGHT ANGLE STEEL 3.0x40x40MM	"	80	
.10	"	" " 6.0x50x50	"	190	
.11	"	CHANNEL STEEL SIZE 75x6.92 KG/M	"	380	
.12	"	" " 100x9.36	"	500	
.13	"	LIGHT CHANNEL STEEL SIZE 2.6x45x38MM	"	110	
.14	"	" " 2.0x80x40	"	100	
.15	"	LIGHT LIP CHANNEL STEEL 2.3x100x50MM	"	195	
.16	"	" " 3.2x150x50	"	330	
4.2	Hh2	ROUND BAR SR.24 (LENGTH 10.00M/BAR)			
.1	"	φ 6MM WEIGHT 2.22 KG/BAR	BAR	18	25
.2	"	φ 9 4.99	"	40	25
.3	"	φ12 8.88	"	68	50
.4	"	φ15 13.90	"	103	
.5	"	φ19 22.30	"	165	50
.6	"	φ25 38.50	"	285	50
.7	"	φ 6 (FACTORY PRICE)	TON	7,890	
.8	"	φ 9 "	"	7,770	
.9	"	φ12 "	"	7,420	
.10	"	φ15 "	"	7,200	
.11	"	φ19 "	"	7,200	
.12	"	φ25 "	"	7,200	
4.3	Hh2	DEFORMED BAR SD.30 (LENGTH 10.00M/BAR)			
.1	"	D.A. 10MM (FACTORY PRICE) WEIGHT 6.17 KG/BAR	TON	7,900	
.2	"	12 " 8.88	"	7,600	
.3	"	16 " 15.80	"	7,490	
.4	"	20 " 24.70	"	7,490	
.5	"	25 " 38.50	"	7,490	
.6	"	28 " 48.30	"	7,490	

			UNIT	UNIT PRICE	
				BAHT	SATANE
4.4	Hh2	DEFORMED BAR SD 40 (LENGTH 10.00M/BAR)			
.1	"	DIAMETER 10MM (FACTORY PRICE) WEIGHT 6.17 KG/BAR	TON	8,100	
.2	"	12 8.88	"	7,800	
.3	"	16 15.80	"	7,700	
.4	"	20 24.70	"	7,700	
.5	"	25 38.50	"	7,700	
.6	"	28 48.30	"	7,700	
4.5	Hi	YANG WOOD (MODIFIED)			
.1	"	SIZE 12.7x152.4MM (1/2"x6")x6.00M (PLANNING INCLUDED)	CU.FT	140 ~160	
.2	"	25.4x25.4 (1"x1")x<4.00M	"	100 ~110	
.3	"	25.4x203.2 (1"x8")x6.00	"	140 ~150	
.4	"	38.1x76.2 (1 1/2"x3")x2.50	"	100 ~110	
.5	"	38.1x76.2 (1 1/2"x3")x3.00~5.50	"	110 ~120	
.6	"	127.0x127.0 (5"x5")x6.00	"	135 ~145	
.7	"	38.1x76.2 (1 1/2"x3")x3.00~5.00M (PRESERVED)	"	122 ~132	
.8	"	127.0x127.0 (5"x5")x6.00	"	147 ~157	
4.6	Hi	HARD WOOD (MODIFIED)			
.1	"	KRABARK 25.4x203.2MM(1"x8")x4.00M	CU.FT	140 ~150	
.2	"	HARD WOOD (MIXED) 50.8x152.4MM(2"x6")x6.00M	"	160 ~180	
.3	"	TENG RUNG (2"x6")x6.00	"	250 ~280	
.4	"	TA-KIEN THONG (2"x6")x6.00	"	250 ~280	
.5	"	TA-KIEN HIN (2"x6")x6.00	"	180 ~190	
.6	"	TA-KIEN THRAI (2"x4")x4.00	"	160 ~180	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.7	Hi	DAENG (SEASONED & GROOVED) 50.8x152.4MM(1"x4")x4.00	CU.FT	260 ~280	
.8	"	MAKA (") (1"x4")x4.00	"	290 ~310	
4.7	Hi	TEAK WOOD 2ND GRADE, ORDINARY TYPE			
.1	"	SIZE 12.7x25.4MM(1/2"x1")x3 FT & OVER	CU.FT	220	
.2	"	(1/2"x4")x6.5 FT	"	300	
.3	"	(1"x1")x5 FT	"	250	
.4	"	25.4x101.6MM(1"x4")x6 FT & OVER	"	330	
.5	"	(1"x6") "	"	330	
.6	"	(1"x12")x6 "	"	420	
.7	"	(1.1/2"x3")x6.5 FT	"	300	
.8	"	(1.1/2"x3")x4 "	"	320	
.9	"	(1.1/2"x4")x3.5 "	"	350	
.10	"	(1.1/2"x4")x6.5 "	"	390	
.11	"	(2"x4")x6 "	"	390	
.12	"	(2"x12")x4 "	"	460	
4.8	Hi	SMALL BAMBOO, BAMBOO			
.1	"	SMALL BAMBOO ϕ 18MM LENGTH 2.50M (20 RODS/BUNDLE)	BUNDLE	11	
.2	"	ϕ 25MM LENGTH 4.00M (10 RODS/BUNDLE)	"	11	
.3	"	BAMBOO ϕ 75~100MM LENGTH 7.00M	ROD	11	
5	I	PIPING			
5.1	IF6	ASBESTOS CEMENT DRAINAGE PIPE, CLASS A, SINGLE SOCKET (LENGTH=3.00 M/P)			
.1	"	ϕ 80MM	PIPE	45	
.2	"	ϕ 100MM	"	77	
.3	"	ϕ 150MM	"	111	
.4	"	ϕ 200MM	"	156	
.5	"	90° BEND ϕ 80MM	PC	9	
.6	"	" ϕ 100MM	"	10	
.7	"	" ϕ 150MM	"	18	
.8	"	" ϕ 200MM	"	25	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.9	If6	90° TEE ϕ 80MM	PC	12	
.10	"	" ϕ 100MM	"	15	
.11	"	" ϕ 150MM	"	25	
.12	"	" ϕ 200MM	"	40	
5.2	If6	CONCRETE PIPE (44MM THK, 1.00M LENGTH)			
.1	"	BELL & SPIGOT TYPE ϕ 300MM	PIPE	70	
.2	"	" ϕ 600MM	"	185	
.3	"	TONGUE & GROOVE TYPE ϕ 300MM	"	60	
.4	"	" ϕ 600MM	"	170	
5.3	If2	R.C. PIPE, (LENGTH 1.00M)			
.1	"	BELL & SPIGOT TYPE, CLASS 3 ϕ 300MM	PIPE	95	
.2	"	" " ϕ 600MM	"	265	
.3	"	TONGUE & GROOVE TYPE, CLASS 3 ϕ 400MM	"	165	
.4	"	" " ϕ 600MM	"	230	
5.4	Ih2	CAST IRON PIPE-ASPHALT COATING FOR RUSTPROOF (SOIL PIPE) T.C.P			
.1	"	ϕ 100MM, LENGTH 1.80M, WEIGHT 16.50 KG	P	114	
.2	"	ELBOW 90°	"	25	
5.5	Ih2	SQUARE STEEL PIPE (LENGTH 6.00 M/P)			
.1	"	SIZE 13MMx13MMx0.9MM THK	P	21	
.2	"	19 x19 x0.9	"	32	
.3	"	25 x25 x1.0	"	43	
.4	"	38 x38 x1.2	"	79	
.5	"	50 x50 x1.6	"	160	
.6	"	75 x75 x2.3	"	290	
.7	"	100MMx100MMx2.3MM THK	"	400	
5.6	Ih2	ROUND STEEL PIPE FOR CONSTRUCTION, LENGTH 6.00 M/P			
.1	"	NOMINAL SIZE 100MM, OUTSIDE DIAMETER 114.3MM, 3.6MM THK	P	620	
.2	"	" 100 " 114.3 4.5	"	650	
.3	"	" 150 " 165.1 4.5	"	1,100	
.4	"	" 150 " 165.1 6.0	"	1,450	

			UNIT	UNIT PRICE	
				BAHT	SATANE
5.7	Ih2	THICK GALVANIZED STEEL PIPE (LENGTH=6.00 M/P) JOINT ACCESSORIES PURCHASING BY LARGE AMOUNT OF CASE-DISCOUNT		%	10~20
.1	"	NOMINAL SIZE 15MM, OUTSIDE DIAMETER 21.4MM	P	89	
.2	"	20 26.9	"	115	
.3	"	25 33.8	"	177	
.4	"	32 42.5	"	225	
.5	"	40 48.4	"	259	
.6	"	50 60.2	"	366	
.7	"	SOCKET, NOMINAL SIZE 15MM	P	3	70
.8	"	20	"	4	
.9	"	25	"	5	90
.10	"	32	"	8	40
.11	"	40	"	10	40
.12	"	50	"	15	90
.13	"	90° ELBOW, NOMINAL SIZE 15MM	P	4	
.14	"	" 20MM	"	4	70
.15	"	" 25MM	PC	7	10
.16	"	" 32MM	"	11	40
.17	"	" 40MM	"	14	10
.18	"	" 50MM	"	21	40
.19	"	90° TEE, NOMINAL SIZE 15MM	"	11	40
.20	"	" 20MM	"	12	30
.21	"	" 25MM	"	16	70
.22	"	" 32MM	"	23	40
.23	"	" 40MM	"	28	40
.24	"	" 50MM	"	40	
5.8	Ih2	IRON PIPE (FURNITURE), LENGTH=6.00 M/P			
.1	"	φ15MM (1/2"), 1.2MM THK	PC	22	
.2	"	φ20 (3/4"), 1.2 "	"	31	
.3	"	φ25 (1"), 1.6 "	"	52	
5.9	Ih4	ALUMINUM PIPE, LENGTH=6.00 M/P			
.1	"	φ15MM, 1.0MM THK	PC	65	
.2	"	φ20 , "	"	80	
.3	"	φ25 , "	"	100	

			UNIT	UNIT PRICE	
				BAHT	SATANE
5.10	In6	PVC PIPE, D-PLAST, WATER SUPPLY PIPE, PVC 5 NO SOCKET			
.1	"	NOMINAL SIZE 18MM, OUTSIDE DIAMETER 22MM	PC	19	25
.2	"	20 26	"	23	50
.3	"	25 34	"	33	
.4	"	35 42	"	42	50
.5	"	40 48	"	52	
.6	"	55 60	"	78	25
.7	"	100 114	"	265	
.8	"	SOCKET, NOMINAL SIZE 18MM	PC	2	50
.9	"	" " 20MM	"	3	
.10	"	" " 25MM	"	3	50
.11	"	" " 40MM	"	7	70
.12	"	" " 100MM	"	70	
.13	"	90° BEND, ONE END SOCKET, NOMINAL SIZE 18MM	PC	4	
.14	"	" " " 20MM	"	6	50
.15	"	" " " 25MM	"	9	50
.16	"	" " " 40MM	"	18	50
.17	"	" " " 100MM	"	178	
	In6	PVC WATER SUPPLY PIPE (THAI MADE), PVC 5 TYPE, NOSOCKET LENGTH 4.00 M/P			
.18	"	NOMINAL SIZE 35MM, OUTSIDE DIAMETER 42MM	PC	41	
.19	"	" 40 " 48	"	53	50
.20	"	" 55 " 60	"	80	
.21	"	" 65 " 76	"	127	
.22	"	" 80 " 89	"	173	50
.23	"	" 100 " 114	"	278	
.24	"	" 125 " 140	"	422	
.25	"	" 150 " 169	"	888	
6	J	WIRE MESH			
6.1	Jh2	WIRE MESH-RHOMBUS PATTERN			
.1	"	MESH SIZE 38MM, DIAMETER OF WIRE 3.0MM (No.11)	SQ.M	46	
.2	"	" 50 " 3.0 (")	"	34	
.3	"	" 38 " 3.15MM(No.10)	"	53	
.4	"	" 50 " 3.15 (")	"	43	

			UNIT	UNIT PRICE	
				BAHT	SATANE
6.2	Jh2	WIRE MESH - SQUARE PATTERN			
.1	"	MESH SIZE 38MM, DIAMETER OF WIRE 3.0MM (No.11)	SQ.M	52	
.2	"	" 50 " 3.0 (")	"	43	
.3	"	" 38 " 3.15 (No.10)	"	61	
.4	"	" 50 " 3.15 (")	"	50	
6.3	Jh2	WIRE MESH - SQUARE PATTERN, WELDED (ROLL SIZE 0.90x30.48M)			
.1	"	MESH SIZE 13MM	M	26	50
.2	"	" 19MM	"	24	50
.3	"	" 25MM	"	23	
.4	"	" 31MM	"	21	
6.4	Jh2	WIRE MESH - POLYGON PATTERN, WELDED (ROLL SIZE 0.90x45.72M)			
.1	"	MESH SIZE 13MM	M	14	
.2	"	" 19MM	"	12	
.3	"	" 25MM	"	11	
.4	"	" 31MM	"	8	50
6.5	Jh2	STEEL MOSQUITO NET (GREEN COLOR) WIDTH=900MM	M	22	
6.6	Jh4	ALUMINUM MOSQUITO NET, WIDTH=900MM	"	35	
6.7	Jh4	" " 1,200MM	"	46	
6.8	Jh	GALVANIZED BARBED WIRE, ϕ OF WIRE 1.60MM	KG	18	
6.9	Jh	" 2.00MM	"	17	
6.10	Jh2	TIED WIRE (No.18) ϕ 1.25MM	KG	15	
7	K	INSULATION			
7.1	Km1	GLASS FIBRE			
.1	"	GLASSWOOL W/ ALUM. FOIL (SIAM INSULATION) 25MM THK, ROLL SIZE 1.22x30.48M	ROLL	1,350	
.2	"	MICROFIBRE W/ ALUM. FOIL (SIAM GLASSWOOL) 50MM THK, ROLL SIZE 1.22x15.25M	"	1,400	
.3	"	PIBREGLASS CROWN W/ RESIN BONDED (YIP-IN-SOI) No.100, ROLL SIZE 1.22x60.96M	"	650	
7.2	Kn6	POLYFOAM (SIZE 600x1,200MM THK 12.7~304.8MM)			
.1	"	SIZE 600x1,200MM 25.4MM THK (DENSITY 1.0 LBS/BLOCK)	SHEET	18	
.2	"	50.8 " (")	"	36	

			UNIT	UNIT PRICE	
				BAHT	SATANE
8	L	THIN SHEET			
8.1	Lh4	ALUMINUM FOIL (SISALATION) No.402 ROLL SIZE 1.35x60.00M	ROLL	850	
8.2	LY	HARVI FOIL (HARVI-FOIL) No.405 ROLL SIZE 1.35x60.00M	"	920	
8.3	Ln2	DAMP-PROOF SHEET (SISALTHENE) No.353 ROLL SIZE 1.80x50.00M	"	2,200	
9	N	OVERLAPPING SHEET			
9.1	Nf2	G-PAC MONIER			
.1	"	SIZE 330x420MM - MANY COLORS	TILE	5	50
.2	"	RIDGE SIZE 255x425MM - COLORS	"	9	
9.2	Nf2	VIBULSRI TILE			
.1	"	CORRUGATED 240x390MM RED COLOR	TILE	4	
.2	"	RIDGE (1M. USED 3 PIECES)	"	7	
.3	"	SHINGLE TILE SIZE 200x320MM	"	-	70
9.3	Nf6	CARPORT UNIT SIZE 980x5,000MM, 8MM THK, CEMENT COLOR	SHEET	400	
9.4	Ng	GLAZED, BURNT CLAY, SHINGLE TILE (GREY)			
	"	MALE (SIZE 140x186MM) FEMALE (SIZE 143x270MM)	SHEET	3	
9.5	Nf6	ROMAN TILE - ASBESTOS CEMENT			
.1	"	SIZE 500x1,200MM CEMENT COLOR WEIGHT 6.2 KG/SHEET	SHEET	20	
.2	"	500x1,200MM RED COLOR " 6.2 "	"	27	
.3	"	RIDGE SIZE 500x450MM CEMENT COLOR WEIGHT 2.0 "	"	11	75
.4	"	" 500x450 RED COLOR WEIGHT 2.0 "	"	16	25
9.6	Nf6	CORRUGATED ASBESTOS CEMENT SHEET			
.1	"	LARGE SIZE 1020x1200MM CEMENT COLOR WEIGHT 15.7 KG/SHEET	SHEET	59	
.2	"	x1500 CEMENT COLOR WEIGHT 19.7 "	"	74	
.3	"	RIDGE FOR LARGE 1020x450 CEMENT COLOR WEIGHT 4.5 "	"	27	
.4	"	SMALL 540x1200 CEMENT COLOR WEIGHT 5.3 "	"	17	50
.5	"	" RED COLOR WEIGHT 5.3 "	"	25	50

			UNIT	UNIT PRICE	
				BAHT	SATANE
.6	Nf6	SMALL 540x1500 CEMENT COLOR WEIGHT 6.6 KG/SHEET	SHEET	21	
.7	"	" " RED COLOR WEIGHT 6.6 KG/SHEET	"	29	50
.8	"	RIDGE FOR SMALL, SIZE 540x500MM, CEMENT COLOR, WEIGHT 2.0 KG/SHEET	"	11	75
.9	"	" " 540x500 RED COLOR, WEIGHT 2.0 KG/SHEET	"	16	25
9.7	Nh2	GALVANIZED STEEL SMALL CORR. SHEET, WIDTH BEFORE CORRUGATED 760MM			
.1	"	THK 0.2MM (No.35)	FT	5	80
.2	"	" 0.25 (No.32)	"	7	80
.3	"	" 0.40 (No.28)	"	11	
9.8	Nn6	GLASOLIT ROMAN TILE SIZE 500x1200MM, YELLOW, GREEN, BLUE	SHEET	120	
10	P	THICK COATING (10.1~10.3 LABOUR INCLUDED BUT SCAFFOLDING EXC.)			
10.1	Pq5	CEM WASH SPRAYED TYPE (AREA OVER 300M ²)	SQ.M	35	
10.2	"	SAND-TEX " (" 400M ²)	"	60	
10.3	"	ARCD TEXTURED COATING " (" 50M ²)	"	65~105	
10.4	"	TERRAZZO W/ BRASS STONE No.3 (LABOUR INGLUDED)	"	200 ~220	
10.5	"	GRAVEL WASH STONE No.3 (")	"	100 ~120	
11	R	HARD BOARD			
11.1	Rf6	ASBESTOS CEMENT FLAT SHEET, SIZE 1200x2400MM			
.1	"	THK 4MM	SHEET	63	50
.2	"	" 6MM	"	96	
.3	"	" 8MM	"	126	50
11.2	Rf7	GYP SUM BOARD			
.1	"	ORDINARY TYPE, SIZE 1200x2400MM, THK=9MM	SHEET	125	
.2	"	" " 1200x2400 12MM	"	140	
.3	"	W/ALUMINUM FOIL 1200x2400, THK=9MM	"	163	
.4	"	" " 1200x2400 12MM	"	180	
.5	"	TEXTURED BOARD (RELIEF PATTERN) 600x600MM, THK=9MM	"	40~85	

			UNIT	UNIT PRICE	
				BAHT	SATANE
11.3	Rh2	GALVANIZED STEEL SHEET			
.1	"	SIZE 910x1825MM THK 0.20MM (No.35)	SHEET	47	
.2	"	" 910x2435 " 0.25 (32)	"	66	
.3	"	" " " 0.30 (30)	"	82	
.4	"	" " " 0.40 (28)	"	100	
.5	"	" " " 0.50 (26)	"	122	
11.4	Rh2	BLACK STEEL PLATE 1215x2435MM			
.1	"	THK 1.6MM, WEIGHT 37.5 KG	SHEET	280	
.2	"	" 3 " 70 KG	"	525	
.3	"	" 6 " 140 KG	"	1,050	
11.5	Rh2	STAINLESS STEEL PLATE, SIZE 1215x2435MM, THK 2MM (No.14)	SHEET	2,016	
11.6	Rh4	ALUMINUM PLATE SIZE 1000x2000MM			
.1	"	WEIGHT 1.7 KG (No.30)	SHEET	102	
.2	"	" 2.2 (28)	"	128	
.3	"	" 2.5 (26)	"	142	
11.7	Ri4	PLYWOOD BOARD SIZE 1220x2440MM			
.1	"	INTERIOR USE TEAK/TEAK, THK 4MM (GOOD)	SHEET	328	
.2	"	" " " 6MM (")	"	414	
.3	"	" YANG/YANG, 4MM, KAPUR & LAWAN PLYD	"	128	
.4	"	" " " 6MM	"	182	
.5	"	" " " 10MM	"	306	
.6	"	" " " 15MM	"	446	
.7	"	" " " 20MM	"	590	
.8	"	EXTERIOR USE TEAK/TEAK, THK 4MM (GOOD)	SHEET	415	
.9	"	" " " 6MM	"	494	
.10	"	" YANG/YANG 4MM, KAPUR & LAWAN PLYWD	"	170	
.11	"	" " " 6MM "	"	246	
.12	"	" " " 10MM "	"	377	
.13	"	" " " 15MM "	"	545	
.14	"	" " " 20MM "	"	697	
11.8	Ri4	PHENOBOARD SIZE 1220x2440MM THK 8MM	SHEET	145	

			UNIT	UNIT PRICE	
				BAHT	SATANE
11.9	Ri4	HARD BOARD	SHEET		
.1	"	THK 2.5MM	"	51	
.2	"	" 3.0	"	52	
.3	"	" 3.5	"	55	
.4	"	" 3.0 (PERFORATED PATTERN)	"	56	
11.10	Ri4	BANGNA PLYWOOD, SIZE 1220x2440MM			
.1	"	ORDINARY TYPE, THK 2.5MM	SHEET	58	
.2	"	" " 3.2	"	63	
.3	"	" " 4.0	"	69	
.4	"	" " 4.8	"	76	
.5	"	" " 6.0	"	98	
.6	"	DOCORATED PATTERN, THK 2.5MM	"	68	
.7	"	" " 3.2	"	80	
.8	"	" " 4.0	"	86	
.9	"	" " 4.8	"	92	
.10	"	" " 6.0	"	115	
.11	"	PERFORATED PATTERN, THK 2.5MM	"	63	
.12	"	" " 3.2MM	"	68	
.13	"	PERFORATED THK 4.0MM	"	75	
11.11		FORM BOARD (CONC. FORM) SIZE 1220x2440MM			
.1		THK 8MM	BOARD	210	
.2		" 10MM	"	225	
11.12	Rj1	ACOUSTIC BOARD THK 10MM			
.1	"	SIZE 600x600MM	BOARD	35	
.2	"	600x1200	"	50	
.3	"	600x2440	"	99	
11.13	Rj1	CELOTEX (PAPER BOARD)			
.1	"	SIZE 1220x2440MM THK 12MM	BOARD	135	
.2	"	600x600 12 (PERFORATED)		32	
11.14	Rj1	CHIPBOARD			
.1	"	FLAT SHEET, TEAK/YANG, SIZE 1220x2440MM, THK 12MM	BOARD	-	
.2	"	" " " " 15	"	-	
.3	"	" YANG/YANG, " " 12	"	265	
.4	"	" " " " 15	"	315	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.5	Rj1	PARTITION, TEAK/TEAK, SIZE 125x2440MM, THK 37MM	BOARD	585	
.6	"	" YANG/YANG " " 37	"	395	
11.15	Rj3	STRAMIT BOARD, SIZE 1220x1800~3500MM, THK 50MM			
.1	"	No.3 GRAY SURFACE 2 FACES	SQM	68	
.2	"	5 " 1 FACE, BLACK 1 FACE	"	68	
.3	"	7 HARD BOARD SURFACE 2 FACES	"	150	
.4	"	8 ASBESTOS CEMENT SHEET SURFACE 2 FACES	"	170	
.5	"	9 " 1 FACE, HARD BOARD 1 FACE	"	160	
.6	"	12 BRIMMER SURFACE 2 FACES	"	200	
.7	"	13 ASBESTOS CEMENT SURFACE 1 FACE	"	125	
11.16	Rm	ASBESTROLUX			
.1	"	SANDED SURFACE, SHARP CORNOR, SIZE 600x1200MM THK 4MM	BOARD	70	
.2	"	" " SIZE 600x1200MM THK 6MM	"	90	
.3	"	" " SIZE 600x600MM THK 4MM	"	35	
.4	"	TEXTURED PATTERN 600x600MM, THK 4MM	"	45	
11.17	Rn6	PLASTIC SIZE 1210x2435MM			
.1	"	THK 2MM	SHEET	695	
.2	"	" 3MM	"	875	
.3	"	" 6MM	"	1,745	
11.18	Rn8	PLASTIC - HARD SURFACE			
.1	"	FORMICA (BRITISH), SIZE 1220x2440MM, THK 1.25MM	SHEET	598	
.2	"	" (THAI) , " " 0.8MM, WHITE COLOR	"	210	
.3	"	" (THAI) , SIZE 1220x2440MM, THK 0.8MM, COLORS	"	310	
.4	"	" DUROPAL, SIZE 1220x4115MM, THK 1.2MM, SMOOTH SURFACE	"	864	
.5	"	" " SIZE 1220x4115MM, THK 1.2MM, ORANGE SURFACE	"	918	
11.19	Ro1	GLASS			
.1	"	CLEAR GLASS, THK 3MM, SIZE NOT MORE THAN 920x1533MM (INSTALLATION INCLUDED)	SQ.FT	10	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.2	Ro1	CLEAR GLASS, THK 5MM, SIZE NOT MORE THAN 920x1533MM (INSTALLATION INCLUDED)	SQ.FT	17	50
.3	"	CLEAR GLASS, THK 6MM, SIZE NOT MORE THAN 920x1533MM (INSTALLATION INCLUDED)	"	19	50
.4	"	CLEAR GLASS, THK 5MM, SIZE 101.6x700MM (INSTALLATION INCLUDED)	"	10	50
.5	"	" " 5MM, SIZE 600x600	SHEET	36	
.6	"	" " 3MM, SIZE 490x1200	"	72	
.7	"	CLOTH PATTERN GLASS, THK 5MM, SIZE NOT MORE THAN 920x1533MM (INSTALL. INCLUDED)	SQ.FT	16	
.8	Ro3	GREY GLASS, THK 5MM, SIZE NOT MORE THAN 920x1533MM, LOCAL MADE (INSTALLATION NOT INCLUDED)	SQ.FT	31	
.9	Ro3	GREY GLASS, THK 5MM, SIZE 1200x1200MM, LOCAL MADE (INSTALLATION NOT INCLUDED)	SHEET	854	
11.20	Rf5	LELLOCRETE			
.1	"	SIZE 100x2000MM THK 12.7MM	SHEET	105	
.2	"	" " 25.4	"	130	
.3	"	" " 76.2	"	300	
.4	"	600x600 " 10.0 (SHELL, DOME TYPE)	"	39	
12	S	TILE			
12.1		MARBLE (SIZE 20x300x300MM)			
.1	Se2	MARBLE (THAI), GREY WHITE COLOR (MARBLE CO.,LTD.)	SQ.M	720	
.2	"	" ("), PINK BLACK COLOR (")	"	830	
.3	"	" ("), LIGHT GREY, GREY, PINK (SUKHOTHAI MARBLE CO., LTD.)	SHEET	100	
.4	"	" (IMPORTED), " (THAI VISAWAKIJ LTD.)	"	200 ~300	
12.2	Se2	SPLIT BLOCK SIZE 25x80x320MM	SQ.M	225	
12.3	Se3	REX STONE 25x320x320MM	"	225	
12.4	Sg2	BURNT CLAY TILE (LOCAL MADE)			
.1	"	NON-GLAZED SIZE 101x101MM (RED, BROWN)	SHEET	1	
.2	"	" 98x198 (" ")	"	3	
.3	"	" POLYGON TYPE	"	2	
.4	"	GLAZED SIZE 97x195MM COLORS	"	7	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.5	Sg2	DAN KWIAN, POLYGON TYPE (160 SHEETS/M ²)	SQ.M	100	
12.5	Sf3	IMITATED MARBLE - MARBLEX SIZE 300x300MM THK 25MM	SHEET	12	
12.6	Sg2	MOSAIC TILE (MATT SURFACE) SIZE 305x305MM (LOCAL MADE)	TILE	12~45	
12.7	Sg3	" (SHINY ") SIZE 305x305MM (LOCAL MADE)	"	14~45	
12.8	Sg3	GLAZED WALL TILE SIZE 108x108MM (LOCAL MADE)			
.1	"	WHITE	TILE		
.2	"	COLOR	"		
.3	"	PATTERN 1 COLOR	"		
.4	"	" 2 COLORS	"		
12.9	Si3	WOOD PARQUET (INSTALLATION & BRUSHING INCLUDED)			
.1	"	TEAK, WOOD THK 19MM	SQ.M	350	
.2	"	DAENG 19	"	280	
.3	"	MAKA 19	"	330	
.4	"	PRADOO OR DAENG 16	"	220	
12.10	Si3	TONGUE & GROOVE WOODEN FLOOR-FOREST IND. ORGA. SIZE 750x500~1500MM THK 22MM	SQ.M		
12.11	Si7	VINYL ASBESTOS TILE, SIZE 227x227 MM (9"x9") INSTALL INCLUDED			
.1	"	THK 1.6MM	SQ.M	90	
.2	"	2.0	"	103	
.3	"	2.5	"	130	
13	T	BENDABLE SHEET (INSTALL. & SUPPORTING VINYL EXCLUDED) 1SφM =1.19599			
13.1	Tj6	CARPET (MACHINE TUFTED CARPET 100% VIRGIN WOOL)	SQ.M	520 ~940	
13.2	Tj7	" (MACHINE TUFTED CARPET 100% ACRYLIC)	"	320 ~530	
14	U	DECORATIVE SHEET (INSTALLATION EXCLUDED) IMPORTED			
14.1	Un6	WALL PAPER, ORDINARY TYPE (VINYL COATED PAPER)	SQ.M	110	
14.2	Un6	" , VINYL TYPE	"	130	
15	V	THIN COATING (CAN 3,785 LITRES)			
15.1	Vu3	SOUBNUM (LIGHT BROWN, INTER-, DARK) LERBSIRLSAHAKOL CO., LTD	CAN	210	

			UNIT	UNIT PRICE	
				BAHT	SATANE
15.2	Vu6	SILICONE (R 221)	CAN	229	
15.3	Vu4	VARNISH, SIGMAWA (SHINY TYPE)	"	200	
15.4	"	" " (MATT TYPE)	"	205	
15.5	"	LACQUER, -CAMEL BRAND (No.6022)	"	350	
15.6	"	SHELLAC YELLOW	KB	25	
15.7	"	WHITE	"	34	
15.8	"	INDOTANE (HALF SHINY & MATT TYPE)	CAN	460	
15.9	Vu5	OIL PAINT (COMPANY'S QUOTED PRICE) CAN CAP, 3,785 LITRE (1 GALLON)			
.1	"	ALFA	CAN	298	
.2	"	SIGMA (MATT TYPE) ← NOT SHINY	"	260	
.3	"	I.C.I.	"	337	
.4	"	KANSAI	"	270	
.5	"	PAMMASTIC	"	330	
.6	"	MONO	"	220	
.7	"	SINCLAIR	"	335	
.8	"	JOTUN	"	320	
15.10	Vu6	EMULSION PAINT (COMPANY'S QUOTED PRICE) 3,785 LITRE CAN (1 GALON)			
.1	"	ALFA INTERIOR PAINT	CAN	108	
.2	"	" EXTERIOR PAINT	"	205	
.3	"	SIGMA (SIGMA WALL) INT.	"	130	
.4	"	" EXT.	"	170	
.5	"	I.C.I. INT.	"	276	
.6	"	" EXT.	"	276	
.7	"	KANSAI INT.	"	110	
.8	"	" EXT.	"	240	
.9	"	PAMMASTIC INT.	"	294	
.10	"	" EXT.	"	294	
.11	"	MONO INT.	"	110	
.12	"	" EXT.	"	180	
.13	"	ARCHO INT. (LABOUR INCLUDED EXCEPT SCAFFOLDING)	SQ.M	27	
.14	"	" EXT. (")	"	30	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.15	Vu6	SINCLAIR INT.	CAN	235	
.16	"	" EXT.	"	270	
.17	"	JOTUN INT.	"	140	
.18	"	" EXT.	"	260	
15.11	Vu6	SNOWCEM BUCKET - 50 KG	BUCKET	575	
15.12	Vu9	RUST PREVENTING PAINT (COMPANY'S QUOTED PRICE) 3.785 LITRE CAN (1 GAL.)			
.1	"	RUST-O-CRUM (DARK RED COLOR -- FOR NEW METAL)	CAN	422	
.2	"	RUST GON SPECIAL TYPE No.100	"	320	
.3	"	GENERAL RUST-PREVENTING PAINT	"	90~120	
16	X	READY MADE FITTING			
16.1	Xh2	WINDOW-DOOR STEEL (INSTALLATION INCLUDED)			
.1	"	STEEL FOLDED SHUTTER (LOCAL STEEL) W/SCREEN SIZE 2.70M H x 3.50M W	SET	4,550	
.2	"	SOLID TYPE STEEL ROLLING SHUTTER, STEEL GALVANIZED SLAT, 0.7MM THICKNESS (QA.NO22) WIDTH NOT MORE THAN 5.00M (THAI ROLLING PRODUCTS)	SQ.M	750	
.3	"	STEEL ROLLING GRILLE, STEEL GAL, SLAT WIDTH NOT MORE THAN 6.50M	SQ.M	850	
.4	"	STEEL-WINDOW FRAME & PANEL FRAME 600x600MM (PROJECTED WINDOW TOP HINGE)	SET	440	
.5	"	STEEL-WINDOW FRAME & DOUBLE PANEL FRAME 980x1200MM	SET	1,220	
16.2	Xh4	ALUMINUM WINDOW - DOOR (INSTALLATION INCLUDED)			
.1	"	ALUM. WINDOW FRAME & PANEL FRAME 600x600MM (TOP HINGE) INCLUDED	SET	760	
.2	"	ALUM. WINDOW FRAME & DOUBLE PANEL FRAME 980x1200MM, INSTALL INCLUDED	SET	1,520	
.3	"	ALUM. SLIDING DOOR, SIZE 1200x2000MM (W/FIXED PART SAME SIZE)	SET	2,530	
16.3	Xh4	ALUMINUM LOUVRE, ALUMINUM MOSQUITO NET WINDOW			
.1	"	ALUMINUM LOUVRE, SLAT SIZE 101.6MM, 6-SLAT TYPE (GOOD)	SET	133	
.2	"	" " 101.6MM, 13-SLAT TYPE (GOOD)	"	238	
.3	"	ALUMINUM MOSQUITO NET WINDOW PANEL, SIZE 800x1200MM	PANEL	120 ~135	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.4	Xh4	ALUMINUM MOSQUITO NET DOOR PANEL, SIZE 800x2000MM	PANEL	370 ~390	
16.4	Xi	WOODEN WINDOW & DOOR PANEL			
.1	"	PLYWOOD FLUSH DOOR, YANG/YANG, SIZE 800x2000MM	PANEL	295	
.2	"	" " , TEAK/TEAK, 800x2000MM	"	448	
.3	"	TEAK WOOD DOOR PANEL, SIZE 800x2000MM, PANEL FRAME SIZE 31.75x101.6MM (1 1/4"x4"), PANEL THK 12.7MM (1/2")	"	485 ~515	
.4	"	TAKIEN THONG WOOD DOOR PANEL, SIZE 800x2000MM, PANEL FRAME SIZE 31.75x101.6MM (1 1/4"x4"), PANEL THK 12.7MM (1/2")	"	370 ~395	
.5	"	HARD WOOD DOOR PANEL, SIZE 800x2000MM, PANEL FRAME SIZE 31.75x101.6MM (1 1/4"x4"), PANEL THK 12.7MM (1/2")	"	305 ~325	
.6	"	SOLID TEAK WOOD WINDOW PANEL, SIZE 600x1200MM, PANEL FRAME SIZE 31.75x101.6MM (1 1/4"x4"), PANEL THK 12.7MM (1/2")	SET	290 ~900	
.7	"	WINDOW PANEL FRAME FOR GLASS WINDOW, SIZE 800x1200MM, PANEL FRAME SIZE 31.75x101.6MM (1 1/4"x4")	PANEL	175 ~190	
.8	"	HARDWOOD DOOR FRAME, SIZE 800x2000MM (NO TRANSOM)	BAY	150 ~180	
.9	"	TAKIEN THONG WOOD DOOR FRAME, SIZE 800x2000MM (NO TRANSOM)	"	265 ~295	
.10	"	(HARD WOOD) WINDOW FRAME, FIXED GLASS LOUVRE SIZE 1000MM H x 800MM W, 2 ADJACENT BAYS	SET	230 ~250	
.11	"	(TAKIEN THONG WOOD) WINDOW FRAME, FIXED GLASS LOUVRE SIZE 1000MM H x 800MM W, FRAME SIZE 50.8x101.6MM (2"x4") 2 ADJACENT BAYS	SET	370 ~430	
.12	"	(HARD WOOD) WINDOW FRAME W/ALUMINUM LOUVRE SIZE H 1030MM x W 800MM, FRAME SIZE 50.8x101.6MM (2"x4") 2 ADJACENT BAYS	SET	225 ~245	
.13	"	(TAKIEN THONG WOOD) WINDOW FRAME W/ALUMINUM LOUVRE SIZE H 1030MM x W 800MM, FRAME SIZE 50.8x101.6MM (2"x4") 2 ADJACENT BAYS	SET	355 ~415	
16.5	Xt6	NUTS, NAILS, ACCESSORIES FOIL ROOFING TILE			
.1	"	ROUND HEAD NUT (CARPENTRY), ϕ 9.42MM, LENGTH 152MM	KG	12	50
.2	"	" " ϕ 12.70MM, LENGTH 152MM	"	11	50
.3	"	" " ϕ 19.05MM, LENGTH 152MM	"	11	50

			UNIT	UNIT PRICE	
				BAHT	SATANE
.4	Xt6	NAIL, LENGTH 76.2MM (No.10)	KG	13	
.5	"	" 25.4	"	15	
.6	"	" 25.4 WEIGHT 18 KG/CRATE	CRATE	250	
.7	"	NAIL FOR CONCRETE	KG	30~40	
.8	"	NAIL FOR GALVANIZED SHEET (80 PCS/BOX)	BOX	5	
.9	"	IRON SCREW NAIL (144 RCS/BOX) SIZE 19.06MM(No.6)	"	7~12	
.10	"	EXPANDED PLUG -BRASS ϕ 5MM	PCS	8	
.11	"	" -ALUMINUM ϕ 12.7MM	"	25	
.12	"	" -PLASTIC 100 PCS/BOX (No.8)	BOX	12	
.13	"	FITTINGS FOR ROOFING TILE, HOOK BOLT FOR RIDGE SIZE 300MM	PC	1	40
.14	"	FITTINGS FOR ROOFING TILE, HOOK BOLT FOR RIDGE SIZE 400MM	"	1	60
.15	"	FITTINGS FOR ROOFING TILE, COACH SCREEN SIZE 62.5MM	"	-	60
.16	"	FITTINGS FOR ROOFING TILE, COACH SCREEN SIZE 100MM	"	-	80
.17	"	FITTINGS FOR ROOFING TILE, CLIP FOR SMALL CORR. A.C SHEET, SIZE 200MM	"	-	90
.18	"	FITTINGS FOR ROOFING TILE, CLIP FOR ROMAN TILE SIZE 200MM	"	1	
16.6	Xt7	HARDWARE WINDOW & DOOR			
.1	"	KNOB TYPE SCHLAGE, CHROMIUM SURFACE (No.625) SINGLE	PC	360	
.2	"	" YALE , " (No.BR5280) DOUBLE	"	295	
.3	"	" UNION , " (No.9928) DOUBLE	"	360	
.4	"	" RWIKSET, " (No.400B) DOUBLE	"	285	
.5	"	" ALFA , " DOUBLE	"	125	
.6	"	CONCEAL TYPE ABROY (No.2200)	"	580	
.7	"	" YALE (No.2013)	"	480	
.8	"	" UNION (No.2477/3)	"	480	
.9	"	LEVER HANDLE TYPE ABROY (No.2500)	"	160	
.10	"	UNION (No.692-24-95)	"	890	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.11	Xt7	LOCK FOR LAVATORY SET - ACME - PLASTIC	PC	165	
.12	"	STEEL HINGE, SIZE 101.6MM, 1MM THK	"	100	
.13	"	101.6 2MM THK W/NYLON BETWEEN JOINT	"	3	
.14	"	BRASS HINGE, SIZE 101.6MM, 2MM THK	"	5	
.15	"	WHITCO TYPE HINGE, SIZE 203.2MM (8") WHITCO BRAND	SET	25	
.16	"	" 304.8 (12") "	"	29	
.17	"	" 406.4 (16") "	"	33	
.18	"	" 203.2 (8") RED LEAF BRAND	"	40	
.19	"	" 254.0 (10") "	"	22	25
.20	"	" 355.6 (14") "	"	23	75
.21	"	" 203.2 (0") AGCO BRAND	"	26	25
.22	"	" 304.8 (12") "	"	23	
.23	"	" 406.4 (16") "	"	26	
.24	"	GALVANIZED BOLT, SIZE 152.4MM ϕ 6MM	PC	31	
.25	"	BRASS " ϕ 6	"	3	50
.26	"	ALUMINUM " ϕ 9	"	10	
.27	"	STEEL HOOK, SIZE 152.4MM	"	18	
.28	"	BRASS " "	"	1	50
.29	"	GALVANIZED HANDLE, SIZE 127.0MM	"	7	
.30	"	BRASS " "	"	3	
.31	"	ALUMINUM " "	"	4	
.32	"	DOOR CLOSER - UNION (No.8820)	SET	3	
.33	"	CHOKE-UP WHITCO	"		
17	Y	PRODUCTION			
17.1	Yg1	WHITE CEMENT (WEIGHT 8 KG/BAG)	BAG	7	
17.2	Yq2	CEMENT			
.1	"	TIGER BRAND A (RETAIL PRICE FROM GENERAL SHOP)	BAG	51	50
.2	"	B (DELIVERY PRICE FOR JOB SITE IN BKK, WITHIN 50KM)	TON	1,030	
.3	"	COBRA BRAND A	BAG	51	50
.4	"	B	TON	1,030	
.5	"	EAGLE BRAND A	BAG	51	50
.6	"	B	TON	1,030	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.7	Yq2	ELEPHANT BRAND A	BAG	58	75
.8	"	B	TON	1,175	
.9	"	GREEN SERPENT A	BAG	58	75
.10	"	B	TON	1,175	
.11	"	DIAMOND BRAND A	BAG	58	75
.12	"	B	TON	1,175	
.13	"	CLUB BRAND A	BAG	58	75
.14	"	WHITE CEMENT, WHITE ELEPHANT BRAND (WEIGHT 40 KG/BAG)	BAG	180	
.15	"	" , KILANE BRAND (WEIGHT 40/BAG)	"	200	
17.3	Yp	SAND, SOIL, STONE (DELIVERY CHARGE INCLUDED)			
.1	"	COARSE SAND, RETAIL SALE	CU.M	145 ~155	
.2	"	WHOLE TRUCK SALE	"	130 ~140	
.3	"	FINE SAND , RETAIL SALE	"	150 ~160	
.4	"	WHOLE TRUCK SALE	"	135 ~145	
.5	"	EMBANKMENT SAND "	"	90~100	
.6	Ye	AGGREGATE No.1	"	150 ~160	
.7	"	" 2	"	150 ~160	
.8	"	STONE CHIP FOR TERRAZZO, WEIGHT 50 KG/BAG	BAG	22	
.9	Yg	LATERITE	CU.M	95~100	
.10	"	SOIL	"	80~90	
17.4	Yt	ADHESIVE & SEALING COMPOUND			
.1	"	DAP (STICK TYPE) LENGTH 15.24M	PACK	106	
.2	"	DAP (TUBE TYPE) CAPACITY 0.31 KG (11 OUNZE)	TUBE	50	
.3	"	WELDWOOD " " " "	"	45	
.4	"	GUMCRETE " 1.0 KG	CAN	80	
.5	"	SOLUTION FOR D-PLAST PIPE JOINING, CAPAC. 1.0 KG	"	175	
.6	Yt3	LATEX GLUE 3.785 LITRE	"	40	
.7	Yt	RUBBER GLUE 0.95 "	"	35	
.8	Yt3	SHELL FLINTKOTE (No.3) 3.785 "	"	48	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.9	Yt4	COMPRIBAND SIZE 9x9MM LENGTH 1803MM	STICK	12	
17.5	Yu2	CONCRETE ADMIXTURE			
.1	"	IMPERMD LIQUID TYPE, WATER PROOF & STRENGTHEN 3.785 LITRE/CEMENT 100KG (19 LITRE/BUCKET)	BUCKET	170	
.2	"	MANOL WATER-PROOF 0.5 KG/CEMENT 50 KG (18 KG/ BUCKET)	"	420	
.3	"	POZZOLITH 100x12, WATERPROOF & STRENGTHEN 0.125 KG/CEMENT 50 KG (3.785 LITRE/CAN)	CAN	150	
.4	"	SIKA (PLASTOCRETE-N), WATERPROOF & STRENGTHEN 0.25 KG/CEMENT 50 KG (20 KG/BUCKET)	BUCKET	925	
.5	"	HYDROPROOF No.2, WATERPROOF & STRENGTHEN 1.0 LITRE/CEMENT 50 KG (19 LITRE/BUCKET)	"	420	
.6	"	BARA 56, WATERPROOF & STRENGTHEN 0.05 KG/CEMENT 50KG (20 KG/BUCKET)	"	1,120	
17.6	Yw	THINNER CAPACITY 3.785 LITRE	CAN	45	
17.7	Yw	ALCOHOL " 3.785 LITRE	"	33	
17.8	Yy	FLOOR SYSTEM (INSTALLATION & SURFACE MORTAR NOT INCLUDED)			
.1	"	SBP (BLOCK THK 120MM SIZE 415x250MM)	SQ.M	148	
.2	"	CM	"	160 ~250	
.3	"	PR	"	130	
.4	"	SEACON	"	165 ~200	
.5	"	THAI CEMENT	"	109 ~123	
17.9	Yy	SAND PAPER	SOZEN	10	
17.10	Yy	FINE SAND PAPER	"	32~35	
18	(5-)	MATERIAL & EQUIPMENT FOR PLUMBING, ELECTRICAL, SANITATION, AIR-CONDITION & VENTILATION			
18.1	(53)	PLUMBING EQUIPMENT			
.1	"	METER (JAPANESE MADE) NOMINAL SIZE 15MM	PC	320	
.2	"	" " " " 20	"	550	
.3	"	" " " " 25	"	755	
.4	"	BRASS VALVE (JAPANESE MADE) " 15	"	86	
.5	"	" " " " 20	"	112	
.6	"	" " " " 25	"	155	

			UNIT	UNIT PRICE	
				BAHT	SATANE
.7	(53)	CAST IRON VALVE (LOCAL MADE) NOMINAL SIZE 100MM (GATE VALVE) 150 LBS.	PC	2,000	
.8	"	NOMINAL SIZE 150MM	"	3,450	
.9	"	" 200	"	5,500	
.10	"	BRASS FAUCET (LOCAL MADE) " 15 (HONGKONG TYPE)	"	20	
.11	"	NOMINAL SIZE 20 (HONGKONG TYPE)	"	26	
.12	"	BRASS W/CHROMIUM COATING FAUCET BRAND NAME (BRIGHT) NOMINAL SIZE 15MM (WALL TYPE)	"	70	
.13	"	NOMINAL SIZE 20MM (LAV. TYPE)	"	80	
18.2	(51)	SEWAGE AERATION TREATMENT SYSTEM W/FITTINGS (INSTALLATION NOT INCLUDED)			
.1	"	SATS GK.100 MODEL INCLUDED W/FITTINGS (FOR 10 PERSONS)	SET	12,800	
.2	"	SATS MA 576 (FOR 50 PERSONS)	"	44,800	
18.3	(51)	CEMENT PIPE			
.1	"	READY-MADE CEMENT PIPE, HOLLOW, HEIGHT=400MM, φ800MM	PC	45	
.2	"	" " " HEIGHT=400MM, φ1000MM	"	60	
.3	"	COVER FOR " , φ800MM	"	35	
.4	"	" " , φ1000MM	"	45	
18.4	(52)	WATER PUMP			
.1	"	FIDDLE TYPE FOR PIPE-25.4MM, MOTOR 1/3 H.P INCLUDED W/STAINLESS AIR TANK 20 LITRE		2,300	
.2	"	SNAIL TYPE FOR PIPE 25.4MM	SET	3,700	
18.5	(53)	WATER TANK			
.1	"	GALVANIZED STEEL WATER TANK SIZE 1.17x1.17x1.17M (STEEL PLATE No.14 THK 1.0MM)	TANK	1,520	
.2	"	GALVANIZED STEEL WATER TANK SIZE 1.17x1.17x1.17M (STEEL PLATE No.10 THK 1.2MM)	"	1,710	
.3	"	GALVANIZED STEEL WATER TANK SIZE 0.80x0.80x0.80M (STEEL PLATE No.18 THK MM)	"	1,180	
.4	"	WATER TANK (FRP), CAPACITY 2600 LITRES	"	5,200	
.5	"	PLASTIC TANK, CYLINDER CAPACITY 2000 LITRES	"	4,400	

			UNIT	UNIT PRICE	
				BAHT	SATANE
18.6	(57)	ELECTRICAL FAN, AIR-CONDITIONED			
.1	"	VENTILATING FAN (JAPAN) SIZE 203MM (8")	EQUIP	920	
.2	"	" (") 305 (12")	"	1,250	
.3	"	AIR-CONDITION (U.S.A.) 10,000 BTU	"	13,875	
.4	"	" (") 12,000 "	"	15,000	
.5	"	" (") 24,000 "	"	22,125	
19	(6--)	MATERIAL & EQUIPMENT FOR ELECTRICAL WORK			
19.1	(61)	ELECTRICAL WIRE (ROUND COPPER), COVERED W/ INSULATOR & OUTER SKIN-PNA. (100M/ROLL)			
.1	"	PVC 60°, 250 VOLT, DOUBLE CORE SIZE 2x4.0 SQ MM	ROLL	857	
.2	"	" " " " 2x2.5 "	"	548	
.3	"	" " " " 2x1.5 "	"	359	
.4	"	" " " " 2x1.0 "	"	258	
.5	"	PVC 60°, 750 VOLT, SINGLE CORE SIZE 1x4.0 "	"	349	
.6	"	" " " " 1x2.5 "	"	232	
19.2	(63)	ELECTRICAL FITTINGS & LIGHTING FIXTURE			
.1	"	SWITCH (SINGE) 3 LINE, WALL CONCRETE TYPE (VETO)	PC	25	
.2	"	" (") " " (TICHINO)	SET	80	
.3	"	" (") " " (UROPA)	"	75	
.4	"	PLUG (") WALL CONCEAL TYPE (VETO)	PC	20	
.5	"	" (") " (TICHINO)	SET	83	
.6	"	" (") " (UROPA)	"	78	
.7	"	EGG SHAPE SWITCH (VETO)	PC	12	
.8	"	SHORT CUT SWITCH, 25 AMPERE (TICHINO)	"	235	
.9	"	CIRCUIT BREAKER 1 P, SIZE 10-25 AMPERE	"	75	
.10	"	SWITCH PANEL 12 PARTS	PANEL	630	
.11	"	BALLAST 40 WATTS (PHILLIPS)	PC	48	
.12	"	STARTER 40 " (")	"	8	
.13	"	FLUORESCENT LAMP 40 " (")	"	37	
.14	"	STEEL FIXTURE W/EXTENSIONING FOR FLUORESCENT LAMP (2x40 WATT)	SET	120	
.15	"	SQUARE, GLASS CEILING FIXTURE SIZE 200x200MM	"	75	
.16	"	ELECTRICAL LAMP 60 WATT	LAMP	9	

			UNIT	UNIT PRICE	
				BAHT	SATANE
20	(7-)	EQUIPMENTS - FACILITIES			
20.1	(74)	TOILET FIXTURE WATER CLOSET (W/SEAT & TANK FITTINGS)			
.1	"	W.C. EASTERN STYLE, PAIL-FLUSH TYPE, WHITE VITREOUSCHINA (No.TF-100)	PC	130	
.2	"	W.C. EASTERN STYLE, PAIL-FLUSH TYPE, WHITE VITREOUSCHINA (SQUAT 2)	"	140	
.3	"	W.C. EASTERN STYLE, PAIL-FLUSH TYPE W/PEDESTAL WHITE VITREOUSCHINA (No.TF-100P)	"	500	
.4	"	W.C. EASTERN STYLE, PAIL-FLUSH TYPE W/PEDESTAL WHITE VITREOUSCHINA (SQUAT 1)	"	500	
.5	"	W.C. EASTERN STYLE, FLUSH TYPE, WHITE VITREOUSCHINA (No.TF-100F)	"	320	
.6	"	W.C. EASTERN STYLE, FLUSH TYPE, WHITE VITREOUSCHINA (SQUAT 2F "S")	"	280	
.7	"	W.C. EASTERN STYLE, FLUSH TYPE W/PEDESTAL, WHITE VITREOUSCHINA (No.TF-100FT)	"	650	
.8	"	W.C. EASTERN STYLE, FLUSH TYPE W/PEDESTAL, WHITE VITREOUSCHINA (SQUAT 1F FLUSH)	"	650	
.9	"	W.C. WESTERN STYLE, W/TANK, WHITE VITREOUSCHINA (No.TF-2106)	SET	1,600	
.10	"	" " " " (No.C73)	"	1,300	
.11	"	" " " " COLOR VITREOUSCHINA (No.TF-2106)	"	1,850	
.12	"	" " " " (No.C73)	"	1,600	
.13	"	W.C. EASTERN STYLE, PAIL FLUSH TYPE W/PEDESTAL-TERRAZZO	PC	60	
20.2	(74)	TOILET FIXTURE URINAL, BIDET (FITTINGS NOT INCLUDED)			
.1	"	URINAL, WALL TYPE, WHITE VITREOUSCHINA (No.TF412)	SET	380	
.2	"	" " " " (No.U2987)	"	380	
.3	"	BIDET " " " (No.TF5002)	"	880	
.4	"	" " " " (No.B62)	"	810	

			UNIT	UNIT PRICE	
				BAHT	SATANE
20.3	(74)	TOILET FIXTURE LAVATORY (FITTINGS NOT INCLUDED)			
.1	"	LAVATORY, WHITE VITREOUS CHINA, SIZE 410x510MM (No.TF-911)	SET	300	
.2	"	" " " SIZE 420x510MM (No.B01)	"	280	
.3	"	" " " SIZE 330x510MM (No.TF-910)	"	180	
.4	"	" " " SIZE 305x510MM (No.B02)	"	180	
.5	"	" " COUNTER TOP, COLOR VITREOUS CHINA, SIZE 430x510MM (No.TF-476)	"	880	
.6	"	" " COUNTER TOP, COLOR VITREOUS CHINA, SIZE 450x560MM (No.B07)	"	830	
20.4	(74)	TOILET FIXTURE - CAST IRON BATH TUB - WHITE, WITHOUT HAND RAIL SIZE 800x1700MM, FITTINGS INCLUDED (BRITISH)	SET	5,800	
20.5	(74)	TOILET FIXTURE - SOAP DISH, PAPER HOLDER, SHELF			
.1	"	SOAP DISH - COLOR VITREOUS CHINA, SIZE 106x222MM (No.TF-9000)	PC	65	
.2	"	" " " (No.A48)	"	65	
.3	"	PAPER HOLDER " SIZE 146x151MM (No.TF-9001)	"	65	
.4	"	" " " (No.A66)	"	65	
.5	"	SHELF " SIZE 510MM (No.TF-9075)	"	225	
20.6	(74)	SHOWER HEAD, HARD CORE & BRASS COATED W/CHROMIUM FLANGE (BRIGHT)	SET	85	
20.7	(74)	TANK FITTINGS (FLUID MASTER)	"	395	
20.8	(71)	ALUMINUM BLIND (PST)			
.1	"	SIZE 35MM	SQ.M	335	
.2	"	SIZE 50MM	SQ.M	310	
CONSTRUCTION MATERIAL PRICE LIST - OCTOBER 1979 BY BUILDING RESEARCH DEPT. (INSTITUTE OF SCIENTIFIC RESEARCH & TECHNOLOGY OF THAILAND)					

JICA