III. METEOROLOGICAL AND HYDROLOGICAL DATA

CONTENTS

- 1. RUN-OFF MEASUREMENT RECORDS AT KANA
- 2. RUN-OFF MEASUREMENT RECORDS AT BAN BUR
- 3. DISCHARGE RATING CURVE AT KANA GAGING STATION
- 4. DISCHARGE RATING CURVE AT BAN BUR GAGING STATION
- 5. MONTHLY DISCHARGE AT KANA
- 6. MONTHLY DISCHARGE AT BAN BUR
- 7. WATER LEVEL AND DISCHARGE AT KANA
- 8. WATER LEVEL AND DISCHARGE AT BAN BUR
- 9. RUN-OFF DURATION CURVE AT KANA
- 10. RUN-OFF DURATION CURVE AT BAN BUR
- 11. HYDROGRAPHS AT KANA
- 12. HYDROGRAPHS AT BAN BUR
- 13. TABLE OF MONTHLY RAINFALL IN BAMMETHUOT
- 14. METEOROLOGICAL RECORDS IN BANMETHUOT

TABLE - VI RUN-OFF MEASUREMENT RECORD

ير د دود	, j	• •		_	,		STA	TION :	KANA	Yea	r 1961–19
ver stem	M	EKONG		me of eam: <u>U</u>	PPER SRI	POK	Drai , area	nage (km²):_	3,210		, .
0.	DATE	w. ٍL. (M)	ŔŰN-OFF (M³/S)	FLOW AREA (M³)	MEAN. VELOCITY (M/S)	NO.	DATE	'-₩. L. (M)	RUN-OFF (M³/S)	FLOW AREA (M³)	MEAN A VELOCITY (M/S)
1.	1961) 103	2.50	64.5	-	<u> </u>			!			· · · · · · · · · · · · · · · · · · ·
2	10 13	3.89	139.0	: 	-						
5	10.26	2.93	88.4	W - M DEW				' .		-	ا مست
	11 3	2.16	57.8				 -	i 		* -	,
• t	11. 15	2.60	79.1					! '		`*	
5	11 26	2.18	58.4					i I			, }
	12 7	1.69	37-3	-, ~ -					•		•
÷.	12 27	1.49	26.9	· -;]
).*).*	1962)	1.68	35.2				!	1	,		
5	1 16	1.29	24.5				-) 	
Ĺ	3 19	1.17	21.4	-		-	!	1			1
									-	!	-
2	4 3	0.77	10.0				-	<u> </u>	<u> </u>		1 -
5	4 29	0.85	11.2				-	1	ļ		
4_	5 28	0.87	12.3	- .			1			, !	·
5	6 28	0.85	8.0	-		-				! 	
5	7 28	1.46	29.3			-				1	
7	8.31	1.99	49.4					[1
8	11.18	3.25	94.0		-		, •			(}	
9	12.20	3.10	94.0	_			ļ 			(}	
0	(1963) 1 16	2.09	31.2					1		!	1
21	2 20	1 4	86.4		,		1	•		1	1
22	3 23	1	13.1	; † †				1		1	1
23	4 13	1.12	9.20	!		1-		ł		•	1
24	4.22					ľ	•	į		!	1
			1		; ;	-	i	;	•	!	- *
Ĭ,r		1 +					415	:	٠.		
								!	- *,,*		
-		·~						1	,		
		L	1		- · · ·		-!				
	بر: ش ریهه بس ا		<u> </u>	 		ļ	j	-	.1	4	- %
*-1	ter garage	14.	meters above a	· • •		<u>. I</u>		1	ON KOEL C	<u> </u>	<u> </u>


TABLE - IV RUN-OFF MEASUREMENT RECORD

•		-			`		STA	TION :	BAN BUR	Yea	1961-19
River syster	m:	MEKONG		me of	UPPER S	REPOI	Drai area	inage (km²):	8,650	<u> </u>	
NO.	DATE	, (M)	RUN-OFF	FLOW AREA (M³)	MEAN VELOCITY (M/S)	NO.	DATE	W. L. (M)	RUN-OFF (M³/S)	FLOW AREA (M³)	MEÁN™ VELOCITÝ (M/S) '
1	(1961) 10 4	·	383.8	' !	l			:			***
2_	11 5	1.23	238.1		ļ			! !			· · · · · · · · · · · · · · · · · · ·
3	12 8		121.8	·				; ; ;			()
4	(1962) _1_5	0.78	96.6	} 				; ; ;	_		
5	3 19	0.57	56.5		} !			· · -+		· ·	
6	4 2		41.0	'	 			, - 		: + +	
7	4 27	0.51	46.9							· •	
8	5 27	0.55	48.6	-	<u> </u>						
9_	6' 27	0.60	63.7								- 1
10	7 27	1.35	224.6	<u> </u>							; ;
11	12 21	1.27	323.5		-			•			
127		C <u>.</u> 86	95.5		 				-		}
1.3%	a 2 19	0.67	49.6			į		1 1 1	1		! }
14	3 23	0.55	41.0	 	,	-	i	i I		1	
15.	4 15	0.46	38.4	! -				!	<u> </u>		
		-			1		-	. ~		*** ** *	^- ~
	-				i 						,
-	 			, 	-	;	, 				
		-		<u> </u>] -			
										-· ·	
		-			!		; - -	1			
	٠	1	•				l	1	1] ::
-	<u>‡</u>	•	_		i				-	. , .	
-			!	•			-	!			
	ì			1		•		,	•		
				1		~		· •	-	-	
	i		Ann als a					!			
		-		: :-				-	·	-	
	: 		d	 		_	. -		<u> </u>		ائر معسد یاست.
	·	<u>† </u>			1	<u> </u>	·		· -		


Water level in meters above arbitrary zero.


Arbitrary zero is _____meters above M. S. L.


NΒ



CAGE HEIGHT IN METERS







*GAGE HEIGHT IN METERS

PP.

	HTMOM 🛬	LY DISCHARGE		",
			the second	** * .
No. 2		Station KANA		
River	Name of .	Drainage		
system, MEKONG	* <u>.</u>	(area , 3,210 km²	 19 61 to	19 6

	,	1961	· · · · · · · · · · · · · · · · · · ·			·		,
1	· · · · · · · · · · · · · · · · · · ·	·			19 62	t e service de la company		
M	Max	Min.	Mean	100 km²	- Max	Min	Niean	100 km²
NAU		,	_		36.5	20.0	25.5	0.80
FEB					21.5	15.0	18.1	0.56
MAR	,		*		16.5	10.5	12.9	0.40
APR	To the second se	f		,	11.5	8.5	9.8	0.31
MAY	*	•			24.5	8.0	13.0	0.41
JAINE	e de de 18 d	1			35.5	9•5	14.4	0.45
JULY		*			91.0	12.0	37. 8	1.18
AUG	س منظون شد الإسلام الاستان المسادي	1		,	158.0	41.0	. 68 . 7	2.76
SEP		1			185.0	35.0	94.8	2.95
ост	139.0	30.5	85.6	2.67	•		i 4	
HOV		43.0	59.4	1.86	400.0	133.0	286.4	8.92
DEC	45.5	25.0	31.8	0.99	395.0	51.0	172.9	5.39
Total		1		;		4	!	AND THE RESIDENCE OF THE PROPERTY OF THE PROPE
Mean			· ·	e 4				
Max	-	;						
Min		t	` [•			-	; ;	1

MONTHLY DISCHARGE

				Station	· · · · · · · · · · · · · · · · · · ·			
er tem <u>ME</u>	KONG	Name.of// stream. UE	PER SREPOK	Drainage > 3	210 km²	Water year	19 63 lö	. I 9.
		1963				1.9		
M	Max.	Min.	Mean	100 km²	Max	Min,	Mean	100.
JAN,	54.0	24.5	34.98	1,09				
FEB	24.0	16.0	19.93	0.62				
MAR	15.0	12.0	13.06	0.41	,			
APR	12.0	10.0	11.13	0.35		1		ļ +
МДЧ	induled as common a management		<u> </u>		,	ļ .		<u> </u>
JUNE	· · · · · · · · · · · · · · · · · · ·							1
IULY	······································	i .				,	1	
AUG) 	• •	!	,				1
SEP	- 4	1					1	Ì
007		1		,			<u>.</u>	
NOV.		,						
nec			1			1		[
ctai		1		,				r
eer	The second of the second second	-y				1	1	
	Annual and the second	· · · · · · · · · · · · · · · · · · ·				-	; ,	!

No.	Stalion BAN BUR
The transfer of the second of	

MEKONG Stream UPPER SREPOK area 8,650 km² /ear 1961 to

راب المرابع والمرابع المرابع المرابع المرابع المرابع			至4-27-12	• , `			" <u>}</u> "	* ₀ , 'a'
N. S. J.		9 61	٠, ٦		V	1962		
1.17	Mox		Mean 🔝	-100 king	Max	Min / 1	Mean	100 km² 7
JAN	*		,	, -	103.0	41.5	64.2	0.74
LER .			,		61.0	38.0	50.1	0.58
MAR	5 SSB.				57.0	41.5	45.0	0.52
AFR					50.0	39.0	42-3	0.49
MAY.	2	1			100.0	41.0	62.0	0.72
: 1',C	in the state of special space registropic space.	*			123.0	63.0	83.6	0.97
المن المال المال	1	A Same and the sam			416.0	59.0	211.6	2.45
Aug	-	, , , ,	<u>.</u>		403.0	57.0	259•3	3.00 ·
grp	en e	er Na okazania da da da kan kan kan kan kan kan kan kan kan ka) 	227.0	38.0	. 94.0	1.09
ост	822.0	266.0	487.4	5.63	1,040.0	121.0	336.5	3,89
vou	296.0	160.0	199.3	2.30	1,000.0	305.0	627.1	7.25
うたな	160.0	90.0	120.0	1.39	482.0	114.0	283.3	3.28
Fotal		*				·		*
Mean	•	1					sajana wanganta walio atau da 1880	
Max			The second secon	T		1 4 1 1 1 1 1 1	•	****
iiir.		t	1	* · · · · · · · · · · · · · · · · · · ·			1	

The state of the s

MONTHLY DISCHARGE

Station BAN BUR River. Name of Drainage Wafer System MEKONG Stream UPPER SREPOK area 8,650 km2 ear 1963 to 1.963 .. 19 . Mean -, Max Min 100 kmf · Max Mean 100 km² JAN' 1.02 88.5 111.0 73.0 FFB. 0.70 73.0 51.0 60.8 MAR 44.2 49.0 41.0 0.51 APR 40.0 31.0 · 35.6 0.41 MAY JUNE JULY AUG SEP OCT NOV DEC Total Mear r G M

M¹in.

3

WATER LEVEL AND DISCHARGE

STATION KANA Year 1961

River Name of Drainage
System: MEKONG stream: UPPER SREPOK area (km²): 3,210

System	- F-	ZOHG		1 2	Carl Section	21 - 3	- 2	13.3		<u> </u>		: **
4			*	7 6			, - OC	T.	тои "		DEC.	
	W.L.	DIS. (M³/S)	W. L. (M)	DIS (M³/S)'	W.L. (M)	DÍS. (M³/S)	· W. E (M)		W. L. (M)	DIS. (M³/S)	W. L. (M) (·DIS. (M³/S)
-, 17	5 mm 3	: (1. /3 /.		,		, - 4	1.78	38.5	2.48	67.0	1.96	45.5
. · · · ·	72 75	5	··· ··· ··· ··· ·· ·· · · · · · · · ·	2 65	· .	, , ,	. 1.95	45.5	2.38	63.0	1.88	42.5
<u>`</u> 3°:	200 TV	-	, ,		,		2.50	68.0	2.40	63.5	1,80	39.0
, 4	,		: ,				2.68	76.0	2.42	64.5	1.75	37.5
55			,	4. 4. 4 4.		·	2.70	77.0	2.42	64.5	1.72	36.5
. 6	y . ,	1 5			***	<u> </u>	2.70	77.0	2.43	65.0	_1.71	<u>36.0</u>
7.		10 6	- 3		<u> </u>		2.68	76.0	2.45	66.0	-1.70 \	35.5
8-	بر مراد عدد مراد	A. C.					2.65	_74.5	_2 .43 ¦	<u>. 65.0</u>	<u> 1.70 </u>	35,.5
1,0	1		·			ļ	2.67	75.5	2.40	63.5	1,69	35.0
10	<u> ; ; ; </u>	() () () () () () () () () ()	• 1		74 34 5	1 *~	2.70	77.0	2,35	62.0	1.66	34.5
7:11	- in	-	, ,		<u>:</u>	1	3.05	94.0	2.30		1.65	<u>34.0</u>].
12.				1	 	b	3.49	117.0	2.30	59.5	1.62	33.0
13		<u> </u>	ļ			i	3.901	139.0	2.30	59.5	1.59	32.0
14		1				1 	· 5.68°	127.0	2.30	_ 59.5	1.57	31.5
		14	<u> </u>	1	 		3.48	116.0	2.60	72.5	1.55	30.5
16,	-) 	4.	; -	·		, "	3.45	114.5	2,60	72.5	1.55	30.5
17.	\ \\ \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ 	<u> </u>	-, -, - -	·	-		_3,50_	117.5	2.50	_68.0	1.55	-30.5
<u> . </u>		٠,		The second second			3.38.		2.40	. 63.5	1.59	32.0
19.		<u>.</u> k		·			1	117.0	2.30	_59•5 55•5	1.56 1.50	29.0
20 211		d v			<u> </u> 	٠ ٠٠٠٠	2.80		2.10	,	1.48	28.5
` 				ا الله الأخطيعية. الألا		المتحدد والما	2.80	82.0	1.90	• •	1.45	27.5
22	41 m 4 mm	.	· -	1		<u></u>	2.78	l	1:95	45.5	1.44	
-24		4-4-		4			2.78	81.0	2705	جي <u>ء جي.</u> 5و49	1.43	26,5
25			. <u>-</u>		-		2,40	86.5	1 -	51.5	1	26.0
26		· .	1		<u> </u>	Ĭ,,	3.03	. ,	T		,	26.0
27.	·		J	- (=			3.14		l .	55,5		25,5
·				* * *	·		3.24	9	Γ	54.0	l .	
28 29		مستان الرئيسة المراجعة		سدي موليسه خه		and the sum of the	1.93	1 16	-			25.5
30		Tamingha sannan Walio Maringgan di sa					1.75			•	1	26.0
31		ig ± ÷,− : ≪i		4		<u>^</u> -	1.55		1		1,55	30.5
τοτ		4		, <u>;</u> ;;;	C	,		2,654.0	<u> </u>	1,782.5		985.5
DAY	Ś 🍀 🛪			yes ou by a	· 74-75	1	1, 1	<u> </u>		1 -	, i.	B (2) (1)
MEA	2.3	19 4		.5	·	J # 15 1	·	85.6		59-4		31.8
# MAX			. G	Contraction of the			<u>````'</u>		٠, ٬			
MIN	1		7 3. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10	is Towns	To the second of	3 4 3 4	, , ; !	η,	L.		Y 21

WATER LEVEL AND DISCHARGE

River system: MEKONG Name of UPPER SREFOK Drainage area (km²): 3,210

JAN. FEB. MAR. APR. MAY JUNE
W.L. DIS. W.L. DIS. W.L. DIS. W.L. DIS. W.L. DIS.

						``		_	27.3	. 1	7113	
	JA W. L.		FEB. W.L.		MAR.	DIS.	AP: W.L.		MA W. L.	DIS.	JUN W.L.	DIS.
	(M)	(M ³ /S)	(M)	(M³/S)		(M ³ /S)	(M)	(M3/S)	(M) :	(M3/C)		(M³/S)
- 1	^{,5} 1.65	434.0	1.24	21.0	1.03	16.0	0.78	10.0	0.84	11.5	0.86	12.0
. 2	1.67	34.5	1.24	21.0	1.02	15.5	0.78	10.0	0.90	13.0	1.10	17.Ô
3	1.67	34.5	1.23	21.0	1.03	16.0	0.77	<u> </u>	0.95	14.0	1.70	<i>3</i> 5.5
4	1.72	<u>~ 36.5</u>	1.24	21.0	_ 1.05	16.5	0.76	9 . 5	0.96	14.5	0.97	14.5
5	1.51		4.1.25 .	21.5	1.05	. 16.5	0.76	9.5	0.97	14.5	98.0	12:5
6	_1.47	_28.0	1.24	21.0	1.04	16,5	0.76	9.5	0.95	_ 14.0	.0.86	12.0
7	1.43	26.5	1.20	20.0	1.04	16.5	0.75	9.5	0.87	12.5	0.80	10.5
8	1.40	25.5	1.19	20.0	1.04	16.5	0.75	9.5	0.80	10.5	0.80	10.5
9	1.40	25.5	1.17	19.0	0.91	13.0	0,78	_ 10.0	0.81	11.0	0.86	12.0
10	1.37	24.5	1.15	18.5	0.94	13.5	0.76	9.5	0.88	12.5	0.86	12.0
11	1.35	24.0	1.14	18.5	0.92	13.0	0.74	9.5	0.84	11.5	0.85	12.0
,12	1.35	24.0	1.13	18.0	0.90	13.0	0.72	. 9.0	0.75	9•5	_0.82	11.0
1300	1.35	24.0	1.12	18.0	0.89	13.0	0.71	9.0	0.72	9.0	0.81	11.0
14 *	1.33	23.5	1.11	17.5	0.88	12.5		9.0	0.70	9.0	.0.76	
15	1.32	23.5	1.10	17.0	0.87	12.5	0.68	8.5	0.68	8.5	0.80	10.5
16	1.30	23.0	_ 1.09	_ 17.0	_0.86	12.0	0.68	. 8.5	_ 0.67	8.0	0.84	11.5
17	1.28	22.5	1.10	17.0	0.85	12.0	. 0.71	9.0	0.69	9.0	0.77	10.0
18	1.28	22.5	1,10	17.0	0.85	12.0	.0.80	. 10.5	0.82	. 11.0	. 1.04.	16.5
19	1.28	22.5	1.11	17.5	0.85	12.0	0.84	_. 11.5			_1.36	
20	1.34	24.0	1.12	18.0	0.84	11.5	0.84	11.5	0.77	10.0	1.35	24:0
21	1.34	24.0	1.10	17.0	0.84	11.5	0.82	11.0	0.82	11.0	_1.20	20.0
22	1.34	24.0	1.08	17.0	0.83	_11.0	_0.78	10.0	0.84	. 11.5	1.14.	18.5
23	1.40	25.5	1.05	16.5	0.83	11.0	0.72	9.0	1.20	.20.0	_ 0.99	`15.`Q.
24	1.46	28.0	_ 1.04	16.5	0.82	11.0	_0.70				l	16.5
25	1.40	25.5	1.03	16.0	0.81	11.0	0.68		1			15.0
26	1.35	24.0	1.02	15.5	0.81	11.0	0.73	9.5	1.21		0.95	* **
27	1.30	23.0	1.01	15.0	0.81		1		l		0.91	13,0
28	1.28	22.5	1.00	15.0	l		i				0.85	*
29	1.26	21.5			0.80		I -		i		0.78	٠
30	1.24	21.0	ı ,	-	0.80		ī · · · ·	11.5	1 .	,	0.76	9.5
31	1.20				0.79		i	-	0.84			4,4,4,
TOTAL		791.0	.	508.0		<u> 399.5</u>		294.5		404.0		432.5
DAYS			<u> </u>				, ,	· · · · · · · · · · · · · · · · · · ·				ا الاستار ما
MEAN		25.5	<u> </u>	18.1	<u>-</u>	12.9	1	9.8		13.0	<u></u>	14.4
MAX.				<u> </u>					ļ			** - ~ *
MIN.	<u> </u> 		<u> </u>	·	.		<u> </u>	3	<u> </u>	* /	<u> </u>	2 8

NB Water level in meters arbitrary zero.

Arbitrary zero is meters above M, S L,

WATER LEVEL AND DISCHARGE

STATION KANA Year 1962

River Name of UPPER SREPOK Orainage System: MEKONG Stream: UPPER SREPOK orac (km²): 3,210

system	: PIEKUNG	stream: 01	TOTE STEER OIL OF	ea (km°): 3,210		
	JULY	AUG.	SEP.	· OCT.	NOV.	DEC.
	W. L. DIS. (M) (M³/S)	W.L. DĮS. (M) , (M³/S)	W. L. DIS. (M) (M³/S)	W. L. DIS. (M) (M³/S)	W. L. DIS. (M) (M³/S)	W. L. DIS. (M) (M ³ /S)
1	0.991 15.0	3.90139.0	1.9043.0		6.00 400.0	5.86 379.0
2	0.85 12.0	4.18 153.5	1.72 36.5		6.00 400.0	5.91 386.0
3	0.96 14.5	4.26 158.0	1.69 35.0		6.00 400.0	5.97 395.0
4	0.98 15.0	4.12 150.5	1.69 35.0		5.60 342.0	5.97 395.0
, 5	0.90 13.0	4.00 144.0	1.70 35.5		5.67 352.0	5.90 385.0
. 6	0.99 15.0	4.10 149.5	1.80 39.0		5.52 331.0	5.70 356.0
7	1.20 20.0	4.00 144.0	1.81 39.5		5.66 350.0	5.48 326.0
8	_1.29 23.0	3.80 134.0	1.80 39.0		5.80 370.0	5.17 285.0
9	1.70 35.5		1.98 46.0		_5.88382.0	_4.89 250.0
10	1.74 37.0	I → ¯	2.00 47.0		5.92 388.0	4.62 220.0
11	_1.5731.5	3.32 108.0	_2.1855. <u>0</u>	- ^ 	5.94 <u>391.0</u>	4.30 186.0
12	2.43 65.0	1 : -	_ 2.2055.5_		5.72 359.0	4.10 167.0
13	2.4766.5	1 .	2.22 56.0		5.67352,0	_3.91 149.0
14	2.4666.0				5.14 281.0	3.77. 137.0
15	2.27 58.5	2.78 :81.0	2.90 86.5		4.93 256.0	3.62 124.0
16	1.98 46.0	2.65 74.5	2.88 86.0		4.93 256.0	3.91 149.0
17	1.79 39.0		2.89 86.5		4.67 226.0	_ 3.35 103.0
18	2.00.1 47.0	1	3.20. 102.0.	;	4.29. 187.0.	3.24 96.0
19	2.00 47.0	_	3.34109.0	ļ. i	4.15 -171.5	_3.19 92.0
20	1.98 46.0		3.54 119.5		3.92 152.0	3.10 86.0
21	1.78 38.5	2.12 52.0	3.73 129.5		3.72 133.0	3.08 85.0
, 22	1.52 29.5	2.00 47.0	3.99 143.5	٠٠٠ - ٠٠ - ٠٠ - ٠٠	3.80 139.5	_2,97 78.0
23	1.3323.5		4.00144.0_		3.78 138.0	2.85 70.0
24	1.34 24.0	1 .	4.61 177.0		3.70 131.0	2.80 67.0
25	1.42 26.0	· ·	4.74 185.0		4.28 184.0	2.70 62.0
26	1.37 24.5				4.67 226.0	2.68 61.0
) 27	1.36 24.5	2.15 53.5	4.52 172.5		5.14 281.0	2.67 60.0
_28	1.46 28.0		4.46 169.0	18 te	5.47 324.0	2.58 55.0
. 29	2.55 71.0		4.21 155.0		5.51 330.0	2.55 54.0
30	2.76. 79.5		4.19 154:5		5.72 359.0	2.50 51.0
31		· ·	1			2.50 51.0
TOTA		1	1 .		8,592.0	5,360.0
DAY					ļ	
MEA	N 37.8	89.7	94.8		286.4	172.9
MAX		-		,		
MIN	•	ì				
	P. 98 A 4		**		NIPPON KOEL CO	A LID TORYO

NB Water level in meters arbitrary zero.

Arbitrary zero is meters above M. S L.

TABLE WATER LEVEL AND DISCHARGE

KANA-1963 STATION Name of UPPER SREPOK Drainage' River 3,210 MEKONG area (km²): system: stream: APR. JAN. FEB. MAR W. L. ! DIS. W.L. Ŵ.L. W. L. W.L. W.L. DIS. DIS. DĪS. DIS. DIS. (M³/S) $(M) \mid (M^3/S)$ $(M) = (M^3/S)$ (M) (M³/S) $(M) + (M^3/S)$ (M) $(M) + (M^3/S)$ 1 15.0 1.18 12.0 1.80 24.0 2.56 54.0 2 1,42 1.17 12.0 15.0, 2.55 54.0 1.79. 24.0 3 1.40 15.0 1.16 12.0 1.77 23.0 2.47 50.0 2.40 47.0 15.0 1.15 12.0 1.77 23.0 1.40 5 15.0 1.15 12.0 1.40 2.35 44.0 1.76, 23.0 , 6 2,31 -43.0 1.75 23.0 1.38 15.0 1.14 12.0 1.71 22.0 1.37 11.0 7 15.0 1.13 2.31 43.0 8 42.0 1.70 21.0 1.36 14.0 1.12 11.0 2.29 1.11 11.0 2.28 15.0 41.0 1.70 21.0 1.41 1.10 11.0 13.0 10 2.19 38.0 1.67 21.0 1.30 11 1.65 20.0 1.40 15.0 1.10 11.0 2.13 35.0 12 1.35 14.0 1.11 11.0 1.64 _ 20.0 2.12 35.0 13 14.0 1.12 11.0 1.34 2.10 34.0 1.64 20.0 1.30 13.0 1.11 11.0 1.60, 19.0 14 2.08 33.0 15 15.0 1.10 11.0 1.39 32.0 1.60 19.0 2.04 16 1.11 11.0 15.0 1.37 1.59 19.0 2.03 ... 32.0 17 11.0 2.04 32.0 1.58 _19.0 1.30 13.0 1.12 18 1.56 18.0 1.27 13.0 1.11 ___ 11.0 2.00 31.0 1.18 19 1.26 13.0 12.0 2.02 31.0 1.54 18.0 1.16 12.0 20 1.26 13.0 18.0 2.01 31.0 1.54 21 1.26 13.0 1.12 11.0 30.0 1.53 17.5 1.99 **₹**22 1.97 1.10 11.0 1.25 13.0 30.0 1.52 17.0 23 1.08 11.0 ţ*. 1.23 13.0 29.0 1.51, 17.0 1.94 24 12.0 1.07 11.0 1.22 1.90 27.0 1.49 17.0 25 1.08 11.0 1.91 28.0 1.48 16.5 1,22 12.0 26 16.0 1.07 11.0 1.22 12.0 28.0 1.47 1.93 27 1.07 11.0 16.0 1.21 12.0 1,90 27.0. 1.46 3 28 . 27.0 16.0 1.19 ,12.0 1.04 11.0 1.89 _ 1.45 . 29 1.02 .11.0 1.18 12.Q 1.88 27.0 0.98 10.0 30 25.0 1.17 12.0 1.84 31 1.17 12.0 1.81 24.5 TOTAL 405.0 337.0 558.0 .084.5 i. DAYS MEAN 34.98 19.93 13.08 11.13 er in MAX.

NIPPON KOEI CO., LTD. TOKYO

MIN.

STATION BAN BUR Year 1961

	-		٠.		STATION		Tear	
River system :	меколе	Name of UF	PER SREPOK . Br	ainage ea (km²):	8,650		_	
711	and the same of th			<u> </u>	T			`
٠, ٦, ١	A 1	Ŵ.L. DIS.	W.L. DIS.	. 00' `₩.L.	r∙ √dis.	NOV. W.L. DIS.	DEC W. L.	DIS.
1.2.3	W. L. DIS (M3/S)	(M) (M³/S)	(M) (M³/S)	(M)	(M³/S)	(M) (M³/S)		(M³/S)
) 1) ¥			1.32	270.0	1.39 296.	0 1.00	160.0
2	4			1.31	266.0	1.37 288.	0 0.99	158.0
3		, , ,		1.57	364.0	1.37 _ 288.	0 0.98	_ 154.0
4	المراجعين المراجعين المراجعين	-	-	1.62	384.0	1.28 256.	0 _0.97 🖯	150.0
5	1			1.70	416.0	1.21 228.	1	148.0
6				1.72	424.0	1.20 226.	o 0.95 i	145.0
7				1.79	453.0	1.26 248.	0 0.94	142,0
8	_ ` ` ` ` ` ` `			2.20_	620.0	_1.15_', 208.	0.93.	139.0
9				1.99.	534.0	1.12 198.	1	136.0
10	1		<u> </u>	2.70	822.0	1.15 208.	<u> </u>	133.0
11		_ 1		2,50	740.0		0.90_	130.0
12				2.20	620.0	1.10 191.	0.89	128,0
13				2.40	700.0	_1.09_ 188.	1	126.0
14	- · · · ·			1.97	525.0	1.09 188		123.0
15			<u> </u>	2.50	740.0		1	120.0
16				2.70	822.0			118.0
17		. ه		2,80	862.0		i	_ 116.0
18			 '	2,50_	740.0	· ·]	112,0
19	·			2.00	540.0	_		110.0
20	<u> </u>	<u> </u>	<u> </u>	1.70	416.0		1	108.0
21				1.50	338.0	1.00_ 160		_106.0
22				1.70	_ 416.0	1.01 163		103.0
23				1.70	_416.0	1.09 . 188		100.0
24				1.69	.412.0	1.08 185		98.0
25	<u> </u>	<u> </u>	<u> </u>	1.65	396.0	1		96.0
) 26				1.50	338.0	1.05 175		96,0
. 27		*- *		1.55	. 356.0		i i	.94 . 0 94 . 0
28				1.45	318.0			,
29 j	b ,	MP 4.		1.40	300.0	ļ ·	0.75	94.0 92.0
- 43 ···	1	+		1.37	288.0	i	0.73	90.C
31		 	1	1.33	274.0	1		3,719.0
DAYS	<u> </u>	 	· · · · · · · · · · · · · · · · · · ·	- 	15,110.0	2,98	'	7, 113.0
	·		_		487.4	199	3.3	120.0
MEAN				-				1
MAX.			_	 	<u>!</u>			
MIN.	<u> </u>	<u> L</u>				URBON KOEL		

NB Water level in meters arbitrary zero.

Arbitrary zero is ______meters above M, S L,

PABLE WATER LEVEL AND DISCHARGE

STATION BAN BUR

Name of Drainage 1 River $\frac{1}{100}$ area (km^2) : 8,650 stream : UPPER SREPOK MEKONG. system JAN. DIS. JUNE W.L. ĎĨŠ. W. L. DIST (M) (M°/S) DĪŚ. DIS W.L. W. L.) (M) DIS.S $(M) \downarrow (M^3/S)$ (M¹/S) (M3/S) (M³/S)(M) \perp (M 3 /S) (M) (M): 44.0 0.65 74.0 0.75 0.40 41.0 0.44 44.0 0.41 0.45 1 94.0 41.5 0.64 0.39 0.47 46.0 72.0 2 CO: 78. 100.0 40.0 0.43 43.0 0.41 41.5 0.79 0.48 48.0 0.68 80.0 ` 3 103.0 0.38 39.0 0.42 42.0 0.40 41.0 4 49.0 0.69 82.0 0.76 .96.0 0.38 39.0 0.41 41.5 0.39 40.0 0.49 0.70 83.0 5 0.50 50.0 0.78 100.0 0.36 38.0 0.40 41.0 0.39 40.0 E0.0 6 d.77 >98.0 0.50 50.0 0.42 42.0 0.68 0.40 41.0 51.0 7 0.52 0.66 76.Ŏ 0.51 44.0 52.0 0.65 74.0 51.0 0.45 0.42 42.0 8 52,Ó 54.0 0,64 __72.0 48.0 0.43 43.0 0.53 0.64 72.0 0.52 0.48 9 50.0 54.0 0.62 68.0 0.63 70.0 46.0 0.45 44.0 0.53 __ 0.50 0.47 78.0 10 0.43 51.0 0.67 68.0 0.50 0.47 46.0 43.0 0.51 0.62 50.0 11 66.0 ..0.49..... 49.0. 0.69 82.0 0.61 0.49 49.0 45.0 0.40 41.0 0.46 0.64 72.0 12 40.0 0.43 | 43.0 0.61 66.0 0.48 48.0 0.45 44.0 0.39 86.0 13 0,42 42,0 0.71 0.38 39.0 0.60 64.0 0.48 14 0.41 41.5 0.70 83.0 0.39 40.0 0.59 63.0 43.Q 0.46 45.0 .. 0.43 ... 15 0.40. 0.70 83.0 41.0 0.58 61.0 0.56 59.0 0.42 42.0 0.39 3 n 0.73 90.0 0.40 41.0 0.40 41.0 0.57 60.0 0.55 57.0 0.42 42.0 0.58 🛌 61.0 0.45 44.0 0.42. 0.85 118.0 17 0.56 59.0 0.42 42.0 42.0 18 61.0 0.50 50.0 0.45___44.0 0.50 50.0 0.87: 123.0 0.55 57.0 0.58 0.85, 118.0 19 0.63 70.0 61.0 54.0 0.4544.0 0.54 55.0 0.58 0.53 0.83 0.65 74.0 112.0 20 44.0 0.45 0.53 54.0 0.55 0.55 57.0 21 0.46 45.0 0,68 80.0 0.75 _ 94.0 0.48 .48.0 0.52 52.0 0.54 55.0 0.65. _ 74.0 .0.74 .92.0 22 .. 46.0. 0.40 _ _41.0 54.0 0.47. 0.51 51.0 .0.53 86.0 74.0 0.71 23 0.49 0.65 0.50 49.0 0.39 40.0 50.0 0.52 52.0 0.69 82.0. 24 0.70 83.0 0,47. 46.0 0.38 39.0 0.49 49.0 0.51 51.0 0.68 80.0 0.78 100.0 25 0.48 0.50 50.0 0.46 45.0 0.40 41.0 48.0 74.0 41.0 0.74 92.0 0.65 0.46... 0.40 26 45.0 46.0 0:49 49.0 0.47 72.0 0.64 0.50 50.0 0.71 86.0 27 Q.45. . 0.46 45.0 0.48 48.0 44.0 .68.0 0.62 50.0 0.70 83.0 28 48.0 0.44 44.0 0.50 0.45 44.0 0.48 29 0.49 49.0 0.73 90.0 Q.60 64.0 43.0 0.43 0.43 43.0 86.0 0.59 63.0 0.71 0.41 41.5 30 0.42 42.0 0.42 42.0 0.69 82.0 31 0.41 41.5 0.41 41.5 2,507.0 TOTAL 1,269.5 1,922.5 1.991.5 1,403.0 1,396.0 DAYS 83.6 MEAN 62.0 45.0 42.3 50.1 64.2 MAX. MIN.

NIPPON KOEI CO., LTD. TOKYO

J.

(

WATER LEVEL AND DISCHARGE

STATION BAN BUR Year 1962

River Name of Drainage system: MEKONG stream: UFPER SREPOK area (km²): 8,650

(M) (M³/S)	DEC. (L. DIS. M) (M³/S) 1.67 357.0 1.80 420.0 1.92 482.0 1.90 472.0 1.87 456.0 1.85 445.0
(M) (M³/S)	M) (M³/S) 1.67 357.0 1.80 420.0 1.92 482.0 1.90 472.0 1.87 456.0
2 0.56 59.0 1.59 376.0 0.58 61.0 1.38 238.0 2.67 977.0 1 3 0.58 61.0 1.61 382.0 0.51 51.0 1.39 241.0 2.65 961.0 1 4 0.59 63.0 1.63 386.0 0.48 48.0 1.40 245.0 2.61 930.0 1 5 0.63 70.0 1.65 396.0 0.44 44.0 1.42 252.0 2.60 923.0 1	1.80 420.0 1.92 482.0 1.90 472.0 1.87 456.0
2 0.56 59.0 1.59 376.0 0.58 61.0 1.38 238.0 2.67 977.0 1 3 0.58 61.0 1.61 382.0 0.51 51.0 1.39 241.0 2.65 961.0 1 4 0.59 63.0 1.63 386.0 0.48 48.0 1.40 245.0 2.61 930.0 1 5 0.63 70.0 1.65 396.0 0.44 44.0 1.42 252.0 2.60 923.0 1	1.92 482.0 1.90 472.0 1.87 456.0
3 0.58 61.0 1.61 382.0 0.51 51.0 1.39 241.0 2.65 961.0 1 4 0.59 63.0 1.63 386.0 0.48 48.0 1.40 245.0 2.61 930.0 1 5 0.63 70.0 1.65 396.0 0.44 44.0 1.42 252.0 2.60 923.0 1	1.90 472.0 1.87 456.0
5 0.63 70.0 1.65: 396.0 0.44 44.0 1.42 252.0 2.60 923.0 1	1.87 456.0
5 0.63 70.0 1.65 396.0 0.44 44.0 1.42 252.0 2.60 923.0]	
	1.85 445.0
6 0.68 80.0 1.68 410.0 0.42 42.0 1.42 252.0 2.62 938.0 1	
7 0.69 82.0 1.66 403.0 0.40 41.0 1.44 260.0 2.59 915.0	1.83 435.0
8 0.73 90.0 1.64 394.0 0.38 39.0 1.46 268.0 2.52 863.0	1.78 _ 410.0
	1.75 395.0
	1.71 376.0
	1.66 353.0
12 1.70 416.0 1.51 344.0 0.43 43.0 1.46 268.0 2.32 724.0	1.62 335.0
	_1.57 _ 313.0
	1.51 288.0
	1.49 280.0
16 1.33 274.9 1.34, 276.0 0.57 60.0 1.28 202.0 2.08 573.0	1.47 272.0
17 1.32 270.0 1.32 270.0 0.59 63.0 1.15 161.5 2.03 544.0	1.45 _ 264.0
18 1.30 263.0 1.30 263.0 0.60 64.0 1.10 147.0 2.00 526.5	_1.43256.0
·	1.39 241.0
20 1.27 252.0 1.22 232.0 0.65 74.0 1.02 126.0 1.82 430.0	1.32 216.0
	_1.30 _ 209.0
22 1.19 222.0 1.10 191.0 1.00 121.0 1.20 177.0 1.68 362.0	_1.40 245.0
- 1- 454 (1- 41940 - 4000	1.19 174.0
	1.15 162.0
25 1.11 195.0 0.85 118.0 1.20 177.0 1.95 499.0 1.57 338.0	1.12 153.0
	1.10 147.0
	1.08 142.0
28 1.45 318.0 0.63 70.0 1.32 216.0 2.15 615.0 1.75 395.0	1.04 131.0
29 1.46 324.0 0.59 63.0 1.34 223.0 2.20 646.0 1.70 371.0	1.01 124.0
30 1.48 330.0 0.55 57.0 1.35 227.0 2.60 923.0 1.63 339.0	_0.98_ 116.0
31 1.52 347.0 0.55 57.0 2.75 1.040.0	0.97 114.0
TOTAL 6,560.0 8,039.0 2,819.0 10,431.0 18,812.5	8,783.0
DAYS	
MEAN 211.6 259.3 - 94.0 - 336.5 627.1	283.3
MAX.	
MIN. NIPPON KOEL CO	

WATER LEVEL AND DISCHARGE

BAN BUR TATION


MEKONG


Name of UPPER SREPOK

Drainage area (km²) 8,650

Link Tex	·			eam:			e (km-)	· · ·				5 - 4-ME-5
	JAN	·.	FEI		MAR		AF	Ŕ	1	والماسية		
W .	W.L. (M)	DIS. (M³/S)	₩. L. (M)	DIS. (M³/S)	W. L. (M)	DIS. (M³/S)	W. L. '] (M)	DIS. (M³/S)	W. L. (M)	DIS. (M³/S)	W. L. (M)	DIS (M³/S)
A 22 25 1	t 0.96 ′	111.0	0.77	73.0	0.61	49.0	-0.52	40.0		 -	, <u> </u>	* * * * * * * * * * * * * * * * * * * *
2	0.95	109.0	0.76	71.0	0.60	48.0	0.51	39.0				- B
3	0.94	107.0	0.76	71.0	0.60	_ 48.0	0.51	39.0				- 3
4	0.93	105.0.	0.75	70.0	0.59	47.0	_0.50.	38.0		·		3
5	0.92	102.0	0.75.		0.59	47.0	0.49	37.0	·		<u> </u>	
6	0.91	100.0	0.74	68 . 0	0.58	46.0	0.48	. 36.0				
7.5	0.90	98.0	0.73	_ 66.0	0.58	46.0	0.48	36.0		·, ·—		
8	0.88	94.0	0.73	66.0	0.57	45.0	0.47	<u>36.0</u>		.') (
, 9	_0.87_	92.0	0.72	65.0	0.57	45.0	_0.47_	36.0		ļ		
10	0.85	88.0	0.72	65.0	0.59	47.0	0.46	35.0				1
11	_ 0.84	86.0	.0.71	63.0	0.58	46.0	0.46		_			ارت اوم د استان
12	0.82	82.0	0.71	63.0	0.58	46.0	0.46	35.0	. 	1		، ۔ ۔ ۔ ،
.13 	0.81	80.0	0.71	6 <u>3</u> .0	0.57	45.0	0.46	_ 35.0	- 	- +		
14	0.90	- 1	0.70		_0.57	45.0	_Q.46_	35.0				i
15	0.88	94.0	0.70	62.0	0.57	45.0	0.46	35.0	l		<u> </u>	
16	0.87	92 . 0	0.69	60.0	0.56	44.0	0.47	_36.0		• • -		
17	0.86	90.0	0,68	59.0	0.56	44.0	0.47					
18	0.85	68.0	0.68	. 59.0	_ Ω.55	. 43.0	_0.48	36.0		•••		u destante una pre-
19	_0.84		0.67	_52.0	0.55			36.0			ļ	j · «"
20	0.83		0.67	52.0	0.54			37.0	i		<u> </u>	
21	0.83	84.0	_0.67	52.0	0.54			37.0				بلعدي ، ،
22 .	0.82	82,0	0.66		0.53		1	36.0				, '
23	0.81	_ 80.0	_0.65	_ 55.0	_0.55	42.0	1	1	-			,
24	0.81	80.0	- 0.54		. 0,55	42.0		36.0				<u></u>
25	0.80	78.0	0.64	53.0	0.54	42.0	<u> 0.46</u> 	35.0			<u>-</u>	•
26	0.80	78.0	1 -	52.0	0.54			33.0	ł .	-	-	
27	0.79	76.5	1		0.53		i	33.0				* 2
28	0.79	76.5	. 0.62	51.0	1		0.42			- +-	·	- :
29	0.78	. 75.0			_0.54		0.42		4			
30	0.77	73.0	<u> </u>		0.54		0.40	31.0	<u> </u>		- - -	
31	0.77			2 505 0	0.53	-		7 060 0	 		 	
TOTAL		2,742.0		1,703.0		1,369.0	<u> </u>	1,069.0	-			
DAYS		00.5		(CO.D		44.2	-	35.6			-	
MEAN MAX.		88.5		60.8		44.2	 	<u>; </u>	┧	-	 	1
		1	 	<u> </u>		<u></u>		<u> </u>		<u>'</u>	<u> </u>	-
MIN.	<u> </u>	1	<u> </u>	<u></u>	<u> </u>	1	<u> </u>	 	<u> </u>	KOEI CO		







		<u>.</u>						_			_	 					· T		. , ,	\ A '		1/	^ ^	1 ^			- 1	`		 <u></u>							•	•	•		<u> </u>							1 1			· -				2			
RIVE																						K					J*2	-14		 		 											D	ΚΔ	IN	Α(jΕ	A	H.	LA	. 3	5,2	21C	ΣK	M ²	•		
	б	50																									7, 2, 2, 3, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,) ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !												.:1:	; ; ; ; ; ;														.]::	. 11:		
_	6	00					: : : : : : : : : : : : : : : : : : :																																										••••	:::								
-	5	50																														1-0						1:::::		, ,										:								
-	5	00		:																								****									: ::						:		<u> </u>							• : : :		<u> </u>	ļ. 	· ·		:: .
-	::	50		4																					.				***																										; ; - ·	· · -		
	4	ŌŌ	:::							:-		• : :			1::	•	:		.:	::::	 :																						:: 						:: []				ł		<u> </u>	. ·		
	3	50		1.	- 1				::H	•																Ш	Ξij	1::			- 13	!:!!	: 1		- 1	1.11					:::1		.::.		:		*							-	· · · · · · · · · ·	•		
RAINFAL WATER L DISCHAR	3	00						4																													:														• • • • • • • • • • • • • • • • • • • •							
-	2	50		-						::::			-:- -:-								:::		:									·					· · · · · · · · · · · · · · · · · · ·	:::	:				-	::				- :-			·····		: 			- - -		
_		00 50		1																																				- :	•				· ·						•••						.:	: . : :
-		00	::-	:																												; ; ;	:: :: ::			-	:		1::	:	:	:::	•						- 11	· · · ·	:		٠١					
		50]:	: •	- 1	::			::		!:										•		::.		- -	:	.		
ļ	::				.:																																:	<u>. :</u>	<u>.i.</u>			:	1		· ·	<u> </u>	<u> </u> :	:								- 113		: · . ·
MONTH MEAN DIS	-			<u></u>	<u>A</u>	Ν.	<u> </u>			·····		 FE	<u>: B</u>	<u>. </u>				<u> </u>	VI /	\R	•						· P	<u> </u>	•			M.	<u> </u>						<u>, (</u>	ר ר.	IE	 			JU		<u> </u>					А	U (J.		+		

HYDROGRAPHS DRAINAGE AREA: 3,210KM2 NO. YEAR: 1961 GAUGED BY DRAWN BY APR. MAY JUNE JULY AUG. SEP. OCT. NOV. DEC. MONTH

MEANDIS

																			-) } 											<u> </u>	1 (1 /	$\stackrel{\smile}{=}$	_									_				
RIVE	F	7∶ (JP	PE	ER		SRI	EP	OF	<u> </u>					SI	ΓΑ	TI	01	۷:	K	ΔΝ	AV	•	20 °	و کند- روم)R/	VIV	Α	GE	ΞΔ	RE	ΞΑ	: 3	3,2	10	ΚN	И ²	
	:	550		- -	:::	.:		:				·:			-																																							
		500				-							::::			.:::	<u> </u>			-				16																				<u>:::</u>										:
	:																																											: :::	:1::			1.				:::'		
_	5	500				· ·			: ·							: :	, ,			· .	. :									:1	<u> </u>				:. · 	: ::::. :::::					<u>: </u> :						:: . :- -				·			: :
-	4	150	-:			:-			- ::	:: : :: -				::.			<u>:</u> :																						<u>:</u>	-		:::		┤.						:		- :		
. 0		. : 100`			::· ::·			·			: , : .	:.:				- ::			٠.	:: .				7 7		!i :									:::::::::::::::::::::::::::::::::::::::				1										:::			-		
RAINFALL (MM) WATER LEVEL (M) DISCHARGE (M3/SEC	3	350		-	·: ·.:			:.					::::		•	· · · · ·								-1	4. 1:			:		.		: 1		:	111:	: : :]].:i					1 1 1 1 .				.1	: :		:	-	:::	-:		
AINFALL ATER LE	3	500				-		11		:: -					-	· : : : ;	-		: · : :	╁	:::																		-1:			- :::	· I		- 1		! 			\vdots				
~		50			: : :	- - -		- - 	::							: :: : :	- : - : : 		i	-: :				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					· · ·	:::	. :-		 											:			+ 4	•			•	•••		·
	-	500 ⁻		,		:			. ::	·. 	. 1					<u>.</u> 									7 1 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4					. .							-	; ;				···		1			:	:				·		
-		50						-								:		:::																	: : :										- -						: .	:-	::	 :.
		50									. : :					:::																	::		: : : : ·.					1:		· · ·		:						7	<i>)</i> -(~	
						?		₩	:. li:				I-i																		: :-		个	×	Λ			#						Y							: ::: :::	> ·		
MONTH	1			JΑ	Ν.			_		F	E	<u>B</u> .		_			M	ΔF	₹					À	PI	₹.				M	A,	<u>Y</u>				<u>'</u>	JU	N	<u>E</u>				JU		Y		_			Δι	J G			_
MEAN DIS	1																							****			_	 <u> </u>																										

HYDROGRAPHS NO. YEAR: 1962 DRAINAGE AREA: 3,210 KM2 GAUGED BY DRAWN BY DISCHARGE (M3/SEC) WATER LEVEL (M) RAINFALL (MM) IPR. MAY JUNE JULY AUG. SEP OCT. NOV. DEC. MONTH MEANDIS

			–					· · · · · ·						<u> </u>																						<u> </u>	<u>U</u>	<u> </u>	<u>U</u>	_												
RIVE	E	R∶ —	UP	P	ER		SR	EF	201	K					ST	Α		N	•	KΑ			`		,															D	RA	IIN	Δ	ЭE	Αſ	RE	Α:	3,	210	ΚN	/1 ²	
		650		::	***																																	. 1				1.					:					
-	-	600				· :::									: : :																			:																		
-	٠.	~~~	:: -			:::::::::::::::::::::::::::::::::::::::										-																																				
-	-11:	500		-		· ·		!	::::::::::::::::::::::::::::::::::::		<u>. </u>			::	:				::	 	:															`: . - -						<u>'</u>		:								
	1	450				: . :													:::::::::::::::::::::::::::::::::::::::	<u> </u>	<u> ::</u>	<u> </u>				<u> </u>	::::	::::	:::::	1::::	1::::	1::::					- :::			<u> </u>		1::::	.			-	• • •				:	
		400°				.:			1.::	1.				∷ .	. .						: .				1:1									11.		:::::::::::::::::::::::::::::::::::::::				. `			:		: : : : : : :				 		•	·
(MM) EVEL (M) 5E (M ³ /SEC		350	+	_			::,					<u>: :</u>		:					•••	.' 	∥ `.		1:			::			· · · · · · · · · · · · · · · · · · ·	::!!		.::.	::::		- - -		: : . :	:						1 .	:			:: :	 	-		
RAINFALL WATER LEY	3	300											:: :				:																			- 1		:					. ``				t		<u> </u>	-	:	
		250				•		::.						::1			•												: ::			: <u>;</u>			-					ļ	.:			-						-	·:	: :
-	-	500-	-	<u>- </u>		.: .		•	:::					٠. ۲.					• •	:::					;].	:						4		11				: -			.				<i>.</i>			::				
	:	150	•		: :			<u> </u>	 : - :						+				•															: :							::::							 			:	 - -
-	-	100 : : : . 50			:			: : : : : : : : : : : : : : : : : : :									·:													: :	. :																			:		
-		200	7	-																														:																		
MONTH	4-		Ú	ΙΔ	<u>N.</u>						ΕE						MΔ							AΡ							ΔΥ					JU	N						L١	′				Д	U G			
MEAN DIS	5					_								\perp																																						

HYDROGRAPHS NO. YEAR: 1963 DRAINAGE AREA: 3,210 KM2 GAUGED BY DRAWN BY

AUG.

SEP.

OCT.

NOV.

DEC.

MONTH MEANDIS

JPR.

MAY

JUNE

JULY

								<u> </u>											<u> </u>										
KIVE	R. UPPER	SKI	EPU	γK		51/	7110	N . E	3 A N	1 BU	K			·							DRA	INA	4GE	AR	EA	: 8,6	50	KM ²	
	300																	: :1.:::1::-:		::::									
<u>-</u>		: [:::]																											
_																													
_	1000																							:: ::::	. ;:			:	:
_	960												Hill	lii::iF			:: :		::::::::::::::::::::::::::::::::::::::	:::::	1.1:::			:	1 .: 1:				
() () ()	800																												
T T T L LEVEL (M) RGE (M ³ /SEC)		-::::::1															!!	: .				: '!					• • • •	·	
RAINFAL WATER L DISCHAR			:							: ::: :::::::::::::::::::::::::::::::::																	-		
	400																							:: :::: 	1				
_	300	-				• • •											<u>:</u>		1::::			1	: :					. ,.	
· 	200																			::::					1'13				: : : :
	100				1::: ::::										` :													· ;	:::
- MONTH	JAN.			FE	R		МДІ				APR				ΙΔΥ			JU		:::		U L	<u>:</u> : :		1 1:1:		J G .		1:.
MEAN DIS	 			<u> </u>	. ت .		1417-1	٠			<u> </u>	•	+	- 1			+	00	-			, <u> </u>	- '						

HYDROGRAPHS NO. YEAR: 1961 BUR DRAINAGE AREA: 8,650KM2 GAUGED BY DRAWN BY 400 APR. MAY JUNE JULY AUG. SEP. OCT. NOV. DEC. MONTH MEANDIS

IVE	R: L	JPF	'E F	₹	SR	EF	201	<u> </u>				_ S	TA	T/	O١	1:	BA	J V	E	3 U	R*																[DR	ΔI	NA	٩GE	Ξ	ΔR	ΈA	4 : 8	8,6	50	ΚM
	: : : :			1::	- :::		1:::			1:::	i		1:	: :::,	11:::	1	: : : :	: :	:::1		1:11	1::1		933		<u> </u>	<u> </u>		1111	1:	11		7	गुरम	1	::[:	- -		-11		1			11	: : : 	· -		
	1300						1:		. ! •			'									*! *!							: :							: ::									::		1 1		
		. -:-			. : :		1:::	: : : :	-							:					;:1:						:1 ::		·	1:		1					::1::		•:1:	:::I	: : : :			•			• • • •	
	1200	<u> </u>	- :::	. 1:																							1:::		:1: :	1.::																	1	
]:::																																										::::	::::		** * +	===
	1100 -	. :							::::	: ::::																																						
							':					1	::				:	: :			:::::		:::		:::-						111													•		1. 1		
	1000			::.	::::			: ::			: :::	٠.	ļ <u>.</u>	:::			1::.	: -				::::						: :::		1:::	. [['	' :::	:1 .	:1.:1				::	: :	-: -		:: :			::::	 		::
	a00			:		ш						ļ																												::: :		:::::						:
i						11:					: : : :	1::::				: <u>:</u> :																		: ::	;													:::;
õ	ВОО	1	:: <u>-</u> -	-	-	 	1::::	· ·			1	ļ:. <u>.</u>					: [_	<u> </u>																			:	: ! !							<u> </u>			
EL (M) (M³/SEC)	700	ŀ	;				:	; ;		: : : : :									: :		'		,:		: : : :		:1						: .											;				
LEV		: :. ::.		:: :												1:			:::			1:::			11:		111																		1:::		1.:	
프핑	600	-		-	1::.:		1::::	1: :	: :	: : : : :		1.:	:::					: <u> </u>		::!						1::::													<u>: </u> .	<u> </u>							: .	<u>:: '</u>
WA	500			· · · · ·								: :		1.::		1:::						!																						٠.:		.:	:::.	:::::
								1.			• 🕴 • •	.:		::			.	: :														:::::										: : :	::	.:				:.:
	400			 	 	 	 					<u> </u>	ļ. 			1	ł	<u>: :</u>				, , , , ,							; ` ; ;		: 11	1	. 1 : .	1:::	11.					ΛЩ.				·	~::		:.	-: :
	300		1::::			: : : . . · · .						: ::																												1		1 .		/	:::		: : :	
																				• • •		<u> </u>																										
	500.	1:	1::::	1	<u> </u>			:::	1::::		::-					ļ		<u> </u>													 ::											14		:::::			::: <u>`</u>	\
	100																																			: ::				::11:		:: :		:::::				
															بزا									,				ار	Į.,	/ \	\ ;	$\stackrel{\downarrow}{\downarrow}$		/	<u> </u>	+		+								 		
NTH	0.00	1::::	1:::.	<u> ::-:</u>	1::::	1 : . : :	::::			liii			<u> </u>	8.4		<u> :::</u>	:[:::	<u>: :</u>	<u>::: </u>											: ::::	Щ								<u>:::::</u>	<u>:::L</u>								
N DIS		U	<u> 10</u>			_		Γ.	<u>EB</u>	<u>. </u>		<u></u>		IVI.	<u>AR</u>						ΑF	<u> </u>	•		<u> </u>		M	<u>ΑΥ</u>					JU	N	ᆫ				ا ل	U L	_ Y					ΑU	G.	

HYDROGRAPHS YEAR: 1962 NO. DRAINAGE AREA: 8,650KM2 DRAWN BY GAUGED BY MAY JUNE R. JULY AUG. SEP. DEC. OCT. NOV. MONTH MEANDIS

RIVER: UPPER	SREPOK	STATION: BAN B	n. ^		DRAINAGE AR	
- 1300						
1200						
triod						
1000						
900-						
800						
(MM) EL (M) (M3/SEC)						
A LEVI						
WATER WATER DISCH					1:1 *.:11:* 1* *.1::::1	
400						
300' -						
200						
100						
MONTH JAN.	FEB.	MAR. AP		JUNE	1	AUG.
MEANDIS	I LD.	IVIAIX. A1	1717-1	00112	0021	700.

NO.

YEAR: 1963

	DRAINAGE AREA: 8,650KM2	GAUGED BY		
			DRAWN BY	·
			:1300	-
				_
			1000	_
			900	• ·
			900	
<u>╶┦┸┷╀┸┞╃┾┷┷╂┯┸┯┸┦╀┸┼╀┞┸┸┸┢┷┷╼╾┠┯┷┷╍┦┸┸┸┸┞╋┷╍╼╃┹┸┸┸┞╂┶┷┷╾┩┰┰┰┰╂┰┰┷┪┰┰╁┰╏╌┷┷</u> ╂┰ <u>┷┷</u>			700	DISCHARGE (M%SEC WATER LEVEL (M) RAINFALL (MM)
			1600 A	DISCHAR WAFER RAINFAL
			500	
			400	
			300	
			200	-
			100	
APR. MAY JUNE	JULY AUG.	SEP OCT.	NOV DEC	MONTH
				EANDIS

Table MONTHLY RAINFALL IN BAN - ME - THOUT (mm)

(

J

(

_	T.,	Τ,	\top	7	7				C		2	0	T	T		Τ	T	ু	78.7	8,8		112.8	82.8	103.9	82.2	81.2				7
Max D.R.	96	8	8	142	*	85	140	102	72		3	189	*	*				102.0	78	~ 	5	Tř.	8) 	ά	ю —	<u>. </u>		-	
Total	(1906)	1,000	1,907	(1,894)	(1,566)	(44)	(1, 749)	1 827	(1, 770)	1001	1,491	(2, 252)	2,060	2,326				1,692.2	1.539.2	1 860 8	7.0001	1,644.1	1,640,8	1,862.5	2,014,8	1,617.8	(18.9)	בב בלט ז	744-9 22020-	1, (69, 0
Dec.	╁	╁	17	29	12	12	~	1	F **	1;	14	*	119	36				1.5	25.8		•	0	26,8	4.3	5.8	1				18.1
Nov	*	,	12	198		አካ	27.5	247	1 2	6 ,	56	95	196	136				160.4	34.2		N N	16.7	94.3	120.8	38.5	118.8		,	4 <u>5</u> 9418	198
+ 00	╁	5	339	*	166	016	3 9	200	7 6	2	109	415	395	52				167.8	6 00		328.2	340.0	183,1	192.3	243.5	ľ			4,169	219.4
-	d d	449	346	269	1/2	1 6		249	9 6	<u>\$</u>	292	369	332	800				188.1	200	100	359.3	257.7	203.8	449.9	249:5	235.2			5,675,35,729,2 6,104,0 4,169,8 1,635,7	305.2
\vdash	+	+	255	,	-	210	47	116	254	104	88	335	168	515		1	_	416.1	000	70243	257.1	334.8	298.1	179.3	207.1	263.8			5,723,2	286.5
,	Jul.	342	308	340		744		248	739	453	243	354	808	20	3			287.0	0 11	277.0	217.9	218.2	265.6	304.9	266.0	0.019				283.8
}	+	252	333	390			38	216	242	164	215	305	8	7.7	747			25.4 9		245.4	316.5	272.2	180.2	234.7	1	25.70	2011		4,774.3	238.7
┝	May	250	140	ç	707	1	<u></u>	142	223	364	177	286	ğ		7			106.4	1000	123.3	219.1	126.1	2 090	711 4	7 300	7007	170.7		4,356.B	27.8
+	Apr	408	179	-	-	-	52	182	115	97	に	70	g	2 ;	767			2 2 6		211.6	27.6	2	02.7	50.1	73.5	170.2	44.0	17.7	2,186.7	104.1
	Mar	1	13	, ,	9	1	1	*	16	65	ı	,	t 8	76	47			1	2.5	2.7	131.3	a c	2 6	2 5	7.1	1.69	2.4	•	518,8	λ o
	Feb.	~					ı	*	15	į	ŧ	*	, ,		0			,	5	9	6	1	0.7	1 0	0.0	•	3.2	1.2	46.6	2.5
ļ	Jan	4	-		υ.	1	*	4	1	*			7		4				2.1	0.3	α ς	2 4	4:2	1	7.7	1.6	0.3	,	27.7	2
	-	æ	2 5	8	Q.	71	32	33	34	lt:	72	1920	3/	1938	1939				1955	1956	7301	121	1958	1959	1960	1961	1962.	1963.	Total	N Contract of the contract of
-	Year	1928	100	1963	1970	1931	1932	1933	1934	1935		21	1937	19	19				52	19		7	T	ř	ĭ	77	1	Ħ		`

Remarks: (*) means no record and the months excluded in

METEOROLOGICAL RECORDS

STATION: BAN ME THOT

									,		<u> </u>		· · · · · · · · · · · · · · · · · · ·
	•	Jánu	á ry l	9 29	•				Feb	ruany l	9 29		j
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
- 1	25,1	19.8			1		ì	28.9	19.4			-	
2	24.1	18.5					2	28.5	19.1				
3	25.5	18.9		1			3	27.3	18.3		_	i .l-=	
4	23.9	18.3		İ			4	27.5	18.3	<u> </u>	 		
5	24.9	17.7		! !	<u>i</u>	· :	5	27.9	18.2	! 	1	1	<u> </u>
6	25.9	17.6		<u> </u> 			6	29.9	17.6	: .= - - -	 -	·	
7	26.1	17.1	.			: 	7	27.0	18.1			1	····
8	25.7	16.5	 	I			8	27.8	18.6	! !	{		
9	25.7	16.1	- *		<u> </u>		9	27.7	17.7	· 			
10	24.7	15.1	1	lo I		İ	10	25.5	17.3	<u> </u>		<u> </u>	'
11	26.1	11.9	L				11	28.1	16.1		. I		•
12		n		i !	j 1		12	28.3	17.3	 -	ļ -	1	
13	27.9	15.9		; j			13	31.1	18.6		_	1	i
14	27.7	15.9			t	!	14	30.1	20.1	}	, , , =		٠
15	26.7	15.6		1 \$ }	t	· · · · · · · · · · · · · · · · · · ·	15	28.3	19.3	ł	1		• !
16	27.4	14.8		1	' -		16	27.0	17.9	:			} {
17	27,1	18.1	!	, 			17	27.1	17.7	<u> </u> 			
18	26.5	20.2	l			†	18	29.3	17.3		;		!
19	25.9	18.0	į		; ;		19	29.1	19.3		= =		
20	26.4	16.9	1		ı	1	20	30.7	20.1				
21	26.6	15.9			I		21	31.4	20.1	l			w
22	27.4	16.3			1		22	30.6	20.0		i		
23	26.8	15.5	ļ 	_			23	32.9	18.5	w			.
24	25.1	15.3		1	1	<u> </u>	24	30.7	19.1	~			
25	26.1	15.3			1	<u> </u>	25	32.1	18.4		1		
26	27.7	14.5) 	26	32.1	19.1		_	1	!
27	28.7	15.7	, ,	!	-	1	27	33.5	19.6		1	i _	
28	31.4	18.8			-; -		28	31.8	18.3		-	-	
29	30.3	19.7	i	_		1	29				ţ		-
30	31.1	18.7	1) 	30		· 		·		
31	31.5	19.1	1	1			31	<u> </u>	<u> </u>		i	1	!
TOTAL	832.1	519.6		!		1		822.2	519.4				
DAYS				!		ļ			 				1
MEAN	26.9	16.9			<u> </u>	· ·	Ĺ	29.4	18.5			1	!
			-	***************************************									

NOTE R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

METEOROLOGICAL RECORDS

STATION: BAN ME THOT

		ŀ	larch i	9 29					Api	rii l	9 29		
	TEMP MAX.	(C°)	R. H.		R (m/m)	(m/m)		TEMP MAX.	(C°) MIN.	R. H. MAX.	(%) MIN,	R (m/m)	E (m/m)
	,			1 11114.	(//	(111/1117)	1			<u> </u>		(,)	\.,.,,,
1	31.3 29.1	19.0 19.0					2	33.4	19.4	 		-	
3	29.4	18.7					3	31.9	20.1		' 	ļ	
	27.1	19.0				<u></u>	4	32.1 30.9	21.6 20.6		 !	!	
- - 4 - 5	28.1	18.3					5	31.1	21.1		!		
	28.0	18.4			<u> </u>	·	6 1	32.5	20.0			<u> </u>	<u> </u>
 7	27.1	18.3		! 			7	30.3	20.9		'		
<u>'</u>	25.7	17.3		,			8	33.3	21.5	L		ļ	
°	24.4	16.1		! !		 	9	33.1	22.2				
<u>-</u> '.	28.6	18.9	- • -	i			10	32.1	21.6				1
11	27.1	19.1		<u> </u>	<u>!</u>	<u> </u>	13	32.1	21.7	<u>. </u>			1
12	26.1	18.7		, ;	1		12	28.3	21.0			1	1
13	28.0	19.1		- i			13	29.3	20.1]	; !		'
14	27.1	18.9	-	¦		- -	14	29.9	18.5	! !		:	
15	26.3	18.1	-	- !			15	31.0					
16	26.5	18.8		! !		<u>'</u>	16	34.3	18.1		1	!	
 17	27.3	17.4		 -			17	32.5	<u> </u>				,
18	28.9	17.1			•		18	33.4	21.7	- 	1		1
19	29.4	17.9	-		:		19	31.9	(20.1))	· - !	· [,
20	30 . 1	16.9			i		20	30.1	(21.1)		!		
21	29.1	17,1			1	1	21	31.5	20.6	1	t	:	1
22	29.9	17.5			1	_	22	31.6	20.8		· · · · · · · · · · · · · · · · · · ·	1	
23	31.3	16.4		' 1 1		1	23	32.1	21.7		4		1
. 24	33.5	18.7				: !	24	32.7	20.8			^_ ^_	
25	33.6	20.4	- - 	į	-	1	25		21.0	•			,
26	33.7	20.6			1	1	26	32.6	20.9	<u> </u>	1 _		L
27	33.7	21.9		1	}	, 	27	30.1	22.0				
28	32.7	20.1		1	t	•	28	31.9	22.1			_	
29	33.5	19.1		1	!	1	29	32.6	23.1				<u> </u>
30	33.9	20.3	-				30	31.5	22.1				
31	32.5	19.3			1	;	31					i	
TOTAL	913.0	576.4			ı			952.2	624.0				 -
DAYS	.		· -	-	1	-1	'	-					<u> </u>
	29.5	18.6		.) 	1.		-	31.7	20.8				

RH. RELATIVE HUMIDITY IN PERCENT NOTE

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

11/2		J	May I	9 29		Ì			1.3	lime 1	9 29		
-	TEMP	(C°)	R. H.	(%)	R	E	! 	TEMP		R.H.		R	E
75"	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m
1	33.4	21.7		İ			1	29.7	20.6		! 	 - 	
2	34.4	21.5					2	27.6	(20.7)		i 		
3	33.9	21.9					3	27.6	20.1	. <u> </u>			
4	31.1	22.1					4	29.1	21.1			 	!
5	32.1	21.9					5	26.9	(21.1)			<u> </u>	1
6	32.7	21.3				. .	6	29.1	20.8			i 	 -
7	32.5	22.8					7	29.1	(20.0)				
8	32.3	22.8		,			8	28.6	19.9			i	
9	31.5	(22.0)) -				9	29.1	20.1	!			
10	31.8	21.1					10	30.7	19.1	•	1		
11	31.3	21.4					_ 11 _	30.1	22.1		_	1	; ;
12	30.4	22.6			ĺ		12	29.7	20.9	 			:
13	32.3	23.1					13	28.8	(20.4)	1		-
14	29.6	22.9					14	24.3	20.4	_			•
15	32.3	21.1			<u> </u>		15	25.5	20.9		1		_
16	31.1	(21.1	}			1	16	28.5	21.1		t		
17	28.7	20.4	-				17	28.1	21.4	-1	1		
18	30.5	18.3			- -	1	18	26.3	(21.5)			-] -
19	29.5		' !l				19	28.9	20.9	4			
20	31.1	-		•	1		20	28.5	20.1	<u>'</u>		i	
21	31.1	20.1			1		21	30.1	20.1	 ' 	;	r	
22	31.1	20.9	- -		1		22	31.1	22.1	,	+		_
23	31.9		-		,		23	. 30.1	(21.1	.)_			
24	31.3	21.5	-1	-;		1	24	29.6	21.6	5	1.	-	
25	31.7	21.1		i —		; 1	25	30.5	(20.2	2)			
26	30.6	21.3		1	i		26	30.7	20.1				; ; -
27	32.3	20.9	_		-		27	29.7	20.6	5	<u> </u>	-	1
28	30.4	21.9			-	1	28	29.2	20.5	5	_		ì
29	29.6	20.9	·		i -	-	29	27.9		3			
30	28.5				-	1	30	30.1			_	_	
31	28.5		-]	1		1-	31			1			
TOTAL	 -			1	1	ı		865.2	2 619.	3			
DAYS	ļ	\- <u></u>			-	1		-					1

NOTE R.H. - RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BAN ME THOT

		,"Jt	ilyet i	9 29					Augu	ıst: 1	9 29		•	ŀ
,	TEMP						·	TEMP		R. H.		R	E	
	MAX.	(C°)	R. H. MAX,	(%) MIN.	R (m/m)	E (m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	
1	29.1	20.9		· · · · ·	(,,		1	28.9	19.9					•
2	28.9	(21.3)					2	28.9	20.1					
3	28.3	(20.0)		- 			3	29.7	20.3					
4	26.1	19.9					 4	29.8	20.9		 			
 5	28.0	21.1					5		(20.4)				-	ļ
6	24.2	(21.0)		<u>. </u>			6	28.9	20.0		<u> </u>	"		١
·	22.9	20.1					7	29.3	20.3					ŀ
8	28.1	19.5	-				· · · · · · · · · · · · · · · · · ·	27.8		·	 		<u> </u>	
 9	28.3	20.1	<i>-</i>	 			9	27.1	19.9			1		ľ
 10	26.9	20.1		 			10	27.1	19.5		1			ľ
11	28.1	21.1		!		<u> </u>	11	28.3	19.8			ļ		1
12	27.5	(19.8)		·			12	29.4	20.3			-		l
 13	26.4	18.9				-	13	29.6	20.0			1	;	
14	27.7	19.1	- •				14	28.3	21.1			1		
15	27.9	20.1	-			• •-	15	29.9	20.9					
16	28.3	20.1				i	16	29.1	20.0			1		
 17	28.5	20.5	-		- •] :	17	28.9	20.0					
18	25.7	20.9	; :	,			18	29.9	19.9					
19	25.5	20.7		-	-	-	19	27.4	20.1					ŀ
20	27.1	20.3	<u>-</u> !	ŀ	1	j=	20	28.4	21.1	!	1	İ	•	
21	28.1	20.1			<u> </u>		21	28.3	20.7	ļ			1	
22	28.5	20.1					22	26.3	20.1	,	h		,	١
23	28.1	19.5					23	26.9	20.3		1	_ •		
24	27.4	20.9		1			24	27.3	19.2		1			
25	27.6	21.1		•	1		25	28.1	18.9	i	1	i 1	1 -	
26	27.3	(21.0)	1				26	27.3	19.8					
27	28.3	20.1				-	27	26.9	18.7					_
28	28.5	20.5	ļ				28	23.4	20.1					-
. 29	27.7	19.9					29	25.3	20.1					
30	29.5	20.1	, <u> </u>		Ī		30	24.0	19.9					
31	30.3	(20.8)	i (-		-	31	23.6	20.1		<u> </u>		1	
TOTAL	` 	629.6	1			i			622.7		<u></u>		!	_
DAYS			1											.
MEAN	27.6	20.3				-		27.8	20.1			B	f i	

R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER NOTE

STATION: BAN' ME TEOT

STATIC		Septe	mber 1	9 29					9ë t	obèr l	9 29	•	
-	TEMP	(C°)	R. H.	(%)	R			TEMP			(%)	Ř	E
	MAX:	MIN.	MAX.	MIN.	(m/m)	(m/m)	,	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	26:1	20:17					1	29.1	20.1	. 			
2	29.1	18.6	·	<u> </u>			2	27.1	19.9				
3	29.1	20.3					3	27.5	20.3	 .			
4	26.5	21.1			<u></u>		4	26.9	20.1		ļ	ļ	
5	24.1	(20.5)			<u> </u>	<u> </u>	5	23.1	20.1		<u> </u>	<u> </u>	1
6	27.3	21.1			<u> </u>		6	24.1	19.5		\ <u></u>		
7	28,7	20.6			<u> </u>		7	24.4	20.1		 -		,
. В	27.5	19.9					8	26.7	19.9				
9	28.3	20.7					9	26.6	21.1		 •	ļ	
10	29.1	19.9			ļ <u>.</u>		10	26.3	20.4	ļ	<u> </u>	1	
11	29.1	21.1					11	26.3	19.9			-	
12	29.1	20.1					12	24.9	19.3				
13	27.5	20.7					13	23.3	19.1				
14	28.5	19.1					14	22.3	18.7				ļ
15	29.9	19.1					15	26.4	20.1				
16	29.5	18.3			1		16	26.1	20.3		_	_	
17	29.3	20.1					17	23.5	19.3				
18	29.1	19.1	· 	-! 			18	19.5	16.7				
19	26.5	19.9			-		19	28.3	16.4				
20	25.7	20.9	·		-		20	27.7	19.1				
21	29.3	20.3	.		1	<u> </u>	21	28.3	18.9		1	ŀ	!
22	28.3	19.7	-}	-	- -	-	22	28.3	17.9]	1
23	30.1	19.3	_	-		-	23	28.3	17.6		-i	ļ	1
24	29.3	20.3			1	- -	24	28.5	17.7	'	1		
25	30.3		-		†		25	27.9	-7	1		1	,
26	30.3	<u>,</u>			1	1	26	27.1	1	;			
27	29.1	18.1				-	27	27.3	- '				
28	29.1	20.1	-l — 		- -	-	28	28.1	20.3		1	-	
29	29.7	19.9					29	28.1	21.]	- 			
]	30.1	19.1			-		30	28.4					
30			<u> </u>	-			31	27.3				-	_
TOTAL	ecc c	1 505	<u> </u>	1	<u> </u>	1	1	817.7					1
DAY	·	596.2	<u> </u>	-		-				-	-	_	
	_	19.9		_	-	_	-	26.3	19.	2	_		_
MEA	20.9	12.	7			 -		1 20.2) ITD	TOWO

NOTE R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

		Novemb	er l	929		•			Dece	mber 1	9 29		**
-	TEMP	(Ć _o)	R. H.	(%)	R	E -		TEMP			(%).	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	27.1	18.9	_				1	25.6	16.3		<u> </u>		
2	28.3	18.6					2	27.2	17.4				
3	29.1	19.5					3	27.3	19.0	, 			, 21
4	29.1	19.5					4	24.7	(17.4)	· 		- ,	
5	29.9	20.3					5	25.7	17.8			, '	,
6	30.1	19.1					6	26.3	18.7		<u> </u>	,	,,
7	28.1	21.1			,		7	27.1	(17.7)				٠,
8	28.1	19.9					8	25.8	16.1] 	,	
9	25.5	19.9					9	22.3	17.8				: \
10	24.6	(18.6)					10	26.9	(19.5)	-] -	1 5-	
11	25.3	18.8			ŀ		11	28.1	18.3	-			1
12	26.1	16.9			-		12	29.1	18.7			1	, ·
13	26.6	17.3					13	29.5	19.3				
14	26.1	18.5					14	28.7	19.5			-	
15	26.7	17.8					15	30.9	19.1				
16	27.5	17.0		<u> </u>		1	16	30.9	(20.1)				
17	29.5	18.3				·	17	29.1	(18.3)				ļ
18	28.3	19.1	- -	.!	! 		18	27.1	16.9	·			
19	27.7	20.9		1		-	19	29.1	18,1	i — — —			
20	24.9	21.1					20	27.1	(17.1)			· [
21	27.3	20.9	i -	1	<u> </u>	<u> </u>	21	26.3	16.4	'		1	Ī
22	26.7	(18.9)	 		-{- ·		22	26.1	17.6				
23	26.9	18.7	 		-		23	25.1	18.5			-	
	25.4	(19.4)		- -	-	1_	24	t	(15.9)	·	' ·	1	-
24		17.5		· 		-	25	25.4	15.5				
25	25.4	}	1	<u> </u> 	<u> </u>	<u> </u>	26	26.1			:	1	
26	26.1 25.6	17.4 17.3				-	27	27.1	15.9				
27 —		~~~				-	28	25.3					
28	26.1	15.9			j		29	26.1	17.7	 	 		- -
29	25.1	(18.7)	ļ				30	26.7	20.9				
30	25.8	(17.1)	<u> </u>								_	-	
31		1	1	<u> </u>	1	1	31	24.5	i	1	1	1	†
	809.0	562.9		·	-			832.3	555.6				-
DÀYS			ļ	L			.	26.8			-	_	``

NOTE R.H. RELATIVE HUMIDITY IN PERCENT. R. RAINFALL IN MILLIMETER
E EVAPORATION IN MILLIMETER

STATION:

BAN ME THUOT

		Jan	uary [9 30					Febru	ary 19	930	•	
-	TEMP	(C°)·	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
-	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	27.1	17.9			•		1	26.5	14.3	99	53		
2	27.3	18.1					2	29.1	14.9	100	41		
3	27.9	15.9			······································		3	30.1	14.1	99	42		
4	26.8	15.0					4	30.5	15.1	100	45		
5	24.6	15.9					5	30.4	16.7	100	28	<u> </u>	<u> </u>
6	26.1	14.3					6	28.9	15.3	100	35		
.7	24.5	18.7					7	30.7	16.0	100	30		! !
8	25.4	.16.9					8	29.1	15.9	99	53		
9	24.1	16.1					9	26.5	17.9	100	58	·	
10	21,7	17.0					10	29.3	17.3	100	53	,	1
11	22.1	17.1					11	28.5	19.1	99	48	 	<u> </u>
12	23.1	16.5					12	29.3	18.1	99	35	 	
13	25.3	16.5					13	28.9	18.3	98	45_		
14	25.6	7 17.5	. 799	£55			14	26.4	17.5	98	61	<u> </u>	<u></u>
15	29.3	18.1	_99	. 28			15	23.1	17.1	98	56	<u> </u>	
16	30.3	16.3	100	25			16	24.5	16.1	97	52		
17	28.1	17.3	98	41			17	26.1	16.1	97	49		
18	27.3	15.9	99	51			18	27.3	16.1	98	46		
19	28.4	15.0	99	55			19	27.3	15.8	98	49		.
20	28.1	16.0	98	47			20	28.0	15.7	98	48		
21	27.7	16.9	99	56			21	29.7	16.7	99	39_		· · · · · · · · · · · · · · · · · · ·
22	26.5	17.6	99	57			22	30.7	15.0	99	29		i -1
23	26.5	17.1	99	57			23	29.3	17.9	99	53	·	1
24	27.9	17.3	99	60		{ · - 	24	32.7	19.9	99	54	1= -=	-
25	30.1	17.3		51		-	25	33.1	19.6	99	35	ì	1
26	29.1	17.5		56			26	32.4	19.1	99	38		
27	30.1	17.1	100	47			27	33.5	20.3	99	29		
28	28.1	17.8		52			28	33.1	19.5	99	28		
29	25.5	16.4	99	54			29						
30	23.6	16.5	99	64			30					<u></u>	
31	27.5			48			31						
TOTAL		! -	/	`				815.0	475.4	2769	1232		
DAYS				 -			-						
MEAN		16.8	99	.1 50	 .2		-	29.1	17.0	98.	9 44.	d	

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT - R. RAINFALL IN MILLIMETER - E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

		м	arch l	9 30	1	•			А	pril l	930	١	ı
	TEMP	`	R. H.		R	' E		<u>'</u>	(C°)	R. H.		l R	E .
	MAX.	MIN.	MAX.	MIN.	; (m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	i (m/m)	(m/m).
1	32.7	18.0	100	34_	i 	ļ 	1	32,9	19.5	99	36	İ	
2	32.8	17.6	99	25	; }		2	31:1	20-3	99	44	!	;
3	34.1	18.9	100	11	i I		3	32.1	20,2	99	41	1	ļ
4	34.1	17.8	100	34	 		4	31.7	19.5	99	44	ļ	· -
5	32.9	21.1	99	37		!	5	32.9	19.9	99	37	1	<u>, </u>
6	30.9	19.8	99	57			6	31.5	21.2	99	50	1	İ
7	26.3	18.7	99	65	<u> </u>		7	30.1	20.7	99	63		
8	24.9	17.9	100	73			8	34.0	19:7	99	<u>20</u>		,
9	26.9	18.5	99	65			9	33.1	19.7	98	36		· ·
10	26.1	18.1	99	7 5			10	33:0	20.2	98	34		
11	30.1	19.9	٠.,		1		11	33+3	19.1	98	34	1	
12	30.1	18.0	100	40	i I	 	12	33.3	20.1	98	36		
13	28.5	17.1	99	84	_	 !	13	33.1	21:1	98	39	1	1
14	30.1	17.1	99	51	,		14	32.3	22-3	98	54	1	}
15	31.1	17.5	99	45			15	33.3	21.0	98	25	1	
16	30.1	17.5		!	1	:	16	31.9	20.6	98	43	,	!
17	31.0	18.5			,		17	31.5	20.7	98	48	!	
18	31.1	18.2	99	38	1	,	18	31.6	20.6	98	47		1
19	32.1	18.1	99	40	! !		19	33.1	18.1	98	38		† •
20	27.7	19.9	99	58		* 	20	33.5	19.9	98	44	,	1
21	27.5	18.5	99	60	!	į	21	33.2	19:2	98	38	i	·
22	28.5	17-9	99	46		-	22	33.0	20.0	99	40	•	,
23	31.3	17.2	99	36		!	23	33.3	22.1	99	49	1	(
24	30.7	17.5	99	45	ŀ	1	24	31.9	20.3	99	58		
25	31.1	17.6	99	51			25	32.0		1	58	-	!
26	30.1	20.4	99	52			26	35.0	20.5	99	32	F c	i
27	29.9	20.0	99	50	- 1 	1	27	32.5	20.7	•	54		
28	31.5	19.8	99	47	i	1	28	32:7	21.7	99	50		
29	31.2	19.1	99	46	<u> </u>) - !	29	33.5	·; •	99	37		
30	32.1	19.5		41	i i	-	30		20.2	99	39		
			99	41		-	31		·			ļ	
		577.1		<u></u>				979 <i>-</i> 5	611.7	2957	1268		
DAYS			,	· ·]	• - 			·				1
		18.6	99.1	47.0) -	L		32.7	20.4	98.6	42.	5	

NOTE RH RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

1			May i	o 30						June 1	۵ 30		
	•		ridy [y Ju							.		
,	TEMP	1.	R. H.	·	R	E		TEMP	(C°)	R. H.		R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.		(m/m)	(m/m)
1	33.0	21.9	99	45		! 	1	29.1	21.4	99	58	 	
2	33.0	20.3	99	45		; ;	2-	29.1	20.8	99	68	 	ļ
3	33.5	20.0	99	35			3	30.2	20.6	98	61	i i i	
4	. 34 - 3	22.1	99	31			4	30,8	21.1	99	55	! :	! !
5	34-3	21.2					5	31.0	20.7	99	58	<u> </u>	<u>;</u>
6	33.3	23.2					6	30.9	21.5	99 ;	57	!	
7	32.4	22.7					7	29.1	20.4	99	71	; ! !	
8	32.5	22.1	`				- 8	30.0	19.9	99	65		!
9	31.5	21.7					9	30.8	19.3	98	59		
10	31.3	21.3			'		10	30.3	20.9	99	60	;	i
11	30.5	21.6		,	!		11	31.2	20.9	99	54	:	1
12	30.7	21.1	99	65	- 		12	30.3	19.8	99	62		
 13	29,8	22.3	99	67		1	13	30.1	20.1	98	57	,	
14	29.7	21.4	100	66		<u> </u>	14	31.8	20.5	98	55		
	27.9	20.9	100	79		•	15	30.9	20.2	99	50		
16	29.1	21.0	100	72	!		16	31.9	21.0	99	55	,	1
17	26.8	21.2		83			17	31.3	20.0	99	56	1	i
18	28.5		1	68	1		18	30.4	21.3	99	66	!	
19	31.3			76		ı	19	29.5	20.2	98	66		1
20	31.3		99	60	 		20	30.3	20.0	1	62		!
21	32.0	21.6	98	51	<u> </u>	1	21	29.4	21.0		67		
22	31.8	20.2	99	55		-	22	28.4	20.0	98	68	· -	. —
23	32.5	21.8	99	53	·		23	27.7	20.8	99	77	•	'
24	32.4	21.6	98	<u> </u>		•	24	28.3	-	99	70		,
25	30.5	21.0		55 70	!	1	25	24.1	20.9	99	94		
26	28.5		<u>'</u>	73		<u> </u>	26	24.6	 	98	92		1
²³ - 27	28.1	20.8		73	•		27	25.3	i	98	90	1	-
	30.3	-	· —	67	I	,	28	23.9	1	11	- 11	!	<u> </u>
283 29	28.3	21.4		75	1	•	29	22.6			- 11	-	-
	27.7	-	·	77	·	-	30	25.6		 II	-	· -	
30				76	1		31		<u></u>			-! !	-
31	28.1	20.5	!	1	ł	1	31	868.9	618.8	2957	2023	1	!
OTAL		004.0	2376	1 1211	1	-	-	000.7	010.0		(02)		-
OAYS MEAN		21.4		0 63.		,		28.9	20.6	98.	8 64.		

NOTE

RH, RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E EVAPORATION IN MILLIMETER

	ou. D	ANT MES O	THE TOTAL PROPERTY OF THE PARTY	MET	EORC	DLOGI	CAL	. REC	ORDS	• .			*.
TATIO	JN: B	AN ME T	July 1	9 30		 ,	<u></u>	<u> </u>	Au	gust 1	9 30		
	 TEMD	(08)			{- ·			TEMP	(C°)	<u>п</u> П	(04)		-
	TEMP MAX,	MIN,	R. H. MAX.	(%) MIN.	R (m/m)	(m/m)		MAX.	MIN.	R. H. MAX.	MIN.	R (m/m)	E (m/m)
				1	(m/m)	(m/m)	1	27.9	20.5	98	69	(/)	(/)
1	24.6	20.1	99 98	92 81.				26.8	19.9	98	74		
2	27.2	20.8	98	73			3	28.2	20.1	98			
3	` ,	20.9]		 	- 4				62		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
- 4	27.3		98	72	ļ. ———			27.9	*19.7 19.1	98 98	75 73		<u> </u>
5	26.8	20.1	98	70	i -	<u> </u>	6	1	<u>'</u>			<u> </u>	<u>' </u>
6	27.2	20.3	97	70			7	29.3	19.0 20.2	<u>98</u> 98	75_ 63		
	27.9	20.5	98	73				28.3	19.8	98	68	}	
	25.1	19.9			_		8 	{	20.1			<u> </u>	· · · · · · · · · · · · · · · · · · ·
9	25.1	20.4	98	_ 93			9	28.3	ļi	99	66		
10	27.5	20.5	98	75	<u> </u>	<u> </u>	10	28.4	19.9	98	65	i	1
	27.9	20.5	97	76				27.6	20.9	98	80	i	'
12	28.3	21.3	97	67	 		12	28.2	19.9	97	77	1	
13	28.4	20.7	97	60			13	27.6	20.4	97	67) (-
14	28.2	21.1	99	67	į.		14	27.5	20.0	. 97	75	; 	! !
15	27.2	21.4	98	70	i		15	27.9	20.5	98	71		
16	27.2	·	98	66	<u> </u>	! !	16 	26.1	20.4	- 97	81		
17	27.8	50.0	- 98	58		ļ	17	26.9	19.8	98	79		
18	27.8	20.9	98	67		; ;_	18	29.3	19.8	97	61		·
19	27.3	20.6	98	67		 	19	29.1	19.1	97	66	<u></u>	' *
20	27.1	20.4	98	70	<u> </u>	1	20	29.5	20.2	97	61	,	1
21	29.1	20.5	98	73			21	30.2	20.0	98	58		
22	28.6	20.8	98	70			22	31.0	20.9	97	61		;
23	28.5	20.4	98	70		,	23	29.2	18.9	97	64		}
24	27-9	20.6	99	73			24	29.8	19.8	97_	63		,
25	27.8	19.5	98	71		;	25	29.3	19.8	98	63	1	•
26	28.1	19.3	98	71	1		26	28.5	19.3	98	53		L
27	28.2	20.0	98	65	1	1	27	28.6	20.3	98	48		
28	29.1	19.0		61		-	28	30.2	19.1	97	50		
29	29.2	20.0	98	65	1		29	29.5	19.7	97	46		
30	29.3	20.4	98	61			30	32.1	18.9	98	58		
31	27.5	20.4	98	70	<u>-</u>	·	31	29.5	20.2	98	60		1
OTAL	856.2	633.3	3037	2190	<u>. </u>	1		889.1	616.2	3027	2032		
AYS				1		<u></u>			 - -			<u> </u>	
MEAN	27.6	20.4	98.	70.6	ı	1	ļ	28.7	19.9	97.	65.	P	<u> </u>

NOTE

RH. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

SIATIO		Sept	ember 1	9 30			ļ		0ctol	per l'	930		·····
								TEMP	(C°)	R. H.	(%)	 R	
	TEMP MAX.	MIN,	R. H. MAX.	(%) MIN.	R (m/m)	E (m/m)		MAX.	MIN.	MAX.		к (m/m)	(m/m)
1	28.5	20,0	99	69		i (,,	1	31.1	20.0	98	65		*
2	28.6	20.4	98	68	<u> </u>		2	31.7	20.7	98	63		
3	30.7	19.6	<u>98</u>	52			 3	30.7	19.3	98	57		
4	30.7	19.9	<u></u> 98	60		}	4	30.3	19.0	98	54		'-
5	29.3	20.8	100	66				29.1	20.6	99	65		
6	29.1	20.5		63			6	28.4	20.2	98	68		
7	28.2	20.3	98	67			7	26.1	18.1	99	68		
8	30.4	20.0	98	60	. 		8	25.1	19.1	99	71	-	
9	31.4	20.7	99	; 55		- !	9	25.5	19.3	98	68	,	,
10	30.5	20.4		60			10	30.1	18.5	99	53	*	1
11	28.1	20.2		76			11	28.3	18,1	99	58	1	
12	30.0	20.3		68			12	28.3	15.8	99	59		
13	27.7		+	71		! - 1	13	11	и	et	11		: '
14	28.1	20.7	99	70			14	11	"	"	H.		f
15	28.1	20.7	100	69	1	, -	15	28.6	20.2	98	66		1
16	27.5	21.5	99	69	***		16	29.6	18.3	98	61		
17	26.2	20.8	99	80	1		17	31.2	19.5	98	55	i	
18	25-1	20.1	100	95	1	ļ	18	29.5	18.6	98	58	<u></u>	· .
19	20.8	17.5	100	99			19	32-1	17.8	98	51	-1	
20	26.1	17.8	99	81			20	30.6	19.7	98	58		<u> </u>
21	27.5	19.8	99	72			21	31.3	17.7	_ 98	47	_	
22	28.2	19.5	99	71	_		22	31.4	20.0	98	48	-	
23	25.7	21.1	99	85	1	1 _	23	30.7	20.8	98	58		-
24	26.6	21.1	99	79	1	1	24	30.5	20.7	98	46		
25	27.1	21.1	99	75	•	<u> </u>	25	·			54	1	
26	30.7	20.4	98	63	1	i	26	27.9	19.6	_ 98	68		ļ
27	28.5	20.6	98	63	1	İ	27	30.8	-	98	57		
28	30.8	20.1	98	59	-1-		28	31.4	19.7	98	55	-	ļ . .
29	29.4	19.9	98	62	ļ		29	30.6	18.7	98	¦ 56 ⊹		
30	31.2	19.0	98	56	-		30	30.7	21.1	99	63	<u> </u>	
31					1	1	31	30.9	20.9	98	53	1	<u></u>
TOTAL	850.8	604.8	2963	2083		- 1-		919.8	594.6	3046	1823		i
DAYS	+				1				ļ	ļ			
MEA	28.4	20.	2 98.	8 69.	4	i		29.8	19.4	98.	2 58	.8	

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

		Nove	ember 1	930		,			De	ecembe r	9 30		, i .
ļ	TEMP	(C°)	R. H.	(%)	R	E	-	TEMP	(C°)	R. H.	(%)	R	΄Ε ,
	MAX.	MIN.	MAX.	MIN.		(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m) _z
1	29.9	19.7	98	64			1	30.4	18.4	98	45	-,	, 5,
2	30.9	21.1	98	49	. ′		. 2	27.1	19.7	98	67	ζ :	
3	30.5	21.0	98	52		,- 	3	27.7	19.9	97	69	,	1, 1, 1, 1
4	25.4	21.1	98	79			4	27.3	20.5	97	66		
5	27.3	20,9	99	73			· 5	27.6	21.1.	98	68		1,50
6	28.5	20.6	98	68			6	24.3	19.4	97	72		- 7,63
7	26.1	19.9	98	77			7	26.4	18.7	98	66		- Kar 14.5
	27.1	19.6	98	68			8	28.3	17.3	98	64		,, (*)
9	29.1	19.9	98	63			9	27.4	20.6	98	70	•	,
10	32.0	19.1	98	42]	10	25.4	19.9	98	68		7, 4, 7
11	26.4	18.8	98	66			13	28,3	18.9	- 98	54 -		T.
12	21.6	19.0	99	98			12	26,8	16.1	98	47	,	
13	27.1	19.3	98	70			13	24.8	15.1	98	70	-	
14	27.6	20.0	98	71	i }		14	21.3	19.1	98	97	<u> </u>	
15	25.7	19.4	98	71	¦		15	26.9	19.7	98	75		
16	25.9	20.4	98	75		,	16	26.8	19.9	98	65		1 - 12
17	26.9	16.9	97	77		!	17	27.9	18.3	98	61		- Y
- <i></i>	26.9		98	70	! !		18	24.4	18.3	98	71		ţ-
19	25.1	16.1	98	66	}	1	19	20,6	19.8	98	97		
20	23.7	14.1	98	76			20	25.4	20.1	98	83		,
21	25.3	16.7	98	64	1	<u> </u>	21	25.4	19.9	98	87	1	
22	26.6	17.3	98	58	- 		22	28.5	19.3	98	54		
23	24.9	16.8	11		! - <u>-</u> .	!	23	28.0	20.0	98	58	·;	,
24	26.1	19.9	98	68		l- 1 1	24	26.1	19.0	98	. 84		,,
25	25.2	20.5	97	74	1	!	25	24.8	17.7	98	62		
26	27.4		·	56	1	i	26	25.4	17.5	98	65		i , e
27	27.5	19.9	•	57		,	27	25.1	17.4	98	70		17.
28	27.7	18.8		62		-	28	26.5	17.5	98	61		
29	28.7	19.6	·	61		-l 	29	25.3	18.1	"	11		
30	29.3	19.1		60		-	30	25.1	20.2	11	11		
31					1		31	25.1	20.2	11	. 11		,
	81.2.4	571.9	2939	1993	I I	· · · · · ·	 	811.7	587.6	2835	2099		5
DAYS			i	 -			`	-	1				
	<u> </u>	19.1	98.	66.	7 -		·	26.1	18.9	94.	66.1		1

NOTE RH. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION, IN MILLIMETER

STATION: BAN ME THUOT

	JN. D.						 -						
		Jan	uary !	931			-		Feb	ruary 1	9 31		
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)_	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	27.6	(19.4)	97	61		!	1	30.7	16.0	98	33	1	
2	27.2	(18.2)	98	58		1	2	30.3	18.0	98	45		
3	27.0	17.2	98	65			3	31.6	18.0	98	42	i	
4	29.0	13.5	(98)	17		-	4	31.1	19.5	97	42	1	 !
5	28.5	15.1	98	51		}	5	30.1	19.7	97	44	1	· ·
6	28.3	15.5	98	58			6	_31.2	18.5	97	42		
7	29.0	18.0	98	44			7	29.2	18.0	97	46		
8	28.2	17.5	98	58	_		8	28.5	18.0	97	52		
9	27.0	17.0	97	55			9	28.5	18.0	97	57		
10	23.2	(17.3)	97	71			10	32.4	19.0	97	35		
11	23.2	(17.2)	98	65		-	11	29.5	19.5	96	45	_	
12	23.5	17.8	98	88			12	29.0	(17.7)	97	45		
13	25.2	(17.1)	98	75	<u> </u>	 	13	30.3	14-3	98	43		
14	20.0	(16.3)	98	76	, !	i	14	31.0	17.0	96	34		
15	22.2	16.0	99	75	1	:	15	30.8	17.8	97	28		
16	23.1	17.0	98	68			16	30.3	18.5	(95)	•t		!
17	26.3	17.8	99	68			17	30.4	15.8	(97)	*1	1	
18	24.3	(16.9(99	67		1	18	30.2	18.0	(97)	11		-
19	25.5	16.0	(98)	· ` #	_ !		19	30.6	17.6	99	26	1	1
20	26.2	15.0	98	50	- - 	-	20	31.5	17.5	97	34	_	
21	27.3	14.0	98	42	3	1	21	30.1	17.0	98	36	•	
22	27.2	17.5	98	5 5			22	29.5	14.5	98	46		
23	28.0	18.8	(99)	11	-	,	23	30.5	18.0	(98)	11		
24	28.0	17.0	99	56		ļ	24	28.4	19.0	(97)	`ı)		
25	29.0	18.0	99	47	•	-	25	30.0	19.8	97	71	-	
26	31.4	17.5	98	35	•	1	26	29.8	19.6	95	72		1
27	29.0	17.7	99	52	!		27	29.4	(19.9)	96	76	1	
28	28.0	19.0	98	58		1	28	31.0	19.0	(98)	, ,,	i 1	
29	29.3	20.0	98	58	1 ,	I I	29		1			1	•
30	29.7	18.0	98	58	1		30		.			1	!
31	29.1	19.7	, 98	56	}		31		1		f- !		
TOTAL	830.5	533.0	3042	1857	1	 		845.9	503.2	2719	1246		!
DAYS				·	+ 1				 				;
MEAN	26.8	17.2	98.	59.	6	1		30.21	18.0	97.	45.	1	

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

E. EVAPORATION IN MILLIMETER

R. RAINFALL IN MILLIMETER

!		Ma	rch l	9 31	•	• !			. Ap	ril 1	931		,
1	TEMP	(C°) i	R. H.	(%)	R			TEMP	(C°)	R. H.	(%)	R	, E
ļ	MAX.	MIN.	MAX.		(m/m)	!		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m),
1	31.0	16.0					1	34.0	19.0				
2	31.0	19.0					2	34.0	22.0				
3	32.5	19.0					3	31.0	(19.2)		 		
4	32.5	19.0		·			4	31.0	21.0				,
5	32.6	19.5		1			5	30.5	21.0		i 1	1	,
6	31.2	19.0					6	33.7	20.5		ļ. — — —	<u> </u>	
7	31.0	20.0					7	31.0	21.0		<u> </u>	ļ	
8	31.0	20.0		-			8	33.0	22.0				
9	31.5	1710			1		9	32.5	21.0		;		
10	31.7	19.0		\ \ 			10	33.3	18.7		1	1	<u> </u>
11	30.5	20.0					11	34.5	21.0				
12	30.0	17.0		 		 	12	35.0	21.0	 -→			<u></u>
13	30.3	20.0					13	34.0	22.0				
14	31.1	18.0			_	1	14	34.0	22.0		í -t	J	
15	31.0	19.0		1		1	15	34.0	21.0	<u> </u>	<u> </u>	1	
16	33.6	20.2	1	1	·		16	35.0	21.0		-	·	
17	32.7	21.0	!		1		17	35.0	21.5	 -	-	 	<u> </u>
18	33.0	22.0			 		18	36.0	21.5	 			
19	32.0	18.0	·				19	35.0	22.0				<u> </u>
20	33.7	20.0	Ī	1		<u> </u>	20	35.3	21.0	1	<u> </u>	<u> </u>	1
21	32.0	21.0			-		21	35.0	(21.9	<u>)</u>	-,		
22	31.0	20.0				-	22	35.0	22.5	.ļ. — -	. 		.
23	32.5	21.0	1		1		23	34.0	21.8	<u> </u>	-;	'	
24	33.8	21.0			1		24	34.0	20.0	`,	,	,	!
25	33.0	21.0		<u> </u>	. <u></u>	<u> </u>	25	31.6		· · · · · · · · · · · · · · · · · · ·	1		1
26	34.0	22.0		_	;		26	33.0	22.0	1	<u> </u>		<u> </u>
27	33.4	20.0	1		-	Ì	27	35.0	20.0				
28	31.3	17.0		1	}		28	34.5	21.8	3			
29	32.0	19.0	1				29	35.0	-1 -	1		-	<u> </u>
30	34.0	20.0	ļ			1	30	33.3	21.5	j		-	
31	34.0	20.0	:	<u> </u>	t	1	31		1	<u> </u>	<u> </u>	1	<u> </u>
TOTA	L994.9	604.7	34	. 1 . 1	, 	. ــ ـا ــ		1012.2	634.4	<u> </u>			
DAY	S												_
MEA	32.10	19.5		1	1	!		33.7	21.1)]			

R.H. RELATIVE HUMIDITY IN PERCENT NOTE

E. EVAPORATION IN MILLIMETER

R. RAINFALL IN MILLIMETER

STATION: BAN ME THUOT

		May l	9 31 ·	, ,	1 ₂		,	, -,	June l	9 31	·	•
. :	TEMP (C°).	R. H.	(%)	R	E	`	TEMP	(C°)	R. H.	(%)	R	E,
	MAX. MIN.	MAX.	MIN.	(m/m)	(m/m)	Ì	MAX.	MIN.	MAX.	MIŃ.	(m/m)	(m/m)
i	32.0 22.0	. ,	-	,		1	32.3	20.5				<u>, -</u>
2	31.0 22.0					2	31.0	21.0		; • 		
3	28.3 21.6					. 3	30.5	21.8				<u> </u>
. 4	34.2 21.0	100	54	<u>,</u>		' 4	30.6	21.8		<u> </u>		
5	35.0 (21.9) 100	33	•		5	31.0	21.7		1	<u> </u>	
6	30.5 21.0	100	50		<u>, , , , , , , , , , , , , , , , , , , </u>	6	31.0	22.0	·	- 	! .	
7	30.2 21.5	100	41			7	33.0	22.0		i 	ļ	ļ
8	32.0 22.0	100	63			8	32.2	21.8		; !	<u> </u>	
9) 100	76			9	33.0	22.0			·	1
10	31.8 . 21.5	11604	,		<u> </u>	- 10	33.0	22.0) }	'		}
11	31.7 21.0	100	67			11	32.3	21.0	<u></u>	!	-	
12	32.0 22.0	. 100	81			12	31.3	21.0		 -		<u></u>
13	31.0 21.0	100	65	 		13	31.0	22.0				ļ
14	30.2 21.	100	73			14	31:0	20.5	ļ _ -	; -	·	
15 -	31.7 22.0	100	62		ļ	15	30.3	20.0	<u> </u>	1		1
16	31.0 (21.0	1.	65			16	30.0	21.0		;	· !	
. 17	30.0 22.	-	70	.l	<u> </u>	17	30.0	21.5		- -	.]	1
18	28.6 21.	·	77			18	27.2	21.4			-	-
19	31.0 21.		54	1		19	32.0	20.0		1	.	
. 20 .	34.0 22.		44			20	33.0	22.0	1	<u> </u>	+	+
21	32.0 20.	j 100	55		Ī	21	33.0	22.0		-		
22	32.2 21.	0 100	58			22	32.0	21.0	1	<u> </u>	1_	
23	.	5 100	55			23	32.0	21.0	, .!			
24	32.0 21.	-	56	.)		24	30.0	21.8	 -	i 		
25	32.0 22.					25	31.0	20.0	1		į.	1
26	· · · · · · · · · · · · · · · · · · ·	8, 100		,		26	31.0	19.0			_i _i	
* 27	29.0 20.	دندن و	. 90	31		27	31.6	20.6				
28	29.0 20.	- 1 ₄	75	5		28	31.4	19.0)			
29	31.0 21.		i	1		29	31.0	20.8	3			Ļ
30.	31.0 21.	,				30	31.	7 21.8	3		- -	_
31		2) 100	·-	7		31			.		<u> </u>	<u> </u>
TOTAL		6 2799	1	,			941.	634.0)	_		
DAY	·	1	-	,		- -						<u></u>
MEAI		3 99.9	6 60.	5			31.	21.	L		+	1

NOTE 'RH RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

			INOUI		· · · · · · · · · · · · · · · · · · ·		•				0		,
		•	July i	9 31				i	Aug	ust I	9 31		• •
	TEMP	(C°)	R. H.	(%)	R	Ε	:	TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	28.2	21.0	98	80		i	1	30.0	21.0	99	61_		
2	26.5	20.0	98	81]	2	27.7	21.0	97	76		
3	27.0	21.0	98	76	 	 	3	28.0	21.0	100	78		
4	29.5	19.2	98	72	ļ	:]	4	28.3	21.0	98	78		
5	29.5	21.0	98	75	[:	5	29.5	21.0	. 98	64		
6	31.0	19.8	95	68	! 	[6	29.6	20.0	98	63		
7	29.0	20.3	93	78			7	29.5	21.4	98	65		• •
8	27.7	20.7	95	72		í 1	8	30.0	20.8	98	_65	 	<u> </u>
9	26.0	20.7	95	80		ļ 	9	30.0	22.0	98	67		
10	28.0	19.9	95	7 5		l L	10	28.8	21.0	98	71		
11	28.5	21.4	97	73			11	29.7	21,0	98	60		
12	29.0	21.0	98	73	1	1	12	30.0	22.0	98	60		
13	28.0	20.8	98	73	ļ 		13	31.0	22.0	98	67	· · <u> </u>	,
14	29.7	31.0	98	66	† †		14	29.0	21.4	98	67		- -
15	30.5	21.0	98	64	I		15	27.4	21.0	98	75		
16	29.0	21.0	99	72		F	16	27.0	21.6	98	76		
17	31.2	19.4		64	ļ		17	28.0	21.0	97	70	' -	
18	32.0	20.0	100	66	i I		18	31.0	21.0	97	63		l
19	31.8	20.6	100	63	1		19	30.2	21.0	96	67	 	
20	31.4	21.0	98	65	1		20	29.0	21.9	98	69	<u>'</u>	
21	31.2	20.0	99	59	!		. 21	28.0	20.7	99	72	· !	·
22		(20.6)	98	.66			22	30.6	22.0	99	63	' = · • •	
23	30.0		99	68	1	1	23	29.0	22.3	98	75	-	•=
24		22.5	_97	65	1	} ; ;	24	29.0	20.0	98	72		·
25		21.8	99	68	· -		25	28.0	(21.8)	99	75	1	1
26		20.4		60	1	ļ	26	26.0	21.0	98	80	 	
27		21.0	98	62]		27	28.0	22.0	97	76		
- 28		19.9	99	71			28	28.5	22.2	1	77		
29		21.0	99	67			29	28.2	21.8	99	72		
30		19.3		63		i 	30	28.8	21.3	99	72	 	
31	- •	21.0	98	66			31	29.5	21.0	99	70		
		637.3				†		897.3	660.2	3041	2166		
DAYS	i	: 1.1.2 ° 1 .	フェ <u>イナ</u> ~ 	, .			'						
		20.5	; , 97.8	69.4	i	†		29.9	22;0	98.1	69.6		!

NOTE

R,H RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

* *,		Septer	ber l	931	٠				Oct	ober 1	⁹ 31		
1	TEMP	(C°.)	R. H:	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
, [MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)
-1,	29.5	21.0	98	73			1	29.6	21.8	98	66		
2	11	(21,3	99	69		[2	26.8	22.0	99	76		
3	11	21.0	. 9 9	71			3	27.6	-21.8	98	73		
4:	111		, tt	11	8		4	27.9	21.2	99	68	<u></u>	
5	n	n	. 11	11			5	27.7	21.3	99	70		
6	30.2	`- H	` 98	62			6	28.8	20.7	98	70		
7	30.5	20.4	99	. 66			7	27.6	20.3	99	73		
.8	31.1	, 11	98	64		,	- 8	27.5	21.6	98	77		
9	30.5	19.8	98	64			9	24.3	21.6	98	92	'	!
10	31.0	(20.5)	100	. 63			10	23.8	(21.1)	98	90	1	
11	30.5	. 11	99	59		1	11	25.5	20.7	98	81	İ	
12	30.5	- 12	98.	61			12	23.3	19.9	98	87	! !	i
13	30.0	Ħ	100	65			13	23.8	20.1	98	83		1
14	30.2	21.0	98	63			14	26.5	20.1	98	74		
15	28.8	21.5	98	68			15	26.6	21.3	98	78	į.	1
16	28.0	20.6	97	 70	!		16	27.5	22.0	98	71		
17	28.0	2000	-96	66			17	25.5	(21.0	99	84		
18	29.0	20.5	100	60	1	!	18	26.3	20.8	99	80		
19	29.5	21.6	98	67			19	28.6	20.3	97	65		!
20	30.0	22.4	97	61			20	26.2	(20.5	95	71		
21 -	31.5	21.0	97	58			21	27.6	19.4	97	60	1	1
22	30.0	21.0	98	65			22	27.8	18.4	100	65		
23	29.4	21.8	98*	67			23	26.8	19.2	99	78		
24	29.0	22.0	100	70	' i	1	24	27.7	(20.8) 99	68	:	:
25	11	11	Ħ	π	-	1	25	29.0	19.5	97	59	1	1
26	10	11 .	n	,n	!	<u>.</u>	26	26.9	20.0	97	63	(]
27	. 11	n		n	! ·	·	27	27.5	20.4			·	
28	29.0	11	97	67			28	27.1	(20.6	1			
29	30.2	21.9	100	56	<u>}</u>		29	26.3	19.4				
30	29.2	22.0	100	67	13		30	28.0	21.0		-		
31					. ·		31	27.2	21.5		. ,68		
	B90.6	634.2	2050	1974	1	!	┧	833.3	640.3	:	1	1	i

NOTE R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

		Day wo		MET	EORC	proe	ICA	L REC	CORDS				
TAT	ION:	BAN ME	· · · · · · · · · · · · · · · · · · ·	0	1		`	, ,	·)
		уолеп		9 31					Dece	mber	19.3T		,
	TEMP	`	R. H.		R	E			(C°)		(%)	R	E
	MAX.	MIN.	MAX,	MIN.	(m/m)	(m/m)	ļ	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m̄)
1	28.2	19.7	98	57			1	26.0	19.7	- 97	70		_ 2
2	28.5	17.4	97	56		- 	2	27.5	(18.8	97	, 60		
3	28.4	17.2	100	51		 	. 3	25.4	18.1	99	73		
_4	25.1	18.4	100	72			4	25.3	19.5	92	<u>65</u>		· :
5	22.0	(17.2)	!	80		-	5	27.0	18.7	· 95	67	٠	Ļ
6	22.3	(17.0)	94	65	· · · · · · · · · · · · · · · · · · ·		6	28.0	19.0	100.	62		
7	24.1	15.4	97	52			7	27.0	16.5	98	68		
8	24.8	14.5	98	56			8	30.1	19:1	95	5 <u>0</u>	•	*
9	26.6	14.0	100	56			9	30.0	20.5	97	55		
10	27.5	14.8	100	53		 	10	27.3	(19.4	95	60		. ,
11	28.4	15.6	99	52			13	29.4	18.8	95	59		
12	29.7	18.8	98	54			12	28.0	13.8	95.	65	-	,
13	28.6	19.0	98	61		 	13	23.1	(17.8	92	72		
14	28.1	20.2	97	66			14	25.5	16.5	95	58		
15	29.2	(19.8)		57			15,	24.2	16.7	97	73		
16	28.0	17.4	100	61			16	25.2	17.8	95	60		
17	26.9	20.0	98	73	· ···· ·		17	24.5	17.5	91	60		;
18	25.9	21.3	98	78	;		18	26.1	18.0	95	57		
19	25.8	20.8	94	77	·		19	25.0	19.8	93	75_		
20	26.5	20.0	95	64			20	26.0	्रा <u>ग</u> ्र	95	51		A
21	27.0	19.6	98	59			21	26.0	19.5	95	55	,	,
22	27.5	19.0	96	57			22		18.6		55		
23 ·	27:8	17.6	95	49	 		23		(18.6)		63	 	,
24	27.5	17.7	98	48		- ~	24		(17.8)		54	1	
25	27.5	18.0	94 i	49	!		25	25.6	17.0		51		, , ,
26	21,5	-25.%		16249	<u>.</u>		26	26.7	15.8	95	54	<u>-</u>	
27	.27.5	18.0	i	65			27	28.1	17.8	95	55		
28	26.0	18.6	98	64			28	29.5	17.9	96	50		
29	24.0	(18.2)	100	68			29	29.0	18.6	98	51	·	-
30	25.5	18.2	100	73			30	26.6	(17.7)	94	<u>-58</u>		
31		10.2		: ري ا			31	25.2	(17.0)	98	60	<u></u>	7
	302.4	541.4	2928	1822	<u> </u>							1	
٩YS							· · ·	824.9	567.1	2957	1866		
EAN	26.7	18.1	97.7	61.2	i	ļ		26.5	18;2	95.4	60,2	4	•

NOTE + R.H. RELATIVE HUMIDITY IN PERCENT

E. EVAPORATION IN MILLIMETER

R. - RAINFALL IN MILLIMETER "

STATION: BAN ME THUOT

- SIMIN		DAN ME	111001				<u> </u>	<u>.</u>				 	
, ,		Ма	rch l	9 32	£				Ą	ril !	932		
.	TEMP	(C°)	R.H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.		(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	25.4	(17.6)	77	42			1	31.2	21.7	85	40		
2	30.1	16.8	92	42			2	31.2	20.7	85	41		
3	27.3:	17.0	79	46	· - -		3	34.6	19.1	85	33		
-4	29.6	17.5	84	39			4	34.1	19.9	86	31	- 	
5	29.1	(16.5)	85	41			5	34.2	21.0	86	33		
. 6	29.6	15.7	84	41			6	34.9	22.0	84	35	·	
7	28.1	14.8	88	42			7	34.8	22.2	82	32		
8	29.6	16.7	83	41			8	34.4	21.4	85	33		<u>-</u>
9	30.9	18.0	86	43			9,	34.7	22.9		37		! :
10	32.1	18.0	84	42			10	33.3	22.1				
11	33.3	18.0	. 85	43			11	34.1	23.2		39	 	 ,
12	33.1	17.8	87	42			12	33.3	21.7	88	41		· ,
13	33.1	17.0	84	43			13	33.5	21.0	85	37		7
14	35.1	18.7	83	40			14	32.2	21.0		_ 42	·	<u> </u>
15	30.3	(20.2	85	41		<u> </u>	15	26.2	21.4		<u> </u>		·
16	27.0	18.8	84	59	i	I	16	29.2	21.4			i	
17	29.9	19.0	84	40			17	31.9	21.3	86	67	} 	
18	32.0	17.7	87	40			18	30.4	22.7	87	72	! 	L
19	30.1	18.6	87	46			19	31.1	21.9	85	54		! !
20	28.1	(18.7	84	47			20	30.4	21.0	84	58	!	<u> </u>
21	28.3	18.0	87	52			21	32.7	21.0	86	49		
. 22	32.3	19.8	86	42			22	33.1	20.2	86	47	!	!
23	31.1	19.3	87	41			23	32.9	1	<u>8</u> 6	52		1
24	29.1	(19.4) 80	51	1		24	31.4	•	86	55	. 	
25	27,8	16.8	81	39		!	25	27.5			1		; ·
26	32.1	14.5	88	39			26	30.3	16.7	 		!	
27	33.3	1	,	i			27						
28							28						
, 29,			!				29					 	ļ
30			1				30						
31	` -	12	1	`		<u> </u>	31				1	<u> </u>	
TOTAL	817.8	478.5	2286	1159				837.6	551.	2068	1124		
DAYS	;	7;											
MEAN	30.3	17.7	84.6	42.9	f			32.2	21.	2 86.1	46.8	3	1
	<u> </u>									DON KO	<u> </u>		OVVO

NOTE - R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

,	**	 ø .	May I	9 32 -		·.	<i>i</i> , <i>i</i> , <i>i</i> , <i>i</i> , <i>i</i> , <i>i</i> , <i>i</i> , <i>i</i> ,		. J	une 1	932		40
.	TEMP	(C°)	~ R. H.	(%)	R	E		TEMP	(C°)	R. H.		R i	Ęá
ļ	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	-	MAX:	z MIN.	MAX.	MIN.	(m/m)	(m/m):
1.	34.1	19.0		٠.				33.1	20.2	· ···	, `	;	
2	32.6	19.6	- 8				` 2 .	29.1	18.0		-		W
3	32.4	20.1		• •		,	° 3 .	29.1	17.9	<u> </u>			, {
4	36:1	20.3	,			-	4	30,1			;		
5	31.1	18.0		V			5	35.1	<u> </u>				- "
. 6	732.3	19.0		 			6	29.1	[, 		,24
, 7	32,8	17.7					7		19.7	·	'; 		, x2 u
8	32.7	19.7	·	<u> </u> 			8	27.8		·	 	<u> </u>	
• 9	31.8	20.5			·	,	9	29.1			! . 	<u> </u>	
~ 10	32.1	18.7		!		<u> </u>	10	30.1	<u> </u>		; †		
11	34.1	17.0		 			<u>, 11</u>	29.6		<u></u>	ļ		`/
12	34.6	20.1					12	<u>, 30.3</u>			ļ	<u> </u>	3.
13	32.5	20.4					13	30.1	19.0		ļ	 -!	
14	32.1	14.4					- 14 ·	31.1	19.8			1	ļ
, 15	32.1	19.6		1	t I	<u> </u>	15	31.7	21.1		!	<u>!</u>	7.1
16	33.1	16.0	 		 		16	31.4		,		<u> </u>	
17	30.1	18.5		<u> </u>	 		17	31.1	·				
18	32.1	20.0		! !			18	31.0	19,7	 		<u> </u>	
19	31.5	19.4					19	31.1	i				
20	32.1	20.1		1			20	32.0	18.9				<u> -</u>
21	32.6	20,1	1				21	37.1	19.1			1	<u> </u>
22	32.7	20.8					22	30.6	18.5				<u> </u>
23	33.1	20.6					23	30.7	18.5	<u> </u>	<u></u>		
24	31.1	18.9			 		24	30.6	18.3	<u></u>		\ <u>\</u>	
25	32.3	18.3					25	31.1	18.2	•	!		
26	32.8	17.8				; i	26	31.1	18.2	ļ		-	
27	32.1	19.7					27	31.1	18.7				
28	32.1	19.7					28	30.3	18.3				
29	31.8	20.6		-			29	31.1	17.9				
30	34.1		··				30	.29.1	18.0			-	
31	34.6						31			,		į	,' ,
TOTAL	1011.6	· · · · · · · · · · · · · · · · · · ·	Ţ	Ţ -	1 .	"		919.6	571.5		.,,		1
DAYS		1,5									,		, , ,
MEAN	32.6	19.1	-		1			30.6	19.0	3 ,	,,,		

NOTE RH. RELETIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

BAN ME THUOT STATION:

· i)N: -			- 70			;		A > 2	ust i	932	· · · · -	
	, • •	ر.	uly 1	9 32,									
* ;	TEMP	(C°) ·	R. H.	(%)	R	E		TEMP		R. H.		R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)
1	. 30.1	18.9					1	34.1	19.0				
. 2	28.1	18.0				<u> </u>	2	32.6	19.6		 	ļ	
3	29.1	19.0					3	32.4	20.0		·		l
- 4	29.0	18.8				<u></u>	4	33.2	20.3				<u>.</u>
5	27.1	19.0	·			<u> </u>	5	31.1	18.0		i 	<u>:</u>	:
6	28.8	19.5					6	32.3	19.0		! 		,
7	30.8	19.2					7	32.8	17.7		! :		
' 8	27.9	19.2					8	32.7	19.7		; ,		
9	28.8	18.7					9	31.8	20.4		· - •	·	·
10	27.1	19.7			<u> </u>	<u> </u>	10	31.8	20.4		1		I
11	27.1	20.0					11	32.1	18.7			·	
12	30.1	19.5					12	.34.1	17.0	 	<u> </u>	1	!
13	28.8	20.0					13	34.6	20.0		_	•	
14	28.1	20.0			1		14	32.5	20.3	ļ 	i ., -	·	.!
15	28.1	19.6			<u>:</u>	i ·	15	32.1	14.4	1			<u> </u>
16	28.1	20.0		t	1	1	16	32.1	19.6		1		!
17	26.1	19.5		(i	17	33.1	16.0	•	1	• •	
18	26.1	19.5					18	30.1	18.5				 -
19	30.1	19.5					19	32.1	20.0	;	! -!		
20	30.8	19.0	-	1	·	<u> </u>	20	31.5	19.4				
21	29.1	19.0			}		21	32.1	20.0		I		
22	30.8	19.7			'	_	22	32.6	20.1				1
23	27.8	19.0				1	23	32.7	20.7				_
24	29.1	19.2			*		24	33.1	20.5	<u> </u>			
25	30.1	18.8			1	!	25	31.1	18.8	1	·		
26	29.5	18.8					26	32.2	19.2				
27	. 30.2	20.7	-i 			1	27	32.8	17.7				
28	30.1	19.2				_	28	32.1	19.7			.	
29	31.1	19.8			1		29	32.1	19.7	,		** =	<u> </u>
30	31.7					•	30	31.8	20.4			-!	.
31	31.5				1	1	31	29.3	19.0				
TOTAL		601.6		Ī	İ			1011	593.8				
DAYS			1			1						_	
MEAN	. 	19.4	-		-		,	32.3	19.2	2			1

NOTE R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

Ţ	ON: E	· · · ·		·	*	`	·	,`			_	٠,٠	
		Septem	iber l	932			"	•	Octob	er l	9 32		. گ د - ست ــــ
1	TEMP	(C°)	R. H.,	(%)	R	E		TEMP	(C°)	R. H.		R	E
	MAX.	MIN;	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m) _.	(m/m)
١ ١	29.7	17,7				 	1	25.1	21.5	100	76	*	
2	29.7	18.2					2	27.1	22.0	100	• 74	,	
3	30.1	17.0		,			3 '	27.8	(22.0		· 70	· ,	
4	28.6	19.6				,	- 4 	27.3	21.1	96	77	· · · ·	,
5	. 30.1	19.9	•				5	29.9	19.7	98	70		
6	28.1	18.0		 			6	29.9	21.7	96	67		
7	29.1	19.0	- 50°				7	29.5	20.9	98	64	,	7, 5
8	29.1	∗18 . 8					8	28.9	21.1	98			, \y
, 9	27.1	19.0					9^	30.0	19.8	100			و المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة
10	29.8	19,0					10	28.8	20.0	100	63	!	
11	30.1	19.4		; 			11 ′	29.7	22.2	, ∌98	67		
12	28.8	19.5					12	29.8	21.0	98	. 67	<u></u>	
13	30.1	19.7					13	29.6	20, 2	100	69	<u> </u>	ارد: ا
14	27.0	19.2					- 14 	29.0	22.0	100	70	[1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
15	28.8	18.7	٠				15	29.2	(21.5	97		<u> </u>	ı,
16	27.1	19,7			1	1	16	25.8	20.2	97	82		
17	27.1	20.0		1			17	30.1	22.0	98	61	<u> </u>	<u> </u>
18	28.8	20.0		,	1		18	27.9	22.0	99	70		<u> </u>
19	28.1	20.4			i		19	29.8	21.0	99	61		
20	28.1	17.6	,				20	29.3	21.4	99	65	 	,t
21	28.1	20.0				_	21	28.1	(21.7) 99	76		
22	26.1	19.0					22	26.9	21.4	.98	73	<u> </u>	,
23	31.4	20.0				1	23	28.8	20.5	97	70	1	
24	31,1	18.7		_	1		24	25.8	20.2	99	73		<u> </u>
25	31.0	21.0		, 	1		25	22.8	19.9	100	90	1	
26	30.1	19.0		1	1	!	26	28.7	21.3	96	. 66		
27	29.1	18.9					27	28.8	21.0	97			
28	30.1	18.0		;	-; -		28	27:8	(21.5) 96	62		
29	30.1	19:5		**		_	29	29.7	19.0		53	=	
30	27.5			-	; ·	!	30	29.0	19.4		·		
31							31	29.6	18.9				-
1	′870 . 0	573.1	 	:	<u>, </u>			880.5	648.1		1	Ī	,
AYS			j		i	1						·	

NOTE

R.H., RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

		Novem	iber I	932				······································	Decemb	er 1	9 32		
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
	MAX,	MIN.	MAX.			(m/m)	1	MAX.	MIN,	MAX.	MIN.	(m/m)	(m/m)
1	29.7	19.9	96	62		!	1	25.0	13.8	100	68		
2	29.7	18.3	96	52		1	2	26.1	19.2	94	69		
3	29.4	18.1	100	64		! !	3	27.4	20.2	95	70	i	
4	28.4	20 . 4	100	65			4	28.6	19.5	96	60		! ! **
5	29.6	21.9	96	63		i	5	28.8	19.9	96	55		
6	27.9	21.0	99	71			6	25.1	(17.0)	97	74	l	
7	29.0	;		70		i _]	7	23.7	14.8	93	61		
8	30,2	21.8	98	59			8	23.0	13.6	95	52	·	
9	30.2	21.3	99	62			9	24.6	12.0	100	57	!	
10	29.7	21.5	98	65		1	10	22.6	13.0	100	81		·
11	27.5	19.3	100	70		Ī	11	25.4	(18.2)	97	54	·	
12	28.5	18.4	91	58		L	12	24.6	(16.4)	93	, 56	_	
13	27.6	(19.0)	94	65			13	21.8	16.7	94	70	1	- • -
14	28.3	18.0	90	53	<u> </u>		14	21.4	(16.8)	_96	81		
15	26.5	16.4	90	56	,		15	20.0	(15.7)	90	65		
16	28.6			65			16	20.3	15.9	95	76		((
17	27.9	20.0	95	62	!		17	22.5	17.6	98	82	i	1
18	27.3	21.0	98	74	i -	,	18	23.7	19.0	99	84	· .l_	!
19	25.6	19.4	93	68	,	!	19	27.2	20.4	97	67	}	
20	25.8	19.9	98	66	1		20	27.2	20.2	93	: 68		·
21	22.1	18.5		82	ļ	İ	21	26.2	21.3	95	65		
22	26.4	19.4	i	77	<u> </u>		22	27.1	(19.7)	97	70	_	
23	25.5	20.6	100	77		1	23	27.1	19.5	96	63		
24	26.4	21.0	98	i 80	1		24	27.1	18.4	97	60		
25	29.2	20.6	98	62	1	1	25	26.1	17.7				
26	28.5	19.0	98	57	1	1	26	26.8	16.0	99	61	·	_
27	28.7	18.4	1 98	58		F	27	28.5			58		
28		18.3		63	!	1	28	27.0	18.9	94	60	1	
29	25.6	(19.0)	93	70		;	29	24.2	19.7	94	76	:	Į.
30		(17.3)	. ~ ~	 56	1		30	25.5	(18.8	90	68		<u>-</u>
31		<i>ا هر</i> خرا ≕ د	1		1	1	31	25.9	17.0	98	59		1
TOTAL	833.5	584.3	2895	1952	1			780.5	1		2052		
DAYS		۔ محتد ست	ا ا			,							1
MEAN	27.8	19.5	96.5	65.1	+l l			25.2	17.5	95.9	66.2		;

NOTE R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

		Jan	uary l	9 33		•			Febr	uary 1	933		•
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)
1	26.1	18.0	97	57		! !	1	26.1	15.3	92	50		
2	23.3	17.0	91	·68			2	27.1	15.8	97	44		
3	24.1	18.2	92	77			.3	26.2	16.5	89	.53		
4	28.1	19.4	100	64			4	26.2	15.9	94	56		
5	29.0	19.2	95	65		<u> </u>	5	26.2	16.7	98	55		
6	28.3	19.5	91	60			6	26.5	17.7	91	48		
7	26.8	20.0	₁ 97	65			7	28.4	17.4	89	32	} 	
8	25.0	(18.2) 91	65			8	28.0	17.8	90	43 .	<u> </u>	
9	25.8	15.6	₂ 98	52		<u> </u>	9	30.6	17.4	99	34	! !	
10	26.3	17.0	₹ 95	68		1	10	30.0	17.8	98	39	4	
11	27.8	20, 1	92	55			11	30.0	18.1	99	35	,	
12	28.0	(18.8	. •	55			12	27.8	16,9	96	45		
13	26.3	18.2	95	60			13	28.5	18:4	96	49	t _	
14	23.5	(18.3) 96	81			14	29.0	16.8	98	48		i
15	20.5	17.2	96	82	1	1	15	31.0	17.3	97	` 36	,	<u> </u>
16	24.1	16.6	98	71		1	16	30.0	17.5	96	32	1	
17	25.3	19.4	1	72	j !	1	17	29.5	14.1	98	53_	j	t
18	26.9			61	1		18	29.2	18.9	97	58		,
19	27.6	18.5	89	51			19	29.5	19.5	92	55		ļ <u>.</u>
20	28.0	18.2	91	, 50	,		20	29.3	19.6	94	55	1	4
21	27.7	13.8		52		!	21	29.6	19.9	90	47	t 1	
22	26.4			60	* **		22	30.7	17.8	98	48_		
23	25.0	18.0	96	58		+	23	32.5	18.9	100	41	,	
24	24.6			67			24	1	19.3		32		, '
25	25.7	18.7	88	64	1	, -	25	31.7			28	1	
26		(18.0		65		1	26	33.0	18.0	98	31	!	ļ
27	24.8			62		!	27	33.5	1	96	30		
- 28	24.1	1		67	; -	- !	28	33.6	19.3	99	33		
29	24.3	·	,	57	-		29					1	
30	25.1	, -		50	1	-1	30		-			1	
31	25.3			53		1	31		- 				
	799.4	!	2916		1	,		827.2	494.7	2677	1210		1
DAYS		- <u></u>				1							
MEAN		17.9	94.0	62.4	i	·		29.6	17.7	95.6	43.2		

R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER NOTE



STATION: BAN ME THUOT

		Ma	irch i	933					Ap	ril P	9 33		
	TEMP	`	R. H.		R	E			(C°)	R. H.	- 1	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	1	·MAX.	MIN,	MAX.	MIN.	(m/m)	(m/m)
1	34.6	20.6	93	27		} }	1	31.0	18.7	97	35		<u> </u>
2	32.5	19.5	93	26			2	33.2	19.5	90	35		
3	32.1	17.7	99	33			3	34.6	19.7	96	17		·
4	32.4	18.5	94	31	 	! !	4	33.0	18.5	96	37		
5	33.8	18.7	98	20		<u> </u>	5	32.5	20.5	95	41		
6	30.7	19.0	95	34			6	31.7	20.9	. 95 .	_43		
7	31.5	17.4	99	37			. 7	34.2	20.8	96	32		
8	29.5	19.8	93	49			8	33.9	22.5	93	38	· -	[
9	29.9	20.0	94	49			9	32.7	21.0	99	42	. .	· ·
10	29.9	20.1	94	44			10	33.9	20.7	93	38		I
11	27.7	(18.5) 83	50			11	33.1	20.7	96	29		1
12	25.6	(16.5	;	54	-		12	27.3	(20.8)	95	58		ŀ
13	25.3	(13.8		37		i	13	31.4	21.2	94	36		1
14	28.3	13.9		44			14	33.0	18.0	=	23		
15	30.2	i			}	,	15	33.1	20.9		31_		
16	28.7	17.2		45	1	1	16	33.4	21.0	96	36		ì
17	27.7	í ———-,					17	x	x	x	×		
18	31.6	:		31	-	:	18	32.9	21.9	93	43		, I
19	32.5	1	100	40	· I	!	19	32.9	21.9	96	41		1
20	33.5	i	 -	40	 		20	32.6		98	45		,
21	32,1	21.0		43	1	i	21	31.2	20.B	93	43		
22	34.7						22	29.0	20.4	96	55	•	,
23	33.9					i - I	23	30.6	21.2	97	53	• -	-
24	33.6			' - -	-	•	24	32.1	17.7	100	42		
25	33.8	1	 -	-		Í	25						
26	34.1	!	<u>`</u>			.'	26	29.7				1	1
27	34.4	i				 -	27	37.6	· -	•	1		-
- 27 28	31.3		ļ		1	1	28	30.0		[1
29	31.0	ł		!		,	29	31.3	' -				i -
30		-	1	į	,	L +	30	31.9	,		1	-	-
	30-4	1					- 31	1 7 - 2	1		''		-
31	30.5	1		1	1	1	- -	931.3	597.6	2777	1199	1	1
TOTAL		583.4	2875	1220	-	-		+92±•2 	0.160	4111			
DAYS	ļ- <i></i>		.,	7 70 4		;			20 6	05.7	41.3	-l :	-,
MEAN	31.2	18.8	92.7	39.4	·			32.1	20.6	95.7	+ 41.7	1	

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

21411		MI PIS					(· · · · · · · · · · · · · · · · · · ·
		1	May 1	9 33		`		'		June 1	933		. ,1 .
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E.
	MAX.	MIN.	MAX.	MIN.	(m/m)	¦ (m/m)		MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)
1	31.9	21.0	96	47			1	31.9	23.1	97	50		
2	32.9	21.8	96	45			2	32.1	24.6	96	56		<u></u>
3	34.2	22.8	98	29			3	31.2	23.7	98	55		1
4	32.5	24.9	96	47			4	31.2	23.0	96	59		
5	31.8	22.0	97	46			5	32.1	23.4	96	61	<u> </u>	
6	33.7	22.1	95	39			6	32.1	24.0	96	58		
7	33.7	23.9	98	42			7	28.4	(23.3)	96	74		, ,
8	34.0	23.8	94	34			8	28.5	21.5	96	68		
9	34.5	24.8	94	31			9	27.6	22.7	98	79		
10	33.8	24.8	97	39			10	28.3	.22.6	95	71		ž
11	34.6	25.0	95	22			11	30.3	24.1	97	64		,
12	33.9	24.5	96	39			12	31.9	24.0	97	53 -		
13	33.6	24.8	95	34			13	30.5	22.6	97	61		
14	32.6	25.2	96	60			14	28.1	22.3	96	75		
15	33.4	25.4	96	44		,	15	28.7	22.8	96	67		•
16	33.4	25.1	94	44		1	16	29.3	21.5	97	66		
17	32.4	25.6	97	54		1	17	30.1	(23.7)	96	63		
18	30.1	(25.1) 96	67			18	30.1	23.1	97	59		
19	31.5	24.6	97	49	-		19	30.2	23.5	95	62		
20	30.9	23.0	98	59			20	29.9	22.2	95	66		
21	31.5	23.0	96	58]	21	27.1	23.0	97	-74	I	
22	31.0	23.6	96	58	• -		22	28.0	23.0	97	73		
23	31.5	21.8	96	47			23	29.1	22.5	97	64		
24	31.0	22.5	96	51			24	28.2	23.5	97	75	,	
25	30.1	23.5	97	58			25	29.3	23.3	95	70	:	
26	31.7	23.0	96	54		I	26	27.2	(22.6)	97	75		
27	31.0	22.4	96	55			27	27.8	22.5	96	75 14		
28	29.1	23.2	96	66			28	29.8	22.4	94	63		
29	29.1	22.9	96	63	-		29	29.1	22.4	96	68	,	
30	29.2	23.9	98	63			30	29.2	23.1	96	67		
31	31.6	23.5		50			31						
TOTAL		733.5		1494			-	₉ 887.3	690.0	2889	1970	ļ	•
DAYS	7,7,		_ =====================================			\ 			7				,
MEAN	32.1	23.7	96.2-	48.2		 		29.6	23.0	96.3	65.7		

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R, RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

`` -	•					- , - , 							
		Ju	ly P	933				,	Aug	ust i	9 33	,	
,	TEMP.		R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	Ŗ	E
ľ	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	29.1	23.0	98	69			1	28.4	21.5	99	68		<u> </u>
、 2	31.6	23.0	. : 96	59		 	2	29.0	23.5	96	65	 	*
` 3	30.5	23.3	.94	68		 	3	29.1	(23.6)	95	66	 	
-4	30.6	,22.6	96	53		 	4	26.4	22.7	98	79		
.5	31.0.	22.9	94	53		ļ	5	25.6	22.8	99	86		<u> </u>
. 6	29.2	21.9	96	64			6	28.5	23.0	99	76		
7	30.9	22.5	97	57			7	29.1	22.3	98	66		, ,
8	29.9	23.0	99	65			8	29.2	(22.3)	99	68		
9	30.5	22.5	95	60			9	28.5	22.5	99	67		
10	28.7	22.7	99	73			10	29.2	22.1	98	66		1
11	29.6	23.3	97	71			11	29.7	22.2	98	61	l I	1
J 2	28.5	23.5	97	70			12	29.5	(22.7)	97	64	; ;	
13	30.2	22.6	97	65	"		13	30.7	22.9	98	66	_	i
14	30.5	21.6	97	61			14	30.5	22.5	96	59		1
15	29.3	22.6	95	68			15	30.7	22.5	97	65		
16	30.2	(23,3)	95	58	; ;	i i	16	29.2	21.9	(97)	65		1
17	29.9	22.7	95	59			17	30.2	22.6	95	66	1	
18	29.8	21.3	95	60			18	30.6	22.5	95	64		
19	29.7	21.4		57			19	30.1	(22.8)		61		1
20	30.0	21.8	96	57			20	31.4	21.8	97	61		
21	29.9	21.7	96	58			21	29.8	(22.4)	98	63	1	1
22	29.0	(23.0	95	60	! 		22	30.4	21.0	97	62		1
23	28.5	22.6	96	66	{	-	23	29.1	20.9	97	64		·
24	28.6	23.2	95	68	i -	-	24	25.6	(22.0)	99	73		
25	29.3	23.0	97	67	1		25		21.9	96	67		
26	27.4	22.8	98	76	!	1	26	1	(22.0)	96	69	! !	
— 27	27.4	23.0		70		1	27		21.5	96	62		
28	27.9.	23.1		76		-	28	29.0		97	64		
29	28.5	23.0		72	j	-	29	30.2		99	59		1
30	27.2	23.4		76	1	- -	30		22.5	97	60	i.	-
31	28.0	23.3		73			31	ļ	21.9	97	63		
	911.4	713.6	<u> </u>	2009		:	<u> </u>	i 	699.4	3015	2045	T	
DAYS		1+7.0	i	2003	-	;		201.0	22727	7			
	29.4	22.7	96.3	64.8		 		20.3	22.2	97.3	66.0	 	-

NOTE RH. RELATIVE HUMIDITY-IN PERCENT
R. RAINFALL IN MILLIMETER
E EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

SIAIR		Septemi	ber l	9 3 3	1				Oct	ober 1	933		,
	TEMP	(C°)	R. H.	(06)		 		TEMP	(C°)	R. H.	(%)	R	E
	MAX	MIN.	MAX.			(m/m)		MAX.	MIN.	MAX.	MIN,	(w/w) 	(m/m).
1	30.4	23.0	99	63		1	1	28.8	21.8	98	69		
2	28.7	23.0	98	170			2	29.1	21.5	99	65		
3	29.6	22.5	96	61			3	29.1	22.0	99	66		
4	28.1	22.5	96	70			- 4	30.5	22.2	100	66		
5	28.7	(22.6)	98	75			5	29.2	(21.9)	99	69		
. 6	26.6	22.0	99	82			6		20.9	98	64		
7	26.3	22.8	99	82			7	29.1	(22.0)	97	63		
8	30.3	23.7	99	67			8	29.1	21.1	98'	66		
9	29.0	22.9	99	70	_		9	28.2	23.0	97	71	; ;	
10	25.0	23.3	93	88			10	28.2	(22.5)	97	63	,	
11	28.0	(22.7)	98	78			11	28.5	21.3	98	64		
12	28.3	22.2	100	77		-	12	28.6	21.8	97	67_		
13	27.7		99	77		,	13		(22,4)	98	81		
14	28.6	22.5	97	72		 	14	26.1	1	98	90		
15	29.1	23.2	97	67			15	27.9	22.8	98	71) }	
16	29.6	(22.7)	99	66			16	24.7	(21.4)	99	93	1	
17	28.5	22.5	96	75			17	28.0	21.4	99	73_		
18	28.7	23.0	99	69		1	18	27.1	(22.9)	98	79		·
19	27.3	22.5	100	79			19	28.1	21.4	97	60	j	
20	26.1	(22.7)	99	7 9		1	20	27.8	22.1	98_	71	1	
21	28,0	22.1	99	74		1	21	30.1	21.6	97	; 60		
22	28.5	22.5	99	67		1	22	28.1	21.7	98	70		
23	29.5	(22.4)	99	62		1	23	29.0	21.6	99	64		_
24	29.5	21.7		60	1	1	24		20.6		70	·	
25	29.1	22.4	99	72	1		25	28.5	20.1	100	63	1	
26		21.0					26	25.9	21.8	97	64		
27	30.4	22.2	-	61			27	26.6		99	75		
28	30.2	21.8		64		1	28	29.5	İ	99	59		
29	29.3	22.0	99	64	Į.	!	29		(22.6)	96	61		
30	30.2	21.8		61			30	27.7	20.6	99	74		
31			/		<u> </u>		31	26.3	22.0	98	84		
TOTAL	858.7	674.7	2942	2123				872.7	674.3	3041	2155		
DAYS		, _ , - ,		1	1		<u> </u>						
MEAN	28.6	22.5	98.1	70.8	·			28.2	21.8	98.1	69.5		

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R, RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

314116	<u> </u>	5 + *8	<u> </u>										
		Noven	ber 1	9 33	•				Dece	mber i	9 33	5	τ.
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(ċ°)	R. H.	(96)	R	E *
•	MAX.	MIŅ.	MAX.*	. MIN.	(m/m)	(m/m)	- ,	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
7.	23.9	21.9	. 97	85	•		ı	26,5	22.1	97	59		
2.	30.0	21.2	99.	57			2	27.0	22,5	91	55		,
3		(23.0)	95	60			3	27.0	(21.6)	85	59		٠
\$ 4	27.7	21.5	97	70			4	27.1	(21,6)	90	60		
5	29,5	22.3	97	64			₄ 5	27.1	20.2	91	65		- ;
. 6	30.5	(23.1)	97	62			6	27.3	(21.9)	91	61		
7	27.1	(21.6)	95	66			7	28,1	20.0	92	63		
8	27.1	20.1	98	73			8	28.1	22.5	91	67		
9	27.1	(20:1)	99	. 74			9	27.1	22.4	92	· ;		i
.10	25.5	20.4	94	75			10	28.8	× 21.0	96	66		<u>'</u>
Ĭì.	25.2	20.8	99	70			11	29.1	22.3	94	62		
12	26.1	20.9	99	75			12	27.2	(21.9)	95	67		
13	29.8	·	95	58		1	13	26.6	(20.9)	95	65		
14-	27.7		95	63			14	26.1	•	93	52		
155	26.9	21.2	96	66		t .	15	26.5	20.3	93	60		
^ 16 <i>></i>	27.2	21.0	98	61			16	26.3	20.5	89	55		
17	27.0	21.3	98	66			17	25.6	(17.7)	97	58		
18	26.5	 	93	69			18	26.2	(17.4)	99	53		
19	27.1		100	55			19	26.4	17.7	99	52		
20		(20.2)	96	59			20	25.7	18.0	100	51	1	
. 21	27.0	19.3	98	54		1	21	25.2	16.3	95	48	ļ	
22		(19.6)	}	57		_	22	25.6	16.2	99	49	İ	
23	27.1		100	67		-	23	25.9	(19.2) 96	58	*	- "
24	27.0		98	62	!		24	25.8	20.0	95	55	!	
25 '	26.1		96	66			25	27.9	(20.8	90	46	i	1
26	27.2	i	91	61			26	27, 7	19.9	81	48	ι,	
27	28.4	1	96	32			. 27	29,1	19.8	96	43		
28	27.0		ļ	69			28	28.7	19.6	9'	53		
29	27.0	ļ- 		72		1	29	27.3	20.2	98	60		
30	27.2	1		65			30	28.2	20.2	91	56		
31						-	31	28.0	21.5	9:	57	1	
TOTAL	817.7	626.4	2897	1933		1		839.2	626.2	291	1773		
DAYS			<u> </u>	,		1	1		,				
MEAN	.]	20.9	96.6	64,4		-		27,	20.2	93.	572		
·			•								7		TOVÝO

NOTE R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION:

BAN ME THUOT

	-	Janı	uary 1	934					Febr	uary l	9 34		
	TEMP		R. H.		R	E		TEMP		R. H.		R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)]	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	26.8		91	60		 ! 		31.4		97	30		-
2	27.1		91	57			2	30.9		98	43		
3	27.1	<u>.</u>	85	52			3	27.3		86	53		
4	26.0		89	57			4	26.1		86	58		
5	25.6		89	55]	5	25.1		92	56		
6	26.1		92	. 47			6	26.0	ļ. <u></u>	87	48		
7	26.7		97	57	. 		7	25.3		88	49		
Ŕ	26.0		92	52			8	24.1		82	52		
9	26.5		90	53			9	26.2		90			
10	26.1		98	55			10	25.6		91	66		
11	24.8		90	63			11	26.7		86	55		
12	26.6		91	52			12	26.9	j	87	56		
13	26.9		91	57			13	27.6		92	42		
14	27.3		95	65			14	26.6		92	41		
15	27.6		94	60			15	27.1		95	51		
16	29.0		94	60	,	<u> </u>	16	27.5		90	47	-	
17	27.4	· 	93	60	 		17	28.4		100	51		
18	29.1		99	49			18	28.8		94	53		
19	26.8		90	60			19	27.1		95			
20	25.5		89	57			20	28,2		89	58		
21	25.0		96	62	<u> </u>		21	29.9		87	54		
22	24.9		90	66			22	29.1	-	93			
23	23.3		96	73			23	30.3		96	1		
24			86	48	 		24	31.4	•	93		. -	
25	25.3 24.9		93	50			25	26.1		99	·,		1
26	23.6	<u> </u>	93	50	1	1	26	28.2	; 	98	'		
27	24.1		100				27	28.3		93			
28	26.0		100	50			28	28.1		93			
29	27.0	<u> </u>	97	46			29			برر			,
30	28.1		93	42			30					, ,	7
31			92	44			31		.! 	_			<i> </i> -
	29.0	1	1	1	1	1	 	774 2	1	2569	1470	 	1
	816.2		2876	1712			-	774.3		2709	1410	/	2
DAYS	26.3	<u> </u>	92.8	55.2	ļ	<u> </u>	·	27.6		91.7	52.5	 	1

· NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

- R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

	•	Ma	rch l	9 34					Ap	ril i	9 34		
. -	TEMP.	(C°).	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
.	MAX.	MIN.	- MAX,	MIN.	(m/m) [°]	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
-1	30.0	• •	95	58			1	30.7		95	44		
2	29.0		90	. 50			2	31.6		92	45		
- 3	27.8		89	51			3	31.6		93	40		
,4	26.9	. ,	· 92	54	-		4	32.1		94	41		
. ",2	26.5	,	.88	.55			5	32.1		93	46	;	• 2
r 6	26.1		. 88	46			6	31.1		.96	49		
7	27.2		- 83	41			7	30.6		97	47		+ + 2, -
8	28.0		86	46			8	31.4		95	49		, ,
9	30.2		86	36			9	32.4		97	43		
10	31,1		92	39		,	10	32.6		100	34		
11	32.5	1	97	37			11	32.4		93	37	 	
12	32.8		90	37			12	32.6		88	38		
13	33.1		95	39			13	32.2		97	36		
14	33.1		97	42			14	33.8		93	35		4ª
15	30,8	·	93	42			15	31.5		96	46		
16	27.1		85	58			16	29.6		97	53		
17	26.1		88	58			17	29.8		89	45		1
18	26.7		82	57			18	30.7		87	44		
19	26.5		85	61			19	31.6	-	98	42		
20	31,8		93	48			20	31.6		95	42	1	<u> </u>
21	32.8	<u> </u>	94	42			21	32.2		93	49	 <u> </u>	ļ
22	30.8		95	·			22	.31.1		99	50		. _
23	32.3		96	50			23	32.1		96	46	·	1
24	32.4	 	96	-			24	33.5		98	38	1	<u> </u>
25	34.1	 	92				25	34,1		96	43		<u> </u>
26 .	33,0	1	96	45			26	32.5		97	48		,
.27	33.1	-	97				27	32.7	[94	42		
28	33,4		95	40			28	32.6		97	1		
29	34.0		98	4		-	29	33.7	•	96	41		
30	31,7		97		-	-	30	31.6		97	7 54		
31	32,4		100				31						
	943.3		2850	``				958.1		2848	3 1314		`.,
DAYS		- 	1	-		-	-						
	30.4	-	91.9	45.4	-			31.9)	94.9	43.8		

, NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

31/KIIK		AIV FILE									 	 	<u> </u>
		•	May I	⁹ 34					,	June l	934		, ,
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	R`	È.
	MAX;	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	28.9		93	67			1	31.9		96	58		٠
2	27.5		97	71			2	31.0	 	97	61		
3	27.5		97	72			3	32.0		97	58		
4	28.8		97	64			4	30.0		96	65		,
 5	30.2		96	59			5	30.5	,	96	61		
6	30.8		96	58			` 6	30.2	-	- 96	58		•
7	29.4		96	69			7	30.0	 	, 98	64		, 4,
8	37.2		97	54			8	30.2		96	60		٠, ,
9	30.6		98	5 7			9	30.3		96	64	,	
10	30.2	+	98	63			10	29.2		98	54	1	
13	30.5	1	96	60	<u>'</u>		11	31.3		97	55		1
12	30.8		98	62		i	12	30.0		98	63		
13	29.6	1	98	65	-		13	31.0		97	53		;
14	29.8		96	64	! -		14	30.8		97	55	!	
15	29.2	~-	97	66			15	30.2		96	63		-
16	29.1		97	62		ı	16	31.1		97	63	1 -	,
 17	29.1	[97	70	! !		17	30.9	-	94	61	! !	1
18	30.4	 '	96	57	-		18	30.3		96	67		
19	28.5		96	70			19	30.0		96	67		-
20	28.9	1	97	67			20	30.2		98	64	; ;	1
21	28.6		96	74]	21	29.9	 	96	66	1	į į
22	29.5		97	68	-		22	31.3		96	54		
23	29.2		96	66	-		23	30.0		96	61		1
24	29.0	 	96	70	ı I	1	24	29.6		. 97	65		
25	29.3		97	67		<u> </u>	25	28.7		98	71	,	,
26	30.0		96	64	1	1	26	28.9		96	68	 	
27	30.0	i	96	65			27	29.2	i	95	[*] 68		
28	30.1	:	96	62			28	27.7		96	76		
29	31.1	•	97	61			29	27.1		99	76		
30	31.1		95	64			30	27.4		96	74		,
31	32.0		96	56	<u> </u>		31						†
TOTAL	920.9		2991	1994		1		900.9		2897	1904		
DAYS		·		1	; 	l							
MEAN	29.7		96.5	64.3	,	!		30.0		96.6	63.5		,

NOTE

E.

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

TOURT ME TAUOT: " ROITATE

-		i	July 1	934		Ì	` ;		Aug	ust [34		
	TEMP	(C°)	R. H.	(%)	R	E		-	(C°)	R. H.		R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1			97	76		! .	1			96	62		· •
2			95	64		ļ	2		<u> </u>	96	63		i 1
3			97	66			3			97	76		
. 4	, ,		97	64			4		 -!	97	62	 	
5	,		96	68		1	5			. 98	70		<u> </u>
6			96	65		<u> </u>	6	,	! !	96	67	, 	<u> </u>
7			95	69			7		1_1	96		,—	1
8			96	64			8	i i	í	98	70		
9			97	75		i !	9	; ,	1	98	70	\ 	'
10		!	96	69			10	<u> </u>		97	83		1
11			96	60		,	11-		}	97	70	1 	
12		1	96	64			12			95	75	ì	i '
13		<u>'</u>	96	66			13			96	69		:
14			97	64			14			97	79	<u> </u>	, -, -
15			98	61	!	1	15			96	80	!	1
16		1	95	62	,	!	16		* *	96	72	t *	1
17			95	62	1 1		17			97	74_		·
18	`	 	95	70		·	18	i		97	1		-1
19		<u> </u>	96	66			19		-	96	69		ļ
20	- -	1-	96	75	-		20			97	1		
21	<u> </u>	<u> </u>	95	68	1		21	ì)	95	70		
22		-	96	65	-	- !	22			97	70	1	
23			98	64	-		23		-	97			1
24		-	98	68	1	-	24	-		96	70		
25			97	63	1	 	25	1		96	66		
26	<u> </u>	<u> </u>	98	70	1		26		1	97	67		
 27		·	98	61			27			96	68		
28			97	69	-	1	28		-	97		-•	
29			97	65		- :	29			97	.	-,	
	·	~	96	66			30		_	94	.	[
30 3i			96.	62	.		31	- -		98		-1	_
TOTAL	1 •	<u> </u>	2988	2051	1	1	-	1	<u> </u>	2993			1
DAYS	.		2700	ונטב	-		- -		-			-	
MEAN			06 4	.i 66.2						96.5	69.7	-	

RH: RELATIVE HUMIDITY IN PERCENT
R' RAINFALL IN MILLIMETER
E: EVAPORATION IN MILLIMETER

STATION:

BAN ME THUOT

		Septem	ber l	9 34					Octo	ber 1	934		
1	TEMP	(C°)	R. H.	(%)	R	E		TEMP		R. H.		R	E
j	MAX.	MIN,	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)
1			98	61			1			97	80		
2			97	66			2			98	. <u>7</u> 8		
3			96	· 77	 	 	3			99	63		
4			98	62			4			98	73		
5	_	<u> </u>	96	70		1	. 5			98	63	<u> </u>	1
6			96	77_			6			95_	67		
7			97	77			7			98	73		
8			96	65			8			97.	69		
9			97	_ 70			9		! 	98	65	ļ	
10) 	97	67			10		ļ	98	69		t !
11	_		96	72			11			98_	64		
12			98	78			12			98	62	ļ	
13			_98	85			13			98	63		<u> </u>
14	_	<u> </u>	98	76		<u> </u>	14	<u> </u>		98	70	<u> </u>	
15	_	<u> </u>	97	71	1 1		15	<u> </u>		98	59	1	1
16		l	98	72	1	1	16			98	61		
17	i	i I	97	68		1	17			98	66		l
18	1	1	98	70			18]		98	63	<u>',,</u>	
19	!		98	75		<u> </u>	19			98	70		
20	i	!	98	89	<u>i</u>		20	<u> </u>	<u> </u>	96	63	<u> </u>	.
21			98	63		1	21			96	67	1	
22	/		97	72	1		22						
23		İ	98	73			23	•	`		·	1	·
24] 		98	73 82	1		24	1	1	., <u>.</u>	!	. ' 	
25		-	98	80		·	25		+	,	1		
26		1	98	175	1		26						
27	-	1	. 97	80]	:	27						
28		1	97	71	1		28					<u>.</u>	
29		1	98	67			29				<u> </u>		
30			67	79	-		30			99	73	<u> </u>	
31		 	! - ' !				31			97	55		
TOTAL	<u>' </u>	1	2920	2190	-	1		,		2246	1536		1.
DAYS	·		1		-								
MEAN	1		97.3	73.0						97.7	66.8	.	

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

BAN ME THUOT ,STATION:

	, ,	Nove	ember 1	934		•			Dece	mber 1	934		
-	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m
1	i		96	70			1			93	60		
2	•		- 95	70	,		2			97	64		
3	···		98	62			3			99	63		
. 4			98	69			4			96	64		
5	. **- **		100	97			5			95	50		
ő			99	68			6		1	99	43	·	
7	·		99	59			7			97	43		
. 8	•	,	97	64			8		i I	96	46		! !
9			96	76			9			100	63	1	ł
10			98	88			10			94	67		1
-11		' '.	99	69	ţ	1	11			95.	67	ļ	1
12			98	66		} !	12			97	64		1
13 -			99	60			13			97	65	,	
14			100	58			14	1		96	56		
15			95	64]		15		1	92	, 60		1
16		;	99	60	1	1	16	1		91	. 55	!	1
17			97	57	!	1	17		!	95		;]	1
18			98	48			18			91	46		1
19			97	·	1		19			95	57		
20			98				20			98	64		,
21			94	71		į	21		1	94	55		1
22			91	47	-!		22] 		97	61		
23			94	_60		!	23			98	.,		,
24	 -		99	65			24		,	97	1		1
25			97	59	ļ !	7	25		. 1	96	69		
26			97	60			26			93	_ 63	1	i
27		-	98	62	•	,	27	·	-	98	55		
28			96	75	-		28			99	57]
29		· ·	98	65			29	•		97	60		
30		1	95	67			30			99	59		
31				\		*	- 31		- 	93	-l		
OTAL	<u> </u> 	1	2915	1944	1			 	İ	2974		i	
DAYS		 	Z712	1744						95.9	1		
MEAN			97.2	64.8	.]			- -	-			-	

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

, ,		,		MET	EORC	LOGI	CAL	. REC	ORDS	المين المين		**	الهام الله الهام الله الهام الله
STATIO	ΟŅ: B	AN ME	THUOT	ř.,			, ,}	€ ; *,			v		
		Janu	ary 1	9 35		,		ű	Febr	uary ,l	935	3	
. !	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN:	(m/m)·	(m/m)
1	29.4	20.9	97	51			1	29.9	19.2	96	46		
2	28.7	19.4	99	54			2	30.0	20.6	97	44		,
3	27.1	19.2	98	56			3	30.2	20.4	99	49		,
4	27.2	(20.3)	95	55	in grue mader refrestfern		4	29.2	20.8	96	49		·
5	25:9	20.6	92	64		<u> </u>	5	30.5	20.1	95	40	*	, ,
6	27.1	(20.8)	93	54			6	31.0	19.4	94	38		
7	27.0	19.6	95	56			7	29.9	20.4	95	39		
8	27.5	20.4	92	<u>56</u>			8	28.3	20.5	98	56		
9	28.3	19.9	92	53_			9,	30.5	22.1	96	47	: 	-
10	27.4	19.0	96	60		<u> </u>	10	30.7	22.5	93	47:	· 	1 170
11	29.1	18.9	97	50			<u> </u>	30.5	22.1	95	54		
12	28.9	19.0	98		-		12	26.6	(20.9)		58		
13	29.9	17.3	99	32		- :	13	26.1	(19.1)		58		
14	30.3	18,2	92	34			14	25.9	18.4	89	54		ļ
15	28.8	18.8	98	48		1	15	27.3	18.7	95	47		ı.
16	26.8	(20.1)	90	51	 	 	16	27.5	18.7	96	41		
17	27.4	19.7	94	5 <u>4</u>			17	27.5	18.5	96	40		\$-
18	26.7	20.4	93	47			18	.27.5	18.3	92	56	·	
19	27.2	20.5	91	58			19	27.7	20.9	90	59		ā
20	26.6	19.8	92	53		!	20	29.1	20.9	94	54	<u>i</u>	
21	26.9		94				21	30.9	20.1	95	41	 -	
22	27.0	20.3	93	54	ļ		22	30.2	21.1	`96	47		
23	27.7	(19.8)	98	51	ļ !	i • •	23	29.7	20.3		52	i 	;
24	26.9	18.8	92	50	; !	1_	24	29.5	21.0	94	· · 51		
25	26.5	19.8	97	63	1	1	25	31.5	21.2	-	44	<u> </u>	,
26	27.8	19.9	_95	58		ļ.	26	32.1	22.0	94	41		
27	26.7	20.5	95	64		!	_27	31.0	21.5	95	50		
28	28.0	18.8	98_	54			28	30.6	20.5	99	50		
29	27.0	(19.7)	93	58	! 		29						
30	28.1	18.7	93	45			30						
31	28.2	18.1	98	52	1	!	31				1000	1	
TOTAL	858.7	606.9	2939	1628	ļ			821.4	570.2	2648	1352	,	
DAYS											, , , , , , , , , , , , , , , , , , , ,		, · · ·
MEAN	27.7	19.6	94.8	.52.5		1	, ~	29.3	20.4	94.6	48.3	1	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

RH RELATIVE HUMIDITY IN PERCENT NOTE

R. RAINFALL IN MILLIMETER

STATION: BAN ME THUOT

`		Ma	rch 19	9 35 -		,	İ		Ap	ril l	9 35		•
-	TEMP	(C°)	R. H.	(%)	R	E	•	TEMP	(C°)	R. H.	(%)	R	E
-	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	32.2	22.5	92	4 7			1	31.2	20.5	97	43_		
2	31.5	22.4	95	45			2	30.2	19.1	97	44		
3	30.6	21.1	97	47			3	33.1	21.1	94	_ 27	,	
4	29.8	21.2	95	47			4	33.2	21.5	92	-32		
5	29.2	21.8	93	51		!	5	32.4	22.1	98	43		<u> </u>
6	28.9	21.2	91	44			6	32.2	23.0	96	46	 - 	
.7	28.8	20.1	97	44		<u> </u>	7	33.8	23.3	94	36	! 	
8	28,9	21.0	91	48			8	33.0	(23.2)	96	43		
9	29.5	21.0	92	41		Ì	9	33.2	22.0	98	41		
10	31.0	19.3	100	46			10	33.4	23.5	98	39		
11	29.6	(21.1)	92	42			11	33.1	22.8	94	46	! !	<u> </u>
12	29.6	18.8	98	47	,		12	33.1	22.6	96	38	· ·	ì
13	30.0	20.9	90	43			13	32.1	22.1	99	45		
14	30.2	21.1	94				14	33.4	22.5	96	33		
15	30.1	21.2	91	40	}	!	15	33.4	22.1	93	30	1	ļ
16	31.7	20.5	92	27	1	1	16	33.1	22.5	93	34		
17	32.1	20,2	94	30	<u> </u>	!	17	32.8	23.2	95_	4.4		
18	33.1	20.4	94	30	-	1	18	32.3	21.9	ì	41		,
19	33.4	21.5	93	37	, ————————————————————————————————————	1	19	33.2	21.7	97	35	ļ	
20	32.9	22.0	95	42			20	32.2	23.5	95	48	1	1
21	34.1	23.6	97	33		ļ	21	32.1	22.7	96	41		
22	32.8	22.5	96	43	-		22	32.4	24.0	93	45		\ -1 * -
23	31.9		97	46	1	-	23	34.2	23.0	96	30	_	
24	17		98	42	,	·	24	33.8	22.4	95	33		
25	33.0	21.7	97	43	1	1	25	33.2	23.0	95	38	·	,
26		22.8	95	53	1	1	26	33.5	23.4	97	38	!	1
27	32.2	·		44	-		27	32.2	22.1	98	47		
28	33.4	22.2	96	47	1	1	28	31.2	23.2	94	55		
29		(21.9)	97	40	!"	٠	29	31.3	22.5	96	62		
30	32.1	1			-;	•	30	30.5	23.3	96	57	·	<u> </u>
31		22.5	(;		1 = = = = = = = = = = = = = = = = = = =	31				i]	i
	971.5			,		v	1	978.8	673.8	2871	1234		1
DAYS	<u> </u>				-	1	_						
 -	31.3	21.4	94.8	43.1	-	. 4.2		32.6	22.5	95.7	41.1		

NOTE. R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

-		1	May 1	9 35		-	٠,		Ju	ne l	9 35		
-	TEMP	(C°)	R. H.	(%)	R	E	-	-TEMP	(C°)	_,R. H.	(96)	R	·Ε
	MAX.	MIN.	MAX.	MIN.		(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/,m)*
1	31.3	23.3	95	56			1	32.0	21.9	97	61 -,		
. 2.	31.3	23.5	. 98	53			, 2 .	" -	•	, 99	65	,	Ŕ
.3	30.6	23.4	97	57			3		, n	, 99	68		- 1
, 4	31.8	(22.9)	96	55		,	4	30.0.	21.6	98	63	,	
5	30.7	22.4	97	59			5	31.2	21.5	98	58		7
6	30.9	23.1	96	65,	****		6.	32.6	22.5	99	54	ļ i	, , , , , , , , , , , , , , , , , , ,
7	32,1	23.2	95	53			7	30.3	21.7	98.	64		219
8	30.9	23.5	96	69			8	30.5	21.3	. 96	64		: 1
9	30.1	24.2	96	67			9	30.2	21.0	; ³ 97 ;	61		1
10	31.3	23,5	97	64			10	30.2	21.1	Į 99	64	_	v
11	31.1	23.7	· 96	57			11	28.8	22,0	98	69	,	
12	31.3	23.2	98	63			12	29.4	22,9	. 97	63	1	,
13		(23.2)	[*] 98	59		· · · · · · · · · · · · · · · · · · ·	13	31.2	21.6	98	63		
14	30.9	23.7		Ħ			14	31.2	22.1	98	. 59	1	36 /
15		(23.6)	98	59			15-	30.9	22.5	, 97	. 63	1 •	4
-16	31.35	22.9	97	61		, ,	. 16	30.3	22.6	97	64	1	م ه و ان ب
17		23.6	98	62			17	30.5	21.1	98	58		
18		23.2	99	60			18	31.2	21.2	99	60		1
19		23.5	98	<u>59</u>		'	19	30.2	(22,8)	97	68		- 1
20		(22.8)	98	60			20	28.9	(22.1)	98	70		*
21	30.8	21.8	99	66			21	29.1	21.1	98	67	1	
22	29.2	21.8	99	72			22	30.9	20.6	98	60		
23	30.5	22.4	99	68			23	29.1	20.2	, 99	73		
24	30.1	22.9	97	69	. — !		24.	31.1	21.5	97	66		
25		(22.8)		69		-	25	28.6	21.0	98	67		
26		22.2	<u> </u>	72		·	26	29.2	21.4	98	62		, ,
27	29.1		97	77			27	28.5	21.3	98	68		
28	29.2	22.8	99	71) 	28	29,0	20.3	99	74.		
29	29.1	22.2	98	72	· -	·	29	30,2	(20.8)	99	66		
30	30.0	22.1	99	66	-		30	27.2	20.7	99	78		
31	31.5	23.1	96	61	1		31		4. 17-			,	
TOTAL	953.3	712.9	29,23			!	 	B74.5	624.5	2940	1940		
DAYS	30.7	22.9	97.4	63.42				30,1	21.5	98,0	64.7		,

R.H. RELATIVE HUMIDITY IN PERCENT NOTE

R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

STATIO		SAN ME				1							
		J	uly 19	35			1		Aug	ıst p	∋ 35		
-	TEMP	(C°)	R. H. (%)	 R	E		TEMP	(C°)	R. H.	(%)	R	E
-	MAX.	MIN.	MAX.	,	(m/m) :	1	; 1	MAX.		MAX.		(m/m)	ı
1			97	69	,		1	27.3	21.6	93	72		
2			97	71	·		2	29.2	20.6	96	60		
3			98	62	!		3	28.4	20.6	97	63		
4	i		98	65		-	4	29.1	21.4	96	66		
5			98	68			5	29.6	20.7	95	67		<u> </u>
6			99	64			6;	29.0	21.4	96	67		
7			98	66			7	30.1	22.5	98	62	_	
8			94	64	,		8	29.9	22.0	97	64		
9			97	75			9 '	30.0	21.0	97	64		
10			99	88			10 ,	x	20.0	99	64		
11	1		99	68			11 1	31.3	21.0	97	63	_	
12		• •	99	66			12	31.8	21.1	<u>9</u> 5	56		
13			99	67			13 '	30.5	20.6	97	66		
14			98	80		i	14	29.3	19.8	96	66		
15			98	91		,	15 ,	31.1	20.0	96	55		<u>.</u>
16			98	80			16	30.8	21.6	95	57		
17			99	_77	· _		17 ,	30.6	20.4	96	56	-	
18			1 11	Ħ			18	31.5	21.2	96	59	·	_
19			11	11	,	1	19	30.3	20.5	94	63	-	
20			98	80	1		20	30.5	20.7	95	66		
21			; 99 ¹	77		1	21	31.0	20.4	96	58		
22			97	77		1	22	29.9	20.3	94	62		!
23			97	78			23	30.6	(21.7)	93	62		
24		ſ	97	77			24	30.8	20.5	94	62		
25		 	97'	66		1	25	30.6	20.5	96	63		
26		· !_	97	66		_	26	28.9	21.7	95	69		
27	-		_97	55		1	27	27.7	20.0			1	!
28			98	64	ı	_	28	28.4	21.4	96	<u>7</u> 3	1	1
29		, - ;	96	67			29	29.3	20.3	96	64	I	1
30	_	 	96,	70		ı	30	30.4	20.0	95	64		<u>}</u>
31			96	70			31	30.0	20.0	96	63		
TOTAL		1	3033,	2222	1			897.9	645.5	2968	1968	•	
DAYS			1	_	•		19	•			i -	• -	_
MEAN		1.	97.7					29.9	20.8	97.8	63.5		

NOTE

RH. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

,		Septem	ber !	⁹ 35					Octob	er l	⁹ 35		· .
~ ,- ` =	TEMP	(C°)	R. H.	(%)	R	Æ		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	31.2	20.5	95	60			1	29.4	21.4	97	69		
2	30.0	20.0	95	62			2	28.2	21.0	97	64	 	
3	28.3	20.6	95	70		-	3	30.1	20.3	99	62	 	
4	28.3	20.9	96	70			4	29.8	21.5	97	66	 	
5	28.4	20.4	95	64			5	27.4	(21.6)	98	76		
6	28.0	21.7	95	72			6	29.8	20.5	98	62	 	
7	24.8	21.5	95	82			7	30.5	19.5	96 }	63		,,
8	23.6	21.5	95	87	_		8	30.5	20.0	98	49	: 	-
9	26.9	(21.2)	95	76			9	30.0	17.0	99	62	ļ 	·
10	27.0	20.9	94	75			10	29.7	18.8	98	57		'
11	24.5	20.5	95	84			11	30.3	17.5	99	60	·	! !
12	24.5	20.7	95	84	į		12	29.4	19.7	98	60		
13	28.5	21.0	95	63	!		13	30.5	21.8	96	59		i ! !
14	26.8	21.3	95	73			14	30.0	(20.8)	96	61	· ·	
15	26.9	21.6	94	71	'		15	28.0	18.6	100	69	ŧ	<u> </u>
16	28.6	20.9	97	72			16	26.1	19.7	98	77		
17	26.5	21.6	96	76	1	t 1	17	26.8	(21.3)	97	70_		
18	23.8	21.2	97	88		1	18	27.5	20.5	97	70		
19	26.3	21.0	97	77	;		19	28.1	21.4	_ , 97	65		<u> </u>
20	28.4	21.2	97	71			20	27.8	21.5	97	64	1	<u>i</u>
21	26.3	(21.3)	97	80		!	21	27.0	20.8	97	75	·	.
22	29.4	20.0	97	69]		22	29.1	20.5	98	70	 	 ·
23	30.6	21.6	98	67	1		23	30.5	20.9	98	63		
24	30.6	19.7	99	67	ļ		24	30.8	22.4	96	65		
25	30.5	19.8	99	66	· 		25	30.9	22.7	97	66		
26	29.9	20.8		63	,	t f	26	30.6	22.3	97	62	!	
27	28.5	20.5	98	70	1	1	27	31.8	22.5	95	55		
28	29.0	20.0	98	70	}	1 1 1	28	30.9	21.4	97	59		
29	30.4	20.0		65		!	29	30.5	22.0	96	63		
30	29.3	20.3	96	68	1-		30	30.1	22,1	93	58		
31			1		1	-	31	31.1	21.3	97	60	1	1
TOTAL	835.8	624.2	2885	2162	1		1	913.2	643.3	Ţ	1981	,	
DAYS	j		, I		1								
MEAN	27.8	20.8	96.2	72.1	1		1	29.5	20.8	97.2	63.9		

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

	,	Novem	ber i	935					Decem	ber l	935		· · · · · · · · · · · · · · · · · · ·
	TEMP	(C°)	R. H.	(%)	R-	E		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	,		MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)
1	31.0	20.2	97	. 59			1	28.1	20.4	97	56		1
2	28.6	20.5	96	64			2	27.4	19.8	98	66		
3	30.2	20.3	98	53			3	27.0	21.0	97	70		
4	30.1	19.6	96	-56			4	26.5	20.7	97	69		
. 5	28.1	19.3	98	67		,	5	27.2	(18.6	97	63		,
6	29.8	19.8	96	55			6	28.5	18.1	99	61		
7	28.4	19.3	97	63			7	28.7	18.2	99	58		
8	26.1	20.0	98	74			8	29.1	19.5	96	48		·
9	22.7	20.5	.97	89		1	9	28.7	17.7	99	52	:	·
10 /	26.0	(20.8)	95.	75			10	26.0	18.0	98	70		
11	25.9	20.0	97	76		-	11	28.9	19.3	97	63		
12	28.2	19.6	98	68			12	30.2	20.0	96	57	í 	
13	28.5	21.2	96	65			13	29.0	20.6	96	53		;
14	27.5	(21.3)	93	73	•		14	27.2	20.4	94	61	ñ.	
15	30.2	19.8	97	58	, 		15	27.2	20.7	94	61	ı	
16	29.7	20.6	94	57	1		16	27.3	20.4	98	63		1
17	28.5	18.8	94	56			17	27.5	17.5	100	62	ļ } 	1
18	27.9	19.4	98	69	,		18	24.5	(19.8	92	73) '	
19	25.4	18.1	98	71			19	25.9	(17.8	96	60	1	1
20	26.1	16.2	95	58	· ·	1	20	28.7	16.8	100	65		
21	26.2	17.0	93	49	•		21	28.0	18.2	99	57		
22	27.4	15.5	100	60	i		22	25.5	18.1	96	71		
23	28.2	17.8	98	60		!	23	25.0	(19.0	91	59		
24	28.0	19.8	98	64	1		24	25.7	18.6	92	60		
25	26.8	19.2		64	,	i	25	25.2	17.2	99	64		
26	27.2	20.0	97	67	1	•	26	26.2	17.5	94	56	!	<u> </u>
27	29:0	20.8	98	65) !====================================		27	27.5	14.9	_ 100	55		
28	29.4	19.7		66	,	<u> </u>	28	26.9	17.1	100	66	i	[[
29	29.4	21.6	*	63	i a,		29	25.1	(19.0	91	68	i_	ļ
30	29.7	19.5	99	62			30	25.9	18.3	91	56		<u>.</u>
31	- <u>-</u> -		 I			l	31	26.7	17.6	93	i	i 	1
TOTAL	840.2	586.2	2903	1926	1			841.3	580.8	2986	1894		
DAYS			1 2			Ø.					 		,
MEAN	28.0	19.5		64.2	}			27.1	18.7	96.3	61.1	1	

NOTE'. R.H. RELATIVE HUMIDITY'IN PERCENT
R. -RANFALL IN MILLIMETER
E. - EYAPORATION IN MILLIMETER

STATION: BAN ME THUOT

	<u> </u>	-		.026			<u> </u>						-
İ		Jant	lary	1936					Febru	ary !	9 36		,
	TEMP	(C°)	R. H.	(%)	R	Ë		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	i (m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	27.2	15.7	96	49		i 	1	29.2	19.3	94	45		
2	26.1			46		ļ 	2	28.0	18.1	90	45		
3	25.3	(16.6)	90	59] 	i 	3	27.5	17.8	92	52		
- 4	25.4	15.8	89	42	 	' ! !	4	28.2	18.0		48		
5	25.5	15.0		42	l	!	5	31.2	16.3	99	39	<u> </u>	
6	25.5	13.8	97	53	 	 	6	31.3	19.5	92	37		·
7	23.0	19.0	·	78		_ _	7	31.1	19.3	95	44		
. 8	23.3	(20.1)	95	72	-		8	31.3	20.4	94	44	 	,
9	26.3	19.0	92	61			9	31.0	16.7	100	43	·	
10	24.8	(18.3)	87	60			10	30.2	18.9	93	48		
11	25.3	17.5	91	62			11	29.2	18.3	98	55		
12	25.2	16.6	93	_ 52_	_		12	26.2	17.1	87	54		
13	26.8	16.6	. 95	62		<u> </u>	13	26.0	16.9	_ 90	58		
14	26.4	17.9	95	66			14	28.6	17.9	89	53		
15	26.1	18.4	95	63			15	31.2	18.1	91	44	1	
16	24.7	19.0	. 91	72			16	31.0	18.5	94	48		
17	23.5	(19.4)	86	68	,		17	31.3	18.5	98	46		
18	22.9	18.0	90	61		_	18	32.8	19.3	96	36		
19	24.0	17.5	87	65	_		19	32.9	18.3	95	35		
20	23.1	(17.6)	86	63			20	33.1	18.4	97	3 8 ,		
21	25.2	16.9	_ 85	54	; ;	_	21	33.6	17.7	97	35		
22	25.6	16.3	91	51 ,			22	32.5	17.9	99	40		
23	29.0	16.0	92	52			23	34.1	17.9	99	35		
24	29.3	18.6		58	!		24	34.4	19.4	97	38		
25	28.1	20.2	94 .	61	;		25	34.7	17.8	98	22		
26	28.3	19.2	96	62			26	33.2	17.0	97	34		
27	27.4	18.5	92	63 .	1		27	33.1	1		35		
28	29.8	18.4	98	55	1		28	33.2			36		-
29	29.9	20.3	98	56			29	33.4	18.5	94	39		_
30	29.4	16.0	100	54	•		30				i		
31	29.4	17.0	99	51 :			31						
TOTAL	811.8	546.5			1			903.5	526.6	2751	1226		
DAYS			 (-	- -				
MEAN	26.2	17.6	93.0	58.5	1			31.1	18.1	94.9	42.3		

NOTE RH. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BAN ME-THUOT

ç ,	. ~	Ma	arch 1	. 2 56		-			Ap	ril i	⁹ 36		
	TEMP	(C°)	R. H.	(%)	 R	: E		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	,		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	26.1	(19.7)	95	70			1	31.7	20.3	91	46		
2	30.8	19.4	94	48			2	32.4	19.6	89	35		'
3	33.5	19.4	97.	32	,		3	32.7	19.9	91	35		
- 4	31.7		99	41			4	33.0	19.6	91	36		
5	30.0	(19.1)	88	48			5	34.2	19.8	94	35		l
6	30.0	18.2	91 ;	47		,	6	33.9	22.4	93	43		(
7	28.3	17.9	92	45			, 7	34.5	22.6	96	40		
` 8	27.1	(16.6)		52			. 8	34.3		97	41		
. 9	29.6	16.3	(95)	38			9	32.2	21.7	98	53		,
10	32.0		97	36			10	33.3	19.9	98	46		1
11	33.0	18.8	95	32		1	11	35.4	22.1	96	39		<u>.</u>
12	.34,1	19.3	95	41		1	12	34.2	21.7	91	35		
13	34.8		96	35			13	31.4	(21.6	94	47		
14	31.2			48	_		14	33.0	20.4	90	38		1
15	27.5		92	61	1		15	33.0	20.8	94	37		1
16	30.6		94	51			16.	31.8	20.7	90	44_	 	
17	34.2		97	21			17	34.0	20.9	į.	42		
18	35.0	1	93	30-1	1 - 1		18	35.2	19.8	93	26		. – -
19	35.9	+	94_	21		;	19	34.0	21.3	94	<u>3</u> 8	 	
20	33.8		94	37	1		20	34.9	21.5	91	45	L	1
21	33.7	19.8	93	33	-		21	33.7	22.4	89	43	 	1
22	33.2	19.3	96.	37	1	}	22	34.2	22.6	94	46		
23	31.6	20.0	, 94	40			23	34.4	21.0	97	42		
24	31.7		92	1		1	24	33.7		_ 97	48		_
25	30.7		91	46			25	·		98	35		
26	31.6	19.4	88	38	i •	1	26	33.2	(21.8	97	55		
27	30.9			55	+	\	27	36.5	21.0	98	36	1	
28	32.0	;	95	44		1	28	33.3	21.9	97	48	ļ - -	1
29	31.2	(21.5)	93	51	•	-	29	33.0	23.0	94	48		
30	30.9	[11	n] ·	30	33.3	22.3	96	51		
31	32.0		1 11	11	-	·	31		<u> </u>	<u></u>	-		į
TOTAL	1	600.2	2908	1317	•	1		1010.6	638.6	2819	1253		`
DAYS	12100	1	; <u> =<==</u> 	,,- ; 	1	1	•						~ -
MEAN	. •	19.4	93.9	41.9				33.7	21.3	94.0	41.8	<u> </u>	

NOTE R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

		M	ay l	ኝ 6					'n	[une	936		***
	TEMP			(%)	R	E		£	(C°)	R.H.	· · · · · · · · · · · · · · · · · · ·	R	E`.
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	34.9	21.5	97	37		 	1	30.6	23.1	(95)	56		
2	34.8	22.5	96	37			2	29.6	22.9	95	59		
3	35.4	22.4	96	34			3	32.2	22.5	94	49		
4	34.7	21.9	98	36			4	32.8	21.2	95	43		1
5	35.1	22.5	96	36		<u> </u>	5	33.0	21.5	95	44		• •
6	33.0	22.0	96	47			6	32.6	21.4	94	46	۱	·.
7	32.6	21.0	95	42		! L	7	32.2	20.9	96	50		
8	33.2	21.0	98	47			8	32.2	22.0	93	53		
9	34.5	22.1	96	40			9	31.8	21.9	95	52	,	; .
10	32.3	21.8	97	57		!	10	.32,1	20.5	97	51 .	·	4
11	33.8	22.7	95	46			11	31.0	(19.8)		60		• ,
12	33.8	22.0	97	44			12	26.6	19.7		(72)	'	***************************************
13	33.3	23.0	91	49	1	-	13	29.5	20.7		60	, ,	····
14	34.5		93	44	-		14	31.0	19.8		56		1 1
15	32.8		96	 52			15	31.3	21.6	95	56		
16	34.4	21.0	94	44			16	30.9	21.2		56		
17	33.6		<u>11.</u> 93	47		,	17	31.4	20.2		54		
·	'					' - -	18		20.6	 '			- ~ ~ ~ ~ ~ ~
18	34.4	23.2	92	44		:	19	31.3	`~~		57		
19 	29.4	-	99	5.5				29.5	20.0	95	65		
20	32.3	22.5	93	53		1	20	29.9	19.6	94	59	· · · · · · · · · · · · · · · · · · ·	
21	32.8	22.8	93	46			21	30.4	20.4	95	58		
_ 22	33.0	22.8	93	53		_		30.7	21.5		58		
23	32.5	21.9	92	51		!	23	30.6	21.2	92	57		
24	ı	22.8		-		i	24	28.8	21.5	95	65		
25		(22.4)		57		1	25	!	21.8				
26	32.8 i	21.8	93	54		· -	26) - ,	21.0	-	62		·
27	28.1	21.1	95	73		; , -	27	29.6	20.8	93	63		
28	30.3	21.4	95	60		i i	28	29.8	22.3	95	61		
29	30.0	21.4	96	64		1	29	28.5	22.5	93	67		
30	30.0	21.1	94	63		i	30	29.0	22.1	94	67		
31	31.8	22.9	93	55	-		31						
-	1019.6	683.7				ļ ₋		917.0	636.2	2842	1721		· · · · · · · · · · · · · · · · · · ·
DAYS	!		04.7	40.0									
MEAN	52.9	22.1	94.7	48.9				30.6		94.7		LTD T	<u></u>

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

21VI		11.11.	July i	9 36					August	1	936		
	TEMP ((C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	Ē
	MAX.	MIN.	MAX.	MIN.	к (m/m)	1		MAX.	I	MAX.	. -		.⊏ (m/m)
1	29.3	21.7	96	64			1	29.3	21.1	93	61		
2	28.5	21.4	95	68			2	29.4	21.0	، در : 94			·
3	30.5	21.3	96	62			3	28.4	19.3	96	69		
4	29.9	21.3	94	65		,	4	29.0	18.8	96	67		
5	29.6 ((21.7)	96	69			5	29.0	20.4	94	64		
6	30.2	(22.0)	96	64			6	28.0	20.5	(95)	70		
7	30.3	21.3	96	60			7	29.0	20.6	95	66		
8	30.3	21.6	97	63			8	29.4	20.8	95	63		
9	30.0	21.3	96	65	•		9	29.4	(20.7)	93	60		
10	30.0	21.4	94	62			10	30.1	20.5	96	61		
11	30.0	20.0	96	59	_		11	29.2	21.6	93	66		
12	30.0	20.4	96	57	_		12	30.0	20.2	95	62		
13	29.9	21.0	96	64	-		13	28.2	(21.1)	(95)	67		
14	29.7	20.8	97	66	_	_	14	28.8	21.6	94	66		_
15	29.5	22.3	(95)	68		1	15	29.6	(21.6)	93	68		
16	27.4	(21.6)	95	69			16	28.3	21.1	96	74		•
17	25.8	21.5	95	80			17	28.1	(21.7)	(97)	70		
18	26.4	21.4	95	83			18	28.9	20.7	95	68		ı
19	27.3	21.9	95	74		1	19	30.1	19.6	96	62		· - •
20	26.3	21.9	91	75			20	29.8	(21.6)	93	, 68		
21	28.8	21.7	93	62			21	29.6	20.3	94	63		· ·
22	30.3	21.1	93	57			22	28.4	20.6	95	70		+ ! _
23	29.4	21.6	91	65	: I		23	29.1	21.5	(93)	62		ŀ
24	29.5	20.8	93	66	 	,	24	28.5	20.5	93	68		••
25	30.4	21.3	95	61		i	25	26.6	<u> </u>				
26	29.5	21.0	96	66		·	26	26.1	21.3	94	76		_
27	28.1	21.4	94	68			27	27.2	21.5	93	73		
28	28.8	20.9	94	67	1	ŧ	28	28.4	21.0	. 93	67	· •	
29	28.7	21.9	95	66	-	• •	29_	27.4	21.0	94	73		_
30	30.6	22.2	92	58		1	30	29.1	21.4		68		İ
31	28.0	(21.8)	96	70		1	31	30.3	21.8	95	60) 	<u> </u>
TOTAL	903.0	653.5	2939	2043		1		892:7	646.9	2927	2066	 	
DAYS		ا ــــــــــــــــــــــــــــــــــــ		! ! ! **	<u> </u>		. .	 			 		<u> </u>
MEAN	28.8	21.1	94.8	65.9	 	(!		28.8	20.9	94.4	66.6	į 	

NOTE R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

2 iV11	ON .	DAN FILE			 								ν
	1	Septemb	er	1936				1	Octob	er i	⁹ 36	,	*
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	Ë.
]	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	29;6	21.9	94	61			1	29.3	19.7	96	56		
2	29.2	21.1	94	66			2.	31.1	21.6	91	47		
3	27.3	20.9	94	76			. 3	31.0	20.7	94	55		, , ,
4	27.4	21.3	95	73			4	30.8	21.3	94	55		, ,
5	28.2	21.5	94	66		1	5	30.0	2026	97	62		-
6	29.6	20.5	93	56			6	30.1	21.7	96	64	,	,
7	31.9	20.8	95	56			. 7	31.3	21.7	96	58		
8	30.9	(21.2)	96	55			8	30.3	21.7	96	63	1 6	
9	30.3	20.9	95	61			9	30.2	21.9	95	[′] 60	}	
10	30.9	20.9	96	57			10	30.8	21.0	(97)	60	·	1
11	30.9	(20.8)	95	59	1		11	29.8	20.8	96	61		• .
12	31.9	19.2	95	57.	-		12	28.8	(20.0	94	55		•
13	31.2	21.4	95	58			13	28.0	(17.6		50	•	4
14	29.6	21.2	94	63			14	27.3	16.6		49	1	
15	31.0	22.0	96	61			15	27.0	15.2		46		
16	30.0	21.3	95	61		,	16	26.3	15.2		46	, +	
17	29.7	(21.3)		64	,		17	27.0	15.6		47		·
18	30.1	20.8	95	63		!	18	27.2	14.9		54		
19	30.3	21.3	96	58			19	27.6	17.3		52	[
20	31.2	20.6	95	53	, 		20	26.8	18.4	94	63	;	
21	29.1	21.4	96	68			21	26.8	18.4	93	65	1	
22	29.1	21.9	96	72			22	27.1	19.8		67		
23	29.8	22.2	96	68		- !	23	27.3	18.5		57-		,
24	29.8	22.7	96	67	-		24		16.6		51	,	
25	29.3	22.7	X ->	x			25	29.3	17.8	96	50	1	
26	28.5	22.9	94	71			`26	28.5			46	1	•
27	24.0	(18.5)		74			27	27.2	15.6		50		
28	24.9	17.6		67			28	26.7	19,0		66		
29	27.3	20.5		67			29	27.2	22.1	(91)	69		, -
30	28.6	18.7		57	- -	-	30	28.2	20.2		65		
31	a.						31	29.1	20.5			i	
	881.6	630.0	2756	1835				886.5	588.8		.1752		
DAYS				ند. <i>ارید</i> دید.	, '	; ;			,				
I	29.4	21.0	95:0	53:2:		· .		28.6	19.0	94.5	56.5		
				1.55	'				!		·	·	

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E EVAPORATION IN MILLIMETER

STATI	ON: I	BAN ME	THUOT			·					ý	<u> </u>	 ,., - .
	-	Novem	ber !	9 36					Decemb	er l	9 36		
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	27.6	20.5	95_	71			ī	29.1	15.4	[*] 98	53		
2	29.1	21.2	95	65			2	22.6	20.0	(96)	(91)		
3	28.9	21.5	92	60			3	27.0	20.2	97	69		
4	24.8	21.4	95	83			4	26.9	(19.3	(88)	60		_
5	26.5	21.6	93	72		[5	27.2	18.0	91	56		
6	29.4	18.5	98	55			6	27.5	18.8	92	54		
7	29.6	19.9	91	48	 	; 	7	27.6	16.4	98	_66		
8	. 28.9	17.8	96	<u>50</u>		_	8	27.4	20.5		62		
9	27.4	18.0	95	58			9	27.3	(20.5	91	64	· ·	·
10	24.0	18.6	96	68			10	27.8	19.2	(93)	57		
11	25.9	19.3	(93)	_57		ì	11	27.4	20.8	95	65		_
12	25.8	20.3	94	73	1	_	12	28.6	19.9	98	63		
13	26.9	(21.2)	(94)	_ 66			13	26.4	22.0	92	66		_
14	26.0	(19.3)	94	68	1	:	14	26.6	21.9		73		
15	27.8	16.6	98	60	1		15	29.9	22.1	93	56		
16	27.6	_19.2	96	. 55			16	30.5	19.3	_ 99	56	· -	' <u>-</u>
17	27.6	16.5	_ 98_	61	•_		17	29.7	18.1	99	57	-	_
18	28.0	(19.5)	95	<u> 5</u> 6		-	18	28.7	21.9	97	64	<u>;</u> } -	
19	27.1	19.0,	94_	54	·		19	28.7	(17.9	(96)	52		!
20	24.8	(18.7)	(95)	60	<u> </u>	1	20	28.5	16.8	99	53	· · · · ·	1
21	26.2	17.0	99_	57	; ;	1	21	26.6	20.7	90	60		
22	25.5	(17.0)	(90)	51	_		22	27.1	(17.7)		52		
23	26.1	15.4	97	57		1	23	22.8	18.8	(96)	81		
24	26.2	19.5	94	65			24	25.4	21.1	96	80		-
25	27.0	19.8	92	59	1	4 <u></u>	25	27.7	(22.2	92_	66		
26	28.2	18.6	94	51	•	<u> </u>	26	26.2	(21.2	91	65	-	_
27	26.8	18.7	94	58	‡	1	27	24.9	(20.4)	94	69	1	
28	27.5	17.2	98	. 55	į	i	28	27.8	20.4	91	i _66	t I	•
. 29	27.0	14.8	99	62	i	1-	29	29.5	_22.1	_94	65		i i
30	28.1	16.9	93	52	, ,	<u> </u> 	30	29.2	22.1	_ 94_	64	i _	1
31				1	1	 	31	29.0	21.6	94	65	l	i
TOTAL	812.3	562.9	2847	1807	1			851.6	617.3	2920	1970	!	
DAYS	3		!	i	.i	· ••		·				.)	-
MEAN	27.1	18.8	94.9	60.2	•	1		27.5	19.9	94.2	63.5]	

R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER NOTE

STATION: BAN ME THUOT

,	1 - 11	(C°)	R. H.	(%)	R	E		TEMP	(C)	R. H.	(%)	R	E.
Ī	MAX:	MIN,	MAX:	MIN.	(m/m)			MAX.	MIN.	MAX.	MIN.	(m/m)	· (m/m)
; 1	29.2_	(18.8)	95	58			1	32.7	19.3	96	34_		· ,
	- 1	(<u>13.3)</u>	<u>85</u>	51_		-	2	27.9	(18.0	(89)	54	· ;	
3		12.1	92	50_			, 3 	26.1	(17.1)	90	54		
4	26.0	9.6_	_100	42_			4	27.1	16.2	86	45		
	26 . 1	14.4	100	64	,		5	29.7	15.5	(92)		<u>*</u> ?	, , , , , , , , , , , , , , , , , , ,
6	26.1	19.5	96	75			6	32.1	16.6	97	<u> </u>	· · · · · · · · ·	
7	28.4	21.5	97	66			7	32.0	16.4	96	31	·····	,
В	28.1	20.6	94	65			8	29.6	15.5	99	47		
9	30.1.	20.6	95_	57_			9	30.1		93_	46_		
1	29.3	20.4	95	58			10	30.5	17.9	97	51 ;		
,	26.3	20.7	95	67			11	33.1	20.4	95	35_		
12	25.1	(19.3)	88 .	64			12	33.4	20.3	97	34		, , , , , , , , , , , , , , , , , , , ,
13		(15.3)	(94)	59	 -		13	30.8	(213)	91	48		
	25.1	15.1.	99	_ 70			14	27.6	(21.0	93	63_		
		(20.0)	97	63_		1	15	27.0	(19.4	90	58		
	26.0	17.1	(93)	59	1		16	29.0	18.7	. 92	47_		
17	26.5	14.6	98	62			17	27.6	17.9	94	52_		
18	28.3	18.7	96	58	-	1	18	28.6	18.9	(93)	53_		,
	29.5	16.4	98	5 <u>1</u>			19	28.5	18.0	93_	48	.,	
	31.4	18.2	97.	35.	-		20	29.1	17.3	95	52		
	30.0	18.8	96	37_			21	33.7	18.5	98	28	L <u></u> .	
	29.1	18.1	95	50			22	34.7	19.3	96	23_	' '	
أمما	27.2	19.1	91	- 49	 	-	23	35.0	18.8	97	19		
	28.3	17.9	93		1	-	24	34.0		97		, 	!
	27.2	18.8	89	61	-		25	35.2	1	1	26) 	!
	26.0	15.7	(91)	57	i I		26	34.2	17.6	97	28	i 	ļ
	28.6	18.7	92	51			27	35.1	21.3	94	37		
	316	17.5	_99_	.43	1	ì	28	34.1	1	ļ	39_		
29	1	19.9	97 -	_ 40_			29						,
30	32.4		;	- 40.			30						
31	32.1_	20.0	93	1			31		,	1,]	
	32.6 67.75	19.3 553.0	96 2936	1692		!		868.5	1520.2	1 4	1133 ;		
AYS	<u> </u>	T =====								L. 4.	137	*-	
*	28.0	17.8	94.	7 54 .	ĥ	<u> </u>	<i></i> →	31.0	18.6	94	3 40	4	

STATION: BAB ME THUOT

NALIC	אַנ. אָנר ; אַנר	3 ME TH	MOT.		:	· <u>-</u>						•	
-	Mar	ch ,	Ĭ	937			,	Apz	il	1	9 37	-;	
_	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
	MAX,	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)
1'	33.6	20.8	94	43			1	35.1	21.0	96	39		
ş,	34.1	21.6	96	45			2	36.5	20.6	97	. 30	•	4.
3	35.1	22.9	94	36			3	36.1	20.6	98	<u>_2</u> 9		
4	36.1	22.1	95	36			4	36.1	21.0	96	_29		
5	34.1	21.8	94	40			5	36.4	. 20.9	96	33		
Ĝ .	736.4	19.1	96	18_		,	6	34.9	20.3	96	39		
7	35.3	197.6	.95	28			7	37.0	21.1	98	_34	·	
8	36.0	20.2		39	 		8	36.1	19.5	97	32	' 	
9	36.5	21.8	(95)	. 39			9	35-4	21.8	94	35		 -
10	35.3	21.3	97	34			10	34-3	21.8	94	39	, I	<u> </u>
11	34.6.	20.6	94	36		Ī	11	35.8	21.0	95	34	<u> </u>	`
<u>.</u> 12	29.4	(19.3	93	60			12	38.2	20.7	96	21	! !	l
13	32.3	18.6	91	44			13	38.0	22.0	96	30		
14	34.1	18.8		31			14	39.4	21.9	93	14	 	
15	. 34.3.	19.9		37	1		15	37.9	21.8	96	20		
16	33.3	17.8	_99_	37 _	1	1	16	37.0	22.6	96	30		
17*	34:1	19.1	i	28		i	17	35.5	19.9	98	32		!
18	. 33.5	20.6		36		i	18	37.6	21.1	97	24 24		
19	34.8	20.3	97	34			19	36.5	23.4	92	37	ļ 	
20	35.6	20.1	96	34	:		20	36.6	(21.7	(98)	40	1	1
21	35.9	20.8	94	37			21	36.1	20.9	95	37	• •) !
22	35.7	21.4	1	37			22	34.8	21.9	94	43		j
23	35.7	20.5	1	31			23	36.3	22.9	95	28	- .	
24	35.7	21.8	97	36	· }	; ; 	24	35.7	20.0	99	30		t
25	35.7	21.9		38.3	:	į	25	35.9	20.8	96	28		
26	34.1	20.8	96	32	1	1	26	36.1	19.6	-93 -	33 -		
27	35.9	20.6		26		Į.	27	36.2	i	1 -	35		
28	34.9	22.0	90	38			28	34.4	(21.8	(97)	42	1	
29	35.0	21.5	,	38			29	31.5	21.1	97	54		
30	36.1	I	94_	43_			30	33.8	20.6	97	39		
31	37.0	21.8	•	29			31					<u>i</u>	
TOTAL	1080.2	1	.2952	1120	-	1		1081.2	635.0	2878	990		
DAYS	·												
MEAN	34.9	20.7	95.6	36.	1 '			36.0	21.1	95.9	33.0		<u>, </u>

NOTE . R.H. RELATIVE HUMIDITY IN PERCENT

The second second

R. RAINFALL IN MILLIMETER
EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

21711	JII. DI	M PAG I											
	May	7	ı	937				,	โบท์ฮา	1	937		, , , , , , , , , , , , , , , , , , ,
	TEMP	(C°)	R. H.	(%)	R	E	-	TEMP	(C°)	R. H.	(%)	R	E
	MAX,	MiN.	MAX.	MIN,	(m/m)	(m/m)		MAX.		MAX.	MIN.	(m/m)	(m/m);
1	33.6	21:8	97	43	-		1	30:2	(22.6)	. 96	66	_	•
2	32.9	20.8	99	50		<u> </u>	2		(21.9)	·	71		
3	32.0	21.7	95	53			3	28.4		96	73		
4		(22.8)	96	53			4	30.6	22.1	96	65		
5		(21.9)	96	52			5	30.3	(22.9)	96	66		
6	32,7	(19:0)	95	45_			6	30.1			64		, , , , , ,
7	33.8	22.9	95	48			7	30.2	22.7	95	62		
8	31.7	21.8	96	56	,		8	30.đ		96	63		t ~
9	32.8	22.9	95	51			9	31.0		96	59		
10	31.5	22.6	96	61			10	33.1	22.3	(97)	50		,
11	33.9	(22.9)	(95)	46			11	32.0	22.5	(95)	57		
12	31.6	21.8	96	57	•		12	30.1	21.2	95	63		
13	32.2		95	56			13	32.2	21.1	96	58		
14	33.6	23.5	96	55			14	31.4	22.3	95	61		
- 15	33.0	22.9	96	54			15	30.8	21.4	97	64		
16	31.9	22.5	96	57.			16	30.6	20.6	95	61		
17		22.6	97	57			17	31.3	21.5	94	55		
18	33.0	23.3	(96)	57	1		18	31.5	21.9	(97)	62_		
19	·	22.8	96	57	1		19	30.8	1	95	63		
20	31.3	23.5		62	 		20	30.6	20.9	95	64	`	<u>.</u>
21	32.6	21.7	97	53	!		21	30.2	21.7	96	70		
22	32.6	21.6	9 5	52			22	29.8	22.3	95	68		
23	32.4	20.7	97	52	1		23	28.8	23.0	96	76		
24	35 <u>.</u> 0	21.7	96	46	:	1	24	22.4	22.7	95	73	· · · · · · · · · · · · · · · · · · ·	
25	33.6	22.1	97	52	!		25		21.9		61	J	
26	31.5	(22.2)	97	61	1		26	28.6	(21.8	(96)	_71	'	
27	'	20.6		57_	,		27		21.8	!	76		
28		21.6		62			28	27.2	21.2	96	73		
29		21.7	96	_63			29	28.1	22.3	94	69		
30		22,2	97	62		-	30	30.0	22.4	94	59		
31		23.0	 	69			31						
TOTAL	1006.6		1	i	1			903.6	658.5	2872	1943.7		· ·
DAYS				1							,		,
MEAN	32.5	22.1	96.2	54.8	3]		30.1	22.0	95.7	64.8		
				iti ili bot						DON KO		•	

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

- R. RAINFALL IN, MILLIMETER
E. EVAPORATION IN MILLIMETER

الله المراجع المساور

STATION: BAN ME THUOT

	J. 11.	N MB TI		<u> </u>		 							·
	'\Jü1	y 3.84	-, 19	37	,	`.		Au	gust	1'	937		
1	TEMP	(C°)	R. H.	(%)	R	, E		TEMP	(C°)	R. H. •	(%)	R	Ē
,	MAX.	MIN.	MAX.	MIN.	(m/m)	!		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	30.1	21.6	94	66			1	29.3	22.6	96	64		
2	30.1	21.8	94	63			2	28.6	22.4	(95)	71		
3	30.1	21.8	96	62			3	27.3	22.4	96	_ 76 _		
4	30.1	22.4	95	65			4	28.8	22.4	94	69	 -	
5,	28.1	,21.8	96	73	~ ,	1	5.	29.3	21.4	93	70		
6	30.1	21.7	94	61_			6	29.6	22.0	94_	64		
- 7	28.9	20.9	94	65			7	30.2	20.8	94	_59_		
. 8	29.1	22.4	95 `	64			8	_30.8	22,5	94	58	 	
; 9	30.2	22.0	95	58			9	30.7	21.7	95	60	<u></u>	!
ío '	30.5	21.8	95	62			10	30.3	21.3	(95)	67	·	
, 11	30.3	22.6	95	55			11	30.3	21.5	95	63		!
12	30.3	22.8	95	54	 		12	_30.9	22.1	94	60		
13	30.4	21.7	95	54			13	31.3	21.6	95_	57	1	
14	30.5		95	62			14	30.3	22.7	94	64		·
15	27.8		95	74	1	!	15	29.1	22.0	95	72	<u>'</u>	<u> </u>
16	29.4		94	65	 	<u> </u>	16	30.2	21.7	96	69	 	ļ ·
- 17	28.2	22.7	95	73	<u> </u>	<u> </u>	17	28.3	22.8	93	73_		
18	28.1	22.7	94	75	i	1	18	30.2	22.2	96	65		
19	29.5	22.5	95	68			. 19	30.2	22.0	96	66		-
20	28.3	21.7	95	73	h p	1	20	29.9	22.7	95	71		i
21	27.2	22.0	97	76			21	29.6	22.8	95	75	1	-
22	27.7	21.8	95	73		_	22	30.4	22.2	94	64		
23	29.3	ļ.	95	69	1		23		21.8		70	1 _	•
24	29.1	(23.0)	(98)	67	.i -		24	30.0	(21.7	94	70		. <u>-</u>
25	28.6	22.9	97	74	·	1	25	30.0	21.1	97	66	1	,
26	29.8	22.9	95	65		<u> </u>	26	29.	22.5	1	64	<u>.</u>	
27	30.1	21.8	94	63		!	27	-	22.4	-	_72		
28	29.1	(22.1	93	63			28	27,	21.8		73	-¦	<u> </u>
- 29	28.1	21.5	94	61		-	29	29.	22.8	(93)	65		ļ
30	29.0	21.9	94	63	J		30	30.	22.1	93	64	ļ	
31	30.1	22.4	(96)	63	<u> </u>	1	31	30.	0 23.1	93	65	1	<u> </u>
TOTA	908.2	685.5	2944	2034		ļ 		921.	1 685.1	2932	2066	·-	
, DAY			1	ĺ	<u>.</u>							<u> </u>	
MEA	29.3	22.1	95.0	65	.6	1		29.	7 22.	1 94.	6 , 66.	Ŕ	<u> </u>

NOTE R.H. RELATIVE HUMIDITY IN PERCENT.
R. RAINFALL IN MILLIMETER
E EVAPORATION IN MILLIMETER

STATION: BON ME THUOT

	-		 	!					
September	19 37				Octobe	r . i	19 37		• ,
TEMP (C°) R.	H. (%)	}		TEMP	(C°)	R.H.	(%)	R	E
MAX, MIN. MAX		•		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1 29.2 22.3 94	66		1	31.3	20.5	95	57		
2 27.2 (21.2) (96	78		2	32.6	21.4	95	47		
3 26.5 21.0 96	79		3	31.4	21.4	94	58		
4 25.6 21.7 95	79		4	31.1	22.4	96	63		
5 28.3 22.1 95	70	-	5	31.8	21.9	95	62		,
6 28.4 22.5 94	70		6	31.1	19.7	97	52_		
7 28.1 22.2 (94	70		7	29.2	21.4	95	62		
8 28.6 22.2 94	72	_	8	31.1	21.9	93	58		2
9 28.5 22.5 94	70		9	30.4	21.4	95	59_		. ,
10 30.3 22.1 94	66		10	29.5	19.7	96	58		
11 30.1 22.7 94	61	_	11	25.5	(21.1)	95	84	· · · · · · · · · · · · · · · · · · ·	
12 28.4 (21.4) (94	.) 72		12	22.3	(20.3)	96	! <u>94_</u>		
13 28.2 20.2 94	1		13	24.1	i		90		
14 29.3 21.2 94	63		14	25.7	20.8	93	97	i :	
15 30.3 22.5 94			15	25.0	21.4	93	78	,	
16 30.8 21.3 95	60		16	26.3	19.9	94	78		
17 30.6 21.7 94			17	;	19.8	95	71		
18 29.9 20.1 96			18	26.2	18.5	90	56		
19 29.1 21.6 94	65	1	19	22.9	17.3	92	70		
20 29.1 21.8 93	i .	1	20	20.8	18.7		(91)	•	
²¹ 31.3 21.6 94	55_		21	27.0	19.6	93_	68		
22 30.2 20.3 95			22	1	20.8	94	56		- 1
23 26.0 21.6 95	84		23	27.0	(20.2)	93	66	1	·
24 29.6 22.2 95	66	1	24	272	19.6	94	_63_		•
25 30.8 21.6 94	1	1	25	28.5	i .	(90)	:	,	********
²⁶ 30.5 21.7 93	60		26	29.3	19.7	91	53.	t	
²⁷ 30.5 21.0 94			27	29.6	!	93	56		
28 30.3 21.7 94	i i		28		19.1	95	55		
29 30.5 22.7 94	i	! 1	29		19.1	95	48		
³⁰ 31.4 21.5 94			30		22.0	92	56 .		
31			31		(21.0)	93	55 - 55		
TOTAL 877.6 651.2 2830	1977	[630.5		1995_		
DAYS	1	- 1	-	"OÎT*Ω	ַרַ געעט.	CJ.LL_	- 1330		
MEAN 29.3 21.7 94	.3 65.9	- 1		28.1	20.3	93.9.	64.4		-
2347, 2241, 37	DITY IN DEDCEME		<u> </u>	20,1		ON KO			

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

,	21111	JN DAI	ME TI	1001										
	`,	No	vember	1	9 37			ļ	Dece	ember	1	9 37		
		TEMP	(C°)	· R. H.	(%)	R	E .	ļ	TEMP	(C°)	R. H.	(%)	R	E
		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	İ	MAX.	MIN,	MAX.	MIN.	(m/m)	(m/m)
	1	29.3	17.1	97	49			1	26.0	(19.8	(92)	65		
	2	29.4	17.7	96	54			2	25.9	(18.8) 94	66		
	3	30.3	18.5	- 96	61			3	26.8	(17.0) 95	62	- 	
	.4	28.3	22.9	92	67		'	4	26.1	16.7	95.4	64		
	5	25.7	(21.1	95	76		1	5	27.0	(18.3) (92)	52		
	6	29.1	20.7	96	65		 	6	26.9	15.3	97	62		
	7	30:5	19.9	95	56			7 1	26.2	(17.7) (92)	59	;	
	8	28.4	21.9	92	63	- -		8	25.7	(17.6		<u>5</u> 3		
	9	27.0	(20.8	94	68	-		9 	25.9	16.1	92	49		
	10	27.6	(19.9	(92)	58		<u> </u>	10	26.8	14.6	96	48		
	11	26.8	18.0	97	_ 64_			- 11	26.4	16.3	95	_ 54	· ~ -	·
	12	_26.5	18.4	96	60			12	27.1	14.3	_ 96	46	` - •	<u>-</u>
	13	_21.0	16.9	95	_89			13	24.9	15.1		65		
	14	28.7	19.0	_ 94	. 59.	<u> </u>		14	28.8	17.8	95	54		
し	15	28.2	21.0	93	56	· ·	!	15	28.4	19.9	94	53		1
	16	28.9	<u>29.</u> 8	94	56_	· 	· · · · · · ·	16 	29,0	19.9		_ 52	1 - ~	
į	17	29.6	18.2	96	56	, 1 .	<u>-</u>	17	27.6	19 . 7		63		
:	18	29.2	18.8	95	61	ļ		18	28.6	<u>19.</u> 4	94_	58		
	19	27.6	20.9	94	69			19	27.1	18.3		50	·	,
	20	29.1	20.2	94	62	1		20	27.2	17.9		50	.,	
	21	29.9	19.5	96 .	55	-	i	21	26.1	16.9	92	52	-	
	22	29.6	_20.0	95	57	; 		22	26.1	15.7	95	54	٠	
	23	27.2	20.9	92_	68		1	23	27.4			53		
	24	27.8		I	65	1	1	24	27.0	16.5		.65		-
	25	25.3	21.4	94	77		1	25	25.6	(19.9	7) 92	60		1
		26.1		-	68	i . *		26	26.5.		t .	61,		
	27	27.3			_ 70	 	1 -	27	25.5	19.9	(:-	1	
	28	23.6		!	(85)		-	28	27.5	20.2		63	• •	!
	29 	26.6		1	65	-		- 29	26.7	20.5		67		
	30	27.2	21.6	89	63		**		27.6	(16.6	.	52	· · · · · · · · · · · · · · · · · · ·	.
	31	<u> </u>	<u> </u>	<u>.</u>	1	<u> </u>	<u> </u>	31	27.5	15.0	i	49	1	1
.;	TOTAL		603.2	2824_	1922		_1 _		831.9	547.4	2914	1768	-	·
	DAYS	ļ		<u></u>		-	h		06.5		7 04 0			<u> </u>
	MEAN	27.8	20.1	94	1 64	.0	i		26.8	17.	.0.94	- 57	10	

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E EVAPORATION IN MILLIMETER

TAŢİ	ON: B	an me :	rouhi		` .	•		t		٠		, ,	25 mg
	Janu	ary	<u>,</u>	9 38	· ·	, ,			Febr	uary l	9 38	• • •	かみも マボ 1
	TEMP	(C°)	R. H.	(%)	· R	E		TEMP	(C°)	'R. H.	(%)	R.	E ,
	MAX,	MIN.	MAX.	MIN.	·(m/m)	i • • •		MAX.	MIN.	MAX.	MIN.		(m/m)
1	26.5	14.4	97	54			1	28.8	19.0	94	48	. 1	, K.
2	28.6	15.4	97	43			2	28.7	(19.7	(91)	49	,	
3	29.9	15.8	97	48			3	29:6	18.		44_		
4	25.7	17.0	94	54			4	31.4	17.9		36		•
5	27.7	18.3	92	46			5,	32.4	ĭ9.¢		. 38		
6	26.3	(18.9)	90	49.			6	30.8	20.	94	46_	 	
7	25.4	(17.9	88	46			7	33.8	19.	95_	37_		-
8	22.8	(15,0)	(93)	62			8	31.8	20.	94	44	,	
9	23.5	12.4	98	54			9	30.3	19.6	(92)	551		
10	24.9	15.9	(93)	50		<u> </u>	10	31.9	19.	95	36		. ** :
11	24.2	_14.5	97	63_			11	32.6	19.6	95	33_	ļ 	
12	24.2	14.9	98	5 8			12	32.7	20.8	94_	40_		
13	23.0	13.2	97	61			13	34.9	20.6	95_	34	!	
14	25.2	_14.9	94	. 57.		l .	14	34.0	19.7	95	34		
15	25.3	17.3	92	58	; }	<u> </u>	15	34.2	18,6	96	32	*	
16	26.0	18.3	95	70_	<u> </u>	1.	16	32-2	19,2	94	44		
17	27.6	(20.9)	92	58	(!	! '	17	34.5	19.2	97	25	 	
18	28.2	18.8	97	58	! !	!	18	31.6	20.3	94	42		
19	30.4	19.7	93 .	50.	!		19	32.7	20.4	94.	33_		
20,	30.3	20.2	94	47	1	<u> </u>	20	,29.0	21.3	94	56	1	<u>;</u>
21	30.7	19,5	93_	44			21	27.2	(19.9) 89	52		
22	27.4	20.4	91	52		-	22	27.0	19.0	88	54	ļ	
23	25.6	20.1	90	57	!_		23	26.5	17.9	89	<u> </u> 55 _		
24		(18.0)		_ 61		1_	24	28.2	16.8	3 _ 94 _	38_	J	
25	26.3	19.3	4	66	! !	<u> </u>	25	26.4	16.7	92	51		·
26	26.4	19.6	92	65	t] 	26	27.6	15.8	96_	. 45		·
27	27.2	(19.4)	(92)	57	ł	i	27	27.3	17.9	88	45	<u> </u>	
28	27.8	18.9	•	57	<u> </u>		28	29.6	16.9	93	36		
29	29.6	17.6		55	!	;	29						3
30	33.2	19.0		42	1		30						
31	32.9	20.7	94	32	1	!	31	<u> </u>				1	
ОТАЬ	338.2	546.2	2913	1674	· · · · ·	1		857.8	534.5	<u>2621</u>	1178		
AYS			1	,	1	,						\ <u></u>	
1EAN	27.04	17.62	94.0	54.0	<u>. </u>			30.6	19.	93.6	42.	1	1

R,H, RELATIVE HUMIDITY IN PERCENT NOTE

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

 \mathbf{I}_{ϵ} ,

STATION: BAN ME THUOT

S(ATION, DAN ARD THOOT	· · · · · · · · · · · · · · · · · · ·
March 1938	April 19 38
TEMP (C°) R. H. (%) R E	TEMP (C°) R. H. (%) R E
MAX. MIN. MAX. MIN. (m/m) (m/m)	MAX. MIN. MAX. MIN. (m/m) (m/m)
1 32.4 16.9 94 30	1 29.64(20.5) (87) 50
2 34.3 18,1 95 29	² 30.6 17.9 95 40
3 34.3 19.0 96 31	3 31.2 19.1 90 37
4 34.8 19.8 95 34	4 31.2 18.5 90 40
5 34.1 20.9 94 43	5 32.6 16.7 91 33
6 35.9 19.5 95 33	6 31.8 19.1 92 47
7 35.2 20.6 96 33	7 33.5 20.1 94 38
8 34.5 21.0 96 42	8 32.5 20.9 94 44
9 32.5 21.0 (96): 46	9 31.8 22.1 93 43
10 33.3 22.0 96.76 41	10 32.9 21.8 92 44
11 29.9 20.9 95 54	11 32.2 21.6 87 46
12 29.7 20.6 90 53	12 33.2 20.7 96 42
13 29.9 19.9 92 54	13 33.1 20.8 94 41
14 27.7 (18.8) 91 5353	14 34.3 21.9 95 33
15 27.5 17.8 (84) 49	15 29.6 (22.8) (96) 66
16 26.6 18.0 88 54	16 33.5 21.9 96 45
17 29.3 18.8 (90) 51	17 33.7 23.0 95 43
18 29.9 20.0 92 54	18 33.2 22.9 96 49
19 32.2 20.9 91 46	19 34.4 22.0 95 43
20 34.8 20.9 94 39	20 34.4 22.4 94 40
21 33.6 20.9 96 43	²¹ + 34.2 23.1 (93) 47
22 34.2 20.9 94 37	²² 33.2 21.9 95 45
23 34.8 20.8 94 37	²³ 34.5 21.9 (95) 43
24 34.8 20.9 95 38	²⁴ 32.2 21.5 96 58
25 34.7 (19.9) (98) 41	25 32.4 21.0 96 42
	²⁶ 33.3 21.3 94 37
	28 33.3 19.8 96 41
1	29 32.6 21.7 95 49
	30 32.2 21.5 96 45
30 33.6 20.6 95 46	31
31 28.8 20.9 94 59 TOTALLO04.7 624.4 2897 1353	
1	981.6 631.8 2813 1306
DAYS	
MEAN 32.4 20.1 93.4 43.6	32.7 21.1 93.7 43.5

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E, EVAPORATION IN MILLIMETER

•													,
				WET	EORC	DLOG	ICAL	REC	ORDS	•			•
TATI	ON: BO	ON ME T	HUOT										-
	Me	ı.y	1	938					June	1	938	_	* 1
	TEMP		R. H.	(04)		· · ·	=	TEMP	(C°)	R. H.	(06)	42	1)
	MAX.	MIN.	MAX.	MIN.	R (m/m)	(m/m) E :		MAX.	MIN.	MAX.		R (m/m)	(m/m)
1	29.0		95	64	(,)		1	30.6	21.5	95	59	(,)	(//
2	30.4	22.7	95	64			2	29.2	21.9	94	64		
3	32.5	22.9	95	51			3	х	x	x ;	x	 ,	
4	33.6		96	44		 	4	x	x	x	x		
5	34.0	22.7	96	44			. 5	28.7	21.8	98	71	- -	
6	32.8	(21.6) 95	57			6	24.2	(21:0)	99	91		
7	31.8	20.4	96	56			7		(20.6)		81		
8	33.0	19.4	96	44			8	28.4	20.1	99	71		, * <u>*</u>
9	29,8	21.4	_96_	57			9	31.6,	20.6	99	58		,
10	31.8	21.9	91	42			10	30.6	20.8	98	62		`
11	31.8	20.3	95	<u>4</u> 7	-		11	30.6	(21.4)	96	62	 	
12	32.9	21.4	89	47			12	30.6	20.2	x	<u>x</u>		
13	31.5	22.1	94	51			13	31.0	20.5	97	63		
14	31.6	(21.6) _(95_)	52	· -		14 	_ 30.4	22.6	97	61		,
15	31.8	20.3	96	52			15	29.0	22.7	97	67		
16	33.4	21.7	96	44			16	28.5	21.9	97	7 <u>0</u>		
17	33.0	21.7	(95)	48	• -	<u> </u>	17	28.9	(21.6)	(99)	<u>6</u> 9		
18	31.6	20.9	796	51			18	22.8	21.2	98	93		
19	32.8	21.6					19		(20.9)	1	90		·
20	32.8	20.8	95	48!			20	29.3	20.2		65		!
21 -	31.9			47			21	30.4		98	69		
22	32.4	21.0		48				30.2	20.7				
23	31.7	23.0		_ 55			23	30.4	-		60		'
24	30.7	21.3		58	- -		- 24	_ 30.3		98	61		
25	29.8			60		!	25	29.4		(97)		· · · · · · · · · · · · · · · · · · ·	
26	30.3			55			26	1	21.7	(97)	80		
27	31.2	i i		55			- 27 - 28		_20.3	99	63		
28	31.1	20.8		51	_	-	28	30.2		98	67 70		
29	31.0			. 59			30	30.4		99	70		
30	31.0 30.7	21. <u>7</u> 22.0		53 56			31	_ 28.9	22.0	98	76		
31 OTAL			2937	1609		[070	E07 5	26.45	1064	·	
AYS		007.9	£371	1003	-			STS*T	593.7	2647	1864		
EAN		 Z 21 4	2 04	ב		<u></u>							, ,,
			2 94.			1	Щ.,	29.0		98. ON KO		.0	

NOTE . . R.H. . RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

[,] E. EVAPORATION IN-MILLIMETER

STATION: BON ME THUOT

•		•	•	0.70						1,	0.70		
	July		i	9 38				Aug	ust		9 38	_ 	
	TEMP	(C°) .	R: H.	(%)	R	E		TEMP	(C _o)	R. H.	+ I	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	28.2	(22.2)	(99)	76	 		1	32.4	20.8	98	62		
2	29.8	21.0	99	65	 :		2	31.4	23.0	95	56		
3	30:1	21.6	97	66			3	31.4	22.2	94	61_		
, 4	30.7	21.2	(97)	60			4	31.0	(21.2)	(97)	58		
5	29.9	22.0	95	63			5	30.9	20.1	99	65		
6	29.7	21.4	(98)	70			6	31.0	21.8	98_	63		<u> </u>
7	26.6	21.2	(100)	78_			7	31.9	22.0	99	60		
8	23.3	20.8	_100_	85_			. 8	31.4		97:	64_		
. 9	_29_1	20.3	97	66_			9	32.3	21.5	98			
10	29.8	20.3	(99)	67	<u></u>		10	31.9	21.9	97			
11	28.9	20.2	99	65			11	30.3	(22.6)				· <u>·</u>
12	30.1	20.5	98	64			12	28.7	21.5	79	76	l	
13	30.6	19.6	99	57	 		13	29.4	22.3	98	.73	·	;
14	30.9	20.2	99	61			14	31.6	21.2	(98)		 	ļ
, 15	28.7	20.4	99	64	1	<u> </u>	15	29.8	21.2	(98)	71		
16	28.7	19.8	99	65_	! , 	ļ	16 	30,6	20.0	98	63	: 	
17	27.5	_20.9	99_	69	1	ļ	17	31.0	20.1	98	₋ 65		1 1
18	27.9	21.8	98	78	78	i 	18	29.8	20.8	9.7	68_	<u> </u>	·
19	27.7	21.5	99	78	 		19	30.5	20.4	98_	60	 ··	' !
20	27.8	21.6	98	72			20	30.4	20.9	96	62	1	•
21	28.4	21.3	99	70		•	21	30.2	21.1	9 <u>6</u>	64	 .	
22	27.9	(20.8	99	. 75			22	_ 31,4	22.0	. 95.	58	1	
23	30.1	20.4	99	62			23	31.1	21.4	94_	61		1
24	30.0	21.9	99	64	1		24	31.2	21.4	98	58	, , ·	; -
25	31.1	22.1	98	67			25	31.3	21.9	(99)	62	i	'
26	30.7	21.9	99	. 68	_	· 	26	30.0	21.7	96	67		
27	29.0	21.1	99	_ 71			27	31.2	21.2	98	64		
28	31.3	20.3	98	60			28	30.9	21.0	97	62		
29	31.5	21.0	98	64		 -	29	29.9	21.2	98	68	ļ	
30	31.6	21.3	98	60		<u> </u>	30	29.8	21.1	99	71	ļ	
31	31.5	321.2	99	57		!	31	29.7	19.7	(100)	71	<u>'</u>	
TOTAL	909.1	651.8	3053	2087		1		954.4	660.6	3021	1974		
DAYS	.]		 ,			, -L 			<u> </u>			 	
MEAN	29.33	21.0	<u> </u>	1 67	7	1		30.8	21.3	97.	5 63	!7	<u> </u>

R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER



		n ME T 		9 38	· · · · · · · · · · · · · · · · · · ·				0-4-4-	. 1	9 38	,	`- -
						r	•		October	· ·····	(%)	1	<u> </u>
j	TEMP (MIN.	R:H.	(%) MIN.	R (m/m)	E (m/m)		MAX.	` ' '	R, H,	MIN.	R (m/m)	[. E [(mi/m)
1	28.7	21.0	100	73	(//	(,,,,,,,,	1	27.5	(21.6		78	(,,	,,,,,,,,
2	30.8	21.4	98	64			2	26.6	21.0	(99)		! !	}
3	29.0	22.7	97	69			3	26.1	21.0	99	92	1	į — — — — — — — — — — — — — — — — — — —
4	27.2	22.3	97	79			4	28.2	22.0	98	80		
5	29.0	21.6	(98)	77		 	5	28.6	21.0	98 !	75		,
6	29.5	20.2	98	68			6	28.4	21.3	99	73		
7	28.9	21.3	99	76			7	26.3	21.3	98	81_	·	
8	29.4	21.5	99	70			8 1	25.8	20.8	97	81 _	! '	
9	29.0	21.0	99	70			9	26.7	(20.3	98	72	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	! !
10	28.9	21.9	99	75			10	30.9	18.9	97	65	<u> </u>	i • •
11	28.9	22.2	(98)	76			. 11 '	30.6	20.7	100	71	ļ	
12	28.7	21.9	98	75	· - (12	27.9	(21.4	(100)	73	ļ	! !
13	28,8	21.9	98	71		.	13	27.9	20.8	99	73	1 ,	
14	30,9	21.2	(99)	61	-		14	27.7	21.1	98_	_ 3a _	:	!
15	29.0	20.8	99	69	,		15	29.2	21.8	(99)	77	1	<u> </u>
16	30.9	(19.8)	97	64			16	29.7	21.4	98	_ 7 <u>8</u> _	ļ. — :	
17	30.9	19.9	98	64	-	! 	17	29.6	21.0	97	73		
18	30.8	21.6	96	64			18	27.5	(21.0		80 _		L
19	30.4	(20.6)	_ 96 _	67			19	23.8	I		68 _		
20 '	29.3	20.4	97	68			20	25.5	19.0	100	82	·	•
21	29.7	19.4	96	60		 -	21	25.8			78.	·	·
22	31.0	20.2	98	62		-	22	26.7			74		
23	28.5	21.2	96	64	•		23	27.6	18.6	97	69		- .
24	27.0	(21.6)	_98	78		; ;		25.3	,		81	+	•
25	25.1	20.8	99	87		!	25	27.8			80	<u>;</u>	<u></u> .
26		(21 <u>.5</u>)		98		 	26	29.4	1 1		<u>7</u> 5		. -
27	26.1	21.1	99	83	-		27	28.4	20.0		62		
28	28.3	20.4	_99_	69			28	28.9	20.0	100	66_	ļ	
29	28.2	21.2	98	73	i	! '	29	27.8	(20.2		66		
30	28.8	20.9	99	74	l	-	30	22.6	19.9		88	·	
31		,		<u> </u>	<u> </u>	1	31	28.4 854.9	19.9		70 2363	<u>;</u>	

NOTE - R.H. RELATIVE HUMIDITY IN PERCENT

R- RAINFALL IN MILLIMÈTER

E. EVAPORATION IN MILLIMETER

STATION: BON ME THUOT

November 19 38		J.11. DUL	THE TE	,	′	~				٠.		· · · · · · · ·		
MAX MIN MAX MIN (m/m) (m/m) MAX MIN MAX MIN (m/m) (m/m)		Nove	ember	1	9 38				Dece	mber (1	938		•
1 27,8 20,0 96 66	, '	TEMP	(C°)	R. H.	(%)	R	-E		`TEMP	(Ċ°) ·	R. H.	(%)	R	E
2 27.3 18.4 99 70 2 (21.9) (18.4) (98) (80) 3 27.7 18.3 98 70 3 25.8 18.8 97 76 4 25.5 21.0 98 81 4 27.4 20.8 97 72 5 28.8 (20.9) 97 67 5 25.2 (20.5) 95 73 6 28.8 19.2 96 65 7 28.5 20.8 (97) 71 7 27.0 16.6 94 61 8 31.1 20.3 98 51 8 24.9 (16.9) 91 56 9 30.0 20.2 98 62 9 24.4 16.5 (94) 61 10 30.6 19.8 98 63 10 22.3 17.5 95 80 11 29.6 (20.2) 96 59 11 26.5 17.5 95 74 12 25.4 19.9 (97) 82 12 25.4 19.9 96 79 13 22.0 19.7 97 94 13 26.6 20.6 95 71 14 23.7 19.7 97 82 14 21.6 20.2 (95) 87/ 15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 19.8 93 71 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.4 (18.4) 95 65 19 28.0 16.6 97 61 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.5 16.4 97 68 22 26.7 18.7 (92) 64 24 24.1 (166) 98 71 24 22.6 18.7 (92) 64 25 20.0 16.2 99 74 22 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26 27 26.7 18.7 (92) 64 26 17.1 16.1 99 97 4 22 26.7 18.7 (92) 64 27 20.0 16.1 98 88 27 22 26.7 18.7 (92) 64 28 25.2 18.3 (100) 84 22 25.6 18.4 (94) 65 29 26.6 19.0 100 78 22 25.5 17.5 93 65 10 17.5 93 65 10 18 25.5 17.5 93 65		,					4.		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
2 27.5 18.4 99 70 2 2 (21.9) (18.4) (98) (80) 3 27.7 18.3 98 70 3 25.8 18.8 97 76 4 25.5 21.0 98 81 4 27.4 20.8 97 72 5 28.8 (20.9) 97 67 5 25.2 (20.5) 95 73 6 28.8 19.2 96 65 65 6 25.5 (18.3) (88) 65 7 28.5 20.8 (97) 71 7 27.0 16.6 94 61 8 31.1 20.3 98 51 8 24.9 (16.9) 91 56 10 30.6 19.8 98 63 10 22.3 17.5 95 80 11 29.6 (20.5) 96 59 11 26.5 17.5 95 74 12 25.4 19.9 (97) 82 12 25.4 19.9 96 79 13 22.0 19.7 97 94 13 26.6 20.6 95 71 14 23.7 19.7 97 82 14 21.6 20.2 (95) 87/ 15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 (21.1) 92 97 17 25.4 (18.4) 95 65 19.8 28.1 17.5 96 64 18 26.6 (21.1) 92 67 18 28.1 17.5 95 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 15.6 97 63 22 27.9 16.1 95 56 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.5 16.4 97 68 22 26.7 18.7 93 66 24 24.1 (166) 98 71 24 25.6 16.8 94 55 25 20.0 16.2 99 74 22 26.8 17.5 95 64 26 27 20.0 16.1 98 88 21 22 26.8 17.5 95 66 27 20.0 16.1 98 88 21 22 26.8 17.5 95 66 28 25.2 18.3 (100) 84 22 26.7 18.7 (92) 64 29 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 20 25.5 (18.6) 99 74 22 26.8 17.5 95 66 20 25.5 (18.6) 99 74 22 26.8 17.5 95 66 20 25.5 (18.6) 99 74 22 26.8 17.5 95 66 21 17.1 16.1 99 97 26 26.7 18.7 (92) 64 20 25.5 (18.6) 99 74 22 26.8 17.5 95 66 21 27.9 16.1 98 88 27 26.4 (18.5) (90) 65 20 25.5 (18.6) 99 74 22 26.8 17.5 93 66 21 27.9 16.1 98 88 27 26.4 (18.5) (90) 65 22 26.6 19.0 100 78 22 25.6 18.4 (94) 65 23 25.5 (18.6) 99 74 22 26.7 18.7 (92) 64 24 25.5 (18.6) 99 79 26 26.7 18.7 (92) 64 25 26.6 19.0 100 78 22 25.6 18.4 (94) 65 26 27 26.4 (18.5) (90) 65 27 26.6 19.0 100 78 22 25.6 18.4 (94) 65 28 25.5 (18.6) 99 79 30 24.1 17.4 (95) 67 31 31 25.9 17.5 93 65	- 1	27.8	20.0	96	66			` 1	26.5	18.1	95	73		
3 27.7 18.3 98 70 3 25.8 18.8 97 76 4 25.5 21.0 98 81 4 27.4 20.8 97 72 5 28.8 (20.9) 97 67 5 25.2 (20.5) 95 73 6 28.8 19.2 96 65 6 6 25.5 (18.3) (88) 65 7 28.5 20.8 (97) 71 7 27.0 16.6 94 61 8 31.1 20.3 98 51 8 24.9 (16.9) 91 56 9 30.0 20.2 98 662 9 24.4 16.5 (94) 61 10 30.6 19.8 98 63 10 22.3 17.5 95 80 11 29.6 (20.3) 96 59 11 26.5 17.5 95 74 12 25.4 19.9 (97) 82 12 25.4 19.9 96 79 13 22.0 19.7 97 94 13 26.6 20.6 95 71 14 23.7 19.7 97 82 14 21.6 20.2 (95) 87/1 15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 19.8 93 71 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 17.6 (91) 64 21 28.6 16.6 94 55 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 22 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 26 26.8 17.5 95 61 26 17.1 16.1 99 97 26 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.5 (19.6) 99 79 30 26.4 (18.5) (90) 65 29 26.6 19.0 100 78 29 25.5 18.4 (94) 65 20 22.5 (19.6) 99 79 30 30 24.1 17.4 (95) 67 30 25.5 (19.6) 99 79 30 30 24.1 17.4 (95) 67 31 31 25.5 17.5 93 65 1014 775.0 565.9 2901 2170 805.5 564.7 2322 2092.	2				70			2	(21.9)	(18.4)	(98)	(80)		
4 27.5 21.0 98 81 4 27.4 20.8 97 72 5 28.8 (20.9) 97 67 5 25.2 (20.5) 95 73 6 28.8 19.2 96 65 6 25.5 (18.3) (88) 65 7 28.5 20.8 (97) 71 7 7 27.0 16.6 94 61 8 31.1 20.3 98 51 8 24.9 (16.9) 91 56 10 30.6 19.8 98 63 10 22.3 17.5 95 80 11 29.6 (20.2) 96 59 11 26.5 17.5 95 74 12 25.4 19.9 (97) 82 12 25.4 19.9 96 79 13 22.0 19.7 97 94 13 26.6 20.6 95 71 14 23.7 19.7 97 82 14 21.6 20.2 (95) 871 15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 19.8 93 71 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 16.4 97 68 22 27.9 16.1 95 56 22 26.3 16.4 97 68 22 27.9 16.1 95 56 23 26.3 16.4 97 68 22 27.9 16.1 95 56 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 26 17.1 16.1 99 97 26 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 (92) 64 26 17.1 16.1 98 88 27 26.4 (18.5) (90) 65 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.5 (19.6) 99 79 30 30 24.1 17.4 (95) 67 30 25.5 (19.6) 99 79 30 30 24.1 17.4 (95) 67 31 31 25.5 17.5 93 65 1014 775.0 565.9 2901 2170 805.5 564.7 2922 2092	3				70			3	25.8	18.8	97	76		
5 28.8 (20.9) 97 67 5 25.2 (20.5) 95 73 6 28.8 (19.2) 96 65 6 25.5 (18.3) (88) (65) 7 7 28.5 (20.8) (97) 71 7 27.0 (16.6) 94 61 8 31.1 (20.3) 98 51 8 24.9 (16.9) 91 56 9 30.0 (20.2) 98 62 9 24.4 (16.5) (94) 61 1 10 30.6 (19.8) 98 63 10 22.3 (17.5) 95 74 12 29.6 (20.3) 96 59 11 26.5 (20.6) 95 71 12 29.6 (19.3) 96 79 32 12 25.4 (19.9) 96 79 13 22.0 (19.7) 97 94 13 26.6 (20.6) 95 71 14 23.7 (19.7) 97 82 12 21.6 (20.2) (95) 67 15 25.3 (19.7) <	4				81			4	27.4	20.8	97	72		
6 28.8 19.2 96 65	5			,				5	25.2	(20.5	95	73		1
8 31.1 20.3 98 51 8 24.9 (16.9) 91 56 1 9 30.0 20.2 98 62 9 24.4 16.5 (94) 61 1 10 30.6 19.8 98 63 10 22.3 17.5 95 80 11 29.6 (20.5) 96 59 11 26.5 17.5 95 74 12 25.4 19.9 (97) 82 12 25.4 19.9 96 79 13 26.6 20.6 95 71 14 23.7 19.7 97 94 13 26.6 20.6 95 71 14 23.7 19.7 97 82 14 21.6 20.2 (95) \$\frac{1}{3}\$ \$\fr	6				65_			6	25.5	(18.3	(88)	65	 	,
9 30.0 20.2 98 62 9 24.4 16.5 94 61 10 30.6 19.8 98 63 10 22.3 17.5 95 80 11 29.6 (20.5) 96 59 11 26.5 17.5 95 74 12 25.4 19.9 (97) 82 12 25.4 19.9 96 79 13 22.0 19.7 97 94 13 26.6 20.6 95 71 14 23.7 19.7 97 82 14 21.6 20.2 (95) 87.7 15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.9 19.9 95 73 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 28.1 17.5 96 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 22 26.6 15.6 97 68 22 27.9 16.1 95 56 22 20.0 16.2 99 74 25.6 16.8 94 65 22 20.0 16.1 98 97 1 25.6 16.1 98 98 17 1 25.6 16.1 98 98 17 1 25.6 16.1 98 98 17 1 25.6 16.1 98 98 17 1 25.6 16.1 98 98 17 1 25.6 16.1 98 98 17 1 25.6 16.1 98 98 17 1 25.6 16.1 98 98 17 1 25.6 16.8 94 65 22 20.0 16.2 99 74 25 26.7 18.7 (92) 64 25 26.6 19.0 10.0 84 28 25.6 18.4 (94) 65 20 26.6 19.0 10.0 78 29 25.3 17.6 99 46 4 28 25.6 18.4 (94) 65 20 26.6 19.0 100 78 29 25.3 17.6 99 66 20 27.7 17.7 (92) 64 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 20 26.6 19.0 100 78 29 25.3 17.6 94 64 29 25.5 (19.6) 99 79 26 26.4 (18.5) (90) 65 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 25.9 17.5 93 65 10 24.1 17.4 (95) 67 31 25.9 17.5 93 65 10 24.1 17.4 (95) 67 31 25.9 17.5 93 65 10 24.1 17.4 (95) 67 31 25.9 17.5 93 65 10 24.1 17.4 (95) 67 31 25.9 17.5 93 65 10 24.1 17.4 (95) 67 31 25.9 17.5 93 65 10 24.1 27.9 22.2 20.9 20.9 20 24.1 27.9 20.0 24.1 27.9 22.2 20.9 20.0 24.1 27.9 22.2 20.9 24.1 27.9 22.2 20.9 24.1 27.9 22.2 20.9 24.1 27.9 22.2 20.9 24.1 27.9 22.2 20.9 24.1 27.9 20.0 24.1 27.9 22.2 20.9 24.1 27.9 22.2 20.9 24.1 27.9 22.2 20.9 24.1 27.9 20.0 24.1 27.9 2	7				71			7	27.0	16.6	94	61	 	
9 30.0 20.2 98 62 9 24.4 16.5 (94) 61 10 30.6 19.8 98 63 10 22.3 17.5 95 80 11 29.6 (20.3) 96 59 11 26.5 17.5 95 74 12 25.4 19.9 (97) 82 12 25.4 19.9 96 79 13 22.0 19.7 97 94 13 26.6 20.2 (95) 87.1 14 23.7 19.7 97 82 14 21.6 20.2 (95) 87.1 15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 [19.8] 93 71 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 55 21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 22 27.9 16.1 95 56 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 (92) 64 26 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 27.9 17.5 93 65	8	31.1	20.3	98	51			8	24.9.	(16.9	91.	56	; [
11 29.6 (20.3) 96 59 11 26.5 17.5 95 74 12 25.4 19.9 (97) 82 12 25.4 19.9 96 79 13 22.0 19.7 97 94 13 26.6 20.6 95 71 14 23.7 19.7 97 82 14 21.6 20.2 (95) 187) 15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 19.8 93 71 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 22 29.0 16.9 94 56 21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 22 26.3 15.6 97 65 22 27.9 16.1 95 56 23 26.5 16.4 97 68 23 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 31 35.5 564.7 2322 2092	, 9		17	98	62			9	24.4	16.5	(94)	61_		! !
12 25.4 19.9 (97) 82 12 25.4 19.9 96 79 13 22.0 19.7 97 94 13 26.6 20.6 95 71 14 23.7 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 19.8 93 71 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 20 24.2 17.2 96 66 22 29.0 16.9 94 55 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.8 17.5 95 61 24 24.1 (166) 98 71 25 26.7 18.7 93 66 26 27 20.0 16.2 99 74 25 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 26.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 29 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 31 25.9 17.5 93 65 31 31 25.9 17.5 93 65 31 31 25.9 17.5 93 65 31 31 25.9 17.5 93 65 31 31 25.9 17.5 93 65 31 31 25.9 17.5 93 65 31 31 32.5 31.5 31 32.5 31.5 31 32.5 31.5 31 32.5 31.5 32.2 30.92 30.2	10	30.6	19.8	98 (63			10	22.3	17.5	95	80	1	<u>;</u> , ,
13 22.0 19.7 97 94 13 26.6 20.6 95 71 14 23.7 19.7 97 82 14 21.6 20.2 (95) 187; 15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 19.8 93 71 72.5 19.2 92 74 74 74 75 74 75 75 75	ıì	29.6	(20.3)	96	59			11	26.5	17.5	95	7.4	 	ļ
14 23.7 19.7 97 82 14 21.6 20.2 (95) 87;) 15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 19.8 93 71 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 23 26.8 17	12	25.4	(19.9	(97)	82		- <u></u>	12	25.4	19.9	96	79	<u> </u>	ļ
15 25.3 19.7 96 76 15 24.9 19.9 95 73 16 24.5 (20.3) 90 73 16 26.6 19.8 93 71 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 23 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 (92) 64 26 17.1 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 28 25.6 18.4 (94) 65 30 25.5 (19.6) 99 79 31 25.9 17.5 93 65 10TAL 775.0 565.9 2901 2170 805.5 564.7 2922 2092.	13	22.0	19.7	97	94			13	26.6	20.6	95	71_,	ì	·
16 24.5 (20.3) 90 73 16 26.6 19.8 93 71 17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 23 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.1 98 88 27 26.4 (18.7	14	23.7	19.7	97	82			14	21.6	20.2	(95)	<i>फ्यु</i>)		
17 25.8 19.2 92 74 17 27.3 (19.6) (93) 67 18 26.6 (21.1) 92 67 18 28.1 17.5 96 64 19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 23 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 25.9 17.5 93 65 101A1 775.0 565.9 2901 2170 805.5 564.7 2922 2092.	15	25.3	19.7	96	76	1		15	24.9	19.9	95	73	! 	<u> </u>
17	16	24.5	(20.3	90	73_	<u> </u>		16	26.6	19.8	93	71		
19 25.4 (18.4) 95 65 19 28.0 16.6 97 61 20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 56 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 23 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 25.9 17.5 93 65 101AL 775.0 565.9 2901 2170 805.5 564.7 2922 2092 2092 2094	17			1	!			17	27.3	(19.6	(93)	67		
20 24.2 17.2 96 66 20 29.0 16.9 94 56 21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 23 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 93 66 26 17.1 16.1 99 97 26 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 .25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6	18	26.6	(21.1	92	67			18	28.1	17.5	96	_ 64_	<u></u>	
21 25.3 (17.6) (91) 64 21 28.6 16.6 94 55 22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 23 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 1	19	25.4	(18.4	95	65			19	28.0	16.6	97	61		1
22 26.3 15.6 97 63 22 27.9 16.1 95 56 23 26.3 16.4 97 68 23 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 31 25.9 17.5 93 65 DAYS 30 20.5 564.7 2922 2092.	20	24.2	17.2	96	. 66	<u> </u>		20	29.0	16.9	94	56	!	•
23 26.3 16.4 97 68 23 26.8 17.5 95 61 24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 31 25.9 17.5 93 65 DAYS 805.5 564.7 2922.2 2092.	21	25.3	(17.6	(91)	64			21	28.6	16.6	94	55	-	
24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 (18.7) 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 31 25.9 17.5 93 65 TOTAL 775.0 565.9 2901 2170 805.5 564.7 2922 2092.	22	26.3	15.6	97	63	1		22	27.9	16.1	95	56		. .
24 24.1 (166) 98 71 24 25.6 16.8 94 65 25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 25.9 17.5 93 65 TOTAL 775.0 565.9 2901 2170 805.5 564.7 2922 2092.	23	26.3	_16.4	97	68	1	_	23	26.8	, 17.5	95_	<u>6</u> 1	_	:
25 20.0 16.2 99 74 25 26.7 18.7 (92) 64 26 17.1 16.1 99 97 26 26.7 18.7 93 66 27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 31 25.9 17.5 93 65 DAYS 805.5 564.7 2922 2092	24	1	ŧ	!	71			24	25.6	16.8	94	65	+	
27 20.0 16.1 98 88 27 26.4 (18.5) (90) 65 28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 31 31 35.9 17.5 93 65 TOTAL 775.0 565.9 2901 2170 805.5 564.7 2922 2092.	25		1	ŗ	74	!	<u> </u>	25	26.7	18.7	(92)	64_		
28 25.2 18.3 (100) 84 28 25.6 18.4 (94) 65 29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 31 31 25.9 17.5 93 65 TOTAL 775.0 565.9 2901 2170 805.5 564.7 2922 2092.	26	17.1	16.1	99	_97	!	i		26.7		93_	66		
29 26.6 19.0 100 78 29 25.3 17.6 94 64 30 25.5 (19.6) 99 79 31 25.9 17.5 93 65 TOTAL 775.0 565.9 2901 2170 805.5 564.7 2922 2092.	27	20.0	16.1	98	88	<u> </u>	ļ	27	26.4	(18.5	(90)	65		
30 25.5 (19.6) 99 79 30 24.1 17.4 (95) 67 31 25.9 17.5 93 65 TOTAL 775.0 565.9 2901 2170 805.5 564.7 2922 2092.	- 28	25.2	18.3	(100)	84	!		28	_25.6	18.4	(94)	65_		
31 25.9 17.5 93 65 TOTAL 775.0 565.9 2901 2170 805.5 564.7 2922 2092. DAYS	. 29	26.6	19.0	100	78	ļ		29	25.3	17.6	94_	64		.
TOTAL 775.0 565.9 2901 2170 805.5 564.7 2922 2092.	30	25.5	(19.6	99_	79_			30	24.1	17.4	(95)	67		
DAYS	31	<u> </u>	1			<u> </u>	1	31	25.9	17.5	93	65	<u> </u>	1
	IOTÁI	775.0	565.9	2901	2170			1	805.5	564.7	2922	2092.	:	-
MEAN 25.8 18.9 96.7 72.3 26.0 18.2 94.3 67.5	DĀYS	S 44	- A			.l	ļ			<u> </u>			ļ	.
	MEAN	25.8		96	7 72	3	<u> </u>	<u> </u>	26.0	18,2	94.	3 67.	<u>5</u>	<u> </u>

NOTE R.H. RELĂTIVE HUMIDITY IN PERCENT
R. PRAINFALL ÎN MILLIMETER
E EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

												····	
		Janus	iry l	9 39	•	•			Febru	ary i	9 39		* *
	TEMP	(C°)	R. H.	(%)	R	,		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN,	MAX.	MIN,	(m/m)	(m/m)	i	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	25.5	18.8	(95)	70			1	29.8	17.7	(88)	53		
2	25.2	20.0	(97)	73			2	29.5	17.7	91	50		
3	25.3	20.2	98,	79 ن			3 	27.8	16.3	93	50	·	.
4	27.7	19.4	95	65		! 	4	26.6	(16.0		50		
5	27.9	19.8	92	60		f <u> </u>	5	26.5	15.4		47		
6	27.2	18.7	93	60		ļ	6 	28.7	14.4	93	49		,
7	26.2	18.8	95 i	60			7	27.8	15.4	89	46		
8	25.3	17.0	97	<u>68</u>		ļ - -	8	27.5	17.7	90	50		
9	25.2	17.9	(97)	76			9	27.7	1 1		49.		i
10	21.0	18.0	99	86		<u> </u>	10	28.4	16.8		·	· · · · · · · · · · · · · · · · · · ·	
11	20.4	(17.6)	(95)	83			11	28.4	15.5		43	ļ	ļ ,
12	20.9	17.6	95	76			12	29.3	15.6	89	422		'
13	23.0	17.9	(96)	73		 	13	30.9	16.6	I	x	! '	i
14	23.1	17.9	96	74		1	14	27.6	16.6	94	47	,	
15	24.6	17.9	91	70	ı	1	15	27.5	18.5	x	49	'>;	<u> </u>
16	26.6	(17.8)	91_	65		1	16	27.6	18.0	(87)	50		
17	30.2	17.2	91	56			17	29.9	18.8	89	47	 	;
18	25.9	17.8	88	66	t		18	30.1	18.4	90	48	 	
19	23.2	17.9	(88)	70			19	31.5	18.8	<u>x</u>	41		L
20	26.9	17.9	89	58		1	20	31.0	19.5	I	52		
21	27.6	17.6	90	60	!		21	29.8	(20.4	89	51	1 1	
22	26.8	17.2	89	53		1	22	28.7	(19.3	90	47	<u></u>	<u> </u>
23	26.8	17.5	90	_54 ·			23	31.8	15.9	93	34) 	
24	26.3	16.6	90	53		i	24	31.8	16.8	91	33.	!	
25	29.6	15.5	89	50	1	!	25	1			47	!	
26	29.7	17.7	91	54	+	!	26	30.1	(20.0) 90	51	} } 	
27	28.7	'		59	1	,	27	32.9	16.7	90	40		
28	27.6	17.7	84	46			28	30.6	19.9	90	50		
29	28.6	15.7		44	1		29					<u> </u>	
30	27.7	17.7		52	1		30						i
31	29.7	17.7	90	52		<u> </u>	31						
TOTAL	801.4	1	2870	1965				820.7	486.6	2163	1261		I
DAYS					i → I	}							!
MEAN	26.1	17.9	92.6	63.4	1			29.3	17.4	90.1	46.7		*

NOTE R.H RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

	r	Ma	rch	⁹ 39					Apr	il 1	939	3	
	TEMP	(C°)	R. H.	(%)	R	E .	,	TEMP	(C°)	R. H.	(%)	R.	E
٠.	MAX.	MIN:	MAX.	MIN.	(m/m)	(m/m)		MAX,	MIN.	MAX.	MIN.	(m/m)	(m/m)
1,,	29.9	20.7	89	49			1	32.6	21.9	92	47		<u></u>
2	31,1	19.8	90	40			2	30.3	22.3	95	63		
3	34.1	19.0	89	38			3	33.2	22.0	95	52		
4	34.6	19.3					4	31.2	21.3	96	52		
5	34.9	20.7		<u> </u>			5	30.0	20.8	90	48		
6	34-3	19.2.					6	26.0	19.6	84	58		
7	33-4	18.8					7	24.2	18.6	83	63		
8	33.0	18.6	•				8	26.3	18.2	85	51		
9	33.2	20.0	91	35			9	28.9	19.0	85	48	 	ļ
410	33.1	22.2	87	39		,	10	27.0	21.5	82	65	,	
11	32.1	22.0	· 92	45_			11	30.0	21.8	84	52		12 435 1
12	31.0	21.0	94	53			12	32.1	21.2	88	47		· •
13	34.1	20.0	84	26			13	32.4	21.2	89	44	!	
14	34.1	21.3	83	34		1	14	32.1	21.5	90	51	l=	: !
15	31.1	21.1	93	42		1	15	32.0	22.0	88	45	; ;	
16	31.5	18.4	100	34		+	16	31.5	20.8	91	56	! !	
17.	30.1	21.52	89	47		1	17	30.4	20.8	93	53		<u> </u>
18	26.1	20.4	86	64		·	18	30.7	21.8	92	60		L
19	27.1	20.4	85	63			19	31.4	21.7	89	54		
20	31.1	20.5		49			20	32.1	21.5	89	52	1	1
21	33.4	20.1	90	40	; 		21	31.4	22.3	84	52		
22	33.1	21.1	91	44			22	32.4	22.0	89	56	i	
23	32.1	21.1	92	52		-	23	31.3	21.8	99	58	,	1
24	32.2	20.9	94	49	-	1	24	32.0	21.3	95	54		
25	34.1	20.5	92	27	1	}- }	25	30.4	22.3	97		:	1
26	33.0	20.8	87	34	1	1	26	30.3	122.0	93	63		
27	33.1	21.0	87	_46			27	28.2	22.0	95	73	 	
28	32.8	20.8	89	38			28	29.7	20.7	96	57	-	1
29	33.1	21.7	89	_40 :			29	29.9	21.6	1	62	1	i I
730	31.6	23.0	83	45		-	30	29.0	21.4		73		
. 31	32.1	23/12/2	* • •	45	-		31		·		ï '-		
	()		2323	1118	i			909.0	636.9	2715	1672		1
DAYS		0,00.0	_ <i>/</i>			· ·	-			- 1->			!
	32.3		89.3	43.0	-	'		30.3	21_2	90.5	55.7	,	

NOTE R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER, E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

SIAII	ON. DAM MEG	THOOT										• .
	1	fay i	9 39	, ,				Jı	ine l	9 ⁻ 39		3,
1	TEMP (C°)	R. H.	(%)	l R	E		TEMP	(C°).	R.H.	(%)	R	E
	MAX. MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	31.1 21.6	95	62)	30.0	21.6	97	67		<u> </u>
2	31.1 (22.3)	94	65		 	2	29.5	20.8	96	69		
3	29.6 21.7	95	58			3	28.5	21.7	96	76	<u> </u>	
4	30.6 22.4	93	58			4	28.6	21.3	97	69	 	,
5	31.5 21.8	93	60	<u> </u>		5	28.5	20.5	n	72		
6	31.6 21.7	95	60	<u> </u>		6	30.0	22.0	93	68		4 ₂ .
7	30.6 22.0	95	67			7	28.0	21.3	96	76		
8	31.4 21.7	96	51			8	30.3	20.0	97	59		ž • ;
9	30.6 22.2	98	63			9	_30.5_	21.8	94.	67_		
10	30.6 (22.2)	92	61			10	30.8	21.3	97	64	i 	t
11	30.6 21.5	93	61		1	11	30.3	22.8	93	67		:
12	29.6 22.6	91	_64			12	31.0	21.5	94.	62		
13	30.6 22.6	92	64			13	30.5	22.9	97	67		
14	30.6 22.3	92	64	!		14	29.7	21.0	97	72	! !	·
15	30.1 21.1	93	59			15	30.0	21.5	98	60	1	١,٠
16	32.1, 22.3	93	58		!	16	29.9	20.4	99	67		,
17	31.1 23.0	93	62	!	1	17	30.5	21.5	100	61		
18	31.1 22.6	93	59	1	j	18	31.0	21.3	98	65_		
19	31.9 21.5	,	60	ļ		19	29.5	21.5		69		
20	31.1 22.4	93	63			20	27.0	21.8	95	84	:	
21	31.5 22.0	94	61			21	28.0	20.8	95	70	1	
22	31.5 21.1	95	60	 !		22	29.3	21.2	95	66	! !	!
23	29.8 22.4	96	72	; → !	-	23	28.8	21.6	95	72	,	[
24	28.0 (22.1)	97	72	4	; -	24	30.6	21.0	96	69		•
25	28.8 21.7		78	•	i	25	30.5	19.9	94	62		,
26	27.6 21.2	96	77	<u> </u>	 	26	29.1	20.8	96	63	Ì	-
27	28.5 20.7	~	73	-	1	27	30.5	20.0	96	` 63		
28	29.1 21.0	: : 97	71	1	İ	28	29.5	20.8	∖97_	67_		
29	26.8 (20.5)		82	†		29	29.5	20.5	93	68		
30	28.6 21.3	95_	78		i - I	30						
31	27.0 21.4	•	77			31	-29.2	-21.2	93-	70-	 	
ļ	934.7 676.9		2020	<u> </u>]		889.1	636.3	2874	2031		
DAYS		.757.		t t	' = = = . 1					- 		
	30.1 21.8	94.3	65.2		·		29.6	21.2	95.7	67.5		
			<u> </u>	,							·	

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

	J.W	- I	uly ¹	939					Augus	t 1	9 39	<u> </u>	
				·				TEMP					
	TEMP MAX,	(C°)	R. H. MAX.	(%) MIN.	R (m/m)	E (m/m)	1	MAX.	(C°) .	R. H.		R (m/m)	E (m/m)
					(111/111).	ן עיייעיין ן	1	<u>-</u>				717	(,)
1	29.2	21.3	97	70		1	2	29,3	(22.5)	96	71		
. 2	30.0	21.2	95	66			3	29.1	20.9	95 98	. 75 77		
3	30.5	21.0	94	71 70			4	28.4	20.5	96	77		
4	30.0	21.4			<u> </u>			29.6	21.0	96	72		,
. 6	29.4	21.0	96	67		! 	6 1	30.9	21.0	99	64		
7	29.3	20.2	95	69 73			7	30.6	21.5	95	68		
8	30.2 27.0	20.7	99 100	73 82			8	31.4	21.8	95	64		
9			100				-	30.3		95	68		
10	27.2 27.5	21.0	. 100 	76 76		ļ	10	30.7	21.8	96	63		
11	29.0	(21.0	· · · · · · · · · · · · · · · · · · ·	76	!	<u>+</u>	11	30.6	20.9	96	67		
12	29.0	21.0	97	66			12	30.7	21.0	95	66		·
13	29.5	20.5	95	. 64		-	13	29.3	21.3	96	68		
14	28.5	20.7	96	77	-		14	30.1	20.0	96	64		
15	29.9	21.1	97	70] 	- 15	29.1	21.2	96	69		 } !
16	28.5	20.5		72	<u>.</u>	,	16	25.6	1	100	83	i	
17	29.9	21.0	_	68			17	25.7	21.8	99	87		i
18	29.5	21.5		72		- 	18	25.1		99	90		
19	29.5	21.2		72		.) 	19	22.9	·		94_		
20	29.5	21.5		74		i	20		20.2	-	91	1	1
21	28.5	21.9		71			21	28.5	1.	97	73) N
22	30.2	22.5		71			22	28.1	;		76	·	1
23	27.8	(22.0	****** ** **	84		-	23	27.5	20.5	100	77		-
24	29.2	20.8		72	, !	i [24	27.1	21.1	99	79	-	
25	30.2			68			25	28.6	20.8		75	1	1
26	30.2	· · · · · · · · · · · · · · · · · · ·	·	73	i	·	26		20.8	98	82	}	
27	29.0	22.5		75			27	27.9	20.8	98	82	.]	
28	29.2	1	ľ	70			28	26.6	(21.8)	98_	84	1	
29	30.0			74	1		29	26.5	! -	99	85	-	!
30	29.6	1 .)98_	75			30	24.9	21.8	99	93		
31	30.0	i	Í	71	! •		31	26.1	21.6	100	87		t
TOTAL	907.0			2235	1	1	,	870.6	654.8	3017	2374		1
DAYS			1										.,
₩EA	29.2	21.3	9672.	ż,72 : 1	71	1	2	28.1	21.1	97.3	76.5		

R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

													بي ب ب
•				MET	EORC)LOĠI	CAL	. REC	ORDS	}.,	•	•	ì
STATIO	ON: B	AN ME	THUOT .	,						-			100
		Septem	er l	⁹ 39		-			Octobe	r l	9 39	``	1.88
ļ	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	. R. H.	(%).	R	E
	MAX,	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	28.0	21.3	100	83			1	26.7	18.9	99	76		
2	28.6	21.5	98	76			2	27.1	20.0	99	76		, , ,
3	28.1	21.2	99	76			3	29.3	21.1	97	69		Υ.
4	29.5	21.5	97	75.		,	4	28.9	20.2	97	68		
5	27.3	21.2	99	80			5	31.2	21.3	97	67		
6	28.1	21.3	99	74			6	29.1	20.7	98	69	-	- m '2
7	29.1	20.6	99	74			7	28.4	21.2	97	71	- 1	(3
8	29.6	20.2	98	65			8	29.5	20.3	97	65 ⁻		•
9	30.1	21.2	96	69	h		9	29.4	20.8	96	62	!	,
10	31.1	19.9	96	68			10	29.1	22.3	96	73	,>	· .
11	29.9	19.8	96	65			. 11	29.1	21.2	96	70	•	, -
12	27.0	19.6	97	74			12	29.3	21.2	- 93	64		
13	30.1	21.0	97	66	-+		13	30.1	21.0	93	61	' !	
14	28.7	19.8	99	72	- -		14	30.7	20.5	95	58	•	`
15	27.3	21.0	99	73			15	30.6	21.5	94	66		
16	27.7	21.6	96	75_	• • • • • • • •		16	30.1	21.9	95	58	,	
17	29.0	21.1	99	74			17	30.1	21.0	96	-64		
18	27.1			74			18	29.8	20.5	96	57		7
19	28.4	20.8		79		{	19	29.4	19.0	97	58		
20	29.6	21.5	96	70			20	29,3	17.5	97	-61	ļ	
21	29.9	21.5		68	i	<u> </u>	21	30.1		96	64	<u>; </u>	
22	29.1	20.8	98	71			22	28.9		96	71	,	
23	28.1	20.9	100	72			23	26.4		95	80	 -	
24	26.2	20.8			-	l _ 1	24	28.9	·	. 94	72	'·	
25	_		99_	84		` !	25	30.1		95	62	i	
-	29.2 28.7	20.5 21.4	95 97	72		<u>'</u> I	26	30.4		96	59		
26 27	26.3	21.6		74 82		'	27	30.8	20.5	96	57	-	
28	27.3	21.5	* *	80			28			97	58		
29					·		29	30.4					
30	25.1	20.9		86			30	30.4 31.6	20.7 19.7	95 97	6 <u>3_</u> 56		
31	25.1	20.1	99	81			31						
	040.7	626 7	2076	0070			31	29.1	20.8	95	65		
DAYS	848.7	626.3	2936	2232				Q14.3	635.4	2977	2020		
	28.3	20.0	07.0	74 4		; 	 .	20 5	20.5	96.0	65.2		-
IEAIF	20.3	20.9	97.9	74.4			<u></u>	29.5	20.5	30.0	07.2	1	

NOTE _ R.H. ' RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER -

STATION: BAN ME THUOT

2 - 41		Vovembe	r. ,	9√ 3 9		•	,	•	Decemb	per !	939		,
3, " 4,21	TEMP	(C°)	R. H.	(%)	R	E	_	TEMP	(C°)	R. H.	(%)	R	E
· ·	MAX*	MIN.	MAX.	MIN.	(m/m)	(m/m).	.	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	26.8	- 21.6	- 94	77	-		. 1	24.8	20.1	97	84		
2	29.9	21:4	95	59		 	2	24.9	19.3	97	74		
· 3	27.8	20.9	97	69	-		3	24.5	19.0	95	69		, •
 - 4	23.7	21.3	97	90			4	24.3	16.8	93	64		
5'	25.2	21.7	.94	81			້ 5	22.8	14.2	97	66		
6	29.7	21.8	95	67			6	23.1	14.1	99	64		,
.7	29.3.	22.4	96	.70	<u>-</u>		7	23.4	13.2	- 99	61		
8	28.3	22.2	96	72			8	24.6	15,2	93	70		
9.	28.6	20.5	96	59			- 9	25.7	18.7	98	70	!	
10	27.1	17.7		-'63			10	26.3	17.8	94	56		
71	27.1	20.7	94	62			11	24.2	18.5	94	70	-	i
12	27.2	19.7	97	78			12	25.0	17.5	95	72		
13	29.9	21.5	94	68			13	24.0	18.6	93	72		,
14	26.3	22.3	94	74			14	24.3	17.4	94	57	-	
15	28.6	21.8	95	65			15	25.2	17.9	94	66	i	
16	28.6	22.2	96	69	i	i	16	24.8	18.9	97	. 7 1		,
17	27.9	22.2	94	74			17	24.6	15.6	90	62		1
18	26.1	22.1	· 96	78	1		18	24.7	12.6	100	64		!
19	29.1	21.5	96				19	23.8	14.9	98	63		
20	··29.4	20.6		,			20	24.9	14.8	93	61	1	!
21	28.6	21.8	96	71			21	25.1	15.4	93	60	1	!
22	30.1	`20.9		68			22	23.0	16.7	97	76	1	
23	29.4	20.9	97	64	 	ţ	23	-	15.7	92	62	.1	,
24	31.0	22.3	.96		.	,	24	•	13.6		58	t	· ·
25	30.4	21.5	96	61		- 1	25	1	14.0	, †	70]	,
26	28.7	. 20.4	94	61		!	26		15.8	96	50		
`27	26.1	21.3	95	78	:	 	27		15.3	97	64		
28	,24,9	20.3		78	i		28	21.3		93	78		ĺ
29	22.1	19.9		94		,	29	23.8		95	61.		
30	22.8	20.8		89	1		30	23.2	16.4	88	61		
, 31 -	, , ,	, , , ,		, , , , , , , , , , , , , , , , , , ,	,	1	. 31	:24.3	15.2	x	×	,	
TOTAL	830.7	636.2	2872	2128		1 .	1		505.3	2853	1976		
DAYS		17/2	,		{ {	1	, .	,	•				
	27.7	21.2	95.7	70.9		1:		24.2	16.3	95.1	65.9		

NOTE R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL, IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

	•						 -		***			, , ,	*2.3m \$	Ť
, ,		Janua	ry 1	9 55	• (3 •	,	* **		Februs	***	9 55			
*	TEMP	(C _o)	R. H.	(%)	R	, <u>E</u> ,	,	TEMP.	(C°)	∙R.Ĥ.	(%)	\ Ř	É,	1
	-MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		·MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	
12	25.1	19.2			1.6		1	30.4	13.8	ν, <u>i</u>	. 7.	1/4		
2	27.4	20.2		[,			2	30.8	13.2			.//~		١
. 3	26.7	19.2			1	i	3	31.8	12.0	() ()		12. 7		ا
,4	27.0	18.5				1	4	30.0	16.4				1	4
5	25.4	16.9			0.5		5	32.3	14.3	l ,	<u> `.</u>		12 X	
6	25.6	14.9		••			6	31.8	15:0				1,70	
7	22.7	14.6					7	33.4	15.2	; (77.	_
8-	23.2	16.0	+	•			8	32.7	16.0	!			*	4
9	21.4	15.7			 		9	33.1	18.5) . `! 		
10	18:5	12.1					10	34.5	18.6	•				
11	18.2	10.2			1		11	29.4	18.0		1] {		
12	20.1	9.8					12	28.5	16.6		; . .			
13	23.5	13.2				L	13	28.7	18.4	-	; ,	ļ	j.	٠,
14	23.8	16.8				· 	14	28.7	17.3	 	! !			
15	19.8	16.2		; ;		1	15	28.8	18.6	<u> </u>		` <u>.</u>		
16	20.9	15.0		-	1		16	27.7	17.7				1	
17	21.0	14.0					17	29.3	16.8		i h	Í	 	
18	22.6	14.1		; 1	ا ماسيا	r r	18	27.8	15.3	1			ļ	•
19	24.0	15.6				1	19	30.0	18.7		! ,			,
20	22.2	17.4			1		20 -	28.0	18.3				- /*	
21	22.9	14.8			1		21	22.0	16.1	!				_
22	24.8	14.4		, 	i.		22	24 .4	15.0	1		; 		:
23	25.1	15.7		i 			23	26.1	15.0				1,	4
24	26.3	15.8					24	29.2	15.7		1		,-	, -
25	28.6	16.0	1		!		25	30.2	15.0	1		1		_
26	27.0	17.0			***		26	30.8	16.0			_ , _		_
27	25.2	18.2		!			27	29.1	16.6	'] 		
28	26.8	17.9	1				28	29.8	16.6				18	
29	26.7	17.3				-	29	 1))		1	ļ		`
30	26.8	16.9					30	: _ i		1		1		
· 31	27.7	16.4	<u> </u>	1	<u> </u>	1	,31		† †	1		1	500	-
TOTAL	747.0	490.0			2.1		,	829.3	454.7			0,		,
DAYS								-7	L	ļ	/	1		
MEAŅ	24.Y	15.8	ł	• •		-	,	29.6	16.2		,		1 7 - 1	,
														_

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER : (*)

E. EVAPORATION IN MILLIMETER

NIPPON KOEI CO., LTD. TOKYO

1,81

STATION: BAN ME THUOT

,	Marc	ch 1	9 55				•	Ąp	ril	19 55		
TEM	(C°)	R.H.	(%)	,	E -	į	TEMP	(C°)	R.H.	(%)	R	E
MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	i	MAX.	MIN.	MAX.	MIN.	' (m/m)	(m/m)
1 32.0	15.7			i		1	33.6	19.3		1	!	
2 31.0	15.4	-	1			2	35.0	18.4		`, - 1	1	i i
3 32.6	16.6	1		:	•	3	35.0	19.6	•	ŗ.		_
4 33.1	16.7	•	I	:		4	32.2	29.9		;	,	l
5 34.0	16.0	, - I	l	İ		5	30.4	21.4		į	1	!
6 32.7	20.0)		1	6	31.1	21.2		1	1	
7 32.3	19.0	•		1	·}	7	31.8	20.2			•	i -
8 32.2	18.5	!		-	-	8	32.4	20.4		-1		
9 32.2	17.8	, !		 	1	9	33.0	18.4		1		<u>-</u>
10 30.0	18.7	ι -	•	1	1	10	33.5	<i>2</i> 0,•8				
11 30.0	18.0	<u> </u>	1	1		11	34.6	21.3				1
12 31.3	18.4	•		;		12	34.4	20.1				!
13 29.0	19.2	ι		ì		13	34.4	19.9		•	1	1
14 30.5	19.1	!]	•	-;		14	34.7	20.7	- I		,	
15 29.8	18.4			1		15	35.0	20.8	I		ı	
16 30.5	19.6		1	•		16	34.9	21.0				
17 34.1	18.8		1 1		-	17	35.4	22.3	į -	1	i	
18 34.9	, 18.4		,	•		18	35.1	20,6			4.0	1
19 33.7	18.8		1	;	,	19	34.8	19.6	•	1	•	, -
20 34 - 3	17.8	1	1			20	32.8	19.6	1	1		
21 34.3	19.6	i	1			21	30.6	19.9	,		, 0.1	
22 34.8	î 17 . 9	•	;	•	į	22	31.0	19.8	1	_	0.0	<u> </u>
23 33.9	17.9	!	•		i	23	30.9	19.0		,		
24 31.6	18.2	1		,		24	32.0	19.7	1	1		
25 32.3	19.4	1	-	1	1	25	31.8	19.6		1	,	1 -
26 32.4	20.0		,		·	26	52.1	20.9	1		,	,
27 31.	20.0				İ	27	31.8	20.5		1	,	
28 31.6	19.8	-	_,		1	28	32.5	20.8	1	,		İ
29 33 (19.6	-			' -	29	74.6	20.9	. •			1
30 33.	19.2	!		2.3	1	30	33.7	21.2			11.5	i
31 32.	20.5	٠,	1		·	31	-	1	1	ļ	1	
TOTAL 1000.				2.3	r		1995.1	608.8	· · · · · · · · · · · · · · · · · · ·	1	15.6	1
DAYS	- -		·	- (-	ı	٠ -		,	1— 1	j
MEAN 32	3 Ti8.5		!	; †		-	33.2	20.3	i	- - -		

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

;	·	liay 1	9 55		4	-		\$- ⁴	June 1	9 55	^ •	, , , , , , , , , , , , , , , , , , ,
TEI	1P (C°)	R.H.	(%)	R	Ε÷	-	TEMP	(C°)	R.H.	(%)	R	`E.
MAX		MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1 33.	3 21.4	j	į	.	ļ	1	29.4	21.4		1	19.0	
2 34 •	19.8		·	7.0		2	28.5	20.3	1		14.7	
3 34.	21.1	· [,	!		3	28.2	21.4	1		1.2	
4 33.	4 20.4		1	1	-	4	29.0	21.4	1		13.0	
5 31.	2 21.6	1		1		5	28.7	21.5	. 1		43.2	
6 34.	4 ; 20.6	j i	1	1		6	27.3	20.2			4.7	
7 33.	20.3	-	-	8.0	!	7	30.5	21.4	,	! _		
8 32.	20.7	ŧ		2.3	1	8	50.1	21.Ó			20.0	
9 34.	5 22.2	+	!	1	1	9	31.0	20.8	:		2.7	, , , , , , , , , , , , , , , , , , , ,
10 32.	2 , 21.5	,	<u> </u>	1	•	10	30.5	21.4			1	<u> </u>
11 32.	0 · 21.8		,	15.4		11	29.6	20.6	1	:		
12 32.	7 21.2	•	_	12.0		12	30.2	20.6		i	0.8	Ì
13 31.	4 22.2	1	•	55-2	1	13	29.1	21.0	; ., .	,	4.3	
14 30.	5 21.4	1		1.7	i	14	29.5	20.4	ì	·	4.7	
15 32.	o ¦ 20.8	1	!		1	15	30.9	21.9		i	10.7	
16 33.	8 20.9	i	1	1	,	16	28.1	21.7		; -t	6.0	1
17 33.	7 20.7	;		•		17	31.1	21.4		,	!	
18 33.	22.0		i	15.0		18	31.0	20.1	ļ		3.1	Ì
19 31.	2 21.4	!		2.0		19	31.4	19.4	j	!	29.7	!
20 32.	1 ; 21.3	į.]	1.4	;	20	28.0	20.2		1	1.6	
21 27.	6 , 22.2	,	!	0.3	1_	21	28.9	19.6		1	2.9	
22 31.	0 21.6		1.	4.8		22	28.5	့ သ.၀		į	10.0	. ي
23 30.	1 20.0		1	39.0	1	23	28.4	19.8		 	3.8	
24 29.	8 22.4	t		17.0		24	24.2	21.2			18.3	
25 28.	3 21.2		·	0.8	1	25	22.5	20.7	!		19.6	<u> </u>
26 28.	3 22-5		I			26	26.2	1 21.8	1		1	
27 29	5 21.9		r -1		1	27		20.5	1 .	 -	13.8	
28 29	7 22.1			5.8	ļ	28	27.4	20.4	1	;	1.2	
29 29.	2 20.6		1	16.0	1	29	28.0	: 20.3	;	; ;	4.9	
30 30	5 , 21.6	•	1		1 1	30	28.9	20.8			1.0	
31 29	0 21.8	<u> </u>	1	2.7	1	31	4	ţ	ì	`	1	
TOTAL 987.	7 651.2	i i		196.4	i		861.5	623.2	<u> </u>		254.9	.! .
DAYS												•
MEAN 31	9 21.3				1		26.7	20.8	<u> </u>			·] ,

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN HE THUOT

		<u> </u>	July 1	955 · -			,-	·	Aug	ıst 1	9 55	• •	F 50 1
	TEMP	(C°)	R. H.	(%)	R	; ! E	ļ	TEMP	(C°)	, R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	•	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	28.2	19.0		! .	1.7		1	31.2	19.5			21.0	
2	29.1	20.0		-	12.6		2	30.9	18.6				,
3	29.4	21.6	······		1	1	3	29.1	20.0	 1	1	0.8	
4	30.4	21.8			0.2		4	29.7	19.6	' 		1	
5	29.6	20.9			45.0	-	5	31.3	19.1		- .	1.3	
, 6	26.2	20.2			4.5	1	6	25.2	21.0	,		21.0	۳
7	29.4	20.9	 ' ,		25.5	1	7	29.2	20.7	•	- 		
8	27.7	21.3			-	1	8	28.9	20.3	•	!	8.4	
9	30.0	19.5			102.0		9	29.7	21.0		!	0.8	! !
10	29.4	20.4	i				10	31.1	20.6	· 	; !	36.8	
11	30.0	20.7	!	1	0.2	!	11	31.1	20.9	 		0.8	
12	30.0	19.2	· - ·	:	11.7	1	12	29.8	20.5	1		1.6	
13	28.7	19.6		†* 1			13	30.2	20.3	1	1	3.0	
14	29.8	19.2		:	4.6	:	14	29.6	18.7		•	0.7	
15	28.3	[20.i	-	} 1	5.2	1	15	29.7	20.0	1		<u> </u>	1
16	29.9	21.2		!	4.8	1	16	29.9	21.0		.]	65.6	
17	28.4	21.3		1 -	10.0		17	28.8	20.5			13.3	_
18	29.6	20.0		1	4	-	18	28.8	20.8			25.0	: :}
19	29.8	20.9		1	1		19	30.0	19.1	1		69.0	{ -,
20	31.0	21.1		1	1.0		20	28.3	19.3	1		62.3	<u> </u>
21	31.2	21.2	;		0.8		21	28.4	19.6	; ! -		<u> </u>	
22	30.9	20.4			i		22	29.7	19.4	i		.	
23	30.5	20.0			1.0		23	28.5	20.6	•	. !	24.8	
24	30.6	20.1	1	}		_	24	25.8	+ 21.0	1-	1	, 22•9	ļ
25	31.2	19.1	-		10.0	·	25	26.0	21.1			!]
26	30.0	18.7)		26	, 28.7	21.0	•	,	19.6	
27	31.0	20.0	1		12.7		27	26.9	1	t	,	16.0	
28	31.0	21.0	1		-, -		28	28.2	, 50.6		•	,	
29	30.6	20.0			5.8	!	29	29.3	20.0	i	1	0.4	
30	30.3	19.8		1	27.7		30	30.1	20.9			<u> </u>	
31	30.4	19.6	1	!	•	1	31	29.1	20.6		<u> </u>	1.0	<u> </u>
TOTAL	L922.6	628.8			287.0		_	903.2	627.6	-		416.1	
DAYS	-i										·		- , -
WEAD	29.8	20.3				ł		29.5	20.2		İ	1	<u> </u>

R.H., RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

	,	Sep	temberj	9 55			,	~	Octob	er į	g 5 5		, ,
•	TEMP	(C°)	R.H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	R	E
1	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	1	MAX.	MIN.	MAX.	MIN.	-	(m/m)
1	28.8	19.9		,	1.8		1	29.0	20.0) }		, ``
2	28.4	19.0	•			'	2	27.5	18.2			4.7	*
3	29.4	19.8		· • •	4.0	-	3	28.0	20.9	, , , , , , , , , , , , , , , , , , ,	t i	2.0	
4	28.7	19.2		,	7.8	~- -	4	28.2	20.2	. ~	† · ·	7.0	
5	30.2	20.0		•	3.7		5	28.2	17.6		' 		1
6	30.0	21.4			27.0		6	28.1	17.0	,	1		
7	28.5	21.0			4.9	-	7	26.2	15.8		· 		-
8	29.7	20.6	• !		38.2		8	22.6	19.8	1	,	10.3	
9	27.4	21.8	•	i 	3.1		9	27.9	19.4	 }		2.1	
10	29.3	19.7			17.8		10	24.7	21.0		 	38.9	
11	29.2	19.0				ı	11	24.3	20.1	1	1	1.2	
12	29.3	20.3		•	1		12	23.9	19.8	i ,		53.4	
13	29.8	19.6			6.1) !	13	24.9	20.0	1	1	11.8	-
14	29.3	19.0		i	10.1	· _	14	26.0	19.5		1	0.8	
15	29.3	21.1			1.2		15	27.3	17.3		}	11.0	
16	30.4	19.7] !	ļ	6.7	1	16	28.4	20.0		1	0.0	; ~
17	29.2	19.0	r 		33.0	•	17	27.8	20.2	 	1	Ï	
18	29.3	20.0	!	-	1.3	1	18	25.1	20.8				
19	30.3	20.0	!		0.7		19	25.2	17.9				i
20	. 28.7	19.9	-		0.6	•	20	25.9	19.0	i		,	į
21	28.8	20.1	,		1.5		21	27.1	18.3	<u> </u>		, 13.2	
22	29.1	21.9	- • · · ·	•	4.9		22	24.7	20.0		1 .	1.6	
23	28.4	21.2	! ' _	[2.0	• • • • • • • • • • • • • • • • • • •	23	27.8	19.3	i .	-	0.2	
24	26.8	20.4			1.1		24	26.5	19.6				
25	26.2	20.5	<u> </u>		3.7	<u> </u>	25	27.6	16.8]	1	
26	28.0	19.8	;	ļ		 	26	. 29.0	19.5	1			
27	29.0	19.9	·	İ	1.2		27	28.7	19.0	;		i .l	
28	30.3	21.0		1	1.6	·	28	28.5	17.4			0.0	1
29	29.4	18.4	•		2.4		29	28.5	19.4	1		0.8	
30	28.7	21.0			1.7	1	30	27.5	17.8				
31				,		· !	31	27.4	16.4	1		8.8	
TOTAL	869.9	604.2	!	ł	188.1	•		832.5	588.0			167.8	, ,
DAYS				1					1			1	4
MEAN	29.0	20.1	i		1			26.9	19.0	-	,		

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION:

BAN ME THUOT

;	. '- 1	Novembe	r 1	₉ 55			<u>.</u>		Dece	mber 1	9 55		, ,
, ,	TEMP	(C°)	R.H.	(%)	! R		į	TEMP	(C°)	R.H.	(%)	R	E, .
	MAX.	MIN.	MAX.	MIN.	3	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	27.3	20.4			10.2		1	21.5	8.0			1	` `
2	28.8	21.5				,	2	22.5	10.3				
3	27.3	18.4			88	. =	3	23.1	7.4	-	' 		:
(1.4.)	23.9	20.4			9.3	b: w:	4	25.2	11.6	,	. - - i	j	
5	27.0	20.8			0.3	1	5	25.9	16.4	_	 1 1	-i	
6 -	27.2	20.4		!	1.0	1	6	24.0	16.9		+		
7	27.7	21.1			5.9	1	7	24.4	14.2	•	i		
. 8	28.7	20.7	 		1.2	1	8	24.0	16.8	•	-		_
9	28.8	19.2	ı	; 	0.9	-	9	25.5	17.0	1	• •	.0.0] (
10	28.1	19.8		!	6.4	1	10	25.1	18.5	1		0.0	•
11	25.7	21.3	1	,	16.4		11	25.9	15.8		•	0.7	
12	23.2	20.3	;	.	31.0	- •	12	25.3	17.7		i.	8.0	_
13	23.3	19.4	1	1	4.3	;	13	25.5	16.8	.1		1	<u> </u>
14	21.2	19.6			42.2	•	14	25.1	18.4]		•	
15	26.8	19.7	1	,	8.1	•	15	27.0	17.5	<u> </u>	! 	1	!
16	29.3	21.6		1	r ·		16	25.3	17.8	1 -	· ·1		i
17	28.5	20.0				=	17	25.0	17.3		•	-	, <u>-</u>
18	26.7	19.6	1			•	18	25.9	17.0	1	1	;	1
19	26.1	20.0		1	8.4		19	28.1	16.1		1	}	
20	25.0	19.8			. 4.0		20	30.0	. 16.9	<u> </u>			, !
21	24.1	18.0		1	1		21	25.7	18.0	1	1	!	
22	24.0	17.2			. :	1	22	24.0	17.1	¢.		1	
23	22.0	16.5			'	ļ	23	24.7	15.2		1		
24	24.9	17.0	·	i 	0.8		24	26.0	13.0		1		
25	26.4	18.8	1	1	0.0	·	25	26.9		<u> </u>	·		1
26	24.7	17.6		1	•	1 1 - 1	26	26.5	17.1	•		-	
27	24.4	18.5		4	1.2	· 	27	25.5	16.7	1 .	,	" ₁	
28	24.5	16.6		i 	•		28	25.3	16.6	1		t i	; ; - ••
29	23.0	13.2		1			29	25.8	16.8	÷ -		1	1
30	23.5	13.2		i		-	30	27.7	17.0	!	1	İ	<u> </u>
′31 - c	1	•1	1	<u> </u>	,	<u> </u>	31	30.3	18.1	<u> </u>	<u>;</u>		į
1	769.1	570.6			160.4		ļ	792.7	489.9	-		1.5	-
DAYS		ļ · ·						-1	1 -		i -1	ļ	-, -
MEAN	25.6	19.0	1	1.	1	i I		25.6	15.8	<u> </u>	<u>i</u>		į †

R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER NOTE .

STATION: Banméthuôt

JIAII	i	<u></u>		·				1					
		•	Jan.	9 56						Feb.	9 56		
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN,	MAX.	MIN.	(m/m)	(m/m)
1	29.4	19.3	95	56	0	3.0	1	24.0	19.0	95	76	0	2.3
2	30.6	19.3	95	48	0	2.6	2	27.2	19.3	97	58	0	4.0
3	29.7	19.4	99	54	0_	3.3	3	28.5	18.4	91	52	0	5.3
4	28.0	19.2	96	62	0	3.5	4	29.2	17.8	95	53_		5.2
5	29.1	14.3	96	51	0	3.4	5	28.2	18.1	92	50	-0	5:1
6	28.5	16.8	93	48	0	2.7	6	30.0	16.5	96	38_	o_	5.1
7	28.3	17.3	98 4	49	0	4.5	7	29.9	17.0	97	45	0	. 4.5
8	24.5	17.8	92	64	0.3	3.7	8	31.8	16.3	97	_ 26_	·o_	6.0
9	24.3	16.8	_90_	59	٥	3.7	9	27.7	16.0	96	50	·O	4.4
10	21.2	15.3	93	69	0	2.6	10	31.1	13.5	100	35	; O	4.8
31	24.2	15.2	95	61	_0	3.9	11	30.9	16.4	97	35	0	5.9
12	24.2	15.1	95	53	0	3.9	12	29.0	16.6	97	48	0	4.6
13	24.1	13.9	94	56	0	4.0	13	31.0	18.0	99	45	0	4.5
14	24.1	14.7	92	55	0	4.6	14	30.8	17.8	99	53	0	4.6
16	25.0	13.0	93	55 ·	0	3.9	15	31.6	17.4	97	46	-0	4.1
16	21.6	15.5	95_	70	. 0	2.7	16	31.0	19.3	97	50	. 0-	3.9
17	27.0	13.7	99	60	0	3.1	17	31.0	19.3	97	51		4.3
18	27.6	14.1	100	37	_0_	4.1	18	29.4	19.8	97	61	0	4.1
19	27.0	14.9	97	40		3.4	19	28.6	19.3	93	_55	0	4.9
20	27.4	15.0	100	49		3.8	20	29.3	18.7	96	55	. 0	5.1
21	27.5	13.9	89	39	0	4.6	21	29,8	17.2	. 99	<u>5</u> 6	<u>'</u> o	_ 5.2
22	28.3	12.9	96	31	0	5.1	22		18.5	96	49	. 0_	•
23	27.0	16.7	93	52	0	4.2	23	32.2	17.9	98	50	, 0	4.1
24	23.8	17.5	91	66	0	3.7	24	33.3	19.2	97	32	0	5.1
25	24.9	15.9	95	57	0	3.9	25	31.6	18.0		39	, 0	5.6
26	23.3	15.8	95	61	0	3.0	26	32.1	17.4	94	43	0	5.0
27	24.4	16.2	94	61	0	3.4	27	29.6	19.6	95	58	0	3.0
28	25.4	16.1	96	53	0	, 3.2	28	25.5	19.9	93	_ 51	0	4.6
29	25.2	15.2	95	52	0	4.5	29	28.1	1	91	49	_0	_ 5.8
30	•	14.2	93	44	0	3.2	30						
31	27.1	15.9	96	57	0	3.4	31					1	,
JOTAĻ	81010		2940	,	-	112.6		863.2	521.0	2783	1403	0	136.1
DAYS		1					•	!	1				
MEAN	26.1	15.8	94.8.	53.8	·• ···	3.6		29.7	18.0	96.0	48.4		4.69

NOTE - R.H. RELATIVE HUMIDITY IN PERCENT

R: RAINFALL IN MILLIMETER-E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

1	JN						1						
;		M	ar. I	9 56						Apr. 1	956		•
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
·ľ	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	29.1	17.8	93	41	0	5.8	1	32.7	19.4	90	33	0	7.7
2	30.6	16.6	99	36	0	7.1	2	33-4	19.3	94	37	1.6	7.0
3	30.6	17.2	96	44	0	6.8	3	29.2	20.1	1.00	55	0	3.7
4	28.5	19.3	94	57	0	5.0	4	31.2	20.4	99	50	56.0	2.3
5	31.5	19.5	94	46	0	6.2	5	29.9	20.9	98	56	3.9	2.6
6	31.9	19.1	94	46	0	6.0	6	30.6	21.0	95	54	4.2	2.3
7	31.5	19.2	97	48	_ 0	5.7	7	32.6	20.0	95	43	0	4.7
8	31.1	18.3	97	44	0	5.9	8	31.6	21.7	99	55	29.3	2.3
9	30.6	17.5	95	40_	o	6.6	9	32.2	21.9	97	51	34.8	2.7
10	30.1	18.9	94	44	0	5.8	10	30.6	21.3	97	54	12.4	3.2
11	29.1	19.0	96	51	0	5.6	11	30.4	20.9	97	60	11.1	2.3
12	27.9	19.0	97	57	0	4.9	12	30.5	21.4	99	58	0.1	2.4
13	30.5	18.3	93	<u>4</u> 7	Q	5.7	13	31.5	21.0	95	43	0	4.6
14	33.2	17.4	95	37	0	5.6	. 14	31.0	21.1	94	47	. 0	4.5
15	36.1	19.8	94	40	. 0	5.7	15	32.2	21.7	99	54	51.0	2.4
16	33.2	20.4	98	44	0	5.1	16	31.1	21.8	99	56	21.2	2.8
17	33.7	20.4	96	48	2.7	2.8	17	31.6	21.1	99	57	7.2	2.5
18	35.5	20.2	98	36	. 0	5.2	18	31.2	20.1	_97	59	11.3	2.2
19	33.1	20.8	95	39	, o	5.4	19	29.7	20.2	97	_ 59	0	3.0
20	33.8	20,5	96	38	, 0	6,3	20	33.1	20.9		50	0	3.9
21	35.0	18.8	99	28	0	6.4	21	32.1			_ 54	0	_ 3.9
22	34.9	17.4	98	22	0	7.9	22	33.2	22.0	96	47	19.7	3.2
23	34.6	18.4	97	26	o	6.8	23	32.2	22.1	99	50	0	3.5
24	34.2	19.2	97	31	, 0	7.2	24	32.2	21.7	97	529	, _ 0	3.5
25	35.2		92	28	0	8.0	25	32.4	19.8	98	50	0	4.4
26	34.7	18.6	94	32	0	6.4	26	32.4	20.3	98	50	0	3.6
27	34.1	20.3	97	37		7.0	27	33.2	20.1		47	0	3.7
28	34.1	19.4	92	23	, 0	7.7	28	31.3	21.3	96	56	0	3.6
29	34.6	19.0		33	0		29	32.5	20.2	96	48	0	
30	34.0	19.9		37	0	6.6	30	30.6	20.9	97	58	13.8	2.8
31	33.2	19.6	96	32	•	7.5	31			İ			·
1	1010.2			1202	2.7	191.2		948.5	625.7	2812	1542	277.6	104.7
DAYS		· **************			1			[<u></u>		
MEAN	32.6	19.0	95.6	38.8		6.17		31.6	20.9	93.7	51.4		3.49

NOTE R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

May		,					• ,	- 1		•		;		
STATION: Bannéthuôt May 1956 June 1956 June 1956				;	ORDS	. REC	CAL)LOGI	EORC	MET				
TEMP (C°)	,, -							1,"			uôt	Banméth	ON: F	STATI
TEMP (C°) R. H. (%) R E MAX. MIN. MAX. MIN. (m/m) (m/m) (m/m) (m/m) MAX. MIN. MAX. MIN. (m/m) (m/m) (m/m) MAX. MIN. MAX. MIN. (m/m) (m/m) MAX. MIN. MAX. MIN. (m/m) MAX. MIN. MAX. MIN. (m/m) MAX. MIN. MAX. MIN. (m/m) MAX. MIN. MAX. MIN. (m/m) MAX. MIN. MAX. MIN. MAX. MIN. (m/m) MAX. MIN. MAX. MIN. MAX. MIN. MAX. MIN. (m/m) MAX. MIN. MA						···		· · · · ·					1	
MAX MIN MAX MIN (m/m) (m/m) MAX MIN MAX MIN (m/m)	.:		⁹ 56	June !				į, į		⁹ 56	ay l	M		
1 30.2 21.0 98 63 0 2.3 1 28.6 20.0 94 66 2 28.7 21.2 99 70 0.6 2.0 2 29.5 19.4 96 63 0.3 3 31.2 20.5 99 59 2.1 2.5 3 27.2 21.4 99 86 34.0 4 30.8 20.0 96 61 7.4 2.3 4 27.6 21.4 97 78 7.5 5 28.9 21.6 96 70 35.3 1.5 5 23.7 21.2 100 93 18.1 6 30.0 21.1 99 70 1.2.4 1.4 6 23.4 20.3 99 92 12.4 7 31.6 21.9 96 53 \0 2.9 7 28.2 20.2 96 66 0 8 31.0 <td>, E, (</td> <td>R</td> <td>(%)</td> <td>R. H.</td> <td>(C°)</td> <td>TEMP</td> <td>ļ [</td> <td>E</td> <td>R</td> <td>(%)</td> <td>. R. H.</td> <td>(C°)</td> <td>TEMP</td> <td>İ</td>	, E, (R	(%)	R. H.	(C°)	TEMP	ļ [E	R	(%)	. R. H.	(C°)	TEMP	İ
2 28.7 21.2 99 70 0.6 2.0 2 29.5 19.4 96 63 0.5 3 31.2 20.5 99 59 2.1 2.3 3 27.2 21.4 99 86 34.0 4 30.8 20.0 96 61 7.4 2.5 4 27.6 21.4 97 78 7.5 5 28.9 21.6 96 70 35.3 1.5 5 23.7 21.2 100 93 18.1 6 30.0 21.1 99 70 2.4 1.4 6 23.4 20.3 99 92 12.4 7 31.6 21.9 96 55 70.9 2.1 8 29.6 20.3 96 61 0 0 93 36 61 0 0 29.6 21.3 96 64 0 10 29.1 20.1 9	(m/m)	(m/m)	MIN,	MAX.	MIN.	MAX.	,	(m/m)	(m/m)	MIN,	MAX.	MIN.	MAX.	
3 31.2 20.5 99 59 2.1 2.3 3 27.2 21.4 99 86 34.0 4 30.8 20.0 96 61 7.4 2.3 4 27.6 21.4 97 78 7.5 5 28.9 21.6 96 70 35.3 1.5 5 23.7 21.2 100 93 18.1 6 30.0 21.1 99 70 : 2.4 1.4 6 23.4 20.3 99 92 12.4 7 31.6 21.9 96 53 O 2.9 7 28.2 20.2 96 66 0 8 31.0 22.6 95 57 0.9 2.1 8 29.6 20.3 96 61 0 9 31.3 21.3 97 57 21.9 2.1 9 29.6 21.3 96 61 0 1	2.5			94	20.0	28.6	11	2.3	0	63	98	21.0	30.2	1
.4 30.8 20.0 96 61 7.4 2.3 4 27.6 21.4 97 78 7.5 5 28.9 21.6 96 70 35.3 1.5 5 23.7 21.2 100 93 18.1 6 30.0 21.1 99 70 2.4 1.4 6 23.4 20.3 99 92 12.4 7 31.6 21.9 96 55 0 2.9 7 28.2 20.2 96 66 0 8 31.0 22.6 95 57 0.9 2.1 8 29.6 21.3 96 61 0 9 31.3 21.3 97 57 21.9 2.1 9 29.6 21.3 96 64 0 10 29.1 20.1 97 62 8.8 2.0 10 30.6 19.9 96 64 2.7 11	.2.4	0.3	63	96	19.4	29.5	2	2.0	0.6	70	99	21.2	28.7	2
5 28.9 21.6 96 70 35.3 1.5 5 23.7 21.2 100 93 18.1 6 30.0 21.1 99 70 2.4 1.4 6 23.4 20.3 99 92 12.4 7 31.6 21.9 96 53 \ 0 2.9 7 28.2 20.2 96 66 0 8 31.0 22.6 95 57 0.9 2.1 8 29.6 20.3 96 61 0 9 31.3 21.3 97 57 21.9 2.1 9 29.6 21.3 96 64 0 10 29.1 20.1 97 62 8.8 2.0 10 30.6 19.9 96 64 2.7 11 27.1 22.0 98 74 2.6 1.0 11 30.7 21.8 97 66 18.7 12<	0:9	34.0	86	99	21.4	27.2	33	2.3	2.1	59	99	20.5	31.2	3
6 30.0 21.1 99 70 2.4 1.4 6 23.4 20.3 99 92 12.4 7 31.6 21.9 96 53 \ 0 2.9 7 28.2 20.2 96 66 0 0 8 31.0 22.6 95 57 0.9 2.1 8 29.6 20.3 96 61 0 0 9 31.3 21.3 97 57 21.9 2.1 9 29.6 21.3 96 64 0 0 10 29.1 20.1 97 62 8.8 2.0 10 30.6 19.9 96 64 2.7 11 27.1 22.0 98 74 2.6 1.0 11 30.7 21.8 97 66 18.7 12 30.5 20.3 96 61 6.5 1.6 12 30.0 22.0 98 64 1.7 13 29.3 21.4 99 70 3.7 0.7 13 30.0 19.8 96 60 6.6 14 29.0 21.7 96 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6 16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4 17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 65 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 65 0 1.8 18 28.9 20.6 94 63 0 19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 20 29.9 21.7 96 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22 30.5 29.9 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 22 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 23 29.7 19.0 100 66 0 24 30.4 20.4 96 63 0 2.1 24 29.0 18.1 96 65 2.8 25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6 26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 96 66 0.1	1.4	7.5	78	· '97	21.4	27.6	4	2.3	j 7.4	61	96	20.0	30.8	.4
7 31.6 21.9 96 53 0 2.9 7 28.2 20.2 96 66 0 0 8 31.0 22.6 95 57 0.9 2.1 8 29.6 20.3 96 61 0 0 9 31.3 21.3 97 57 21.9 2.1 9 29.6 21.3 96 64 0 0 10 29.1 20.1 97 62 8.8 2.0 10 30.6 19.9 96 64 2.7 11 27.1 22.0 98 74 2.6 1.0 11 30.7 21.8 97 66 18.7 12 30.5 20.3 96 61 6,5 1.6 12 30.0 22.0 98 64 1.7 13 29.3 21.4 99 70 3.7 0.7 13 30.0 19.8 96 60 6.6 14 29.0 21.7 96 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6 16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4 17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 61 3.9 1.8 18 28.9 20.6 94 63 0 19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 20 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22 30.5 29.0 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 23 29.7 19.0 100 66 0 24 30.4 20.4 96 65 0 2.1 24 29.0 18.1 96 65 2.8 25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6 26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 96 66 0.1	0:5	18.1	93	100	21.2	23.7	5	1.5	35-3	70	96	21.6	28.9	5
8 31.0 22.6 95 57 0.9 2.1 8 29.6 20.3 96 61 0 9 31.3 21.3 97 57 21.9 2.1 9 29.6 21.3 96 64 0 10 29.1 20.1 97 62 8.8 2.0 10 30.6 19.9 96 64 2.7 11 27.1 22.0 98 74 2.6 1.0 11 30.7 21.8 97 66 18.7 12 30.5 20.3 96 61 6.5 1.6 12 30.0 22.0 98 64 1.7 13 29.3 21.4 99 70 3.7 0.7 13 30.0 19.8 96 60 6.6 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 <	0.5	12.4	92	99	20.3	23.4	6	1.4	2.4	70	99	21.1	30.0	6
9 31.3 21.3 97 57 21.9 2.1 9 29.6 21.3 96 64 0 10 29.1 20.1 97 62 8.8 2.0 10 30.6 19.9 96 64 2.7 11 27.1 22.0 98 74 2.6 1.0 11 30.7 21.8 97 66 18.7 12 30.5 20.3 96 61 6.5 1.6 12 30.0 22.0 98 64 1.7 13 29.3 21.4 99 70 3.7 0.7 13 30.0 19.8 96 60 6.6 14 29.0 21.7 96 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6 16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4 17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 61 3.9 1.8 18 28.9 20.6 94 63 0 19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 20 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22 30.5 29.9 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.1 22 30.3 18.3 98 56 3.5 24 30.4 20.4 96 63 0 2.1 24 29.0 18.1 96 65 2.8 25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6	2.0	. 0	66	96	20.2	28.2	. 7	2.9	'\ o	53	96	21.9	31.6	7
9 31.3 21.3 97 57 21.9 2.1 9 29.6 21.3 96 64 0 10 29.1 20.1 97 62 8.8 2.0 10 30.6 19.9 96 64 2.7 11 27.1 22.0 98 74 2.6 1.0 11 30.7 21.8 97 66 18.7 12 30.5 20.3 96 61 6.5 1.6 12 30.0 22.0 98 64 1.7 13 29.3 21.4 99 70 3.7 0.7 13 30.0 19.8 96 60 6.6 14 29.0 21.7 96 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6	. 3.2	0	61	96	20.3	29.6	8	2.1	0.9	57	95	22.6	31.0	8
10 29.1 20.1 97 62 8.8 2.0 10 30.6 19.9 96 64 2.7 11 27.1 22.0 98 74 2.6 1.0 11 30.7 21.8 97 66 18.7 12 30.5 20.3 96 61 6.5 1.6 12 30.0 22.0 98 64 1.7 13 29.3 21.4 99 70 3.7 0.7 13 30.0 19.8 96 60 6.6 14 29.0 21.7 96 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6 16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4	3.0	0	64	96	21.3	29.6	9	2.1	21.9		97	21.3	31.3	9
11 27.1 22.0 98 74 2.6 1.0 11 30.7 21.8 97 66 18.7 12 30.5 20.3 96 61 6.5 1.6 12 30.0 22.0 98 64 1.7 13 29.3 21.4 99 70 3.7 0.7 13 30.0 19.8 96 60 6.6 14 29.0 21.7 96 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6 16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4 17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2	3.0	2.7	64	96	19.9	30.6	10		I		i	1		10
12 30.5 20.3 96 61 6.5 1.6 12 30.0 22.0 98 64 1.7 13 29.3 21.4 99 70 3.7 0.7 13 30.0 19.8 96 60 6.6 14 29.0 21.7 96 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6 16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4 17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 61 3.9 1.8 18 28.9 20.6 94 63 0 <td< td=""><td>2.2</td><td>18.7</td><td>66</td><td>97</td><td>21.8</td><td></td><td>11</td><td></td><td></td><td>74</td><td></td><td>····</td><td></td><td>11</td></td<>	2.2	18.7	66	97	21.8		11			74		····		11
13 29.3 21.4 99 70 3.7 0.7 13 30.0 19.8 96 60 6.6 14 29.0 21.7 96 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6 16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4 17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 61 3.9 1.8 18 28.9 20.6 94 63 0 19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 2	2.5	1.7	64	98	22.0	30.0	12	1.6	6.5		96	20.3		12
14 29.0 21.7 96 65 1.4 2.1 14 30.0 18.9 97 65 36.6 15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6 16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4 17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 61 3.9 1.8 18 28.9 20.6 94 63 0 19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 20 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.7 <td>3.2</td> <td>6.6</td> <td>60</td> <td>96</td> <td>19.8</td> <td>30.0</td> <td>13</td> <td></td> <td></td> <td></td> <td></td> <td>,</td> <td></td> <td>13</td>	3.2	6.6	60	96	19.8	30.0	13					,		13
15 28.2 21.5 99 75 0 1.4 15 30.7 20.1 98 68 5.6 16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4 17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 61 3.9 1.8 18 28.9 20.6 94 63 0 19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 20 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22<	2.9						14	2.1	1,4	65	96		29.0	14
16 29.5 21.0 97 63 0 2.2 16 31.5 20.4 97 53 27.4 17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 61 3.9 1.8 18 28.9 20.6 94 63 0 19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 20 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22 30.5 29.0 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 23 29.7 19.0	1.9						15	7.4	0	75	99			15
17 28.7 21.7 95 66 0 2.3 17 30.5 20.4 98 68 1.2 18 30.0 21.5 97 61 3.9 1.8 18 28.9 20.6 94 63 0 19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 20 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22 30.5 29.0 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 23 29.7 19.0 100 66 0 24 30.4 20.4 96 63 0 2.1 24 29.0 18.1	3.0	i i		ı	i		16		1			1		16
18 30.0 21.5 97 61 3.9 1.8 18 28.9 20.6 94 63 0 19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 20 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22 30.5 29.9 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 23 29.7 19.0 100 66 0 24 30.4 20.4 96 63 0 2.1 24 29.0 18.1 96 65 2.8 25 <td>2.3</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>17</td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td>17</td>	2.3						17					1		17
19 29.8 20.0 97 59 0 2.3 19 29.3 19.8 96 65 2.1 20 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22 30.5 29.9 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 23 29.7 19.0 100 66 0 24 30.4 20.4 96 63 0 2.1 24 29.0 18.1 96 65 2.8 25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6 26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 <td>2.6</td> <td></td> <td></td> <td></td> <td><u> </u></td> <td> ·- </td> <td>18</td> <td></td> <td> i</td> <td></td> <td></td> <td></td> <td></td> <td>18</td>	2.6				<u> </u>	·-	18		i					18
20 29.9 21.7 97 65 0 1.8 20 28.2 19.7 98 72 1.9 21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22 30.5 29.9 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 23 29.7 19.0 100 66 0 24 30.4 20.4 96 63 0 2.1 24 29.0 18.1 96 65 2.8 25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6 26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 96 66 0.1	2.0	i					19					,		19
21 29.0 20.6 96 69 3.0 1.5 21 28.5 19.4 100 69 0.5 22 30.5 29.9 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 23 29.7 19.0 100 66 0 24 30.4 20.4 96 63 0 2.1 24 29.0 18.1 96 65 2.8 25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6 26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 96 66 0.1	1.6		~				20							20
22 30.5 29.9 97 59 0 3.1 22 30.3 18.3 98 56 3.5 23 31.2 20.3 97 59 0 3.7 23 29.7 19.0 100 66 0 24 30.4 20.4 96 63 0 2.1 24 29.0 18.1 96 65 2.8 25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6 26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 96 66 0.1	1.8				1	1	21	1	- 1	1		7		21
23 31.2 20.3 97 59 0 3.7 23 29.7 19.0 100 66 0 24 30.4 20.4 96 63 0 2.1 24 29.0 18.1 96 65 2.8 25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6 26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 96 66 0.1	1.6	1		1								1		
24 30.4 20.4 96 63 0 2.1 24 29.0 18.1 96 65 2.8 25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6 26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 96 66 0.1	1.7								i t					
25 31.0 19.6 96 59 8.4 2.2 25 28.4 19.4 97 78 7.6 26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 96 66 0.1	1.8	(1				1	1	•			
26 30.7 19.2 95 57 9.7 1.6 26 32.0 18.4 96 66 0.1	1.5	1,		· · · · · · · · · · · · · · · · · · ·					1			,		-
2 % !- - 2 % !-	2.1	, .		 					1 1	ļ		1		
1 2/ + 51.5 20.4 95 54 1.8 2.2 2/ 29.0 19.7 95 65 7.5	1.6	7.6	65	96	19.7	29.0	27		1.8	54	96	20.4	31.3	27
28 30.0 19.4 96 68 2.9 2.5 28 29.0 19.7 99 65 0.8						 -			1			1		
	2.4 2.2									1		1		
-90.0 - 29.0 - 30. - 30.								ļ	i	1		r		
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1.2		(o	98	, ΤΩ•Ω	20.0		-	1)			ļ
	61.5	243 0	2055	2014	600 4	OCE O		1		1		1 +		
TOTAL 930.3 653.7 2998 1953 123.3 64.2 865.8 600.4 2914 2055 243.9	01.7	247.7	2022	€AT4	000.4	007.0	·	04.C	147.7	T355	2770 	022.1		
MEAN 30.0 21.1 96.7 63.0 2.07 28.9 20.0 97.1 68.5	2.05		68.5	97.1	20-0	28.9		2.07		63.0	96.7	21.1		

NOŢĒ

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

		Jul	. y 19	^{9.} 56			1		ı	Aug. 19	⁹ 56		
-	TEMP	(C°)	R.H.	(%)	R !	E	Ì	TEMP	(C°)	R.H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	1		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	26.9	19.1	95	72	9.4	1.7	1	26.2	20.9	97	77_	16.3	1.5
2	25.2	20.4	97	83	10.3	0.7	- 2	28.0	20.8	97	71	9.8	1.8
3	28.6	20.1	99	67	34.7	1.3	3	28.4	20.5	100	69	39.0	2.
4	27.9	20.6	96	_69_	0	2.4	4	27.4	21.4	98	74	10.2	1.
5	26.6	19.9	96	73	5.7	2.0	5	26.2	20.8	96	78	3.6	1.
6	27.3	20.7	95	75	0.2	2.0	6	28.8	19.9	<u>9</u> 8	_68	0	2.
Ž,	27.2	20.2	99	79	78.7	1.4	7	29.5	21.0	98_1	71	6.9	<u>l.</u>
8	26.7	20.1	97	79	3.8	1.8	8	29.2	20.9	98	68	12.2	1.
9	29.3	20.3	97	66	20.0	1.9	9	_27.3	20.2	99	75	1.0	1.
10	27.7	20.3	100	70	0	2.0	10	26.8	20.8	99	86	33.4	0.
11	30.2	19.0	97	58	0	2.6	11	23.8	21.5	98	88	23.3	
12	31.0	19.9	99	59	0	2.6	12	28.7	21.4	98	71	13.1	1.
13	30.5	21.9	97	63	7.1	2.1	13	29.0	22.1	100	73	0	3.
14	29.2	19.6	100	66	14.0	2.6	14	29.0	21.6	100	70	5.1	2.
15	29.4	20.4	95	63	0	2.5	15	28.2	21.0	100	76	19.3	1.
16	28.7	20.3	97	69	5.4	1.7	16	28.4	20.4	99	74	2.2	í
17	27.0	20.7	100	79	2.9	1.0	17	29.5	21.2	100	78_	1.2	1.
18	27.6	20.4	97	71	0.2	1.5	18	29.0	19.2	100	, 73_	7.2	1.
19	30.0	20.6	·	61	0.3	2.7	19	27.3	19.3	100	79	45.3	<u> </u>
20	30.3	19.1	96	65	0.7	2.4	20	28.4	17.9	100	74	0	1
21	30.6	19.9	96	61	. 0	2.6	21	28.2	19.1	100	74	Õ	2.
22	30.1	19.6	96	65	1.4	2.1	22	29.2	18.5	100	62_	. 0	2
23	30.1	19.6	97	63	4.0	2.4	23	29.3	19.7	100	70	_ 0	2
24	29.6	18.8	96	65	0	2.4	24	29.7	19.1	99	67	0	1
25	29.5	19.2	96	62	13.7	2.3	25	28.6	20.4	100	75	0	1
26	29.2	20.0	98	63	0	2.7	26	27.8	20.9	100	76	0	1
27	29.3	18.7	` -	59	1	2.5	27	29.1	19.7	100	63	12.4	2
28	29.0	20.9	;	1	ì	2.7	28	28.3	19.9	100	74	8.4	1 1
29	27.4	20.5)		11.3	1.8	1	27.2	20.8	100	75	0	1
30	29.2	20.4				-1		26.8	19.9	100	84_	10.5	ļ
31	27.2	1		73	0.7	1.9	31	26.2	21.2	100	83	9.5	1
OTAI	888.5		1		233.8	1	-	868.5	632.0	3074	2296	289.9	52
ÄYS	-		. 1	1			- -						_' _ •_~
	28.7	20.3	97.2	67 0	-i	2.07		28.0	20.4	99.2	74.1	1	1.

NOTE RH. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

Banméthuôt STATION:

SIMILO		name ci												1
	•	S	Sep. l	9 56		,		•		Oct. I	⁹ 56		,	
) 	TEMP	(C°)	R. H.	(%)	R	E -		TEMP	(C°)	R. H.	(%)	R	E	.,
1 / 1	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)] .
71	29.3	21.4	.99	70	Ò	3.0	1	26.0	19;4	100	<i>7</i> 8	. 0	1.6	
2	29.0	19.4	98	68	1.3	2.4	2	27.4	21.4	99	78	F 5. 0	1,3	1.7
3	28.4	21.2	97	69	0	2.5	3	28.7	20.0	98	64	₹,0	2.6	5
,4	28.3	21.7	98	72	1.5	_1.7	4	27.6	17.3	98	-65	5.0	1.5	
5	28.3	20.4	98	76	15.8	1.0	5	27.9	18.9	99	69		1.2	
,6	26.8	20.7	98	72	0.6	1.5	6	24.2	18,2	100	83	200	0.9	ıl.
7	24.5	19.7	99	83	11.7	0.6	7	28.4	17.8	.99	73	* O	2.0	
8	25.3	19.4	100	89	10.2	1.0	8	28.3	20.1	97	65	O	2.0	1
9	25.5	19.8	98	79	12.3	0.7	9	29.2	19,6	97	62	0	1,6	,
10	26.8	20.0	98	75	8.5	1.4	10	29.3	20.3	96	61	O.	. 2.9	ŀ,
11	26.3	18.7	98	81	3.2	0.9	11	28.2	18.9	99	74	15.4		٠,
12	27.0	18.3	100	75	6.3	1.4	12	26.8	20.1	.99	79	19.7	1.3	
13	27.6	19.3	99	75	9.4	1.1	13	28.8	19.8	_98	63	5.2	1.4	1
14	27.5	19.0	98	72	31.2	1,6	14	28.1	19.3	98	70	10.2	1.3	
15	26.9	20.3	100	68	4.9	1.9	15	27.0	19.9	100	80.	33.0	1.0	4
16	27.3	20.2	98	75	13.1	1.3	16	28.0	19.3	100	_70_	0	1.7	Ŧ.
17	27.9	20.9	98	.72	1.1	1.3	17	26.8	16.9	99_	70	0	2.0	
18	27.0	21.2	100	. 82	10.1	1.0	18	26.4	17.0	_100_	_ 69 _	_0	2.3	
19	27.7	20.8	100	70	5.1	1.0	19	26.0	16.1	100	69	0	2.7	<u>'</u>
20	28.4	20.1	98	68	1.4	1.4	20	24.6	16.5	100	<u>' 77</u>	0		٦.
21	27.3	20.0	-	_71	15.9		21	25.1	17.4	100	74_	0	2.1	٠,
22	28.0	20.2	99	75	4.3	1.6	22	26.8	18.6	98	69	0	1.8	: :
23	28.2	20.9	99	71	2.9	1.5	23	28.1	19,1	97	66	0		-
24	28.8	20.7	98	67	ુ9₊9	1.1	24		19.3	95	65	`0		-
25	26.6	21.3	99	85	9.2	0.7	25	27.3	19.8	98	73	0		٦.
26	28.6	20.9	100				26	28.3	20.0	_97_	_65_	0	i	
27	27.9	20.3	97	73	0	1.6	27	28.9	21.2	95.	63	0		14.
28	27.1	20.9	97	71	2.6	1.4	28	27.2	20.0	97_	72	0.3	i t	3
29	27.9	19.8	98	70	7.0	1:3	. 29	28.7	21.3	94	. 59	Q	3.1	-
30	28.4	19.3	100	71	0	2.4	30	27.4	17.4	99	54	0	3.5	
31		1		j !	1	<u> </u>	31	27.0	16.4	96	61	- 0	2.9	4
TOTAL	824.6	606.8	2957	2214	208.5	42.8		850.4	587.3	3042	2140	299.7	65.9	<u>.</u> :
DAYS	·	-	i		4	ا رفسید یا	_		***) : • <u>- *</u> •		3
MEAN	27.5	20.2	98,6	73.8	, <u> </u>	1.63		27.4	18.9	98.1	69.0	1	2.13	

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

TAHO		nmethu											
		No	ν. I	9 56			1			Dec. I	9 56		
	TEMP	(C°)	R. H.	(%)	R	E -	1	TEMP	(C°)	R. H.	(%)	R	
-	MAX.	MIN.	MAX.	MIN.	(m/m) ,	(m/m)		MAX.	MIN,	MAX.	MIN.	(m/m)	(m/m)
1	27.9	17.0	98	63	0	2.5	1	23.8	16.0	98	_ 75 _	0	1.4
2	27.8	19.2	97	67	2.6	1.9	2	25.7	17.8	_98	70	2.1	1.7
3	29.6	20.0	99	63	0	1.6	3	25.3	19.2	96	73	o	1.9
4	29.8	21.3	97	63	1.5	1.6	4	25.2	19.0	97	_. 73	0.5	2.2
5	29.3	21.9	96	61	1.2	2.5	5	24.1	16.0	95	60	0;	2.9
6	29.2	20.7	98	63	2.1	1.8	6	23.7	15.7	95	66	0	2 _° C
7	27:3	19.8	97	69	0	2.4	7	25.2	16.4	98	66	õ,	2.4
8	26.9	18.9	97	67	0	2.1	. 8	23.7	17.3	94	62	. 0	2.7
9	27.3	17.4	99	61	0	2.5	9	23.8	15.9	93	60	0	2.5
10	28.1	17.1	99	62	0	2.8	10	25.4	16.3	92	57	0	3.3
11	23.3	17.8	99	87	3.9	1.1	11	24.3	17.1	94	63	0	2.
12	27.2	21.0	95	70	0	2.0	12	25.0	18.1	95	71	0	1.5
13	28.1	20.8	97		3.0	1.8	13	24.0	18.6	96	73	. 0	1.8
14	27.1	20.0	100	73	9.1	1.8	14	26.0	17.8	96	65	0	1.9
15	26.8	17.7	100	64 .	0.6	2.1	15	25.1	17.3	97	68	1.0	2.0
16	25.3	16.2	97	61	0	2.2	16	23.0	19.0	98	85	7.8	0.8
17	24.7	14.5	97	60	0	2.5	17	23.4	19.7	98	82	1.5	1.3
18	24.4	14.4	99	62	0	2.4	18	25.9	20.0	98	75	2.2	1.6
19	25.2	13.4	96	59	0.4	2.3	19	25.1	20.4	96	75	5.3	1.6
20 '	21.3	17.0	•	79	2.2	0.5	20	24.8	20.0	97	75	3.0	1.
21	23.2	18.4	100	79	6.7	0.8	21	25.0	19.3	99	75	0.8	1.8
22	25.4	15.9	99	71	0	1.5	22	26.1	19.5	95	64	0.6	2.
23	24.9	17.4	97	72	0.7	1.1	23	26.5	17.2	. 97	63	0.2	2.
24	25.0	18.8	98	70	0.2	2.9	24	24.7	17.0	98	66	0.8	2.3
25	23.5	15.4	95	61	0	2.6	25	23.5	15.8	95	63	0	2.
26	23.0	14.9	93	64	0	2.6	26	23.6	15.1	92	_55	0	3.
27	23.1	15.2	94	62	0	2.5	27	24.1	13.4	95	59	. 0	3.
28	23.3	11,5	98	, 60	0	2.5	28	24.0	14.1	96	54	0	2.
29	23.2	10.9	98	49	0	3.5	29	24.3	12.7	93	51	¹ 0	3.
30	23.7	11.0	98	63	0	2.3	30	25.2	13.6	93	52	Ō	2.
31		1		* i		<u> </u>	31	25.1	13.7	95	49	0	2,
TOTAL	774.9	515.5	2925	1976	34.2	62.7		764.6	529.0	2969	2045	25.8	69.
DAYS			L	•	_	ı		ı		-	:	1 1	
MEAN	25.8	17.2	97.5	65.9		2.07		24.7	17.1	95.8	66.0		2.2

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt .

!		· J	an.	9 57					Fe	b. 1	9 57		,
'-	TEMP	(C°)	R. H.	(%)	 R	 ' E		TEMP	(C°)	R. H.	(%)	R	E ·
ļ	MAX,	`` <u> </u>	MAX.		(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	23.2	12.7	97	50	0	3.9	1	27.6	16.3	91	44	0	4.9
2	26.0	12.0	94	51	0	3.6	2	30.2	15.4	98	39	0	3.8
3	28.3	13.7	98	50	0	3.7	3	31.4	18.3	98	41	0	4.3
4	24.7	15.4	100	66	0	1.4	4	30.4	17.8	97	46	0	3.2
5	26.1	18.3	96	64	0	1.8	5	31.0	19.0	97	49	17.0	3.8
6	26.4	18.1	96	63	0_	2.6	6	30.2	18.0	98	53_	0.3	3.2
7	24.7	17.9	93	60	0,	3.9	7	24.8	16.3	96	59	3.6	3:3
8	25.1	16.8	91	43	0	4.2	8	29.2	16.1	99	48	0	2.8
9	25.9	16.2	94	52	0.7	2.9	9	31.5	18.3	99 [43	<u>c o</u>	3.6
10	27.0	17.7	99	64	0.1	2.9	10	29.5	18.6	100	45	0	4.3
11	28.1	20.1	94	60	0	3.4	13	23.0	16.6	90	65	0_	3.2
12	28.2	19.9	94	59	0	3.7	12	24.4	15.2	88	46	0	4.6
13	28.2	19.8	97	52	! O	3.8	13	25.1	15.1	89	45	0	4.5
14	30.2	15.3	100	50	, 0	3 <u>.6</u>	14	26.5	14.8	95	43	20	4-0
15	31.0	18.9	_	41	0	3.4	15	26.6	14.4	98	50	0	4.6
16	28.8	18.2	93	49	0	4.7	16	27.0	17.2	91_	44_	ا_م ع_ا	5.0
1 <i>7</i>	24.0	17.8	93	62	. 0	3.3	17	26.5	15.6	91	48	0	5.3
18	24.2	16.1	89	54	0	3.6	18	29.2	15.4	95	33	<u> </u> _o_;	6.3
19	24.2	13.7	91	48	: 0	4.3.	19	26.9	16.7	92	46	0	5.7
20	25.7	14.3		45	0	4.0	20	29.2	16.1	95	38		4.9
21	27.0	14.0	95	42	0	4.2	21	30.8	16.3	98	40	_0	4.9
22	27.1	15.8	96	38	Ō	4.6	22	32.0	19.2	97	37	_o_	4.8
23	27.6	16.4	95	43	0	4.7	23	31.5	19.1	93	40	0	4.1
24	25.9	16.8	93	, 49	, 0	4.1	24	32.2	19.8	94	37	0	5.0
	27.2	16.2	· -	48	0	4.2	25		19.3		33	0	4.7
26	27.5	15.6	95	42	0	4.5	26	29.7	17.9	96	45	· 0	5.2
27	28.3	16.2	97	40	Ò	4.2	27	28.4	17.9	91	44	0	5.5
28	30.5	15.5	98	; 38	. 0	4.5	28	28.7	18.5	90	43	0	6.0
29	32.0	16.8	99	40	0_	4.4	29	-	_		<u> </u>		ı } _
30	31.4	18.3		38			30						<u> </u>
31	28.2	18.2	93	, 51	, 0	4.6	31						!
TOTAL	842.7	512.7	2954	1552	0.8	117.2		805.8	479.2	2652	1244	20.9	125.5
	27.2	16.5	95.3	50.1	•	3 .7 8		28.8	17.1	.94.7	44.4		4.48

NOTE RH, RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

		Ma	ar. l'	9 57			ļ			Apr. 1	9357		,
. !	TEMP	(C°)	R. H.	(%)	R	 ; E		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.		(m/m)		1	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	31.9	17.3	93	34	0	5.2	١	33.3	15.0	96	41	0	5.6
2	32.4	17.4	97_	29	0	5.6	2	33.2	15.1	95	44	16.4	3.7
3	32.7	18.3	96	30	0	5.3	3	29.4	15.0	97	_51_	0	3.8
4	34.2	19.2	93_	28	0_	5.9	4	30.0	14.0	93	51	0	4.1
5	34.1	18.4	98	30	0	6.0	5	30.6	13.5	94	49	0 1	4.4
6	33.7	18.0	94	25	0	6.1	6	29.4	13.8	94	_ 56	O	<u>3.</u> 5
7	33.0	18.9	97	36	0	3.9	7	31.4	14.9	97	51	_ 0,	3.6
8	29.3	18.8	94	38.	0	6.0	8	32.8	14.8	94	45	3.6	2.9
9	26.4	l	90	55.	0.3	3.3	9	32.2	13.8	95	52 _	0	3.8
10	23.9		100	82	39.2	1.1	10	33.0	16.0	95	49	0	3.4
11	30.0	!	98	. 5 <u>4</u>	19.1	1.5	11_	32.5	14.8	92	46	Õ	3.8
12	32.7	,	96	37	0	4.2	12		14.1			0	5.5
13	32.0	19.9	96	46	3.6	3.1	13	32.4	13.9	92	43	0	5.0
14	1	19.9	96	44	0.4	4.4	14	31.9	14.5	90	42	0	5.3
15	1 -	19.3	94	46	0.6	3.2	15	30.6	13.6	89	<u>, 47</u>	0 ;	5.:
16	1	18.2	93	46	_0	_3.4	16	31.2	13.3	92	51	, o	5.3
17	r	18.9	94	48	0	. 3.3	17	31.6	15.0	94	·_ 48	0	. 4.
18	1	19.0	93	44	53.5	<u> 4.0</u>	18	33.5	14.2	97	47	<u>.</u> .	3
19	32.0	19.9	97	41	14.6	2.5	19	32.3	15.5	95	46	· 0	4.
20		20.0	99_	46	0	3.2	20	33.7	14.5	96	44	0	5.
21	31.5	19.9	95	45	0	3.5	21	35.4	14.8	93	39	0	5.
22	32.5	20.2	97	45	0	4.4	22	34.5	15.4	97	39	0	5.
23	32.0	19.4	96	45	0	3.8	23	34.7	14.7	96	43	1.6	5.
24	32.0	20.0	1	49	. 0	3.1	24	34.7	14.9	95	43	. 0	5 <u>.</u>
25	31.5	21.0	95	44	0	5.2	25	35.0	15.0	95	35	0	5.
26	31.0	19.4	93	44	Ō	_ 4.9	26	34.4	15.5	91	41	. 0	5.
27	30.4	18.7	95	41	! O	5.5	27	33.6	13.5	95	44_	, 0	4.
28	29.6	19.0	92	_, 45	Ò	5.7	28	34.4	15.2	94	41	0	5.
29	-1	18.7	1	45	1 0	4.6	29	34.2	14.9	93	33	0	5.
30		19.2		38	0		1	34.7	14.6	_ 97	. 35	0	5.
31		20.2	97	42	i <u>o</u>	4.7	31	1		<u> </u>			
TOTAL	967:6		2957	1322	131.	3 131.0		982.2	437.8	2831	1338	21.6	139.
DAYS							 		1	· 		•	
	31.2	19.2	95.4	42.6	1	4.23		32.7	14.6	94.4	44.6		4.6

NOTE R.H RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

						<u> </u>							
		M	iay i	9 57					;	June l	9 57		-
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R.	E
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	1	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m),
1	35.0	20.1	97	27	0	6.8	11	30.6	21.3	98	60	0	1.7
2	34.1	20.0	93	38	0	5.7	2	29.2	21.4	96	68	52.9	1.4
3	34.2	21.3	93	35	0	4.5	3	31.1	20.3	99	72	÷4.0	1.1
4	33.2	20.2	95	43	46.0	4.0	4	29.7	21.6	97	70	0	. 1.3
5	31.6	20.7	97	51	0	3,0	5	31.0	21.1	99	65	32.2	. 1.7
6	31.0	21.2	98	52	0	3.0	6	30.3	21.3	97	70	19.8	1.2
7	31.8	20.2	95	27	42.8	2.7	7	28.4	21.0	<u>98</u>	73	28.7	1.0
8	32.6	20.1	98	.52	2.6	2.4	8	29.5	21.4	97	68	0	2.0
9	32.3	19.1	100	56	_28.0	_2.5	9	28.6	21.9	96	70	21.2	1.2
10	32.8	21.1	100	45	4.9	3.4	10	29.0	20.9	96	68	8:4	, 1.4
11	31.2	22.9	97	58	0.2	3.5	11	30.2	20.4	96	66	0.3	2.7
12	32.0	20.4	97	54	0	3.6	12	30.0	22.4	_ 97_	65	9.4	2.3
13	31.3	21.7	95	54	8.0	2.3	13	30.5	22.3	95	62	0	3.1
14	32.4	20.7	97	47	0	4.7	14 	30.8	22.0	94	63	0.5	_2.7
15	32.9	21.1	95	49	0	4.1	15	31.2	21.3	97	61	0.7	3. 8
16	32.0	22.5	95	58	7.7	2.5	16	32.0	22.3	96	55	0.7	3.3
17	32.9	22.2	95	53	1.7	2.7	17	31.3	21.3	96	58	12.4	2.9
18	30.7	22.0	96	64	22.1	1.7	18	31.4	21.4	97	61	0	3.0
19	30.7	21.3	95_	63	0.5	2.6	19	31.4	22.8	. 94	60	4.2	2.8
20	32.0	20.4		58	2.4	2.4	20	32.6	21.3	96	58	58.0	2.3
21	30.4	21.4	95	61	3.8	2.0	21	28.3	20.5	99	71	2.0	1.2
22	31.0	21.9	98	65	6.2	2.4	22	30.8	19.2	97	67	9.0	1.6
23	32.4	26.9	98	51	4.2	2.6	23	31.7	20.9	97_	58	7.8	_
24	33.3				3.3	3.2	24	31.1	22.0	96	61		2.1
25	31.4	22.4				1	25	30.8	21.0	96	58	1.8	2.6
26	33.9	21.3	96	49	19.0	2.7	26	31.7	20.2	95	51	<u>, 9</u>	4.2
27	32.3	21.8	95	56	0	2.6	27	30.1	21.3	_ 96	61	0.0	2.4
28	32.5	21.3	95	54	0	2.5	28	31.4	20.4	. 90	54	_ 0	4.2
29	33.0	, ~		56	6.9	2,6	29	29.5	19.9	99	65	32.6	2.0
30	33.3	21.4		56	2.7	2.0	30	27.0	21.3	97	73	9.1	1.4
31	31.9	22.3	99	60	6.1	1.6	31		'	! !	1	٠ ،	
TOTAL	1	655.6	2987	1603	219.1	94.4		911.2	636.4	2893	1912	316.5	66.4
DAYS			, u' + 4°	1	,								. •
MEAN	32.3	21.1	96.4	51.7	,	3.05		30.4	21.2	96.4	63.7	.1	2.2

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

SIMIL		Banmet	1400	·								<u>-</u>	
		•	July 1	9 57	•					Aug. 1	9 57		
i	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m)		İ	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	28.9	21.7	96	66	9.4	2.1	1	30.2	19.9	97	66_	12.3	1.7
2	28.3	21.8	95	70	9.5	2.8	2	30.0	18.0	96	64	O	1.9
3	23.0	20.0	100	86	6.9	1.1	3	29.9	19.7	97	61	28.0	1.9
4	26.7	21.3	97	73	0	2.4	4	29.4	20.0	98	67	O	1.6
5	29.6	22.4	94	62	4.1	3.3	5	30.4	21.0	96	64	10.6	1,6
6	29.0	22.0	97	69	1.5	1.5	6	31.5	20.4	97	57	12.3	1.7
7	30.6	20.8	95	64	0	3.0	7	31.0	21.1	99	58	1.0	2.2
8	31.6	21.6	97	57	0	2,8	8	2 <u>9.7</u>	20.3	97	65	0.7	1.5
9	32.0	19.4	96		25.4	2.8	9	29.3	20.1	98	67	28.0	1.5
10	29.0	19.1	98		0	1.8	10	28.4	20.0	97	66	0	1.0
11	29.0	20.6	98	67	1.7	2.4	11	29.7	19.4	99	63	9.4	1.5
12	28.7	20.2	96	68	10.2	1.4	12	27.6	19.8	98	76	2.2	1.1
13	29.6	19.0	96	62	46.1	1.7	13	26.3	19.4	98	.75	23.2	1.0
14	28.0		97	75	15.4	1.1	14	26.0	20.5	100	.82	9.4	0.5
15	27.3		97		,		15	27.6	20.8	100	74	0.7	1.7
16	27.1	21.1	100	79	27.3	0.8	16	28.7	20.0	97_	72	19.6	1.8
17	29.0	20.3	97	62	15.6	2.0	17	27.3	21.6	95	75	4.3	2.3
18	27.1	20.4	96	72	1.1	1.2	18	26.8	22.7	92	70	O.	3_5
19	28.6	18.9	98	65	0	2.3	19	26.7	22.7	93	73	0	3.7
20	31.9	21.0	97	52	0.8	2.6	20	28.1	22.0	94	65	0.3	3.0
21	30.3	20.6	99	61	0	1.8	21	29.0	21.7	96	69	6.9	2.1
22	29.5	21.2	98	65	2.2	1.4	22	28.4	22,2	96	74	29,3	1.7
23	31.2	19.8	100	55	0	2.2	23	26.4	19.3	98	83	1.6	Q.9
24	28.3	21.3	96	71	1.8	1.7	24	28.8	19.1	96	69	10.4	1.6
25	30.5	:	1	1		2.2	25	30.4	19.8	98	61	0	3,0
26	30.2	20.2	96	62	4.2	2.1	26	29,0	20.5	94	67	18.0	_2.2
27	28.4	19.7			1		27	28.5	20.3	96	71	6.6	1.5
.28	29.1	20.9	i	ŧ	1	1	28	28.7	19:8	97	_65_	2.5	2,4
29	30.0		96	63	0	2.6	29	30.0	21.1	_97	59	5.2	2.3
30	29.8				•	2.1	30	29.4	21.1	98	66	9.4	. 1.7.
31	30.4	21.1	96	60	13.2	2.6	31	28.5	1	98	67	5.2	1.2
TOTAL	902.7	637.5	3004	i 2043	217.9	61.9		891.7	635.3	3002	2111	257.1	5.7•3.
DAYS	<u> </u>			•		1							! !
MEĂN	29.1	20.6	96.9	65.9	h	2.0		28.8	20,5	96,8	68.1		1.8
				UTV IN DE	·· ·· · · · · · · · · · · · · · · · ·						DEL CO	1 TO 7	~

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

JIMIC													
) }		Se	ep. i	9 57						Oct. I	9 57		, ,
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E
ľ	MAX.	MIN.	MAX.	·	(m/m)	(m/m)		MAX.	MIN,	MAX.	MIN.	(m/m)	(m/m)
1	27.4	21.2	99	72	11.6	0.5	1	27.5	20.4	99	73	82.5	0.7
2	28.0	20.0	99	69	0.4	1.3	2	29.0	18.9	99_	68	0.1	1.2
3	28.9	21.0	97	70	31.8	1.4	3	29.1	19.8	100	64	1.9	1.3
4	28.5	21.1	98	73	12.4	1.1	4	28.5	19.9	100	82	110.0	0.5
5	28.4	20.4	99	73	4.0	1.4	5	28.6	19.9	100	74	3.6	8.0
6	27.7	20.4	96	74	1.7	1.4	6	29.7	21.4	100	68	1.0	1.3
7	29.4	20.0	98	62	0.9	2.2	7	28.3	21.4	100	72	3.0	1.1
8	28.9	20.3	100	_68	7.9	1.2	8	26.3	21.1	99	84	10.9	0.7
9	30.1	19.4	97	60	0.9	1.9	9	26.3	19.8	100	80_	84.8	0.5
10	30.4		100	66	10.9	1.6	10	27.2	19.4	99	76	0.9	1.0
11	29.6	21.3	98	70	2.1	1.2	11	25.5	19.4	100	76	3.6	1.0
12	29.7	20.9	96	63	55.3	2.0	12	27.5	20.6	100	. 77	1.0	1.3
13	28.9	20.8	97	67	27.6	1.9	13	26.5	19.5	100	74	3.7	1.0
14	28.1	20.7	_ 97	75	12.7	1.0	14	26.6	19.7	100	84	7.8	0.6
15	28.1	21.0	98	72	1.4	1.8	15	26.0	19.3	99	87	9.0	0.7
16	28.1	20.0	98	76	24.7	1.0	16	29.0	18.1	100	67	0.2	1.8
17	28.5	20,7	100	75	37.9	1.4	17	28.0	19.6	100	77.	3. 0°	0.9
18	27.4	21.7	97	75	22.7	0.8	18	29.1	21.0	99	68_	0	1.9
19	28.5		98_	7 0	4.4	1.5	19	29.0	20.1		70	1.3	1.9
20	27.6	21.7	97	75	1.4	1.1	20	28.1	20.4	' 98	74	0	1.9
21	27.3	21.4	99	78	5.3	1.0	21	29.5	20.8	_98	_ 69	0	2.3
22	28.5	22.0	98	. 77	0.7	0.8	_ 22	29.4	20.6	96	68	0	2.3
23	29.2	21.1	100	68	10.6	1.3	23	29.6	20.0	96	_ 58	0	2.9
24	27.0	20.7	99	80	46.7	0.8	24	29.1	_20.2	96	64	0	2.5
25		19.9	100	76	0.7	1.2	25	29.1	20.6	96	61	0	
26	27.8	20.8	100	73	2.0	1.1	26	29.0	19.3	98	69	0	2.1
27	28.1	21.2	100	71	. 0	1.3	27	30.0	19.7	99	52	0	2.6
28	28.9	21.0	100	69	3.0	1.2	28	31.3	19.0	98	51_	0	2.9
29	28.3	20.2	100	70	1.6	1.0	29	28.7	20.8	95	62	0	2.8
30	29.9	20.3	199	64	16.0	1.1	30	28.4	20.1	97	67	0	÷
31		+		†	1	1	31	28.2	17.5	100	65	0	2.0
TOTAL	855.0	622.6	2954	2131	359.3	38.5		878.1	618.3	3061	2175	328.3	48,7
DAYS			1	1	,	1	[ļ
MEAN	28.5	20.8	98.5	71.0		1,28		28.3	19.9	98.7	70.2	!	1.57
										DON VO			

NOTE

RH. RELATIVE HUMIDITY IN PERCENT

E. EVAPORATION IN MILLIMETER

R. RAINFALL IN MILLIMETER

STATION: Banméthuôt

STATIC	. в	anmeth					1						
1		, N	0 7. l'	⁹ 57					D	ec. 1	957		
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	R	E
-	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	<u></u>	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	29.6	19.0	99	66	2.4	1.7	1	28.6	20.5	`96	64	0	2.6
2	28.6	20.5	98	64	1.6	2.2	2	27.6	20.4	96	67	0_	2.4
3	28.9	19.6	96	54	0	3.5	3	27.4	19.5	96	63	0	2.7
4	29.0	20.1	96	66	_0_	2.2	4	26.5	19.3	94	61	0	2.3
5/	28.4	1,8.7	98	61	0	2.2	5	28.0	19.1	95	58	0	3.5
16	29.5	18.9	98	57	_ 0	2.5	6	26.6	17.8	93	52	ō	3.8
7	29.7	17.6	98	_60	_0.5	2.7	7	2 <u>7.</u> 9	17.6	95.	_ 59_	0 _	3.1
8	30.2	_20.7.	99	64	1.3	2.1	8	25.7	19.0	97	.75	_ 0	1.9
9	30.2	21.6	97	61	0	2.1	9	27.4	20.2		66	_ 0	2.6
10	32.0	20.4	99	51	0	2.6	10	28.1	18.3	96	<u>55</u>	0	3.7
11	30.5	19.3	99	53	0	2.9	11	28.9	18.4	96	53	0	3.0
12	31.0	17.3	99	56	0	2.8	12	30.0	18.6	97	55	_ 0	3.1
13	28.6	19.3	97	67	0	2.3	13	31.7	18.7	96	52	0	3.1
14	28.6	19.2	95	62	0	2.7	14	31. <u>5</u>	19.9	96	50	0	4.2
15	28.9	17.6	95	55	. 0	3.1	15	29.8	19.6	94	54	0	3.8
16	28.1	14.4	99	54	0	2.9	16	28.6	19.7	_ 95_	56	Q	3.5
17	28.4	13.9	99	46	0	3.2	17	28.6	19.3	94	54	0	3.9
18	28.2	16.1	95	45	0	3.4	18	27.0	19.0	94	58	<u> </u> 0	3.0
19	26.4	15.2	100	46	1.8	1.3	19	27.7	18.3	94	57	0	3.8
20	28.0	17.2	96	50	; 0	3.6	20	28.6	13.2	98	51	0	3.8
21	27.0	16.1	92	48	' 0	3.5	21	27.8	, 18.5	95	56	, 0	3.4
22	28.0	16.0	96	49	Ō.	3.4	_ 22	27.2	17.5	91	48	, 0	4.2
23	27.9	13.7	99	44	. 0	3.2	23	26.7	16.7	90	50	0	4.3
24	25.9	18.4	99	71	0.1	2.0	24	28.2	14.4	98	49	0	3.3
25	29.0	19.0	94	54	0	3.1	25	30.4	15.3	99	44	0	3.4
26		17.2		62	0	_,2.7	26	31.1	17.4	97	40	, 0	3.6
27	28.8	17.7	95	51	. 0	3.2	27	30.1	18.5	98	5 5	0	2.7
28	28.2	18.4	93	50	0	3.6	28	30.0	19.6	_ 96	50	0	3.4
29	28.2	17.2		61	0.3	1 2.2	29	29.9	18.5	96	50	, 0	4.0
30	28.9	19.8	94	61	0	2.9	30	28.0	17.9	92	42	.0	4.7
31			/ -	-			31	26.8	17.1		57	0_	3.1
TOTAL	861.1	540.1	2908	1689	8.0	81.8	_	882.4	567.8	2956	1701	. 0	103.9
DAYS	·— — —			1									-
MEAN	28.7	18.0	96.9	56.3	<u></u>	2.73		28.5	18.3	95.4	54.9) 1	3.35

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

E. EVAPORATION IN MILLIMETER

R. RAINFALL IN MILLIMETER

STATION: Bannéthuôt

		January	, ' l	958		•			Februa	ry , 19	5 58		
	TEMP	(C°)	R. H.	(%) i	R	E		TEMP	(C°)	R. H.	(%)	,R.	ı `E
,	MAX.	MIN.	MAX.	MIŅ.	(m/m)	(m/m)	j	MAX.	MIN,	MAX.	MIN,	(m/m)	(m/m)
1	29.1	17.6	94	44		4.1	1	32.2	18.6	94_	36	<u>-</u> -	5.1
2	28.6	17-0	95	47_	· · · · · · · · · · · · · · · · · · ·	.4.3_	2	28.7	_18.6	93	54	,	4.4
3	27.4	18.4	95	60	0.0	_ 3.0 .	3	28.2	10.2	93	62	<u></u>	313
4	25.4	17.1	93	.55		3,1_	4	32,3	19.7	92	_42_	14. 	×4:5
5	24.9	14.8	93	53		3.4	5	30.8	19.3	95	50		3.9
6	27.0	14.7	92	50		3.3	6	34.0	18.3	98	34_		_4.9
7	25.7_	17.7.	96	63	2.0	1.8_	7	34.5	19.4	96 _ [!]	32 _		5.1
8	28.9	18.0	97_	. 59	. Q.Ο `	2.3.	8	_32.3	20.6	94	46		3.8.
9	29.5	.19.7.	. 96	55		. 2.9.	9.	_31_0_i	. 20.6	93_	48	3.4_	3.4
0	31.1	19.9	95	- 53		3,8	10	26.7	18.1	97	59	0.4	-3.6
1	30.7	19.7_	_ 95 _	49_	_	3.5	11	24-5	16.9	89	- 5 8.		 3,9
2	30.2	18.6	36_	48		_4,2	12	25,5	16.2	. <u>85</u>	50.	· 	5.0_
3	30.9	17.0	100	44	i I .	3.6	13	25.1	16.0	_ 89 .	48	' 	_5.0.
4	32.4	27.0	99	35		5.0	14	26.9	15.1	89	41.	·	5.2
5	31.0	19.5	94	47_		4.1	15	29.5	15.6	91	35	1 3	-5.5 ·
6	29.9	18.2	95	40	į.	4,9	16	द्यु द	16,2	93	34		5.4:
7	30.0	17.4	96	40		4.3	17	32.0	18.4	96	32		4.7:
8	29.2	19.0	93	43		4.6	18	31.4	17,6	дe	·41		4_8
9	29.0	17.9	94	46		5.2	19	38.7	16.9	93	48		4.8
20	28.8	, 18.5	92	50		4.4	20	28.2	ָסָ קנ	94	55	,	5.2
21	28.5	18.1	92	48	 	4.7	21	29.3	18.1	93	39		5.9
22	29.5	17.5	93	39		5.5	22	31.5	17.6	Ú3	23	!	5.0
23	27.4	17.2	93	50	j	4.2	23	31.7	16,1	99	22	,	5.7
24	27.0	18.5	93	54		4.3	24	29.2	16.2		39		6.2
25	26.7	18.4	9 0	58	i-	4.1	25	31.0	17.5	,	27	,	6.8
26	29.9	18.7	92	51	ĺ	1.4	26	32.6	16.6	95	35.		5,6
- 27	28.5	19.4	92	58	0.0	3.2	27	33.5	16.7	97	23	الدرسيرير	26 j Tu
28	29.7	19.3	93	47		4.9.	28	33:2	_16.4_	<u>* 96</u>	27		6.9
29	31.3	19,0	95	. 34	0,1	,	29			- ماليو تــــ		+	، بر وحد. ''
30	29.6	19.7	- 29	51	0.4	3.7	30						
31	30.1	19.6	91	42		5.5	31						
	897.9	562.1	2.923	1.513	2.5			846,4	494.4	2,626	1,140	7.9	141.1
YS	1	1295.4	100	الهواره در	ر دعت ا د		1	- 0-20472		المالية والمالية	*		-
-	29.0	118-1	94.3	48.4	i (4.05		30.3	17.7	93.8	40.7		5.04
NC		I. RELATI				<u> </u>	'	i	<u>'</u>	PON KC	EI CO.	LTD. T	ОКУО
	. R	RAINFA EVAPO	LL IN MIL	LIMETER									

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

SI	AHC	וא: אנ	ométhu	őt 			-	-						
`		Ма	rch	, L	9 58					April	- 19) 58 ————	3	
	-	TEMP	(C°)	- R. H.	(%)	R	E		TEMP	(C°)	` R. H.	(%)	R	E
	-	MAX.	MIN.	·MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN,	(m/m)	(m/m)
	-1	34.8	17.7	99	25		6.2	ì	32.5	20.6	94	44		5,55
_	2	34.8	19.2	99	25		7.2	2	36.9	20.3	95	28		7.4
_	3	31.5	21.3	92	41		7.1	3	35-4	20.9	95	37	17.8	<u>5-7</u>
_	4	30.7	20.2	. 91	45		6.3	4	34.1	20.7	96	38		4.14
۰	5 -	32.2	18.8	96	44	: 1	5.7	5	35.0	21.4	96	38	,	4/4
	6	34.0	20.0	93	36		7.4	6	36.2	21.1	98	36_	<u> 39.8</u>	5.3
-	7	32.9	20.6	93	40		7.4	7	35.5	22.0	99	23		6,0
Γ	8	29.9	20.6	87	40		6.8	В	33.3	20.4	96_	41		5.6
	9	32.0	19.9	92	- 40		6.4	9	34.0	20.1	95	34) [6.2
	. 10	34.0	19.5	90	26		7.2	10	34.0	20.2	94	35		6.7
	11	33.9	19.0	94	30		5.9	11	34.7	19.5	88	36_		<u>5.8 `</u>
	12	35.1	18.7	99	26		7.0	12	33.8	21.0	95	41		6.2
ľ	13.	34.9	19.4	95	30		7.3	13	34.0	_ 20.7.	92	32_	•• -n _! -	7:4
ľ	14	34.0	20.0	93	32		6.5	14	. 33.2	21.5	91	35		6,8
1	15	34.7	20.8		38	<u> </u>	5.7	15	29.5	21.1	96	59	UO.7	3:4
r	16	34.4	21.3	96	36		6.8	16	29.0	21.6	95	60	00.2	2.5
	17	36.5	20.8	95	29		6,0	17	÷ 31.3	21.2	92	52		5.2
	18	35.6	21.0	94	32	1,0	6.4	18	32.5	21.6	90	45	 	6.2
	19	36.6	20.4	96	15_		7.1_	19	33.7	20.4	94	36		5.0
ľ	20	34.6		1	; 32	-	7.2	20	36.2	20.9	96	31_	1	6.6.
	21	35.6	19.5	93	26	!	6.4	21	35.1	22.0	96	36	10.8	5-4
	22	36.0	19.	98	16		7.9	22	35.3	21.7	99	36	ļ	<u> </u> _5,3
-	23	35.6	19.6	1	33	~ .	6.5	23	35.4	21.8	92	37	<u> </u>	5.7
	24	36.7	19.9	93	29	1	8.0	24	36.1	22.4	92	34		6,8
ľ	25	35.6	20.4	94	33		7.3	25	36.5	21.9	96	25_	<u> </u>	7.8
ľ	26	36.6	20.3	3 93	25	i	8.3	26	35.9	20.6	93	30	ļ	8.1
	27	36.9	20.7	7	23		9.7	27	34.9	_ 20.0.	99	38 .		6,9
	28	32.2	20.		47		5.8	28	32.6	22.3	91	43		6.5
	29	30.3	21.	88	45		5.2	.29	34.0	21.3	91	41		7.2
	30	31.3	20.8	1	40	1,8	7	30	34.3	23.0	92	41		7:1
-	31	32.8			41		5.4	٠31		,			<u>i</u>	
ħ	TOTAL	1045.7	620.8	1	1,020	2.8	210.6		1024.9	634.2	2,828	1,148	69.3	1791
ı٠	DAYS	.{			C. L. P.	-	1	[
ı.	MEAN	· 	20.0	93.	7 31.	9	6.79		34.2	21.1	94.7	38.	1	5,9
L	445				NITY IN DO		-	-			DON KO	SEL CO	I TO T	OVVO

NOTE RH. RELATIVE HUMIDITY/IN-PERCENT
R. RAINFALL IN MILLIMETER
EVAPORATION IN MILLIMETER

STATION: Banmethuot

31A110	JIV. Da.	nmethuc	, c										
1		Nay	1	958			,		June	10	9 58		,
1	TEMP	(C°)	 R. H.	(%)	, R .	·	1	TEMP	(C°)	R.H.	(%)	R	E
	MAX.	MIN.	MAX.		(m/m)			MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	36.1	22.1	93	26		7.2	1	31.0	21.5	100	61	3.0	3,0
2	35.1	22.5	93	34		6.3	2	30.7	22.9	98	61	3.5	3.3
3	33.5	23.2	91	46	0.5	<i>3:</i> 7.	3	30.6	22.0	98	56_		5.6
4	35.8	22.3	98	33	22.4		4	29.2	23.9	92	_59_	0.2_	4,/7
5	35.6	22.0	97	40	0.1	44,5	5	29.9	22.9	95	61	0.9	4.1
6	33.9	22.6	96	43	5.2	4,9	6	31.0	21.2	981	55_		4.9
7	35.3	22.2		41	5 . 7		7	32.7		98	_ 51_	7.9	4:5
8	34.1	22.5	98	46	, ,	5.1	8	32.9	22.3	97	45	 	6:0
9	34.7	22.5	91	44		5.4	9	33.0	21.7	97	. 50		5.2
10	36.0	21.5	96	34		7.2	10	29.4	21.4	100	68	20.2	5.0
11	37.0	22.1	93	37	7.8	5,2	11	28.3	21.4	100	_ 75	21.3	1.0
12	33.8	22.3	98	48		3.4	12	28.9	19.9	99	71	2.2	1:8
13	34.7	22.4		36	1	4.8	13	29.4	22,1	100	<u>6</u> 7	0.2	1.5
14	35.5	22.5	95	30	l '	6.3	14	31.9	21.4	100	_ 53	3.2	2.4
15	33.5	22.3	95	46		53	15	31.0	21.9	98	63	1	3.2
16	34.0	22.4		42		4.2	16	30.2	21.5	100	66	46.3	1.4
17	33.7		97	46	17.2	•	17	30.4	20.2	100	64	1.4	1.7
18	32.9	20.7	98	48		3.0	18	29.3	21.2	100	73	20.8	1,5
19	34.0	21.6	97	51	1	3.7	19	30.8	21,6	100	65	7.6	2:0
20	34.3_	21.0	100	45		5.3	20	29.7	22.7	100	71	4.5	¥.5
21	34 • 4			46		4.5	21	30.6	21.4	98_	66	0.3	2,,2
22	34.0	, '	1	47	0,0	5.1	22	31.3	20.6	100	59		3.D
23	35.2	22.8	93	43	3.2	5,9	23	31.0	21.7	98	68	1.6	21.3
24	31.1					3.1	24	31 <u>.1</u>	21.7	96	64	¦	_ 3.1
25		21.1	•	69_	26.9	1	25		21.9		58	4.4	2,3
26	30.0			59		2.2	26	29.3	21.4	98	69	5.9	2.4
27	30.7		99	58	0.1	243	27	29.1	21.0	100	_66	112.8	1.7
28	31.7	21.5	97	, 53	, 2.0	3.3	28	29.0	20.6	100	65	4.0	1.5
29	29.0	21.2		66	5.7	2.1	29	30.7	20.1	100	59		2.3
30	29.7	21.1	98	61	3.5	1.8	30	30.2	19.8	99	55	1	2.1
31	,	21.2	•	58		1	31				1		<u>i</u>
TOTAL		-		1,432		1 1,333	<u></u>	914.6	646.9	2,957	1,864	272.2	850_
DAYS	' - 		• •	1	1			l					
MEAN	33.5	22.1	95.	8 46.2	2	4.3	1	30.5	21.6	98.6	62.	1	2.832;
	<u> </u>	<u> </u>							NII D	ארט אר	SEL CO	LTD T	OKYO

NOTE RH. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E EVAPORATION IN MILLIMETER

STATION: Banméthuôt

SIAIIC		Banmeth	luot										
	,	July	19	9 58				Αι	ıgust	19	58		
	TEMP	(C°)	R. H.	(%)	R	E	,	TEMP	(C°)	R. H.	(%)	R	E
	MAX,	MIN.	MAX.	MIN,	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	2877	21.6	100	64	16.0	1.2	1	31.0	20.3	100	60	3.3	2.7
2	25.0	21.4	100	<u>85 </u>	6.3	0.5	2	30.9	20.2	_100_	63		_3.2
3	30.4	20.8	99	65	1.4	2.2	3	31.9	21.0	99	60 .	2.8	2.8
4	28.4	20.9	99	68	2.0	2.3_	4	30.2	20.3	100	60		3.1
5	30.1	21.8	95	66	12.8	2.0	5	30.8	20.5	98	58		3.9
6	29.6	21.8	94	63	0.9	2.4	6	29.7	20.8	98	61	3,0	2.4
7	29.3	20.3	98	73	14.2	1.6	7	29.9	19.9	_99	_60	0,6	2.7_
8	29.0	21.4	99	75	58.0	0.6	8	30.3	21.0	99	54	_9.2_	2.7_
9	26.0	20.3	100	87	2.0	0.9	9	29.6	19.7	99	62	17.3	2.0
10	27.5	19.5	98	77	3.9	0.7	10	29.4	20.4	98	66	4.0	2.2
11	28.4	20.6	99	71	4:2	1.3	13	29.3	20.0	_ 99 _	.58	0.29	1.5.
12	29.0	20.7	99	71	0.4	1.7	12	30.1	20.1	98	_ 56		3.0
13	29.1	21.3	97	65	8.2	2.0	13	29.1	19.3	99	64	24.2	2.6
14	29.5	21.2	97	62	0.3	2.5	14	30.2	20.5	_99 _	60		2.4_
15	29.5	20.4	98	68	15.3	2.0	15	30.3	21.9	99	60	0.8	2.0
16	29.0	21.1	100	72	_5.2_	1.6	16	30.5	20.1	100_	60	7.9	2.0.
17	29.0	20.4		70	10.9	1.4	17	30.1	20.0	100	66		2.0
18	28.6	20.2		66	15.6		18	27.1	21.3	_99	72	0:0	1.5
19	29.0	19.3		60	10.5	2.5	19	29.2	20.3	99	72	020] [
20	28.3	19.3	100	. 75	0,8	2.1	20	27.9	21.1	99	71	9.5	1.1
21	30.2	22.5		61	00	2.8	21	31.0	21.3	99_	.57	7.5	2.1
22	29.1	20.7	97	72	12.0	1.3	22	29.6	21.5	99	65	1.5	1.6
23	29.0	20.4	100	71	8.0	1.5	23	26.8	21.7	' <u></u> 99	76	18.0	0.9
24	29.0	20.3	98	70		2.0	24	27.1	21.2	98_	73 .	29.7	1.5
25	30.3	19.5	99	67	3.2		25	27.1	21.9	100	74	7.8	0.7
26	30.4			57	2.6	1	26	25.6	21.7	99	86	14.1	0.9
27	29.8			60	0.1	2.8	27	27.3	21.0	99	79	18.4	1.0
28	30.5	21.3	98	63	1.2	2.0	28	26.7	21.9	99	85	48.4	8.0 🖈
29	30.2	20.6	100	63		2.7	29	26.9	21.5	99	83	10.348	^{}{4} 0 ₊9
30	31.0	20.4	!	60		2.6	30	26.8	21.2	99	74	58.5	1.0
31	31.3	21.3		56	2.2	3.1	31	27.0	20:6	100	75	35.1	1.3
TOTAL	903.9		3,047	1	1	159.7		899.3	644.2	3,071	2,065	334.8	60.6
DAYS		<u> </u>	· / · · · ·	1	-4-1803	1.72.93	-[= = = = = = = = = = = = = = = = = = =					
MEAN	. -	20.8	98.	67.8	- - -	1.9	-	29.0	20.8	99.1	66.6		1.95
	- 27.2	1 20.0	, 50.	× 01.0	-,	4.7	4	-,,,,		DON VO			

NOTE R.H., RELATIVE HUMIDITY, IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

	s	eptembe		19 58			•	0ct	ober	1	1958		
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	1 R	E
	MAX.	MIN.	MAX.	'	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	28.2	21.3	97	74 ;	14.9	1.6	1	29.4	21.4	98	62		2.4
2	28.0	21.7	98	72	0.7	2.3	2	29.4		98	58	4.2	2.7
3	29.3	21.5	96	60	3.8	2.9	3	27.0	<i>-</i> -	99	73	0	1.5
4	28.2	21.5	98	69	19.3	1.9	4	30.1		97	59	1	2.9
5	29.4		97	65	24.2	2.1	5	26.9	21.4	99	76	6.8	0.8
6	26.9	21.4		_ 85	63.8	0.5	6		21.8	. 99	72	23.4_	1.1
7	24.6	21.4	100	90	49.5	0.7	7		21.4		69	1.4_	2.2
8	26.4	19.8	99	74	10.1	1.2	8	28.7	22.2	99	75	5.5	1.8
9	25.8	20.0		. 85	10.8	1.0	9	28.9	20.9	99	70	33.8	1.5
10	22.6	21.1		96	12.4	0.6	10	29.4	21.1	99	57	2.2	1.7
11	26.6	21.5	100	79	0.4	1.6	11	27.7	20.1	99	72	52.3	1.5
12	28.2	21.6	96	73 '	1.4	1.7	12	27.4			73	5.1	1.4
13	30.0	21.4	97	64	1	2.7	13	30.2		t	. 56	4.6	1.9_
14	29.9	20.1	99	68	9.9	1.8	14	29.7		•	64	27.3	1.7
15	29.9	20.5	100	64	5114	2.6	15	29.9	_	,	61	2.0	1.6
ю	29.5	20.7	99	68	3.3	2.4	16	25.3	21.1	99	.77	2.0_	0.9
17	28.9	20.8	99	71	13.4	1.5	17	23.9			87	22.0	0.5
18	30.3	20.2	98	60	0.9	2.3	18	28.3	20.4	99_	66	8.5	1,8
19	30.2	20.1	99	59	1	2.4	19	25.2	20.2		87	31.3	0.4
20	30.1	19.8	99	66	10.9	2.1	20	28.7	18.8	99	66	3.6	2.1
21	26.4	20.7	99	81		0.8	21	29.2	20,4	99_	65	8.7.	. 1.7
22	29.1			73	3.8 '	1.2	22	28.1	20.0	99	63		1.8
23	28.9	19.7	99	61	2.7		23	26.8	18.6	99	71	0.1	1.4
24	27.8	20.6	99	71	0	1.1	24	25.8	19.8	_	75	1	1.1
25	28.3	1	•	64	0.1	1.4	25		21.1	99	66		1.6
26	29.7	20.0		58	,	2.7	26	!	18.1	99	82	10.8	
27	29.5	18.7		1		3.0	27	19.6	•		89	82.2	
28	29.3	19.9		60		3.1	28		18.1	į	83	2.2	1.5
29	28.2	•	•	69		2.5	29	!	17.5		78	0.0	1.8
30	30.1			63		2.6	30		16.2	l	58		3.7
31	-	<u>-</u> .			- '		31		16.1	!	59	, ,	3.7
OTAL	850.3	622.7	2,951	2,104.	257.7	55.5			617.9	1	1	340.0	51.3
DAYS	, 1			**1	-				*- ** !	F.		1	_F
1EAN	28.3	20.8	98 .	4 70.1		1.85		27.1	19.9	98.5	70.0	1	1.65

R.H. RELATIVE HUMIDITY IN PERCENT NOTE

R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

	Nove	mber	i	⁹ 58			<u> </u>	Dec	ember		19 58		
	TEMP	(C°)	R. H.	(%)	 R	· E		TEMP	(C°)	R. H.	(%)	R	E
ļ	MAX.	MIN.	MAX.		(m/m)	: (m/m)	,	MAX.	MIN.	MAX.	MIN.	+ (m/m)	(m/m)
1	24.7	15.4	93	52		3.6	1	24.8	16.3	89	60	 	3.3
2	24.9	15.8	93	53		3.5	2	24.6	14.0	97	58	·	3.2
3	24.6	15.2	95_	56		3.4	3	24.8	14.9	94	60		3.2
4	25.8	18.5	95_	53	 	3.1	4	25.1	17.5_	93.	56	1	2.9
5	24.1	17.9	97	54		3.3	5	24.8	16.5	96	54	:	3.6
6	25.4	17.3	92	52		3.8	6	24.6	16.0	92	. 56		3.6
7	26.1	18.9_	96	56_		3.1	7	24.9	16.1	_97	57	٠. ۵.	2.8
8	25.1	16.2	99	78_	0.7	1.3	8	23.0	14.7	_97_	58	!	2.2
9	28.2	20.0	99	58		3.0	9	23.6	14.0	98	66	0	2.4
10	28.2	19.7	96	57		2.8	10	22.9	16.4	92	65	0	2.6
11	28.4	19.9	99	66_	1	2.2	11	24.7	15.7	93	54		3,6
12	26.7	19.0	98	70	I	2.1	12	25.1	16.1	91	, 55		3.5
13	28.1	21.0	94	66	0.2	2.3	13	25.1	16.0	91	56		3.3
14	26.5	19.7	98	67	0	1.8	14	23.8	16.2	89	58		3.2
15	26.8	19.9	98	69	6.9	1.5	15	24.8	15.7	89	51		, 4.6
16	27.8	21.7	98	67	7.1	2.2	16	24.9	16.1	93_	_ 57		3.9
17	26.7	21.6	98	_68	1.1	2.6	17	24.9	15.5	99	68	i	1.9
18	26.6	20.9	96	70	0.5	2.2	18	29.1	17.3	98	_ 53	-	3.3
19	25.8	20.6	92	69	0.2	2.9	19	27.4	19.0	95	61	, Ο -	2.9
20	24.9	19.6	96	67	0	2.9	20	22.9	17.7	95	69	0	2.1
21	24.0	18.2	91	63		2.6	21	26.8	17.4	94	54		3.6
22	25.0	16.9	93	64	1	2.3	22	28.7	17.5	97	55		2.8
23	23.7	16.4	93	62		2.7	23	29.1	17.7	100	50		3.3
24	24.4	15.5	91	54		2.8	24	29.7	16.9	100	42		3.5
25	_	15.3	93	52		3.4	25	29.1	18.0	100	39		4.0
26	25.4	14.5	93	47		_3.3	26	27.8	17,6	94	48		4:2
27	1	14.4		47	, 0	2.8	27	27.0	16.8	94	48	i	4.0
28	1	17.8		57	. 0	. 2.0	28	27.4	17.5	94	51		3.7
29	i	17.4		60		2.9	29	27.3	16.6	93	50	ı	3.3
30	24.4	!		66	1	2.5	30	27.0	15.3	_97	46		3.8
31				<u> </u>		+	31		13.6		42		3.3
ATOT	L775.7	542.3	2862	1820	16.7	80.9		803.0	506.6	2939	1697	0.0	101.6
DAY:	S							4 +	; }- -	ļ. -	-	_ 	-
MEA	V 25.9	18.1	95.	4 60.1	7	2.7		25.9	16.3	94.	8 54.7	•	3.2

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

[·] R: RAINFALL IN MILLIMETER

E: EVAPORATION IN MILLIMETER

STATION: Barmethuôt

SIAII	O14: -	Mane on a											3 1, 5	
± 5	;	Jan.	1	959	,				řel).· 1	9 59		, ,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	TEMP	(C°)	R. H.	(%)	R	 E		TEMP	(C°)	R.H.	(%)	R	E,	€,
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	
1	28.0	13.8	99.	40.		3.8	1	29.8	18.4	93.	44.		4.5	
2	27.1	16,5	98.	44.		3.6	2	31.0	18.5	97.	42.		4.2	
3	28.1	15.0	98.	46.		4.2	3	32.7	20.1	95.	42.		4.6	٠,
4	26.4	16.0	93.	47.	1	4.7	4	33.1	19.8	96.	<i>3</i> 8.		5.0	ĺ
5	25.8	17.9	93.	62.	; !	3.1	5	31.9	19.4	97.	41.		4.5	,
6	26.6	17.3	95.	47.	1 - !	3.7	6	33.0	19.8	98.	41.	<i>"_</i>	3.8	ì
7	27.0	16.7	97.	42.	, I	4.3	7	32.6	19.0	99.	44.		4.4	*
8	28.3	15.9	92.	43.	i	3.7	8	31.3	20.0	98.	37.		6.5	, '
9	27.0	15.9	<u>5</u> 8.	56.	•	3.9	9	30.5	19.5	90.	<i>5</i> 9.	· -	5.8	Ì
10	25.7	18.5	95.	63.	1	3.0	10	29.2	19.0	90.	39.		5.5	
11	26.3	17.1	92.	48.	1	6.5	11	29.5	18.9	91.	40.		.5.3	1
12	23.5	17.0	92.	63.	i _	3.8	12	31.2	18.8	93.	36.	-	4.6	
13	23.9	16.6	92.	55.		4.1	13	33.5	18.1	96 .	31.	,	4.8	-
14	25.6	16.2	93.	52.	•	3.6	14	32.1	19.2	96.	43.		3.9	
15	27.6	15.3	96.	49.	· ·	4.2	15	33.5	. 19.8	96.	37.	· ·	4.9	
16	23.1	15.1	_90.	ö3 .		3.3	16	33.4	20.0	94.	37.		4.2	
17	-24.3	16.5	93,	-49 .	1.	4.2	17	33.3	18.8	37.	41.		4.6	
18	25.1	15.2	89.	43.	.	4.4	18	34.2	19.9	95.	36.		3.9	
19	27.1	13.7	94.	45.	ı	5.1	19	33.3	18.9	97.	40.		5.3	
20	27.3	16.6	90.	46.	,	4.6	20	34.5	18.9	96.	25.	i :	6.1	
21	27.7	17.6	94.	45.	:	5.2	21	33.2	19.3	99•	42.	,	4.2	
22	26.9	17.5	91.	45.	!	5.2	22	32.0	19-2	93.	38.		5.2	
23	25.1	16.9	88.	48.	:	4.3	23	31.9	19.2	98.	39.	.	4.3	١
24	27.7	16.8	90.	50.		3.9	24	; 31.4	19.7	89.	37.		5.3	١
25	28.7	16.7	95.	46.	1	4.7	25	31.2	19.6	89.	44.	! !	6.0	
26	29.5	17.5	91.	46.		4.6	26	29.8	19.0	91.	42.	 	6.3	l
27	29.9	19.3	•	46.		4.3	27	29.6	18.8	89.	43.	t '	5.7	l
28,	30.6	20.0	94.0	50,0	,	4.4	28	29.2	18.5	91.	51.	·	5.2	
29	30.5	19.2	92.	40.		5,0	29	}	1	ļ	;_		i }	
30	28.5	19.1	92.	. 49.		3.6	30	-1			: } =	,		
31	29.0	19.4	89.	43.		4.7	31			!	1	r	-	1
TOTAL	837:9	522.8	2888	1511		129.7		-691.9	538.1	2642	1109		138.6	
DAYS			 	1 1					,			 	 	1
MEAN	27.0	16.9	93.2	48.7	1	4.18		31.9	19.2	94.4	. 39.6	: 	4.95	ŀ

NOTE R.H. RELATIVE HUMIDITY IN PERCENT .

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: Barmethuôt

		M	iar. 1	959		v				Apr. 1	19 59	٠	*
, i	TEMP	(C°)	R.H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	: R	E
i	MAX.	MIN.	MAX.	MIN.	(m/m)			MAX.	MIN.	MAX.	MIN.	· - ·	(m/m)
1	27.8	18.6	91.	50.	NT	4.8	1	32.3	17.9	99.	35.		7.2
2	26.6	16.6	83.	48.	; ;	4.7	2	33.8	19.7	91.	25.	 -	7.1
3 :	28.1	16.8	87.	48.		4.9	3	33.5	18.7	, 98.	31.	 	6.0
4	30.5	17.6	93.	. 38	;	5.5	4	34.3	20.0	99.	25.		6.4
5	32.0	19.0	92.	39.		6.0	5	35.0	19.0	98.	23.	. ,	6.9
6	33.2	19.2	98.	37.	· · · · · · · ·	5.0	` 6	33.0	19.9	96.	32.	,	7.0
7	33.8	21.0	95.	35.		4.6	7	· 33.6	19.7	94.	25.		7.3
8	33.9	19.9	94.	37.		5.7	8	34.0	18.6	98.	· 28.		6.5
9	33.0	20.0	90.	37.	1	6.B	9	54.0	18.7	° c5.	33.		6.7
10	31.2	20.2	92.	42.	İ	6.3	10	. 34.6	21.6	92.	30.	0.9	6.3
- 11	30.5	19.7	92.	46.	[4.8	11	33.9	. 21.3	96.	41.	0.0	5.5
, ´12	33.2	18.9	93.	23.		5.5	12	33.6	20.9	97.	42.	1	5.1
13	33.4	18.7	96.	34.	•	6.5	13	33.9	20.9	95.	25.	-	7.9
14	32.6	20.2	89.	39.	-	6.8	14	31.9	20.0	95.	39.		6.9
15	31.8	20.6	89.	43.		6.0	15	i 33.7	20.6	55.	.ı 36.	- !	6.9
16	29.5	18.9	88.	39.	,	6.7	16	33.6	21.0	94.	28.		8.0
 17	26.9	17.0	86.	48.	1	4.8	17	33.7	20.4	90.	32.	- -	7.6
18	26.0	 17 1	20	40		5 <u>.</u> 5	18	34.4	18.9	96.	31.	- }	6.4
19	_ 26.9. 30.3	. 17.1 19.1	89. 91.	49. 53.	;	, 3.9	19	34.7	20.9	96.	28.	23.2	6.3
20	33.0	21.0	94.	42.	-	4.8	20	27.6	23.6	100.	69.	3.8	1.3
21	33.0	20.9	92.	40.	1	6.4	21	33.0	20.0	93.	39.	<u>. </u>	4.3
22	33.0	20.5	91.	39.		6.6	22	32.3	23.6	96.	45.	7.3	3.7
23	34.6	19.6	94.	31.	‡ 1	6.2	 23	31.2	22.5	98.	58.	20.7	2.8
	34.3	19.7	96.	36.	27.0	4.1	24	31.5	22.0	95.	45.		4.6
25	33.7	20.0	L	45.	i	* <u> </u>	25	33.5	21.4		37.	-	5.7
26				<u>. </u>	,	<u> </u>	26	33.4	21.5	92.	43.		5.6
27	·			; - 1		,	27	31.0	•		55.	27.8	1.9
·				-	-		28	30.2	21.0	97.	51.		3.8
29	33.4	19.0	98.	29.	-	6.1	29	29.6	21.8	92.	55•	i -	4.0
30	33.7	19.8	94.	26.		7.6	30	29.0	21.0	93.	62.		3.9
31	32.1	19.9		39.	-	6.2	31	7.55	1	∤ = 5 1			-
TOTAL			2577		27.0	152.8	 	983.7	616,3	2863	1148	83.7	169.6
DAYS	للسخة والإسا	متعوة أعاد		: 		المرسسسية				,			
MEAN		19.26	92.0	39.7		5.66		32.8	20.5	95.4	38.3	; - 	5.65
. NO	71 04	. RELATI	<u> </u>	`			<u> </u>	1	KUDI	ON PC	DEI CO.,		OKYO

R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: Banméthuôt

TEMP (C°) R.H. (%) R E TEMP (C°) R.H. (%) R E MAX MIN MAX MIN MMM MMM MIN MMM MMX MIN MMX MIN MAX MIN MMM MMM MIN MMM MM														* •
MAX MIN MAX MIN	,	,	Ma	ыу 1	9 59		•				June 1	9 59		
MAX MIN MAX MIN		TEMP	(C°)	R.H.	(%)		Ε -	i 1	TEMP	(C°)	R.H.	(%)	R	E
2 73.3	;	MAX.	MIN.	MAX.	MIN.	•		1	MAX.	MIN.	MAX.	MIN.		
3 33,7 20,0 97. 34. 5.9 3 32,0 22.0 95. 47. 4.7 4 29.6 21.6 95. 58. 3.2 4 32.2 21.6 96. 46. 4.9 5.2 5 34.2 21:0 95. 43. 4.5 5 30.5 20.8 96. 54. 3.9 6 28.2 21.5 97. 63. 2.5 6 31.7 20.3 96. 54. 3.2 7 33,7 20.6 99. 39. 65.8 3.5 7 32.0 20.1 96. 54. 3.2 8 31.1 20.2 99. 48. 10.7 1.8 8 32.4 21.0 97. 52. 0.3 2.7 9 32.2 21.8 96. 49. 0.4 2.7 9 32.3 21.3 97. 52. 2.8 10 31.5 22.0 94. 47. 4.9 10 32.0 19.9 97. 53. 3.5 11 30.0 21.7 95. 53. 4.0 11 32.6 22.0 96. 53. 3.4 3.2 13 30.6 21.7 95. 50. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 33.2 21.8 96. 40. 4.3 14 32.4 21.9 95. 50. 3.1 15 33.2 21.8 96. 46. 3.3 15 34.2 20.6 97. 50. 3.1 16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 98. 45: 5.9 18 32.8 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 0.0 2.5 32 32.1 21.7 98. 54. 2.3 2.3 22 30.9 21.0 99. 55. 0.0 2.5 32 32.1 21.7 98. 54. 2.3 2.3 23 30.0 21.0 99. 55. 0.0 2.5 32 32.1 21.7 98. 54. 2.3 2.3 23 30.0 21.0 99. 55. 0.0 2.5 32 32.1 21.7 98. 54. 2.3 2.3 24 50.8 21.0 97. 58. 11.1 2.3 2.3 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 23 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 99. 59. 32.2 1.5 32.7 32.5 32.1 31.7 39. 54. 2.3 2.3 25 27.1 20.1 0.9 59. 32.2 1.5 3	1	32.9	21.0	95.	38.		5.5	1	31.9	20.3	96.	52.	6.4	3.2
4 29.6 21.6 95. 95. 97. 43. 4.5 5 30.5 20.8 96. 54. 4.9 5.2 5 34.2 21.0 95. 43. 4.5 5 30.5 20.8 96. 54. 3.9 3.9 6 20.1 97. 32.0 20.1 96. 54. 3.2 21.0 99. 39. 65.8 3.5 7 32.0 20.1 96. 54. 3.2 21.8 96. 49. 0.4 2.7 9 32.3 21.3 97. 52. 0.3 2.7 93.1 30.0 21.7 95. 53. 40.0 11 32.6 22.0 95. 54. 2.6 2.8 11 30.0 21.7 95. 53. 40.0 11 32.6 22.0 96. 53. 3.4 3.2 21.8 98. 52. 0.0 3.7 12 32.3 22.0 96. 53. 3.4 3.2 31.3 30.6 21.7 95. 50. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 33.2 21.8 98. 40. 43.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46. 3.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46. 3.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46. 3.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46. 3.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46. 3.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46. 3.3 17 32.9 20.6 97. 46. 3.2 17 31.4 21.1 98. 52. 31.1 17 32.9 20.6 98. 45. 3.9 18 32.9 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 18. 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 2.8 2.9 30.7 21.1 99. 55. 1.2 2.6 21 31.1 21.4 97. 55. 1.0 2.2 2.3 30.9 21.0 99. 55. 1.2 2.6 23 31.9 21.0 99. 55. 1.2 2.6 23 31.9 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 51. 23.1 27. 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 31.8 20.5 99. 57. 3.5 2.0 22 20. 20.9 99. 57. 3.5 2.0 22 32.0 21.7 99. 55. 0.0 2.5 23 32.1 21.7 98. 51. 22.5 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 51. 22.5 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 51. 22.5 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 51. 25. 25. 31. 27. 22 31.1 21.4 97. 55. 1.0 2.2 23.2 30.9 21.0 99. 57. 58. 11.1 2.3 24. 31.3 20.0 100. 54. 50.0 10	2	33.3	20.1	96.	28.		6.2	2	31.9	20.9	96.	50.		3.1
4 29.6 21.6 95. 58. 3.2 4 32.2 21.6 96. 46. 4.9 5.2 5 34.2 21.0 95. 43. 4.5 5 30.5 20.8 96. 54. 3.9 6 28.2 21.5 97. 63. 2.5 6 31.7 20.3 96. 54. 3.2 7 33.7 20.6 99. 38. 65.8 3.5 7 32.0 20.1 96. 54. 3.2 9 32.2 21.8 96. 49. 0.4 2.7 9 32.3 21.3 97. 52. 0.3 2.7 11 30.0 21.7 95. 53. 4.0 11 32.6 22.0 95. 54. 3.6 12 31.1 21.8 98. 52. 0.0 3.7 12 32.3 22.0 95. 54. 3.6 13	3	33.7	20.0	97.	34.	1	5.9	3	32.0	22.0	95.	47.		4.7
5 34.2 21.0 95. 43. 4.5 5 30.5 20.8 96. 54. 3.9 6 28.2 21.5 97. 63. 2.5 6 31.7 20.3 96. 54. 3.2 7 33.7 20.6 99. 39. 65.8 3.5 7 32.0 20.1 96. 54. 3.2 8 31.1 20.2 99. 48. 10.7 1.8 8 32.4 21.0 97. 52. 0.3 2.7 9 32.2 21.8 96. 49. 0.4 2.7 9 32.3 21.0 97. 52. 0.3 2.7 10 31.5 22.0 94. 47. 4.9 10 32.0 19.9 97. 53. 2.6 11 30.0 21.1 21.8 93. 52. 0.0 3.7 12 32.3 22.0 95. 54. 3.4	4					· :	i	4	32.2	21.6	96.	46.	4.9	5.2
7 33.7 20.6 99. 39. 65.8 3.5 7 32.0 20.1 96. 54. 3.2 8 31.1 20.2 99. 48. 10.7 1.8 8 32.4 21.0 97. 52. 0.3 2.7 9 32.2 21.8 96. 49. 0.4 2.7 9 32.3 21.3 97. 52. 2.8 10 31.5 22.0 94. 47. 4.9 10 32.0 19.9 97. 53. 3.5 11 30.0 21.7 95. 53. 4.0 11 32.6 22.0 95. 54. 3.6 12 31.1 21.8 98. 52. 0.0 3.7 12 32.3 22.0 96. 53. 3.4 3.2 13 30.6 21.7 95. 50. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 33.2 21.3 96. 40. 4.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.3 96. 40. 4.3 14 32.4 21.9 95. 47. 2.9 16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 98. 45: 3.9 18 32.8 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.9 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 24 30.8 21.0 97. 58. 11.1 2.3 22.6 23 31.8 20.5 99. 57. 3.5 2.0 25 31.0 21.8 97. 58. 1.1 2.3 22.6 23 31.1 21.4 97. 55. 1.0 2.2 25 32.0 21.7 99. 57. 0.2 2.6 23 31.8 20.5 100. 57. 5.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.0 21.5 98. 59. 32.2 1.5 28. 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 27 28.0 19.8 99. 75. 37.2 1.2 29 30.0 21.9 99. 59. 33.6 2.5 27 28.0 19.8 99. 75. 37.2 1.2 29 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 29 30.2 21.5 98. 59. 32.2 1.5 28. 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 27 28.0 19.8 99. 75. 37.2 1.2 29 30.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31	5					; - <u> </u>	- 1	5	30.5	20.8	96.	54.		3.9
7 33.7 20.6 99. 39. 65.8 3.5 7 32.0 20.1 96. 54. 3.2 32.1 8 31.1 20.2 99. 48. 10.7 1.8 8 32.4 21.0 97. 52. 0.3 2.7 9 32.2 21.8 96. 49. 0.4 2.7 9 32.3 21.3 97. 52. 2.8 10 31.5 22.0 94. 47. 4.9 10 32.0 19.9 97. 53. 3.5 11 30.0 21.7 95. 53. 4.0 11 52.6 22.0 95. 54. 3.6 12 31.1 21.8 98. 52. 0.0 3.7 12 32.3 22.0 96. 53. 3.4 3.2 13 30.6 21.7 95. 55. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 33.2 21.3 96. 40. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 33.2 21.3 96. 40. 4.3 14 32.4 21.9 95. 47. 2.9 115 33.2 21.3 96. 46. 3.3 15 34.2 20.0 97. 50. 3.1 16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 50. 3.1 17 32.9 20.6 97. 50. 3.1 19 30.7 21.1 98. 52. 31.1 17 32.9 20.6 97. 50. 3.9 18 32.8 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21.3 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 52. 22.3 22.3 22.0 21.7 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 22.3 22.3 22.0 21.7 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 22.3 22.3 22.0 21.7 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 22.3 22.3 22.0 21.0 100. 51. 14.6 2.0 2.5 23 32.1 21.7 98. 54. 22.3 2.3 22.3 22.0 21.0 100. 51. 14.6 2.0 2.6 31.8 20.5 100. 57. 55. 1.0 2.2 2.3 22.1 21.7 99. 57. 0.2 2.6 2.6 31.8 20.5 100. 57. 55. 1.6 2.2 29. 29.8 21.9 99. 59. 32.2 1.5 22.5 22.5 22.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 22.5 22.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 21.5 22.5 22.5 22.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 25.2 22.5 22.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 25. 32.7 32.1 21.7 20.2 100 79. 82.8 10.0 29.9 20.4 20.6 20.1 20.1 20.4 20.1 20.1 20.1 20.7 20.2 10.6 20.1 20.1 20.4 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1	6	28.2	21.5	97.	63.	; ;	2.5	6	31.7	20.3	96.	54.		3.2
9 32.2 21.8 96. 49. 0.4 2.7 9 32.3 21.3 97. 52. 2.8 10 31.5 22.0 94. 47. 4.9 10 32.0 19.9 97. 53. 3.5 11 30.0 21.7 95. 53. 4.0 11 32.6 22.0 95. 54. 3.6 12 31.1 21.8 98. 52. 0.0 3.7 12 32.3 22.0 96. 53. 3.4 3.2 13 30.6 21.7 95. 50. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 33.2 21.3 96. 40. 4.3 14 32.4 21.9 95. 47. 22.9 15 33.2 21.3 96. 46. 3.3 15 34.2 20.6 97. 50. 3.1 16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 98. 45: 3.9 18 32.9 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 21 31.0 21.3 99. 55. 0.0 2.5 23 32.1 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 24 30.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 93. 61. 1.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 93. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30.7 31	7					65.8		7	32.0	20.1	96.	54.		3.2
10 31.5 22.0 94. 47. 4.9 10 32.0 19.9 97. 53. 3.5 11 30.0 21.7 95. 53. 4.0 11 32.6 22.0 95. 54. 3.6 12 31.1 21.8 98. 52. 0.0 3.7 12 32.3 22.0 96. 53. 3.4 3.2 13 30.6 21.7 95. 50. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 33.2 21.3 96. 40. 4.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46. 3.3 15 34.2 20.6 97. 50. 3.1 16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 99. 45. 3.9 18 32.8 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.5 24 50.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 98. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31	8	31.1	20.2	99.	48.	10.7	1.8	8	32.4	21.0	97.	52.	0.3	2.7
11 30.0 21.7 95. 55. 4.0 11 32.6 22.0 95. 54. 3.6 12 31.1 21.8 98. 52. 0.0 3.7 12 32.3 22.0 96. 53. 3.4 3.2 13 30.6 21.7 95. 50. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 33.2 21.3 96. 40. 4.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46. 3.3 15 34.2 20.6 97. 50. 3.1 16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 98. 45. 3.9 18 32.8 21.1 98. 49. 20.8 3.0 18 32.9 20.6 98. 45. 3.9 18 32.8 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 2.3 24 30.8 21.0 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.5 98. 59. 57. 32.2 1.6 2.0 22 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28. 27.1 20.2 100 79. 82.8 1.0 29. 29.8 21.9 99. 59. 33.6 2.5 29. 23.5 19.8 20.5 100. 57. 5.5 1.6 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30. 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31	9	32.2	21.8	96.	49.	0.4	2.7	9	32.3	21.3	97.	52.		2.8
11	10	31.5	22.0	94.	47.	1	4.9	10	32.0	19.9	97.	; 53.		3.5
12 31.1 21.8 98. 52. 0.0 3.7 12 32.3 22.0 96. 53. 3.4 3.2 13 30.6 21.7 95. 50. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 37.2 21.3 96. 40. 4.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46. 3.3 15 34.2 20.6 97. 50. 3.1 16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 98. 45: 3.9 18 32.8 21.1 98. 49. 20.8 3.0 18 52.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 24 30.8 21.6 97. 56. 11.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 25 32.0 21.0 100. 51. 14.6 2.0 2.6 31.8 20.5 100. 57. 5.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29. 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 2.9 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 37.7 31 100. 63	11	30.0	21.7	95.	53.	f i	4.0	11					1	
13 30.6 21.7 95. 50. 4.5 13 30.2 21.3 96. 63. 23.9 2.6 14 33.2 21.3 96. 60. 4.3 14 32.4 21.9 95. 47. 2.9 15 33.2 21.8 96. 46 3.3 15 34.2 20.6 97. 50. 3.1 16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 98. 45. 3.9 18 32.8 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 24 30.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 2.6 25 31.8 20.5 100. 57. 5.5 1.6 29 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 2.9 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 26.2 27. 32.1 21.7 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 37. 37. 31	12	-	,	-		0.0		12	32.3	22.0	96.	, 53,	3.4	3.2
15 33.2 21.8 96. 46. 3.3 15 34.2 20.6 97. 50. 3.1 16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 93. 45. 3.9 18 32.8 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 24 30.8 21.0 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 93. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31 ICITAL 976.8 669.4 3015 1552 269.2 101.6 937.4 620.4 2915 1678 189.2 83.0	13		•	t				13	30.2	21.3	96.	63.	23.9	2.6
16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 98. 45. 3.9 18 32.8 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 2.4 30.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 99. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 36. 269.2 101.6 937.4 620.4 2915 1678 189.2 83.0 DAYS	14	33.2	21.3	96.	40.		4.3	14	32.4	21.9	95.	47.	- 1	2.9
16 30.5 21.9 97. 50. 11.8 1.7 16 33.2 20.0 97. 46. 3.2 17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 98. 45. 3.9 18 32.9 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99.	15	33.2	21.8	96.	46.	i.	3.3	15	34.2	20.6	97.	50.	1	3.1
17 31.4 21.1 98. 52. 3.1 17 32.9 20.6 98. 45: 3.9 18 32.8 21.1 98. 49. 20.8 3.0 18 32.0 20.9 96. 50. 1.8 3.4 19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 2.4 50.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 93. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 30.7 31	16					11.8	-					46.	:	3.2
19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 24 50.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 93. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 269.2 101.6 937.4 620.4 2915 1678 189.2 83.0 DAYS	17	*	21.1	98.	52.	1	3.1		32.9	20.6	98.	45.	i i	3.9
19 30.7 21.1 99. 57. 7.8 2.5 19 32.5 20.5 97. 48. 4.2 2.8 20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 24 50.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 93. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 37.7 52. 37.7 31	18	32.8	21.1	98.	49.	20.8	3.0	18	32.0	20.9	96.	50.	1.8	3.4
20 31.5 21.5 100. 53. 41.1 2.7 20 31.8 20.5 99. 57. 3.5 2.0 21 31.0 21.3 99. 55. 1.2 2.6 21 32.1 19.3 98. 53. 2.9 22 32.0 21.7 99. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 24 50.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 99. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 32.2 3.7 31 31.7 20.7 97. 52. 3.7 31 31.7 20.7 97. 52. 37.7 31.7 20.7 20.7 97. 52. 37.7 31.7 20.7 20.7 97. 52. 37.7 31.7 20.7 20.7 97. 52. 37.7 31.7 20.7 20.7 97. 52. 37.7 31.7 20.7 20.7 97. 52. 37.7 31.7 20.7 20.7 97. 52. 37.7 31.7 20.7 20.7 20.7 20.7 20.7 20.7 20.7 20	19 ;	30.7	21.1	. 99•	57.	7.8	2.5		32.5	20.5	97.	48.	4.2	2.8
22 32.0 21.7 98. 52. 23.1 2.7 22 31.1 21.4 97. 55. 1.0 2.2 23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 24 50.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 25 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 98. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31	20	31.5	21.5	100.	53.	41.1	2.7							
23 30.9 21.0 99. 55. 0.0 2.5 23 32.1 21.7 98. 54. 2.3 2.3 2.4 50.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 93. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31	21	31.0	21.3	99.	55.	1.2	2.6	21	32.1	19.3	98.	53.		2.9
24 50.8 21.6 97. 58. 1.1 2.3 24 31.3 20.0 100. 54. 5.0 1.9 25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 98. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31	22	32.0 T	21.7	98.	52.	23.1	2.7	22	31.1	21.4	97.	55.	1.0	2,2
25 31.0 21.8 97. 57. 0.2 2.6 25 31.8 20.5 100. 57. 5.5 1.6 26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 98. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31 TOTAL 976.8 669.4 3015 1552 269.2 101.6 937.4 620.4 2915 1678 189.2 83.0 DAYS	23	30.9	21.0	99.	55.	0.0	2.5	23	32.1	21.7	98.	54.	2.3	2.3
26 32.0 21.0 100. 51. 14.6 2.0 26 30.1 19.1 93. 61. 1.5 1.6 27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31	24	. 30.8°	21.6	97.	58.	1.1	2.3	24	31.3	20.0	100.	54.	5.0	1.9
27 32.1 21.7 100. 48. 4.8 2.5 27 28.0 19.8 99. 75. 37.2 1.2 28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31	25 !	31.0	21,8	97.	57.	0.2	2.6	25	31.8	20.5	100.	· 57.	5.5	1.6
28 30.2 21.5 98. 59. 32.2 1.5 28 27.1 20.2 100 79. 82.8 1.0 29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31 TOTAL 976.8 660.4 3015 1552 269.2 101.6 937.4 620.4 2915 1678 189.2 83.0 DAYS	26	32.0	21.0	100.	51.	14.6	2.0	26	30.1	19.1	93,	61.	1.5	1,6
29 29.8 21.9 99. 59. 33.6 2.5 29 23.5 19.8 100 91. 4.9 0.4 30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31 TOTAL 976.8 660.4 3015 1552 269.2 101.6 937.4 620.4 2915 1678 189.2 83.0 DAYS	27	32.1	21.7	100.	48.	4.8	2.5	27	28.0	19.8	99.	75.	37.2	1.2
30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31 TOTAL 976.8 660.4 3015 1552 269.2 101.6 937.4 620.4 2915 1678 189.2 83.0 DAYS	28	30.2	21.5	98.	59.	32.2	1.5	28	27.1	20.2	100	79.	82.8	1.0
30 29.9 21.4 96. 57. 3.2 30 27.3 20.1 97. 72. 0.6 1.7 31 31.7 20.7 97. 52. 3.7 31 TOTAL 976.8 660.4 3015 1552 269.2 101.6 937.4 620.4 2915 1678 189.2 83.0 DAYS	29	29.8	21.9	99.	59.	33.6	2.5	29	23.5	19.8	100	91.	4.9	0.4
TOTAL 976.8 660.14 3015 1552 269.2 101.6 937.4 620.4 2915 1678 189.2 83.0 DAYS	30	29.9	21.4	96.	57.		3.2	30	-	-		1	0.6	1.7
DAYS	31	31.7	20.7	97•	52.	-	3.7	31		!	! !		!	
	TOTAL	976.8	669.14	3015	1552	269.2	101.6		93774	620:4	2915	1678	189.2	83.0
MEAN 31.51 21.30 97.3 50.1 3.28 30 7 07 2 55 0 2 77	DAYS		- 4	; (i	1	,		' * . 	 				
[mmm	MEAN	31.51	21.30	97.3	50.1	-	3.28		31.2	20.7	97.2	155.9	1	2.77

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

E. EVAPORATION IN MILLIMETER

R. RAINFALL IN MILLIMETER

STATION: Banméthuôt

·	514. 4-				,	 1							
<i>.</i> .		July	1	9 59		ļ	,			Aug. 1	9 59		
,	TEMP	(C°)	R.H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	R	E
١.	MAX.	MIN.	MAX.	MIN.	(m/m) ;	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	28.9	20.1	98.	60.	0.2	2.0	1	29.0	20.1	97.	60.	0.3	3.0
2	30.2	20.9	96.	57.	7.6	2.1	2	28.0	21.0	97.	65.	6.4	2.2
3 ,	28.4	20.0	98,	65.	9.8	-	3	29.1	20.7	95.	60.	,	3.2
4	27.7	19.2	97.	68.	9.2		4	28.3	19.8	99•	61.	23.2	2.5
5	29.2	19.8	98.	61.	0.2	2.3	5	27.7	20.6	97.	ີ65. [∞] ¦	7.6	2.1
6	28.3	21.3	97.	69.	7.8	2.1	6	28.3	20.3	100.	70.	4.0	2,8
7	29.2	21.5	98.	64.	21.1	-	7	29.5	20.8	99.	56 . ;	1.9	3.6
 8	27.8	20.8	97.	69.	38.5		8	28.0	21.4	96.	74.	3.5	1.5
9	1			51.			- · -	29.2	21.6	98.	65	0.2	2.2
10	29.6 28.3	<u>2</u> 0.7 :	96 . 98.	67.	5.4	4.7 2.3	10	30.1		100	61.	- 1	3.1
11	26.7	19.8	98.	73.	0.4	1.3	11	30.5	19.1	98.	56.		3.2
12	28.1		96.	68.	0.9	1.5	12	30.7	20.2	100.	56.	1,6	3.1
13	29.0	21.3	98.	59.	4.7	2.5] _	31.3	20.5	98.	56.	0.1	2.9
14	27.8	21.3	95.	67.	4.9	1.8	14	30.9	20.3	99.	56.		2.3
	, ·	-		68.	5.6	1.9		31.0	21.0	90.	55.	-	2.1
15	27.2	20.3	98.	T			16	30.8	21.2	97.	56.		3.3
16	26.1	20.9	_ 93. 93.	78 . 80	8.7 51.4	0.8 0.7	17	30.9	20.0	98.	54.	2.8	2.9
17	25.7		ì	71.	1 -	1.1		1 29.4	20.8	97.	62.	1.4	1.9
18 -	26.8	21.0	98.	-	9.9		18	•					-
19	29.3	21.1	98. 100.	60. 67.	6.8 10.8	1.9	19	27.5	21.0	98.	72 • 71	11.4 5.2	1.0
20	30.5			·			20	26.3	1	¦ 99•	71.		
21	30.2	19.6	99•	59.	8.2	1.5	21_	28.3	21.4	96.	65.	4.0	2.5
22	28.1	20.2		71.	12.6	1.1	22	28.4	20.7	98.	61.	35.8	2.5
23	28.1	19.9	98.	57.	0.2	1.5	23	27.6	20.7	. 98.	67.	1.2	1.6
24	28.2	18.9	99.	64.	2.8	1.8	24	26.9	20.6	1ω.	69.	67.4	0.9
25	27.4	20.9	98.	70.		1.3	25	27.2	20.2		68.	12.2	1.5
26		20.2	93.	66.	16.1	1.2	26	28.3	23.7	98.	65 .	27.4	
27	27.7	19.8	99.	70	29.2	1.0	27	26.1	20.0	98.	, 72 .	1.6	1.5
28	26.3	19.7		65.	0.1	1.8	28	23.1	20.9	99.	69.	17.8	1.2
29	28.0	20.4	98.	65.	7.5	1.5	29	25.5	20.9		77-	29.7	, -
30	28.1	.)	97.	66.	1.3	2.2	30	26.0	21.0	99•	, 79 .	22.0	1.0
31	29.2	19.6	93.	61.	1.6	2.1	31	25.6	20.9	98.	80.	9.4	υ,8
TOTAL	8775.0	631.2	3034	2036	265.6	'54.8		884.5	640-3	3039	2003	298.1	66.7
DAYS) } - , enfamo ,							1 T (,				•
MEAN	28.2	20.4	97.9	65.7		1.77		i 28.5	20.7	98.0	04.6	1	2.15
		, .	<u>t., ., ., ., ., ., ., ., ., ., ., ., ., .</u>	<u></u>		<u> </u>		20.7		ــــــــــــــــــــــــــــــــــــــ		<u> </u>	

R.H. RELATIVE HUMIDITY IN PERCENT NOTE

R. RAINFALL: IN MILLIMETER-E. EVAPORATION IN MILLIMETER

-- STATION: Banmethuôt

	Day	me rudo (·			4	,				•			es.
	•	•	Sep.	9 59 .	•.	, ,	·		•	0ct. 1	9 59			
	TEMP	(C°)	R.H.	(%)	R	E.	;	TEMP	(C°)	R.H.	(%)	Ŕ	E 🕠	
	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	•	MAX.	MIN.	·MAX.	MIN.	(m/m)	, _ `	
1	27.3	21.1	99.	74.	13.6	1.1	1	30.5	20.7	100	55	46.7	1.8	ĺ
2	26.1	21.3	99.	78.	14.3	1.0	2	29.6	20.0	100	64 .	6.7	1.5	
3	27.4	21.3	98.	70.	12.1	1.0	3	27.5	21.0	99.	71	3.8	1.4	
4	29.0	19.7	98.	63.	1	2.4	4	27.2	18.6	98	68		1.7	ĺ
5	28.9	20.7	97.	60.	<u> </u>	2.8	5	25.0	19.6	99	80	4.8	0.7	,
. 6	30.0	19.4	98.	56.		3.1	6	23.1	20.1	99	62	26.2	1.5	*
, 7	28.4	20.9	97.	64.	0.5	1.8	7	27.8	20.2	98	67	1.9	1.2	ĺ
8	27.1	20.6	97	76.	19.4	1.1	8	27.8	20.1	99 ~	66	22.0	1.2	
9	28.3	20.4	97.	63.	1.7	1.7	9	28.6	19.4	99	61	14.4	1.4	ľ
10	29.5	20.6	99.	59.	26.4	2.1	10	29.7	20.8	99	59	3.9	1.4	
11	29.4	19.9	98.	61.	1.0	2.1	11	29.1	19.6	100	63	0.4	1.9	ľ
12	29.1	19.9	99.	64.	0.0	2.3	12	27.4	19.7	100	72	32.8	0.6	
-13	30.0	19.4	98.	59.	0.2	2.9	13	27.0	20.6	100	71	13.6	1.0	
14	29.4	19.8	98	59.	17072	2.9	14	28.4	19.1	99, 5	; 59	-,	1.7	ľ
15	29.9	18.6	100.	56.		2.9	15	28.3	19.6	98	63	- · ~-	2.7	
16	30.3	18.5	99.	. 56	,	2.9	16	27.8	18.9	98	67	1	5; 5 ,	
17	29.9	20.0	98.	59.	-	2.5	17	28.2	17.6	99	64		2.2	ĺ,
18	30.9	19.7	98.	54.	2.8	2.6	18	27.9	18.7	99	60	,-	2.9	
19	30.3	19.5	98.	53	12.3	2.6	19	24.7	17.9	100	79	1.1	0.9	ŀ
20	29.9	20.0	99.	56.	2.7	2.2	20	25.9	17.3	99	78		1.7,	l
21	28.5	18.8	99.	61.	5.3	1.3	21	25.6	19.2	96	66		2.2	ŀ
22	25.3	21.0	99.	73	9.1	1.0	22	27.1	19.2	97	66	!	2.4	l
23	28.4	20.0	98.	68.	0.6	1.3	23	23.2	19.6	99	! : 87	2.7	0.7	ĺ
24	29.8	20.0	100	59.	16.4	1.6	24	25.1	· -	98	74		1.8	
25	27.4	19.9	99.	66.	13.2	1.0	25	26.1		99	73	0.4	2.0	
26	28.1	20.5	, 98 .	66.	8.4	1.6	26	25.1		98	73	0.1	1.5~	
27	25.3	21.4	99.	83.	2.2	0.9	 27	26.1		97	80	1.3	1.2	
28		21.0	'	76.	9.0	0.9	28	27.1			71	0.1	1.7	ŀ
29	•	20.6		79.	3.0	0.7	29	28.2	19.6	97	60		2.7	
30	<u>.</u>	ຸ່ 20 າ. ໘ົ		67.	29.6	1.5	30	28.4	19.3	·'.' !· 99	57		2.7	
- 31		`	` !				31	30.3			52	1	2.4	l
	85525	605.14	2956	1938	203.8	55.8		 -	(07, 2	· · · · · · · · · · · · · · · · · · ·	5088	183.1	52.9	
DAYS	والدعاد سندرون مهوجما	207.14	الروعي	יעניב	207.0		·	240	The state of	, , , , ,	<u> </u>	100.1	72.7	
	28.5	20.2	98.5	64:6	1 .	1.86		07.4	10.5	98.6	67.4		1,71	
		·	1 ,000		1			27.4	: -) -)	1 20.0	1 01+4	<u> </u>	; ~ ±,0 1±	ľ

R.H. RELATIVE HUMIDITY IN PERCENT NOTE

R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: Barmethuot

,		•	Nov. 1	9.59	· ·	*				Dec. 1	9 59		
	TEMP	(C°)	Ŗ.H.	(%)	R	E	1	TEMP	(C°)	R.H.	(%)	R	E
,	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	í' !	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
·1	30.5	18.2	100	55		2.5	1	27.1	19.7	95	6 8		2.0
2	30.1	19.8	100	56		2.1	2	25.7	20.3	99	71		2.2
, 3	28.6	19.7	99	68	0.4	1.9	3	25.8	19.1	່ 9ອິ	65		2.6
4	25.1	20.2	99	87	2.2	0.8	4	26.7	18.6	¹ 98	60		2.5
5	28.6	18.3	99	58	- : 1	2.8	5	27.4	13.0	99	62		2.3,
6	29.0	18.2	100	61		2.7	6 ;	26.7	18.0	98	57		2.8
7	28.1	19.2	98	57		2.3	7 .	26.9	16.9	99	57	i" !	2.9
. 8	29.0	18.5	99	57	2.9	1.8	8	26.0	15.5	100	73	໌ 2.3	1.2
9	27.3	19.3	97	60		1.5	9	25.9	19.9	98	73	! •	1.5
10	27.7	17.6	100	55	; ;	1.8	10	27.0	20.4	97	65	l	1.8
11	26.7	17.1	99	, 52	:	2.5	11	26.1	19.9	98	, 69	1.0	1.7
12	26.2	15.0	97	48	1	3.2	12	25.5	18.4	100	73	5.4	0.9
13	26.6	14.8	99	53	1	, 3.2	13	26.1	20.4	99	79	2.2	1.0
14	26.6	14.7	100	52	1	2.4	14	27.4	19.5	98	61	0.2	2.0
15	29.2	11.9	100	47		2.4	15	ຸ້ 27.ວ	18.9	98	69	·	1.9
16	27.5	18.3	100	61	9.8	1.6	16	27.2	20.1	98	62		2.9
17	22.6	20.0	99	92	63.1	0.3	17	26.5	18.6	97	, 56	0.6	3.0
18	29.8	19.7	100	61	;	1.8	18	25.0	18.7	. 99	66	0.1	1.4
19	27.8	19.9	97	67	1	2.2	19	: , 26.9	15.5	100	57	1 1	2.6
20	27.1	19.7	95	65	ţ	2.8	20	27.1	17.0	98	49		2.7
21	26.8	19.4	95	57	;	3.3	21	19.9	16.9	100	, 93	10.0	0.6
22	26.3	19.7	98	57	1.2	2.2	22	27.3	20.0	100	69	1.2	1.8
23	26.1	19.9	98	74	5.2	1.5	23	28.1	18.1	, 9 9	61	1.0	2.3
24	26.2	20.6	98	78	4.9	1.0	24	27.4	20.1	97	68	0.6	2.2
25	25.3	19.9	98	78	0.5	1.7	25	24.9	18.9	97	63	ا ن. ن	2.2
26	25.3	20.8	96	71	3.5	1.9	26	25.0	19.3	99	67	1 0.8	1.9
27	25.0	19.2	.98	67	0.5	2.3	27	25.6	19.1	98	, 62	0.7	2.6
28	21.7	19.0	98	84	0.1	1.0	28	24.5	19.3	98	72	· v.1	1.7
29	25.1	18.9	; 98	72		2.1	29	25.8	18.2	97	66	i .	2.3
30	26.7	19.7	94	67	•	2.0	30	25.3	16.4	98	55		3.4
31			}	r			31		16.5		47		4.1
TOTAL	807.6.	557.2	2948	, 1917	94.3	61.6		808.7	576.2	3047	2014	26.8	67.0
DAYS	4		 					ŀ	1	1 -			1
MEAN	26.9	18.6	98.3	63.9		2,05	-	26.1	18.6	98.3	65.0		2.16

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: Banmethuot

, ,			Jan. 1	960		,			•	¹Peb. 1	960		* "
,	TEMP	(C°)	R.H.	(%)	R	E.		TEMP	(C°)	R.H.	(%)	R	E:
:	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	·(m/m)
1 1	21.7	13.3	94	58	!	2.9	1	27.2	17.6	99	53	-	3.6
2	18.3	12.7	94	73	1	2.5	2.	24.6	17.0	97	61	 	2.8
3 -	21.6	13.4	91	55	i !	3.4	3	24.2	16.8	97	60		5.6
4	23.0	12.8	98	65	1 .	1.8	4	25.0	16.5	93 _	46		43
5	27.4	14.0	99	49	! !	3.3	5	24.5	15.0	95	50	<u> </u>	42
6	22.3	18.1	96	71	1	2.3	6	24.6	14.5	92	48		3.9
7	23.0	18.2	98	77	1	1.5	7	26.7	14.2	96	47	i 	3.7
8	25.5	18.3	94	65		2.5	8	27.0	14.9	94	45		4.1,
9	25.8	18.7	95	61	í ! -k •-	2.4	9	27.6	15.9	3 8 .	40	i 	3.9
10	25.3	18.2	99	ì 66	<u> </u>	2.2	10	25.4	16.4	95	53	1	4:1
11	24.0	17.8	93	67	1	2.0	11 .	27.0	14.1	98	51	· -	3.3
12	26.6	17.7	97	. 54	,	2.9	. 12	26.0	17.6	95	51		3.5
13	28.8	17.0	99	54	_	2.8	13	22.5	17.4	95	69	1	2.3
14	28.4	18.8	97	55	<u> </u>	2.9	14	23.0	17.9	9 5	6 8	1	2:7
15	29.0	18.6	99	50	<u> </u>	2.9	15	26.5	18.3	92	: 52	<u> </u>	3.8
16	29.4	18.5	99	41	,	3.8	16	27.1	18.8	96	51		3.6
17	27.5	17.6	93	51		3.5	17	28.0		96	50		3.9
18	28.7	15.2	100	37	•	2.7	18	25.9	18.7	94	62	0.5	2.9
19	28.4	16.7	130	42	ı	2.9	19	-	18.7	100	62	ļ ·	3.1
20	28.2	17.9	93	54	i	, 3.5	20	27.4	18.0	96	47	<u> </u>	4.8
21	27.9	18.2	97	51	1	3.5	21		17.1	93	52	ļ ;	4.5
22	27.3	18.0	98	46		4.2	22	ì	16.8	91	48	., . 	5.0
23	27.1	18.0	98	48	1	3.9	23	25.1	16.4	92	55	-	4.2
24	26.0	17.7	99	57	-1	3.2	24	27.3	16.3	93	44		4.7
25	25.1	18.0	99	64	1.1	2.2	25	30.3	14.8	96	34	<u> </u>	5.2
26	24.5	16.6	96	55		3.2			16.0		31		5.0
27	24.8	16.2		58		3.2	ł	•	18.1	98	44		3.1
28	24.3	17.7		68		1.7		i i	20.6	98	43	-	3.0
29	25.2	18.3	97	67		2.2	29	32.6	19.0	98	43		4.4
30	26.9	17.8	97	54		2.9	30	(~•-	,	.j ~	-	!	
31	28.4	17.2	99	53		2.9		;	1	1			-
TOTAL	800.4	527.2	3015	1766	1.1	87.8	_	776.6	492.0	2769	1460	0.5	111.2
DAYS	J	 	<u> </u>	!	<u> </u>	. ,	<u> </u>	-	1 2 - 2 - 2 - 2		ļ <u>.</u>		<u> </u>
MEAN	25.8	17.0	97.3	57.	o _i	2.8	7	26.8	17.0	95.5	50.	3	3.83

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: Barméthuôt.

Ĭ.			Mar. 1	9 60 ·						Apr. 1	960 `	·	
,	TEMP		R. H.		R	E		TEMP	إ	R. H.	~	R	E
ļ	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	32.5	18.6	-98	39		4.9	1.	33.0	20.0	_ 98	41	! 	_5.5
2	31.7	18.7	98	39		4.9_	2	29.9	20.0	92	46	_	5.0
3	30.3	18.8	97	44		5.4	3	30.9	18.9	94	43		4.6
4	31.9	19.0	98	40		4.3	4	30.9	20.1	92	45	1	5.9
5	32.4	19.4	97	34		4.9	5	31.2	21.0	90	43	1	5.6
6	32.5	20.3	98	34		4.9	6	29.0	50.0	93	48		4.8
7	32.8	19.3	100	38		3.3	7	33.0	19.2	95	37	* _	6,8
8	34.0	19.7	99	26	1	5.5	8	32.3	20.0	96 i	42		5.8
9	33.4	18.0	99	37	0.2	4.4	9	34.9	20.4	96	28	Ŧ	6.1
10	33.5	17.0	99	35	_	4.8	10	54.5	8.02	98	34		6.0
11	33.7	17.7	99	35	•	5.6	11	35.7	20.4	100	23	i	6.2
12	34.1	19.5	99	37		3.9	12	36.1	20.0	97	16	1	8.3
13	32.8	19.2	100	27	ļ.	5.6	13	36.2	19.3	97	22	i	7.1
14	33.2	16.7	99	36		5.4	14	33.8	20.1	100	38	2.0	4.2
15	32.1	18.8	99	36	- 	5.5	15	54.4	20.3	99	33	1	5.0
16	33.5	19.3	99	27	!	5.4	16	34.9	21.3	97	31	•	7.8
17	32.9	19.2	99	28	1	4.6	17	33.8	21.3	92	34	ı	6.9
18	34.4	19.2	97	19		5.8	18	34.7	20.9	94	23	•	6.4
19	33.9	18.7	99	33	2.4	4.8	19	34.3	21.0	97	36	22.0	4.7
20	33.9	17.8	99	35	,	5.0	20	31.7	20.3	98	54	0.2	2.1
21	34.0	18.3	100	35		4.1	21	33.3	22.0	95	40		4.3
22	[+	17.2	100	13	1	6.6	22	34.0	21.9	96	¹ 38	i	5.0
23		· i ·	100	29		4.8	23	; 35.0	22.0	97	31	6.4	6.0
24	34.0	18.3	100	31	,	6.0	24	34.8	21.8	96	43	13.5	3.7
25		19.1	97	27	:	4.6	25	34.5	21.2	96	43	15.0	4.1
26	1	19.8	: 95	32		5.1	26	34.0	22.1	`	48	1	4.2
27		20.8	93	32	•	4.6	27	34.0	1 22.7	•	48		4.2
28	·i - - ·	19.1	97	3 8	-	5.3	28	35.0	23.5	,	₁ 39		5.0
29			94	41		4.8	29	35.0	21.5		: . 40	•	3.5
30		- 	96	39	1.6	3.7	30	34.8	20.8	99	39	ı	4.7
. 31		19.9	↓ 9 8	30	•	5.5	31					:	
<u> </u>	AL1031.9		3047	1026	4.2	154.0		1009.6	524.9	2869	1131	59.1	195.5
DA'			1				-		-	-	,	- ·	
	N 33.3	18.9	98.3	33.1	-l }	4.97		33.7	20.8	95.6	37.7	<u></u>	5.35

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: Banométhuôt

				·		' -		· · · ·					1 - 2
``	•		May 1	9-60				,	•	June 1	9 60		
· t	TEMP	(c _o)	R.H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	R	E
	MAX.	MIN.	MAX.	MIN.	(m/m) ,	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
- 1	34.5	21.7	97	37	8.4	4.2	1	31.0	22.0	96	52	1.0	3.5
2	33.8	21.4	99	44	0.1	3.8	2	29.3	21.9	97	60	9.6	2.1
3	33.6	21.3	97	46	12.3	3.7	3	26.7	21.2	99	78	51.2	1.0
4	31.2	21.3	97	53	8.6	2.7	4	23.0	20.9	100	94	34.41	0.7
5	32.5	j -	99	-48	17.0	3.3	5	23.2	21.0	98	87	10.8	1.1
6	33.0	-	99	41	22.3	3.8	6	26.2	21.1	98	74	6.8	1.7
7	33.4	22.3	97	49	11.0	2.9	7	29.3	22.2	98	64	2.5	2.9-
8	32.7	19.7	97	36		5.3	8	29.4	23.0	98	60	4.8	2.3
9	34.0	1	99	34		5.1	9	29.1	21.3	97	64		2.1
10	31.2		;. <u></u> 97	53	, , !	4.2	10	30.9	21.1	98	60	, , ,	2.7
11	32.2	·	98	49	2.0	3.4	11	30,3	20.6	95	63	,	2.4
12	32.3	∤ - · ·	99	45	17.0	2.5	12	30.2	21.7	99	54		3,6
13	32.0		98	45	-	2.6	13	32.0	25.5	99	; ⁻ 51	:	4.1
14	32.2	1-	99	49	16.5	2.8	14	31.9	21.0	93	55 	1	3.7
15	31.5	7 7	100	54	22.8	2.1	15	29.6		100	68	29.2	1.9
16	31.8	22.5	99	52	1	2.4	16	29.1	21.1	97	67	2.4	2.2
17	30.6	20.7	100	58	65.0	1.5	17	29.8	20.9	98	61		3.1
18	31.4	i +	39	51	0.7	1.9	18	30.1	; ; 19.9	98	60		3.1
19	31.2		100	51	1.1	2.6	19	30.0	20.6	99	61	16.1	1.4
- '' . 20	30.8	-{	1 99	58	- · · · ·	2.2	20	26.7	20.8	99	75	1.6	1.3
21	32.0	:	99	49	45.5	2.3	21	28.8	20.2	98	58	1.2	2.3
22	28.7	~i—	98	67	1-7	1.7	22	29.2	21.1	95	60	3.0	2.2
23	30.0		99	59	6.4	1.6	23	28.7	22.0	98	66	2.8	2.0
24	25.0		<u> </u>	87	1.7	0.6	24	30.1	20.6	99	62	1.2	1.7
25	29.7	<u>.</u> -		58		1.8	25	27.7		100	67	0.9	1.7
26	31.9		7	56	20.4	 	26	28.9	21.1	98	71	6.8	1.8
27	31.0	1		52	4.8	2.9	27	28.7	21.5	96	: 69	19.8	1.7
28	31.3	1	.: 55 99	, , , , , , , , , , , , , , , , , , ,	-	3.4	28	26.6	21.3	98	80	7.0	1.3
29	27.3			69	27.8	1.5	29	26.7	21.7	98	73	0.4	2.0
30	30.1	, ~	98	59	7	3.2	30	26.7	22.0	98	70	21.2	0.8
31		21.5		57	}	4.3	31		1		i		-,,-
TOTAL	<u> </u>	657.8	<u>'</u>	1621	311.4	<u> </u>	┼	849.9	641.3	2939	1984	234.7	64.4
DAYS	.i	10,71.0	-	1		,		- 047.7			1 204	1 -27-1	
MEAN		21.2	98.5	52.3	s 	-2.86		. nei ha	21.7	98.0	66.1	 	2,15
JEAN.		,	1	1	<u> </u>	1	1	25,73	1 440 (1 23.0	1	1	1 -: -/

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

' ', ' ' '			Jull	9 60	,	.		•	`	Augl	960	•	• • • • • • • • • • • • • • • • • • • •
	TEMP	(C°)	'R. H.	(%)	R	E		TEMP	(C°)	R. H	(%)	R	E, ;
	MAX.	MIN.	MAX.	MIN.	(m/m)			MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m
1	27.0	21.6	98	74	2.4	1.1	1	28.1	21.3	98	72	16.6	1.6
2	28.6	21.3	100	63	34.2	1.9	2	26.7	20.9	93	77	23.6	1.1
3	28.0	20.6	100	70	24.7	1.4	3	27.6	21.1	99	74	7.8	1.3
4 -	26.7	21.2	99	71	3.2	0.8	4	27.6	21.6	97	73	1.1	1.3
5	28.7	19.3	100	67	8.7	2.0	5	27.0	21.3	97	75	0.4	1.2
6	29.7	21.0	99	59		2.0	6	29.1	21.4	99	72	20.4	1:0
7	30.9	21.2	100	56		3.0	7	29.5	21.3	99	65	12.6	1.4
8	30.4	20.6	99	62	0.5	1.9	8	24.7	21.6	99	85	7.2	1:1
9	32.1	20.4	100	51	1.4	2.5	9	27.7	21.5	100	72	3.4	2.1
10	28.6	19.5	100	67	5.6	1.3	10	27.9	21.7	93	67	2.4	2.7
11	30.2	18.7	100	61		1.8	11	29.4	20.8	99	65	1.6	3.3
12,	30.5	19.6	99	56	23.4	1.8	12	29.0	22.6	97	63	3.4	2.0
13	29.3	18.8	100	65	0.2	1.8	13	30.4	22.6	96	60 i	4.1	2.2
14	29.7	19.1	100	64	13.9	1.5	14	29.4	22.1	98	67	1.6	2.3
15	28.8	19.8	100	; 68	1.3	1.2	15	28.4	23.0	96	65	5.2	2.0
16	30.1	20.0	100	57	2.1	1.5	16	27.4	21.8	96	68	8.0	1.6
17	30.8	20.7	100	54	1	2.2	17	29.1	21.9	97	64	8.2	2.2
18	31.0	20.2	99	52		2.8	18	29.1	21.2	98	65	10.4	2.0
19	31.4	21.3	100	50	7	2.6	19	28.8	21.5	99	67	0.2	2.
20	28.7	20.2	99	65		1.9	20	29.3	20.3	97	68	3.5	2.
21	30.9	21.0	100	57	0.4	2.5	21	29.9	21.5	97	61	F	3.0
22	23.9	20.7	98	67]	2.2	22	29.9	22.0	97	63	1.8	2.9
23	31.0	, 20.2	99	57	0.9	3.0	23	28.3	21.3	98	68	7.2	1.
24	30.6	21.9	98	56	2.1	2.3	24	28.0	20.5	98	71	18.0	1.
25	29.9	21.0	100	65	0.2	2.1	25	30.2	21.0	93	59	0.1	2.
26	28.0	20.7	100	69	5.5	1.7	26	30.0	21.4	98	62	· ·	2.
27	28.7	21.5	99	66	7.8	2.2	27	29.6	20.1	98	59		3.
28	28.1	21.6	97	72	10.3	1.0	28	30.0	19.6	100	58		2.
29	28.5	21.7	98	72	23.0	1.4	29	30.3	20.5	98	58	0.4	2.
30	27.4	21.2	99	74	40.9	0.7	30	31.1	20.4	100	56	9.2	2.
31	27.9	23:7	i 99	74	92.2	1.5	31	30.1	20.1	100	59	0.9	2.
TOTA	1	i	ł	1961	304:9	57.6		892.6	1 660.5	-3039	2058	179.3	65.
DAY	S			<u> </u>				l		-	ļ	<u> </u>	†
MEAI	N 29.4	20.6	99.3	63.	3	1.86		28.8	21.3	98.0	66.4	1	2.

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: Bannéthuôt

	. / .												1 2
7.5) . ·	, 5	Sep. 1	9 60			2 ,			Oct. 1	9 60		ر می سر د می
, · .	TEMP	(C°)	R.H.	(%)	R	E		ŢEMP	(C°)	R.H.	(%)	∍ R	L E
)	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	-(m/m)
1,	30.9	20.3	100	58	1.2	2.8	î.	21.3	20.3	100.0	98	103.9	0.3
2	31.5		99	54	10.6	2.6	2	29.3	20.1	99	65	0.7	.1.7
- 3	29.6	19.6	100	64	88.0	2.6	3	27.8	20.1	99	68	3.2	2.1
4.	24.9	19.4	100	87	10.7	1.3	. 4	26.9	20.2	99	76	0.9	1.5
5	28.2	21.1	100	67	3.6	1.4 .	5	28.0	20.2	98	68	1.4	2.0 🚎
6	28.6	21.0	100	69	1.1	1.8,	6	28,0	20.4	98	66	36.9	1:3
7	27.1	20.3	100	69	4.4	1.3	7	23.1	20.5	100	89	9.0	0.5
8	29.4	19.5	100	ΰl		1.9	8	28.1	20.3	100	63		1.8
9	30.8	19.9	100	58	6.3	2.1	9,	27.2	19.9	100	65		1.7
10	30.0	18.6	100	62	0.2	2.2	10	28.5	19.2	100	60	<u>. </u>	-2.2
11	31.1	18.3	100	56	14.3	2.3	11	23.7	17.6	99	-57	`-	2.8
12	29.7	19.0	100	60	2.5	2.0	12	28.9	16.5	99	57		2.4
13	30.2	19.3	100	61	12.7	2.8	13	30.2	18.8	99	59	0.7	2.1
14	29.8	18.2	100	64	3.8	2.2	14	30.7	20.4	99	54	8.6	1.5
15	29.7	19.4	100	64	1.8	1.8	15	26.6	20.3	.99	77,	3:0	0.7.
16	26.8	20.1	100	72	16.9	. 1.0	16	28.4	20.2	99	68	0.4	1.3 -
17	24.4	20.3	100	82	0.2	0.6	17	30.0	19.4	100	60	11.0	2,3
18	27.6	20.9	100	70	4.4	1.5	18	29.5	20.9	99	62	1.8	1.9
19	29.1	21.0	100	60	1	2.2	19	30.4	19.3	100	64	77,	2.2
20	29.0	19.1	99	59	1	2.5	20	29.2	21.0	99	65	1	2.1
21	28.4	19.4	130	66	7.2	1.5	21	27.6	20.6	98	66		2.0
22	28.2	21.0	100	75	37.0	1.0	22	27.9	21.1	98	68	0.4	2.0
23	26.6	21.0	100	75	0.1	1.1	23	27.9	20.8	100	69	1.0	2.1.
24	28.7	20.9	100	67	5.2	1.4	24	26.8	20.8	99	76	8.8	1.2
25	28,1		100	72	35.2	1.1	25	27.7	19.5	100	67		2.4
26	28.3	21.1	99	69	0.6	1.3	26	25.6	19.1	99	67		1.8
27	25.6	21.1	99	82	39.7	υ.5	27	27.1	18.6	100	58		3.1
28	27.6	20.5	100	73	22.0	1.0	28	26.2	19.8	98	76	0.3	1.6
29	28.3	19.3	100	63	70.0	1.7	29	26.8	20.0	97	69	, , , , , , , , , , , , , , , , , , ,	2.1
30	25.3	19.4	100	80	49.2	0.8	30	27.9	20.0	99	62		2.9
31				1			31 -	27.4	20.4	98	72	0.3	1.6 .
TOTAL	853.5	600.4	2996,	2019	449.9	50.3		858.7	616.3	3071	2091	192.3	57.2
DAYS						1							7
MĖAN	28.5	20.0	99.9	67.3		1,68		27.7	19.9	99.1	67.5		1.85

NOTE 'R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

						*, **	, ·	-	÷		-		
				MET	EORC	LOGI	ĊAL	. REC	ORDS				<i>'</i> ',
STATIC	N Bar	méthuô	t		,, ,, ;;	· 💉	· ·	•	-			×	32 15.
- 1		, 1	Nov. 1	9 60	a i		,	_	* :	Dec. 19	60	, .	
	TEMP	(C.)	R.H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	R	E .
	MAX.	MIN.	MAX.	MiN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
, 1	26.6	20.0	99	63	1.5	2.2	1	24.7	18.3	98	73	0.3	1.4
2	26.7	19.5	99	66	0.4	2.0	2	25.5	16.9	100	165	1	2.2
3 ,	25.9	18.4	99	68	1.3	1.8	3	28.6	17.3	100	60 !	. ·	2.0
. 4	.25.4	20.3	100	73	0.8	1.6	4	27.5	19.1	99	63		2.2
5	24.4	19.7	97	77	0.1	1.6	5	25.4	18.2	99	62	ì	3.0-
.6.	26.0	18.1	97	63	İ	3.0	6	24.9	15,9	. 99	64		2.6
7	25.1	16.7	99	75		1.9	7	23.7	17.9	100	75	2.5	1.5
8	24,7	20.0	98	75	1.0	1.4	8	24.8	19.2	95	61		3.0
9	25.2	18.0	99	71		1.7	9	24.1	16.4	99	68	1	2.4
10	25.0	18.8	99	74	0.4	ე.9	10	24.4	13.7	99	55		2.9
11	29.5	19.3	99	62	10.2	1.7	11	24.7	13.1	100	68	_	2.1
12	29.2		100	64	,	1.6	12	25.9	13.2	, 99	65	,	2.4
13	29.0	21.0	99	63	i i	2.3	13	24.8	18.6	, 94	69		2.5
14	27.5	21.1	9 8 ·	71		1.8	14	26.8	17.9	97	63	i 	3.1
15	29.6	21.0	99	63		2.0	15	25.8	17.3	98	66	i !	2.6
16	28.1	19.9	100	69		1.3	16	25.6	17.1	99	62	i	2.6
. 17	28.0	21.1	99	71	11.8	1.1	17	27.1	16.7	99	50		2.8
- 18	27.2	21.1	97	71		2.0	, 18	25.3	17.0	99	63	0.9	1.7
19	25.0	20.4	99	74	1.0	1.4	19	24.6	17.0	98	66	0.6	2.0
20	24.9	20.4	98	78	13.6	1.4	20	•	15.3	98	60		3.0
21	23.9	20.3	99	89	7.8	0.5	21	24.5	4	98	64	1	3.0
22	29.1		99	68	- -	2.4	22	25.0	17.6	98	65	Ī	2.6
23	27.6	18.7	99	66	1	1.9	23	25.5	18.1	99	71	1	2.0
24		19.3	100	65 .	į	2.8	_ 24	26.5	17.9	99	66	i	2.2
25	26.7	18.7	100	63	0.7	2.5	25	25.5	18.7	98	66	·	2.3
26	22.2	19.7	100	93	41.4	0.4	26	26.1		1 98	62	1	2.9
27	22.3	20.8	: 99	95	24.2	0.4	27		18.5	1 99	68	-	2.8.
28	27.2	20.3	: 99	.67	- , - -	1.9	28	7	19.8	99	66	i I	2.4
29	-27.4		99	63	1.8	2.7	29		19.0	99	£6	1	2.4
30	<u>,</u>	20.0	9 9	81	2.8	1.2	30	., -	17.4	99	73		2.2
31			' 				31		16.6	.]1 <u>-</u> . 9 9	70	!	1.9
·	791.9	591.7	2967	2141	120.8	51.4			577:7	3554	2015	4.3	74.7
DAYS		 					-						
	26.4	19.7	.98.9	71.4	- 1	1.71	,	·	17.3	98.5	65.0		2.41

R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

STATION: Ban Me. Thuot

-							<u> </u>	<u> </u>		· · ·	4 1	/ .		3 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	ر - ر ار شه ر ا	J	anuary	'` <u> </u>	19 61 🚶			, , , ,	F	ebruar	y ⁽⁸ n)	19 61		4-03
٠	3.7	ŢEMP	(C°)	R.H.	(%)	Ř	Γ. E .	_	TEMP	(C°)	R.H.	(%)	P	E/v
		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	*	MAX.	MIN.	MAX.	MIN.	(m/m)	
ı	1	24.5	15.1	99.	61		2.6	1	26.2	15.8	96	42		5.0
,	~ 2	25.2	14.8	99	68	= 	2.1	2	24.9	16.5	98	57		4:5
•	. 3	28.6	17.6	98	62		2.1	√ 3	25.2	16.8	97	57		3.4
١,	. 4	26.8	· -	98	70	0.9	1.7	4	. 26.9	15.8		48	-:	4.9
-	5	27.4	18.5	99	62	- >;;:::::::::::::::::::::::::::::::::	3.0	<u>-</u> 5	30.2	15.9	سامه سد	33.	* * . <u>.</u>	4.2
	٠ 6 ﴿	25.9	18.4	99	65		2.8	6	30.8		100	42		4.3
	7	25.6	17.2	100	57	0.6	2.9	7	32.1	15.7	100	24		8.3
	8	25.2	18.0	100	70	-	1.7	8	28.4	· -	44.	52	A Arman (A)	· 5:1
	9	30.2	17.9	100	50	· .	3.2	- - - · ·	30.2	18.3	99	47		4.97
	10	30.5	18.1	100	38	<u> </u>	. 2.8	10			100	; 31	ا ما که این است. از این این این این این این این این این این	5.5
	11	26.7	18.2	96	48		2.8	<u>, 11</u>	33.2	18.0	1	33	, '.	6.3
	12	26.0	17.9	100	48	, !	4.9	[,] 12	30.3	19.2	98	43		7.0
	13	24.3	16.4	100	58		3.7	13	27.9		95	_56		4.6
	14	22.7	15.6	100	58	0.1	3.3	14	28.2	20.4	97	59		5.0
	15	21.2	15.8	96	67	1	2.2	15	28.3	18.6	98	53		5.5
	` 16	21.0	13.6	99	61		2.7	16	30.5	17.7	98	1 41		5.5
	17	22.0	11.7	98	53		3.6	17	29.1	18.3	98	49		5.6
	18	21.1	11.3	96	60		2.9	18	28.9	17.4	98	47	· ·	5.5
	19	22.3	12.0	,98	65	· i	2.4	19	31.0	٧ +-	100	40	- "	5.2
	20	26.0	16.1	97	48		4.6	20	32.4		100	37		4.0
	21	25.7	15.7	99	50	ı	4.8	21	32.1	••	100	-31	•	5.5
.]	22	26.1	15.3	96	-46		5.1	22	33.5	• • •	100	i 25		5.6
Ì	23	27.6	15.0	100	·44		4.5	23	31.6	19.7	98	47		3.7
	24	29.0	15.4	100	42		3.4	24	-	19.5	I	54	'	3.6
	25	26.2	15.5		46		5.8		Ī.	18.9	F . **	56		4.9
ļ	26	1	15.1		45			26	26.7			53	-	5.2
	-27		16.8	4	44			27	26.9			47		6,2
	28	~	17.3	·	55	ı	4.5	-	28.0	16.5	99	43		6.0
	29		18.1	,	49	· } ,	3.9	29				7		
	30	28.3	17.2	99	52	, , , , , , , , , , , , , , , , , , ,	4.2		** = } !	•	} !			
	. 31	26.5	16.4	96	51		5.1	31	, I		= = = = = = = = = = = = = = = =			
	TOTAL	805.1	502.5	2949	1,693	146.5	110.2		822.0	491.30	2748	1247		145.0
	DAYS													
	MEAN	26.0	16.2	98.3	54.6		3.5	,	29.4	17.5	98.1	44.5		5 <u>.</u> 18
•												<u>: </u>		

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

E. EVAPORATION-IN MILLIMETER

The state of the s

R. RAINFALL IN MILLIMETER .

4.,		March	1	961		. ~		, x	April	1	961	<i>2</i> ~	* * * , , , , , , , , , , , , , , , , ,
	TEMP	(C°)	R.H.	(%)	R	E		TEMP	(C°)	` R. H.	(%)	Ŕ	Ĕ
1	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	30.0	16.2	100	32	2.1	6.7	1	28.8	18.5	91	45	 	6.5
2	31.7	16.3	100	34		7.8	2	29.5	18.5	97	44		_6.6
3	31.6	17.8	100	26	1	5.7	3	33.6	_18.3	100	24		:5.7
4	32.7	16.9	100	24		6.5	, 4	34.3	19.2	100 _	33		_ 6.1
5	31.3	16.7	98	48.	6.7	3.2	. 5`	35.3	19.0	100	27	<u> </u>	6.6
6	30.6	20.7	98	52	ļ.,	2.3	6	35 • 4.	20.0	100	_29 .		. 6.7
7	34-4	19.6	100	32	ļ · ·	5.6	7	34.2	20.8	98	31		_6,6
8	34.1	19.5	100	_30		6.1		35.0	19.3	100	30		_ 6.7
9	32.6	16.7	98	_38		_6.6	9	32.7	19.8	. 98_	45		.6.2
. io	32.0	19.2	96	41	<u> </u>	.6.1	10	22.9	20.3	97	85	12.5	1.4
: 11	32.1	19.7	95	32		6.6	11	30.2	20.2	98	58 €		_ 3.4
12	31.6	19.5	98	41		6.1	12	32.2	20.1	100	48		5.8
- 13	32.0	18.7	99	35		5.4	13	33.6	21.4	100	45	6.6	3.9
14	30.5	19.4	98	48	.,	5.6	14	32.3	20.6	100.	47.		4.0
15	31.7	20.0	96	42		6.6	15	33.7	19.6	100	46	40.0	5.1
16	31,1	18.9	97	40	i 	_6.8	16	29.6	19.8	T00	55		_2.1
17	33.1	18.1	100	38	+ 1	5.9_	17	31.6	20.1	100	55	1.0	_2.0
18	33.2	19.2	100	39	32.5	5.6	18	31.4	21.2	100	52	11.0	3.7
19	32.1	19.9	100	51	14.0	2.8	19	32.3	20.5	100	.53.	30.2	3.5
20	33.0-	20.2	100	45		3.8	20	30.3	20.7	100	60	4.2	2.2
21	34.9	21.6	100	37	-! — -	4.5.	21	31.9	21.8	100 .	. 56 .	-	_3.6
22	34.6	20.6	98	38	1	5.5_	22	33.1	20.8	100	52	₋ 2.0	3.6
23	33.0	20.1	99	45	15.9	5.2	23	33.0	21.3	99	47_		4.0
24	33.3	21.2	99	42		4.6	24	33.7	21.2	100	49	40,0	3.4
25	34.9	19.9	98	37	1 1,	6.0	25	32.4	21.0	99	50	3.5	3.5
26	.33.5.	21.7	96	44		4.3	26	. 33.4	20.4	99	46	· 	3.5
27	1	20.9	94	57	- <u>-</u>	4.9_	27	į 30 . 5	21.3	100	ຸ່ 58 ຼ		4.4
28	27.9	20.1	95	58		3.3	28	29.5	20.3	. 99	60	; -1 -	3.9
29	29.3	19.8	95	57	inage gas a sum	4.7	29	29.7	20.3	100	58		. 3,3
30	28.8	19.6	95	49		6.3	30	29.6	21.5	96	61.	į	.4.7
31		18.9	91	51	ì	6.0	, 31		1		<u> </u>	1	1
τοτ	AL988.1	600.6	5,033	.1283	69.1	167.5		955.7	607.8	22971	1449.	156.3	132.

NOTE R.H. RELATIVE HUMIDITY IN PERCENT
R. RAINFALL IN MILLIMETER
E EVAPORATION IN MILLIMETER

" STATION: Ban me thuot

 . t	N: I	an me	thuot	* *	<u> </u>	· · · · · · · · · · · · · · · · · · ·	<u>.</u> .5.1		* ` to		<u> </u>		مينيان د مينيان د
1	4	May	, ,	19 61	•		(*** ((Ju	ne	, <u>)</u>	9 61		
	TEMP	(C°)	R. H.	. (%)	R	E :	· [TEMP	(C°)	R.H.	(%)	.≷R Š	Ě
i	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	Min.	(m/m)	(m/m)
` 1	31.0	21.3	98	50		4.8	1-	30.1	21.3	⁽¹⁾ 97	* 603	.7.2	2.7
2	32.3	20.5	100	45	• • • • • • • • • • • • • • • • • • • •	4.0	2	30.7	21.8	98	. 60		3.3
3	33.4	21.6	100	49		4.2	3	28.5	20.9	99	68 .	49.8	1.8
4	77 T	21.9	100	46		4.4	4	29.0	19.6	100	·6 6 · *	5.6	1.7
5	30.8	22.1	98	62		4.2	5	27.2	20.6	`. 99	74	40.4	0.8
6	30.4	21.4	. 99	58		4.1	6	27.6	20.8	97	71	7.0	1.4
7	31.0	22.6	97	55		5.6	7.	28.3	21.2	99	68	38.9	_1.2
8	31.8	22.5	100	57		4.0	8	24.7	20.0	100	80	10.7	0.8
9	33.3	21.3	100	48	4.9	3.3	9	29.9	19.9	100	56		3.0
10	33.5	22.2	100	55	0.4	3.5	10	. 29.5	21.1	100	62 ,		2:6.
11	33.2	21.2	100	52	5.0	3.7	11	30.3	21.8	. 99	60		1.9
12	33.1	21.8	100	53	\	2.9	12	28.9	21.0	99	- 68	5.6	1.6
13	32.6	21.0	100	55		3.8	13	28.6	19.6	100	61.		2.1
14	33.5	21.8	100	53	23.0	3.1	14	30.7	19.9	100	52		3.4
15	30.6	21.3	100	; 64	18.6	2.3	15	30.5	18.1	100	51		2.3
16	30.0	20.6	99	66	i	2.1	16	30.4	20.0	100	62	24.8	2.2
17	32.7	21.1	100	48	1.0		17	28,8	19.2	100	69	43.8	.1.02
18	30.6	21.3	98	65	3.0	2.2	18	29.1	19.0	100-	59	1	2.2
19	29.0	21.3	97	61	39.2	1.5	19	29.0	18.4	100	60	0.6	2.2
20	29.5	21.1	100	61.	40.8	1.6	20	26.6	19.4	100	74	- '	1.6
. 21	27.2	21.5	100	69	10.2	1.5	21	27.6	20.2	100	68	10.2	1.2
22	28.7	21.1	99	71	63.1	1.2	22	24.5	20.2	100	84	2.9	1.0,
23	24.1	21.4	100	86	2.4	0.8	23	24.1	20.3	99	86	5.9	0.9
24		21.2	99	176	5.1	1.4	24	25.3	21.2	98	80	7.9	1.8
25	27.4	21.4	100	76	2.6	1.2	25	25.8	19.5	98	77	20.3	1.5
26		21.3		82	19.8	0.9	26	25.9	19.5	97	83	3:3	1.3
27	29.0	21.2	. 98	64	16.9	1.9	27	27.9		97	68	7	t s + ' ∗ ` ·
28		21.5		77.	3.8	-1.4	28	28.7		97	64	7.3	2.7
29	30.6	21.3		65	6.6	1.8	29	** ***	20.7	98	77	23.4	1.3
30	30.5	21.8		60	-,	2.2	30	26.6	20.6	99	71	5.4	2.2
31		20.8	99	66	1	2.7	31 .		1			1	
	942.0	1	3080		266.4	85.3	T -		608.3	2969	2038	321.0	56.2
DAYS				1					-			11	
	30.4	21.4	99.4	61.1	 	. 2.75		28.0	20.3	99.	0 67.	9	1.8
	TE' R.	H. RELAT	TIVE HUM	IIDITY IN PE	RCENT ¹		<u> </u>				'	, LTD. T	ОКУО

STATION: BAN ME THUOT

SIW.	HON:	DWA LEE I	,	· -		<u> </u>		4 +					<u> </u>
		(July	19	61 ,	·) ,	,	,		Aug	ust 19	61 `	-	
: '	TEMP.	(C°)	R. H. ((%)	Ŕ	E	.	TEMP	(C°)	R. H. ((%)	R	°E.
·,	,MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	<u> </u>	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
-1	27.0	2í.0	94	.? ??1 '	6.0	3.3	1	30.4	19.9	100	63	1.5	2.7
2	28.6	20.9	95	61.	9.5	3.9	.2	30.0	20.5	99	61		3.1
3	26.6	20.8	98	67	23.1	2,2	3	30.9	21.0	97	62		3.1
14	29.0	20.9	99	68	8.5	2.3	4 1	28.3	21.6	97	75	11.5	1.8
5	26.7	20:8	98	81 ′	43.0	0.7	5	28.3	20.2	95	66	3-5	2.1
6	26.7	20.6	100	83	7:3	0.8	6	28.9	21.9	98	64	3.4	2.5
. 7	. 28.9	20.2	- 99	66	6.9	2.1	7	29.1	21.4	99	63		2.7
. 8	29.6	20.1	99	53	5.4	3.5	B	28.0	21.5	99	69	10.0	1.4
7 .9	28.4	20.0	100	64	4.5	2.7	9	29.3	21.4	100	65	_	2.5
, 10	29.0	20.0	.98	58	1.0	2.5	10	28.3	21.3	97	74	1.0	1.7
. 11	29.4	20.8	98	64		2.7	11	28.7	20.6		71	14.1	2.0
12	30.2	21.2	100	, 59	10.0	2.9	12	29.0	21.1	100	65	4.3	1.4
13	29.0	20.7	100	61	13.0	3.1	13	29.2	21.2	97	67	21.8	
14	28.9	20.7	98	63	<u> </u> 	3.5	14	25-4	20.9		90	8.6	0.7
1!	29.0	20.6	97	60		4.2	15	26.8	20.9	100	75	13.0	
ì	28.9	22.0	96	58	2.8	2.9	16	27.6	21.3	100	68	3.4	
17	25.3	20.9	99	82	82.2	0.9	17	28.3	20.8		65	11.2	2.1
11	27.6	20.6	98	75	28.4	1.6	18	23.5	, 21.0	100	94	38.4	
1	26.6	20.6	99	74	1.1	2.2	19	22.9	4		94	28.1	
. 2	28.9	20.8	98	63	4.1	2.6	20	24.7		·	85	17.3	
2	28.3	20.7	99	66	14.8	2.1	21	26.6	1		68	3.2	
. 2	2 28.8	21.3	100	67	0.1	1.5	22	27.2	1		65	7.1	1.9
2	3 31.5	20.0	100	60	37.6	2.0	23	27.1			74	28.1	1.4
2	29.6	20.1	100	. 66	3.0	1.8	24	26.0	-		83	21.7	
2	5 30.4	20.6	99	58	0.7	2.7	25	26.0	20.9	!	87	10.3	!
2	6 29.6	20.2	98	67		2.8	26		•	1	68	6.3	
, 2 	7. 28.1	20.7	96	69	0.2	2.6	27	28.5		i	67	ļ	3.0
. 2	8 27.9	20.4	96	70	18.8	1.3	28	29.1		-	60		3.7
2	9 29.8		97	63	0.6	3.3	29				62	. 0.2	-
•	0 29.9	21.6	98	63	33.4	2.6	30	30.0	·		61	8.8	·
. [3	1 29.1	21.7	98	67	1	2.2	31		:		69	20.3	;
~ . I **	TAL 889.3	642.7	3044	2047	366.0	75.5	_	865.4	646.6	3048	2197	297.1	61.9
, DA	YS	1 3			1			· 	, 	== -=		ļ	
ME	AN 28.7	20.7	98.2	66.	q	2.4	₹	27.9	20.9	98.3	70.9	!	2.0

NOTE R.H. RELATIVE HUMIDITY IN PERCENT.
R. RAINFALL IN MILLIMETER
E: EVAPORATION IN MILLIMETER,

STATION: BAN ME THUOT

								T					
		Septem	ber 1	9 61	, ,				Octol	er 1	9 61	· ·	, , , , , , ,
, ;	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	Ŕ	E
1	MAX.	MIN.	MAX.	MIN.	(m/m)	1		MAX.	MIN.	MAX.	MIN.	(m/m)	ì
1	27.4	21.2	97	78	5.8	1.0	1	29.3	19.4	100	- 61	5.9	2.3
2	29.4	20.5	98	67	7.1	2.3	2	29.3	19.9	100	65	53.5	1.9
3	29.0	20.3	99	69	ა.3	2.3	3	29.1	17.9	100	63	9.7	2.0
4 .	30.5	20.3	99	59	,	3,1	4	28.7	19.2	100	60	0.5	2.0
5	28.2	20.1	100	68	13.9	1.2	5	28.0	20.2	100	67	13.1	1.3
6	29.1	20.3	100	68	10.0	1.4	6	27.9	19.6	100	67	! 	2.0
7	28.7	20.1	98	68	5.0	1.7	7	27.7	20.8	100	66	5.6	1.7
8	28.7	20.2	100 ,	71	5.8	2.3	8	26.5	20.6	98	74	4.2	1.7
9	28.0	20.2	94	69	11.3	1.7	9	26.1	20.3	100	76	37.9	1.2
10	28.6	20.0	96	67	4.2	3.9	10	23.2	18.8	100	ି ୪ 5	5.4	0.6
11	27.0	20.0	100	67	1.7	2.4	11	23.9	16.2	100	77	2.5	0.8
12	26.1	20.7	98	83	15.4	1.1	12	26.1	18.3	100	. 65	16.5	2.4
13	28.0	20.4	100	71	6.4	1.2	13	25.4	18.3	100	· 70 ¯	i	2.1
14	26.5	19.7	99	80	28.2	0.9	14	29.2	16.9	100	58	41.6	2.3
15	29.3	20.6	98	59	1.3	2.8	15	27.8	19.7	100	70	24.6	1.7
16	27.1	20.1	99	75	19.1	1.2	16	28.3	20.0	100	; 60		3.5
17	27.7	20.5	99	74	18.4	1.5	17	27.9	19.0	100	66		3.7
18	27.7	21.0	100	72	9.7	1.9	18	27.8	17.0	100	68	'\	3.7
19	27.4	20.7	98	71	0.7	2.0	19	23.1	19.9	100	63	4.3	0.9
20	28.3	20.3	97	64	7.0	. 2.6	20	28.8	19.2	58	59	1	2.6
21	28.6	18.5	99	66	10.7	2.5	21	28.5	19.4	100	65	0.3	1.5
22	26.9	19.0	99	74	2.7	1.5	22	28.7	21.0	97	63	1.5	3.2
23	25.5	21.0	100	83	4.0	1.2	23	27.8	20.5	98	70	0.1	3.0
24	25.0	21.1	99	85	9.8	3.3	24	27.7	19.9	100	70	5.2	2.2
25	27.1	20.3	96	69	0.1	3.3	25	27.6	20.5	98	71	9.2	1.3
26	29.0	19.6	100	61		3.3	26	26.9	19.1	99	71	3.8	2.6
27	29.1	19.0	100	66	14.3	2.3	27	27.8	19.0	99	61	f -	4.3
28	28.4	20.8	100	70	36.6	1.5	28	28.4	18.5	100	60	.1	4.1
29	27.7	18.9	100	65		2.1	29	26.4	17.5	97	56		5.5
30	28.9	18.9	99	65		2.4	30	26.0	18,1	99	70	0.8	3.0
31	· i				-	:	31	27.0	19.9	96	57	0.3	4.8
TOTAL	838.9	604.3	- 2961	2105	249.5	61.9		846.9	594.6	3079	2071	243.5	75.9
DAYS	• • • • • • • • • • • • • • • • • • • •		-			,] -	ļ	j '	\ 		
MEAN	28,0	20.1	98.7	70.2	-	2.06]	27.3	19.2	99.3	66.8	· · · · · · · · · · · · · · · · · · ·	2.42

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BAN ME THUOT

: `r	• •		,											
-	* *	• •	Novem	iber j	9 61	,	İ	. !		Dece	mber j	9 61	,	j
,	· ,-	TEMP	(C°)	R. H.	(%)	R		1	TEMP	(C°)	R.H.	(%)	R	E
Ϊ	,,	MAX.	MIN.	MAX.	MIN.	(m/m)		ŧ	MAX.	MiN.	MAX.	MIN.	(m/m)	ŀ
ŀ	1	25.2	19.9	97	69	1.4	2.6	1	27.8	16.9	98	55		4.9
ŀ		25.3	19.3		68	3.6	2.2	2	27.0	17.1	100	55		4.9
ŀ	3	27.4.	19.7	<u>-</u> :	61	1.2	3.7	3	26.0		96	63	0.3	3.9
1		25.7	18.9	97	67	0.6	2.7	4	27.0	i	95	· _ 59 ·	0.1	5.6
l	! 5 :	26.9	18.9	97	64	0.3	-	5	24.7		95	- 62 ;	1.0	4.0
ł	6	26.7	20.0	98	71	0.2		6	24.3	16.9	<u></u> 95	63	1,0	5.6
		27.3	20.0	98	71	7.2	3.2	7	23.4	15.5	94	. 59 · 59	'	4.6
		25.7	21.0		. 78 .	16.7	2.3		23.5	16.1	94	66	-	4.6
	- 1	26.4	21.0	98	75	1.9	2,8	9 1	24.9		95	, 62	0.4	3.8
			L	!		1 147	· - ~	٠.	24.8	16.2		; 52 58		5.3
ł	10 !	26.9	19.9	95 96	71	0.6	3.7 3.5	10 11	25.3	 				
		27.0	20.3		71 66	. 0.5	1			• '		· 55		5.0
	12	ŧ	-1	-	63	! U.)	5.2	12	26.0 26.1	, ,	98 100	· 54	. 0.3	5.8
	13	27.4	20.2	98 98	64	•	4.3 3.8	13	-	17.9		59	0.2	4.2
	14		_ 1		64	;	2.7	14	24.1	_		77 70	1.0	2.7
	15	29.4					<u></u>	15	25.4	19.4		70	U.2	3.2
		29.0	21.1	-	65	•	4.2	16	27-5	,		, 63	•	3.2
١		28.7	20.4		61	1	4.3	17	27.0	;		70		3.9
	18	27.4	19.7	-	55		5.7	18	28.9	15.2	97	53	!	5.7
	- 19	26.9		_	65	0.2	4.7	19	28.5	18,5	-	61	!] }	٠
	20	27.6	20.3		71	2.4	3.5	20	28.5			58		
	21	26.8			67	I	3.5	21	25.0	-'	-	71	1.0	-
	22	25.7	-	99	78	0.7	2.1	22	. 24.5	19.7	95	73	0.5	
	23	25.6			71	0.5	2.5	23	27.6	1	-	56	, 	
Ì	24	23.4			73	0.4	3.0	24	26.7	19.7		59	8.0	. !
Ì	25	24.6			61	0.3		25	26.8			67	· -	
	26	25.8	:		73		2.9	26	25.3			62	; ,1	!
	27	28,0	19.6	98	66		3.5	27	24.4	19.8	94	. 66		1
	28	28.4	19.1	99	56	_	5.3	28	25.4	20.1	94	, 70	1	
	29 !	27.8	19.9	27	53		4.6	29	26.1	19.4	96	, 55	0.3	;
	30	27.6	19.1	97	56		6.2	30	29.0	19.2	98	58		; }
	31		!		1		1	31	25.8	19.7	96	; 71		
-	TOTAL	805.5	592.1	2929	2004	38.5	107.2		€09.5	569.2	2994	1940	5.8	80.9
	DAYS	+ 		 !					1	1		t	7	
	MEAN	26.9	19.7	97.6	66.8		3.57		25.1	18.4	96.6	52.6		4.49
	<u></u>			`	·	'			·				1.	

NOTE

R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BANNETHUOT

		Je	an. · l	⁹ 62				1		Feb. 1	9 62		, ,
	TEMP MAX.	(C°) MIN.	R. H. MAX.		R (m/m)	(m/m)		TEMP MAX.	(C°)	R. H. MAX.	-	R (m/m)	E (m/m)
2	23.5 24.0	16.9 16.5					2	23.6 25.0	_16.5 _16.3				6.9 6.0
3 - 4	24.2	16.3 16.0					- - 4	21.8	15.0				5.4
5 	24.4 25.5	16.8 16.7			-	4.4 5.3	6	23.3 26.1	14.1		<u> </u>	0.8	5.3 5.6
- 7 8	25.1 23.0	17.5 18.3	-			5,6 4.3	7 - 8 	25.3 27.7	15.0 15.2	 		! !	_7.3_ _6.6_
.10	23.1. 24,0	17.0 17.2		-	-	4.9 5.3	10	22.5. 29.4	17.5		<u> </u>	·	4.4 5.2
11 12		16.2 17.3		-	 	5.8 4.5	11 12 	29.9 30.5	19.7_ 18.4		·	 	5.6 7.3
13 14 -	27.7	17.4 18.2		!	l !	3,6 4.5_	13	28.9 26.5	18.3	-	 !	,	9.5 6.7
15 16	24.8	19.5		i		5.4	16	23.8	17.6		<u> </u> 	1.4	4.1
17 18 -	25.1	19.3 18.5			!	_5.1_ 4.7_	18	24.5 24.9	14.4 14.6				5.3 6.2
20	25.6 23.1	17.9 17.4			0.3	5.8 3.9	20	24.8 25.0	13.7	-	! ! !		8.7 7.0
21 22	22.1 23.1	16.1 16.0	-	-	i	4.6 6.3	21 22	29.7	13.6 14.7	}		 	_ 6.0 _ 4.9
23	23.8 24.0	14.6 15.0			-	7.4	23		17.1	' -	' ·		4.6
25 26 27	21.8	14.9			,	5.7 5.7	25 26 27	33.0	}	} }		·	6.4 6.0
28 29		13.1	-	-	i :	5.5 6.1	28 29	31.8	20.5 18.9	-			5.6. _ 6.5`.
30 31	25.8 25.2 23.2	12.3 16.5 13.5				6.7 6.5 5.6	30 31					- 	
	754.0	511.0	·····		0.3	. 143.9	-	755.8	456,8			3.2.	166.9
MEAN	24.3	16.5	-		;- ;	5.33		27.0	16.3				5.96

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BANNETHUOT

**************************************	ON: L	MIALIE III	1	960		`			Δ-	or.	962		
			Mar. 1	962	•)F.			
	TEMP	(C°)	R.H.	(%)	R	E		TEMP	(C°)	R, H.	(%)	R	E
·•	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	29.0	19.0				8,9	11	34.4	<u> 18; 2</u>		 	-	7.7_
2		18.9				_6.3	2	33.6_	18.7		!		_7.4_
3	_23.6_	_18.6				6.3	3_	-34.0	-21.4		1 1 -	Ì	8.1-
41.14	25.6	· .				6.2	4	31.7	20,8				8.1
5	28.2	18.4			0.2	7.0	5	34.2	19.2		1		8,1
6	.31.5	.17.9				6.4	6	29.6	20.4		_	0.9	3.3.
7	_33.0_	18,8				7.2	7	34.7	19.1		<u> </u>	1	10.0
8	33.2	18,9	 			8.7	8	35.8	19.0		ı	i	7.8
9		(18.0)				11.0	9	_35.5	_ 20,6	} !- +-	1	-	8.6
10	32.4	17.9				9.3	10	33.0	19.7			T.	9.3
31	31.0	16.9				10.6	11	33.7	20.3		t	1	9.6
12	27.0	19.6		ļ,		7.1	12	35.7	19.7	!	1	1	18.7
13	30.2	20.2				6.8	13	34.5	20.6	_		*	6.1
14	33.3	19.3		_	1	7.0	14	33.6	21.8	_	•	,. ¥	(9,0
15	33.3	19.8		1	<u> </u>	7.0	15	30.6	21.4	1			. g. O
16	_34.3	18.4	1			8.2	. 16	33.3	_19.1	_	!	<u> </u>	5.2
17	32.9		,		1.8	5.2	17	34.0	21.1			1.2	
18	_33.0	20.2	1		1 -	6.4	18	32.0	21.2	Ż	1		3.9
19	33.4	i .			1	6.6	19	33.5	21.2	2	1		8.0
20	33.8	1	ì		·	7.4	20	33.8			<u> </u>		7.6
21	34,2	20.8	 			6.7	21	33.2	21.6	5		 	7.6
22	35.3	21.4	i		0.4	5.3	22	33.4	21.0		-1		7.9
23	32.8	21.1			Ì	9.0	23	34.6	20.4	4	·		9.8
24	28.1				1	8.4	24	33.6	19.	2			8.4
25	26.8	1		<u> </u>		8,6	25	32.9	20.	6		16.2	
26	25.5	1			1	7.6	26	30.8	20.	4	-	4.2	
27	26.5	1			<u> </u>	9.1	27	31.5	20.	6	. -		4.5
28	31.3	F	1	1	1	9.8	28	31.	1 -	φ			4.7
, 29	30.4		•		<u> </u>	11.1	29	32.	20.	6	ļ	1	4.8
30	29.1			1		10.0	30	29.9	20.	6	 	22.3	2.1
31	30.7		,	ļ		9.9	31		<u> </u>	!	<u> </u>	:	<u> </u>
TOTAL		1	<u> </u>	1	2.4	245.	1	994.	610.	5		44.8	205.7
DAYS				1 ,		, — ,					_		ļ
MEAN	1 30.4	18.9)	· · · · · · · · · · · · · · · · · · ·	77	7.90	1	33.1	20.	3		1	6.86

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BANNETHUOT

21VII	JN: <u>B</u>	ANMETHU	UT ————					<u> </u>					, , ,
			lay l	9 62					J	une l	9 62		
1	TEMP	(C°)	R.H.	(%)	R	, E		TEMP	(C°)	R. H.	(%)	R	E
1	MAX.	MIN,	MAX.	MIN.	(m/m)	(m/m)	-	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
1	32.7	20.2				3.2	1	24,6	21.4			16.7	0.8
2	31.3.	21.5				3.9	2	_29.2	21.2				<u> 3.7</u>
3	32.7	20.3			0.3	3.5.	3	29.9	22.2			0,5	3.0
4	32.8	20.2			6.9	4.2	4	_30.0_	21.0				3.1
5	33.7	21.8				4.7	5	31.1	20.9		! !	0.5	2.8
6	.33.9.	21.3			1.2	4.7_	6	_30.2	20.3		ļ	<u> </u>	3.3
7	31.9_	22.2		-	10.2	2.2	7	30.0	19.8			ļ	3.3
8	32.1	20.0		· ·	16.5	3.1_	8	29.6	20.0		ļ 	1,4	2.4
9	32.0	21.8		\ \	1.4	2.1	9	27.5	21.1		ļ ,	12,1	1.7
10	32,2	22.0	į			6.7	10	27.1	20,2	<u> </u>	`	0.5	2.0
11	32.2	20.6.		_	_	6.9	11	27.9	21.0		 . 	2.8	2.0
12	30.8	21.3			į	_5.7_	12	30.0	_20.9.		 	4.3	2.7
13	33.0	20.1		 		6.6	13	.30.0	20.5			1.5	<u> 3.5</u>
14	34.0	21.1	ļ .	' • 	; !	5.9	14	29.7	_20.5		! 	2.3	2.9
15	32.9	21.5	<u> </u>	! !	1	4.5	15	29.7	21.5		<u> </u>	13.4	2.6
16	31.6	21.8	<u> </u>	! -	5.5	_3.7_	16	25.9	20.9		; ;	36.6	1.3
17	_31.7	21.4	1	' 	†	_3.6_	17 	25.2	20.9	 - -	 	17.2	1.3
18	31.0	21.8	!		l	3.4.	18	27.2	20.0			<u> </u>	3.6
19	30.2	21.0			30.8	1.7	19	30,3	20.5				4.0
20	28.1	22.0			l 1	1.6	20	31.0	20.2	! !	1	4.4	3.8
21	31.4	22.8	1	ļ <u></u>	27.2	_3.0	21	30.6	21.0	! !		<u></u>	2.9
22	-28.3	_21.3		 		1.9	22	30.3	20.5	! !	 	2.7	2.3
23	26.4_	21.7		1	8.6	1.0	23	30.4	19.6	i 	l		2.7.
24	30.0	21.1			0.5	2.6	24	30.7	18 . 1		' + · ·	0.7_	3.9
25	30.5	21.4		ļ		3.5_	25	30.3	19.7		Ī	1	3.4
_ 26	30.2	_22.4	•	<u> </u>		_ 2.3	26	. 30.2	_ 19.2			i	3.5
27	31.8	21.8		_	12.2	4.3	27	30.7	21.4				3.6
28	31.3	22.1	t #		1	3.6	28	32.2	. 20.6			1.2	3,1
29	30.5	21.4	, .	!	14.0	3.0	29	31.4	20.4			-	3.3
30	28.8	21.3.			0.9	2.5	30	_31.7	_21.2			0.1	3.1
31	28.2	21.5		<u>.</u>	22.4	1.6	31	37.	77	<u> </u>	<u> </u>	1	
TOTAL	967.2	663.4	ļ -		158.9	115.3		888.0	_618.0	ļ		118.9	.85.6
DAYS					1) 			 		<u>-</u>		
MEAN	31.2	21.4		! !	1	3.59	<u> </u>	29.6	20.6	-	<u> `</u>		2.8

NOTE RH. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BANNETHUOT

	*	J HIMIDIEU		9 62					A	ug.	962		
	TEMD	·	R. H.	(04)				TEMP		R. H.	(06)		E
, , ,	_TEMP	MIN.	MAX.	MIN.	. R (m/m)	(m/m)	Ì	MAX.	MIN.	MAX.		R (m/m)	(m/m)
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			LIVY	13114,	(11/11/		1	<u>'</u>				1	
1 2	_30.8_	_19.9	 -			2.9	2	28.3.	_20.8			7.4-	2.6_
	30,4	20.6				3.5	3	_28.2	21.2			<i>-3</i> 7.4	2.8
3	30.0	20.1	<u> </u>		0.5	1.9	4	_26.8	20.4		·	12.2	1.2_
3 5	29.0	20.1				1.6_	5	24.0	20.6	· · ·	-	10.0	1.0
	30.2	21.0		1	0.8	2.4	6	25.3	20.3		1	33.3	1.0
6	_30.2	20.2			13.2_	2.3.	7	26.7	20.0		1	_ 5.8_	1.9
7	29.4.	_20.7.			1.0	1.9	- '_ 8	26.9	_20.5	+ - 	i — -	6.4	1.0
. 8.	29.4	21.4	 	- -	2.6	2.2.		_28_4	200			i	_ 1.9_
9	28.6	21.3			11.4	1.6	9 10	27.2	_19.9		•		1+4-
10	26.7	21.4	<u> </u>	<u> </u> 	7.2	1.4	10	26.0	1	····	,	3.3	1-4
11	23.8	20.8		 	41.0	_0.5	11	27.2	19.4			·2,8 _	_2.0_
12	25.9	20.8			18.5	_ 0.9	12	27.9	19.4				1.8
13	28.3	20.3			_	3.6	13	_29.4	17.9		1	i .	1.9
14	29.3	21.4				2.0	- 14	30.0_	20.6		1	!	3.0
15	29.0	20.9	<u> </u>	<u> </u>	20.2	1.0	15	30.0	19.6	<u> </u> 	,	57.1	2.7
. 16	26,6	20.3	; 	· ·	16.8	1.5	16	29.6	_19.2		-t	-	2.1
17 _	27.8	20:4			27.4	-1.3-	17 	.30.2	18.6		1	<u></u> □ 0.3	2.4
18	27.3	20.3	, 1	·	5.2	1.5_	18	29.9	19.2		-1		2.7
. 19	27.6	20.2	!		_0.4	- 5.1	- 19	. 30. _6	_ 18.6	-	-	1	3.1
20	29.6	21.4	‡ ;	· · · · · · · · · · · · · · · · · · ·	0.1	5.1	20	29.2	19.4	•	-	-10.3	1.8
21	29.4	21.9				6.3	21 	_29.0	19.1		<u>:</u>	_,_ 0.1_	1.9
- 22	28.6	21.9			5.2	3.7	22	29.7	19,0	1		0.9	2.6
23	28.1	21.2			2.8	3.8	23	28.6	20.2	.'		13.0	1.1
24	29.0	20.5			15.5	4.4	24	29.0	20.5	.,		23.1	1.2
· 25	28.8	19.4		<u> </u>	6.0	2.7	25	27.0	19.8		1	2.6	1.2
26	27.9	20.0	ì		30.9	2.0	26 -	29.5	18.3				2.0-
27	27.9	20.5	1		5.0	2.9	27	_28.7	18,9			0.1.	1.9
28	27.2	20.6	<u> </u>		19.0	1.9	28	30.3	19.0				2.3
. 29	26.6	20.6	!		7.2_	.1.2	29	.29.9	_18.4			0.1	2.2
30	24.4	20.8	.ļ		80.8	0.6	30	29.8	19.7			0.3.	2.0
31	24.1	21:4	Ì	1	81.2	0.5	31	29.9	19.0		ļ	5.8	2.0
TOTAL	871.1	641.7			419.9	75.3		883.5	607.6			263.8	59.8
- DAYS	; - .					9 1 						-	
MEAN	28,1	20.7	1	1	,	2.43	7,	28.5	19.6			<u> </u>	1.93

R.H. RELATIVE HUMIDITY IN PERCENT R. RAINFALL IN MILLIMETER E. EVAPORATION IN MILLIMETER

STATION: BANNETHUOT

		. S	ep i	9 62	4- + ** * ***	en managen pe ana				Oct.	962		1. 1.
i	1	(C°)	R. H.	(%)	R	E		TEMP	(C°) .	R. H.	(%)	R	E
٠.	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)		MAX.	MIN.	MAX.	- MIN,	(m/m)	(m/m)
<u> </u>	29.1	19.4			7.0	_2.0	1	27.6	19.8			0.7	_1.5
2	29.2	21.2			12.7	1.6	2	29.0	20.1	 	; ! !	6,3	1,1
3	29.5	21.0			0.1	2.4	` 3	29.4	19.2			0.2	1.4
4	29.7	21.5			1.6	2.7	4	28.2	20.2		i 	16.7	_0.8
5	28,8	21.4			8.8	1.3	, 5	29.3	19.7	ł. -	1	1.6	1.4
	28.9	21.4		··· ·· ···	3.5	1.7	6	29.2	20.1			i 	1.8
. 7	29.0	21.3		-,	0.6_	2.3.	7	-28.7 -	i 19.8-	 	 	29.8	- 1-1
8	29.6	20.1	-			1.8	8 [°]	29.0	19.1		; !		_2.0\\
9	30.3	21.0			_9.1	.2.6	9	.29.0.	20.1		! }		_2.7
10	27.2	20.8			14.5	1.2	. 10	29.4	20.9		1	•	3.0
11	29.2	20.7	 -		7.7	1.4	11	28.9	18,9			; 	-2.7
12	29.0	19.6		i.	9.5	1.6	12	30.3	19.1		 		_2.3
13	28.7	20.6			1.9.	1.5	13	29.6	20.5			<u> </u>	-2.1_:
14	27.5	20.4		-	2.5	1.3	14	30.7_	20.1			:	2.5
15	25.5	21.3			17.2	0.8	15	29.6	19.8	`		1.3	2.3
16	27.7	19.5		n-	8.5	1.4	16	_28.5	-19.6-				2 . 3
17	29.2	19.1		 -	4.2	1.9_	17	27.0	20.4			6.0	1.3
18	27.7	19.9	' !'		1.1	0.9	18	26.2	20.7		 	1.7	1.9
19	28.6	20.6		* ~ .	15.6	1.1_	19	26.4	20:2			9.9.	. 1.1
20	27.1	20.6	,		1.5	1.4	20	27.9	21.0			26.2	1.7
21	26.7	20,7_	. +		1.3.	1.0_	21	22.4_	20.4			62.0_	1.3
22	27.2	20.5		- 4-	34.8_	1.4	22	24.7	20.2			79.2	_0.6
23	28.6	20.5			_	1.8	23	25.7	19.7_				11.4
. 24	28.7	20,4			2.2	1.9	_ 24 	23.8	19.2) 	2.0	1,8
25	25.8	21.5			7.5	0.8	25	25.5	19.1			1.2	2.8_
2 6	26,7	20.9			*	1.8	26	25.0	19.7				-2.5
	26.7	20.7			10.6	1.6	27	25.4	18.0				-2 . 9
28	27.3	20.6	[4.1	1.3	28	26.7	16.5				3. <u>6</u>
29	28.3	20.1			24.2	1.3.	29	.26.7.	16.6	<u>.</u> .			3.1
30	26.2	20.3		.	-	0.7	30	29.4	16.6				2.7
31	<u> </u>				i !	· •	31	29.3	18.9				2.7
		618.0			235.2	46.5	- ;	B58 . 7_	604.5			251.6	_62.4_
AYS	4 ~-					; ;							••
IEAN	28.1	20.6	,	•	.	1.55		27.7	19.5				2.01

R, RAINFALL IN MILLIMETER

E. EVAPORATION IN MILLIMETER

STATION: BANMETHUOT

<u></u>	O1112	METHOD.	<u> </u>				<u> </u>						· ,
		N _O	v. 1	9 62		^				Dec. I	9 62		,
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R. H.	(%)	Ŕ	E٠
,	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)	İ	MAX.	MIN.	MAX.	MIN.	(m/m)	(m/m)
, 1	30.0	19.1	100	56	٠	2.4	1	19.8	15.8	97	79		2.0
2	29.3	17.4	100	61		2.5	2	18.5	14.4	92	80		2.5
- 3	29.2	20.1	- <u>9</u> 9	63		2.8	3	21.5	13.4	97	70	·	2.8
4	28.3	18.5	97	62	15.3	2.4	4	21.8	13.2	98	69_	, <u></u>	2.2
.5	23.5	20.0	98	89	15.8	0.9	5	21.5	14.1	96	60		4.2
6	24.5	_20.0_	98	80	4.6	1.4	6	21,0	14.4	95_	75.		2.0
7	25.8_	19.8_	97	_72		2,0_	7	22.7	16,5	99	_75_		2.0
8	27.5	17.5	99	62		1.7	8	24.3	16.0	96	66		2.5
9	26.1	16.5	_100_	66		1.5	9	24.6	16.0	97	63	!	3.3
10	26.3	17.7	99	63		2.0	10	25,8	16.9	97	59	· , ·	3.3
<u>,11,</u>	26.7	16.8	100	60		2.5	11	25.0	16.6	97	·65	 	3.0
12	27.2	18.7	99.	63		2.1	12	25.6	15.1	99	65	,	2.4
13	28.1	20.1	99	65		1.7	13	25.6	17.0	97	62		3.6
: 14	27.7	20.0	99	58		2.1	14	26.7	16.6	98	55	l 	3.5
15	29.0	19.1	99	51		2.9	15 '	25.5	16,7	98	64_	ì	3.3
16	27.8	16.3	_100_	54		2.6	16	26.0	17.5	96_	66) ! !	3.1
17	28.3	16.0	100	55	i	2.6	17	26.6	18.6	96	61		3.8
18	26.5	16.8	98	60		2.8	18	25.5	18.3	96	66	 	3.6
, 19	25.0	17.6	98	78	11.5	1.4	19	25.6	18.4	96	66		3.4
20	27.1	20.6	100	62	0.4	2,8	20	25.5	17.2	97	66		4.0
21	26.6	19.2	96	62	! 	3.0	21	25.5	_17.3	95_	55_	<u></u>	4-4
22	26.8	18.8	94	_59	0.1	4.4	22	25.3	16.1	98	58_	ļ	2.3
23	22.8	19.5	98	_ 89 _	40.0	1.2	23	23.0	15.5	95 _	61		4.7
24	23.5	19,7	99	91	12.0	1,1	24	23.0	12.7	9 <u>6</u> _	56		4.1
25	23.4	19.9	100	90	ī	0.7	25	24.9	13.2	100	53	•	3.2
26	26.3	19.8	_ 9,8,	. 73_	·	2.8	26	28.3	_ 14.5_	100	53_		2.3
27	25.7	20.4	98_	72_	.0.6	.2.6	27	29.6	_ 16.5_	_100 _	52		2.0
28	_ 24.8_	_19.5	99	.80	4.0	2.1	28	28.7	_16.6	100	48_		3 .1
29	24.5	_18.1	98_	62	_2.7	2.9	29	29.3	19.8	97_	60_	1	2.7.
30		17.3	97	89	11.5	0.7	30	27.5	1	98_	63		3.3
- 31		ļ. <u> </u>	<u>.</u>	, ,	<u> </u>	1	31	25.9	13.8	97	57	!	3,2
TOTAL		560.8	2,956	2,047	118.8	64.3		770.1	504.2	3,010	1,948		95.9
DAYS			<u>.</u>) 	ļ				,			<u> </u>	ļ
MEAN	26.2	- 18.7	98.5	68.2	<u> </u>	2:14		24.8.	16.3	97:1	62.8	-	-3.09

NOTE RH RELATIVE HUMIDITY IN PERCENT
R RAINFALL IN MILLIMETER
E EVAPORATION IN MILLIMETER

STATION: BANMETHUOT

,	Jan,		963								É	
· · · · ·	EMP (C°)	R. H.		R (m/m)	E (m/m)		TEMP MAX.	(C°)		(%).** MIN.		E (m/m)
	5 18.1	97_	59	<u>, ` , , , , , , , , , , , , , , , , , ,</u>	4.0	1	23.6	13.6	97	50_		5.4
² 25.		96	59		3.7	2	25.0	í	97	51		4.6
³ 26.		96	61		3.5	3	24.3	•	_98	57	0.12	3.4
4 27.	1	99	.55		- 3.3	4	25.1	i	97	j 59	1	3.8_
5 25	1	96	57		4.6	5	26.4	ł	94	44]	5.7
6 23.		93	52_		_5.9_	6	25.6	1	96'	57	4.4	4,4
7 22.	1	93	61		4.8.	7	27.6	16.5	96	46		4.7
8 23.	!	95	51		4.2	8	_28.5_	1	96	45 _	:	4.2_
° 22.		.95	53		4.2	9	25.4	17.4.	: - 95	! ६1		_3.6_
10 23.	1 -	94	55		4.7	10	26.7	,	96	51		6.4
11 23.	9 13.9	95	47		3.6	-11	27.0	16.4	93	50		4.3
¹² 22.	1 12.7	97	56	l	2.9	12	25,7	15.5	_95	55 .	_	5.4
13 22.	1 12.4	98	50 .	1	4.5.	13	25.5_	16.7	95	. 55		4.4
14 20.	8 10.7	94	58		3.6.	14	25.8	16.5	95	.50_	, -	6.1
15 21.	1 9.1	93	49		6.1	15	26.7	16.0	95	44		5.4
16 22.	2 11.7	_. 92	43		5.4	16	26.2	14.9	92	'_43 <u>_</u>	<u>.</u>	7.8
¹⁷ 22.	9 10.5	96	50		5.3	17	25.5	15.9	89	49	<u></u>	6.6
18 23.	3 10.8	94	49	-	4.8	18	25.7	16.0	92	58	<u> </u>	_6.6_
19 23.	3 12.4	98 _	51		4.1	19	26.7	15.2	93	54 .) /	5.5
²⁰ 26.	4 11.8	100	48	·	3.7	20	26,5	16.2	95	51		5.3
²¹ 23.	2 . 14.8	99	60 .	ı	4.5	21	26.5	15.5_	96	50	¦	6.3_
²² 23.	1 15.5	87	62	! !	4.5	22	26.3	16.7	_ 93_	45_	-	6.4
²³ 23.	5 15.8	95	62	;	3.1	23	26.5	15.7	93	44	_	7.0
²⁴ 23.	5 16.1	92	57		4.6	24	26.1	14.8	. 93	_42_		. 7.3
²⁵ 23.	7 15.2	91	57		4.9	25	28.2	14.9	95	48		6.7
²⁶ 20.	5 12.9	90	54		5.3	26	24.3	15.6	92	_49	! 	7.0
²⁷ 21.	3 12.2	86	42	1	5.2	27	22,5	14.7	88	57		5.8
²⁸ 22.	2 11.8	87.	44		4.3	28	22.7	13.7	85	44		- 4.4
²⁹ 22.	3 :12.5	94	57		2.8	29	-		· 	<u> </u>	i	
³⁰ 22.	7 13.7	96	56	I	2.1	30		1				
³¹ 23.	9 14.8	93	56	!	4.1	31		!	1		1	<u> </u>
TOTAL 725	.8 428.7	2,921	1,671	1	132.3	!	723.4	437.3	2,631	1,409	_ 0.12	154.5
1 -	13.8	94.2	53.9		4.27	- 1	 25.8	15.6	94.0	50.3		5.52

NOTE RH. RELATIVE HUMIDITY IN PERCENT

R. RAINFALL IN MILLIMETER

E EVAPORATION IN MILLIMETER

STATION: BANMETHUOT

				•			,	· · · · · · · · · · · · · · · · · · ·							
	-Mar. 19 63								Apr. 19 63						
	TEMP	(C°)	R. H.	(%)	R	E		TEMP	(C°)	R.H.	(%)	, R	E		
	MAX.	MIN.	MAX.	MIN,		(m/m)		MAX.	MIN.	MAX.	MIN.	' (m/m)	1		
1	24.7	14.2	90	46		- 6.1	ī	70.0	76.5	07	1 47	1	5.6		
2	28.7	14.3	95	76 -		4.8	2	30.9	16.5		43.		5.6		
3	31.8	13.B					3	1	17.6		.40	 -	9.1		
4	31.3		99	24		6.1	4	31.1	17.2	_			- 5-9		
5	30.5	13.8 14.5	99 97	27 40		5.5	5	1	_ 19.5		59		<u>5.8</u>		
6	<u> </u>	i i			<u> </u>	5.9	6	31,4	19.2	99	42	<u>'</u>	5.9		
7	28.5	13.9	97	44	<u> </u>	6.4			21.6	_98	46	,	5.3		
8	27.3	15.4	.97	56	-	5.2	7		20.0	9 <u>6</u>	46		7.6		
	29.3	18.2	93	48		6.5	- 	i '	19.3		32		10.9		
9	<u>32,4</u>	1	94	45		6.3_	9	26.7	18.8	91	50	•	7.8		
	32.6	18.2	96	40		5.3	10	27.4	18.5	92	46		9.4		
11	3 <u>4.7</u>	19.2	99	19	-	7.7		28,9	17.9	92	45		9.2		
12	34.0	18.4	_98	_ 2 2		_7.5	12	30.9	18.7	96	39		7.9		
13	29,4	18.6_	94	42		4.1	13	32.9	18.7	98	32		7.3		
14	29. 5	19.0	.92	42		5.6	14	33.7	18.5	99	35	14.5	6.7		
15	28.8	18.8	•93	45		8.5	15	33.0	19.7	98	36	•	5.8		
16	26.7	18.1	93	_ 54		.1.7	16	_ 33.9	20.3	. 99	30	-	6.4		
17	26.7	17.6	92	_47_	_	7.1	17	33.9	20.2		35	1	5.3		
1		17.3	93	35		8.5	18	33.9	21.4	_ 98 _	34.	· ·	5.6		
19	31.4	15.9	99_	3 0		7.8	19	34.2	_ 20.5		•	1	4.7		
20		19.3	95	35		5.9	20	34.3	ź0.0		34		7.7		
21	33.3	19.7	97	35		7.1	21	34.9	21.4		34		7.1		
22	32.4	21.1	94	37	-	5 . 7	22	33.7	21.5	96	43	3.2	6.1		
23	31.0	20.2	_93	42		5.9	23	35.0	20.3	-	23	,	8.1		
24	32.0		94	_ 37	-	8.0	24	34.4	20.2	95	<u>2</u> 8		8.73		
	31.9	20.1	94	32		6.9	 25	33.9			19		9.9		
26		1					26		19.2		, <u>36</u>		10.0		
27	32.1	20.1	97 05	39 43		6.0	27	33.3	18.4		25	,	8.2		
	32.7.	20.1	95.	. 41		5.2	28	33.7	-		i	1	6.2		
	29.5	19.5	_99	. 50		5.6	29	33•3 ¹	20.2	•	34	1			
	27.1	18.1		49		8.4	i	34.7	20.8		37		7.6 8.0		
		17.4	91	44	-	6.8	30	34.5	15.9	97	31	•	5.0		
		16.6	94	39		5.9	31		<u> </u>		<u> </u>		07.0		
TOTAL	943.1	551.5	2,941	1,222		200.0		968.9	582.3	2,898	1,082	2 _17. <u>7</u>	219.4		
DAYS	·				** - ~ *		• ~					-	-		
MEAN	30.4	17.8	94.9	39.4		6.45		32.3	19.4	96.6	36.1	<u>.i</u>	7.31		

NOTE R.H. RELATIVE HUMIDITY IN PERCENT

R, RAINFALL IN MILLIMETER
E. EVAPORATION IN MILLIMETER

