

32. NAM PAI DAM SITE

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1970

DAYS	JAN	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1								4.0	35.2	0.4		20.0
2						1.0						4.3
3						2.8						6.2
4				12.5		12.9	12.5		1.9			0.9
5					20.9	0.3	8.0	3.7				2.2
6					22.3		32.0		26.0			2.6
7					4.2	4.6	5.5	16.3	20.3	30.3		0.4
8						0.7	4.5	1.8	7.3	2.9		1.5
9						22.9	3.0		1.1	1.2		
10					9.6	1.1		3.3				
11				3.4				8.0	8.4			
12						51.3	1.6		13.0			0.6
13					11.7	6.0	0.4		1.0	12.4		13.6
14						12.2	5.4	23.5				2.9
15					0.3		9.8	0.5		18.4		
16					29.6			1.8				
17					15.9		13.0		21.2			
18					14.5	4.2	24.3		20.4			
19					1.2	7.5	4.6	10.5	16.7			
20					56.6	6.8	3.5	24.0				0.9
21					15.0	11.8	6.6	9.0				
22					18.0	8.6		4.0				
23				13.2	2.3	11.5	2.2	9.5		10.0		0.7
24					8.8	19.9	13.8	26.0	3.3			
25				6.9			1.4	20.5	2.2			
26						4.0	10.5			3.0		
27						3.5	1.2	4.5		2.0		
28				0.7			6.8	3.2	5.2			
29					0.5	12.8			5.0		4.2	
30					4.1	1.5	1.6				5.3	
31							62.2	8.9				
TOTAL				36.7	235.5	201.9	234.4	183.0	188.2	80.6	10.6	56.8

NOTE: STATION INSTALLED ON 1 APRIL

37. NAM PAI DAM SITE

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1								2.0	10.0	20.0		
2												
3						5.7			60.0			
4						1.2		4.0	3.0			
5					54.0	1.3						
6					5.0	2.1				30.5	2.0	
7					8.0	7.9		5.0	5.0		3.0	
8					4.0			3.0	6.1			
9				18.0					23.0			
10							30.3	30.5				
11			14.5		19.0			10.0				
12								5.0				8.0
13							35.0					
14							27.7	3.0				
15							3.0					
16						20.5			3.0			
17			18.0				23.2		14.0			
18				31.5	14.0		10.8	27.0	6.0			
19					16.5	13.5		37.0				
20						30.5	5.0	20.0				
21								10.0				
22						10.2		15.0				
23					23.0			10.0				
24							10.0	14.0				
25							4.5	16.0	25.0			
26							2.5	57.0		14.0		
27					31.0	4.0		45.0	12.0			
28							8.0	25.0	4.0	17.0		
29						37.0		30.0	17.0			
30						40.0		2.0	12.0			
31							4.0					
TOTAL	0.0	0.0	32.5	49.5	174.5	173.9	164.0	370.5	200.1	81.5	5.0	8.0

ANNUAL PRECIPITATION 1,259.5 MILLIMETERS

39 NAM PAI DAM SITE

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						180			160	120	120	
2						220		30	80	180		
3						120	9.0	30				
4							1.5				14.0	
5						170					90	130
6						320		4.0	60			
7						210			9.0			
8						380						
9						200			60	140		11.0
10				180	2.0							
11				300			1.5		14.0		15.0	
12							17.0	30			6.0	
13								2.0	22.0		4.0	
14			17.0					40	50		22.0	
15					30.0			120	150	17.0		
16					150				17.0	130		
17					5.2		130	130	20	80		
18							1.0	17.0	40			17.0
19							1.3					
20												
21									20.0	14.0		8.5
22									17.0	50		150
23								19.0				
24					22.0			130			20.0	
25						160		7.0	80			
26				20		220		40	11.0	7.0		5.0
27	2.0			190			12.0	5.0	50	4.0		
28					8.0	140	4.0	70				
29					17.0	80	3.0					7.0
30						36.0	200		15.0	11.0		
31					15.0		14.0			150		
TOTAL	2.0	0.0	17.0	690	114.2	2760	97.3	1160	200.0	147.0	102.0	760

ANNUAL PRECIPITATION 1,2165 MILLIMETERS

41. NAM PAI DAM SITE

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					-	8.7	13	27		1.7		
2					-	31.5	80					
3					-		261	150		3.0		
4					-	195	15.7	68.0				
5					-		27.4	155	1.0			
6			90		-	28	6.3	20.0				
7					-	4.3	200	35	24.6			
8					-	50.4	130					
9					-		130	141	80			
10					-	31	9.5	22.0	60			
11					-	7.9	1.2	43.8				
12					-			240	15.0			
13					-	57	20	4.6	120			
14					-	4.4	2.0	10.0				
15					-	5.0		30				
16					-			35	285		15.0	
17					-	20		0.3	130		12.0	
18					-	10.9	08	2.6	07			
19					-	25.7		5.5	396			
20					-	7.0		25	139		34	
21					-		0.8	42	1.8		2.5	
22					-			44.6	23	16.2	131	
23					-		1.1					
24					-	1.9	9.5	10.2		48		
25					-		0.4		05			
26					-	1.1	14	243	44	4.8		
27					-	2.1	3.3	300	138	1.4		
28					-		0.6	23.0	22.3			
29					-	63	150	26.0				
30					-		3.1	10.0	14.0			
31					-		1.2					
TOTAL	00	00	90	00		200.3	182.7	441.3	221.4	31.9	460	00

NOTE: - NO REPORT

NAM PAI DAM SITE

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1974

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					101	0.2	3.1	0.4	0.2			0.1
2				4.2		1.9		1.6	4.1			0.3
3								21.5	12.0	2	0.3	0.3
4					1.0			17.7		7.5	0.3	
5								0.6	5.1		5.6	
6							1.4	2.5	10.1		18.5	1.6
7						22.8		23.5	4.5	2.4		
8						2.0	0.6	4.9	10.8			
9					1.1	3.8		0.5	4.26		6.0	
10					29.6	24.7	0.8		10.1	3.6		
11					0.5	3.0		7.5	2.68	1.8	18.5	
12					0.3			34.4	30.2		1.5	
13							0.5	2.1	4.9		3.0	
14					1.3	21.0	4.4		0.9			
15				16.0		13.0		1.0	2.3			
16					0.3	8.1			6.4			
17						2.0		33.3			3.0	0.3
18					1.5		8.2	1.5		2.3		0.1
19					48.0		0.6	4.0	4.7	0.4		0.2
20					5.9	11.6	5.8					
21					13.1		0.7			0.4		
22				16.5	18.0	1.1	1.0	9.9				
23				3.1	6.4	3.4	9.3	14.3	1.8			
24					7.5	0.5	0.5	31.0	4.7		0.2	
25					13.2	7.3		3.5	18.2	0.9		
26					1.2	12.4	6.0	12.0	14.5	1.8		
27				1.4	0.2	6.0	10.8	1.0	2.3	0.3		
28			24.5	14.0	16.4	1.1	6.5	0.4	16.6	12.1		0.2
29				6.3	1.5	3.0	9.2			7.9	0.3	0.3
30					2.4		4.8	0.6		1.1	0.2	0.3
31					20.2			2.7		3.62		
.....												
TOTAL	00	00	24.5	81.5	208.7	148.9	74.2	232.3	234.0	108.6	59.4	3.7

ANNUAL PRECIPITATION 1,175.8 MILLIMETERS

NAM PAI DAM SITE

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDER YEAR 1975

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						1.0	0.8	20.5	1.0	6.9		
2				2.4	0.5	12.2	1.0	15.5	7.3			
3	0.3				10.6	14.3		22.2	5.3	6.2		
4						1.7		23.0		0.7		
5	8.0					3.2	2.8		1.2	45.6	2.7	
6	1.3				10.2	1.0	5.5		9.5	1.6	1.5	
7					3.6	5.0	3.6		8.0	1.3		
8					32.9			9.6	15.0	4.3		
9	13.2					8.5		0.5		21.5		
10	51.2					0.4		22.0		19.7	3.0	
11	4.3					8.5	22.9	3.6	10.0	2.0	3.4	1.3
12						3.0	4.0		10.8	3.0	0.4	1.92
13					17.3	2.3	32.3	1.2	21.1			1.8
14					8.3	7.3	3.0	1.5		6.2		
15					2.1	9.5	6.0	10.5				
16						8.5	1.4	11.3				
17						9.6	18.0	4.0				
18						37.5	24.2	12.8				
19						21.1	1.5	22.0				
20						19.3		3.0				
21						13.0		11.3	68.5			
22					15.0	11.3	0.5	0.8	13.5	8.0		
23					8.2		3.5		0.8			
24					17.2	3.5	1.2	4.8				
25					29.0			12.8				
26					5.0			21.5				
27					3.6	1.3		18.5				
28					12.4		0.5	16.6	0.7			
29							3.0	21.5		5.2.0		
30						5.1		11.0	2.4	0.9		
31					47.0			1.7				
.....												
TOTAL	78.3	0.0	0.0	2.4	223.3	202.3	138.7	303.6	175.1	178.9	11.0	22.3

ANNUAL PRECIPITATION 1341.9 MILLIMETERS

NAM PAI DAM SITE

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					35	1.8			2.9	22.5		2.0
2					60	14.5	0.5	2.3				
3				1.4	67	27.0				7.5		
4						2.6		0.8			2.4	
5					7.8	2.3		10.2	2.5		0.6	
6					21.5	1.1	3.5	5.5		5.6	0.5	
7		6.5			4.7	1.0			1.8			
8					0.7	2.0		7.1		1.5		
9						2.7	2.5	1.5	2.2			
10					4.6	4.1	0.5	3.4	1.9			
11						4.6						
12					2.5	13.3			5.7			
13						T	3.5	12.8	13.5			
14					1.0		31.7	1.5	1.0	5.8		
15												
16							4.9					
17					8.0		7.7					
18					8.5			20.1		28.0		
19					2.2		2.0	1.7	1.5	17.8		
20					0.5	1.6			10.8	2.8		
21				1.0	1.8			38.2	1.9	13.5		
22					1.8	T	3.5	5.5	25.7			
23					4.2	3.5	0.6	17.5	17.9			
24				1.2	14.0	22.7	1.0		2.7			
25					47.0				9.7			
26								5.9	10.4	5.2		
27							12.3	37.7	37.2	5.0		
28								5.4	11.5	33.0	0.8	
29					6.6	3.1	6.5	12.5				2.1
30				2.5	5.9		29.7	12.0	4.4		0.7	1.7
31							3.5	7.7		2.1		7.3
.....												
TOTAL	0.0	6.5	0.0	6.1	159.5	107.9	113.9	209.3	165.2	150.3	5.0	13.1
ANNUAL PRECIPITATION							936.8	MILLIMETERS				

NAM PAI DAM SITE

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1977

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULE	AUG.	SEPT.	OCT.	NOV.	DEC.
1	11.1			28.0						1.1		
2	31.7					2.1		3.1		0.8	32.4	
3	37.8			14.7		2.2	0.5	1.0	40.3	3.7		
4				18.6		0.5		3.7			0.3	
5				2.6			2.8		13.8			
6								2.5	35.0	12.5		
7							3.7	5.0	4.8	22.9		
8					10.7		16.3	1.0	3.9			
9				8.1	52.9				5.4			
10								8.6	2.7	1.4		
11					9.5	2.4		9.0	28.0	3.0		
12					5.8	2.5						
13					6.8	22.6			8.3	2.1		
14					7.2	16.9	30.6	0.7	32.2			
15					3.3	2.0	6.6		17.0			
16							6.6		0.5	6.3		
17												
18				9.3				31.7	13.3			
19				8.7				0.7	6.3	16.7		
20							4.1	9.8				
21							8.4	1.6	8.0	2.0		
22							6.2	18.4		1.0		
23					1.2		3.6	4.7		9.9		
24					2.4	0.5	2.3			5.8		
25					3.2			2.7				
26					3.2			7.6		2.2		8.8
27					2.1		1.7	2.0		10.4		19.0
28					8.5		3.2			9.6	2.3	13.6
29							6.4		2.2			17.9
30							7.0	4.4				5.0
31			28.6					34.2		6.6		
TOTAL	806	00	28.6	90.0	116.8	51.7	110.0	152.4	221.7	118.0	35.0	64.3

ANNUAL PRECIPITATION 1,069.1 MILLIMETERS



NATIONAL ENERGY ADMINISTRATION

YEAR ..... 1978 ..... STATION ..Nam..Pat..Dam..Site..... CODE NO .....  
 SUBJECT ..... Rainfall ..... COMPUTED ..... CHECKED .....

DATE	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1										6.9		
2							81.1	3.0		5.8		
3		3.0				1.9	36.4			9.4		
4							13.6	10.8		3.3		
5	1.4						19.8	6.9		15.2		
6					4.9		13.3			3.0		
7					5.6		6.1	3.9	23.2			
8							10.0		1.4		0.6	
9	1.43						30.4		3.0			
10	3.02				5.0		6.6			1.8		
11	16.6				1.0		5.1			2.0		
12							3.4	5.42	5.2			
13				3.6	5.8		4.5	26.8	6.8			
14				1.2	2.1		1.6	12.4				
15				2.5	7.4	2.05	1.9					
16					10.6	1.2	2.5	2.9				
17					2.1			1.7				
18								2.9				
19						4.7		2.3	30.0			
20						1.0						
21				0.5		1.0	8.5		2.1			
22				6.2			11.4		4.2			
23				2.0	1.4	0.8	14.2	4.7	0.8			
24		0.9				1.6			6.0			
25						1.4	2.3	3.1	45.2			
26		9.4		1.0	27.2	7.4	7.2		4.0	3.2		
27					13.6	19.3	2.3			13.5		
28					0.4	15.2		28.5	0.5	7.7		
29						6.2	7.2	5.0				
30							10.1		3.6			
31							10.0					2.5
TOTAL	62.5	13.3	0.0	17.0	87.1	82.2	309.5	169.1	136.0	71.8	0.6	2.5

NATIONAL ENERGY ADMINISTRATION

YEAR ..... 1979 ..... STATION ..Nam Pai Dam Site..... CODE NO .....  
 SUBJECT ..Rainfall Data .. COMPUTED..... CHECKED .....

DATE	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1							0.3	2.0				
2					6.5		0.6		3.7			
3						23.0	17.4	6.9				
4						12.2	10.3	3.6	2.6	3.7		
5						1.3		4.1	18.8	11.2		
6					5.6	3.1	2.5	2.4	13.6	1.2		
7							6.7	46.5	21.1	0.9		
8								0.9	5.1	44.8		
9						11.8		2.6		6.4		
10					7.0							
11					0.5		2.9	0.7				
12						38.8	21.4	4.0				
13						10.9	4.1	3.5	1.0			
14				10.4		14.2		1.1				
15						7.3		6.7				
16					1.8	8.9		6.4				
17									2.6			
18						3.4		2.4	0.4			
19					5.6			7.7	3.4			
20					36.5	3.2		2.3	7.8			
21					1.5	4.7	1.4	1.1	1.1	1.4		
22					1.7	6.4	4.2	29.9	4.7			
23					41.9	3.9		0.7				
24				50.0	3.3		8.0					
25				7.8	2.4				0.5			
26						4.9			12.3			
27				51.0		4.2	5.8	12.7	11.9			
28						1.4	9.5		1.2			
29				6.4		3.1			1.6	1.7		
30						2.6	0.7	6.4				
31								1.9				
TOTAL	0.0	0.0	0.0	125.6	104.3	169.3	95.8	156.6	113.6	71.3	0.0	0.0

20 BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1966

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						09				50		
2					T	10	35	10	51		7.2	
3					T	6.5	0.1	35.4	1.8			
4				2.2	3.0	T	1.1	6.5				
5						11.9	1.0	2.9	2.2	1.1		
6					3.5	27.0	0.5	10.5	58.8	0.4		
7						1.0			T			
8					21.7	1.1	1.9	13.5				
9					5.7	2.5	11.8	12.4	2.2	0.9		
10					2.3	26.5	11.9	3.2	2.8			
11				9.2			5.6	7.3	10.2			
12						2.0	2.1	21.2	1.0			
13						7.0	5.0	8.0	75.9	1.8		
14					18.8	T	T			T		
15					T	0.1		2.9				
16				T	5.0	3.5	1.1	83.5	50.0	17.7		
17					1.3	0.8	33.9	55.0	2.1			
18				T	1.0		4.2		6.8			
19					60.0	5.8	2.0	1.5				
20					24.8	9.7	1.8	19.2		1.0		
21					6.2	T	T	16.2				
22					6.5	1.6		19.0				
23				1.8	15.5	2.4	9.8	7.4	2.2			
24					10.0	T	18.9	3.6				
25					1.4	1.2	4.2	18.4	12.0			
26					2.2	5.4	7.2	2.5				
27					1.5	6.2	3.0	6.0		11.0		
28					9.8	1.0	8.0	3.8	2.4	18.0		
29					21.4	11.0	8.2	4.2	10.0		28.0	
30					26.6	7.3	1.3	11.1	3.7		1.8	
31					4.0			9.2				
TOTAL				132	253.2	143.4	146.1	385.4	249.2	50.9	37.0	0.0

NOTE: STATION INSTALLED ON 1 APRIL

20. BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1967

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1								175	10.0			1.0
2							210	05				
3						108	T		7.0			
4						43.7		18.5	T			
5						503	4.0	8.0	51.0			
6								66	3.0			
7						23.0	1.0	420	26.0			
8			T		T	53.0	25.0	16.0	2.0			
9			T		7.4	2.0	5.0	05				1.0
10					4.0	8.0	5.0		41.0			
11					2.0	26.0	4.0	15	5.0			
12					0.3		T	30				
13	100						4.5		1.0		62.0	
14					1.4		5.0	214	65.0	3.0	3.0	
15						11.0	7.0	7.5	7.0	7.0		
16					4.9		155	26.0	5.0	4.0		
17				3.3	4.0	2.0	9.0	23.0	14.0	8.0	35	
18				1.4	8.3	9.0		14.0	1.0		5.0	
19				11.0		T		4.5	20.0			
20				11.0	4.9	11.0		27.0	22.0			
21					24.5		0.5	61.0			8.0	
22					3.0			15.0	4.0			
23					3.9		19.0	4.0	5.0			
24					21.5		T	2.5	8.0			
25					9.2		14.5		34.0			
26					T		22.0	T	17.0	3.0		
27					4.5	2.0	14.0	20.5	7.0	7.4		
28						17.0	2.0	3.0	14.0	27.0		
29						15.0	14.0	2.0				
30						17.0	6.5	1.0				
31							18.0	3.0				
TOTAL	100	0.0	T	267	1038	301.0	2165	349.5	369.0	61.9	91.5	2.0

ANNUAL PRECIPITATION 1,531.9 MILLIMETERS

19 BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1968

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					1.0	4.0	T	237	26	33		
2						5.30	16.0			6.0		
3						26.0	2.5	15.8				
4					39.5	46.0	28.0	20	15.2			
5					3.0	2.5	19.0	5.0				
6					T	2.7	8.3	2.9				
7						T	3.0	25.6		18.0		
8					34.5	6.5	3.0	3.0	5.0			
9	T				18.5		12.0	5.8				
10			T		T	4.0	8.6	6.5				
11					10.0	T	3.7	9.8				
12						2.5		14.5	16.5	8.0	T	
13						10.0	23.0	48.2	23.0	2.0		
14						9.5		64.5	20.0			
15	T					13.8	13.3	1.3	1.8	1.8		
16	5.8						12.0			4.0		
17	14.0					23.5	12.7	2.7				
18				4.5	3.7	6.2	8.0			17.0		
19					10.5	2.6					5.0	
20				T	4.0	6.3	1.0	6.1		6.5		
21						1.5	23.5	1.0	13.0			
22						1.3		2.0				
23				30.0		6.3		14.2				
24				4.0		1.5	26.2		7.8	1.4		
25				1.5				8.0		25.0		
26				T				5.0				
27				1.8								
28						T		2.3	T	1.2		
29				9.5		58.0	T					
30					4.0	15.0	4.5		32.5			
31					20.0							
TOTAL	198	00	T	51.3	148.7	302.7	228.3	269.9	137.4	94.2	50	0.0

ANNUAL PRECIPITATION 1257.3 MILLIMETERS

6. BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1969

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						95	15	62		85	75	
2						80	125	100	10	41		
3							190	15	320			
4							80	240	100			
5							150	25	75			
6						42		25	28			
7					47	175	120	30	20			
8				101	T	20	170	73				
9				T	77	62	30	73	73			
10						70	10	80				
11				20		260		153	08	27		
12							40	350	118	102		
13					28			440	05			
14						T	55	53	16			
15				T		70	70	30	182			
16				20	550	78		17				
17						82	126	137				20
18					4.8	42	1.0	325				22
19						67	15	255				
20				15		30		130				
21					15	270		845	105			
22							30	30	320	260		
23					170		60					
24					258		85	1.0		35		
25					200		95					
26				11.0	252		50			60		
27					130		30			80		
28					203	42	17	22		1.0		
29	20				235	15	4.0	18		5.0		
30					357	40	10			45.0		
31					25		30			2.0		
TOTAL	20	00	00	266	2595	1510	1653	3538	1380	1220	75	4.2

ANNUAL PRECIPITATION 12329 MILLIMETERS

25. BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEARS 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1							30		435			180
2						48	1.5					10.0
3												2.5
4				17.3	12.0	315	8.0		8.0			1.0
5				30	15		125	5.5		185		05
6					40	2.0	6.0	26.0	16.8	48		0.3
7					2.8			42.5	16.0			27.8
8							15.5	35	4.3	20		
9							12.5			145		
10						2.5	1.0	26.8				
11					30		8.0	14.0	420			
12				7.0		11.0	8.0		22.0		1.0	
13						37.0	20		1.8	1.0		T
14					1.0	60	15.3	65				
15						1.8	15.0	3.0	62			
16	6.0				45			30	2.0	40	41.0	
17	1.0				190		3.5	4.5	22	2.0		
18					27.5	300	110		30.2	25		
19					T		78	425	0.2			
20					200	110	2.5	22.0			40	
21					147		495	6.3				
22					40	1.5	30.5	25.0	1.8	2.0		
23					5.5	4.0	7.0	1.2	4.0	88		
24			41		430	50		30.2	2.0			
25				12.0	8.0		1.0					
26				2.0	2.5	76				1.0		
27					4.0	80		32.5				
28								6.5	13.5			
29					45.0	450		10.0	55		3.2	
30						2.0		16.0			15	
31							16.8	168		0.8		
TOTAL	7.0	0.0	4.1	41.3	222.0	205.7	237.9	342.3	221.0	61.9	507	60.1

ANNUAL PRECIPITATION 1,257.3 MILLIMETERS

30. BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CAIENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						770	20	13.5	45	37.6		
2						86	50	42		22.0		
3						2.2	18		530			
4						12		0.3	17.0			
5			T	T	21.0	1.0		10.2		T		
6					85	6.0	80	5.2				
7					4.6	153		135	1.5	135	105	
8				45	4.6	17.0	20	23.2	26.5	48		
9					57	15	85	235				
10					85		90					
11							20	24.0			7.8	
12					15		25.0	5.5				
13					105		388	4.5				
14				128		7.5	800	90				
15					170	1.0						
16												
17			91			100	688	1.0	132			93
18				T			13.0	32.0	1.3			
19							135	37				
20				2.0		3.8	6.2	34.3				280
21				4.5	60	4.8	50	2.5				4.0
22					2.8	22.0				16.0		
23					12.6	14.5		7.0				
24					228	16.0	8.5	9.0				
25					20.0	80	42	4.2	8.3			
26					7.8	8.0	6.0	50	0.8	21.5		
27						7.5	125	80	30	4.0		
28				32.0	27.6	9.8	12.8	29.2	0.3	30		
29					300	88	7.5	35.0	3.0	1.0		
30					1.5	18	85	9.0				
31					21.5		5.0	2.8				
TOTAL	00	0.0	9.1	55.8	203.3	282.0	338.6	313.3	155.9	123.4	183	413

ANNUAL PRECIPITATION 1,541.0 MILLIMETERS



32. BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1972

DAYS	JAN	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					220		23	75				
2						1.6		40		21.5		
3							10.0	34.9		12.3		
4					31.2			20	16.7		2.5	
5				65	56	633	43	7.9			11.2	
6							105	4.5	0.5		55.8	
7								32	0.8	10	16.0	2.4
8						2.0		9.1	1.0		0.2	1.7
9					123	240	1.0	1.4	2.2			
10				230	80	T		4.2	13.8			
11						2.4	05			43.8		
12				420	4.2		1.2	0.8	02	1.0		
13				16.0		21.5	1.7	11.2		1.7		5.0
14			4.0				46	196	5.0			
15					1.2		41	3.0		1.8		
16							39	160		25.2	80	
17					8.0		10.0	18	29.0	0.9		
18					122	2.7	1.1	9.0				
19						8.5	12.4	13.5			4.9	
20						4.0		T	98	0.3	08	
21						5.0		9.5	88		30.8	
22						2.5	2.4	13.5	1.0	45		
23					56	5.0		14.4		8.1		
24					42		4.4	228	890			
25								25.7	30		08	
26				2.0	157	16.0	2.5	6.5	350		30	
27					63		4.5	3.0	110		0.5	
28						2.0	30.0		9.5		2.5	
29	17.0				87		44.0		138			
30				130		91	300		05			
31					358		40					
TOTAL	17.0	0.0	4.0	102.5	181.0	169.7	189.1	253.2	250.6	122.1	137.0	9.1

ANNUAL PRECIPITATION 1,435.3 MILLIMETERS

34 BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					56.0		32.4	40.2	2.9	10.0		
2					8.2	5.5	5.5	2.5				
3						1.3	12.2	1.5	30.0			
4					25.0	16.9	23.0	21.5	4.8			
5					10.8		20.3	20.0	1.5	7.8		
6					9.0	78.9		29.7	0.5		1.5	
7			20.8		15.0	11.0	1.0	0.9				
8					0.4	42.0		3.5	2.2		10.0	
9					5.8	4.0	6.2	23.0	17.0			
10					3.0	1.5		17.8				0.9
11						10.4	1.4	27.8				
12					2.4	7.0	2.5	1.0				
13					4.0	13.4	11.7	1.6				
14					9.2	6.0	7.0	4.5	8.0			1.8
15						7.0	1.0	2.8	11.0	1.5		
16						2.0	1.4	9.8	39.2			
17						23.8	7.5	2.9	5.5			
18						1.2	17.8	35.0	8.8			
19			0.5		5.0	2.9	5.8	13.0	20.0	3.0	3.0	
20					23.8	3.0		17.8	41.5			
21						0.2	12.5	5.0	4.5			9.5
22							10.0	9.2.5				
23					55.0		16.0	117.2	3.0	19.0		
24					3.5		36.5	1.6		4.8		
25							2.5	2.8				
26			15.8			4.0	9.2		58.0	4.6		
27						18.2	12.3	91.0	4.5			
28							29.4	6.2	3.1			
29					3.0	2.8	21.0	5.7	1.0			
30						0.4	13.0	2.5	6.0			
31					8.0		7.0	14.2				
TOTAL	0.0	0.0	37.1	0.0	247.1	269.4	326.1	615.5	273.0	50.7	26.7	0.0

ANNUAL PRECIPITATION 1,845.6 MILLIMETERS

BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1974

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						6.0	2.0		6.0	9.5	11.5	
2				2.0		6.0	10.0	11.0	6.5	7.5		
3				11.0								
4								15.0				
5							1.8		6.5		2.0	
6						2.2	1.5	0	9.0		1.0	1.0
7						18.5		8.0	11.5			
8							4.0	14.5	1.0			
9						5.0	11.8				26.5	
10					36.0	2.5	7.5	17.0		28.5	2.0	
11					36.0		1.5	16.0	36.0		24.0	
12				5.5				22.0	38.0		3.0	
13					2.0		2.0	4.0	6.0		3.2	
14						24.0			11.0			
15					1.5	10.5	7.0		2.0			
16							9.0	1.5				
17								24.4	17.5			
18					11.0		29.5	6.0	3.0			
19					6.0		18.0	2.0				
20					24.5	23.0	8.0					
21			2.0	1.0	2.5	4.4						
22						4.2						
23				8.0	8.5	11.0	3.5	6.5	12.5			
24					5.5	5.0	15.5					
25					15.0	7.5	5.0	4.0	2.0			
26						16.5		5				
27				38.0	4.0	3.5	31.0	2.0	18.0			
28			14.5			5.8	11.0		1.5	3.5		
29			6.0		14.0	7.2	26.0		2.0	9.5		
30				1.0	8.8		18.5	5.0		1.0		
31												

.....  
TOTAL    0.0    0.0    24.5    66.5    175.3    162.8    228.1    194.4    210.0    58.0    73.2    1.0

ANNUAL PRECIPITATION    1,193.8    MILLIMETERS

BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1975

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						3 0 0		3 5 0	4 0 0	6 0		
2					7.0		3.0	3 9 0	1 5.0			
3						2 5 0	1 0 0	7.5				
4						2 5				5 0		
5	4 0						2 1 5	5 5	2 0	1 3 0		
6					2.5		2.0	4.0		1.0		
7					4.0		2 0		8.0		1.0	
8					3 1 0	7.0	8.0	2 2.5	9 0	2 7.0		
9	6 0				4 0					1 9 0		
10	4 0 0						8.0	5 0				
11	1.5						1 3.0	1 1.0	2 1.5			1 1 0
12							7.0		3 2.0			2 2.5
13					2 8.0							1 3.5
14					1 5.0	5.5		1 2 0	6.0	5 5		
15							2.0	2 5				
16							2.0	4 0				
17						9.0	2 8 0	1 5				
18						2 8 0	2 2.5	2 4.0				
19						1 2 0		1 6 0				
20					2 0			2 7.5				
21					1 3.0	2.5		3 6 0	6 0 0			
22							6 0	4 0	8.0	2 0		
23					4.0	1 0 5	1 7 0		1 0.0	1 0 0		
24							6 0	1 2.5				
25						1 2 5	4.0	6 0				
26						2 0	6.5	2 4.0	1 1.0	1 0		
27					2.5	1 5	2 0	2.0				
28					4 0	4 0		5 5 0	8.0			
29					8.0	7 0		3 6.0		1 1.0		
30								7.0				
31					2 3 0			1 6 0		1 1 0		
.....												
TOTAL	5 1 5	0.0	0.0	0 0	1 4 8.0	1 5 9 0	1 7 0.5	4 2 2 5	2 3 0 5	1 3 2.5	1.0	4 7.0
ANNUAL PRECIPITATION							1,362.5	MILLIMETERS				

BAN PANG MU

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JUKY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					18.5	7.5	9.0	0.6	6.5			
2					1.5	16.5	30.0	4.3				
3				1.5	7.9		7.5		4.2	0.1	8.8	
4				12.0		2.5					2.5	
5						1.5	5.9	14.9				
6						3.5	8.4	0.5		5.0		
7		1.8					5.2		0.8		5.0	
8	2.0					4.2	6.5	2.5	6.8			
9						25.8	3.0	12.0	1.0	38.0		
10					34.5	9.5	2.0	24.4	5.0		6.5	
11						6.8	9.0	3.2				
12					10.2	29.0		2.3	4.4			
13					3.0			8.8	24.0			
14							2.7	4.3	3.0			
15								10.3				
16						3.8	7.1	4.6				
17							1.8	1.8		6.8		
18							2.7			7.4		
19							3.2	44.8	0.7	3.4		
20								0.4	2.0	15.6		
21				1.1				4.0	48.2	14.0		
22							21.0	22.2	7.73			
23					54.2		2.0	12.4	12.5			
24					7.4	19.0	7.6	0.5	8.7			
25					5.6		3.0	10.7	3.8			
26							17.8	1.4		1.6		
27							11.8	14.5	6.90	4.6		
28						6.0		17.5	3.0		0.5	
29							8.9	11.8	4.2			
30				1.1	8.2	3.4	19.5	0.3	3.0		4.0	1.0
31							4.0	24.8				8.3
.....												
TOTAL	20	18	00	157	151.0	139.0	199.6	279.8	288.1	96.5	27.3	9.3

ANNUAL PRECIPITATION 1,210.1 MILLIMETERS

NATIONAL ENERGY ADMINISTRATION

DAYS	YEAR 1977			STATION Ban Pang Mu								
	SUBJECT	Rainfall										
	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	23			167		45	262	100	11.5		11.5	
2	348			9.8		14.0	15	21				
3	29.6			188		65	17.5	0.9	11.5			
4				92				264	28			
5							102	100	98			
6	62		130						425	129		
7						30	42	6.8	2.0	255		
8					53				90	40		
9					31.5				14.6	50		
10								88	188	7.2		
11					117			222	157	31		
12						105				20		
13						85	17.5		273	141		
14					80		318	25	485			
15					40	13	90		14.5			
16							136		20			
17							192		40			
18				320	64		12	75				
19								37	165	8.4		
20							205	70	20			
21							540		565	192		
22						250	60	36	355	20.5		
23					105	58	32	76		450	08	
24			1.5		11.0	50		6.0		40		
25					50	4.0		1.2				
26					13.5	9.4		275			120	14.3
27					47	20	50	88		230		10.5
28					170		1.1	08		470	10	4.7
29							96	3.0	65			311
30					30	48	167	4.0	50	39		
31								402				
TOTAL	669	0.0	145	865	131.6	1043	2640	1906	3565	244.8	25.3	606

ANNUAL TOTAL 1,549.6 mm

NATIONAL ENERGY ADMINISTRATION

DAYS	YEAR 1978			STATION Ban Pang Mu								
	SUBJECT Rainfall											
	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1								12	180	67		
2							623	12				
3						214	220	243		123		
4		35					82	20	128			
5	122			1.4		40	280	195	35	27.0		
6					106			50		20		
7						60	186	40	290			
8						30	60	40	190			
9	280						30	90	21.6	26.2		
10	440					T	320	10		58		
11	24				380		62	32	220	70		
12						15		22.0	38			
13							205	260	10			
14			10		150		312	150	65			
15					295	120	310	12				
16					180	238	28	60	60			
17					T	2.3	20					
18		18			T	12		65				
19				T		4.3	1.7	50	22	26.2		
20						30		35				
21						1.0		146	25			
22						27	235		64			
23					170	35	20			04		
24						35	1.7	135		06		
25						27	73	4.3				
26		153			105	187	167		105	50		
27		T				150	243					
28					230	190	25	220				
29							45	14				
30												
31							10	40				
TOTAL	866	206	1.0	1.4	161.6	151.6	3600	2185	164.8	119.4	0	0

ANNUAL TOTAL 1,2855 mm

NATIONAL ENERGY ADMINISTRATION

DAYS	YEAR 1979			STATION Ban Pang Mu								
	SUBJECT	Rainfall										
	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1							10	265				
2							7.0	05	05			
3							140	02	1.0			
4						22.2	20	12	12.0			
5								30	45			
6						2.8			2.0	5.5		
7							25	106	11.5			
8					4.6			25	1.5	43.5		
9						16.0		05		12.0		
10					15	5.0		60		0.8		
11					2.8		4.5		10.0			
12						15.0	15.0					
13						19.2	17.0	2.0				
14						22.6		1.8				
15						11.0		10.0				
16					6.2	4.2	0.2	7.4	41.5			
17						4.5	1.0	0.5				
18						1.5		25.5				
19								22.2				
20					3.0			12.0	38.2			
21						10.0		32.5	74.0	0.5		
22					2.2		31.5	21.8	3.0			
23					18.9			0.8	6.8			
24					5.8	1.0		2.2	0.8			
25				13.2	14.0	14.9		9.5				
26				0.6				4.0	11.5			
27				7.9		1.5	2.5	13.5	17.3			
28				0.8	15.5	6.0			29.5	17.6		
29				0.4	0.5	3.5			8.0	3.5		
30						11.0		5.0				
31							6.4					
TOTAL	00	00	00	22.3	76.0	171.9	104.6	221.7	273.6	83.4	0	0

ANNUAL TOTAL 9535 mm



ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project..... Mae Chaem ..... Amphoe..... Mae Chaem..... Changwat..... Chiang Mai.....  
 Subject ..... Precipitation Data ..... Unit ..... m.m. .... Station ..... Obb Luang ..... Year ..... 1971 .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1						36.3	13.2						T Station
2						48.6	12.0			7.7			installed
3							0.2	6.0	16.0	65.2			on Apr. 30. 71
4							2.5		33.1	2.0			
5									6.3				No Record**
6						5.0	1.9						on 15-27 Jul.
7					29.1								71
8					14.7					19.5	2.4		
9							31.0	3.0	6.0				
10						2.1	24.4	6.0	37.4				
11							17.0			11.5			
12							T			5.0			
13						8.3	0.1	3.0					
14							20.0				1.7		
15							**		8.7				
16							**		28.8				
17							**		19.3				
18						29.2	**	T	86.0			4.9	
19						5.4	**	16.0	4.5				
20					11.4	7.7	**	32.0	10.0				
21					4.3		**	7.8	0.5				
22					3.4	1.3	**	10.0					
23					32.8	12.0	**	1.4					
24					27.8	5.5	**	30.0					
25					16.2	5.7	**	T	14.3				
26					14.8	4.0	**	10.0	4.8				
27					2.6	1.0	**	10.2	5.6	7.5			
28					4.0	8.7	12.0	29.2	2.3	12.6			
29						0.5	11.0	46.6		39.2		7.9	
30					46.8	15.2	2.0	25.3		3.4		1.1	
31					6.4		1.0	10.2		2.3	T		Annual
Total					214.3	196.5	148.3	246.7	283.6	181.4	4.1	13.9	1,140.2
Mean					6.9	6.6	4.8	2.0		5.9	0.1	0.5	5.4
Max.					46.8	48.6	31.0	46.6	86.0	65.2	2.4	7.9	86.0
Min					2.6	0.5	0.1	1.4	0.5	2.0	1.7	1.1	1.1

Compiled by.....Checked by.....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project Mae Chaem Amphoe Mae Chaem Changwat Chiang Mai  
 Subject Precipitation Data Unit m.m. Station Obb Luang Year 1972

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1						T	20		7.5	T			
2							12.5		5.2				
3					26	0.4	T	1.1					
4						3.5	1.0			12.3			
5						16.5	8.1	T	11.0	20.3			
6						3.0	T	T	5.5	4.3	15.0		
7						2.1	0.9	4.8	19.3	T	16.3		
8						4.3	T	4.1	18.9		17.2	0.8	
9						29.0	1.3		43.7			1.1	
10				29.0		8.1	T		0.6				
11				35.2		3.5	T	1.2		0.2			
12				62.5		T	0.5	T					
13				3.4		1.7	5.4			1.7		6.0	
14						T	4.2	18.6				1.8	
15			1.5		12.0	0.5	2.2	T		6.5			
16						4.5	2.0		0.7	14.3			
17					8.8		14.5	1.6		T			
18					5.0	T	T	0.7	12.6	T			
19					85.5			0.3	2.7		12.0		
20							2.5	26.3	8.6		24.5		
21						T	2.3	2.3	5.3		14.6		
22								3.9	23.6	3.2	20.0		
23									1.0	11.8	1.7.4		
24					4.1	T	T	5.1					
25				7.6	2.0			25.6	2.9				
26								7.1	17.7		0.2		
27			5.9		3.1	T	T		7.0		1.1		
28				10.5		5.8	0.3		0.9		5.7		
29						T	T		T				
30						T	T		T				
31					13.3		3.3	3.0					Annual
Total	0.0	0.0	7.4	148.2	141.4	32.9	63.0	105.7	194.7	74.8	144.0	9.7	971.8
Mean	0.0	0.0	0.2	4.9	4.6	2.8	2.0	3.4	6.5	2.4	4.3	0.3	2.7
Max.	0.0	0.0	3.9	62.5	85.5	29.0	14.5	26.3	43.7	20.3	24.5	6.0	25.5
Min	0.0	0.0		3.4	2.0	0.	0.3	0.3	0.6	0.2	0.2	0.2	0.0

Compiled by ..... Checked by.....  
 HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project Mae Chaem Amphoe Mae Chaem Changwat Chiang Mai  
 Subject Daily Rainfall Unit m. m. Station Obb Luang Year 1973

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1					6.0	20.8	11.3	2.2	0.3	7.7			
2					32.1			3.4		4.0			
3					15.2			5.3					
4						2.5		5.6					
5					15.6		8.5	44.0	7.2				
6					6.1		19.8	5.3	0.2	11.2			
7					11.6		0.3	3.5					
8			14.0		0.7	5.6	4.9	3.1					
9			8.0		45.1	35.5	0.5		20.1				
10						0.4	28.5	13.0	4.5				
11						14.2	10.7	4.8	1.3	10.6			
12					3.5	0.5	1.4		2.5		7.2		
13								17.8	21.0	6.0	8.8		
14					22.3		1.1	3.0					
15					22.3	31.1		5.4			0.5		
16					0.7	20.3		1.5		18.5			
17					0.8	2.1			10.0	2.8			
18			34.2		1.1	3.7	3.1	1.0	21.6	1.8			
19			31.4				12.7	0.7	5.7				
20					2.6	16.7	1.7	1.3	43.2				
21					2.0		1.5	1.7	31.0				
22							1.1	3.8	6.0		3.2		
23								0.7	5.0		6.1		
24					63.6		1.5	35.8			1.2		
25					7.5								
26			27.9			0.6	3.5	4.5					
27					1.3	0.2	1.2	0.6					
28					0.8			72.5	29.7	23.8			
29					36.7		3.0	0.3	6.4	0.3			
30					3.6	8.2	5.3	1.1	13.2				
31					11.2		1.6						Annual
Total	0.0	0.0	115.3	0.0	212.4	162.4	123.2	244.4	22.9	86.7	27.0	0.0	1,300.5
Mean	0.0	0.0	3.7	0.0	10.1	5.4	1.0	7.9	7.6	2.8	0.9	0.0	3.6
Max	0.0	0.0	34.2	0.0	63.6	35.5	23.5	70.5	43.2	23.8		0.0	72.5
Min	0.0	0.0	27.9	0.0	0.7	0.2	0.3	0.3	0.2	0.3	0.5	0.0	0.0

Compiled by ... Checked by .....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project .....Mae Chaem..... Amphoe.....Mae Chaem..... Changwat.....Chiang Mai.....  
 Subject .....Daily Rainfall..... Unit.....m. m.....Station.....Obb Luang..... Year .....1974.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1						07		38			47		
2			7.4			30			1.5		28		
3							0.9				0.4		
4													
5						3.8		30		8.1			
6									1.6		32.8		
7									4.5	2.1	27.6	9.3	
8						92	2.2	260	18.5	152			
9					168	11.2			5.2				
10				2.5		37.4		09	13.5	8.6			
11					69			17	0.7	12.5	1.0		
12					243	62		107	10.4	3.6	25.2		
13						1.0		35.2	45.8	25	25.2		
14						2.2	5.2		79		1.2		
15				14.6		10.8	4.8		15.8	120			
16					0.8	22.2			5.5	1.7			
17					68	08		38	40	1.2	2.3		
18					98	0.6	1.3	8.2	39				
19								11.2	22	150			
20					2.5		40	1.0			1.1		
21					6.7								
22					53.3	1.2							
23					21.3	8.3							
24					96	2.7		1.4					
25					9.4			1.7	46				
26				4.4	30		22.2	27.3	39.0				
27					3.4	18.3			3.7	25.6			
28					14.3		7.6			3.8			
29			1.3	23	6.3		30.4		08	6.6			
30				310			1.9						
31					3.4		37.7	34		32			Annual
Total	0.0	0.0	92	34.8	198.6	139.6	118.2	139.3	196.1	131.7	124.3	93	1,121.1
Mean	00	0.0	03	20	64	4.6	38	4.5	6.5	42	4.1	02	3.1
Max.	00	0.0	7.4	31.0	53.3	37.4	37.7	35.2	45.8	25.6	32.8	93	
Min	0.0	0.0	18	2.5	0.8	0.6	0.9	0.9	0.7	0.7	0.4	-	-

Compiled by..... Checked by .....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project..... Mea Chaem... Amphoe... Mae Chaem... Changwat... Chiang Mai.....  
 Subject..... Daily Rainfall... Unit... m.m. ... Station..... Obb Luang ... Year..... 1975.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1						49				134	08		
2						23		12.2	02	7.0			
3				10.0		25.6		12.0	18.2	43			
4					16	26.5		6.2	62	7.0			
5	20				11.3	4.3			1.8				
6	25.8				04	1.7	233		252	14.3			
7	3.2				340				240	03			
8	55				13.1	7.4	18.4		255				
9	0.3				26.7				25				
10	7.2					12.0	04	03			133		
11	237					7.9		03		7.1	8.5	12.4	
12	7.8					06	08	12.3	20.1		20	196	
13					12.0	1.5	28.6	28.5	1.5	18.1	1.5	03	
14					1.4		09		3.2			5.1	
15						1.5	26	1.3		40.1			
16						6.3	135	62		4.0			
17						83	06	1.2					
18						1.6	6.2	5.5	3.2				
19						25.5	44.9		4.5				
20						238	34	144	1.8				
21				69	T	40			6.0				
22						142	16.4	T	200				
23							16						
24					40		110	7.9	1.5				
25					500	2.8	T	2.2	30	1.5			
26			04		23.8	26	1.5	30.5					
27					42	06	63	19.1					
28			5.3		227		1.3	126	21.0				
29					1.2			22.5					
30					4.6	4.0		8.8		61.6			
31							36			118			Annual
Total	75.5	0.0	5.7	16.9	211.0	189.9	185.3	207.1	189.4	120.5			
Mean	2.4	0.0	1.8	5.6	6.8	6.3	6.0	6.7	6.8	6.1	0.9	1.2	3.7
Max.	25.8	0.0	5.3	10.0	50.0	26.5	44.9	30.5	25.5	61.6	133	19.6	50.0
Min	0.3	0.0	0.4	6.9	0.4	0.6	0.4	0.3	0.2	0.3	0.8	0.3	

Compiled by ..... Checked by.....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project ..... Mae Chaem ..... Amphoe ..... Mae Chaem ..... Changwat ..... Chiang Mai .....  
 Subject ..... Daily Rainfall ..... Unit ..... m-m ..... Station ..... Obb Luang ..... Year ..... 1976 .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1					29.8		31	***	20	0.2	0.2		***Missing Data
2					188			***	1.3	51.0	228		
3					65	15.1	9.0	***		27			
4			1.1		64	54.8		***	2.3	200			
5					6.0	1.5	0.8	***	1.2	2.9			
6					41			***			399		
7		0.3				4.2	1.5	***	31.7				
8						1.5		***	11.2	0.6			
9							0.3	***	10.2	0.9			
10				3.6	3.1	0.7	0.9	***	7.6	0.3			
11						4.4		***	2.5	4.1			
12						0.2		***	0.3	0.5	0.6		
13					21.0	1.1		***	1.4				
14					1.7	6.7		***					
15					0.3		11.0	***		7.9			
16						10.1	8.2	***	5.6	15.6			
17								***					
18					7.9		8.0	***	0.8	5.9			
19								***		21.5			
20					4.0	2.5	1.3	***		6.2			
21			T		0.5	12.3	T	***	9.2	1.2			
22			T		10.3	1.7		***	1.1	20.6			
23					14.3		0.1	***	16.4				
24				1.1	7.4		8.1	***	1.4				
25					15.5	1.6	3.6	***	0.5				
26					11.9	T	0.4	***	29.4	2.5			
27							0.7	***	25.9	22.4			
28							1.8	***	2.4	29.3			
29				T	0.7	0.7		***	0.6	1.6		2.0	
30				0.4	0.5		18.1	***	1.5				
31					0.4		15.0	***		0.6		0.4	Annual
Total	0.0	0.3	1.1	5.1	171.1	119.1	91.8		169.5	221.5	63.5	2.4	845.5
Mean	0.0	0.0	0.035	0.2	5.5	4.0	3.0		5.7	7.1	2.1	0.1	2.5
Max.	0.0	0.3	1.1	3.6	29.8	54.8	18.1		31.7	51.0	39.9	2.0	54.8
Min	0.0	0.0	0.0	0.4	0.3	0.2	0.1		0.3	0.2	0.6	0.1	0.0

Compiled by..... Checked by .....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project ..... Mae Chaem ..... Amphoe ..... Mae Chaem ..... Changwat ..... Chiang Mai .....  
 Subject ..... Daily Rainfall ..... Unit ..... m.m. .... Station ..... Obb Luang ..... Year ..... 1977 .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	84			2.8		37	0.9	1.1	11.9		28.8		
2	393			59.0		0.6		0.3			20		
3	290				1.2	36	0.3	0.2					
4	24.4			2.6			30			0.8			
5				12.4	2.7		1.0	0.3	16.3				
6				21.1			0.3	0.7	18.8	1.1			
7							0.4		16.1	21.8			
8		2.0			2.5		40	0.7	60	22.0			
9					3.2		1.9		13.6	1.0			
10				21	54.0				26.5	0.2			
11						0.8			24.2	6.5			
12					41.9	21.8		1.8	17.5	1.7			
13					20.9	5.2			3.2	1.3			
14					3.6	21.5				0.2			
15					1.4	3.0			46.3	6.4			
16						0.9	3.1		0.5				
17				0.4	9.8		11.7	1.2	0.5				
18							4.7		0.3				
19								10.3					
20				36.0				5.9	2.1	8.6			
21								3.7		1.3		2.4	
22					2.3	0.7	12.6	5.0	24.0	5.1		0.8	
23					0.7	3.7	1.3	35.6	47.2				
24					0.6	0.7	17.0	42.5		0.5			
25			0.5		5.2	0.3	1.6	0.2		13.0			
26					3.4			18.5					
27			25.7			0.5				3.3			
28							0.1		0.9	20.0		4.0	
29							3.1			6.5	8.3	22.9	
30					1.0		2.0	5.9	8.8				
31					18.1		12.1	23.0				1.0	Annual
Total	101.1	2.0	26.2	136.4	172.5	67.0	81.1	156.9	284.7	121.3	39.1	31.1	1,819.4
Mean	3.3	0.1	0.8	4.5	5.6	2.2	2.6	5.1	9.5	3.9	1.3	1.0	3.3
Max.	39.3	2.0	25.7	59.0	54.0	21.8	17.0	42.5	47.2	22.0	28.8	22.9	59.0
Min	8.4	2.0	0.5	0.4	0.6	0.3	0.1	0.2	0.3	0.2	2.0	0.8	0.1

Compiled by ..... Checked by .....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project..... Mae Chaem..... Amphoe..... Mae Chaem..... Changwat..... Chiang Mai.....  
 Subject..... Daily Rainfall..... Unit..... m.m..... Station..... Obb Luang..... Year..... 1978.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1									2.2	5.4			
2							11.3	0.2	265	258			
3							16.2	0.2	4.7	2.2			
4		330				05	5.2	28	0.3	7.0			
5							30.6	10.6	0.4	0.4			
6					6.2		T	0.1	T	5.9			
7	38				1.1	7.6	39.1	0.4		2.9			
8	4.4					1.2	3.7	1.0	1.4				
9					0.6	19	62.0	0.8	1.3	3.4	38		
10						6.1	24.6	0.5		7.4			
11	0.7				74.7	T	6.3		1.8	2.0			
12	2.3				16.3		12.0	15	21.4	4.5			
13				0.2	0.3	0.6		32.4	0.8	0.3			
14					25.0	25.0		36.5	25.0				
15					12.3	6.2	0.8	26.6	15.2				
16					23.6	1.0	11.5	0.4	0.2				
17					19.4	20.8	5.1	2.3	2.1				
18				1.0	4.3		0.3	1.4					
19				1.6	8.4	23.8	0.3	0.4	33.8				
20						3.5	1.7	6.4	13.4				
21						2.2	8.8						
22							11.2	13.6	31.9				
23							9.8	1.1	47.6				
24						0.5	1.0	0.2	6.2				
25							0.2		29.4	T			
26				6.5	0.3	1.5	12.0	25.0	2.7				
27				1.1	1.3		T	0.2	0.4				
28		1.5				2.2	17.6		2.4	1.0			
29						6.3	0.2	1.3	0.3	4.5		11.3	
30						1.2		1.4	14.8				
31							25.9	8.6					Annual
Total	11.2	34.5	0.0	20.0	193.8	112.1	317.4	176.4	286.2	72.7	3.8	11.3	1239.4
Mean	0.4	1.2	0.0	0.7	6.3	3.7	10.2	5.7	7.5	2.3	0.1	0.4	8.7
Max.	4.4	33.0	0.0	9.6	25.0	25.0	62.0	36.5	47.6	25.8	3.8	11.3	62.0
Min.	0.7	1.5	0.0	0.2	0.3	0.5	0.2	0.1	0.2	0.3	0.0	0.0	0.0

Compiled by..... Checked by.....

HYDROLOGY SECTION



ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project... Mae Chaem ..... Amphoe... Mae Chaem ..... Changwat... Chiang Mai .....  
 Subject... Daily Rainfall ..... Unit... m m. .... Station... Obb Luang ..... Year... 1979 .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1									08	3.9			Lat. 18°-13'-
2			0.6						5.5				30" N.
3							1.2						Long. 98°-28'-
4						21.0			1.8	0.4			00" E.
5						2.2	3.7	4.5	0.4	4.23			
6						13.6		2.0	4.8				
7						0.2		5.7		3.2			
8						0.4	1.67	19.0					
9									14.6				
10					38.2	32.4		1.0		19.4			
11					22.2	2.5		11.0					
12							15.0	9.5					
13						3.9	8.4	9.5					
14						13.9		9.6					
15						61.8		11.8					
16								1.3					
17					4.0	2.3		9.5	24.6				
18						0.4	21.6		5.2				
19					1.1	1.0	0.7	1.8	2.4				
20					31.5	1.4		0.4					
21					28.5	2.5		1.2		2.0			
22					4.8	23.0	2.0	7.0	6.8	0.6			
23				6.8	5.8		0.3	6.6	5.6				
24				37.4	6.1	0.4	1.3	1.4					
25					0.5	2.2	21.5	6.8					
26					0.8			2.9	18.0				
27				11.0				1.0	35.2	0.1			
28				16.5		2.8	21.8	3.4	13.2	35.4			
29						4.6	19.0		4.3				
30							0.8		2.7				
31													
Total	0.0	0.0	0.6	34.3	174.8	198.2	133.1	107.7	147.3	107.3	0.0	0.0	903.3
Mean	-	-	-	1.1	5.6	6.6	4.3	3.5	4.9	3.5	0.0	0.0	
Max.	0.0	0.0	0.6	16.5	38.2	61.8	21.8	19.0	35.2	42.3	0.0	0.0	
Min	0.0	0.0	-	6.8	0.5	0.2	0.3	0.4	0.4	0.1	0.0	0.0	

Compiled by.....Checked by.....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project Mae Chaem..... Amphoe Mae Chaem..... Chongwat Chiang Mai.....  
 Subject Daily Rainfall..... Unit.. m.m..... Station Obb Luang..... Year 1980.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1													
2				0.2									
3					264								
4				0.2	133	48							
5					8.8								
6													
7													
8				62									
9													
10													
11						26.7							
12						0.2							
13			95			7.4							
14						14.7							
15						0.2							
16			32	16		1.6							
17													
18						0.4							
19					27.7	0.1							
20					15.2	6.2							
21				1.0	500	21.4							
22					15.0	20.0							
23					45.0	14.4							
24					31.0	4.0							
25					12.5	1.3							
26			1.6		8.8	11.8							
27					13.2								
28			24.0		5.2	1.8							
29					3.8								
30													
31													
Total	00	00	38.3	92	275.9	137.0							
Mean	00	0.0	1.2	0.3	8.9	4.6							
Max.	00	0.0	24.0	62	500	26.7							
Min	0.0	0.0	1.6	0.2	3.8	0.1							

Compiled by..... Checked by.....  
 HYDROLOGY SECTION

SAN PA TONG

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1969

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						148	3.8	21	0.9			
2						125		0.2	16.3	21.6		
3					T		0.5	6.5	2.7	2.2		
4						1.2	0.8		15.6			
5	T				2.0			2.5				
6				0.1	26.8	1.2	T	T				
7					8.0	1.4	0.3					
8					2.2	1.7				14.6		
9					2.5	1.8		0.3				
10				10.8	10	15.8	11.0	0.2		T		
11							T	18.5				
12								34.5				
13					T	25.5		18.4	5.3			
14						2.4		18.4	25.0			
15				T	1.0			12.8				
16						1.4		16.9	9.5			
17						6.1	1.2	22.3		11.7		
18	0.4				10	0.3	17.8	29.2	6.7			1.3
19	T					3.1		16.3	9.6			
20						0.3		78.4	4.00			
21					0.5	3.1	7.2			32.8		
22					0.5		20.9	1.7				
23					1.4		2.5	T				
24					6.4		2.0	T		3.5		
25					18.3		T					
26					5.8		15.6	4.4				
27					4.4		0.5		15.0			
28	3.0				25.7			9.9				
29					29.4		20.6	1.6	25.2	12.8		
30					12.3	32.8			10.3			
31					T		7.8			14.3		
TOTAL	3.4			13.4	220.7	124.6	112.5	324.5	227.9	133.0	14.1	5.9

NOTE NO REPORT FROM 1 FEBRUARY TO 31 MARCH

23 SAN PA TONG

DAILY PRECIPITATION IN MILLIMETERS FUR CALENDAR YEAR 1970

DAYS	JAN	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						14.0	218					1.8
2						90	04					1.3
3				35		T	19.5	4.2	6.2			1.6
4				07	43	T	6.6	38				3.4
5				98	91		90	110	34.4			3.5
6							28.0	17.2	9.2			
7	15					T	10	20	73			
8					19.2	T	20		1.0	T		
9						17.0		30		2.2	0.3	
10				T		226		300	11.3			
11				1.8		180	06		5.4	T		
12					90	93.3	16.0	1.0	08	2.1		15.6
13					180	156	0.5	32.6				33.2
14					19.5	75	T					
15	T				16.7	134	T	30	1.8			
16	36			1.2	7.3			80	0.6			
17					7.0			138	42			
18					7.6		7.0	903	9.5	1.2		
19					182.6			220	82	1.5	0.5	
20					203	44		24				
21			52	66	136	60	10.0	2.0		7.7		
22			385	59	1.3	17.2	08	17.2	12.8	21		
23			66	64		42	7.8	74	2.2			
24				24	6.5	14	17.2	24				
25				7.5			100			46.1		
26						34		1.0	64	1.6		
27					T	90	4.0	288	196			
28					365	20			05		10.5	
29					1.5	0.5	122	T		1.6	108	
30					T		125	25		80	27.8	
31					663			0.5				
TOTAL	53	0.0	503	444	440.3	2595	1869	306.1	141.4	74.1	499	604
ANNUAL PRECIPITATION						16190	MILLIMETERS					

28 SAN PA TONG

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1971

DAYS	JAN	FEB.	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						83	05		360	25		
2						65	164	4.0	T			
3						43	03		T			
4				T	160	T						
5					95	T		70				
6							1.0	1.0	11	528	248	
7						15.4	24	35	80		2.2	
8						07			5.0		23	
9				T			45.2	196		5.3		
10			60			05		90				
11			T		T		38	30	54			
12					03		405	80			22	
13					08		422					
14				T	04		30		306			05
15			1.3	04	10	08	189	T	67.9			1.5
16			28	05	255	0.4	90	41	33			
17			5.0		22		15.5	120	90			
18				507	1.8			380	270			42
19					10.2	186	120	150				
20					105	62	0.6	36.3		T		
21					27.2	25	05	80				
22	53		285	02	180		220			T		
23				1.5	22.6		32	141	133	T	T	
24					17.8	7.2	40	05	42	155		
25				T	462	13	85	310	595	123		
26						92	23	260	484	20.4	82	85
27						1.3	30	38			07	4.3
28					5.2	279	30	80	100	11		
29					325	85	5.0	2.3	58.6			
30					21		11					
31												
TOTAL	53	00	436	533	2498	1196	2639	254.2	387.3	1099	404	19.0
ANNUAL PRECIPITATION						15463	MILLIMETERS					

29 SAN PA TONG

DAILY PRECIPITATION MILLIMETERS FOR CALENDAR YEAR 1972

DAYS	JAN	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NCV.	DEC.
1					141							
2						187				6.7		
3				5.2		1.3		85		5.4		
4											337	
5								166	112		182	
6						1.4		5.5	8.3		230	
7						251		13.3	265			03
8			T	902		1083		5.0		05		
9				13.6	04	1.0				T		
10				40						06		
11				0.5			22	440		T		12.1
12			8.2		41	30	1.1	1.0				181
13						4.0		131	7.2	195		
14						3.0		125		31		
15				05	32	130	23		0.5		T	
16					7.5		33			86		
17					0.6	220			290			
18					02			450				
19				T		07		64	156		120	
20						06	82	5.2	0.4		155	
21				0.4				05	462	2.6		
22					T			193	5.0		2.4	
23							02	294	44.0		12.2	
24					9.3			3.2	17.4		T	
25			09		5.4		03	2.1	7.6		25	
26				14.5			1.3		6.5		1.4	
27				11.0	21		3.1					
28				132	0.9				2.0			
29				101	108		88					
30				162	31	10	5.8	518				
31												
TOTAL	00	0.0	91	179.4	61.7	2031	366	282.4	227.4	47.0	1209	30.5
			ANNUAL PRECIPITATION				1,198.1	MILLIMETERS				

31. SAN PA TONG

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					632		163	21				
2					T	125		345	185	2.0		
3			3.2		131	167	151	84	7.5		T	
4					92	95	274	68				
5					20		4.6	17.0	0.6			
6			193			185	32.2	62	2.5			
7			73			604		33	28			
8					32	22	27.2		T			
9					25.2	94	11.7	31.9				
10						0.5	T	268	2.4			12
11						43		21		0.5	9.0	
12					63		98		7.3			
13					158	34		32				1.2
14					192	6.5			3.2	3.8		
15					40	22			14.2	18.4		
16						2.1		T	44.1			
17							5.2	9.5	7.9			
18					4.3	43	48	134	78.8			
19						5.2			93.1			
20						1.6	3.1	3.2	8.2			1.0
21								2.5	25.2	2.2	12.1	
22			0.4		14.7		3.2	60.9				
23			T		39.0		4.8	2.5		7.5		
24			19.3		1.0		6.8	0.5	0.5	1.3		
25							2.7	0.6	32.2			
26								36.4	39.5	1.2		
27							T	3.3	17.8			
28						2.4	6.3	2.1	8.6			
29				T	2.5	T	13.2	11.4	17.5			
30				4.0	7.8	16.2		20.1	T			
31							4.2	28.2				
TOTAL	0.0	0.0	4.95	4.0	230.5	177.9	198.8	336.9	432.4	36.9	24.5	0.0
						ANNUAL PRECIPITATION		1491.2		MILLIMETERS		

SAN PA TONG

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1974

DAYS	JAN.	FEB.	MAR	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1			6.5				0.2		15.2	113	51	
2												
3							23	22		T		
4					02			12.4		263		
5						02		21	55	282	20.5	
6						1.2	62		33.6	09	250	
7						19.7		162	7.4			
8				7.5				11.2	162	62		
9				61					33	8.2		
10					12.6	141		92	30.1			
11				7.9	04			11.2	228		154	
12								26.4	0.5		22.3	
13						285		232	15.5		21.5	
14						5.2	1.0		10.8		T	
15					242	0.6			10.4	T		
16							10.3		1.5			
17								34.2	405		34	
18								08	4.6		3.2	
19					34		5.3	11.3	23.0	1.8		
20					22.2	06	24	50				
21					51.2	T	0.8					
22					33	06	3.9	1.3				
23					105	03		10.6				
24				06	12.3			17.3				
25					01	7.6	1.2	4.3	354			
26			02		7.5		17.3		255			
27				44		31	280		0.7	62		
28			2.1	182	22	32	102	0.5		3.6		
29					5.2		199		0.5	61.3		
30			46			0.5	0.7	16.4	16.0	385		
31					14.6		5.1	2.4		25.8		
TOTAL	0.0	00	134	44.7	170.0	85.3	1147	2182	3190	218.2	1186	0.0

ANNUAL PRECIPITATION 1,302.1 MILLIMETERS



SAN PA TONG

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1975

DAYS	JUN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1			T	364		1.4		132		2.0		
2				25		92	0.5	223	9.2	41		
3						405	0.4	252		186		
4	0.1				08	1.5		0.9	299	25.5	0.8	
5	21.4				206	10	1.8	6.8	208	3.0	5.2	
6	3.6				25	0.8	21		7.7			
7	11.5				142	02			14.2		1.2	
8	35				305				30	162		
9	24.2						0.2	0.6	30.6	2.0	26.0	
10	69.5							1.1		5.5		1.0
11	6.5					1.8	0.6	12.3	61.6			295
12						0.2	2.1		9.2	12.1	1.1	7.2
13					31		6.6	0.2				2.1
14						0.7	10.4	7.5		11.0		3.2
15							1.8	1.5	4.3	28.2		7.3
16							0.6	8.7	2.2			
17						33	19.6	8.8	57.2			
18						27.4	36.3	1.0	25.5			
19	0.2					2.2	1.8	30.8				
20				0.1		4.5	0.2	5.9				
21						2.2	7.3	9.2	70.1			
22					2.0	26.5	12.7		42.2			
23							3.3	2.0				
24					2.7	14.5	4.0	14.4		38.2		
25				0.7	2.3		23.1	46.1				
26				13.8	10.4	0.5	52.0	2.2				
27			T				37.6	13.2				
28								13.4				
29					28.5			21.8		73.6		
30							0.7	3.5	0.7	12.4		
31					0.7		0.7	9.2				
TOTAL	140.5	0.0	0.0	61.5	118.3	138.1	225.4	280.8	388.4	252.4	34.3	50.3

ANNUAL PRECIPITATION 1,690.0 MILLIMETERS

SUN PA TONG

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT	OCT.	NOV.	DEC.
1					49.5		5.3	4.5		8.3		
2					9.0	7.2	1.0	0.6		16.3	14.0	
3						33.5				5.2		
4				8.5		5.8		8.6		21.3		
5					3.8	3.8					2.5	
6		6.7		13.2	0.3	0.7	6.1	2.8				
7						1.2		6.4	8.3			
8							T	2.5	10.7			
9						1.6	1.0	0.6	11.6	23.2		
10					0.2	1.0		0.5				
11						4.2						
12									28.1			
13					14.0			14.1	0.6	17.2		
14					3.3		9.1	0.1	0.4	4.8		
15								5.0				
16												
17									21.5			
18						6.3			0.9	25.2		
19					0.3		0.4		1.8	11.5		
20					2.8				5.8	3.3		
21			22.0		7.5			8.2	1.8	9.8		
22					5.5		7.5	41.6	40.9			
23			3.6		11.0		14.9	13.1	3.5			
24				0.7	15.1		0.5		24.4			
25					5.8							
26							T		3.5	7.3.2		
27							0.7		14.3	28.3		
28							0.2	37.8				
29							45.2	18.2	4.2			
30				4.5		0.5	5.5	60.2	0.5			
31							11.9			32.1		4.3
TOTAL	0.0	6.7	25.6	26.9	128.1	65.8	109.3	224.8	182.8	279.7	16.5	4.3

ANNUAL PRECIPITATION 1,070.5 MILLIMETERS

SUN PA TONG

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1977

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	21.8			45				48				
2	258			50.8		9.0					87	
3	22.5					2.7	5.3		9.9			
4					5.0			23				
5				21.2			42		140	90		
6									290			
7		3.0					260	14	82	440		
8					86.0				100	208		
9									25.5			
10					26			2.5	29.5			
11					31.5	160		38		42		
12										33		
13					11.0	65	4.5		140			
14					40	32	25		146	11.0		
15							2.4					
16							16.7		17.3			
17							7.0	6.3				
18								38.5				
19				25.0				8.5	15.3			1.3
20			35.5		1.9			32	33.5			14.0
21							7.5	23.0	90.5			
22				14.2		2.0	6.5		6.5			
23						150	4.0	22.5				
24			48							17.6		
25							140	37.5				
26												
27					24.3					52.0		25.0
28							63			21.0		2.0
29							7.4	97				2.5
30						39	50	37.4				
31					10.3			41.8				
TOTAL	701	3.0	40.3	1157	1766	50.3	1195	243.2	317.8	182.9	8.7	44.8

ANNUAL PRECIPITATION 1,380.9 MILLIMETERS

NATIONAL ENERGY ADMINISTRATION

YEAR.....1978..... STATION.....San Pa Tong.....CODE NO.....  
 SUBJECT.....Rainfall..... COMPUTED.....CHECKED.....

DATE	JAN.	FEB.	MAR	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OGT.	NOV.	DEC.
1						10	80.0		1.5	140		
2							56.0	242				
3		21				80	71	1.3		324		
4						11.5	175	11.3				
5	8.5				1.3	4.4				6.0		
6	37				16	1.2						
7					24		160					
8					2.0	30	350	48				
9						22.2	49.0					
10	35				422		31.0		175	7.0		
11	125				14.8		1.3		24	12.6		
12					135	1.0		700	7.7			
13					129		69	383	440			
14					8.5			10.7				
15					164	140		154				
16					30.8			21.5				
17				5.0	114							
18					1.6			490	27.0			
19									42.0			
20							4.9	162				
21							32	45	1.3			
22							5.5		21.5			
23									4.7			
24				1.4			21.0		13.4			
25							21.0	29				
26		9.9			142		35					
27		2.0			42		245					
28					3.0	130	35	2.4				
29					202	1.0	7.0					
30					1.2		204	11.6	25.0			
31							2.9	25.5				
TOTAL	282	140	00	64	2022	803	417.2	3096	208.0	720	00	00

NATIONAL ENERGY ADMINISTRATION

YEAR.....1979.....STATION.. San Pa Tong.....CODE NO.....  
 SUBJECT Rainfall.....COMPUTED.....CHECKED.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT	OCT.	NOV.	DEC.
1						6.9		5.8				
2									2.5			
3									22.8	4.0		
4								1.2	4.0	7.0		
5							1.5	7.5	9.2	30.5		
6						16.9			9.4			
7							2.2	17.3	17.0			
8							9.1	9.2	0.9	4.4		
9						1.2		9.4		3.0		
10					3.0							
11							18.4		6.0			
12					6.1	37.6	25.0	8.9				
13								9.2	7.2			
14						47.5	16.9	2.4	12.0			
15					2.6	57.1						
16					13.9			9.2	31.3			
17							5.0					
18						2.1	3.2	7.8				
19					4.4	6.8	1.0	2.3				
20					5.4	4.0		6.9		18.0		
21					4.6	5.8	1.4	3.5		8.4		
22					1.8			2.6				
23					3.4	1.9			1.9			
24												
25					5.6		6.0	2.1	4.8			
26			3.0						5.9			
27				5.5			6.3	0.7	27.0	1.5		
28		1.6		16.8	5.7	6.0	81.5	25.0	29.4	11.2		
29				4.2								
30								29.5				
31							8.0					
TOTAL	0.0	1.6	3.0	76.0	176.0	193.8	185.5	169.7	191.3	124.0	0.0	0.0

13. CHIANG RAI

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1962

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1							1.5	276				
2					1.6	32	364	71				
3					1.0	04	89	245				
4					52	23	168	449			288	
5				20	02	99		02			23	
6										185		
7					03			429		30		
8	02				08	25	114	204		306		
9							08	482				
10				36	03	12.1		855		0.2		
11						05		28	12.6	25.5		
12					10.1	1.0	122	09	82			
13				25	03	2.8	22.8	71	2.2	0.2		
14				12	12	51	234					
15				11.2	2.6	05	0.8			20.4		
16					06		172	18		14.3		
17					08	10.8	158	22	64	6.0		
18				40		24.6	04	87	2.2			
19				06	02	165	46	108	75			
20						104		189	24	0.2		
21				102			03	4.4				
22				04	20.2			21				
23					158		4.0	152	165			
24			82		59		102	300				
25					12	37		207	32			
26				14		7.8	02	1.4	18			
27												
28				38		66	463		0.4			
29				354		01			154			
30				182		0.2		231	02			
31								02		11.8		
TOTAL	0.2	0.0	82	945	683	121.0	234.0	4516	790	1307	31.1	00

ANNUAL PRECIPITATION 1,218.6 MILLIMETERS

13. CHIANG RAI

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1963

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1			T				2.6	34	296			
2						08	176	116.7		22		
3						06		198	175	147		
4						T	252	52		T		
5					50	T	29	333		85	145	
6						93	28	189		T	123	
7			T		T		239	308		98	686	
8			T		43	07		78		331		
9			134	23		45		61	1.6	2.0		
10				T		473		329		T		
11						04			532		04	
12				78			08	02	406			67
13						62	144	59	0.4	T		
14				T		T	40	95			24	
15	2.0					62	03	168			48	
16						47	222					
17					75	03	76					
18					9.2	2.2	T	T	T	194		
19				T	60	0.1	T	1.0	T	08		
20					104	1.2	11	146	0.3	12.3		
21			06		4.4		75	42				
22			1.6		163		343		T			
23				T	T	0.2	132	279				
24		T		04		T	T	24	58			
25				04		85	67	404	02			
26				T		17.2	25	113	33.5	637		
27						89	309	29.5	303	474		
28		24.4		61		182	228	109	11.5	340		
29			23		07	25	441			32.5		
30			02			14						
31							6.6					
TOTAL	20	244	181	17.0	638	1414	2940	449.5	2245	280.4	1030	67

ANNUAL PRECIPITATION 1624.8 MILLIMETERS

13. CHIANG RAI

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1964

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					T		03		171	27		
2				1.6	166	82			38	29		
3						60	43	46	0.4	192		15
4					54		404	10.4	32	230		34
5		52				174	125	T	127	167		2.0
6							121	30	506	1.2		
7					84	T	500		29		04	
8					80	T	139	18	T	1.7		
9					26	64	286	47	T	112		
10						14	03	93		420		
11					44	400		0.6		115		
12				114	7.0	0.7		113	T			
13				12	24	46	152	201	160	231		
14			02	18	19			1.2	52	04		
15					21	T	09	310		120		
16				20	26		07	76	T	02		
17							T	07	2.4	1.7		
18					76		27	03	127		4.0	
19				23				52	84	32	92	
20				286	T	T	06	258			25	
21	T			22		02	110	300	1.2		T	
22						276	150	303	208			
23				77	T	1.8	50	204	278	99		
24				62	0.2		45	08	67	20		
25				03	T	T	41	362	114	T		
26					10.1	05		07		27		14.7
27					53		184		27		T	04
28		07		T	38	T	301	03	1.8			
29				T	47	T	31	206		52		
30				05			16	37		07		
31							56					
TOTAL	T	59	02	688	931	1148	2853	2862	2079	1932	161	220

ANNUAL PRECIPITATION 1,2935 MILLIMETERS



31. CHIANG RAI

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1965

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1							87	25	T	246		
2			T			40	04	08			08	
3		02			53	07	21.7	9.4	99		171	
4		6.2				68		T	32.0	0.2	146	
5						06	14	03	1.1		04	
6					46	27	T	44	14			
7					55	32	5.6	1.6	82		T	
8					56	116	60	48	76	T		
9						242	05	197	150	366		
10						64	58		1.7			03
11					214	24.0	05	222	07			4.8
12	65				132	41.5		T	04	50		15
13						11.5			T			
14							T	512	284	05		
15						38		87	197	22		
16			36			58		05	02			06
17						56						161
18			T			1.0	262					223
19				22		03		54			T	42
20				1.4		545		18				
21					584	106		125	T	T		
22				12		10		278				
23				152			182	102	14.0			
24				24	T		38	14	T	17.2		
25				T		0.5	52		T	493		
26				T	T		266	07	22	240		
27							1004	636		34.3		
28				20	32	03	30	164		1069		
29					344	7.0	1.7	24.9		T		
30					37.0	182	539	11.0	0.5			
31					168		1.1	02		07		
TOTAL	65	64	36	274	2054	2458	2907	3020	1430	3015	329	498

ANNUAL PRECIPITATION 1,6150 MILLIMETERS

## 39. CHIANG RAI

## DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1966

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						T	75		115	1.6	721	486
2						08	12		29.1	62	37	03
3				03	65	05	108	223	322	35	19	T
4					2.1	08	34	259	5.8		T	
5					162	7.5	254	17				
6					T	05		T		1.6		
7	02				02	T		T	416			
8					61	T	187	127	154	T		
9						T	34	43	69			
10					T		41.1	168		2.1		
11				61	4.8		20	125				
12						15	05	276				
13				97		64	08	43				
14						21	142	67	159			
15	84			T	T			214	675	186	04	
16				J2	T	1.0	160	06	318	157	20	
17				T	37	T	17.7	291	257	12		
18				28	279		147	2.0	10	92		
19					603	189	318	164		1.8		
20				3.4	405	94	1.4	310				
21					04	05	275	842				
22					1.6	26	02	81.3	100		0.8	
23				T		46		270			12	
24				T	1.5	43	41.9	362			T	
25					22	14	45	29.5		24		
26					38	194	36	197				
27						66	T	258		0.3	02	
28							7.3	197		23.4	33	
29					10.2		139	393		91	4.8	
30					T	52	132	11.6	26		88	
31					124		T	295				
TOTAL	86	00	00	255	2004	1440	3227	6391	2970	967	99.2	489

ANNUAL PRECIPITATION 1833.2 MILLIMETERS

## 39. CHIANG RAI

## DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1967

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						555	21		0.3	39	T	1.2
2					65	5.4	160		02		46	02
3	T	0.1			T	133	64	1.0			03	
4						93		148	1.4			
5	1.2				T	520		428	29			
6	T				T	128	113	1.7	T			
7			05		58.0	74		234	173			
8			01		82	51	386	219	244			12
9			129		46		56	02	15.4			01
10			40	T	41.2		05		92			
11			13.8	T		7.7			19.1	02	128	
12	1.7			53		152		152	04		172	04
13	T			134		04		40	2.5			30
14						41	41	T	67	20		
15				05			184	37	148			
16					258	4.1	483	21.5	52	67		
17				64	16.1	552	1.0	195	189			
18				07	03	02		T	1.2			
19					05	35		190	477			
20				63	0.2	62		589				
21					T			305	39			
22				121	370		44	10	48			
23							22	5.7	744	1.0		
24				82		22.7	106		667	445		
25					T	02	960	131		19.5		
26				246	204	20.6	332	20.7	801			
27				7.4	151	627	28	8.5	2.8			
28						52	T	3.4	56			
29					T	0.3	155	7.6	143			
30					10	226	356			0.1		
31					46		29					
TOTAL	29	0.1	31.3	849	2395	3917	3555	3381	4402	779	349	61

ANNUAL PRECIPITATION 20031 MILLIMETERS

37. CHIANG RAI

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1968

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					T		27	04	39			
2						T		104		T		
3					T	49	2.2	266		2.9	T	
4					156	21.6	32	15	20.1	28		
5				68	30	36	65	T	0.2			
6						05	41	357			55	
7			06			1.8	04	686	164	T	T	
8					166	T	52	87		1.7		
9			0.2		294	574	388	30	195		05	32.0
10			15		203	2.4	11	51	20.0			
11					24	412	38	248	323	12.3	T	
12			01	1.8	53	T		72.4	43	226	T	
13				16.3	T	21.7	06	2.3	252			
14				1.7	18	T	360	860	268		134	
15	T				153	3.5	136	61	T	4.0		
16	5.2			100	T	03	21	50	02		39	
17	234		T	25	T	13	10	05	T			
18	T		02	257		31.2	7.4		136	17.2	56	
19					3.8	T	355	13	112	170		
20				2.9	53	T	132	T			T	
21					01	04	30	3.2	T			
22					1.3	4.1	T	46				
23				36	03	T	73	176	T	282		
24				463	03	1.2	473	3.6		0.2		
25		11.3		1.1		T		585	206	64		
		89										
26				128		04		116	309	67		
27				T		538				09		
28				1.6	73	98	0.5	1.6	58			
29				1.3	252	36.6			04			
30				58	568	17.8	T	246	0.2	194		
31					57.0		T	87				
TOTAL	286	202	2.6	1432	2671	3155	2355	4924	2516	1423	289	320

ANNUAL PRECIPITATION 19599 MILLIMETERS

2. CHIANG RAI

DAILY PRECIPITATION IN MILLIMETERS CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						T	97	T			T	204
2						T	T	0.6	19.1			52
3				27		15		T				05
4				188	1.7	T	174	329				14
5				70.4	123	52	154	24.3	306			29
6					1.0	T	49	117	603			T
7	37			T		151	49	14.6	561	1.0		452
8	29					24	16.4	45	142			85
9					T	84	7.8	T	1.3			
10							T	731	48		T	57.8
11	0.4			T		120	108	31	11.0		1.2	
12	08	1.2			03	447		17	11.2	2.8		
13		T				10	09	133	T	2.4		26
14					198	772	53		T			141
15				02	481	57	178		103	0.3		
16	24			08	832		181	1.3	04		28	
17	03				121		20	71	418			
18				06	66	52	1.0		22			
19					428	0.8	1.0	T	35			
20					248	109	370	14.2	T		03	
21				T	232	398	68	101.7	267		96	
22			80	3.1	126	57.6	187	109	T	10		
23			1082	0.8	126	18	1.8	11.7		14		
24				1.6	102	223	1.0	328	48	27		
25				15	15.1	118	132	40	0.1			
26				03		11.4	0.5		298	57		
27				07	T	13.9	45	81				
28					14.5	4.3		300	128			
29					63	17.3		88	0.2		84	
30					T	06	588	02	12	08	144	
31					12		78	108		10.5		
TOTAL	10.5	12	1162	101.5	3484	3709	287.5	421.4	3424	286	36.7	1586

ANNUAL PRECIPITATION 22239 MILLIMETERS

2. CHIANG RAI

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC
1						13.7	77		16			
2					80		370		323	31		
3						14	164	1.3	113			
4			55		358	11.6	11		0.5			
5		08	18		98	1.1		57			52	
6				30	56	203		575	02	231	77	
7				22	53	04	5.7	123	852	17		
8						218	256	69	325	20		
9						381		89		1.8		
10							870	1.8				
11						77	71	69.0				
12			03				123	535				
13					18		221	15	149			
14				55	70		3.7	216				
15			2.8	22				65				
16			12			06	632	97	443			55
17			23	35	0.1		200	59	23			
18			28	24			387	154	207			
19					15.3	132	17.3	475				9.6
20					3.4	27.5		93				177
21					37	36	0.7	12				
22					67.5	47.2	1.3	113				
23				54	153	05	178	14				
24					14.6	432		97.0	112			
25			02	07		19.9	22	95	23	47.1		
26				51.6	07	27.7	05	0.9	05	10		
27						431	08	58	170	115	1.8	
28				56		324	113	707		15		
29						41.6	121	2.2	116			08
30					27.1	115	57	1.9	586			
31					12		99					08
TOTAL	00	08	189	82.1	2262	4281	427.2	5362	347.0	928	147	344

ANNUAL PRECIPITATION 2,208.4 MILLIMETERS

2. CHIANG RAI

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1				250		53	239	196	35	T		
2				05	278		T	267	T	29		
3				158	15	04		207			124	
4					08	09	47					77
5					68	06		25			255	
6												
7					09	32		130	270		420	
8					76	05		830	1.6	T		
9					188	505	4.4	159	25	0.8		08
10				90		37.3	82	135		07		0.6
				254		24		96		214		
11												
12				3.2		4.8	1.7	06	194	03		
13			03	31.5		02	26	T				50
14				07			30	305	T	T		233
15				74		T	02	55		20		2.2
							164			11.2		
16												
17							272	469		20		
18				2.1		90	2.7	90	0.9	0.6		
19						1.5	24	19	08		532	
20						03	03	351	175		03	
								34	279	2.2	155	
21												
22					22		14.5	229	30	1.4	20	
23							02	186			08	
24				02			02	606	47.5		T	
25				537	1.9			4.4	128			
				158	0.1	0.2	46	2.7	4.1		11.3	
26												
27				05	1.6	T			1.5			
28	13					149	223		T			
29						29.4	44.0	1.7	T			
30					91	7.3	208	50	10.2		T	
				121	250	1.0	T	189	162			
31			474				02	T				
TOTAL	13	00	477	2029	104.1	1697	2045	4722	196.4	45.5	1707	319

ANNUAL PRECIPITATION 16469 MILLIMETERS

2. CHIANG RAI

DAILY PRECIPITATION IN MILLIMETERS FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					T	7.2	12	3.6	25			
2						177	0.5	08		T		
3			29		22	32	132	179	69			
4					2.3	80	87	155	54			
5						14		36	T			
6			63.9		144	15.8		T	T		T	
7			11.2			81	225	26	20.2			
8					70	50	466	140	89			
9					T	102	20.6	45	19			
10					176	168	T		05		39	
11					21.2	4.3	127	60	T			
12				T	33		T	196	170		T	
13				7.4	93	T	82			T		
14					T	74	22		40.5			
15					07	2.1	37		157			
16			7.3				114	1.4	55			
17			170			198	65	239	25.9			
18			50			29	06	21.6	35			
19					19.1		65	825	17.3	1.1		
20					235		T	24	240		230	
21					301			90		385	3.4	
22			14		68	T	09	21.7	331	8.4		
23				1.2	T		11.1	338				
24			0.8	T	124		22	108		0.7		
25					9.0	121	344	31.5	41	27.0		
26					T	T	178	76.9	1.6	1.4		
27					80	38	122	52	09			
28					102	235	181	14.3	19			
29				100	11.5	19	199		22.9			
30				187	08	13.3	11.4	23	109			
31					45		32	55				
TOTAL	00	00	1095	373	2139	1845	296.3	4305	271.1	77.1	303	00

ANNUAL PRECIPITATION 1,6509 MILLIMETERS



NATIONAL ENERGY ADMINISTRATION

Mae Hong Son

Year..... Station..... Code No ..  
 Subject..... Rainfall..... Computed ..... Checked.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1970	41	0.0	0.1	41.1	2354	2458	1770	2548	2037	56.6	5.4	43.3
1971	04	T	222	51.6	2547	2163	1996	3433	2127	110.9	20.1	69
1972	5.6	00	0.1	1218	1213	154.1	1932	2434	2148	178.7	177.5	169
1973	0.0	0.0	326	58	1853	312.0	281.3	601.2	2306	52.7	17.5	0.0
1974	00	00	181	37.3	252.5	1464	2290	198.4	2386	319	58.0	T
1975	57.4	T	T	0.1	1496	204.3	155.5	3341	2889	844	02	491
1976	00	4.1	02	27.5	133.3	750	228.4	2448	317.2	101.6	25.7	9.5
1977	69.9	0.3	136	83.2	1544	1347	2232	2444	3287	337.4	33	62.9
1978	62.4	131	3.2	25	131.9	1589	304.3	205.6	187.4	112.3	0.2	9.0
1979	0.0	0.0	T	27.3	1099	1334	1091	157.6	2262			

NATIONAL ENERGY ADMINISTRATION

YEAR..... 1978年 ..... STATION, CHIANG MAI ..... CODE NO. ....

SUBJECT .. RAINFALL DATA .. COMPUTED.. ..... CHECKED.....

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1							580	91	19	11.6		
2							580	68	05	2.1		
3		0.7				41	13.0	22	1.0	22.0		
4	0.3				38	09	16	253	136	17		
5	15				04	20	05			6.0		
					0							
6	02				05	14		05				
7					12			63	46		02	
8					19.0	42	93		1.3			
9					32	27.3	100	124	3.0		1.5	
10	101			66	720		254		82	105		185
11	140				88		10	105	65	24		
12				0.4	06			172	12.7	2.7		
13				24	0.3		24	54.7	53			
14					20		211	10	180			
15					297	355		0.7				
16					156		136	31	05			
17				40	200			7.1				
18							20	03	119			
19								332	158			
20						20	22	332				
21						10	60		20			
22				34			45		338			
23				11	18	39	59			19		
24									15	08		
25		72					05					
26		323		12	12		1.7					
27		0.5			1.8	138						
28						86	4.2	205		37		
29				42		12.5	105	18				
30							46	28				
							1.0	7.6				
31												
TOTAL	261	407	0.0	233	181.9	1172	2600	2552	1405	65.4	1.7	185

NATIONAL ENERGY ADMINISTRATION

YEAR..... 1979年 ..... STATION, CHIANG MAI ..... CODE NO.....

SUBJECT..... RAINFALL DATA COMPUTED..... ..... CHECKED.....

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					33	46		84				
2					16				62			
3					07		03		1.8	10.8		
4					10			12	56	56		
5						60		82	84	168		
6								1.0	148	93		
7					360		21	184	104	15		
8						05	92	99	02	08		
9						192	06	412	84	285		
10					22.8	65	67					
11					85	67	27					
12				148	06	136	75	61				
13						240		07				
14				74		170	0.2	12				
15					32.5	140		44				
16						08		4.6	60			
17												
18						11	75	146				
19					562	37	37	82				
20					435	78		130		20		
21						22		28	06	1.4		
22					50		62	83	47			
23					61.0		91	16				
24					53							
25	03				62				121			
26							22		40			
27			22	307		10		31	14.0			
28				05		75	209					
29				03		32						
30								70				
31					90							
TOTAL	03	00	22	537	2932	140.4	789	1643	972	767		



19. NAM PAI DAM SITE

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						5.0	6.0	4.0	1.2	1.4	2.0	1.0
2						1.0	6.0	5.0	4.0	4.0	0.1	0.3
3						2.8	5.0	4.0	4.0	7.0	3.0	1.2
4						2.9	2.5	3.0	4.9	3.0	2.0	0.9
5						3.3	3.0	3.7	4.0	4.0	2.0	0.2
6					1.3	6.0	2.0	3.0	2.0	4.0	1.0	2.6
7					3.2	2.6	2.0*	2.3	2.3	0.3	2.0	0.4
8					6.0	6.7	1.5	4.8	1.3	5.9	3.0	1.5
9					8.0	1.9	3.0	3.0	7.1	3.2	2.0	1.0
10					4.6	3.1	3.0	1.3	4.0	4.0	1.0	3.0
11					8.0	4.0	3.0	1.0	0.4	6.0	1.0	4.0
12					7.0	1.3	2.6	4.0	2.0	5.0	2.0	2.6
13					5.7	2.0	3.4	5.0	4.0	2.4	2.0	1.1
14					5.0	1.2	1.4	1.5	5.0	4.0	2.0	1.5
15					4.3	5.0	2.8	3.5	4.0	2.4	2.0	4.0
16					1.6	4.0	2.0	4.8	5.0	4.0	3.0	2.0
17					0.9	6.0	1.0	3.0	1.2	3.0	1.0	1.0
18					0.5	2.2	1.3	3.0	1.4	4.0	1.0	3.0
19					3.2	5.5	2.6	1.5	2.7	3.0	1.0	4.0
20					1.6	2.8	2.5	1.0	4.0	2.0	1.0	0.9
21					1.0*	0.8	1.6	1.0	3.0	4.0	1.0	2.0
22					1.0*	2.6	2.0	4.0	4.0	4.0	2.0	1.0
23					2.3	3.5	2.2	1.5	3.0	1.0	2.0	1.7
24					1.8	1.9	1.8	3.0	1.9	3.0	1.0	4.0
25					4.0	6.0	2.4	1.5	4.2	3.0	2.0	1.0
26					5.0	1.0	2.5	4.0	4.0	2.0	1.0	3.0
27					7.0	3.5	2.2	2.5	3.0	1.0	1.0	1.0
28					6.0	4.0	2.8	1.2	3.2	4.0	1.0	1.0
29					5.5	0.8	3.0	4.0	2.0	2.0	0.2	2.0
30					6.1	5.5	3.6	1.0	2.0	3.0	0.3	1.0
31					6.0		4.2	2.9		2.0		1.0
TOTAL						97.9	84.9	89.0	94.8	101.6	45.6	54.9
MEAN						3.2	2.7	2.8	3.1	3.2	1.5	1.7

NOTE: \* ESTIMATED

STATION INSTALLED ON 6 MAY

23. NAM PAI DAM SITE

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	1.0	2.0	4.0	7.0	7.0	7.0	7.0	3.0	2.0	3.0	5.0	3.0
2	1.0	2.0	4.0	7.5	7.0	6.0	4.0	3.0	7.0	4.0	3.0	4.0
3	2.0	2.0	4.0	6.0	7.5	1.0	2.0	4.0	5.0	5.0	4.0	2.0
4	3.0	3.0	5.0	8.0	6.5	6.9	3.0	2.0	5.0	7.0	5.0	5.0
5	2.0	2.0	4.0	7.0	5.0	6.0	3.0	3.0	3.0	6.0	5.0	3.0
6	1.0	2.0	4.0	7.0	4.0	7.0	6.0	2.0	4.0	2.5	4.0	5.0
7	1.0	2.0	4.0	6.5	5.0	5.9	10.0	2.0	6.0	7.0	5.0	3.0
8	2.0	2.0	5.0	8.0	3.0	5.0	5.0	4.0	3.1	4.0	4.0	2.0
9	1.0	2.0	5.0	5.0	7.0	7.0	3.0	2.0	3.0	7.0	3.0	3.0
10	2.0	2.0	3.0	6.0	7.0	6.0	5.3	3.0	4.0	6.0	5.0	4.0
11	2.0	2.0	4.0	6.0	7.0	6.0	5.0	2.0	6.0	5.0	6.0	2.0
12	1.0	2.0	5.0	7.0	7.0	7.0	4.0	4.0	5.0	4.0	4.0	3.0
13	4.0	3.0	5.0	6.0	7.0	7.0	5.0	6.0	10.0	7.0	5.0	3.0
14	1.0	2.0	6.0	5.0	7.0	6.0	3.7	5.0	4.0	5.0	7.0	4.0
15	1.0	2.0	6.0	6.0	8.0	6.0	1.0	4.0	3.0	6.0	5.0	3.0
16	1.0	2.5	5.0	7.0	7.0	5.5	8.0	5.0	4.0	4.0	6.0	2.0
17	1.0	3.0	7.0	7.0	7.0	6.0	3.2	6.0	2.0	7.0	5.0	5.0
18	1.0	2.0	7.0	7.0	7.0	4.0	3.8	7.0	7.0	5.0	6.0	1.0
19	1.0	3.0	6.0	7.0	7.5	8.5	2.0	2.0	6.0	6.0	6.0	3.0
20	2.0	2.0	5.0	7.0	7.0	5.5	2.0	2.0	4.0	5.0	5.0	2.0
21	3.0	3.0	6.0	7.0	7.0	6.0	3.0	3.0	5.0	6.0	7.0	4.0
22	1.0	3.5	7.0	7.0	7.0	7.2	7.0	5.0	6.0	5.0	6.0	3.0
23	1.0	3.5	7.5	8.0	8.0	4.0	3.0	3.0	4.0	7.0	5.0	1.0
24	1.0	3.0	7.0	8.0	5.0	5.0	2.0	1.0	5.0	4.0	6.0	2.0
25	2.0	3.0	7.0	7.5	7.0	6.0	2.5	2.0	4.0	6.0	5.0	2.0
26	2.0	3.5	6.0	6.0	6.0	5.0	5.5	4.0	5.0	4.0	6.0	2.0
27	2.0	3.0	5.0	6.5	4.0	6.0	5.0	3.0	4.0	4.0	5.0	3.0
28	3.0	4.0	6.0	6.0	7.0	6.0	3.0	2.0	4.0	5.0	5.0	2.0
29	2.0		7.0	8.0	7.0	5.0	4.0	2.0	5.0	7.0	5.0	3.0
30	2.0		6.5	7.0	7.0	2.0	5.0	3.0	2.0	6.0	4.0	3.0
31	2.0		6.0		7.0		1.0	7.0		6.0		5.0
TOTAL	52.0	71.0	169.0	204.0	202.5	171.5	127.0	106.0	137.1	165.5	152.0	92.0
MEAN	1.6	2.5	5.4	6.8	6.5	5.7	4.0	3.4	4.5	5.3	5.0	2.9

ANNUAL EVAPORATION 1,649.6 MILLIMETERS

25. NAM PAI DAM SITE

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1972

DAYS	JAN	FEB.	MAR.	APR.	MEY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	5.0	2.0	5.0	6.0	8.0	7.0	4.0	3.0	6.0	3.0	7.0	5.0
2	4.0	2.0	6.0	4.0	6.0	4.0	5.0	4.0	4.0	4.0	5.0	5.0
3	6.0	2.0	5.0	6.0	9.0	5.0	4.0	3.0	6.0	4.0	4.0	6.0
4	5.0	2.0	6.0	5.0	5.0	5.0	4.5	5.0	4.0	5.0	4.0	5.0
5	3.0	2.0	6.0	5.0	7.0	5.0	5.0	4.0	4.0	5.0	5.0	7.0
6	2.0	3.0	5.0	4.0	7.0	4.0	6.0	5.0	5.0	6.0	4.0	6.0
7	1.0	3.0	6.0	6.0	8.0	4.0	6.0	4.0	5.0	5.0	4.0	5.0
8	2.0	4.0	6.0	6.0	6.0	7.0	4.0	6.0	3.0	5.0	6.0	7.0
9	2.0	4.0	5.0	6.0	7.0	5.0	5.0	6.0	4.0	4.0	5.0	6.0
10	2.0	4.0	7.0	2.0	7.0	7.0	6.0	5.0	4.0	5.0	5.0	7.0
11	2.0	2.0	6.0	5.0	8.0	7.0	3.5	6.0	3.0	4.0	4.0	7.0
12	1.0	3.0	4.0	5.0	8.0	6.0	7.0	3.0	4.0	6.0	5.0	5.0
13	3.0	3.0	4.0	5.0	8.0	7.0	4.0	5.0	2.0	6.0	4.0	6.0
14	2.0	2.0	4.0	6.0	9.0	7.0	6.0	5.0	4.0	5.0	6.0	6.0
15	2.0	4.0	7.0	4.0	7.0	7.0	6.0	4.0	5.0	7.0	4.0	5.0
16	1.0	3.0	3.0	3.0	8.0	6.0	4.0	5.0	2.0	6.0	5.0	7.0
17	1.0	5.0	5.0	4.0	6.2	6.0	2.0	5.0	3.0	6.0	5.0	7.0
18	1.0	4.0	5.0	5.0	4.0	5.0	4.0	6.0	4.0	5.0	6.0	7.0
19	1.0	6.0	3.0	3.0	5.0	5.0	6.3	4.0	4.0	6.0	7.0	6.0
20	2.0	6.0	3.0	3.0	5.0	8.0	5.0	6.0	3.0	5.0	5.0	6.0
21	1.0	5.0	4.0	6.0	7.0	7.0	5.0	4.0	5.0	4.0	5.0	5.0
22	2.0	4.0	5.0	7.0	5.0	7.0	5.0	5.0	2.0	5.0	6.0	5.0
23	2.0	4.0	7.0	7.0	6.0	7.0	6.0	5.0	4.0	4.0	5.0	7.0
24	3.0	5.0	7.0	5.0	6.0	6.0	6.0	4.0	4.0	5.0	5.0	5.0
25	2.0	6.0	6.0	6.0	6.0	6.0	5.0	5.0	3.0	7.0	6.0	6.0
26	2.0	6.0	5.0	4.0	7.0	5.0	5.0	3.0	3.0	5.0	6.0	5.0
27	2.2	6.0	4.0	6.0	6.0	6.0	4.0	4.0	4.0	5.0	5.0	6.0
28	2.0	5.0	6.0	4.0*	8.0	4.0	5.0	5.0	4.0	5.0	5.0	6.0
29	2.0	5.0	5.0	4.0*	8.0	1.0	4.0	5.0	4.0	5.0	5.0	6.0
30	2.0		4.0	6.0	6.0	3.0	4.0	5.0	4.0	6.0	6.0	7.0
31	2.0		7.0		5.0		4.0	5.0		5.0		6.0
TOTAL	70.2	112.0	161.0	148.0	208.2	169.0	150.3	144.0	117.0	158.0	154.0	185.0
MEAN	2.2	3.8	5.1	4.9	6.7	5.6	4.8	4.6	3.9	5.0	5.1	5.9

ANNUAL EVAPORATION 1,776.7 MILLIMETERS

NOTE: \* ESTIMATED

29. NAM PAI DAM SITE

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	7.0	7.0	5.0	9.0	-	3.7	3.3	5.7	6.0	0.7	3.0	1.0
2	7.0	7.0	6.0	7.0	-	4.5	5.0	4.0	5.0	5.0	3.0	1.0
3	7.0	7.0	5.0	8.0	-	4.0	6.1	5.0	5.0	4.0	2.0	1.0
4	5.0	7.0	4.0	6.0	-	2.5	0.7	3.0*	6.0	4.0	3.0	1.0
5	6.0	7.0	3.0	10.0	-	2.0	0.4	2.5	6.0	4.0	2.0	1.0
6	6.0	6.0	2.0	8.0	-	0.8	0.3	3.0*	4.0	5.0	2.0	1.0
7	7.0	6.0	1.0	9.0	-	2.3	2.0	1.9	4.6	3.5	2.0	-
8	8.0	6.0	2.0	7.0	-	0.4	4.0	3.0	5.0	3.0	3.0	-
9	8.0	7.0	4.0	8.0	-	3.0	4.0	6.1	3.0	3.0	3.0	-
10	5.0	7.0	6.0	9.0	-	0.1	0.5	1.0	4.0	4.0	2.0	-
11	6.0	5.0	8.0	7.0	-	1.9	0.2	1.8	5.0	3.0	3.0	-
12	7.0	6.0	7.0	6.0	-	2.0	3.0	2.0	1.0	2.0	1.0	-
13	7.0	5.0	6.0	8.0	-	2.7	3.0	4.6	3.0	6.0	3.0	-
14	7.0	7.0	7.0	5.0	-	2.4	2.0	3.0	5.0	5.0	2.0	1.0
15	6.0	6.0	5.0	6.0*	-	5.0	4.0	2.0	5.0	2.0	1.0	1.0
16	6.0	7.0	6.0	4.0	-	2.0	5.0	5.5	4.5	1.0	5.0	1.5
17	7.0	7.0	6.0	6.0	-	2.0	4.0	3.3	4.0	1.0	3.0	1.5
18	7.0	7.0	7.0	9.0	-	1.9	2.8	1.6	1.7	2.0	1.0	1.5
19	6.0	6.0	4.0	6.0	-	0.7	2.0	1.5	3.6	1.0	1.0	1.0
20	6.0	6.0	8.0	10.0	-	2.0	6.0	5.5	1.9	3.0	0.4	1.0
21	7.0	6.0	3.0	8.0	-	3.0	2.8	2.2	1.8	2.0	0.5	0.5
22	8.0	6.0	6.0	9.0	-	5.0	4.0	3.6	4.3	6.2	4.1	0.5
23	7.0	-	5.0	7.0	-	3.0	2.1	4.0*	6.0	2.0	1.0	0.5
24	6.0	-	7.0	9.0	-	2.9	2.5	3.2	6.0	2.8	1.0	0.5
25	6.0	-	2.0	8.0	-	5.0	3.4	5.0	5.5	3.0	2.0	1.5
26	6.0	-	1.0	10.0	-	4.1	3.4	4.3	1.4	1.8	2.0	1.0
27	6.0	-	8.0	9.0	-	4.1	1.3	3.0	3.8	1.4	1.0	1.5
28	6.0	6.0	8.0	8.0	-	5.0	2.6	5.0	1.3	3.0	1.0	1.0
29	6.0		4.0	9.0	-	3.3	2.0	6.0	1.0	2.0	1.0	1.0
30	7.0		6.0	-	-	3.0	2.1	6.0	3.0	2.0	1.0	1.0
31	6.0		6.0*		8.0		3.2	3.0		2.0		1.0
TOTAL	204.0		153.0			84.3	87.7	112.3	117.4	90.4	60.0	
MEAN	6.5		4.9			2.8	2.8	3.6	3.9	2.9	2.0	

NOTE: \* ESTIMATED

- NO REPORT



32. NAM PAI DAM SITE

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1974

DAYS	JAN.	FEB.	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	10	20	60	70	51	57	31	59	32	30	15	11
2	10	20	60	42	80	19	55	65	21	40	30	13
3	0.5	20	50	60	85	4.5	60	40	40	29	23	1.3
4	0.5	25	50	70	60	60	50	17	40	35	23	1.0
5	05	25	60	70	70	45	40	19	31	40	16	1.0
6	05	25	60	70	80	50	40*	55	21	30	45	1.6
7	10	20	50	80	75	28	40*	15	15	34	20	05
8	10	20	60	55	85	60	40*	49	18	40	30	10
9	10	20	55	50	51	38	40*	25	51	30*	30	1.0
10	10	15	60	60	66	27	28	30	03	20*	30	1.0
11	10	20	60	65	55	10	70	25	28	30*	15	0.5
12	10	25	55	65	48	30*	45	04	12	30	25	05
13	05	25	50	70	70	30*	40	41	49	30	40	0.5
14	05	25	15	65	58	40	29	55	29	30	20	1.0
15	10	25	55	30	50	10	4.5	15	63	20	1.0	0.5
16	15	30	60	70	63	31	50	20	14	20	1.0	0.5
17	15	35	50	75	50	45	70	28	40	20	40	08
18	15	40	60	70	60	50	12	15	50	23	10	1.1
19	15	40	60	60	60	55	61	60	47	34	10	07
20	15	40	70	75	49	21	1.8	30	50	30	20	05
21	15	40	50	80	21	40	32	55	40	24	20	1.0
22	20	45	40	30	20	31	40	39	50	30	20	1.0
23	10	4.5	60	41	2.4	39	58	4.3	38	30	20	1.0
24	20	40	70	40	1.5	15	55	10	47	30	1.2	1.0
25	10	30	70	65	42	1.3	50	35	22	19	20	1.0
26	20	40	75	7.5	37	24	10	30	15	1.8	20	1.0
27	15	45	70	59	37	30	18	2.5	53	23	20	10
28	20	40	3.5	50	44	31	1.5	29	21	21	20	07
29	15		50	23	30	55	1.2	5.5	50	39	20	1.3
30	20		50	50	4.4	50	58	1.6	30	16	1.7	08
31	20		60		12		40	37		12		30*
TOTAL	380	840	1760	1785	1622	1139	1252	1041	1020	857	651	302
MEAN	12	30	56	59	52	37	40	33	34	27	21	09

ANNUAL EVAPORATION 1264.9 MILLIMETERS

NOTE: \* ESTIMATED

31. NAM PAI DAM SITE

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1975

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	30	20	40	60	60	33	68	25	40	39	15	10
2	30	10	40	34	25	42	50	25	23	40	20	10
3	18	20	40	40*	28	45	50	42	33	42	20	10
4	10	20	50	40*	90	22	50	20	45	37	10	10
5	05	30	50	50	45	32	18	40	42	16	27	10
6	08	30	40	50	37	30	15	20	25	26	15	10
7	10	20	40	50	16	50*	36	35	30	23	15	10
8	10	20	50	60	19	40	60	46	30	13	15	10
9	07	20	50	50	50	35	60	30	50	25	20	10
10	12	30	40	50	70	44	70	40	50	27	30	05
11	13	20	30	60	70	25	39	25	30	40	34	08
12	10	30	50	60	60	30	40	40	38	30	19	12
13	20	30	50	60	23	73	43	32	21	40	10	08
14	10	20	50	60	43	13	40	40	40	32	15	10
15	20	30	50	70	51	55	20	45	40	40	25	20
16	10	30	70	70	70	25	19	43	40	30	10	15
17	10	20	50	70	80	36	40	20	50	30	15	10
18	10	30	50	80	40	45	22	48	40	40	20	20
19	10	30	60	65	35	51	35	20	50	50	20	10
20	15	35	50	80	80	23	20	40	40	40	20	05
21	20	30	60	80	70	20	30	33	35	30	10	10
22	30	20	50	80	10	33	45	48	15	30	10	15
23	20	30	40	80	32	40	35	50	28	40	20	05
24	20	40	40	80	42	35	32	38	50	40	15	10
25	20	40	60	80	20	80	30	18	50	50	10	05
26	10	30	60	85	50	70	50	45	40	50	10	10
27	10	40	40	80	18	33	45	25	30	30	10	10
28	20	30	60	80	24	60	45	26	27	30	10	05
29	10		40	90	80	50	50	35	40	20	10	10
30	10		50	80	60	11	50	40	54	19	10	05
31	20		60		50		50	47		20		10
.....												
TOTAL	458	755	1510	1974	1448	1181	1257	1081	1126	999	490	308
MEAN	14	26	48	65	46	39	40	34	37	32	16	09

ANNUAL EVAPORATION 1,258.7 MILLIMETERS

NOTE : \* ESTIMATED

## 31 NAM PAI DAM SITE

## DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	05	30	45	55	19	43	48	30	53	25	15	06
2	05	35	35	65	20	15	51	23	54	45	20	32
3	05	32	40	34	17	45	58	20	49	35	15	23
4	10	40	40	33	70	36	40	16	44	26	24	20
5	10	25	40	60	40	13	50	22	36	40	31	10
6	10	35	46	50	75	21	55	20	38	36	30	20
7	10	35	55	65	67	30	45	30	32	28	25	20
8	05	35	55	70	52	25	44	31	32	35	25	20
9	05	40	50	55	80	47	15	25	42	22	24	20
10	10	49	55	67	76	21	45	24	19	33	26	20
11	10	45	50	76	70	56	47	35	28	40	30	23
12	15	40	55	85	55	35	60	40	17	33	26	13
13	20	42	56	80	50	20	35	28	63	38	30	15
14	10	45	60	72	52	65	47	30	40	46	30	20
15	10	49	60	80	73	50	50	35	46	30	20	27
16	10	45	56	70	65	80	34	42	25	30	25	20
17	10	37	60	78	55	42	37	45	38	20	30	17
18	10	32	56	77	50	84	60	31	28	45	30	20
19	10	31	45	75	42	80	25	27	40	23	37	20
20	10	50	40	85	70	66	40	31	38	28	30	19
21	10	40	40	53	48	32	38	32	14	20	20	20
22	15	50	55	76	58	33	25	25	47	50	10	22
23	10	52	70	62	42	35	26	25	29	30	16	25
24	10	50	60	65	20	27	40	40	37	35	13	25
25	15	56	60	70	40	65	38	36	14	25	20	20
26	20	58	65	78	30	60	35	39	42	12	35	18
27	15	55	60	75	50	35	38	47	88	10	19	23
28	20	50	65	70	50	50	30	30	10	50	20	17
29	20	50	70	40	08	41	47	18	28	30	15	19
30	20		65	35	39	37	40	35	34	50	22	15
31	25		50		60		17	47		11		13
TOTAL	370	1233	1659	1956	1543	1289	1260	959	1105	981	713	602
MEAN	1.1	42	53	65	49	42	40	30	36	31	23	19

ANNUAL EVAPORATION 1.3670 MILLIMETERS

31 NAM PAI DAM SITE

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1977

DAYS	JAN.	FEB.	MAR.	APR	MAY.	JUNE	JULY	AUG.	SEPT.	OUT.	NOV.	DEC.
1	31	30	7.0	70	65	60	35	60	47	44	56	21
2	37	35	52	37	77	41	50	41	40	42	59	30
3	13	32	54	17	62	33	55	50	36	37	32	22
4	20	40	40	86	79	55	40	37	34	47	15	20
5	20	25	50	46	80	90	53	35	48	33	25	30
6	19	35	50	60	78	90	50	35	30	35	30	24
7	22	35	20	60	65	80	67	50	28	33	32	22
8	24	35	50	70	57	80	33	55	14	29	33	22
9	15	40	40	43	79	80	50	70	34	27	37	20
10	20	49	34	70	50	40	52	51	37	40	32	20
11	23	45	35	50	35	24	60	30	20	20	30	20
12	21	40	40	55	69	70	50	55	40	64	35	20
13	20	42	60	69	38	46	48	60	29	38	25	23
14	25	45	57	70	22	59	26	37	30	52	30	22
15	20	49	60	72	55	30	12	55	25	43	40	23
16	22	45	52	70	43	70	46	60	30	33	18	25
17	20	37	50	70	64	82	57	70	46	42	20	24
18	20	32	59	33	61	72	60	47	43	47	30	31
19	28	31	58	57	72	70	64	37	38	44	30	21
20	20	50	55	58	73	70	71	26	37	51	20	18
21	25	40	70	70	61	60	04	46	20	33	15	19
22	25	50	65	75	58	80	02	63	30	47	20	16
23	28	52	69	66	28	30	16	47	35	37	20	18
24	30	50	45	70	54	35	43	62	45	28	30	23
25	30	56	58	70	54	60	54	47	48	30	35	14
26	33	58	62	79	42	60	44	16	50	28	20	28
27	30	55	66	78	37	58	30	48	36	21	47	18
28	28	59	74	65	28	75	04	53	40	32	23	21
29	33		60	78	70	75	29	50	27	35	21	16
30	30		40	78	60	64	12	25	52	45	20	13
31	25		61		54		30	09		36		20
.....												
TOTAL	757	1192	1656	1892	1770	1839	1247	1427	1069	1173	880	664
MEAN	24	42	53	63	57	61	40	46	35	37	29	21

ANNUAL EVAPORATION 1,556.6 MILLIMETERS

NATIONAL ENERGY ADMINISTRATION

YEAR ..... 1978 .....  
 SUBJECT Evaporation .....

STATION ... Nam Pai Dam Site .....  
 COMPUTED .....

CODE NO .....  
 CHECKED .....

DATE	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	24	30	54	55	80	7.5	58	34	38	49	40	32
2	16	32	55	45	75	60	21	33	40	38	42	35
3	15	30	55	50	7.5	59	32	50	40	34	40	40
4	12	39	57	65	7.0	60	34	2.6	43	23	30	30
5	14	30	55	70	7.5	50	25	2.6	50	12	35	30
6	20	37	51	50	49	60	43	2.0	45	1.8	40	30
7	1.0	33	56	40	56	7.1	2.1	39	37	30	40	25
8	10	30	56	60	70	80	30	30	2.4	55	26	30
9	1.3	40	65	55	60	66	18	45	20	50	24	30
10	09	35	55	66	50	8.3	2.4	50	22	1.8	40	25
11	11	30	57	45	50	46	26	30	30	2.0	30	30
12	10	37	54	63	60	46	16	4.2	32	50	40	41
13	10	43	58	64	4.8	60	35	3.8	3.8	4.5	50	30
14	1.0	43	53	52	4.1	78	33	2.4	30	55	30	25
15	21	44	51	56	58	65	29	32	50	50	40	20
16	22	40	58	59	46	62	3.5	29	60	40	58	20
17	18	42	60	62	3.1	60	40	32	40	4.5	42	30
18	20	4.2	58	65	50	5.6	52	49	4.5	4.8	30	3.2
19	20	40	5.7	6.7	58	37	57	4.3	55	4.5	30	30
20	2.1	40	56	7.0	55	3.8	4.8	2.5	2.7	4.6	30	30
21	2.8	40	59	7.1	80	37	65	3.5	3.3	5.0	30	31
22	33	50	66	62	7.5	53	29	30	12	55	32	2.7
23	32	50	6.8	52	7.9	3.8	4.2	1.7	2.0	60	30	2.5
24	30	39	53	61	81	3.6	4.5	5.2	30	7.0	3.3	2.8
25	30	34	58	73	60	24	3.8	4.1	5.2	4.0	30	30
26	26	34	50	5.8	27	24	4.2	60	10	5.2	3.1	30
27	32	29	50	83	6.3	0.3	2.8	2.0	50	63	30	30
28	30	3.2	50	8.5	7.4	10	43	4.5	3.5	4.7	30	27
29	29		56	90	5.4	31	40	13	1.2	32	3.1	25
30	31		53	84	7.0	51	46	3.5	1.6	3.3	30	25
31	3.3		60		8.0		37	42		30		1.5
TOTAL	640	1045	1744	1878	1899	1519	1132	1087	1036	1303	1044	887
	2.1	37	56	63	61	51	37	35	35	42	35	29

1,521.4

NATIONAL ENERGY ADMINISTRATION

YEAR ... 1979 ..... STATION ... Nam Pai Dam Site ..... CODE NO .....  
 SUBJECT ... Evaporation ..... COMPUTED ..... CHECKED .....

DATE	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	12	41	48	68	70	50	41	20	37	51	39	30
2	30	52	50	63	75	50	36	40	35	50	40	26
3	30	55	52	60	65	45	28	59	38	44	42	38
4	31	50	50	58	75	51	41	04	46	43	38	35
5	30	43	55	60	80	28	32	35	18	28	40	30
6	30	61	58	62	56	41	45	33	22	12	40	30
7	32	60	53	69	75	50	18	35	21	15	40	35
8	35	51	50	70	40	58	30	39	37	46	36	28
9	30	44	55	67	65	48	40	46	70	07	40	30
10	39	52	60	65	38	42	33	60	61	19	32	30
11	34	54	57	79	55	56	26	35	53	32	35	31
12	30	52	50	73	64	23	39	22	47	41	38	26
13	30	60	54	71	78	44	31	18	35	38	35	30
14	32	52	61	63	80	24	65	29	46	39	32	28
15	30	51	57	70	60	31	54	36	50	40	36	30
16	30	35	60	75	44	23	42	54	53	44	40	20
17	33	50	62	73	75	65	25	25	57	46	32	22
18	40	53	60	78	80	39	38	30	49	40	38	32
19	40	52	65	70	24	45	40	07	50	41	36	30
20	31	41	68	68	39	70	50	13	43	48	32	35
21	30	58	60	60	28	42	54	20	61	37	37	33
22	30	53	70	70	59	34	22	21	56	40	38	30
23	35	62	62	77	19	24	43	19	41	34	32	35
24	40	60	51	73	10	52	49	21	60	30	40	30
25	40	48	50	60	24	33	68	27	38	40	10	26
26	38	52	62	46	38	49	35	37	21	41	37	35
27	40	50	67	50	60	33	38	55	30	37	32	30
28	40	51	50	45	73	24	51	47	22	35	32	30
29	45		68	33	58	28	37	69	36	42	35	28
30	50		50	40	50	48	64	30	42	41	38	28
31	48		63		40		20	53		38		27
TOTAL	1058	1443	1778	1916	1701	1250	1225	1043	1275	1139	1068	928
	34	52	57	64	55	42	40	34	43	37	36	30

1,582.4

46. BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1967

DAYS	JAN.	FEB	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	4.0	4.0	6.0	8.0	6.0	5.0	1.5	1.0	4.0	3.0	3.0
2	3.0	3.0	6.0	7.0	8.0	7.0	5.0	5.5	3.0	2.5	4.0	3.0
3	3.0	5.0	5.0	7.0	7.0	6.5	4.0	5.0	3.0	3.0	3.0	2.0
4	3.0	3.0	5.0	7.0	4.0	3.7	4.0	2.5	3.0	3.0	2.0	3.0
5	2.0	4.0	5.0	7.0	4.0	5.5	2.0	2.0	3.0	4.0	3.0	4.0
6	2.0	4.0	4.0	6.0	6.0	5.0	4.0	1.6	5.0	4.0	3.0	2.0
7	3.0	4.0	4.0	7.0	8.0	5.0	3.0	1.0	4.0	4.0	4.0	2.0
8	3.0	3.0	4.0	7.0	7.0	6.0	3.0	1.0	3.0	4.0	3.0	3.0
9	4.0	4.0	4.0	6.0	10.4	4.0	1.0	4.5	4.0	4.0	4.0	1.0
10	3.0	3.0	3.0	7.0	7.0	3.0	5.0	5.0	3.0	4.0	3.0	3.0
11	3.0	3.0	4.0	6.0	4.0	3.0	3.0	5.5	2.0	3.0	3.0	2.0
12	3.0	3.0	6.0	6.0	7.3	3.0	3.0	3.0	5.0	4.0	3.0	3.0
13	6.0	4.0	5.0	7.0	8.0	5.0	4.5	4.0	3.0	4.0	3.0	2.0
14	1.0	4.0	5.0	7.0	7.4	4.0	2.0	3.4	1.0	6.0	3.0	2.0
15	5.0	4.0	4.0	7.0	7.0	4.0	2.0	2.5	1.0	1.0	2.0	2.0
16	4.0	3.0	4.0	8.0	3.9	6.0	0.5	3.0	5.0	4.0	3.0	2.0
17	3.0	3.0	5.0	5.3	5.0	3.0	5.0	3.0	3.0	4.0	3.5	2.0
18	4.0	4.0	4.0	6.4	2.3	4.0	5.0	1.0	4.0	5.0	2.0	2.0
19	2.0	2.0	5.0	5.0	5.0	4.0	5.0	4.5	4.0	4.0	3.0	3.0
20	3.0	4.0	5.0	6.0	3.9	4.0	5.0	2.0	5.0	5.0	3.0	3.0
21	4.0	4.0	5.0	6.0	4.5	5.0	4.5	3.0	3.0	3.0	2.0	3.0
22	3.0	4.0	6.0	6.0	4.0	5.0	5.0	5.0	2.0	3.0	4.0	2.0
23	4.0	4.0	7.0	6.0	5.9	5.0	5.0	2.0*	3.0	3.0	3.0	3.0
24	3.0	5.0	4.0	8.0	4.5	5.0	4.0	2.5	2.0	1.4	2.0	3.0
25	4.0	5.0	5.0	7.0	3.2	6.0	3.5	5.0	4.0	1.0	3.0	3.0
26	3.0	4.0	5.0	7.0	6.0	6.0	3.0	3.0	2.0	3.0	3.0	3.0
27	4.0	5.0	5.0	7.0	5.5	6.0	2.0	2.5	2.0	3.0	2.0	2.0
28	4.0	4.0	6.0	7.0	4.0	3.0	2.0	1.0	3.0	4.0	3.0	2.0
29	3.0		6.0	6.0	7.0	4.0	4.0	3.0	3.0	3.0	3.0	4.0
30	4.0		6.0	9.0	4.0	4.0	3.5	4.0	3.0	3.0	2.0	2.0
31	3.0		6.0		4.0		3.0	2.0	3.0			3.0
TOTAL	102.0	106.0	152.0	199.7	175.8	141.0	110.5	94.5	92.0	106.9	87.5	79.0
MEAN	3.3	3.8	4.9	6.7	5.7	4.7	3.6	3.0	3.1	3.4	2.9	2.5

ANNUAL EVAPORATION 1,446.9 MILLIMETERS

NOTE: \* ESTIMATED

46. BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1968

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	20	40	60	60	60	30	30	37	36	33	40	30
2	20	30	60	50	60	60	30	40	30	50	30	30
3	30	40	40	60	60	50	25	48	40	40	30	40
4	30	30	50	60	55	50	30	20	30	40	30	40
5	30	30	50	50	50	25	40	40	52	40	30	30
6	30	40	60	60	60	17	13	29	40	40	30	30
7	30	40	50	50	60	20	10	46	20	40	30	40
8	30	30	50	50	55	55	30	20	50	30	30	30
9	20	40	60	50	35	40	10	28	40	30	30	30
10	30	40	40	60	40	30	26	25	40	30	20	30
11	20	30	50	60	40	30	47	18	50	40	30	30
12	20	30	50	50	50	45	30	15	25	40	20	30
13	30	30	50	60	50	20	40	32	10	40	30	30
14	40	40	50	60	60	25	30	55	30	40	40	30
15	30	40	60	60	80	38	23	33	48	48	30	30
16	20	40	50	60	60	40	20	40	50	40	30	30
17	28	40	50	60	70	25	27	27	50	40	40	30
18	40	40	30	45	57	22	50	30	20	40	30	30
19	40	50	50	60	65	25	60	50	50	40	40	40
20	30	40	50	50	60	23	40	21	40	45	30	40
21	20	50	50	50	50	15	25	30	50	50	40	30
22	20	40	50	50	70	13	30	20	50	30	30	30
23	30	50	50	50	70	23	40	12	40	20	30	30
24	30	50	30	60	60	45	52	20	48	24	30	30
25	30	40	50	65	60	30	40	10	40	50	30	20
26	30	50	40	40	60	40	40	10	40	20	40	30
27	30	50	40	38	60	50	40	30	40	30	30	30
28	30	50	60	60	60	20	50	33	40	32	30	30
29	30	60	60	45	60	60	40	40	50	30	40	30
30	30		60	50	60	10	55	30	55	40	40	30
31	30		60		70		40	20		40		30
TOTAL	888	1180	1560	1623	1817	1007	1063	909	1204	1152	960	970
MEAN	29	41	50	54	59	34	34	29	40	37	32	31

ANNUAL EVAPORATION 1,433.3 MILLIMETERS



## 6 BAN PANG MU

## DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1969

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	30	40	5.0	60	90	35	55	1.2	50	15	30	30
2	30	4.0	50	70	80	40	25	10	60	11	20	30
3	3.0	40	50	70	80	60	4.0	25	20	4.0	1.0*	30
4	20	30	40	7.0	80	70	1.0	10	1.0	40	20	30
5	30	40	50	50	80	30	3.0	65	21	50	10	30
6	30	40	50	6.0	100	32	5.0	35	20*	40	30	2.0
7	30	30	4.0	60	67	25	3.0	1.0	60	40	10	3.0
8	30	40	60	7.1	60	30	30	23	50	50	30	20
9	40	30	50	40	47	12	2.0	1.3	43	40	30	30
10	30	30	40	50	60	10	50	1.0	60	40	40	30
11	30	30	40	60	60	22	50	1.3	38	27	30	30
12	30	40	40	70	70	50	20	60	38	12	30	3.0
13	30	40	40	80	58	60	50	50	55	50	4.0	30
14	30	4.0	50	80	60	30	1.5	23	46	50	30	40
15	30	40	50	60	80	40	30	10	15*	40	30	30
16	30	4.0	40	40	7.0	38	50	17	40	40	40	30
17	30	40	4.0	70	50	28	16	07	30	40	3.0	30
18	30	40	50	60	78	12	30	15	40	50	30	4.2
19	30	40	50	50	60	1.2	25	1.5*	50	50	4.0	30
20	20	40	60	75	80	27	40	00	50	40	40	4.0
21	30	40	56	60	55	1.0	4.0	95	05	50	40	30
22	30	50	50	80	60	10	4.0	60	2.0	2.0	40	3.0
23	30	50	60	80	30	20	30	60	50	50	30	30
24	30	60	50	9.0	58	50	25	60	50	35	30	30
25	40	60	60	80	2.0	40	3.5	40	50	30	2.0	30
26	40	60	60	80	52	60	1.0	1.0	40	2.0	30	20
27	30	40	50	80	40	50	20	40	40	20	30	4.0
28	40	40	50	80	23	42	17	4.2	50	50	40	2.0
29	30		60	7.0	25	3.5	30	7.8	2.0	30	30	4.0
30	40		50	90	1.7	60	1.0	30	30	50	30	30
31	40		50		25		1.0*	50		30		30
TOTAL	970	1150	1536	2036	1815	1040	933	988	1151	1150	890	942
MEAN	31	41	50	68	59	3.5	30	32	38	37	3.0	3.0

ANNUAL EVAPORATION 1,460.1 MILLIMETERS

NOTE \* ESTIMATED

13. BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	4.0	5.0	5.0	9.0	4.0	4.0	1.0	4.5	2.0	2.0	2.0
2	3.0	4.0	6.0	5.0	7.0	2.8	4.5	4.0	3.0	4.0	2.0	2.0
3	3.0	3.0	5.0	4.0	10.0	4.0	4.0	4.0	5.0	4.0	2.0	3.5
4	3.0	4.0	5.0	2.3	4.0	7.5	3.0	3.0	3.0	4.0	4.0	4.0
5	3.0	4.0	5.0	7.0	3.5	4.0	3.5	3.5	3.0	3.5	4.0	1.5
6	3.0	3.0	5.0	6.0	3.0	6.0	3.0	3.0	0.3	3.8	3.0	2.3
7	3.0	3.0	5.0	6.0	5.8	5.0	4.0	0.5	6.0	4.0	4.0	4.8
8	2.0	4.0	5.0	6.0	5.0	5.0	1.5	1.5	1.3	5.0	3.0	2.0
9	3.0	4.0	5.0	8.0	3.0	6.0	1.5	4.0	5.0	4.5	2.0	3.0
10	3.0	4.0	4.0	7.0	5.0	4.5	3.0	2.8	4.0	5.0	2.0	3.0
11	3.0	4.0	5.0	6.0	3.0	4.0	3.0	2.0	6.0	4.0	2.0	3.0
12	3.0	4.0	6.0	4.0	6.0	2.0	1.0	5.0	3.0	3.0	1.0	3.0
13	4.0	4.0	6.0	7.0	9.0	5.0	2.0	4.0	3.8	4.0	3.0	3.0
14	3.0	4.0	5.0	5.0	7.0	2.0	1.3	0.5	3.0	3.0	3.0	3.0
15	3.0	4.0	5.0	5.0	4.0	4.8	1.0	4.0	2.2	4.0	3.0	4.0
16	2.0	4.0	5.0	5.0	1.5	3.0	2.5	3.0	5.0	4.0	3.0	3.0
17	2.0	4.0	5.0	7.0	1.0	6.0	1.0	1.5	2.2	5.0	3.0	3.0
18	3.0	5.0	5.0	6.0	2.5	2.0	3.0	4.0	4.2	4.5	4.0	4.0
19	3.0	3.0	6.0	7.0	3.0	3.0	3.5	4.5	3.2	4.0	4.0	3.0
20	3.0	3.0	5.0	6.0	3.0*	1.0	2.0	1.0	4.0	3.0	2.0	3.0
21	2.0	3.0	5.0	7.0	3.0*	5.0	1.8	3.3	4.0	2.0	4.0	3.0
22	3.0	4.0	4.0	8.0	4.0	3.5	1.5	2.0	1.8	2.0	4.0	2.0
23	3.0	4.0	4.0	7.0	1.5	3.0	3.5	4.2	4.0	4.8	4.0	3.0
24	3.0	5.0	1.1	7.0	5.0	3.0	1.5	1.2	3.0	3.0	3.0	3.0
25	4.0	5.0	5.0	5.0	3.0	4.0	2.0	3.0	3.0	4.0	4.0	3.0
26	4.0	5.0	6.0	8.0	3.5	2.6	4.0	5.0	2.0	2.0	3.0	3.0
27	4.0	5.0	7.0	6.0	4.0	2.0	4.0	1.5	3.0	3.0	3.0	3.0
28	3.0	5.0	6.0	6.0	6.0	4.0	3.0	1.5	6.5	3.0	3.0	3.0
29	4.0		6.0	9.0	5.0	8.0	3.0	2.0	1.5	4.0	1.2	3.0
30	3.0		6.0	10.0	4.0	1.0	3.0	4.0	2.0	3.0	1.5	4.0
31	4.0		6.0		4.0		3.8	1.8		2.8		3.0
TOTAL	95.0	112.0	159.1	187.3	138.3	117.7	83.4	86.3	104.5	108.9	86.7	93.1
MEAN	3.0	4.0	5.1	6.2	4.4	3.9	2.6	2.7	3.4	3.5	2.8	3.0

ANNUAL EVAPORATION 1,372.3 MILLIMETERS

NOTE: \* ESTIMATED

17 BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	4.0	5.0	5.0	6.0	2.0	3.0	1.5	4.5	0.6	3.0	3.0
2	3.0	4.0	5.0	5.0	7.0	1.6	3.0	1.2	5.0	4.0	5.0	2.0
3	3.0	4.0	5.0	6.0	7.0	6.2	2.8	6.0	4.0	2.0	3.0	2.0
4	3.0	4.0	5.0	5.0	7.0	3.2	4.0	4.3	5.0	2.0	4.0	1.0
5	3.0	4.0	3.0	6.0	3.0	3.0	3.0	2.2	1.0	4.0	4.0	3.0
6	2.0	4.0	1.0	5.0	4.5	3.0	1.0	1.2	4.0	5.0	3.0	3.0
7	3.0	4.0	5.0	5.0	6.6	3.3	5.0	3.5	4.5	4.5	1.5	3.0
8	3.0	5.0	5.0	5.5	2.6	4.0	3.0	1.2	2.5	5.8	2.0	3.0
9	4.0	4.0	5.0	5.0	7.0	2.7	3.5	3.5	3.5	4.0	4.0	3.0
10	3.0	4.0	6.0	5.0	6.0	1.5	5.0	5.0	5.0	3.0	4.0	2.0
11	3.0	4.0	5.0	6.0	7.0	5.0	4.0	5.0	3.0	2.0	1.8	3.0
12	2.0	4.0	4.0	6.0	6.5	3.0	8.0	0.5	3.0	3.0	4.0	3.0
13	3.0	4.0	4.0	5.0	5.5	3.0	8.8	4.5	3.0	4.0	3.0	3.0
14	2.0	5.0	5.0	5.8	7.0	3.5	10.0	3.0	4.0	4.0	4.0	3.0
15	3.0	4.0	4.0	6.0	6.0	7.0	6.0	2.0	5.0	5.0	2.0	2.0
16	3.0	4.0	5.0	6.0	5.0	5.0	7.0	3.0	3.0	5.0	4.0	2.0
17	2.0	5.0	3.1	7.0	6.0	5.0	5.8	2.0	3.2	4.0	3.0	7.3
18	3.0	4.0	4.0	6.0	6.0	6.0	5.0	3.0	3.3	4.0	2.0	2.0
19	3.0	4.0	5.0	7.0	7.0	5.0	1.5	2.7	4.0	4.0	2.0	2.0
20	3.0	4.0	5.0	8.0	7.0	1.8	1.2	3.3	4.0	5.0	3.0	4.0
21	4.0	5.0	6.0	4.5	4.0	4.8	8.0	0.5	4.0	4.0	2.0	3.0
22	3.0	4.0	5.0	7.0	2.8	6.0	4.0	3.0	5.0	6.0	3.0	2.0
23	3.0	4.0	4.0	8.0	4.6	0.5	4.0	4.0	5.0	6.0	3.0	3.0
24	4.0	5.0	4.0	6.0	3.8	4.0	2.5	4.0	5.0	4.0	3.0	2.0
25	3.0	5.0	5.0	7.0	10.0	1.0	1.2	4.2	2.3	4.0	4.0	3.0
26	4.0	5.0	5.0	10.0	3.8	1.0	2.0	3.0	4.8	3.0	3.0	1.0
27	4.0	5.0	6.0	8.0	4.0	1.5	2.5	4.0	2.0	0.5	2.0	2.0
28	2.0	5.0	6.0	9.0	5.6	4.8	4.8	5.2	5.3	4.0	3.0	2.0
29	3.0		6.0	6.0	5.0	3.8	1.5	6.0	3.0	4.0	2.0	2.0
30	3.0		4.0	6.0	9.5	2.8	1.5	5.0	4.0	3.0	2.0	2.0
31	4.0		5.0		5.5		1.0	0.8		2.0		2.0
TOTAL	94.0	121.0	145.1	186.8	178.3	105.0	123.6	98.3	114.9	115.4	89.3	80.3
MEAN	3.0	4.3	4.6	6.2	5.7	3.5	3.9	3.1	3.8	3.7	2.9	2.5

ANNUAL EVAPORATION 1,452.0 MILLIMETERS

19 BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	2.0	3.0	5.0	5.0	7.0	5.0	4.0	3.5	4.0	5.0	5.0	4.0
2	3.0	3.0	5.0	6.0	7.0	2.6	4.0	3.0	3.0	5.5	5.0	3.0
3	3.0	3.0	5.0	6.0	6.0	5.0	4.0*	4.9	4.0	4.3	4.0	3.0
4	2.0	3.0	5.0	5.0	9.2	5.0	1.0	2.0	5.7	2.0	3.5	3.0
5	2.0	3.0	3.0	2.5	6.6	0.5*	4.0	2.9	5.0	2.0	4.2	3.0
6	3.0	3.0	3.0	6.0	6.0	6.0	4.0*	3.5	5.5	4.0	2.8	3.0
7	2.0	3.0	5.0	5.0	5.0	5.0	5.0	1.2	3.8	4.0	1.0	2.4
8	2.0	5.0	4.0	5.0	6.0	2.1	5.0	1.1	4.0	5.0	2.2	2.7
9	3.0	5.0	4.0	5.0	7.3	7.0	7.0	2.4	4.2	5.0	4.0	2.0
10	2.0	4.0	4.0	2.0	5.0	3.0*	5.0	3.2	4.8	5.0	3.0	2.0
11	3.0	4.0	4.0	2.0	6.0	4.4	4.5	4.0	4.0	4.8	4.0	3.0
12	2.0	3.0	6.0	7.0	6.2	5.0	3.2	3.8	5.2	4.0	2.0	4.0
13	3.0	3.0	5.0	8.0	7.0	3.5	2.7	4.2	6.0	3.7	3.0	2.0
14	2.0	5.0	3.0	5.0	6.0	4.0	2.6	3.6	4.0	5.0	4.0	2.0
15	3.0	4.0	5.0	5.0	6.2	5.0	2.1	2.0	6.0	3.8	4.0	3.0
16	3.0	4.0	5.0	7.0	4.0	6.0	0.9	3.0	5.0	5.2	2.0	3.0
17	2.0	4.0	6.0	8.0	5.0	5.0	2.0	4.8	5.0	2.9	3.0	3.0
18	3.0	5.0	6.0	7.0	8.2	4.7	3.1	3.0	4.0	5.0	4.0	3.0
19	2.0	5.0	5.0	5.0	4.0	2.5	3.4	4.5	4.0	4.0	2.9	3.0
20	2.0	5.0	4.0	6.0	4.0	5.0	4.0	3.0	3.8	5.3	3.8	3.0
21	3.0	4.0	5.0	7.0	7.0	4.0	4.0	1.5	2.8	4.0	1.8	3.0
22	3.0	5.0	5.0	6.0	5.0	5.5	4.4	2.5	2.0	2.5	2.0	3.0
23	3.0	5.0	5.0	6.0	3.6	2.0*	3.0	1.4	3.0	4.1	3.0	3.0
24	2.0	5.0	5.0	4.0	5.2	5.0	2.4	0.8	5.0	4.0	4.0	3.0
25	3.0	4.0	5.0	8.0	6.0	5.0	3.0	1.7	2.0	5.0	2.8	3.0
26	3.0	4.0	4.0	8.0	5.7	6.0	1.5	3.5	3.0	5.0	4.0	3.0
27	3.0	4.0	5.0	6.0	2.3	6.0	1.5	4.0	4.0	5.0	2.5	3.0
28	2.0	5.0	5.0	4.0	4.0	2.0	1.0	4.0	4.9	4.0	1.5	2.0
29	5.0	5.0	5.0	6.0	4.7	5.0	3.0	4.0	4.8	5.0	2.0	3.0
30	2.0		5.0	4.0	5.0	5.0*	3.0	4.0	3.5	5.0	3.0	3.0
31	3.0		5.0		8.8		2.0	3.2		4.0		3.0
TOTAL	81.0	118.0	146.0	166.5	179.0	131.8	100.3	94.2	126.0	133.1	94.0	89.1
NEAN	2.6	4.0	4.7	5.5	5.7	4.3	3.2	3.0	4.2	4.2	3.1	2.8

ANNUAL EVAPORATION 1,459.0 MILLIMETERS

NOTE. \* ESTIMATED

23 BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	4.0	6.0	6.0	8.0*	9.0	4.4	3.2	3.9	2.0	6.0	4.0
2	3.0	4.0	6.0	6.0	8.2	6.5	4.5	3.5	3.0	6.0	4.0	2.0
3	2.0	4.0	5.0	6.0	5.0	6.3	5.2	6.5	2.0	4.0	5.0	5.0
4	4.0	4.0	6.0	7.0	5.0	8.9	6.0	3.5	1.8	6.0	5.0	1.0
5	4.0	5.0	6.0	8.0	2.8	5.0	5.3	3.0	4.5	2.8	3.0	5.0
6	3.0	5.0	6.0	8.0	6.0	8.9	5.0	3.7	2.5	7.0	2.5	2.0
7	3.0	5.0	6.8	7.0	5.0	6.0	5.0	1.9	5.0	5.0	2.0	3.0
8	3.0	4.0	3.0	7.0	7.4	5.0	6.0	3.5	3.2	6.0	6.0	1.0
9	3.0	3.0	6.0	8.0	8.8	3.0	4.2	5.0	5.0	6.0	3.0	2.5
10	3.0	3.0	6.0	9.0	7.0	4.5	5.0	4.8	7.0	6.0	3.0	1.0
11	3.0	4.0	7.0	8.0	5.0	4.4	3.4	3.8	4.0	5.0	3.9	3.5
12	3.0	4.0	6.0	8.0	7.4	3.0	4.5	5.0	5.0	5.0	3.0	3.0
13	3.0	5.0	6.0	10.0	5.0	6.4	1.7	4.6	2.0	7.0	3.0	3.5
14	3.0	5.0	6.0	10.0	6.2	4.0	2.0	4.5	5.0	4.0	1.5	4.0
15	4.0	5.0	6.0	6.0*	7.0	4.0	3.0	5.8	6.0	5.5	2.8	3.0
16	4.0	4.0	6.0	5.0*	6.0	5.0	3.4	4.8	2.2	3.0	4.0	3.0
17	4.0	5.0	6.0	10.0	7.0	3.8	1.5	3.9	3.5	2.0	2.0	4.5
18	3.0	5.0	7.0	10.0	8.0	2.2	2.8	5.0	3.8	6.0	3.0	3.0
19	3.0	5.0	6.5	5.0*	6.0	3.9	1.8	2.0	5.0	6.0	3.0	2.5
20	3.0	5.0	6.0	10.0	4.8	4.0	5.0	4.8	3.5	3.0	1.5	4.0
21	3.0	5.0	5.0	5.0*	5.0	4.2	3.5	4.0	2.5	4.0	3.5	4.0
22	4.0	5.0	5.0	9.0	8.0	6.0	4.0	4.5	5.0	6.0	2.0	4.0
23	4.0	6.0	6.0	9.0	9.0	6.0	4.0	2.2	2.0	3.0	2.0	3.0
24	3.0	4.0	6.0	10.0	3.3	6.0	2.5	2.6	5.0	2.8	6.0	3.0
25	3.0	5.0	4.0	10.0	5.0	5.0	2.5	3.8	5.0	4.0	3.5	3.0
26	4.0	6.0	7.8	7.0	8.0	4.0	2.2	3.0	8.0	3.1	3.5	2.5
27	3.0	6.0	5.0	6.0*	7.0	4.2	3.3	2.0	3.5	3.0	3.0	4.5
28	4.0	5.0	6.0	8.0	8.0	5.0	4.4	1.2	4.1	3.0	2.0	3.0
29	3.0		6.0	10.0	4.0	5.8	4.0	2.7	4.0	5.0	3.5	3.0
30	4.0		6.0	5.0*	6.0	2.4	5.0	4.5	2.0	4.0	3.0	2.0
31	4.0		7.0		4.0		3.0	3.2		6.0		3.0
TOTAL	103.0	130.0	181.1	232.0	193.1	152.4	118.1	116.5	119.0	141.2	99.2	95.5
MEAN	3.3	4.6	5.8	7.7	6.2	5.0	3.8	3.7	3.9	4.5	3.3	3.0

ANNUAL EVAPORATION 1,681.1 MILLIMETERS

NOTE \* ESTIMATED

BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1974

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	2.0	5.0	4.0	7.0	3.0	4.0	5.0	1.0	4.5	2.5	4.0
2	4.0	3.0	6.0	9.0	8.0	4.0	5.0	4.0	1.5	1.5	5.0	4.0
3	2.0	3.0	6.0	6.0	7.0	5.0	6.0	3.0	3.0	4.0	4.0	1.0
4	3.0	4.0	5.0	3.0	7.0	6.0	6.0	2.0	4.0	3.0	6.0	3.0
5	3.0	2.0	6.0	6.0	8.0	4.0	3.8	3.0	2.5	4.0	4.0	2.0
6	4.0	4.0	4.0	8.0	9.0	4.2	2.5	4.0	1.0	4.0	3.0	2.0
7	2.0	3.0	5.0	8.0	8.0	4.5	4.0	4.0	1.5	6.0	5.0	-
8	2.5	4.0	6.0	5.0	8.0	4.0	3.0	2.5	4.0	5.0	5.0	-
9	3.0	4.0	4.0	6.0	9.0	3.0	4.8	4.0	3.0	5.0	2.5	-
10	4.0	3.0	4.0	5.0	2.0	2.5	5.5	4.0	2.0	5.5	3.0	-
11	3.0	5.0	6.0	7.0	3.0	4.0	2.5	3.0	3.0	3.0	6.0	-
12	3.0	2.0	7.0	7.5	5.0	7.0	4.0	3.0	1.0	4.0	3.0	-
13	3.0	5.0	7.0	6.0	6.0	6.0	3.0	4.0	3.0	4.0	3.2	-
14	3.0	4.0	6.0	7.0	7.0	3.0	4.0	5.0	2.0	5.0	2.0	-
15	5.0	3.0	6.0	7.0	6.5	1.5	4.0	5.0	4.0	6.0	5.0	-
16	3.0	5.0	5.0	8.0	5.0	2.0	2.0	3.5	4.0	6.0	3.0	-
17	3.0	3.0	5.0	8.0	6.0	5.0	4.0	4.4	2.5	7.0	4.0*	-
18	4.0	5.0	7.0	8.0	9.0	4.0	5.5	1.0	4.0	5.0	4.0	-
19	3.0	6.0	7.0	7.0	6.0	5.0	4.0	2.0	3.0	3.0	5.0	-
20	4.0	6.0	7.0	8.0	2.5	3.0	3.0	5.0	4.0	3.0	6.0	-
21	3.0	5.0	1.0	8.0	2.5	7.4	4.0	6.0	4.0	6.0	4.0	1.0
22	3.0	6.0	6.0	9.0	5.0	4.2	5.0	4.0	5.0	4.0	3.0	3.0
23	3.0	7.0	7.0	6.0	3.5	2.0	3.5	4.5	4.5	7.0	4.0	3.0
24	3.0	3.0	5.0	9.0	2.5	4.0	2.5	4.0	4.0	5.0	2.0	2.0
25	4.0	6.0	6.0	8.0	6.0	4.5	4.0	4.0	5.0	6.0	3.0	4.0
26	2.0	6.0	8.0	8.0	5.0	6.5	2.0	2.5	2.0	4.0	4.0	3.0
27	6.0	4.0	6.0	5.0	4.0	4.5	2.0	2.0	1.0	6.0	5.0	3.0
28	3.0	5.0	6.5	8.0	5.0	3.8	1.0	2.0	2.5	3.0	2.0	5.0
29	5.0		6.0	6.0	4.0	4.2	2.0	2.0	2.0	3.5	4.0*	4.0
30	4.0		5.0	5.0	0.8	4.0	4.5	3.0	4.0	3.0	5.0	3.0
31	4.0		5.0		5.0		3.0	6.0		4.0		4.0
.....												
TOTAL	1045	1180	1755	211.5	1723	1258	1141	1114	880	1400	1172	
MEAN	33	42	56	7.0	55	4.1	36	35	29	45	39	

NOTE: \* ESTIMATED

- NO REPORT

BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1975

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	20	50	80	50	110	50	-	-	70	45	50	30
2	40	50	60	70	80	60	-	-	40	30	40	30
3	30	60	40	60	90	50	-	-	60	35	50	30
4	40	80	60	50	70	85	-	-	70	35	40	50
5	40	50	50	90	90	70	-	-	50	50	40	40
6	30	60	80	60	50	30	-	-	60	45	40	40
7	40	40	60	80	30	40	-	-	60	50	30	40
8	20	60	40	40	10	50	-	-	65	40	50	30
9	20	50	60	80	80	40	-	-	30	60	50	40
10	10	40	80	110	70	90	-	-	40	45	20	20
11	15	30	70	90	90	40	-	30	50	55	40	20
12	20	50	50	80	90	50	-	70	50	50	40	30
13	40	80	80	70	60	60	-	60	40	30	40	30
14	30	60	60	80	90	55	-	20	70	55	40	40
15	20	40	40	100	80	50	-	65	55	30	40	50
16	50	70	60	90	100	90	-	20	60	50	50	30
17	30	40	80	80	100	30	-	55	60	40	40	30
18	50	70	50	100	70	30	-	50	30	50	40	30
19	40	50	90	50	90	20	-	60	55	50	40	30
20	20	70	50	60	100	60	-	65	50	50	50	30
21	40	80	70	80	40	25	-	60	50	40	50	30
22	40	50	60	100	90	40	-	50	30	45	40	30
23	20	40	80	100	30	05	-	30	50	50	50	30
24	50	60	40	100	30	20	-	45	45	40	40	30
25	60	60	40	100	70	75	-	40	50	70	40	20
26	40	80	60	90	70	60	-	50	60	60	40	20
27	20	50	90	100	55	65	-	60	55	50	30	20
28	50	70	50	120	60	40	-	20	35	40	30	20
29	30		70	110	40	20	-	50	50	50	30	20
30	40		50	100	80	70	-	50	30	20	40	20
31	30		80		70		-	30		40*		30
.....												
TOTAL	1025	1590	1930	2490	2185	1470	-	-	1520	1400	1220	950
MEAN	33	56	62	83	70	49	-	-	50	45	40	30

NOTE \* ESTIMATED

- NO REPORT

BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	30	40	65	60	25	8.5	55	66	55	40	4.5	20
2	20	40	65	63	25	4.1	64	20	5.0	4.5	5.0	40
3	20	40	70	75	10	2.5	45	20	47	51	48	45
4	30	40	60	40	50	55	40	20	50	50	48	30
5	30	40	56	80	90	8.3	59	29	55	50	45	35
6	20	40	60	65	8.8	29	34	35	55	50	60	30
7	30	53	60	7.5	8.0	30	3.2	54	53	55	50	40
8	40	45	60	71	63	5.2	35	35	46	40	40	20
9	40	45	54	60	8.0	8.8	3.0	37	5.0	50	50	30
10	30	45	55	77	80	3.2	58	44	35	40	44	35
11	40	50	80	90	80	3.8	15	17	50	50	45	20
12	30	50	60	99	8.2	2.0	68	23	1.4	50	35	25
13	30	50	50	83	65	4.5	30	38	7.0	5.2	43	35
14	35	50	55	90	78	4.3	64	23	60	57	43	40
15	35	50	60	90	74	20	34	08	60	55	42	40
16	30	50	58	98	75	7.8	61	16	5.0	50	40	40
17	30	50	57	94	70	8.0	56	38	70	58	4.5	30
18	30	50	48	70	80	6.5	64	46	40	44	45	40
19	35	50	30	90	80	6.4	22	68	67	34	50	30
20	30	50	68	72	70	8.0	55	64	40	46	55	35
21	25	50	80	94	54	8.0	32	60	6.7	15	50	40
22	30	50	55	80	80	55	45	52	3.3	40	50	40
23	30	50	66	90	62	30	50	59	1.5	60	45	40
24	30	60	64	70	59	7.1	26	45	5.7	45	30	40
25	30	60	74	70	43	50	22	40	58	45	45	40
26	30	60	70	76	48	62	10	60	50	36	45	40
27	30	60	73	78	70	50	38	60	40	20	35	30
28	30	60	70	90	63	40	30	30	40	35	30	30
29	30	60	63	8.8	50	55	59	28	4.2	35	20	30
30	30		53	41	20	5.4	45	48	40	45	30	10
31	30		56		60		40	55		50		10
.....												
TOTAL	910	1438	1895	2319	1962	1600	1318	1238	1459	1393	1303	1010
MEAN	30	49	61	77	63	53	12	39	48	4.4	43	32

ANNUAL EVAPORATION 1,787.5 MILLIMETERS



BAN PANG MU

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1977

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	10	40	55	67	85	45	32	40	35	50	35	40
2	18	42	56	43	90	50	33	46	70	50	45	35
3	06	45	50	33	90	45	43	52	35	60	50	40
4	30	43	50	62	85	50	35	34	48	50	40	40
5	40	46	45	50	88	70	22	20	38	55	40	40
6	32	45	40	65	88	80	32	40	25	54	50	40*
7	30	46	30	70	95	50	32	38	30	40	50	40
8	40	5.5	45	80	78	70	40	80	30	45	45	30
9	32	50	40	60	85	75	50	70	31	2.5	50	30
10	30	50	35	6.5	55	80	40	48	2.8	1.7	45	30
11	30	5.5	45	50	57	70	52	2.2	3.7	4.3	42	30
12	35	53	40	70	60	65	8.5	60	30	40	40	30
13	35	50	50	60	60	55	60	60	53	4.1	50	40
14	35	54	60	70	55	65	5.3	2.5	0.5	50	50	35
15	30	50	60	80	40	33	40	60	0.5	50	40	30
16	33	53	60	80	45	58	1.6	60	30	5.5	35	2.7
17	32	50	50	80	60	8.5	5.2	40	60	50	40	30
18	40	50	50	100	64	8.5	6.2	15	70	5.6	40	30
19	40	52	55	70	70	75	6.5	37	35	40	35	30
20	40	54	50	70	7.6	78	70	10	30	50	35*	3.6
21	30	52	60	70	80	55	60	50	65	32	40	3.6
22	35	40	50	75	80	70	1.5	4.6	0.5	3.5	40	3.5
23	40	44	62	7.5	5.5	48	37	5.6	20	30	38	2.5
24	40	42	60	70	40	50	4.7	50	50	10	40	30
25	40	50	47	80	60	40	50	3.2	70	50	40	40
26	40	42	50	80	65	44	50	0.5	50	30	35	33
27	35	58	60	80	47	0.5	2.5	2.8	60	50	3.5	0.5
28	35	52	65	80	50	6.2	0.6	3.8	50	50*	4.5	0.7
29	45		70	80	60	70	3.6	50	35	40	35	1.1
30	40		50	80	60	12	27	40	50	3.9	40	30
31	38		40		60		48	22		40		40
.....												
TOTAL	1036	1363	1580	2095	2083	1740	1315	1274	1180	1327	1245	975
MEAN	33	4.8	50	69	67	58	42	41	39	4.2	4.1	3.1

ANNUAL EVAPORATION 1,721.3 MILLIMETERS

NOTE: \* ESTIMATED

NATIONAL ENERGY ADMINISTRATION

YEAR 1978 STATION Ban Pang Mu CODE NO  
 SUBJECT Evaporation COMPUTED CHECKED

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.5	4.0	5.0	5.5	7.0	8.5	6.6	5.1	2.0	4.7	5.2	3.2
2	3.4	4.0	6.0	6.0	7.0	6.0	1.9	3.8	4.1	4.2	5.0	4.0
3	3.0	3.0	5.6	5.8	8.0	5.9	2.2	2.3	5.0	4.3	5.0	4.7
4	3.0	4.5	5.7	7.0	7.0	7.0	4.1	3.1	4.8	3.6	4.6	4.5
5	3.2	4.3	5.5	5.4	6.0	6.0	2.8	3.4	4.5	2.5	5.1	5.1
6	3.0	5.0	5.0	6.0	5.6	6.0	5.6	3.9	4.0	3.5	4.4	3.1
7	3.0	4.5	6.0	6.0	6.0	2.5	5.7	2.0	2.2	5.1	5.2	2.1
8	3.0	4.0	6.5	6.0	8.0	4.5	1.2	3.0	3.3	5.2	5.3	3.6
9	2.0	4.0	6.3	6.0	9.0	7.0	4.2	3.1	2.0	3.8	4.3	4.0
10	3.0	3.5	6.5	6.0	9.0	6.0	1.4	2.6	4.5	3.3	5.0	4.6
11	1.9	5.0	6.5	4.0	6.0	7.5	3.2	3.2	2.5	4.2	3.0	5.0
12	4.0	4.2	6.8	6.0	6.0	5.0	5.7	5.0	3.8	5.2	5.0	4.8
13	3.0	5.0	6.4	6.0	3.0	6.0	1.7	3.0	3.1	5.6	4.2	4.4
14	3.0	4.0	5.5	6.0	9.0	7.5	3.8	3.0	3.5	5.3	5.4	5.2
15	3.0	5.0	6.0	5.0	5.5	6.5	2.5	3.2	5.0	4.1	4.3	4.2
16	3.6	5.0	6.3	6.0	4.0	2.3	5.2	3.2	6.0	5.4	4.6	3.0
17	3.5	5.0	6.0	5.0	3.0	3.3	6.5	4.5	5.2	5.0	5.0	4.5
18	3.5	3.8	6.2	6.0	8.0	4.7	4.2	5.2	5.0	4.2	4.0	3.6
19	3.0	5.2	6.0	7.0	8.0	4.3	4.8	4.0	5.2	4.2	4.2	3.5
20	3.8	6.0	6.6	7.0	7.0	6.0	6.1	6.0	3.0	4.3	4.6	4.0
21	3.5	5.2	6.8	7.0	8.0	6.0	4.3	3.8	4.5	5.2	3.9	4.9
22	3.5	5.2	6.8	7.0	9.0	4.7	4.7	4.0	2.4	5.0	5.0	3.6
23	4.0	5.3	6.8	7.0	8.0	6.5	4.3	6.1	3.0	3.9	4.0	3.9
24	4.0	4.5	6.5	7.0	3.0	5.5	4.8	5.8	5.1	3.9	5.0	4.0
25	4.0	5.5	7.0	7.0	7.0	1.7	5.2	5.8	6.0	5.0	3.5	4.1
26	3.0	3.8	6.8	7.0	7.0	3.7	3.7	4.2	2.5	5.0	3.6	4.2
27	4.0	3.0	6.0	6.8	6.0	2.0	1.3	5.0	6.0	4.0	3.9	4.0
28	4.0	3.8	6.0	7.0	8.0	0.6	1.5	3.2	3.0	4.0	4.0	3.8
29	4.0		6.3	7.2	7.0	3.0	4.5	2.1	2.0	5.5	4.0	4.2
30	4.0		6.5	7.0	6.0	6.9	5.0	4.0	2.8	5.0	3.0	4.3
31	4.0		7.0		7.5		5.0	5.0		3.0		4.0
TOTAL	104.4	125.3	192.9	187.7	208.6	153.1	123.7	121.6	116.0	137.2	133.3	126.1
	3.4	4.5	6.2	6.3	6.7	5.1	4.0	3.9	3.9	4.4	4.4	4.1

1,729.9

NATIONAL ENERGY ADMINISTRATION

YEAR ..... 1979 ..... STATION ..... Ban Pang Mu ..... CODE NO .....  
 SUBJECT ..... Evaporation ..... COMPUTED ..... CHECKED .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	38	39	56	54	78	65	40	2.5	50	50	30	3.0
2	39	40	47	63	69	7.0	60	3.0	60	50	45	4.0
3	3.7	54	58	7.0	61	6.0	40	57	5.0	5.5	40	4.0
4	39	50	62	67	90	77	50	1.7	5.0	4.5	4.5	4.0
5	38	51	56	7.3	96	4.5	50	50	2.0	60	40	4.6
6	41	42	55	8.5	9.5	48	54	60	4.0	1.5	40	4.0
7	36	48	58	8.1	90	7.0	35	36	4.5	35	35	4.0
8	34	52	52	8.0	80	7.0	40	39	3.5	4.5	4.0	4.0
9	35	50	53	8.2	60	35	60	58	52	3.0	4.0	4.0
10	3.5	48	58	8.3	58	50	6.0	50	50	38	4.0	4.0
11	39	44	56	85	48	58	2.0	50	60	50	40	4.0
12	4.1	4.2	55	8.8	7.0	60	55	65	50	4.0	50	4.0
13	4.0	41	54	63	8.2	62	4.0	29	60	45	50	3.5
14	39	43	58	8.0	100	46	40	23	40	40	3.5	2.5
15	38	51	55	8.4	78	20	60	50	50	45	4.0	2.0
16	44	45	58	8.6	69	62	7.2	34	60	50	5.0	3.0
17	43	51	54	92	7.0	35	5	30	50	60	4.0	3.0
18	4.1	5.3	60	94	60	7.0	5.0	2.5	50	50	4.5	2.5
19	39	4.6	58	8.5	53	65	60	17	3.5	50	4.5	3.5
20	42	48	60	9.1	45	7.0	4.0	2.0	7.2	4.0	4.0	4.0
21	43	46	60	8.9	50	20	60	2.0	4.5	2.5	4.5	4.0
22	3.8	5.6	58	9.0	7.0	4.8	3.0	2.3	5.0	40	40	4.2
23	47	58	50	9.0	4.9	7.0	55	0.8	2.8	8.0	40	3.7
24	41	55	40	9.4	36	60	4.8	2.7	33	40	4.0	3.5
25	40	50	50	8.0	20	4.9	65	35	65	50	40	3.2
26	44	54	58	50	37	50	5.0	3.0	40	40	4.0	3.4
27	40	51	56	69	66	51	55	45	08	50	4.0	3.5
28	41	5.0	61	3.4	8.5	1.0	3.0	45	50	46	4.0	3.4
29	4.3		5.9	52	67	6.5	55	6.0	2.0	4.0	42	37
30	40		54	67	50	5.0	75	4.0	58	40	3.0	3.5
31	40		52		60		24	2.0		4.0		4.2
TOTAL	1235	1358	1731	230.1	2041	161.2	1493	110.9	137.6	135.4	122.7	111.8
	40	49	56	7.7	66	5.4	4.8	36	46	44	4.1	3.6

1,795 5

ELECTRICITY GENERATING AUTHORITY OF THAILAND  
 PROJECT MEA CHAEM AMPHOE HOD CHANGWAT CHIANG MAI  
 SUBJECT DAILY EVAPORATION UNIT M. M. STATION OBB LUANG YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1							12	30	40	00	40	20
2							20	20	40	17	20	30
3							42	40	30	20	60	40
4							15	30	21	30	60	40
5							20	50	23	40	50	40
6							39	50	40	50	20	30
7							60	50	50	40	20	40
8							60	40	50	35	14	30
9							40	40	20	30	20	30
10							14	40	24	40	40	30
11							50	40	70	15	50	30
12							50	30	70	10	30	30
13							21	30	70	30	50	30
14							30	20	70	20	27	30
15						50		30	77	40	60	30
16						60		40	28	50	40	40
17						50		50	53	50	50	30
18						52		40	20	40	30	19
19						64		20	15	30	30	30
20						37		10	20	40	30	40
21						50		38	45	40	40	30
22						23		00	70	50	30	20
23						30		14	50	40	40	20
24						15		30	60	50	40	30
25						27		40	33	40	40	40
26						30		10	38	30	30	40
27						50		32	26	25	30	30
28						37	30	22	33	16	40	30
29						55	20	56	40	12	40	29
30						12	40	53	50	24	30	31
31							30	42		38		
TOTAL								1037	1276	992	1011	959
MEAN								34	43	32	34	31
MAX.								56	77	50	60	40
MIN								00	15	00	14	19

COMPILED BY... .. CHECED BY.....

HYDROLOGY SECTION

HD. -29

ELECTRICITY GENERATING AUTHORITY OF THAILAND  
 PROJECT MAE CHAEM AMPHOE HOD CHANGWAT CHIANG MAI  
 SUBJECT DAILY EVAPORATION UNIT M. M. STATION OBB LUANG YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	40	40	60	60	8.0	40	50	50	15	30	40	10
2	20	50	60	60	7.5	50	35	50	32	40	40	20
3	40	50	50	60	6.6	44	60	51	60	50	60	20
4	20	40	50	70	6.5	35	60	50	40	23	40	50
5	10	50	50	60	60	35	41	30	40	13	50	30
6	20	60	40	50	6.5	40	60	30	25	13	30	30
7	20	60	40	60	80	41	59	58	2.3	30	1.3	30
8	30	60	60	70	7.5	43	60	11	39	50	12	20
9	30	60	50	70	80	30	63	40	07	50	30	18
10	40	60	50	40	90	11	70	50	46	50	30	11
11	30	50	50	32	92	2.5	70	52	50	32	50	30
12	30	50	60	15	90	50	55	40	50	50	30	40
13	10	50	60	14	70	77	24	70	60	47	40	30
14	30	60	50	50	60	20	22	46	50	10	50	18
15	30	60	35	60	40	45	32	40	50	25	30	20
16	30	60	50	70	50	25	30	50	67	15	30	10
17	40	60	60	60	38	60	25	46	60	40	30	20
18	10	50	70	80	20	50	20	57	56	20	20	30
19	40	50	70	70	5.5	50	60	43	37	40	10	30
20	10	60	60	70	30	60	35	33	36	40	15	30
21	30	60	50	80	40	30	43	33	23	40	16	30
22	30	60	60	80	50	60	60	1.9	1.6	52	10	30
23	40	60	60	80	70	60	60	30	10	1.8	14	40
24	30	60	70	90	2.1	60	30	41	60	40	30	30
25	40	60	70	96	80	70	50	16	59	40	30	40
26	30	60	50	50	40	70	60	1.1	27	50	12	40
27	40	70	29	30	41	70	20	20	20	50	1.1	40
28	30	60	60	55	40	68	20	60	39	40	17	40
29	30	60	60	60	50	70	50	60	40	40	20	40
30	30		60	80	40	50	30	60	30	50	10	40
31	40		60		5.5		4.3	60		60		30
TOTAL	1020	1630	1704	1822	1808	143.9	1397	1307	1167	1178	820	897
MEAN	33	56	55	61	58	4.8	45	42	39	38	27	29
MAX.	40	70	70	96	92	70	70	70	67	60	60	50
MIN	20	40	40	14	21	11	20	11	07	1.3	1.0	10

COMPILED BY..... CHECKED BY. ....

HYDROLOGY SECTION

HD. -29

ELECTRICITY GENERATING AUTHORITY OF THAILAND												
PROJECT MAE CHAEM AMPHOE HOD CHANGWAT CHIANG MAI												
SUBJECT DAILY EVAPORATION UNIT M. M. STATION OBB LUANG YEAR 1973												
DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	40	50	90	70	50	58	43	32	4.0	1.7	50	40
2	4.0	50	70	70	7.1	4.0	50	64	33	30	20	40
3	10	4.0	80	70	52	50	7.0	13	40	60	60	30
4	40	4.0	80	60	50	55	50	36	60	50	40	10
5	30	50	80	50	3.6	60	35	50	22	60	40	30
6	30	60	90	70	21	50	28	23	52	42	30	30
7	4.0	60	80	80	06	50	33	05	50	50	20	30
8	4.0	60	30	80	37	06	39	51	60	7.0	50	4.0
9	40	50	30	80	51	15	25	40	31	60	10	30
10	40	40	50	80	50	1.4	35	30	25	40	4.0	30
11	4.0	10	80	90	60	22	0.7	28	43	2.6	50	1.0
12	30	40	80	90	35	75	44	50	45	1.0	32	30
13	30	50	80	70	70	50	4.0	48	40	20	28	30
14	30	50	80	80	33	50	21	20	50	90	1.0	50
15	40	50	80	80	13	11	60	34	60	30	1.5	50
16	4.0	60	80	90	3.7	23	4.0	65	20	1.5	30	40
17	50	7.0	40	80	38	21	50	5.0	1.0	1.8	40	50
18	60	70	52	80	41	07	61	20	66	1.8	20	4.0
19	60	80	14	90	60	40	17	47	2.7	3.0	1.0	30
20	50	7.0	4.0	90	1.6	3.7	07	03	1.2	50	20	4.0
21	40	70	60	90	50	4.0	45	27	00	60	1.0	30
22	50	80	70	90	50	40	51	28	20	50	1.2	4.0
23	50	80	40	100	7.0	50	40	47	30	40	0.1	40
24	50	70	60	90	1.6	70	4.5	03	50	30	32	40
25	40	60	50	90	35	60	40	40	50	4.0	30	30
26	50	80	69	80	30	5.6	5.5	65	60	20	50	30
27	50	80	50	90	4.3	62	42	36	30	60	40	40
28	50	90	50	100	3.8	50	3.0	0.5	47	3.8	4.0	40
29	40	-	40	110	27	60	20	33	1.4	2.3	40	40
30	40	-	80	90	16	42	4.3	2.1	22	4.0	30	40
31	50	-	80	-	3.2	-	2.6	60	-	7.0	-	4.0
TOTAL	1320	1690	1985	2480	1104	1264	1192	1074	1109	1257	89.8	1120
MEAN	4.3	60	64	83	36	42	3.8	35	37	4.1	30	3.6
MAX.	60	90	90	110	7.1	75	70	65	66	60	60	50
MIN	30	4.0	40	50	06	06	20	03	00	10	01	10

COMPILED BY.....CHECKED BY.....

HYDROLOGY SECTION

HD. -29

ELECTRICITY GENERATING AUTHORITY OF THAILAND  
 PROJECT MAE CHAEM AMPHOE HOD CHANGWAT CHIANG MAI  
 SUBJECT DAILY EVAPORATION UNIT M. M. STATION OBB LUANG YEAR 1974

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	30	60	60	80	70	37	60	28	50	40	27	30
2	30	60	34	80	70	20	40	50	35	60	0.8	40
3	40	60	60	70	70	50	49	50	30	50	34	40
4	20	60	60	80	70	60	50	40	40	40	50	40
5	40	60	60	90	70	2.8	60	10	40	51	30	30
6	50	60	80	80	70	50	60	40	36	20	58	30
7	10	70	80	110	100	50	40	10	25	41	06	33
8	40	40	80	90	80	12	52	30	3.5	32	20	30
9	30	50	80	80	68	12	50	30	22	40	30	40
10	30	50	60	45	50	44	50	2.9	35	56	50	40
11	40	40	70	60	39	50	40	27	17	05	50	40
12	50	50	80	60	83	02	50	17	44	16	32	40
13	50	40	60	50	50	10	40	32	08	35	12	40
14	3.5	50	60	60	50	42	22	40	19	40	0.2	30
15	50	40	70	66	50	4.8	2.8	40	08	60	30	30
16	30	40	70	50	28	42	50	50	65	17	20	20
17	30	50	80	40	18	38	60	28	30	22	03	30
18	50	60	90	50	38	36	53	22	29	40	10	40
19	60	60	90	60	40	30	20	22	32	70	10	30
20	70	100	80	60	45	40	30	30	20	40	21	40
21	60	70	70	80	27	30	50	60	30	50	20	40
22	60	80	60	80	4.3	52	60	50	40	40	40	-
23	60	80	50	50	23	33	70	50	40	50	40	20
24	50	80	60	40	26	17	40	24	50	50	30	20
25	50	70	90	60	14	20	40	2.7	26	50	20	30
26	60	80	90	54	10	50	22	33	30	50	10	40
27	50	60	90	50	1.4	33	20	30	0.7	46	20	30
28	50	10	90	60	53	10	26	30	30	28	20	30
29	60	-	38	33	1.3	40	3.4	40	18	06	20	40
30	60	-	60	10	50	50	0.9	60	50	20	30	40
31	60	-	70	-	14	-	4.7	1.4	-	22	-	40
TOTAL	1430	1660	2172	1878	144.6	1066	1322	104.3	941	1187	753	1023
MEAN	46	72	70	62	47	36	4.3	34	31	88	2.5	33
MAX.	60	100	90	110	100	60	70	60	65	60	58	40
MIN	20	10	34	10	10	10	0.9	1.0	0.7	0.6	0.6	20

COMPILED BY.....CHECKED BY.....

HYDROLOGY SECTION

HD. -29

ELECTRICITY GENERATING AUTHORITY OF THAILAND  
 PROJECT MAE CHAEM AMPHOE HOD , CHANGWAT CHIANG MAI  
 SUBJECT DAILY EVAPORATION UNIT M. M. STATION OBB LUANG YEAR 1975

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	4.0	4.0	7.0	6.0	7.0	2.9	5.0	4.0	4.0	0.4	1.8	4.0
2	1.0	3.0	6.0	7.0	5.0	1.3	5.0	4.2	2.2	3.0	2.0	3.0
3	4.0	5.0	5.0	4.0	4.0	2.6	5.0	2.0	4.2	2.3	4.0	3.0
4	4.0	6.0	6.0	5.0	3.6	3.5	6.0	2.2	2.2	3.0	3.0	4.0
5	3.0	7.0	7.0	5.0	6.3	2.3	5.0	3.0	2.8	2.0	2.0	4.0
6	0.8	7.0	8.0	7.0	3.4	0.7	5.3	5.0	5.2	3.3	2.0	4.0
7	0.2	6.0	7.0	7.0	3.0	2.0	4.0	6.0	1.0	3.3	3.0	5.0
8	0.5	6.0	7.0	8.0	2.1	4.4	3.4	5.0	0.5	4.0	2.0	4.0
9	0.3	6.0	8.0	7.0	1.7	3.0	5.0	5.0	1.5	3.0	5.0	1.0
10	0.2	6.0	7.0	10.0	3.0	2.0	3.4	3.3	5.0	3.0	2.3	3.0
11	0.7	6.0	9.0	9.0	8.0	1.9	4.0	1.3	5.0	2.1	2.5	1.4
12	0.8	6.0	9.0	8.0	7.0	1.6	3.8	2.3	1.1	4.0	2.0	1.6
13	1.0	6.0	9.0	9.0	5.0	4.5	2.6	3.5	2.5	6.1	2.5	1.3
14	3.0	7.0	10.0	8.0	3.4	4.0	2.9	4.0	2.2	5.0	3.0	2.1
15	4.0	7.0	9.0	9.0	6.0	4.5	3.6	3.3	5.0	2.1	1.0	2.0
16	5.0	5.0	9.0	10.0	6.0	4.3	1.5	2.2	4.0	1.0	4.0	2.0
17	5.0	1.0	8.0	9.0	6.0	3.3	1.6	3.2	1.0	5.0	4.0	3.0
18	3.0	6.0	8.0	9.0	6.0	2.6	2.2	4.5	2.2	4.0	4.0	3.0
19	3.0	5.0	8.0	9.0	7.0	2.5	1.9	4.0	1.5	4.0	4.0	2.0
20	3.0	5.0	8.0	8.0	6.0	2.8	1.4	9.4	3.8	4.0	3.0	3.0
21	4.0	5.0	8.0	4.9	6.0	2.0	5.0	6.0	2.0	5.0	4.0	3.0
22	4.0	5.0	8.0	6.0	7.0	2.2	4.4	4.0	2.0	4.0	4.0	4.0
23	4.0	5.0	8.0	7.0	6.0	2.0	3.1	6.0	5.0	4.0	5.0	3.0
24	5.0	4.0	7.0	8.0	2.0	4.0	1.0	3.9	4.5	4.0	5.0	2.0
25	4.0	5.0	6.0	9.0	1.0	3.8	5.0	5.2	2.0	1.5	1.0	3.0
26	5.0	6.0	6.4	9.0	5.8	3.6	0.5	1.5	4.0	4.0	4.0	3.0
27	5.0	7.0	4.0	9.0	3.2	5.6	3.3	2.1	4.0	4.0	3.0	3.0
28	4.0	7.0	4.3	10.0	2.7	6.0	2.3	2.6	4.0	4.0	4.0	4.0
29	3.0	-	6.0	11.0	3.2	5.0	3.0	1.5	4.5	4.0	3.0	3.0
30	1.0	-	7.0	8.0	2.6	6.0	5.0	1.9	5.0	2.6	3.0	3.0
31	4.0	-	10.0	-	1.0	-	4.6	2.0	-	1.8	-	4.0
TOTAL	96.3	144.4	219.7	235.9	146.0	97.0	112.8	114.1	97.0	103.5	96.1	94.4
MEAN	3.1	5.2	7.1	7.9	4.7	3.2	3.6	3.7	3.2	3.3	3.2	3.1
MAX.	5.0	7.0	10.0	11.0	8.0	6.0	6.0	9.4	5.0	6.1	5.0	5.0
MIN	0.2	3.0	4.0	4.0	1.7	1.3	1.4	1.3	1.0	0.4	1.0	1.3

COMPILED BY..... CHECKED BY.....

HYDROLOGY SECTION

HD. -29



ELECTRICITY GENERATING AUTHORITY OF THAILAND  
 PROJECT MAE CHAEM AMPHOE HOD CHANGWAT CHIANG MAI  
 SUBJECT DAILY EVAPORATION UNIT M. M. STATION DBB LUANG YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	30	30	80	80	28	50	01	23	40	42	42	30
2	30	10	70	70	18	60	60	46	43	30	1.8	3.0
3	30	50	60	60	1.5	21	30	1.4	50	3.7	1.0	4.0
4	30	10	41	60	24	0.8	60	22	43	30	30	3.0
5	2.0	40	50	60	7.0	25	18	23	42	39	30	3.0
6	30	40	50	90	31	10	3.0	28	50	40	49	4.0
7	30	23	60	80	40	42	4.5	3.0	47	40	30	3.0
8	30	40	80	90	40	35	40	60	22	4.6	40	3.0
9	30	40	90	100	60	50	3.3	4.9	22	59	50	2.0
10	30	40	90	7.6	61	27	2.9	33	36	43	4.0	2.0
11	2.0	3.0	90	90	70	34	40	53	25	51	40	30
12	30	40	90	120	70	32	60	40	43	55	3.6	30
13	30	50	70	120	70	31	70	16	04	50	50	30
14	30	60	80	120	47	0.7	50	17	60	50	40	40
15	30	70	80	120	53	60	4.0	20	4.0	3.9	3.0	30
16	30	70	80	100	50	31	32	1.3	36	4.6	20	30
17	30	60	80	100	60	60	50	3.3	50	30	40	30
18	30	50	100	100	59	70	50	4.0	48	09	20	40
19	30	50	80	110	50	90	60	61	40	35	20	40
20	30	50	70	100	50	55	23	53	50	32	40	30
21	30	50	40	100	65	33	40	40	52	42	30	30
22	30	70	40	100	33	57	50	40	21	7.6	20	40
23	30	70	80	110	33	50	51	36	44	70	30	40
24	30	70	90	81	24	40	51	23	34	50	20	30
25	30	70	90	70	15	46	36	4.9	35	30	40	30
26	20	70	90	90	0.9	50	4.4	16	24	4.5	40	30
27	30	70	100	90	40	50	37	30	19	1.4	30	40
28	40	70	90	90	40	60	38	4.3	2.4	1.3	20	30
29	40	80	100	70	3.7	67	60	26	36	26	30	1.0
30	30	-	90	44	5.5	70	3.1	0.9	25	40	30	2.0
31	40	-	90	-	24	-	20	22	-	26	-	1.4
TOTAL	930	1533	2391	2691	1341	1351	1279	1008	1105	1235	965	944
MEAN	30	53	77	90	4.3	4.5	4.1	33	37	40	32	30
MAX.	10	80	100	120	70	90	70	61	60	76	50	40
MIN	20	23	40	44	09	07	01	09	04	09	10	10

COMPILED BY.....CHECKED BY.....

HYDROLOGY SECTION

HD. -29

ELECTRICITY GENERATING AUTHORITY OF THAILAND  
 PROJECT MAE CHAEM AMPHOE, HOD.....CHANGWAT CHIANG MAI  
 SUBJECT DAILY EVAPORATION UNIT M. M. STATION OBB LUANG YEAR 1977

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	14	50	7.0	38	80	17	39	21	39	60	68	30
2	23	50	40	50	70	46	50	43	40	50	40	20
3	30	50	50	50	42	36	43	42	40	50	30	20
4	04	50	50	06	70	40	40	40	50	38	30	30
5	30	50	40	64	47	40	30	33	33	50	20	40
6	30	40	50	1.1	70	70	33	27	38	41	30	30
7	30	40	50	50	60	70	4.4	40	1.1	78	30	30
8	40	30	20	80	55	70	20	57	20	50	40	40
9	50	40	30	60	52	80	39	70	1.6	20	40	30
10	30	40	30	81	60	80	60	80	4.5	32	40	40
11	30	40	30	60	40	68	50	80	4.2	35	50	30
12	50	40	30	80	59	7.8	70	1.8	25	1.7	50	30
13	10	50	50	60	59	42	80	80	32	43	50	30
14	50	40	50	80	26	65	60	70	60	42	40	30
15	30	40	60	90	3.4	40	50	60	53	24	40	30
16	40	40	70	70	50	29	31	60	05	50	40	30
17	40	40	70	64	28	60	37	62	35	50	30	40
18	30	50	60	80	40	70	37	50	4.3	50	40	30
19	30	40	70	70	70	70	50	4.3	50	50	30	20
20	40	40	60	30	70	70	70	29	21	56	40	30
21	30	50	50	50	70	70	80	3.7	40	33	40	34
22	40	50	60	60	4.3	4.7	26	40	40	21	30	1.8
23	30	50	70	70	5.7	3.7	0.3	46	22	40	30	30
24	40	50	50	60	16	3.7	30	65	30	45	30	40
25	30	40	4.5	80	32	63	36	4.2	60	20	40	30
26	40	50	40	60	14	50	50	25	50	40	30	40
27	40	60	5.7	80	70	45	60	40	60	13	30	30
28	40	60	50	80	70	50	41	40	39	20	30	20
29	40	-	70	70	60	60	1.1	50	60	1.5	5.3	09
30	50	-	70	80	50	80	20	49	28	40	20	10
31	40	-	10	-	41	-	11	20	-	50	-	10
TOTAL	1081		1582	1894	1605	1680	1301	1459	1111.7	1223	1111	881
MEAN	35		51	63	52	56	42	47	3.7	39	3.7	23
MAX.	50		70	90	80	80	80	30	60	78	68	40
MIN	04		20	06	14	17	03	1.8	0.5	13	20	09

COMPILED BY.....CHECKED BY.....

HYDROLOGY SECTION

HD. -29

ELECTRICITY GENERATING AUTHORITY OF THAILAND  
 PROJECT MAE CHAEM AMPHOE HOD CHANGWAT CHIANG MAI  
 SUBJECT DAILY EVAPORATION UNIT M. M. STATION OBB LUANG YEAR 1978

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	4.0	5.0	4.0	8.0	0.0	8.0	7.0	4.0	3.2	1.4	4.0	2.0
2	4.0	5.0	5.0	8.0	9.0	8.0	7.3	3.2	3.5	2.8	4.0	3.0
3	3.0	3.0	7.0	7.0	1.0	7.0	2.2	4.2	2.7	3.2	5.0	4.0
4	3.0	4.0	7.0	8.0	9.0	3.5	0.2	3.8	3.3	2.0	4.0	4.0
5	3.0	3.0	7.0	9.0	9.0	5.0	3.6	3.6	4.4	3.4	4.0	3.0
6	1.0	4.0	6.0	9.0	6.2	6.0	3.0	3.1	3.0	0.9	4.0	4.0
7	2.8	5.0	7.0	9.0	5.1	4.6	6.1	1.4	5.0	2.9	5.0	4.0
8	1.4	5.0	7.0	9.0	7.0	3.2	4.7	2.0	4.4	4.0	5.0	3.0
9	3.0	6.0	8.0	8.0	5.6	2.9	4.0	2.8	1.3	4.4	4.8	4.0
10	2.0	5.0	8.0	7.0	9.0	3.1	2.6	4.5	3.0	4.4	4.0	3.0
11	1.7	4.0	8.0	7.0	7.7	5.0	1.3	5.0	4.8	3.0	4.0	4.0
12	1.3	5.0	7.0	8.0	6.3	6.0	1.0	2.5	3.4	3.5	4.0	3.0
13	3.0	6.0	8.0	8.2	3.3	7.2	4.0	4.4	2.8	4.3	4.0	4.0
14	4.0	6.0	8.0	6.0	3.0	8.0	3.0	2.5	5.0	6.0	4.0	3.0
15	4.0	6.0	8.0	8.0	3.3	6.2	1.8	2.6	3.2	4.0	4.0	4.0
16	3.0	6.0	7.0	7.0	1.6	6.0	3.5	1.4	5.2	5.0	4.0	4.0
17	4.0	5.0	8.0	8.0	2.4	4.8	6.1	2.3	4.1	5.0	4.0	4.0
18	4.0	5.0	7.0	8.0	1.3	5.0	4.3	2.4	5.0	4.0	4.0	4.0
19	4.0	5.0	7.0	7.6	3.4	4.8	4.3	5.4	3.8	5.0	4.0	3.0
20	3.0	4.0	7.0	8.0	4.0	4.5	4.7	2.4	2.4	4.0	3.0	4.0
21	3.0	6.0	7.0	6.6	6.0	4.2	2.8	5.5	5.0	5.0	3.0	3.0
22	4.0	6.0	8.0	7.0	7.0	5.0	3.2	0.6	5.9	4.0	3.0	4.0
23	3.0	5.0	9.0	7.0	8.0	4.0	3.8	4.1	0.6	5.0	4.0	4.0
24	4.0	6.0	8.0	9.0	7.0	3.5	3.0	4.2	1.2	5.0	4.0	3.0
25	4.0	5.0	9.0	8.0	5.0	3.0	3.2	5.0	5.4	3.0	4.0	3.0
26	1.0	1.0	7.0	7.5	7.3	2.5	6.0	6.0	4.7	4.0	4.0	5.0
27	4.0	4.0	8.0	7.1	5.3	5.0	3.0	5.2	2.4	5.0	4.0	4.0
28	5.0	2.5	7.0	9.0	6.0	0.2	3.6	6.0	4.4	4.0	5.0	4.0
29	5.0	-	7.0	9.0	8.0	0.3	2.2	3.3	2.3	4.5	4.0	4.3
30	4.0	-	8.0	9.0	8.0	3.2	4.0	2.4	3.8	6.0	2.0	4.0
31	6.0	-	7.0	-	7.0	-	5.9	2.6	-	5.0	-	4.0
TOTAL	108.2	135.5	226.0	237.0	191.8	139.7	115.4	111.4	109.2	123.7	119.8	113.3
MEAN	3.5	4.8	7.3	7.9	6.2	4.6	3.7	3.6	3.6	4.0	4.0	3.6
MAX.	6.0	6.0	9.0	9.0	11.0	8.0	7.3	6.0	5.9	6.0	5.0	5.0
MIN	1.3	2.5	4.0	6.0	1.3	0.2	0.2	0.6	0.6	0.9	2.0	2.0

COMPILED BY, ..... CHECKED BY.....

HYDROLOGY SECTION

HD. -29

ELECTRICITY GENERATING AUTHORITY OF THAILAND  
 PROJECT MAE CHAEM AMPHOE HOD CHANGWAT CHIANG MAI  
 SUBJECT DAILY EVAPORATION UNIT M. M. STATION OBB LUANG YEAR 1979

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	40	50	60	90	70	80	30	60	28	29	10	40
2	20	60	46	70	70	80	50	50	45	50	50	40
3	30	60	50	80	70	70	62	40	50	60	40	40
4	30	60	60	90	70	60	50	40	38	54	40	40
5	30	60	70	80	70	42	47	35	24	63	40	40
6	30	50	80	80	80	46	60	30	38	20	40	40
7	40	40	80	80	80	42	60	27	30	22	50	50
8	40	40	70	80	70	64	47	10	40	10	50	40
9	40	60	70	80	70	60	60	40	35	30	50	40
10	50	60	70	80	82	64	60	40	40	34	50	40
11	50	70	80	80	42	55	60	50	50	20	60	30
12	40	70	80	80	50	60	30	25	50	40	50	40
13	40	70	100	80	70	59	24	1.5	50	40	60	30
14	40	60	90	80	80	49	50	16	50	40	60	40
15	50	60	80	80	70	58	40	02	30	50	60	30
16	40	50	70	80	70	40	60	23	50	50	60	30
17	30	50	90	80	60	33	70	35	46	40	60	40
18	40	70	80	80	80	34	56	30	42	40	60	30
19	50	60	80	90	61	71	27	28	54	40	60	40
20	50	80	90	90	65	54	60	24	40	40	70	30
21	30	70	80	80	35	65	70	23	50	50	70	40
22	40	70	80	80	18	50	60	30	48	17	60	40
23	40	70	90	78	38	40	33	06	46	40	60	40
24	40	70	60	20	74	41	44	30	34	50	60	40
25	40	80	60	50	34	52	55	32	50	20	60	40
26	40	70	80	50	88	60	40	09	30	50	50	40
27	50	70	70	40	60	60	50	30	12	41	50	40
28	40	70	70	45	70	28	48	24	22	34	40	40
29	50	-	80	30	80	36	40	60	13	30	30	30
30	40	-	80	60	80	40	58	50	17	30	30	40
31	40	-	90		80		50	50		30		40
TOTAL	1230	1750	2336	2163	1988	1593	1551	937	1153	1164	1560	1180
MEAN	40	63	75	72	64	53	50	30	38	38	52	38
MAX.	50	80	100	90	82	80	70	60	50	63	70	50
MIN	20	40	46	20	18	28	24	02	12	10	30	30

COMPILED BY..... CHECKED BY.....

HYDROLOGY SECTION

HD. -29

12. SAN PA TONG

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	4.0	4.0	7.0	5.0	10.0	3.0	4.8	3.0	4.0	5.0	2.0*	1.0*
2	3.0	5.0	7.0	5.0	10.0	5.0	4.4	4.0	4.0	5.0	2.0	1.3
3	3.0	4.0	7.0	5.5	9.0	4.0	4.5	4.2	6.2	4.0	4.0	1.6
4	2.0	4.0	7.0	4.7	4.3	5.0	4.6	3.8	6.0	4.0	3.0	0.4
5	2.0	4.0	7.0	4.8	9.1	5.0	2.0	3.0	3.0*	5.0	4.0	0.5
6	3.0	4.0	7.0	6.0	4.0	4.0	4.0	3.2	3.2	5.0	4.0	2.0
7	3.5	4.0	6.0	7.0	7.0	4.0	4.0	1.0*	5.3	5.0	3.0	4.0
8	3.0	4.0	7.0	5.0	7.0*	4.0	4.0	4.0	2.0	4.0	3.0	2.0
9	4.0	4.0	6.0	6.0	7.0	4.0	5.0	3.0	2.0	1.2	1.0	2.0
10	3.0	5.0	6.0	4.0	7.0	4.6	2.0	3.0	3.3	5.0	1.0	2.0
11	3.0	6.0	7.0	5.8	8.0	4.0	2.6	4.0	2.4	4.0	3.0	3.0
12	3.0	5.0	7.0	6.0	5.0	4.0*	4.0	4.0	1.8	4.1	4.0	2.6
13	4.0	5.0	7.0	6.0	6.0	5.6	2.5	6.6	4.0	4.0	3.0	1.2
14	3.0	5.0	7.0	6.0	6.5	3.5	3.0	1.0*	5.0	4.0	3.0	2.0
15	3.0	5.0	7.0	7.0	6.7	4.4	3.0	3.0	3.8	3.0	3.0	2.0
16	1.8	5.0	6.0	8.2	1.0*	4.0	4.0	6.0	1.6	5.0	3.0	3.0
17	2.0	6.0	7.0	7.0	1.0*	4.0	4.0	3.8	4.2	4.0	2.0	2.0
18	3.0	6.0	7.0	7.0	3.6	4.0	2.0*	4.0*	6.5	4.2	4.0	2.0
19	4.0	4.0	7.0	6.0	6.0	4.0	2.0	4.2	4.5	2.5	4.0	2.0
20	3.0	4.0	7.0	7.0	3.3	4.4	1.0	2.4	2.2	2.0	2.0	3.0
21	4.0	5.0	3.0	3.6	2.6	4.0	3.0	2.0	5.0	1.7	2.0	2.0
22	4.0	5.0	3.5	5.0*	2.6	5.2	1.0*	3.2	4.0	2.1	3.0	2.0
23	4.0	6.0	4.0	4.4	5.0	4.2	1.0	3.4	3.8	3.0	4.0	2.0
24	4.0	6.0	6.0	7.4	5.0*	3.4	4.2	3.4	2.2	4.0	3.0	2.0
25	4.0	7.0	7.0	4.5	6.0	5.0	3.0	3.0	4.0	2.0*	3.0	2.0
26	4.0	6.0	7.0	5.0	5.0	7.4	4.0	2.0*	6.0	2.6	2.0	2.0
27	4.0	6.0	7.0	6.0	6.0	3.0	4.0	2.8	3.4	4.0	2.0	3.0
28	4.0	6.0	8.0	7.0	8.5	4.0	3.0	5.0	2.6	3.0	2.0	2.0
29	4.0		8.0	9.0	7.5	2.5	4.0	4.0	2.5	1.6	1.0	2.0
30	4.0		8.0	9.0	5.0	4.0	3.5	2.5	1.0	1.0	0.8	3.0
31	4.0		6.0		8.3		2.0	3.5		2.0		2.0
TOTAL	104.3	140.0	203.5	179.9	183.0	127.2	100.1	106.0	109.5	107.0	80.8	63.6
MEAN	3.3	5.0	6.5	5.9	5.9	4.2	3.2	3.4	3.6	3.4	2.6	2.0

ANNUAL EVAPORATION 15049 MILLIMETERS

NOTE: \* ESTIMATED

16. SAN PA TONG

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG	SEPT.	OCT	NOV.	DEC.
1	2.0	5.0	6.0	7.0	7.0	3.3	2.5	3.0	3.0	2.5	3.0	2.0
2	2.0	4.0	7.0	7.0	8.0	3.5	3.4	2.0	3.0	5.0	3.0	2.0
3	2.0	4.0	6.0	7.0	8.0	7.3	2.3	4.0	3.0	5.0	4.0	3.0
4	2.0	5.0	6.0	7.0	4.0	4.0	5.0	4.0	2.0	5.0	2.0	3.0
5	2.0	4.0	7.0	7.0	6.5	3.0	5.0	2.0	3.0	5.0	3.0	4.0
6	2.0	4.0	6.0	6.0	3.0	4.0	4.0	3.0	4.1	3.8	2.8	3.0
7	2.0	3.0	7.0	7.0	6.0	3.4	0.4	2.5	1.0	4.0	2.2	4.0
8	2.0	2.0	5.0	6.0	6.0	3.7	5.0	2.0	1.0	5.0	2.3	2.0
9	2.0	5.0	5.0	6.0	7.0	4.0	5.0*	2.6	5.0	2.3	3.0	3.0
10	2.0	4.0	3.0	7.0	7.0	3.5	5.0	3.0	5.0	3.0	3.0	3.0
11	2.0	4.0	3.0	7.0	5.0	4.0	1.8	3.0	2.4	2.0	3.0	4.0
12	2.0	5.0	6.0	6.0	7.3	5.0	2.5	4.0	5.0	2.0	1.2	3.0
13	2.0	5.0	3.0	8.0	8.8	6.0	3.2	2.0	5.0	4.0	4.0	3.0
14	2.0	4.0	4.0	7.0	7.4	7.0	4.0	3.0	4.0	5.0	4.0	2.0
15	2.0	3.0	6.0	7.0	7.0	7.0	4.0	5.0	3.6	4.0	3.0	2.5
16	2.0	5.0	4.3	6.4	4.0	3.8	3.9	2.0	3.9	3.0	2.0	0.5
17	2.0	4.0*	4.8	7.5	4.0	5.4	1.0	2.0	1.3	5.0	3.0	3.0
18	2.0	4.0	4.0*	6.0	4.2	6.0	0.5	2.0	2.0	4.0	3.0	4.0
19	3.0	5.0	6.0	6.0*	1.8	3.0	3.0	1.0	4.0	4.0	3.0	2.2
20	3.0	4.0	7.0	6.0	5.2	4.6	3.0*	1.0	5.0	4.0	2.0	2.0
21	2.0	5.0	7.0	7.0	5.5	2.2	2.6	1.3	6.0	4.0	3.0	2.0
22	3.0	5.0	4.0	7.0	4.2	3.5	2.5	2.0	3.0	5.0	3.0	3.0
23	7.3	6.0	5.5	8.2	4.0	4.0	2.0	3.0	4.0	3.0	3.0	3.0
24	3.0	6.0	4.0	6.5	4.6	3.0	2.2	3.1	3.3	3.0	3.0	3.0
25	3.0	5.0	6.0	5.0	3.8	3.2	2.0	2.5	4.2	4.5	2.0	4.0
26	3.0	6.0	6.0	4.0	4.2	5.3	2.5	2.0	4.5	2.3	3.0	3.0
27	4.0	6.0	7.0	7.0	4.0	3.2	3.3	1.0	4.4	2.4	2.2	2.5
28	3.0	5.0	6.0	6.0	4.0	5.3	2.0	3.8	5.0	1.0	2.0	1.3
29	3.0		6.0	7.0	5.2	3.9	2.0	4.0	3.8	2.1	2.0	1.0
30	5.0		6.0	7.0	3.5	3.5	3.0	4.3	3.6	3.0	3.0	3.0
31	4.0		7.0		6.1		1.1	4.0		4.0		1.6
TOTAL	82.3	127.0	170.6	198.6	166.3	128.6	89.7	84.1	108.1	111.9	82.7	82.6
MEAN	2.6	4.5	5.5	6.6	5.3	4.2	2.4	2.7	3.6	3.6	2.7	2.6

ANNUAL EVAPORATION 1,432.5 MILLIMETERS

NOTE: \* ESTIMATED

17. SAN PA TONG

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	30	40	40	50	41	40	50	50	40	50	40	1.0
2	30	40	40	60	50	37	30	50	30	07	30	30
3	3.0	50	40	102	6.0	43	30	15	50	1.4	30	30
4	4.0	50	5.0	60	7.0	40	40	20	5.0	20	27	20
5	30	50	4.0	60	70	40	40	2.6	42	60	02	2.0
6	30	50	5.0	60	60	44	50	2.5	23	50	2.0	20
7	30	50	50	50	60	21	50	23	1.5	40	30	1.4
8	30	60	50	05*	7.0	03*	50	3.0	40	4.5	40	30*
9	30	50	60	33	54	1.0	60	20	50	4.0	30	30
10	40	30	60	1.0	6.0	30	5.0	5.0	50	36	4.0	30
11	3.0	4.0	50	35	5.0	4.0	22	4.4	6.0	20	30	1.1
12	3.0	50	3.2	3.0	31	4.3	2.1	3.0	60	40	4.0	0.1
13	30	50	6.0	60	5.0	40	3.0	21	42	0.5	3.0	1.0
14	30	50	5.0	6.0	5.0	5.0	3.0	25	60	2.1	30	2.0
15	40	6.0	60	4.5	22	50	3.3	30	35	40	3.0	3.0
16	30	5.0	7.0	60	2.5	5.0	1.3	20	5.0	10	4.0	30
17	30	50	5.0	60	26	3.0	4.0	5.0	30	30	3.0	30
18	40	50	5.0	60	32	4.0	50	30	40	3.0	30	2.0
19	40	50	5.0	60	40	37	40	1.4	1.6	50	2.0	30
20	40	6.0	50	60	5.0	46	4.2	0.2	34	50	1.5	2.0
21	30	6.0	50	44	60	5.0	5.0	25	22	06	2.0	3.0
22	40	50	60	40	5.0	5.0	30	33	40	30	2.4	30
23	30	6.0	60	5.0	5.0	50	2.2	24	24	40	2.2	30
24	40	5.0	5.0	60	43	6.0	40	12	24	50	40	3.0
25	3.0	5.0	2.9	5.0	2.4	60	23	31	36	40	0.5	30
26	4.0	60	5.0	3.5	30	50	1.3	5.0	25	40	1.4	20
27	30	5.0	6.0	3.0	41	50	6.1	50	4.0	40	1.0	3.0
28	30	60	60	4.2	5.9	5.0	4.0	30	5.0	40	3.0	30
29	4.0	50	6.0	31	58	4.0	1.8	30	40	4.0	2.0	30
30	30		5.0	4.2	20	2.1	1.8	68	4.0	40	2.0	3.0
31	40		5.0		4.0		40	40		40		3.0
TOTAL	1040	147.0	1581	1444	1446	121.5	112.6	96.8	1158	1064	789	756
MEAN	3.3	50	5.1	48	46	40	36	3.1	38	34	2.6	24

ANNUAL EVAPORATION 14057 MILLIMETERS

NOTE: \* ESTIMATED

21. SAN PA TUNG

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	3.0	5.0	5.0	2.2	7.0	3.3	2.1	2.0	4.0	4.0	2.0
2	1.0	4.0	5.0	5.0	4.0	0.5	4.0	2.5	8.5	4.0	2.0	2.0
3	2.0	4.0	4.2	5.0	1.1	3.7	2.1	3.4	2.5	4.0	2.0	2.0
4	2.0	4.0	5.0	5.0	2.2	4.5	2.4	2.8	2.0	-	3.0	2.0
5	3.0	5.0	6.0	6.0	2.0	5.0	4.6	0.5*	2.6	-	2.0	2.0
6	2.0	4.0	1.3	6.0	3.0	2.5	3.2	3.2	3.5	-	3.0	2.0
7	2.0	4.0	3.3	5.0	5.0	2.4	6.0	3.3	3.8	-	2.0	2.0
8	3.0	2.0	4.0	6.0	6.2	1.2	4.2	5.0	2.0	-	3.0	2.0
9	3.0	3.0	5.0	6.0	4.0	2.4	1.7	0.9	4.0	-	3.0	2.0
10	3.0	4.0	5.0	7.0	4.0	3.5	4.0	0.8	4.4	-	4.2	2.0
11	4.0	4.0	5.0	8.0	4.0	3.3	5.0	4.1	4.0	-	3.0	3.0
12	4.0	4.0	4.0	6.0	5.3	3.0	0.8	4.0	4.3	-	1.0	3.0
13	3.0	4.0	6.0	7.0	1.8	1.4	4.0	4.2	3.0	5.0	2.2	3.0
14	3.0	4.0	6.0	9.0	1.2	3.5	4.0	4.0	4.2	0.8	2.0	3.0
15	3.0	4.0	3.0	9.0	3.0	2.2	5.0	3.0	2.2	2.4	2.0	3.0
16	3.0	5.0	4.0	9.0	4.0	1.1	4.0	4.0	5.1	2.0	2.0	2.0
17	3.0	5.0	3.0	8.0	7.0	2.0	1.2	2.5	2.9	3.0	2.0	2.0
18	3.0	5.0	4.0	7.0	4.3	2.3	0.8	2.4	1.8	4.0	1.0	2.0
19	3.0	5.0	7.0	6.0	4.0	2.2	2.0	3.0	1.1	5.0	2.0	2.0
20	3.0	5.0	6.0	6.0	6.0	4.6	2.1	1.2	4.2	5.0	2.0*	3.0
21	3.0	5.0	5.0	7.0	7.0	4.0	3.0	2.5	3.2	5.2	0.1	2.0
22	4.0	5.0	4.0	7.0	1.7	6.0	3.2	0.9	3.0	4.0	1.0	3.0
23	3.0	5.0	5.0	6.0	5.0	6.0	0.8	2.5	4.0	3.5	2.0	2.0
24	3.0	5.0	3.0	7.0	5.0	3.0	1.8	2.5	5.5	3.3	4.0	2.0
25	3.0	5.0	4.0	7.0	4.0	3.0	3.7	2.6	2.2	3.0	3.0	2.0
26	4.0	5.0	5.0	6.0	6.0	5.0	3.0	0.4	3.5	3.2	2.0	2.0
27	4.0	5.0	5.0	6.0	3.0	3.0	5.0	3.3	3.8	3.0	3.0	2.0
28	4.0	5.0	5.0	6.0	4.0	0.4	2.3	4.1	1.6	4.0	3.0	2.0
29	3.0		5.0	7.0	2.5	4.0	3.2	1.4	2.5	5.0	3.0	2.0
30	3.0		5.0	3.4	1.8	3.2	5.0	2.1	3.0	4.0	2.0	2.0
31	4.0		4.0		6.0		2.0	1.2		5.0		-
TOTAL	94.0	122.0	141.8	193.4	120.3	95.9	97.4	80.4	100.4		70.5	
MEAN	3.0	4.3	4.5	6.4	3.8	3.1	3.1	2.5	3.3		2.3	

NOTE: \* ESTIMATED  
- NO REPORT



SAN PA TONG

DAILY EVAPORATION IN MILLIMETERS FOR CALENDER YEAR 1974

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	3.0	1.5	7.0	8.0	3.0	4.2	3.0	2.2	3.2	2.3	3.0
2	3.0	4.0	6.0	7.0	8.0	4.0	4.0	6.0	3.0	3.0	3.0	3.0
3	3.0	5.0	5.0	7.0	7.0	5.0	4.3	3.2	5.0	5.0	5.0	3.0
4	4.0	5.0	7.0	7.0	5.2	6.0	3.0	1.4	5.0	3.3	3.0	3.0
5	3.0	5.0	7.0	8.0	7.0	3.2	4.0	5.1	1.5	2.2	1.5	3.0
6	3.0	4.0	7.0	8.0	8.0	4.2	2.2	4.0	3.6	3.9	1.0	2.0
7	3.0	3.0	7.0	7.0	8.0	2.7	4.0	3.2	2.4	10.2	3.0	3.0
8	3.0	3.0	5.0	4.5	8.1	4.0	4.0	2.2	3.2	4.2	4.0	3.0
9	3.0	2.0	6.0	3.1	7.0	4.0	3.0	5.0	1.3	3.0	3.0	3.0
10	4.0	2.0	6.0	6.0	5.6	0.1	3.0	3.2	2.1	6.0	5.0	3.0
11	3.0	3.0	6.0	2.9	5.4	4.0	3.0	2.2	1.8	5.0	2.4	3.0
12	3.0	3.0	7.0	7.0	5.0	5.0	4.0	1.4	3.5	4.0	3.3	3.0
13	3.0	4.0	7.0	6.0	6.0	2.5	5.0	2.2	1.5	3.0	2.5	2.0
14	3.0	4.0	7.0	6.0	7.0	2.2	5.0	4.0	1.8	5.0	3.0	2.0
15	4.0	5.0	7.0	6.0	2.2	3.6	5.0	6.0	4.4	2.0	3.0	2.0
16	3.0	5.0	7.0	7.0	6.0	3.0	4.3	3.0	3.5	3.0	1.0	3.0
17	3.0	5.0	7.0	8.0	6.0	4.0	3.0	2.2	3.5	5.0	0.4	3.0
18	4.0	5.0	7.0	8.0	6.0	4.0	3.0	0.8	4.6	4.0	2.2	3.0
19	4.0	6.0	7.0	8.0	3.4	3.0	1.3	1.2	2.6	3.8	1.0	3.0
20	4.0	7.0	6.0	8.0	0.2	5.5	1.1	3.1	3.0	3.0	3.0	3.0
21	3.0	6.0	5.0	7.0	3.2	4.0	4.8	4.0	6.0	5.0	2.0	2.0
22	4.0	6.0	6.0	7.0	3.3	2.6	1.9	5.3	5.0	5.0	2.0	1.0
23	3.0	7.0	6.0	7.0	0.5	3.3	3.0	1.6	4.0	6.0	3.0	2.0
24	4.0	6.0	7.0	5.6	2.3	3.0	3.0	4.2	3.0	8.0	3.0	2.0
25	3.0	5.0	7.0	7.0	3.0	3.6	3.2	2.3	4.4	7.0	2.0	2.0
26	4.0	6.0	7.2	6.0	2.6	4.0	3.5	4.0	1.5	5.0	3.0	3.0
27	3.0	4.0	3.0	6.4	6.0	4.1	2.0	3.0	2.1	2.2	2.0	3.0
28	3.0	5.0	5.1	0.2	2.2	3.2	1.2	2.5	3.0	4.6	2.0	3.0
29	4.0		7.0	5.0	3.2	4.0	0.0	5.0	3.5	8.3	3.0	3.0
30	3.0		6.6	7.0	4.0	3.5	3.7	1.4	3.0	4.5	2.0	4.0
31	4.0		7.0		1.6		1.1	5.4		5.8		3.0
.....												
TOTAL	104.0	128.0	192.4	189.7	151.0	108.3	97.7	101.2	95.0	143.2	76.6	84.0
MEAN	3.3	4.5	6.2	6.3	4.8	3.6	3.1	3.2	3.1	4.6	2.5	2.7

ANNUAL EVAPORATION 1,471.1 MILLIMETERS

SAN PA TONG

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1975

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	3.0	3.0	3.4	5.0	2.4	4.0	2.2	2.0	3.0	3.0	2.5
2	3.0	3.0	4.0	3.5	4.0	4.2	4.5	3.3	3.2	3.1	2.5	2.5
3	4.0	4.0	5.0	4.0	6.0	3.5	3.4	3.2	4.0	3.1	3.0	3.0
4	2.0	5.0	5.0	4.0	4.8	3.5	4.0	2.9	3.9	2.2	3.3	3.0
5	0.4	4.0	7.0	5.0	2.6	4.0	2.8	2.8	3.8	2.0	3.2	2.5
6	0.6	4.0	6.0	6.0	2.1	4.8	2.1	3.0	2.7	3.2	2.4	3.0
7	2.5	4.0	6.0	6.0	3.2	1.2	4.0	3.0	2.2	5.0	2.2	3.5
8	1.5	4.0	6.0	5.0	1.4	3.0	4.0	3.0	2.0	2.7	3.0	3.0
9	2.2	4.0	6.0	5.0	4.0	5.0	4.2	3.6	4.6	2.0	3.0	2.4
10	0.5	4.0	6.0	5.0	6.0	5.0	4.0	1.1	3.0	4.2	2.0	3.0
11	1.5	4.0	6.0	6.0	6.0	3.8	4.6	3.3	5.6	4.0	3.0	1.5
12	2.0	4.0	6.0	6.0	6.0	4.2	1.1	4.0	2.2	2.8	3.1	0.2
13	3.0	4.0	6.0	6.0	3.1	5.0	2.6	3.2	2.0	3.7	3.3	2.4
14	3.0	5.0	6.0	6.0	4.0	3.7	1.4	2.5	5.0	3.0	3.5	2.2
15	3.0	5.0	6.0	6.0	5.0	5.0	1.8	3.5	4.3	5.2	3.5	2.3
16	3.0	5.0	5.0	7.0	5.0	4.0	0.6	2.7	4.2	3.0	3.0	1.0
17	3.0	4.0	6.0	7.0	5.0	1.3	1.6	0.8	7.2	4.0	3.0	2.0
18	2.0	5.0	6.0	6.0	6.0	2.4	1.3	2.0	2.5	4.2	3.0	2.0
19	3.0	5.0	6.0	6.0	6.0	4.2	3.8	3.8	2.0	4.0	3.3	2.0
20	3.0	4.0	6.0	3.1	5.0	3.5	5.2	2.9	4.0	4.5	3.2	2.0
21	3.0	3.0	6.0	5.0	6.0	3.2	4.3	2.2	9.1	4.5	3.0	3.0
22	4.0	4.0	5.0	7.0	4.0	4.5	2.7	2.0	6.2	4.2	3.0	2.4
23	3.0	4.0	4.0	6.0	6.0	3.0	2.3	4.0	3.0	3.3	1.4	2.0
24	4.0	4.0	3.0	7.0	3.7	4.2	3.0	1.4	5.0	3.8	2.0	2.0
25	4.0	4.0	4.0	4.7	4.3	5.0	2.1	1.1	5.0	3.7	2.0	2.0
26	3.0	5.0	5.0	2.8	4.4	5.5	4.0	2.2	5.0	4.5	2.6	2.3
27	3.0	5.0	4.0	5.0	5.0	5.0	3.6	2.2	5.0	4.0	2.5	2.0
28	3.0	5.0	4.0	6.0	5.0	6.0	4.0	2.4	4.0	4.5	2.5	2.5
29	4.0		5.0	6.0	4.5	5.0	5.0	0.8	3.0	4.3	2.5	2.0
30	3.0		6.0	6.0	5.0	5.0	4.0	2.5	2.7	1.2	2.3	2.0
31	4.0		6.0		3.7		3.7	3.2		2.0		2.5
.....												
TOTAL	84.2	118.0	162.0	161.5	142.0	123.1	99.7	80.8	118.4	108.9	83.3	70.7
MEAN	2.7	4.2	5.2	5.3	4.5	4.1	3.2	2.6	3.9	3.5	2.7	2.2

ANNUAL EVAPORATION 1.352.6 MILLIMETERS

SAN PA TONG

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	2.0	3.5	6.0	5.5	4.5	4.7	3.8	2.2	5.0	3.1	2.5	2.0
2	2.0	3.7	5.5	5.5	2.5	2.2	3.6	3.1	4.3	3.3	1.8	3.0*
3	2.0	3.5	4.0	5.5	2.5	2.7	3.5	3.5	5.0	2.0	3.0	3.0
4	2.5	3.0	3.0	2.5	5.3	0.8	4.3	1.1	4.0	2.8	3.0	1.0
5	2.0	3.4	5.5	5.0	4.5	2.8	4.5	2.5	5.6	3.5	4.0	3.0
6	2.3	2.7	5.5	5.7	2.6	2.7	2.6	1.3	4.4	5.0	3.6	3.0
7	3.0	3.5	6.5	6.5	3.0	3.8	5.0	2.7	2.0	1.2	4.1	2.3
8	2.0	4.2	6.5	6.5	4.3	4.2	4.0	2.0	3.7	2.4	4.0	2.0
9	2.5	4.5	7.0	5.0	4.5	3.1	2.0	1.6	3.6	1.9	4.5	2.0
10	2.5	4.0	7.0	5.5	5.2	3.3	4.5	3.8	4.0	3.0	4.0	2.0
11	2.5	4.0	8.0	7.7	6.7	2.2	5.0	4.3	4.5	5.3	4.0	2.4
12	3.0	4.0	7.5	7.5	6.5	2.5	5.5	2.0	1.1	5.5	3.5	2.0
13	2.5	4.5	6.0	6.3	4.6	3.0	4.0	3.5	3.8	3.7	4.0	2.0
14	2.0	5.5	7.0	7.5	4.3	4.7	4.1	1.5	4.6	2.8	4.0	2.0
15	2.5	4.5	6.5	8.5	6.0	4.5	5.3	3.0	5.0	4.5	2.5	2.4
16	3.0	5.0	6.5	8.0	7.5	5.3	6.0	3.0	4.8	4.4	4.0	2.4
17	2.7	4.7	7.0	8.0	7.0	5.0	6.0	5.0	4.5	4.3	3.3	2.5
18	2.0	5.0	7.0	8.0	6.0	5.6	6.3	5.0	3.5	2.9	3.0	3.0
19	2.5	5.5	4.5	8.0	3.3	5.0	3.4	6.0	0.3	1.7	3.8	3.0
20	2.0	5.3	4.0	8.0	6.8	5.5	4.0	4.5	2.6	4.8	4.0	2.5
21	2.5	5.5	6.0	7.0	3.5	6.0	5.5	2.7	2.1	2.6	3.0	3.0
22	2.7	5.0	5.5	7.5	3.5	4.2	1.8	4.0	2.9	3.2	3.0	2.5
23	3.0	5.8	7.0	8.5	4.0	4.3	1.4	3.1	1.0	3.5	2.5	3.0
24	2.7	6.0	7.6	6.2	1.6	5.2	3.5	4.0	4.4	4.2	3.0	3.5
25	3.0	5.5	7.0	6.0	1.8	5.0	2.7	3.0	1.5	3.7	1.0	3.0
26	3.0	6.0	7.0	8.0	3.4	4.0	2.2	3.0	2.5	4.2	1.0	3.0
27	3.0	6.0	7.5	7.5	4.0	3.3	2.7	4.0	2.9	1.1	1.0	3.0
28	3.4	6.0	8.0	3.5	4.5	4.2	4.5	8.3	2.5	3.0	1.0	2.0
29	3.0	5.5	7.3	5.5	4.0	5.5	5.7	2.6	2.5	4.5	2.3	2.0
30	3.0		6.6	5.0	4.0	5.5	1.5	6.7	3.0	2.5	2.0	1.5
31	3.3		7.0		4.2		1.9	4.0		1.1		0.3
.....												
TOTAL	80.1	135.3	197.0	195.4	136.1	120.8	120.8	107.0	101.6	101.7	90.4	74.5
MEAN	2.5	4.5	6.3	6.5	4.3	4.0	3.8	3.4	3.3	3.2	3.0	2.4

ANNUAL EVAPORATION 1,460.7 MILLIMETERS

NOTE: \* ESTIMATED

SAN PA TONG

DAILY EVAPORATION IN MILLIMETERS FOR CALNDAR YEAR 1977

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	1.3	4.0	5.0	2.5	7.0	4.5	3.0	2.8	3.5	4.8	3.0	1.0
2	2.8	4.0	6.5	4.8	7.5	4.0	3.0	2.5	4.5	5.0	3.5	2.0
3	0.5	4.5	7.0	3.0	7.0	2.7	2.8	4.0	4.9	4.0	3.7	3.0
4	1.5	4.0	2.0	3.6	2.5	5.0	2.0	3.3	4.5	5.0	4.0	3.0
5	2.0	4.0	4.5	7.2	6.0	6.0	2.7	2.5	5.0	3.0	4.0	2.0
6	2.6	4.0	4.5	3.0	6.5	6.5	3.0	3.0	3.5	4.0	4.3	3.5
7	2.5	0.5	3.0	3.0	5.0*	6.0	9.0	3.9	2.7	5.0	3.7	3.0
8	2.5	4.6	4.0	3.0	5.0*	6.0	2.0	4.5	3.0	3.8	3.9	3.0
9	3.0	4.4	3.0	5.6	4.5	7.0	3.7	4.0	2.3	2.0	3.0	3.5
10	2.6	4.0	5.0	6.0	2.6	6.0	4.5	3.7	4.5	4.5	4.5	3.0
11	2.8	4.0	5.0	6.0	9.2	7.0	4.5	2.3	3.6	5.2	4.0	4.0
12	3.0	4.0	5.6	7.5	4.0*	4.5	5.0	3.0	5.0	3.3	3.0	3.0
13	3.0	4.0	6.0	6.0	4.0	5.0	2.8	4.0	3.0	3.0*	3.5	3.0
14	3.5	4.5	6.0	6.0	4.0	4.2	2.5	5.0	3.1	3.0	4.0	3.5
15	3.0	3.8	6.0	6.0	4.0	5.0	2.4	5.0	2.5	1.0	2.0	3.8
16	3.0	3.6	7.0	6.0	3.0	7.0	3.9	5.5	5.3	4.5	2.0	3.0
17	3.5	3.5	7.5	6.3	4.0	5.0	4.0	3.8	4.0	5.0	3.0	3.5
18	3.5	4.0	7.5	7.0	4.0	5.5	4.5	5.5	4.0	4.0	3.5	3.0
19	3.2	3.5	7.0	2.7	5.0	4.0	6.0	4.0	2.8	7.0	3.5	2.3
20	3.0	4.0	5.5	4.0	5.9	5.0	2.5	3.2	4.0	3.5	3.5	3.0
21	3.3	4.0	5.0	4.0	4.5	2.0	4.0	5.5	3.3	3.0	2.0	2.0
22	3.2	4.6	7.0	4.2	7.2	2.0	2.5	5.0	2.5	4.0	3.0	3.0
23	3.5	4.4	6.0	5.0	2.0	4.0	2.0	5.5	3.0	3.5	2.0	2.8
24	3.5	4.0	1.8	6.0	3.5	4.0	3.8	5.5	4.0	3.6	3.0	4.0
25	3.4	5.0	3.0	6.0	2.0	3.0	4.0	5.3	4.6	5.0	2.0	3.3
26	3.5	5.5	5.0	6.0	3.0	4.5	3.6	2.0	4.0	4.0	2.0	2.0
27	3.5	6.0	5.0	6.0	7.3	5.0	4.2	3.5	4.7	6.0	3.0	2.0
28	3.5	4.6	6.0	7.0	4.0	6.5	3.3	4.0	4.0	3.0	1.0	3.0
29	4.0		6.5	7.0	4.5	5.0	3.9	3.2	2.4	3.5	2.0	1.0
30	3.5		3.0	7.0	4.0	3.9	2.5	5.0	4.0	4.0	3.0	1.5
31	4.0		3.0		4.6		5.0	5.8		4.0		3.0
.....												
TOTAL	91.7	115.0	158.9	157.4	147.3	145.8	112.6	125.8	112.2	124.2	92.7	86.7
MEAN	2.9	4.1	5.1	5.2	4.7	4.8	3.6	4.0	3.7	4.0	3.0	2.7

ANNUAL EVAPORATION 1,470.3 MILLIMETERS

NOTE: \* ESTIMATED

NATIONAL ENERGY ADMINISTRATION

YEAR ..... 1978 ..... STATION .. San Pa Tong ..... CODE NO .....  
 SUBJECT .. Evaporation ..... COMPUTED ..... CHECKED .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	2.0	5.0	6.0	5.6	6.0	2.0	3.5	2.7	3.0	5.0	4.0
2	3.0	3.0	5.5	6.0	6.5	5.0	3.0	2.7	3.5	3.6	4.0	4.0
3	3.2	1.1	5.8	6.0	6.5	5.0	2.1	1.3	4.0	4.4	4.0	4.0
4	2.0	1.0	6.5	7.0	6.5	3.5	1.5	2.9	2.0	2.6	4.0	4.2
5	3.5	3.7	7.0	3.0	7.3	4.4	3.0	2.0	4.0	3.0	4.5	4.2
6	2.7	5.0	6.5	5.5	7.9	5.2	3.0	3.6	5.5	4.0	4.0	4.0
7	3.0	5.5	6.5	6.5	8.4	4.0	4.0	4.0	3.0	4.0	4.5	4.2
8	2.0	7.5	6.5	6.0	7.0	5.0	5.0	2.8	3.4	4.0	4.5	4.3
9	2.0	5.0	6.3	5.0	7.0	2.2	4.0	2.0	3.2	3.0	4.6	4.5
10	2.5	4.0	6.6	6.0	7.2	2.0	2.8	3.2	6.5	3.5	4.6	4.2
11	2.5	5.0	6.8	5.5	3.8	4.2	5.3	3.6	2.4	3.6	4.7	4.4
12	3.0	4.8	7.0	5.0	3.0	6.0	3.0	7.0	4.2	3.0	5.0	4.0
13	3.0	5.0	6.0	5.0	2.9	5.6	8.9	1.1	4.0	4.5	5.0	4.0
14	4.0	5.4	6.0	6.0	4.5	5.6	3.5	3.3	4.0	5.0	5.2	4.0
15	4.0	5.0	6.0	6.0	3.4	3.0	4.0	2.9	4.0	4.5	4.0	3.2
16	3.0	5.0	6.5	6.2	4.8	5.4	5.5	3.0	4.3	5.0	4.0	2.4
17	3.5	4.0	6.8	7.0	3.4	4.3	5.0	3.0	4.5	5.0	4.0	3.4
18	3.0	3.0	7.0	5.8	5.6	2.0	4.6	4.0	3.0	5.2	4.0	3.3
19	3.0	4.0	6.0	8.0	4.0	4.0	4.0	2.0	3.0	5.3	4.0	3.0
20	2.0	4.0	7.0	6.5	4.0	4.3	1.9	2.7	4.7	5.0	3.6	3.0
21	3.0	4.5	6.0	7.0	6.0	4.6	1.7	2.0	1.3	5.2	3.5	3.0
22	3.5	5.0	6.0	6.0	5.0	4.7	2.5	3.0	3.5	5.3	4.0	3.0
23	4.0	5.0	6.0	7.2	5.0	5.0	3.0	4.0	2.7	5.5	4.0	3.0
24	4.0	4.0	7.0	6.5	5.0	5.0	3.0	4.0	0.1	5.6	4.0	3.0
25	4.0	4.0	8.0	8.0	5.5	4.0	3.0	2.9	3.2	5.3	4.0	4.0
26	4.0	2.9	7.0	7.0	4.2	4.0	2.0	3.5	3.0	5.2	4.1	4.0
27	4.0	2.0	6.0	7.0	4.2	4.0	2.0	5.0	3.6	5.0	4.0	3.6
28	4.0	4.0	6.0	6.5	5.0	2.0	2.5	3.4	3.3	5.1	4.2	3.8
29	4.0		6.0	6.5	4.2	3.0	4.0	3.0	3.5	5.0	4.0	3.0
30	4.5		7.0	6.5	4.8	5.0	3.2	3.1	4.0	5.5	4.0	3.0
31	4.0		6.5		5.5		1.4	4.0		5.0		3.0
TOTAL	102.9	115.4	198.8	186.2	163.7	130.0	104.4	101.5	104.1	138.9	127.0	112.7
	3.3	4.1	6.4	6.2	5.3	4.3	3.4	3.3	3.5	4.5	4.2	3.6

1,585.6

NATIONAL ENERGY ADMINISTRATION

YEAR 1979 STATION San Fa Tong CODE NO \_\_\_\_\_  
 SUBJECT Evaporation COMPUTED \_\_\_\_\_ CHECKED \_\_\_\_\_

DATE	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.5	5.0	7.0	8.0	7.0	3.9	4.0	2.8	4.0	6.0	4.0	4.0
2	3.0	4.0	6.0	7.0	8.0	5.5	4.0	3.5	2.5	5.0	4.2	3.5
3	3.2	5.0	6.0	8.0	7.0	4.0	3.5	3.5	4.8	7.4	4.0	4.0
4	3.0	5.0	6.0	8.0	7.0	4.0	3.5	4.2	7.0	4.0	4.0	3.0
5	3.0	5.0	7.0	8.0	8.0	2.0	5.5	4.0	4.2	4.5	4.3	4.0
6	3.0	4.0	7.5	8.0	8.5	3.4	4.5	4.0	4.4	4.0	5.0	3.5
7	3.2	4.0	8.0	9.0	7.5	4.0	3.2	4.3	3.0	3.0	4.5	4.5
8	3.6	4.5	8.0	7.0	7.5	4.0	4.6	4.2	0.9	3.4	4.0	3.0
9	4.0	4.5	8.0	7.0	7.0	5.2	4.0	3.4	4.0	3.0	3.4	3.5
10	4.0	4.0	8.0	8.0	5.0	5.0	5.0	5.0	4.6	2.0	4.0	3.5
11	4.0	5.0	8.0	8.0	5.0	6.0	4.0	4.0	5.0	3.5	4.0	3.4
12	4.0	5.5	8.0	8.0	3.1	5.6	4.5	3.9	3.5	4.0	4.5	4.0
13	4.0	6.0	7.0	7.5	5.5	2.0	3.0	1.2	3.7	4.0	5.0	3.0
14	4.0	6.0	8.0	7.5	5.5	5.0	4.9	2.4	5.0	5.0	4.0	3.3
15	4.0	6.0	8.0	8.0	2.6	5.1	2.0	4.0	6.0	4.5	4.2	3.0
16	4.0	5.0	8.0	8.0	3.9	4.5	5.0	4.0	6.3	5.0	4.5	2.5
17	4.0	5.0	8.0	7.5	5.0	4.0	4.0	3.0	5.5	5.5	4.5	3.5
18	4.5	6.0	9.0	7.0	6.0	3.6	3.2	3.8	6.0	4.0	4.0	3.0
19	4.0	5.5	9.3	8.0	4.0	4.3	3.7	2.3	6.0	5.0	3.0	4.2
20	3.5	4.0	9.3	8.5	2.7	5.0	1.0	4.9	5.0	3.5	3.0	3.0
21	3.0	6.0	8.0	8.0	3.6	3.8	1.4	0.5	5.0	4.4	3.5	4.0
22	3.0	6.0	8.0	7.5	1.8	3.0	1.5	4.0	5.0	4.5	4.0	4.0
23	4.0	7.0	8.0	7.0	5.0	1.9	4.0	2.5	3.7	5.0	3.5	3.3
24	4.3	7.0	6.0	6.0	5.0	4.0	4.5	1.5	6.0	4.0	4.0	3.0
25	5.0	8.0	5.0	6.0	3.6	5.0	4.5	2.1	3.3	2.0	3.0	3.2
26	5.0	7.0	8.0	5.5	7.5	5.0	3.0	2.5	3.4	3.0	4.0	3.4
27	5.0	7.5	8.0	5.0	7.0	5.0	4.3	2.7	5.0	1.5	3.2	3.3
28	5.0	8.1	8.0	5.8	3.2	3.0	3.0	5.0	4.4	3.2	3.3	3.2
29	5.0		8.0	5.2	6.0	4.5	3.0	5.0	4.0	3.0	3.5	3.5
30	5.0		8.0	7.0	6.0	4.0	6.0	6.0	5.0	4.0	4.5	3.0
31	5.0		8.0		3.3		4.4	3.0		3.5		4.0
TOTAL	122.8	155.6	236.1	219.0	187.8	125.3	116.7	110.2	136.4	124.4	118.6	107.3
	4.0	5.6	7.6	7.3	5.4	4.2	3.8	3.6	4.5	4.0	4.0	*3.5

1,740.2

1. CHIANG RAI

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1965

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	4	7	7	6	8	4	2	1	3	2	3	2
2	4	4	6	6	7	4	3	3	3	3	3	3
3	4	4	5	6	4	4	5	2	3	4	2	2
4	5	4	5	8	4	5	5	3	1	4	3	3
5	5	4	6	5	6	5	5	3	3	4	2	2
6	4	6	8	6	5	5	4	2	3	4	3	3
7	4	6	5	10	3	4	4	3	2	5	2	2
8	5	6	4	8	2	6	2	1	2	6	4	3
9	3	5	5	6	3	2	2	2	1	3	3	1
10	5	5	6	8	4	2	4	1	2	3	3	2
11	6	5	6	7	3	2	3	2	3	4	2	2
12	5	4	8	7	4	2	5	3	3	3	4	2
13	2	5	6	7	4	1	5	3	4	3	4	3
14	4	5	6	4	5	3	6	3	2	4	3	3
15	5	5	5	6	6	5	6	2	1	4	2	2
16	6	5	6	7	6	4	7	3	2	3	2	2
17	4	5	4	8	6	3	6	4	3	3	3	1
18	5	5	5	8	3	2	4	4	3	4	3	1
19	6	6	6	10	7	3	3	3	4	4	2	1
20	7	6	4	7	5	3	4	4	4	4	4	1
21	7	6	7	5	4	3	5	2	5	3	2	2
22	7	6	6	10	4	4	7	2	4	4	4	2
23	6	7	6	5	4	4	4	3	2	4	3	3
24	5	6	6	6	5	4	3	3	3	2	4	3
25	7	5	8	6	5	6	1	3	3	1	2	3
26	4	5	6	6	4	4	2	3	2	1	3	3
27	4	6	7	7	4	5	2	1	3	2	3	2
28	6	7	7	9	3	6	1	1	3	1	3	3
29	5		8	6	2	3	2	2	4	1	3	2
30	5		7	9	2	2	3	2	3	2	3	3
31	7		7		3		1	2		3		3
TOTAL	156	150	188	209	135	110	116	76	84	98	87	70

ANNUAL EVAPORATION 1,479 MILLIMETERS

1. CHIANG RAI

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1966

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	2.5	5.0	8.0	4.0	10.0	3.0	3.5	3.0	1.0	2.6	1.0*	2.3
2	3.0	5.0	7.0	6.0	10.0	3.3	2.2	5.0	2.1	2.2	3.7	2.0
3	3.0	5.0	8.0	6.3	6.5	2.5	1.3	5.0	2.2	4.0	3.4	2.0
4	4.0	6.0	7.0	6.0	4.1	3.8	1.4	1.0	2.8	4.5	2.9	2.0
5	3.0	4.0	7.0	6.0	2.2	1.5	1.4	1.7	3.0	4.0	3.0	2.0
6	4.0	5.0	8.0	6.0	3.0	1.5	3.0	4.0	3.0	3.6	3.0	3.0
7	2.7	6.0	8.0	7.0	3.2	3.0	3.0	3.0	2.4	4.0	3.0	3.0
8	4.0	4.5	8.0	8.0	4.1	3.0	4.2	3.0	2.9	3.0	3.0	2.0
9	2.5	6.0	8.0	8.0	5.0	2.0	1.4	1.8	2.0	4.5	3.0	2.0
10	4.0	6.0	7.0	8.0	6.0	5.0	2.1	1.0	2.0	3.1	3.0	2.5
11	2.0	6.0	7.0	4.1	3.8	6.0	2.0	2.0	3.0	4.0	1.0	3.0
12	3.5	6.0	6.0	6.0	6.0	2.5	3.0	2.0	3.0	5.0	3.0	2.0
13	2.0	6.0	6.0	6.7	8.0	2.4	2.8	4.3	3.0	3.0	4.0	2.0
14	4.0	7.0	8.0	6.0	8.0	2.1	2.2	3.0	1.9	5.0	2.4	2.5
15	2.4	7.0	7.0	6.0	8.0	3.0	3.0	4.0	2.5	2.6	6.0	3.0
16	4.0	7.0	7.0	7.2	5.0	4.0	1.5	2.0	3.8	2.7	2.0	2.5
17	4.0	8.0	10.0	6.0	2.7	5.0	1.7	2.1	2.7	4.2	2.0	2.5
18	4.0	8.0	7.0	7.8	2.4	4.0	1.7	2.5	3.0	3.2	3.0	2.5
19	4.0	7.0	10.0	6.0	1.3	3.9	1.3	2.0	4.5	3.3	3.0	3.0
20	3.0	7.0	11.0	6.4	2.0	3.4	1.4	2.0	4.5	4.0	3.8	2.0
21	3.0	7.0	10.0	6.0	2.4	4.5	1.5	1.2	4.0	4.0	1.2	2.0
22	3.0	7.0	9.0	9.0	4.6	3.6	2.2	1.3	4.5	5.0	3.0	2.5
23	3.5	6.0	7.0	8.0	5.0	2.6	4.0	1.0	4.5	4.0	3.5	3.0
24	4.0	8.0	7.0	7.0	3.5	4.3	1.9	0.7	4.5	5.0	2.0	2.0
25	4.0	8.0	7.0	8.0	4.2	4.4	2.5	1.0	4.5	5.4	2.5	2.5
26	3.0	8.0	9.0	10.0	3.8	1.4	3.6	1.7	4.0	2.0	2.2	2.0
27	4.0	8.0	7.0	9.0	4.0	3.6	4.0	0.3	4.0	2.3	0.3	3.0
28	4.5	8.0	9.0	11.0	4.0	5.0	2.3	1.7	4.5	3.4	0.8	2.5
29	4.0		7.0	11.0	2.2	5.0	1.9	2.3	4.5	2.1	0.8	3.0
30	3.0		6.0	12.0	4.0	5.2	2.2	1.6	3.1	1.0	1.0*	2.0
31	6.0		8.0		6.4		3.0	0.5		4.0		2.0
TOTAL	107.6	181.5	241.0	218.5	145.4	104.5	73.2	67.7	97.4	110.7	76.5	74.3

ANNUAL EVAPORATION 1,498.3 MILLIMETERS

NOTE \* ESTIMATED



1. CHIANG RAI

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1967

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	20	40	30	60	90	35	4.1	7.0	43	39	30	22
2	20	30	40	7.0	45	04	50	70	6.2	3.7	26	2.2
3	25	41	40	70	80	33	4.4	50	60	28	2.3	30
4	20	20	40	60	7.0	33	7.0	4.8	5.4	30	30	20
5	22	25	30	60	60	4.0	70	20*	29	50	40	30
6	10	30	20	5.0	6.0	08	53	4.7	40	40	30	30
7	20	30	25	60	20*	1.4	40	24	23	5.0	3.0	20
8	20	30	31	60	4.2	2.1	66	19	4.4	3.0	3.0	2.2
9	80	30	49	4.0	2.6	30	36	12	2.4	50	2.0	1.1
10	35	30	00	60	22	70	75	50	42	4.0	30	4.0
11	40	30	58	60	20	27	7.0	60	21	12	28	20
12	3.7	30	50	53	30	32	7.0	32	3.4	30	1.2	2.4
13	20	3.5	30	5.4	40	3.4	7.0	60	2.5	60	0.7	1.0
14	30	30	50	40	4.0	2.1	1.1	60	3.7	4.0	1.1	2.0
15	23	35	30	4.5	6.0	3.0	1.4	2.7	3.8	4.0	20	20
16	3.0	30	4.0	40	30*	21	2.3	20	3.2	40	2.0	30
17	30	40	4.0	3.4	4.1	32	30	2.5	2.9	2.7	30	20
18	30	30	1.5	1.7	2.3	4.2	7.0	40	3.2	4.0	2.8	20
19	40	20	4.0	30	1.5	3.5	60	40	2.6	50	20	30
20	4.0	2.5	30	2.3	6.2	4.2	7.0	2.4	30	40	30	20
21	3.0	4.0	50	5.5	4.0	50	7.0	5.5	3.9	30	30	20
22	3.0	5.5	50	4.1	2.0	70	1.4	70	2.8	40	30	20
23	3.0	60	50	60	6.0	7.0	0.2	4.7	1.0*	20	30	30
24	3.0	2.5	4.0	4.2	6.0	6.7	1.6	7.0	1.0*	0.5	20	20
25	30	3.0	40	90	5.0	4.2	10*	71	1.0*	1.5	30	30
26	5.5	20	60	3.0*	5.4	6.6	1.2	3.7	2.8	3.0	30	20
27	3.5	20	50	4.4	40	4.2	2.8	4.5	1.6	30	3.0	20
28	40	20	50	4.0	4.0	1.2	1.0	3.4	2.3	3.0	3.0	20
29	30		50	7.0	50	4.3	50	3.6	2.3	4.0	30	30
30	30		60	8.0	50	5.6	4.6	7.0	3.0	3.1	30	20
31	40		50		5.6		3.9	60		3.0		30
TOTAL	922	881	1268	1538	1426	112.2	133.0	1393	94.2	107.4	785	72.1
MEAN	30	3.1	4.1	5.1	4.6	3.7	4.3	4.5	3.1	3.5	2.6	2.3
ANNUAL EVAPORATION 1,340.2 MILLIMETERS												

NOTE \* ESTIMATED

1. CHIANG RAI

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1968

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	3.0	4.0	3.0	5.0	4.0	4.0	2.3	3.4	3.9	6.0	9.0	3.0
2	3.0	4.0	3.0	5.0	4.0	5.0	6.5	0.6	9.0	1.0	7.0	3.0
3	3.0	4.0	4.0	6.0	4.0	1.9	6.2	2.5	7.0	7.9	6.0	3.0
4	3.0	4.0	6.0	6.0	3.6	3.6	4.2	3.0	2.1	10.8	6.0	4.0
5	3.0	4.0	4.0	3.8	3.0	3.6	4.5	3.7	2.7	7.0	8.0	3.0
6	2.0	4.0	3.6	5.0	6.0	6.5	1.1	4.6	3.0	7.0	0.5	2.0
7	2.0	4.0	4.0	5.0	6.0	6.8	4.4	1.4	3.4	6.0	10.0	2.0
8	3.0	4.0	2.7	4.0	1.6	6.0	4.2	7.0	9.0	3.7	7.0	2.5
9	2.0	4.0	2.5	5.0	2.4	4.4	3.3	2.1	4.5	2.0	6.5	8.0
10	2.0	4.0	3.0	5.0	3.3	3.4	3.1	1.8	1.0	4.0	1.0	7.0
11	3.0	3.0	5.1	5.0	2.4	6.2	3.8	2.0	1.3	1.8	8.0	5.0
12	2.0	4.0	5.0	3.8	3.3	4.0	6.0	3.3	2.3	5.6	6.0	4.0
13	2.0	4.0	4.0	2.3	4.0	4.7	5.6	3.0	2.2	7.0	4.0	3.0
14	1.0	3.0	4.0	3.7	3.8	5.0	5.0	1.1	1.8	6.0	3.4	3.0
15	3.2	3.0	5.0	4.0	3.3	5.5	2.6	3.0	4.0	6.0	5.0	2.0
16	1.1	3.0	4.0	4.0	4.0	4.3	6.1	9.5	6.0	7.0	3.0	2.0
17	1.0	3.0	4.0	4.5	6.0	3.7	5.0	6.0	6.2	4.0	1.0	3.0
18	1.5	4.0	5.0	2.7	5.0	2.2	1.4	3.3	3.6	1.2	2.6	3.0
19	2.0	3.0	5.0	4.0	5.8	7.0	2.0	7.0	3.2	2.0	5.0	2.0
20	3.0	4.0	3.0	4.9	4.3	6.0	4.2	5.2	7.0	6.0	5.0	3.0
21	3.0	3.0	5.0	5.0	6.1	5.4	3.0	4.6	6.0	6.0	3.0	2.0
22	3.0	3.0	4.0	5.0	8.3	5.1	5.0	2.6	3.0	5.0	3.0	2.5
23	3.0	4.0	5.0	5.6	6.3	5.0	4.8	1.6	5.0	2.2	3.0	3.0
24	2.0	5.0	3.0	3.3	7.3	4.2	6.3	8.5	7.0	6.2	4.0	2.0
25	2.0	3.3	4.0	1.1	6.5	5.0	5.0	1.1	4.1	2.4	5.0	1.5
26	2.0	3.9	3.0	2.8	7.0	4.4	7.0	3.0	2.9	0.7	3.0	1.5
27	2.0	4.0	6.0	5.0	9.5	4.8	6.0	4.6	4.0	5.9	3.0	1.5
28	3.0	4.0	5.0	3.1	7.3	2.4	5.5	4.0	5.8	6.0	4.0	1.5
29	4.0	5.0	5.0	4.3	6.2	3.6	6.0	4.1	5.4	7.0	4.0	2.0
30	4.0		5.0	3.3	2.8	1.8	7.0	2.7	6.2	1.4	3.0	3.0
31	4.0		5.0		11.0		7.0	1.3		8.0		3.0
TOTAL	77.8	109.2	129.9	127.2	158.1	135.5	144.1	111.6	132.6	152.8	139.0	91.0
MEAN	2.5	3.8	4.2	4.2	5.1	4.5	4.6	3.6	4.4	4.9	4.6	2.9

ANNUAL EVAPORATION 1508.8 MILLIMETERS

## 2. CHIANG RAI

### DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	4.0	5.0	7.0	12.0	11.0	7.0	2.7	8.0	10.0	8.0	3.0	0.4
2	5.0	5.0	9.0	6.0	12.0	6.0	5.0	6.6	3.1	5.0	3.0	1.2
3	4.0	4.0	7.0	2.7	12.0	6.5	8.0	10.0	8.0	5.0	4.0	1.5
4	3.0	4.0	9.0	1.8	11.7	6.0	2.4	2.9	11.0	6.0	4.0	1.4
5	4.0	5.0	7.0	1.9	9.3	6.2	5.4	2.3	5.6	6.0	6.0	3.9
6	4.0	4.0	12.0	3.0	4.0	6.0	2.9	1.7	1.3	8.0	6.0	4.0
7	3.7	4.0	10.0	3.0	10.0	5.1	2.9	0.6	2.1	8.0	5.0	3.2
8	0.9	6.0	7.0	5.0	12.0	4.4	2.1	4.5	3.2	5.0	5.0	4.5
9	3.0	6.0	11.0	10.0	12.0	8.4	0.8	8.0	4.3	5.0	8.0	5.0
10	4.0	5.0	8.0	14.0	8.0	10.0	6.0	1.1	2.8	8.0	7.0	5.8
11	3.4	5.0	8.0	7.0	12.0	5.0	2.8	1.1	2.0	4.0	7.2	3.0
12	3.8	5.2	7.0	12.0	14.3	2.7	6.0	3.7	2.2	7.0	4.0	5.0
13	4.0	5.0	7.0	10.0	14.0	5.0	2.9	6.3	4.0	5.8	5.0	4.6
14	4.0	4.0	8.0	10.0	4.8	2.5	1.3	6.0	10.0	5.4	6.0	1.1
15	3.0	6.0	7.0	9.2	3.1	5.7	1.8	6.0	6.3	4.0	5.0	6.0
16	3.9	6.0	9.0	8.8	2.2	6.0	2.1	9.3	5.4	5.3	3.0	6.0
17	3.5	5.0	8.0	12.0	0.6	7.0	3.0	5.1	1.8	8.0	6.0	2.0
18	5.0	5.0	8.0	9.6	1.6	4.2	4.0	10.0	4.2	8.0	3.0	4.0
19	5.0	5.0	8.0	9.0	2.0	6.8	3.0	7.0	4.5	6.0	3.0	4.0
20	5.0	5.0	6.0	9.0	1.8	4.9	1.0	0.2	4.0	6.0	4.3	3.0
21	6.0	5.0	7.0	9.0	1.2	2.8	1.8	1.7	1.4	6.0	4.4	3.0
22	6.0	6.0	3.0	10.1	1.6	2.6	2.7	1.9	4.5	5.0	6.0	2.0
23	5.0	6.0	2.5	8.0	2.6	3.8	2.8	2.7	6.0	3.4	5.0	3.0
24	4.0	6.0	2.0	6.0	4.2	2.3	3.0	1.8	4.8	4.7	5.0	3.0
25	5.0	7.0	3.0	6.0	12.1	2.8	2.2	7.0	5.0	4.0	6.0	4.0
26	6.0	7.0	5.0	4.0	14.0	1.4	3.5	6.0	4.8	3.7	5.0	3.0
27	4.0	7.0	9.0	4.7	8.0	3.9	4.5	2.1	6.0	5.0	4.0	2.0
28	6.0	7.0	7.0	5.0	5.5	2.3	10.0	3.0	6.8	7.0	4.0	2.0
29	6.0		8.0	10.0	6.3	1.3	5.0	2.8	5.2	6.0	5.4	3.0
30	4.0		10.0	12.0	4.0	2.6	7.8	6.2	4.2	2.8	0.4	2.0
31	6.0		10.0		4.2		1.8	2.8		1.0		3.0
TOTAL	134.2	150.2	229.5	230.8	225.1	144.2	112.5	135.4	142.5	172.1	141.7	99.6
MEAN	4.3	5.3	7.4	7.6	7.2	4.8	3.6	4.3	4.7	5.5	4.7	3.2

ANNUAL EVAPORATION 1917.8 MILLIMETERS

## 2. CHIANG RAI

### DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	5.0	3.0	8.0	10.0	9.0	0.7	1.7	4.0	2.6	2.0	4.0	4.0
2	6.0	6.0	10.0	7.0	6.0	4.0	3.0	6.0	2.3	3.1	4.0	4.0
3	5.0	4.0	9.0	7.0	6.0	3.4	1.4	4.3	2.3	3.0	4.0	3.0
4	4.0	5.0	7.0	8.0	8.8	1.6	2.1	4.0	3.5	3.0	4.0	4.0
5	4.0	3.8	5.8	6.0	0.8	3.1	5.0	6.7	4.0	3.0	6.0	4.0
6	5.0	2.5	7.0	8.0	3.6	2.3	4.0	2.5	6.2	1.1	5.2	3.0
7	5.0	3.0	7.0	10.2	3.8	3.4	2.7	3.3	2.0*	1.7	0.7	4.0
8	4.0	3.0	6.0	6.0	6.0	1.8	1.6	2.9	2.5	3.0	4.0	4.0
9	4.0	4.0	6.0	6.0	7.0	1.1	4.0	0.9	4.0	3.8	4.0	4.0
10	5.0	4.0	5.0	7.0	8.0	4.0	4.0	2.8	5.0	4.0	3.0	4.0
11	3.0	6.0	6.0	10.0	8.0	2.7	2.1	2.0	5.0	5.0	3.0	5.0
12	3.0	5.0	5.3	6.0	8.0	5.0	2.3	1.5	5.0	5.0	4.0	4.0
13	3.0	5.0	6.0	3.0	5.8	4.0	1.1	2.5	4.0	5.0	5.0	4.0
14	4.0	5.0	7.0	6.5	7.0	5.0	2.7	0.6	4.0	6.0	4.0	4.0
15	5.0	4.0	5.8	7.2	8.0	6.0	4.0	1.5	3.0	6.0	6.0	4.0
16	5.0	6.0	4.2	4.3	10.0	4.6	2.2	0.7	2.3	5.0	4.0	2.
17	5.0	4.0	4.3	5.5	8.1	6.0	5.0	1.9	3.3	5.0	5.0	3.0
18	4.0	5.0	2.8	5.2	8.0	7.0	0.7	2.4	2.7	5.0	5.0	3.0
19	3.0	6.0	5.0	6.0	2.3	3.2	1.3	1.5	6.0	4.0	5.0	3.6
20	4.0	6.0	10.0	8.0	3.4	1.5	6.0	2.3	6.0	4.0	6.0	2.7
21	5.0	6.0	8.0	12.0	1.7	0.6	6.7	3.2	5.0	5.0	6.0	3.0
22	3.0	5.0	8.0	4.1	2.5	1.2	5.3	2.3	5.0	5.0	6.0	3.0
23	3.0	7.0	6.0	9.4	2.3	6.5	1.8	3.4	4.0	4.0	5.0	3.5
24	3.0	6.0	6.0	6.3	4.6	0.2	3.0	1.0*	3.2	4.0	6.0	3.0
25	4.0	6.0	7.2	6.7	3.0	2.9	5.2	1.0	2.3	1.1	5.0	4.0
26	6.0	8.0	10.0	5.6	4.7	1.7	4.5	0.9	4.5	2.0	4.0	3.0
27	5.0	8.0	8.0	6.0	5.0	4.1	2.8	2.8	3.0	1.5	4.8	3.0
28	6.0	6.0	9.0	5.6	6.0	2.4	2.3	2.0*	3.0	3.5	6.0	2.0
29	6.0		8.0	4.0	4.0	0.6	2.1	2.2	3.6	4.0	5.0	1.8
30	3.0		6.0	6.0	4.0*	3.5	3.7	3.9	3.6	4.0	5.0	3.0
31	3.0		6.0		4.2		0.9	4.0		4.0		1.8
TOTAL	133.0	142.3	209.4	202.6	169.1	94.1	95.2	81.0	113.8	115.8	138.7	104.9
MEAN	4.2	5.0	6.7	6.7	5.4	3.1	3.0	2.6	3.7	3.7	4.5	3.3
ANNUAL EVAPORATION						1,599.9 MILLIMETERS						

NOTE: \* ESTIMATED

2. CHIANG RAI

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	30	60	-	80	00	1.3	1.9	2.6	2.5	30	40	2.5
2	60	6.0	-	40	1.8	30	40	1.7	2.0	39	2.5	2.0
3	4.0	60	-	88	85	3.9	7.5	2.7	40	40	2.4	3.0
4	40	60	-	5.0	7.8	34	47	50	50	4.0	3.7	2.5
5	50	70	-	5.5	7.8	41	50	25	60	4.0	1.5	2.0
6	5.0	85	-	55	9.9	47	60	80	40	30	05	2.0
7	40	80	-	60	86	35	60	10	36	3.0	26	0.9
8	3.0	50	65	65	58	35	7.4	09	2.0	2.8	30	2.0
9	30	5.0	70	40	80	13	72	1.5	3.0	27	4.0	2.0
10	30	7.0	80	24	80	44	7.0	2.6	4.0	1.4	30	2.0
11	30	50	60	2.7	85	58	37	2.6	54	1.3	30	23
12	35	50	7.0	5.5	85	52	26	4.0	30	30	30	1.3
13	30	60	70	62	80	6.0	30	2.0	4.0	2.0	2.0	0.3
14	30	60	85	94	70	70	32	2.5	30	20	3.0	1.0
15	30	65	70	90	70	70	24	50	30	1.2	3.0	2.0
16	40	65	90	9.0	7.0	65	05	2.9	50	2.0	3.0	20
17	30	65	85	81	45	3.5	27	2.5	4.9	3.6	2.5	25
18	40	65	65	80	50	50	24	19	3.8	2.0	22	20
19	50	50	60	7.0	60	4.8	33	2.1	25	2.0	13	30
20	40	7.0	5.5	7.0	70	50	40	1.4	1.4	22	0.5	30
21	50	7.0	7.0	70	62	60	35	19	2.0	1.4	1.0	20
22	40	7.0	7.0	70	50	50	42	21	3.0	2.0	1.8	2.0
23	50	6.0	55	6.7	70	50	5.4	16	35	3.0	2.0	30
24	60	75	50	57	29	7.5	50	2.4	1.8	20	20	2.0
25	50	70	50	3.8	41	7.2	4.6	17	1.1	3.0	1.3	2.5
26	30	7.0	50	60	61	65	50	4.0	25	35	2.5	25
27	50	65	50	60	80	59	1.3	50	3.0	30	2.0	25
28	47	60	50	8.0	70	64	1.5	3.7	4.0	30	15	1.5
29	20	-	50	85	41	23	0.8	20	2.2	25	30	3.0
30	50		60	61	35	30	30	1.9	1.2	40	2.0	3.0
31	50		55		40		32	35		30		2.5
TOTAL	1252			1924	2126	1437	1220	80.2	964	835	697	668
MEAN	40			64	68	4.7	39	75	32	7.6	23	21

NOTE: - NO REPORT

2. CHIANG RAI

DAILY EVAPORATION IN MILLIMETERS FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV	DEC.
1	2.0	2.0	5.0	5.0	6.0	3.2	2.2	3.6	2.5	3.0	3.0	2.5
2	3.0	2.0	5.0	6.0	6.0	1.7	2.5	1.8	2.0	2.0	3.0	2.0
3	3.5	3.0	3.9	6.0	3.2	2.2	1.2	1.9	1.9	3.0	2.0	4.0
4	3.0	3.0	5.0	6.0	4.3	2.0	2.7	1.5	2.4	4.0	3.5	3.0
5	2.5	3.0	4.0	7.0	10.0	2.4	3.0	3.6	3.0	4.0	3.0	2.5
6	2.0	3.0	4.9	6.0	10.4	1.8	4.0	3.0	2.5	4.0	2.0	3.0
7	3.0	2.5	0.2	8.0	4.0	1.1	4.5	3.6	1.2	5.0	2.0	2.0
8	2.0	3.0	2.5	7.0	3.0	1.0	1.1	1.5	1.9	3.0	3.0	2.8
9	2.5	2.5	5.0	10.0	3.0	2.2	1.6	0.5	1.9	3.5	2.0	3.0
10	3.0	2.5	5.0	5.0*	3.6	1.8	3.0	3.0	2.5	3.0	1.9	4.0
11	4.0	3.0	6.0	6.0	4.2	4.3	1.2	2.0	2.0	3.5	5.0	3.8
12	3.0	5.0	4.0	10.0	3.3	3.0	1.5	2.6	1.0	3.0	2.0	3.5
13	2.0	4.0	5.0	4.4	4.3	5.0	1.2	4.0	4.0	4.0	2.5	3.0
14	3.0	5.0	4.0	6.0	4.0	3.4	2.2	4.0	2.5	3.0	4.5	3.0
15	3.0	5.0	4.0	6.0*	4.7	2.1	2.7	4.0	0.7	2.5	3.0	4.0
16	3.0	5.0	4.3	6.0	3.0	4.0	2.4	3.4	3.5	4.0	3.0	4.0
17	3.0	6.0	3.0	10.0	4.0	3.8	3.5	1.9	1.9	3.0	4.0	4.0
18	4.0	5.0	4.0	7.0	3.0	2.9	3.6	1.6	1.5	3.0	2.0	2.0
19	3.0	5.0	4.0	7.0*	3.1	4.0	2.5	2.0*	0.3	3.1	2.0	4.5
20	3.0	5.5	5.0	8.0	3.5	4.0	3.0	3.4	1.0	3.0	3.0	4.0
21	4.0	5.0	4.0	10.0	2.1	4.0	5.0	3.0	3.0	2.0	0.4	4.0
22	3.0	5.0	3.4	10.0	2.8	3.0	2.9	0.7	2.1	2.4	3.0	4.0
23	4.0	5.0	4.0	10.2	3.0	4.0	2.1	0.8	2.5	2.0	2.0	4.0
24	3.5	5.0	5.8	10.0	3.4	3.0	2.2	1.8	3.0	2.7	5.0	3.0
25	4.0	6.0	6.0	7.0	2.0	2.1	2.4	2.5	4.1	2.0	3.0	4.0
26	3.0	5.0	5.0	9.0	2.0	2.5	0.8	2.0*	1.6	2.4	3.0	3.0
27	3.5	4.5	4.0	9.0*	4.0	1.8	1.2	2.2	1.9	4.0	3.0	3.0
28	3.0	5.0	4.0	9.0	3.2	2.5	2.1	2.3	1.4	3.0	2.0	3.0
29	3.0		5.0	10.0	3.5	2.9	1.4	3.0	0.9	3.5	3.0	4.0
30	2.7		5.0	10.7	3.8	2.3	2.4	2.3	1.9	4.0	2.0	4.0
31	1.2		7.0		3.5		2.2	1.0		3.5		5.0
TOTAL	92.4	115.5	137.0	231.3	123.9	84.0	74.3	74.5	62.6	98.1	82.8	105.6
MEAN	2.9	4.1	4.4	7.7	3.9	2.8	2.3	2.4	2.0	3.1	2.7	3.4
ANNUAL EVAPORATION 1,282.0 MILLIMETERS												

NOTE: \* ESTIMATED

5. BAN PANG MU

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1966

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1				35.0	42.0	29.9	33.5	34.6	27.5	28.5	31.1	31.9
2				38.8	41.8	34.4	32.2	32.0	24.5	31.0	31.1	31.9
3				38.8	42.0	33.9	32.3	33.0	29.5	30.5	31.1	32.0
4				37.9	41.0	33.2	30.0	32.0	31.5	32.0	31.1	32.5
5				39.2	38.5	35.5	30.2	27.0	31.2	31.0	31.3	31.5
6				39.2	39.8	34.5	31.5	28.9	33.1	31.0	30.0	29.8
7				39.6	37.8	33.5	31.6	30.6	33.2	32.8	30.0	30.3
8				39.8	39.7	32.0	34.0	30.6	31.5	32.8	30.4	30.5
9				39.2	38.5	31.8	34.0	32.0	31.8	33.0	30.0	30.5
10				39.0	37.8	31.5	34.2	32.0	32.0	32.8	30.7	30.5
11				39.0	35.0	32.5	31.0	32.0	31.4	32.0	30.0	30.5
12				39.0	37.0	29.9	31.0	31.1	31.0	32.0	30.0	30.5
13				39.9	39.0	31.5	31.0	31.0	32.7	32.5	30.3	31.3
14				39.0	41.5	33.0	32.4	30.8	34.0	31.8	30.7	31.0
15				40.0	42.9	31.8	31.5	31.4	30.4	31.9	30.9	31.2
16				40.5	39.9	31.8	33.0	32.9	30.9	32.5	30.7	31.5
17				40.5	39.9	31.7	32.9	33.2	32.1	33.1	30.8	31.7
18				40.5	33.0	31.0	31.3	30.0	32.8	32.8	31.2	31.0
19				39.5	35.9	30.9	34.0	30.8	32.5	29.9	31.7	32.0
20				39.2	34.0	29.9	33.1	30.0	32.7	31.0	31.0	32.0
21				39.0	33.0	32.4	30.0	30.2	31.0	30.5	31.0	31.9
22				39.8	34.0	32.0	33.0	30.2	34.5	31.5	31.0	31.9
23				40.0	35.5	33.0	33.0	30.0	33.0	31.0	30.5	30.0
24			35.9	39.5	33.9	32.4	31.0	30.0	34.6	32.0	31.1	30.0
25			36.8	41.0	34.5	31.0	32.0	31.0	33.9	32.0	31.0	30.0
26			37.5	41.2	35.0	30.1	28.5	29.4	32.9	31.2	32.5	29.0
27			37.8	39.2	36.0	31.5	30.9	30.0	32.5	31.2	31.8	29.0
28			37.4	40.9	33.0	31.9	30.9	28.9	32.0	31.2	31.5	29.0
29			37.7	40.5	34.2	31.0	27.9	29.5	32.0	29.0	31.8	29.8
30			37.8	41.3	35.1	29.9	26.9	30.0	31.0	30.5	31.5	29.5
31			36.0		33.2		26.4	30.0		30.5		29.0

NOTE: STATION INSTALLED 24 MARCH

5 BAN PANG MU

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1966

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1				21.0	29.0	23.0	24.4	24.1	23.2	21.6	22.5	21.5
2				22.0	27.2	23.8	25.3	25.1	22.9	23.1	22.5	21.5
3				21.2	28.5	23.0	25.2	25.6	23.4	23.0	22.8	21.3
4				20.3	26.0	24.4	24.9	25.0	24.3	23.8	22.7	21.6
5				20.1	24.0	25.0	24.4	23.0	24.8	22.0	22.2	21.2
6				19.0	24.0	25.3	24.9	23.1	25.2	22.6	22.0	22.0
7				20.1	24.0	23.2	24.7	24.0	25.0	23.0	21.1	19.5
8				22.1	24.0	23.1	24.6	24.4	24.8	22.5	20.5	19.8
9				22.3	24.5	23.5	24.7	25.2	23.6	22.5	20.7	19.8
10				22.0	23.0	23.8	24.7	24.0	23.0	22.5	21.1	19.1
11				22.0	22.4	24.0	24.7	23.9	23.7	23.5	20.9	20.4
12				24.0	23.0	23.0	24.7	23.9	24.5	23.5	21.2	20.5
13				21.0	24.9	24.0	24.5	23.2	24.5	23.5	21.1	20.5
14				21.6	26.5	24.0	24.4	23.8	25.9	23.2	20.6	21.0
15				23.5	27.5	23.5	24.8	24.8	24.1	24.1	20.9	20.0
16				22.0	28.8	23.5	24.8	25.0	24.0	24.0	21.0	21.5
17				22.0	26.5	24.2	24.2	24.0	24.0	21.2	21.1	20.6
18				20.0	24.8	24.5	24.5	23.9	23.5	21.5	21.5	21.5
19				22.0	25.0	25.3	24.6	23.9	23.5	22.3	21.0	21.0
20				21.2	24.0	23.0	23.7	24.0	23.5	20.7	20.0	20.0
21				21.5	23.9	23.4	24.0	24.0	23.8	21.8	21.8	19.5
22				19.2	23.5	24.5	24.0	24.0	24.8	21.5	20.0	16.0
23				19.5	24.9	23.0	24.7	24.1	24.0	20.5	21.7	16.0
24			24.8	23.0	24.5	23.1	24.5	24.0	27.7	20.3	21.7	15.0
25			23.2	22.2	24.3	23.6	24.2	24.0	21.2	21.3	22.0	14.2
26			21.0	23.9	23.2	23.6	24.0	24.1	21.0	21.1	22.0	14.5
27			21.0	22.5	34.5	24.9	23.7	24.8	22.5	23.6	22.4	14.0
28			21.7	23.2	24.9	24.8	24.0	24.1	21.1	24.0	21.2	14.5
29			22.5	24.5	25.2	24.5	24.0	24.0	21.0	23.6	21.4	16.2
30			21.0	29.0	24.2	24.6	23.8	23.0	21.8	23.0	21.1	16.0
31			20.5		24.2		23.6	23.0		23.3		16.0

NOTE: STATION INSTALLED 24 MARCH



5. BAN PANG MU

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1967

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	29.0	32.8	34.5	39.0	40.0	33.0	36.0	31.0	29.5	30.5	30.5	29.0
2	28.4	32.7	34.8	38.4	41.0	38.0	35.0	31.5	29.0	31.0	31.0	28.9
3	29.0	32.5	35.0	39.0	41.0	38.0	33.5	33.5	30.0	32.0	31.0	29.0
4	29.0	32.0	35.9	39.0	40.8	37.8	33.0	31.8	31.0	32.0	31.0	29.0
5	28.8	31.8	35.4	40.5	41.6	34.5	34.7	32.0	33.8	32.0	30.4	28.9
6	27.4	31.5	36.8	40.5	40.9	35.5	33.6	32.0	34.8	33.0	31.0	28.0
7	28.2	31.8	35.4	40.0	42.0	31.4	34.0	29.4	34.5	33.2	30.2	27.5
8	31.6	30.9	35.0	40.4	41.6	36.0	32.4	25.8	32.0	32.1	30.0	27.0
9	32.7	32.0	35.0	40.8	42.2	37.0	32.2	29.0	34.5	33.6	30.0	27.8
10	31.4	32.9	36.7	40.7	39.2	33.0	29.7	34.0	32.0	33.0	29.8	25.9
11	32.2	32.0	33.0	40.0	35.2	33.2	27.0	34.5	34.5	32.0	29.0	27.2
12	32.0	33.8	32.8	40.2	37.0	30.0	31.0	34.9	32.0	32.0	30.0	25.9
13	31.0	33.0	35.0	41.0	39.8	34.0	36.0	32.9	32.5	32.4	32.5	26.8
14	32.5	33.0	36.0	40.0	41.8	36.5	35.0	33.0	32.0	32.8	31.0	24.2
15	31.0	34.0	36.1	40.0	39.5	35.0	35.2	33.0	27.6	32.3	26.5	24.0
16	32.2	34.0	35.0	40.0	39.0	34.0	29.0	31.0	28.0	28.0	29.9	24.6
17	26.0	33.0	35.5	39.8	35.4	37.0	25.4	31.0	31.0	31.0	29.5	24.0
18	28.0	34.0	36.0	40.0	36.8	33.2	35.5	28.0	32.4	31.5	29.5	24.0
19	28.0	34.0	36.0	38.4	39.3	35.5	36.0	30.5	33.7	32.8	29.5	25.8
20	30.0	34.0	37.0	38.3	36.4	36.3	35.5	31.4	33.4	31.0	28.0	27.0
21	30.8	34.5	36.4	36.0	33.0	36.3	36.8	30.0	33.0	30.0	29.0	26.8
22	31.0	35.0	35.7	36.7	29.2	36.3	35.9	34.0	31.0	30.9	28.0	25.6
23	32.0	36.0	37.4	36.7	32.3	37.0	37.0	30.9	32.0	30.0	29.4	26.0
24	33.0	35.5	38.0	38.9	36.2	37.3	32.9	31.9	34.0	30.4	28.0	26.0
25	33.0	36.0	36.0	39.3	35.4	38.0	34.6	31.0	32.0	28.5	27.0	26.2
26	33.0	36.0	37.0	38.4	32.0	36.8	33.5	34.5	32.0	25.0	28.0	22.0
27	33.0	35.0	38.0	37.5	36.5	39.5	34.0	34.0	30.0	31.9	28.5	26.5
28	32.5	35.2	38.0	37.4	36.5	37.0	30.0	28.0	29.5	31.8	28.4	26.5
29	32.5		38.5	38.4	35.0	36.8	30.0	31.5	30.0	30.9	29.0	25.5
30	31.0		39.0	38.3	35.8	36.6	34.6	30.0	29.5	30.0	29.0	25.5
31	31.5		39.4		35.7		33.4	31.5		30.8		24.2

5. BAN PANG MU

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1967

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	13.6	11.2	13.9	20.0	24.5	25.6	24.5	24.0	23.0	24.0	22.0	19.5
2	14.0	10.0	14.0	21.5	23.3	26.6	24.8	23.0	23.4	24.0	22.0	19.0
3	14.0	10.3	15.8	21.4	21.0	26.4	24.2	23.6	23.5	23.0	22.0	19.0
4	17.0	11.5	15.4	21.5	21.2	24.8	25.0	24.0	23.0	22.0	22.5	19.0
5	16.6	13.2	15.0	21.5	23.8	23.0	24.1	24.2	23.4	22.0	20.5	17.8
6	17.0	13.0	14.0	21.5	25.1	23.5	25.0	24.0	24.0	20.4	21.0	17.0
7	16.8	10.2	14.0	23.4	24.2	25.2	24.8	23.0	23.4	20.8	21.3	17.0
8	18.2	11.0	14.9	22.8	23.8	22.8	24.1	23.0	23.5	21.6	20.5	18.4
9	18.3	12.0	17.8	23.0	25.5	22.5	24.0	23.2	23.6	21.5	20.5	19.6
10	17.5	12.0	18.5	22.6	24.5	23.8	24.1	24.0	25.0	21.5	17.5	18.1
11	18.0	12.0	18.8	20.8	22.1	23.6	24.0	24.4	24.0	22.0	18.0	17.4
12	20.6	14.0	15.2	22.0	22.0	23.5	24.1	24.5	24.0	24.0	18.2	17.4
13	22.0	14.5	15.6	22.6	23.0	23.0	24.3	23.7	24.8	24.2	22.0	17.9
14	19.2	14.5	15.0	23.0	24.2	23.0	24.6	23.5	24.5	23.5	20.0	16.8
15	19.0	14.6	15.1	21.1	23.1	23.0	23.5	23.5	23.0	23.0	20.5	16.2
16	14.4	15.2	15.0	21.0	25.0	24.0	23.5	24.0	23.0	23.0	20.5	14.2
17	13.0	15.7	15.8	23.1	25.5	24.5	22.4	24.2	23.0	22.2	21.0	14.0
18	13.5	15.8	16.5	21.0	23.0	25.0	23.0	23.0	24.0	21.5	20.0	14.8
19	13.0	15.8	18.0	21.1	23.8	24.0	24.0	22.8	24.6	20.0	20.0	15.0
20	12.5	15.5	19.5	21.1	24.3	24.1	24.5	23.5	24.0	16.0	18.2	16.0
21	15.0	14.0	16.8	21.0	25.0	23.1	25.6	23.4	24.5	17.0	19.6	13.9
22	14.3	14.0	17.6	21.3	24.0	23.2	25.0	22.6	24.2	19.0	20.5	14.2
23	14.5	14.0	18.0	22.0	24.5	26.0	24.5	23.0	24.0	21.0	19.7	14.5
24	14.5	13.0	17.5	22.0	24.5	26.2	21.0	23.6	23.5	23.0	18.6	14.8
25	14.7	13.2	17.2	24.6	24.4	26.0	24.0	22.5	23.8	23.1	19.2	15.6
26	13.8	12.0	17.0	23.1	24.5	25.8	23.5	23.4	23.0	23.0	20.0	15.2
27	14.0	12.1	17.8	23.5	24.0	26.0	23.0	24.5	23.5	23.0	20.0	14.0
28	11.3	13.0	18.0	22.6	24.5	25.4	23.4	23.0	23.1	21.0	20.0	13.5
29	11.0		17.5	23.0	25.0	24.1	23.5	23.5	23.5	21.0	19.0	13.5
30	11.1		19.8	22.5	26.0	23.8	24.0	23.0	23.5	21.8	19.0	12.5
31	10.8		21.0		25.5		24.5	24.0		22.0		13.9

5 BAN PANG MU

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1968

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT	NOV.	DEC.
1	26.2	31.6	34.5	38.5	38.0	38.2	31.9	36.5	33.5	34.2	32.5	32.8
2	26.8	31.0	35.0	40.0	37.5	36.0	33.3	35.0	34.1	34.0	33.2	33.8
3	27.0	31.0	35.6	38.0	41.8	38.5	35.0	31.5	34.0	34.2	32.3	31.8
4	28.0	30.5	36.0	39.0	41.2	38.0	34.2	33.8	35.3	33.5	31.5	33.2
5	28.2	31.6	36.9	38.2	37.0	39.0	33.0	30.0	33.5	32.8	31.8	32.0
6	28.0	30.0	36.0	36.0	37.9	31.0	34.5	30.5	34.0	34.6	31.9	31.6
7	27.5	29.5	37.5	36.2	40.4	38.0	31.8	34.0	33.5	34.7	32.2	32.0
8	28.0	30.2	37.5	37.5	40.0	32.0	30.0	34.0	34.0	31.8	31.0	31.7
9	27.4	31.0	38.0	38.0	33.1	34.0	33.0	30.5	34.8	33.0	31.0	31.5
10	28.5	31.0	39.0	40.0	31.0	35.2	33.8	32.0	34.5	31.1	31.9	32.9
11	29.2	30.7	36.5	41.7	34.0	35.0	29.5	30.0	34.5	35.6	31.0	33.5
12	29.2	30.5	38.8	41.2	31.5	35.5	33.5	30.5	34.8	34.0	30.0	31.8
13	29.1	31.2	38.0	41.0	36.0	33.5	33.5	31.0	33.7	36.4	33.0	31.3
14	30.0	30.0	38.3	41.5	39.0	33.0	33.5	29.0	32.5	31.2	31.7	29.5
15	29.8	31.9	38.5	41.0	39.0	33.0	34.0	32.0	31.4	32.5	33.2	30.0
16	28.5	32.0	39.0	41.7	39.0	33.5	34.0	28.5	29.5	33.5	32.8	20.5
17	29.0	31.9	39.8	41.8	40.0	34.5	33.0	34.0	36.0	33.0	33.3	29.8
18	26.2	33.0	39.0	43.0	40.4	34.0	36.0	34.0	32.0	35.7	32.8	30.0
19	25.0	33.5	37.0	42.5	39.0	35.0	37.5	35.0	34.2	36.2	31.9	31.0
20	26.0	33.5	37.3	42.0	37.3	33.5	35.8	34.5	31.5	35.2	32.6	30.0
21	32.0	33.0	39.0	40.0	39.0	31.0	34.0	37.0	32.0	35.0	30.0	30.5
22	27.0	34.0	39.0	39.0	38.0	32.5	34.0	34.5	32.5	34.0	30.1	30.2
23	28.9	34.0	38.8	41.0	39.8	35.0	33.0	34.0	33.8	31.9	32.5	29.7
24	30.4	34.0	38.6	40.5	39.0	34.0	35.2	29.9	34.0	31.0	31.0	30.0
25	29.0	34.4	38.8	39.5	39.7	34.0	37.8	31.8	30.5	32.0	30.4	29.0
26	28.5	34.0	37.0	39.6	40.5	36.0	35.0	32.2	35.0	30.0	30.4	28.9
27	28.9	34.0	37.2	37.0	40.0	35.0	34.0	27.0	30.2	28.0	31.9	28.8
28	28.0	34.8	39.0	33.0	40.0	36.5	35.0	29.0	35.8	30.5	32.0	29.0
29	30.0	34.0	38.5	34.0	40.5	34.5	34.5	33.5	36.8	32.0	33.0	29.0
30	31.0		37.7	39.0	39.0	33.0	35.9	34.0	35.9	32.2	32.7	29.5
31	32.0		38.7		39.5		35.0	33.0		32.8		29.6

5 BAN PANG MU

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1968

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	15.2	15.4	13.0	20.5	22.8	22.8	24.0	24.5	25.2	23.2	22.5	18.7
2	16.0	13.5	13.5	19.0	23.0	23.0	24.0	24.0	24.8	24.2	22.0	19.4
3	16.5	14.0	15.5	19.2	23.0	23.8	24.2	24.0	25.0	24.0	22.3	20.0
4	17.0	14.0	15.5	17.0	24.1	23.4	24.8	23.2	25.0	24.4	22.5	18.2
5	17.0	13.8	17.5	16.5	23.1	23.0	24.8	24.0	24.8	24.5	21.4	19.0
6	16.4	13.0	16.4	15.0	24.1	23.5	24.0	24.5	24.3	24.8	21.5	19.4
7	16.5	13.0	17.0	15.2	25.2	24.0	24.0	25.0	24.9	23.7	22.1	21.4
8	17.0	13.2	17.4	17.0	25.0	23.0	23.5	24.2	24.1	23.5	21.9	18.1
9	14.0	12.8	18.4	17.5	23.1	24.3	24.5	24.5	25.0	23.8	20.5	18.8
10	16.0	12.0	21.0	19.0	23.0	24.2	23.8	24.2	24.5	23.2	20.5	19.0
11	17.8	12.0	17.0	21.5	22.0	24.5	24.0	24.2	25.0	24.0	20.0	18.0
12	18.2	14.0	16.2	21.0	21.4	24.0	24.0	24.0	25.2	22.4	21.3	15.8
13	17.0	14.0	16.7	20.0	23.0	24.9	24.9	24.0	24.3	22.2	21.2	16.0
14	15.2	12.5	15.2	21.0	23.0	24.3	24.5	23.2	24.7	22.4	21.4	13.0
15	17.0	12.0	16.0	20.5	24.3	23.2	25.0	23.5	23.5	22.5	21.8	13.7
16	18.8	13.0	16.2	20.0	23.0	23.7	24.3	23.5	23.7	22.4	18.0	16.0
17	18.6	14.1	16.2	21.5	23.0	25.0	24.0	24.0	24.5	22.5	21.9	16.3
18	14.0	14.0	16.0	23.5	24.1	24.0	24.2	24.0	24.8	23.2	21.2	18.7
19	13.0	14.5	15.8	24.0	21.5	24.3	24.5	25.0	21.4	23.2	20.0	17.7
20	12.2	12.5	16.0	22.0	22.0	24.5	25.0	25.0	24.8	23.0	20.5	16.5
21	11.0	15.0	16.0	21.0	22.5	24.3	25.0	25.0	25.0	21.0	20.5	17.0
22	14.0	14.2	16.2	20.0	23.0	24.3	25.0	24.5	23.5	22.6	18.2	15.0
23	14.0	14.5	15.0	22.0	22.5	24.6	24.8	24.5	23.5	22.9	18.5	17.0
24	14.0	14.0	14.5	21.5	23.5	24.5	24.8	24.9	24.2	24.2	16.8	17.7
25	12.0	14.5	14.2	22.8	23.0	24.7	24.8	24.0	24.5	23.0	17.2	17.0
26	12.1	15.0	14.5	23.5	24.0	25.0	25.0	24.0	24.5	22.0	17.3	17.9
27	10.5	13.5	15.8	23.0	24.0	25.5	24.5	22.0	24.5	22.0	18.5	18.0
28	11.0	13.0	16.0	23.4	23.9	25.3	24.8	23.5	24.2	22.0	18.5	16.5
29	14.0	13.5	18.0	27.0	23.0	24.5	25.0	23.8	23.2	22.1	18.9	15.3
30	16.2		10.0	22.8	24.0	24.7	25.2	24.8	24.0	22.8	18.0	14.2
31	16.1		21.5		23.8		25.0	25.0		22.5		14.2

2. BAN PANG MU

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1969

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	290	300	361	395	425	342	390	282	378	290	345	310
2	290	310	365	398	420	323	350	260	377	328	333	309
3	295	310	374	390	422	345	342	308	378	328	331	310
4	290	313	378	408	421	368	320	315	355	328	331	307
5	294	320	380	419	438	370	328	330	347	370	331	307
6	285	320	370	410	432	319	345	346	357	352	308	290
7	300	322	360	380	440	360	345	330	311	350	334	260
8	300	325	352	400	420	360	348	340	329	364	338	263
9	310	329	350	395	400	360	345	309	342	380	310	280
10	314	315	361	390	400	359	340	332	355	364	322	300
11	310	325	370	387	390	340	355	313	348	338	339	310
12	310	325	360	392	395	338	355	319	370	371	315	300
13	300	320	365	400	402	348	328	270	350	369	313	302
14	298	325	370	402	399	367	315	275	338	360	320	295
15	295	340	365	400	410	375	330	290	366	365	320	303
16	295	330	375	390	419	362	333	307	367	363	335	301
17	294	340	350	380	430	361	332	291	365	362	338	300
18	290	335	340	400	360	345	310	321	367	375	345	307
19	298	340	365	410	405	335	311	305	348	375	345	335
20	290	340	372	400	389	335	316	318	375	378	344	331
21	300	345	379	423	390	312	328	299	374	380	342	321
22	280	345	380	419	401	315	326	333	372	372	320	315
23	290	354	376	421	400	315	350	332	373	375	310	313
24	302	345	380	430	400	355	315	352	318	370	311	311
25	312	346	380	440	370	365	350	356	361	370	320	313
26	299	352	390	430	370	375	330	343	323	368	390	313
27	291	361	395	430	360	378	295	345	332	360	317	300
28	300	363	405	423	383	388	340	349	340	335	309	295
29	300		395	413	382	395	340	368	351	342	301	291
30	275		400	420	390	399	300	355	328	355	317	322
31	280		400		290		310	354		345		275

13 BAN PANG MU

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1970

DAYS	JAN	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	32.3	32.0	40.0	40.0	43.8	39.2	35.0	36.4	34.7	28.2	30.8	26.8
2	30.0	32.5	39.5	40.2	43.8	39.8	37.2	36.3	34.2	31.4	28.0	21.0
3	30.0	32.7	40.2	43.8	43.7	38.8	38.2	37.9	35.2	37.0	34.4	19.2
4	29.8	32.5	39.1	37.2	45.0	39.0	37.2	38.0	37.1	37.2	31.5	29.0
5	30.6	33.0	39.0	39.5	44.4	38.5	38.0	36.0	38.3	38.1	35.9	31.5
6	31.8	32.7	39.0	37.1	40.5	38.8	36.8	32.9	37.0	37.0	35.5	29.9
7	30.9	33.0	39.5	39.4	39.5	36.5	38.7	32.7	37.6	36.8	33.0	32.5
8	31.8	34.1	39.5	41.3	40.5	38.5	37.2	27.8	33.3	37.5	34.7	32.8
9	33.0	34.5	39.8	41.8	38.8	38.5	29.8	32.0	37.9	37.8	33.0	31.4
10	31.2	34.2	40.0	39.5	40.2	40.2	35.0	36.2	35.8	37.3	30.1	32.8
11	30.7	35.0	40.7	40.4	42.0	38.8	32.5	35.0	36.8	37.8	33.0	32.5
12	31.7	34.3	39.2	42.2	42.0	38.2	29.3	29.8	36.8	37.5	34.8	32.7
13	31.2	33.0	40.2	39.3	41.5	37.5	34.2	37.8	33.4	37.3	33.8	31.8
14	30.0	33.7	39.9	41.5	42.5	33.8	35.0	38.8	33.1	35.0	34.2	31.9
15	30.8	34.8	39.2	40.7	44.0	34.0	32.5	32.3	36.2	37.0	34.7	30.5
16	30.2	34.2	42	41.0	39.0	37.0	32.7	36.8	36.8	37.4	34.0	32.8
17	32.0	35.0	40.8	40.5	36.5	36.2	33.8	38.0	35.7	37.0	35.5	28.7
18	30.5	35.7	41.0	41.4	35.2	39.0	36.5	37.7	32.8	37.3	33.3	28.0
19	30.8	36.0	41.0	41.8	32.2	38.9	35.0	35.5	36.4	36.3	34.5	27.0
20	31.0	32.9	41.2	42.8	38.0	38.0	36.	37.9	37.0	37.8	34.1	26.8
21	30.2	33.9	40.4	44.2	34.5	37.3	33.8	31.0	37.0	33.2	33.2	27.3
22	31.5	34.5	40.5	43.7	29.0	38.2	30.5	35.5	35.3	31.7	34.1	26.3
23	31.0	35.8	40.8	45.0	36.2	38.2	34.0	35.0	36.7	32.8	33.7	24.5
24	32.0	36.2	41.7	45.0	35.3	37.8	33.2	32.8	38.3	35.2	34.2	27.0
25	31.9	37.0	36.5	43.4	34.0	38.5	28.8	32.8	36.3	34.8	33.6	27.3
26	32.5	37.	39.0	43.2	36.3	37.5	33.0	35.7	34.9	35.4	33.8	27.3
27	31.8	38.0	39.9	40.8	37.8	36.4	35.7	36.5	38.5	37.1	33.5	30.3
28	31.4	38.3	40.5	42.5	37.1	34.8	35.0	34.5	37.5	30.2	33.7	31.0
29	31.9		39.5	41.9	38.4	35.3	34.6	33.1	37.2	32.1	34.2	32.8
30	32.2		40.2	43.2	38.0	35.0	35.9	34.1	30.2	37.1	33.8	31.9
31	32.1		40.2		39.0		38.5	36.2		35.7		31.7

ANNUAL MAXIMUM TEMPERATURE 45.0 DEGREE CENTIGRADE

13. BAN PANG MU

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	14.6	12.8	14.8	16.8	24.3	24.0	23.0	23.1	23.0	20.8	21.0	20.3
2	15.0	12.5	16.3	19.0	25.1	25.2	24.0	22.3	22.5	21.2	20.0	17.5
3	15.0	11.5	14.0	21.5	26.8	24.2	24.0	24.9	22.4	19.8	20.8	17.8
4	14.8	13.2	15.3	22.5	24.9	25.2	25.2	24.1	23.2	20.2	18.2	19.5
5	15.7	14.0	15.7	20.5	24.0	23.8	24.3	24.8	22.4	20.8	20.6	18.6
6	15.0	14.7	14.8	21.2	24.0	23.8	24.3	23.9	23.5	22.3	18.9	18.5
7	15.1	15.2	13.2	21.4	23.0	23.5	23.9	23.8	23.3	23.2	20.1	18.0
8	16.9	14.5	12.9	20.7	22.3	24.7	24.0	22.2	23.5	23.4	19.0	19.4
9	16.2	14.2	12.5	22.0	23.4	24.3	23.0	22.8	23.4	22.3	21.3	19.5
10	13.5	13.0	14.0	19.3	22.5	24.5	23.0	23.8	23.3	22.2	18.4	20.5
11	15.9	12.2	15.1	20.0	23.8	23.5	23.5	23.0	23.8	21.1	20.5	19.0
12	16.3	10.5	16.7	17.8	24.5	25.2	23.2	23.0	22.2	21.8	20.3	19.5
13	13.4	10.0	14.5	18.5	27.8	23.8	23.8	23.8	22.5	21.7	21.7	20.5
14	12.8	11.5	14.0	18.9	27.3	23.5	23.5	25.1	22.4	22.1	21.0	20.0
15	12.7	12.2	15.0	21.0	24.2	23.2	23.3	23.5	22.0	23.2	20.2	20.0
16	13.9	12.1	16.2	20.5	23.9	24.2	23.0	23.5	23.7	23.0	19.9	14.2
17	16.8	13.5	17.8	20.8	23.8	24.5	23.5	24.0	24.2	23.8	21.0	15.1
18	17.3	12.9	19.3	21.5	23.7	25.8	23.9	23.8	23.5	23.2	20.9	14.5
19	14.8	13.2	17.7	20.9	23.5	24.1	23.8	23.8	23.0	22.8	20.0	15.1
20	13.2	14.0	15.2	23.0	22.5	24.8	23.5	23.5	23.0	22.5	20.0	15.5
21	13.1	13.9	15.0	24.0	22.3	24.0	23.0	23.4	23.5	22.5	20.5	14.2
22	15.0	15.4	16.7	23.7	22.5	25.0	23.5	23.8	23.2	22.2	20.8	15.5
23	15.4	15.0	18.8	24.0	23.5	24.2	23.0	23.7	23.8	23.0	20.8	16.1
24	16.0	15.1	18.6	22.3	23.3	23.8	22.5	23.7	23.5	22.8	21.0	12.9
25	15.6	14.0	19.0	23.5	23.2	24.0	22.5	23.5	23.8	22.1	18.8	13.0
26	14.0	15.0	16.2	21.1	23.2	25.5	23.0	23.2	23.3	22.1	20.5	13.5
27	12.0	14.6	17.0	20.8	24.1	24.1	22.8	24.2	23.0	23.0	19.5	17.8
28	13.8	15.5	16.8	22.0	24.8	23.8	23.2	23.3	23.0	22.1	20.2	17.7
29	13.5		17.5	22.9	25.4	24.3	23.1	23.2	22.5	22.0	20.0	16.9
30	12.3		18.0	23.9	23.3	23.0	24.0	23.0	21.8	18.6	20.5	16.4
31	14.0		15.0		25.0		24.8	23.5		21.6		13.7

ANNUAL MINIMUM TEMPERATURE 100 DEGREE CENTIGRADE

13 BAN PANG MU

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	308	339	380	415	409	378	331	300	317	318	266	279
2	340	328	388	409	420	315	319	255	329	274	296	290
3	295	333	387	408	435	347	305	318	325	295	318	315
4	278	324	393	408	432	330	330	327	310	293	335	310
5	287	324	394	415	440	330	310	328	288	330	330	314
6	284	318	396	419	426	339	340	325	290	340	323	306
7	275	323	368	400	397	312	354	310	305	349	318	311
8	278	335	379	409	378	335	346	310	322	325	286	303
9	294	335	395	409	361	309	311	305	275	320	299	311
10	270	330	401	411	387	330	325	338	290	335	315	309
11	278	326	405	387	410	330	348	338	308	295	320	310
12	265	337	409	406	407	313	337	289	312	278	315	299
13	270	342	405	412	425	315	310	282	313	309	292	295
14	281	341	400	398	417	338	359	315	315	300	308	278
15	295	342	371	420	411	349	316	286	332	322	294	275
16	298	336	373	400	419	365	303	280	338	305	292	270
17	295	345	372	415	395	367	340	312	316	318	271	280
18	263	344	351	432	390	378	341	290	340	308	277	210
19	305	349	359	429	398	363	341	265	319	327	277	254
20	312	346	381	425	396	362	301	310	315	340	278	264
21	313	346	385	438	390	337	290	315	338	335	272	288
22	307	354	385	401	361	362	302	272	326	342	270	240
23	314	357	385	412	358	344	310	298	333	347	278	268
24	325	366	395	430	352	345	330	300	345	335	279	291
25	336	372	392	435	359	318	285	298	350	335	289	259
26	317	371	398	433	361	300	321	312	341	328	290	298
27	320	370	402	438	370	330	307	305	332	330	286	283
28	317	375	412	442	258	338	305	288	318	292	313	280
29	329		409	443	358	350	330	315	328	278	317	285
30	335		411	392	364	320	330	320	320	246	278	288
31	332		405		362		330	310		270		297

ANNUAL MAXIMUM TEMPERATURE 44.3 DEGREE CENTIGRADE



13. BAN PANG MU

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV	DEC.
1	15.0	12.1	15.6	17.2	20.2	24.0	23.5	22.7	24.0	23.8	20.0	17.7
2	15.0	14.8	14.7	16.5	21.0	23.5	23.4	22.5	23.8	22.5	20.4	18.7
3	12.7	13.2	14.9	18.2	21.7	23.6	23.0	22.8	24.0	23.3	27.8	17.8
4	9.9	12.4	15.5	17.7	22.0	23.9	23.0	23.5	23.0	22.8	20.5	18.4
5	11.0	10.0	17.2	17.6	25.0	23.7	23.7	23.5	22.8	22.0	20.0	16.6
6	10.8	11.6	20.0	17.8	22.8	24.0	23.8	23.7	23.0	24.2	19.2	16.9
7	11.6	14.5	19.5	18.4	23.5	23.8	24.0	23.1	23.5	23.0	19.5	15.0
8	12.6	14.0	16.2	18.7	22.2	23.7	24.9	23.0	23.2	23.1	20.2	15.3
9	10.5	15.5	15.9	17.2	21.2	22.4	24.3	23.2	22.6	22.3	19.4	17.1
10	9.0	15.4	18.0	17.3	22.8	22.5	24.9	23.2	21.8	21.3	20.5	15.5
11	10.8	13.6	18.2	18.5	22.4	22	24.0	23.2	23.0	24.4	19.6	15.6
12	13.6	12.4	19.9	17.5	23.2	23.2	23.7	22.8	23.0	21.2	20.0	13.7
13	14.4	11.5	15.0	17.1	21.8	22.4	23.4	23.0	23.4	21.3	19.3	12.4
14	15.0	12.2	20.3	18.5	21.8	22.5	22.9	23.4	24.2	20.0	18.0	11.8
15	15.5	11.9	19.2	18.4	22.1	23.7	22.8	23.0	24.3	15.8	14.0	11.7
16	15.5	12.7	19.0	19.1	22.4	23.8	22.9	23.5	24.7	13.7	12.0	12.3
17	12.2	11.2	18.9	20.0	23.3	25.4	24.1	24.0	24.0	14.2	11.6	13.0
18	14.0	10.1	17.8	19.5	25.3	23.8	23.0	23.8	22.3	16.8	12.5	13.0
19	15.3	11.0	16.3	22.9	26.0	24.9	23.1	22.8	22.1	17.8	12.6	13.0
20	14.2	10.8	18.2	23.5	25.5	25.0	22.2	22.2	22.7	21.0	11.2	14.8
21	14.2	10.5	15.4	21.8	23.5	24.1	22.0	23.0	22.2	21.5	11.2	13.9
22	13.5	13.0	15.5	21.9	23.0	24.0	22.5	22.2	22.2	20.8	11.1	14.0
23	14.5	15.0	15.5	22.2	24.1	23.5	23.5	23.0	21.3	19.8	10.5	14.0
24	18.3	14.3	17.5	22.3	24.8	23.0	23.5	23.1	23.2	17.8	10.6	17.0
25	17.0	13.3	18.2	21.9	24.2	23.5	22.8	23.0	23.8	17.5	11.0	16.9
26	13.3	13.6	18.5	21.8	23.7	23.3	22.9	22.8	23.2	20.3	11.2	12.1
27	13.1	14.8	17.2	22.7	24.2	23.8	23.1	23.0	23.2	22.5	16.1	12.0
28	14.2	15.5	17.2	22.8	24.5	23.9	23.5	22.0	23.8	21.5	18.3	12.5
29	15.9		16.2	19.7	23.3	23.5	23.0	22.0	23.0	20.8	17.9	13.5
30	15.7		16.2	22.2	23.6	23.3	22.8	22.2	23.2	20.0	17.9	14.2
31	14.8		16.9		24.5		22.5	23.0		19.8		17.5

ANNUAL MINIMUM TEMPERATURE 9.0 DEGREE CENTIGRADE

17. BAN PANG MU

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1972

DAYS	JAN	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	291	318	344	375	379	352	330	300	320	31.5	34.0	30.5
2	288	30.7	337	38.6	384	334	31.2	310	31.5	34.0	34.5	32.0
3	285	300	332	373	374	329	328	310	300	34.0	35.0	280
4	287	31.5	335	377	375	350	32.2	305	305	31.0	35.0	30.0
5	285	315	335	374	37.2	350	31.0	300	320	27.0	34.5	300
6	286	31.6	334	377	371	350	309	300	340	30.5	31.0	28.0
7	293	32.6	34.6	374	361	354	33.7	310	34.5	32.0	25.5	290
8	292	327	34.5	36.5	362	34.5	330	290	310	330	21.0	260
9	295	312	35.5	38.5	37.8	34.4	32.4	280	30.5	34.0	26.0	28.0
10	295	320	36.5	38.8	37.0	32.5	34.0	29.0	32.5	34.5	30.0	28.0
11	286	30.2	361	36.5	36.5	300	33.5	31.0	320	34.0	31.0	32.0
12	285	316	362	36.4	35.9	30.8	33.5	310	330	33.5	31.0	32.0
13	284	31.6	36.8	36.8	36.2	31.4	32.0	31.5	340	330	32.0	32.5
14	289	32.5	367	34.3	37.7	31.1	32.0	33.0	35.0	33.5	30.5	25.0
15	287	326	36.5	34.5	37.0	30.4	31.0	31.0	340	34.0	32.0	26.5
16	26.0	32.5	36.5	35.3	37.5	32.7	300	300	350	31.0	31.0	30.5
17	25.5	33.6	37.4	37.6	36.9	34.4	32.0	29.0	350	33.0	31.5	30.0
18	27.9	34.7	38.7	36.6	37.1	33.6	29.5	300	35.5	32.0	32.5	30.5
19	27.9	35.5	38.6	37.4	31.7	32.8	32.0	300	34.0	330	300	30.5
20	28.9	35.0	37.7	38.7	32.7	31.0	330	31.0	34.5	33.5	32.0	30.0
21	29.5	35.5	37.6	39.4	34.2	300	33.0	290	33.0	34.0	32.0	29.0
22	28.2	34.4	37.7	39.0	35.1	32.0	30.5	27.0	300	34.0	31.5	28.5
23	28.1	34.3	37.5	38.7	34.6	32.5	32.0	27.0	31.5	31.0	30.0	29.0
24	28.5	33.6	38.4	30.6	32.5	31.4	28.0	27.0	31.0	32.5	32.0	29.0
25	29.8	32.3	38.4	36.8	34.5	35.0	300	29.0	33.5	32.0	33.0	29.0
26	30.1	34.7	37.5	38.0	35.4	34.5	30.0	26.0	29.0	34.5	31.0	28.5
27	30.0	34.2	38.5	37.0	34.5	34.0	30.0	300	32.0	35.0	29.0	28.5
28	30.1	34.3	37.4	36.5	31.2	32.4	29.5	30.0	32.0	330	30.0	28.0
29	30.8	35.0	38.0	35.8	30.5	330	300	31.0	330	34.0	27.0	28.0
30	27.0		38.4	36.7	34.0	33.7	300	31.0	32.0	35.0	29.0	28.0
31	30.2		38.5		35.3		300	31.0		34.5		27.5

ANNUAL MAXIMUM TEMPERATURE 39.4 DEGREE CENTIGRADE

17. BAN PANG MU

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CARENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	16.5	18.2	14.2	18.7	21.4	23.4	23.5	23.0	24.0	24.0	23.0	20.0
2	17.0	14.0	13.6	17.6	21.0	24.3	24.5	24.0	23.0	23.5	23.5	20.0
3	14.3	14.1	13.0	22.4	22.2	23.1	24.0	24.0	24.0	22.0	23.0	18.5
4	14.5	13.3	14.6	20.1	23.4	25.0	24.5	23.0	23.5	21.5	22.0	17.0
5	14.5	13.5	16.7	17.7	21.3	24.0	23.9	24.0	23.5	22.5	22.0	17.0
6	15.4	12.6	15.6	18.5	22.0	22.0	24.9	24.0	24.0	23.0	21.0	16.5
7	14.0	11.4	15.0	18.6	22.0	23.5	23.2	23.0	23.5	23.0	19.0	16.0
8	14.7	12.5	14.3	16.6	22.9	23.9	24.0	23.0	23.0	24.0	18.5	18.0
9	15.0	14.0	14.0	18.6	23.0	24.2	24.2	23.0	22.0	24.0	17.0	21.5
10	13.5	10.7	14.6	20.1	23.3	22.9	24.5	24.0	22.5	24.5	18.0	22.0
11	12.3	10.9	16.0	21.6	23.0	22.4	25.0	24.0	23.0	24.5	17.0	21.5
12	12.4	10.7	16.4	24.0	22.9	23.8	24.5	25.0	23.0	23.0	18.0	21.0
13	11.9	12.5	16.7	21.7	23.2	24.2	24.0	24.5	23.5	23.5	18.0	19.5
14	13.3	11.6	18.6	20.0	25.0	23.1	24.0	23.0	23.0	24.0	20.0	19.5
15	14.0	13.5	19.0	20.2	24.0	23.8	24.0	23.0	23.5	24.0	19.5	18.5
16	12.9	14.0	17.7	20.1	23.4	24.0	24.0	23.0	25.0	23.5	20.0	17.0
17	12.5	14.1	16.0	20.0	23.7	24.0	24.0	23.0	24.0	22.0	21.0	17.0
18	13.0	14.6	15.5	20.2	24.1	24.4	24.0	23.0	23.0	22.5	21.0	17.5
19	12.0	15.6	15.0	20.0	22.1	23.7	24.0	23.0	23.0	22.0	22.0	17.0
20	12.0	14.2	15.4	20.5	22.0	23.8	23.5	23.0	23.5	24.0	22.0	17.5
21	12.0	14.0	16.6	19.5	24.2	23.5	25.0	23.0	24.0	22.0	22.5	17.0
22	11.8	13.4	15.1	19.8	25.2	28.0	24.0	22.5	23.5	24.0	22.0	15.5
23	11.2	10.4	16.7	18.5	25.0	22.5	24.0	23.0	24.0	22.0	22.0	15.0
24	11.8	10.5	17.6	17.6	23.2	23.5	24.0	23.0	24.0	21.5	22.0	16.0
25	12.5	10.0	17.0	17.4	24.2	25.2	23.5	22.0	22.5	24.0	21.5	12.5
26	12.3	11.6	17.7	23.8	24.3	26.0	24.5	22.0	23.0	23.0	22.5	13.0
27	12.8	12.8	18.7	21.5	23.4	23.5	13.5	23.0	22.0	21.0	22.5	15.5
28	13.9	14.5	18.6	23.0	23.4	23.3	23.5	22.5	23.5	23.5	22.0	15.0
29	14.0	15.1	17.7	23.5	23.8	24.0	25.0	23.0	23.0	22.5	21.0	15.0
30	18.2		17.6	23.2	24.5	24.5	23.0	24.0	24.0	23.0	21.0	15.0
31	17.0		17.6		25.0		23.0	24.0		23.0		16.0

ANNUAL MINIMUM TEMPERATURE 10.0 DEGREE CENTIGRADE

18 BAN PANG MU

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.
1	29.0	31.5	36.5	38.0	41.0	34.0	30.5	32.0	30.5	29.0	33.8	28.0
2	29.0	32.0	37.0	37.5	42.0	33.5	33.0	30.5	30.0	30.0	32.0	28.0
3	29.5	32.0	37.0	38.0	38.0	36.0	31.5	32.0	30.0	32.0	31.0	28.8
4	29.0	33.0	37.0	39.0	33.5	33.0	30.5	32.0	30.0	34.0	31.2	28.0
5	28.5	33.5	36.0	37.5	34.5	35.0	32.0	31.0	30.0	34.0	32.0	28.3
6	29.0	33.0	35.0	39.5	31.5	35.0	31.5	31.0	31.0	32.0	30.3	29.5
7	29.0	32.5	37.0	38.5	33.5	35.5	30.0	28.0	29.0	35.0	30.2	29.0
8	29.0	32.0	34.0	37.5	33.0	33.0	32.0	30.0	33.0	35.0	29.0	29.5
9	30.0	32.0	30.0	39.0	34.5	33.0	33.0	29.0	31.0	35.0	33.0	29.0
10	30.5	30.5	34.0	39.0	34.0	32.0	31.0	30.0	33.0	34.0	31.5	30.5
11	30.5	32.0	36.0	38.0	36.0	32.0	31.0	28.5	32.0	35.0	32.5	30.0
12	32.0	33.5	36.0	38.5	36.0	31.0	31.0	30.5	32.5	32.0	32.0	30.0
13	30.0	34.0	37.0	39.5	36.0	31.0	31.0	31.0	32.0	34.0	33.0	31.0
14	29.5	34.0	38.0	39.5	33.0	31.5	28.0	33.0	37.0	32.0	28.0	31.0
15	30.0	33.0	39.0	39.5	33.0	31.5	28.0	32.0	34.5	33.0	27.2	30.0
16	30.0	34.0	38.5	40.0	32.0	30.0	30.0	31.5	34.0	32.0	28.0	29.5
17	29.5	34.0	38.0	40.5	33.0	30.0	31.0	30.5	26.5	32.0	31.0	29.8
18	29.0	34.5	37.0	41.5	35.5	28.0	31.0	31.5	31.0	30.0	32.0	28.0
19	29.0	34.5	38.0	41.0	35.0	31.5	29.0	31.0	32.0	34.0	26.0	28.0
20	29.0	34.0	37.0	40.0	35.0	32.0	34.0	29.5	31.5	34.0	29.3	28.0
21	29.0	34.0	38.0	40.5	32.5	30.0	32.0	30.0	28.0	34.0	28.0	29.0
22	29.0	34.0	37.0	40.5	32.0	32.0	30.5	30.0	30.5	34.2	26.5	29.0
23	29.0	35.0	37.0	40.0	34.5	33.0	30.0	30.0	30.0	34.0	31.0	29.0
24	30.0	35.0	37.0	40.5	36.0	33.5	31.0	29.5	31.0	33.0	26.0	29.5
25	29.5	35.0	38.0	40.0	30.0	33.0	31.0	29.0	33.0	32.0	29.8	28.5
26	30.0	35.5	34.0	41.0	32.0	32.0	30.0	31.0	34.0	32.1	29.4	27.0
27	31.0	35.5	34.0	39.0	33.0	30.0	30.0	29.0	33.0	33.5	28.0	25.0
28	30.5	35.0	32.5	40.5	34.5	31.0	29.5	25.0	30.0	29.5	28.0	26.0
29	31.0		34.5	40.5	34.5	32.5	29.5	24.5	31.0	28.0	28.5	25.5
30	31.0		37.0	40.5	31.5	34.0	30.0	30.0	30.0	31.9	28.0	26.0
31	31.0		38.0		32.0		31.0	30.5		33.2		25.0

ANNUAL MAXIMUM TEMPERATURE 42.0 DEGREE CENTIGRADE

18 BAN PANG MU

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB	MAR.	APR.	MAY	JUNE	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.
1	17.0	15.0	16.5	17.0	26.0	24.5	25.0	23.5	23.0	24.0	21.2	13.8
2	15.5	15.5	15.5	17.5	23.0	24.0	23.5	22.5	23.0	23.0	19.0	14.0
3	15.5	16.5	15.5	18.0	24.0	24.0	24.0	24.0	23.5	23.0	21.0	13.0
4	16.5	17.0	17.0	20.0	24.0	24.0	23.5	23.5	23.5	24.0	21.2	13.8
5	15.5	16.0	17.0	20.5	23.0	24.5	24.0	22.5	23.0	23.5	20.0	15.5
6	14.5	15.5	15.5	19.5	22.5	25.0	23.5	22.0	23.0	22.5	21.0	16.0
7	14.5	15.0	15.0	21.0	23.0	23.0	24.0	22.0	24.0	22.0	20.5	17.0
8	15.0	14.5	16.0	17.0	22.0	24.5	24.5	23.0	24.0	21.0	22.0	17.0
9	15.0	14.5	18.0	21.5	25.0	24.0	25.0	23.0	24.0	22.0	22.0	17.5
10	15.0	16.5	16.0	21.5	24.0	24.0	24.0	23.0	24.0	21.0	21.5	17.0
11	16.0	17.0	15.0	22.5	25.0	24.5	24.0	22.5	25.0	22.0	22.0	18.0
12	12.0	16.5	14.0	22.0	24.0	24.0	24.0	23.0	24.5	23.0	22.5	18.0
13	12.5	16.0	15.5	23.5	23.5	24.5	24.0	23.5	24.0	22.0	21.0	17.8
14	13.5	16.0	16.0	24.5	24.0	25.0	24.0	24.0	23.5	21.5	21.5	17.0
15	15.0	16.5	18.0	24.5	24.0	24.5	23.0	23.5	24.0	21.0	21.8	17.0
16	15.0	15.5	17.0	23.5	24.5	24.0	23.5	24.0	24.0	21.5	21.0	17.0
17	14.5	15.0	19.5	23.0	25.0	24.5	24.0	24.0	23.0	24.0	19.0	15.0
18	14.0	13.5	11.5	18.0	25.5	24.0	23.5	24.0	23.0	22.0	20.0	14.0
19	12.5	12.5	11.5	23.0	25.0	24.5	23.5	23.5	23.0	23.0	20.0	14.2
20	12.0	12.5	10.5	22.5	24.5	24.5	24.0	23.0	23.0	23.0	21.0	15.5
21	12.5	13.0	18.5	21.0	23.5	24.0	24.0	23.0	22.5	24.0	21.0	16.0
22	13.0	13.5	18.5	22.0	24.0	24.5	23.5	23.5	24.0	23.0	21.5	16.0
23	13.5	14.0	19.0	22.0	24.0	25.5	24.5	22.5	23.5	23.2	21.0	15.0
24	13.0	14.0	19.0	24.0	23.5	26.0	23.5	22.0	23.0	22.0	18.2	15.0
25	14.0	15.0	15.0	23.0	24.0	25.0	23.0	23.0	23.5	23.0	15.0	13.0
26	14.0	16.0	19.0	22.0	23.5	25.0	23.5	23.0	24.0	23.9	12.5	10.0
27	12.0	16.5	17.5	22.0	24.0	24.0	23.5	23.5	23.0	23.5	13.2	9.0
28	12.0	17.0	17.5	23.5	24.5	24.0	23.5	22.0	23.5	21.8	13.8	9.0
29	13.5		19.0	23.5	25.0	25.0	22.5	22.5	24.0	20.8	13.5	9.0
30	15.5		17.5	25.0	24.0	24.5	23.0	23.0	24.0	21.5	13.5	9.0
31	15.5		17.0		24.5		23.0	23.5		22.0		7.5

ANNUAL MINIMUM TEMPERATURE 7.5 DEGREE CENTIGRADE

19. BAN PAMG MU

MAXIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1974

DAYS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	250	300	350	360	360	330	360	310	320	330	320	310
2	250	310	350	370	380	300	320	330	300	310	320	310
3	250	300	350	360	390	310	320	320	310	340	330	340
4	265	310	360	360	360	320	320	310	300	330	310	280
5	250	310	360	360	370	300	310	320	310	320	280	310
6	250	310	360	380	380	320	300	330	300	330	280	300
7	265	310	360	380	380	320	300	310	300	320	280	300
8	270	300	370	380	390	320	300	300	300	340	280	300
9	270	310	360	380	390	340	310	310	320	340	340	300
10	275	300	370	370	390	320	300	310	310	330	340	300
11	260	300	370	380	330	300	320	290	320	320	360	310
12	280	290	370	360	320	330	310	300	310	340	360	300
13	290	300	380	360	350	340	310	310	300	340	360	290
14	280	310	380	380	360	340	310	320	300	340	380	300
15	290	320	380	370	340	340	310	340	310	350	380	310
16	290	320	360	370	360	290	310	330	320	320	380	280
17	290	330	370	370	360	350	320	340	320	340	380	300
18	300	350	370	360	380	340	290	290	310	340	380	310
19	300	340	350	380	350	340	300	300	310	320	380	300
20	290	340	355	380	340	350	300	310	310	340	370	310
21	300	340	360	400	320	310	300	330	310	340	380	300
22	295	340	350	400	320	360	310	330	340	330	410	310
23	295	340	350	375	310	370	310	340	350	310	310	310
24	300	350	350	380	290	360	300	340	330	340	330	280
25	295	355	360	365	330	350	300	320	310	340	290	310
26	300	360	350	380	320	350	300	300	300	330	300	300
27	295	350	370	385	310	360	290	320	310	300	300	310
28	305	350	330	350	340	360	260	320	300	330	300	300
29	305		320	320	310	350	300	290	330	310	300	300
30	305		330	360	320	340	300	310	300	300	310	300
31	310		330		310		300	300		340		310

ANNUAL MAXIMUM TEMPERATURE 41.0 DEGREE CELSIUS

19. BAN PAMG MU

MINIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1974

DAYS	JUN	FEB	MAR	APR	MAY	JUN	JUI	AUG	SEP	OCT	NOV	DEC
1	5.5	12.0	17.0	20.0	23.0	24.0	24.0	23.0	24.0	24.0	22.0	17.0
2	5.0	11.0	16.0	22.0	25.0	25.0	23.0	24.0	24.0	23.0	21.0	19.0
3	7.0	10.0	16.0	20.0	23.0	25.0	24.0	24.0	24.0	24.0	21.0	17.0
4	7.0	10.0	16.0	20.0	24.0	24.0	24.0	23.0	25.0	24.0	20.0	17.0
5	7.5	12.0	14.0	21.0	26.0	24.0	24.0	24.0	24.0	24.0	20.0	17.0
6	7.5	12.0	12.0	21.0	25.0	24.0	23.0	24.0	24.0	24.0	22.0	19.0
7	6.5	12.0	13.0	20.0	25.0	23.0	23.0	24.0	24.0	22.0	20.0	20.0
8	7.5	14.0	14.0	20.0	26.0	25.0	24.0	23.0	24.0	23.0	23.0	20.0
9	6.5	14.0	15.0	19.0	25.0	23.0	23.0	24.0	24.0	23.0	22.0	20.0
10	6.0	14.0	16.0	20.0	21.0	23.0	23.0	24.0	24.0	23.0	22.0	17.0
11	10.0	13.0	16.0	20.0	21.0	24.0	23.0	24.0	23.0	23.0	24.0	19.0
12	7.5	12.0	17.0	19.0	22.0	24.0	24.0	23.0	23.0	24.0	23.0	19.0
13	13.0	12.0	17.0	19.0	22.0	24.0	24.0	24.0	23.0	24.0	23.0	18.0
14	13.5	13.0	17.0	19.0	22.0	24.0	24.0	24.0	23.0	24.0	22.0	17.0
15	13.5	14.0	16.0	20.0	22.0	29.0	23.0	25.0	23.0	23.0	21.0	18.0
16	13.0	12.0	15.0	22.0	22.0	24.0	24.0	25.0	23.0	23.0	19.0	15.0
17	12.5	14.0	16.0	21.0	24.0	24.0	24.0	24.0	24.0	23.0	22.0	18.0
18	13.5	12.0	18.0	21.0	20.0	26.0	24.0	23.0	24.0	23.0	23.0	18.0
19	11.5	12.0	17.0	22.0	23.0	25.0	23.0	23.0	25.0	23.0	23.0	15.0
20	12.0	12.0	14.0	23.0	23.0	24.0	24.0	24.0	24.0	21.0	23.0	16.0
21	11.0	12.0	14.0	15.0	23.0	24.0	23.0	25.0	24.0	22.0	20.0	17.0
22	13.0	12.0	18.0	15.0	23.0	24.0	24.0	25.0	22.0	22.0	19.0	17.0
23	12.0	12.0	16.0	23.0	24.0	24.0	24.0	25.0	23.0	22.0	19.0	16.0
24	12.0	12.0	17.0	25.0	23.0	24.0	23.0	25.0	23.0	22.0	17.0	16.0
25	12.0	13.0	18.0	24.0	24.0	25.0	23.0	25.0	23.0	23.0	19.0	17.0
26	12.0	15.0	16.0	25.0	24.0	25.0	23.0	24.0	24.0	23.0	18.0	17.0
27	12.0	15.0	16.0	22.0	23.0	24.0	22.0	25.0	23.0	24.0	18.0	17.0
28	11.0	16.0	19.0	23.0	23.0	24.0	23.0	23.0	23.0	24.0	18.0	14.0
29	12.0		18.0	14.0	24.0	25.0	22.0	23.0	23.0	23.0	19.0	16.0
30	11.0		18.0	23.0	24.0	26.0	23.0	24.0	24.0	23.0	20.0	16.0
31	11.0		19.0		24.0		24.0	24.0		22.0		14.0

ANNUAL MINIMUM TEMPERATURE 5.5 DEGREE CELSIUS

19 BAN PAMG MU

MAXIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1975

DAYS	JAN	FEB	MAR	APR	MAY	JUN	JUI	AUG	SEP	OCT	NOV	DEC
1	280	30.0	34.0	31.0	41.5	34.0	31.0	31.0	280	320	30.5	31.5
2	280	320	34.0	39.0	40.0	34.0	31.0	31.0	28.0	330	320	31.0
3	29.0	320	34.0	380	38.0	31.0	31.5	31.0	310	33.0	30.5	32.0
4	300	32.0	340	380	350	300	32.5	310	31.0	320	300	32.0
5	30.0	31.0	350	39.0	35.0	320	335	31.0	330	335	30.0	31.5
6	210	31.0	350	38.0	370	31.0	29.0	31.0	300	320	305	31.5
7	29.0	30.0	36.0	360	325	31.0	31.5	300	295	320	300	30.5
8	28.0	320	370	39.5	27.0	32.0	31.0	330	27.0	30.0	335	30.5
9	260	320	37.0	365	35.0	320	32.0	31.0	310	320	34.0	20.0
10	25.0	31.0	37.0	39.0	37.0	31.0	325	320	32.0	320	31.0	20.5
11	25.0	320	35.0	40.0	380	330	320	305	330	320	32.5	31.0
12	280	31.0	370	400	380	33.0	325	330	31.0	335	33.0	30.0
13	27.0	31.0	360	40.0	340	32.0	31.0	300	31.0	335	32.5	29.0
14	29.0	31.0	370	390	35.0	34.0	300	31.0	33.0	300	33.5	30.0
15	280	310	380	300	360	33.0	31.0	330	33.0	31.0	32.5	29.0
16	290	320	37.0	40.0	360	330	33.0	33.0	330	335	33.5	25.0
17	300	31.0	380	39.0	35.0	33.0	31.5	30.0	33.0	31.0	33.5	22.0
18	31.0	33.0	380	400	360	330	31.0	315	31.0	335	32.5	24.0
19	32.0	34.0	37.0	400	37.0	33.0	31.0	32.0	34.0	32.0	33.0	25.0
20	290	35.0	380	39.0	37.0	33.0	305	31.5	34.0	34.5	330	27.0
21	31.0	340	380	39.0	34.0	320	310	31.5	30.0	345	32.5	27.0
22	31.0	34.0	380	39.0	31.0	31.0	340	300	300	34.0	32.5	28.0
23	30.0	320	360	390	32.0	305	32.5	32.5	32.0	34.0	28.5	26.0
24	300	31.0	340	400	34.0	330	30.0	330	330	32.0	27.0	26.0
25	300	34.0	380	40.0	34.0	35.0	30.0	270	340	32.5	270	25.0
26	280	350	38.0	40.0	32.0	34.0	310	32.0	34.5	35.5	27.5	27.0
27	31.0	350	39.0	40.0	340	32.5	290	28.5	340	33.5	28.0	26.5
28	320	360	37.0	42.0	32.0	31.5	30.0	27.5	34.5	35.0	28.5	26.0
29	30.0		34.0	40.0	330	31.0	320	29.0	31.5	34.0	31.0	26.0
30	290		360	420	34.0	320	350	300	32.5	330	310	24.0
31	310		38.0		350		32.3	280		31.0		23.5

ANNUAL MAXIMUM TEMPERATURE 420 DEGREE CELSIUS



19. BAN PAMG MU

MINIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1975

DAYS	JAN	FEB	MAR	APR	MAY	JUN	JULI	AUG	SEP	OCT	NOV	DEC
1	14.0	17.0	20.0	21.0	25.0	24.0	23.5	22.5	22.0	22.5	18.5	18.0
2	13.0	17.0	18.0	19.0	22.0	24.0	24.5	23.0	23.0	22.5	18.5	19.0
3	14.0	16.0	15.0	19.0	22.0	25.5	23.5	24.0	25.0	22.5	19.0	19.0
4	16.0	17.0	14.0	21.0	25.0	23.5	24.0	25.0	23.0	22.0	19.0	19.0
5	17.0	16.0	15.0	19.0	25.0	24.0	24.0	23.0	24.5	22.0	19.0	17.0
6	17.0	16.0	17.0	18.0	24.0	24.0	23.0	23.0	24.0	22.0	18.5	15.0
7	16.0	16.0	14.0	20.0	22.5	24.0	23.5	24.0	22.0	23.0	18.0	14.0
8	17.0	16.0	14.0	21.0	22.0	24.0	23.0	24.0	23.0	22.0	20.0	13.0
9	19.0	15.0	16.0	20.0	22.0	24.0	23.0	23.0	22.0	23.0	20.0	14.0
10	17.0	15.0	15.0	19.0	23.0	21.0	24.0	24.0	22.0	22.5	18.0	15.0
11	17.0	16.0	16.0	21.0	22.0	24.0	24.0	23.5	23.0	24.0	18.0	19.0
12	17.0	16.0	17.0	23.0	24.0	24.0	24.0	23.5	23.0	24.0	18.0	21.0
13	16.0	14.0	17.0	20.0	22.0	24.0	23.0	24.0	23.0	22.5	18.0	20.0
14	14.0	14.0	17.0	22.0	23.0	24.0	23.0	23.0	22.0	22.5	19.0	20.0
15	14.0	15.0	19.0	21.0	23.0	24.0	23.0	23.0	22.5	21.0	19.5	14.0
16	14.0	14.0	17.0	23.0	26.0	24.0	23.0	24.5	22.5	20.5	20.0	15.0
17	15.0	16.0	17.0	21.0	27.0	24.0	23.0	24.0	22.0	20.5	17.5	11.0
18	16.0	14.0	18.0	20.0	26.0	24.0	22.0	23.0	23.0	20.0	17.5	14.0
19	19.0	15.0	16.0	22.0	23.0	25.0	22.0	23.5	24.0	23.5	18.0	10.0
20	14.0	14.0	17.0	23.0	24.0	24.0	22.0	23.0	24.0	23.5	18.0	9.0
21	14.0	17.0	17.0	22.0	25.0	24.0	22.5	24.0	22.0	22.0	17.5	9.0
22	16.0	20.0	16.0	22.0	24.0	24.0	23.5	23.0	21.5	21.0	17.5	9.0
23	16.0	15.0	16.0	22.0	24.0	23.0	22.0	23.5	21.5	21.5	14.0	9.0
24	16.0	14.0	16.0	22.0	24.0	24.0	23.5	24.0	21.5	23.0	12.0	10.0
25	16.0	14.0	16.0	22.0	24.0	25.0	23.0	23.5	23.0	23.5	12.0	10.0
26	15.0	16.0	22.0	25.0	25.0	25.0	22.5	23.0	23.0	22.5	14.0	11.0
27	16.0	16.0	22.0	25.0	24.0	23.0	21.5	23.0	22.5	22.5	13.0	8.0
28	17.0	16.0	23.0	26.0	24.0	22.0	22.5	23.0	23.0	23.0	15.0	7.5
29	16.0		22.0	27.0	22.0	24.0	24.0	22.5	22.5	21.0	18.0	7.5
30	19.0		23.0	25.0	23.0	23.5	23.5	23.0	22.5	21.0	19.0	7.0
31	16.0		19.0		22.0		24.0	22.5		18.0		9.0

ANNUAL MINIMUM TEMPERATURE 7.0 DEGREE CELSIUS

19. BAN PAMG MU

MAXIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1976

DAYS	JAN	FEB	MAR	APR	MAY	JUN	JUI	AUG	SEP	OCT	NOV	DEC
1	250	295	35.0	385	339	340	349	30.0	320	34.0	325	302
2	250	300	337	39.0	319	340	31.4	275	330	332	35.0	31.2
3	260	300	332	366	340	307	31.2	28.0	330	330	305	31.6
4	265	31.0	333	338	360	314	324	280	340	33.0	34.0	31.2
5	27.0	310	335	37.2	38.0	325	300	31.0	353	332	33.5	29.5
6	280	305	34.4	37.5	37.2	30.0	349	31.5	34.3	340	33.5	34.2
7	29.0	30.0	34.7	390	37.4	31.5	290	32.5	334	340	34.5	30.6
8	300	286	370	388	35.0	29.7	31.0	303	345	34.0	34.5	30.9
9	30.0	30.7	37.0	37.5	360	31.2	294	30.8	32.3	340	34.0	38.5
10	29.0	31.0	369	379	370	303	34.5	31.5	313	34.0	33.0	29.5
11	30.0	315	368	391	354	280	321	31.4	286	33	34.0	30.6
12	28.0	31.5	380	39.2	37.0	30.5	33.5	200	29.0	34.0	30.0	30.7
13	290	320	37.4	39.0	35.6	27.6	344	29.8	340	35.0	32.5	30.9
14	28.5	311	37.2	39.0	35.2	327	34.1	25.5	39.0	350	33.0	35.9
15	280	32.1	372	393	344	325	329	28.5	34.3	33.0	33.5	30.8
16	285	330	367	395	37.0	330	34.0	27.0	34.5	33.0	33.0	31.2
17	260	34.4	37.6	399	390	350	33.5	26.2	335	348	33.5	31.5
18	260	35.0	380	40.0	39.0	365	33.5	34.0	35.7	34.0	33.0	31.5
19	29.3	360	387	39.2	39.2	360	300	34.3	34.6	340	34.0	32.5
20	290	36.2	350	400	388	35.0	31.0	34.5	335	322	34.0	34.5
21	285	35.4	370	39.4	34.4	348	334	34.5	320	31.0	34.0	30.4
22	28.5	35.2	378	39.2	389	327	330	344	301	32.5	34.0	30.4
23	295	35.6	37.8	400	31.5	335	302	334	30.0	320	29.0	32.5
24	29.5	35.5	388	383	32.5	33.4	307	33.3	32.5	33.5	29.0	32.6
25	29.0	35.0	380	38.2	34.9	330	29.0	334	330	334	300	30.6
26	29.5	34.5	390	39.6	34.5	34.9	29.0	333	34.0	33.4	30.4	31.5
27	300	34.0	400	38.5	34.0	336	31.0	33.5	32.3	332	30.4	31.5
28	300	35.4	390	37.0	32.4	34.5	31.9	28.3	30.2	32.5	30.4	31.5
29	31.2	35.7	38.8	37.7	34.0	33.2	35.0	29.0	32.5	32.5	25.6	29.2
30	300		390	35.7	31.4	34.1	33.8	30.8	34.3	32.8	36.4	29.2
31	28.8		389		32.4		29.5	330		32.9		29.2

ANNUAL MAXIMUM TEMPERATURE 40.0 DEGREE CELSIUS

19. BAN PAMG MU

MINIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1976

DAYS	JAN	FEB	MAR	APR	MAY	JUN	JUI	AUG	SEP	OCT	NOV	DEC
1	100	110	138	20.0	232	240	240	235	200	236	215	163
2	105	110	134	21.7	230	230	236	233	232	232	215	166
3	113	110	132	22.0	227	237	230	232	239	220	213	156
4	115	120	130	215	226	229	235	232	235	230	220	133
5	117	115	150	21.2	230	229	234	230	220	228	220	132
6	119	142	140	21.0	235	230	240	236	220	236	220	132
7	125	120	142	200	227	235	230	235	225	236	210	155
8	140	122	138	21.0	230	228	230	234	233	235	205	144
9	140	125	138	202	230	228	232	232	232	225	202	144
10	125	136	137	20.0	219	230	233	233	230	220	240	145
11	145	140	140	20.2	223	256	220	230	220	215	205	146
12	140	127	129	22.0	228	214	230	232	222	220	205	153
13	135	112	138	220	237	219	245	230	222	228	190	145
14	130	110	136	22.0	240	225	230	236	235	225	190	146
15	130	110	160	22.0	246	240	230	217	230	223	210	158
16	125	114	158	223	250	234	220	220	249	224	210	164
17	130	120	158	225	250	240	236	220	254	222	202	161
18	130	126	161	227	258	240	234	220	250	222	200	160
19	135	129	170	208	250	255	234	232	240	223	202	160
20	140	130	180	207	245	250	240	232	235	224	203	160
21	130	126	190	198	232	252	244	232	239	228	188	150
22	130	122	190	200	241	239	240	230	229	195	158	130
23	130	127	180	207	229	239	239	232	228	194	165	130
24	130	122	180	210	230	235	238	230	225	195	162	150
25	130	120	188	206	235	240	239	231	235	196	163	134
26	130	122	184	210	238	240	238	230	235	194	162	126
27	127	120	190	262	244	250	238	230	228	195	162	123
28	127	120	180	249	249	242	239	226	233	218	161	150
29	135	137	178	240	245	245	240	225	235	218	160	149
30	136		182	239	233	244	230	228	238	218	164	142
31	140		182		246		235	238		215		170

ANNUAL MINIMUM TEMPERATURE 10.0 DEGREE CELSIUS

20 BAN PAMG MU

MAXIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1977

DAYS	JAN	FEB	MAR	APR	MAY	JUN	JUI	AUG	SEP	OCT	NOV	DEC
1	292	31.0	37.5	36.2	39.3	34.0	30.2	31.2	34.0	34.0	32.6	32.6
2	29.0	32.5	37.5	36.2	39.0	31.5	30.5	31.5	34.0	36.6	33.5	31.6
3	292	32.8	37.0	36.1	39.0	32.0	30.0	32.5	34.5	36.0	33.5	30.2
4	290	32.7	36.9	34.0	39.0	33.0	30.0	32.5	34.4	35.0	32.5	30.6
5	30.4	32.5	33.4	36.5	39.3	35.0	30.5	33.0	35.0	34.7	33.8	29.0
6	30.4	32.0	34.0	36.0	39.0	35.0	29.5	34.1	33.5	35.5	34.4	30.2
7	30.5	32.0	30.0	36.5	39.0	35.0	31.0	37.8	33.4	34.5	33.5	29.2
8	30.3	33.0	34.5	37.0	39.0	35.0	30.0	36.6	34.0	33.9	33.2	29.0
9	28.5	33.0	34.8	38.0	37.0	37.0	31.0	38.1	34.5	34.0	33.6	28.7
10	29.3	33.0	34.8	36.0	35.0	38.0	30.0	36.3	34.5	33.9	33.2	28.8
11	29.0	33.0	34.5	35.8	35.5	38.0	31.0	32.3	29.5	34.0	33.2	28.4
12	29.3	33.0	33.8	36.5	35.0	37.5	31.5	35.6	34.1	33.9	32.5	29.5
13	29.5	33.0	37.5	36.0	34.0	34.0	35.7	36.0	36.8	33.9	32.2	28.3
14	30.0	33.3	38.0	38.0	33.5	33.5	35.0	32.4	34.2	34.0	32.1	29.9
15	30.0	34.0	38.0	39.5	33.2	34.0	31.0	36.3	29.9	39.9	30.2	29.0
16	30.0	34.0	37.5	39.5	32.0	34.9	34.5	37.6	33.5	39.0	30.9	29.6
17	29.5	34.5	37.7	40.0	35.0	36.8	35.0	36.2	35.6	36.5	28.9	30.6
18	30.0	32.5	38.2	40.0	35.5	35.5	34.6	32.6	33.4	36.6	28.6	30.0
19	30.2	34.5	39.2	37.0	36.2	36.4	34.0	33.8	35.5	34.2	28.1	31.6
20	30.2	34.5	39.2	36.5	37.0	35.8	35.0	31.8	33.1	33.6	30.1	31.2
21	30.0	33.0	38.5	37.5	38.0	35.0	34.0	32.8	34.0	34.0	29.1	32.0
22	30.3	33.0	38.8	38.0	38.8	35.0	34.5	32.0	29.0	34.2	31.1	32.9
23	33.9	33.5	39.0	38.3	38.7	35.0	32.5	32.8	33.3	33.2	32.5	28.5
24	31.0	34.8	38.8	38.5	33.0	33.0	31.0	35.0	30.2	36.0	33.0	29.0
25	32.2	35.2	35.2	38.8	34.0	31.0	32.0	33.5	34.8	31.0	33.5	29.1
26	32.1	36.0	35.0	39.0	35.0	31.0	35.5	33.0	37.0	32.2	33.1	29.5
27	31.5	35.0	37.0	39.0	33.0	30.0	32.4	35.0	36.1	34.0	33.5	29.3
28	31.3	36.0	39.0	39.2	32.0	30.5	31.0	33.1	35.0	34.0	31.9	27.2
29	31.5		38.8	39.4	34.0	31.5	29.6	34.6	29.5	33.8	32.0	28.3
30	31.4		38.5	39.0	34.0	30.2	28.2	34.5	34.0	35.5	31.5	31.0
31	32.0		36.3		32.0		32.7	34.0		36.2		30.0

ANNUAL MAXIMUM TEMPERATURE 40.0 DEGREE CELSIUS

20 BAN PAMG MU

MINIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1977

DAYS	JAN	FEB	MAR	APR	MAY	JUN	JUI	AUG	SEP	OCT	NOV	DEC
1	17.8	12.0	11.0	19.5	21.0	23.0	21.0	19.0	18.5	17.5	15.1	14.5
2	17.0	14.0	16.0	17.8	21.0	24.0	21.0	18.2	18.5	19.0	16.0	13.7
3	17.0	13.2	13.5	17.7	22.8	24.0	20.0	18.2	20.5	18.2	16.5	12.5
4	17.0	12.5	14.0	17.7	22.5	23.0	20.2	19.5	18.6	17.7	16.2	13.6
5	15.0	12.0	13.0	17.7	22.0	24.0	21.0	17.4	18.5	19.0	15.5	11.8
6	15.0	12.0	20.0	18.0	22.0	23.5	20.0	18.0	19.0	18.5	16.1	10.5
7	15.0	13.0	19.5	18.1	23.0	24.0	20.4	18.5	18.0	16.9	16.0	11.6
8	15.0	13.0	18.0	18.0	22.0	23.3	20.2	18.5	19.4	17.0	15.2	10.5
9	13.0	11.8	18.0	18.0	22.0	23.0	20.5	19.5	18.5	17.0	15.4	9.2
10	14.2	11.5	18.0	18.3	22.5	23.5	20.0	20.1	18.5	18.0	16.5	9.1
11	14.2	12.0	18.2	18.0	23.0	25.0	20.5	19.5	18.5	17.5	15.2	9.6
12	13.5	12.0	18.2	18.0	22.5	24.0	20.2	18.2	17.0	18.0	13.2	9.0
13	13.5	12.0	17.0	18.1	23.0	24.0	25.9	19.0	18.9	16.0	14.1	9.2
14	13.5	12.0	17.0	18.0	23.5	23.0	24.9	19.9	18.2	17.0	12.5	9.5
15	13.5	14.5	16.0	18.0	24.0	23.5	23.0	19.5	18.6	17.5	11.9	9.6
16	13.5	14.5	15.8	22.0	24.0	23.7	21.0	19.5	16.7	16.8	9.5	8.8
17	15.0	14.5	15.8	22.0	24.0	24.0	18.5	19.3	18.5	16.5	9.0	11.2
18	14.0	18.0	15.7	22.5	24.0	24.2	18.5	19.5	19.0	17.0	9.0	12.3
19	14.0	19.5	15.8	22.0	22.5	25.0	19.0	19.2	19.5	17.5	8.9	12.2
20	14.2	17.0	15.8	22.0	22.3	26.1	20.0	18.5	18.5	17.2	11.1	11.6
21	14.2	19.0	15.7	22.0	22.0	25.0	19.5	18.0	18.9	16.4	9.5	11.1
22	14.0	19.0	16.0	22.0	23.0	24.5	19.5	19.0	17.9	15.5	11.5	11.4
23	14.0	19.0	16.0	21.5	23.0	23.5	19.5	18.8	16.9	16.2	12.1	12.0
24	12.2	17.5	16.0	21.4	22.5	23.5	18.5	18.6	15.0	14.2	14.9	10.5
25	12.0	17.0	15.8	21.5	23.0	24.0	18.5	18.5	14.8	13.5	16.5	7.1
26	12.2	16.2	19.0	23.0	24.0	23.0	19.5	18.0	15.1	13.5	15.7	10.3
27	12.2	17.0	19.0	19.0	24.0	23.0	19.5	18.5	17.0	16.8	16.0	11.4
28	12.3	16.5	20.0	19.0	24.0	21.0	18.6	18.8	17.2	16.2	16.5	13.5
29	13.0		19.5	21.0	23.0	20.8	18.0	17.5	18.0	16.0	15.5	14.1
30	12.4		19.8	21.0	23.5	20.0	16.9	18.5	18.0	16.4	15.5	14.3
31	12.3		19.8		23.5		17.2	18.0		17.2		13.2

ANNUAL MINIMUM TEMPERATURE 7.0 DEGREE CELSIUS

NATIONAL ENERGY ADMINISTRATION

YEAR	1978													
SUBJECT	STATION						Ban Pang Mu						CODE NO	
	COMPUTED						CHECKED							
DATE	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
1	283	305	320	390	415	360	348	338	278	309	330	318		
2	285	320	330	385	410	355	368	335	331	328	343	322		
3	286	291	345	375	408	360	269	348	313	320	340	324		
4	315	290	340	390	410	360	260	335	317	330	347	321		
5	310	295	336	380	390	350	330	348	309	278	339	320		
6	296	286	349	389	402	350	325	348	342	308	348	312		
7	298	310	339	365	415	305	350	318	367	350	348	315		
8	317	310	349	380	415	302	320	330	307	348	345	296		
9	299	315	338	365	405	305	329	345	296	358	336	302		
10	270	321	350	370	415	300	318	319	323	319	335	330		
11	278	332	349	370	410	350	298	315	339	327	319	348		
12	285	320	338	380	410	350	300	348	318	336	338	320		
13	273	331	335	375	405	350	330	323	319	338	336	328		
14	296	321	345	380	382	360	292	315	322	340	339	318		
15	285	345	350	390	380	340	278	399	339	343	341	300		
16	295	360	340	380	372	370	320	329	343	344	340	285		
17	285	360	345	360	330	350	320	365	353	325	341	278		
18	273	303	342	390	340	348	322	328	340	330	338	288		
19	285	350	365	390	338	330	320	332	319	344	343	290		
20	295	352	355	390	355	340	342	354	349	331	339	293		
21	288	351	382	390	360	338	330	337	340	342	338	298		
22	305	354	384	392	380	340	320	337	320	350	330	305		
23	309	315	385	390	382	325	310	343	313	343	325	318		
24	315	320	370	395	372	318	330	350	342	338	320	328		
25	325	345	358	398	355	309	331	347	351	344	310	332		
26	323	275	360	399	350	340	320	331	341	357	322	335		
27	305	315	375	398	350	323	307	346	331	339	327	325		
28	300	320	375	410	348	277	278	335	320	337	322	314		
29	288		385	400	362	310	302	325	318	343	329	328		
30	290		388	400	360	310	340	351	330	318	319	329		
31	295		395		360		350	339		338		322		

TOTAL

NATIONAL ENERGY ADMINISTRATION

YEAR	1978											
SUBJECT	MIN											
DATE	STATION						Ban Pang Mu					
	COMPUTED						CODE NO					
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	11.7	8.1	14.0	11.2	21.5	25.0	23.5	24.8	23.0	23.0	22.0	16.8
2	10.0	9.0	12.6	11.6	21.5	25.0	24.0	24.5	23.2	22.9	20.5	17.0
3	10.4	11.0	10.5	12.0	20.5	25.8	22.0	24.3	25.0	23.2	20.0	17.0
4	9.0	14.0	10.9	12.6	21.0	23.0	23.5	24.0	23.8	23.8	20.0	16.0
5	12.0	10.0	11.2	12.4	19.5	25.5	23.0	23.7	23.5	23.8	19.8	15.8
6	13.9	7.8	12.3	14.0	21.0	25.5	22.8	23.6	23.0	22.5	20.0	14.0
7	12.2	7.2	11.0	12.0	21.5	24.0	23.8	23.8	23.4	22.5	20.5	15.0
8	11.8	6.5	7.2	11.2	20.5	25.0	23.2	23.7	23.7	23.5	21.2	15.0
9	12.0	7.5	7.5	13.0	21.0	24.7	24.9	23.7	22.8	23.9	20.0	20.0
10	17.6	7.8	10.5	14.0	21.7	24.5	23.5	23.7	22.9	23.8	19.3	20.0
11	12.0	8.5	9.5	14.5	21.2	24.0	23.2	23.9	23.0	23.2	20.2	19.5
12	12.0	8.5	11.0	13.0	21.0	24.0	23.0	24.0	23.8	23.0	20.0	17.0
13	10.5	8.5	10.0	14.2	19.2	24.0	23.5	24.0	23.8	20.0	19.0	17.0
14	7.8	10.0	9.5	15.0	19.0	24.0	23.0	23.8	22.5	21.0	19.0	15.0
15	7.9	10.0	10.8	15.0	19.5	25.3	22.7	23.0	23.4	21.2	19.3	12.0
16	7.2	9.8	11.0	15.5	18.0	24.0	23.0	23.0	23.4	21.5	19.9	10.6
17	7.8	11.6	9.4	16.0	22.0	23.2	23.0	24.0	24.0	18.2	19.5	10.1
18	7.3	10.9	9.2	20.3	24.0	23.0	23.0	24.3	24.3	18.4	18.8	10.8
19	7.8	13.5	7.9	21.5	26.0	25.0	24.0	24.0	24.0	20.0	18.8	11.2
20	7.0	12.9	10.5	21.8	25.8	25.8	24.2	24.3	23.1	20.1	19.0	11.5
21	7.0	11.5	12.5	27.0	25.5	24.6	24.5	24.0	22.0	21.0	19.2	12.4
22	8.5	10.8	13.0	23.0	25.0	23.5	24.0	23.5	22.2	21.0	19.0	14.8
23	10.1	10.0	12.8	23.8	25.0	24.0	23.5	23.5	24.8	20.0	16.4	14.1
24	9.4	9.0	13.5	24.3	23.5	23.8	23.4	24.3	23.5	20.0	16.3	15.2
25	10.0	11.4	13.6	24.5	24.0	24.0	23.7	24.7	23.5	22.0	16.0	11.8
26	9.6	12.6	11.0	24.0	25.0	24.0	23.8	24.0	23.9	22.7	15.8	15.9
27	11.0	10.2	11.8	25.0	27.6	23.0	23.7	24.0	23.8	22.5	17.4	15.6
28	8.5	12.2	11.8	27.0	27.0	22.3	22.9	24.0	22.3	22.7	16.2	16.6
29	7.0		13.8	27.5	23.8	22.2	23.0	22.5	22.2	19.4	16.5	16.7
30	7.1		13.5	27.2	25.0	22.3	24.2	23.2	22.8	17.5	15.0	16.5
31	6.9		13.3		25.0		24.2	24.0		16.5		17.4

TOTAL

ELECTRICITY GENERATING AUTHORITY OF THAILAND

HYDROLOGY SECTION

DAILY MAXIMUM AND MINIMUM TEMPERATURE ( °C ) AT Obb Luang

YEAR 1972

DATE	JUL		AUG		SEP		OCT		NOV		DEC		REMARK
	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	
1					32.9	21.9	32.8	22.8	35.3	19.8	27.5	19.2	
2			34.0	24.8	31.4	22.4	33.6	21.4	35.1	18.8	27.1	19.0	
3			33.0	23.0	31.8	21.0	33.4	21.7	34.4	19.8	29.0	17.3	
4			32.0	22.1	32.4	21.8	35.2	21.2	34.6	17.0	29.4	16.2	
5			32.6	23.2	33.2	22.4	26.2	21.4	33.3	18.4	29.5	14.4	
6			31.8	21.6	33.0	24.4	30.0	21.6	33.6	20.2	30.6	14.5	
7			32.2	21.8	31.2	21.4	30.2	21.4	30.2	20.8	28.7	17.4	
8			29.2	20.6	28.0	21.5	33.8	23.8	30.6	18.0	26.5	20.3	
9			30.6	21.6	24.6	20.6	34.6	21.8	31.0	19.0	33.6	21.4	
10			32.1	22.1	31.2	20.6	34.4	23.0	30.4	21.6	32.7	20.2	
11			31.2	22.0	32.0	22.8	34.5	22.0	30.8	16.4	33.3	18.8	
12			32.8	23.0	31.2	22.4	33.6	22.8	30.6	16.2	32.2	19.0	
13			35.6	24.2	35.0	23.2	33.2	23.4	33.2	21.4	23.0	18.8	
14			34.2	22.4	34.2	24.0	32.0	23.2	33.4	16.8	27.5	19.6	
15			31.8	21.2	36.2	24.6	33.0	23.0	32.0	17.2	33.9	18.0	
16			32.8	23.0	37.0	22.0	29.8	23.4	33.7	18.8	29.0	15.8	
17			32.2	21.8	35.0	23.4	33.8	23.0	33.0	19.0	30.3	15.4	
18			32.0	22.1	34.2	23.4	30.0	25.0	29.0	19.4	30.9	15.5	
19			32.1	22.2	32.2	23.4	33.0	23.3	31.2	20.8	30.6	15.9	
20			32.0	22.1	31.6	22.8	34.0	23.0	31.7	20.6	30.0	15.6	
21			31.8	21.8	31.0	24.0	33.0	23.4	28.8	21.2	31.8	14.8	
22			31.6	21.6	29.0	25.2	34.0	21.2	32.2	21.8	31.7	13.0	
23			30.1	21.4	30.0	24.2	26.6	19.4	31.6	21.2	30.8	11.5	
24			30.2	21.4	33.2	26.4	32.8	22.0	32.8	21.8	30.5	12.9	
25			23.4	21.2	34.2	22.8	33.0	20.0	30.0	20.0	30.4	12.3	
26			26.1	21.6	31.2	22.5	33.6	19.4	31.4	19.9	31.0	12.8	
27			30.4	21.4	28.7	22.6	33.2	20.4	37.6	20.2	30.8	12.4	
28			31.4	22.2	32.4	22.8	32.8	20.2	28.5	20.1	31.2	12.2	
29			32.4	22.0	32.2	21.4	33.6	20.3	30.4	19.6	31.8	12.7	
30			31.4	21.1	33.0	21.9	33.2	20.0	28.7	18.2	32.6	13.0	
31			32.0	22.8			35.1	19.4			31.8	12.8	
MAX.			35.6		37.0		35.1		35.3		31.8		
MIN.				20.6		20.6		19.4		16.2		11.5	

COMPUTED

CHECKED



## ELECTRICITY GENERATING AUTHORITY OF THAILAND

## HYDROLOGY SECTION

## DAILY MAXIMUM AND MINIMUM TEMPERATURE ( °C) AT obb Luang

YEAR 1973

DATE	JAN		FEB		MAR		APR		MAY		JUN		REMARK
	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	
1	32.0	14.0	34.0	13.0	38.4	18.2	37.6	18.4	40.0	22.4	33.8	22.4	
2	32.1	12.3	33.8	13.9	39.6	16.6	37.0	18.8	34.6	21.8	34.2	23.2	
3	30.6	13.0	34.8	15.4	37.5	18.4	38.4	19.6	33.2	21.2	34.6	23.4	
4	30.4	12.0	35.0	16.0	37.8	20.2	38.6	20.2	26.0	24.0	34.0	23.4	
5	31.4	12.2	35.6	18.2	38.6	20.6	38.8	19.6	27.2	22.6	33.4	22.8	
6	30.8	12.4	34.6	17.4	38.6	18.2	37.0	20.0	26.4	23.8	34.4	22.4	
7	32.3	12.0	34.6	15.6	33.8	20.0	38.6	20.4	30.8	22.6	30.8	23.8	
8	33.8	13.4	33.6	15.6	33.0	20.2	38.2	21.4	31.8	24.0	30.2	23.2	
9	33.2	11.6	33.2	17.8	34.2	18.4	38.8	23.0	31.6	22.2	30.6	22.6	
10	34.0	12.5	34.4	15.2	36.6	17.4	38.4	24.6	36.0	23.6	31.6	23.8	
11	33.2	12.8	34.8	15.4	37.6	16.4	38.2	25.8	34.6	23.0	32.8	23.8	
12	32.0	12.6	34.8	16.0	38.8	17.4	39.0	23.2	34.2	23.0	33.4	23.8	
13	32.2	12.5	35.0	16.6	38.8	19.8	39.2	22.6	33.8	23.0	31.2	23.8	
14	31.8	13.4	35.0	16.0	39.6	21.8	38.8	24.8	29.0	23.6	33.0	23.8	
15	32.0	13.6	35.4	16.1	40.2	20.8	39.3	22.0	29.4	23.0	29.4	23.4	
16	31.3	13.2	34.6	16.4	35.8	21.4	39.2	24.8	32.0	22.8	29.0	23.4	
17	32.0	13.8	35.0	16.2	26.8	20.8	39.8	25.0	33.6	22.8	29.4	22.6	
18	31.8	12.0	35.4	16.0	36.4	22.4	41.0	22.4	33.4	22.6	27.8	23.0	
19	32.8	11.5	35.6	14.4	35.6	20.8	40.0	21.2	32.6	23.2	31.6	23.2	
20	33.0	10.2	36.0	14.8	36.4	23.2	39.0	24.2	32.6	23.0	31.8	23.6	
21	32.4	10.1	36.2	14.6	37.6	22.0	39.4	21.0	33.0	23.0	33.0	24.0	
22	33.7	10.2	37.4	13.8	36.6	21.8	38.0	25.0	34.2	23.0	32.2	23.8	
23	33.8	11.4	37.2	14.4	36.9	22.0	40.0	26.0	36.2	22.8	31.2	24.0	
24	33.2	10.6	36.8	18.4	36.8	20.8	40.2	27.0	32.6	21.0	32.4	23.8	
25	34.2	10.2	38.0	18.6	33.4	21.4	41.0	27.8	31.6	20.6	35.2	25.0	
26	34.0	10.9	37.6	16.2	28.8	18.4	41.0	26.2	33.4	22.6	33.6	25.0	
27	33.8	10.8	36.2	16.4	31.0	18.4	40.2	26.8	34.2	23.0	32.6	24.0	
28	33.4	10.6	38.0	18.6	34.2	16.6	40.0	26.8	33.4	22.6	33.4	23.0	
29	32.6	13.0			36.2	19.4	40.8	28.8	30.6	23.6	34.6	23.8	
30	32.8	12.8			38.0	20.4	40.2	27.2	34.2	22.2	34.8	23.4	
31	33.0	12.2			37.8	18.3			34.4	22.8			
MAX.	34.2		38.0		40.2		41.0		40.0		34.8		
MIN.		10.1		13.0		16.4		18.4		20.6		22.4	

COMPUTED

CHECKED

## ELECTRICITY GENERATING AUTHORITY OF THAILAND

## HYDROLOGY SECTION

DAILY MAXIMUM AND MINIMUM TEMPERATURE ( °C ) AT Obb Luang

YEAR 1973

DATE	JUL		AUG		SEP		OCT		NOV		DEC		REMARK
	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	
1	33.8	22.8	34.0	21.8	31.0	24.6	30.0	21.6	29.2	16.0	28.8	10.4	
2	33.8	22.0	34.8	21.4	30.2	22.8	30.6	21.2	30.4	18.4	29.4	12.2	
3	32.0	24.0	31.6	20.0	31.0	22.2	34.2	22.6	31.2	17.0	30.2	11.8	
4	33.6	22.8	32.4	21.8	31.8	22.0	35.6	21.2	31.4	16.2	30.4	11.4	
5	33.6	22.2	34.0	20.4	31.8	21.4	33.6	22.4	31.8	16.2	30.2	12.8	
6	33.0	22.6	30.6	22.4	31.6	22.2	34.0	21.6	30.2	16.2	31.0	12.0	
7	29.8	22.6	25.4	21.8	32.0	22.4	33.2	21.0	28.0	19.6	30.8	16.2	
8	32.8	21.4	32.4	21.4	33.6	23.2	33.6	21.0	29.0	19.4	29.6	17.4	
9	34.8	24.6	31.4	21.8	33.6	22.4	33.0	22.4	33.0	18.6	28.6	15.4	
10	32.0	23.0	32.0	21.0	30.0	22.4	32.6	22.0	35.0	19.0	29.8	14.8	
11	29.0	22.6	32.0	21.0	30.8	22.0	31.0	21.8	35.8	19.2	31.4	15.8	
12	32.0	23.0	31.0	20.6	33.4	21.2	32.4	21.6	34.6	19.8	31.4	15.1	
13	31.0	22.6	32.0	19.8	33.6	22.4	33.2	21.2	34.4	18.8	33.2	15.2	
14	30.2	23.0	31.4	19.4	32.0	22.4	32.6	19.2	24.6	18.4	32.9	13.4	
15	31.0	22.8	31.4	19.2	33.0	24.2	33.0	20.6	25.4	21.0	32.0	12.3	
16	30.0	24.0	31.8	18.8	34.0	22.0	29.6	21.0	31.4	19.2	30.9	11.8	
17	31.4	23.4	32.6	23.8	28.4	22.2	27.0	21.6	29.4	17.2	29.8	12.5	
18	31.0	23.6	30.8	23.4	33.4	21.2	30.8	21.2	29.2	16.8	28.5	9.5	
19	29.0	22.0	29.0	23.0	32.0	22.0	32.8	21.4	24.0	21.0	28.6	10.2	
20	29.4	21.6	30.4	22.2	32.0	22.4	33.6	20.4	26.0	20.2	28.3	10.4	
21	32.0	20.6	31.0	22.2	26.0	22.4	34.6	20.0	27.4	20.8	28.8	10.4	
22	31.6	24.8	31.0	21.8	28.4	22.0	34.6	19.8	21.0	17.6	30.0	12.0	
23	30.4	24.8	31.0	21.6	32.0	22.6	35.4	19.4	24.4	18.8	30.4	11.7	
24	30.0	24.8	27.0	21.	32.6	22.6	35.4	19.2	29.0	18.2	30.0	10.2	
25	30.6	24.0	30.0	22.5	32.6	22.4	31.8	20.4	29.0	15.2	29.9	8.7	
26	32.0	25.2	29.8	22.1	33.4	21.2	33.6	19.8	28.8	10.4	26.0	6.2	
27	31.2	22.6	28.8	21.8	32.4	22.6	34.4	19.4	28.8	9.8	24.5	5.7	
28	31.0	22.2	24.6	21.0	32.2	22.4	29.8	20.0	28.0	8.8	24.8	5.2	
29	31.0	22.6	28.0	22.6	32.6	22.8	28.8	19.4	28.8	10.0	25.1	5.0	
30	32.2	22.2	30.2	23.0	29.0	22.6	31.2	19.0	28.8	10.6	26.1	4.9	
31	32.4	21.3	30.8	22.6			32.4	18.2			25.7	5.0	
MAX.	34.8		34.8		34.0		35.6		35.8		33.2		
MIN.		20.6		18.8		21.2		18.2		8.8		4.9	

COMPUTED

CHECKED

ELECTRICITY GENERATING AUTHORITY OF THAILAND

HYDROLOGY SECTION

DAILY MAXIMUM AND MINIMUM TEMPERATURE ( °C ) AT Obb Luang

YEAR 1974

DATE	JAN		FEB		MAR		APR		MAY		JUN		REMARK
	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	
1	22.7	4.9	29.2	11.2	34.3	17.0	35.0	20.7	31.9	24.3	31.2	22.4	
2	14.9	3.5	27.8	11.4	35.7	16.2	36.8	20.8	33.4	24.2	32.0	22.5	
3	15.8	7.6	29.2	11.8	36.0	16.2	37.8	20.8	32.5	22.5	31.6	24.7	
4	25.9	5.0	31.0	11.6	36.5	16.4	37.8	21.2	36.3	25.0	31.7	24.3	
5	26.9	4.8	29.0	12.0	38.2	18.0	37.7	24.0	36.0	23.0	32.0	23.4	
6	26.7	3.7	33.2	12.5	37.6	18.0	37.7	22.4	34.9	23.7	31.8	23.8	
7	26.9	2.8	34.8	12.7	36.4	18.0	39.2	23.8	35.6	23.8	32.2	22.6	
8	19.2	6.8	33.6	13.0	38.6	17.4	40.0	24.6	37.2	24.5	31.0	22.0	
9	29.7	8.6	28.0	14.0	38.0	16.4	39.7	22.6	37.3	20.8	28.2	21.0	
10	20.7	9.7	31.9	14.3	38.4	16.4	38.0	18.7	36.0	22.0	26.0	22.0	
11	30.0	9.6	27.0	11.2	38.4	16.6	36.0	21.0	30.6	20.5	30.0	21.8	
12	31.7	10.4	29.0	11.4	36.8	16.3	38.0	24.8	32.0	20.8	31.0	21.0	
13	24.6	12.3	28.9	9.8	37.6	19.0	34.0	19.0	30.4	21.6	32.0	23.2	
14	31.4	13.4	25.8	9.7	38.8	18.7	36.6	22.4	29.3	22.9	32.0	23.6	
15	22.0	12.2	32.3	10.4	38.6	18.8	34.2	20.7	30.2	21.6	30.0	22.6	
16	22.0	11.6	33.8	12.2	38.4	19.4	37.6	23.2	33.2	21.4	28.0	22.2	
17	30.0	11.0	30.6	14.8	34.4	19.8	36.2	22.0	32.0	21.4	29.3	23.0	
18	31.8	9.5	35.7	16.5	37.4	17.8	36.0	22.0	30.8	21.2	30.4	22.6	
19	31.6	6.3	35.6	14.7	38.5	18.4	38.0	22.6	34.7	22.2	28.3	23.4	
20	32.2	12.0	36.7	15.6	38.6	19.7	38.4	23.0	35.4	21.6	30.0	22.6	
21	32.8	13.2	36.8	14.2	38.4	16.6	38.0	22.7	35.6	21.6	31.0	22.2	
22	33.2	11.8	36.7	14.5	35.3	17.5	39.6	24.2	35.4	21.6	31.3	22.2	
23	23.2	10.2	35.7	14.4	36.2	18.2	38.2	22.2	26.0	21.5	29.0	22.4	
24	23.9	9.7	35.8	13.5	35.2	18.2	37.0	22.4	28.6	22.6	28.0	22.7	
25	27.3	11.6	37.4	15.7	35.6	18.8	38.7	22.4	28.7	21.6	29.9	21.6	
26	32.2	11.8	38.4	16.4	35.8	19.7	38.8	22.0	30.8	21.5	32.0	22.0	
27	25.0	12.3	35.0	16.8	36.9	18.0	36.6	26.0	24.8	21.4	32.2	21.6	
28	24.0	11.4	33.6	15.4	38.4	18.6	29.3	23.2	29.8	21.6	31.9	22.8	
29	23.8	11.7			35.4	18.8	29.7	22.3	28.8	22.4	28.4	22.9	
30	25.4	10.7			34.3	16.8	29.6	22.0	31.3	23.2	30.9	23.4	
31	27.5	11.6			35.0	17.0			31.2	22.4			
MAX.	33.2		38.4		38.6		40.0		37.3		32.2		
MIN.		2.8		9.7		16.2		18.7		20.5		21.0	

COMPUTED

CHECKED

ELECTRICITY GENERATING AUTHORITY OF THAILAND

HYDROLOGY SECTION

DAILY MAXIMUM AND MINIMUM TEMPERATURE ( °C ) AT Obb Luang

YEAR 1974

DATE	JUL		AUG		SEP		OCT		NOV		DEC		REMARK
	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	
1	302	22.0	316	206	31.7	22.8	32.4	21.4	31.2	21.5	31.4	17.8	
2	313	24.8	300	208	30.7	22.5	32.9	21.6	31.3	21.0	30.6	14.4	
3	320	21.6	323	224	30.6	22.0	31.0	22.4	30.8	19.9	30.4	12.8	
4	322	21.3	327	224	32.3	21.2	33.4	22.2	32.2	20.0	29.3	12.0	
5	326	22.4	332	219	32.4	20.9	30.7	21.5	32.4	18.6	31.4	16.7	
6	320	23.0	332	21.6	32.6	22.4	31.7	23.8	29.2	19.0	29.6	16.0	
7	308	23.2	330	23.2	33.2	20.2	33.2	22.2	30.0	18.8	30.6	10.4	
8	292	23.0	282	21.7	33.0	20.0	33.4	21.7	29.4	21.4	28.6	10.0	
9	312	22.4	29.2	21.2	33.0	20.2	32.0	21.4	32.0	21.2	30.2	15.8	
10	311	21.2	29.6	21.4	33.2	19.7	34.3	22.2	34.4	20.6	29.5	13.6	
11	300	22.0	29.4	21.0	33.0	19.4	30.0	22.2	34.6	21.4	29.6	12.8	
12	31.0	22.2	29.5	22.2	28.8	21.9	27.5	23.0	34.5	20.8	29.4	13.4	
13	31.0	22.0	29.7	21.9	32.3	21.4	31.7	22.4	32.6	20.4	29.8	11.8	
14	30.3	22.0	31.8	22.4	31.8	21.2	33.3	21.5	28.3	19.7	29.7	12.4	
15	30.0	21.2	31.9	21.8	23.2	20.4	34.2	20.8	29.5	19.0	29.8	16.0	
16	31.2	22.0	32.9	23.4	28.8	21.6	30.5	21.6	32.3	19.4	29.9	15.7	
17	32.0	22.2	32.9	23.6	28.6	21.0	31.0	21.6	28.4	18.2	30.6	14.8	
18	32.2	22.0	32.8	21.9	31.9	20.6	32.4	20.6	29.6	18.4	31.5	13.4	
19	30.0	21.2	32.9	21.6	26.2	22.3	33.2	21.4	26.5	19.4	31.4	12.2	
20	29.7	23.2	32.8	21.2	27.6	20.7	34.2	20.9	28.0	18.8	29.0	12.4	
21	30.6	21.	33.0	22.6	32.0	24.2	33.6	20.4	28.8	16.2	29.2	18.2	
22	29.8	23.7	33.0	22.2	33.2	20.7	33.8	19.8	28.6	16.0	25.8	15.9	
23	29.6	23.8	33.8	22.3	33.5	20.4	34.0	19.4	29.4	15.4	24.7	15.5	
24	30.7	22.3	33.6	21.8	33.6	21.2	34.2	19.0	29.3	16.7	29.3	13.8	
25	30.8	21.6	33.8	22.4	31.0	21.4	32.8	18.4	30.0	16.6	29.2	12.6	
26	28.7	20.8	33.6	21.8	30.8	21.2	34.0	20.4	26.5	16.0	29.8	16.2	
27	30.2	22.6	34.0	22.2	30.9	22.4	35.2	19.2	28.4	17.4	28.8	16.6	
28	31.0	20.6	30.0	22.3	31.8	22.0	35.0	18.6	27.8	15.6	32.2	15.0	
29	30.0	20.8	30.9	21.5	32.0	21.4	29.6	21.8	29.4	15.2	32.8	14.5	
30	31.2	20.6	32.4	22.0	32.4	21.4	29.8	21.6	30.2	16.0	33.4	14.2	
31	31.7	21.4	31.8	21.7			30.8	21.9			33.8	13.7	Mean Year
MAX.	32.6		34.0		33.6		35.2		34.6		33.8		35.3
MIN.		20.6		20.6		19.4		18.4		15.2		10.0	16.1

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE ( °C ) MEASUREMENT

Project	Station obb Luang Amphoe Hod Changwat ChianMai												Remark
Year 1975													
Date	JAN		FEB		MAR		APR		MAY		JUN		
	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	
1	33.4	13.6	32.8	14.6	36.7	16.0	37.4	19.2	42.6	25.7	32.7	22.6	
2	33.8	11.7	31.0	16.8	34.5	17.2	38.8	19.3	42.7	23.2	31.7	22.6	
3	33.2	11.6		16.4	34.6	16.5	39.2	18.0	39.6	22.7	32.1	22.4	
4	31.0	16.2		15.8	34.6	16.3	38.6	17.8	39.6	22.5	30.2	22.6	
5	30.0	17.8		14.9	35.3	14.2	39.0	17.7	38.7	21.6	30.4	22.2	
6	21.2	16.8		13.6	34.6	14.6	38.9	20.4	38.4	21.6	30.4	22.0	
7	21.2	16.8		12.7	36.8	16.4	38.8	19.6	39.7	21.4	31.5	24.0	
8	21.5	16.6		12.5	36.7	15.2	39.0	19.8	30.0	20.0	31.7	21.7	
9	24.0	16.4		12.2	35.8	15.7	39.3	19.3	31.0	21.0	31.8	21.4	
10	24.2	16.3		13.8	34.7	15.5	39.4	19.2	32.8	22.5	31.6	21.2	
11	24.0	16.0		12.5	33.4	17.8	39.3	24.2	34.8	22.4	31.8	21.4	
12	24.2	15.8		11.6	38.0	17.2	39.6	24.0	36.0	22.2	32.0	22.6	
13	29.4	16.2		12.7	37.6	16.8	40.5	23.8	37.0	22.2	32.2	22.4	
14	27.5	16.4		14.3	38.6	16.4	39.0	24.8	31.8	22.5	32.3	22.0	
15	29.2	13.3		12.7	38.4	16.5	38.3	23.0	33.6	22.2	32.6	21.8	
16	29.9	12.8		11.8	39.4	16.8	39.8	21.8	33.4	22.0	33.6	21.7	
17	31.7	13.2		14.4	39.6	17.0	41.2	21.8	34.8	21.9	34.6	21.5	
18	32.7	13.6		13.8	39.4	17.2	39.5	22.1	34.8	21.7	34.5	22.8	
19	32.5	12.7		15.2	38.5	17.6	39.0	21.6	35.0	21.5	34.2	22.1	
20	32.8	16.0		14.8	38.7	18.4	40.3	21.8	34.0	22.2	30.3	22.7	
21	32.7	17.3		15.2	37.8	18.3	38.0	20.7	34.8	24.3	32.2	22.6	
22	31.6	14.5	33.3	15.8	38.0	19.0	37.5	20.2	34.4	23.2	32.0	22.4	
23	32.4	14.2	33.4	14.8	38.6	18.2	38.9	20.8	32.8	24.0	32.3	22.2	
24	32.8	13.4	33.4	13.7	38.7	17.4	39.8	21.5	33.0	22.2	32.0	21.6	
25	33.2	13.7	34.3	15.2	38.7	16.2	40.0	20.8	33.0	22.0	32.4	21.7	
26	33.4	13.8	35.7	14.2	38.6	15.2	40.0	20.6	33.2	21.7	32.8	21.6	
27	33.2	13.6	36.7	14.4	39.6	22.2	39.7	26.4	33.0	21.6	32.8	21.7	
28	31.6	12.8	36.4	14.2	39.0	21.7	38.5	26.7	33.0	22.2	30.2	23.4	
29	31.8	12.8	-	-	37.3	22.4	39.2	26.4	32.4	23.0	31.8	23.2	
30	32.2	11.7	-	-	37.4	22.2	42.8	25.5	31.8	22.8	32.0	22.8	
31	32.4	14.0	-	-	36.4	19.4	-	-	32.8	22.8	-	-	
Max.	33.8		36.7	-	39.6	-	42.8	-	42.7	-	34.6	-	
Min.	-	11.6	-	11.6	-	14.2	-	17.7	-	20.0	-	21.2	

Compiled by

Checked by

HYDROLOGY SECTION

HD. — 18 A

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Project	Station obb Luang Amphoe Hod Changwat ChiangMa,												
Year 1975													
Date	JUL		AUG		SEP		OCT		NOV		DEC		Remark
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	31.8	22.4	32.4	22.2	30.4	23.4	28.4	21.6	33.5	20.0	30.7	14.5	
2	31.7	21.8	32.4	22.0	28.6	21.8	30.7	21.2	30.2	19.8	30.4	16.4	
3	30.5	23.2	32.6	22.0	31.4	21.3	30.6	20.8	29.8	19.4	32.3	17.2	
4	31.7	21.0	32.4	21.9	31.3	20.8	31.7	21.4	30.6	19.6	33.2	17.8	
5	31.4	22.2	31.0	22.6	31.8	20.6	30.7	20.6	30.7	19.5	34.9	17.0	
6	31.0	22.9	31.1	22.8	32.2	20.4	30.8	20.6	30.1	20.4	33.8	16.8	
7	30.8	23.4	31.3	22.7	31.0	24.0	31.4	20.2	30.8	20.2	33.0	13.8	
8	29.8	22.6	31.0	22.4	32.3	21.6	32.5	20.0	31.6	20.4	32.3	10.6	
9	30.2	22.3	31.2	22.2	32.8	24.0	31.8	21.0	32.7	18.5	32.6	8.3	
10	30.0	23.6	31.3	21.8	32.0	23.8	31.6	20.8	32.5	18.6	31.7	12.6	
11	32.9	22.0	31.5	21.6	31.5	22.0	30.7	21.8	29.7	21.5	30.7	14.2	
12	31.7	22.0	31.6	22.5	29.6	23.0	32.4	20.0	31.2	21.3	30.9	19.3	
13	29.1	21.7	30.8	21.9	30.0	21.7	34.4	21.2	31.9	21.1	26.7	18.5	
14	29.1	21.4	30.8	21.3	30.6	21.4	32.8	21.6	31.3	20.0	28.8	19.2	
15	27.4	22.0	32.0	20.9	31.8	20.8	33.0	21.0	32.0	18.8	27.5	14.4	
16	29.0	21.9	31.0	21.4	32.7	20.5	27.0	21.7	33.2	18.2	27.7	13.8	
17	29.1	21.3	29.6	22.3	33.8	20.2	30.8	26.9	33.0	18.6	26.9	10.8	
18	28.8	21.0	31.0	22.2	32.6	20.0	29.0	18.8	33.2	18.9	24.6	8.9	
19	31.2	21.2	29.8	23.7	31.2	20.8	30.0	18.6	32.4	18.0	23.2	7.6	
20	32.8	21.4	31.6	22.0	32.3	20.2	32.2	19.4	32.2	17.5	24.8	8.1	
21	33.1	20.0	32.4	23.4	32.8	19.6	32.6	19.4	32.0	17.7	27.9	9.9	
22	33.6	22.0	32.3	21.4	32.0	19.4	32.5	20.6	31.8	17.2	24.4	6.8	
23	31.2	22.4	32.4	23.6	32.4	19.6	32.4	20.6	31.0	16.3	25.0	6.1	
24	32.5	22.6	32.7	23.0	32.8	19.7	32.6	20.5	28.7	16.6	25.8	5.7	
25	31.1	22.0	32.8	23.2	32.6	21.8	33.2	21.6	22.5	12.8	26.4	6.0	
26	31.0	21.4	29.8	21.6	33.0	22.4	32.8	21.4	25.2	10.7	26.1	6.2	
27	30.0	22.0	32.3	22.4	32.8	21.8	33.4	19.6	26.1	10.8	26.7	5.9	
28	31.0	20.8	31.1	22.3	33.6	21.4	33.2	19.4	28.3	11.8	26.8	6.3	
29	33.4	20.1	29.3	22.0	33.7	21.6	33.8	19.3	29.9	13.1	26.0	5.1	
30	33.5	20.4	29.6	21.8	33.0	22.6	33.0	19.2	30.3	14.1	25.0	4.9	
31	-	-	30.2	22.0	-	-	34.0	19.2			24.6	4.9	Annual
Max	33.6	-	32.8	-	33.8	-	34.4		33.5		34.9		36.1
Min	-	20.0	-	20.9	-	19.4	-	18.6		10.7		4.9	15.9

Compiled by

Checked by

HYDROLOGY SECTION

HD.— 18 B

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE ( °C ) MEASUREMENT

Project	Station obb Luang Ampboe Hod Changwat ChiangMai												Remark
Year 1976													
Date	JAN		FEB		MAR		APR		MAY		JUN		
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	25.4	4.8	31.7	11.8	37.3	17.0	40.1	22.0	33.7	22.4	31.5	27.0	
2	26.3	5.7	32.0	10.2	38.1	17.8	39.5	21.2	29.5	22.3	32.4	25.3	
3	28.0	6.6	31.8	10.2	37.1	14.2	39.0	21.0	30.5	21.5	32.2	24.2	
4	28.8	7.3	32.3	11.4	33.9	17.4	38.6	24.2	29.4	22.4	32.0	23.0	
5	29.5	7.7	32.0	10.5	31.7	15.2	37.5	20.2	34.1	23.2	31.0	23.1	
6	29.8	9.0	32.0	14.7	34.0	17.3	38.1	23.8	34.0	22.8	32.8	24.2	
7	31.5	11.0	29.9	14.7	34.9	17.4	38.5	23.9	34.0	23.5	32.2	24.0	
8	31.2	11.5	31.5	12.3	36.2	17.2	38.6	23.2	34.6	21.7	32.0	24.2	
9	30.0	13.8	31.5	11.2	36.5	17.7	43.7	21.8	33.8	24.2	31.2	24.8	
10	30.2	13.8	31.4	13.8	36.4	16.3	41.2	19.6	33.4	24.2	30.6	24.1	
11	29.3	13.4	31.2	13.2	35.6	17.3	39.8	23.2	35.0	26.4	30.0	23.8	
12	29.3	12.8	32.8	12.1	37.5	17.3	39.0	26.7	37.0	26.6	30.2	24.0	
13	29.0	10.5	33.2	11.9	38.3	16.9	38.2	24.7	35.6	24.0	30.6	23.0	
14	29.2	9.3	33.9	10.6	38.6	17.7	39.8	23.9	36.8	24.2	30.7	24.2	
15	29.4	8.9	34.6	9.4	37.6	18.7	39.6	24.2	36.8	26.8	32.2	25.8	
16	30.5	9.2	35.4	11.9	38.0	18.2	39.8	25.0	36.9	22.2	32.4	25.2	
17	31.2	8.4	35.7	11.4	39.0	19.9	39.0	25.5	35.8	22.8	32.2	26.3	
18	31.5	8.5	36.9	11.8	38.1	19.7	39.2	25.2	36.0	23.3	32.6	27.4	
19	30.5	8.7	36.2	12.4	39.2	21.6	38.9	25.5	35.9	23.9	33.6	26.2	
20	31.1	9.2	37.0	13.2	39.3	21.6	39.6	25.7	37.1	23.2	33.7	25.2	
21	30.7	10.7	38.6	14.7	36.1	18.8	40.2	20.3	35.7	23.1	34.0	26.0	
22	29.3	10.0	37.7	13.5	36.1	20.1	40.0	23.2	34.3	21.7	34.2	25.8	
23	30.5	10.7	38.0	14.0	37.0	21.0	38.3	23.2	32.9	22.2	33.2	25.3	
24	30.1	11.2	37.8	13.6	39.0	21.8	40.1	20.9	30.9	23.2	34.8	25.5	
25	30.0	11.6	36.8	13.2	39.2	22.8	36.5	23.3	30.7	23.0	34.2	25.2	
26	30.5	10.8	37.6	11.9	39.3	21.0	37.5	24.8	28.5	22.4	34.6	25.8	
27	31.9	10.7	37.7	14.3	40.2	20.6	37.9	24.4	30.0	22.8	33.8	25.3	
28	31.8	11.5	35.2	13.9	39.5	21.3	38.0	24.8	29.8	28.7	34.4	24.3	
29	31.9	13.1	37.8	16.0	39.0	21.5	37.0	25.7	31.4	22.7	34.2	27.4	
30	31.9	12.7			39.8	21.3	35.5	23.1	32.7	22.8	32.2	26.0	
31	32.3	11.2			40.3	21.4			31.0	22.8			
Max.	32.3		38.6		40.3		43.7		37.1		34.8		
Min.		4.8		9.4		14.2		19.6		21.5		23.0	

Compiled by

Checked by

HYDROLOGY

HD-18 A

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Project	Station obb Luang Amphoe Hod Changwat ChiangMai												Remark
Year 1976													
Date	JUL		AUG		SEP		OCT		NOV		DEC		
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	31.2	24.4	30.8	22.2	30.6	21.3	33.4	22.0	29.8	20.4	27.0	16.8	
2	32.2	26.8	31.6	22.9	31.5	20.6	32.7	21.6	28.3	20.8	24.8	16.3	
3	33.5	25.8	28.6	22.0	32.0	21.2	29.5	22.6	28.5	21.2	31.0	12.0	
4	30.8	25.0	30.0	21.6	32.2	21.2	29.5	21.6	29.0	20.2	30.5	9.0	
5	31.0	24.8	27.2	21.7	33.8	21.0	29.4	20.8	29.8	20.4	28.3	10.5	
6	31.2	25.0	29.0	21.9	34.0	21.5	31.0	20.6	31.5	19.8	29.0	10.7	
7	27.8	24.8	31.5	22.7	32.8	21.4	31.6	21.4	30.3	20.6	29.4	12.6	
8	31.0	26.0	32.5	23.2	29.2	21.5	32.4	22.3	31.0	19.6	28.2	11.6	
9	29.5	25.8	30.6	23.4	29.8	21.6	33.5	22.4	32.0	19.4	26.0	12.2	
10	30.6	23.5	30.4	22.9	31.6	21.3	33.2	21.8	31.5	19.0	25.0	11.0	
11	31.0	24.5	31.6	21.9	30.4	20.8	32.5	21.0	30.5	18.4	27.0	10.7	
12	31.7	23.2	31.0	23.2	31.7	22.7	31.5	20.4	31.9	19.2	27.3	12.0	
13	35.8	24.5	28.6	21.5	27.2	21.6	33.0	21.8	31.4	18.6	27.6	11.6	
14	35.8	23.8	28.3	21.5	32.2	21.8	32.7	21.4	30.3	18.2	27.3	10.8	
15	32.2	21.6	30.0	21.9	33.0	23.0	32.8	21.7	31.1	18.4	27.7	10.7	
16	31.2	21.2	27.4	20.9	31.2	21.8	32.6	20.4	29.5	18.4	28.6	11.9	
17	32.2	22.2	29.0	20.9	32.8	22.2	30.5	20.0	28.3	16.8	29.3	12.0	
18	33.6	22.4	31.6	21.2	35.0	23.0	31.0	21.4	30.2	18.0	30.0	12.5	
19	32.0	23.5	33.0	21.5	34.5	23.0	31.4	21.6	30.6	17.4	30.7	13.5	
20	31.2	23.4	34.8	22.0	34.6	22.5	31.2	22.0	31.0	18.2	28.9	12.8	
21	31.3	22.8	31.7	21.9	34.0	23.0	30.6	20.4	29.5	18.4	30.7	14.4	
22	32.3	23.8	33.0	21.7	32.2	22.2	27.8	20.4	25.0	16.0	31.0	13.8	
23	34.0	23.6	33.2	21.7	33.0	22.4	31.5	21.6	26.0	14.4	32.5	13.8	
24	34.4	23.2	31.6	21.8	32.2	22.6	32.5	21.0	25.6	11.2	31.9	12.4	
25	30.2	22.6	32.2	21.6	31.5	22.2	31.9	21.8	25.7	12.9	33.0	11.4	
26	31.4	23.6	29.9	22.0	28.4	22.0	31.9	22.4	26.5	14.2	31.0	10.2	
27	28.6	23.7	32.0	22.0	31.3	22.0	31.8	21.0	25.7	14.8	30.0	10.8	
28	31.3	23.4	32.2	22.0	32.0	21.8	31.8	19.2	22.5	12.4	31.2	15.6	
29	33.9	22.3	28.6	21.2	31.0	21.6	30.8	21.6	25.0	14.0	28.6	18.4	
30	35.0	22.8	26.6	20.8	32.6	22.2	32.3	17.6	25.7	14.4	25.7	17.4	
31	31.4	22.6	30.8	21.5			32.4	20.2			26.3	16.8	
Max	35.8		34.8		35.0		33.5		32.0		33.0	18.4	
Min		21.2		20.8		20.6		17.6		12.4	24.8	9.0	

Compiled by

Checked by

HYDROLOGY SECTION

HD.— 18 B



ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Project	Station obb Luang Amphoe Hed Changwat ChiangMai												Remark
Year 1977													
Date	JAN		FEB		MAR		APR		MAY		JUN		
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	243	174	33.0	12.0	36.0	14.8	32.6	19.8	38.6	19.6	30.4	22.7	
2	205	152	34.4	11.9	37.6	14.7	31.0	15.0	37.2	19.4	31.6	23.4	
3	192	156	33.4	10.4	37.6	13.8	31.8	15.6	34.0	19.0	32.0	22.6	
4	196	17.0	33.7	9.0	36.0	14.6	27.8	16.2	37.8	21.0	31.6	22.0	
5	27.7	16.4	33.2	9.6	29.4	18.6	34.4	16.9	37.4	19.8	33.7	22.4	
6	28.8	16.0	30.0	12.0	29.0	14.6	27.6	18.0	38.4	20.2	35.3	22.2	
7	28.3	15.6	30.5	14.4	30.6	14.4	34.5	19.8	36.5	21.2	35.6	22.4	
8	31.0	12.6	29.6	14.2	30.0	14.2	36.0	19.8	35.4	20.5	35.5	22.0	
9	31.0	10.6	31.2	12.2	31.2	14.2	34.5	20.0	36.0	21.0	35.5	24.3	
10	30.8	9.8	31.5	12.4	32.0	16.6	34.8	18.8	35.0	19.8	36.8	23.6	
11	29.2	10.2	30.0	14.4	34.0	16.8	35.5	19.0	33.5	20.0	38.7	23.7	
12	30.2	9.6	31.5	14.6	35.0	20.4	38.0	19.0	33.4	19.7	36.5	22.0	
13	29.0	10.0	32.8	15.4	36.2	16.6	34.8	20.0	33.0	20.4	36.7	22.7	
14	29.5	11.0	32.5	16.0	35.6	20.2	35.5	20.0	30.2	20.6	33.6	22.3	
15	30.5	11.2	33.5	16.8	37.4	18.2	37.2	21.7	32.0	21.	32.4	21.6	
16	30.2	12.0	33.2	16.5	37.1	17.9	37.7	21.8	32.0	21.2	33.0	21.8	
17	30.6	11.8	32.8	16.2	37.0	18.2	38.5	22.9	29.6	21.4	33.6	22.6	
18	31.0	11.0	31.5	16.9	38.2	19.0	38.4	22.8	32.2	22.6	34.5	22.9	
19	30.8	11.0	30.0	18.2	38.8	19.2	39.5	20.9	33.4	23.2	34.8	23.8	
20	29.5	12.0	30.8	18.6	39.5	20.8	35.5	20.0	32.7	21.8	35.0	24.4	
21	29.2	12.4	33.7	17.6	38.9	19.8	33.6	19.3	35.8	22.2	34.5	24.6	
22	30.5	12.2	32.0	21.2	37.0	19.0	35.5	19.7	37.0	22.4	32.5	24.4	
23	31.3	11.0	29.5	14.4	39.0	20.2	35.8	19.7	36.5	24.0	33.3	23.0	
24	30.0	18.5	28.5	13.2	36.0	18.6	37.0	19.2	31.0	22.2	33.0	23.6	
25	31.2	11.6	32.0	14.2	30.7	17.8	36.5	20.0	34.0	22.4	34.3	23.8	
26	31.5	11.8	34.2	15.0	30.5	17.9	37.4	18.6	31.0	21.8	31.0	24.0	
27	33.0	11.8	35.8	15.6	36.8	16.5	36.0	19.4	34.0	24.8	31.5	24.4	
28	32.8	11.2	36.2	15.2	36.5	19.6	37.5	18.6	34.0	25.0	32.5	22.9	
29	32.6	12.2			37.7	21.4	38.2	20.1	33.5	24.6	35.3	24.4	
30	31.8	11.4			36.8	18.2	38.0	19.2	33.0	24.8	34.9	24.7	
31	32.2	11.8			37.0	19.8			29.6	23.2			
Max	33.0	17.4	36.2	21.2	39.5	21.4	39.5	22.9	38.6	25.0	38.7	24.7	
Min	19.2	9.6	28.5	9.0	29.0	13.8	27.6	15.0	29.6	19.0	30.4	21.6	

Compiled

Checked

HYDROLOGY SECTION

HD. — 18 A

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Date	Year 1977												Remark
	JUL		AUG		SEP		OCT		NOV		DEC		
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	32.0	24.8	29.0	22.6	29.2	21.4	32.6	20.8	32.3	20.6	29.0	16.4	
2	32.0	23.4	32.5	21.2	31.8	22.4	33.7	20.4	30.5	19.8	28.8	18.4	
3	32.0	22.8	30.4	23.0	34.4	22.2	33.6	20.6	29.8	20.8	28.2	19.0	
4	33.4	22.7	31.8	22.8	34.0	22.2	33.0	21.2	29.6	19.6	26.8	11.2	
5	30.0	22.4	31.0	23.0	31.8	22.4	34.2	21.0	29.5	21.0	27.5	16.6	
6	30.7	22.8	29.4	22.0	32.8	22.2	35.7	21.0	30.8	18.3	28.4	17.2	
7	31.9	22.8	33.5	21.8	27.0	22.0	35.8	20.6	30.0	20.0	28.8	18.3	
8	31.0	23.0	36.6	23.2	28.4	21.8	32.0	21.0	31.0	18.4	28.2	16.2	
9	32.2	23.6	36.8	23.6	29.4	22.4	29.0	20.8	30.5	18.9	28.9	18.6	
10	34.2	23.4	36.5	25.0	25.7	21.6	28.8	21.2	30.8	19.0	27.4	16.7	
11	35.6	23.2	37.0	24.4	31.6	22.0	30.8	20.6	31.2	19.6	27.2	17.2	
12	36.4	24.6	32.4	23.2	28.8	21.4	29.5	20.6	31.0	17.6	28.2	15.3	
13	37.3	25.4	35.2	23.6	32.7	21.8	30.2	20.6	29.4	16.0	28.7	17.6	
14	36.5	23.8	34.1	23.0	33.0	22.6	31.5	20.8	29.2	13.0	28.8	16.7	
15	36.5	24.2	35.0	24.6	29.4	21.0	32.4	21.2	27.5	15.2	28.6	16.8	
16	33.3	22.6	33.5	24.4	26.4	21.2	31.8	20.6	27.8	11.2	31.0	16.0	
17	35.4	21.8	34.8	24.8	31.2	21.4	32.5	21.0	27.6	11.0	28.8	15.2	
18	33.0	22.0	35.5	24.4	33.4	22.2	32.8	21.2	28.0	11.4	29.6	14.5	
19	32.8	21.8	32.5	23.0	33.4	22.6	32.8	20.2	27.4	11.0	31.2	15.1	
20	36.3	23.4	31.4	22.0	33.6	22.8	32.6	21.0	27.9	9.5	31.3	15.2	
21	36.5	24.8	32.5	21.8	31.6	22.0	29.8	20.6	27.8	12.0	31.2	19.7	
22	30.0	24.0	33.0	21.8	33.5	21.8	28.0	21.6	28.0	9.6	29.1	18.8	
23	30.3	22.9	35.8	21.6	29.0	20.8	31.0	20.0	28.7	13.4	31.9	15.8	
24	29.8	22.6	35.2	22.2	29.5	22.4	30.8	20.2	28.9	16.0	33.4	17.8	
25	31.6	22.8	32.4	21.8	31.8	21.5	25.4	18.0	31.5	13.2	33.4	11.8	
26	33.8	23.0	29.6	22.0	33.0	22.3	28.8	18.2	31.8	13.6	28.2	13.0	
27	31.7	24.0	32.5	23.0	33.3	17.0	26.8	20.6	30.2	18.6	27.4	15.2	
28	31.4	22.6	31.0	22.2	31.5	22.3	28.5	21.4	32.2	20.4	28.9	16.2	
29	28.4	21.8	32.2	23.2	32.7	21.4	28.8	20.0	27.8	14.4	21.6	18.4	
30	28.2	21.2	32.0	22.0	32.0	21.4	29.8	20.6	28.0	16.6	25.2	17.9	
31	25.0	23.8	29.0	22.2			31.2	20.6			27.8	17.6	
Max.	37.3	25.4	37.0	25.0	34.4	22.8	35.8	21.6	32.2	21.0	33.4	19.7	
Min.	25.0	21.2	29.0	21.2	25.7	17.0	25.4	18.0	27.4	9.5	21.6	11.2	

Compiled by

Checked by

HYDROLOGY SECTION

HD. — 18 B

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Date	Project		Station		Obb Luang		Amphoe		Hod		Changwat		ChiangMai		Remark
	Year 1978		Year 1978		Year 1978		Year 1978		Year 1978		Year 1978		Year 1978		
	JAN	FEB	MAR	APR	MAY	JUN									
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	30.9	13.4	32.5	8.9	30.5	16.8	40.4	18.6	41.4	21.5	36.0	25.6			
2	31.5	12.9	32.5	11.8	35.0	17.2	40.0	18.7	41.8	24.9	36.6	24.4			
3	29.8	13.4	30.3	17.9	36.5	17.4	41.3	21.2	40.6	25.4	35.5	25.8			
4	30.1	14.2	26.6	17.8	36.0	15.9	40.2	19.4	40.0	23.4	34.1	23.8			
5	28.5	16.0	31.5	14.8	37.0	16.6	40.8	18.7	40.7	23.7	34.5	24.3			
6	28.8	16.5	32.0	12.2	36.0	15.8	40.5	19.0	39.6	22.4	35.1	24.0			
7	27.4	15.6	34.3	11.6	38.3	17.4	41.0	21.4	34.6	21.2	35.0	25.0			
8	29.6	14.2	34.4	12.0	37.9	16.9	41.2	21.4	36.3	20.2	30.9	22.3			
9	28.2	16.1	34.1	11.7	37.5	15.8	40.6	20.6	38.0	22.4	30.9	22.7			
10	28.8	17.2	35.0	12.0	37.4	14.9	40.2	21.4	40.0	24.0	34.0	23.4			
11	27.6	17.6	35.0	12.7	36.4	15.6	40.4	21.4	35.7	21.5	32.1	21.9			
12	25.9	16.2	35.2	13.2	39.1	14.8	39.3	21.4	33.5	21.4	36.6	23.9			
13	27.7	11.6	35.4	14.6	38.6	14.4	40.9	21.5	31.0	21.2	37.2	23.2			
14	30.4	8.7	35.7	14.8	38.4	14.3	36.4	21.2	29.2	22.7	36.8	22.9			
15	30.8	7.6	35.6	14.0	38.4	18.0	37.9	20.3	30.5	24.0	35.8	22.8			
16	31.2	7.2	36.6	14.2	35.9	14.4	38.8	19.7	28.6	23.4	35.1	22.9			
17	30.3	8.7	34.6	13.9	36.7	14.0	39.0	20.1	30.0	23.7	34.2	21.9			
18	29.9	7.9	34.2	15.0	37.2	15.8	40.0	19.9	30.4	22.7	31.7	23.4			
19	33.4	7.1	32.5	18.0	37.2	19.5	40.2	19.7	33.0	20.4	32.5	22.7			
20	29.8	7.7	34.4	17.6	38.0	18.7	39.8	18.6	32.0	21.5	34.3	23.4			
21	30.6	9.8	35.2	14.9	37.4	19.9	41.2	20.5	32.5	22.7	33.4	23.8			
22	30.2	13.8	34.8	14.6	39.2	19.2	39.1	22.7	36.2	24.4	31.5	24.1			
23	32.6	12.9	34.7	13.4	39.8	19.0	39.9	22.9	37.3	25.8	33.5	24.2			
24	34.0	11.8	35.1	13.4	40.0	19.9	41.2	25.7	36.1	25.4	30.2	22.6			
25	31.4	13.2	35.0	16.5	39.0	16.8	40.4	26.6	35.6	24.2	30.0	23.6			
26	32.4	13.2	35.0	16.4	40.0	17.7	40.6	22.8	35.6	24.4	29.6	24.0			
27	32.7	14.0	29.4	18.9	39.9	19.8	41.3	20.4	34.1	24.8	31.8	24.6			
28	34.8	12.2	26.8	15.8	40.0	21.1	40.2	24.8	34.3	24.8	28.4	21.6			
29	33.4	9.0			40.2	19.9	40.0	26.0	35.8	25.3	25.8	21.0			
30	32.1	9.8			39.5	17.1	40.6	26.2	34.9	25.2	32.3	22.0			
31	34.5	10.5			39.2	20.2	-		35.2	24.2					
Max.			36.6	18.9	40.2	21.1	41.3	26.6	41.8	25.8	37.2	25.8			
Min.			26.8	8.9	30.5	14.0	36.4	18.6	28.6	20.2	25.8	21.0			

Compiled by

Checked by

HYDROLOGY SECTION

HD. - 18 A

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Project	Station Obb Luang Amphoe Hod Changwat ChiangMai												Remark
	Year 1978												
Date	JUL		AUG		SEP		OCT		NOV		DEC		
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	34.8	23.2	32.2	24.0	31.5	22.0	28.6	22.0	30.6	14.6	27.7	12.6	
2	36.8	23.4	32.4	23.4	32.0	21.2	29.4	21.8	31.0	16.8	29.5	12.7	
3	27.9	22.2	33.6	24.2	31.6	20.7	31.2	21.8	31.8	16.9	29.2	12.4	
4	30.2	22.5	32.1	22.6	33.0	21.6	30.5	22.4	31.0	16.4	29.7	11.8	
5	29.8	22.2	32.4	22.4	32.0	21.7	33.6	22.8	31.0	16.4	30.0	12.0	
6	28.8	21.8	29.3	22.6	31.6	21.8	28.5	21.8	31.2	17.0	29.0	12.4	
7	31.5	22.1	32.2	24.2	33.5	21.8	31.8	21.6	32.2	18.8	29.2	12.5	
8	32.7	22.4	29.0	22.7	33.7	22.8	32.0	22.0	32.8	18.6	30.2	15.6	
9	32.4	23.8	30.0	22.6	29.2	21.8	34.4	21.8	32.5	18.4	32.2	16.0	
10	28.6	21.8	31.5	22.2	33.6	20.8	33.4	22.0	32.6	18.4	31.5	16.2	
11	25.5	21.4	31.0	22.5	34.7	22.4	32.4	21.8	32.0	18.2	32.0	16.0	
12	28.6	20.9	31.9	22.7	33.0	20.2	31.8	22.0	31.0	17.2	29.4	15.8	
13	33.2	22.9	33.4	21.8	32.5	22.2	31.5	22.0	31.5	16.8	30.2	14.0	
14	31.5	23.2	26.5	22.2	32.0	21.0	31.0	21.8	31.5	16.6	30.5	13.4	
15	28.1	21.7	26.5	21.6	30.6	20.8	31.4	19.4	31.6	16.8	28.5	10.6	
16	33.1	21.8	29.5	23.0	34.0	22.5	31.2	17.6	32.6	16.1	26.4	9.6	
17	33.0	21.8	30.7	22.5	33.5	21.8	31.2	15.5	31.8	15.7	25.5	9.7	
18	31.0	20.4	32.5	22.8	35.0	22.0	31.1	16.6	32.1	15.9	26.5	10.4	
19	31.5	23.4	32.2	23.8	27.2	20.8	31.0	17.0	32.4	17.3	26.0	8.6	
20	33.6	23.4	34.0	22.6	28.4	22.0	31.4	18.4	32.4	17.7	26.7	10.5	
21	33.0	22.8	33.2	23.4	33.2	21.3	31.8	19.2	32.1	17.2	28.7	9.0	
22	31.0	22.4	30.8	23.8	34.0	20.9	31.6	19.8	31.9	16.9	28.6	10.5	
23	31.5	22.4	33.0	21.6	24.2	21.3	32.2	19.8	32.9	16.2	29.5	10.3	
24	31.9	22.8	33.5	22.2	30.6	21.9	32.0	20.0	33.6	15.7	31.5	13.0	
25	32.1	23.2	34.5	22.8	30.7	21.2	31.0	20.6	34.6	15.4	34.5	14.2	
26	32.6	22.5	34.7	21.8	32.4	22.2	32.6	20.0	32.5	13.8	35.2	13.8	
27	32.5	21.2	32.8	21.8	32.5	22.4	33.0	20.2	32.0	14.3	34.5	13.9	
28	29.8	20.4	33.0	23.5	32.7	22.4	33.4	20.0	32.3	13.5	35.1	14.0	
29	29.6	21.4	32.0	22.0	28.8	22.0	32.2	19.0	31.9	14.9	33.5	15.2	
30	33.9	22.6	31.2	22.4	28.4	20.8	28.2	12.2	27.7	13.9	33.9	15.8	
31	34.0	22.9	32.0	21.8	-	-	28.0	12.8			30.9	15.4	
Max.	36.8		34.7		35.0		34.4						
Min.		20.4		21.6		20.2		12.2					

Compiled by

Checked by

HYDROLOGY SECTION

HD.- 18 B

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Project	Station Obb Luang Amphoe Hod Changwat Chiang Mai												
Year 1979													
Date	JAN		FEB		MAR		APR		MAY		JUN		Remark
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	35.5	14.2	35.2	13.0	37.2	18.8	40.0	19.6	37.8	22.0	37.2	23.5	
2	30.0	14.0	35.5	13.8	33.5	16.8	41.2	23.2	38.6	22.2	37.4	23.6	
3	31.0	13.6	35.2	13.6	35.6	16.0	40.2	23.4	38.8	22.4	36.2	23.4	
4	30.4	13.6	35.8	14.6	37.3	18.2	40.6	22.0	38.8	23.0	36.8	22.4	
5	31.5	13.4	36.8	13.4	39.0	16.6	40.4	23.0	38.7	22.3	32.0	22.6	
6	30.6	15.0	34.6	13.2	39.6	15.8	40.5	23.0	38.4	22.4	32.8	22.2	
7	33.4	14.4	34.8	14.9	38.4	16.0	40.6	23.2	38.6	22.6	32.6	22.4	
8	33.5	14.2	35.0	17.0	38.2	19.2	40.6	23.3	37.6	22.4	35.2	22.0	
9	33.5	11.6	37.0	16.8	38.5	19.2	41.0	22.8	37.8	22.8	35.0	22.0	
10	33.5	10.4	35.0	16.6	38.7	20.8	41.2	22.6	38.2	21.7	35.2	21.9	
11	33.0	11.0	36.1	14.4	40.0	19.8	41.6	23.0	40.0	20.4	35.5	22.4	
12	33.0	10.6	36.2	13.4	38.6	20.2	41.5	22.8	36.5	24.2	36.0	22.6	
13	31.0	10.6	34.5	12.8	37.4	17.8	41.8	22.2	36.0	25.0	35.6	22.0	
14	34.5	13.2	35.0	11.6	36.4	14.4	41.2	22.0	37.0	25.2	35.5	21.5	
15	34.2	13.2	34.0	11.6	36.8	15.6	41.2	22.2	37.5	25.6	31.8	21.2	
16	34.8	12.6	34.8	12.8	38.0	16.6	40.8	21.8	36.4	24.4	33.0	22.2	
17	31.6	14.2	35.6	14.4	37.5	16.8	40.6	21.7	36.4	22.2	32.4	22.8	
18	33.0	13.5	37.8	14.2	37.6	16.4	40.8	22.4	36.0	25.0	33.6	23.2	
19	36.0	13.0	38.5	15.0	40.1	16.8	40.8	22.6	37.4	24.2	35.6	23.3	
20	33.0	14.3	37.6	14.8	39.0	19.8	40.6	22.3	37.2	22.8	34.8	23.8	
21	31.8	15.3	36.8	15.2	38.4	20.3	41.2	24.2	31.5	21.6	34.4	22.4	
22	34.7	14.9	36.8	16.6	40.1	18.4	40.2	22.7	30.0	22.8	29.2	22.4	
23	35.0	15.6	38.2	17.1	40.0	19.4	40.6	21.2	37.0	23.2	32.4	22.8	
24	35.4	15.2	38.5	16.6	40.6	19.2	40.6	21.3	34.8	21.6	30.4	22.0	
25	35.4	14.2	38.4	17.6	39.0	20.0	39.0	23.6	34.2	21.4	30.6	22.2	
26	35.2	13.2	37.8	17.2	39.2	20.8	38.8	23.6	34.3	22.5	31.0	23.0	
27	35.4	11.5	39.8	16.8	39.9	20.8	37.0	21.8	34.4	22.4	31.6	23.2	
28	34.7	13.7	38.5	17.8	40.8	20.8	39.6	19.8	34.8	23.8	33.6	21.8	
29	33.7	14.0			39.7	21.2	38.0	20.0	36.0	24.2	30.4	22.4	
30	35.0	14.2			39.7	20.4	36.4	20.8	36.4	24.4	31.0	23.0	
31	34.8	13.8			39.3	19.6			37.0	23.1			
Max.	36.0		39.8		40.8		41.8		40.0		37.4		
Min.		10.4		11.6		14.4		19.6		20.4		21.2	

Compiled by

Checked by

HYDROLOGY SECTION

HD.— 18 A

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Project	Mae Chaem		Station	Obb Luang	Amphoe	Hod	Changwat	Chiang Mai						Remark
Year 1979														
Date	JUL		AUG		SEP		OCT		NOV		DEC			
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min		
1	32.6	22.8	34.5	23.7	32.6	21.6	32.0	21.6	31.0	15.8	31.6	14.4		
2	31.4	22.7	30.5	21.0	35.2	21.4	34.4	21.4	31.0	16.0	31.8	14.4		
3	31.6	23.0	32.6	22.0	33.8	21.8	34.7	22.0	30.9	14.9	32.7	13.5		
4	31.7	23.2	33.0	22.5	33.6	22.4	34.8	23.0	30.9	13.4	32.8	14.9		
5	32.8	21.4	30.6	22.2	33.6	22.0	30.5	21.4	30.9	12.8	33.3	15.5		
6	32.2	22.6	33.5	22.3	33.6	22.4	30.4	21.7	31.0	12.4	33.7	16.8		
7	33.4	22.4	32.8	21.7	34.2	22.2	28.8	22.5	31.4	12.2	33.8	14.6		
8	33.0	21.6	32.8	21.8	34.4	23.0	29.3	20.8	31.2	12.2	33.8	16.7		
9	32.4	22.3	32.7	22.0	34.0	21.5	30.4	22.0	32.4	12.6	33.7	12.6		
10	31.6	22.0	34.5	23.4	33.8	20.6	32.6	20.0	31.4	15.0	33.7	13.3		
11	32.8	23	35.7	22.6	35.2	20.4	32.3	19.6	32.0	14.4	33.7	12.1		
12	34.5	21.9	31.8	22.0	35.6	21.8	31.5	21.0	32.8	15.3	33.7	10.8		
13	32.5	22.0	29.0	22.0	35.5	21.8	32.6	21.4	32.0	13.6	33.6	10.5		
14	33.2	22.3	29.3	22.2	35.0	20.8	32.8	19.7	31.4	13.2	33.7	13.0		
15	34.8	21.4	28.0	22.3	34.4	20.4	32.5	20.4	31.6	13.0	33.7	10.8		
16	34.7	21.5	30.6	22.4	34.2	21.0	33.3	20.4	31.4	12.6	33.6	10.6		
17	36.0	24.6	31.6	22.3	35.0	22.0	33.4	20.4	32.0	13.0	33.7	11.0		
18	34.6	22.3	32.2	23.4	34.2	20.8	33.2	16.4	32.4	13.2	33.8	12.0		
19	35.6	22.2	29.5	22.4	35.6	20.8	33.2	17.4	31.6	13.0	33.7	12.0		
20	34.4	22.0	29.8	22.4	34.5	21.4	33.3	17.6	32.4	13.2	33.8	14.4		
21	32.6	21.8	30.0	22.6	35.0	22.0	33.2	19.9	31.0	13.4	35.0	16.8		
22	35.8	21.8	31.0	22.7	35.6	22.4	33.3	19.6	32.4	13.6	34.9	15.2		
23	36.0	23.5	28.0	22.2	35.8	22.2	33.2	16.8	32.2	13.4	34.9	11.0		
24	34.0	21.6	30.4	22.2	33.0	22.0	33.0	15.4	32.3	13.8	35.0	11.8		
25	35.7	21.7	31.4	21.2	34.2	22.0	32.1	18.6	32.6	14.6	34.9	12.4		
26	35.8	21.6	29.8	20.8	32.5	21.6	33.8	17.2	32.8	14.2	34.8	12.6		
27	33.2	21.0	32.0	22.0	24.4	21.6	33.6	17.8	32.4	13.5	34.6	12.5		
28	34.7	21.0	30.2	21.2	30.8	22.0	29.7	20.0	32.9	17.2	34.4	12.2		
29	32.4	21.8	34.2	21.4	31.4	21.8	29.8	20.6	32.8	16.1	34.5	12.3		
30	34.6	21.5	35.4	22.0	30.6	22.3	31.0	20.6	32.8	17.4	33.8	12.0		
31	34.5	24.0	35.8	21.8			31.0	20.0			33.4	11.6		
Max	36.0		35.8		35.8		34.8		32.9		35.0			
Min		21.0		20.8		20.4		15.4		12.2		10.5		

Compiled by

Checked by

HYDROLOGY SECTION

HD.- 18 B

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Project Mae Chaem Station Obb Luang Amphoe Hod Changwat Chiang Mai

Year 1980

Date	JAN		FEB		MAR		APR		MAY		JUN		Remark
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	34.4	14.2	32.8	9.4	36.8	14.4	40.3	23.6	42.6		38.0	24.2	
2	34.6	14.4	32.6	9.8	35.7	14.2	40.2	23.4	42.5		38.4	22.0	
3	33.2	13.2	33.0	5.9	35.8	15.6	40.2	23.0	42.5		39.0	23.2	
4	32.0	12.4	34.7	10.6	36.0	15.5	40.2	22.7	42.5		38.2	23.6	
5	35.6	11.5	33.4	9.7	36.7	14.7	40.2	22.9	42.5		36.3	23.4	
6	35.0	10.8	34.0	9.4	37.2	18.4	40.2	23.1	42.7		34.3	22.0	
7	35.7	12.2	34.0	9.3	36.4	20.6	40.2	23.7	42.6		36.4	22.3	
8	34.8	12.4	32.6	9.6	36.6	18.2	40.2	21.0	42.6		37.0	23.2	
9	35.2	12.2	34.5	11.6	37.0	18.4	40.2	23.0	42.6		36.7	23.7	
10			34.4	11.7	37.2	19.2	41.0	22.0	42.7		37.0	24.3	
11	34.2	10.4	34.6	10.9	37.4	19.4	41.1	20.2	42.0		33.5	25.4	
12	34.4	11.6	34.2	10.8	37.6	19.6	41.5	-	42.0	28.5	33.8	24.3	
13	33.0	9	35.0	11.7	38.6	19.5	40.6	-	41.9	28.0	33.8	23.8	
14	32.6	8.7	35.1	11.8	38.4	19.4	42.0	-	43.0	24.9	34.7	22.9	
15	32.2	8.4	36.0	16.9	35.4	20.2	41.8	-	43.2	28.0	34.7	24.0	
16	32.3	8.4	36.2	15.0	33.3	10.3	40.0	-	43.0	27.8	34.7	23.2	
17	32.0	8.3	36.2	16.2	37.8	18.0	38.9	-	43.2	27.7	34.6	23.4	
18	31.6	8.2	35.2	14.4	38.3	17.8	39.2	-	39.6	28.0	35.4	22.6	
19	31.4	8.0	36.2	15.0	38.0	17.6	41.2	-	39.7	22.8	35.5	23.7	
20	32.4	8.2	37.2	16.0	38.8	17.8	41.2	-	37.0	22.8	35.2	24.0	
21	32.2	9.6	37.3	18.3	39.2	18.0	41.0	-	37.4	22.6	34.0	23.2	
22	32.4	10.0	37.3	17.9	39.2	18.5	41.5	-	38.6	23.0	34.2	23.2	
23	32.6	11.9	37.3	17.5	39.4	22.2	42.3	-	38.4	23.6	33.8	23.4	
24	35.0	13.0	37.2	16.4	39.4	21.6	41.7	-	38.5	23.2	35.4	23.0	
25	35.0	13.0	37.2	14.8	39.4	23.4	41.0	-	35.4	22.3	37.4	22.8	
26	35.2	12.6	37.3	16.5	39.3	22.2	43.7	-	37.8	22.4	36.7	22.3	
27	35.0	10.8	36.8	16.2	39.4	21.6	40.4	-	38.0	20.4	34.0	25.2	
28	35.2	9.8	37.7	19.3	39.3	21.0	41.5	-	38.6	20.6	37.4	22.0	
29	35.2	11.0	38.2	16.9	39.3	21.8	41.6	-	39.3	23.0	37.4	23.0	
30	35.2	12.2			40.0	22.1	42.5	-	39.7	23.4	37.4	23.2	
31	35.3	15.3			40.3	23.8			39.8	23.8			
Max	35.7		38.2		40.3		43.7		43.2		39.0		
Min		8.0		5.9		10.3		20.2		20.4		22.0	

Compiled by

Checked by

HYDROLOGY SECTION

HD. - 18 A

ELECTRICITY GENERATING AUTHORITY OF THAILAND

DAILY MAXIMUM AND MINIMUM TEMPERATURE (°C) MEASUREMENT

Project Mae Chaem Station Obb Luang Amphoe Hod Changwat Chiang Mai

Year 1980

Date	JUL		AUG		SEP		OCT		NOV		DEC		Remark
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	
1	37.4	22.6											
2	33.8	22.7											
3	35.2	22.0											
4	35.2	23.2											
5	35.2	24.5											
6	35.3	22.0											
7	35.4	21.8											
8	36.0	22.6											
9	37.0	23.8											
10	37.2	24.4											
11	36.5	24.6											
12	36.4	23.7											
13	35.2	24.2											
14	34.2	23.4											
15	34.4	23.6											
16	35.2	23.7											
17	35.4	22.3											
18	35.4	23.5											
19	35.2	24.6											
20	35.3	22.7											
21	35.2	22.7											
22	35.2	23.1											
23	33.7	22.7											
24	33.6	22.8											
25	33.4	23.3											
26	33.2	22.2											
27	32.5	23.7											
28	34.0	22.3											
29	34.2	23.0											
30	32.4	22.0											
31	32.4	21.8											
Max	37.4												
Min		21.8											

Compiled by

Checked by

HYDROLOGY SECTION

HD.- 18 B



15 SAN PA TONG

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	-	-	-	-	-	385	31.0	30.0	34.0	34.0	34.5	29.0
2	-	-	-	-	-	39.0	34.0	34.0	31.5	34.0	34.5	27.0
3	-	-	-	-	-	32.0	33.0	35.0	32.0	34.0	34.5	26.5
4	-	-	-	-	-	34.0	32.0	34.0	33.0	33.0	35.0	27.0
5	-	-	-	-	-	35.0	33.0	32.5	35.0	26.0	35.0	29.0
6	-	-	-	-	-	36.0	34.0	31.0	36.0	30.0	33.0	29.5
7	-	-	-	-	-	30.5	35.0	34.5	34.0	32.5	26.0	29.5
8	-	-	-	-	-	34.5	35.0	28.0	29.0	24.0	25.0	29.0
9	-	-	-	-	-	30.0	36.0	30.0	27.0	38.5	25.5	27.0
10	-	-	-	-	-	31.0	37.0	31.0	30.0	34.0	28.0	27.0
11	-	-	-	-	-	25.0	37.0	33.0	33.0	31.0	30.0	32.0
12	-	-	-	-	-	33.0	36.0	34.5	33.5	34.5	31.0	31.0
13	-	-	-	-	-	34.0	30.0	33.0	36.0	34.0	32.0	30.0
14	-	-	-	-	-	33.5	31.0	31.5	36.0	30.0	33.0	23.0
15	-	-	-	-	-	33.0	32.0	33.0	37.0	24.0	33.0	22.5
16	-	-	-	-	-	34.0	31.0	32.0	34.0	27.5	33.0	26.0
17	-	-	-	-	-	36.0	29.0	31.0	34.5	32.0	33.0	27.0
18	-	-	-	-	-	34.0	29.0	31.0	36.0	31.5	33.0	28.0
19	-	-	-	-	-	33.0	34.0	31.0	36.0	30.5	32.0	30.0
20	-	-	-	-	-	33.0	35.0	32.0	31.0	32.0	32.0	30.0
21	-	-	-	-	-	22.0	37.0	28.0	29.5	34.0	31.0	29.0
22	-	-	-	-	-	24.0	35.0	28.0	29.0	34.0	28.5	30.0
23	-	-	-	-	-	34.0	33.0	29.0	29.0	34.0	28.0	30.0
24	-	-	-	-	-	36.0	31.5	30.0	31.0	32.0	30.0	30.0
25	-	-	-	-	-	36.0	33.0	23.0	33.0	33.5	26.0	30.0
26	-	-	-	-	-	37.0	34.0	26.0	26.0	34.0	30.0	29.0
27	-	-	-	-	-	38.0	30.0	30.0	22.5	34.0	27.0	29.5
28	-	-	-	-	-	35.0	32.0	31.5	30.0	33.0	27.0	29.0
29	-	-	-	-	-	32.0	33.0	33.0	32.0	33.0	26.0	29.0
30	-	-	-	-	-	35.0	34.0	34.0	32.0	34.5	30.0	30.5
31	-	-	-	-	-		34.0	33.0		35.0		31.5

NOTE: - NO REPORT

15 SAN PA TONG

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	-	-	-	-	-	235	24.0	215	220	220	210	200
2	-	-	-	-	-	260	220	230	225	230	205	190
3	-	-	-	-	-	24.5	230	240	220	225	215	170
4	-	-	-	-	-	230	230	230	230	215	200	160
5	-	-	-	-	-	220	240	225	220	220	205	145
6	-	-	-	-	-	230	250	220	230	210	210	145
7	-	-	-	-	-	235	240	230	230	210	210	150
8	-	-	-	-	-	240	220	230	220	215	210	210
9	-	-	-	-	-	230	230	230	205	225	180	210
10	-	-	-	-	-	220	220	240	210	230	180	220
11	-	-	-	-	-	210	220	230	215	225	180	220
12	-	-	-	-	-	220	230	230	215	235	175	210
13	-	-	-	-	-	230	230	225	200	220	180	212
14	-	-	-	-	-	220	230	225	200	210	190	200
15	-	-	-	-	-	210	240	225	230	225	210	180
16	-	-	-	-	-	210	240	230	230	215	210	150
17	-	-	-	-	-	220	230	240	230	220	200	160
18	-	-	-	-	-	220	230	230	230	215	215	160
19	-	-	-	-	-	230	240	230	220	215	210	170
20	-	-	-	-	-	230	230	230	230	225	210	170
21	-	-	-	-	-	210	230	225	235	225	210	160
22	-	-	-	-	-	225	220	215	220	210	230	150
23	-	-	-	-	-	230	230	220	230	210	220	140
24	-	-	-	-	-	230	255	220	220	215	220	130
25	-	-	-	-	-	220	230	210	220	215	210	130
26	-	-	-	-	-	230	240	220	230	215	210	140
27	-	-	-	-	-	240	240	210	225	220	210	130
28	-	-	-	-	-	230	230	205	220	210	210	130
29	-	-	-	-	-	240	230	220	220	210	200	125
30	-	-	-	-	-	230	240	230	300	205	210	145
31	-	-	-	-	-		240	230		210		150

NOTE: - NO REPORT

SAN PA TONG

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1974

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	24.0	34.0	36.0	37.0	36.8	29.5	34.5	34.0	31.0	32.5	28.0	32.0
2	25.0	34.0	36.0	38.0	37.0	30.5	36.0	36.2	31.0	31.0	30.0	31.0
3	27.0	35.0	35.0	37.0	37.0	33.0	37.0	35.0	33.5	32.7	33.0	30.5
4	27.0	34.0	37.0	37.5	35.8	34.0	35.4	28.8	35.0	35.0	33.0	30.0
5	25.0	34.0	37.8	38.5	37.5	32.5	34.0	33.0	32.8	30.0	29.0	31.5
6	26.0	34.4	37.8	39.5	36.8	33.0	30.8	33.0	30.8	32.0	26.0	31.0
7	27.0	34.5	39.0	39.8	38.0	33.0	32.8	33.5	34.6	32.0	28.5	32.5
8	29.5	32.5	38.0	39.0	37.2	32.8	33.4	29.5	32.5	34.5	31.5	32.0
9	29.0	31.0	36.2	37.0	37.0	32.0	34.0	31.0	29.0	32.0	34.0	31.0
10	29.0	29.5	39.0	33.8	34.5	34.0	33.0	33.0	27.2	30.0	33.8	31.0
11	30.0	28.5	39.0	32.8	35.6	39.0	34.0	29.0	30.0	30.2	32.8	30.0
12	29.5	28.5	39.0	33.0	33.5	34.0	35.0	29.2	29.2	33.0	26.0	29.5
13	31.0	30.0	39.5	33.5	34.0	35.0	36.0	28.0	29.3	30.2	26.0	29.0
14	31.5	32.0	39.0	37.0	35.4	35.0	34.2	32.0	28.0	35.5	27.0	31.0
15	30.0	33.0	40.0	34.0	35.0	36.5	34.0	34.5	30.0	31.0	28.0	29.0
16	30.4	36.0	40.0	35.0	36.0	29.8	36.0	32.5	32.5	32.0	29.0	30.5
17	32.0	36.5	39.0	37.0	34.5	31.0	37.0	26.2	32.0	35.0	25.0	30.8
18	32.0	37.0	38.0	37.0	34.0	32.2	32.5	26.8	31.8	34.8	28.5	32.0
19	33.0	37.0	37.0	37.8	34.5	33.5	32.0	29.0	28.6	32.0	27.0	31.0
20	32.0	35.8	37.0	39.8	34.0	33.0	34.0	31.0	32.0	32.0	26.0	30.5
21	32.2	36.8	34.0	41.0	30.0	34.6	33.0	33.0	34.6	35.0	28.0	26.0
22	32.0	37.5	34.0	38.0	27.2	32.0	34.0	33.8	34.4	34.8	29.0	24.8
23	32.0	38.0	35.0	37.0	29.0	32.0	30.4	33.4	35.0	35.0	29.0	29.0
24	32.5	38.5	36.4	37.5	25.0	33.0	30.6	31.5	34.0	35.0	30.0	30.0
25	32.5	39.0	37.8	37.2	30.2	31.6	36.0	30.0	30.8	34.8	29.0	28.2
26	33.0	35.0	37.5	35.8	27.0	34.0	30.0	27.5	27.2	36.0	28.0	30.0
27	32.5	34.0	38.5	35.5	32.0	33.0	30.2	30.2	30.0	35.0	28.4	32.0
28	32.8	34.0	27.6	35.0	32.8	33.6	25.8	32.6	27.6	31.0	29.0	33.5
29	34.0		33.5	35.6	30.0	31.5	28.0	32.8	23.6	29.7	30.6	34.0
30	33.5		35.0	33.0	31.0	35.0	27.6	34.2	35.0	31.0	31.0	33.6
31	33.4		36.0		30.0		29.0	31.0		30.0		31.8

ANNUAL MAXIMUM TEMPERATURE

41.0 DEGREE CENTIGRADE

SAN PA TONG

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1974

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	06	11.2	17.0	20.2	23.0	22.2	21.0	21.2	22.5	23.0	20.5	15.5
2	06	10.2	16.8	21.0	23.0	23.5	21.8	22.2	22.0	23.0	19.5	14.6
3	05	11.5	17.2	21.2	22.8	23.0	23.0	23.0	22.0	22.9	20.0	13.6
4	07	12.0	22.0	22.0	23.0	21.0	23.5	22.4	22.0	21.0	20.0	15.2
5	07	12.5	17.2	21.2	22.0	21.2	23.0	23.0	22.8	20.2	21.0	15.6
6	06	13.4	17.0	21.5	22.4	22.0	23.0	23.4	23.0	21.0	20.7	21.5
7	08	14.5	16.0	23.0	23.0	23.6	22.0	23.0	23.0	12.5	20.0	
8	10.0	15.0	16.5	22.0	22.5	23.0	24.0	22.0	23.2	22.0	21.2	15.6
9	11.0	15.0	17.0	19.2	22.5	23.2	22.0	22.8	23.2	23.2	23.0	15.0
10	11.5	13.0	17.4	19.4	22.5	24.0	21.5	22.0	21.0	23.0	22.5	14.5
11	12.0	12.4	18.0	18.8	21.2	22.2	22.0	23.0	21.3	21.8	21.0	13.0
12	15.0	11.8	18.0	18.4	23.0	22.0	24.0	23.0	22.0	22.0	21.2	13.3
13	16.5	12.0	19.5	19.0	23.0	23.2	23.2	22.0	22.0	22.2	20.9	14.0
14	14.0	13.0	19.2	20.0	22.2	23.2	23.2	21.2	21.5	23.0	19.2	14.0
15	10.0	14.0	19.2	19.2	21.0	23.0	21.0	22.2	22.0	22.2	19.2	16.5
16	12.0	14.0	19.0	21.0	21.2	23.0	22.0	23.5	21.5	23.2	21.4	16.6
17	12.0	16.0	19.0	21.0	22.0	23.5	22.0	23.0	22.4	21.3	19.0	15.2
18	13.5	14.2	17.8	21.0	23.0	23.2	22.2	23.2	22.6	22.4	20.2	14.5
19	14.0	15.0	19.2	21.4	23.2	22.0	23.0	22.5	21.0	21.0	20.5	14.2
20	13.0	14.2	17.4	23.4	23.0	22.0	22.0	22.8	22.2	19.5	16.2	14.0
21	12.5	13.2	18.0	24.5	22.5	22.8	22.0	23.0	21.0	20.2	17.0	17.4
22	12.0	13.5	20.0	24.0	22.0	23.0	23.4	22.8	21.4	21.7	16.5	15.1
23	11.0	13.0	19.0	24.2	23.0	10.0	23.0	23.2	21.5	20.5	16.0	15.0
24	12.0	14.0	18.4	24.5	22.5	21.8	23.4	23.2	22.0	20.6	17.2	15.0
25	12.0	16.0	16.5	22.6	22.2	22.0	24.2	23.0	22.0	21.0	18.0	16.5
26	13.2	15.5	19.0	23.5	23.0	22.0	23.0	23.5	22.0	21.2	16.2	18.0
27	12.0	15.0	20.0	23.0	22.1	23.0	21.5	21.8	22.8	21.0	15.2	17.0
28	12.4	17.2	19.6	23.0	23.0	22.6	21.2	21.5	22.0	22.0	18.0	17.5
29	11.5		17.8	22.0	23.0	22.5	21.4	22.2	22.5	21.2	18.2	
30	11.5		18.2	22.4	21.5	22.5	21.8	22.2	22.2	21.0		16.8
31	11.4		20.0		22.2		21.0	22.0		21.5		15.4

ANNUAL MINIMUM TEMPERATURE 0.5 DEGREE CENTIGRADE

SAN PA TONG

MAXIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1975

DAYS	JAN.	FEB.	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC
1	32.0	32.5	33.0	39.5	35.0	31.5	34.2	31.0	29.5	31.5	29.0	29.0
2	33.0	34.0	33.0	33.5	38.0	33.0	32.8	30.5	31.0	31.0	29.5	30.0
3	31.0	34.0	36.5	31.5	37.8	30.0	34.0	31.0	32.0	30.0	30.0	32.0
4	28.6	33.4	36.9	36.0	36.0	29.0	34.6	29.5	30.0	31.0	28.2	31.5
5	20.0	32.0	35.6	37.0	29.8	31.0	35.0	30.0	32.8	28.5	30.5	31.5
6	20.8	33.5	37.0	39.0	24.0	31.5	32.5	31.5	29.0	31.0	29.5	32.8
7	21.0	33.4	38.0	39.0	33.0	32.0	32.8	32.0	28.5	34.0	30.8	31.0
8	22.0	33.5	39.0	38.0	24.0	33.0	34.8	33.0	27.5	25.0	31.0	30.0
9	23.0	34.0	37.8	39.0	33.0	35.0	36.2	32.2	31.5	29.0	32.2	29.5
10	22.0	33.0	38.0	40.0	36.0	36.0	37.0	33.0	30.0	31.0	28.5	30.0
11	21.0	32.0	40.0	41.0	37.4	34.0	35.8	29.0	31.8	30.5	31.5	21.5
12	22.6	33.0	39.0	41.0	38.5	35.0	31.5	32.0	28.5	33.5	31.3	22.8
13	27.0	33.0	39.5	39.0	34.0	35.5	33.4	32.6	30.5	31.0	31.0	28.0
14	28.0	33.5	40.0	40.0	33.0	36.5	29.8	32.0	32.6	32.5	32.0	19.5
15	31.0	33.5	39.5	41.0	37.0	35.0	26.5	33.5	33.0	30.0	32.5	18.0
16	32.0	34.0	39.0	42.0	35.3	36.0	27.8	30.5	33.2	28.0	32.2	17.0
17	33.5	34.5	38.0	41.8	36.5	32.5	29.0	27.5	31.5	30.0	31.5	20.8
18	29.5	35.0	38.5	40.8	36.5	31.8	27.2	30.8	32.0	30.0	29.0	21.0
19	33.0	34.5	37.0	39.5	38.0	32.0	29.8	31.2	32.2	31.0	31.5	25.0
20	32.0	34.0	37.8	38.5	37.5	32.0	33.6	29.2	33.5	33.0	31.3	26.0
21	32.0	33.0	39.0	37.0	39.0	31.8	34.3	30.0	26.2	32.5	31.0	24.2
22	32.8	32.0	38.0	40.0	34.0	32.0	32.6	31.5	25.5	32.5	32.0	22.8
23	33.0	33.0	36.0	41.0	37.5	31.0	30.5	31.8	30.0	32.0	25.0	24.0
24	32.0	34.0	35.0	40.2	34.5	35.0	32.5	30.9	33.0	32.0	24.0	24.0
25	33.0	36.0	38.0	40.0	36.0	34.2	29.8	25.0	34.0	31.0	24.5	24.5
26	33.0	35.2	39.0	39.5	36.8	33.8	30.0	29.0	34.0	32.0	26.5	25.0
27	32.8	36.0	38.8	39.0	33.0	26.4	28.0	28.5	34.1	33.0	27.0	24.0
28	31.8	37.0	38.8	40.0	36.0	38.1	29.8	28.0	33.0	33.5	27.5	25.0
29	32.4		39.0	40.5	37.0	34.8	34.0	25.5	33.0	33.0	28.0	24.5
30	31.0		38.5	41.8	33.4	34.8	35.8	30.0	30.5	27.0	28.5	23.0
31	30.0		37.5		32.5		34.2	30.0		26.0		24.5

ANNUAL MAXIMUM TEMPERATURE 42.0 DEGREE CELSIUS

SAN PA TONG

MINIMUM TEMPERATURE IN DEGREE CELSIUS CALENDAR YEAR 1975

DAYS	JAN.	FEB.	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	142	150	190	190	240	230	220	235	21.5	220	20.2	145
2	150	165	165	200	230	235	220	223	21.0	220	205	180
3	150	160	160	200	234	220	230	225	220	225	190	190
4	148	148	165	202	232	232	230	235	21.0	225	200	180
5	170	140	160	200	222	240	240	225	222	230	205	180
6	172	140	162	190	230	242	223	220	210	225	212	155
7	175	136	148	192	220	242	222	220	222	230	204	120
8	180	135	142	210	205	232	220	222	212	220	200	120
9	190	130	160	215	210	232	222	230	205	230	200	122
10	180	135	160	210	220	230	232	240	220	225	215	150
11	172	120	182	220	226	232	242	232	228	210	215	180
12	176	125	182	210	240	235	230	226	220	205	210	198
13	165	140	195	215	220	246	234	224	225	210	208	200
14	140	145	192	205	220	255	217	225	228	220	205	170
15	140	140	180	202	230	240	220	235	220	210	200	130
16	152	140	185	210	235	250	220	232	222	202	200	130
17	175	150	190	206	226	240	220	225	222	198	202	100
18	185	155	200	204	220	244	214	230	215	195	195	85
19	195	168	192	220	228	232	218	220	215	200	195	90
20	172	185	185	201	230	240	240	222	220	205	178	100
21	165	176	184	210	240	235	214	222	226	210	172	90
22	170	175	181	200	235	240	215	225	215	215	190	82
23	154	175	184	200	240	230	225	232	210	222	160	90
24	168	170	190	221	245	225	212	230	215	222	140	85
25	150	165	210	220	230	242	215	220	220	225	120	90
26	160	170	220	222	230	228	215	230	220	210	122	95
27	168	180	220	220	232	232	212	222	230	212	125	95
28	170	190	220	230	240	229	210	230	222	215	130	80
29	172		215	240	222	215	220	238	228	208	145	70
30	160		200	252	230	230	220	222	216	212	160	75
31	158		200		250		230	220		205		75

ANNUAL MINIMUM TEMPERATURE 7.0 DEGREE CELSIUS

SAN PA TONG

MAXIMUM TEMPERATURE IN DEGREE CELSIUS CALENDAR YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1												
1	23.5	30.5	37.0	36.5	29.0	35.0	34.0	28.8	32.0	30.5	27.5	26.0
2	25.0	30.0	31.5	36.5	29.5	32.0	32.0	29.2	32.0	30.0	29.0	30.9
3	25.5	31.0	30.0	37.0	28.0	29.0	31.5	29.0	33.3	28.3	31.0	30.2
4	26.5	30.8	30.0	35.0	32.5	26.5	33.3	24.0	32.5	25.6	31.1	30.0
5	28.5	31.0	33.2	34.5	34.0	28.0	33.0	29.5	34.5	31.3	32.3	29.0
6	27.5	29.0	34.5	37.4	28.0	28.0	33.0	30.0	34.0	32.2	31.0	29.5
7	29.0	30.0	36.0	36.5	32.5	29.5	32.8	31.0	29.5	33.3	31.2	29.0
8	28.5	28.0	36.0	36.0	33.0	30.4	32.0	29.0	31.0	31.5	31.6	27.0
9	30.5	30.0	37.0	34.5	33.5	30.5	31.0	28.0	32.0	30.3	32.0	25.8
10	29.5	31.0	37.0	35.0	33.4	31.0	31.8	31.5	31.5	31.2	32.3	26.5
11	28.0	32.2	37.5	38.0	35.0	30.5	35.0	32.5	34.0	33.0	30.5	30.0
12	26.4	32.8	37.0	39.0	36.0	31.0	36.5	29.0	24.5	33.3	32.3	29.0
13	27.0	32.0	37.5	31.2	35.0	29.0	35.0	26.0	31.5	33.6	30.9	25.5
14	27.0	32.5	36.5	40.0	31.2	34.5	35.0	28.0	32.2	33.2	31.1	28.2
15	28.0	33.0	36.5	39.5	34.0	32.5	34.0	29.5	33.5	30.5	30.2	30.5
16	29.0	34.0	36.2	40.0	31.0	35.0	35.5	29.8	34.0	32.2	31.1	30.0
17	29.0	34.8	37.5	39.0	34.0	35.5	34.5	31.5	25.8	33.2	30.5	30.5
18	29.0	35.0	37.0	39.0	36.0	36.5	35.0	32.5	30.1	31.1	31.5	32.0
19	30.0	36.0	36.5	38.5	37.0	36.0	33.4	34.5	34.0	29.7	32.0	30.1
20	29.5	36.0	36.0	39.0	37.5	36.0	34.0	32.0	31.5	32.1	31.0	31.3
21	29.0	31.0	35.0	39.0	36.0	36.2	35.0	33.5	28.0	27.2	26.2	32.2
22	29.0	31.5	33.5	38.0	34.0	33.0	35.5	30.0	31.5	30.1	26.0	32.0
23	29.0	35.0	35.4	41.5	27.0	34.5	31.0	31.0	27.3	31.1	25.2	31.9
24	28.2	36.5	37.0	31.5	29.5	35.3	30.0	-	28.2	31.3	25.3	31.5
25	29.0	35.5	37.5	37.0	27.0	35.2	31.0	-	29.1	31.2	24.9	30.4
26	30.0	35.0	39.0	38.0	29.0	35.0	29.5	-	23.5	30.5	25.2	31.5
27	30.0	36.0	37.0	38.0	32.0	32.5	32.7	-	24.0	23.6	23.2	31.2
28	30.0	35.0	38.0	35.0	32.5	35.3	35.0	31.0	30.2	26.3	26.0	29.7
29	32.0	35.0	32.0	34.5	33.5	36.0	35.5	28.0	30.8	31.0	25.2	27.3
30	30.0		38.0	32.5	34.0	37.0	27.5	24.5	32.2	31.4	26.5	26.3
31	30.0		32.0		33.2			30.0		30.0		23.5

NOTE: - NO REPORT

SAN PA TONG

MINIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	7.0	13.0	15.0	21.5	22.5	23.0	23.5	23.5	21.8	23.2	21.3	18.0
2	8.5	13.0	16.0	22.5	22.0	23.2	24.0	23.0	22.5	23.1	21.2	15.0
3	10.0	12.0	16.0	22.0	22.0	22.0	23.0	23.2	23.0	24.1	21.0	14.0
4	10.5	13.8	17.5	20.0	23.5	23.5	23.2	23.0	23.6	22.3	21.0	12.9
5	11.0	14.0	17.0	21.0	23.2	22.5	23.5	23.0	22.5	22.0	21.1	14.0
6	12.5	16.4	18.0	21.4	22.5	23.2	22.2	21.8	22.4	22.3	21.3	16.5
7	13.0	14.0	17.0	20.0	23.0	23.0	22.2	23.0	22.2	22.2	20.5	14.5
8	14.0	15.0	17.0	20.0	21.0	21.5	22.2	23.0	22.0	23.2	20.3	15.0
9	15.0	15.0	16.5	21.0	22.5	22.8	23.0	22.5	21.5	22.4	20.3	13.5
10	17.2	15.5	17.0	20.5	22.0	23.5	23.5	23.0	22.5	23.1	20.3	13.2
11	15.0	15.0	16.5	20.5	22.2	21.0	22.8	23.5	22.2	22.2	20.3	13.6
12	13.0	14.5	17.0	21.8	22.5	22.5	23.5	23.0	21.3	23.2	20.5	14.1
13	12.0	12.0	16.5	22.5	23.0	21.0	24.5	22.5	22.0	23.2	19.0	10.4
14	12.0	10.0	17.5	21.5	22.0	21.5	22.5	23.0	23.2	22.3	19.2	14.0
15	11.0	13.0	18.5	20.0	22.2	22.2	22.0	22.2	23.0	22.6	20.0	14.0
16	10.5	13.2	20.0	22.0	23.0	22.5	22.5	22.5	24.0	21.3	20.8	14.9
17	11.4	13.5	19.5	23.2	25.0	22.5	23.0	22.5	25.2	21.1	20.0	15.4
18	11.2	15.0	21.8	22.0	25.0	23.0	24.0	23.2	24.5	21.3	19.2	15.9
19	12.0	16.0	20.0	21.0	22.5	23.0	24.2	23.5	24.2	22.2	19.0	16.5
20	14.0	15.2	20.0	22.0	23.0	23.0	23.0	23.0	23.0	22.0	20.1	17.6
21	13.0	14.5	19.0	21.0	23.0	23.0	24.0	23.0	23.5	22.2	20.9	16.0
22	13.2	13.0	20.0	21.5	23.0	22.2	24.5	21.5	23.5	19.5	19.0	15.3
23	14.0	13.0	20.0	21.5	23.0	23.0	23.0	22.5	26.0	19.0	19.2	15.0
24	14.0	15.5	20.0	21.5	23.5	22.5	23.2	-	25.3	19.8	18.5	13.2
25	14.0	13.5	20.0	22.5	23.0	22.8	23.0	-	23.2	19.7	17.2	13.0
26	14.2	14.0	19.5	22.0	20.0	23.5	22.5	-	20.2	22.3	17.0	13.8
27	15.0	15.0	19.0	23.0	22.0	23.5	23.0	-	22.3	23.0	19.0	15.0
28	15.0	15.0	20.0	23.0	21.5	23.2	23.5	22.0	22.2	23.1	15.5	18.9
29	15.0	15.0	20.0	24.0	23.0	23.5	23.0	22.5	22.5	21.2	16.3	20.0
30	14.0		20.5	23.5	23.2	24.0	23.5	22.5	22.5	21.0	16.5	18.5
31	15.0		21.0		22.0		23.2	23.2		21.1		18.3

NOTE: - NO REPORT



SAN PA TONG

MAXIMUM TEMPERATURE IN DEGREE CELSIUS CALENDAR YEAR 1977

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	20.1	32.3	35.5	30.2	37.9	34.0	32.3	31.0	31.7	33.4	32.0	26.0
2	20.0	32.5	35.0	28.2	36.7	33.0	32.4	30.0	33.2	33.3	32.0	26.0
3	19.5	32.2	35.1	30.0	36.0	32.8	31.5	32.0	32.0	34.0	31.8	26.2
4	25.3	30.4	27.3	30.3	36.0	33.1	33.2	32.0	34.0	33.0	29.0	29.0
5	26.5	31.0	28.7	28.5	35.0	34.0	30.0	32.0	32.2	33.2	30.2	29.3
6	27.0	30.0	31.0	32.6	35.0	36.0	28.9	32.5	30.0	32.4	32.0	30.1
7	30.0	30.1	27.2	34.2	35.2	36.7	32.0	35.0	31.0	32.3	33.0	31.0
8	28.1	29.5	30.5	34.2	36.0	36.5	32.0	35.0	31.0	33.0	33.4	30.3
9	27.7	31.4	32.0	34.0	35.0	37.2	31.0	35.4	30.6	30.0	32.2	28.6
10	29.0	30.5	33.3	33.0	30.3	38.0	33.2	34.2	31.6	33.0	32.3	28.3
11	29.5	30.0	36.0	35.0	33.0	37.0	34.0	33.0	31.0	32.4	33.0	29.0
12	28.2	30.5	34.4	34.8	32.0	34.0	35.3	33.0	31.2	30.2	33.0	29.2
13	29.8	32.5	35.0	35.0	31.1	35.1	36.0	34.0	31.4	32.0	25.7	29.2
14	29.7	33.4	31.0	35.0	30.0	32.5	33.0	35.0	32.3	32.3	35.2	29.4
15	29.8	32.0	36.0	35.8	32.0	33.9	31.2	35.0	32.2	31.0	34.0	30.0
16	29.5	32.5	36.2	36.0	28.0	34.0	33.0	37.0	32.0	32.0	33.2	30.0
17	28.6	31.0	37.0	37.0	30.0	36.2	33.2	34.0	32.0	34.0	33.0	30.2
18	29.8	30.0	37.3	27.2	32.0	39.0	33.0	32.6	33.0	34.0	33.2	32.0
19	30.0	29.8	38.0	24.0	34.0	36.3	35.2	32.6	31.0	34.0	33.0	32.2
20	29.0	33.0	37.0	31.5	34.0	35.0	33.0	32.0	31.0	34.3	28.0	32.0
21	30.2	32.0	33.2	33.0	35.0	36.0	33.0	33.0	30.0	31.2	28.0	29.0
22	30.1	30.3	36.0	33.0	35.4	36.0	28.0	34.0	26.0	31.0	28.3	32.0
23	30.5	27.0	36.0	33.2	30.5	35.0	31.0	34.2	27.0	31.2	30.2	29.9
24	30.5	26.0	26.2	30.0	33.2	34.0	30.0	32.6	32.0	31.0	32.0	30.0
25	31.0	34.6	29.2	35.0	32.0	35.0	30.0	32.0	32.2	31.2	32.2	31.0
26	31.0	34.1	33.0	35.1	31.3	33.0	31.0	32.3	32.6	31.0	32.0	30.2
27	32.0	35.0	36.0	36.0	32.0	34.0	31.0	31.6	32.4	30.0	33.0	28.6
28	31.1	31.0	37.0	36.2	33.0	36.0	30.2	32.0	33.0	30.2	33.0	24.7
29	31.5		35.0	37.2	33.2	36.0	33.0	32.0	33.0	31.2	34.0	24.6
30	31.7		34.0	38.0	33.0	32.3	32.2	32.2	38.3	32.0	29.0	25.0
31	32.5		32.1		34.0		30.0	31.6		34.0		31.0

ANNUAL MAXIMUM TEMPERATURE 39.0 DEGREE CELSIUS

SAN PA TONG

MINIMUM TEMPERATURE IN DEGREE CELSIUS FOR CALENDAR YEAR 1977

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	18.3	12.3	15.5	22.0	21.9	21.9	24.0	24.0	22.0	22.0	21.0	18.0
2	18.2	12.7	15.0	26.3	21.0	22.5	23.0	24.0	22.4	22.0	21.0	18.0
3	17.9	11.8	16.5	17.0	21.2	22.8	23.0	23.0	23.0	22.0	21.2	17.0
4	18.8	11.0	16.5	17.6	21.8	22.0	24.0	23.0	22.8	21.8	20.8	16.4
5	17.5	10.8	19.0	18.5	20.4	22.0	23.6	23.0	22.2	22.0	20.0	14.0
6	17.4	15.0	16.5	17.3	22.0	22.2	23.0	22.0	23.0	22.0	20.2	14.0
7	17.5	15.5	16.3	20.0	22.7	22.3	22.0	23.0	23.0	22.0	20.0	14.0
8	14.5	17.2	17.0	19.3	22.6	22.0	23.0	23.2	23.0	22.0	20.2	14.0
9	12.0	14.3	17.6	20.0	22.5	22.8	23.0	23.0	23.0	21.2	20.0	13.0
10	12.9	14.0	17.5	20.0	21.9	25.0	23.0	23.0	21.3	21.8	20.0	12.0
11	12.0	13.8	18.5	20.7	22.3	25.0	23.2	24.0	22.0	22.0	20.2	12.0
12	11.0	14.9	17.6	20.9	21.8	22.0	23.2	22.0	21.4	22.0	19.9	12.0
13	11.5	14.5	21.7	21.0	22.0	24.0	24.0	20.0	22.0	22.0	17.8	12.0
14	12.9	14.3	21.0	21.5	20.0	23.0	23.0	22.7	22.7	22.4	18.2	12.0
15	15.5	16.0	19.3	21.7	24.0	23.0	23.8	23.0	20.0	22.0	17.0	13.0
16	14.9	17.0	18.7	22.3	22.0	23.5	24.0	24.0	22.0	21.9	14.0	13.4
17	14.0	18.7	18.4	23.0	23.0	23.0	23.0	24.0	22.0	22.0	14.0	13.4
18	14.1	18.0	19.2	23.6	24.2	22.7	23.1	24.3	22.4	22.0	14.0	15.0
19	14.5	17.5	20.4	22.3	24.0	23.0	23.0	23.4	23.0	22.0	15.0	15.0
20	14.2	17.0	21.3	22.0	21.2	23.8	24.0	23.6	23.5	22.0	14.0	18.0
21	14.0	16.9	17.8	21.0	22.2	23.0	24.0	22.0	23.4	22.0	14.0	20.0
22	14.1	18.1	21.0	22.0	23.0	23.3	24.5	20.6	22.4	21.0	14.0	18.9
23	14.0	16.2	21.2	20.9	24.0	23.8	24.0	22.0	22.0	21.0	15.0	18.0
24	14.1	15.8	22.0	21.2	22.0	23.1	24.0	22.2	20.0	21.8	16.0	18.0
25	14.0	16.8	19.0	22.2	23.0	23.0	23.0	23.0	19.0	19.8	18.0	14.0
26	13.5	17.9	19.3	21.6	23.2	23.2	23.0	23.0	20.0	19.8	19.0	14.0
27	13.7	17.5	20.0	20.0	24.0	23.8	23.6	20.0	20.0	20.0	19.0	16.0
28	13.2	17.5	21.1	20.0	22.8	23.0	24.2	23.0	21.2	21.0	19.0	16.0
29	13.2		21.2	22.1	21.5	23.0	23.0	23.1	22.6	22.0	20.0	18.9
30	13.5		20.0	20.2	21.6	24.0	22.0	23.0	22.6	21.0	18.0	19.0
31	13.2		20.0		22.0		23.0	23.0		21.0		17.4

ANNUAL MINIMUM TEMPERATURE 10.7 DEGREE CELSIUS

NATIONAL ENERGY ADMINISTRATION

YEAR. .... 1978 ..... STATION ... San Pa Tong ..... CODE NO.....  
 SUBJECT ... MAX. TEMP ..... COMPUTED ..... CHECKED.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	29.0	32.4	34.0	39.0	42.0	36.3	35.0	33.0	33.0	32.0	32.4	32.0
2	29.7	32.2	35.4	40.0	42.0	36.7	25.0	34.0	32.9	32.1	34.0	32.0
3	29.0	32.0	36.0	40.0	41.2	35.0	29.6	34.0	33.0	32.0	34.0	31.0
4	29.0	31.0	36.0	41.0	40.0	32.0	30.0	33.0	33.0	33.0	33.4	31.0
5	25.0	32.0	37.0	41.0	39.0	36.3	33.0	33.2	33.0	29.0	34.4	32.0
6	21.7	32.0	37.0	41.0	38.0	35.8	33.0	33.2	34.0	32.0	35.0	32.0
7	25.2	32.6	37.0	41.0	38.0	35.2	34.0	33.0	35.0	34.8	35.0	33.0
8	28.0	33.7	36.2	39.0	39.0	35.0	31.0	32.0	33.0	35.0	35.0	34.0
9	29.8	33.7	36.3	38.0	39.0	34.8	25.4	31.4	32.0	33.0	35.0	33.6
10	26.0	33.7	37.2	40.0	39.2	34.6	27.2	32.2	32.0	32.0	35.0	33.0
11	24.2	33.8	37.0	40.0	35.2	35.5	30.0	32.0	31.0	32.0	34.7	33.2
12	26.2	44.8	38.0	38.0	35.5	36.0	32.0	32.0	30.0	30.5	35.0	32.0
13	27.2	35.0	38.0	38.0	29.8	36.0	30.0	30.0	30.0	32.0	34.0	33.0
14	28.0	35.0	37.6	38.4	30.0	36.0	32.0	30.0	33.0	34.0	33.2	29.0
15	28.0	35.2	37.0	39.0	29.0	36.2	32.0	30.0	33.2	34.0	33.7	29.0
16	29.0	35.0	37.0	39.1	28.0	35.8	35.0	32.0	34.2	34.0	34.0	28.0
17	29.0	35.0	37.0	39.0	28.0	35.3	33.0	32.0	35.0	34.0	34.0	28.0
18	29.0	35.0	38.0	36.2	23.8	35.0	33.0	33.0	33.0	33.0	34.0	29.0
19	28.7	35.0	37.2	39.0	33.0	35.0	34.0	34.7	31.0	33.0	34.0	30.2
20	28.7	34.7	37.0	38.0	35.0	34.0	33.0	34.6	32.6	34.2	34.0	30.4
21	30.3	34.6	38.0	40.0	35.0	35.0	30.0	34.0	34.0	34.0	33.6	31.0
22	31.0	34.0	39.0	41.6	37.0	34.0	30.7	35.0	32.0	35.0	34.0	32.0
23	31.0	33.0	38.2	41.6	37.6	34.2	30.3	35.0	32.0	35.0	34.5	33.0
24	32.0	32.6	38.0	41.4	35.0	35.0	31.4	34.7	32.3	35.0	35.0	34.0
25	32.0	33.0	38.0	41.2	35.0	35.0	33.0	32.6	32.0	35.0	34.0	34.0
26	32.1	32.6	38.0	41.4	27.0	35.0	31.7	33.0	31.0	35.4	34.0	34.0
27	32.1	33.0	34.2	42.0	32.8	32.0	31.5	33.0	32.0	35.2	34.0	34.0
28	32.2	29.3	38.0	42.2	36.2	32.0	30.7	33.4	31.0	34.6	33.0	34.0
29	32.2		39.7	41.2	33.0	32.0	32.0	33.0	32.0	33.0	32.0	33.0
30	32.0		39.0	41.0	36.0	35.0	34.2	32.8	32.0	31.0	32.0	34.0
31	32.6		39.8		36.0		34.3	33.0		32.0		34.0

TOTAL

NATIONAL ENERGY ADMINISTRATION

YEAR ..... 1978 ..... STATION .. SAN PA TONG ..... CODE NO .....  
 SUBJECT ..... MIN ..... COMPUTAD ..... CHECKED .....

DATE	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JUIY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	140	110	160	200	230	230	216	240	220	210	180	150
2	140	110	170	200	242	230	210	230	220	217	180	150
3	140	140	180	200	230	230	220	230	226	217	180	152
4	150	140	170	210	240	236	220	232	210	215	170	150
5	180	150	164	204	230	230	220	230	210	220	172	153
6	170	148	162	202	220	230	220	220	210	220	180	138
7	170	138	180	202	220	230	220	220	210	220	190	147
8	150	130	160	200	200	240	220	222	230	220	200	153
9	156	120	160	210	220	230	220	230	230	220	202	180
10	170	120	160	210	230	232	220	222	230	220	203	177
11	190	140	160	210	220	236	216	224	230	220	200	176
12	160	142	163	210	220	242	218	226	230	220	202	177
13	130	140	137	230	222	240	220	230	230	210	180	170
14	100	150	132	210	240	230	200	230	220	220	180	150
15	198	154	140	214	240	232	218	227	220	220	182	110
16	102	160	133	216	240	230	220	225	220	220	180	110
17	102	170	160	200	240	230	230	230	230	170	180	100
18	100	180	160	194	230	234	222	232	220	170	182	100
19	100	180	169	209	230	227	200	233	220	170	180	100
20	100	160	180	212	222	230	210	220	220	170	183	100
21	100	180	190	230	222	230	227	230	222	173	186	100
22	110	160	190	232	223	230	230	232	220	180	180	100
23	142	160	200	240	240	230	230	232	210	184	189	150
24	140	160	200	224	230	232	231	234	220	205	180	160
25	150	190	170	230	236	230	232	220	230	206	165	150
26	160	190	180	240	230	234	230	220	223	203	150	150
27	160	160	196	240	240	230	230	212	213	194	150	160
28	140	160	192	230	210	220	230	212	230	192	160	160
29	120		200	226	240	216	230	220	220	196	160	160
30	116		190	226	230	214	226	223	222	120	160	160
31	112		190		233		226	220		130		160

TOTAL

2. CHIANG RAI

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	293	283	352	354	367	31.0	319	320	315	259	21.5	21.5
2	293	293	359	355	365	322	34.0	32.0	324	29.1	236	187
3	27.8	294	34.4	335	365	318	289	324	310	296	258	198
4	283	30.8	349	280	368	323	290	309	32.5	295	275	228
5	284	293	352	280	323	325	325	276	345	29.6	280	240
6	273	288	355	280	320	322	300	266	27.6	31.2	280	286
7	27.5	298	312	31.3	330	322	31.2	24.5	274	31.0	280	280
8	280	308	347	349	350	330	282	270	31.5	31.5	27.2	255
9	288	305	353	340	352	31.5	272	320	300	30.6	264	290
10	292	320	352	343	362	330	293	260	299	31.0	257	295
11	284	31.9	350	353	370	323	290	264	230	302	244	280
12	284	29.6	354	333	364	300	310	323	282	305	27.0	289
13	293	288	352	30.3	372	275	305	341	290	29.9	294	27.8
14	287	304	34.4	31.5	359	292	268	320	308	29.5	307	223
15	289	30.8	350	329	363	295	275	307	321	31.4	300	263
16	280	31.0	350	328	262	333	292	329	31.8	29.8	299	255
17	247	320	364	345	280	320	295	307	295	29.4	284	250
18	27.8	322	368	355	302	290	307	306	302	304	27.9	265
19	284	298	365	352	31.2	317	31.8	307	303	30.3	283	250
20	280	303	360	369	229	31.0	293	300	285	284	29.5	265
21	270	306	349	354	214	30.0	264	303	280	293	27.9	258
22	280	322	355	362	262	309	297	305	293	295	27.8	260
23	294	328	255	310	294	298	280	277	31.0	285	281	264
24	292	327	250	347	303	31.9	275	295	308	303	29.3	267
25	298	328	320	320	304	320	29.2	31.6	295	31.6	289	25.1
26	295	34.5	325	330	330	293	30.0	322	310	31.2	29.3	282
27	29.8	344	344	317	324	310	292	260	309	270	302	280
28	302	31.5	313	344	329	30.5	315	307	328	27.5	300	280
29	296		350	356	29.9	267	308	305	269	284	27.0	27.6
30	290		360	367	313	27.5	330	307	237	26.5	189	269
31	269		360		320		264	270		196		25.4

ANNUAL MAXIMUM TEMPERATURE DEGREE CENTIGRADE

## 2. CHIANG RAI

### MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	129	115	110	155	210	216	225	212	208	188	165	165
2	124	96	138	182	225	217	219	218	223	190	170	161
3	114	105	133	215	220	218	235	224	206	178	180	160
4	112	112	142	195	222	228	236	228	224	180	163	170
5	130	128	131	195	216	216	215	203	208	173	165	194
6	142	140	128	174	215	233	229	215	205	210	135	194
7	155	142	120	188	220	226	225	218	209	200	146	200
8	150	129	149	195	225	228	231	208	208	206	147	183
9	127	140	122	208	223	256	228	208	218	205	165	186
10	116	170	123	188	214	230	223	230	222	216	151	182
11	120	132	112	195	222	232	230	218	228	201	183	180
12	164	114	174	222	230	228	225	216	215	193	173	181
13	152	112	135	188	229	215	230	215	216	200	162	175
14	94	125	127	154	230	222	228	212	218	202	173	178
15	89	128	133	165	210	215	220	229	220	200	165	165
16	137	110	150	188	206	226	218	226	225	205	182	135
17	164	137	155	187	210	238	225	225	220	190	190	130
18	145	114	175	200	224	235	225	220	213	170	180	135
19	135	120	145	200	223	229	222	217	220	174	159	116
20	127	123	133	212	193	227	225	243	228	169	174	120
21	120	120	143	220	182	225	219	226	212	165	178	93
22	118	132	165	220	190	222	225	208	200	185	173	113
23	125	132	188	204	216	221	215	218	205	193	145	110
24	120	120	187	205	210	223	214	223	207	192	172	116
25	118	125	180	204	220	219	213	220	202	206	152	122
26	98	126	160	188	215	230	214	223	209	200	158	127
27	90	134	176	190	228	227	224	222	196	200	162	143
28	99	133	166	215	225	225	222	216	201	202	156	160
29	100		165	210	233	229	222	218	212	183	158	148
30	108		157	226	213	220	225	225	187	162	173	145
31	112		150		226		198	229		180		132

ANNUAL MINIMUM TEMPERATURE 8.9 DEGREE CENTIGRADE

2. CHIANG RAI

MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	245	282	343	360	353	306	274	246	296	302	285	268
2	212	256	330	350	350	297	302	292	292	292	292	277
3	200	284	328	332	334	312	302	302	289	295	300	278
4	215	235	338	351	315	312	274	324	290	307	302	284
5	215	272	338	343	324	297	298	300	278	315	300	287
6	217	274	317	348	280	287	332	288	302	297	290	292
7	232	258	324	350	294	320	327	293	370	273	285	282
8	224	253	348	348	294	298	283	293	267	292	254	284
9	213	264	308	340	334	292	292	289	288	298	280	278
10	224	278	327	316	351	290	318	256	317	264	284	278
11	216	295	326	340	352	303	307	289	319	244	285	258
12	254	294	310	356	358	306	326	314	318	280	247	278
13	272	300	280	340	310	320	324	292	320	285	268	242
14	278	294	277	310	345	334	255	294	314	270	225	229
15	283	289	278	346	353	320	288	265	310	275	235	240
16	276	272	276	354	332	330	313	280	300	279	233	254
17	280	290	274	351	350	324	315	269	300	280	235	235
18	285	300	265	330	358	342	306	268	308	290	237	197
19	285	301	232	332	350	334	285	286	298	307	240	235
20	279	310	289	332	303	310	257	257	300	318	236	244
21	288	310	330	336	316	295	290	268	300	307	242	173
22	282	306	338	356	293	302	310	275	298	305	244	217
23	278	316	322	364	288	287	325	275	313	296	240	255
24	273	322	320	360	290	295	247	296	306	285	238	278
25	277	329	315	360	312	315	286	272	265	270	255	288
26	292	314	326	362	308	312	303	266	292	295	257	285
27	300	325	333	335	328	285	315	262	295	269	285	270
28	291	326	322	312	324	306	300	284	272	270	287	268
29	285		317	348	320	292	248	292	319	194	275	198
30	295		345	346	306	292	282	290	325	250	260	206
31	290		344		286		288	317		264		260

ANNUAL MAXIMUM TEMPERATURE 370 DEGREE CENTIGRADE

## 2. CHIANG RAI

### MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	134	115	144	152	191	206	210	200	208	215	150	133
2	126	124	134	150	199	215	214	202	215	218	159	153
3	108	114	140	151	218	214	205	215	220	220	170	142
4	60	154	158	162	209	220	209	220	210	215	170	139
5	46	149	170	156	215	224	226	223	205	208	164	125
6	42	133	155	146	206	220	215	228	213	215	163	145
7	54	162	184	162	189	214	217	210	212	196	180	140
8	95	132	158	160	215	219	230	205	224	197	185	144
9	56	139	174	163	193	223	225	204	193	180	186	132
10	40	135	205	154	223	223	206	223	200	177	179	125
11	42	120	182	170	214	219	222	216	210	190	165	122
12	64	104	190	188	225	223	190	212	216	185	170	99
13	76	100	200	172	213	217	215	206	215	168	164	66
14	109	101	192	170	210	220	210	210	225	156	152	95
15	104	130	172	165	215	221	205	222	205	116	92	76
16	115	150	170	185	211	222	208	205	222	119	72	109
17	108	110	165	203	231	225	227	216	220	123	64	134
18	111	108	165	218	225	215	207	206	214	150	63	125
19	130	110	169	182	238	220	200	208	213	158	56	98
20	134	105	154	204	210	225	195	204	212	175	60	130
21	129	100	153	221	222	220	207	214	190	185	50	154
22	136	123	136	199	233	223	218	202	170	180	59	115
23	139	150	138	206	220	220	222	212	164	168	54	140
24	149	153	172	211	207	210	220	214	169	160	55	150
25	142	126	160	210	217	209	210	218	220	195	100	129
26	128	133	176	215	206	205	218	200	215	205	102	100
27	122	138	185	198	215	218	210	205	205	195	140	91
28	140	133	172	183	231	216	218	210	219	212	140	105
29	130		155	185	222	215	215	208	205	170	164	165
30	136		152	183	228	218	210	195	210	170	159	165
31	124		169		218		208	215		169		150

ANNUAL MINIMUM TEMPERATURE 10 DEGREE CENTIGRADE



## 2. CHIANG RAI

### MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	232	302	265	316	33.2	315	308	307	305	267	317	21.6
2	260	298	211	319	35.6	278	308	285	299	31.4	323	24.8
3	247	305	258	296	34.0	330	319	287	305	312	313	24.9
4	269	312	268	322	33.1	318	320	313	314	264	326	26.2
5	277	317	287	315	34.0	317	323	310	320	304	310	26.0
6	270	322	310	323	33.0	330	325	328	312	312	23.2	26.2
7	273	315	319	318	35.5	309	329	304	306	32.4	20.6	26.2
8	253	306	336	337	35.1	316	335	289	292	312	24.8	22.0
9	262	298	337	334	35.6	315	344	272	300	308	25.8	23.0
10	267	286	338	306	33.5	25.5	332	275	31.3	31.3	26.8	28.5
11	267	274	335	228	33.8	313	322	315	31.3	310	28.2	29.0
12	259	293	304	256	35.8	315	315	308	332	26.2	29.8	29.2
13	270	297	317	302	36.5	310	304	317	328	29.6	30.1	20.5
14	256	312	314	317	35.8	322	300	300	31.8	30.2	30.0	27.8
15	202	315	336	329	34.5	328	288	282	31.6	28.8	29.6	22.0
16	214	323	335	320	34.5	337	275	295	30.8	28.4	29.5	22.7
17	238	326	352	321	34.0	333	222	298	32.5	28.7	29.6	25.5
18	252	325	351	331	29.3	32.5	28.5	29.8	31.8	31.5	29.5	27.8
19	265	334	340	345	31.8	310	307	302	30.9	31.7	29.0	26.9
20	262	317	342	358	31.8	30.2	310	24.7	30.0	33.0	28.8	28.5
21	265	332	337	356	33.8	315	300	284	30.6	33.0	26.8	26.8
22	266	325	34.1	35.2	32.0	32.0	31.3	28.8	28.2	24.1	27.5	28.4
23	272	317	35.3	35.0	31.4	33.4	31.2	27.8	29.7	29.9	28.7	28.2
24	27.8	310	32.6	33.5	32.4	34.2	30.5	23.7	31.8	30.8	29.2	27.7
25	27.6	319	33.7	32.5	31.5	35.0	29.6	26.2	27.0	30.6	28.4	27.3
26	27.7	31.7	32.2	27.5	31.5	34.0	30.0	29.4	28.0	30.1	28.2	29.0
27	27.5	32.7	31.9	30.4	32.7	32.9	29.6	30.6	29.2	29.6	27.9	27.8
28	28.2	31.7	33.0	32.1	33.0	33.0	27.0	33.5	30.2	30.7	26.8	28.2
29	27.9	26.7	34.9	33.0	34.3	29.9	28.0	30.2	30.7	31.5	27.5	29.0
30	29.0		35.1	34.5	34.1	31.7	28.5	31.0	30.8	32.5	26.9	28.2
31	29.5		34.4		29.3		30.5	30.5		30.6		28.6

ANNUAL MAXIMUM TEMPERATURE 36.5 DEGREE CENTIGRADE

## 2. CHIANG RAI

### MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	150	117	150	193	208	212	224	232	225	228	208	174
2	167	110	115	169	208	236	229	244	234	220	200	155
3	125	113	132	182	214	220	229	233	237	221	209	140
4	108	114	135	174	200	238	212	214	231	222	202	134
5	124	109	150	158	215	222	236	225	220	218	198	114
6	154	99	111	182	222	233	237	237	242	202	198	105
7	150	90	114	194	211	228	236	235	230	205	187	137
8	132	107	140	189	210	238	236	230	208	210	160	198
9	120	115	139	207	230	235	244	233	206	225	163	180
10	136	97	115	229	212	227	239	234	208	222	134	193
11	108	103	153	200	215	228	240	236	214	226	137	182
12	100	119	162	208	226	229	240	232	226	212	140	184
13	128	107	170	204	237	242	243	227	213	203	164	172
14	132	115	174	184	244	235	234	234	226	225	167	161
15	118	118	207	213	238	230	248	220	224	220	182	164
16	130	132	194	199	222	231	238	216	246	220	174	147
17	74	115	169	193	219	233	208	223	230	215	184	150
18	75	151	151	179	238	237	194	219	241	220	200	154
19	84	160	150	190	236	240	228	234	235	218	211	160
20	84	159	155	193	231	237	244	226	224	218	205	161
21	74	160	164	188	220	233	240	228	223	220	206	140
22	75	135	169	206	231	230	235	227	225	222	210	134
23	83	102	182	231	221	227	240	227	233	202	217	130
24	92	88	171	223	226	233	236	214	220	222	210	126
25	95	92	168	229	229	234	242	214	214	202	200	111
26	91	89	184	203	219	236	236	210	210	203	208	133
27	93	102	196	217	227	242	238	226	230	196	205	124
28	125	114	176	216	227	220	235	215	222	188	214	125
29	132	158	189	219	225	221	226	235	223	182	188	124
30	116		193	209	232	230	222	234	216	199	201	126
31	125		199		218		229	216		200		132

ANNUAL MINIMUM TEMPERATURE 7.3 DEGREE CENTIGRADE

## 2. CHIANG RAI

### MAXIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	287	297	345	344	352	326	315	304	255	295	274	250
2	288	297	343	333	318	322	312	312	295	313	263	266
3	278	304	346	345	330	315	292	303	309	318	270	260
4	275	312	344	335	305	312	308	290	305	315	274	255
5	282	312	340	349	305	330	270	288	281	315	268	265
6	272	314	320	357	338	293	306	265	295	315	251	267
7	280	303	280	358	330	265	326	302	314	315	263	255
8	282	295	220	365	314	278	339	298	289	310	288	252
9	297	290	305	367	328	295	282	300	305	310	295	272
10	297	305	325	365	329	306	280	256	296	302	312	278
11	285	310	330	358	330	310	315	315	310	315	302	293
12	272	310	342	367	323	304	285	315	308	315	292	294
13	286	320	353	356	322	326	265	304	279	308	260	302
14	287	320	347	366	301	302	290	305	312	298	266	290
15	286	320	340	366	293	294	310	317	310	278	265	274
16	280	322	320	385	304	306	325	318	248	278	245	258
17	282	326	327	350	325	324	300	304	315	300	252	242
18	285	327	320	362	327	305	300	302	307	297	260	245
19	282	325	330	355	348	319	302	293	295	322	255	240
20	285	320	335	378	328	320	326	300	240	310	270	260
21	286	328	330	365	318	321	290	297	265	310	265	258
22	295	328	325	363	306	343	326	310	302	313	197	264
23	292	325	317	370	318	343	325	296	268	268	255	260
24	292	330	313	370	308	335	306	281	302	288	258	230
25	297	342	287	348	295	323	297	293	315	286	255	209
26	295	336	272	368	315	315	305	313	297	275	242	208
27	294	330	297	360	302	307	284	241	260	227	256	210
28	288	338	312	375	315	315	282	284	292	245	246	214
29	292		336	375	300	290	293	294	289	276	252	215
30	287		345	375	315	308	310	307	277	296	245	205
31	287		347		296		298	306		292		200

ANNUAL MAXIMUM TEMPERATURE 38.5 DEGREE CENTIGRADE

2. CHIANG RAI

MINIMUM TEMPERATURE IN DEGREE CENTIGRADE FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	137	124	144	166	222	225	215	216	235	220	194	84
2	139	135	152	174	212	233	222	223	231	217	172	97
3	144	150	152	180	220	225	236	230	232	220	164	98
4	114	152	162	196	238	228	235	220	230	217	160	104
5	130	154	164	192	225	220	220	220	228	216	172	95
6	141	164	148	200	230	222	220	217	226	207	204	102
7	142	147	160	182	220	232	228	222	227	204	185	130
8	138	145	183	191	216	225	232	234	240	209	190	125
9	130	162	180	198	215	224	209	230	228	192	185	115
10	112	103	162	202	215	225	215	227	232	197	194	90
11	124	150	140	202	224	230	236	220	230	204	196	128
12	126	164	135	208	224	224	240	232	235	203	207	158
13	135	154	150	205	210	234	225	240	234	200	196	140
14	134	158	162	191	227	240	228	212	226	195	191	129
15	129	156	168	195	222	238	226	229	222	216	194	118
16	126	153	195	203	227	232	235	225	205	223	192	130
17	127	126	205	214	230	242	229	241	220	210	147	109
18	114	114	200	210	227	218	232	238	212	192	192	89
19	102	100	199	224	238	238	225	230	207	184	187	98
20	92	109	192	204	228	232	235	224	222	201	204	105
21	102	112	190	198	215	234	222	219	222	200	200	103
22	100	128	194	195	222	244	228	225	215	207	181	110
23	110	120	209	204	210	244	245	227	230	201	180	108
24	100	121	184	220	226	243	241	220	215	198	128	100
25	109	146	201	202	233	251	222	224	210	209	110	79
26	95	150	182	200	230	240	230	220	227	210	94	50
27	104	137	162	210	223	227	233	214	222	215	74	38
28	97	150	157	225	228	238	224	216	212	182	96	32
29	102		192	235	220	230	225	230	222	164	85	33
30	110		174	237	224	220	217	224	227	180	102	35
31	126		172		217		211	234		204		30

ANNUAL MINIMUM TEMPERATURE 30 DEGREE CENTIGRADE

12. NAM PAI DAM SITE

DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDER YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	94	96	92	74	70	76	89	97	79	52	80	97
2	94	98	92	96	54	87	90	98	90	80	76	96
3	93	85	74	73	72	92	90	78	92	88	94	95
4	93	82	77	82	65	87	92	84	91	89	76	91
5	93	93	74	82	64	92	92	92	74	90	89	90
6	93	91	57	68	78	74	90	94	91	74	94	96
7	94	93	72	69	87	78	89	95	95	82	95	88
8	93	95	82	50	78	84	92	96	90	81	88	96
9	95	94	82	74	85	76	91	85	85	82	89	96
10	94	87	74	58	76	84	92	84	91	74	94	90
11	95	84	77	77	88	77	84	92	92	75	86	87
12	95	85	73	82	62	72	83	91	94	89	94	79
13	96	96	80	60	84	94	93	92	92	87	91	89
14	92	93	89	75	69	91	97	97	78	95	89	93
15	91	95	88	65	88	85	91	89	93	90	89	87
16	96	94	84	67	76	87	91	85	85	89	88	82
17	89	85	85	70	91	90	92	88	91	88	86	86
18	93	82	86	62	96	90	92	88	86	88	92	88
19	94	95	79	57	81	85	88	90	90	86	87	86
20	81	86	84	61	90	76	91	98	90	91	89	93
21	94	89	90	76	93	84	92	96	81	72	86	94
22	98	91	78	65	88	84	94	96	90	92	88	95
23	89	89	64	62	89	87	91	92	79	87	84	97
24	91	81	89	84	93	90	93	94	88	94	88	91
25	93	80	91	70	98	93	96	98	91	89	89	89
26	88	82	81	86	90	93	92	90	83	86	90	88
27	91	71	82	82	85	92	81	89	87	92	95	94
28	88	78	69	81	92	84	92	90	82	91	91	97
29	87		83	84	78	90	90	91	94	81	92	89
30	95		76	66	74	93	92	86	77	82	86	92
31	91		67		82		98	94		96		94

13. NAN PAI DAM SITE

DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	97	94	94	80	98	96	100	96	91	91	83	88
2	93	94	94	80	97	95	92	100	91	91	85	94
3	96	94	94	86	88	95	96	96	96	91	90	91
4	95	100	94	90	100	95	96	100	91	92	90	86
5	92	82	94	82	99	95	92	91	93	96	90	84
6	91	94	94	87	92	95	92	97	91	94	90	95
7	90	89	94	82	88	98	96	96	100	97	91	96
8	90	60	94	95	94	95	90	96	87	100	86	95
9	97	85	94	80	80	94	87	100	96	100	85	95
10	89	80	84	91	92	95	85	98	93	91	88	94
11	89	94	95	100	92	96	93	91	96	81	91	96
12	96	94	94	75	77	92	93	97	92	81	90	92
13	95	94	95	100	92	96	98	91	95	91	90	80
14	97	94	80	100	74	100	98	96	96	95	79	94
15	89	66	95	100	92	96	97	88	100	71	83	92
16	94	94	100	100	96	93	98	92	93	79	94	92
17	83	94	100	100	92	93	96	96	96	95	87	92
18	94	82	100	100	77	84	93	91	100	94	91	97
19	94	71	99	100	84	96	99	96	96	88	92	-
20	96	94	81	76	96	88	96	92	98	91	100	-
21	93	100	87	92	84	93	100	96	91	89	94	-
22	90	88	95	96	84	95	97	96	96	97	94	-
23	93	94	100	100	92	93	96	87	95	93	94	-
24	95	94	95	92	96	94	96	100	91	82	83	-
25	96	89	95	92	72	92	92	96	97	87	100	-
26	96	94	96	92	74	88	100	96	91	90	94	-
27	93	94	96	91	84	96	92	98	96	85	95	-
28	96	94	95	100	96	92	92	96	83	86	81	-
29	93		95	96	96	94	100	100	86	78	99	-
30	97		91	96	100	100	91	91	91	86	91	-
31	92		95		92		98	96		88		-

NOTE: - NO REPORT

19. NAM PAI DAM SITE

DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1					84	93	100	80	88	76	76	100
2					95	94	100	71	78	71	82	100
3					100	95	100	71	90	87	71	100
4					93	90	99	82	62	82	88	100
5					100	91	100	85	76	94	82	100
6					55	83	80	94	73	79	76	100
7					95	94	85	82	82	85	91	100
8					83	100	75	79	88	88	79	100
9					91	100	75	76	82	85	88	93
10					96	100	97	100	82	82	94	93
11					86	100	88	82	82	78	94	92
12					99	100	98	73	82	88	100	92
13					85	100	89	79	88	79	100	91
14					97	97	80	82	88	79	91	91
15					100	97	82	82	76	87	88	93
16					84	100	82	79	88	78	82	97
17					90	100	80	82	76	94	88	79
18					97	100	80	79	82	88	94	82
19					95	100	85	87	79	85	82	91
20				77	98	100	80	100	100	91	88	91
21				82	100	100	90	76	82	88	94	86
22				76	89	100	82	81	85	88	94	86
23				83	91	90	82	100	82	91	88	91
24				87	100	100	94	82	79	91	82	93
25				82	100	90	80	90	76	88	88	91
26				82	100	98	85	89	88	84	88	100
27				77	100	100	82	85	82	99	88	100
28				80	88	100	82	85	82	100	97	100
29				85	99	100	84	87	82	71	100	100
30				80	100	100	100	92	85	76	100	91
31					83		94	80		82		92

NOTE: STATION INSTALLED ON 20 APRIL

18. NAM PAI DAM SITE

DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1974

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	100	99	97	83	81	93	99	99	99	-	-	-
2	100	99	96	86	85	99	83	90	99	-	-	-
3	100	99	99	93	73	99	73	95	99	-	-	-
4	100	99	99	83	76	89	68	99	99	-	-	-
5	100	99	99	83	86	98	98	99	99	-	-	-
6	100	99	99	89	84	97	99	92	99	-	-	-
7	100	99	99	88	83	84	95	99	-	-	-	-
8	100	99	99	89	78	98	89	99	-	-	-	-
9	100	99	92	95	86	99	99	99	-	-	-	-
10	100	99	98	90	92	90	96	99	-	-	-	-
11	100	99	99	85	99	90	90	99	-	-	-	-
12	100	99	96	90	99	91	99	99	-	-	-	-
13	100	99	90	92	89	99	99	99	-	-	-	-
14	100	99	90	87	95	99	96	99	-	-	-	-
15	100	99	97	91	99	99	99	99	-	-	-	-
16	-	99	97	92	99	99	99	99	-	-	-	-
17	-	99	97	84	98	99	99	99	-	-	-	-
18	-	99	97	84	88	99	99	99	-	-	-	-
19	-	99	87	84	99	97	99	99	-	-	-	-
20	-	99	99	81	99	99	99	98	-	-	-	-
21	-	99	96	77	96	98	99	93	-	-	-	-
22	-	99	91	82	99	99	99	-	-	-	-	-
23	-	99	97	99	98	99	99	-	-	-	-	96
24	-	99	89	98	97	96	99	-	-	-	-	99
25	-	99	85	96	94	96	99	-	-	-	-	99
26	-	99	90	74	99	99	99	99	-	-	-	97
27	99	99	90	82	97	99	99	99	-	-	-	98
28	99	99	85	90	97	99	99	99	-	-	-	99
29	99		99	99	97	99	99	99	-	-	-	99
30	99		88	96	95	99	99	99	-	-	-	99
31	99		85		87		99	99	-	-	-	98

NOTE: - NO REPORT



## 20. BAN PANG MU

## DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1968

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	100	100	100	90	97	90	100	95	100	100	100	100
2	99	100	97	90	100	100	97	100	100	100	100	100
3	100	100	100	92	97	100	100	96	100	100	100	100
4	99	100	98	98	94	100	100	99	100	100	100	100
5	98	100	100	99	100	100	95	100	100	97	100	100
6	100	100	100	94	100	96	98	100	100	87	100	100
7	100	100	95	95	100	100	100	99	100	100	100	100
8	96	100	100	95	100	100	100	100	99	100	100	100
9	100	100	100	97	100	95	100	100	98	100	100	100
10	98	100	91	95	100	90	100	100	87	100	100	100
11	99	96	100	94	96	88	100	100	85	100	100	100
12	100	100	100	95	98	94	100	100	85	100	100	100
13	99	100	91	98	93	85	100	100	100	100	100	100
14	100	100	95	92	95	99	100	100	100	100	100	100
15	100	100	99	95	90	100	99	100	100	97	100	100
16	100	100	100	93	90	98	99	100	100	100	100	100
17	100	100	100	93	91	90	96	96	100	100	100	100
18	90	100	95	91	95	95	95	100	100	100	100	100
19	100	100	100	92	100	100	94	97	87	100	100	100
20	98	98	100	98	100	100	94	100	99	100	100	100
21	100	100	100	100	90	100	93	99	98	100	100	100
22	100	96	100	95	93	98	97	98	100	100	100	100
23	100	99	100	95	97	96	98	100	97	100	100	100
24	100	99	100	99	96	98	96	100	100	100	100	100
25	100	100	100	100	96	98	95	100	100	100	100	100
26	100	100	90	96	99	96	97	100	87	100	100	100
27	100	100	100	97	99	94	100	100	100	100	100	100
28	100	100	100	87	98	95	98	100	86	100	100	100
29	100	100	93	80	99	100	99	100	96	100	100	100
30	100		91	95	95	100	99	99	100	100	100	100
31	100		91		98		100	100		100		100

2. BAN PANG MU

DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1969

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	100	100	99	96	75	100	100	100	100	100	90	100
2	100	100	99	95	74	100	96	100	100	100	100	100
3	100	100	99	93	72	100	100	100	100	100	100	100
4	100	100	100	93	74	90	100	100	100	100	100	100
5	100	100	100	97	70	89	97	100	100	90	100	100
6	100	100	100	95	72	90	96	100	100	100	95	100
7	100	100	100	95	70	94	100	100	100	100	95	100
8	100	100	100	94	73	100	100	100	100	100	100	100
9	100	100	100	100	75	100	100	100	100	90	100	100
10	100	100	100	95	76	99	100	100	100	90	99	100
11	100	100	100	92	74	100	98	100	100	94	100	100
12	100	100	100	95	75	100	95	100	100	95	100	100
13	100	100	100	90	73	96	98	100	100	95	100	100
14	100	100	100	88	80	87	100	100	100	100	100	100
15	100	100	100	80	85	85	100	100	100	100	100	100
16	100	100	100	87	80	96	98	100	100	100	100	100
17	100	100	100	89	100	96	99	100	100	100	100	100
18	100	100	100	87	92	100	100	100	100	98	100	100
19	100	100	100	86	80	100	100	100	100	100	100	100
20	100	100	100	90	92	100	100	100	100	100	100	100
21	100	100	100	86	75	100	100	100	100	95	100	100
22	100	100	100	85	85	100	100	100	100	98	100	100
23	100	98	99	85	86	100	100	100	100	95	100	100
24	100	98	100	80	100	95	100	100	100	100	100	100
25	100	98	100	79	100	94	100	100	100	100	100	100
26	100	99	98	73	99	90	100	100	100	100	100	100
27	100	99	98	83	95	90	100	100	100	100	100	100
28	100	99	98	84	100	90	100	100	100	100	100	100
29	100		96	84	100	95	100	100	100	95	100	100
30	100		96	80	100	97	100	100	100	90	100	100
31	100		96		100		100	100		95		

## 8 BAN PANG MU

## DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	100	100	95	90	72	98	90	100	100	87	100	100
2	100	100	95	85	61	95	97	100	97	80	98	100
3	100	100	95	91	85	93	96	92	94	90	100	100
4	100	100	97	85	81	85	94	90	100	99	86	100
5	100	100	97	97	78	100	94	92	100	98	100	100
6	100	100	91	88	92	96	98	100	100	98	100	100
7	100	100	99	87	96	82	92	92	100	100	100	100
8	100	100	100	80	92	87	96	100	96	95	100	98
9	100	100	100	85	95	85	99	98	100	98	100	100
10	100	100	99	70	75	80	100	95	100	100	98	100
11	100	100	98	82	75	85	98	100	98	95	85	100
12	100	100	95	89	70	83	94	100	100	100	100	100
13	100	100	95	85	80	100	100	98	100	95	100	100
14	100	98	99	72	70	100	100	100	100	100	100	100
15	100	100	96	80	100	100	100	100	100	100	100	100
16	100	90	95	77	82	96	100	97	98	100	100	100
17	100	100	97	80	98	96	94	96	98	100	100	100
18	100	100	95	78	100	90	90	98	96	100	100	100
19	100	100	98	75	91	98	100	95	98	100	100	98
20	100	100	90	94	91	85	90	100	95	98	97	98
21	100	100	95	73	100	94	97	100	95	95	100	100
22	100	100	95	75	99	98	97	100	94	97	100	100
23	100	100	95	70	97	100	100	100	96	100	100	100
24	100	100	90	75	96	96	99	90	98	100	100	100
25	100	90	90	82	98	100	100	96	100	100	100	100
26	100	90	90	80	100	97	98	95	100	90	100	100
27	100	95	95	82	82	100	99	93	99	100	100	100
28	100	99	90	73	90	90	90	100	98	100	100	100
29	100		90	74	98	97	95	99	100	100	100	100
30	100		90	70	92	100	95	87	100	90	100	100
31	100		90		92		99	100		100		100

14. BAN PANG MU

DAILY RELATIVE HUMIDITY IN PER CENT FOR CARENDAR YEAR 1973

DAYS	JAN.	FEB	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1									97	96	90	100
2									95	96	92	96
3									90	85	88	98
4									90	91	97	99
5									95	97	97	100
6									96	97	95	100
7									91	90	100	100
8									94	86	95	100
9									95	90	100	100
10									95	96	99	100
11									95	96	98	100
12									96	91	98	100
13									93	91	96	100
14									90	95	97	100
15								89	95	95	98	95
16								85	100	96	100	99
17								93	97	95	99	100
18								95	96	91	96	100
19								95	92	88	100	100
20								94	97	95	99	98
21								94	99	95	100	100
22								90	96	94	99	100
23								97	98	94	97	100
24								98	91	99	95	100
25								98	96	98	100	100
26								96	95	98	100	100
27								91	100	99	99	100
28								98	96	94	96	100
29								98	100	98	100	100
30								95	97	97	100	100
31								99		99		100

NOTE: STATION INSTALLED ON 15 MARCH

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project... Mae Chaem ..... Amphoe..... Hod ..... Changwat..... Chiang Mai.....  
 Subject ... Daily Humidity... Unit... % ..... Station ... Obb Luang ..... Year..... 1973.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1			66	61	79	92	77	96	91	92	96	64	Station
2			54	62	88	88	74	96	80	68	95	95	Starting on
3		84	73	73	87	84	77	96	68	96	95	81	1-2 Feb. 73
4		85	67	78	84	84	88	92	80	96	95	85	
5		81	60	59	100	74	74	96	80	92	87	80	
6		73	55	66	88	74	84	96	80	85	87	85	
7		71	62	76	88	84	74	91	73	84	91	86	
8		80	100	61	80	96	68	96	74	80	87	81	
9		86	63	65	88	92	77	87	96	65	76	94	
10		89	58	66	88	92	88	91	92	92	74	79	
11		90	60	73	88	96	88	88	74	91	96	74	
12		85	46	76	77	88	88	80	80	96	88	92	
13		81	52	75	84	84	92	77	80	88	96	67	
14		65	53	67	100	84	74	88	80	88	96	85	
15		66	60	64	100	100	81	74	74	87	92	88	
16		69	68	66	84	96	77	74	96	96	96	88	
17		68	87	52	76	96	70	76	74	96	95	85	
18		100	91	66	100	96	84	84	100	84	91	94	
19		54	91	56	76	88	92	84	88	92	87	82	
20		65	80	61	88	80	84	92	100	96	96	56	
21		68	62	66	90	88	84	77	100	96	84	87	
22		49	75	60	84	77	80	74	96	96	96	79	
23		64	87	61	81	84	74	80	84	96	91	78	
24		57	73	67	100	84	88	91	84	96	96	98	
25		73	79	67	96	77	92	96	84	91	95	96	
26		80	82	61	88	74	88	76	96	96	58	76	
27		73	82	60	88	88	96	76	96	92	55	88	
28		64	90	67	87	77	84	96	84	86	84	83	
29			82	66	100	84	77	80	96	82	84	84	
30			86	60	95	92	88	77	96	91	84	97	
31			63		100		80	88		100		84	
Total		1,920	2,207	1,958	2,752	2,593	2,542	2,665	2,576	2,786	2,643	2,591	
Mean		69	71	65	89	86	82	86	86	90	88	84	
Max.		100	100	78	100	100	96	96	100	100	96	98	
Min		54	52	56	76	74	68	74	73	68	55	64	

Compiled by ..... Checked by .....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project..... Mae Chaem..... Amphoe..... Hod..... Changwat..... Chiang Mai.....  
 Subject..... Daily Humidity..... Unit..... %..... Station..... Obb Luang..... Year..... 1974.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	79	65	58	65	74	92	74	86	72	85	93	82	
2	78	61	70	70	76	84	74	85	85	90	95	93	
3	76	74	64	70	66	75	72	82	95	90	90	75	
4	75	64	68	51	61	72	75	87	88	90	88	65	
5	80	60	64	51	77	72	82	90	79	92	88	78	
6	60	48	67	47	69	74	80	96	93	85	92	75	
7	79	66	65	52	61	88	78	95	93	96	98	85	
8	84	62	46	50	59	75	76	92	98	82	90	82	
9	87	62	67	64	70	87	76	96	93	84	78	85	
10	76	76	60	65	69	82	83	94	100	84	92	84	
11	74	54	66	74	83	84	77	98	85	94	84	70	
12	66	64	54	55	85	83	85	93	82	97	81	70	
13	84	80	58	85	74	74	78	97	90	78	90	78	
14	92	73	54	-	76	77	74	91	95	84	93	85	
15	78	70	49	-	90	84	69	85	97	99	96	83	
16	78	65	61	-	78	78	78	79	86	93	95	78	
17	72	52	50	-	87	80	87	89	95	95	98	84	
18	75	56	63	-	85	81	85	97	80	78	88	86	
19	68	57	74	-	87	76	94	92	98	96	98	74	
20	77	53	77	56	96	92	82	88	96	92	87	-	
21	73	53	62	50	99	84	94	88	85	79	80	76	
22	69	48	71	58	99	98	84	83	89	70	94	91	
23	73	47	78	61	93	95	82	85	92	86	96	89	
24	66	47	78	64	90	87	82	85	88	80	94	84	
25	68	49	71	72	95	83	91	98	98	73	92	80	
26	79	55	71	92	98	86	95	91	96	85	98	78	
27	95	59	62	81	97	92	89	90	95	82	93	90	
28	76	56	78	86	90	71	97	85	93	94	95	82	
29	65		96	100	90	65	96	87	97	98	96	92	
30	65		79	93	91	86	96	93	72	85	94	75	
31	63		70		90		92	87		83		80	
Total	2,330	1,676	2,051	1,612	2,555	2,457	2,577	2,784	2,705	2,699	2,746	2,429	
Mean	75	60	66	54	82	82	83	90	90	87	92	78	
Max	95	80	96	100	99	98	97	98	100	99	98	93	
Min	60	47	46	47	59	71	69	79	72	70	78	65	

Compiled by ..... Checked by.....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project ..... Mae Chaem ..... Amphoe ..... Hod ..... Changwat ..... Chiang Mai .....  
 Subject ..... Daily Humidity ..... Unit ..... % ..... Station ..... Obb Luang ..... Year ..... 1975 .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	62	78	70	76	53	80	75	90	85	74	95	98	
2	71	68	76	69	62	72	78	93	84	89	88	89	
3	85	66	88	65	59	97	79	89	95	93	91	89	
4	86	82	82	46	83	92	74	83	98	90	89	92	
5	-	88	59	52	85	89	68	78	90	86	82	91	
6	100	70	61	55	92	92	82	78	93	96	91	92	
7	98	64	65	61	90	87	81	84	95	96	73	88	
8	96	64	48	55	91	85	79	79	93	86	86	96	
9	98	66	57	60	74	83	82	81	69	92	82	92	
10	96	80	64	42	63	84	74	76	78	92	96	92	
11	100	72	48	55	63	89	81	80	81	92	96	96	
12	97	64	62	52	70	83	92	85	95	93	93	93	
13	96	71	59	59	90	73	81	72	90	95	86	82	
14	94	76	60	59	85	73	89	80	87	88	89	95	
15	71	55	53	50	74	78	80	75	96	97	84	80	
16	79	72	50	52	61	81	90	76	89	85	89	80	
17	-	88	56	53	65	81	81	72	93	73	89	73	
18	91	74	65	55	65	90	95	84	93	77	90	79	
19	85	62	72	45	69	92	89	84	98	84	90	91	
20	90	71	58	61	69	87	90	92	77	82	91	81	
21	72	88	62	63	69	95	82	76	95	82	91	93	
22	74	89	51	61	81	86	95	75	93	82	85	82	
23	70	77	56	54	80	78	90	76	90	85	87	96	
24	66	70	47	44	79	74	93	81	93	82	67	90	
25	86	85	74	49	98	75	85	97	87	79	66	89	
26	81	87	69	55	98	74	85	88	93	82	91	89	
27	90	78	63	56	80	76	90	95	95	80	90	91	
28	86	62	85	57	89	69	84	89	84	89	88	90	
29	92		74	58	78	78	79	96	90	80	87	90	
30	86		61	60	82	98	78	88	83	92	93	90	
31	82		65		77		85	81		95		90	
Total	2,480	2,067	1,960	1,679	2,374	2,490	2,586	2,573	2,682	2,688	2,615	2,759	
Mean	80	74	63	56	77	83	83	83	89	87	87	89	
Max.	100	89	88	76	98	98	95	97	98	97	96	98	
Min	66	55	47	42	53	69	68	72	69	73	66	73	

Compiled by ..... Checked by .....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project Mae Chaem Amphoe Hod Changwat Chiang Mai  
 Subject Daily Humidity Unit % Station Obb Luang Year 1976

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	90	86	55	56	95	75	76	84	83	76	84	81	
2	90	75	61	58	80	74	62	80	80	81	83	93	
3	88	74	73	61	78	83	71	86	77	84	91	86	
4	90	75	71	63	62	87	68	83	84	80	94	75	
5	95	79	61	60	66	87	70	80	84	80	89	80	
6	88	78	59	56	83	77	67	71	85	84	90	84	
7	87	85	59	58	80	82	64	65	84	84	88	51	
8	93	81	56	54	66	77	72	76	87	84	81	86	
9	80	81	47	56	56	76	67	77	90	84	79	90	
10	80	74	45	63	58	72	83	68	93	77	88	93	
11	92	79	50	51	60	93	81	70	76	84	80	88	
12	94	69	50	49	41	82	66	75	84	85	90	83	
13	94	65	51	48	90	93	58	63	84	88	86	84	
14	87	63	52	48	73	68	70	89	84	88	87	86	
15	88	57	56	48	59	76	90	85	72	85	86	85	
16	86	58	58	46	65	77	70	82	74	92	85	84	
17	83	64	56	45	62	77	75	77	72	84	83	87	
18	86	59	56	47	65	68	84	79	76	92	83	88	
19	91	62	50	48	60	75	69	76	79	86	84	87	
20	88	59	47	47	75	77	74	93	84	86	96	86	
21	91	56	57	49	77	71	81	75	88	88	82	86	
22	90	49	53	50	76	82	77	88	85	92	75	90	
23	89	57	54	48	78	70	60	95	89	83	77	81	
24	89	53	54	62	80	74	72	93	92	80	61	78	
25	88	51	53	60	79	77	75	94	78	87	73	77	
26	84	51	57	54	85	73	80	84	83	90	81	80	
27	81	56	57	52	71	77	81	91	84	97	73	57	
28	77	58	50	64	74	77	72	89	89	92	71	87	
29	86	57	50	56	73	59	78	97	83	93	76	98	
30	80		56	68	79	68	70	95	84	82	74	98	
31	86		47		75		95	91		93		95	
Total	2,711	1,911	1,701	1,625	2,221	2,304	2,278	2,551	2,487	2,661	2,470	2,604	
Mean	87	66	55	54	72	77	73	82	83	86	82	84	
Max.	95	86	73	68	95	93	95	97	93	97	96	98	
Min	77	49	45	45	41	59	58	63	72	76	61	51	

Compiled by ..... Checked by.....  
 HYDROLOGY SECTION



ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project ..... Mae Chaem ..... Amphoe ..... Hod ..... Changwat ..... Chiang Mai .....  
 Subject ..... Daily Humidity ..... Unit ..... % ..... Station ..... Obb Luang ..... Year ..... 1977 .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	98	79	63	80	54	76	79	75	81	81	88	85	
2	98	80	58	89	71	73	78	72	78	79	81	86	
3	99	77	61	78	69	83	86	83	72	76	93	87	
4	90	96	68	74	63	75	78	74	77	81	95	84	
5	94	79	61	91	72	77	94	76	77	85	92	88	
6	91	82	73	87	66	67	90	88	98	89	93	80	
7	99	85	72	77	69	79	78	74	89	88	96	84	
8	84	92	71	70	72	66	79	69	78	98	87	83	
9	76	86	79	71	68	59	72	63	98	95	95	92	
10	76	87	84	69	98	63	74	65	88	84	95	83	
11	84	86	77	70	87	67	84	68	84	87	91	80	
12	85	73	61	73	78	61	68	73	87	91	94	81	
13	83	79	66	58	81	69	65	61	76	93	86	83	
14	83	78	59	60	80	82	59	67	88	90	94	82	
15	88	73	65	73	80	91	65	68	98	93	92	79	
16	88	84	61	71	67	75	83	67	74	77	82	86	
17	92	90	53	66	75	86	90	68	76	80	84	96	
18	89	48	58	67	64	81	91	67	78	76	84	92	
19	85	78	51	68	63	76	66	97	74	75	85	87	
20	92	82	59	81	71	75	67	90	90	80	84	85	
21	83	80	72	79	65	69	74	90	77	87	86	97	
22	77	57	67	77	76	85	83	75	98	80	94	91	
23	86	71	62	72	84	73	92	76	91	84	94	89	
24	85	80	71	73	85	80	94	83	76	95	77	84	
25	85	79	75	56	80	83	84	87	79	79	86	82	
26	80	57	75	66	84	71	79	90	80	89	82	90	
27	75	70	74	67	81	80	83	83	83	93	80	88	
28	77	62	70	55	65	68	84	83	81	96	98	94	
29	80		59	57	66	68	98	70	90	80	94	97	
30	89		58	65	71	69	96	85	90	79	93	96	
31	83		69		71		92	97		80		96	
Total	2,674	2,170	2,052	2,140	2,276	2,227	2,505	2,384	2,506	2,640	2,675	2,707	
Mean	86	78	66	71	73	74	81	77	83	85	89	87	
Max.	99	96	84	91	98	91	98	97	98	98	98	97	
Min	75	48	51	55	54	59	59	61	72	75	77	79	

Compiled by ..... Checked by .....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project Mae Chaem Amphoe Hod Changwat Chiang Mai  
 Subject Daily Humidity Unit % Station Obb Luang Year 1976

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	90	86	55	56	95	75	76	84	83	76	84	81	
2	90	75	61	58	80	74	62	80	80	81	83	93	
3	88	74	73	61	78	83	71	86	77	84	91	86	
4	90	75	71	63	62	87	68	83	84	80	94	75	
5	95	79	61	60	66	87	70	80	84	80	89	80	
6	88	78	59	56	83	77	67	71	85	84	90	84	
7	87	85	59	58	80	82	64	65	84	84	88	51	
8	93	81	56	54	66	77	72	76	87	84	81	86	
9	80	81	47	56	56	76	67	77	90	84	79	90	
10	80	74	45	63	58	72	83	68	93	77	88	93	
11	92	79	50	51	60	93	81	70	76	84	80	88	
12	94	69	50	49	41	82	66	75	84	85	90	83	
13	94	65	51	48	90	93	58	63	84	88	86	84	
14	87	63	52	48	73	68	70	89	84	88	87	86	
15	88	57	56	48	59	76	90	85	72	85	86	85	
16	86	58	58	46	65	77	70	82	74	92	85	84	
17	83	64	56	45	62	77	75	77	72	84	83	87	
18	86	59	56	47	65	68	84	79	76	92	83	88	
19	91	62	50	48	60	75	69	76	79	86	84	87	
20	88	59	47	47	75	77	74	93	84	86	96	86	
21	91	56	57	49	77	71	81	75	88	88	82	86	
22	90	49	53	50	76	82	77	88	85	92	75	90	
23	89	57	54	48	78	70	60	95	89	83	77	81	
24	89	53	54	62	80	74	72	93	92	80	61	78	
25	88	51	53	60	79	77	75	94	78	87	73	77	
26	84	51	57	54	85	73	80	84	83	90	81	80	
27	81	56	57	52	71	77	81	91	84	97	73	57	
28	77	58	50	64	74	77	72	89	89	92	71	87	
29	86	57	50	56	73	59	78	97	83	93	76	98	
30	80		56	68	79	68	70	95	84	82	74	98	
31	86		47		75		95	91		93		95	
Total	2,711	1,911	1,701	1,625	2,221	2,304	2,278	2,551	2,487	2,661	2,470	2,604	
Mean	87	66	55	54	72	77	73	82	83	86	82	84	
Max.	95	86	73	68	95	93	95	97	93	97	96	98	
Min	77	49	45	45	41	59	58	63	72	76	61	51	

Compiled by..... Checked by.....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project..... Mae Chaem..... Amphoe..... Hod.....Changwat..... Chiang Mai.....  
 Subject..... Daily Humidity..... Unit..... %..... Station..... Obb Luang..... Year..... 1977.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OO.	NOV.	DEC.	REMARK
1	98	79	63	80	54	76	79	75	81	81	88	85	
2	98	80	58	89	71	73	78	72	78	79	81	86	
3	99	77	61	78	69	83	86	83	72	76	93	87	
4	90	96	68	74	63	75	78	74	77	81	95	84	
5	94	79	61	91	72	77	94	76	77	85	92	88	
6	91	82	73	87	66	67	90	88	98	89	93	80	
7	99	85	72	77	69	79	78	74	89	88	96	84	
8	84	92	71	70	72	66	79	69	78	98	87	83	
9	76	86	79	71	68	59	72	63	98	95	95	92	
10	76	87	84	69	98	63	74	65	88	84	95	83	
11	84	86	77	70	87	67	84	68	84	87	91	80	
12	85	73	61	73	78	61	68	73	87	91	94	81	
13	83	79	66	58	81	69	65	61	76	93	86	83	
14	83	78	59	60	80	82	59	67	88	90	94	82	
15	88	73	65	73	80	91	65	68	98	93	92	79	
16	88	84	61	71	67	75	83	67	74	77	82	86	
17	92	90	53	66	75	86	90	68	76	80	84	96	
18	89	48	58	67	64	81	91	67	78	76	84	92	
19	85	78	51	68	63	76	66	97	74	75	85	87	
20	92	82	59	81	71	75	67	90	90	80	84	85	
21	83	80	72	79	65	69	74	90	77	87	86	97	
22	77	57	67	77	76	85	83	75	98	80	94	91	
23	86	71	62	72	84	73	92	76	91	84	94	89	
24	85	80	71	73	85	80	94	83	76	95	77	84	
25	85	79	75	56	80	83	84	87	79	79	86	82	
26	80	57	75	66	84	71	79	90	80	89	82	90	
27	75	70	74	67	81	80	83	83	83	93	80	88	
28	77	62	70	55	65	68	84	83	81	96	98	94	
29	80		59	57	66	68	98	70	90	80	94	97	
30	89		58	65	71	69	96	85	90	79	93	96	
31	83		69		71		92	97		80		96	
Total	2,674	2,170	2,052	2,140	2,276	2,227	2,505	2,384	2,506	2,640	2,675	2,707	
Mean	86	78	66	71	73	74	81	77	83	85	89	87	
Max.	99	96	84	91	98	91	98	97	98	98	98	97	
Min	75	48	51	55	54	59	59	61	72	75	77	79	

Compiled by .. .. . Checked by .. .. .

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project Mae Chaem ..... Amphoc ..... Hod ..... Changwat ..... Chiang Mai .....  
 Subject Daily Humidity ..... Unit % ..... Station Obb Luang ..... Year 1976 .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	90	86	55	56	95	75	76	84	83	76	84	81	
2	90	75	61	58	80	74	62	80	80	81	83	93	
3	88	74	73	61	78	83	71	86	77	84	91	86	
4	90	75	71	63	62	87	68	83	84	80	94	75	
5	95	79	61	60	66	87	70	80	84	80	89	80	
6	88	78	59	56	83	77	67	71	85	84	90	84	
7	87	85	59	58	80	82	64	65	84	84	88	51	
8	93	81	56	54	66	77	72	76	87	84	81	86	
9	80	81	47	56	56	76	67	77	90	84	79	90	
10	80	74	45	63	58	72	83	68	93	77	88	93	
11	92	79	50	51	60	93	81	70	76	84	80	88	
12	94	69	50	49	41	82	66	75	84	85	90	83	
13	94	65	51	48	90	93	58	63	84	88	86	84	
14	87	63	52	48	73	68	70	89	84	88	87	86	
15	88	57	56	48	59	76	90	85	72	85	86	85	
16	86	58	58	46	65	77	70	82	74	92	85	84	
17	83	64	56	45	62	77	75	77	72	84	83	87	
18	86	59	56	47	65	68	84	79	76	92	83	88	
19	91	62	50	48	60	75	69	76	79	86	84	87	
20	88	59	47	47	75	77	74	93	84	86	96	86	
21	91	56	57	49	77	71	81	75	88	88	82	86	
22	90	49	53	50	76	82	77	88	85	92	75	90	
23	89	57	54	48	78	70	60	95	89	83	77	81	
24	89	53	54	62	80	74	72	93	92	80	61	78	
25	88	51	53	60	79	77	75	94	78	87	73	77	
26	84	51	57	54	85	73	80	84	83	90	81	80	
27	81	56	57	52	71	77	81	91	84	97	73	57	
28	77	58	50	64	74	77	72	89	89	92	71	87	
29	86	57	50	56	73	59	78	97	83	93	76	98	
30	80		56	68	79	68	70	95	84	82	74	98	
31	86		47		75		95	91		93		95	
Total	2,711	1,911	1,701	1,625	2,221	2,304	2,278	2,551	2,487	2,661	2,470	2,604	
Mean	87	66	55	54	72	77	73	82	83	86	82	84	
Max.	95	86	73	68	95	93	95	97	93	97	96	98	
Min	77	49	45	45	41	59	58	63	72	76	61	51	

Compiled by..... Checked by.....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project..... Mae Chaem..... Amphoe..... Hod.....Changwat.....Chiang Mai.....  
 Subject..... Daily Humidity..... Unit..... %..... Station..... Obb Luang..... Year..... 1977.....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	98	79	63	80	54	76	79	75	81	81	88	85	
2	98	80	58	89	71	73	78	72	78	79	81	86	
3	99	77	61	78	69	83	86	83	72	76	93	87	
4	90	96	68	74	63	75	78	74	77	81	95	84	
5	94	79	61	91	72	77	94	76	77	85	92	88	
6	91	82	73	87	66	67	90	88	98	89	93	80	
7	99	85	72	77	69	79	78	74	89	88	96	84	
8	84	92	71	70	72	66	79	69	78	98	87	83	
9	76	86	79	71	68	59	72	63	98	95	95	92	
10	76	87	84	69	98	63	74	65	88	84	95	83	
11	84	86	77	70	87	67	84	68	84	87	91	80	
12	85	73	61	73	78	61	68	73	87	91	94	81	
13	83	79	66	58	81	69	65	61	76	93	86	83	
14	83	78	59	60	80	82	59	67	88	90	94	82	
15	88	73	65	73	80	91	65	68	98	93	92	79	
16	88	84	61	71	67	75	83	67	74	77	82	86	
17	92	90	53	66	75	86	90	68	76	80	84	96	
18	89	48	58	67	64	81	91	67	78	76	84	92	
19	85	78	51	68	63	76	66	97	74	75	85	87	
20	92	82	59	81	71	75	67	90	90	80	84	85	
21	83	80	72	79	65	69	74	90	77	87	86	97	
22	77	57	67	77	76	85	83	75	98	80	94	91	
23	86	71	62	72	84	73	92	76	91	84	94	89	
24	85	80	71	73	85	80	94	83	76	95	77	84	
25	85	79	75	56	80	83	84	87	79	79	86	82	
26	80	57	75	66	84	71	79	90	80	89	82	90	
27	75	70	74	67	81	80	83	83	83	93	80	88	
28	77	62	70	55	65	68	84	83	81	96	98	94	
29	80		59	57	66	68	98	70	90	80	94	97	
30	89		58	65	71	69	96	85	90	79	93	96	
31	83		69		71		92	97		80		96	
Total	2,674	2,170	2,052	2,140	2,276	2,227	2,505	2,384	2,506	2,640	2,675	2,707	
Mean	86	78	66	71	73	74	81	77	83	85	89	87	
Max.	99	96	84	91	98	91	98	97	98	98	98	97	
Min	75	48	51	55	54	59	59	61	72	75	77	79	

Compiled by ..... Checked by .....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project.....Mae Chaem.....Amphoe.....Hod.....Changwat.....Chiang Mai.....  
 Subject.....Daily Humidity..... Unit .. %..... Station.....Obb Luang..... Year.....1978.....

DATE	JAN.	FEB.	MAR	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	82	67	71	50	44	62	68	84	84	98	100	100	
2	90	73	64	44	37	58	100	83	94	100	100	100	
3	86	88	65	45	49	69	97	74	86	100	100	100	
4	88	95	62	51	48	70	93	81	73	98	100	100	
5	87	92	62	51	50	68	97	96	84	96	100	100	
6	93	70	61	47	71	65	88	84	83	100	98	100	
7	94	72	55	46	70	80	96	80	68	100	98	98	
8	92	69	62	50	66	84	90	96	97	98	100	98	
9	86	72	48	55	62	62	98	82	81	100	100	98	
10	96	73	56	61	69	86	96	86	74	100	100	100	
11	98	70	51	58	76	78	98	78	81	100	100	100	
12	94	67	49	64	88	66	82	87	83	100	100	100	
13	87	78	73	71	74	66	81	100	88	98	100	100	
14	85	73	50	47	100	74	98	100	90	98	100	98	
15	58	68	60	49	72	72	83	94	77	97	100	100	
16	59	64	57	55	93	75	84	78	80	98	100	100	
17	65	73	50	58	77	83	81	90	82	100	100	100	
18	86	88	50	63	92	81	92	82	91	100	100	97	
19	96	68	66	62	96	79	89	72	99	100	100	100	
20	80	91	61	54	76	78	80	76	92	100	100	96	
21	87	70	61	65	72	72	94	79	84	98	100	95	
22	85	65	56	53	77	81	91	78	100	98	100	100	
23	83	67	51	54	69	87	87	75	90	100	100	98	
24	87	69	54	50	72	90	92	82	90	99	100	100	
25	79	67	48	50	60	85	82	81	88	98	100	98	
26	69	79	50	60	73	83	85	87	96	100	100	96	
27	72	82	53	57	69	78	85	72	76	100	100	98	
28	74	87	52	55	60	99	92	72	84	100	100	100	
29	58		48	52	75	97	81	92	92	98	98	98	
30	64		54	49	62	73	76	77	98	100	98	100	
31	64		45		77		84	80		100		100	
Total	2,524	2,097	1,745	1,626	2,176	2,301	2,740	2,578	2,585	3,072	2,992	3,068	
Mean	81	75	56	54	70	77	88	83	86	99	99	99	
Max.	98	95	73	71	100	99	100	100	100	100	100	100	
Min	58	64	45	44	37	58	76	72	68	96	98	95	

Complied by .....Checked by.....  
 HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project ..... Mae Chaem ..... Amphoe ..... Hod ..... Changwat ..... Chiang Mai .....  
 Subject ..... Daily Humidity ..... Unit ..... % ..... Station ..... Obb Luang ..... Year ..... 1979 .....

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG	SEP.	OCT.	NOV.	DEC	REMARK
1	100	89	78	73	72	85	90	90	98	100	99	79	
2	100	92	95	69	66	83	95	90	98	98	100	98	
3	100	91	81	56	75	78	87	95	95	98	100	98	
4	100	87	66	68	70	97	85	98	93	95	99	98	
5	98	84	57	69	66	74	96	99	97	100	99	97	
6	98	70	58	69	65	82	90	96	99	96	85	94	
7	99	70	60	69	67	82	86	99	98	90	93	95	
8	98	86	78	66	70	83	97	95	97	98	100	91	
9	98	76	69	69	68	84	95	93	93	97	98	94	
10	77	89	70	69	57	98	85	97	96	100	96	95	
11	89	79	77	62	80	88	93	90	90	97	93	98	
12	94	72	66	64	73	88	98	98	89	100	99	96	
13	95	80	59	62	72	96	98	99	94	96	95	96	
14	94	71	78	61	74	96	90	99	88	99	98	93	
15	93	72	74	60	70	100	92	100	93	98	100	97	
16	94	80	71	61	67	93	90	96	93	98	99	96	
17	96	75	71	61	77	95	87	95	98	99	98	97	
18	96	70	69	62	68	89	97	87	98	100	98	95	
19	94	70	72	60	74	89	92	98	98	98	98	96	
20	91	65	61	58	97	92	89	89	95	100	98	93	
21	94	84	62	71	97	93	90	96	90	98	99	88	
22	92	78	70	75	98	100	95	99	98	98	100	91	
23	91	67	54	69	95	93	100	98	95	100	99	99	
24	90	75	65	77	88	88	96	97	97	98	98	94	
25	81	71	69	81	95	86	98	98	96	99	98	93	
26	87	72	61	69	86	88	90	99	99	96	98	93	
27	89	63	76	70	80	90	95	99	100	98	98	92	
28	93	66	68	96	89	98	98	98	100	96	97	91	
29	83	—	74	56	90	88	93	91	99	99	100	98	
30	81	—	61	70	78	93	95	96	99	100	95	98	
31	83	—	52		78		88	96		99		98	
Total	2,868	2,144	2,122	2,022	2,402	2,689	2,870	2,970	2,873	3,038	2,927	2,931	
Mean	92	77	69	67	77	90	93	96	96	98	98	95	
Max.	100	92	95	96	98	100	100	100	100	100	100	99	
Min	77	63	52	56	57	74	85	87	88	90	85	79	

Compiled by ..... Checked by .....

HYDROLOGY SECTION

ELECTRICITY GENERATING AUTHORITY OF THAILAND

Project ..... Mae Chaem ..... Amphoe ..... Hot ..... Chongwat ..... Chiang Mai .....  
 Subject Daily Humidity Unit % Station Obb Luang Year 1980

DATE	JAN.	FEB.	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.	REMARK
1	91	90	78	84	64	94	96	98					
2	94	95	62	76	65	70	76	99					
3	96	92	67	83	83	79	85	100					
4	98	94	81	87	93	79	93	88					
5	93	89	81	80	90	86	86	89					
6	98	95	62	79	73	81	96	92					
7	95	90	65	70	92	84	97	79					
8	81	90	77	87	76	86	95	87					
9	91	93	71	85	74	88	93	88					
10	93	92	71	86	83	82	88	91					
11	86	94	84	85	76	90	91	91					
12	90	94	84	70	70	98	93	90					
13	89	95	92	72	74	98	93	91					
14	96	95	84	75	70	98	91	90					
15	90	79	73	70	75	97	85	92					
16	88	79	95	83	72	92	84	92					
17	90	87	89	85	77	96	88	92					
18	90	75	70	79	75	90	88	90					
19	91	68	74	78	87	97	86	99					
20	91	67	62	67	96	92	98	99					
21	92	61	65	83	98	96	98	100					
22	95	66	66	83	98	95	100	97					
23	96	80	69	72	98	96	100	95					
24	86	68	86	72	96	87	84	95					
25	87	86	78	71	91	98	98	100					
26	82	74	88	66	97	91	95	95					
27	87	68	86	66	91	95	96	96					
28	93	65	89	68	99	96	99	88					
29	90	69	84	64	85	97	100	96					
30	81		82	68	95	95	100	98					
31	80		86		95		96	100					
Total	2,800	2,390	2,401	2,294	2,608	2,723	2,869	2,897					
Mean	90	82	77	76	84	91	92	93					
Max.	98	95	95	87	99	98	100	100					
Min	80	61	62	64	64	70	76	79					

Compiled by..... Checked by .....

HYDROLOGY SECTION



## 7. SAN PA TONG

## DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	87	85	60	88	93	92	92	96	95	98	93	96
2	81	75	73	73	81	96	93	86	95	96	93	98
3	85	70	78	68	91	98	89	97	84	93	96	93
4	87	64	86	62	90	92	95	98	95	89	91	98
5	80	83	61	95	92	84	98	96	98	93	94	98
6	86	86	63	88	83	90	90	98	92	92	91	100
7	90	67	49	85	91	90	98	98	93	92	91	98
8	82	82	37	83	89	76	93	100	98	78	94	93
9	94	77	51	77	98	71	89	91	97	93	91	94
10	87	60	94	66	98	82	84	100	98	97	89	94
11	81	72	70	94	96	81	92	93	100	97	91	79
12	82	44	55	67	70	87	85	98	98	93	93	90
13	91	72	56	81	70	92	98	90	98	84	94	92
14	77	69	57	91	71	100	98	88	98	95	93	95
15	80	72	47	84	63	100	96	96	98	92	94	96
16	80	64	56	75	71	78	98	98	93	85	91	96
17	81	61	65	77	70	79	92	90	98	85	90	95
18	81	68	74	76	93	93	92	98	98	91	100	91
19	85	56	57	91	92	92	98	93	95	90	93	91
20	88	62	52	71	82	86	98	100	98	95	96	79
21	81	73	84	75	98	85	98	98	97	95	93	87
22	80	82	88	95	100	92	98	93	96	96	94	89
23	87	74	91	92	93	95	93	91	97	98	96	91
24	77	72	98	83	96	92	93	97	98	98	91	90
25	83	67	89	77	85	92	98	96	98	98	94	92
26	82	71	60	89	92	93	90	95	98	95	94	92
27	86	63	71	81	82	93	92	95	98	100	89	92
28	75	64	96	77	90	92	98	97	90	100	98	94
29	85		80	73	85	90	98	97	98	93	91	87
30	85		63	70	97	78	96	95	96	93	98	89
31	74		44		87		97	97		98		91

## 8 SAN PA TONG

## DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	89	93	72	73	81	98	97	98	96	92	94	89
2	85	83	67	64	67	96	100	96	98	98	91	90
3	89	83	67	93	77	88	88	95	97	100	89	90
4	79	83	68	69	86	92	98	98	95	98	89	88
5	81	64	76	67	79	90	97	90	85	100	87	85
6	88	83	76	54	87	92	93	92	96	96	92	85
7	68	84	86	65	97	90	92	92	90	98	93	82
8	87	87	71	67	91	88	95	95	96	98	96	90
9	90	77	70	65	91	88	97	98	96	91	100	90
10	86	79	82	70	87	95	95	92	96	98	91	88
11	85	83	72	72	78	84	84	100	98	93	93	86
12	90	83	88	77	77	92	97	95	100	91	91	86
13	87	87	81	53	83	96	98	96	95	91	91	88
14	90	74	76	70	76	90	100	95	85	98	100	85
15	79	64	93	66	80	91	96	95	98	98	89	79
16	87	71	89	67	84	95	89	95	85	93	66	87
17	83	63	80	60	73	87	92	93	98	89	87	88
18	82	59	81	65	85	92	98	95	85	81	87	90
19	79	77	87	86	86	83	100	95	97	88	85	89
20	86	90	94	58	90	83	98	98	96	91	88	76
21	78	85	79	84	91	90	88	96	98	91	87	82
22	85	74	65	75	87	98	98	85	92	91	77	90
23	90	56	65	77	97	98	98	98	95	91	77	92
24	91	74	77	71	98	98	98	98	98	90	79	88
25	85	80	89	72	95	93	98	98	91	91	78	89
26	87	80	71	84	95	96	91	100	98	91	98	88
27	83	79	92	84	87	95	93	97	95	98	82	77
28	83	77	69	89	92	95	96	96	88	91	84	77
29	81		89	75	84	97	96	95	88	96	98	98
30	90		56	74	89	97	88	98	84	98	98	100
31	90		63		98		88	98		89		91

10. SAN PA TONG

DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	90	79	88	62	78	92	92	98	98	93	93	94
2	94	79	80	72	78	84	95	98	98	93	95	94
3	89	79	79	61	90	92	95	93	95	86	88	96
4	74	72	79	62	92	89	98	95	97	98	96	94
5	91	58	78	68	93	93	90	96	93	98	91	91
6	89	79	64	60	85	95	92	98	97	98	98	91
7	81	71	74	61	87	87	92	98	98	95	100	88
8	88	64	61	67	90	97	96	98	98	95	96	86
9	87	73	61	68	87	98	95	100	91	98	94	98
10	82	68	71	83	85	98	93	95	93	98	94	96
11	89	70	54	93	84	93	93	98	98	95	91	84
12	89	77	54	86	74	98	90	96	96	96	94	92
13	82	79	72	70	85	93	92	98	93	93	96	95
14	85	74	75	74	79	88	98	96	93	98	91	98
15	87	87	82	83	75	96	95	98	98	97	95	96
16	95	88	68	79	90	89	98	98	95	98	94	96
17	82	67	66	84	98	86	93	98	95	98	93	96
18	88	91	56	62	97	93	98	98	93	96	85	94
19	88	63	56	74	90	95	92	93	95	90	96	92
20	84	66	66	57	93	90	93	100	98	95	96	94
21	68	67	80	63	84	96	95	91	98	91	98	98
22	70	80	52	65	85	98	93	98	98	89	100	91
23	74	78	56	72	70	93	96	96	98	98	96	91
24	82	56	62	83	76	98	92	95	100	98	98	95
25	89	68	95	78	84	80	93	98	97	96	96	89
26	72	64	73	85	98	84	92	95	98	95	96	91
27	79	61	80	88	87	90	96	98	98	93	96	93
28	76	73	82	95	90	88	98	97	96	95	96	95
29	90	80	83	91	65	93	98	95	95	94	100	93
30	86		60	85	74	85	93	93	95	91	85	90
31	73		67		92		92	88		92		92

12 SAN PA TONG

DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC
1	96	91	74	77	82	98	98	98	98	98	96	95
2	89	89	70	81	93	98	100	100	98	98	100	95
3	89	88	69	73	98	95	98	100	98	95	96	91
4	93	88	81	82	93	97	98	100	98	98	96	91
5	91	94	84	82	96	96	98	91	97	98	94	98
6	93	84	71	82	96	98	98	98	96	95	96	98
7	87	79	72	77	100	98	100	100	98	98	96	95
8	93	80	94	82	97	97	98	98	98	95	98	88
9	91	78	92	86	93	97	97	98	98	91	98	92
10	91	90	81	82	97	100	100	98	98	97	95	94
11	98	88	71	89	95	100	98	96	98	98	95	94
12	87	86	71	79	93	98	98	100	98	98	98	92
13	93	84	69	88	90	100	98	100	93	96	89	94
14	91	82	65	70	92	97	100	98	98	96	96	93
15	95	86	70	64	96	98	100	100	98	93	96	91
16	87	88	78	78	98	98	98	100	98	98	98	89
17	93	88	95	70	95	95	98	98	100	98	98	90
18	98	77	89	80	98	97	98	98	98	96	94	89
19	93	79	96	84	93	98	100	98	92	100	94	95
20	95	72	91	69	100	100	90	98	98	96	98	93
21	95	93	77	74	93	93	82	98	100	98	98	89
22	93	67	91	73	93	95	98	100	100	98	98	93
23	88	78	86	75	92	97	100	100	98	98	100	95
24	76	82	87	82	96	98	98	100	98	98	98	91
25	95	75	86	88	98	95	98	100	96	98	98	40
26	93	84	94	78	98	98	98	98	98	98	88	90
27	82	85	90	83	100	97	98	98	100	100	98	70
28	86	78	90	83	96	98	98	100	98	98	95	72
29	78		87	80	92	95	98	98	100	98	93	74
30	89		83	79	95	98	98	93	98	92	93	100
31	89		74		98		98	98		93		72

2. CHIANG RAI

DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1						96	85	92	93	99	96	87
2						87	97	93	92	96	96	95
3						96	94	98	93	95	95	97
4						94	88	96	92	83	94	98
5						95	84	96	95	94	95	98
6						85	97	88	76	98	95	92
7						94	88	90	83	96	98	94
8						92	91	96	98	96	95	92
9						92	90	96	93	98	98	95
10						96	92	93	95	95	99	96
11						95	96	93	95	96	93	98
12						88	87	96	96	96	98	98
13						90	92	96	97	98	95	97
14						90	93	93	94	92	97	98
15						94	81	97	96	95	98	95
16						89	90	93	91	96	96	99
17						87	94	91	98	95	95	97
18						90	95	96	92	96	95	98
19						92	95	94	96	96	93	97
20						84	92	96	96	96	96	97
21						88	95	97	97	96	96	98
22						91	88	91	96	97	98	95
23						80	96	96	95	96	96	96
24						85	89	96	96	96	96	96
25						92	88	97	98	94	94	94
26						90	92	97	97	95	96	94
27						86	90	96	99	95	96	96
28						91	84	95	96	95	96	98
29						95	96	83	96	96	98	98
30						95	96	92	96	95	95	94
31							98	95		95		97

NOTE: STATION INSTALLED ON 1 JUNE

2. CHIANG RAI

DAILY RELATIVE HUMIDITY IN PER CENT FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	98	95	92	93	96	96	98	96	92	96	81	97
2	94	94	91	90	96	95	96	96	98	97	97	95
3	97	94	92	93	90	96	97	96	93	97	98	97
4	96	97	93	91	92	98	94	94	96	96	96	97
5	95	95	94	92	93	95	98	96	92	98	97	96
6	94	94	91	91	96	93	98	96	97	95	82	98
7	97	96	90	90	90	95	96	95	97	95	97	95
8	94	96	98	90	96	99	93	91	96	96	95	94
9	98	95	95	87	94	96	94	96	97	95	96	97
10	98	97	95	91	97	96	98	94	95	96	97	98
11	94	96	93	84	86	97	99	96	97	95	98	97
12	94	95	89	89	86	96	92	96	96	95	96	98
13	94	95	89	86	97	88	98	92	96	96	86	96
14	96	93	90	91	94	90	93	98	96	97	93	95
15	96	98	90	95	93	92	95	94	97	86	95	98
16	95	94	94	89	87	96	96	96	97	91	90	93
17	94	95	95	95	90	92	93	94	98	95	97	96
18	94	93	96	89	95	92	92	92	98	95	94	97
19	96	95	97	90	88	97	95	99	98	96	94	95
20	94	93	95	93	93	92	92	96	92	98	94	98
21	95	94	90	81	96	92	97	96	96	95	96	96
22	96	93	94	86	98	92	91	91	99	95	98	97
23	96	95	82	85	98	90	87	98	96	98	95	96
24	98	89	95	87	96	95	92	96	96	98	98	95
25	96	94	93	93	92	92	96	97	96	96	94	96
26	96	91	95	91	94	88	93	96	96	96	96	92
27	97	92	91	86	96	98	98	98	97	86	96	95
28	96	92	95	87	96	96	98	98	97	81	96	95
29	96		95	80	91	96	96	95	96	94	96	93
30	95		94	81	96	98	96	96	96	96	94	95
31	94		90		94		96	92		95		95

# 1. CHIANG RAI

## DAILY WIND MOVEMENT IN KILOMETERS FOR CALENDAR YEAR 1965

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	101	89	180	1.2	34.3	432	197	42.0	182	178	101	5.0
2	9.4	130	187	4.6	28.6	163	185	35.0	216	12.7	7.7	3.8
3	11.8	132	161	20.4	16.6	338	31.7	40.6	168	108	2.4	2.9
4	18.2	103	144	7.7	47.3	550	19.2	25.2	233	130	4.8	11.8
5	9.4	106	27.4	5.8	31.0	21.4	18.7	23.8	33.4	14.6	3.1	1.7
6	7.9	25.4	9.6	37.9	29.0	35.0	32.2	29.0	15.1	17.0	1.4	2.4
7	11.8	26.6	20.4	43.2	24.5	32.4	16.3	11.3	3.8	13.4	9.4	1.9
8	9.6	27.1	15.4	43.0	23.3	25.4	28.6	14.6	13.7	13.9	8.2	3.1
9	11.5	10.1	13.0	46.3	43.0	18.0	16.3	2.6	11.5	16.8	9.1	3.1
10	10.1	9.4	9.1	44.9	25.9	17.0	13.0	9.6	14.4	7.7	2.4	1.9
11	15.6	10.3	9.1	46.1	38.9	16.1	25.0	25.4	31.9	16.6	6.0	3.4
12	14.7	8.9	8.2	23.5	43.2	8.4	20.4	9.1	14.2	7.4	6.0	1.7
13	17.0	8.4	8.9	18.5	28.1	40.3	30.7	18.2	11.5	12.2	7.0	1.0
14	31.7	8.6	6.0	11.8	30.5	43.4	25.7	15.8	12.2	13.9	8.2	0.7
15	12.0	7.4	5.0	45.4	18.7	27.4	42.7	21.8	21.6	5.5	5.0	1.4
16	12.7	12.0	20.6	37.2	26.6	40.3	41.5	16.1	11.8	13.0	7.7	1.0
17	19.0	8.4	4.6	21.4	16.1	30.2	28.8	11.5	8.4	13.0	6.2	6.7
18	2.4	8.4	19.2	31.7	36.5	30.5	10.6	19.4	11.8	19.0	11.0	3.6
19	6.5	9.6	12.5	29.0	36.7	19.0	15.8	26.6	11.5	9.8	6.7	2.9
20	9.1	8.9	16.6	20.4	30.2	23.0	43.9	37.7	15.4	10.3	5.5	3.4
21	11.3	7.4	6.0	32.9	17.5	46.8	31.9	16.1	23.8	17.3	8.6	4.3
22	9.6	12.5	8.6	34.8	11.5	32.2	35.8	19.2	9.1	5.7	10.6	2.2
23	9.1	9.6	15.6	23.8	29.3	39.6	29.0	14.6	8.9	9.1	2.9	6.5
24	12.0	13.9	41.5	22.6	23.8	32.2	36.0	19.4	13.0	4.6	7.2	5.8
25	8.9	18.7	37.4	32.9	25.7	38.4	21.1	9.8	14.6	3.6	9.1	4.8
26	8.4	23.3	14.6	30.0	24.0	64.3	15.4	10.8	8.9	1.9	11.0	3.6
27	9.4	30.5	13.2	53.0	25.0	56.6	13.4	12.5	12.2	13.0	8.9	7.4
28	11.5	49.0	15.4	18.7	5.3	31.7	18.5	25.4	12.7	17.0	5.0	6.0
29	8.6		7.4	30.5	16.6	30.2	33.6	18.0	19.9	27.6	0.5	7.7
30	7.4		7.9	30.0	14.2	31.7	23.3	25.7	10.3	12.0	3.8	17.5
31	11.5		7.0		43.9		22.1	21.8		20.4		22.3
TOTAL	358.2	410.4	447.4	849.2	845.8	979.8	779.4	628.6	455.5	390.6	195.5	151.5

## 1. CHIANG RAI

## DAILY WIND MOVEMENT IN KILOMETERS FOR CALENDAR YEAR 1966

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	43	55.3	15.1	23.9	15.4	14.6	15.0	10.7	9.6	5.3	2.5	4.8
2	5.6	5.1	20.8	20.8	8.7	4.4	14.2	16.8	15.5	8.5	4.0	5.5
3	5.5	7.2	26.7	15.3	45.7	3.5	21.4	11.0	12.5	7.3	6.2	0.6
4	7.4	5.2	18.4	3.8	26.4	6.4	30.8	29.7	11.6	6.0	4.3	8.7
5	6.4	9.8	16.6	3.5	23.6	5.9	18.4	20.0	4.4	10.2	6.5	9.9
6	6.7	5.3	32.3	5.9	10.2	16.4	21.4	16.4	11.6	13.0	5.0	6.3
7	6.2	7.2	22.3	20.9	28.7	33.7	14.1	22.9	50.1	12.4	2.2	7.2
8	5.2	5.8	26.9	21.6	18.7	29.2	16.9	7.8	16.6	14.8	8.0	7.1
9	8.8	8.9	20.1	17.0	25.0	22.0	18.6	6.4	15.9	9.9	7.3	5.9
10	3.3	3.0	19.7	3.8	21.4	35.7	11.7	15.9	10.8	7.2	5.6	4.8
11	4.2	12.6	17.0	22.8	37.0	44.7	10.2	24.9	10.8	10.8	5.6	3.4
12	7.3	4.1	13.8	22.9	21.2	19.7	13.7	10.2	6.7	13.9	6.7	5.2
13	3.1	5.9	12.0	19.4	19.7	24.5	8.2	13.5	11.2	8.6	7.3	6.2
14	4.3	5.1	19.4	14.8	6.4	15.5	17.2	23.7	20.0	11.2	9.2	4.1
15	11.5	5.1	11.6	25.8	7.2	35.8	21.8	33.6	23.5	9.9	7.1	7.9
16	9.2	3.8	2.7	31.6	13.1	16.2	26.0	21.9	12.6	23.3	4.8	8.7
17	4.2	7.9	6.8	17.1	19.2	33.9	13.8	18.9	16.6	11.3	7.3	5.2
18	7.7	7.3	5.5	15.4	15.9	9.1	7.1	24.0	5.2	23.6	6.7	5.2
19	6.6	4.9	15.9	27.0	18.3	20.4	8.6	22.4	9.8	13.5	6.6	3.1
20	7.8	5.1	32.8	18.4	4.4	25.6	7.7	14.5	11.1	5.0	7.0	8.3
21	6.7	13.4	17.6	18.2	21.8	21.1	15.7	25.8	12.1	9.7	4.8	
22	1.6	2.6	19.8	5.1	10.5	14.7	22.9	17.4	22.6	13.9	9.3	8.3
23	11.2	5.8	6.3	16.6	14.2	12.5	17.9	5.5	10.4	19.3	11.8	11.1
24	3.8	12.6	4.0	12.4	11.0	7.1	24.4	8.3	12.9	16.8	8.1	5.4
25	4.6	21.5	3.3	12.8	21.6	13.0	19.9	17.8	13.7	10.4	3.3	6.9
26	3.3	27.0	7.7	12.0	19.2	9.5	38.1	31.9	10.2	5.0	18.4	7.9
27	4.5	30.3	5.7	5.9	24.0	25.6	40.7	3.4	13.4	12.5	2.2	11.1
28	9.8	16.9	20.5	9.8	19.4	34.1	20.9	23.1	6.6	29.3	7.2	8.2
29	9.6		9.5	10.0	17.4	19.6	13.0	21.0	6.6	6.4	8.2	9.2
30	7.4		8.6	8.7	49.2	9.4	7.6	15.7	12.4	3.1	5.8	8.4
31	14.2		6.8		17.2		24.8	13.7		8.1		11.0
TOTAL 2020	251.7	466.2	463.4	611.7	583.8	562.7	548.8	407.0	360.2	219.0	252.7	

NOTE RECORD FOR 1966 FAIR



## 1. CHIANG RAI

## DAILY WIND MOVEMENT IN KILOMETERS FOR CALENDAR YEAR 1967

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	59	228	108	253	119	334	164	194	284	57	80	65
2	44	180	250	221	256	275	162	229	172	111	109	99
3	104	280	255	178	121	445	139	328	187	115	58	73
4	115	222	79	54	114	158	253	251	187	113	74	78
5	134	104	74	132	147	131	125	288	96	121	106	60
6	7.6	220	35	113	252	201	294	218	108	144	108	82
7	95	115	310	296	455	174	203	18.6	227	127	94	73
8	9.7	104	139	17	221	204	198	121	11.9	7.6	11.3	96
9	125	73	245	64	11.0	63	21.0	124	95	121	12.8	83
10	147	81	106	100	25.8	136	257	91	181	101	9.0	114
11	146	122	243	220	114	101	32.9	27.6	158	60	14.6	134
12	187	86	103	11.6	205	228	368	162	136	106	147	188
13	17.1	71	69	191	12.4	128	24.5	39.5	213	236	51	41.3
14	107	72	62	136	187	164	251	226	103	141	1.9	160
15	396	160	81	146	236	144	256	254	165	226	64	11.2
16	266	104	58	358	375	112	145	197	145	9.7	126	107
17	130	84	81	234	11.4	95	153	14.2	168	11.1	113	105
18	118	99	61	301	162	81	103	139	140	21.1	19.2	60
19	143	41	90	260	389	145	248	188	11.0	12.3	16.5	94
20	113	85	51	149	232	134	289	130	159	117	100	66
21	100	81	11.3	11.8	241	163	141	127	12.5	55	85	91
22	102	50	162	288	194	306	149	245	92	93	78	74
23	93	58	121	199	41.2	121	194	195	85	11.1	84	51
24	94	134	164	25.6	357	113	17.9	155	299	38	7.9	86
25	73	62	172	289	29.2	82	242	157	11.1	88	77	87
26	143	97	259	192	232	102	207	108	94	165	125	81
27	69	186	21.4	206	110	139	152	156	8.2	53	90	7.5
28	66	252	278	159	157	83	121	154	73	11.3	108	52
29	91		156	31.9	212	142	155	20.8	104	11.9	85	161
30	87		417	315	244	133	122	220	106	102	7.0	100
31	12.2		88	289		17.9	157		79			10.8
TOTAL	381.3	3451	4644	6169	6612	501.6	621.1	5864	4403	3451	2964	3228

1. CHIANG RAI

DAILY WIND MOVEMENT IN KILOMETERS FOR CALENDAR YEAR 1968

DAYS	JAN	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	10.5	14.8	5.9	10.0	25.5	18.2	27.5	21.0	13.2	9.8	0.2	5.0
2	7.7	14.2	8.8	21.5	18.2	22.6	31.4	11.8	11.3	12.2	0.2	16.2
3	14.4	24.4	13.9	18.5	16.6	16.9	34.5	11.6	4.2	12.2	0.2	7.6
4	13.5	19.5	13.3	29.5	12.0	18.0	28.8	11.2	6.0	17.0	0.2	6.8
5	10.1	15.9	10.8	46.2	26.1	32.3	37.0	12.3	6.0	12.5	0.0	8.2
6	5.3	13.8	5.6	21.1	33.1	29.5	44.7	13.7	15.0	16.4	1.3	5.6
7	6.9	20.8	12.0	17.8	6.3	10.9	22.0	26.9	15.0	25.8	0.8	4.4
8	11.2	13.0	16.7	9.0	31.3	33.2	33.7	9.8	11.2	17.6	0.3	7.2
9	9.4	7.8	16.0	16.6	27.2	19.2	36.8	22.2	21.5	9.2	0.6	9.2
10	6.5	8.6	13.7	6.6	21.2	11.1	20.4	25.5	4.3	10.9	12.5	5.5
11	9.8	8.4	10.7	14.2	14.0	19.7	11.1	15.1	9.8	9.3	9.7	6.6
12	9.0	16.2	10.3	23.0	18.0	19.1	16.5	14.6	8.4	10.5	0.2	4.1
13	10.9	19.5	12.0	36.4	26.0	17.7	23.8	4.1	17.7	11.3	4.4	5.6
14	8.2	30.4	8.0	19.9	23.6	22.4	8.7	6.2	7.9	6.5	8.2	10.6
15	8.4	11.3	5.7	16.4	18.5	18.1	11.4	35.6	16.5	9.8	7.6	6.7
16	16.6	11.4	3.6	30.5	24.8	24.5	8.7	14.6	10.9	7.5	5.6	5.1
17	25.6	10.7	5.4	25.8	45.9	21.2	7.8	13.0	16.4	9.9	6.0	3.1
18	10.1	9.7	9.5	24.1	24.1	12.2	9.6	11.0	7.6	20.1	6.2	4.4
19	7.9	10.9	31.1	13.0	22.8	22.8	11.2	12.9	9.6	2.2	10.0	4.4
20	7.8	17.7	6.5	27.7	12.7	23.8	16.8	12.1	8.6	24.0	6.3	8.5
21	9.1	28.9	6.4	18.3	28.4	52.0	6.4	25.7	10.2	14.7	6.3	3.2
22	10.9	17.5	5.7	21.6	48.4	34.2	10.4	11.7	11.0	10.0	6.0	3.6
23	9.3	9.7	2.6	29.3	21.7	43.0	7.8	16.7	13.3	11.2	7.2	5.5
24	9.2	2.7	4.2	28.0	17.8	18.2	17.6	11.0	9.6	7.9	9.6	1.9
25	8.3	16.2	5.4	22.5	26.1	16.2	11.8	25.8	9.5	10.6	10.1	0.4
26	6.4	16.6	3.8	23.1	29.7	18.3	23.4	1.5	6.2	1.6	8.2	0.3
27	9.5	16.6	9.5	22.5	31.6	13.7	20.6	6.6	13.7	0.1	7.1	0.7
28	5.7	14.6	26.8	24.4	37.1	14.7	20.3	18.0	17.7	0.5	16.3	0.0
29	5.4	17.8	21.6	28.9	20.1	14.9	19.3	23.7	8.3	0.5	6.6	0.1
30	7.5		11.5	19.3	20.1	16.5	18.5	17.6	9.1	0.3	6.8	0.0
31	8.7		17.0		26.6		17.2	8.3		0.9		0.0
TOTAL	299.8	442.4	334.0	671.7	755.5	655.1	615.7	471.8	329.7	313.0	164.7	150.5

1. CHIANG RAI

DAILY WIND MOVEMENT IN KILOMETERS FOR CALENDAR YEAR 1970

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	90	167	86	55	315	445	448	231	203	558	615	66.0
2	90	91	152	89	364	565	567	128	23.6	54.3	560	1018
3	83	97	66	160	152	51.1	420	69.4	169	448	381	446
4	98	68	142	53	248	63.9	469	348	17.0	361	431	9.3
5	68	96	251	284	166	600	288	300	13.2	17.9	389	146
6	11.3	158	250	74	151	634	453	446	262	312	21.5	147
7	153	90	36	141	242	387	420	351	168	323	431	399
8	11.2	79	1.6	218	396	317	400	724	169	251	422	256
9	45	91	4.4	379	234	328	613	44.1	194	26.6	437	18.0
10	85	101	9.8	234	299	537	479	183	368	40.2	71.9	271
11	14.3	102	210	255	372	453	1131	129	11.6	423	52.2	13.6
12	11.3	9.2	243	300	442	52.7	750	270	42	407	21.0	139
13	11.4	131	323	231	272	965	589	417	32.6	268	208	253
14	88	12.1	9.7	11.8	289	66	332	298	192	320	17.8	253
15	97	91	41	20.2	95	70.8	781	229	331	236	22.0	21.4
16	191	124	108	163	7.0	728	443	41.0	253	449	269	265
17	48	142	171	17.9	176	19.7	405	206	168	381	20.4	173
18	12.1	127	178	152	35.2	614	705	402	120	31.5	235	171
19	105	102	25.6	76	304	474	827	185	7.5	407	246	187
20	120	78	133	154	38.4	397	403	323	269	483	267	196
21	151	226	53	125	0.1	378	306	366	45	22.6	20.5	159
22	136	153	17.1	251	347	356	483	505	1.0	234	427	155
23	149	9.5	108	288	21.4	350	501	262	139	278	284	13.7
24	204	118	94	245	220	444	657	26.6	321	24.6	23.9	183
25	199	102	285	196	119	418	513	685	159	352	22.8	198
26	192	7.0	9.7	259	445	200	499	144	34.8	451	207	174
27	11.9	6.0	323	106	274	581	354	344	158	835	19.2	171
28	72	126	162	362	211	375	455	210	603	626	145	185
29	93		164	364	249	757	51.6	344	670	598	598	162
30	12.7		12.0	347	323	248	682	252	947	636	61.8	20.3
31	130		20.3		463		106	646		75.6		21.5
TOTAL	3649	3098	4681	6060	8219	14199	15995	10744	7363	12570	10302	7545
MEAN	11.7	11.0	15.1	20.2	26.5	47.3	51.5	34.6	24.5	40.5	34.3	24.3

## 1. CHIANG RAI

## DAILY WIND MOVEMENT IN KILOMETERS FOR CALENDAR YEAR 1971

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	204	203	207	429	293	344	289	243	220	335	138	271
2	665	321	186	240	251	270	459	315	283	192	246	290
3	739	490	127	119	516	638	503	809	242	182	191	203
4	426	300	196	198	466	504	316	314	320	160	169	164
5	231	257	258	183	547	398	215	205	298	180	169	172
6	199	268	416	138	325	500	511	487	564	26	159	199
7	320	337	196	368	179	454	479	520	406	269	309	166
8	150	269	193	637	221	470	279	399	300	104	275	167
9	511	250	266	202	391	247	359	406	287	210	249	208
10	197	194	222	441	276	339	370	210	220	169	180	184
11	194	295	236	276	311	656	294	386	316	129	194	436
12	154	177	292	304	225	513	255	403	263	62	192	119
13	204	187	330	180	380	227	289	415	273	375	440	363
14	165	207	601	507	374	156	703	441	312	390	795	310
15	183	406	549	378	454	219	474	317	301	293	441	485
16	156	303	259	442	508	223	319	250	186	298	377	465
17	338	183	410	453	546	456	373	289	337	221	326	434
18	102	199	413	658	560	481	797	532	423	192	356	473
19	71	169	145	526	533	505	517	425	368	143	300	273
20	166	183	178	454	324	345	386	286	408	159	424	412
21	206	212	304	604	270	310	691	362	305	136	400	308
22	244	170	152	693	244	233	380	258	202	279	475	366
23	324	113	165	521	283	236	657	395	221	400	479	238
24	383	277	450	603	189	274	392	317	204	466	471	246
25	222	192	334	590	474	377	575	361	248	454	411	215
26	287	169	259	425	169	270	579	172	260	408	182	160
27	326	212	352	1050	248	233	587	168	210	335	205	204
28	100	197	402	384	236	368	728	249	161	975	265	225
29	154		374	494	275	446	202	308	146	1095	753	209
30	485		200	313	243	450	287	285	198	486	409	183
31	215		161		155		529	312		294		148
TOTAL	8351	6770	8833	12810	10466	11142	13794	10839	8482	9317	9980	8296
MEAN	269	241	284	427	337	371	444	349	282	300	332	267

1. CHIANG RAI

DAILY WIND MOVEMENT IN KILOMETERS FOR CALENDAR YEAR 1972

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	148	245	858	281	553	346	270	379	219	182	200	458
2	343	216	932	823	517	187	395	158	260	165	172	387
3	326	234	852	659	311	195	392	143	331	210	178	316
4	490	215	344	530	589	154	490	134	164	926	144	160
5	241	220	242	523	281	197	717	230	290	532	293	206
6	250	327	151	504	285	161	404	278	570	361	282	204
7	172	411	168	211	403	459	202	133	785	173	458	211
8	212	337	135	228	428	350	312	457	571	227	745	214
9	171	322	151	220	407	435	411	138	369	251	358	584
10	180	639	151	438	590	41.3	490	225	276	34.9	242	163
11	225	393	204	599	552	187	412	318	210	256	27.6	120
12	223	331	228	25.1	528	210	542	425	156	429	337	136
13	249	230	179	300	391	380	548	396	327	246	178	238
14	174	251	304	513	394	299	364	391	200	246	160	515
15	298	290	393	263	461	467	561	527	224	224	146	372
16	93	252	476	432	589	572	182	349	311	200	136	236
17	307	310	210	570	531	579	286	647	200	154	196	103
18	112	210	326	242	418	526	331	352	192	301	150	14.9
19	192	201	331	224	322	38.9	414	180	319	176	168	14.9
20	192	220	159	239	416	690	266	209	281	306	292	130
21	302	237	154	244	371	741	195	276	282	210	47.5	297
22	182	386	97	192	509	302	260	396	214	240	129	181
23	213	258	380	266	347	600	272	362	95	291	207	15.3
24	208	214	269	313	259	382	530	454	179	177	252	163
25	186	209	11.2	37.7	662	292	499	494	379	17.1	162	166
26	177	189	10.3	54.1	269	417	406	361	176	243	14.8	159
27	188	204	236	484	259	497	432	30.7	251	369	199	142
28	175	211	380	501	338	895	437	411	144	391	181	13.8
29	184	362	256	356	494	690	310	496	16.8	196	10.4	196
30	268		192	469	319	212	164	215	27.4	187	620	185
31	188		191		44.2		162	309		171		252
TOTAL	6869	8124	9164	11793	13265	12224	11656	10150	8417	8560	7488	7083
MEAN	221	280	295	393	427	407	376	327	280	27.6	249	228

1. CHIANG RAI

DAILY WIND MOVEMENT IN KILOMETERS FOR CALENDAR YEAR 1973

DAYS	JAN.	FEB.	MAR	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	114	199	13.8	158	740	393	552	312	82	120	455	213
2	184	209	144	252	570	204	379	303	146	195	271	132
3	338	162	147	103	273	217	284	350	228	180	193	146
4	407	210	206	75	311	250	339	431	172	248	135	71
5	235	207	373	247	576	279	300	297	198	335	421	182
6	233	144	15.9	365	835	162	332	1001	31.9	315	305	254
7	202	160	396	134	457	122	338	446	188	326	125	442
8	204	157	228	198	490	177	474	484	153	344	112	210
9	165	199	279	177	424	153	163	319	261	158	156	145
10	179	152	21.3	303	34.9	202	464	244	155	214	136	192
11	22.6	153	380	302	573	161	719	319	134	220	206	30
12	205	223	235	197	416	215	318	380	161	168	503	94
13	215	357	83	759	474	318	221	40.9	21.8	248	31.3	11.1
14	31.8	312	245	396	490	298	352	59.4	175	32.1	22.9	152
15	403	277	113	210	593	254	357	447	302	30.2	582	151
16	673	291	273	472	530	170	344	543	21.2	22.0	30.1	335
17	274	301	339	269	343	236	499	38.7	21.4	295	674	325
18	21.1	166	266	404	35.9	59	639	34.0	32.1	256	131	184
19	236	135	226	430	532	117	650	275	45.9	162	131	11.2
20	185	159	17.6	31.7	386	58	42.7	469	239	182	142	260
21	258	204	12.9	33.1	340	69	378	49.2	89	193	527	138
22	246	285	12.9	305	396	11.1	701	37.0	17.4	41.2	377	200
23	183	325	30.2	17.3	28.9	189	31.0	22.7	12.0	168	343	281
24	197	138	136	21.4	251	111	300	32.7	17.0	20.7	302	276
25	178	185	51.7	254	265	82	359	344	279	179	359	416
26	192	231	42.8	25.5	264	30	538	524	29.0	51.1	239	391
27	170	179	250	211	205	241	19.8	444	156	786	152	293
28	111	167	157	486	467	168	301	252	21.1	51.2	247	30.8
29	253		173	591	208	313	39.8	29.7	273	182	241	27.3
30	217		171	592	51.8	429	438	459	196	154	388	420
31	192		169		31.0		256	340		38.6		41.2
TOTAL	7524	5887	7253	9240	13274	5818	12456	12456	6295	8479	8696	7117
MEAN	242	210	233	308	428	193	398	401	209	273	289	230

38 NAM PAI AT DAM SITE(BAN PAENG)

DAILY SUSPENDED SEDIMENT DISCHARGE IN TONS FOR CALENDAR YEAR 1972

DAYS	JAN	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	633	348	609	208	109	156	910	603	629	932	834	834
2	633	348	609	208	109	609	435	577	577	898	834	738
3	633	274	609	208	109	115	115	549	655	834	834	738
4	633	274	609	208	109	156	740	603	655	738	1,260	738
5	633	274	609	208	109	156	348	629	655	738	1,200	738
6	633	274	475	208	109	156	115	629	738	711	1,140	685
7	633	274	475	208	109	274	609	629	738	685	1,080	685
8	633	274	475	208	109	274	609	629	711	685	1,050	685
9	535	274	475	156	109	535	609	629	711	685	1,050	529
10	535	274	363	156	109	609	475	629	1,050	834	1,020	503
11	535	210	363	156	109	275	208	603	738	1,020	963	577
12	535	210	363	156	109	275	475	603	685	963	898	519
13	535	210	363	156	109	275	609	655	655	963	834	491
14	535	210	275	156	109	275	115	629	655	932	898	421
15	435	156	275	156	156	275	115	603	864	738	997	378
16	435	156	275	156	109	275	609	655	864	1,110	997	378
17	435	156	275	156	109	275	156	655	834	1,170	1,290	378
18	435	156	275	156	109	275	633	655	834	1,200	1,200	358
19	435	156	275	156	109	208	740	655	963	1,140	1,140	358
20	435	156	275	156	109	208	156	685	963	1,140	1,110	358
21	435	156	275	156	109	208	609	685	898	738	992	339
22	435	115	275	156	109	208	609	685	898	1,170	937	339
23	435	115	275	156	109	156	475	711	834	1,110	864	317
24	435	115	275	109	109	156	475	685	738	1,110	864	317
25	435	115	275	109	109	156	475	685	1,170	1,110	864	298
26	348	851	208	109	208	156	475	685	1,110	1,110	864	298
27	348	851	208	109	156	156	475	655	1,110	1,050	864	250
28	348	851	208	910	156	156	156	655	1,080	864	834	250
29	348	851	208	633	156	156	274	655	963	738	834	250
30	348		208	274	109	156	250	655	898	738	834	250
31	274		208		109		465	655		711		250
TOTAL	1,507.3	5,620.4	10,945	22,610	36,666	223,141	1,293,766	19,915	24,873	28,565	29,380	14,447

ANNUAL SUSPENDE SEDIMENT DISCHARGE 121,000 TONS

NAM PAI AT DAM SITE (BAN PAENG)

DAILY SUSPENDED SEDIMENT DISCHARGE IN TONS FOR CALENDAR YEAR 1974

DAYS	JAN.	FEB.	MAR	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	356	187	113	962	113	579	388	2050	1,740	2,270	11,800	849
2	330	187	113	113	113	275	330	1,190	1,450	2,270	5,180	709
3	330	187	113	802	598	229	275	955	1,670	2,050	2,380	662
4	299	187	962	962	506	167	229	955	1,520	2,500	1,830	662
5	330	187	962	962	506	130	187	3,610	1,190	3,150	1,590	662
6	299	187	962	598	333	113	208	2,750	1,320	2,270	1,670	662
7	299	167	962	598	333	130	416	1,520	2,620	1,740	2,380	756
8	299	167	962	506	333	510	356	2,870	6,010	1,590	1,670	849
9	299	167	962	506	598	356	252	1,830	4,430	1,450	1,520	756
10	299	167	802	506	506	444	275	1,060	13,100	1,450	1,520	662
11	299	167	802	506	802	5,000	356	1,000	9,390	1,670	1,740	579
12	275	167	802	506	299	1,000	275	1,380	13,400	1,450	3,020	579
13	275	167	697	506	130	623	229	11,200	5,360	1,450	3,020	579
14	275	167	697	598	113	330	208	5,600	19,300	1,320	2,160	547
15	275	167	697	415	252	19,000	330	2,270	15,300	1,320	1,670	547
16	275	167	197	598	187	4,620	330	3,150	7,180	1,380	1,450	579
17	252	167	197	802	208	2,050	252	4,100	6,010	1,250	1,120	579
18	252	148	697	506	130	849	208	55,300	4,480	1,190	1,120	547
19	252	148	697	506	187	480	252	12,400	3,780	1,120	1,120	510
20	252	148	598	415	510	330	330	6,670	2,870	1,060	1,000	547
21	252	148	598	333	444	444	388	3,450	2,500	480	955	510
22	252	148	598	257	1,190	299	330	2,620	1,670	849	900	579
23	229	148	113	506	849	299	229	2,750	1,590	547	900	579
24	208	130	130	598	547	416	709	3,450	2,050	798	849	547
25	208	130	962	697	480	356	756	10,900	2,050	955	900	510
26	208	113	697	598	597	356	662	6,210	4,100	1,000	849	510
27	187	113	598	962	444	547	1,060	4,430	4,430	1,000	849	510
28	187	113	697	252	388	444	2,270	2,750	5,180	1,060	849	579
29	187		962	167	480	547	1,380	2,270	3,930	2,750	849	579
30	187		187	130	662	444	2,270	1,830	3,150	2,620	849	510
31	187		113		662		3,150	1,740		4,800		510
TOTAL	8,114	4,446	2,7587	2,2331	9,4185	41,399	18,890	164,260	200,960	50,809	57,709	18,745

ANNUAL SUSPENDED SEDIMENT DISCHARGE 580,000 TONS



NAM PAI AT DAM SITE (BAN PAENG)

DAILY SUSPENDED SEDIMENT DISCHARGE IN TONS FOR CALENDAR YEAR 1975

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	128	761	441	253	936	806	252	016	10,000	2,870	1,590	569
2	128	761	441	253	936	458	208	907	8,650	2,980	1,290	569
3	128	761	591	311	113	208	174	7,540	6,740	2,630	1,220	616
4	114	879	514	311	253	856	158	25,100	5,100	2,120	1,150	660
5	128	879	441	311	253	569	128	9,820	3,890	2,980	1,090	660
6	191	761	441	311	154	174	174	4,040	3,620	7,130	1,510	660
7	227	674	441	253	201	128	365	2,740	3,500	4,950	1,290	569
8	174	674	374	253	191	514	365	1,840	3,760	4,950	1,510	528
9	174	674	201	253	142	674	458	1,290	3,500	4,330	1,150	528
10	208	674	201	253	128	674	306	1,290	2,740	4,040	1,020	492
11	1,440	674	441	201	441	100	279	5,600	2,420	4,630	1,090	492
12	758	514	441	154	311	128	806	3,360	4,040	3,760	1,150	569
13	279	761	311	201	257	100	1,440	2,980	4,790	3,500	1,020	1,150
14	191	674	311	201	674	114	1,660	2,120	4,480	2,870	965	1,220
15	158	591	374	154	514	392	1,440	2,870	3,360	5,270	856	660
16	158	674	311	154	311	856	2,120	4,040	2,980	2,630	806	616
17	128	591	311	154	253	1,440	1,510	2,980	2,320	2,210	758	569
18	128	514	253	154	154	1,930	5,960	2,320	2,530	1,840	758	528
19	128	514	374	154	201	17,600	13,000	4,330	2,210	1,660	758	492
20	128	514	253	154	201	2,980	7,760	7,130	3,230	1,590	758	492
21	114	514	311	113	154	4,480	2,320	6,340	2,530	1,590	706	458
22	100	441	374	113	201	5,960	2,320	7,760	23,800	1,440	660	458
23	87.9	514	311	113	253	2,870	3,230	6,150	14,500	1,440	706	492
24	100	591	311	113	253	1,440	1,930	4,180	7,540	1,440	758	528
25	100	591	311	113	114	907	3,620	7,540	4,790	1,510	706	492
26	100	514	253	113	128	492	2,630	12,100	3,500	1,660	706	492
27	87.9	441	311	936	227	706	1,840	19,800	2,870	1,590	706	492
28	87.9	441	311	936	158	365	1,590	14,300	2,870	1,360	706	458
29	761		311	936	87.9	279	965	15,500	2,630	1,220	660	392
30	761		311	936	674	335	806	28,700	2,420	4,790	660	458
31	761		311		616		758	22,600		2,210		458
TOTAL	6,102.0	17,566	1,0892	5,4954	2,39282	46,859.2	60,572	237,883	152,310	89,190	28,713	17,817

ANNUAL SUSPENDED SEDIMENT DISCHARGE 645,000 TONS

NAM PAT AT BAN PAENG(DAM SITE)

DAILY SUSPENDED SEDIMENT DISCHARGE IN TONS FOR CALENDAR YEAR 1976

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	211	106	56.0	24.4	185	560	185	1,210	8,740	4,740	470	153
2	170	106	469	244	312	658	312	715	2,850	4,900	434	191
3	191	904	469	24.4	77.9	507	185	507	1,560	3,600	402	153
4	170	904	469	56.0	56.0	861	56.0	542	1,420	2,980	372	136
5	153	90.4	469	56.0	38.7	372	38.7	402	1,480	2,430	402	136
6	191	77.9	65.8	38.7	31.2	904	31.2	628	2,060	1,560	542	136
7	191	77.9	46.9	31.2		65.8	77.9	434	1,340	1,160	434	136
8	191	106	469	244	153	469	77.9	1,020	761	1,150	310	136
9	191	106	469	244	77.9	387	904	1,150	542	1,020	283	136
10	153	904	38.7	244	244	283	77.9	715	507	761	283	136
11	153	904	46.9	185	134	121	658	813	434	1,150	258	121
12	153	904	469	24.4	244	153	65.8	671	372	715	258	121
13	153	77.9	38.7	185	24.4	121	46.9	582	434	507	258	121
14	153	904	38.7	185	46.9	106	77.9	761	542	434	258	121
15	153	77.9	31.2	185	131	560	582	582	761	507	231	121
16	153	77.9	31.2	185	31.2	469	191	470	470	470	231	106
17	136	77.9	38.7	185	31.2	31.2	106	402	372	340	231	106
18	121	77.9	38.7	134	56.0	244	106	372	340	340	231	106
19	121	65.8	31.2	134	65.3	134	106	310	434	542	211	106
20	121	65.8	31.2	134	560	185	121	813	402	1,080	211	106
21	121	77.9	31.2	185	560	106	90.4	761	542	861	191	106
22	121	65.8	38.7	134	77.9	560	658	671	911	1,020	191	106
23	106	56.0	38.7	18.5	38.7	244	238	582	7,710	715	170	904
24	106	46.9	38.7	18.5	77.9	31.2	715	542	6,490	542	170	904
25	121	56.0	38.7	13.4	106	77.9	582	434	3,100	470	170	904
26	121	56.0	31.2	18.5	211	469	507	372	3,600	402	170	90.4
27	121	56.0	38.7	13.4	90.4	18.5	310	671	3,100	542	170	77.9
28	106	46.0	31.2	18.5	560	469	211	7,290	30,700	813	170	77.9
29	90.4	46.9	31.2	18.5	38.7	244	153	3,600	7,710	813	170	77.9
30	90.4		31.2	18.5	31.2	185	402	2,850	4,140	470	170	77.9
31	90.4		31.2		31.2		1,480	4,740		372		121
TOTAL	4,423.2	2,242.1	1,242.9	673.6	1,942.0	3,528.7	6,760.8	35,612	93,824	37,396	8,052	35,902

ANNUAL SUSPENDED SEDIMENT DISCHARGE 199,000 TONS

NAM PAI AT BAN PAENG(DAM SITE)

DAILY SUSPENDED SEDIMENT DISCHARGE IN TONS FOR CALENDAR YEAR 1977

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG	SEPT.	OCT.	NOV.	DEC.
1	120	336	215	181	363	336	181	228	1050	355	1050	132
2	228	336	181	215	363	336	336	160	438	438	1,630	132
3	267	336	181	507	363	430	381	380	248	380	1,250	120
4	846	336	181	381	363	591	336	103	228	329	730	120
5	176	294	181	110	363	381	336	308	228	287	625	982
6	110	294	181	381	363	294	336	193	329	355	560	982
7	932	294	181	215	276	181	336	193	8,750	1,460	438	110
8	67.5	294	181	181	363	181	381	248	2,090	8,340	380	874
9	59.1	294	181	149	381	11.9	132	528	1,150	2,380	329	982
10	591	253	149	149	67.5	11.9	480	287	1,050	768	308	874
11	591	253	149	926	430	21.5	25.3	1,200	768	528	308	982
12	591	253	149	926	149	21.5	181	1,520	965	496	287	110
13	59.1	253	149	926	21.5	507	18.1	408	768	408	287	77.1
14	59.1	253	149	694	381	50.7	215	248	5,160	438	248	67.5
15	50.7	294	149	694	336	98.2	77.1	193	7,180	438	228	874
16	43.0	253	149	694	294	59.1	176	132	2,850	329	210	982
17	43.0	253	149	576	21.5	336	355	98.2	1,890	228	193	77.1
18	43.0	253	149	694	149	14.9	528	210	1,580	176	176	67.5
19	43.0	253	149	149	11.9	11.9	193	408	2,090	193	160	77.1
20	43.0	253	149	87.4	926	181	110	408	3,280	380	176	67.5
21	43.0	253	926	29.4	694	926	59.1	696	2,460	267	176	77.1
22	43.0	253	926	11.9	253	926	145	806	3,660	329	145	59.1
23	43.0	253	926	926	11.0	926	160	1,050	3,110	228	160	67.5
24	43.0	253	926	694	77.1	14.9	329	1,520	1,460	560	176	67.5
25	43.0	253	926	576	660	18.1	591	625	886	1,100	160	59.1
26	381	253	926	576	591	14.9	267	528	660	560	160	67.5
27	381	253	926	464	248	21.5	120	468	496	329	160	874
28	381	21.5	926	464	120	18.1	87.4	329	380	468	160	176
29	381		926	368	110	18.1	98.2	308	380	6,180	160	248
30	381		694	368	67.5	14.9	132	248	560	1,760	145	210
31	336		11.9		294		355	287		1,100		210
TOTAL	2,972.1	7,624	41,738	59,506	231,897	82,528	4,303.1	14,408.2	56,144	31,587	11,175	3,240.2

ANNUAL SUSPENDED SEDIMENT DISCHARGE 129,000 TONS

NAM PAI AT BAN PAENG

DAILY SUSPENDED SEDIMENT DISCHARGE IN TONS FOR CALENDAR YEAR 1978

DAYS	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	153	898	81.0	24.8	16.5	24.8	113	2,940	1,050	898	278	153
2	137	898	726	248	165	19.7	261	1,760	974	789	278	153
3	137	898	569	24.8	165	19.7	4,260	1,590	938	1,190	278	153
4	113	898	569	19.7	135	19.7	2,250	1,140	862	1,700	261	153
5	101	898	569	16.5	135	30.3	578	1,050	755	1,540	261	137
6	137	726	49.6	16.5	12.9	19.7	356	974	827	2,050	242	137
7	166	569	42.8	165	165	19.7	356	719	755	1,700	242	137
8	137	569	42.8	165	303	428	719	686	1,590	1,190	226	137
9	113	645	363	16.5	363	428	1,700	686	2,180	1,020	261	137
10	1,590	569	363	19.7	19.7	428	898	686	1,990	938	278	126
11	4,160	569	36.3	19.7	248	363	755	1,140	1,480	1,190	278	137
12	3,800	569	36.3	19.7	363	363	755	1,430	1,430	1,280	278	113
13	686	569	363	19.7	726	30.3	719	5,290	3,980	1,050	261	125
14	278	569	363	428	428	303	686	6,940	1,930	1,020	261	113
15	195	569	363	428	36.3	428	544	3,880	1,650	827	242	113
16	166	569	363	49.6	569	261.0	658	1,930	1,540	686	226	113
17	153	49.6	42.8	49.6	180	56.9	719	1,480	1,540	627	226	101
18	153	428	428	428	137	428	627	2,110	1,540	573	210	81.0
19	137	496	428	428	81.0	645	544	1,330	1,100	573	226	81.0
20	125	496	42.8	428	428	113	316	3,440	1,430	573	226	898
21	113	496	428	428	30.3	64.5	278	1,990	1,330	544	210	101
22	113	49.6	363	36.3	19.7	726	356	1,430	1,050	544	210	89.8
23	113	496	30.3	303	19.7	898	627	1,050	1,140	518	226	89.8
24	113	428	303	248	19.7	496	468	938	898	493	210	81.0
25	113	428	30.3	248	19.7	428	397	898	1,390	441	195	89.8
26	101	363	303	19.7	30.3	496	278	755	3,440	397	166	113
27	113	101	30.3	19.7	726	64.5	600	974	2,400	441	166	101
28	101	113	303	19.7	101.0	137.0	1,430	658	1,480	397	137	89.8
29	101		303	19.7	645	658.0	1,390	2,180	1,240	376	180	81.0
30	898		248	165	49.6	242.0	3,180	1,430	1,020	356	166	72.6
31	898		24.8		363		6,940	1,240		334		81.0
TOTAL	13,797.6	1,774.5	1,261.9	8,229	13,544.9	2,466.6	38,753	54,744	44,929	26,254	6,905	3,478.6

ANNUAL SUSPENDED SEDIMENT DISCHARGE 192,000 TONS