





PL-VI-2

GEOLOGICAL SURVEY  
OF  
THE COAHUILA AREA, NORTHERN MEXICO  
PHASE II  
REGIONAL GEOCHEMICAL SURVEY  
Pb ANOMALY MAP





METAL MINING AGENCY OF JAPAN  
JAPAN INTERNATIONAL CO-OPERATION AGENCY  
GOVERNMENT OF JAPAN  
COLLABORATION WITH  
CONSEJO DE RECURSOS MINERALES  
DE MEXICO  
MARCH 1977












20  
15  
10

Legend


Contour of Background


- A-class Anomaly of Residuals (40.0ppm ≤ Pb)
- B-class Anomaly of Residuals (11.0ppm ≤ Pb < 40.0ppm)
- C-class Anomaly of Residuals (4.94ppm ≤ Pb < 11.0ppm)

GEOLOGICAL SURVEY  
OF  
THE COAHUILA AREA, NORTHERN MEXICO  
PHASE I  
REGIONAL GEOCHEMICAL SURVEY  
Zn ANOMALY MAP




METAL MINING AGENCY OF JAPAN  
JAPAN INTERNATIONAL CO-OPERATION AGENCY  
GOVERNMENT OF JAPAN  
COLLABORATION WITH  
CONSEJO DE RECURSOS MINERALES  
DE MEXICO  
MARCH 1977


















Legend

Contour of Background

- A-class Anomaly of Residuals  
( $140\text{ppm} \leq \text{Zn}$ )
- B-class Anomaly of Residuals  
( $30\text{ppm} \leq \text{Zn} < 140\text{ppm}$ )
- C-class Anomaly of Residuals  
( $16.5\text{ppm} \leq \text{Zn} < 30\text{ppm}$ )


PL-VI-4


GEOLOGICAL SURVEY  
OF  
THE COAHUILA AREA, NORTHERN MEXICO  
PHASE II  
REGIONAL GEOCHEMICAL SURVEY  
Ag ANOMALY MAP




0 20 40 km

METAL MINING AGENCY OF JAPAN  
JAPAN INTERNATIONAL CO-OPERATION AGENCY  
GOVERNMENT OF JAPAN  
COLLABORATION WITH  
CONSEJO DE RECURSOS MINERALES  
DE MEXICO  
MARCH 1977
















Legend

Contour of Background

- A-class Anomaly of Residuals  
( $4.1 \text{ ppm} \leq \Delta g$ )
- B-class Anomaly of Residuals  
( $1.0 \text{ ppm} \leq \Delta g < 4.1 \text{ ppm}$ )
- C-class Anomaly of Residuals  
( $0.6 \text{ ppm} \leq \Delta g < 1.0 \text{ ppm}$ )