


STATION NUMBER : 17

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	9.26	9.57
1024	12.50	13.14
512	22.50	21.00
256	37.40	34.06
128	55.70	50.25
64	86.50	74.14
32	124.00	97.19
16	136.74	118.92
8	131.85	137.74
4	146.63	153.07

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	11
R 2	12100
R 3	126




STATION NUMBER : 21

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	86.00	21.29
1024	7.50	21.73
512	25.10	25.22
256	43.69	40.16
128	70.50	67.14
64	141.00	113.58
32	227.58	163.49
16	321.48	267.74
8	437.70	419.10
4	466.14	570.54

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	23
R 2	51
R 3	1420




STATION NUMBER : 18

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	83.50	50.53
1024	28.60	35.25
512	28.40	38.55
256	38.60	34.67
128	56.40	46.47
64	71.60	65.29
32	103.00	89.81
16	142.13	119.14
8	131.75	146.47
4	155.55	173.02

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6670
R 2	18
R 3	266




STATION NUMBER : 22

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	405.00	174.22
1024	123.00	110.47
512	45.00	75.00
256	50.10	62.03
128	145.00	126.47
64	293.00	208.05
32	435.75	358.58
16	701.00	553.65
8	713.95	714.78
4	672.67	775.60

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	8870
R 2	47
R 3	6870
R 4	534




STATION NUMBER : 19

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	7.25	13.35
1024	20.75	14.71
512	26.75	20.75
256	33.90	34.50
128	46.40	51.31
64	84.50	74.02
32	95.50	98.72
16	149.75	148.29
8	145.60	153.05
4	168.37	177.02

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	11
R 2	207
R 3	256




STATION NUMBER : 23

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	122.00	113.37
1024	105.00	115.71
512	120.00	143.95
256	307.00	198.13
128	245.00	274.16
64	328.00	372.35
32	423.64	477.21
16	383.16	580.02
8	599.69	672.29
4	894.16	745.57

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	158
R 2	191
R 3	965




STATION NUMBER : 20

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	54.00	28.35
1024	14.50	25.37
512	20.70	35.03
256	42.70	44.70
128	35.50	72.52
64	140.00	117.02
32	242.72	162.14
16	496.00	297.72
8	394.03	395.55
4	357.95	475.52

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	37
R 2	13
R 3	956




STATION NUMBER : 24

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	82.40	65.94
1024	91.50	50.16
512	64.10	71.68
256	54.40	57.87
128	54.40	43.16
64	56.10	54.94
32	70.40	79.59
16	141.57	123.33
8	191.00	213.65
4	355.48	342.90


LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	85
R 2	47
R 3	2340




STATION NUMBER # 25		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	10.83	12.39
1024	23.39	15.94
512	13.10	21.51
256	33.00	22.55
128	47.30	43.16
64	38.50	65.64
32	131.00	132.19
16	153.54	189.71
8	167.15	209.99
4	276.23	256.91

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	7.3	0.0
R 2	65	13
R 3	586	196




STATION NUMBER # 27		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	508.00	60.36
1024	25.70	25.24
512	44.30	45.18
256	70.30	50.67
128	64.60	55.34
64	95.00	64.17
32	99.60	74.06
16	119.00	93.59
8	121.76	98.01
4	93.51	81.51

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	4270	0.0
R 2	15	5.3
R 3	231	97
R 4	62	635




STATION NUMBER # 25		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	163.00	87.38
1024	52.13	38.78
512	35.70	41.78
256	26.10	37.76
128	44.70	40.57
64	61.70	48.26
32	56.50	57.75
16	70.70	67.63
8	72.30	76.72
4	71.90	84.41

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	8870	0.0
R 2	19	47
R 3	109	124




STATION NUMBER # 30		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	79.40	90.71
1024	129.00	113.60
512	146.00	137.72
256	157.00	166.12
128	176.00	197.56
64	190.00	185.65
32	199.00	164.66
16	139.00	139.33
8	125.00	118.57
4	109.55	103.26

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	44	0.0
R 2	227	22
R 3	70	676




STATION NUMBER # 27		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	8.75	11.97
1024	19.70	16.69
512	44.10	32.59
256	35.30	34.24
128	80.30	77.23
64	85.70	89.52
32	91.30	89.01
16	85.90	81.87
8	89.40	74.19
4	65.05	55.00

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	13	0.0
R 2	12100	35
R 3	53	592




STATION NUMBER # 31		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	128.00	66.88
1024	34.50	59.04
512	77.70	73.05
256	142.00	113.11
128	178.00	174.75
64	251.00	232.08
32	241.00	238.25
16	263.64	243.24
8	227.13	220.25
4	197.43	196.48

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	130	0.0
R 2	39	44
R 3	2830	112
R 4	142	889




STATION NUMBER # 28		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	25.80	25.55
1024	22.00	23.21
512	27.32	27.88
256	45.50	43.69
128	74.00	72.49
64	113.00	108.32
32	126.00	133.23
16	131.00	135.40
8	140.00	126.11
4	107.00	113.23

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	29	0.0
R 2	12100	104
R 3	76	780



STATION NUMBER # 32		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	101.00	68.51
1024	39.60	45.35
512	25.60	32.81
256	26.30	31.16
128	44.00	49.45
64	73.10	57.82
32	82.00	75.85
16	65.60	65.55
8	69.10	68.68
4	55.10	55.76

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	5550	0.0
R 2	20	35
R 3	5670	150
R 4	72	652




STATION NUMBER # 33

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	21.40	17.54
1024	14.49	14.22
512	14.00	14.50
256	17.00	20.13
128	13.00	29.55
64	39.00	47.02
32	81.00	69.88
16	111.00	105.00
8	132.00	127.85
4	132.27	151.95

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	24
R 2	29
R 3	290




STATION NUMBER # 37

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	29.20	21.99
1024	17.50	18.48
512	13.50	28.50
256	29.10	29.80
128	32.00	44.00
64	86.00	74.50
32	141.00	112.21
16	183.74	183.93
8	215.34	281.58
4	233.37	281.07

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	33
R 2	13
R 3	541




STATION NUMBER # 34

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	1610.00	309.30
1024	322.00	381.34
512	174.00	195.94
256	153.00	148.83
128	125.00	132.83
64	132.00	132.17
32	148.00	137.95
16	156.00	145.50
8	189.00	152.50
4	149.32	156.47

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6870
R 2	254
R 3	45
R 4	175




STATION NUMBER # 38

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	571.00	944.80
1024	1030.00	1601.65
512	2790.00	2483.95
256	4470.00	1335.18
128	3532.00	3524.28
64	2773.00	3351.79
32	3115.00	3028.91
16	3133.00	2723.85
8	2586.00	2488.34
4	2143.00	2322.65

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	218
R 2	12100
R 3	9720
R 4	1840




STATION NUMBER # 35

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	15.50	36.35
1024	93.50	65.44
512	159.00	105.32
256	128.00	133.57
128	125.00	133.43
64	154.00	142.01
32	175.00	159.16
16	201.00	184.78
8	189.71	193.42
4	141.33	195.31

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	15
R 2	12100
R 3	65
R 4	14100
R 5	45




STATION NUMBER # 39

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	8.41	5.81
1024	14.80	14.05
512	22.20	21.11
256	26.00	29.24
128	44.20	38.54
64	42.50	49.28
32	66.00	65.18
16	77.10	65.70
8	70.05	71.99
4	78.32	76.49

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	3.4
R 2	69




STATION NUMBER # 36

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	24.70	25.48
1024	25.50	24.43
512	24.30	34.55
256	27.50	29.89
128	45.70	22.20
64	35.90	62.52
32	97.10	32.37
16	142.18	129.31
8	161.80	151.53
4	210.53	214.17

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	25
R 2	33
R 3	394




STATION NUMBER # 40

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	122.50	198.61
1024	105.00	124.44
512	140.00	150.73
256	221.00	182.35
128	241.00	214.57
64	237.00	243.98
32	260.00	266.77
16	296.00	288.53
8	295.00	305.66
4	294.19	314.99

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	140
R 2	62
R 3	344




STATION NUMBER # 41

FREQUENCY (HZ)	MEASURED RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2048	127.00	89.34
1024	53.20	105.36
512	131.00	103.33
256	285.00	235.95
128	527.00	356.38
64	319.01	313.43
32	775.76	899.44
16	231.45	897.60
8	946.05	1059.34
4	1083.02	1228.19

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	137
R 2	55
R 3	1750




STATION NUMBER # 45

FREQUENCY (HZ)	MEASURED RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2048	25.00	86.86
1024	85.20	63.35
512	50.40	62.34
256	77.10	69.37
128	76.10	80.84
64	94.10	89.73
32	112.00	110.64
16	175.25	165.53
8	259.23	279.45
4	327.35	481.25

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	67
R 2	247
R 3	9260




STATION NUMBER # 42

FREQUENCY (HZ)	MEASURED RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2048	6.76	10.78
1024	37.10	14.24
512	14.60	24.03
256	34.70	39.99
128	65.60	65.17
64	111.00	101.32
32	179.20	145.39
16	202.23	202.75
8	250.77	299.78
4	265.69	313.43

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	12190
R 3	516




STATION NUMBER # 46

FREQUENCY (HZ)	MEASURED RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2048	219.00	163.19
1024	137.00	92.89
512	21.40	29.45
256	57.90	47.23
128	34.10	44.73
64	61.50	49.01
32	52.00	61.10
16	114.80	103.70
8	156.42	121.83
4	303.2	203.07

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	8870
R 2	13
R 3	156
R 4	2740




STATION NUMBER # 43

FREQUENCY (HZ)	MEASURED RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2048	183.00	74.69
1024	93.00	45.31
512	12.50	29.91
256	6.14	32.94
128	28.00	26.01
64	59.70	39.21
32	115.70	66.42
16	148.98	114.60
8	181.29	133.07
4	259.37	310.91

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	929
R 2	13
R 3	50
R 4	2000




STATION NUMBER # 47

FREQUENCY (HZ)	MEASURED RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2048	105.00	84.70
1024	57.60	67.02
512	42.80	55.80
256	45.60	43.22
128	42.50	35.54
64	39.60	36.11
32	47.10	28.23
16	107.72	92.71
8	137.70	161.10
4	276.93	275.60

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	1260
R 2	35
R 3	3510




STATION NUMBER # 44

FREQUENCY (HZ)	MEASURED RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2048	5.32	13.19
1024	13.40	20.61
512	57.90	37.25
256	83.00	68.62
128	152.00	121.64
64	174.00	202.02
32	290.00	305.04
16	377.66	425.57
8	513.16	543.16
4	521.53	648.79

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	13
R 2	12190
R 3	1050




STATION NUMBER # 48

FREQUENCY (HZ)	MEASURED RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2048	44.40	40.26
1024	36.80	35.75
512	36.10	41.34
256	56.90	53.91
128	67.40	77.68
64	107.00	125.36
32	163.00	144.65
16	193.63	182.63
8	220.43	219.19
4	250.67	251.07


LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	46
R 2	17
R 3	355




STATION NUMBER 49		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	32.00	32.41
1024	33.10	40.08
512	55.76	53.41
256	75.75	70.55
128	83.46	89.23
64	131.55	107.31
32	134.05	125.23
16	141.40	136.43
8	145.59	156.73
4	155.77	154.67

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	35	0.0
R 2	12100	57
R 3	175	123




STATION NUMBER 53		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	5.20	18.33
1024	34.10	35.05
512	33.39	51.52
256	162.00	139.35
128	312.00	235.65
64	251.00	373.10
32	515.00	456.19
16	548.00	434.47
8	352.00	355.40
4	285.45	285.46

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	13	0.0
R 2	12100	23
R 3	5670	634
R 4	115	1540




STATION NUMBER 50		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	56.39	52.61
1024	21.70	35.60
512	26.89	35.84
256	112.00	17.19
128	73.13	55.37
64	92.35	39.25
32	112.00	104.60
16	125.00	105.85
8	120.00	137.42
4	105.00	134.25

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	257	0.0
R 2	15	39
R 3	760	87
R 4	92	533




STATION NUMBER 54		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	53.20	103.57
1024	179.00	105.05
512	57.20	55.88
256	39.50	87.25
128	13.00	92.44
64	127.00	112.55
32	165.00	145.71
16	234.00	155.10
8	263.00	239.18
4	221.56	270.02

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	102	0.0
R 2	54	223
R 3	6670	320
R 4	420	490




STATION NUMBER 51		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	3.58	6.52
1024	11.60	9.63
512	23.80	17.35
256	39.30	32.89
128	74.90	55.29
64	83.80	76.90
32	86.50	82.59
16	75.10	65.66
8	48.70	52.10
4	43.00	37.51

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	7.7	0.0
R 2	12100	30
R 3	15	537




STATION NUMBER 55		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	507.00	499.43
1024	518.00	535.88
512	491.00	434.47
256	422.00	359.74
128	235.00	326.59
64	311.00	415.77
32	616.00	594.95
16	785.00	630.80
8	484.76	605.03
4	424.03	419.87

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	485	0.0
R 2	58	489
R 3	6670	579
R 4	34	3220




STATION NUMBER 52		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	36.50	31.79
1024	63.90	56.55
512	155.00	128.23
256	275.00	235.80
128	445.00	367.12
64	513.00	502.35
32	452.00	490.16
16	431.00	334.31
8	355.00	302.31
4	211.57	234.00

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	35	0.0
R 2	12100	52
R 3	102	1340



STATION NUMBER 56		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	158.00	183.91
1024	470.00	135.57
512	61.70	192.04
256	213.00	211.65
128	499.00	356.52
64	777.00	611.20
32	976.00	833.53
16	747.56	930.80
8	763.79	658.33
4	499.83	464.68

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	354	0.0
R 2	45	94
R 3	6670	153
R 4	113	2750




STATION NUMBER # 57

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	136.33	53.91
1024	12.33	42.74
512	26.33	41.06
256	67.70	38.13
128	35.13	32.46
64	143.00	135.15
32	103.00	155.13
16	200.00	137.23
8	233.00	237.23
4	131.24	273.26

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	105 0.0
R 2	18 45
R 3	331 83




STATION NUMBER # 51

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	27.40	25.64
1024	26.30	26.71
512	37.50	35.04
256	47.40	50.26
128	70.40	76.21
64	113.00	131.87
32	134.00	124.29
16	197.00	141.43
8	143.24	153.00
4	133.75	162.29

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	31 0.0
R 2	12100 94
R 3	183 365




STATION NUMBER # 55

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	24.00	27.52
1024	16.33	45.65
512	52.00	64.31
256	17.00	152.91
128	252.00	247.77
64	137.00	323.73
32	340.00	330.65
16	300.00	263.13
8	251.00	240.17
4	189.35	201.48

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	23 0.0
R 2	12100 49
R 3	115 1020




STATION NUMBER # 62

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	17.40	17.20
1024	19.20	19.63
512	25.50	25.58
256	34.93	35.07
128	46.90	46.04
64	62.40	63.83
32	76.60	81.65
16	112.00	93.14
8	112.01	112.02
4	123.33	126.43

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	15 0.0
R 2	124 50
R 3	170 237




STATION NUMBER # 59

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	20.30	61.59
1024	23.70	40.95
512	40.90	37.55
256	52.10	45.47
128	72.70	64.44
64	95.70	95.14
32	113.00	106.39
16	141.99	122.14
8	131.55	133.55
4	139.30	141.55

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	8870 0.0
R 2	14 41
R 3	5670 92
R 4	151 355




STATION NUMBER # 63

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	123.00	76.05
1024	40.10	48.28
512	25.40	17.58
256	28.10	26.79
128	28.90	33.33
64	45.30	41.01
32	59.20	57.65
16	92.60	79.47
8	104.34	103.70
4	121.21	127.95

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	8870 0.0
R 2	14 15
R 3	5670 132
R 4	227 299




STATION NUMBER # 50

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	20.20	18.12
1024	18.70	19.99
512	24.90	27.49
256	40.90	41.43
128	55.20	52.24
64	89.20	83.34
32	133.00	120.90
16	187.00	153.16
8	195.18	183.70
4	178.79	210.23

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	22 0.0
R 2	12100 57
R 3	296 175




STATION NUMBER # 64

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	146.00	35.37
1024	12.39	25.51
512	9.41	18.63
256	14.79	18.58
128	39.30	24.59
64	43.20	37.76
32	62.30	59.82
16	101.00	92.34
8	118.36	135.35
4	173.01	185.31


LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	67 0.0
R 2	3.7 38
R 3	109 67
R 4	493 170




STATION NUMBER = 65		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	32.50	15.95
1024	6.53	11.15
512	6.57	11.36
256	15.89	15.47
128	35.40	29.18
64	54.30	54.99
32	105.09	76.35
16	142.59	137.35
8	216.37	222.76
4	301.77	273.72

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	37	0.0
R 2	6.4	16
R 3	5670	53
R 4	323	2030




STATION NUMBER = 69		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	6.39	2.79
1024	5.65	6.88
512	9.52	8.19
256	6.86	8.55
128	7.04	7.50
64	5.52	5.44
32	3.75	4.31
16	5.23	4.95
8	7.63	7.92
4	15.13	14.55

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	6.0	0.0
R 2	19	26
R 3	3.1	72
R 4	14100	195




STATION NUMBER = 55		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	5.58	19.70
1024	10.50	15.35
512	34.90	27.05
256	52.10	50.44
128	71.40	52.49
64	183.00	150.40
32	294.23	255.39
16	412.73	370.59
8	549.11	469.51
4	501.50	595.21

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	13	0.0
R 2	12100	40
R 3	957	1190




STATION NUMBER = 70		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	109.00	109.43
1024	75.80	81.43
512	32.70	35.01
256	22.20	26.08
128	28.60	28.70
64	35.40	33.51
32	40.90	39.15
16	35.30	40.47
8	31.40	35.61
4	31.40	31.80

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	8670	0.0
R 2	6.3	64
R 3	1670	131
R 4	18	499




STATION NUMBER = 57		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	11.70	11.57
1024	9.74	11.56
512	11.30	10.10
256	15.50	9.31
128	13.30	11.79
64	20.00	19.05
32	31.50	52.30
16	57.30	52.00
8	56.20	72.25
4	55.35	92.35

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	12	0.0
R 2	7350	124
R 3	121	3350




STATION NUMBER = 71		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	3.90	4.22
1024	6.40	8.09
512	9.64	8.91
256	11.50	11.12
128	13.30	14.14
64	15.70	15.84
32	16.50	16.93
16	19.90	17.65
8	19.50	18.13
4	15.60	18.44

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	4.1	0.0
R 2	12100	19
R 3	19	69




STATION NUMBER = 58		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	21.39	15.97
1024	8.15	13.41
512	16.99	18.74
256	39.39	27.53
128	52.19	46.31
64	75.30	78.29
32	97.99	101.57
16	129.99	114.85
8	111.51	107.88
4	93.61	95.78

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	36	0.0
R 2	9.2	19
R 3	6670	59
R 4	56	631




STATION NUMBER = 72		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	45.20	26.93
1024	7.45	18.08
512	18.60	13.00
256	19.10	15.08
128	14.20	16.35
64	17.60	17.60
32	19.20	19.00
16	22.00	19.89
8	21.20	18.33
4	20.50	20.78

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	1050	0.0
R 2	5.9	27
R 3	554	63
R 4	14100	33
R 5	22	106




STATION NUMBER # 73		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	20.40	5.73
1024	1.84	5.41
512	3.72	6.26
256	10.40	10.92
128	25.90	18.15
64	52.10	18.15
32	34.50	30.69
16	50.10	44.99
8	73.30	57.20
4	51.40	61.17

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	22	0.0
R 2	5.0	7.5
R 3	5970	43
R 4	32	635




STATION NUMBER # 77		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	34.50	30.29
1024	20.20	21.77
512	17.50	17.72
256	20.70	17.37
128	13.60	13.53
64	23.30	23.52
32	39.60	26.15
16	55.30	33.50
8	35.50	35.93
4	41.50	40.45

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	6970	0.0
R 2	11	21
R 3	51	65




STATION NUMBER # 74		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	3150.00	736.26
1024	475.00	411.65
512	230.00	205.36
256	150.00	129.17
128	42.50	58.46
64	74.50	77.65
32	93.50	94.97
16	170.00	132.24
8	222.00	191.28
4	222.55	250.27

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	5970	0.0
R 2	1500	76
R 3	21	192
R 4	639	316




STATION NUMBER # 78		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	2.01	4.20
1024	7.41	5.81
512	13.40	10.05
256	20.70	16.44
128	31.50	23.72
64	34.50	25.14
32	63.60	76.34
16	111.00	95.00
8	125.00	111.68
4	120.00	121.69

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	5.2	0.0
R 2	12100	27
R 3	141	538




STATION NUMBER # 75		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	25.30	33.62
1024	45.30	25.31
512	16.50	12.56
256	21.30	16.97
128	27.10	22.35
64	28.20	23.43
32	48.00	42.45
16	38.50	40.45
8	44.50	41.13
4	39.50	40.20

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	43	0.0
R 2	12	37
R 3	62	100
R 4	33	343




STATION NUMBER # 79		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	0.59	9.85
1024	11.40	9.55
512	12.90	12.89
256	20.60	21.40
128	41.00	38.67
64	59.70	58.65
32	87.30	83.56
16	113.00	105.57
8	124.00	121.59
4	124.00	132.08

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	12	0.0
R 2	12100	58
R 3	153	571




STATION NUMBER # 76		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	5.21	7.77
1024	15.70	11.05
512	12.50	14.21
256	19.50	17.69
128	19.50	20.62
64	25.60	26.05
32	48.00	41.50
16	50.00	51.52
8	51.40	50.02
4	54.40	54.34

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	3.5	0.0
R 2	36	7.5
R 3	329	236
R 4	20	1040



STATION NUMBER # 80		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	3.70	6.32
1024	11.10	9.79
512	23.50	17.67
256	39.10	33.66
128	55.40	60.52
64	109.00	98.15
32	141.00	132.32
16	167.00	147.99
8	159.00	145.40
4	137.00	137.77

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	7.3	0.0
R 2	12100	28
R 3	103	639




STATION NUMBER = 81

FREQUENCY (HZ)	MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	31.00	27.95
1024	19.00	25.80
512	34.00	35.88
256	70.00	60.39
128	100.00	93.34
64	134.00	139.43
32	157.00	155.03
16	151.00	143.38
8	138.00	120.35
4	126.00	104.10

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	64
R 2	26
R 3	50
R 4	770




STATION NUMBER = 85

FREQUENCY (HZ)	MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	24.00	25.98
1024	52.70	42.14
512	51.00	76.64
256	138.00	133.14
128	221.00	207.40
64	297.00	293.23
32	245.00	248.20
16	233.00	215.83
8	134.00	182.34
4	148.00	155.52

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	25
R 2	12100
R 3	99




STATION NUMBER = 82

FREQUENCY (HZ)	MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	181.00	201.27
1024	333.00	335.31
512	512.00	219.47
256	604.00	674.03
128	638.00	531.33
64	354.00	250.33
32	677.00	713.32
16	769.00	707.88
8	901.11	435.48
4	333.99	342.59

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	57
R 2	33
R 3	625
R 4	2300




STATION NUMBER = 86

FREQUENCY (HZ)	MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	4.33	5.31
1024	5.44	7.74
512	15.40	12.78
256	24.30	22.22
128	45.60	37.77
64	52.00	59.97
32	74.80	70.35
16	74.80	71.41
8	70.00	64.87
4	59.10	56.60

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	5.7
R 2	263
R 3	34




STATION NUMBER = 83

FREQUENCY (HZ)	MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	12.00	14.69
1024	20.00	21.24
512	40.00	35.59
256	72.40	64.25
128	109.00	105.20
64	155.00	143.00
32	155.00	150.11
16	155.00	157.24
8	144.00	145.62
4	134.00	134.35

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	16
R 2	12100
R 3	103




STATION NUMBER = 87

FREQUENCY (HZ)	MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	4.17	6.02
1024	11.30	9.09
512	17.00	16.22
256	29.60	29.57
128	58.50	50.57
64	81.50	76.12
32	107.00	97.75
16	120.00	109.18
8	119.00	113.83
4	108.00	113.92

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	7.0
R 2	12100
R 3	107




STATION NUMBER = 84

FREQUENCY (HZ)	MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	7.80	9.32
1024	17.10	14.10
512	35.30	24.84
256	57.00	43.52
128	57.80	68.05
64	39.30	68.01
32	28.40	74.27
16	134.00	92.00
8	88.00	62.83
4	57.80	75.63

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	11
R 2	12100
R 3	56




STATION NUMBER = 88

FREQUENCY (HZ)	MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	23.70	17.43
1024	7.25	13.23
512	22.00	14.75
256	30.60	22.71
128	37.70	39.31
64	64.70	39.01
32	86.20	84.79
16	105.00	101.51
8	107.00	109.06
4	172.00	110.75

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	151
R 2	8.6
R 3	8380
R 4	104




STATION NUMBER * 89

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	7.45	7.61
1024	10.70	10.92
512	13.70	12.76
256	15.00	16.10
128	20.50	23.11
64	33.00	35.05
32	34.30	37.10
16	35.70	37.77
8	132.00	128.12
4	137.53	173.74

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	3.4
R 2	35
R 3	459




STATION NUMBER * 93

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	27.70	30.38
1024	20.20	15.78
512	37.77	15.34
256	17.40	21.30
128	35.90	30.98
64	54.00	44.52
32	77.00	61.25
16	90.00	79.53
8	75.30	97.76
4	114.00	114.14

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6670
R 2	4.5
R 3	170




STATION NUMBER * 90

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	7.43	7.41
1024	10.70	10.51
512	13.70	11.50
256	23.00	27.37
128	46.40	49.50
64	67.20	69.50
32	149.00	122.39
16	213.00	175.05
8	242.00	233.62
4	226.49	295.31

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	8.4
R 2	545




STATION NUMBER * 94

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	15.40	18.21
1024	28.50	17.35
512	15.50	20.34
256	22.00	20.25
128	52.20	47.14
64	65.30	73.05
32	110.00	109.55
16	181.00	152.57
8	193.34	200.50
4	208.40	246.32

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	20
R 2	442




STATION NUMBER * 91

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	52.70	52.93
1024	14.20	20.50
512	14.20	15.05
256	21.70	19.23
128	33.20	31.55
64	63.50	57.77
32	116.50	103.85
16	157.00	143.57
8	241.00	212.95
4	223.45	217.24

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6670
R 2	8.9
R 3	6670
R 4	65




STATION NUMBER * 95

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	62.70	52.91
1024	15.40	34.19
512	35.50	28.43
256	43.50	31.54
128	37.50	41.65
64	51.00	57.70
32	76.30	78.25
16	105.00	101.21
8	150.00	124.13
4	153.57	144.99

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6670
R 2	9.5
R 3	217




STATION NUMBER * 92

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	45.50	31.57
1024	20.10	24.50
512	19.00	24.47
256	30.30	52.61
128	31.70	51.39
64	94.70	83.42
32	155.00	132.43
16	252.00	200.17
8	281.49	254.34
4	256.25	376.14

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	49
R 2	16
R 3	552




STATION NUMBER * 96

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	31.50	25.52
1024	18.00	31.54
512	25.40	34.02
256	29.10	52.00
128	45.50	49.56
64	54.50	74.06
32	128.00	109.04
16	179.00	149.82
8	200.19	193.50
4	185.50	235.63

LAYERED MODEL


RESISTIVITY (OHM-M)	DEPTH (M)
R 1	30
R 2	13
R 3	400



STATION NUMBER = 97

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	51.70	54.42
1024	53.68	60.28
512	16.00	46.45
256	35.50	35.41
128	70.00	17.20
64	113.00	112.20
32	163.00	151.71
16	254.00	222.91
8	279.13	250.43
4	318.55	357.90


LAYERED MODEL RESISTIVITY (OHM-M)	DEPTH (M)
R 1	55
R 2	57
R 3	620



STATION NUMBER = 101

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	58.70	55.99
1024	54.00	63.16
512	44.40	48.24
256	36.60	41.63
128	40.30	35.05
64	43.60	40.00
32	63.90	57.00
16	67.30	65.00
8	139.16	159.92
4	131.15	262.71


LAYERED MODEL RESISTIVITY (OHM-M)	DEPTH (M)
R 1	79
R 2	40
R 3	2210



STATION NUMBER = 98

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	41.30	44.70
1024	45.30	44.15
512	37.40	41.13
256	33.50	44.25
128	54.00	39.13
64	95.30	59.55
32	154.00	136.90
16	241.00	209.74
8	293.51	300.51
4	350.35	404.12


LAYERED MODEL RESISTIVITY (OHM-M)	DEPTH (M)
R 1	40
R 2	53
R 3	982



STATION NUMBER = 102

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	129.00	123.53
1024	113.00	117.07
512	104.00	105.30
256	65.00	94.15
128	118.00	99.55
64	139.00	128.76
32	181.00	181.12
16	253.33	256.56
8	324.87	373.01
4	402.35	494.59


LAYERED MODEL RESISTIVITY (OHM-M)	DEPTH (M)
R 1	171
R 2	101
R 3	1160



STATION NUMBER = 99

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	179.00	176.90
1024	144.00	139.20
512	121.00	124.85
256	136.00	158.61
128	209.00	205.95
64	344.00	395.20
32	457.00	448.55
16	547.55	627.53
8	851.25	927.84
4	1253.51	1326.97


LAYERED MODEL RESISTIVITY (OHM-M)	DEPTH (M)
R 1	399
R 2	105
R 3	1650



STATION NUMBER = 103

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	174.00	171.62
1024	150.00	152.15
512	148.00	154.37
256	183.00	173.70
128	249.00	232.50
64	318.00	335.12
32	317.00	485.65
16	565.82	674.48
8	894.78	886.75
4	1281.84	1181.09


LAYERED MODEL RESISTIVITY (OHM-M)	DEPTH (M)
R 1	173
R 2	134
R 3	2090



STATION NUMBER = 100

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	112.00	117.39
1024	115.00	116.41
512	132.00	125.51
256	153.00	159.95
128	247.00	226.23
64	357.00	333.21
32	504.19	494.52
16	553.55	667.45
8	892.51	921.56
4	1253.35	1115.58


LAYERED MODEL RESISTIVITY (OHM-M)	DEPTH (M)
R 1	120
R 2	222
R 3	1920



STATION NUMBER = 104

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	19.30	23.05
1024	42.40	31.38
512	31.00	37.81
256	41.90	49.30
128	57.30	53.95
64	84.70	79.50
32	120.00	127.26
16	135.97	203.80
8	250.27	314.68
4	338.85	460.37

LAYERED MODEL RESISTIVITY (OHM-M)	DEPTH (M)
R 1	9.9
R 2	85
R 3	1540




STATION NUMBER # 105

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	52.80	42.37
1024	31.90	38.49
512	34.80	35.34
256	44.20	40.55
128	64.50	56.22
64	70.70	52.42
32	128.00	148.29
16	138.50	230.19
8	278.72	336.45
4	513.45	455.90

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	42
R 2	85
R 3	1240




STATION NUMBER # 101

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	8.47	9.27
1024	15.20	13.91
512	31.40	23.53
256	50.60	47.95
128	95.60	67.26
64	151.00	102.38
32	127.00	143.55
16	153.24	185.71
8	201.45	227.22
4	403.15	252.35

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	23
R 2	12100
R 3	376




STATION NUMBER # 106

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	116.00	95.36
1024	71.30	67.24
512	42.50	40.15
256	43.10	48.15
128	85.90	61.89
64	97.00	92.89
32	139.00	174.67
16	205.31	220.14
8	259.19	316.45
4	534.44	432.53

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6670
R 2	35
R 3	1080




STATION NUMBER # 110

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	58.30	60.79
1024	55.70	48.53
512	34.80	37.31
256	29.30	31.70
128	38.30	34.97
64	31.30	48.05
32	64.00	72.30
16	114.00	108.28
8	145.30	157.55
4	229.49	215.20

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	116
R 2	27
R 3	560




STATION NUMBER # 107

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	55.00	47.41
1024	35.30	32.60
512	20.50	21.57
256	15.40	17.88
128	15.30	21.51
64	37.10	33.51
32	57.70	55.87
16	98.50	90.87
8	124.95	131.20
4	183.72	171.65

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6670
R 2	13
R 3	6670
R 4	395




STATION NUMBER # 111

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	21.60	21.74
1024	29.60	28.46
512	49.30	49.16
256	53.10	54.66
128	73.50	71.29
64	95.00	96.44
32	139.00	137.42
16	205.39	180.14
8	253.30	278.18
4	391.28	372.23

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	23
R 2	210
R 3	921




STATION NUMBER # 108

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	373.00	225.95
1024	161.00	149.25
512	85.40	109.83
256	66.80	76.24
128	104.00	78.25
64	112.00	98.00
32	197.00	186.28
16	255.53	171.44
8	337.50	221.20
4	422.74	271.71

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6670
R 2	44
R 3	482




STATION NUMBER # 112

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	67.10	60.35
1024	53.40	53.28
512	65.30	73.31
256	92.70	68.89
128	113.00	101.23
64	147.00	116.36
32	122.00	136.52
16	177.76	191.62
8	240.18	284.28
4	492.12	417.87

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	65
R 2	204
R 3	1650




STATION NUMBER # 113

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	64.70	57.12
1024	57.97	57.97
512	121.00	108.70
256	171.00	173.29
128	358.00	372.99
64	457.00	411.42
32	551.00	597.11
16	760.00	773.32
8	955.17	971.74
4	1171.92	1150.54

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	67
R 2	74
R 3	90




STATION NUMBER # 117

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	41.15	40.73
1024	67.60	67.32
512	112.00	116.70
256	185.00	200.49
128	291.00	312.17
64	466.00	522.48
32	767.35	771.73
16	1182.89	1254.84
8	1269.99	1374.35
4	1551.26	1570.50

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	34
R 2	2730




STATION NUMBER # 114

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	35.10	34.30
1024	31.50	35.86
512	50.40	45.03
256	70.30	68.00
128	110.00	121.87
64	153.00	154.95
32	201.00	219.63
16	284.23	291.52
8	342.51	368.33
4	524.60	438.96

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	40
R 2	152
R 3	691




STATION NUMBER # 116

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	46.40	45.77
1024	58.60	59.21
512	90.20	87.13
256	125.00	133.36
128	180.00	212.60
64	300.00	316.81
32	472.93	451.61
16	625.83	601.12
8	742.11	752.39
4	840.55	891.23

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	49
R 2	222
R 3	1390




STATION NUMBER # 115

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	16.50	15.30
1024	15.00	13.84
512	16.20	15.30
256	20.30	19.52
128	30.00	28.33
64	45.00	45.01
32	65.00	65.00
16	123.00	112.16
8	145.48	155.03
4	250.73	230.97

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	17
R 2	68
R 3	235




STATION NUMBER # 119

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	14.50	15.37
1024	14.20	13.62
512	13.50	13.25
256	16.10	16.51
128	23.60	24.74
64	30.30	38.68
32	58.50	59.21
16	95.60	66.18
8	110.85	117.62
4	149.33	151.12

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	15
R 2	5890
R 3	303




STATION NUMBER # 118

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	3.31	12.05
1024	11.00	15.67
512	14.30	12.35
256	20.20	16.00
128	30.00	23.74
64	45.10	48.22
32	73.00	77.19
16	130.00	117.35
8	159.70	157.45
4	250.10	223.54

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	13
R 2	12100
R 3	515




STATION NUMBER # 120

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	12.50	13.56
1024	15.40	14.42
512	15.60	15.31
256	17.40	20.82
128	30.50	31.24
64	50.20	49.05
32	61.50	75.32
16	110.00	112.33
8	143.42	150.59
4	200.07	204.66

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	13
R 2	37
R 3	442




STATION NUMBER # 121

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	17.50	16.59
1024	19.10	20.99
512	31.60	31.50
256	45.10	49.90
128	74.50	77.90
64	106.00	116.49
32	173.00	163.67
16	250.00	215.14
8	334.79	266.13
4	432.50	315.42

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	19
R 2	460




STATION NUMBER # 125

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	22.70	22.50
1024	18.70	18.95
512	16.50	16.26
256	10.10	10.67
128	53.60	23.39
64	49.50	31.25
32	46.40	43.12
16	71.70	65.12
8	65.96	84.19
4	130.25	127.64

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	49
R 2	15
R 3	75
R 4	330




STATION NUMBER # 122

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	8.25	7.74
1024	8.42	2.18
512	14.80	14.44
256	26.40	24.97
128	44.00	41.87
64	66.60	63.95
32	84.30	83.02
16	106.00	106.73
8	125.00	124.44
4	134.34	131.76

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	2.7
R 2	12100
R 3	156




STATION NUMBER # 125

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	13.59	13.91
1024	16.40	16.29
512	17.60	17.98
256	19.40	19.18
128	24.00	24.95
64	35.50	37.85
32	63.00	60.93
16	111.00	95.18
8	130.53	146.31
4	211.30	209.98

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	13
R 2	35
R 3	977




STATION NUMBER # 123

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	44.30	43.20
1024	35.60	35.60
512	31.60	31.34
256	34.10	34.93
128	54.70	49.79
64	71.20	69.36
32	141.00	132.11
16	215.01	210.92
8	228.91	313.91
4	475.68	455.48

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	42
R 2	27
R 3	1330




STATION NUMBER # 127

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	14.20	15.57
1024	16.60	15.76
512	18.20	15.11
256	15.60	16.47
128	19.00	22.51
64	37.40	39.23
32	55.10	55.98
16	110.49	90.23
8	119.61	135.18
4	185.33	193.34

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	15
R 2	24
R 3	587




STATION NUMBER # 124

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	32.10	30.95
1024	33.50	33.62
512	42.90	44.51
256	43.60	41.50
128	53.30	52.85
64	75.70	61.09
32	137.00	131.35
16	220.44	203.65
8	351.43	320.44
4	460.54	460.71

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	304
R 2	34
R 3	1460




STATION NUMBER # 128

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2048	17.40	16.49
1024	16.50	18.14
512	17.40	16.22
256	15.50	15.56
128	16.70	16.78
64	26.70	27.14
32	45.20	41.76
16	72.60	63.62
8	85.33	92.70
4	122.72	127.31

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	18
R 2	13
R 3	337




STATION NUMBER - 120

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	35.10	37.51
1024	35.20	37.52
512	33.10	35.04
256	33.20	32.43
128	36.40	35.47
64	44.20	45.37
32	67.20	66.78
16	102.00	95.30
8	113.41	133.87
4	135.81	175.32

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	37
R 2	401




STATION NUMBER - 133

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	14.90	17.11
1024	25.00	24.69
512	44.40	35.03
256	53.70	55.92
128	85.50	79.29
64	97.30	104.48
32	195.00	186.26
16	160.00	145.53
8	152.33	165.00
4	207.44	179.20

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	16
R 2	12100
R 3	217




STATION NUMBER - 130

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	45.70	47.11
1024	43.20	42.90
512	38.20	35.78
256	29.40	31.12
128	33.10	34.51
64	48.50	48.30
32	84.10	74.92
16	120.00	137.35
8	147.87	177.45
4	277.39	253.51

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	50
R 2	31
R 3	512




STATION NUMBER - 134

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	205.00	199.91
1024	245.00	275.31
512	331.00	354.22
256	418.00	436.23
128	545.00	571.12
64	715.00	574.71
32	85.50	625.91
16	585.11	652.27
8	655.80	694.92
4	644.93	716.77

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	85
R 2	773




STATION NUMBER - 131

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	36.70	35.70
1024	32.50	30.74
512	23.20	25.00
256	21.20	15.77
128	15.00	10.42
64	21.20	22.53
32	41.40	32.93
16	50.00	51.11
8	58.72	78.05
4	157.15	113.75

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	51
R 2	37
R 3	57
R 4	411




STATION NUMBER - 135

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	14.50	13.78
1024	14.60	15.38
512	22.70	23.10
256	42.20	38.32
128	29.50	27.25
64	71.90	79.73
32	95.10	99.48
16	94.20	91.32
8	94.00	88.11
4	77.10	84.03

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	17
R 2	12100
R 3	74




STATION NUMBER - 132

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	15.40	15.67
1024	13.30	13.19
512	27.70	26.24
256	42.60	43.55
128	54.60	54.82
64	91.60	90.39
32	120.00	117.53
16	163.00	143.45
8	143.74	156.20
4	173.44	184.92

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	19
R 2	5300
R 3	241




STATION NUMBER - 136

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	19.40	19.15
1024	23.10	22.75
512	32.70	35.64
256	67.70	67.99
128	125.00	125.34
64	255.00	232.30
32	341.00	313.22
16	428.13	402.55
8	373.41	411.74
4	405.15	375.55

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	24
R 2	12100
R 3	212




STATION NUMBER # 137

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
1024	12.00	11.93
512	13.93	13.92
256	31.30	31.29
128	57.70	57.69
64	73.20	72.87
32	135.00	133.00
16	154.90	150.45
8	236.90	231.24
4	253.67	235.36
2		232.13

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	15
R 2	53
R 3	1160




STATION NUMBER # 141

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
1024	19.50	20.64
512	24.20	24.53
256	23.10	22.35
128	19.10	19.22
64	16.40	20.43
32	29.50	27.52
16	44.50	41.44
8	67.50	63.13
4	91.60	92.93
2	121.65	129.40

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	14
R 2	25
R 3	76
R 4	135




STATION NUMBER # 138

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
1024	22.20	22.03
512	24.50	22.44
256	39.90	39.78
128	43.80	43.27
64	71.40	72.55
32	104.00	95.98
16	122.00	111.15
8	124.00	117.59
4	113.00	118.72
2	109.99	118.25

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	25
R 2	64
R 3	445




STATION NUMBER # 142

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
1024	37.10	34.41
512	55.60	52.47
256	87.20	83.62
128	132.00	145.24
64	205.00	206.41
32	256.00	227.31
16	255.00	221.38
8	185.00	206.65
4	149.90	174.90

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	38
R 2	64
R 3	587




STATION NUMBER # 139

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
1024	12.00	13.51
512	30.30	18.23
256	33.30	31.40
128	39.50	55.37
64	114.00	107.32
32	185.00	173.25
16	257.00	252.91
8	333.00	232.71
4	232.75	232.51
2	273.49	274.15

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	17
R 2	50
R 3	1320




STATION NUMBER # 143

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
1024	105.00	99.77
512	168.00	159.27
256	245.00	217.22
128	391.00	372.89
64	435.00	431.11
32	412.00	400.79
16	331.00	350.37
8	271.00	264.89
4	221.00	217.04
2	177.00	164.65

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	62
R 2	1160
R 3	116




STATION NUMBER # 140

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
1024	18.50	24.09
512	45.40	39.28
256	52.90	46.00
128	55.20	57.36
64	55.70	70.64
32	108.00	117.87
16	219.00	180.69
8	336.00	270.57
4	363.71	396.00
2	453.00	518.70

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6.9
R 2	140
R 3	370




STATION NUMBER # 144

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
1024	51.20	53.36
512	70.30	64.01
256	74.20	75.12
128	75.30	83.15
64	73.10	83.12
32	131.00	155.04
16	191.00	197.00
8	157.43	153.70
4	205.83	231.31
2	371.05	342.47


LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	32
R 2	20
R 3	1570




STATION NUMBER # 145		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	55.30	56.35
1024	43.19	66.77
512	39.70	73.91
256	30.30	74.10
128	27.70	100.13
64	194.00	92.41
32	111.00	113.06
16	171.00	150.54
8	230.00	231.00
4	417.14	400.66

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	53	0.0
R 2	151	54
R 3	3320	952




STATION NUMBER # 149		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	27.20	16.75
1024	3.36	16.77
512	16.10	25.51
256	37.20	26.63
128	37.70	26.33
64	23.40	24.76
32	15.20	19.24
16	12.40	14.77
8	13.60	11.70
4	11.50	9.66

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	71	0.0
R 2	7.3	22
R 3	6670	50
R 4	5.7	191




STATION NUMBER # 146		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	74.60	75.44
1024	53.30	62.28
512	35.50	106.70
256	131.00	124.70
128	141.00	145.95
64	168.00	160.00
32	233.00	246.49
16	359.13	353.23
8	580.64	510.35
4	667.25	707.90

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	63	0.0
R 2	350	114
R 3	2100	1210




STATION NUMBER # 150		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	65.30	175.71
1024	400.00	284.97
512	371.00	371.00
256	395.00	452.00
128	476.00	571.00
64	453.00	392.66
32	384.00	347.58
16	259.00	311.98
8	250.47	285.37
4	313.47	266.50

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	43	0.0
R 2	1780	21
R 3	470	424
R 4	226	533




STATION NUMBER # 147		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	53.40	50.20
1024	49.50	55.76
512	53.70	56.10
256	68.70	59.52
128	122.00	121.42
64	173.00	186.54
32	255.00	285.20
16	356.00	410.15
8	556.71	554.49
4	792.77	704.35

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	54	0.0
R 2	145	124
R 3	1370	215




STATION NUMBER # 151		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	6.31	13.52
1024	36.80	33.70
512	37.80	31.62
256	63.50	70.43
128	75.80	81.20
64	62.00	65.57
32	66.40	61.70
16	77.50	74.55
8	77.70	76.35
4	95.10	92.53

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	6.2	0.0
R 2	12100	15
R 3	76	166
R 4	554	1470




STATION NUMBER # 148		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	30.00	32.90
1024	30.00	31.33
512	38.40	39.15
256	52.70	32.10
128	36.10	37.77
64	45.00	44.96
32	51.20	50.24
16	54.60	53.92
8	55.40	55.76
4	56.60	57.06

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	32	0.0
R 2	101	153
R 3	50	401



STATION NUMBER # 152		
FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	17.50	15.73
1024	20.10	21.99
512	35.50	36.67
256	73.50	64.57
128	109.00	105.99
64	159.00	149.49
32	170.00	176.71
16	175.00	183.25
8	187.00	178.27
4	174.31	170.25

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	21	0.0
R 2	12100	57
R 3	143	534




STATION NUMBER : 153

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	2.01	2.77
1024	5.62	7.75
512	10.60	15.61
256	17.29	18.48
128	27.40	26.55
64	43.70	32.00
32	53.40	42.00
16	50.40	60.13
8	111.59	100.13
4	175.50	175.44

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	7.0
R 2	33
R 3	454
R 4	5250




STATION NUMBER : 157

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	15.60	14.82
1024	15.20	15.35
512	20.39	24.36
256	45.20	41.95
128	69.20	71.23
64	127.00	111.62
32	141.50	138.14
16	166.50	175.68
8	235.66	224.33
4	252.37	247.95

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	16
R 2	12100
R 3	296




STATION NUMBER : 154

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	8.65	21.48
1024	32.70	35.40
512	63.40	60.00
256	115.00	91.86
128	137.00	149.59
64	285.00	218.27
32	234.00	218.27
16	234.61	346.56
8	371.45	405.57
4	561.12	451.75

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	16
R 2	12100
R 3	504




STATION NUMBER : 155

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	19.50	13.43
1024	7.61	11.95
512	33.70	13.29
256	18.60	19.42
128	34.50	30.67
64	55.40	45.95
32	62.30	64.94
16	75.40	91.49
8	101.00	117.62
4	104.00	104.55

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	14
R 2	12100
R 3	129




STATION NUMBER : 156

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	340.00	126.70
1024	173.00	163.98
512	285.50	277.52
256	428.00	185.62
128	323.00	406.17
64	340.00	315.02
32	267.00	242.21
16	189.00	137.53
8	165.44	179.94
4	166.11	174.27

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	83
R 2	742
R 3	21
R 4	198




STATION NUMBER : 159

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	18.30	18.41
1024	22.20	32.02
512	37.10	25.36
256	23.60	30.67
128	31.90	30.90
64	27.60	27.49
32	24.20	24.60
16	27.40	25.90
8	31.70	31.24
4	39.50	39.90

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	16
R 2	50
R 3	20
R 4	115




STATION NUMBER : 158

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	374.00	375.50
1024	724.50	840.33
512	1189.00	1090.31
256	1300.00	1364.70
128	2310.00	2031.28
64	3081.50	2395.28
32	2487.21	2400.70
16	2212.37	2493.23
8	2376.14	2397.67
4	2333.35	2332.50

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	119
R 2	6350
R 3	4200
R 4	2140




STATION NUMBER : 160

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	21.50	19.91
1024	18.70	21.91
512	27.40	27.62
256	41.60	35.37
128	32.50	34.66
64	26.60	26.90
32	23.30	24.13
16	25.50	25.35
8	32.00	30.70
4	35.50	39.63

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	22
R 2	2150
R 3	7.7
R 4	109




STATION NUMBER # 161

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	25.20	25.87
1024	31.73	29.99
512	30.50	31.74
256	49.29	45.16
128	64.40	63.11
64	80.99	73.79
32	92.70	91.51
16	96.70	98.43
8	102.99	102.15
4	107.99	104.13

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	29
R 2	12100
R 3	197




STATION NUMBER # 165

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	10.60	11.33
1024	10.50	10.11
512	11.09	10.64
256	12.40	14.27
128	22.70	21.84
64	42.46	34.89
32	87.09	73.89
16	76.65	79.34
8	127.70	103.79
4	132.42	142.47

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	32
R 2	298




STATION NUMBER # 162

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	4.46	4.21
1024	4.47	4.56
512	6.42	6.51
256	9.64	9.16
128	15.50	13.77
64	17.69	17.02
32	20.99	21.23
16	24.40	24.61
8	26.59	26.53
4	33.10	33.55

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6.5
R 2	41
R 3	74




STATION NUMBER # 166

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	5.93	7.35
1024	7.45	7.05
512	9.51	8.94
256	14.30	14.00
128	23.50	23.68
64	43.40	40.14
32	45.70	55.88
16	101.04	102.71
8	153.90	150.43
4	219.16	205.90

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6.6
R 2	524




STATION NUMBER # 163

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	21.50	21.45
1024	24.60	23.41
512	25.80	22.27
256	41.97	45.11
128	34.40	36.25
64	33.80	33.67
32	39.70	29.87
16	24.59	25.31
8	24.10	22.53
4	26.70	24.71

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	24
R 2	314
R 3	170




STATION NUMBER # 167

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	19.15	19.17
1024	22.39	21.15
512	24.40	27.47
256	37.20	36.15
128	34.40	49.19
64	80.20	59.07
32	84.30	82.04
16	95.52	131.03
8	253.19	253.13
4	497.43	380.79

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	22
R 2	173
R 3	9540




STATION NUMBER # 164

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	46.70	45.65
1024	47.60	51.39
512	45.00	52.57
256	61.70	45.51
128	32.50	42.05
64	34.50	35.02
32	30.40	31.40
16	23.50	26.11
8	25.90	23.65
4	29.70	24.30

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	45
R 2	72
R 3	143




STATION NUMBER # 168

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	2.47	10.01
1024	10.60	9.60
512	11.40	12.17
256	20.10	19.03
128	38.12	32.10
64	32.76	54.20
32	31.05	56.52
16	131.55	137.25
8	286.85	199.60
4	286.85	271.65

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	575




STATION NUMBER : 169

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	10.00	9.13
1024	12.60	9.25
512	10.00	10.75
256	17.00	14.51
128	19.30	20.60
64	32.50	28.80
32	35.00	36.80
16	47.00	49.20
8	57.00	73.20
4	70.00	67.70

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	10
R 2	31
R 3	52




STATION NUMBER : 173

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	2.10	8.41
1024	11.70	12.11
512	16.70	14.56
256	12.50	13.91
128	8.71	11.52
64	10.40	9.20
32	7.73	7.49
16	5.67	5.34
8	5.47	5.57
4	3.29	5.07

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	4.2
R 2	32
R 3	1.4
R 4	4.0




STATION NUMBER : 170

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	16.80	16.55
1024	12.60	15.25
512	14.00	14.05
256	14.50	13.98
128	11.00	12.58
64	10.60	9.52
32	7.74	8.28
16	10.20	7.75
8	14.80	15.65
4	33.10	23.05

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	20
R 2	11
R 3	156
R 4	7000




STATION NUMBER : 174

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	6.60	32.72
1024	35.40	27.44
512	22.00	27.16
256	25.50	30.69
128	30.40	37.18
64	45.30	44.75
32	33.10	50.41
16	55.30	59.37
8	74.10	65.21
4	79.40	69.64

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	72
R 2	19
R 3	63




STATION NUMBER : 171

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	14.10	14.87
1024	13.10	12.30
512	5.96	6.53
256	12.00	10.19
128	14.00	13.51
64	22.20	19.45
32	21.60	25.69
16	34.60	34.76
8	42.30	42.66
4	54.70	50.29

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	31
R 2	4.5
R 3	5570
R 4	75




STATION NUMBER : 175

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	10.60	11.01
1024	16.50	14.65
512	21.00	22.32
256	31.60	34.35
128	30.70	39.55
64	84.00	69.70
32	69.10	69.66
16	110.00	103.03
8	125.00	125.93
4	134.00	139.60

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	13
R 2	12100
R 3	181




STATION NUMBER : 172

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	75.00	36.21
1024	27.50	24.70
512	16.20	16.13
256	11.70	13.23
128	10.20	10.20
64	14.20	9.46
32	12.30	8.66
16	12.10	10.91
8	12.30	13.41
4	15.60	18.45

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	3750
R 2	7.2
R 3	27




STATION NUMBER : 176

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED RESISTIVITY (OHM-M)
2046	13.90	10.54
1024	10.60	10.35
512	11.40	12.46
256	14.30	17.54
128	28.70	25.68
64	44.90	37.56
32	55.70	52.00
16	62.10	67.95
8	77.10	81.91
4	95.50	95.22

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	146




STATION NUMBER = 177

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	11.39	2.82
1024	15.99	11.66
512	19.39	17.55
256	25.20	27.73
128	35.99	43.41
64	55.40	65.01
32	78.09	91.69
16	124.00	121.50
8	170.00	159.46
4	145.76	177.19

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	43
R 3	195




STATION NUMBER = 181

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	6.74	7.46
1024	6.26	7.37
512	10.50	10.03
256	13.69	15.43
128	17.90	27.19
64	50.90	41.14
32	91.70	54.60
16	53.90	64.97
8	22.20	71.20
4	75.50	74.97

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	0.9
R 2	2970
R 3	50




STATION NUMBER = 176

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	4.00	5.53
1024	13.70	7.70
512	10.50	12.62
256	20.10	20.36
128	37.10	32.62
64	57.00	46.09
32	84.30	67.42
16	67.50	83.51
8	126.00	109.43
4	114.50	114.25

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	5.3
R 2	12100
R 3	151




STATION NUMBER = 182

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	14.60	14.75
1024	18.70	17.05
512	25.90	27.27
256	47.40	48.00
128	65.50	61.95
64	121.50	122.65
32	153.00	151.65
16	150.30	152.10
8	160.00	159.05
4	143.07	151.50

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	19
R 2	8550
R 3	123




STATION NUMBER = 179

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	77.90	47.56
1024	26.00	32.02
512	16.40	25.55
256	31.60	33.79
128	29.20	47.19
64	85.10	67.47
32	97.60	79.75
16	132.00	123.57
8	183.00	154.12
4	157.30	182.32

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	377
R 2	9.9
R 3	283




STATION NUMBER = 183

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	6.95	10.63
1024	10.60	9.30
512	13.40	10.72
256	15.70	17.63
128	25.30	28.65
64	64.60	47.14
32	83.90	67.61
16	50.90	61.93
8	50.30	67.05
4	88.25	66.36

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	12100
R 3	73




STATION NUMBER = 180

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	9.53	2.24
1024	6.75	9.67
512	12.60	13.46
256	24.70	21.07
128	39.20	32.93
64	57.60	53.76
32	56.20	71.33
16	91.50	85.19
8	35.70	74.37
4	101.10	100.22

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	12100
R 3	112




STATION NUMBER = 184

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2046	11.90	12.07
1024	11.90	11.03
512	12.70	13.17
256	19.40	19.70
128	33.30	31.98
64	56.60	59.72
32	65.10	76.09
16	118.00	105.26
8	161.32	139.35
4	151.66	170.99

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	14
R 2	12100
R 3	204




STATION NUMBER # 165

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
4094	7.83	7.06
2046	7.53	6.71
1024	12.20	11.76
512	21.50	20.90
256	43.50	43.39
128	74.50	75.34
64	144.00	144.41
32	215.23	215.33
16	254.55	254.55
8		
4		

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	11
R 2	55
R 3	559




STATION NUMBER # 169

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
4094	10.50	10.11
2046	11.12	12.63
1024	22.00	20.68
512	40.50	35.49
256	50.50	61.79
128	111.00	92.93
64	114.00	120.59
32	142.00	136.70
16	156.00	147.13
8	147.62	150.20
4		

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	13
R 2	45
R 3	563




STATION NUMBER # 185

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
4094	5.23	7.93
2046	13.50	12.40
1024	18.50	16.50
512	27.40	27.38
256	44.41	44.41
128	81.70	71.97
64	114.79	114.79
32	175.35	175.35
16	253.53	253.53
8	331.74	331.74
4		

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	4.5
R 2	11
R 3	256




STATION NUMBER # 190

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
4094	6.60	6.77
2046	7.94	7.94
1024	8.75	8.75
512	12.25	12.25
256	19.48	19.48
128	31.90	31.90
64	46.45	46.45
32	71.29	71.29
16	100.22	100.22
8	130.58	130.58
4		

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	9.5
R 2	55
R 3	72




STATION NUMBER # 187

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
4094	7.41	7.56
2046	7.93	7.93
1024	9.74	9.74
512	15.15	15.15
256	24.55	24.55
128	36.72	36.72
64	55.71	55.71
32	76.80	76.80
16	95.73	95.73
8	114.65	114.65
4		

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	6.9
R 2	47
R 3	66
R 4	439




STATION NUMBER # 181

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
4094	7.45	7.72
2046	7.53	6.75
1024	5.13	5.52
512	8.33	8.33
256	13.10	13.10
128	22.19	22.19
64	37.48	37.48
32	61.31	61.31
16	95.23	95.23
8	136.66	136.66
4		

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	7.9
R 2	65




STATION NUMBER # 186

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
4094	132.99	131.53
2046	172.00	175.50
1024	254.34	254.34
512	397.39	397.39
256	593.04	593.04
128	953.32	953.32
64	1357.45	1357.45
32	1956.53	1956.53
16	2773.45	2773.45
8		
4		

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	117
R 2	51
R 3	171
R 4	2270




STATION NUMBER # 192

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
4094	6.22	8.37
2046	7.25	9.23
1024	11.90	11.71
512	17.35	17.35
256	29.21	29.21
128	46.29	46.29
64	61.12	61.12
32	126.55	126.55
16	192.61	192.61
8	270.55	270.55
4		

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	9.3
R 2	34
R 3	147




STATION NUMBER + 193

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	3.23	12.25
1924	6.76	10.79
512	6.55	6.19
256	9.99	10.87
128	17.12	17.61
64	26.30	19.72
32	35.40	24.66
16	107.14	24.37
8	159.85	154.96
4	217.91	244.20

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	75




STATION NUMBER + 197

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	14.20	13.83
1924	12.70	12.43
512	11.50	14.56
256	20.30	17.57
128	29.50	35.10
64	63.50	60.92
32	62.90	23.72
16	161.70	152.67
8	245.41	208.74
4	245.25	313.74

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	15
R 2	72




STATION NUMBER + 194

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	12.20	11.75
1924	9.53	10.52
512	10.30	7.64
256	12.15	12.49
128	19.40	13.67
64	25.70	14.75
32	37.40	21.59
16	126.95	105.64
8	205.34	176.04
4	257.11	281.19

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	57
R 3	101




STATION NUMBER + 196

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	19.80	19.55
1924	11.60	12.58
512	17.90	17.11
256	26.10	26.41
128	47.30	43.91
64	63.70	73.24
32	96.55	116.61
16	205.49	183.62
8	325.65	287.03
4	325.85	363.41

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	11
R 2	97
R 3	175




STATION NUMBER + 195

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	7.50	8.25
1924	6.53	7.29
512	11.20	10.22
256	16.10	15.82
128	29.00	28.67
64	37.70	53.50
32	65.45	94.19
16	192.85	152.24
8	312.72	255.59
4	326.77	265.95

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	3.6
R 2	50




STATION NUMBER + 199

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	14.50	14.18
1924	13.90	14.80
512	20.90	20.14
256	33.70	32.99
128	58.40	54.35
64	89.00	90.00
32	111.00	144.85
16	240.21	219.21
8	370.53	310.66
4	377.03	412.19

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	17
R 2	65
R 3	98




STATION NUMBER + 196

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	13.70	13.34
1924	9.57	9.95
512	10.70	13.74
256	14.50	14.53
128	26.80	23.54
64	35.90	40.01
32	56.60	67.65
16	124.75	112.38
8	137.16	170.60
4	221.76	245.35

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	11
R 2	34
R 3	92




STATION NUMBER + 200

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	11.90	10.83
1924	12.50	12.62
512	15.30	15.05
256	23.50	22.94
128	44.60	36.48
64	72.10	60.61
32	85.20	100.92
16	149.13	159.24
8	247.03	240.28
4	354.89	340.22

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	102
R 3	1010




STATION NUMBER # 201

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	32.00	22.45
1024	39.70	31.11
512	46.00	47.19
256	53.20	59.97
128	115.00	79.67
64	143.00	144.51
32	152.42	174.19
16	349.25	315.83
8	505.93	449.67
4	571.36	408.36

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	24
R 2	424
R 3	1550




STATION NUMBER # 205

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	8.17	10.56
1024	11.10	17.14
512	17.40	27.25
256	25.40	37.24
128	37.30	51.13
64	55.40	71.22
32	82.30	95.43
16	131.04	131.71
8	218.50	182.14
4	282.42	280.12

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	11
R 2	1270




STATION NUMBER # 202

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	3.59	10.55
1024	12.32	17.12
512	25.70	28.25
256	42.30	43.92
128	70.50	63.71
64	90.50	83.95
32	113.49	143.74
16	205.52	204.67
8	426.63	343.75
4	425.66	502.26

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	7.5
R 2	310
R 3	1650




STATION NUMBER # 206

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	27.00	25.35
1024	35.20	34.36
512	53.10	52.20
256	82.30	82.67
128	142.00	126.42
64	190.00	190.11
32	278.32	284.74
16	352.52	343.88
8	526.25	425.00
4	501.51	495.25

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	30
R 2	739




STATION NUMBER # 203

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	11.50	11.47
1024	13.80	13.99
512	16.30	16.52
256	22.00	22.13
128	30.50	46.41
64	45.20	75.02
32	119.32	126.21
16	231.59	202.53
8	355.51	391.47
4	367.67	420.04

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	92
R 3	1150




STATION NUMBER # 207

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	25.20	11.59
1024	3.27	11.97
512	15.30	15.14
256	28.00	25.48
128	32.90	42.03
64	62.50	68.19
32	77.60	105.81
16	134.14	184.71
8	199.65	211.74
4	315.74	271.49

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	14
R 2	541




STATION NUMBER # 204

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	14.00	14.50
1024	15.50	15.71
512	22.50	21.28
256	32.00	31.56
128	39.70	33.39
64	48.00	55.00
32	64.21	70.72
16	162.53	140.45
8	311.78	257.54
4	334.30	370.52

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	15
R 2	55
R 3	1550




STATION NUMBER # 208

FREQUENCY (HZ)	APPARENT MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	14.50	15.65
1024	20.32	13.51
512	29.60	30.52
256	45.70	51.40
128	120.00	63.63
64	150.00	135.81
32	151.00	204.07
16	251.77	270.26
8	423.75	392.06
4	511.55	472.35


LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	19
R 2	12100
R 3	532




STATION NUMBER # 209		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
1021	15.60	12.23
2046	9.17	13.21
512	15.39	17.13
255	25.89	25.12
126	35.89	41.42
64	83.20	54.47
32	64.20	95.55
16	132.00	131.43
8	161.42	174.75
4	204.95	215.29

LAYERED MODEL	
RESISTIVITY (OHM-M)	DEPTH (M)
R 1	15
R 2	377




STATION NUMBER # 213		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	9.39	13.44
1021	10.80	9.28
512	11.80	33.05
255	22.20	19.70
126	31.00	33.05
64	44.00	55.31
32	53.50	62.25
16	150.49	135.37
8	201.51	135.37
4	270.19	251.54

LAYERED MODEL	
RESISTIVITY (OHM-M)	DEPTH (M)
R 1	12
R 2	12100
R 3	510




STATION NUMBER # 210		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	14.92	14.93
1021	15.92	17.07
512	24.92	25.07
255	33.92	41.12
126	89.20	96.21
64	183.00	181.89
32	129.99	173.37
16	240.92	255.26
8	395.25	345.54
4	437.89	441.92

LAYERED MODEL	
RESISTIVITY (OHM-M)	DEPTH (M)
R 1	1E
R 2	101
R 3	971




STATION NUMBER # 214		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	5.47	11.04
1021	17.20	17.77
512	45.40	31.18
255	84.10	92.41
126	89.50	76.40
64	117.00	101.02
32	105.00	114.80
16	201.00	120.82
8	133.72	122.60
4	159.34	122.65

LAYERED MODEL	
RESISTIVITY (OHM-M)	DEPTH (M)
R 1	11
R 2	12100
R 3	120




STATION NUMBER # 211		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	46.50	55.40
1021	91.80	51.25
512	121.00	115.24
255	139.00	147.91
126	157.00	195.73
64	235.00	195.97
32	210.75	251.76
16	393.22	350.73
8	523.21	553.19
4	725.89	656.95

LAYERED MODEL	
RESISTIVITY (OHM-M)	DEPTH (M)
R 1	1E
R 2	333
R 3	2320




STATION NUMBER # 215		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	799.00	768.76
1021	1720.00	1391.39
512	1800.00	2174.17
255	2640.00	2690.99
126	3000.00	2690.93
64	2940.00	2368.41
32	1846.50	1895.20
16	1182.14	1326.04
8	1152.10	1282.74
4	1355.40	1117.05

LAYERED MODEL	
RESISTIVITY (OHM-M)	DEPTH (M)
R 1	138
R 2	12100
R 3	9350
R 4	774




STATION NUMBER # 212		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	27.90	25.97
1021	26.20	23.37
512	37.20	40.12
255	42.90	59.97
126	120.00	11.47
64	153.00	135.85
32	127.00	195.85
16	156.74	255.51
8	358.57	339.04
4	549.35	409.35

LAYERED MODEL	
RESISTIVITY (OHM-M)	DEPTH (M)
R 1	39
R 2	479
R 3	575



STATION NUMBER # 216		
FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2046	11.60	14.33
1021	23.70	25.63
512	43.00	42.30
255	75.10	93.22
126	97.50	67.73
64	55.30	66.97
32	50.90	57.79
16	49.50	46.63
8	45.20	45.40
4	50.40	57.93

LAYERED MODEL	
RESISTIVITY (OHM-M)	DEPTH (M)
R 1	8.5
R 2	12100
R 3	40
R 4	1100




STATION NUMBER = 217

FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	38.60	25.31
1024	18.00	20.74
512	14.20	20.20
256	23.00	21.51
128	27.50	24.78
64	26.50	29.17
32	34.60	31.24
16	30.30	32.39
8	31.10	36.98
4	57.81	50.40

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	753
R 2	16
R 3	51
R 4	799




STATION NUMBER = 221

FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	24.40	21.33
1024	18.70	18.47
512	15.60	15.97
256	19.30	18.06
128	22.50	26.82
64	52.00	42.43
32	35.50	60.56
16	80.10	81.56
8	117.90	104.53
4	115.11	124.02

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	27
R 2	35
R 3	207




STATION NUMBER = 218

FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	48.20	52.33
1024	65.50	72.33
512	65.89	76.37
256	71.00	74.13
128	71.00	54.36
64	52.40	28.39
32	22.00	22.39
16	32.50	31.56
8	59.79	54.51

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	49
R 2	12100
R 3	5.6
R 4	14190




STATION NUMBER = 222

FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	50.50	50.51
1024	63.30	77.13
512	73.70	59.70
256	123.00	125.76
128	234.00	197.87
64	370.00	360.64
32	389.33	453.00
16	393.65	583.08
8	730.47	716.85
4	831.85	884.50

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	60
R 2	1420




STATION NUMBER = 219

FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	201.00	214.28
1024	334.00	305.29
512	412.00	447.91
256	581.00	540.46
128	477.00	450.74
64	315.00	329.24
32	245.00	250.00
16	219.00	250.33
8	393.70	314.30
4	359.15	407.47

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	119
R 2	655
R 3	30
R 4	1240




STATION NUMBER = 223

FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	12.60	15.53
1024	23.50	22.82
512	39.80	39.37
256	63.50	70.83
128	134.00	117.87
64	180.00	170.61
32	180.00	210.12
16	267.00	228.28
8	241.28	231.80
4	219.55	228.84

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	19
R 2	12100
R 3	210




STATION NUMBER = 220

FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	50.50	49.75
1024	60.80	60.41
512	77.30	81.38
256	117.00	114.71
128	164.00	161.63
64	248.00	220.93
32	219.00	259.35
16	292.31	354.83
8	477.64	483.77
4	555.00	433.95

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	55
R 2	458
R 3	569




STATION NUMBER = 224

FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	3.45	10.58
1024	12.60	13.49
512	22.40	22.70
256	44.70	42.10
128	91.19	77.90
64	156.00	131.73
32	204.00	180.75
16	235.05	234.75
8	255.74	247.11
4	224.21	241.15


LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	14
R 2	12100
R 3	163




STATION NUMBER : 225			
FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY (OHM-M)	DEPTH (M)
2048	24.80	23.31	0.0
1024	21.50	22.41	0.0
512	20.50	27.50	0.0
256	37.39	40.67	0.0
128	70.10	65.07	0.0
64	104.00	103.25	0.0
32	152.75	125.25	0.0
16	244.80	224.37	0.0
8	325.14	301.49	0.0
4	354.73	350.35	0.0

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	27	0.0
R 2	52	61
R 3	112	92




STATION NUMBER : 229			
FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY (OHM-M)	DEPTH (M)
2048	21.50	21.94	0.0
1024	30.00	30.06	0.0
512	40.70	42.81	0.0
256	60.10	61.80	0.0
128	65.40	61.60	0.0
64	51.40	62.99	0.0
32	53.90	61.70	0.0
16	55.70	59.73	0.0
8	50.10	57.92	0.0
4	70.70	55.50	0.0

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	24	0.0
R 2	3450	54
R 3	53	185




STATION NUMBER : 226			
FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY (OHM-M)	DEPTH (M)
2048	58.00	57.12	0.0
1024	63.80	55.30	0.0
512	54.30	66.19	0.0
256	74.60	92.19	0.0
128	114.00	127.18	0.0
64	205.00	174.65	0.0
32	285.00	228.14	0.0
16	315.00	252.40	0.0
8	321.00	332.42	0.0
4	275.61	375.16	0.0

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	69	0.0
R 2	34	65
R 3	510	99




STATION NUMBER : 230			
FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY (OHM-M)	DEPTH (M)
2048	5.45	6.47	0.0
1024	13.60	10.65	0.0
512	23.00	19.84	0.0
256	37.50	37.12	0.0
128	61.60	64.15	0.0
64	76.00	91.71	0.0
32	105.00	99.98	0.0
16	112.00	87.58	0.0
8	75.00	59.92	0.0
4	46.50	55.56	0.0

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	5.5	0.0
R 2	12100	24
R 3	25	651




STATION NUMBER : 227			
FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY (OHM-M)	DEPTH (M)
2048	22.50	21.58	0.0
1024	14.50	23.75	0.0
512	35.00	46.15	0.0
256	103.00	75.62	0.0
128	109.00	102.70	0.0
64	106.00	117.58	0.0
32	115.00	116.65	0.0
16	140.00	113.52	0.0
8	62.00	107.05	0.0
4	117.00	101.53	0.0

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	25	0.0
R 2	2270	58
R 3	67	403




STATION NUMBER : 231			
FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY (OHM-M)	DEPTH (M)
2048	215.00	271.28	0.0
1024	447.00	421.78	0.0
512	601.00	616.95	0.0
256	948.00	900.45	0.0
128	1250.00	1287.98	0.0
64	1350.00	1507.69	0.0
32	1270.00	1303.52	0.0
16	1040.00	915.99	0.0
8	571.52	600.64	0.0
4	359.47	397.90	0.0

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	57	0.0
R 2	2210	20
R 3	80	2430




STATION NUMBER : 228			
FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY (OHM-M)	DEPTH (M)
2048	3.24	4.27	0.0
1024	7.55	7.40	0.0
512	14.40	21.95	0.0
256	24.10	22.85	0.0
128	32.90	35.01	0.0
64	43.20	57.75	0.0
32	35.60	41.02	0.0
16	41.30	39.20	0.0
8	39.00	36.65	0.0
4	33.30	34.42	0.0

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	3.7	0.0
R 2	3120	16
R 3	29	256



STATION NUMBER : 232			
FREQUENCY (HZ)	MEASURED (OHM-M)	RESISTIVITY (OHM-M)	DEPTH (M)
2048	37.80	37.49	0.0
1024	43.90	45.49	0.0
512	61.00	93.40	0.0
256	78.10	74.88	0.0
128	94.80	97.35	0.0
64	124.00	122.64	0.0
32	121.00	125.62	0.0
16	110.00	103.61	0.0
8	71.70	74.65	0.0
4	52.90	52.48	0.0

LAYERED MODEL		
RESISTIVITY (OHM-M)	DEPTH (M)	
R 1	37	0.0
R 2	152	50
R 3	13	890




STATION NUMBER = 233

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	95.30	89.27
1024	79.00	52.66
512	101.00	95.15
256	113.00	107.01
128	118.00	129.59
64	158.00	148.18
32	129.00	134.02
16	107.00	133.29
8	52.70	74.40
4	35.50	53.75

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	93
R 2	145
R 3	809




STATION NUMBER = 237

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	36.70	30.54
1024	33.85	40.50
512	67.20	59.32
256	153.00	136.58
128	304.00	247.70
64	534.00	436.51
32	673.00	536.45
16	558.13	484.85
8	493.85	454.28
4	543.89	412.24

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	36
R 2	12100
R 3	90




STATION NUMBER = 234

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	51.90	39.84
1024	30.30	37.59
512	37.20	40.00
256	50.10	47.17
128	50.00	51.51
64	37.50	49.35
32	41.30	41.13
16	31.33	34.08
8	22.50	26.71
4	23.30	24.95

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	40
R 2	12100
R 3	17




STATION NUMBER = 238

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	23.30	21.89
1024	23.20	24.99
512	36.20	39.72
256	67.90	72.93
128	162.00	134.59
64	276.00	238.11
32	263.00	259.80
16	190.00	210.15
8	132.00	134.00
4	88.40	79.34

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	26
R 2	12100
R 3	4.3




STATION NUMBER = 235

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	37.40	35.16
1024	51.50	53.03
512	68.70	94.35
256	171.00	173.12
128	314.00	238.71
64	474.00	440.20
32	500.00	518.52
16	495.00	495.88
8	410.55	435.82
4	395.58	375.33

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	33
R 2	4889
R 3	221




STATION NUMBER = 239

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	24.50	28.78
1024	45.30	45.61
512	97.50	84.11
256	204.00	181.89
128	404.00	304.05
64	743.00	510.55
32	684.00	708.10
16	823.23	713.09
8	534.72	588.25
4	457.00	416.79

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	31
R 2	12100
R 3	105




STATION NUMBER = 236

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	33.40	31.31
1024	32.40	35.88
512	50.20	55.57
256	65.50	68.76
128	130.00	120.59
64	149.50	141.97
32	134.00	144.54
16	132.00	136.54
8	141.00	130.34
4	124.05	123.14

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	35
R 2	12100
R 3	104




STATION NUMBER = 240

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	30.80	18.70
1024	14.40	15.29
512	15.20	18.83
256	34.30	30.37
128	51.50	52.55
64	127.00	91.87
32	126.00	108.00
16	130.00	109.30
8	90.00	95.25
4	97.60	69.91

LAYERED MODEL


RESISTIVITY (OHM-M)	DEPTH (M)
R 1	10
R 2	101
R 3	5870
R 4	33



STATION NUMBER # 241

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
4034	4.14	5.08
2048	5.42	6.16
1024	9.84	7.88
512	20.50	17.59
256	37.40	31.27
128	81.30	53.13
64	132.00	84.37
32	192.00	123.99
16	182.00	166.52
8	180.00	213.31


LAYERED MODEL	RESISTIVITY (OHM-M)	DEPTH (M)
R 1	5.5	0.0
R 2	12100	34
R 3	396	456



STATION NUMBER # 245

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
4034	326.00	356.97
2048	400.00	397.23
1024	575.00	500.71
512	1100.00	933.55
256	2190.00	1623.11
128	2500.00	1737.73
64	1455.16	1406.60
32	933.57	934.27
16	585.35	468.50
8	418.92	377.65


LAYERED MODEL	RESISTIVITY (OHM-M)	DEPTH (M)
R 1	426	0.0
R 2	12100	267
R 3	6870	1340
R 4	55	2400



STATION NUMBER # 242

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
4034	105.00	42.70
2048	32.10	55.25
1024	84.10	113.15
512	215.00	209.43
256	393.00	371.06
128	693.00	683.91
64	1350.00	1292.22
32	1547.81	1255.52
16	810.25	329.15
8	436.36	536.00


LAYERED MODEL	RESISTIVITY (OHM-M)	DEPTH (M)
R 1	45	0.0
R 2	4530	51
R 3	6870	1300
R 4	1.5	4100



STATION NUMBER # 246

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
4034	17.70	23.93
2048	46.50	44.51
1024	73.30	78.01
512	143.00	143.12
256	235.00	234.94
128	321.00	308.12
64	297.00	305.25
32	254.00	252.20
16	198.00	195.13
8	151.81	132.69


LAYERED MODEL	RESISTIVITY (OHM-M)	DEPTH (M)
R 1	55	0.0
R 2	4520	61
R 3	59	1070



STATION NUMBER # 243

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
4034	127.00	19.30
2048	14.70	16.72
1024	31.70	15.12
512	31.70	39.20
256	51.50	54.81
128	127.00	98.83
64	150.00	156.41
32	190.00	190.17
16	180.00	175.77
8	129.00	132.52


LAYERED MODEL	RESISTIVITY (OHM-M)	DEPTH (M)
R 1	21	0.0
R 2	12100	92
R 3	29	1540



STATION NUMBER # 247

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
4034	73.40	59.89
2048	101.00	108.97
1024	136.00	205.45
512	357.00	371.14
256	640.00	591.56
128	827.00	710.75
64	637.00	618.29
32	474.00	443.27
16	310.00	303.14
8	206.00	212.24


LAYERED MODEL	RESISTIVITY (OHM-M)	DEPTH (M)
R 1	49	0.0
R 2	12100	53
R 3	51	1530



STATION NUMBER # 244

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
4034	29.40	45.03
2048	21.50	55.15
1024	70.90	58.81
512	219.00	159.55
256	403.00	274.02
128	493.00	364.88
64	377.00	373.29
32	255.00	264.53
16	190.78	189.39
8	132.67	132.34


LAYERED MODEL	RESISTIVITY (OHM-M)	DEPTH (M)
R 1	51	0.0
R 2	205	63
R 3	5670	176
R 4	25	1370



STATION NUMBER # 248

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
4034	55.60	59.21
2048	111.00	98.78
1024	185.00	177.77
512	310.00	323.49
256	539.00	535.51
128	634.00	712.27
64	690.00	712.27
32	535.00	565.40
16	447.53	415.64
8	287.83	305.93

LAYERED MODEL	RESISTIVITY (OHM-M)	DEPTH (M)
R 1	48	0.0
R 2	3790	51
R 3	107	1760




STATION NUMBER = 249

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2046	74.00	59.96
1024	94.70	50.45
512	65.50	61.39
256	99.10	91.02
128	127.00	127.84
64	148.00	147.91
32	137.00	140.75
16	134.00	121.62
8	101.00	103.43
4	68.40	89.44

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	106
R 2	51
R 3	23
R 4	94
R 5	500
R 6	38




STATION NUMBER = 253

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2046	335.00	165.69
1024	125.00	123.52
512	100.00	114.53
256	157.00	145.86
128	283.00	237.55
64	397.00	351.64
32	457.00	436.35
16	448.00	404.34
8	244.75	319.52
4	211.75	239.54

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	274
R 2	55
R 3	6570
R 4	27
R 5	1580




STATION NUMBER = 250

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2046	61.50	45.52
1024	31.10	32.07
512	26.20	32.24
256	51.50	47.72
128	35.50	64.75
64	171.00	151.95
32	264.00	240.2
16	305.00	293.73
8	299.00	247.42
4	213.95	204.66

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	130
R 2	35
R 3	18
R 4	91
R 5	1940
R 6	44




STATION NUMBER = 254

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2046	298.00	701.14
1024	674.00	561.40
512	1390.00	1341.74
256	2240.00	2135.68
128	3305.45	3055.88
64	3503.55	3500.79
32	3335.13	3233.88
16	2743.05	2654.88
8	2305.73	2145.34
4	1589.09	1766.88

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	795
R 2	12100
R 3	9100
R 4	982
R 5	309
R 6	1540
R 7	3170




STATION NUMBER = 251

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2046	7.14	6.35
1024	12.75	11.74
512	17.95	20.04
256	41.50	37.54
128	64.10	71.95
64	153.00	123.43
32	231.00	202.61
16	287.00	234.54
8	277.00	255.34
4	227.19	227.61

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	11
R 2	41
R 3	12100
R 4	110
R 5	1530




STATION NUMBER = 255

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2046	105.00	109.65
1024	155.00	161.39
512	258.00	235.37
256	258.00	282.35
128	231.00	257.14
64	185.00	194.53
32	146.00	138.67
16	119.00	100.29
8	77.40	75.93
4	52.80	60.69

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	61
R 2	53
R 3	32
R 4	525




STATION NUMBER = 252

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2046	40.10	37.72
1024	36.50	32.76
512	39.50	41.52
256	56.90	59.53
128	143.00	125.65
64	213.00	221.47
32	327.00	325.24
16	355.00	373.86
8	337.00	335.93
4	273.29	250.20

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	52
R 2	33
R 3	15
R 4	79
R 5	5870
R 6	1310




STATION NUMBER = 256

FREQUENCY (HZ)	MEASURED (OHM-M)	CALCULATED (OHM-M)
2046	1710.00	2785.69
1024	5530.00	5988.47
512	5460.00	5475.91
256	6460.00	6352.92
128	2535.45	6178.95
64	5350.37	5342.35
32	3008.12	4472.25
16	3205.34	3793.45
8	3134.52	3314.51
4	2056.35	2067.82

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	1840
R 2	221
R 3	12100
R 4	2260
R 5	2340




STATION NUMBER # 257

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	148.00	145.83
1024	344.00	375.46
512	384.00	369.67
256	356.00	364.92
128	292.00	336.44
64	257.00	270.92
32	230.00	213.44
16	203.00	156.33
8	142.00	126.89
4	105.00	115.47

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	347
R 2	519
R 3	72




STATION NUMBER # 261

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	130.00	132.97
1024	121.00	122.12
512	140.00	128.28
256	166.00	150.33
128	166.00	133.27
64	156.00	102.27
32	290.00	261.15
16	417.68	396.32
8	325.47	325.60
4	269.34	349.21

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	155
R 2	93
R 3	214
R 4	415




STATION NUMBER # 258

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	1120.00	876.25
1024	512.00	716.45
512	923.00	749.25
256	1010.00	957.86
128	1110.00	1275.92
64	1200.00	1354.22
32	1330.00	1116.35
16	643.00	694.96
8	532.95	586.36
4	399.15	410.90

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	1500
R 2	93
R 3	526
R 4	322
R 5	2069
R 6	141




STATION NUMBER # 262

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	147.00	166.98
1024	282.00	244.94
512	316.00	301.57
256	297.00	297.09
128	358.00	378.56
64	211.00	226.01
32	183.00	195.64
16	137.00	127.53
8	172.00	162.94
4	150.00	152.95

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	84
R 2	46
R 3	329




STATION NUMBER # 259

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	572.00	533.08
1024	339.00	541.53
512	600.00	622.05
256	735.00	789.93
128	1140.00	1034.03
64	1321.37	1361.02
32	1369.21	1375.27
16	1152.26	1157.94
8	859.37	919.31
4	728.25	723.06

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	579
R 2	361
R 3	2920




STATION NUMBER # 253

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	233.00	219.07
1024	262.00	286.43
512	432.00	436.47
256	740.00	788.43
128	1410.00	1267.16
64	1960.00	1691.42
32	1969.13	1789.79
16	1591.30	1603.76
8	1249.33	1350.11
4	1138.57	1139.03

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	212
R 2	431
R 3	9650
R 4	655
R 5	2590




STATION NUMBER # 260

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	44.50	45.62
1024	44.60	47.35
512	56.10	56.97
256	66.40	64.19
128	59.30	58.97
64	47.00	54.91
32	66.70	63.75
16	121.00	99.85
8	140.00	136.00
4	105.98	204.33

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	49
R 2	104
R 3	302
R 4	424




STATION NUMBER # 264

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	15.90	20.36
1024	34.00	31.67
512	66.50	51.77
256	125.00	108.06
128	209.00	190.52
64	300.00	288.40
32	419.00	346.12
16	352.00	336.19
8	303.38	292.68
4	242.43	248.95

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	23
R 2	12160
R 3	140




STATION NUMBER 265

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	27.00	69.56
1024	74.30	104.45
512	205.00	177.53
256	305.00	303.13
128	494.00	422.50
64	525.00	574.73
32	639.00	577.24
16	582.35	512.35
8	426.23	438.35
4	316.64	378.95

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	70
R 2	74
R 3	1320




STATION NUMBER 269

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	43.10	47.21
1024	89.00	81.85
512	179.00	152.87
256	317.00	277.70
128	452.00	445.14
64	522.00	562.20
32	603.00	544.96
16	500.91	449.53
8	338.61	354.39
4	265.51	284.20

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	43
R 2	12100
R 3	1340




STATION NUMBER 266

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	29.10	37.34
1024	64.80	57.64
512	119.00	101.78
256	179.00	172.49
128	256.00	261.14
64	340.00	342.36
32	505.00	395.95
16	603.13	422.64
8	431.49	433.76
4	361.35	437.37

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	35
R 2	12100
R 3	436




STATION NUMBER 270

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	353.00	355.91
1024	406.00	414.75
512	630.00	573.16
256	726.00	762.49
128	787.00	834.16
64	726.00	759.29
32	708.00	631.57
16	510.44	518.67
8	431.06	436.32
4	350.92	380.62

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	405
R 2	3210
R 3	261




STATION NUMBER 267

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	57.80	59.28
1024	93.10	95.02
512	83.20	132.33
256	83.60	86.50
128	70.40	56.70
64	32.60	39.13
32	13.10	35.05
16	43.90	39.07
8	66.40	55.35
4	71.40	62.04

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	37
R 2	150
R 3	3.2
R 4	265




STATION NUMBER 271

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	399.00	353.36
1024	340.00	413.16
512	521.00	504.08
256	563.00	543.72
128	462.00	490.76
64	390.00	393.61
32	315.00	316.40
16	292.00	256.77
8	208.83	216.50
4	182.47	189.53

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	390
R 2	1320
R 3	134




STATION NUMBER 268

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	10.80	29.29
1024	48.40	46.59
512	92.00	85.18
256	165.00	152.40
128	243.00	242.84
64	524.00	514.16
32	314.00	325.56
16	339.00	294.08
8	255.04	254.16
4	213.71	221.16

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	32
R 2	12100
R 3	144




STATION NUMBER 272

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	29.70	27.52
1024	55.50	36.24
512	58.70	62.01
256	129.00	116.76
128	247.00	219.43
64	410.00	379.77
32	536.00	524.00
16	634.00	557.15
8	493.73	457.06
4	366.97	539.96

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	35
R 2	12100
R 3	89




STATION NUMBER = 273

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	20.19	25.29
1024	30.40	40.05
512	84.90	73.73
256	179.00	138.40
128	302.00	250.66
64	427.00	391.23
32	551.00	481.08
16	540.00	485.43
8	355.83	393.68
4	351.04	352.20

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	28
R 2	51
R 3	1630




STATION NUMBER = 277

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	345.00	1474.10
1024	2330.00	632.88
512	1380.00	526.40
256	3650.00	1613.92
128	2904.61	1254.34
64	2786.98	2701.90
32	2279.88	2174.13
16	1502.99	1791.44
8	1591.40	1532.20
4	1217.70	1359.71

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	358
R 2	7910
R 3	997




STATION NUMBER = 274

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	23.30	22.20
1024	23.29	24.50
512	35.70	37.80
256	71.50	66.45
128	141.00	126.03
64	257.00	233.06
32	308.00	295.12
16	326.00	313.50
8	251.25	272.47
4	241.05	219.25

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	28
R 2	76
R 3	1570




STATION NUMBER = 278

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	1000.00	1027.90
1024	1830.00	1514.36
512	2330.00	2214.47
256	3100.00	3030.12
128	3028.16	3458.24
64	3205.13	3283.99
32	2864.47	2649.35
16	2409.44	2315.36
8	1883.84	1741.13
4	1255.84	1453.04

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	326
R 2	5770
R 3	903




STATION NUMBER = 275

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	36.40	33.93
1024	26.30	29.58
512	32.49	33.84
256	35.80	39.64
128	84.30	78.85
64	115.00	112.89
32	139.00	135.99
16	141.00	137.55
8	134.00	131.10
4	124.45	122.39

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	36
R 2	127
R 3	682




STATION NUMBER = 279

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	1320.00	1330.44
1024	1850.00	1638.02
512	1840.00	1934.97
256	2090.00	2144.29
128	2060.71	2122.26
64	1965.95	1865.24
32	1818.20	1538.24
16	1286.17	1254.55
8	1115.76	1048.02
4	920.74	907.59

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	852
R 2	2940
R 3	1570
R 4	609




STATION NUMBER = 276

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	89.50	81.85
1024	133.00	133.90
512	207.00	202.69
256	290.00	265.98
128	358.00	307.63
64	403.00	324.65
32	391.00	328.21
16	375.26	326.52
8	270.89	325.55
4	255.62	320.77

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	56
R 2	52
R 3	313




STATION NUMBER = 280

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	3240.00	3171.57
1024	4300.00	4532.00
512	5220.00	5988.35
256	4500.00	6458.11
128	4859.36	5639.29
64	4381.05	4523.46
32	3765.54	3553.64
16	3225.91	2833.40
8	2285.73	2368.44
4	1755.46	2063.43

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	1900
R 2	12100
R 3	9950
R 4	1440




STATION NUMBER : 281

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	308.00	911.04
1024	1290.00	1290.32
512	1840.00	1898.30
256	2310.00	2242.14
128	2340.00	2301.52
64	1944.62	2044.09
32	1826.02	1712.17
16	1431.51	1435.26
8	1262.59	1235.36
4	1068.92	1098.20

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	397
R 2	69
R 3	880
R 4	1610




STATION NUMBER : 285

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	20.50	24.81
1024	80.40	59.65
512	149.90	111.65
256	230.00	205.15
128	412.00	344.95
64	553.00	458.13
32	635.00	581.11
16	577.64	531.84
8	490.29	406.06
4	515.00	456.48

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	32
R 2	47
R 3	326




STATION NUMBER : 282

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	185.00	179.32
1024	270.00	271.30
512	435.00	409.89
256	604.00	603.55
128	743.00	831.79
64	890.00	872.36
32	845.93	821.37
16	671.01	876.66
8	561.38	569.36
4	482.49	486.39

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	99
R 2	50
R 3	1520




STATION NUMBER : 285

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	14.30	22.72
1024	39.90	35.97
512	80.70	58.40
256	189.00	128.29
128	264.00	226.96
64	425.00	349.63
32	514.00	439.92
16	493.31	455.21
8	401.58	424.00
4	443.12	392.42

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	24
R 2	46
R 3	1420




STATION NUMBER : 283

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	23.00	25.69
1024	43.60	44.70
512	85.00	79.90
256	131.00	141.63
128	215.00	224.36
64	301.00	293.67
32	322.00	314.53
16	321.00	297.31
8	269.42	268.84
4	235.94	243.24

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	32
R 2	57
R 3	895




STATION NUMBER : 287

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	261.00	475.64
1024	891.00	814.83
512	1569.00	1395.27
256	2369.00	2092.35
128	2820.00	2527.70
64	2715.35	2465.50
32	2223.59	2130.64
16	1836.55	1893.25
8	1339.79	1241.37
4	1410.91	1339.45

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	318
R 2	111
R 3	1890




STATION NUMBER : 284

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	36.00	29.98
1024	20.60	29.14
512	43.90	41.09
256	81.70	70.45
128	142.00	122.70
64	220.00	191.90
32	258.00	247.32
16	275.00	261.79
8	232.55	245.74
4	247.46	221.47

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	35
R 2	96
R 3	1140




STATION NUMBER : 288

FREQUENCY (HZ)	MEASURED APPARENT RESISTIVITY (OHM-M)	CALCULATED APPARENT RESISTIVITY (OHM-M)
2048	216.00	856.41
1024	1330.00	1497.32
512	3640.00	2470.90
256	5830.00	3774.56
128	4816.95	4123.25
64	4595.99	3839.21
32	3637.32	3191.12
16	3241.98	2932.99
8	2320.69	2151.11
4	1760.19	1650.07

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	334
R 2	75
R 3	5900
R 4	1220
	2470




STATION NUMBER + 289

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	134.00	286.76
1024	534.00	925.30
512	1150.00	925.30
256	2000.00	1559.11
128	2539.32	2187.11
64	2817.45	2413.36
32	2335.88	2170.41
16	1919.12	1788.49
8	1649.70	1463.15
4	1269.44	1230.37

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	151
R 2	12100
R 3	743




STATION NUMBER + 293

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	53.70	74.38
1024	108.00	134.91
512	241.00	257.37
256	523.00	484.23
128	965.00	815.84
64	1420.00	1094.86
32	1374.13	1261.60
16	795.36	811.87
8	524.16	569.86
4	357.95	402.62

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	52
R 2	12100
R 3	116




STATION NUMBER + 290

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	38.40	52.96
1024	103.00	94.86
512	247.90	177.94
256	406.90	320.59
128	572.00	506.62
64	772.00	633.75
32	709.00	638.92
16	596.47	552.22
8	469.93	464.06
4	401.27	392.96

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	42
R 2	12100
R 3	236




STATION NUMBER + 294

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	133.00	121.11
1024	187.00	210.83
512	351.00	390.23
256	776.00	699.92
128	1150.00	1151.49
64	1693.47	1473.39
32	1372.97	1417.84
16	1049.58	1133.12
8	500.45	654.76
4	315.84	424.50

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	88
R 2	9600
R 3	272




STATION NUMBER + 291

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	199.00	184.96
1024	354.00	341.69
512	616.00	615.55
256	898.00	981.24
128	1250.00	1445.38
64	1263.17	1330.14
32	1031.00	1041.39
16	823.41	842.57
8	664.89	691.41
4	504.28	587.50

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	95
R 2	12100
R 3	373




STATION NUMBER + 295

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	104.00	89.29
1024	138.00	141.59
512	224.00	243.64
256	371.00	364.47
128	478.00	439.56
64	578.80	437.00
32	506.00	392.11
16	416.00	344.47
8	268.00	205.97
4	206.24	178.25

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	57
R 2	12100
R 3	216




STATION NUMBER + 292

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	65.70	89.58
1024	144.00	163.17
512	328.00	313.47
256	649.00	570.60
128	1100.00	925.87
64	1333.85	1172.73
32	1032.45	1109.92
16	795.81	875.58
8	616.03	651.43
4	615.05	434.48

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	54
R 2	12100
R 3	200




STATION NUMBER + 296

FREQUENCY (HZ)	APPARENT MEASURED RESISTIVITY (OHM-M)	RESISTIVITY CALCULATED (OHM-M)
2048	64.30	89.09
1024	230.00	146.34
512	312.00	305.16
256	522.00	557.16
128	780.00	894.42
64	1090.00	1124.00
32	1130.00	1070.00
16	787.72	855.51
8	643.41	655.78
4	584.53	503.96

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	55
R 2	8400
R 3	221




STATION NUMBER : 297

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	61.10	73.43
1024	157.00	125.20
512	225.00	224.70
256	372.00	394.25
128	577.00	613.00
64	779.00	755.53
32	802.00	782.53
16	628.37	660.36
8	511.88	549.39
4	511.87	462.80

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	52
R 2	3650
R 3	273




STATION NUMBER : 301

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	34.70	67.13
1024	122.00	119.94
512	236.00	224.91
256	411.00	427.36
128	782.00	763.91
64	1200.00	1153.05
32	1318.97	1303.14
16	1398.24	1114.16
8	820.97	827.92
4	613.42	601.00

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	50
R 2	12100
R 3	180




STATION NUMBER : 298

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	91.00	70.29
1024	103.00	128.00
512	325.00	242.67
256	527.00	446.17
128	919.00	733.47
64	1170.00	971.25
32	1290.00	994.16
16	940.25	855.83
8	717.49	624.64
4	682.88	568.49

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	49
R 2	12100
R 3	300




STATION NUMBER : 302

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	88.89	95.03
1024	263.00	178.79
512	364.00	333.87
256	566.00	584.01
128	761.00	748.03
64	931.00	710.00
32	592.00	529.37
16	352.00	362.44
8	215.53	249.93
4	191.05	180.56

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	52
R 2	12100
R 3	64




STATION NUMBER : 299

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	43.00	36.53
1024	53.70	53.47
512	84.50	91.11
256	137.00	155.85
128	277.00	244.23
64	376.00	327.53
32	376.00	359.76
16	375.99	361.35
8	307.65	347.05
4	360.04	330.41

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	42
R 2	3100
R 3	279



STATION NUMBER : 300

FREQUENCY (HZ)	APPARENT RESISTIVITY MEASURED (OHM-M)	APPARENT RESISTIVITY CALCULATED (OHM-M)
2048	43.69	44.89
1024	79.10	79.84
512	136.00	128.29
256	217.00	230.97
128	367.00	370.07
64	498.00	489.03
32	459.00	454.72
16	397.00	372.74
8	391.90	290.83
4	224.91	230.58

LAYERED MODEL

RESISTIVITY (OHM-M)	DEPTH (M)
R 1	45
R 2	4420
R 3	110

100

JICA

4

6

1

LIBRARY