

CLIMATOLOGICAL DATA

STATION: BANDINGAGUNG

MONTH: FEBRUARY YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pan	Eo	Depress-ion of wet bulb	Thermo-hygro graph	Mean	Max	Min			
1	8.8	4.7	3.2	81		23.6					
2	00	5.0	3.5	80		23.2					
3	00	3.8	2.7	86		23.9					
4	00	5.0	3.5	87		23.7					
5	9.7	2.8	2.0	82		23.5					
6	00	5.0	3.5	82		24.0					
7	00	6.3	4.4	88		23.8					
8	00	6.3	4.4	87		24.5					
9	00	6.3	4.4	85		24.0					
10	29.8	2.3	1.6	84		23.1					
11	9.8	3.0	2.1	85		24.2					
12	8.7	3.3	2.3	86		24.1					
13	9.6	1.8	1.3	86		23.7					
14	5.5	0.8	0.6	87		23.6					
15	1.7	0.5	0.4	89		23.6					
16	27.4	1.0	0.1	83		23.5					
17	3.0	4.5	3.2	85		23.7					
18	2.1	3.4	2.4	87		23.0					
19	24.1	3.5	2.5	92		23.8					
20	15.3	4.1	2.9	87		24.4					
21	17.3	5.4	3.8	88		23.9					
22	14.6	6.0	4.2	89		23.9					
23	20.0	1.0	0.1	86		24.1					
24	0.7	4.0	2.8	86		24.0					
25	0.5	4.3	3.0	85		24.6					
26	1.9	4.0	2.8	85		24.4					
27	42.4	0.1	0.1	87		23.8					
28	0.9	4.0	2.8	83		24.9					
29				87		24.3					
30											
31											
Total	253.8	102.2	171.2	2490		692.8					
Mean		3.7		86		23.9					

CLIMATOLOGICAL DATA

STATION: BANDING AGUNG

MONTH: MARCH YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Max	Min			
1	0.8	3.9	2.7	86		24.6					
2	20.8	0.3	0.6	88		23.8					
3	2.3	4.8	3.4	83		24.7					
4	13.1	1.8	1.3	94		23.8					
5	0.0	6.8	4.8	86		24.3					
6	0.0	7.5	5.3	86		24.8					
7	0.0	6.2	4.8	87		24.6					
8	1.6	3.4	2.4	85		24.1					
9	4.0	7.5	5.3	88		25.1					
10	0.0	7.5	5.3	86		25.6					
11	2.3	3.5	2.5	85		24.0					
12	13.2	1.9	1.3	89		24.8					
13	26.0	1.0	0.7	92		23.4					
14	0.0	5.2	3.6	89		24.0					
15	3.8	2.5	1.8	86		24.2					
16	0.0	5.6	3.9	86		24.5					
17	10.8	3.3	2.3	88		23.7					
18	0.0	5.0	3.5	89		22.8					
19	0.0	5.6	3.9	84		23.4					
20	0.0	7.5	5.3	85		25.2					
21	0.0	7.5	5.3	80		25.5					
22	0.0	7.5	5.3	77		25.6					
23	2.8	4.6	3.2	88		24.2					
24	20.1	0.7	0.5	87		23.7					
25	9.5	2.6	1.8	87		24.0					
26	24.7	1.5	1.1	82		24.4					
27	0.8	3.3	2.3	91		24.3					
28	10.2	3.6	2.5	92		23.7					
29	14.3	9.4	6.6	90		24.5					
30	.	0.5	0.3	92		23.7					
31				92		23.2					
Total	177.1	132.5	113.2	289.5		752.2					
Meon		4.4		87		24.3					

CLIMATOLOGICAL DATA

STATION: BANDINGAGUNG

MONTH: APRIL

YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radia- tion (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress- ion of wet bulb	Thermo- hygro- graph	Mean	Max	Min			
1	0.0	5.0	3.5	88		23.8					
2	0.0	5.6	3.9	84		24.1					
3	31.7	2.9	2.0	86		24.2					
4	0.8	3.3	2.3	89		24.7					
5	10.3	2.8	1.9	87		24.4					
6	15.2	3.9	2.7	88		24.4					
7	2.4	3.6	2.5	87		25.1					
8	40.8	4.5	3.1	83		25.0					
9	6.4	0.1	0.0	89		24.8					
10	0.0	5.0	3.5	88		25.1					
11	7.5	3.1	2.6	88		24.0					
12	14.4	0.6	0.4	90		23.6					
13	11.2	4.9	3.4	88		24.5					
14	17.4	5.5	3.3	91		23.6					
15	41.3	0.5	0.3	90		24.1					
16	0.0	4.3	3.0	86		25.2					
17	2.9	2.9	2.0	89		24.2					
18	0.0	5.0	3.5	89		24.0					
19	19.6	0.4	0.2	87		23.8					
20	0.0	5.0	3.5	84		24.8					
21	0.0	6.8	4.7	84		25.8					
22	0.0	5.6	3.9	87		25.0					
23	81.3	3.8	2.6	92		23.2					
24	0.0	6.2	4.3	91		24.3					
25	0.0	6.8	4.7	85		24.8					
26	0.0	7.5	5.2	89		25.7					
27	21.3	1.8	0.9	90		25.2					
28	52.6	4.4	3.0	92		23.8					
29	34.8	2.3	1.6	89		25.0					
30				91		24.7					
31											
Total	211.9	102.5	85.9	2641		232.9					
Mean		3.5	3.0	88		24.5					

CLIMATOLOGICAL DATA

STATION: MARIBING AGUNG

MONTH: MAY

YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Ed	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1		6.2	4.4	72	83	22.7	27.3	21.1			
2		1.6	1.1	80	83	22.6	27.3	21.1			
3		8.4	6.0	84	83	22.5	27.3	21.1			
4		6.3	4.4	85	75	22.9	29.0	22.0			
5		12.3	9.4	86	78	22.8	26.7	21.5			
6		11.9	8.3	83	68	23.0	29.5	21.5			
7		5.0	3.5	84	82	22.8	23.5	20.5			
8		11.7	8.2	82	85	22.7	28.5	21.0			
9		5.3	3.7	87	77	22.7	23.5	20.5			
10		2.5	1.8	77	81	23.1	20.5	21.5			
11		7.5	5.3	90	82	21.7	28.0	20.0			
12		7.5	5.3	76	77	22.9	26.0	20.0			
13		9.5	6.7	82	80	22.9	28.5	20.0			
14		21.8	15.2	80	82	22.8	26.5	21.0			
15		8.4	6.0	83	84	22.6	26.0	21.5			
16		7.2	5.0	79	86	22.6	-	19.5			
17		8.4	6.0	85	77	22.4	27.5	22.5			
18		17.9	12.5	83	94	22.0	27.0	21.0			
19		8.4	6.0	82	88	22.7	27.5	21.5			
20		9.7	6.8	82	82	22.3	25.0	21.5			
21		9.7	6.8	87	84	22.7	28.0	22.0			
22		2.8	6.8	88	94	22.5	27.5	21.5			
23		8.4	1.9	70	84	24.1	29.5	21.5			
24		17.7	6.0	84	84	22.9	29.0	20.0			
25		8.4	12.4	81	80	22.9	29.0	20.0			
26		8.4	6.0	80	81	23.1	30.0	19.5			
27		7.7	6.0	87	79	22.5	29.5	22.0			
28		8.4	5.4	83	86	22.5	27.3	20.5			
29		3.8	5.1	88	91	22.5	29.5	22.7			
30		7.3	6.0	83	69	23.4	28.5	22.0			
31		8.4	4.4	82	83	23.1	30.0	22.0			
Total		263.6	192.4	2556	2566	706.4	848.9	654.0			
Mean		8.5	6.2	82	83	22.8	27.4	21.0			

CLIMATOLOGICAL DATA

STATION: BANDING AGUNG

MONTH: JUNE YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1		3.8	2.7	74	26.3	25.0					
2		5.4	-	78	-	24.9					
3		5.4	-	84	-	24.8					
4		7.5	5.3	77	-	25.7					
5		6.5	4.4	75	-	25.6					
6		5.0	3.5	81	24.5	24.7					
7		5.0	3.5	81	22.2	24.9					
8		5.0	3.5	82	23.7	24.7					
9		5.0	3.5	89	22.7	24.3					
10		7.5	5.3	90	24.3	23.9					
11		-	4.4	90	23.3	24.3					
12		2.8	5.3	77	22.0	26.1					
13		5.4	-	88	22.5	24.9					
14		5.4	2.7	78	22.0	25.0					
15		4.0	-	83	23.2	25.2					
16		2.5	-	95	-	24.9					
17		5.4	2.8	93	-	24.3					
18		6.3	1.8	83	-	25.3					
19		6.3	-	68	-	25.7					
20		5.4	4.4	72	22.7	26.2					
21		5.0	4.4	80	-	24.1					
22		5.4	-	83	-	24.7					
23		5.0	3.5	89	-	23.9					
24		5.4	-	81	-	24.7					
25		5.0	3.5	83	-	24.3					
26		5.4	-	84	-	24.4					
27		5.0	3.5	74	22.7	25.2					
28		5.4	-	84	22.0	23.9					
29		5.0	3.5	82	23.3	24.5					
30				77	22.7	25.5					
31											
Total		147.2	71.5	2745	3922	245.7					
Meon		5.1	2.5	82	13.1	24.9					

CLIMATOLOGICAL DATA

STATION: BANDUNG

MONTH: JULY

YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Mox	Min			
1	0.0			75		24.7					
2	0.0			78		24.2					
3	0.0			75		24.0					
4	81.3			88		22.9					
5	0.0			81		24.2					
6	0.0			77		24.2					
7	0.0			75		24.5					
8	0.0			81		23.9					
9	14.6			75		23.5					
10	9.3			73		25.1					
11	0.0			78		24.4					
12	10.7			78		24.0					
13	15.6			79		23.8					
14	0.0			77		24.4					
15	0.0			80		23.9					
16	6.3			81		23.5					
17	0.0			78		23.8					
18	0.0			83		23.6					
19	0.0			79		23.5					
20	0.0			76		24.2					
21	13.8			75		24.6					
22	34.3			84		23.6					
23	39.2			82		23.3					
24	0.0			83		22.6					
25	0.0			87		22.7					
26	0.0			87		21.8					
27	0.0			82		23.6					
28	0.0			77		23.5					
29	0.0			81		23.9					
30	0.0			79		22.8					
31				88		22.9					
Total	177.4			2472		735.6					
Meon				80		23.7					

CLIMATOLOGICAL DATA

STATION: BANDINGAGUNG

MONTH: AUGUST YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E _{pan}	E _o	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1	0.0			75		25.6					
2	14.2			83		24.3					
3	0.0			79		24.2					
4	0.0			83		23.9					
5	0.0			78		24.0					
6	12.6			79		23.8					
7	15.0			79		22.5					
8	0.0			87		22.9					
9	10.8			87		22.9					
10	0.0			82		23.7					
11	0.0			79		23.9					
12	0.0			72		23.7					
13	0.0			73		24.7					
14	60.3			73		24.4					
15	24.0			81		25.2					
16	0.0			83		24.7					
17	4.2			79		25.2					
18	4.3			83		24.8					
19	0.0			84		24.5					
20	0.0			89		24.0					
21	0.0			87		24.7					
22	0.0			82		24.0					
23	0.0			78		23.8					
24	0.0			78		23.8					
25	0.0			77		24.0					
26	0.0			74		24.2					
27	0.0			80		24.7					
28	0.0			77		24.6					
29	0.0			72		25.1					
30	0.0			75		24.5					
31				76		25.2					
Total	145.4			2465		686.0					
Meon				80		22.1					

CLIMATOLOGICAL DATA

STATION: BANDINGAGUNG

MONTH: SEPTEMBER YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E _{pan}	E _o	Depress- ion of wet bulb	Thermo- hygro graph	Mean	Max	Min			
1	6.3			80		25.5					
2	16.2			80		25.4					
3	31.9			76		25.2					
4	45.9			78		24.5					
5	9.8			86		23.2					
6	5.4			82		24.7					
7	13.1			79		24.7					
8	19.1			78		25.1					
9	20.2			74		24.8					
10	0.0			83		23.7					
11	0.7			80		24.4					
12	0.0			74		24.9					
13	0.0			82		24.2					
14	0.0			74		25.1					
15	0.0			78		25.2					
16	0.0			78		25.6					
17	0.0			80		26.1					
18	0.0			78		25.8					
19	0.0			74		25.7					
20	0.0			83		25.1					
21	0.0			80		24.5					
22	0.0			83		24.7					
23	0.0			77		25.6					
24	0.0			74		25.1					
25	0.0			80		25.6					
26	0.0			83		24.7					
27	31.2			82		25.1					
28	0.0			79		24.9					
29	9.3			81		24.5					
30				82		24.2					
31											
Total	203.5			2398		797.2					
Mean				80		24.9					

CLIMATOLOGICAL DATA

STATION: BAN DINGAGUNG

MONTH: OCTOBER YEAR: 1950

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (mf. Water)	Wind Velocity at 2m (km/hr)
		E pan	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1		5.6	3.9	77		25.3	-	19.1			
2		5.6	3.9	77		25.2	-	18.9			
3		5.6	3.9	82		24.4	29.5	19.2			
4		3.8	2.7	76		25.1	29.0	19.0			
5		5.6	3.9	87		24.1	26.0	17.5			
6		6.3	4.4	78		24.9	28.0	17.5			
7		5.0	3.5	71		26.0	27.0	18.0			
8		6.3	4.4	66		25.6	26.2	18.4			
9		5.6	2.9	74		24.0	26.2	20.0			
10		4.4	3.1	79		23.0	28.0	20.0			
11		5.6	3.9	83		23.9	27.5	19.0			
12		5.6	3.9	76		24.3	27.3	17.8			
13		5.5	3.5	79		24.1	29.9	18.8			
14		5.0	3.5	70		24.5	26.0	17.0			
15		6.3	4.4	82		22.3	29.0	18.5			
16		5.0	4.4	84		23.5	26.0	18.2			
17		6.3	3.5	80		23.7	29.0	19.0			
18		6.3	4.4	64		24.9	29.0	19.0			
19		7.5	4.4	84		23.7	27.0	18.8			
20		5.6	5.3	85		23.7	27.0	19.0			
21		5.6	3.9	81		23.7	27.9	21.0			
22		5.0	3.9	85		24.1	29.2	20.5			
23		5.0	3.5	84		23.7	19.0	21.0			
24		6.3	3.9	87		23.0	28.0	22.5			
25		5.0	4.4	85		23.3	28.0	22.0			
26		5.0	3.5	77		24.5	28.0	19.4			
27		5.6	3.5	80		23.9	25.9	19.4			
28		5.0	3.9	88		22.7	27.0	19.0			
29		6.3	3.5	86		22.7	27.0	19.0			
30		7.1	4.4	82		24.7	26.8	20.3			
31											
Total		168.4	113.9	2398		722.5	764.9	576.8			
Mean		5.6	3.8	79		24.1	25.5	19.2			

CLIMATOLOGICAL DATA

STATION: BANDINGABUNG

MONTH: NOVEMBER YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (kcal/cm²/day)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1		4.8	3.3	84		22.9	-	-			
2		3.6	2.2	79		18.0	-	-			
3		5.0	3.5	83		23.4	-	-			
4		2.8	2.6	90		21.9	29.0	19.5			
5		5.0	3.5	85		22.3	-	-			
6		5.9	4.1	75		24.2	-	-			
7		5.6	3.9	74		23.4	-	-			
8		5.0	3.5	87		21.2	-	-			
9		6.2	4.9	94		22.4	-	-			
10		1.6	1.1	75		26.0	-	-			
11		4.1	2.8	83		22.8	19.0	19.0			
12		2.1	1.4	85		22.5	21.0	28.5			
13		5.0	3.5	88		22.8	25.5	19.0			
14		6.2	4.9	80		23.9	25.5	20.0			
15		5.0	3.5	87		22.0	-	-			
16		6.2	4.9	75		27.2	-	-			
17		3.8	2.6	85		22.8	-	-			
18		2.0	1.7	72		24.3	27.0	18.0			
19		3.8	2.6	70		24.6	27.0	17.0			
20		3.7	2.9	73		24.1	27.0	19.0			
21		3.6	2.5	78		23.6	28.0	20.0			
22		5.0	3.5	90		22.3	21.5	20.0			
23		5.0	3.5	93		22.1	-	-			
24		2.9	1.9	90		22.2	-	-			
25		5.5	3.9	84		22.4	22.0	20.0			
26		5.0	6.2	79		23.7	26.0	20.2			
27		4.9	2.9	84		22.2	25.0	19.5			
28		-	-	41		22.3	27.5	19.0			
29		-	-	61		23.7	16.0	20.0			
30		10.1	7.0	70		24.9	27.0	20.0			
31											
Tolol		130.7	94.9	2436		707.4	293.0	218.7			
Meon		4.4	3.2	81		23.6	19.1	10.6			

CLIMATOLOGICAL DATA

STATION: BANDUNGAGUNG

MONTH: DECEMBER YEAR: 1980

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pan	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1											
2											
3	9.9	2.5	1.8	90	79	24.6	27.0	22.0			0.3
4	32.3	2.3	1.6	94	74	24.8	28.5	21.5			0.8
5	2.2	1.0	0.7	91	78	24.8	27.5	21.5			0.4
6	0.6	0.7	0.5	91	73	24.6	25.5	21.0			0.4
7	2.8	1.6	1.1	81	75	25.1	27.0	23.5			0.7
8		1.3	0.9	86	70	25.0	26.5	23.5			0.8
9	11.9	2.5	1.8	91		24.4					0.4
10	13.0	1.4	1.0	94	87	23.8	26.5	20.0			0.2
11	2.8	0.0	0.0	93	77	24.4	23.0	21.5			0.3
12	23.5	0.2	0.1	93	86	23.7	26.0	21.0			0.2
13	23.5	1.0	0.7	88	80	24.5	26.5	21.5			0.2
14	6.0	0.4	0.3	91	81	23.9	25.5	21.0			0.3
15	1.9	0.7	0.5	89	80	24.6	26.0	20.0			0.2
16	3.6	1.1	0.8	90	78	24.9					0.2
17	3.7	2.5	1.8	89	78	24.6	28.0	22.0			0.3
18		3.1	2.2	84	73	25.5	27.0	22.0			0.3
19	2.0	2.3	1.6	85	78	24.8	27.0	21.0			0.2
20	0.1	1.8	1.3	85	72	24.7	27.0	21.0			0.3
21	15.8	1.4	1.0	86	80	24.7	27.0	20.0			0.2
22	39.4	6.9	4.8	92	81	23.7	26.0	21.0			0.2
23	0.5	0.0	0.0	90	78	23.3	27.0	20.0			0.3
24		2.5	1.8	86	76	23.7	27.5	21.5			0.2
25	0.6	3.2	2.2	82	72	24.7	29.0	21.5			0.3
26	5.7	2.2	1.5	84	77	23.7	29.0	22.2			0.3
27	2.8	1.7	1.2	90	82	23.7	29.0	23.0			0.3
28	11.0	2.3	1.6	90	77	24.2	29.0	22.0			0.3
29	56.8	1.2	0.8	86	82	23.9	29.0	22.2			0.2
30	5.8	0.8	0.6	86	84	24.1	29.0	21.3			0.3
31				84	84	23.7	29.0	22.0			
Total	302.0	43.6	34.2	2572	2177	696.1	740.0	567.2			8.8
Mean		1.6	1.1	83	71	24.5	24.0	18.1			0.3

CLIMATOLOGICAL DATA

STATION: BANDUNG AGUNG

MONTH: FEBRUARY YEAR: 1981

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygroph	Meon	Max	Min			
1	14.3	4.3	3.0	88		24.8	27.5	21.5	5.5		0.3
2	0.1	4.5	3.2	79		24.4	29.5	21.0	3.5		0.3
3	14.5	3.9	2.7	91		22.1	29.0	21.5	0.0		0.3
4	6.4	0.5	0.7	77		24.2	27.0	21.0	4.0		0.3
5	0.2	3.3	2.3	84		23.7	28.5	20.5	3.6		0.3
6	7.7	1.8	1.3	89		22.5	28.5	22.0	1.0		0.2
7	14.1			83		27.2	25.5	21.0	4.8		0.2
8	0.1	3.2	2.2	88		24.4	28.0	22.0	3.7		0.2
9	8.5	4.5	3.2	91		23.8	27.5	21.0	3.2		0.2
10	21.6	1.6	1.1	75		24.8	28.5	21.0	7.3		0.4
11	0.0	5.0	3.5	71		24.2	28.5	18.0	6.4		0.4
12	0.0	5.6	3.9	84		24.8	29.0	20.5	5.7		0.3
13	0.0	4.4	3.1	80		24.6	29.0	22.0	4.2		0.4
14	4.2	3.0	2.1	84		24.3	29.5	22.5	0.8		0.3
15	23.4	2.8	2.0	77		24.3	27.1	21.0	0.0		0.4
16	0.0	5.0	3.5	84		25.7	28.0	22.0	3.5		0.3
17	0.0	3.1	2.2	82		24.5	30.0	21.0	3.3		0.2
18	0.5	2.4	1.7	84		24.6	28.0	23.0	1.5		0.2
19	12.1	2.1	1.5	88		24.5	28.0	21.0	1.6		0.3
20	37.3	1.0	0.7	91		23.7	28.0	23.0	3.4		0.2
21	40.1	0.1	0.07	85		23.8	27.5	22.0	0.3		0.2
22	2.5	1.0	0.7	84		24.5	27.5	21.0	6.6		0.2
23	17.8	5.3	3.7	85		24.3	30.0	21.5	4.3		0.2
24	1.9	4.9	3.4	85		24.5	29.0	21.5	3.4		0.4
25	87.1	6.8	4.8	82		24.9	29.5	22.5	8.0		0.5
26	0.1	4.4	3.1	72		25.3	29.5	23.1	3.7		0.6
27	2.9	3.5	2.5	84		27.2	30.5	21.2	2.8		0.5
28	0.5	5.5	3.9	85		24.1	29.5	22.8	4.2		
29											
30											
31											
Total	317.9	97.7	66.4	232.3		248.2	276.6	202.1	100.3		8.3
Meon											

CLIMATOLOGICAL DATA

STATION: BANDING AGUNG

MONTH: MARCH YEAR: 1981

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	0.0	2.5	1.8	86		23.8	28.5	22.0	3.2		0.3
2	17.3	3.5	2.5	88		24.9	28.0	21.5	3.6		0.2
3	0.3	2.8	2.0	89		24.1	29.0	22.5	0.2		0.2
4	0.2	2.1	1.5	86		23.7	28.0	22.5	0.2		0.2
5	35.6	1.8	1.3	90		23.5	26.8	21.0	2.1		0.2
6	3.9	2.6	1.8	94		24.4	29.5	21.0	4.0		0.2
7	11.9	1.9	1.3	83		25.5	24.0	21.0	1.6		0.5
8	1.3	4.4	3.1	84		25.1	29.0	23.0	0.3		0.3
9	0.0	3.1	2.2	83		26.2	28.5	22.5	2.9		0.3
10	0.0	3.8	2.7	84		25.1	28.0	23.0	4.6		0.3
11	0.0	3.8	2.7	85		24.6	30.0	22.5	0.7		0.2
12	29.3	2.4	1.7	88		24.5	28.5	22.0	5.2		0.3
13	1.5	3.4	2.7	83		25.2	29.0	22.5	2.5		0.8
14	1.9	2.2	1.5	81		26.3	29.0	24.0	9.0		0.3
15	3.5	4.1	3.2	82		26.1	29.0	23.0	7.2		0.3
16	6.5	4.0	2.8	85		25.7	30.0	21.5	3.4		0.8
17	1.5	3.4	2.4	85		26.4	29.5	22.5	5.5		0.3
18	30.7			80		25.7	29.5	23.2	3.4		0.3
19	5.4	2.9	2.0	81		25.8	30.0	24.5	4.0		0.3
20	0.0	4.4	3.1	80		26.4	29.5	23.0	6.3		0.4
21	0.0	5.0	3.5	84		25.6	30.0	23.5	5.5		0.4
22	0.0	3.1	2.2	82		25.5	30.0	23.0	7.5		0.3
23	31.3	3.8	2.7	85		25.8	30.0	21.5	10.0		0.4
24	4.4	3.8	2.7	83		25.5	29.0	21.5	7.3		0.4
25	1.5	4.0	2.8	84		25.5	29.5	22.5	7.0		0.3
26	14.1	5.7	4.0	81		26.0	30.5	23.0	7.0		0.3
27	27.2	3.7	2.7	82		26.5	29.5	23.0	6.0		0.3
28	18.2	6.9	4.3	86		25.2	29.5	23.5	1.5		0.2
29	2.8	2.2	1.5	82		26.3	27.5	22.0	5.0		0.3
30	11.1	3.6	2.5	83		25.7	31.0	21.5	6.0		0.3
31	0.0	2.5	1.8	80		25.4	29.5	23.5	5.0		
Total	261.9	104.1	65.5	260.9		266.0	299.0	227.2	190.4		8.7
Mean											

CLIMATOLOGICAL DATA

STATION: BANDING AGUNG

MONTH: APRIL

YEAR: 1981

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	1.9	3.8	2.7	82		25.3	30.0	23.0	70		0.4
2	5.5	8.0	5.6	84		25.7	29.5	22.0	48		0.3
3	6.8	8.1	2.2	89		24.8	29.5	23.0	1.5		0.2
4	21.4	9.7	6.8	82		25.2	28.0	21.5	8.2		0.3
5	5.0	3.8	2.7	81		25.8	30.0	23.0	6.7		0.3
6	10.0	6.3	4.4	78		25.5	29.0	22.0			0.4
7	0.5	4.3	3.0	82		25.3	30.0	21.5	5.3		0.3
8	3.3	2.1	1.5	87		24.8	30.0	21.5	3.4		0.2
9	39.0	10.3	7.2	80		24.7	29.0	21.5	7.3		0.1
10	0.0	5.0	3.5	72		25.5	30.0	22.0	0.0		0.9
11	10.8	7.7	5.4	67		26.3	30.0	22.5			1.2
12	1.6	4.1	2.9	80		24.0	29.0	22.0			0.6
13	4.1	6.6	4.6	80		25.0	29.5	20.5			0.2
14	6.5	1.5	1.1	86		24.5	29.0	20.5			0.3
15	10.1	2.6	1.8	86		24.1	29.0	20.5			0.4
16	9.8	3.6	2.5	91		23.3	28.0	21.0			0.3
17	3.2	0.7	0.5	87		24.2	29.5	24.0			0.3
18	89.4	6.9	4.8	82		23.7	29.5	22.5			0.3
19	1.0	4.8	3.4	83		25.4	29.0	23.5			0.2
20	0.0	5.0	3.5	78		26.5	30.0	25.0			0.5
21	0.0	5.0	3.5	84		24.9	30.5	24.5	0.0		0.4
22	21.2	25.0	17.5	80		24.5	26.0	21.5	0.0		0.2
23	26.0	8.5	6.0	85		23.7	28.5	21.0	0.0		0.3
24	9.9			86		24.5	26.0	21.5	0.0		0.3
25	7.7	0.2	0.1	86		24.5	28.5	21.0	3.3		0.3
26	0.0	6.3	4.4	83		24.9	29.0	23.0	0.0		0.4
27	0.8	4.6	3.2	82		25.7	31.0	23.5	2.7		0.3
28	0.0	5.0	3.5	80		26.8	30.0	22.5			0.3
29	0.5	4.3	3.0	82		26.2	29.0	25.0	2.8		0.2
30				80		25.9	28.0	21.0	5.8		
31											
Tolol	296.0	158.8	111.3	243.5		25.3	28.2	20.7	59.1		10.2
Meon						25.0					

CLIMATOLOGICAL DATA

STATION: BANDUNG AGUNG

MONTH: JULY YEAR: 1981

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	0.0	4.4	3.1	87		23.9	29.5	20.5			0.3
2	0.0	5.0	3.5	89		24.1	30.0	21.5	6.8		0.3
3	16.3	2.6	1.8	82		24.6	30.0	21.5			0.2
4	0.0	6.3	4.4	80		24.6	29.0	22.0	5.7		0.9
5	0.0	5.6	3.9	75		24.8	29.0	22.0	6.0		0.7
6	0.1	5.1	3.6	74		25.2	28.5	23.0	6.4		0.7
7	0.8	4.6	3.2	76		25.0	29.0	21.0	4.3		0.4
8	0.0	5.0	3.5	80		25.8	28.0	23.5	5.5		0.5
9	2.0	5.8	4.1	76		25.4	30.0	24.5	7.4		0.7
10	0.0	3.8	2.7	77		25.2	30.0	24.0	7.4		0.3
11	35.6	3.1	2.2	87		23.1	28.0	23.0			0.4
12	0.8	4.6	3.2	78		25.1	29.5	23.5	5.2		0.2
13	37.1	0.9	0.6	89		23.7	29.5	21.5	1.8		0.3
14	0.0	2.5	1.8	87		23.1	27.5	20.5	0.0		0.5
15	10.6	1.9	1.3	85		24.1	25.5	24.0	3.7		0.2
16	2.1			84		23.4	27.5	22.5			0.2
17	36.7			90		22.9	25.5	24.0			0.2
18	4.7	2.2	1.5	77		23.3	28.0	20.5	6.0		0.3
19	3.0	1.8	1.3	89		24.0	29.0	23.5	3.2		0.2
20	6.1	4.2	2.9	86		23.9	27.5	21.0			0.3
21	0.4	2.9	2.0	83		24.0	28.5	20.5			0.3
22	56.8			81		24.4	28.0	22.5			0.2
23	59.6			89		23.8	29.5	23.0			0.3
24	33.3	3.3	2.3	84		24.0	27.0	22.5			0.6
25	0.0	5.0	3.5	79		24.1	28.0	23.5			0.7
26	0.0	4.4	3.1	76		25.1	28.5	22.3			0.7
27				76		25.7	28.0	24.5			
28				78		25.1	28.0	23.5			
29				81		24.9	28.5	24.0			
30											
31											
Total	317.7	85.0	59.5	2375		686.3	822.5	656.3	68.9		10.6
Mean						23.7					

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Jan. YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%) (hr)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1				86		26.4	29.5	23.0	3.00		
2				74		29.2	33.0	24.0	6.35		
3				87		25.8	30.5	23.5	4.10		
4				76		27.6	32.5	22.0	7.40		
5				87		28.5	32.5	24.0	2.10		
6				86		25.8	29.5	23.5	7.70		
7				82		27.1	32.0	26.0	6.40		
8				79		27.6	30.5	24.0	6.10		
9				84		28.6	32.0	22.5	3.10		
10				87		26.3	26.0	24.0	3.75		
11				83		27.0	27.5	24.0	2.60		
12				82		27.3	30.5	22.5	5.30		
13				80		27.1	30.5	23.5	3.80		
14				85		27.2	31.5	26.0	5.50		
15				81		28.0	31.5	25.0	6.90		
16				77		28.2	32.5	24.5	5.60		
17				80		27.5	31.5	23.5	6.05		
18				84		27.0	28.0	23.5	3.75		
19				77		28.1	31.0	23.5	6.80		
20				84		27.2	32.0	24.0	4.70		
21				85		27.1	31.5	23.5	2.10		
22				76		28.1	31.5	24.5	4.30		
23				80		27.1	30.0	22.5	4.50		
24				79		28.1	31.0	26.0	2.30		
25				77		28.5	32.5	24.0	6.80		
26				84		27.0	30.5	23.5	5.90		
27				83		27.9	33.0	24.0	8.00		
28				85		27.6	32.5	25.0	4.30		
29				86		28.1	30.5	25.0	4.90		
30				81		25.8	32.0	23.5	7.20		
31				84		27.9	32.0	24.0	2.80		
Total				2546							
Meon				82		27.4	30.9	24.0	4.94		

CLIMATOLOGICAL DATA

STATION: Belitung

MONTH: Feb. YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%) (hr)	Solar radia- tion (ml. Water)	Wind Veloc- ity (km/hr)
		E pon	Eo	Depress- ion of wet bulb	Thermo- hygro- graph	Meon	Mox	Min			
1				80		28.9	32.0	23.5	7.05		
2				83		26.2	29.0	24.0	2.25		
3				85		26.2	29.0	24.0	2.30		
4				78		27.0	31.0	24.0	2.15		
5				83		26.4		24.0	5.90		
6				75		27.3		24.0	1.80		
7				76		24.0		24.5	6.65		
8				87		25.5		23.0	2.80		
9				82		26.6		23.0	3.90		
10				83		27.7		25.0	7.00		
11				86		25.7		24.0	5.75		
12				83		27.5		24.0	6.00		
13				83		27.5		23.0	5.40		
14				84		27.5		24.0	5.65		
15				83		26.9		24.0	7.00		
16				80		27.3		23.5	6.30		
17				84		26.9		24.5	6.40		
18				89		26.0		23.5	1.20		
19				80		28.0		26.5	3.80		
20				71		27.2		25.5	5.40		
21				80		20.1		24.0	4.00		
22				82		27.4		23.5	3.20		
23				83		27.5		23.5	6.80		
24				90		27.5		26.0	4.70		
25				89		27.0		23.0	2.45		
26				87		26.2		24.0	-		
27				83		27.3		28.0	2.95		
28				84		26.9		24.5	5.70		
29											
30											
31											
Total				2343							
Mean				84		27.0		24.2			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Mar.

YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radia- tion (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress- ion of wet bulb	Thermo- hygro- graph	Mean	Max	Min			
1				82		27.1		24.5	5.70		
2				79		22.4		23.5	7.20		
3				91		25.7		24.5	1.50		
4				82		27.3		24.0	2.50		
5				79		28.7		23.5	4.85		
6				87		27.1		24.5	7.10		
7				76		27.3		25.5	0.25		
8				78		28.8		26.0	5.90		
9				77		28.9		26.0	2.85		
10				87		27.4		25.0	4.40		
11				79		28.2		25.5	7.00		
12				84		27.7	32.5	25.0	5.00		
13				81		28.2	32.5	24.5	4.40		
14				86		28.4	31.5	25.5	4.40		
15				77		29.3	32.5	26.5	6.25		
16				80		28.9	32.5	25.5	4.60		
17				85		26.7	30.5	25.5	-		
18				82		27.7	32.5	24.0	2.40		
19				82		28.0	32.5	24.5	5.15		
20				81		29.1	32.0	26.0	6.00		
21				77		29.5	31.0	26.0	7.50		
22				80		28.9	34.0	24.5	5.25		
23				85		28.3	31.0	24.5	4.90		
24				80		28.2	32.0	24.5	4.60		
25				86		27.3	31.5	23.5	4.85		
26				88		26.9	30.5	24.5	4.90		
27				82		27.9	32.5	24.5	2.70		
28				87		26.7	32.5	24.5	5.05		
29				80		28.1	30.5	25.0	1.50		
30				87		28.1	32.5	24.0	5.35		
31				81		26.7	31.5	25.0	-		
Total				2553							
Mean				82		28.0	32.0	24.8	5.06		

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Apr.

YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%) (hr)	Solar radiation (hr. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygroph	Mean	Max	Min			
1				85		29.3	32.5	25.0	7.00		
2				81		28.9	33.0	24.5	8.70		
3				84		27.3	31.0	25.0	5.60		
4				75		28.8	32.5	25.5	6.70		
5				87		27.5	33.0	23.5	8.70		
6				78		27.9	30.5	25.5	4.50		
7				86		27.8	32.0	24.0	7.60		
8				85		27.3	32.0	28.8	5.00		
9				73		29.4	32.5	26.0	6.70		
10				82		28.6	33.0	25.0	7.10		
11				78		29.3	29.0	27.0	3.10		
12				81		26.4	30.0	24.0	5.40		
13				87		26.3	31.0	24.5	2.40		
14				86		26.6	31.0	24.5	5.30		
15				82		27.7	32.0	25.0	5.00		
16				82		28.0	32.5	24.5	7.00		
17				81		28.4	33.5	24.5	6.60		
18				83		28.1	32.0	25.5	4.20		
19				82		28.1	33.5	24.0	6.95		
20				81		28.1	33.0	25.5	5.75		
21				80		28.2	33.0	24.5	6.80		
22				83		27.8	32.5	25.0	7.30		
23				93		25.4	27.0	25.0	3.75		
24				85		26.7	30.5	24.0	4.90		
25				80		28.2	32.5	24.0	2.60		
26				83		27.4	33.5	24.5	4.40		
27				77		27.5	31.0	25.0	6.90		
28				86		28.5	31.5	25.0	6.65		
29				88		27.0	32.0	24.5	7.20		
30				81		27.9	33.0	24.5	3.35		
31											
Total				2477							
Meon				83		27.8	31.8	24.9	5.85		

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: May

YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (rd. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1				72	29.9	32.5	25.0	7.80			
2				85	27.6	32.5	25.0	7.50			
3				85	26.8	30.5	24.5	2.20			
4				87	29.0	33.0	27.0	6.40			
5				79	28.9	32.5	25.5	6.80			
6				87	28.1	33.0	25.0	7.05			
7				95	25.6	27.0	24.5	2.30			
8				81	28.0	31.5	24.0	3.45			
9				84	27.9	31.5	25.0	2.30			
10				83	27.9	32.5	25.0	2.70			
11				70	29.1	32.5	25.5	7.30			
12				84	28.2	33.0	26.0	0.50			
13				74	29.9	33.0	26.0	6.25			
14				85	27.9	32.0	25.0	2.50			
15				79	28.6	32.5	24.0				
16				89	27.8	31.5	25.0				
17				84	27.5	30.0	24.0				
18				81	28.6	32.5	25.0				
19				83	28.2	32.5	26.5				
20				83	28.0	32.0	24.0				
21				84	28.8	30.5	25.0				
22				60	28.8	32.0	26.0				
23				80	28.6	32.5	24.5				
24				78	28.8	33.0	25.5				
25				72	27.2	28.0	25.0				
26				84	27.9	31.5	25.0				
27				87	27.4	33.0	25.0				
28				80	28.6	32.0	24.5				
29				72	30.1	33.0	26.0				
30				81	28.5	32.5	25.5				
31				87	27.7	32.5	24.0				
Total				2535							
Mean				82	28.3	31.9	25.1				

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Jun.

YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	Eo	Depress- ion of wet bulb	Thermo- graph	Mean	Max	Min			
1				76		30.1	33.5	24.5			
2				83		27.8	32.0	25.5			
3				96		24.8	32.5	24.0			
4				74		28.2	32.5	24.0			
5				85		26.3	38.0	28.0			
6				81		28.4	32.5	26.0			
7				85		27.2	30.0	25.0			
8				79		28.6	33.0	25.0			
9				84		27.5	30.0	24.5			
10				84		27.3	29.0	25.0			
11				85		26.8	30.5	25.0			
12				73		26.5	29.0	25.0			
13				87		28.3	32.0	24.5			
14				87		28.5	31.5	23.5			
15				78		27.9	32.0	25.0			
16				85		27.3	30.0	23.5			
17				97		24.5	25.5	23.5			
18				87		26.5	32.0	24.0			
19				76		28.3	30.5	24.0			
20				76		28.2	32.0	24.0			
21				78		28.6	32.0	24.0			
22				77		28.2	32.5	23.5			
23				85		26.5	32.0	25.5			
24				92		24.3	27.5	23.5			
25				82		27.5	30.5	24.0			
26				81		28.2	32.5	24.5			
27				82		27.6	32.5	24.5			
28				87		26.8	32.0	25.5			
29				78		27.9	32.0	23.5			
30				78		27.5	31.5	23.0			
31											
Total				2472							
Mean				83		27.4	31.0	24.5			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Jul.

YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro graph	Mean	Max	Min			
1				76		27.6	32.5	23.5			
2				79		24.6	26.0	23.0			
3				87		25.9	28.5	23.5			
4				84		26.8	31.5	24.0			
5				84		26.9	31.0	25.5			
6				73		27.0	31.5	24.0			
7				75		28.3	32.0	24.0			
8				79		27.6	30.5	24.0			
9				80		27.9	32.0	23.5			
10				79		26.8	32.0	22.5			
11				82		27.1	32.0	23.5			
12				74		27.9	32.0	23.5			
13				75		28.1	32.5	24.0			
14				83		26.5	30.0	24.0			
15				79		25.4	31.5	23.0			
16				74		22.8	32.0	24.5			
17				74		22.4	32.0	23.5			
18				77		27.3	32.5	23.0			
19				84		26.5	29.0	23.5			
20				75		27.7	33.0	24.5			
21				81		27.9	32.0	24.5			
22				74		22.5	33.0	25.0			
23				77		27.0	30.5	25.0			
24				69		22.4	32.0	23.5			
25				74		28.1	32.5	23.5			
26				72		27.0	32.5	22.0			
27				75		28.1	32.5	22.5			
28				70		22.6	33.0	22.5			
29				73		28.2	33.0	24.5			
30				71		28.2	33.0	25.0			
31				71		28.3	33.0	23.0			
Total				2397							
Mean				77		27.5	31.6	23.7			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Aug. YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pan	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1				76		28.1	33.5	26.0			
2				71		28.4	32.5	23.0			
3				46		27.0	32.5	22.0			
4				66		28.3	32.5	22.0			
5				72		27.1	33.0	23.0			
6				84		25.6	32.0	23.5			
7				73		28.3	33.0	24.0			
8				84		25.7	31.5	24.0			
9				69		28.3	32.5	24.5			
10				74		28.3	33.0	26.0			
11				72		28.3	32.5	24.5			
12				80		26.1	32.5	22.0			
13				74		24.8	31.0	23.0			
14				86		26.9	32.0	24.0			
15				72		25.9	27.5	22.5			
16				71		26.3	32.0	23.0			
17				75		26.6	30.5	20.5			
18				70		27.8	32.0	21.5			
19				86		25.3	31.0	23.0			
20				82		25.5	33.5	23.0			
21				77		26.0	31.5	23.0			
22				84		25.6	31.0	23.5			
23				75		27.6	32.0	23.0			
24				83		25.6	26.0	23.0			
25				70		27.9	32.5	22.0	6.50		
26				78		26.7	32.0	21.5	7.20		
27				82		26.1	32.0	21.0	6.30		
28				68		28.3	34.0	23.0	8.30		
29				70		28.8	33.5	23.5	8.70		
30				66		28.9	33.5	24.0	6.30		
31				60		27.9	33.5	22.5	6.70		
Total				2336							
Mean				75		27.1	30.1	23.1			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Sep.

YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (m ² .Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1				66		28.9	32.5	23.0	7.30		
2				69		29.3	34.0	24.5	5.05		
3				69		28.5	34.0	24.0	4.40		
4				83		26.1	31.0	22.0	2.10		
5				77		27.3	31.0	24.0	2.40		
6				84		26.3	32.5	25.0	1.70		
7				77		28.4	32.5	22.0	6.00		
8				82		27.3	34.0	24.5	6.90		
9				75		28.9	33.0	23.5	7.00		
10				77		28.8	33.0	24.0	7.40		
11				74		28.3	33.0	24.5	8.85		
12				74		28.9	33.0	25.0	8.00		
13				72		29.3	33.5	25.0	7.10		
14				80		28.1	32.5	25.5	3.10		
15				86		26.6	30.5	23.0	6.60		
16				79		28.1	33.0	24.0	1.40		
17				78		28.2	32.5	23.5	4.10		
18				75		27.3	33.0	23.5	8.60		
19				70		29.5	33.5	24.0	9.70		
20				80		27.4	31.0	24.0	5.80		
21				88		25.9	29.5	23.0	-		
22				73		28.5	33.0	25.5	2.90		
23				75		28.3	32.5	23.0	4.50		
24				80		27.7	33.0	24.5	3.20		
25				76		28.3	32.5	23.5	5.40		
26				72		28.5	32.0	24.0	5.70		
27				88		29.0	32.5	24.5	5.40		
28				86		25.5	28.5	25.0	-		
29				84		27.2	32.5	24.0	4.80		
30				82		27.3	33.5	25.0	6.60		
31											
Total				2311							
Mean				77		27.9	30.4	24.0	5.34		

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Oct.

YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	Eo	Depress. ion of wet bulb	Thermo-hygro graph	Meon	Max	Min			
1					81	27.3	33.5	25.0	7.20		
2					76	28.2	33.0	24.5	7.10		
3					74	28.6	32.5	25.0	5.80		
4					90	25.4	26.0	25.0	2.50		
5					83	27.0	30.0	24.5	-		
6					73	28.2	32.5	24.0	7.20		
7					69	28.3	33.0	25.0	8.30		
8					69	28.2	35.0	24.0	6.30		
9					66	28.8	33.0	25.0	9.30		
10					70	28.6	33.0	23.5	9.00		
11					74	28.3	32.5	23.5	8.00		
12					72	27.7	33.0	24.0	6.10		
13					62	29.9	34.0	26.0	7.28		
14					70	29.1	33.0	26.0	4.10		
15					19	23.1	33.0	22.5	6.30		
16					69	28.3	34.0	22.0	7.10		
17					64	28.5	34.0	23.5	8.10		
18					65	29.3	34.0	25.5	8.80		
19					74	27.7	34.0	23.5	7.10		
20					64	30.1	34.5	24.0	8.10		
21					57	30.9	34.5	26.0	7.20		
22					87	26.1	33.0	25.0	6.30		
23					81	27.3	33.5	25.0	8.10		
24					85	26.9	31.0	24.0	2.90		
25					80	27.7	33.0	25.0	6.70		
26					88	25.3	28.0	24.5	3.70		
27					89	26.9	31.0	23.5	5.10		
28					84	26.1	31.0	23.5	2.30		
29					76	28.5	33.0	23.0	7.70		
30					82	26.9	30.0	23.0	9.75		
31					71	28.9		23.0	2.60		
Total					2314						
Meon					75	28.0	33.5	24.2	6.66		

CLIMATOLOGICAL DATA

STATION: Bolitang

MONTH: Nov.

YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1				78		27.8	32.0	23.0	0.40		
2				82		27.6	32.0	25.0	4.80		
3				78		27.6	31.5	24.0	5.80		
4				84		27.2	32.0	24.5	5.00		
5				82		28.0	32.0	25.0	6.10		
6				82		27.3	31.0	24.0	7.00		
7				79		27.0	33.5	23.0	2.50		
8				81		28.1	32.5	24.0	6.80		
9				76		28.5	27.0	24.5	3.60		
10				89		25.1	27.0	23.5	1.20		
11				89		25.2	27.0	23.5	1.50		
12				80		27.1	32.0	23.0	6.60		
13				74		28.5	34.0	26.0	6.20		
14				78		27.1	32.0	24.5	6.30		
15				83		26.5	32.0	23.5	5.20		
16				73		29.1	33.0	24.0	7.40		
17				76		28.2	34.0	25.0	5.90		
18				70		29.5	34.0	25.0	7.90		
19				72		28.7	35.0	23.5	8.60		
20				75		27.9	34.0	25.5	8.10		
21				70		30.5	35.0	25.5	9.30		
22				67		32.8	35.0	26.0	9.30		
23				70		29.7	34.0	22.5	8.60		
24				73		28.5	34.0	24.5	7.90		
25				78		28.7	33.0	25.5	6.20		
26				79		27.6	31.0	24.5	4.00		
27				82		26.0	32.5	24.5	2.50		
28				87		26.8	32.0	24.0	6.40		
29				80		27.6	33.0	25.0	6.60		
30				75		28.1	32.0	26.5	5.80		
31											
Total				2348							
Mean				78		28.0	32.4	24.7	5.78		

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Dec.

YEAR: 1969

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E _{pon}	E _o	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Max	Min			
1				81		27.6	33.0	24.0	4.90		
2				79		27.3	30.0	24.0	2.10		
3				82		26.6	31.5	24.0	5.60		
4				84		26.9	31.5	25.0	4.50		
5				81		27.5	31.0	24.0	3.20		
6				80		28.4	32.5	25.0	2.80		
7				75		27.3	32.5	25.5	1.00		
8				83		27.8	33.5	26.5	6.70		
9				81		28.0	31.5	24.5	3.50		
10				-		-	-	-	-		
11				-		-	-	-	-		
12				-		-	-	-	-		
13				80		27.6	32.5	24.0	4.60		
14				81		26.8	29.5	23.0	2.00		
15				74		28.2	31.5	25.0	5.90		
16				83		27.1	30.5	23.5	5.90		
17				83		27.2	30.5	24.5	4.10		
18				81		27.2	29.5	25.0	5.70		
19				87		26.3	28.0	24.5	3.50		
20				83		26.5	28.5	24.5	3.50		
21				77		27.8	30.5	25.0	3.30		
22				70		27.5	31.0	23.5	5.50		
23				80		28.0	31.0	24.5	5.20		
24				85		26.2	31.0	24.5	5.40		
25				76		29.4	32.5	23.5	-		
26				80		28.6	32.0	23.0	3.70		
27				88		26.1	31.0	23.5	4.70		
28				84		27.0	30.0	23.5	-		
29				90		25.1	26.5	23.5	5.60		
30				82		26.9	31.5	23.0	-		
31				80		28.1	31.5	23.0	5.20		
Total											
Mean				81		27.0	31.0	24.2	4.35		

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Jan.

YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygroph	Meon	Max	Min			
1					76		32.0	25.5	7.60		
2					92		27.5	23.5	6.00		
3					79		31.5	23.5	5.70		
4					80		31.5	24.5	4.70		
5					81		32.0	23.5	5.00		
6					86		30.0	23.0	4.70		
7					80		31.5	23.0	4.10		
8					80		31.5	24.5	5.60		
9					94		27.5	23.0	-		
10					83		31.0	23.0	6.10		
11					85		29.5	25.0	2.60		
12					79		31.5	25.0	3.00		
13					87		32.0	24.0	4.40		
14					84		32.0	24.0	5.20		
15					80		31.5	23.5	4.70		
16					77		32.0	27.5	7.20		
17					81		31.5	25.0	7.00		
18					88		28.0	24.5	4.60		
19					87		28.5	25.0	2.30		
20					82		30.0	23.5	3.40		
21					79		32.0	23.0	4.20		
22					78		30.5	23.5	4.30		
23					79		31.0	24.5	6.70		
24					76		31.5	25.0	7.90		
25					76		33.0	26.0	6.00		
26					81		22.5	25.0	5.80		
27					81		30.0	23.5	5.80		
28					81		31.5	24.5	5.50		
29					78		31.0	23.0	4.00		
30					82		30.5	25.5	1.30		
31					80		31.0	25.0	2.10		
Total					2532						
Meon					82		30.9	24.3	4.92		

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Feb.

YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E _{pan}	E _o	Depress- ion of wet bulb	Thermo- hygro graph	Mean	Max	Min			
1							29.5	23.5	0.50		
2						80	31.5	23.5	6.40		
3						82	29.5	24.0	3.00		
4						78	30.0	23.5	2.60		
5						78	31.0	24.5	2.70		
6						81	30.5	24.0	-		
7						81	31.0	24.0	-		
8						83	29.5	24.5	2.70		
9						82	31.5	24.0	5.40		
10						86	29.5	22.5	1.50		
11						88	30.0	24.0	2.00		
12						81	31.0	23.5	5.10		
13						81	30.0	23.0	2.00		
14						78	31.0	25.0	1.30		
15						77	30.0	25.0	6.50		
16						77	31.0	24.5	6.30		
17						74	29.5	24.5	5.90		
18						74	30.5	26.0	6.30		
19						77	32.0	24.5	8.10		
20						80	32.0	23.0	-		
21						83	32.0	23.5	7.70		
22						74	33.0	25.0	2.50		
23						76	33.5	24.5	7.20		
24						74	32.5	24.0	8.60		
25						72	34.0	25.0	8.50		
26						91	31.0	23.0	1.20		
27						82	32.5	25.5	5.80		
28						77	33.5	24.0	5.30		
29											
30											
31											
Total						2231					
Mean						80	31.2	24.2	5.56		

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Mar.

YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (mj. /hr)	Wind Velocity of 2m (km/hr)
		E _{pan}	E _o	Depress- ion of wet bulb	Thermo- hygro graph	Mean	Max	Min			
1					83		32.0	23.5	6.20		
2					85		28.5	24.0	4.10		
3					80		31.5	24.0	6.30		
4					79		31.0	23.5	6.60		
5					72		28.0	23.0	2.60		
6					84		29.0	24.0	5.60		
7					81		32.0	24.0	6.20		
8					79		31.5	23.5	5.00		
9					88		29.0	24.0	-		
10					80		32.0	23.5	6.20		
11					78		33.5	25.5	4.50		
12					86		30.5	25.0			
13					78		32.5	23.5			
14					83		30.0	23.5			
15					83		32.0	24.5			
16					83		33.5	24.5			
17					86		32.0	24.0			
18					81		31.5	24.0			
19					82		31.5	24.0			
20					76		30.5	24.5			
21					77		32.5	25.0			
22					82		32.5	25.0			
23					81		32.0	23.0			
24					82		33.0	25.0			
25					82		31.5	24.0			
26					79		32.0	24.0			
27					85		28.5	23.0			
28					81		32.0	25.0			
29					81		32.0	24.0			
30					87		31.0	25.0			
31					77		33.0	25.0			
Total					2541						
Mean					82		31.4	24.1			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Apr. YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	Eo	Depression of wet bulb	Thermohygrograph	Meon	Max	Min			
1				77			33.0	24.5			
2				85			31.0	24.0			
3				80			31.5	23.5			
4				85			29.0	23.5			
5				84			31.5	23.5			
6				83			33.0	23.5			
7				81			34.5	24.0			
8				83			28.0	24.5			
9				85			31.5	23.5			
10				84			32.0	24.5			
11				83			32.0	24.0			
12				83			32.5	23.5			
13				89			31.5	24.0			
14				86			30.0	23.0			
15				84			32.0	25.0			
16				81			33.0	25.0			
17				87			32.0	25.0			
18				80			32.0	25.0			
19				86			33.0	27.0			
20				78			32.5	24.5			
21				76			33.0	26.0			
22				79			32.0	25.0			
23				87			31.0	25.0			
24				77			32.5	24.5			
25				84			30.0	24.5			
26				81			33.0	25.5			
27				84			33.0	24.0			
28				77			33.5	24.5			
29				83			31.5	23.5			
30				77			34.0	25.0			
31											
Total				2475							
Meon				83			32.0	24.4			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: May YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine Duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)	
		E pon	Eo	Depress- ion of wet bulb	Thermo- hygro- graph	Mean	Max	Min				
1						74		34.5	26.0			
2						71		34.0	29.0			
3						78		29.0	27.0			
4						79		32.0	23.5			
5						81		32.5	24.0			
6						85		22.0	23.5			
7						83		31.5	23.0			
8						81		30.5	24.5			
9						83		32.0	24.0			
10						82		32.0	25.0			
11						81		31.5	25.5			
12						80		33.0	24.0			
13						93		25.0	24.0			
14						85		30.0	24.0			
15						85		31.0	24.5			
16						91		27.0	23.5			
17						86		28.5	24.5			
18						75		23.5	25.0			
19						79		32.0	25.5			
20						84		31.0	23.5			
21						76		32.0	24.5			
22						79		33.0	25.5			
23						79		32.0	24.5			
24						75		34.5	24.5			
25						79		32.0	25.0			
26						84		32.0	26.0			
27						92		26.0	24.0			
28						-		30.5	24.0			
29						87		32.5	25.0			
30						81		32.0	25.5			
31						83		33.0	23.5			
Total												
Mean						82		31.5	24.7			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: June YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E. pan	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1				83			30.0	24.0			
2				87			32.5	23.0			
3				78			33.5	26.0			
4				77			28.0	23.0			
5				86			29.5	24.0			
6				85			31.0	24.5			
7				84			33.0	25.0			
8				77			30.0	25.0			
9				83			33.0	25.0			
10				83			32.0	25.0			
11				88			28.0	25.0			
12				91			32.0	24.0			
13				77			33.0	25.0			
14				77			33.5	24.0			
15				80			27.0	24.0			
16				88			27.0	24.0			
17				93			33.0	25.0			
18				75			33.5	23.0			
19				86			32.5	25.0			
20				75			32.0	22.0			
21				74			32.0	24.0			
22				76			33.0	23.5			
23				75			32.5	26.0			
24				81			32.5	24.0			
25				83			-	25.0			
26				92			32.0	24.0			
27				84			31.0	22.0			
28				81			32.0	24.0			
29				81			33.0	24.0			
30				80			30.5	23.0			
31											
Total				2674							
Meon				82			31.5	24.2			

CLIMATOLOGICAL DATA

STATION: Belitung

MONTH: July

YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E _{pon}	E _o	Depression of wet bulb	Thermohygrograph	Mean	Max	Min			
1					80		31.0	23.0			
2					83		31.0	22.0			
3					74		31.0	23.0			
4					79		30.5	21.5			
5					81		32.5	24.5			
6					88		30.5	23.5			
7					91		26.5	21.5			
8					78		31.5	22.5			
9					78		32.5	23.5			
10					79		33.5	24.0			
11					74		32.5	23.0			
12					71		32.5	23.5			
13					74		33.0	22.0			
14					75		33.5	23.5			
15					77		31.5	24.0			
16					79		32.0	24.5			
17					79		32.5	24.5			
18					82		32.5	23.5			
19					80		30.5	24.0			
20					85		32.5	24.0			
21					82		31.0	21.5			
22					84		31.0	23.5			
23					83		30.5	23.0			
24					77		30.5	23.0			
25					75		32.0	24.5			
26					82		32.5	24.0			
27					88		28.5	23.0			
28					88		26.5	23.5			
29					83		29.5	23.5			
30					82		31.0	24.5			
31					82		32.0	23.0			
Total					2493						
Mean					80		31.3	23.3			

CLIMATOLOGICAL DATA

STATION: Bellitung

MONTH: Aug. YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	Eo	Depress. of wet bulb	Thermo-hygrograph	Mean	Max	Min			
1				79			31.5	22.5			
2				86			28.5	23.0			
3				86			29.0	23.0			
4				79			31.5	22.0			
5				74			32.5	23.0			
6				78			31.0	24.0			
7				80			31.5	24.5			
8				76			32.0	23.5			
9				81			32.0	24.5			
10				74			32.5	24.0			
11				77			32.0	22.5			
12				80			30.0	22.0			
13				75			33.0	24.5			
14				77			31.0	25.0			
15				72			31.5	23.5			
16				75			32.5	24.5			
17				77			32.5	24.0			
18				79			31.5	24.5			
19				78			32.5	23.5			
20				68			33.0	24.0			
21				75			33.5	24.0			
22				75			33.5	25.0			
23				75			34.0	22.5			
24				67			33.5	23.5			
25				72			33.0	25.0			
26				75			33.5	24.5			
27				78			32.5	24.0			
28				72			32.5	23.5			
29				69			32.5	23.5			
30				64			33.0	23.5			
31				67			33.0	24.0			
Total				2346							
Mean				74			32.1	23.7			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Sep. YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E _{pon}	E _o	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1				71			33.5	24.0			
2				69			33.5	24.5			
3				69			32.0	23.5			
4				65			33.5	24.0			
5				70			33.5	23.5			
6				80			32.0	24.0			
7				74			33.0	25.5			
8				79			31.0	23.0			
9				80			33.0	23.5			
10				79			33.5	25.0			
11				72			34.0	25.0			
12				76			32.0	24.5			
13				72			33.0	23.0			
14				84			30.0	25.0			
15				75			31.5	24.0			
16				88			27.0	24.0			
17				77			33.0	23.0			
18				84			31.5	24.0			
19				87			30.0	24.0			
20				84			31.5	22.5			
21				78			32.5	24.0			
22				89			27.0	25.0			
23				81			33.0	25.0			
24				82			30.5	25.0			
25				71			33.5	25.0			
26				71			34.0	25.0			
27				70			33.0	25.0			
28				72			34.0	25.0			
29				69			33.5	24.5			
30				87			27.5	24.0			
31											
Total				2305							
Mean				77			31.7	24.7			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Oct. YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radia- tion (ml. Water)	Wind Veloc- ity at 2m (km/hr)
		E pan	Eo	Depress- ion of wet bulb	Thermo- hygro- graph	Meon	Max	Min			
1				87			28.5	23.5			
2				76			22.5	24.0			
3				74			24.0	25.0			
4				79			26.5	25.0			
5				90			22.0	24.0			
6				82			22.5	24.5			
7				76			24.0	23.0			
8				86			30.0	23.5			
9				85			24.0	23.5			
10				78			23.0	25.0			
11				73			24.0	25.0			
12				26			22.0	25.0			
13				74			22.5	25.0			
14				62			24.5	24.0			
15				69			23.5	24.0			
16				74			23.5	24.0			
17				70			24.5	24.5			
18				73			23.5	24.0			
19				69			22.5	27.5			
20				81			21.5	23.5			
21				81			22.5	24.5			
22				80			22.5	24.0			
23				73			24.0	25.0			
24				75			24.0	24.0			
25				66			24.0	26.5			
26				76			22.0	26.5			
27				81			22.0	25.0			
28				81			22.0	24.5			
29				82			21.0	25.0			
30				78			22.5	25.0			
31				85			22.0	24.0			
Total				2422							
Mean				78			22.2	24.6			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Nov.

YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)	
		E pan	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Max	Min				
1						80		33.0	24.0			
2						87		31.5	24.0			
3						80		32.0	23.0			
4						77		32.5	24.0			
5						87		30.0	24.5			
6						87		30.0	24.0			
7						82		32.0	24.0			
8						81		33.0	23.5			
9						87		32.0	24.5			
10						76		32.5	24.5			
11						80		32.5	24.5			
12						79		32.5	24.5			
13						82		32.5	24.0			
14						80		31.5	25.0			
15						80		33.0	23.5			
16						76		32.5	25.0			
17						80		31.0	24.5			
18						87		31.5	24.5			
19						81		27.5	24.5			
20						76		32.5	24.5			
21						84		33.0	25.5			
22						85		30.0	24.5			
23						82		32.5	24.5			
24						79		30.5	24.0			
25						84		31.0	24.0			
26						82		29.0	24.0			
27						89		30.5	25.5			
28						70		29.0	23.5			
29						84		31.0	23.5			
30						84		31.0	23.5			
31												
Total						2468						
Meon						82		31.5	24.2			

CLIMATOLOGICAL DATA

STATION: Belitang

MONTH: Dec.

YEAR: 1970

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radia- tion (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	Eo	Depress- ion of wet bulb	Thermo- hygro- graph	Mean	Max	Min			
1				84		31.0	24.5				
2				82		32.0	24.0				
3				86		28.5	23.0				
4				80		32.0	24.0				
5				75		31.5	24.5				
6				81		31.5	25.0				
7				80		33.0	26.0				
8				78		32.0	25.0				
9				80		32.0	24.0				
10				80		30.0	24.0				
11				82		31.5	24.0				
12				83		32.0	24.0				
13				83		31.0	22.5				
14				81		31.0	24.0				
15				85		30.5	23.5				
16				72		27.5	24.0				
17				86		-	-				
18				86		-	-				
19				83		-	-				
20				84		-	-				
21				86		-	-				
22				84		-	-				
23				84		-	-				
24				79		-	-				
25				82		-	-				
26				77		-	-				
27				80		-	-				
28				87		-	-				
29				86		-	-				
30				81		-	-				
31				79		-	-				
Total				2556							
Mean				82		31.1	24.1				

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JANUARY YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan PICHE	E ₀	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1	1.0	4.5	3.2	82		27.3	30.0	22.0	10		
2	7.0	5.4	3.2	79		27.2	31.0	22.0	30		
3	54.0	4.0	2.8	83		27.0	32.0	21.5	50		
4	26.0	4.3	3.0	87		25.7	31.0	22.5	50		
5	20.0	4.3	3.0	85		26.9	31.5	22.0	50		
6	29.0	4.0	2.8	87		25.8	31.0	22.0	20		
7	14.0	3.5	2.5	83		26.9	29.0	22.0	-		
8	15.0	3.8	2.7	90		25.2	28.0	21.5	10		
9	2.0	4.5	3.2	95		24.6	29.0	21.5	20		
10	1.0	4.4	3.1	89		25.4	30.0	22.0	30		
11	2.0	3.4	2.4	88		25.4	29.0	22.0	40		
12	7.0	5.2	3.6	88		25.1	29.0	22.0	20		
13	1.0	4.5	3.2	82		26.3	29.5	22.5	40		
14	6.0	3.5	2.5	85		26.5	29.0	22.0	10		
15	6.0	4.4	2.1	90		25.2	27.5	22.5	-		
16	22.0	3.2	2.2	85		26.7	30.0	22.5	20		
17	0	5.2	3.6	93		24.9	28.5	23.0	30		
18	6.0	3.5	2.5	79		27.5	32.0	22.5	10		
19	10.0	5.2	3.6	78		26.3	29.5	21.5	30		
20	23.0	6.1	4.3	85		26.7	30.0	22.0	30		
21	1.0	6.3	4.4	79		21.5	30.0	22.0	40		
22	1.0	4.9	3.4	84		26.3	30.5	22.0	20		
23		4.5	3.2	86		26.1	29.5	22.0	-		
24		4.5	3.2								
25		4.5	3.2								
26		4.5	3.2								
27		4.5	3.2								
28		4.5	3.2								
29		4.5	3.2								
30		4.5	3.2								
31		4.5	3.2								
Tolol	260.0	139.5	97.7						560		
Meon	11.8	4.5	3.2	85		26.2	29.8	22.1	28		

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: FEBRUARY YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan PICHE	E ₀	Depress-ion of wet bulb	Thermo-hygro graph	Meon	Max	Min			
1		5.7	4.0								
2		5.7	4.0								
3		5.7	4.0								
4		5.7	4.0								
5	70.0	8.0	5.6								
6	0	5.8	4.1	77		26.9	30.0	22.0	30		
7	35.0	3.4	2.4	84		26.1	28.0	21.5	40		
8	4.0	5.7	4.0	90		24.8	28.5	21.5	10		
9	7.0	6.7	4.7	84		25.9	29.0	20.5	20		
10	9.0	4.8	3.4	82		25.7	30.0	22.5	10		
11	26.0	4.7	3.3	83		25.8	29.0	22.0	20		
12	27.0	4.0	2.8	87		26.0	28.5	21.5	20		
13	0	6.2	4.3	87		25.7	29.0	21.5	-		
14	14.0	4.6	3.2	81		27.5	31.5	21.0	40		
15	9.0	6.4	4.5	86		26.1	29.0	21.5	20		
16	6.0	5.5	3.9	81		26.7	30.5	22.0	20		
17	5.0	2.7	3.1	86		26.7	30.0	21.5	-		
18	0	6.7	4.7	78		27.7	32.5	21.5	40		
19	22.0	7.2	5.0	83		26.6	30.0	21.0	20		
20	0	4.6	3.2	79		27.2	31.5	21.0	30		
21	4.0	4.7	3.3	89		25.3	29.0	23.5	60		
22	9.0	5.7	4.0	81		28.4	31.5	22.0	-		
23	4.5	6.0	4.2	87		25.9	31.0	22.0	10		
24	13.5	5.8	4.1	86		26.3	29.5	22.0	20		
25	0	4.8	3.4	88		25.8	29.5	21.0	30		
26	33.0	6.5	4.6	84		26.3	29.0	23.0	10		
27	0	4.9	3.4	82		27.0	31.0	21.0	20		
28	0	5.8	4.1	86		26.1	30.5	22.5	20		
29											
30											
31											
Total	306.0	160.0	112.3						490		
Meon	12.8	5.7	4.0	84		26.4	29.9	21.7	21		

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: MARCH YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (kcal./Water)	Wind Velocity of 2m (km/hr)
		E per PICHE	Eo	Depress ion of wet bulb	Thermo hygrom graph	Mean	Max	Min			
1	48.0	4.3	5.1	82		28.3	31.0	21.5	20		
2	2.0	6.0	4.2	79		24.8	32.0	22.0	20		
3		7.1	5.0	83		26.5	31.5	21.5	50		
4		8.0	5.6	84		26.3	31.0	22.0	20		
5		3.6	2.5	83		26.1	32.0	22.0	40		
6		6.5	4.6	89		23.3	29.0	22.0	20		
7		5.5	3.9	83		26.5	29.5	21.0	20		
8		6.7	4.7	88		25.5	31.5	21.0	30		
9		7.8	5.5	78		26.7	31.5	22.5	40		
10		3.0	2.1	81		26.7	30.0	22.5	60		
11		5.7	4.0	95		24.4	27.0	22.5	0		
12	1.0	7.5	5.3	84		26.2	29.5	22.0	30		
13	4.0	6.4	4.5	81		26.9	30.0	22.5	40		
14	19.0	7.2	5.0	88		25.6	31.0	21.5	30		
15	3.0	7.5	5.3	81		26.7	30.0	22.0	30		
16	2.0	8.5	6.0	85		26.4	30.5	22.0	40		
17	9.0	6.0	4.2	80		27.9	32.0	22.0	20		
18	76.0	7.3	5.1	84		26.2	31.0	22.0	50		
19	21.0	4.7	3.3	79		28.3	32.5	21.0	40		
20	6.0	6.8	4.8	83		26.8	30.0	21.5	30		
21	-	6.2	4.3	76		28.1	32.0	22.0	50		
22	-	7.0	4.9	81		27.5	30.3	22.5	60		
23	-	6.3	4.4	78		28.1	32.0	22.5	50		
24	-	7.9	5.5	80		27.1	31.0	22.0	30		
25	10.0	7.8	5.5	81		27.3	32.5	22.5	20		
26	-	6.4	4.5	80		27.8	31.0	22.5	0		
27	-	5.5	3.9	86		26.8	30.5	23.0	40		
28	24.0	5.6	3.9	84		27.3	30.0	22.0	40		
29	1.0	7.5	1.8	83		26.9	30.0	23.0	60		
30	57.0	7.9	5.5	92		24.9	26.0	22.5	40		
31	34.0	5.4	3.8	81		28.1	32.0	23.5	50		
Total	318.0	192.6	138.5	2592					1.670		
Mean	10.3	6.3	4.5	83		26.1	30.6	22.1	37.4		

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: APRIL YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (mj. Water)	Wind Velocity at 2m (km/hr)
		E per PICHE	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	17.0	6.5	4.6	91		28.9	32.5	21.5	0		
2	5.0	6.4	4.5	84		26.9	31.5	22.0	30		
3	24.0	4.7	3.3	83		28.2	31.5	23.0	80		
4	5.0	6.2	4.3	82		28.4	33.0	22.5	0		
5	-	5.9	4.1	85		26.8	31.0	21.5	40		
6	0	2.5	6.0	81		26.7	32.0	22.0	30		
7	8.0	4.9	3.4	84		27.2	31.0	22.0	50		
8	9.0	4.0	2.8	76		28.5	32.5	22.0	60		
9	0	7.5	5.3	80		28.0	32.5	22.5	40		
10	-	6.9	4.8	87		27.1	31.5	23.0	20		
11	12.0	4.7	3.3	73		28.2	32.0	22.5	30		
12	24.0	6.4	4.5	85		26.9	32.0	23.5	50		
13	33.0	7.6	5.3	85		26.7	29.5	21.0	10		
14	-	8.1	5.7	81		27.5	31.0	22.0	60		
15	22.0	7.6	5.3	81		28.5	32.5	23.0	40		
16	-	4.0	2.8	77		29.5	34.0	23.0	40		
17	-	7.6	5.3	87		26.1	30.0	23.0	0		
18	2.0	4.3	3.0	75		28.7	32.5	24.0	40		
19	45.0	6.5	4.6	89		26.1	30.5	22.0	30		
20	-	7.0	4.9	82		27.4	32.0	22.5	40		
21	1.0	7.2	5.5	83		27.9	33.0	23.5	50		
22	19.0	3.8	2.7	72		29.9	32.5	22.0	20		
23	0	3.1	5.7	85		26.8	32.0	22.0	40		
24	-	7.2	5.5	73		29.7	32.6	22.5	70		
25	2.0	6.3	4.4	79		29.0	33.7	23.5	50		
26	55.0	6.2	4.3	79		29.3	32.4	22.0	60		
27	-	7.9	5.5	83		28.1	30.8	23.0	50		
28	-	8.0	5.6	78		29.7	32.6	23.5	50		
29	2.0	3.5	2.5	75		30.2	32.4	23.5	70		
30	-	8.2	5.7	87		27.7	31.0	23.5	10		
31											
Tolol	344.0	192.9	135.0	2442					1190		
Meon	11.5	6.4	4.5	81		28.1	31.9	22.6	36		

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: MAY

YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (m ² Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Max	Min			
1	7.0	4.7	3.3	80		29.5	33.5	23.0	30		
2	.	7.5	5.3	85		27.7	31.5	23.0	60		
3	5.0	4.2	2.9	76		29.6	34.5	23.0	60		
4	19.0	4.9	3.4	85		27.4	32.0	23.0	70		
5	.	8.4	5.9	87		27.5	30.5	22.0	.		
6	7.0	5.0	3.5	74		29.8	33.5	22.5	20		
7	.	6.4	4.5	80		27.5	32.2	22.5	.		
8	.	7.9	5.5	81		28.9	33.0	22.0	.		
9	.	5.9	4.1	74		29.7	34.0	23.5	60		
10	6.0	8.2	5.7	81		28.8	33.5	22.5	30		
11	.	8.1	5.7	77		29.1	33.0	22.0	60		
12	.	5.2	3.6	76		29.9	33.0	22.5	60		
13	.	7.1	5.0	85		27.5	32.5	22.5	30		
14	17.0	7.8	5.5	79		29.0	34.0	22.5	50		
15	.	7.1	5.0	75		29.0	33.5	22.0	70		
16	.	7.0	4.9	70		29.9	33.5	23.0	60		
17	.	5.7	4.0	77		29.4	33.5	22.5	60		
18	3.0	4.5	3.2	84		28.1	32.5	22.0	40		
19	45.0	6.8	4.8	85		26.7	33.0	22.0	50		
20	.	5.2	3.6	82		27.9	32.5	23.0	70		
21	.	7.5	5.3	87		27.1	31.0	23.0	30		
22	24.0	2.1	1.5	78		28.8	32.5	23.5	70		
23	4.0	5.0	3.5	91		26.2	30.0	23.0	.		
24	71.0	2.9	2.0	85		28.1	31.5	21.0	30		
25	1.0	6.0	4.2	87		26.3	30.0	22.5	20		
26	.	6.7	4.7	82		28.1	32.0	21.0	20		
27	.	6.9	4.8	78		27.9	32.0	23.0	30		
28	.	6.3	4.4	78		29.0	33.0	23.0	50		
29	.	7.4	5.2	81		28.2	32.0	22.5	50		
30	.	7.3	5.1	74		29.5	33.5	27.0	30		
31	14.0	7.1	5.0	76		30.3	32.0	22.0	40		
Total	223.0	192.8	135.1	2498					1200		
Meon	7.2	6.2	4.4	80		26.7	32.5	22.6	38.7		

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: JUNE YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radiation (cal/cm ²)	Wind Velocity of 2m (km/hr)
		E pan PICHE	E ₀	Depress- ion of wet bulb	Thermo- hygro- graph	Mean	Max	Min			
1	30.0	5.9	4.1	81		29.0	34.0	22.5	10		
2	-	6.4	4.5	79		29.1	32.5	22.5	-		
3	3.0	5.5	3.9	89		28.8	32.5	24.0	30		
4	-	4.8	3.4	86		27.3	30.5	22.5	-		
5	1.0	6.4	4.5	87		26.7	30.5	22.0	40		
6	-	7.0	4.9	76		28.1	33.5	21.0	-		
7	-	7.7	5.4	77		27.8	33.0	21.5	60		
8	-	5.2	3.6	78		28.5	32.5	21.0	40		
9	-	7.5	5.3	82		27.7	32.0	22.5	20		
10	-	6.4	4.5	78		28.7	32.5	22.5	40		
11	-	6.7	4.7	81		27.4	32.0	21.5	60		
12	-	6.3	4.4	80		28.1	31.0	22.0	60		
13	-	8.2	5.7	80		27.7	31.0	21.5	70		
14	-	6.7	4.7	74		28.5	33.0	20.5	60		
15	-	6.3	4.4	78		27.2	31.5	21.5	60		
16	-	8.8	6.2	78		27.5	32.0	21.0	20		
17	-	2.8	6.2	75		27.9	32.5	21.5	-		
18	-	6.2	4.3	79		28.1	32.5	21.5	-		
19	-	2.8	2.0	80		26.6	31.0	22.0	-		
20	9.0	4.2	2.9	93		24.4	28.5	21.0	-		
21	-	7.6	5.3	85		26.5	29.0	22.0	-		
22	-	9.6	6.7	76		28.1	32.0	22.5	-		
23	-	2.4	5.9	73		29.1	33.5	22.0	-		
24	26.0	1.7	1.2	80		27.5	33.5	21.0	-		
25	8.0	8.0	5.6	91		23.9	27.5	20.5	-		
26	-	2.6	6.0	77		37.0	32.0	21.0	-		
27	-	5.6	3.9	74		28.9	33.5	22.5	-		
28	-	6.9	4.8	86		26.5	31.5	22.0	-		
29	-	2.8	2.0	79		27.7	32.0	21.5	-		
30	-	3.2	2.2	94		24.7	29.5	22.0	-		
31											
Total	77.0	190.0	133.2	2406					570		
Mean	2.6	4.3	4.4	80		27.8	31.8	21.8	17.0		

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JULY YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E POA PICHE	Eo	Depress- ion of wet bulb	Thermo- hygro- graph	Mean	Max	Min			
1	-	7.0	4.9	-		26.1	28.5	22.0	-		
2	-	6.9	4.8	79		27.4	31.5	21.0	-		
3	-	7.4	5.2	81		28.0	32.5	21.5			
4	-	7.8	5.5	80		27.3	31.0	20.0			
5	-	7.8	5.5	75		27.5	32.0	20.0			
6	-	7.8	5.5	72		27.8	31.5	20.5			
7	-	7.1	5.0	67		28.7	33.0	21.5			
8	1.0	7.9	5.5	75		28.3	33.5	22.0			
9	2.0	6.4	4.5	83		27.7	33.0	22.0			
10	-	8.3	5.8	78		28.3	33.5	22.0			
11	-	9.5	6.7	80		27.8	33.5	23.0			
12	-	7.9	5.5	76		28.6	33.0	22.5			
13	-	7.8	5.5	76		27.5	32.0	22.0			
14	-	8.8	6.2	74		27.5	32.5	21.0			
15	-	9.6	6.7	77		27.5	32.0	21.5			
16	-	9.4	6.6	78		27.2	33.5	22.0			
17	-	7.8	5.5	72		29.1	32.5	21.0			
18	-	7.8	5.5	72		27.9	35.0	21.0			
19	-	9.4	6.6	71		28.1	32.5	21.0			
20	-	7.8	5.5	80		26.3	32.5	20.5			
21	-	7.8	5.5	76		27.2	33.5	21.5			
22	-	7.8	5.5	73		28.6	33.5	22.0			
23	-	7.6	5.3	73		28.9	33.0	22.0			
24	-	7.8	5.5	81		27.5	32.0	21.5			
25	47.0	7.2	5.0	69		28.9	33.0	22.0			
26	-	5.1	3.6	76		27.5	31.5	21.5			
27	-	7.6	5.3	83		28.9	30.0	22.0			
28	-	7.6	5.3	76		27.2	33.0	21.5			
29	-	6.8	4.8	80		27.6	32.5	22.0			
30	-	8.1	5.7	80		27.1	32.0	21.5			
31	8.0	9.1	6.4	73		29.3	33.5	22.0			
Total	58.0	242.7	165.1								
Mean	1.9	7.8	5.5	74		27.8	32.5	21.5			

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: AUGUST YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E poa PICHE	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1	-	7.0	4.9	75		28.4	32.0	22.0	60		
2	1.0	7.4	5.2	77		27.9	32.5	21.5	60		
3	-	6.6	4.6	75		28.2	33.0	22.5	50		
4	-	7.4	5.2	69		28.7	32.5	21.5	60		
5	2.5	8.1	5.7	79		27.4	32.5	21.0	40		
6	1.0	8.8	6.2	73		27.9	32.0	20.5	50		
7	-	6.7	4.7	80		26.4	33.0	20.0	50		
8	-	8.3	5.8	77		26.7	32.0	21.5	40		
9	-	4.6	3.2	82		26.8	32.0	21.5	30		
10	-	8.3	5.8	80		27.0	31.0	21.5	30		
11	0.4	7.0	4.9	75		28.1	32.5	21.5	40		
12	-	7.0	4.9	82		26.3	31.0	22.5	40		
13	-	5.4	3.8	81		26.7	31.0	22.5	20		
14	11.0	6.6	4.6	86		26.3	32.5	22.0	30		
15	6.5	4.9	3.4	82		27.3	33.0	22.0	40		
16	-	9.0	6.3	85		26.4	31.0	21.5	40		
17	-	6.6	4.6	77		27.4	32.0	21.5	40		
18	5.0	8.4	5.9	69		22.8	32.0	20.0	50		
19	5.0	5.6	3.9	77		27.1	32.0	22.5	50		
20	12.0	5.0	3.5	83		26.2	31.0	22.0	30		
21	35.0	7.0	4.9	82		27.2	32.0	22.0	50		
22	4.0	5.2	3.6	80		27.5	32.0	21.5	50		
23	40.0	5.3	3.7	84		26.3	32.0	21.5	40		
24	-	6.0	4.2	83		26.5	32.0	22.5	30		
25	-	6.5	4.6	79		26.9	32.0	20.0	40		
26	-	7.8	5.5	77		28.2	30.0	23.0	60		
27	34.0	8.3	5.8	73		28.4	33.0	23.0	60		
28	20.0	7.4	5.2	78		27.9	31.5	22.5	30		
29	0.4	6.4	4.5	81		26.5	33.0	23.0	50		
30	-	5.1	3.6	82		26.4	32.5	22.5	30		
31	-	1.6	1.1	80		26.3	31.0	21.5	-		
Total	178.8	205.3	143.8	2443					1,290		
Meon	5.8	6.6	4.6	79		27.2	32.0	21.8	41.6		

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: SEPTEMBER YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (m. Water)	Wind Velocity at 2m (km/hr)
		E per PICHE	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Max	Min			
1	-	7.4	5.2	93		23.8	25.0	21.5			
2	1.2	2.0	1.4	93		25.4	31.0	22.5	50		
3	0.4	5.0	3.5	94		25.8	27.0	20.5	30		
4	-	6.4	4.5	85		26.3	31.0	21.5	40		
5	-	7.3	5.1	77		28.0	32.0	20.5	50		
6	-	5.1	3.6	79		26.9	32.0	21.0	50		
7	-	4.4	3.1	86		25.1	32.0	22.0	20		
8	-	8.6	4.0	87		25.6	31.0	22.0	30		
9	-	9.4	6.6	74		28.5	33.5	22.0	10		
10	-	8.5	6.0	77		27.9	32.5	22.0	15		
11	0.1	9.4	6.6	74		28.4	33.0	21.0	14		
12	-	7.2	5.0	74		28.8	33.5	20.5	60		
13	-	7.2	5.0	72		28.7	34.0	22.0	60		
14	-	8.2	5.7	75		28.6	33.0	22.0	50		
15	0.5	7.2	5.0	76		27.8	33.0	21.5	60		
16	0.4	4.8	3.4	67		28.8	33.0	21.0	30		
17	-	6.8	4.8	80		26.7	33.0	21.0	40		
18	-	8.4	5.9	78		27.2	33.0	21.0	40		
19	-	7.5	5.3	80		27.3	32.0	22.5	60		
20	-	5.3	3.7	78		28.7	33.5	23.0	40		
21	2.0	9.1	6.4	85		27.4	32.5	22.0	30		
22	-	6.1	4.3	70		29.6	34.5	23.0	50		
23	-	7.2	5.0	89		27.4	31.5	22.5	-		
24	-	7.2	5.0	70		29.6	35.5	22.0	60		
25	-	9.7	6.8	62		31.0	36.5	23.5	70		
26	32.0	8.5	6.0	71		29.6	35.5	21.5	60		
27	-	7.1	5.0	71		29.2	35.0	22.5	60		
28	-	8.2	6.4	71		28.8	33.0	21.0	30		
29	-	7.2	5.0	68		29.2	34.5	22.5	70		
30	4.0	9.6	6.7	71		29.3	34.0	21.5	60		
31											
Totol	40.6	217.0	152.0	2317					1239		
Meon	1.4	7.2	5.0	77		27.5	32.7	21.8	41.3		

CLIMATOLOGICAL DATA

STATION: BELLANG

MONTH: OCTOBER YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radia- tion (ml. Water)	Wind Velocity at 2m (km/hr)
		E pan PICHE	Eo	Depress- ion of wet bulb	Thermo- hygro graph	Mean	Max	Min			
1	-	9.6	6.7	72		28.5	35.0	22.5	40		
2	-	8.6	2.5	67		30.2	35.0	23.5	50		
3	43.0	5.4	3.8	87		26.1	32.5	21.0	20		
4	-	6.2	4.3	79		27.1	31.0	22.5	10		
5	-	8.7	6.1	82		29.0	34.0	21.0	60		
6	-	6.2	4.3	73		28.5	34.0	22.0	60		
7	34.0	6.2	4.3	76		27.1	34.5	21.0	60		
8	-	6.2	4.3	64		29.7	35.0	21.5	-		
9	-	7.5	5.3	68		29.0	35.0	22.0	-		
10	-	8.2	5.7	78		28.7	34.0	23.0	-		
11	-	7.0	4.9	72		29.2	34.0	22.5	-		
12	-	6.7	4.7	79		29.0	34.0	23.0	-		
13	-	4.1	2.9	79		27.6	34.0	22.0	-		
14	70.0	5.2	4.1	80		27.1	34.0	22.0	-		
15	5.0	7.4	5.2	86		26.7	34.0	22.5	-		
16	4.0	5.1	3.6	81		27.1	34.0	22.0			
17	-	5.2	3.6	82		27.5	31.0	22.0			
18	10.0	6.6	4.6	84		27.3	32.5	22.0			
19	-	7.5	5.3	79		27.3	32.5	22.0			
20	-	5.8	2.7	77		28.2	32.0	22.5			
21	52.0	4.5	3.2	86		27.1	30.0	22.0			
22	-	4.7	3.3	81		26.7	30.0	22.0			
23	1.0	6.6	4.6	86		26.5	30.5	22.5			
24	-	7.5	5.3	76		27.6	31.5	22.0			
25	37.0	6.0	4.2	83		26.2	31.0	22.5			
26	-	7.9	5.5	74		28.5	32.0	22.0			
27	-	4.9	3.4	76		28.2	32.0	23.0			
28	1.0	3.5	2.5	81		27.2	31.5	21.0			
29	12.0	5.7	4.0	87		26.1	30.5	21.5			
30	12.0	7.6	5.3	85		25.3	32.0	19.5			
31	16.0	7.0	4.2	71		28.0	33.0	20.0			
Total	303.0	192.9	134.4	243/							
Mean	10.1	6.2	4.3	78		27.8	32.8	22.0			

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: NOVEMBER YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	13.0	5.8	4.1			28.1	33.0	22.0			
2	-	6.4	4.5			26.6	32.0	23.0			
3	5.0	5.1	3.6			27.7	32.5	22.5			
4	-	6.4	4.5			26.9	31.0	22.5			
5	23.0	5.4	3.8			27.3	32.5	21.5			
6	-	7.6	5.3			25.1	32.0	21.5			
7	22.0	7.2	5.0			26.7	32.0	22.0			
8	8.0	6.7	4.7			27.3	33.0	21.5			
9	3.0	7.5	5.2			26.7	32.0	22.0			
10	-	8.1	5.7			25.2	32.0	22.0			
11	14.0	4.4	3.1			27.9	31.5	23.0			
12	32.0	4.8	3.4			26.7	31.0	22.5			
13	8.0	7.1	5.0			26.7	30.0	22.5			
14	-	5.8	4.1			27.5	32.0	22.0			
15	7.0	6.2	4.3			24.5	31.0	22.0			
16	5.0	5.6	3.9			26.7	31.0	22.5			
17	56.0	3.7	2.6			25.9	30.0	22.0			
18	19.0	5.1	3.6			25.2	28.5	21.5			
19	-	5.5	3.9			24.3	26.5	21.5			
20	-	8.8	6.2			25.9	30.5	22.0			
21	2.0	7.8	5.5			27.8	32.0	22.0			
22	-	6.5	4.6			28.1	32.0	22.0			
23	15.0	4.4	3.3			27.0	32.0	21.0			
24	-	5.0	3.5			25.9	31.5	22.0			
25	7.0	4.5	3.2			24.0	31.5	22.5			
26	30.0	5.5	3.9			25.3	30.5	22.0			
27	14.0	4.7	3.3			27.0	32.0	22.0			
28	-	5.6	3.9			26.4	31.0	21.5			
29	-	5.6	3.9								
30	30.0	5.6	3.9								
31											
Total	311.0	168.0	125.5								
Mean	10.4	5.6	4.2			26.7	31.3	22.0			

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: DECEMBER YEAR: 1971

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E _{pon}	E _o	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	35.0	3.8	2.7	87		26.1	29.5	23.5	3.0	11.1	1.5
2	27.0	3.3	2.3	85		26.9	31.0	21.0	3.3	12.5	2.7
3	2.0	2.0	1.4	88		26.1	29.5	-	5.1	10.4	2.9
4	-	3.8	2.7	87		26.5	29.5	22.0	2.0	11.3	2.9
5	-	3.8	2.7	83		26.7	30.0	22.0	1.1	9.9	2.0
6	5.0	5.0	3.5	85		29.4	31.5	22.0	5.7	16.7	3.0
7	-	2.5	1.8	83		26.9	31.0	22.5	1.2	12.8	3.0
8	20.5	5.5	3.9	87		25.7	30.5	22.5	2.3	14.2	3.1
9	-	2.5	1.8	86		26.7	30.0	23.5	2.4	10.5	2.3
10	2.0	4.5	3.2	81		27.3	31.0	22.5	4.9	13.0	3.6
11	9.3	4.1	2.9	81		27.1	31.0	23.0	6.5	15.2	4.1
12	25.0	7.5	5.3	89		25.9	31.5	22.0	7.2	15.3	4.5
13	59.0	8.4	5.7	87		26.5	31.5	21.5	6.8	15.5	4.2
14	1.0	3.5	2.5	85		26.8	30.0	22.0	2.2	11.7	3.1
15	12.0	5.5	3.9	90		25.9	30.0	22.5	1.9	10.6	2.4
16	74.0	9.6	6.7	87		26.1	31.0	22.0	3.2	13.7	3.6
17	77.0	5.8	4.1	84		27.0	30.5	22.0	6.3	17.1	4.7
18	23.0	4.3	3.0	90		25.7	30.5	22.0	2.9	12.0	3.5
19	15.0	2.8	2.0	90		25.1	29.0	22.0	0.6	5.2	3.1
20	22.4	5.7	4.0	78		27.5	30.5	22.5	9.5	17.8	4.6
21	14.8	4.3	3.0	77		27.1	31.0	22.0	7.3	17.3	3.3
22	55.0	5.8	4.1	88		25.7	30.0	21.5	2.9	15.5	2.7
23	-	5.0	3.5	81		26.9	31.0	-	7.4	20.7	2.0
24	82.0	5.8	4.1	88		25.9	30.5	21.5	1.6	13.2	2.5
25	-	1.3	0.9	95		24.5	26.0	21.5	-	4.0	2.2
26	5.4	7.9	5.5	79		22.0	32.5	21.5	8.8	21.0	3.3
27	-	3.2	2.7	73		28.9	34.0	22.5	10.4	19.9	2.3
28	6.6	6.0	4.2	84		26.6	32.5	21.0	5.8	16.4	3.2
29	3.0	2.4	1.7	84		25.9	33.0	21.5	3.2	12.9	4.2
30	68.0	5.8	4.1	81		26.3	31.0	21.0	8.4	20.7	5.3
31	39.0	5.8	4.1	88		24.8	30.5	21.5	7.4	15.0	4.8
Total	680.0	179.8	104.2	2633					141.9	433.1	
Mean	23.5	5.8	3.4	85		26.5	30.7	22.0	4.6	14.0	3.2