

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JANUARY YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (cal./Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	14.0	4.0	2.8	89		24.9	29.5	21.0	5.2	16.6	5.6
2	0	1.2	1.3	91		24.7	26.5	21.0	0	7.2	4.4
3	4.0	2.7	1.9	87		25.1	29.0	21.0	0.2	11.0	3.6
4	29.0	4.0	2.8	88		25.1	29.0	21.0	3.0	9.2	3.1
5	14.0	1.5	1.1	85		25.9	29.5	21.5	1.7	12.0	3.2
6	0.7	3.0	2.1	90		25.3	29.5	22.0	2.1	10.9	3.2
7	56.0	9.7	6.2	87		25.2	29.5	21.5	3.6	10.5	3.7
8	4.0	5.3	3.7	81		24.5	30.0	21.5	6.1	15.9	5.2
9	13.5	4.7	3.3	90		25.3	29.5	21.5	2.3	12.6	5.0
10	16.0	4.3	3.0	88		25.1	28.5	22.0	3.4	12.5	5.4
11	51.0	7.2	5.0	90		25.0	28.0	21.5	1.2	2.9	5.2
12	14.0	3.4	2.4	86		25.2	29.5	22.0	3.2	12.9	5.9
13	47.0	5.7	4.0	88		25.0	28.0	21.5	0.9	9.0	6.0
14	3.0	4.3	3.0	88		25.0	27.0	21.5	1.9	2.2	5.0
15	5.0	2.5	1.8	85		24.4		21.0	1.1	2.2	6.0
16	9.0	3.0	2.1	92		23.5	27.5	20.0	2.0	10.1	4.2
17	0	3.8	2.7	85		25.3	28.5	20.8	2.5	12.7	4.3
18	74.0	4.3	3.0	80		26.3	30.5	21.5	7.0	17.7	5.3
19	0	2.3	1.6	86		25.9	30.0	22.5	3.2	11.1	3.6
20	0.2	4.5	3.2	82		26.9	29.5	22.5	6.2	13.7	5.2
21	0.2	5.1	3.6	82		26.5	30.0	22.0	5.1	15.6	5.3
22	0.7	4.1	2.9	85		26.3	30.0	22.0	6.1	15.7	5.0
23	4.0	5.3	3.7	81		26.7	30.0	22.5	5.9	16.4	5.0
24	11.5	4.3	3.0	82		26.1	31.0	22.0	3.7	14.6	4.1
25	0.7	5.3	3.7	82		27.1	30.2		2.3	12.5	4.9
26	0	4.4	3.1	83		27.0	30.2	23.0	4.2	14.2	2.2
27	4.5	5.2	4.1	78		28.3	32.5	21.5	9.3	20.6	4.6
28	0.6	6.0	4.2	82		26.0	32.0	21.5	7.2	12.0	3.6
29	13.3	4.5	3.2	84		25.3	30.2	21.5	5.0	17.4	5.2
30	0.6	3.1	2.2	79		26.7	30.5	21.5	6.9	19.4	3.4
31	37.0	4.5	3.2	91		22.6	28.0	23.0	3.4	11.2	2.6
Total	428.1	134.4	94.0	265.3					124.9	415.5	
Mean	13.8	4.3	3.0	86		25.8	29.5	21.7	4.0	13.4	4.6

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: FEBRUARY YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygroph	Meon	Mox	Min			
1	0.6	2.5	1.2	89		25.6	28.7	22.5	0.6	8.4	2.5
2	0	5.6	3.9	79		27.9	32.5	-	9.9	22.5	2.9
3	0.6	1.9	1.3	87		26.8	32.5	23.5	7.6	13.6	2.7
4	0.8	7.1	5.0	81		28.0	33.0	23.0	3.2	24.0	3.2
5	74.0	5.0	3.5	26		26.4	30.0	22.5	5.8	14.2	3.2
6	0	4.4	3.1	87		26.4	31.0	22.9	3.0	16.6	3.1
7	2.5	5.0	3.5	20		28.1	33.0	23.0	6.8	22.0	2.8
8	11.0	7.2	5.0	76		26.1	32.5	21.5	6.9	20.8	3.3
9	15.5	6.7	4.7	79		27.7	32.5	22.0	8.0	21.0	3.0
10	0.1	3.9	2.7	89		25.4	31.0	21.5	3.4	16.4	3.1
11	1.0	4.5	3.2	23		28.0	30.5	21.5	7.6	20.8	4.1
12	0	3.8	2.7	25		25.8	22.5	22.0	1.9		3.6
13	32.5	5.0	3.5	91		25.3	31.0	21.0	5.8		4.7
14	3.0	3.5	2.5	23		26.4	30.0	21.5	2.7		3.7
15	0	3.2	2.7	26		26.4	30.0	22.0	3.4		3.5
16	0	5.6	3.9	81		27.7	32.0	23.5	2.9		3.1
17	23.0	2.0	5.6	21		22.4	32.2	21.5	9.1		4.6
18	4.0	2.7	1.9	86		25.4	30.0	21.5	0.3		3.0
19	54.0	7.7	5.4	20		26.9	31.5	21.0	7.0		4.2
20	27.0	5.0	3.5	20		27.4	32.0	21.5	7.9		3.4
21	21.0	9.7	6.2	93		25.7	31.5	21.5	4.3		4.6
22	39.0	5.0	3.5	25		26.2	30.5	22.0	5.7		3.9
23	24.0	2.7	1.9	91		25.9	22.0	21.5	-		2.4
24	0	3.8	2.7	22		26.0	30.0	22.0	1.0		2.9
25	0	4.4	3.1	22		27.4	31.5	22.0	5.5		2.7
26	0	5.0	3.5	72		25.9	30.5	21.0	2.0		2.3
27	0.6	5.9	4.1	86		26.0	31.5	21.5	6.8		4.7
28	0	6.9	4.2	70		27.8	32.5	23.5	8.5		4.4
29	6.0	3.5	2.5	21		27.9	31.2	22.5	3.1		5.6
30											
31											
Total	392.2	145.8	102.3	2417					148.7		
Meon	13.7	5.0	3.5	23		26.7	31.1	22.0	5.1		3.6

CLIMATOLOGICAL DATA

STATION: BELIANG

MONTH: MARCH YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress. ion of wet bulb	Thermo-hygro graph	Mean	Max	Min			
1	60.0	2.2	6.2	92		25.7	29.0	20.0	0.1		4.2
2	29.0	2.2	2.0	89		25.5	30.0	20.5	2.4		4.4
3	7.5	3.2	2.7	86		26.5	30.0	20.7	3.3		4.1
4	0.3	4.1	2.9	82		26.9	30.0	22.0	4.0		4.8
5	0	5.0	3.5	80		26.8	30.5	22.0	4.3		4.7
6	0.2	4.0	2.8	80		26.9	29.5	22.5	2.7		4.7
7	1.2	4.3	3.0	76		26.9	30.7	22.5	2.9		4.5
8	40.0	7.5	5.3	83		27.1	30.0	22.0	5.2		4.3
9	22.0	7.0	4.9	89		26.4	29.5	22.0	3.3		4.0
10	55.0	8.8	6.2	88		26.1	30.5	22.0	3.0		3.2
11	53.0	8.0	5.6	92		25.6	30.7	21.5	6.9		2.8
12	22.0	5.2	4.1	88		25.7	29.0	21.5	5.4		3.3
13	2.5	3.8	2.7	88		25.9	31.0	22.5	1.4		3.2
14	21.0	4.8	3.4	84		27.5	31.2	22.0	6.7		3.9
15	35.0	3.2	2.7	85		26.6	30.0	21.5	6.7		3.3
16	16.0	6.3	4.4	89		25.5	30.5	21.5	7.2		4.2
17	2.0	5.2	4.1	84		26.7	31.5	22.0	4.3		3.2
18	0	5.5	3.9	81		27.3	33.0	22.5	6.2		2.2
19	3.2	6.2	4.3	80		28.1	32.5	22.5	8.6		4.2
20	3.9	5.2	3.6	85		27.0	32.0	22.5	5.2		3.2
21	21.0	9.2	6.9	84		27.6	32.0	21.5	8.6		3.7
22	0	5.0	3.5	84		26.2	32.2	21.5	3.0		2.3
23	71.0	*) 5.7	*) 4.0	82		27.4	31.5	20.5	7.0		3.2
24	9.5	5.2	4.1	86		25.5	32.5	22.0	7.2		2.9
25	0	6.3	4.4	83		27.3	33.0	22.0	8.7		2.3
26	32.5	9.9	6.9	83		27.5	30.7	22.0	6.7		3.2
27	0	5.6	3.9	84		27.0	29.0	22.0	7.2		3.5
28	5.6	2.4	1.7	90		25.4	31.2	21.5	0.1		3.0
29	2.5	6.3	4.4	82		27.5	30.5	22.5	8.1		4.1
30	1.2	3.1	2.2	91		25.4	32.5	22.0	2.7		2.2
31	0	5.5	3.9	85		26.3	32.5	21.5	5.7		2.3
Total	515.7	176.7	124.5	2635					152.6		
Mean	16.6	5.7	4.0	85							

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: APRIL YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (knl. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	0	5.0	3.5	82		28.2	33.3	21.5	7.7		2.0
2	0	6.3	4.4	80		27.2	32.0	27.5	9.5		2.8
3	0	5.0	3.5	85		26.5	31.5	22.0	6.3		2.8
4	0	5.0	3.5	81		27.2	32.0	22.0	6.0		3.2
5	37.3	9.8	6.9	88		26.0	30.0	22.5	5.6		3.4
6	26.5	6.5	4.6	86		26.5	28.0	22.0	4.9		3.4
7	4.5	3.3	2.3	93		24.9	31.5	22.0	0.3		1.8
8	42.5	5.6	3.9	90		25.8	31.5	21.7	4.2		2.3
9	2.3	4.1	2.9	86		26.3	30.9	22.5	5.9		2.9
10	0	5.6	3.9	85		27.2	32.5	22.0	8.3		3.6
11	3.2	7.6	5.3	87		26.7	32.5	22.5	8.4		2.3
12	0.6	4.4	3.1	83		28.1	32.8	21.5	9.7		2.9
13	0	6.9	4.8	82		28.1	32.8	21.5	10.2		3.0
14	2	5.3	4.4	82		27.2	32.5	22.5	7.9		2.5
15	2	6.3	4.4	81		28.3	33.0	22.0	9.1		2.5
16	33.0	2.0	5.6	81		28.7	30.6	22.0	8.9		2.9
17	0	4.1	2.9	91		25.7	32.5	22.0	1.9		2.1
18	76.0	5.6	3.9	82		27.4	32.2	21.5	8.5		2.7
19	12.5	7.3	5.1	86		26.4	32.0	22.0	7.7		3.0
20	0	5.6	3.9	82		27.4	31.8	23.2	9.2		3.0
21	0	5.0	3.5	85		27.3	33.0	21.7	8.0		3.0
22	0	5.3	4.4	81		27.8	30.4	22.0	8.7		3.1
23	51.0	5.6	3.9	95		24.3	31.5	21.7	3.2		2.5
24	0	4.0	2.8	82		27.3	31.8	22.5	7.8		3.1
25	1.8	4.3	3.0	88		26.2	30.8	23.0	6.4		1.9
26	2.4	2.4	1.7	90		26.3	31.7	21.0	2.5		1.5
27	0	3.8	2.7	86		27.0	32.5	22.0	5.0		1.4
28	1.4	4.4	3.1	87		27.0	31.5	21.5	6.6		1.8
29	27.6	7.6	5.3	85		27.2	33.0	22.0	6.1		1.5
30	0.5	5.0	3.5	82		27.7	33.5	22.7	4.9		1.9
31											
Total	347.7	165.7	116.7	255.4					197.4		
Meon	11.6	5.6	3.9	85		26.9	32.1	22.0	6.6		2.6

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: MAY YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1	0	6.0	4.2	83		27.6	33.5	22.0	7.4		2.4
2	0	5.6	3.9	78		28.4	32.5	23.0	8.1		1.9
3	0	4.6	3.2	86		27.7	32.5	24.0	5.9		3.1
4	0	5.0	3.5	86		28.3	33.0	22.5	4.6		3.1
5	21.0	4.7	3.3	81		28.6	32.0	22.5	8.6		2.7
6	6.5	4.3	3.0	89		26.9	32.5	23.0	6.5		3.0
7	0	4.3	3.0	85		27.0	32.8	22.5	2.9		2.3
8	0.2	3.0	2.1	89		27.1	32.6	22.5	1.2		0.4
9	0	5.0	3.5	81		28.6	33.5	22.5	6.5		2.1
10	0	5.9	4.1	80		28.4	33.2	22.0	8.0		2.3
11	0	5.3	3.7	84		28.0	34.2	22.6	9.2		2.2
12	1.0	4.6	3.2	83		27.3	34.2	22.0	6.3		5.9
13	6.7	3.7	2.6	87		27.7	33.0	21.7	4.2		3.0
14	0	4.4	3.1	84		26.7	32.0	22.0	6.7		3.4
15	61.3	4.7	3.3	89		26.1	32.0	21.0	3.9		2.0
16	0	4.3	3.0	84		27.2	33.2	22.5	8.6		2.0
17	0	5.4	3.2	84		28.1	32.8	22.0	9.0		3.1
18	2.2	3.2	2.2	89		26.9	32.0	22.0	4.7		2.6
19	0	4.5	2.2	92		26.5	32.5	22.5	4.7		2.4
20	23.6	6.1	4.3	87		26.1	32.4	22.5	4.5		3.7
21	15.0	4.9	3.4	85		26.4	32.8	22.5	5.2		2.9
22	0	2.8	2.0	87		26.5	32.5	21.7	1.6		2.7
23	0	5.0	3.5	83		27.7	32.5	22.5	8.1		3.5
24	3.2	4.7	3.3	87		27.3	33.0	22.5	7.3		2.9
25	0	5.0	3.5	85		27.4	32.2	22.5	7.8		3.8
26	0	5.3	3.7	82		27.7	33.0	22.0	10.0		3.4
27	0	5.4	3.8	78		27.9	32.5	22.8	7.0		3.7
28	0	3.8	2.7	81		27.4	32.0	22.7	4.0		2.7
29	0.2	4.6	3.2	78		27.8	33.0	23.0	8.0		2.6
30	5.0	4.1	2.9	81		27.1	33.0	21.5	4.5	10.8	2.7
31	0	5.0	3.5	78		28.0	32.6	23.0	9.0	15.7	2.3
Totol	138.9	145.2	103.7	2606					194.0		
Meon	4.5	4.7	3.3	84		27.4	32.8	22.4	6.3		2.8

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: JUNE

YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (kcal/cm ²)	Wind Velocity at 2m (km/hr)
		E pan	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	0	5.0	3.5	80		28.5	33.5	22.7	9.9	13.7	2.4
2	0	6.2	4.4	80		28.6	33.0	21.5	10.0	16.2	4.0
3	0	5.4	3.9	80		27.6	32.5	21.7	8.0	16.5	3.5
4	0	6.0	4.2	79		27.7	33.0	21.7	8.3	14.9	3.2
5	0	5.2	4.1	80		27.2	32.2	20.7	9.5	13.7	4.1
6	0.1	3.2	2.7	85		26.1	33.0	22.0	2.1	9.9	2.6
7	0	5.0	3.5	78		27.1	32.0	21.7	8.5	15.3	4.1
8	0	5.2	4.1	79		27.5	32.0	21.7	9.2	13.1	4.9
9	0	5.2	4.2	80		27.3	32.5	22.0	9.0	12.4	3.4
10	17.4	5.6	3.9	24		26.7	32.5	25.0	6.2	11.1	2.6
11	0	5.3	3.7	82		27.2	32.3	22.0	6.6	12.2	3.3
12	1.8	3.4	2.4	21		27.2	31.5	23.0	7.2	11.4	3.1
13	0.4	4.5	3.2	82		27.0	32.0	22.2	8.7	11.6	3.3
14	9.2	4.2	2.9	25		26.7	31.5	22.0	2.7	13.4	3.6
15	0	3.9	2.7	24		27.3	32.2	21.5	4.2	11.9	2.5
16	0	5.0	3.5	81		27.2	32.2	21.5	6.2	11.2	3.2
17	0	4.1	2.9	23		27.6	31.0	22.5	7.1	11.2	3.0
18	0	5.1	2.9	23		27.1	31.3	22.0	5.0	11.7	4.4
19	0	3.4	2.4	80		27.2	32.0	21.5	6.2	8.6	1.0
20	0	5.0	3.5	81		27.0	32.5	21.5	5.9	12.6	4.2
21	0	3.2	2.7	79		27.5	33.0	22.2	6.0	12.7	2.3
22	0	4.1	2.9	77		27.9	33.5	22.5	5.2	12.6	1.4
23	0.4	4.5	3.2	20		22.0	34.0	21.5	5.6	13.5	1.9
24	0	5.0	3.5	76		22.3	33.0	21.5	2.6	15.9	1.7
25	0	4.1	2.9	79		27.3	33.0	21.0	5.5	12.1	1.9
26	0	5.0	3.5	78		27.5	33.0	21.0	2.2	12.3	4.3
27	0	5.0	3.5	74		27.5	33.0	21.0	2.3	12.4	4.2
28	2.8	3.8	2.7	78		27.5	31.4	23.0	7.4	13.5	1.9
29	13.0	3.8	3.4	87		25.8	32.5	21.5	1.0	6.7	2.1
30	0	5.0	3.5	79		27.5	32.4	22.0	8.1	12.1	3.2
31											
Total	48.1	140.6	100.3	2421					216.6	377.6	
Mean	1.6	4.7	3.3	81		28.0	31.4	21.8	7.2	12.6	3.1

CLIMATOLOGICAL DATA

 STATION: BELTIANG

 MONTH: JULI YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Max	Min			
1	0	4.4	3.1	79		27.3	32.7	22.0	7.2	12.2	2.5
2	0	6.0	4.2	75		27.2	32.0	20.5	10.3	14.6	3.9
3	0	5.0	3.5	75		27.4	32.2	19.5	2.2	13.4	3.7
4	0	4.3	3.0	76		26.6	33.1	21.3	2.3	12.6	3.0
5	0	4.0	4.2	71		22.1	32.5	20.5	2.3	13.6	3.3
6	0	5.0	3.5	72		27.5	32.7	20.7	2.1	12.6	2.5
7	0	5.0	3.5	73		27.6	32.0	20.5	2.3	13.9	3.4
8	0	5.0	3.5	74		26.2	31.2	19.5	9.6	13.6	3.7
9	0	5.3	3.7	76		26.7	33.3	20.5	9.3	12.2	4.2
10	0	6.5	4.6	70		27.7	33.0	19.5	10.1	16.7	4.4
11	0	5.0	3.5	72		27.2	32.0	20.0	9.3	13.4	5.7
12	0	5.0	3.5	72		26.7	32.5	19.7	2.9	11.6	4.6
13	0	4.5	3.2	75		26.9	32.5	19.7	2.2	10.4	4.0
14	0	5.0	3.5	74		27.4	32.2	20.5	2.4	14.2	5.0
15	0	4.1	2.9	73		27.7	33.5	21.0	5.2	9.2	4.1
16	0	5.5	3.9	72		27.2	33.3	21.0	2.1	11.1	5.0
17	0	5.0	3.5	73		22.0	34.0	22.0	2.2	15.2	4.2
18	0	5.2	4.1	75		22.6	34.7	22.5	2.9	14.6	3.9
19	0	6.6	4.6	77		27.2	35.0	20.5	9.3	15.3	4.9
20	0	6.6	4.6	71		22.5	34.0	21.7	10.2	16.7	4.3
21	0	5.9	4.1	73		22.1	34.0	21.5	6.3	14.2	4.0
22	0	5.9	4.1	72		22.4	34.5	21.7	9.2	15.0	4.6
23	0	5.9	4.1	71		22.2	34.5	21.0	9.3	16.2	4.0
24	0	5.9	4.1	69		22.3	33.5	20.5	9.5	15.6	3.5
25	0	5.9	4.1	70		22.1	33.5	20.5	9.4	14.1	4.4
26	0	5.9	4.1	62		22.1	32.7	21.7	5.2	14.1	2.9
27	0	5.9	4.1	66		22.7	34.2	22.5	7.5	15.6	2.4
28	0	6.6	4.6	71		22.9	33.5	22.2	5.3	14.2	4.6
29	0	5.0	3.5	74		22.4	34.0	23.2	3.9	12.1	3.9
30	0	5.9	4.1	76		22.3	34.0	22.5	*	12.3	4.2
31	0	5.0	3.5	74		29.5	32.5	23.0	5.1	13.5	3.9
Total	0	169.4	112.5	2259					225.5	432.2	
Meon	0	5.5	3.2	73		27.9	33.3	21.1	2.2	13.7	3.9

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: AUGUST YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pan	Eo	Depress ion of wet bulb	Thermo- hygro- graph	Mean	Max	Min			
1	0	5.5	3.9	78		22.2	32.0	23.5	3.6	11.8	5.4
2	0	4.6	3.2	75		22.4	33.3	22.5	0.9	7.2	5.0
3	0	5.0	3.5	77		22.3	32.5	21.5	4.4	10.2	5.5
4	0.4	5.4	3.8	78		22.8	34.5	20.5	2.0	7.9	5.1
5	0	5.0	3.5	81		22.4	34.5	21.2	6.3	14.0	3.8
6	0	5.0	3.5	77		22.7	34.0	23.0	7.7	15.0	3.7
7	2.2	6.2	4.3	81		22.1	34.0	23.5	5.0	12.6	4.5
8	0	5.0	3.5	80		22.7	35.0	23.0	7.4	12.0	3.2
9	0	6.6	4.6	79		22.5	35.0	23.0	5.9	15.0	3.4
10	0	5.9	4.1	71		22.3	33.5	23.7	4.6	15.7	4.4
11	5.2	5.2	3.6	80		22.8	34.2	22.7	7.3	10.6	3.7
12	0.8	5.8	4.1	81		22.3	34.0	20.5	2.3	14.1	4.6
13	1.0	5.1	3.6	77		22.3	34.0	21.5	2.5	14.2	3.2
14	0.2	5.2	3.6	83		22.6	34.2	22.3	2.4	14.3	3.0
15	1.9	5.7	4.0	85		22.7	34.5	22.5	3.1	15.7	3.2
16	0	5.2	4.4	81		22.3	34.0	21.5	2.5	14.3	3.7
17	0	7.1	5.0	75		22.5	35.0	22.0	5.1	10.5	4.6
18	0	5.0	3.5	72		22.1	34.5	22.5	2.7	12.7	3.6
19	0	7.5	5.3	85*		22.0	32.5	23.6	5.0	14.4	4.3
20	0	5.0	3.5	76		22.8	33.0	22.0	2.2	10.6	4.6
21	0	7.5	5.3	82		22.6	33.0	21.7	9.6	13.3	5.8
22	0	7.1	5.0	69		22.1	33.2	21.0	7.2	13.0	6.2
23	0	7.1	5.0	70		22.9	34.0	20.7	7.4	12.2	5.9
24	0	6.9	4.2	67		22.1	34.5	20.5	7.3	13.1	5.9
25	0	6.3	4.4	59		22.9	34.7	21.5	6.7	13.2	5.0
26	0	5.5	3.9	72		22.3	34.7	22.0	6.1	13.7	4.7
27	0	5.5	3.9	71		22.5	32.2	23.3	4.3	11.1	6.1
28	0.4	5.4	3.8	77		22.6	33.5	21.5	5.5	9.4	5.0
29	0	6.9	4.8	67		22.2	33.5	20.5	4.5	11.2	6.5
30	0	5.5	3.9	73		22.3	34.0	20.0	6.4	9.7	5.5
31	0	6.0	4.2	67		22.4	32.4	22.5	8.1	11.2	5.4
Total	12.1	121.7	127.5	2342					210.6	325.5	
Mean	0.4	5.9	4.1	76		22.1	33.9	21.9	6.8	12.4	4.8

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: SEPTEMBER YEAR: 1977

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (m. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro graph	Meon	Max	Min			
1	0	2.8	6.2	61		28.2	34.2	19.5	2.4	12.2	7.7
2	0	5.0	3.5	62		27.5	35.0	21.0	2.0	11.6	4.7
3	0	6.3	4.4	69		28.4	34.2	21.5	7.2	14.2	5.0
4	0	6.9	4.2	66		29.3	33.0	21.5	7.7	12.6	3.8
5	0	6.9	4.2	67		28.2	34.2	20.2	7.2	12.0	2.2
6	0	6.9	4.2	69		28.3	34.5	22.5	6.8	11.5	5.7
7	0	5.5	3.9	72		28.4	33.5	23.5	5.2	11.1	4.2
8	0	3.4	2.4	74		27.2	32.5	23.5	1.8	7.2	3.1
9	0	3.2	2.7	76		27.7	34.0	22.5	1.8	9.0	3.5
10	56.2	9.3	6.5	76		22.2	31.0	21.0	4.5	11.2	5.4
11	0	4.3	3.0	82		27.5	34.0	21.5	6.2	11.7	2.6
12	0	6.7	4.2	75		28.6	32.8	23.0	2.2	16.9	5.2
13	16.7	2.0	2.1	72		28.5	35.0	23.0	4.5	11.5	4.1
14	0	4.3	4.4	74		28.3	34.5	21.5	6.7	12.1	4.3
15	0	5.0	3.5	70		28.3	32.0	23.0	2.7	13.9	4.2
16	0	5.9	3.5	67		28.5	33.5	20.5	5.2	9.9	4.2
17	0	6.3	4.4	70		28.1	32.8	21.5	5.2	11.1	4.2
18	0	5.5	3.9	69		28.3	33.0	22.5	5.9	12.2	4.9
19	0	4.5	3.2	73		28.3	33.0	24.0	3.6	10.9	3.5
20	0	6.6	4.6	73		28.7	32.5	23.0	2.1	11.2	5.3
21	0	5.5	3.9	74		28.5	32.5	22.5	5.7	11.5	6.0
22	0	6.3	4.4	65		28.7	33.3	20.2	5.6	11.2	5.2
23	0	4.5	3.2	70		27.9	34.5	22.5	5.6	11.5	4.2
24	0	6.6	4.6	67		29.1	34.5	23.5	7.4	14.2	6.0
25	0	6.3	4.4	66		29.1	34.0	23.5	5.4	13.3	4.7
26	0	6.6	4.6	70		28.9	34.5	22.5	5.5	13.1	4.7
27	0	6.3	4.4	69		29.1	34.0	23.0	7.1	14.4	4.5
28	0	6.3	4.4	66		29.1	34.0	21.7	5.8	13.2	4.2
29	0	6.3	4.4	69		28.4	33.7	21.7	6.4	12.8	4.9
30	0	6.3	4.4	67		28.5	33.6	20.5	6.2	12.3	4.6
31											
Tolol	73.5	77.2	124.1	210.8					160.4	366.7	
Meon	7.5	5.9	4.1	70		28.4	32.6	22.1	5.3	12.2	4.7

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: OCTOBER YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1	0	5.0	3.5	68		27.9	34.0	20.5	4.9	11.3	3.1
2	0	5.5	3.9	71		28.2	34.2	20.0	6.0	12.9	3.8
3	0	5.0	3.5	64		28.1	34.0	20.0	7.0	13.6	5.1
4	0	6.3	4.4	66		28.4	34.0	19.5	7.0	12.9	4.4
5	0	5.5	3.9	67		27.6	34.5	19.5	6.0	13.7	3.2
6	0	6.3	4.4	64		28.4	34.5	20.6	6.7	13.2	4.1
7	0	5.0	3.5	67		28.9	35.5	22.5	5.8	12.3	5.1
8	0	7.2	5.5	72		29.3	33.6	23.7	5.2	13.5	4.6
9	0	5.0	3.5	75		28.9	34.5	22.5	2.0	8.5	2.2
10	0	5.0	3.5	68		29.1	34.7	23.5	5.4	12.6	4.9
11	0	5.5	3.9	68		29.5	34.2	23.0	5.0	11.6	4.2
12	0	5.0	3.5	61		29.9	35.0	20.0	6.7	13.2	5.8
13	0	2.2	1.2	57		28.7	33.5	19.5	5.9	11.2	6.0
14	0	6.3	5.4	63		27.6	33.0	20.5	2.5	9.9	6.0
15	0	5.0	3.5	64		28.6	33.0	23.0	3.0	2.7	5.4
16	0	2.5	1.2	20		27.2	32.2	21.0	0	15.2	3.7
17	0	5.0	3.5	70		28.9	34.5	21.5	6.0	11.7	4.2
18	0	7.5	5.3	69		28.7	34.5	21.0	0	12.3	5.8
19	0	5.0	3.5	66		29.0	34.0	23.5	3.0	12.0	4.9
20	0	6.5	4.6	65		30.2	35.0	21.7	5.1	12.2	5.0
21	0	5.3	4.4	66		29.1	35.0	22.0	6.7	12.9	4.2
22	0	6.2	4.2	67		29.3	34.0	21.7	5.2	13.2	4.4
23	0	6.0	4.2	68		28.5	34.2	21.5	4.2	11.9	4.0
24	0	5.5	3.9	67		28.9	35.5	22.0	5.7	11.0	4.3
25	0	5.0	3.5	79		27.2	35.3	23.0	5.6	13.0	3.2
26	0	6.3	4.4	64		30.3	35.0	22.5	2.6	13.1	3.5
27	0	5.0	3.5	69		29.4	35.5	22.5	5.5	12.0	2.9
28	0.5	5.3	3.7	71		28.9	34.2	22.0	0	12.2	2.9
29	0	5.0	3.5	68		29.2	34.0	21.5	5.0	13.0	2.2
30	2.5	5.7	4.0	75		28.3	34.0	22.0	0.0	2.9	2.6
31	0	6.3	4.4	69		29.3	34.5	22.0	5.4	10.7	4.6
Total	2.0	176.7	124.1	2102					140.7	521.0	
Meon	0.3	5.7	4.0	68		28.8	34.4	21.6	4.5	12.1	4.3

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: NOVEMBER YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E _{pon}	E _o	Depress. ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	10.0	4.5	3.2	71		29.0	35.5	22.0	7.4	14.4	3.3
2	0	5.5	3.9	83		26.9	34.0	22.5	8.6	7.5	4.5
3	0	6.3	4.4	72		29.0	34.5	21.5	5.4	15.2	4.3
4	6	7.5	5.3	69		29.5	35.5	22.0	8.0	15.2	5.4
5	0	7.5	5.3	68		29.7	35.5	22.5	6.9	14.9	3.9
6	0	7.1	5.0	62		29.3	35.0	22.0	4.7	15.7	4.5
7	0	8.8	6.2	64		29.5	35.5	21.5	9.0	16.5	5.6
8	0	7.1	5.0	66		29.3	35.2	22.7	8.5	14.5	5.5
9	0	4.5	3.2	74		28.8	34.2	23.0	4.0	10.5	4.5
10	0.2	5.2	4.1	73		29.5	35.0	23.0	3.6	13.5	3.4
11	0	4.1	2.9	79		28.2	34.0	22.5	0	11.0	3.2
12	6.0	2.2	1.5	79		27.0	34.0	22.5	1.2	13.2	3.5
13	0	5.5	3.9	78		28.3	34.0	22.5	6.1	14.1	2.3
14	0	5.0	3.5	74		28.7	32.5	23.0	5.1	12.5	2.2
15	0	4.0	2.8	76		27.9	33.0	23.5	1.5	8.2	3.0
16	11.0	2.2	1.5	83		26.8	32.5	21.5	1.7	6.3	2.5
17	0	6.3	4.4	77		27.7	33.5	22.0	4.9	11.5	2.5
18	0	6.3	4.4	76		28.2	34.5	22.5	8.5	15.6	4.5
19	19.0	5.3	3.7	79		27.8	27.0	22.5	0	14.0	3.0
20	0	1.9	1.3	92		25.1	32.5	21.5	6.0	11.5	2.2
21	1.0	2.9	2.0	84		26.5	31.5	22.5	3.7	13.7	1.9
22	0	1.9	1.3	73		27.7	34.0	23.0	0.6	10.7	2.1
23	0	6.3	4.4	70		29.2	34.5	22.0	6.7	12.2	2.8
24	0	6.8	4.8	71		29.5	32.5	23.0	6.0	14.9	3.7
25	2.5	5.3	3.7	73		28.7	35.0	23.0	3.3	12.1	2.9
26	17.0	7.0	4.9	77		28.3	34.0	23.0	8.8	18.2	3.2
27	30.0	7.5	5.3	78		29.2	33.5	22.5	6.3	15.0	3.9
28	36.0	6.0	4.2	76		29.3	33.5	22.5	4.8	17.3	2.3
29	0	5.5	3.9	76		27.9	32.0	22.0	2.8	16.5	3.1
30	0	3.1	2.2	83		27.1	32.5	22.5	3.4	11.2	2.6
31											
Total	132.7	159.7	112.2	2262					160.0	398.8	
Mean	4.4	5.3	3.7	75.4		28.3	33.7	22.4	4.8	13.3	3.4

CLIMATOLOGICAL DATA

STATION: BELTIANG

MONTH: DECEMBER YEAR: 1972

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1	5.5	10.0	7.0	84		26.7	33.0	22.5	4.6	12.1	3.6
2	6.0	4.8	3.4	85		26.2	32.0	22.5	4.2	12.1	3.2
3	0.2	3.3	2.3	82		26.9	33.0	23.0	1.0	9.5	2.2
4	0	6.6	4.6	76		22.7	33.7	21.5	7.0	12.7	3.5
5	0	5.0	3.5	79		27.3	33.7	22.5	4.5	16.5	4.5
6	48.0	5.0	3.5	84		26.7	34.5	22.0	5.9	14.6	3.4
7	0	6.3	4.4	75		27.0	31.5	23.0	5.0	17.0	3.4
8	0.5	4.3	3.0	82		27.5	32.0	21.7	3.2	11.2	3.3
9	4.0	4.0	2.2	83		27.0	32.5	22.0	3.0	12.7	3.3
10	2.2	5.4	3.2	83		26.8	30.5	22.5	2.5	15.1	3.6
11	32.0	5.1	3.6	87		27.2	30.5	23.0	1.9	8.4	2.5
12	3.2	4.5	3.2	82		26.7	32.0	22.0	1.0	6.9	3.1
13	39.5	4.2	2.9	83		27.0	31.5	22.5	3.3	13.0	4.6
14	1.0	4.2	3.4	79		27.9	34.5	22.7	3.0	13.6	4.2
15	0.5	4.3	3.0	78		28.7	30.5	23.2	7.8	15.6	3.4
16	15.0	5.0	3.5	89		26.2	33.2	23.5	1.2	7.9	3.1
17	0.2	4.9	3.4	81		28.3	33.0	23.5	2.3	12.2	3.6
18	29.0	5.2	3.6	86		27.3	33.0	23.5	4.1	12.9	2.8
19	7.2	6.7	4.7	82		27.0	32.5	23.0	3.4	19.0	3.6
20	0.2	4.8	3.4	78		28.9	33.5	23.2	7.2	15.0	2.6
21	2.4	4.2	2.9	78		28.2	33.0	23.5	7.7	14.6	2.8
22	2.2	4.5	3.2	80		28.3	32.5	23.5	4.1	16.5	3.6
23	3.4	4.7	3.3	86		26.2	32.5	22.0	2.7	14.5	4.0
24	3.4	3.4	2.4	83		25.7	33.0	23.0	2.6	13.0	3.3
25	41.4	7.6	5.3	76		29.3	31.5	21.5	2.5	16.6	4.2
26	0	4.5	3.2	86		26.3	33.0	22.5	2.7	12.2	3.3
27	15.8	7.0	4.9	80		28.6	34.0	24.0	9.2	17.9	3.5
28	14.6	6.5	4.6	79		29.7	32.5	23.5	4.5	17.1	3.7
29	1.0	5.0	3.5	83		28.5	31.5	23.5	2.7	13.6	4.3
30	0.2	2.7	1.9	85		26.6	31.5	22.5	1.6	9.0	4.4
31	0	5.0	3.5	83		27.9	32.5	22.6	4.2	13.5	3.7
Total	271.2	159.3	111.7	2543					134.6	422.5	
Meon	8.8	5.1	3.6	82		27.6	32.5	22.8	4.3	13.6	3.5

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JANUARY YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	Eo	Depression of wet bulb	Thermohygrograph	Mean	Max	Min			
1	1.3	5.0	3.5	77.7		28.7	33.5	23.5	6.4	15.1	4.25
2	25.3	6.0	4.2	79.0		28.1	33.5	22.0	6.9	14.1	4.58
3	0	3.0	2.1	81.3		28.3	31.0	22.5	5.9	15.3	2.78
4	2.7	3.0	2.1	83.6		27.4	31.5	23.5	4.6	10.4	5.21
5	2.9	5.5	3.9	85.3		27.9	32.0	23.5	6.7	13.0	4.66
6	16.0	4.0	2.8	87.6		26.6	32.0	22.0	3.4	11.3	5.43
7	63.5	8.0	5.6	81.0		27.3	32.0	22.5	4.3	14.4	5.27
8	0	4.0	2.8	82.3		27.5	33.5	23.0	5.2	14.1	4.42
9	31.5	7.0	4.9	78.3		27.6	30.5	22.0	7.9	16.2	2.14
10	6.0	5.0	3.5	80.3		27.0	31.0	22.5	8.3	7.0	6.39
11	0	7.0	4.9	76.3		27.2	30.0	22.3	7.5	19.0	5.75
12	0	5.0	3.5	86.7		26.3	29.2	22.7	5.8	12.2	4.59
13	0	5.0	3.5	80.0		26.7	32.5	22.0	3.3	11.5	5.42
14	0	4.0	2.8	81.3		27.0	32.5	22.5	1.1	12.0	3.81
15	14.2	6.0	4.2	72.3		28.7	32.5	22.5	5.0	15.2	4.89
16	2.5	5.5	3.9	79.7		28.5	32.0	22.5	7.6	16.0	3.23
17	0	4.0	2.8	79.0		27.2	31.8	22.5	4.2	12.7	2.96
18	0	5.0	3.5	79.3		28.0	32.0	22.5	5.5	14.3	4.03
19	2.2	5.0	3.5	81.3		27.5	32.0	23.0	5.2	14.4	3.31
20	1.7	5.5	3.9	78.0		28.0	32.5	23.2	4.2	13.6	4.06
21	1.5	5.5	3.9	78.3		28.1	29.5	22.5	3.4	14.1	4.13
22	0	2.0	1.4	85.0		26.9	32.2	23.5	0	6.9	3.51
23	0	5.0	3.5	80.3		28.3	33.0	24.0	8.8	12.3	4.45
24	1.4	5.5	3.9	83.3		27.9	33.0	22.8	3.8	11.0	3.28
25	21.2	4.0	2.8	89.3		26.4	31.5	22.0	1.2	7.3	3.53
26	0.5	3.5	2.5	81.7		27.6	31.0	22.0	5.6	13.3	5.12
27	8.2	5.5	3.9	84.3		26.0	30.5	22.5	6.8	12.6	5.62
28	0.3	4.0	2.8	80.0		27.1	31.0	22.0	6.5	12.7	4.90
29	0	6.0	4.2	78.3		27.3	32.0	22.5	7.7	13.0	4.96
30	0	7.0	4.9	75.0		27.6	32.5	22.5	10.2	14.7	6.21
31	0	7.0	4.9	72.0		28.2	32.1	22.7	8.4	17.2	5.76
Total	202.9	157.5	110.6	250.28					172.6	218.1	
Mean	6.5	5.1	3.6	80.8		27.55	31.8	22.64	5.6	15.49	4.47

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: FEBRUARY

YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	1.4	6.4	4.5	72		28.5	32.5	22.7	9.5	16.3	6.1
2	4.2	4.2	2.9	88		26.9	30.5	22.8	4.1	9.7	5.2
3	10.2	5.2	3.6	79		28.1	31.5	23.0	6.2	12.1	5.6
4	0.3	5.3	3.7	82		27.5	31.8	23.0	7.3	14.2	6.6
5	5.7	4.3	3.0	85		26.1	30.0	22.7	1.9	10.2	4.6
6	1.4	2.7	1.9	89		26.0	29.8	22.8	0.8	10.3	5.4
7	26.0	4.8	3.4	72		25.5	29.5	22.8	2.2	8.5	4.2
8	3.5	3.5	2.5	81		27.5	31.0	22.0	3.2	14.0	5.2
9	1.6	4.7	3.3	85		28.4	30.5	22.0	4.1	11.8	4.4
10	0	6.3	4.4	77		27.8	32.2	22.5	9.2	16.0	5.0
11	14.6	4.6	3.2	86		26.8	31.0	23.0	3.3	11.1	4.5
12	7.0	5.0	3.5	82		28.1	32.0	22.2	7.7	14.5	4.2
13	26.0	6.0	4.2	82		27.5	31.5	23.0	7.0	14.7	3.6
14	0	5.0	3.5	82		27.9	31.2	22.5	4.0	14.0	3.8
15	0.5	6.8	4.8	86		27.1	31.5	23.0	9.4	16.2	4.7
16	9.2	5.3	3.7	81		27.3	33.8	23.0	9.4	18.0	4.0
17	5.3	5.3	3.7	81		28.7	32.5	24.0	4.4	12.1	3.9
18	0	6.0	4.2	86		26.7	30.7	23.0	3.9	14.1	4.4
19	39.0	4.0	2.8	82		27.7	33.5	22.0	6.7	7.1	3.8
20	0	4.3	3.0	79		28.3	33.5	22.0	8.7	17.7	2.3
21	0.6	4.9	3.4	83		27.5	32.5	24.5	3.1	11.0	3.9
22	116.0	5.0	3.4	82		28.0	33.0	24.0	8.2	19.0	4.7
23	90.5	5.5	3.9	82		27.9	32.0	22.7	4.9	14.7	3.7
24	0	5.5	3.9	79		28.4	32.2	22.0	6.5	20.7	2.9
25	1.5	4.0	2.2	88		26.7	31.5	23.5	3.6	11.2	3.7
26	3.3	6.3	4.4	77		28.1	33.0	22.5	8.3	21.5	3.6
27	0	3.5	2.5	87		26.9	31.0	23.0	1.4	13.5	2.7
28	37.0	5.5	3.9	82		27.7	34.5	23.5	8.0	17.2	3.5
29											
30											
31											
Totol	422.4	139.9	94.6	2317					157.5	391.3	
Meon	15.3	5.0	3.4	83		27.4	31.7	22.8	5.6	14.0	4.3

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: MARCH

YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	11.8	6.1	4.3	82		22.6	30.6	23.5	8.7	22.7	3.2
2	13.1	4.8	3.4	92		25.9	30.0	22.2	1.6	13.3	2.7
3	2.1	5.9	4.1	79		28.2	33.0	23.7	8.3	16.9	3.1
4	0	3.8	2.7	87		26.1	30.5	23.0	2.7	9.0	4.0
5	1.3	4.9	3.4	93		24.9	26.5	23.0	0	2.0	3.4
6	0	5.0	3.5	90		27.7	31.5	22.0	8.4	13.2	3.3
7	1.0	4.0	2.8	84		28.0	31.7	24.0	3.9	1.8	3.1
8	45.5	8.0	5.6	87		27.9	30.6	21.5	0.8	6.4	3.7
9	< 0	1.9	1.3	89		25.5	29.0	22.0	0.3	6.1	5.2
10	3.5	3.9	2.7	84		27.2	31.0	22.5	5.6	13.4	4.7
11	0.1	3.9	2.7	86		26.6	31.5	23.0	3.6	6.8	4.2
12	0	4.3	3.0	82		27.4	30.7	23.0	0.5	11.9	4.2
13	0	4.6	3.2	81		28.6	31.7	23.0	0.5	11.5	3.7
14	0	5.0	3.5	85		28.3	33.0	23.0	5.4	13.2	2.9
15	0	7.0	4.9	79		22.9	33.2	23.0	6.6	15.3	4.5
16	1.0	1.9	1.3	85		24.5	31.0	22.7	0	9.1	3.5
17	0.1	4.5	3.2	81		28.0	31.6	22.5	2.6	11.3	3.9
18	11.0	4.3	3.0	84		27.6	32.7	23.0	5.5	11.9	4.5
19	4.1	4.9	3.4	84		26.9	32.0	22.8	3.8	12.7	5.7
20	30.0	5.0	3.5	85		26.4	30.5	22.0	3.4	11.7	5.6
21	0	4.0	2.8	81		27.0	30.8	23.0	0.4	10.3	3.0
22	0	5.0	3.5	79		22.2	33.0	22.5	3.8	14.0	4.0
23	0	4.3	3.0	82		27.8	31.0	22.2	3.5	12.0	3.4
24	0	6.3	4.4	73		22.3	32.5	22.0	5.8	11.5	2.8
25	0	5.9	4.1	78		28.4	33.5	23.5	7.9	17.9	3.5
26	0	6.5	4.6	79		28.4	33.0	23.0	7.6	16.0	3.9
27	0.2	5.6	3.9	82		27.7	32.0	22.7	7.3	13.4	3.9
28	0.1	6.4	4.5	75		28.8	33.0	23.0	8.9	17.5	3.9
29	0	5.3	3.7	77		29.1	32.5	23.0	6.7	14.2	2.7
30	0.2	6.0	4.2	80		27.8	34.0	22.5	5.8	14.8	2.3
31	0	4.3	3.0	83		27.5	31.5	22.5	4.5	11.1	2.9
Total	129.1	153.3	107.2	2562				711.3	134.4	367.5	
Mean	4.1	4.9	3.5	83		27.6	31.6	22.9	4.3	11.9	3.7

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: APRIL YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1	2.8	5.3	3.7	83		28.3	34.2	24.0	9.3	17.7	2.9
2	-	5.0	3.5	85		27.4	33.0	23.7	4.5	12.5	3.0
3	7.8	4.0	2.8	82		28.0	33.3	23.0	6.3	14.5	2.8
4	33.5	7.3	5.1	81		27.9	33.6	23.0	7.0	16.3	3.3
5	-	2.3	1.6	89		27.1	30.5	23.5	0.9	9.4	3.4
6	5.1	5.1	3.6	82		27.9	32.2	23.0	3.7	14.0	2.9
7	11.3	6.3	4.4	85		27.3	32.8	22.8	7.4	16.7	3.1
8	8.0	5.1	3.6	80		28.3	32.6	23.5	8.5	17.7	2.4
9	-	3.1	2.2	87		27.7	31.0	22.5	0.5	8.6	2.6
10	0.6	4.6	3.2	85		28.0	33.0	23.0	5.3	12.5	2.9
11	1.5	5.3	3.7	84		27.2	33.0	22.5	7.3	13.8	3.2
12	-	6.9	4.8	79		28.4	34.0	23.0	7.9	16.0	2.9
13	2.3	7.3	5.1	84		28.3	32.5	23.5	4.9	12.7	1.7
14	10.0	4.9	3.4	77		28.9	32.5	23.0	1.2	11.9	2.3
15	0.2	5.2	3.6	82		28.6	33.2	23.0	6.1	12.5	2.4
16	8.6	4.5	3.2	87		27.8	32.5	23.0	4.0	13.0	2.7
17	12.3	5.8	4.1	81		27.8	33.0	22.0	4.4	16.2	3.1
18	-	5.0	3.5	84		27.9	32.2	23.5	5.2	14.0	2.2
19	25.5	5.5	3.9	79		28.7	33.0	22.5	5.0	13.1	2.7
20	5.0	3.8	2.7	84		27.9	33.0	23.0	5.2	12.0	2.3
21	4.0	4.4	3.1	86		27.5	33.5	23.5	6.8	14.8	2.7
22	6.1	4.9	3.4	87		26.5	29.0	22.2	0	16.5	2.9
23	1.0	4.2	3.4	82		28.3	32.5	22.5	6.6	13.4	2.4
24	0.2	4.3	3.1	78		28.3	33.5	23.5	7.9	15.3	2.2
25	0.2	2.7	1.9	85		27.9	30.7	22.5	0.6	8.9	1.9
26	5.0	4.3	3.0	83		27.2	33.2	23.3	5.9	13.7	2.4
27	2.6	2.8	2.0	82		28.9	32.0	23.5	2.8	14.8	2.2
28	-	2.5	1.8	83		27.6	31.7	22.0	0	8.0	0.9
29	-	6.8	4.8	73		28.9	35.0	23.3	8.1	17.6	2.6
30	-	6.8	4.8	67		30.0	35.0	23.3	8.7	17.2	3.0
31											
Total	159.6	146.6	103.0	2466					152.0	415.5	
Meon	5.3	4.9	3.4	82		28.1	32.7	23.0	5.1	13.9	2.6

CLIMATOLOGICAL DATA

 STATION: BELITANG

 MONTH: MAY

 YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Max	Min			
1	0	6.8	4.8	73		29.5	34.5	23.5	10.0	18.3	2.6
2	0	5.0	3.5	74		29.3	34.0	24.0	6.5	15.2	2.4
3	9.0	5.2	3.6	90		26.8	32.0	22.5	4.6	10.1	2.8
4	3.0	3.0	2.1	84		27.7	33.0	23.0	5.5	14.3	2.2
5	62.0	6.4	4.5	80		29.2	33.5	22.0	5.8	13.9	2.9
6	4.8	3.5	2.5	87		26.3	31.0	22.0	3.3	10.4	2.7
7	0.7	4.5	3.2	84		26.4	32.0	22.5	6.0	13.5	3.1
8	66.0	7.2	5.0	82		28.5	33.0	21.7	4.9	14.5	2.5
9	0	4.1	2.9	81		27.9	31.5	22.5	4.0	11.7	2.7
10	0	4.4	3.1	82		27.9	32.2	24.0	6.9	14.4	1.7
11	0	4.1	2.9	79		28.6	33.5	22.5	5.8	12.8	2.3
12	22.3	5.4	3.8	89		26.7	33.5	22.2	6.4	14.5	2.8
13	38.8	4.4	3.1	90		26.0	32.0	22.0	3.9	12.1	3.1
14	0	4.1	2.9	82		25.9	32.5	23.7	7.3	13.7	2.3
15	41.0	4.7	3.3	82		28.2	34.0	21.5	8.8	15.9	3.0
16	0	2.5	1.8	86		26.9	31.0	23.5	1.5	9.2	2.3
17	102.0	8.2	5.7	82		28.1	33.0	22.0	7.3	14.9	3.0
18	0	4.4	3.1	86		27.3	31.0	23.0	2.5	12.4	1.5
19	2.0	5.8	4.1	81		28.4	32.8	22.7	9.5	15.9	2.5
20	19.8	6.0	4.2	80		27.7	33.5	22.0	10.1	9.8	2.0
21	19.7	5.9	4.1	88		26.1	30.5	22.5	4.2	16.4	2.2
22	3.0	3.0	2.1	87		26.5	29.5	22.0	1.9	0.1	1.5
23	0	5.0	3.5	80		28.0	32.5	23.0	9.1	14.8	2.0
24	29.4	5.6	3.9	83		27.5	33.5	23.0	7.0	17.0	2.4
25	11.5	4.0	2.8	82		28.6	33.5	24.0	7.0	15.0	2.4
26	14.0	4.0	2.8	86		27.5	30.5	22.5	3.8	9.8	2.1
27	7.5	4.4	3.1	85		27.5	32.5	22.6	4.8	11.3	2.7
28	32.3	4.8	3.4	89		26.1	32.0	21.5	4.3	10.7	2.8
29	6.7	2.9	2.0	88		26.4	29.0	23.5	0.1	7.4	1.5
30	4.8	2.9	2.0	88		26.5	32.0	22.6	4.8	10.5	2.2
31	13.2	3.9	2.7	86		27.2	32.5	22.0	3.7	12.8	1.7
Total	513.5	146.1	102.2	2596					171.3	393.3	
Meon	16.6	4.7	3.3	84		27.5	32.3	22.6	5.5	12.7	2.4

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JUNE

YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radi- ation (kcal/cm ² /hr)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress- ion of wet bulb	Thermo- hygro- graph	Meon	Max	Min			
1	41.1	4.8	3.4	88		25.7	32.0	22.0	4.3	9.8	1.7
2	0	3.8	2.7	82		27.9	32.0	23.7	4.9	12.8	2.6
3	1.0	4.8	3.4	83		27.8	33.0	23.8	5.5	12.7	1.9
4	0	4.1	2.9	83		27.6	32.0	23.0	5.4	11.9	2.1
5	1.5	4.0	2.8	80		28.3	32.8	22.5	7.6	12.6	1.8
6	2.6	3.9	2.7	85		27.4	33.2	23.0	6.5	13.3	2.2
7	17.2	5.9	4.1	84		27.8	34.0	23.5	7.0	13.5	1.9
8	0	4.1	2.9	87		27.5	31.0	22.5	3.1	11.9	1.8
9	60.5	4.2	2.9	83		27.0	32.0	21.5	1.9	11.4	2.3
10	0	3.5	2.5	86		25.6	29.0	23.0	2.1	8.7	2.1
11	0	5.0	3.5	81		27.5	33.3	22.0	6.5	14.8	1.8
12	0	5.0	3.5	78		28.6	33.7	22.0	10.2	16.2	1.5
13	0	4.1	2.9	79		27.4	33.3	22.7	5.7	13.4	1.9
14	0	6.0	4.2	75		29.2	34.3	22.5	10.0	16.9	1.8
15	2.7	6.5	4.6	73		29.7	34.0	22.0	10.0	16.5	3.1
16	0	4.0	2.8	81		28.3	33.0	24.5	5.3	13.5	2.1
17	11.2	3.3	2.3	85		26.7	31.5	21.5	0.8	8.7	2.5
18	0	4.4	3.1	77		28.6	33.8	23.5	8.9	15.7	1.7
19	0	5.0	3.5	75		29.3	33.8	23.0	9.0	13.9	2.6
20	0	2.5	1.8	86		27.7	31.0	22.5	1.7	6.4	2.1
21	0.1	2.6	1.8	87		27.2	31.0	23.0	4.5	8.1	2.6
22	11.1	4.5	3.2	82		27.4	31.5	22.0	5.7	10.5	4.0
23	0	4.0	2.8	82		27.2	31.8	22.0	8.2	13.5	3.1
24	12.0	5.2	3.6	85		26.6	31.7	22.5	6.7	12.6	1.8
25	9.3	3.9	2.7	91		25.4	27.5	22.5	0	6.0	2.1
26	0	4.1	2.9	81		27.1	31.0	22.7	4.2	11.1	2.9
27	0.6	3.1	2.2	83		27.1	32.3	22.7	3.9	9.8	2.1
28	0	5.0	3.5	74		28.1	32.5	22.0	7.3	11.3	3.4
29	0.1	4.1	2.9	82		27.3	32.2	22.0	4.0	11.0	2.7
30	0	1.3	0.9	88		25.1	32.5	22.0	0.6	12.8	2.2
31											
Total	171.0	126.7	89.0	2466					161.5	361.3	
Meon	5.7	4.2	3.0	82		27.5	32.2	22.6	5.4	12.0	2.3

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JULY

YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pōn	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	0	3.0	2.1	86		26.3	29.0	23.0	1.5	7.2	1.2
2	0.6	3.1	2.2	78		26.6	31.5	22.0	0.3	9.3	2.1
3	0	3.0	2.1	82		27.2	31.0	22.0	2.2	10.4	1.8
4	0	5.0	3.5	73		28.5	32.5	23.0	6.1	13.9	2.8
5	0	5.0	3.5	79		28.2	32.8	22.5	6.2	12.7	2.7
6	0	5.0	3.5	73		28.2	33.0	23.5	8.3	13.8	3.1
7	0	5.5	3.9	73		28.9	33.4	23.5	9.1	13.9	2.7
8	0	5.0	3.5	75		29.3	34.0	21.5	7.5	14.7	1.8
9	0	5.0	3.5	71		28.9	34.0	22.5	8.4	13.5	2.3
10	0	5.0	3.5	76		28.9	34.0	22.5	7.3	13.9	2.3
11	0	5.0	3.5	67		29.3	35.0	22.5	-	16.4	0.8
12	0	4.0	2.8	65		29.7	34.5	22.0	9.5	17.1	3.4
13	0	6.3	4.4	67		29.5	34.5	22.0	6.5	18.0	2.0
14	0	6.3	4.4	69		29.4	34.0	22.0	8.8	13.4	2.3
15	0.3	1.6	1.1	70		29.1	34.2	23.0	8.9	15.4	2.4
16	17.2	8.4	5.9	70		30.0	35.0	26.0	8.2	15.1	3.6
17	0	2.5	1.8	79		29.4	31.5	22.0	1.7	9.5	2.5
18	0	6.0	4.2	73		29.2	34.2	23.0	8.7	16.1	3.3
19	0	6.0	4.2	74		28.5	34.5	23.0	7.9	14.8	3.1
20	0	3.0	2.1	80		26.8	28.8	22.0	1.2	6.5	2.4
21	8.5	6.0	4.2	80		26.9	33.0	22.0	7.5	13.5	2.1
22	1.7	3.5	2.5	82		27.4	33.4	21.0	6.5	11.5	2.0
23	0	5.0	3.5	79		27.2	34.0	23.0	8.2	15.5	1.9
24	0	7.0	4.9	75		28.3	33.5	22.0	8.6	14.0	4.3
25	0	4.5	3.2	76		27.7	32.8	22.0	8.1	12.2	3.6
26	0	6.0	4.2	71		27.8	32.5	21.0	4.7	12.5	4.8
27	0	6.6	4.6	72		27.9	33.5	21.5	9.7	15.5	4.2
28	0	5.0	3.5	74		27.5	33.5	22.5	8.2	14.4	3.7
29	0	5.0	3.5	73		27.7	31.5	21.0	2.7	10.2	2.5
30	0	4.0	2.8	73		27.6	33.0	22.0	8.0	14.2	2.9
31	0	6.0	4.2	71		28.2	34.0	21.8	7.8	15.9	3.5
Total	28.3	152.3	106.8	2306					198.3	414.6	
Mean	9.1	4.9	3.4	74		28.2	33.1	22.2	6.4	13.4	2.7

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: AUGUST YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	0	4.3	3.0	75		27.2	32.8	22.5	7.3	11.5	4.5
2	1.0	4.0	2.8	82		26.4	31.2	21.5	3.1	9.8	3.7
3	6.4	3.4	2.4	81		26.6	32.0	22.5	4.6	11.0	2.0
4	103.2	5.7	4.0	85		25.7	31.8	20.5	3.7	8.3	2.6
5	9.2	4.8	3.4	84		25.7	32.0	22.0	6.7	15.3	2.6
6	0.4	3.4	2.4	88		25.7	32.0	21.5	1.9	11.3	2.0
7	0.6	5.6	3.9	71		28.3	32.5	20.7	5.6	14.5	3.6
8	0	5.0	3.5	73		27.5	33.0	22.0	6.3	14.6	2.4
9	0.5	4.8	3.4	74		27.3	33.7	22.0	8.7	16.5	3.7
10	12.2	6.2	4.3	80		27.9	33.2	21.8	7.9	15.2	2.2
11	0	5.5	3.9	76		28.3	34.0	22.0	2.5	15.2	2.2
12	0.1	4.1	2.9	83		26.1	32.5	21.5	4.0	11.1	3.0
13	0	5.5	3.9	73		27.6	32.5	22.6	8.6	14.4	3.8
14	11.3	2.2	2.0	83		26.1	31.0	22.0	0.2	6.2	2.2
15	28.2	4.4	3.1	86		26.0	31.5	21.5	1.4	9.8	2.8
16	0.1	5.1	3.6	80		27.1	27.5	23.0	9.0	16.2	2.6
17	65.0	5.0	3.5	82		27.5	32.5	21.5	5.8	9.7	3.7
18	2.0	6.0	4.2	81		27.1	33.5	22.0	3.7	12.0	2.7
19	0	6.0	4.2	74		29.0	33.0	22.5	9.2	17.8	3.6
20	0	6.0	4.2	71		28.6	32.5	20.9	9.5	18.0	3.5
21	0.2	4.2	3.4	77		26.6	34.0	23.0	3.8	14.9	3.8
22	0	6.0	4.2	77		28.7	34.0	23.0	9.9	17.3	3.3
23	32.5	5.6	3.9	75		29.3	34.5	21.4	8.4	16.9	3.2
24	0	5.5	3.9	72		27.5	32.5	21.5	7.3	15.4	3.2
25	0	5.0	4.2	73		28.1	33.0	22.0	9.2	16.7	3.2
26	0	5.0	3.5	76		28.2	33.0	23.0	7.4	12.4	2.6
27	12.2	6.3	4.4	79		27.7	33.5	20.5	7.7	13.2	3.7
28	6.3	5.1	3.6	93		23.7	26.0	21.5	0.1	14.6	1.9
29	0	5.0	3.5	81		27.6	32.5	22.0	8.2	14.7	2.8
30	1.5	5.5	3.9	78		27.9	34.0	21.6	8.9	16.6	2.9
31	0	5.0	3.5	78		27.9	33.0	22.5	6.0	12.9	3.0
Total	301.3	152.1	110.6	2447					197.8	431.2	
Meon	9.7	5.1	3.6	79		27.3	32.9	21.9	6.4	13.9	3.0

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: SEPTEMBER YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (m2. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Mox	Min			
1	15.3	4.3	3.0	84		26.8	32.5	21.7	5.8	9.8	2.2
2	0	5.0	3.5	77		27.9	33.0	22.3	9.5	14.0	2.9
3	0.1	2.4	1.7	88		26.3	31.0	22.3	4.9	8.2	2.9
4	13.0	5.5	3.9	77		28.1	33.2	23.0	7.1	15.1	3.7
5	5.5	2.5	1.8	89		26.1	31.0	23.0	1.5	9.0	2.5
6	3.4	4.9	3.4	79		27.7	32.5	21.7	6.7	12.1	3.3
7	0.1	4.6	3.2	83		26.4	32.5	22.5	7.5	15.7	3.2
8	0.1	5.1	3.6	75		28.2	32.8	21.5	4.8	15.8	3.9
9	0	3.8	2.7	78		26.8	30.8	22.8	8.0	9.2	2.5
10	3	5.0	3.5	78		27.2	32.5	21.7	6.5	14.7	3.3
11	15.7	4.4	3.1	80		26.9	32.5	21.7	6.2	13.6	4.4
12	0.5	4.5	3.2	80		27.5	32.0	23.0	6.4	12.3	2.8
13	0	4.0	2.8	78		27.0	31.5	22.5	6.8	10.3	3.5
14	3.5	5.5	3.9	78		28.1	34.0	22.0	6.2	15.4	3.6
15	6.0	1.0	0.7	94		24.1	25.2	21.0	0	4.0	2.4
16	27.7	2.7	1.8	89		24.8	29.5	22.0	1.8	7.5	2.8
17	20.0	5.0	3.5	88		25.7	31.5	22.0	4.4	9.7	2.8
18	0	2.5	1.8	89		25.5	28.0	22.0	0.7	6.0	3.5
19	42.2	8.0	5.6	79		27.5	32.0	21.4	6.2	15.1	4.3
20	16.2	5.0	3.5	86		26.1	32.5	21.5	6.6	14.2	3.7
21	4.3	5.5	3.9	80		28.1	32.0	22.0	7.0	14.5	3.1
22	33.8	7.5	5.3	85		25.3	31.0	21.0	4.1	13.9	4.2
23	0	6.0	4.2	80		26.3	32.0	21.8	8.1	17.9	3.0
24	1.0	3.5	2.5	82		26.7	32.0	22.0	2.8	11.5	3.7
25	0.2	5.2	3.6	82		27.1	31.5	22.0	4.3	13.5	3.1
26	0	3.0	2.1	83		26.3	29.5	22.0	0	6.6	3.6
27	0	2.5	1.8	83		26.8	29.5	23.0	1.0	8.5	2.9
28	0	2.5	1.8	85		26.3	29.5	22.5	0.4	7.4	2.8
29	0.5	1.5	1.0	90		24.8	26.2	21.0	0	2.8	2.8
30	0.3	4.3	3.0	76		27.7	32.2	22.0	9.0	16.5	2.8
31											
Total	209.4	127.2	89.4	2075					144.3	344.7	
Meon	7.0	4.2	3.0	83		26.7	31.1	22.0	4.8	11.4	3.2

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: OCTOBER YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (mf. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	0	6.0	4.2	71		28.7	33.7	22.0	10.4	17.5	2.8
2	1.0	6.0	4.2	74		28.6	33.5	23.0	9.9	17.5	2.9
3	7.0	6.0	4.2	81		27.2	33.5	22.0	5.3	14.4	3.4
4	99.5	5.6	3.9	72		28.3	33.2	21.0	7.8	14.0	4.2
5	0	5.0	3.5	75		27.3	32.8	22.0	8.3	17.4	2.3
6	0	7.0	4.9	76		29.7	33.5	22.0	9.0	17.7	3.3
7	0	8.0	4.2	72		28.7	33.2	23.3	9.9	17.0	3.3
8	0	6.5	4.6	73		28.7	34.0	22.5	6.4	14.6	3.7
9	0	6.0	2.2	83		27.3	32.5	23.0	3.9	11.1	2.6
10	0	5.0	3.5	75		28.6	32.8	23.4	6.3	13.1	3.9
11	53.2	1.3	0.9	95		23.7	29.5	21.0	1.0	4.0	2.1
12	3.0	3.0	2.1	86		25.9	32.8	22.0	4.4	13.4	2.2
13	1.4	6.4	4.5	78		28.9	33.6	22.0	9.3	19.0	2.4
14	0	6.4	4.2	75		28.5	33.0	22.0	9.0	17.2	3.3
15	2.0	5.0	3.5	79		27.4	33.0	22.0	7.4	12.2	3.3
16	0	6.0	4.2	76		27.7	32.5	22.0	8.9	15.2	4.6
17	0	6.0	4.2	77		28.0	33.2	23.0	7.5	14.5	2.7
18	21.8	2.1	5.7	81		27.9	33.5	23.0	6.0	12.6	2.7
19	33.0	5.3	3.7	87		27.1	32.0	21.7	3.0	7.5	2.5
20	0.8	3.2	2.7	86		26.5	32.0	22.0	6.8	13.7	2.3
21	1.5	5.5	3.8	89		26.7	33.3	22.0	5.2	13.9	3.6
22	5.5	4.2	2.9	86		26.3	31.5	22.0	3.2	10.5	2.7
23	46.0	5.3	3.7	95		24.1	29.7	21.5	3.1	6.5	2.3
24	14.7	6.0	4.2	82		27.7	32.5	22.6	7.7	16.6	3.1
25	0	3.0	2.1	89		26.0	29.2	22.0	1.2	7.7	2.5
26	0	6.0	4.2	77		28.2	33.2	22.0	7.2	16.9	3.4
27	45.0	9.3	6.5	82		27.5	32.5	22.5	2.4	12.9	2.6
28	6.4	6.4	4.5	78		28.0	33.0	21.5	8.6	19.2	3.3
29	0	5.0	3.5	82		27.3	32.5	23.0	7.5	17.3	2.9
30	5.2	2.2	5.7	94		25.2	30.0	22.5	1.2	5.2	2.6
31	12.4	5.5	3.8	80		26.7	33.6	21.5	7.1	15.8	3.5
Total	361.0	173.6	120.6	2506							
Mean	11.6	5.6	3.9	81		27.3	32.5	22.2	6.3	13.7	3.0

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: NOVEMBER YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	0	5.0	3.5	79		28.4	33.8	22.8	6.4	17.4	2.1
2	0	7.0	4.9	72		29.4	33.8	22.8	10.4	17.7	3.2
3	0	6.0	4.2	77		29.5	33.5	23.5	7.5	15.8	3.7
4	18.0	4.0	2.8	82		27.4	32.5	22.0	3.2	9.8	3.6
5	10.5	2.7	1.9	87		26.3	29.5	22.5	1.7	7.2	3.0
6	40.2	2.7	1.9	94		25.2	30.8	21.5	1.2	9.2	2.6
7	10.0	4.0	2.8	80		27.7	31.5	22.5	3.9	13.5	1.9
8	0	6.0	4.2	78		27.8	33.5	23.0	8.6	15.6	1.9
9	0	6.0	4.2	76		29.0	33.2	22.7	8.7	17.0	2.0
10	0	6.0	4.2	72		29.2	34.5	22.0	10.2	19.0	2.0
11	0	5.0	3.5	71		28.5	33.0	20.8	4.6	10.1	2.2
12	0	7.0	4.9	88		28.9	34.0	22.5	7.5	17.5	2.6
13	0	7.0	4.9	66		29.5	34.0	22.5	8.8	19.6	2.7
14	0	5.5	3.9	74		29.3	33.8	23.0	6.3	16.3	2.4
15	17.0	5.7	4.0	77		28.3	32.8	23.0	4.1	13.4	3.0
16	5.0	5.0	3.5	83		26.5	32.5	21.0	6.0	16.0	3.0
17	0	4.0	2.8	81		27.9	32.0	22.0	4.9	14.9	1.8
18	0	5.5	3.9	74		28.9	33.0	22.5	8.4	17.0	3.0
19	20.5	5.5	3.9	71		28.5	32.0	22.0	6.4	14.4	2.9
20	6.2	4.2	2.9	78		28.1	32.7	21.7	6.0	14.0	2.6
21	27.0	7.0	4.9	76		28.3	32.5	21.0	8.8	16.2	4.4
22	2.5	3.1	2.2	84		26.4	30.5	22.5	1.9	8.4	3.1
23	5.2	4.0	2.8	83		26.4	30.5	21.5	2.6	9.8	4.0
24	1.8	3.8	2.7	82		26.7	30.8	22.0	3.0	10.5	2.0
25	0	5.0	3.5	76		28.0	31.5	22.5	5.4	13.5	3.0
26	9.5	5.5	3.1	83		26.5	32.0	22.0	4.4	14.2	4.0
27	12.0	4.5	3.1	83		26.5	29.8	21.0	4.8	11.0	3.8
28	0.7	3.2	2.2	85		26.0	29.2	22.0	2.3	9.0	3.6
29	0	4.0	2.8	83		26.7	29.6	21.5	3.5	9.5	3.7
30	3.6	4.6	3.2	78		27.8	31.5	22.5	8.4	14.4	4.1
31											
Total	199.7	147.5	103.3	2373					170.5	411.9	
Mean	6.7	4.9	3.4	79		27.8	32.1	22.1	5.7	13.7	2.9

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: DECEMBER YEAR: 1973

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	0	4.0	2.8	82		27.6	30.5	22.0	0.0	9.8	2.7
2	42.0	2.0	5.6	76		27.9	32.0	21.5	5.9	15.4	3.6
3	0	2.0	1.4	87		25.5	28.8	22.0	0.4	6.6	2.0
4	22.0	6.2	4.8	84		26.3	32.5	21.4	5.4	13.4	1.1
5	1.5	4.5	3.2	82		26.4	31.5	21.0	6.0	14.3	2.4
6	0	4.0	2.8	82		26.8	32.0	21.5	6.7	14.8	3.4
7	0.5	4.5	3.2	83		26.4	30.7	21.8	7.0	13.5	3.5
8	10.0	5.0	3.5	86		26.0	31.5	21.5	5.1	13.0	4.3
9	26.5	3.2	2.6	87		25.2	30.0	21.7	2.8	10.4	3.3
10	19.2	7.2	5.5	80		27.3	30.5	21.0	7.2	13.9	4.4
11	100.0	6.3	4.4	82		27.4	32.2	22.0	7.0	14.0	3.7
12	6.7	1.9	1.3	91		25.5	29.5	22.0	1.1	4.5	2.1
13	0	2.0	1.4	91		25.1	28.0	21.7	0.3	6.9	2.9
14	44.5	5.2	4.1	87		25.8	32.5	21.5	3.6	13.0	3.3
15	31.2	5.5	3.9	89		25.5	30.2	22.0	4.3	11.8	2.7
16	55.0	9.7	6.8	85		25.9	31.5	21.5	5.9	13.9	2.3
17	21.2	5.5	3.9	83		26.4	31.5	21.5	5.9	15.2	4.0
18	3.2	2.8	2.0	88		25.9	29.5	22.0	0.0	8.9	3.9
19	15.5	3.0	2.1	85		26.2	28.2	22.0	0.0	6.8	3.4
20	11.5	3.5	2.5	85		25.9	29.5	21.5	0.7	8.5	2.7
21	0	4.0	2.8	84		26.1	30.5	23.0	1.2	11.0	2.2
22	0	4.0	2.8	76		28.2	31.7	22.7	5.4	14.1	2.9
23	0	4.0	2.8	77		27.5	30.5	22.5	1.3	10.5	3.2
24	0	4.0	2.8	80		27.4	30.0	21.0	1.0	9.5	3.3
25	2.0	2.0	1.4	84		25.9	29.0	22.0	2.2	9.3	5.7
26	6.0	4.0	2.8	80		26.5	29.5	20.5	4.4	11.1	6.1
27	0	4.5	3.2	72		25.9	29.0	22.0	2.8	9.8	5.1
28	0	5.0	3.5	80		26.7	30.0	21.5	5.1	12.5	7.3
29	0	5.0	3.5	81		26.2	29.0	22.0	2.2	9.4	5.5
30	0	3.0	2.1	79		26.0	28.5	21.5	0.7	9.0	5.7
31	0	5.0	3.5	77		25.9	30.0	21.5	3.7	13.0	7.7
Total	131.7	140.9	99.0	2573					105.9	247.8	
Mean	4.25	4.5	3.2	83		26.4	30.3	21.7	3.4	11.2	3.8

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JANUARY YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	4.2	8.7	6.1	79		25.9	29.0	21.5	0.6	9.5	6.0
2	5.7	2.7	1.9	87		25.1	28.5	22.0	0.5	7.5	5.5
3	15.2	2.2	1.5	90		25.0	27.0	22.5	0.5	7.0	4.3
4	2.2	2.7	1.9	90		25.1	27.7	21.7	0.7	7.2	3.2
5	1.0	3.0	2.1	85		25.2	28.3	21.6	0.4	6.6	4.0
6	0	3.5	2.5	84		25.5	28.0	21.5	2.7	8.1	4.6
7	0.3	2.8	2.0	81		25.9	29.2	21.2	0.7	10.5	4.2
8	0	3.0	2.1	83		25.8	28.0	22.0	2.4	8.4	4.4
9	6.5	9.0	6.3	86		20.7	30.0	22.0	0.5	8.9	4.2
10	16.5	3.5	2.5	89		25.1	28.0	22.0	4.0	7.2	3.8
11	2.0	3.5	2.5	84		26.6	30.2	21.5	3.0	11.5	4.4
12	8.5	4.5	3.2	83		26.3	29.5	21.5	2.8	9.2	4.4
13	10.7	4.7	3.3	82		25.7	29.5	21.5	1.8	9.2	4.4
14	2.7	2.7	1.9	85		25.6	28.5	22.0	2.5	9.0	5.7
15	0.1	3.6	2.5	21		25.2	28.5	21.6	4.3	10.0	5.0
16	0	5.0	3.5	76		26.7	30.0	21.5	2.7	11.5	5.6
17	2.3	4.3	3.0	82		26.3	30.0	22.0	6.0	10.5	4.2
18	5.5	5.5	3.9	79		26.9	30.5	22.5	2.9	12.5	6.0
19	0	4.5	3.2	81		26.1	30.0	22.0	3.1	11.0	5.2
20	0	5.0	3.5	77		26.3	30.0	22.0	3.2	11.3	5.1
21	0	4.0	2.8	79		26.9	29.2	21.5	3.9	10.2	3.7
22	0	4.0	2.8	79		26.3	30.3	21.0	6.5	13.5	4.1
23	0	5.0	3.5	80		26.9	30.2	22.0	0.3	12.8	4.5
24	35.0	5.0	3.5	83		27.0	30.5	21.5	1.7	10.1	3.6
25	0	4.0	2.8	76		26.7	30.0	22.0	0.5	12.1	3.5
26	0.5	4.5	3.2	78		26.0	30.0	21.0	0	13.4	4.3
27	5.5	3.0	2.1	87		25.0	29.5	21.5	8.1	7.5	3.4
28	3.0	5.5	3.9	75		27.2	31.7	21.5	1.6	12.4	3.7
29	0	4.0	2.8	81		26.6	30.0	22.0	1.1	12.4	2.6
30	29.5	5.7	4.0	82		27.1	30.7	20.5	3.7	8.7	3.9
31	3.5	4.8	3.4	80		26.6	30.0	22.0	4.4	14.0	3.6
Total	220.9	133.7	94.2	2550					76.6	212.1	
Mean	7.1	4.3	3.0	82.3		26.1	29.5	21.7	2.5	10.3	4.7

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: FEBRUARY YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (mj./Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Mox	Min			
1	1.7	4.7	3.3	84		25.9	29.5	21.5	4.4	12.0	4.6
2	6.5	2.0	1.4	90		24.4	29.0	21.0	0.1	7.0	4.2
3	14.7	5.7	4.0	85		25.7	29.8	21.5	5.4	14.5	4.4
4	5.5	5.5	3.9	79		26.9	31.0	22.0	8.4	16.5	4.4
5	2.0	3.0	2.1	90		25.0	27.0	21.7	0.0	4.5	2.5
6	5.0	5.0	3.5	79		26.5	30.5	22.0	8.0	16.0	3.6
7	18.3	4.5	3.2	82		26.6	30.5	22.0	6.6	10.5	3.7
8	5.3	5.3	3.7	83		25.7	31.0	21.5	6.6	14.5	5.6
9	0	4.0	2.8	22		25.7	29.5	21.5	7.4	14.0	5.2
10	11.0	4.5	3.2	26		24.3	28.0	20.0	1.3	2.7	7.9
11	0.3	2.2	2.0	85		24.5	28.2	20.5	0.9	9.5	4.9
12	0.5	3.0	2.1	83		25.5	29.0	20.5	3.6	9.5	6.0
13	1.0	3.0	2.1	81		25.3	28.5	21.5	2.7	9.5	6.1
14	2.0	5.0	3.5	23		25.4	30.0	22.0	6.2	14.0	5.6
15	0.2	5.2	3.6	82		26.5	30.0	22.0	7.5	12.5	5.9
16	2.0	4.0	2.8	75		27.3	30.5	21.5	4.2	12.0	4.8
17	2.2	4.2	3.4	78		27.9	31.7	22.0	5.9	6.9	3.0
18	2.0	2.0	1.4	28		25.9	28.5	22.5	0.0	11.9	2.6
19	7.5	4.5	3.2	87		25.2	31.0	21.0	4.1	12.0	4.3
20	15.5	4.5	3.2	87		24.7	29.5	21.0	1.3	10.5	3.1
21	0	4.0	2.8	79		27.3	31.2	22.5	5.2	15.7	2.6
22	0	5.0	3.5	81		26.7	30.0	21.5	1.5	11.7	3.2
23	0	5.0	3.5	20		26.6	32.0	22.0	5.9	13.3	2.4
24	0	3.5	2.5	80		27.1	30.0	22.0	1.9		2.4
25	0	4.3	3.0	83		26.7	31.0	22.0	2.1	11.6	3.4
26	6.0	4.2	2.9	81		27.1	30.5	21.0	2.9	10.3	4.2
27	11.6	5.6	3.9	21		25.8	30.0	20.7	2.2	11.3	6.9
28	12.5	5.5	3.9	20		26.3	30.2	20.5	4.6	12.2	5.7
29											
30											
31											
Total	152.9	120.1	84.4	2314					109.4	312.6	
Mean	5.5	4.3	3.0	83		26.0	29.9	21.5	4.0	11.6	4.4

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: MARCH

YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Mox	Min			
1	3.6	2.6	1.2	88		25.0	29.0	21.5	1.7	8.3	4.07
2	5.5	4.5	3.2	85		26.5	30.5	22.5	5.6	12.8	5.14
3	6.0	4.0	2.8	83		26.0	28.5	21.8	6	7.7	4.18
4	7.0	4.5	3.2	82		26.4	31.5	21.5	6.9	13.8	3.95
5	0	4.0	2.8	81		27.2	30.5	22.5	6.7	13.7	2.55
6	0	6.0	4.2	75		27.6	33.0	22.0	9.5	16.0	3.51
7	12.3	6.3	4.4	76		27.0	32.5	21.7	6.8	13.7	4.33
8	49.0	8.0	5.6	81		26.3	31.0	21.5	5.8	10.8	3.22
9	0.5	5.5	3.9	83		26.8	31.7	23.0	5.8	12.8	4.17
10	1.0	4.5	3.2	82		26.7	32.0	21.5	5.8	13.0	4.24
11	11.4	6.4	4.5	81		26.5	31.8	21.5	6.9	12.6	3.37
12	8.2	5.7	4.0	81		26.9	31.0	21.0	1.2	12.2	4.25
13	0.2	2.2	1.5	83		25.8	28.2	23.0	5.5	7.1	3.25
14	46.0	4.9	3.4	73		27.7	31.8	22.0	2.8	11.2	3.15
15	1.2	3.2	2.2	85		26.7	30.0	22.0	8.0	10.5	3.12
16	0	6.0	4.2	83		26.9	32.0	22.0	7.5	14.4	4.34
17	0.3	4.8	3.4	80		26.3	32.0	21.5	3.7	15.3	3.43
18	0	6.0	4.2	81		26.7	30.5	22.5	6.4	12.0	2.60
19	2.0	5.0	3.5	88		26.2	31.5	22.0	5.8	12.6	3.27
20	91.0	3.5	2.5	79		27.6	31.2	21.0	0	12.2	4.27
21	0	3.0	2.1	85		25.1	28.0	22.0	8.5	6.2	4.14
22	0	5.0	3.5	77		27.5	31.5	22.5	9.0	14.6	3.59
23	72.0	7.0	4.9	78		28.3	32.2	22.0	0.7	17.5	3.95
24	0	3.0	2.1	82		26.5	30.0	22.0	3.1	10.4	2.70
25	0	4.0	2.8	82		27.9	30.8	23.0	6.0	12.0	2.62
26	0	5.5	3.9	79		27.9	32.5	22.5	8.0	16.5	3.30
27	15.5	5.5	3.9	79		28.9	33.0	21.5	6.0	15.7	3.25
28	5.0	5.0	3.5	86		27.1	32.0	22.0	6.3	16.8	3.31
29	12.2	3.2	2.2	84		26.9	31.0	22.0	6.9	11.5	2.17
30	7.0	7.0	4.9	85		26.5	32.0	22.8	8.6	17.7	2.30
31	0	6.0	4.2	76		28.5	32.8	22.0	9.1	17.6	3.05
Total	356.9	151.8	106.5	242.9					174.6	399.2	
Meon	11.5	4.9	3.4	82		26.9	31.2	22.0	5.7	12.9	3.60

CLIMATOLOGICAL DATA

STATION: BELIANG

MONTH: APRIL

YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pdn	Eo	Depress-ion of wet bulb	Thermo-hygro graph	Mean	Max	Min			
1	60.0	7.5	5.3	91		27.9	32.8	21.0	6.0	12.6	2.57
2	20.0	8.5	6.0	79		28.2	32.5	22.5	9.8	17.1	2.80
3	0	5.5	3.9	82		28.5	32.0	22.5	8.6	14.9	2.69
4	0	4.5	3.2	82		28.5	33.5	23.5	9.2	15.2	2.99
5	0	4.5	3.2	83		27.9	33.5	21.5	7.9	16.3	3.32
6	6.5	6.5	4.6	82		26.9	32.5	22.0	7.5	16.2	2.52
7	0	3.5	2.5	85		27.7	32.5	23.5	6.2	14.7	2.54
8	33.5	4.7	3.3	84		26.9	32.5	22.5	5.5	12.8	3.77
9	5.5	5.5	3.9	82		27.5	31.5	23.0	6.9	14.3	2.71
10	23.5	7.2	6.4	84		26.6	32.5	21.5	6.0	10.7	2.61
11	0.5	5.5	3.9	81		27.3	32.0	21.7	7.8	17.1	3.20
12	12.0	6.0	4.2	85		27.4	32.0	22.5	8.6	15.5	3.27
13	0	4.0	2.8	83		27.5	31.5	23.5	6.8	12.6	2.61
14	24.0	5.7	4.0	85		27.7	31.0	22.0	4.0	10.7	3.35
15	11.5	5.5	4.6	84		27.6	32.0	23.0	7.6	15.3	2.90
16	0.5	5.5	3.9	85		27.1	32.5	23.5	7.5	17.0	2.74
17	0	4.0	2.8	79		28.1	32.5	21.5	6.0	12.5	2.96
18	0	3.0	2.1	83		26.5	31.0	22.0	1.0	10.4	2.09
19	0	7.0	4.9	71		29.9	33.5	23.0	10.5	15.8	2.27
20	0	5.0	3.5	75		29.3	34.0	22.5	11.0	15.7	2.44
21	0	5.2	3.5	79		28.7	33.5	23.0	7.5	14.7	2.27
22	0.2	5.3	3.6	75		28.2	34.0	22.5	7.8	15.5	2.69
23	0	6.0	4.2	72		29.5	34.5	23.8	10.2	18.2	2.56
24	10.5	5.5	3.9	74		29.3	32.5	21.0	4.2	10.0	2.60
25	0.2	5.2	3.6	79		26.7	33.0	22.0	7.8	16.5	2.75
26	0	6.0	4.2	73		28.9	34.0	22.0	9.5	18.0	2.15
27	0	5.0	3.5	72		28.7	33.5	22.5	9.9	13.5	2.42
28	0	6.0	4.2	78		28.2	33.5	23.5	7.6	14.3	2.40
29	4.0	4.0	2.8	84		27.7	33.0	22.5	5.9	12.5	3.44
30	6.0	5.0	3.5	80		27.9	33.0	23.0	6.3	15.1	2.99
31											
Total	286.4	165.0	116.0	2410					221.1	435.9	
Mean	9.5	5.5	3.9	80		28.0	32.7	22.5	7.4	14.5	2.76

CLIMATOLOGICAL DATA

 STATION: BELLTANG

 MONTH: MAY

 YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radia- tion (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress- ion of wet bulb	Thermo- hygro graph	Mean	Max	Min			
1	0	6.0	4.2	77		29.1	33.5	23.0	8.9	16.9	2.2
2	0	5.0	3.5	75		29.3	33.5	23.0	8.2	13.8	2.7
3	0	6.0	4.2	74		29.7	34.5	23.5	9.2	14.9	2.7
4	48.0	8.0	5.6	78		28.9	33.5	21.0	6.3	14.5	3.9
5	30.5	6.5	4.6	86		25.3	32.0	20.5	4.9	12.8	2.5
6	0.8	1.8	1.3	87		25.7	31.0	22.0	1.5	8.9	2.4
7	0	5.0	3.5	82		27.5	33.5	22.0	6.9	12.3	2.6
8	0	4.0	2.8	78		28.4	33.5	21.0	9.1	14.0	3.1
9	3.0	5.0	3.5	83		26.9	31.0	21.5	6.6	12.5	3.8
10	4.0	5.0	3.5	76		28.3	32.5	22.5	8.7	15.5	2.6
11	4.8	4.8	3.4	84		27.1	33.5	21.5	8.2	12.3	3.1
12	0	3.0	2.1	72		26.8	32.5	22.0	4.6	10.2	2.8
13	6	5.0	3.5	83		27.3	31.5	21.5	3.8	9.3	2.3
14	0.2	4.2	2.9	83		26.6	33.0	22.0	5.7	13.4	2.2
15	8.0	4.6	3.2	81		28.1	32.5	22.0	4.2	16.3	2.8
16	0	4.0	2.8	78		28.1	32.5	22.5	8.6	19.6	2.7
17	0	6.0	4.2	73		28.5	34.0	23.5	8.6	20.2	2.9
18	0	3.0	2.1	84		27.0	31.5	22.0	0.8	7.9	3.6
19	12.0	2.0	1.4	84		26.5	32.0	23.5	3.7	6.5	2.5
20	0	4.0	2.8	80		27.7	33.0	22.0	5.8	10.8	3.5
21	41.0	6.0	4.2	76		28.5	33.0	21.5	6.3	12.6	2.6
22	0	5.0	3.5	79		28.3	33.0	22.0	8.6	13.7	1.9
23	1.0	5.0	3.5	76		28.9	34.0	23.5	8.7	16.2	2.3
24	13.0	5.0	3.5	78		29.1	33.5	22.0	6.9	12.0	3.1
25	10.5	4.5	3.2	84		27.0	31.5	23.0	2.7	10.8	1.8
26	0	5.0	3.5	77		28.1	33.0	22.5	6.2	11.2	2.2
27	0	5.0	3.5	80		27.7	33.0	23.0	9.2	12.5	3.8
28	7.5	2.5	1.8	85		27.0	31.5	23.0	3.7	7.5	2.6
29	4.5	4.5	3.2	88		26.9	32.5	22.5	3.4	5.0	3.0
30	16.0	4.0	2.8	80		27.7	33.3	22.0	5.1	11.7	2.5
31	2.0	4.0	2.8	84		26.5	32.8	22.0	6.6	12.2	2.9
Total	200.8	143.4	100.8	2495					191.5	388.0	
Mean	6.5	4.6	3.3	80		27.7	32.8	22.2	6.1	12.5	2.8

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JUNE

YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (MJ. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	0	2.5	1.8	88		27.0	31.6	22.0	7.1	9.0	1.9
2	27.0	5.0	3.5	87		27.2	30.5	21.0	1.6	6.5	2.0
3	0	4.0	2.8	79		27.8	32.8	21.7	9.8	14.3	2.9
4	0	5.0	3.5	76		28.0	33.5	21.0	9.1	13.0	2.5
5	0	4.0	2.8	79		27.7	33.0	22.0	8.7	10.9	2.4
6	0	5.0	3.5	75		28.2	33.5	24.0	5.6	12.4	2.2
7	0	5.0	3.5	76		27.1	34.0	22.7	7.4	13.3	2.3
8	0	5.0	3.5	72		29.4	33.8	21.0	10.1	14.0	3.0
9	0	6.0	4.2	70		22.5	34.0	21.7	10.3	15.7	3.1
10	0	5.0	3.5	74		22.5	33.0	19.5	8.9	13.9	2.5
11	0	4.0	2.8	70		22.2	34.0	20.0	8.5	14.6	2.3
12	0	5.0	4.2	70		22.1	33.0	22.0	10.2	16.3	3.1
13	4.5	4.5	3.2	81		27.0	31.8	22.0	2.2	2.0	3.4
14	0	2.0	1.4	84		25.8	30.5	31.2	2.1	7.0	2.7
15	0	4.0	2.8	81		27.5	33.0	22.0	9.2	13.3	3.0
16	0	4.0	2.8	84		26.7	30.5	21.5	2.9	7.0	3.5
17	0	1.0	0.7	87		25.0	27.5	21.0	0	3.5	2.8
18	0	4.0	2.8	77		27.5	32.0	21.8	5.7	14.4	2.7
19	1.5	5.0	3.5	83		26.9	33.0	21.5	7.2	12.4	2.8
20	0	4.0	2.8	83		26.7	33.3	21.5	6.6	11.7	2.8
21	0	3.0	2.1	81		26.9	31.3	21.5	3.3	9.1	2.7
22	4.5	2.3	1.6	84		26.3	31.5	21.0	3.3	6.2	2.3
23	12.5	2.5	1.8	82		26.5	31.0	20.5	4.7	6.5	1.9
24	0	3.5	2.5	76		27.8	33.0	20.5	10.0	13.4	2.5
25	0	5.0	3.5	75		27.5	32.0	21.5	6.5	12.1	2.3
26	7.5	4.5	3.2	78		27.7	33.0	20.0	5.6	11.0	3.5
27	0	1.0	0.7	87		24.9	27.5	21.0	1.0	4.9	3.6
28	0	2.0	1.4	85		25.6	29.6	21.5	1.3	6.1	1.6
29	8.5	3.9	2.7	83		25.7	31.3	21.5	3.7	9.6	2.8
30	0	3.9	2.7	83		26.9	31.0		4.2		
31											
Total	66.0	117.0	79.7	2390					179.8	310.1	
Meon	2.2	3.9	2.7	80		27.3	32.0	21.7	6.0	10.7	2.6

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JULY YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pan	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min.			
1	2.0	6.0	4.2	83		27.1	32.5	21.0	4.2	11.5	2.9
2	0	2.0	1.4	89		25.4	29.0	22.0	0.1	4.9	1.7
3	0	4.0	2.8	79		27.8	32.0	21.5	10.3	12.5	1.9
4	0.8	4.2	3.4	77		27.9	33.5	21.0	7.0	9.5	2.7
5	0	5.3	3.7	69		27.7	33.0	21.0	10.2	12.3	2.7
6	0	5.0	3.5	74		27.5	33.0	21.0	7.5	13.5	3.0
7	0	3.5	2.5	84		26.0	29.5	21.5	2.4	7.5	2.7
8	0	2.0	1.4	80		26.6	31.2	21.5	2.1	8.5	2.9
9	0	3.5	2.5	76		27.5	33.0	21.0	8.2	13.1	3.2
10	10.2	5.2	4.1	79		26.9	33.2	21.0	7.5	12.0	4.3
11	2.5	2.5	1.8	95		23.1	26.5	20.5	0.5	3.5	2.8
12	0	3.0	2.1	77		28.0	32.5	21.5	7.3	13.2	2.9
13	6	3.5	2.5	82		27.3	31.0	20.5	4.4	9.4	2.7
14	0	3.0	2.1	77		27.1	32.8	22.5	9.2	13.0	2.5
15	1.0	3.0	2.1	80		27.1	30.5	22.5	1.3	8.0	3.4
16	12.2	2.2	6.2	76		27.2	31.0	20.5	3.5	10.0	4.1
17	2.0	4.0	2.8	79		27.3	32.5	20.7	9.2	16.0	2.5
18	0	4.0	2.8	78		27.1	32.7	21.0	9.3	14.5	2.4
19	1.0	5.0	3.5	78		26.6	33.0	21.0	8.1	14.0	2.4
20	0	2.0	1.4	80		26.7	30.5	21.5	4.3	9.5	3.3
21	1.2	3.7	2.6	82		26.9	32.0	21.0	5.3	10.3	3.2
22	0	1.4	1.0	83		26.7	30.5	22.5	4.6	8.5	3.3
23	19.0	4.0	2.8	95		24.2	25.0	21.0	0	1.3	2.2
24	0	4.3	2.7	85		26.3	29.8	21.5	1.3	10.0	3.4
25	0	4.5	3.2	80		26.7	31.5	22.5	4.7	12.5	2.6
26	0	5.5	3.9	82		26.9	33.0	22.0	5.0	12.9	2.9
27	44.0	7.7	5.4	77		27.8	33.5	21.5	7.3	15.5	3.9
28	36.0	6.0	4.2	77		28.2	33.5	21.0	10.3	16.3	3.7
29	1.0	6.0	4.2	81		26.0	32.5	21.5	8.0	17.2	3.4
30	0	5.0	3.5	79		26.8	33.5	22.0	7.9	15.4	2.6
31	0.6	5.6	3.9	77		27.7	33.0	23.0	6.9	15.1	3.0
Totol	146.7	133.7	91.5	2490					172.4	352.0	
Meon	4.7	4.3	3.0	80		26.8	31.6	21.4	5.8	11.4	2.9

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: AUGUST YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (mt. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1	23.0	5.0	3.5	85		26.5	32.0	20.5	3.1	9.8	2.8
2	4.0	7.0	4.9	75		26.7	31.0	21.5	3.7	11.1	2.1
3	82.0	5.7	4.0	83		26.5	33.0	21.0	7.3	16.5	3.4
4	0	4.0	2.8	77		27.5	32.0	21.5	6.7	14.9	2.2
5	0	5.0	3.5	74		26.0	33.5	21.5	9.8	15.2	2.0
6	0	6.0	4.2	74		27.6	32.5	21.5	4.8	13.4	3.5
7	0	5.0	3.5	79		27.4	33.5	22.7	6.4	14.8	3.6
8	0	4.0	2.8	78		28.1	32.8	23.0	3.3	11.0	3.5
9	0	5.0	3.5	73		28.8	32.5	22.0	7.3	13.7	3.4
10	0	5.8	4.8	76		28.3	34.0	23.0	0	12.5	3.9
11	1.0	6.0	4.2	81		27.8	34.2	21.7	9.4	14.8	3.7
12	0	5.0	3.5	78		27.6	33.5	22.7	6.4	15.2	3.5
13	0	5.0	3.5	78		27.7	32.5	22.5	1.9	9.9	3.4
14	15.0	5.0	3.5	77		26.7	31.8	22.5	3.1	10.0	2.8
15	0	3.0	2.1	83		26.7	30.0	21.5	0.5	8.0	2.6
16	0	5.0	3.5	77		28.5	33.0	23.0	9.1	16.6	3.0
17	0	5.0	3.5	76		28.3	33.5	21.8	5.1	13.1	3.4
18	0	5.5	3.9	73		28.3	32.5	22.5	9.9	15.1	3.4
19	0	5.0	3.5	80		27.5	33.0	22.0	9.1	13.0	3.6
20	0	5.5	3.9	73		28.7	33.5	22.0	9.3	15.0	3.7
21	0.8	4.8	3.4	77		28.4	32.3	22.0	8.2	11.7	4.5
22	0.1	3.1	2.2	80		27.3	31.8	21.5	0.9	9.3	2.2
23	4.3	6.3	4.4	76		25.7	31.0	21.5	4.3	9.0	2.6
24	12.5	5.0	3.5	86		25.6	30.6	21.0	1.6	9.5	3.6
25	0	2.0	1.4	86		26.2	30.8	23.0	0.8	8.5	2.0
26	9.8	6.0	4.2	77		28.1	33.0	20.5	6.9	15.0	3.4
27	7.0	8.0	5.6	81		26.9	32.7	21.0	6.9	6.5	3.6
28	0	5.0	3.5	84		26.3	32.0	21.5	5.9	13.0	3.4
29	1.0	3.0	2.1	89		25.3	31.2	20.8	4.1	8.8	2.6
30	20.0	6.3	4.4	83		26.9	32.5	21.0	7.6	14.5	2.6
31	0	5.0	3.5	72		27.5	32.5	21.0	8.4	11.5	3.2
Total	129.5	158.0	110.8	2467					171.8	380.9	
Mean	5.8	5.1	3.6	80		27.3	32.4	21.8	5.5	12.3	3.2

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: SEPTEMBER YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	0	5.0	3.5	75		27.3	31.5	22.5	4.6	12.2	4.0
2	2.0	3.0	2.1	85		26.1	31.0	21.5	3.8	8.9	2.2
3	0	3.0	2.1	86		25.9	31.0	21.0	3.9	9.7	3.5
4	7.5	5.0	3.5	81		26.2	32.0	21.0	4.9	13.0	2.9
5	0	5.0	3.5	82		26.7	32.0	22.0	8.3	16.5	3.5
6	0	6.5	4.6	77		27.9	33.0	22.0	8.3	17.0	3.4
7	0	4.0	2.2	86		25.9	30.5	20.5	2.6	10.3	3.6
8	0	6.0	4.2	81		26.5	32.5	20.5	9.1	16.7	4.8
9	42.0	6.2	4.8	82		26.4	30.5	21.0	0.2	10.5	3.4
10	9.0	6.0	4.2	82		26.0	32.2	21.0	7.8	17.2	2.8
11	0	3.1	2.2	84		26.3	32.8	21.5	7.9	14.0	3.2
12	0	4.0	2.8	84		27.0	32.8	21.5	6.3	14.3	3.3
13	0	3.0	2.1	85		25.9	29.2	21.7	0.1	8.0	2.9
14	2.5	5.4	3.2	89		25.3	30.5	22.5	1.6	10.5	3.4
15	7.0	5.0	3.5	77		27.4	32.0	21.5	8.8	15.3	2.7
16	0	5.0	3.5	79		27.5	33.0	22.0	5.1	18.0	3.6
17	0	5.0	3.5	78		27.7	32.5	22.5	5.4	12.0	3.4
18	4.0	3.0	2.1	80		27.6	32.0	21.5	5.3	10.5	3.0
19	0	5.0	3.5	75		27.6	32.5	22.0	6.4	14.5	2.8
20	0	3.5	2.5	73		22.5	33.0	22.0	8.5	15.0	2.5
21	2.0	4.5	3.2	83		26.3	32.0	21.0	0	6.5	2.9
22	0	5.0	3.5	77		27.3	32.5	22.5	9.2	14.9	4.1
23	25.0	5.0	3.5	88		25.7	27.5	21.0	0.8	6.0	2.9
24	0	4.6	3.2	81		27.2	32.0	22.0	6.6	14.0	3.9
25	15.0	5.0	3.5	84		26.7	32.0	22.0	7.5	14.5	3.2
26	5.5	5.5	3.9	91		25.3	30.5	22.0	3.4	9.0	3.0
27	0.5	3.0	2.1	84		26.6	32.0	21.5	5.4	11.5	3.4
28	18.4	3.4	2.4	87		26.5	30.0	21.0	2.1	8.5	2.0
29	0	6.0	4.2	77		28.0	33.5	22.0	9.7	18.0	2.1
30	8.0	4.0	2.8	82		26.9	32.0	21.5	4.8	13.8	2.3
31											
Total	172.8	138.0	97.1	2455					158.4	321.4	
Mean	5.8	4.6	3.2	82		26.7	31.7	21.6	5.3	12.7	3.2

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: OCTOBER YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	E ₀	Depress-ion of wet bulb	Thermo-hygro graph	Mean	Max	Min			
1	0	2.0	1.4	88		26.1	29.0	22.0	0.0	7.5	2.0
2	0	5.0	3.5	80		26.9	33.0	21.0	3.2	13.3	2.6
3	78.0	8.0	5.6	81		27.3	32.5	21.0	5.7	14.9	3.5
4	10.0	3.5	2.5	84		26.1	31.5	21.0	4.1	13.2	3.0
5	0.1	2.1	1.5	88		25.1	27.5	21.5	0.3	5.8	3.0
6	32.5	7.5	5.3	82		25.7	31.2	21.0	5.6	13.5	3.1
7	12.6	6.6	4.6	76		27.7	32.5	21.8	6.3	12.9	2.2
8	0	6.0	4.2	77		28.2	33.0	22.0	8.4	18.0	2.0
9	0	5.0	3.5	76		29.2	34.0	22.0	10.3	19.2	2.0
10	0	5.0	4.2	72		28.7	34.2	21.5	7.6	15.5	2.2
11	0	6.0	4.2	71		29.1	33.5	22.0	6.4	15.3	2.2
12	0	5.0	3.5	73		32.1	34.0	23.0	8.3	17.2	2.7
13	0	5.0	3.5	77		28.1	33.0	22.0	1.9	13.0	2.7
14	3.5	4.0	2.8	71		28.5	32.0	22.0	0.3	12.2	2.3
15	51.0	4.8	3.4	77		28.2	33.2	22.0	6.6	17.0	2.7
16	15.0	6.0	4.2	81		27.4	33.0	22.0	5.8	15.4	4.1
17	2.0	3.0	2.1	85		26.5	29.8	22.0	0.2	2.7	2.7
18	0	5.0	3.5	78		28.3	33.5	23.5	6.2	17.0	2.1
19	0	5.0	3.5	68		29.1	34.0	24.0	3.2	12.8	2.2
20	3.2	3.2	2.2	86		27.2	30.5	21.0	0.0	7.3	2.9
21	0	5.0	3.5	76		27.5	33.0	22.0	6.7	15.5	3.3
22	0.2	2.7	1.9	84		26.7	30.0	21.0	0.0	7.7	2.4
23	18.0	3.0	2.1	87		26.0	31.5	21.0	0.5	10.9	1.3
24	14.6	6.6	4.6	82		26.5	33.0	20.5	7.0	15.6	2.7
25	0	5.5	3.9	78		27.9	32.5	21.5	6.5	17.0	2.5
26	9.0	3.5	2.5	82		26.5	33.0	21.5	7.6	16.2	3.2
27	0	5.0	3.5	84		26.9	30.5	22.0	2.5	10.0	2.3
28	7.7	3.7	2.6	80		27.7	33.0	20.5	7.9	10.6	4.1
29	0	5.0	3.5	78		28.1	33.0	22.0	6.0	16.1	2.3
30	0	4.0	2.8	76		29.0	33.5	23.0	6.6	15.0	2.4
31	0	5.5	3.9	74		29.0	34.0	23.5	6.5	16.0	2.3
Total	267.4	148.2	104.0	2458					149.2	436.5	
Mean	8.6	4.8	3.4	79		27.7	32.3	21.8	4.8	14.1	2.6

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: NOVEMBER YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Mox	Min			
1	0	6.0	4.2	75		28.3	34.0	22.5	3.2	17.0	3.3
2	19.4	6.9	4.8	81		27.2	33.5	22.0	6.2	15.7	3.8
3	0	5.0	3.5	85		26.7	33.6	22.5	4.6	13.0	2.8
4	0	5.0	3.5	80		27.2	31.8	22.0	3.6	14.4	2.6
5	0.6	5.6	3.9	79		27.3	33.5	22.0	7.0	16.6	4.1
6	61.0	6.0	4.2	86		25.6	30.0	21.2	3.6	12.0	3.0
7	11.0	5.0	3.5	86		26.1	32.0	21.5	3.4	10.0	2.5
8	62.0	5.0	3.5	79		26.5	33.0	21.5	8.8	18.0	2.8
9	0	6.0	4.2	79		28.5	33.0	23.8	9.3	19.2	2.3
10	26.5	6.5	4.6	89		25.8	32.5	21.0	3.9	12.7	3.3
11	25.0	6.3	4.4	86		25.7	32.0	21.0	5.0	16.0	2.9
12	0	6.0	4.2	79		27.8	33.8	22.0	9.1	19.5	2.5
13	5.5	4.5	3.2	84		27.2	32.8	22.0	7.0	14.7	2.9
14	1.5	5.0	0.4	86		26.5	30.8	22.0	3.2	9.7	2.8
15	4.5	3.3	2.3	81		26.5	32.0	21.5	4.6	15.6	3.7
16	11.0	6.0	4.2	81		26.8	31.8	22.5	7.4	16.0	4.0
17	0	5.0	3.5	80		27.9	31.0	22.0	1.0	11.2	3.0
18	12.5	5.0	3.5	82		25.8	27.2	21.5	3.9	9.5	2.4
19	0	5.0	3.5	84		26.9	32.2	22.5	4.6	14.0	2.5
20	38.5	8.5	6.0	84		28.2	32.0	22.5	3.2	11.5	2.9
21	0	2.0	1.4	81		27.2	30.0	22.0	0.5	10.1	3.6
22	7.5	4.5	3.2	75		28.3	33.0	22.5	6.5	16.9	4.1
23	6.5	4.5	3.2	87		25.4	30.2	22.5	4.0	11.2	2.7
24	0	4.0	2.8	83		27.1	30.2	22.0	2.6	12.0	3.1
25	26.0	5.0	3.5	80		28.1	32.0	21.5	2.1	11.4	2.7
26	2.0	4.5	3.2	82		27.1	30.8	20.5	4.4	14.0	3.7
27	67.0	5.8	4.1	82		27.3	30.5	22.5	5.9	12.5	3.3
28	1.5	3.5	2.5	88		26.1	29.0	21.5	0.6	12.5	2.9
29	0	5.0	3.5	79		28.0	32.0	22.0	6.4	14.5	2.3
30	49.3	5.0	3.5	78		27.8	32.8	21.5	6.3	14.6	3.4
31											
Tolol	438.8	236.5	106.0	2461					141.9	416.0	
Meon	14.6	5.0	3.5	82		27.0	31.8	21.9	4.7	13.9	3.1

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: DESEMBER. YEAR: 1974

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	25.2	5.2	3.6	87		25.3	31.5	21.0	3.2	11.6	2.9
2	8.3	5.3	3.7	81		26.6	31.8	22.0	8.3	18.5	3.8
3	13.6	4.6	3.2	79		27.5	31.0	21.5	5.0	13.3	3.4
4	0	3.0	2.1	86		26.0	29.2	21.5	0.4	8.5	1.7
5	8.0	3.0	2.1	85		25.6	31.5	21.5	3.7	16.5	3.6
6	28.2	5.7	4.0	89		25.5	31.0	20.5	2.1	13.5	3.4
7	39.0	6.0	4.2	89		24.4	27.6	21.0	0.5	11.0	3.3
8	3.5	4.5	3.2	77		27.6	32.0	22.0	6.2	15.5	3.7
9	7.0	4.0	2.8	83		25.9	31.0	21.0	1.7	11.5	3.1
10	14.5	2.5	2.5	82		25.3	31.0	21.0	4.4	10.4	3.3
11	0	5.0	3.5	77		27.4	32.5	21.0	5.0	16.7	3.4
12	0	5.0	3.5	81		26.3	30.0	21.5	4.4	13.2	3.2
13	6.5	5.0	3.5	77		27.3	31.5	21.5	6.3	15.0	3.2
14	2	5.0	3.5	76		27.8	32.0	22.0	6.2	15.0	3.1
15	5.5	4.5	3.2	82		26.5	32.2	21.5	7.4	12.7	3.4
16	7.0	4.8	3.4	81		25.9	32.0	21.0	2.3	15.6	3.5
17	37.0	7.0	4.9	82		26.3	32.0	21.5	8.3	15.4	3.8
18	22.0	5.0	3.5	82		26.2	30.0	22.5	2.6	11.6	3.1
19	24.5	2.3	1.6	86		26.7	30.6	21.3	0.5	6.5	2.9
20	9.5	5.5	3.9	85		26.2	30.5	22.5	3.8	14.5	3.7
21	27.0	4.0	2.8	82		27.4	31.0	23.0	3.7	13.2	3.1
22	7.0	5.0	3.5	82		26.2	31.5	21.5	3.7	13.7	3.5
23	0	5.0	3.5	85		26.3	31.8	21.6	8.6	17.4	4.3
24	20.4	5.9	4.1	86		25.8	30.5	21.5	2.4	14.3	4.4
25	20.3	4.8	3.4	87		26.3	30.2	22.0	5.6	14.5	3.4
26	24.7	3.7	2.6	84		26.5	31.2	21.8	1.2	9.6	3.2
27	4.7	3.7	2.6	84		27.1	31.0	22.0	0.6	11.8	2.7
28	3.0	5.0	3.5	79		27.5	31.0	21.5	2.8	12.4	3.4
29	1.5	4.0	2.8	83		26.9	30.6	22.0	1.3	11.5	3.4
30	1.0	4.0	2.8	81		26.6	31.6	21.5	7.5	11.0	3.5
31	0	4.0	2.8	80		26.8	32.5	22.5	3.7	12.0	2.9
Total	352.9	143.0	100.3	2566					125.4	417.7	
Mean	11.9	4.6	3.2	83		26.5	31.2	21.6	4.0	13.5	3.3

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JANUARY YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (kcal./Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	2.5	4.5	3.2	82		26.7	31.5	21.0	3.8	10.5	4.2
2	40.5	6.0	4.2	82		26.4	32.0	21.5	7.7	15.3	4.2
3	3.0	4.3	3.0	84		26.3	30.2	22.0	4.6	9.3	3.0
4	16.0	3.0	2.1	79		27.6	31.5	21.5	3.9	14.2	3.8
5	0.2	3.2	2.7	85		26.9	32.0	22.5	2.2	13.0	2.4
6	2.0	3.5	2.5	87		26.5	31.5	22.0	2.3	11.0	2.4
7	29.0	5.2	3.6	86		26.4	31.5	21.0	2.6	11.0	3.1
8	1.5	3.5	2.5	83		25.9	30.5	21.5	2.4	10.2	2.8
9	11.0	5.0	3.5	81		27.3	31.5	23.0	5.7	14.5	2.5
10	24.5	3.7	2.6	90		25.1	29.5	21.5	0.2	7.5	3.0
11	1.5	4.5	3.2	82		26.9	31.2	22.0	2.0	12.1	3.6
12	0.0	3.0	2.1	82		26.2	30.0	22.5	1.1	9.9	2.4
13	0.0	5.0	3.5	75		28.4	27.5	22.0	8.0	16.0	2.3
14	0.0	6.0	4.2	67		28.7	26.0	20.5	8.5	15.5	2.2
15	0.0	7.0	4.9	64		28.9	34.5	22.5	8.7	18.2	2.9
16	0.0	5.0	3.5	76		28.9	33.0	22.0	6.5	13.5	3.9
17	0.5	5.5	3.9	82		26.2	32.0	20.2	3.7	13.2	3.3
18	2.0	2.0	1.4	82		26.5	32.2	20.2	7.5	14.0	2.8
19	0.5	4.5	3.2	80		26.5	31.0	22.5	4.7	12.5	4.6
20	5.7	1.9	1.3	90		25.2	27.5	21.0	1.0	9.5	3.4
21	35.0	5.0	3.5	87		25.9	30.5	21.0	6.2	13.0	4.4
22	10.1	1.3	0.9	83		26.5	31.5	20.5	4.2	13.0	3.2
23	2.7	5.7	4.0	88		24.9	30.0	21.5	6.5	14.5	4.4
24	0.0	4.0	2.8	82		26.0	30.5	21.0	3.3	11.0	4.1
25	53.0	3.0	2.1	77		26.9	31.5	21.0	7.6	15.5	4.8
26	21.5	3.4	2.4	87		25.3	30.0	21.0	0.0	8.9	3.7
27	0.0	4.0	2.8	83		25.9	29.8	21.5	2.8	11.2	3.5
28	1.2	3.8	2.7	81		26.4	30.0	22.5	5.6	11.5	4.1
29	2.0	4.0	2.8	81		26.5	30.2	22.0	1.5	14.5	4.4
30	7.0	2.0	1.4	87		26.3	30.5	22.5	1.6	7.5	2.2
31	10.5	2.0	1.4	89		25.9	28.5	22.0	0.0	6.5	2.6
Total	331.6	126.1	87.9	2544		272.6	963.2	671.7	128.0	378.7	104.2
Mean	9.7	4.0	2.8	82		26.6	31.1	21.7	4.1	12.2	3.4

CLIMATOLOGICAL DATA

STATION: BELLITANG

MONTH: FEBRUARY YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity (km/hr)
		E pan	Eo	Depress ion of wet bulb	Thermo hygroph	Mean	Max	Min			
1	16.0	4.7	3.3	84		26.5	32.0	22.0	5.3	13.1	3.4
2	1.0	5.0	3.5	84		26.7	31.5	22.0	7.9	16.0	4.4
3	23.3	5.2	3.6	82		27.7	31.5	21.5	6.8	13.4	4.5
4	0.0	3.0	2.1	85		26.2	31.5	22.5	3.7	13.4	2.5
5	4.8	4.8	3.4	83		26.9	31.5	21.5	3.7	10.2	3.6
6	5.0	5.0	3.5	83		27.2	31.5	21.5	3.3	12.0	3.8
7	2.7	3.9	2.7	84		27.0	31.0	21.5	2.6	12.2	2.6
8	11.5	3.2	2.2	86		26.1	31.5	21.5	1.1	10.5	3.4
9	0.0	2.0	1.4	88		25.5	29.0	22.0	5.2	9.2	2.6
10	4.0	4.0	2.8	80		27.2	31.0	21.0	1.9	9.1	3.7
11	38.0	4.2	2.9	87		25.6	29.0	21.0	0.6	7.0	3.6
12	27.6	4.1	2.9	83		26.6	30.5	20.5	2.0	9.0	4.4
13	10.5	4.5	3.2	79		27.1	31.0	21.5	3.3	10.5	3.9
14	0.0	4.0	2.8	78		27.5	31.5	22.0	6.6	16.0	3.8
15	0.0	4.0	2.8	82		26.9	29.8	20.6	0.0	8.1	3.0
16	22.5	6.2	4.3	76		27.1	31.5	20.0	4.3	13.0	4.1
17	0.0	4.0	2.8	80		26.8	31.5	22.0	4.0	12.5	3.5
18	0.0	4.0	2.8	79		27.5	30.0	22.0	1.2	10.0	3.7
19	0.0	4.0	2.8	77		26.8	30.0	22.5	0.8	10.1	4.2
20	2.5	3.5	2.5	83		26.2	30.7	21.0	3.4	9.6	4.2
21	0.0	5.0	3.5	76		26.9	30.0	21.5	5.3	11.8	4.8
22	0.0	4.8	3.4	76		26.6	30.0	20.5	4.5	10.0	4.3
23	0.0	4.8	3.4	75		27.7	32.5	21.2	10.1	16.7	4.7
24	3.0	4.3	3.0	84		26.6	30.5	22.7	1.4	10.5	3.4
25	0.0	5.0	3.5	79		27.5	33.0	21.5	6.8	14.7	3.4
26	5.5	5.5	3.9	77		27.8	32.5	22.5	6.0	14.5	3.3
27	0.1	3.1	2.2	81		26.8	31.5	22.0	2.0	9.6	2.7
28	9.8	5.8	4.1	75		28.1	33.0	22.0	9.0	17.0	3.5
29											
30											
31											
Total	193.8	121.6	85.3	2266					112.8	329.7	
Meon	2.5	4.3	3.0	81		26.5	31.1	21.6	4.0	11.8	3.7

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: MARCH YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	0	3.0	2.1	85		26.7	30.0	22.0	0.8	9.2	2.5
2	57.0	8.3	5.2	81		27.2	33.0	22.0	7.6	18.0	3.4
3	28.5	6.0	4.2	84		26.9	31.0	20.7	1.4	10.8	2.6
4	23.0	3.0	2.1	82		27.0	32.0	22.0	6.0	14.3	2.9
5	47.0	4.5	3.2	82		27.7	32.5	21.7	6.9	20.0	3.3
6	3.0	3.0	2.1	88		25.8	29.5	22.0	0.8	7.5	1.4
7	0	4.0	2.8	79		27.0	31.5	22.0	3.0	10.6	2.1
8	15.0	4.0	2.8	84		26.5	32.0	21.0	3.2	14.0	3.7
9	0	4.0	2.8	88		25.9	32.0	22.0	5.3	14.5	3.7
10	11.5	5.5	3.9	88		26.3	32.2	21.5	4.8	14.3	2.8
11	15.8	4.8	3.4	88		25.2	31.5	21.0	7.9	14.4	3.5
12	28.0	6.8	4.8	86		25.9	32.5	22.0	8.7	16.2	3.7
13	12.0	5.0	3.5	86		25.5	32.0	21.5	6.6	13.8	3.6
14	18.5	2.0	1.4	81		27.8	32.2	22.0	9.8	10.0	3.2
15	39.0	7.8	5.5	84		26.9	31.5	21.5	4.6	13.2	3.3
16											
17											
18		The Observer was Attending									
19											
20		An Upgrading Course in Palembang									
21											
22											
23											
24											
25							31.5	21.0			
26							33.0	22.0			
27	5.5	5.5	3.9	71		29.4	33.5	22.0	7.1	13.4	2.3
28	11.0	6.0	4.2	78		29.0	37.0	22.5	8.5	17.0	2.8
29	8.0	4.0	2.8	82		27.0	30.0	21.5	0.0	9.0	3.4
30	22.5	7.5	5.3	73		28.1	32.0	21.0	7.0	14.2	3.5
31	7.8	3.8	2.7	84		26.6	32.5	21.0	4.7	13.5	2.7
Total	403.1	98.0	68.6						119.0	267.9	
Mean	19.2	7.3	5.1	8.3		27.9	31.9	21.7	5.4	13.4	3.0

CLIMATOLOGICAL DATA

STATION: BELLTANG

MONTH: APRIL YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pan	Eo	Depression of wet bulb	Thermohygraph	Mean	Max	Min			
1	0	4.5	3.2	84		27.1	31.5	22.5	7.0	8.0	3.0
2	6.5	4.5	3.2	86		26.5	32.5	22.0	5.9	14.0	3.0
3	16.5	3.5	2.5	87		26.0	32.3	21.8	5.8	12.5	2.8
4	0	5.0	3.5	80		27.0	32.0	22.5	5.6	15.0	2.4
5	7.5	4.0	3.2	78		28.5	32.5	22.0	9.6	17.5	2.6
6	1.0	5.0	3.5	79		27.7	33.0	23.0	9.4	17.0	2.3
7	2.5	7.5	5.3	76		28.5	33.7	22.0	6.6	16.6	3.2
8	0	3.0	2.1	81		27.9	33.0	23.2	3.7	12.7	1.7
9	24.0	7.0	4.9	85		27.6	33.5	21.5	7.7	15.5	4.3
10	7.6	4.9	3.4	84		27.3	32.5	22.5	8.0	17.0	3.0
11	2.0	3.0	2.1	88		27.0	31.5	22.3	4.0	10.5	2.7
12	11.5	5.5	3.9	81		27.9	33.0	22.5	3.6	14.3	2.4
13	1.0	5.0	3.5	80		27.5	32.5	23.6	7.9	16.0	2.2
14	42.0	7.8	5.5	82		28.3	32.5	22.6	5.9	14.3	3.1
15	3.0	3.5	2.5	84		27.2	32.6	23.6	4.3	13.8	2.4
16	4.5	5.0	3.5	86		27.5	31.6	21.7	2.2	11.4	3.0
17	0.5	4.5	3.2	82		28.3	32.8	22.3	5.6	15.0	2.6
18	11.0	3.0	2.1	83		27.8	31.0	21.8	1.9	10.8	2.5
19	0	3.0	2.1	86		26.9	29.5	22.2	0.7	2.0	2.0
20	0	4.0	2.8	81		28.3	32.0	23.0	3.0	11.1	3.1
21	0	1.5	1.1	82		27.7	31.5	22.0	3.2	7.2	2.4
22	7.0	9.0	4.2	84		27.3	33.0	23.0	4.7	14.5	2.5
23	0	3.5	2.5	85		28.1	32.0	23.0	2.3	10.2	1.5
24	1.0	5.0	3.5	81		29.0	33.0	21.5	6.1	13.5	2.7
25	7.5	4.9	3.4	82		27.2	34.0	20.0	1.3	12.9	2.0
26	0	3.5	2.5	81		28.4	33.5	23.0	3.7	13.0	1.6
27	0	5.0	3.5	76		28.5	33.8	22.0	2.4	13.0	1.8
28	0	3.0	2.1	82		28.0	33.0	23.0	3.0	11.3	2.4
29	0	4.5	3.2	81		28.1	34.0	22.5	5.3	14.6	2.5
30	3.5	4.0	2.8	81		28.9	35.0	22.5	5.6	10.7	2.4
31											
Total	169.1	142.4	102.5	2468						373.9	
Mean	5.6	4.9	3.4	82		27.7	32.6	22.6	5.0	13.1	2.6

CLIMATOLOGICAL DATA

 STATION: BELITANG

 MONTH: MAY

 YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygroph	Meon	Max	Min			
1	20.3	4.7	3.3	76		29.5	34.5	21.5	8.7	15.0	2.7
2	0.0	5.0	3.5	77		28.7	33.5	21.5	9.0	16.0	2.2
3	0.0	5.0	3.5	78		28.2	33.0	21.5	9.0	17.5	2.0
4	0.0	6.0	4.2	74		29.1	33.5	22.5		15.1	2.4
5	0.0	5.5	3.9	80		28.2	33.5	22.5		15.2	3.0
6	0.0	4.1	2.9	83		27.3	33.0	20.0		9.7	3.3
7	4.0	3.0	2.1	80		28.1	32.0	22.8		9.0	2.3
8	14.0	5.0	3.5	84		26.8	32.8	21.0	3.7	11.7	3.3
9	0.0	5.0	3.5	89		28.1	32.5	22.0	7.2	14.0	2.4
10	0.0	3.5	2.5	84		28.1	32.0	22.0	2.5	9.0	2.5
11	11.5	5.2	3.6	78		28.9	33.8	22.0	8.1	14.7	2.6
12	0.0	4.0	2.8	81		28.5	33.5	23.0	6.7	12.9	2.3
13	0.0	4.0	2.8	89		27.5	30.4	22.0	0.0	8.5	2.1
14	32.5	6.8	4.8	81		27.9	33.8	21.5	6.8	13.5	2.9
15	37.5	3.5	2.5	87		27.6	32.5	21.5	4.8	12.0	2.6
16	12.0	5.0	3.5	87		26.4	32.5	21.5	5.8	12.5	2.4
17	0.0	4.0	2.8	79		28.5	33.5	22.3	7.8	15.5	2.1
18	0.0	4.0	2.8	81		28.1	32.0	22.0	3.6	9.3	1.5
19	0.0	4.5	3.2	81		28.7	33.5	22.7	9.0	12.7	2.3
20	0.0	5.0	3.5	78		29.3	34.2	22.1	8.4	12.6	2.3
21	0.0	5.5	3.9	76		29.3	34.2	23.0	9.5	11.5	3.3
22	0.0	6.0	4.2	73		29.9	34.0	22.0	9.1	12.2	2.5
23	0.0	6.0	4.2	71		29.2	35.0	21.5	10.3	13.5	2.7
24	0.0	5.0	3.5	74		28.6	34.5	23.0	9.3	15.8	2.9
25	1.5	4.0	2.8	80		27.3	33.2	21.5	6.8	13.0	3.2
26	30.0	5.0	3.5	85		26.3	32.2	20.4	2.2	8.5	3.0
27	0.0	2.0	1.4	86		25.7	30.5	21.5	0.4	9.3	2.3
28	0.0	4.0	2.8	79		28.1	33.5	22.5	7.2	14.4	1.8
29	0.0	3.0	2.1	82		27.6	32.2	22.0	4.5	6.0	2.1
30	0.0	5.0	3.5	79		28.3	33.0	22.0	8.0	14.5	2.9
31	0.0	3.0	2.1	84		27.5	34.0	22.7	5.6	11.5	2.6
Total	223.3	146.9	103.1	2.471		271.3	1022.8	879.8		386.6	72.5
Meon	7.2	4.7	3.3	80		28.1	33.0	21.9	6.4	12.3	2.5

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JUNE YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (kcal./Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	0.0	4.0	2.8	80		27.6	31.5	20.0	2.0	10.4	1.7
2	0.0	5.7	4.0	73		27.1	32.5	21.5	7.5	13.0	2.9
3	37.0	4.1	2.9	76		27.9	32.6	22.0	5.3	11.5	4.1
4	0.5	1.0	0.7	87		25.9	28.0	21.5	0.0	4.0	2.0
5	0.0	2.5	1.8	91		25.5	30.0	20.5	0.4	6.8	2.3
6	0.0	4.0	2.8	77		28.0	33.8	22.5	9.5	14.0	2.5
7	0.0	3.5	2.5	87		26.7	31.2	22.5	0.8	8.0	3.4
8	0.0	5.0	3.5	82		27.1	32.5	20.0	7.2	10.5	3.7
9	0.0	5.0	3.5	75		27.6	32.5	19.5	10.2	16.1	3.6
10	0.0	5.0	3.5	73		27.7	33.5	21.0	8.3	14.1	2.6
11	0.0	5.0	3.5	74		28.6	33.5	22.0	7.8	11.3	2.9
12	0.0	4.0	2.8	80		27.5	32.0	20.5	3.4	9.5	3.2
13	0.0	4.0	2.8	82		26.7	33.0	21.5	5.1	12.3	3.2
14	1.0	3.0	2.1	84		26.6	32.2	22.5	4.3	9.5	2.4
15	0.0	4.0	2.8	79		28.3	31.5	21.5	3.1	10.0	3.4
16	1.0	1.5	1.1	84		26.7	31.5	22.5	0.3	7.3	2.2
17	0.0	5.0	3.5	77		28.3	33.0	23.0	3.2	11.0	2.8
18	0.0	3.0	2.1	82		28.0	31.7	22.5	2.8	7.4	2.6
19	0.0	3.5	2.5	81		27.5	30.5	22.7	3.4	6.4	3.2
20	0.0	4.0	2.8	78		27.8	33.0	22.0	3.7	13.0	2.7
21	0.0	4.0	2.8	71		29.1	34.5	23.0	7.1	13.3	2.3
22	0.0	5.0	3.5	74		30.0	34.5	22.5	7.6	14.0	2.2
23	0.0	4.0	2.8	82		27.9	32.0	20.5	1.4	7.7	2.0
24	0.0	5.0	3.5	77		27.8	34.0	20.5	6.8	11.8	2.4
25	0.0	4.0	2.8	67		29.7	35.0	21.5	9.0	12.5	2.6
26	0.0	5.0	3.5	73		28.6	33.5	22.0	6.0	12.8	3.7
27	0.0	4.0	2.8	77		27.8	33.5	21.0	7.2	12.5	4.0
28	0.0	5.0	3.5	74		28.4	33.0	21.0	5.4	13.2	3.2
29	30.0	6.6	4.6	73		28.0	33.8	19.5	6.2	13.6	4.4
30	0.0	3.0	2.1	86		26.4	32.8	21.5	5.5	12.5	2.9
31											
Total	69.5	122.4	85.9	2356		229.9	277.8	145.4	151.1	330.0	88.2
Mean	2.3	4.1	2.9	79		27.7	32.6	21.5	5.0	11.0	2.9

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: JULY

YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro graph	Mean	Max	Min			
1	0.0			78		27.7	33.5	22.0	8.0	12.0	3.4
2	0.0			78		28.3	33.5	21.0	2.0	12.0	3.3
3	0.0			74		27.5	33.0	21.5	9.9	12.5	4.0
4	0.0			73		28.5	33.5	21.5	8.5	13.0	2.9
5	0.0			72		28.2	33.0	20.5	9.6	14.2	3.6
6	0.0			74		27.7	33.5	21.0	9.0	12.5	3.4
7	0.0			74		27.6	33.0	21.2	8.7	13.0	4.4
8	0.0			76		27.3	32.5	22.0	5.7	11.3	3.5
9	0.0			80		26.7	31.5	21.5	1.6	7.2	3.7
10	0.0			74		27.3	31.5	20.5	1.6	9.6	3.0
11	0.0			71		28.1	33.5	22.7	7.7	14.7	3.5
12	1.3			79		27.1	31.5	21.7	2.3	9.1	3.4
13	0.0			81		26.8	31.0	20.5	2.8	10.3	4.7
14	5.0			90		24.6	26.5	21.0	1.4	7.0	2.7
15	18.0			80		26.8	31.5	21.0	6.1	8.2	3.4
16	0.0			72		27.6	32.5	20.5	9.4	8.5	4.1
17	12.2			79		26.7	32.0	20.0	5.5	8.9	2.6
18	3.5			83		26.1	30.5	21.0	3.6	9.9	2.6
19	9.2			81		26.8	31.8	21.0	6.7	9.9	3.5
20	0.2			85		25.9	30.0	20.7	0.0	8.0	3.1
21	8.0			85		25.8	32.4	20.0	6.1	11.5	3.2
22	6.0			84		25.5	31.5	20.5	5.7	12.0	3.2
23	0.0			76		27.3	31.5	22.3	7.0	14.5	2.4
24	0.0			83		26.2	29.5	20.5	2.1	8.7	3.9
25	0.0			83		25.9	31.5	21.5	2.9	8.0	2.5
26	45.0			87		25.9	32.0	20.0	4.0	11.0	3.6
27	23.5			96		21.7	22.5	19.5	0.0	1.0	2.8
28	0.0			87		25.5	28.3	22.0	0.0	8.4	2.3
29	0.0			81		27.4	32.5	22.0	5.4	15.5	2.8
30	0.0			76		27.1	32.8	20.5	4.7	13.5	2.7
31	0.0			72		28.4	33.5	21.5	9.0	16.5	3.2
Tolol	131.9			246.4		230.0	977.3	653.1	157.0	332.4	101.4
Meon	4.3			79		26.8	31.5	21.1	5.1	10.7	3.3

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: AUGUST YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pan	Eo	Depress-ion of wet bulb	Thermo-hygro graph	Mean	Max	Min			
1	52.5	4.7	3.3	80		26.6	33.0	21.5	8.0	16.7	4.0
2	0.0	5.0	3.5	82		26.9	32.0	21.0	6.5	13.5	3.3
3	3.0	5.0	3.5	84		26.5	32.5	21.5	7.1	12.5	3.4
4	0.3	3.3	2.3	81		27.3	32.3	22.0	5.9	12.5	2.5
5	0.0	5.1	3.8	79		27.9	31.5	23.5	5.4	10.5	4.3
6	0.0	5.5	3.9	76		28.4	33.0	22.5	8.2	14.6	4.3
7	0.0	5.0	4.2	71		28.5	33.0	22.0	7.9	14.3	4.5
8	0.0	5.5	3.9	73		28.2	32.5	21.5	9.2	13.5	4.7
9	0.0	5.0	3.5	80		27.4	33.5	21.5	9.1	14.8	3.6
10	0.0	5.0	3.5	89		29.5	32.0	21.0	6.1	12.5	3.3
11	0.0	5.0	3.5	77		27.7	33.0	22.0	7.2	13.5	3.7
12	0.0	5.0	3.5	78		28.1	32.5	22.0	7.7	13.0	3.6
13	0.0	4.7	2.8	85		26.7	32.5	20.8	2.5	9.0	3.6
14	0.0	4.5	3.3	78		27.3	33.0	23.0	5.3	11.3	3.4
15	0.0	1.0	0.7	91		25.6	27.2	21.0	0.9	4.8	2.7
16	0.0	4.0	2.8	72		27.7	32.5	22.0	5.3	14.0	4.1
17	0.0	4.5	3.2	77		27.9	33.0	21.3	6.3	12.9	3.7
18	0.0	7.0	4.9	74		28.1	33.2	21.5	9.1	15.5	4.2
19	0.0	4.5	3.2	86		28.3	33.5	22.5	6.0	11.0	3.6
20	55.0	4.7	3.3	83		26.7	32.5	20.5	3.0	10.2	3.5
21	0.0	3.5	2.5	79		27.1	32.5	20.0	4.5	11.0	2.4
22	0.0	6.0	4.2	72		28.1	33.5	19.5	9.5	17.4	2.7
23	0.0	5.0	4.2	68		27.7	32.5	21.5	9.5	16.5	2.7
24	0.0	5.0	3.5	80		27.2	32.7	22.5	6.4	14.9	3.7
25	7.0	3.7	2.6	83		27.1	33.2	22.5	6.3	7.4	3.3
26	0.0	4.0	2.8	81		27.5	33.0	21.5	6.3	11.4	3.0
27	1.0	6.0	4.2	75		27.6	32.5	21.5	0.0	13.5	2.8
28	3.0	5.0	4.2	87		26.3	29.5	21.0	0.1	6.0	2.2
29	0.0	2.0	1.4	82		26.3	31.5	21.5	4.0	7.6	2.8
30	0.0	3.0	2.1	79		27.3	32.0	21.8	3.9	11.5	2.5
31	5.0	5.0	3.5	84		25.9	32.0	20.5	3.0	13.2	3.0
Total	127.8	149.5	101.8	2471		249.4	1003.1	662.4	180.2	391.0	105.7
Mean	4.1	4.7	3.3	80		27.4	32.4	21.6	5.8	12.3	3.4

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: SEPTEMBER YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Mean	Max	Min			
1	4.0	4.0	2.8	77		27.2	32.5	21.5	7.0	14.5	3.4
2	12.5	4.5	3.2	81		26.5	30.5	21.0	6.4	11.5	3.8
3	0.0	3.5	2.5	79		27.2	31.5	22.0	5.5	12.6	1.9
4	0.0	4.5	3.2	78		27.5	32.5	21.0	4.2	13.3	2.3
5	0.0	5.0	3.5	79		27.2	32.5	21.5	5.7	13.6	2.9
6	0.0	4.0	2.2	76		27.7	31.5	21.0	5.3	10.6	2.7
7	28.0	4.8	3.4	92		23.5	31.0	20.5	6.0	2.5	3.1
8	0.0	2.0	1.4	91		24.7	28.0	21.0	5.5	5.2	1.9
9	0.0	4.0	2.2	83		27.1	31.2	21.0	3.4	12.0	2.6
10	26.0	6.0	4.2	72		27.9	32.2	20.0	5.5	14.5	3.0
11	0.0	3.0	2.1	82		26.6	32.0	22.8	1.6	12.5	1.6
12	17.5	5.0	3.5	85		26.1	31.6	21.0	5.6	12.3	3.1
13	3.0	6.0	4.2	76		27.8	32.2	21.0	8.5	16.0	2.9
14	19.5	5.7	4.0	79		27.3	31.0	20.0	3.9	11.6	3.4
15	0.0	3.0	2.1	86		25.9	30.6	21.5	3.2	9.4	1.6
16	0.0	4.0	2.8	82		26.8	32.5	21.5	6.6	14.5	2.8
17	0.0	3.5	2.5	83		26.8	32.0	21.0	6.3	12.8	3.1
18	0.0	6.0	4.2	81		27.6	33.5	21.0	9.5	17.0	2.1
19	0.0	5.0	3.5	77		27.3	32.7	21.0	9.9	15.3	3.0
20	6.5	6.5	4.6	78		27.2	34.5	21.5	8.1	16.2	2.6
21	0.0	3.0	2.1	77		28.1	32.5	20.5	7.8	12.0	2.6
22	0.0	5.0	3.5	78		27.3	32.5	22.0	7.8	12.1	3.4
23	0.0	5.0	3.5	78		28.1	32.5	21.5	6.3	13.5	3.2
24	0.0	5.0	3.5	76		28.3	34.2	22.7	8.2	14.7	3.2
25	0.0	6.5	4.6	73		29.1	33.5	22.0	5.2	12.0	5.8
26	31.5	3.7	2.6	88		27.1	30.5	21.5	3.2	8.3	1.6
27	8.7	5.7	4.0	84		26.6	32.2	21.5	4.9	11.7	1.2
28	2.5	3.0	2.1	85		26.6	31.7	20.5	3.4	10.2	2.5
29	0.0	3.5	2.5	71		27.5	31.8	20.5	4.2	11.7	1.8
30	0.0	5.0	3.5	77		29.1	35.0	21.0	9.5	17.7	2.3
31											
Total	159.7	143.0	95.2	2410		813.7	962.4	636.5	172.2	377.8	81.4
Mean	5.3	4.8	3.2	80		27.1	32.1	21.2	5.7	12.9	2.7

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: OCTOBER YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Max	Min			
1	5.0	5.3	3.7	78		26.7	33.2	21.2	7.2	14.2	3.1
2	5.0	5.0	3.5	75		27.3	33.2	20.5	7.7	16.5	2.6
3	0.0	6.0	4.2	75		28.8	34.5	22.0	9.9	22.8	2.1
4	44.5	5.2	3.6	81		27.3	33.2	21.3	7.8	14.0	3.6
5	31.0	4.0	2.8	82		27.7	32.0	20.5	7.0	11.0	3.2
6	2.5	1.5	1.1	87		25.7	29.8	22.0	0.9	6.5	2.1
7	0.0	6.0	4.2	80		27.0	33.5	21.0	7.6	16.8	3.0
8	97.0	5.7	4.0	82		26.5	34.0	20.0	7.4	18.3	3.3
9	0.0	3.0	2.1	82		27.4	31.5	22.0	6.2	14.4	2.0
10	0.0	5.0	3.5	82		27.9	32.5	21.5	4.9	15.7	2.6
11	0.0	4.0	2.8	82		27.1	31.0	22.0	3.4	9.8	3.1
12	6.8	3.8	2.7	84		26.4	32.0	21.5	2.4	12.4	2.4
13	0.5	6.5	4.6	79		27.0	34.0	21.5	7.2	18.8	2.2
14	1.2	5.8	4.1	77		27.3	33.0	22.0	7.7	16.5	2.7
15	4.2	4.2	2.9	83		26.7	31.8	21.7	2.5	10.4	2.9
16	0.0	4.8	3.4	80		27.9	33.0	22.0	9.0	17.5	2.3
17	0.0	6.0	4.2	78		28.0	33.6	21.5	2.4	17.0	2.2
18	0.0	5.0	3.5	75		28.6	34.2	21.5	4.5	17.5	2.2
19	0.0	7.5	5.3	77		27.9	34.2	22.5	2.0	16.7	2.6
20	0.0	4.8	3.4	71		28.1	33.0	22.0	1.4	12.0	2.0
21	0.0	5.0	3.5	72		28.5	33.5	22.0	3.4	13.3	2.3
22	0.0	4.0	2.8	75		28.0	32.5	21.5	0.8	10.1	2.0
23	0.0	6.0	4.2	87		29.2	33.5	21.5	2.2	17.7	2.8
24	67.5	2.0	1.4	77		28.5	34.0	21.0	8.0	13.0	3.7
25	0.0	3.0	2.1	84		26.5	30.0	22.0	2.1	9.8	1.9
26	66.5	6.5	4.6	86		25.5	30.5	20.6	3.4	8.5	3.0
27	0.0	2.0	1.4	84		26.3	30.8	21.8	0.8	9.6	1.7
28	47.0	5.7	4.0	79		27.9	31.2	21.5	6.4	4.5	2.9
29	19.0	6.0	4.2	84		26.7	30.8	21.5	3.5	11.3	3.4
30	14.0	6.5	4.6	84		26.3	32.8	21.0	7.7	14.7	2.9
31	23.0	6.7	4.7	85		26.2	32.5	22.5	7.6	17.7	3.3
Total	435.3	152.5	107.1	2.467		246.9	1009.3	667.1	173.6	429.0	22.5
Meon	14.0	4.9	3.5	80		27.3	32.6	21.5	5.6	13.8	2.7

CLIMATOLOGICAL DATA

STATION: BELLTANG

MONTH: NOVEMBER YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (mJ. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro graph	Meon	Max	Min			
1	14.2	5.2	3.6	88		26.4	32.0	21.6	7.1	13.3	2.3
2	0.0	5.0	3.5	77		28.0	33.5	20.0	16.8	16.8	2.6
3	0.0	4.0	2.8	79		26.6	32.2	21.5	3.8	13.0	2.4
4	6.0	6.0	4.2	79		27.0	32.4	22.8	3.2	13.4	3.0
5	33.0	6.0	4.2	83		26.2	32.2	21.2	5.8	14.0	3.4
6	0.0	5.5	3.9	81		27.3	31.8	22.8	5.3	17.0	2.5
7	29.0	5.0	3.5	85		27.0	32.2	21.0	7.2	10.7	2.2
8	14.0	6.0	4.2	77		28.2	33.0	21.0	9.3	16.6	2.8
9	8.0	4.5	3.2	84		26.3	33.5	21.5	5.1	13.7	2.8
10	36.0	6.0	4.2	77		27.9	33.5	20.5	7.7	16.7	2.8
11	7.0	4.7	3.3	81		27.0	33.0	22.0	7.1	17.5	3.1
12	1.0	5.4	3.8	83		26.1	32.0	21.0	1.7	11.9	2.6
13	3.0	5.0	3.5	24		26.5	32.0	21.0	5.7	16.6	3.0
14	7.0	5.5	3.9	79		27.3	32.5	21.5	7.6	16.8	3.1
15	8.0	4.0	2.8	86		26.0	30.5	21.5	1.6	9.9	2.8
16	16.0	4.1	2.9	81		26.7	30.5	21.5	6.2	13.5	2.9
17	33.0	4.2	2.9	23		27.1	30.5	21.5	2.2	10.2	3.0
18	9.6	5.6	3.9	79		27.1	31.8	21.5	5.9	13.7	2.2
19	0.0	5.0	3.5	81		26.9	31.0	22.2	6.0	14.0	2.8
20	28.0	5.5	3.9	81		26.0	31.0	21.0	3.6	11.3	2.7
21	0.0	3.5	2.5	24		26.9	30.0	21.0	0.2	9.3	2.6
22	2.5	5.5	3.9	81		28.0	33.5	22.0	8.4	15.3	2.8
23	0.0	5.0	3.5	77		28.9	33.2	21.5	6.0	13.7	2.4
24	36.0	6.0	4.2	80		27.7	32.6	20.5	4.5	11.7	3.3
25	9.5	6.0	4.2	81		26.9	31.7	21.2	7.2	12.5	3.8
26	0.0	4.0	2.8	80		26.9	30.8	21.0	8.4	11.4	4.0
27	3.5	4.5	3.2	82		26.5	32.3	21.0	1.5	14.1	3.3
28	0.0	4.0	2.8	79		26.9	30.0	21.0	2.7	10.5	2.6
29	0.0	5.0	3.5	75		27.0	32.5	22.0	2.2	15.4	2.0
30	0.0	5.0	3.5	75		27.8	32.5	22.0	7.5	12.5	3.4
31											
Total	354.3	150.7	105.8	242.2		27.1	32.0	21.4	5.4	13.6	2.9
Meon	11.8	5.0	3.5	81		27.0	32.0	21.4	5.4	13.6	2.9

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: DECEMBER YEAR: 1975

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (mj. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygro graph	Meon	Max	Min			
1	0.0	3.5	2.5	80		26.9	30.0	22.0	0.9	8.3	2.7
2	10.5	4.5	3.2	83		27.0	31.0	22.0	2.4	9.5	2.9
3	2.0	4.0	2.8	83		27.5	31.5	21.5	2.9	10.3	2.3
4	0.0	6.0	4.2	88		25.6	28.5	22.0	0.3	7.4	2.2
5	0.0	5.0	3.5	81		27.0	33.0	21.5	5.6	15.0	3.0
6	0.0	3.8	2.7	81		27.1	30.5	21.8	1.7	11.5	2.9
7	0.0	3.5	2.5	80		27.6	30.5	22.0	0.0	10.5	2.2
8	0.4	3.4	2.4	76		28.3	32.2	23.0	2.6	12.7	2.1
9	3.0	5.0	3.5	78		27.1	32.8	21.5	2.0	11.8	2.7
10	0.0	3.5	2.5	82		26.3	31.5	21.5	2.4	12.4	3.5
11	0.3	3.3	3.0	74		27.6	31.8	21.3	2.9	12.3	3.7
12	0.0	5.0	3.5	78		27.0	32.0	20.5	7.2	14.8	4.2
13	0.0	6.0	4.2	75		27.3	32.0	21.5	5.4	14.3	4.7
14	0.0	7.0	4.9	75		28.2	33.0	21.0	8.0	17.7	4.3
15	0.0	5.0	3.5	76		27.9	31.8	22.0	3.6	11.9	3.7
16	3.0	3.0	2.1	82		26.5	31.0	21.0	2.2	10.1	3.0
17	15.0	2.2	1.5	85		25.9	30.5	21.5	4.2	10.1	3.3
18	18.0	4.0	2.8	85		25.9	30.6	21.5	3.7	8.9	2.9
19	0.0	4.5	3.2	80		27.4	31.3	21.0	6.4	12.8	3.0
20	0.0	3.5	2.5	79		27.5	31.0	22.0	1.4	10.4	2.8
21	0.0	4.0	2.8	74		28.3	31.8	22.3	2.1	11.8	2.3
22	35.0	7.9	5.5	85		25.9	31.2	21.0	1.8	10.3	3.1
23	13.5	1.5	1.1	87		25.8	28.2	20.5	0.2	4.8	2.3
24	0.0	3.5	2.5	84		26.3	30.0	21.5	0.0	8.7	1.4
25	0.0	5.0	3.5	79		27.4	32.0	22.0	4.7	14.4	2.8
26	155.0	4.7	3.3	78		27.9	32.2	20.0	2.3	12.8	3.3
27	0.0	4.0	2.8	82		26.1	30.5	21.5	5.4	12.8	2.8
28	35.0	3.2	2.2	89		25.0	29.5	21.0	0.2	7.1	2.3
29	37.5	2.5	1.8	81		26.2	30.0	19.5	6.6	13.0	3.8
30	50.0	5.0	3.5	84		26.3	29.8	20.0	2.4	8.7	3.4
31	2.0	3.3	2.3	88		25.1	29.8	21.5	0.5	9.9	3.4
Total	322.2	131.3	92.3	2514		271.9	296.5	212.9	98.0	347.0	23.6
Meon	12.4	4.2	3.0	81		26.8	31.0	21.4	3.2	11.2	3.0

CLIMATOLOGICAL DATA

STATION: BELLANG

MONTH: JANUARY YEAR: 1976

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Meon	Max	Min			
1	5.6	4.1	2.9	87		87	28.0	22.0	8.0	6.4	3.7
2	2.0	4.0	2.8	86		86	29.5	22.0	1.7	9.5	3.1
3	15.0	3.0	2.1	82		82	29.0	22.0	1.6	9.5	3.3
4	3.5	3.5	2.5	81		81	30.0	21.5	4.9	9.5	3.7
5	0.0	5.0	3.5	81		81	30.0	22.0	2.9	10.7	3.0
6	17.0	3.9	2.7	81		81	30.0	21.0	3.5	11.5	4.1
7	0.0	5.0	3.5	82		82	29.0	20.5	0.8	9.7	3.7
8	29.0	5.2	3.6	85		85	30.8	20.5	6.6	13.0	5.0
9	0.0	3.0	2.1	86		86	27.5	21.5	0.0	8.1	3.9
10	0.0	2.5	1.8	78		78	30.0	21.5	3.1	11.4	4.6
11	0.0	3.0	2.1	80		80	28.0	20.8	0.3	7.2	4.5
12	0.0	4.0	2.8	81		81	30.0	20.5	1.3	9.0	5.0
13	0.0	3.0	2.1	84		84	28.0	20.5	1.2	5.3	3.6
14	4.5	3.2	2.2	86		86	29.5	21.0	2.9	8.5	4.5
15	4.7	4.7	3.2	78		78	29.8	21.4	4.6	10.9	4.3
16	9.5	1.5	1.1	88		88	27.8	20.7	0.1	5.0	3.7
17	2.0	4.0	2.8	81		81	29.8	22.5	2.1	11.8	3.3
18	13.5	2.5	1.8	89		89	27.5	21.0	0.4	4.7	2.9
19	0.5	2.5	1.8	90		90	28.0	21.5	1.1	5.5	5.2
20	0.0	3.0	2.1	82		82	28.3	20.8	1.8	9.5	3.5
21	48.0	4.2	2.9	88		88	28.0	20.8	2.0	7.4	4.0
22	0.0	5.0	3.5	81		81	30.5	22.0	7.4	12.5	4.9
23	4.4	3.4	2.4	80		80	28.5	21.4	0.4	7.2	3.7
24	0.0	3.0	2.1	84		84	28.5	21.5	2.1	7.6	3.6
25	0.0	4.0	2.8	79		79	30.4	21.5	5.7	11.3	3.5
26	0.0	5.0	3.5	79		79	31.5	21.5	5.8	11.9	3.1
27	0.0	5.0	3.5	80		80	32.2	22.5	10.0	14.0	3.7
28	17.5	4.4	3.1	82		82	30.0	22.0	3.5	9.8	4.0
29	2.8	4.1	2.9	86		86	30.6	21.0	3.7	10.0	4.3
30	8.4	4.4	3.1	81		81	29.8	21.0	3.3	8.5	4.5
31	0.0	5.0	3.5	79		79	29.5	21.5	3.8	9.8	4.4
Total	188.9	118.1	82.8	2.567		2.567	91.0	661.9	91.4	285.7	122.3
Meon	6.1	3.8	2.7	83		83	29.4	21.4	2.9	9.2	3.9

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: FEBRUARY YEAR: 1976

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun- shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress- ion of wet bulb	Thermo- hygro- graph	Meon.	Max	Min			
1	12.5	3.5	2.5	83		25.9	29.0	20.7	3.2	7.7	3.5
2	0.0	3.5	2.5	82		25.9	30.5	22.0	4.1	12.7	2.9
3	0.0	3.5	2.5	77		27.5	31.8	21.5	8.2	15.2	3.0
4	0.0	4.0	2.8	80		26.6	32.0	21.5	5.2	16.5	3.2
5	0.0	3.5	2.5	79		26.9	30.5	21.5	3.2	12.2	3.4
6	0.0	4.5	3.2	78		26.2	29.0	21.0	5.1	12.5	4.3
7	0.0	5.0	3.5	76		25.7	27.2	17.5	3.9	14.1	4.0
8	0.0	5.0	3.5	74		26.1	30.5	21.5	8.1	15.4	3.7
9	0.0	3.5	2.5	86		25.3	29.0	21.5	0.4	7.1	3.1
10	14.0	3.0	2.1	87		24.7	28.5	21.0	0.6	5.4	2.3
11	37.0	7.0	4.9	80		27.3	31.2	19.5	7.7	12.8	4.2
12	0.0	4.0	2.8	82		26.4	30.6	21.5	7.4	15.8	2.6
13	0.0	5.0	3.5	81		27.0	31.8	21.0	7.2	12.5	2.1
14	0.0	4.0	2.8	77		27.7	32.0	23.0	8.3	15.2	2.3
15	4.0	6.5	4.6	75		28.2	32.5	22.5	9.1	15.5	3.7
16	0.0	4.0	2.2	78		27.7	32.0	22.0	5.2	11.7	3.6
17	0.0	4.0	2.8	76		28.6	32.5	22.5	9.7	17.0	2.8
18	10.0	3.0	2.1	77		28.9	33.0	21.0	10.0	13.1	3.3
19	0.0	5.0	3.5	78		26.7	31.5	21.0	4.4	15.5	3.4
20	0.0	3.5	2.5	80		26.7	31.2	21.0	4.2	11.0	3.0
21	0.0	5.0	3.5	78		27.5	31.5	21.5	6.0	15.7	3.3
22	12.0	4.9	3.4	84		25.5	30.2	20.5	4.2	11.6	3.0
23	28.0	4.9	3.4	80		26.6	31.5	21.0	5.8	15.0	3.1
24	5.5	5.5	3.9	85		25.2	31.0	21.0	6.1	13.7	3.2
25	0.5	4.5	3.2	82		26.3	31.0	22.0	3.0	8.3	2.7
26	0.0	3.5	2.5	84		25.9	30.5	22.0	2.4	10.8	1.9
27	8.0	5.0	3.5	80		27.3	32.5	21.8	6.7	16.2	3.1
28	5.0	5.0	3.5	86		26.1	31.2	22.0	1.7	10.5	2.5
29	0.0	0.0	0.0	80		27.9	30.5	22.0	5.2	13.5	2.3
30											
31											
Total	142.5	123.3	86.2	232.5		775.5	292.2	620.5	163.1	374.2	99.5
Meon	4.6	4.0	2.8	75.0		25.0	31.0	21.4	5.3	12.1	3.2

CLIMATOLOGICAL DATA

STATION: BELLIANG

MONTH: MARCH

YEAR: 1976

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (mt. Water)	Wind Velocity of 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	0.0	5.0	3.5	80		27.6	31.8	22.0	0.5	14.0	2.8
2	1.5	3.5	2.5	82		26.5	31.0	22.0	6.0	10.0	3.3
3	74.0	4.0	2.8	88		26.2	29.2	21.5	1.2	8.3	4.7
4	4.0	4.0	2.8	80		26.5	29.6	20.0	3.0	12.0	5.3
5	3.0	3.0	2.1	80		26.1	30.2	21.5	2.6	11.5	4.5
6	2.6	5.6	3.9	78		27.1	31.2	21.5	6.0	16.1	3.5
7	3.5	3.5	2.5	81		27.0	32.0	22.3	4.6	13.2	3.7
8	0.0	5.0	3.5	81		27.7	31.5	21.5	2.6	13.0	2.7
9	13.0	6.0	4.2	83		26.5	32.0	20.5	5.4	15.0	3.2
10	0.0	3.0	2.1	86		25.3	31.8	22.0	2.1	10.5	2.4
11	9.0	5.0	3.5	80		28.4	32.5	21.5	6.8	15.5	2.7
12	24.5	4.5	3.2	22		27.6	31.5	21.5	6.6	15.5	2.8
13	0.0	5.0	3.5	81		27.7	33.0	21.5	7.9	16.5	2.9
14	0.0	5.0	3.5	79		27.0	32.0	22.0	6.0	16.0	2.9
15	0.0	6.0	4.2	77		28.3	32.0	22.0	8.6	17.0	3.6
16	0.0	5.0	3.5	82		26.9	32.8	22.5	3.5	13.8	2.2
17	3.0	6.0	4.2	77		28.5	32.5	22.0	6.2	14.5	3.2
18	20.0	3.7	2.6	88		26.3	30.2	22.2	0.0	6.4	1.7
19	16.0	6.0	4.2	83		27.9	31.7	21.0	2.3	12.5	3.4
20	21.5	6.5	4.6	81		27.4	32.0	21.5	2.8	16.3	3.1
21	17.5	1.2	0.8	84		26.3	30.8	21.8	3.7	11.5	2.8
22	85.5	4.9	3.4	81		27.8	30.2	20.5	6.8	15.7	3.0
23	0.0	4.0	2.8	83		26.7	30.0	22.0	1.2	11.0	1.7
24	0.0	4.0	2.8	85		27.1	32.0	21.5	5.7	14.0	2.7
25	0.0	4.0	2.8	83		26.5	32.0	21.5	7.2	14.0	2.7
26	0.0	4.0	2.8	85		26.7	31.5	22.0	4.6	15.4	2.7
27	38.0	4.9	3.4	72		28.1	32.5	20.0	6.4	13.5	3.0
28	21.5	9.5	6.7	22		27.7	32.0	21.5	2.7	15.3	2.6
29	24.0	5.0	3.5	93		23.6	27.0	20.8	2.8	3.5	2.0
30	0.0	4.0	2.8	80		27.3	32.0	22.5	1.5	15.0	2.3
31	0.0	3.0	2.1	84		27.1	30.5	21.0	0.0	9.0	2.2
Total	382.1	143.8	100.8	254.1		237.4	271.0	165.6	145.3	405.5	92.3
Meon.	12.3	4.6	3.3	82		27.0	31.3	21.5	4.7	13.1	3.0

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: APRIL YEAR: 1976

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress ion of wet bulb	Thermo hygroph	Mean	Max	Min			
1	8.0	4.0	2.8	86		26.5	32.6	22.0		16.1	2.8
2	0.0	4.0	2.8	84		27.2	31.5	22.0		14.0	2.3
3	46.5	10.5	7.4	78		27.9	32.0	21.5		18.7	2.5
4	0.0	4.0	2.8	82		27.2	30.5	23.0		13.5	2.2
5	4.0	4.0	2.8	88		26.7	29.5	21.6		7.0	2.7
6	13.6	3.9	2.7	78		28.3	33.0	21.5		15.5	3.1
7	0.0	5.0	3.5	85		26.7	31.5	22.0		13.5	1.5
8	12.2	5.7	4.0	87		26.4	32.5	21.0		16.0	2.4
9	0.0	5.0	3.5	76		28.9	34.2	22.5		19.0	1.6
10	0.0	5.5	3.9	79		28.8	33.0	22.5		16.5	2.2
11	0.0	5.5	3.9	77		28.7	34.0	22.7		18.2	2.3
12	0.0	6.0	4.2	73		29.0	33.5	22.5		18.4	2.5
13	0.0	5.0	3.5	75		29.3	33.5	22.5		16.5	1.9
14	0.0	3.5	2.5	85		27.3	31.5	21.7		10.3	2.6
15	0.0	4.5	3.2	82		27.9	32.0	21.5		10.6	1.6
16	0.0	3.5	2.5	83		26.4	32.5	20.0		11.0	2.5
17	4.5	5.5	3.9	82		26.3	32.5	21.5		17.0	2.9
18	0.0	5.5	3.9	80		27.7	32.5	22.5		16.0	2.6
19	95.0	6.9	4.8	85		27.5	33.5	21.5		14.4	3.7
20	0.0	4.0	2.8	85		26.4	33.5	22.0		17.7	3.0
21	4.0	1.5	1.1	81		27.6	33.5	22.4		17.0	2.8
22	13.0	5.0	4.2	89		24.9	31.5	21.5		4.0	2.2
23	0.0	5.0	3.5	84		27.3	32.5	21.5		12.6	2.5
24	0.0	5.0	3.5	80		27.5	32.5	22.5		14.8	2.3
25	0.0	4.0	2.8	82		27.5	33.5	22.5		10.9	2.4
26	0.0	5.0	3.5	79		28.3	33.5	21.0		14.0	3.3
27	0.0	3.0	2.1	83		26.7	31.5	22.0		11.0	2.2
28	0.0	6.0	4.2	80		28.2	33.0	22.0		14.6	3.3
29	5.0	4.0	2.8	82		27.5	32.0	22.5		9.5	2.6
30	6.6	4.6	3.2	86		27.0	32.0	22.5		17.1	2.8
31											
Total	212.4	145.6	102.3	2454		223.8	274.8	658.4		420.2	75.5
Mean	7.3	4.9	3.4	81.8		27.5	32.5	21.9		14.0	2.5

I-442

CLIMATOLOGICAL DATA

STATION: BELITANG

MONTH: MAY

YEAR: 1976

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sunshine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress- ion of wet bulb	Thermo- hygro graph	Meon	Max	Min			
1	25.5	2.5	1.8	92		25.7	30.5	22.0	1.5	9.5	2.2
2	0.0	4.0	2.8	88		26.2	31.5	22.0	7.0	9.0	2.1
3	0.0	4.0	2.8	77		28.5	33.5	22.0	7.5	15.3	1.6
4	0.0	5.0	3.5	76		29.3	34.0	21.5	2.9	16.5	2.0
5	0.0	5.0	3.5	79		28.3	33.5	22.5	9.0	16.0	2.1
6	0.0	5.3	3.5	82		27.9	33.0	22.0	7.8	14.1	3.3
7	0.0	6.0	4.2	77		29.3	34.0	23.0	9.6	16.5	3.0
8	0.0	6.0	4.2	80		28.9	33.2	22.5	7.2	14.1	2.7
9	0.0	4.0	2.8	80		28.5	33.5	23.0	7.7	12.3	2.0
10	0.0	5.0	3.5	76		29.2	33.5	22.5	9.7	16.0	2.7
11	6.0	0.0	0.0	77		28.6	33.7	22.0	6.1	14.5	2.2
12	10.0	5.0	3.5	79		28.4	33.0	22.0	9.2	15.0	2.4
13	11.0	5.0	3.5	77		27.9	33.5	22.0	2.7	14.4	2.3
14	0.0	5.0	3.5	84		28.3	33.0	23.0	2.6	14.5	2.0
15	0.0	6.0	4.2				34.0	22.5	7.1	13.4	2.1
16	0.0	6.0	4.2				34.0	22.0	2.5	13.4	2.4
17	0.0	6.0	4.2				33.5	23.0	9.5	14.2	2.0
18	0.0	3.0	2.1				33.0	22.0	5.5	9.5	2.4
19	0.0	4.0	2.8				34.0	22.5	9.2	15.5	2.4
20	0.0	6.0	4.2				33.5	21.0	9.5	11.5	1.7
21	0.0	5.0	3.5				34.0	20.5	9.9	14.5	1.6
22	0.0	4.0	2.8				32.5	22.5	4.6	10.5	1.8
23	0.0	4.0	2.8				33.0	22.0	7.3	13.5	2.2
24	0.0	5.0	3.5				33.0	22.0	7.2	15.5	2.6
25	0.0	6.0	4.2				34.5	22.5	10.0	16.0	3.2
26	0.0	4.0	2.8				33.2	22.0	7.3	14.0	3.0
27	0.0	6.0	4.2				33.2	21.5	6.6	12.5	3.1
28	0.0	5.0	3.5				33.0	22.3	5.4	11.5	2.5
29	2.6	1.0	0.7				32.0	21.5	4.5	10.5	2.6
30	0.0	5.0	3.5				32.5	22.7	6.7	13.0	2.8
31	1.0	6.0	0.0				30.5	21.0	1.7	2.0	3.2
Total	56.1	137.5	96.3				1027.4	685.5	229.6	415.3	74.2
Meon	1.8	4.4	3.1				33.1	22.1	74.1	13.4	2.4

CLIMATOLOGICAL DATA

STATION : METEO PERTANIAN BLITANG MONTH : JUNE YEAR : 1976

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (kcal./Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	0.0	3.0	2.1	85		26.6	33.5	20.5	5.9	10.8	2.0
2	34.5	4.4	3.1	83		27.1	32.2	21.5	5.5	10.7	1.6
3	0.0	5.0	3.5	80		28.3	32.8	20.5	8.0	12.9	1.7
4	0.0	4.0	2.8	76		28.1	32.5	20.5	5.4	12.7	1.4
5	0.0	4.0	2.8	76		27.1	33.0	21.5	8.3	13.2	2.0
6	0.0	3.0	2.1	82		27.3	33.0	22.5	5.6	9.5	1.6
7	0.0	5.0	3.5	75		28.1	32.8	21.0	7.4	13.0	3.0
8	0.0	3.5	2.5	72		27.9	33.5	21.5	7.9	12.2	2.0
9	0.0	5.0	3.5	82		27.3	34.2	22.0	7.9	13.5	1.8
10	0.0	4.0	2.8	76		27.8	33.0	21.8	5.3	11.5	2.4
11	0.0	4.5	3.2	75		28.3	33.0	21.5	7.0	13.5	2.8
12	0.0	3.5	2.5	77		27.9	32.8	21.0	7.4	10.0	2.3
13	0.0	3.0	2.1	83		26.3	30.2	20.7	0.2	7.5	2.6
14	0.0	4.0	2.8	80		27.3	31.8	21.0	5.1	11.6	2.3
15	0.0	4.0	2.8	75		28.3	33.5	21.0	7.4	12.5	2.1
16	0.0	4.0	2.8	73		28.0	33.2	19.0	7.8	11.5	3.3
17	0.0	6.0	4.2	67		28.1	33.5	19.0	9.0	15.0	1.7
18	0.0	5.0	3.5	74		28.0	33.5	17.5	9.5	14.5	1.8
19	0.0	5.8	3.5	70		27.3	33.5	17.5	9.5	15.2	3.3
20	0.0	4.0	2.8	73		26.7	32.8	19.0	5.7	12.5	1.4
21	0.0	5.0	3.5	73		27.3	33.2	20.0	7.8	14.2	2.6
22	0.0	5.0	3.5	70		28.2	34.0	20.0	8.5	14.0	2.5
23	0.0	4.0	2.8	76		27.3	33.0	22.5	5.0	11.0	3.0
24	0.0	4.0	2.8	73		28.5	32.5	21.5	4.9	9.0	2.5
25	0.0	4.0	2.8	87		27.3	33.5	22.5	7.7	12.9	2.0
26	0.0	4.0	2.8	78		28.5	34.0	22.0	5.5	12.5	3.0
27	0.0	5.0	3.5	76		28.7	34.0	22.5	4.7	14.0	2.7
28	0.0	6.0	4.2	76		28.5	33.5	21.0	6.9	11.6	1.5
29	0.0	5.0	3.5	70		28.7	35.0	22.0	2.6	15.0	2.4
30	0.0	5.0	3.5	6.9		29.5	34.5	21.5	6.3	13.5	2.3
31											
Total	34.5	130.9	91.6	2288		834.5	995.2	626	197.7	371.5	67.5
Mean	1.2	4.4	3.1	76.2		27.2	33.2	20.9	6.6	12.4	2.3

CLIMATOLOGICAL DATA

STATION: M. P. K. BELITANG

MONTH: JULY YEAR: 1976

Date	Rainfall (mm)	Evaporation (mm)		Rel. Humidity (%)		Temperature (°C)			Sun-shine duration (%)	Solar radiation (ml. Water)	Wind Velocity at 2m (km/hr)
		E pon	Eo	Depress-ion of wet bulb	Thermo-hygro-graph	Mean	Max	Min			
1	0.0	5.0	3.5	76		28.8	34.0	20.0	7.4	11.5	2.6
2	0.0	5.0	3.5	72		27.6	33.5	20.0	7.6	13.0	4.1
3	0.0	3.0	2.1	73		28.4	33.5	22.5	7.0	12.0	2.7
4	0.0	3.0	2.1	80		26.6	32.5	21.0	2.8	10.0	3.5
5	12.0	5.0	3.5	83		26.0	32.5	20.0	2.8	11.7	3.3
6	3.5	5.0	3.5	82		25.5	30.0	20.0	4.7	7.5	2.3
7	0.0	4.0	2.8	82		26.2	33.0	20.0	9.1	15.6	3.2
8	0.0	5.0	3.5	73		27.6	32.6	20.0	9.6	12.5	2.9
9	1.0	4.0	2.8	81		26.2	32.5	20.7	6.0	11.4	2.6
10	0.0	4.0	2.8	78		27.0	32.2	21.5	3.1	10.5	3.8
11	1.5	1.5	1.1	84		28.2	30.5	20.0	2.1	7.5	1.6
12	0.0	5.0	3.5	76		27.9	34.0	21.5	8.9	14.6	2.6
13	0.0	4.0	2.8	72		24.9	33.5	20.5	6.7	14.0	3.7
14	0.0	5.0	3.5	70		25.4	33.5	21.5	8.5	14.7	2.1
15	0.0	3.0	2.1	76		28.4	32.8	21.0	3.9	11.2	2.2
16	0.0	3.0	2.1	78		26.9	32.0	20.5	3.5	9.5	3.7
17	0.0	5.0	3.5	77		28.1	33.5	20.5	8.6	14.5	3.6
18	0.0	5.0	3.5	70		28.1	33.5	21.5	8.3	15.0	3.4
19	0.0	5.0	3.5	72		28.1	33.2	20.5	5.3	14.0	4.1
20	0.0	4.0	2.8	70		27.5	33.0	20.5	4.2	10.7	3.9
21	0.0	5.0	3.5	71		28.9	33.5	21.5	6.8	12.5	3.2
22	0.0	3.0	2.1	81		28.0	33.8	23.0	3.9	12.1	3.8
23	0.0	6.0	4.2	68		29.7	35.0	20.5	8.2	16.3	2.9
24	0.0	5.0	3.5	69		27.9	34.5	19.5	5.3	14.5	2.5
25	0.0	5.0	3.5	71		27.7	33.8	20.5	6.9	15.0	4.2
26	0.0	4.0	2.8	76		27.0	31.0	21.0	2.8	8.5	2.8
27	0.0	4.0	2.8	71		28.1	33.5	21.5	5.8	12.6	4.0
28	77.0	5.0	3.5	76		27.6	32.0	20.0	3.9	9.7	3.9
29	1.0	4.5	3.2	83		25.9	32.6	22.5	3.1	12.0	2.8
30	0.0	4.0	2.8	74		28.5	33.0	22.0	6.7	14.0	4.4
31	13.0	5.5	3.9	82		27.3	33.0	20.5	2.4	10.0	2.7
Total	108.0	134.5	94.3	734.9		248.6	1021.5	646.2	176.1	378.6	96.9
Mean	3.5	4.3	3.0	75.8		27.4	33.0	20.8	5.7	12.2	3.1