


持出禁止

社会開発協力部

LIBRARY

SC
80-04

**FACILITIES AND EQUIPMENT INSTALLATION PLAN
OF GENERAL SUBJECTS
(LANGUAGE LABORATORY, GENERAL CLASSROOM FACILITIES,
PHYSICS • CHEMISTRY AND MATHEMATICS FACILITIES),
PRINTING ROOM
AND
AUDITORIUM
RIYADH ELECTRONICS TECHNICAL INSTITUTE
THE KINGDOM OF SAUDI ARABIA**



20534

FEBRUARY 1979

國際協力事業団

20534

COST OF EQUIPMENT BY FACILITY

Facility No.	Facility Name	Price Thousand Yen	Price US \$
1.	Printing Room	7,374	37,815
2.	Language Laboratory	49,553	254,118
3.	General Classroom	17,160	88,000
4.	Chemistry, Physics and Mathematics Laboratories	26,228	134,503
5.	Auditorium	31,000	158,974
Grand Total:		131,315	673,410

Note: 1) Conversion rate of 195 yen to 1 US dollar was adopted, with fraction of 0.5 and over counting as a whole number and disregarding the rest.

Item	1930	1931
Operating Expenses	1,200,000	1,300,000
Depreciation	500,000	550,000
Interest	300,000	320,000
Taxes	200,000	210,000
Dividends	150,000	160,000
Retained Earnings	800,000	750,000
Assets	10,000,000	10,500,000
Liabilities	8,000,000	8,500,000
Equity	2,000,000	2,000,000

The following table shows the results of operations for the year ending December 31, 1931:

Revenue	1,500,000
Operating Expenses	(1,300,000)
Depreciation	(550,000)
Interest	(320,000)
Taxes	(210,000)
Dividends	(160,000)
Net Income	(1,040,000)

1. Printing Room

Room No. & name of facilities: A118 Printing

Price thousand yen: 7,374

Price US \$: 37,815

1-1 Copier

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Ricoh	400	1	400

Specifications:

Electronic dry copier

Maximum B4 positive printer

This copier is easy to handle and maintain.

No special paper shall not be used.

Accessories:

- 1. Articles of consumption: 1 set**
- 2. Maintenance parts and tools: 1 set**
- 3. Paper: a package of 1,000 sheets x 10**

Remarks:

A copy of the drawing designed by a dry copier can be made easily. The copiers are selected from the products made by the same company and consideration must be taken with regard to the maintenance.

1-2 Copier

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Qty	Amount
Ricoh	600	1	600

Specifications:

- Electronic positive copying machine
- Printing of a drawing of A1 size or larger can be made.
- To be printed in positive
- Easy handling and maintenance
- Avoid use of liquid as far as possible
- A machine with special consideration for maintenance, for it is to be used for drawings of a large size.

Remarks:

- Minimum use of liquid to suit the use in the hot country
- Easy handling and maintenance
- Copies for drawing shall be produced in positive.
- Copies of drawing of a large size can be made.
- Easy maintenance to suit infrequent use

1-3 Copier

Room No. & name of facilities	-		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
U-Bix Type 600WII	1,500	2	3,000

Specifications:

Process:
Dry electrostatic photo transfer system.

Type:
Console

Originals:
Sheets, books, 3-dimensional objects

Size of Originals:
A3(=297 x 420 mm) max

Copy Size:

In case of 1:1

A4 (=210 x 297 mm, or $8\frac{1}{4} \times 11\frac{3}{4}$ ")

B4 (=257 x 364 mm, or $10\frac{1}{8} \times 14\frac{3}{8}$ ")

[F4 (=210 x 330 mm, or $8\frac{1}{4} \times 13$ ")
available, upon request]

In case of 1:0.7, A3 → A4

B4 → B5

Warm-up time:
4 minutes

Copying Speed:
10 copies/min

Multiple Copies:
1 - 20 copies & M (=Continuous Copying)

Paper Feeding:
Automatic feeding 400 sheets cassette.

Reproduction Ratio:
1:1 and 1:0.7


Dimensions:
1055 mm (W) x 863.5 mm (H) x 618 mm(D)

Weight:

About 185 kg

Power Source:

AC 220V 60 Hz




1-4 Supplies for copier (No. 1-3)

Room No. & name of facilities	-		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
U-Bix	-	-	500

Specifications:

1. Master paper, 10 sheets
2. Toner, 2 bottles, 0.25 kg/bottle
3. Developer, 1 bottles, 1.1 kg/bottle
4. Filter Bag, 1 set

for 10,000 copies x 2 sets



1-5 Stencil duplicator

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Uchida Yoko Type EM-200	237	1	237

Specifications:


Automatic inking system, electric type

Power source: AC 220V 60Hz

Duplicating area: 215 x 340 m/m (Max.)

Dimensions: 560 (W) x 380 (L) x 430 (H) m/m

Weight: about 40kg



1-6 Stencil cutter

Room No. & name of facilities	-		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Uchida Yoko Type ES-600H	266	1	266

Specifications:

Master size (Max.) : 280 x 390 m/m


Imaging area (Max.) : 260 x 345 m/m

Stencil production controls: 4 switches

Line density: 10 to 20 lines per mm

Dimensions: 730 (W) x 433 (D) x 222 (H) m/m (Approx.)

Power source: AC 220V, 60 Hz




1-7 Stencil duplicating supplies


Room No. & name of facilities		-		
Name of manufacturer & type for reference		Unit price	Q'ty	Amount
Uchida Yoko	Electro vinyl stencil	4	100	400
	Duplicating ink	0.5	30	15
	Stencil correction fluid	2	10 dozen	20
	(Total)			435

Specifications:

1. Electro vinyl stencil: a package (100 sheets) x 100



2. Duplicating ink: comes in 400 cc, plastic tubes 30 tubes



3. Stencil correction fluid: comes in 200cc glass bottle.... 10 dozen




1-8 Machine table for stencil duplicator

Room No. & name of facilities				
Name of manufacturer & type for reference	Unit price	Qty	Amount	
Uchida Yoko Type 632-0012	32	1	32	

Specifications:

With one shelf

Dimensions: 500 (W) x 600 (D) x 700 (H) mm




1-9 Machine table for stencil cutter

Room No. & name of facilities				
Name of manufacturer & type for reference	Unit price	Q'ty	Amount	
Uchida Yoko Type 632-0011	.36	1	36	

Specifications:

With one shelf

Dimensions: 850 (W) x 600 (D) x 700 (H) m/m




1-10 Desks and chairs


Room No. & name of facilities				
Name of manufacturer & type for reference		Unit price	Q'ty	Amount
Uchida Yoko	Single pedestal desk type 360-1272	29	1	29
	Double pedestal desk type 360-1673	48	1	48
	Office chair type 311-6003	8	3	24
	(Total)			101

Specifications:


1. Single pedestal desk: 1200 (W) x 700 (D) x 700 (H) m/m, with pearl grey finish



2. Double pedestal desk: 1600 (W) x 700 (D) x 700 (H) m/m, with pearl grey finish



3. Office chair: 400 (W) x 380 (D) x 375 - 445 (H) m/m




1-11 Shelf and map case

Room No. & name of facilities		-		
Name of manufacturer & type for reference		Unit price	Q'ty	Amount
Uchida Yoko	Shelf type 328-3032	30	3	90
	Map master type 874-7000	80	2	160
	Map master stand type 304-0500	17	1	17
	(Total)			267


Specifications:

1. Shelf: with 6 shelf plates, 1200 (W) x 450 (D) x 1900 (H) m/m
2. Map case: for A0 size, 1375 (W) x 989 (D) x 414 (H) m/m
3. Map case stand: with base, 1375 (W) x 989 (D) x 507 (H) m/m

Shelf



Map case and stand




1-12 Type writer

Room No. & name of facilities	-		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
-	50	30	1,500

Specifications:

Various types of typewriters: English and Arabic 30 sets



1. The first part of the document is a list of items.

2. The second part of the document is a list of items.

3. The third part of the document is a list of items.

4. The fourth part of the document is a list of items.

5. The fifth part of the document is a list of items.

6. The sixth part of the document is a list of items.

7. The seventh part of the document is a list of items.

8. The eighth part of the document is a list of items.

9. The ninth part of the document is a list of items.

10. The tenth part of the document is a list of items.

11. The eleventh part of the document is a list of items.

12. The twelfth part of the document is a list of items.

13. The thirteenth part of the document is a list of items.

14. The fourteenth part of the document is a list of items.

15. The fifteenth part of the document is a list of items.

16. The sixteenth part of the document is a list of items.

17. The seventeenth part of the document is a list of items.

18. The eighteenth part of the document is a list of items.

19. The nineteenth part of the document is a list of items.

20. The twentieth part of the document is a list of items.

2. Language Laboratory

Room No. & name of facilities:

- (1) A330 Lab-1 Language**
- (2) A327 Lab-2 Language**
- (3) A328 Prep. Language**
- (4) A329 Prep. Language**
- (5) A332 Prep. Language**

Price thousand yen: 49,553

Price US \$: 254,118

2-1 Language laboratory

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
SONY Language Laboratory system	-	-	49,553


Specifications:


Item No.	Model	Q'ty	Unit Price	Amount
1.	LL Control Console	1	¥722,500.-	¥722,500.-
2.	Console Desk	1	95,000.-	95,000.-
3.	Master Tape Recorder	1	210,000.-	210,000.-
4.	Master Cassette Recorder	1	125,000.-	125,000.-
5.	Recorder Desk	2	65,000.-	130,000.-
6.	Disc Player	1	48,000.-	48,000.-
7.	AM/FM Tuner	1	78,000	78,000.-
8.	Disc/Tuner Desk	1	75,000.-	75,000.-
9.	Cassette Printer	1	76,000.-	76,000.-
10.	18" Color Monitor	1	226,000.-	226,000.-
11.	Stand for 18" Monitor	1	100,000.-	100,000.-
12.	Master Remote Control	2	7,500.-	150,000.-
13.	Student Remote Control	1	177,000.-	177,000.-
14.	Laboratory Speaker	3	9,500.-	28,500.-
15.	Video Distributor	2	38,000.-	76,000.-
16.	Lecture Desk	1	70,000.-	70,000.-
17.	Twin Booth	15	150,000.-	2,250,000.-
18.	9" Color Monitor	31	204,000	6,324,000.-
19.	Student Recorder	30	105,000.-	3,150,000.-
20.	Headset	31	8,500.-	263,500.-
21.	Cabling Material	1	500,000.-	500,000.-
Sub-Total:				¥15,423,500.-

<u>Item No.</u>	<u>Model</u>	<u>Q'ty</u>	<u>Unit Price</u>	<u>Amount</u>
1.	U-Recorder	1	¥494,000.-	¥494,000.-
2.	Color Visual Aid	1	2,000,000.-	2,000,000.-
3.	TV Tuner	1	80,000.-	80,000.-
4.	Connector Panel	1	50,000.-	50,000.-
5.	9" Color Monitor	1	204,000.-	204,000.-
6.	Video Pointer	1	200,000.-	200,000.-
7.	A/V Selector/Distributor	1	250,000.-	250,000.-
8.	27" Color Monitor	2	806,000.-	1,612,000.-
9.	Wagon for 27" Color Monitor Monitor	2	200,000.-	400,000.-
10.	Master Console	1	1,250,000.-	1,250,000.-
			Sub-Total:	¥6,540,000.-
11.	Master Analyzer	1	1,165,000.-	1,165,000.-
12.	Color Monitor	1	183,000.-	183,000.-
13.	CPU Printer	1	770,000.-	770,000.-
14.	Response Unit	30	16,500.-	495,000.-
15.	Indicator Panel	1	50,000.-	50,000.-
16.	Overhead Projector	1	150,000.-	150,000.-
			Sub-Total:	¥2,813,000.-
			Total:	¥24,776,500.-

YEN 24,776,500.- x 2 Rooms = YEN 49,553,000.-

LANGUAGE LABORATORY SYSTEM





3. General classroom

Room No. & name of facilities: B201, 202, 203, 204, 205, 206, 207,
208, 209, 210, 212,
B301, 302, 303, 304, 305, 306, 307
308, 309, 310, 313
Classroom

Price thousand yen: 17,160

Price US \$: 88,000

3-1 Student desks and chairs


Room No. & name of facilities	-		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
OKAMURA Student Desk type 3121ZM	20	660	13,200
Student Chair type 2242ZZ	6	660	3,960
	(Total)		17,160

Specifications:


30 students x 22 classes 660 students

Student Desk: 1000 (W) x 600 (D) x 740 (H) m/m (700 H)
 Top: Melamine laminate (teak, walnut, ivory)

Student Chair: 395 (W) x 483 (D) x 391 - 471 (H) m/m
 Fabric upholstery, w/glide



Student Desk



Student Chair

1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025

Information

The information provided in this document is for informational purposes only and should not be used as a substitute for professional advice. The information is subject to change without notice and is not intended to constitute an offer or a recommendation of any financial product or service. The information is provided as a general overview and does not take into account the specific needs and circumstances of any individual investor. The information is not intended to be used as a basis for investment decisions. The information is provided as a general overview and does not take into account the specific needs and circumstances of any individual investor. The information is not intended to be used as a basis for investment decisions.

The information provided in this document is for informational purposes only and should not be used as a substitute for professional advice. The information is subject to change without notice and is not intended to constitute an offer or a recommendation of any financial product or service. The information is provided as a general overview and does not take into account the specific needs and circumstances of any individual investor. The information is not intended to be used as a basis for investment decisions. The information is provided as a general overview and does not take into account the specific needs and circumstances of any individual investor. The information is not intended to be used as a basis for investment decisions.

4. Chemistry, Physics and Mathematics laboratories

Room No. & name of facilities:

- | | |
|-----------------|----------------------|
| (1) B 101 Lab. | Chemistry |
| (2) B 104 Prep. | Chemistry |
| (3) B 106 Prep. | Physics |
| (4) B 107 Lab-1 | Physics |
| (5) B 108 Lab-2 | Physics |
| (6) B 109 Prep. | Physics |
| (7) B 111 Lab. | Mathematics |
| (8) B 113 Prep. | Mathematics |
| (9) B 103 | Thermostatic chamber |

Price thousand yen: 26,228

Price US \$: 134,503

4-1 Draft chamber

Room No. & name of facilities	B 101 Lab, Chemistry, B 104 Prep. Chemistry, B 107, 108 Lab-1, 2 Physics			
Name of manufacturer & type for reference	Unit price	Q'ty	Amount	
Yamato Scientific Fume Hood (Draft Chamber) type KDS-150	1,450	5	7,250	


Specifications:

Outer materials : Steel plate (SS-41)

Overall dimensions (mm) : 1,500 (W) x 750 (D) x 2,350 (H)

With piping and wiring materials :

- * Duct, Ø175 ----- 20 m
- * Elbow Ø175 ----- 4 pcs.
- * Support for Duct --- 12 pcs.
- * Anchor bolt ----- 40 pcs.
- * Ventilator ----- 1 pc.
- * Binding agent 500g- - 3 cans
- * Water pipe ----- 5 m
- * Elbow for water pipe ---- 5 pcs.
- * Drainage pipe ----- 5 m
- * Elbow for drainage pipe -- 5 pcs.
- * Gas pipe ----- 5 m
- * Elbow for gas pipe ----- 5 pcs.



4-2 Center table



Room No. & name of facilities	B 101 Lab. Chemistry		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Center Table Type CGH	460	4	1,840

Specifications:

Overall dimensions : 3,000 (W) x 1,000 (D) x 800 (H)
 Top Board : Melamine plastic resin
 Sink : Stainless steel (SUS-304)

With piping and wiring materials :

- * Water pipe, EGP White 15A ----- 5 m
- * Elbow for water pipe ----- 5 pcs.
- * Drainage pipe, VP tube 40A ----- 5 m
- * Elbow for drainage pipe ----- 5 pcs.
- * Gas pipe, SGP ----- 5 m
- * Elbow for gas pipe ----- 5 pcs.
- * Trap ----- 1 pc.
- * Electric wire, S cable ----- 5 m





(單位: mm)

4-3 Lecture Bench

Room No. & name of facilities	B 101 Lab, Chemistry B 107, 108 Lab-1, 2 Physics		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Lecture Table type CRH	165	6	990

Specifications:

- Overall dimensions (mm) : 1,800 (W) x 600 (D) x 800 (H)
- Top Board : Melamine plastic resin
- With : Electric Wire, S cable, 5 m



(単位: mm)

4-4 Center table

Room No. & name of facilities	B 107, 108 Lab-1,2 Physics		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Table for Physics type CKH	295	16	4,720



Specifications:

Overall dimensions (mm) : 2,600 (W) x 600 (D) x 800 (H)

Top Board : Colorcelane

With piping and wiring materials :

- * Gas pipe, SGP ----- 5 m
- * Elbow for gas pipe ----- 5 pcs.
- * Electric wire, S cable ----- 5 m



(単位 : mm)



4-5 Side table

Room No. & name of facilities	B 106, 109 Prep. Physics		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Side Table Type CPH	250	2	500

Specifications:

Overall dimensions (mm) : 2,400 (W) x 600 (D) x 800 (H)
 Top Board : Melamine plastic resin
 Sink : Stainless steel (SUS-304)
 With Piping and wiring materials :

- * Water pipe, EGP white 15A ----- 5 m
- * Elbow for water pipe ----- 5 pcs.
- * Drainage pipe, VP tube 40A ----- 5 m
- * Elbow for drainage pipe ----- 5 pcs.
- * Electric wire, S cable ----- 5 m
- * Trap ----- 1 pc.



(単位: mm)

4-6 Center table

Room No. & name of facilities	B 104 Prep. Chemistry		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Center Table type CSH	268	2	536

Specifications:

Overall dimensions (mm) : 1,800 (W) x 1,000 (D) x 800 (H)


Top Board : Melamine plastic resin

With piping and wiring materials :

* Gas pipe, SGP ----- 5 m

* Elbow for gas pipe ----- 5 pcs.

* Electric wire, S cable ----- 5 m



125	138	12
1	1575	1
Quantity		Price
Price		

(単位: 円)

4-7 Center table

Room No. & name of facilities	B 106, 109 Prep. Physics		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Center Table type CFP	500	4	2,000

Specifications:



Overall dimensions (mm) : 2,800 (W) x 1,000 (D) x 850 (H)

Top Board : Melamine plastic resin

Sink : Stainless steel (SUS-304)

With piping and wiring materials :

- * Water pipe, EGP white 15A ----- 5 m
- * Elbow for water pipe ----- 5 pcs.
- * Drainage pipe, VP tube 40A ----- 5 m
- * Elbow for drainage pipe ----- 5 pcs.
- * Gas pipe, SGP ----- 5 m
- * Elbow for gas pipe ----- 5 pcs.
- * Trap ----- 1 pc.
- * Electric Wire, S cable ----- 5 m




4-8 Work bench

Room No. & name of facilities	B 101 Lab. Chemistry B 107, 108 Lab-1, 2 Physics		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Side Table type NFK-180	205	6	1,230

Specifications:

Overall dimensions (mm) : 1,800 (W) x 750 (D) x 800 (H)

NFK-180




4-9 Work bench

Room No. & name of facilities	B 106, 109 Prep. Physics		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Side Table type NFK-240	254	2	508

Specifications:

Overall dimensions (mm) : 2,400 (W) x 750 (D) x 800 (H)

NFK-240




4-10 Work bench

Room No. & name of facilities	B 104 Prep, Chemistry		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Side Table type NFN-180	191	1	191

Specifications:

Overall dimensions (mm) : 1,800 (W) x 750 (D) x 800 (H)

NFN-180




4-11 Work bench

Room No. & name of facilities	B 103 Thermostatic Chamber		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Side Table type NFN-150	164	1	164

Specifications:

Overall dimensions (mm) : 1,500 (W) x 750 (D) x 800 (H)

NFN-150




4-12 Chairs

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Chair type MC-020	10	120	1,200

Specifications:

Dimensions (mm) : $\varnothing 330 \times 410$ to 510 (H)




4-13 Chairs

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Chair type MC-050	13	4	52

Specifications:

Dimensions (mm) : 370 (W) x 350 (D) x 430 to 530 (H)




4-14 Shelf

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Shelf type MC-124 and MC-124G	101	7	707

Specifications:

Overall dimensions (mm) : 880 (W) x 400 (D) x 1,830 (H)

Material : Steel



4-15 Shelf

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Shelf Model MC-125G and MC-125	174	17	2,958

Specifications:

Overall dimensions (mm) : 1,760 (W) x 400 (D) x 1,830 (H)

Material : Steel



4-16 Shelf

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Qty	Amount
Yamato Scientific Shelf Model MC-124G and MC-124G	104	1	104

Specifications:

Overall dimensions (mm) : 880 (W) x 400 (D) x 1,830 (H)
Material : Steel




4-17 Shelf

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Shelf Model MC-125G and MC-125G	182	4	728

Specifications:

Overall Dimensions (mm) : 1,760 (W) x 400 (D) x 1,830 (H)

Material : Steel




4-18 Rack

Room No. & name of facilities			
Name of manufacturer & type for reference	Unit price	Qty	Amount
Yamato Scientific Shelf Model MR-328	38	10	380

Specifications:

Overall dimensions (mm) : 900 (W) x 610 (D) x 2,420 (H)

Material : Steel



4-19 Rack

Room No. & name of facilities	-		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
Yamato Scientific Shelf Model MR-628	85	2	170

Specifications:

Overall dimensions (mm) : 1,820 (W) x 610 (D) x 2,420 (H)

Material : Steel

5. Auditorium

Room No. & name of facilities: C 308 Projection

C 305 Control Room

Price thousand yen : 31,000

Price US \$: 158,974

1910

1911

1912

5-1 Auditorium system

Room No. & name of facilities	-		
Name of manufacturer & type for reference	Unit price	Q'ty	Amount
SONY	-	-	31,000

Specifications:

Description	Q'ty	Description	Q'ty
Dynamic Mic	4	Junction panel	1
Condenser Mic	4	Patching panel	2
Super-unidirectional Mic	2	16 mm projector	1
Lavalier Mic	2	35 mm slide projector	1
Floor stand for Mic	6	Overhead projector	1
Boom stand for Mic	4	Monitor speaker	2
Table stand for Mic	4	Rack for monitor speaker	2
Air monitor Mic	1	Main speaker	2
Mixing console	1	Sub speaker	2
Rack for amplifier	1	Fold back speaker	2
Power amplifier (120W)	2	Wall speaker	2
Power amplifier (60W)	7	Attenuator	2
Monitor panel	1	Antenna	4
Power supply	1	Headphone	1
Junction panel	1	Cables and connectors	1 set
Rack for decks	1	Connecting panel	6
Open deck	2	Mic jack panel	3
Cassette deck	1	Speaker jack panel	1
PCM deck	1	Wireless mic	2
Tuner for wireless mic	2	Table for speech	1
Power supply	1	Condenser mic	1

<u>Description</u>	<u>Q'ty</u>
Mic stand	1
Talkback mic	1
Record Player rack	1



