

DATA | DAILY RELATIVE HUMIDITY | STATION | SOP HAN

YEAR | 1972

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	81.00	84.00	80.00	76.00	75.00	75.00	80.00	80.00	85.00	88.00	83.00	88.00
2	83.00	80.00	80.00	74.00	78.00	80.00	75.00	87.00	83.00	89.00	84.00	88.00
3	82.00	86.00	80.00	82.00	85.00	85.00	78.00	87.00	85.00	85.00	88.00	88.00
4	80.00	89.00	81.00	80.00	87.00	87.00	85.00	80.00	86.00	85.00	88.00	87.00
5	82.00	80.00	81.00	74.00	75.00	75.00	87.00	79.00	89.00	85.00	89.00	85.00
6	85.00	82.00	80.00	77.00	75.00	80.00	84.00	84.00	88.00	84.00	88.00	87.00
7	83.00	84.00	82.00	75.00	72.00	84.00	82.00	85.00	85.00	89.00	87.00	88.00
8	84.00	83.00	80.00	74.00	70.00	80.00	84.00	87.00	70.00	88.00	79.00	90.00
9	85.00	78.00	81.00	79.00	72.00	85.00	86.00	88.00	86.00	89.00	84.00	89.00
10	85.00	80.00	80.00	81.00	75.00	86.00	87.00	86.00	84.00	87.00	84.00	90.00
11	80.00	83.00	80.00	90.00	87.00	89.00	87.00	85.00	90.00	86.00	88.00	89.00
12	83.00	82.00	81.00	85.00	78.00	80.00	85.00	85.00	87.00	89.00	84.00	88.00
13	85.00	81.00	82.00	85.00	79.00	82.00	89.00	84.00	80.00	88.00	70.00	87.00
14	82.00	86.00	80.00	74.00	72.00	85.00	89.00	88.00	85.00	89.00	80.00	86.00
15	85.00	89.00	82.00	78.00	78.00	86.00	88.00	89.00	86.00	89.00	88.00	86.00
16	85.00	80.00	80.00	80.00	72.00	84.00	89.00	89.00	85.00	89.00	90.00	87.00
17	88.00	84.00	74.00	75.00	73.00	85.00	85.00	86.00	84.00	86.00	88.00	90.00
18	86.00	80.00	74.00	80.00	75.00	80.00	85.00	86.00	83.00	87.00	87.00	90.00
19	85.00	82.00	80.00	75.00	82.00	83.00	84.00	84.00	87.00	86.00	90.00	88.00
20	87.00	85.00	82.00	74.00	75.00	89.00	87.00	85.00	89.00	88.00	88.00	89.00
21	85.00	85.00	82.00	74.00	74.00	75.00	84.00	88.00	88.00	86.00	88.00	90.00
22	87.00	85.00	75.00	74.00	75.00	80.00	85.00	89.00	89.00	87.00	88.00	88.00
23	84.00	85.00	83.00	80.00	75.00	80.00	88.00	84.00	87.00	89.00	84.00	87.00
24	86.00	80.00	82.00	80.00	80.00	82.00	79.00	89.00	89.00	86.00	89.00	90.00
25	85.00	85.00	80.00	74.00	75.00	74.00	87.00	88.00	87.00	86.00	88.00	86.00
26	85.00	80.00	83.00	75.00	82.00	77.00	87.00	90.00	87.00	86.00	88.00	88.00
27	84.00	85.00	82.00	74.00	74.00	80.00	89.00	89.00	84.00	85.00	88.00	87.00
28	85.00	86.00	80.00	82.00	80.00	80.00	88.00	84.00	89.00	86.00	86.00	90.00
29	82.00	80.00	74.00	72.00	76.00	84.00	85.00	80.00	89.00	87.00	85.00	87.00
30	83.00	85.00	75.00	73.00	72.00	82.00	80.00	85.00	87.00	88.00	85.00	89.00
31	85.00	80.00	82.00	75.00	75.00	87.00	87.00	86.00	87.00	88.00	88.00	90.00
TOTAL	2613.00	2689.00	2420.00	2322.00	2329.00	2450.00	2640.00	2490.00	2579.00	2704.00	2444.00	2724.00
AVERAGE	84.29	86.42	80.00	77.48	75.13	81.61	85.16	86.77	85.97	87.29	88.15	88.26
MAXIMUM	88.00	89.00	83.00	90.00	88.00	89.00	89.00	90.00	90.00	85.00	89.00	90.00
MINIMUM	80.00	78.00	75.00	70.00	67.00	75.00	75.00	80.00	70.00	85.00	85.00	80.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
30582.00	83.59	90.00	67.00

DATA | DAILY RELATIVE HUMIDITY | STATION | SOP HAN

YEAR | 1973

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	90.00	88.00	88.00	88.00	74.00	87.00	87.00	88.00	84.00	88.00	86.00	85.00
2	87.00	90.00	86.00	84.00	78.00	85.00	81.00	88.00	83.00	86.00	87.00	87.00
3	87.00	91.00	88.00	88.00	79.00	87.00	85.00	87.00	85.00	85.00	88.00	89.00
4	86.00	86.00	89.00	90.00	89.00	88.00	88.00	89.00	86.00	87.00	85.00	90.00
5	89.00	85.00	89.00	87.00	87.00	87.00	87.00	87.00	83.00	85.00	87.00	87.00
6	89.00	90.00	86.00	83.00	85.00	88.00	85.00	89.00	87.00	84.00	87.00	89.00
7	90.00	90.00	84.00	82.00	89.00	89.00	85.00	89.00	87.00	87.00	88.00	88.00
8	89.00	89.00	89.00	85.00	88.00	89.00	88.00	84.00	84.00	85.00	88.00	90.00
9	87.00	85.00	90.00	85.00	84.00	88.00	85.00	86.00	85.00	88.00	86.00	89.00
10	85.00	90.00	89.00	82.00	84.00	87.00	90.00	83.00	83.00	87.00	87.00	88.00
11	87.00	88.00	86.00	85.00	85.00	89.00	82.00	80.00	87.00	88.00	84.00	88.00
12	87.00	91.00	85.00	85.00	81.00	89.00	86.00	82.00	87.00	87.00	70.00	85.00
13	92.00	90.00	85.00	85.00	88.00	87.00	88.00	84.00	84.00	88.00	85.00	86.00
14	95.00	90.00	89.00	80.00	84.00	85.00	87.00	83.00	83.00	84.00	84.00	89.00
15	87.00	87.00	85.00	89.00	87.00	89.00	82.00	83.00	88.00	87.00	88.00	87.00
16	90.00	87.00	84.00	84.00	86.00	84.00	87.00	82.00	87.00	88.00	88.00	89.00
17	89.00	88.00	89.00	83.00	87.00	87.00	87.00	84.00	87.00	84.00	88.00	88.00
18	88.00	90.00	83.00	82.00	86.00	85.00	81.00	86.00	84.00	85.00	87.00	86.00
19	90.00	89.00	84.00	80.00	89.00	86.00	88.00	82.00	84.00	89.00	88.00	86.00
20	91.00	88.00	85.00	77.00	83.00	87.00	86.00	88.00	87.00	87.00	90.00	88.00
21	90.00	89.00	85.00	78.00	88.00	88.00	85.00	84.00	87.00	88.00	89.00	87.00
22	88.00	87.00	85.00	79.00	86.00	87.00	86.00	85.00	88.00	84.00	85.00	86.00
23	86.00	88.00	85.00	78.00	85.00	87.00	83.00	87.00	88.00	87.00	85.00	87.00
24	90.00	89.00	89.00	83.00	82.00	88.00	80.00	85.00	88.00	87.00	87.00	86.00
25	88.00	89.00	89.00	81.00	89.00	84.00	88.00	87.00	88.00	86.00	88.00	86.00
26	89.00	90.00	85.00	78.00	89.00	85.00	87.00	85.00	89.00	86.00	87.00	90.00
27	91.00	88.00	89.00	82.00	87.00	88.00	85.00	86.00	84.00	86.00	91.00	87.00
28	93.00	87.00	89.00	89.00	85.00	88.00	88.00	85.00	86.00	86.00	90.00	85.00
29	88.00	88.00	82.00	70.00	85.00	87.00	88.00	87.00	87.00	87.00	87.00	79.00
30	90.00	88.00	89.00	78.00	87.00	85.00	80.00	84.00	88.00	85.00	88.00	86.00
31	91.00	84.00	85.00	85.00	85.00	88.00	88.00	87.00	88.00	88.00	88.00	87.00
TOTAL	2753.00	2664.00	2700.00	2476.00	2688.00	2694.00	2450.00	2444.00	2666.00	2676.00	2411.00	2741.00
AVERAGE	88.81	85.71	87.10	82.53	85.58	86.87	85.48	85.32	86.17	86.87	87.70	87.13
MAXIMUM	92.00	91.00	90.00	95.00	89.00	89.00	90.00	89.00	88.00	88.00	91.00	90.00
MINIMUM	85.00	84.00	85.00	70.00	76.00	82.00	80.00	80.00	80.00	85.00	85.00	79.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
31570.00	84.92	95.00	70.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP NAN

YEAR : 1974

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	85.00	87.00	87.00	90.00	84.00	93.00	87.00	90.00	84.00	90.00	90.00	90.00
2	87.00	90.00	84.00	84.00	84.00	89.00	89.00	92.00	90.00	90.00	90.00	90.00
3	84.00	89.00	90.00	70.00	87.00	88.00	90.00	90.00	90.00	87.00	90.00	92.00
4	89.00	89.00	89.00	81.00	74.00	94.00	88.00	82.00	91.00	89.00	90.00	92.00
5	85.00	90.00	89.00	80.00	70.00	92.00	87.00	90.00	90.00	90.00	91.00	93.00
6	84.00	87.00	86.00	81.00	82.00	84.00	91.00	90.00	89.00	90.00	90.00	91.00
7	89.00	89.00	84.00	77.00	83.00	91.00	85.00	89.00	90.00	90.00	91.00	91.00
8	90.00	88.00	86.00	81.00	76.00	93.00	90.00	89.00	89.00	90.00	88.00	92.00
9	87.00	91.00	90.00	74.00	74.00	91.00	89.00	90.00	90.00	88.00	91.00	91.00
10	84.00	87.00	90.00	90.00	87.00	94.00	91.00	90.00	90.00	90.00	91.00	93.00
11	85.00	89.00	85.00	78.00	90.00	90.00	91.00	90.00	91.00	89.00	90.00	93.00
12	89.00	90.00	86.00	84.00	81.00	88.00	87.00	90.00	89.00	90.00	90.00	92.00
13	90.00	86.00	86.00	74.00	86.00	90.00	91.00	90.00	90.00	90.00	90.00	92.00
14	90.00	90.00	86.00	83.00	88.00	89.00	90.00	90.00	89.00	90.00	91.00	91.00
15	92.00	89.00	86.00	79.00	89.00	90.00	91.00	90.00	90.00	90.00	91.00	90.00
16	91.00	91.00	85.00	80.00	88.00	91.00	90.00	89.00	90.00	91.00	91.00	93.00
17	90.00	87.00	85.00	92.00	86.00	91.00	91.00	89.00	90.00	91.00	90.00	91.00
18	91.00	87.00	88.00	83.00	86.00	90.00	91.00	89.00	90.00	90.00	91.00	92.00
19	87.00	90.00	87.00	89.00	85.00	95.00	90.00	90.00	90.00	90.00	91.00	91.00
20	89.00	84.00	87.00	82.00	85.00	90.00	90.00	90.00	90.00	90.00	90.00	92.00
21	90.00	89.00	85.00	80.00	91.00	89.00	91.00	90.00	90.00	92.00	92.00	89.00
22	89.00	88.00	80.00	70.00	93.00	85.00	90.00	89.00	90.00	91.00	92.00	92.00
23	91.00	87.00	82.00	88.00	91.00	91.00	90.00	86.00	89.00	92.00	91.00	92.00
24	90.00	91.00	86.00	89.00	91.00	89.00	89.00	90.00	84.00	89.00	90.00	92.00
25	87.00	87.00	89.00	84.00	92.00	90.00	91.00	90.00	91.00	91.00	92.00	93.00
26	88.00	88.00	85.00	80.00	85.00	90.00	92.00	90.00	90.00	91.00	91.00	91.00
27	91.00	87.00	87.00	89.00	90.00	87.00	90.00	90.00	89.00	90.00	92.00	93.00
28	89.00	87.00	71.00	88.00	92.00	88.00	92.00	91.00	90.00	90.00	91.00	93.00
29	88.00	89.00	89.00	87.00	91.00	89.00	92.00	90.00	90.00	90.00	90.00	93.00
30	80.00	91.00	86.00	93.00	84.00	90.00	90.00	89.00	91.00	91.00	91.00	93.00
31	89.00	77.00		78.00			92.00	90.00		91.00		93.00
TOTAL	2744.00	2478.00	2465.00	2491.00	2660.00	2695.00	2788.00	2777.00	2688.00	2793.00	2719.00	2844.00
AVERAGE	88.52	88.50	85.97	83.03	85.81	87.83	89.44	89.58	89.60	90.10	90.63	91.81
MAXIMUM	92.00	91.00	91.00	92.00	95.00	95.00	92.00	92.00	91.00	92.00	92.00	93.00
MINIMUM	85.00	86.00	71.00	70.00	70.00	84.00	85.00	82.00	86.00	87.00	88.00	89.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
32346.00	88.62	95.00	70.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP NAN

YEAR : 1975

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	93.00	93.00	90.00	85.00	75.00	85.00	89.00	90.00	89.00	90.00	90.00	90.00
2	94.00	91.00	91.00	84.00	80.00	90.00	84.00	92.00	90.00	90.00	92.00	91.00
3	91.00	94.00	91.00	82.00	87.00	85.00	90.00	90.00	89.00	90.00	91.00	90.00
4	92.00	93.00	92.00	85.00	80.00	90.00	89.00	90.00	90.00	89.00	90.00	91.00
5	89.00	93.00	92.00	89.00	78.00	90.00	85.00	89.00	91.00	91.00	92.00	89.00
6	93.00	94.00	90.00	90.00	73.00	89.00	90.00	90.00	90.00	90.00	90.00	92.00
7	92.00	94.00	90.00	82.00	88.00	86.00	90.00	90.00	91.00	91.00	91.00	91.00
8	93.00	94.00	90.00	85.00	89.00	84.00	90.00	90.00	89.00	91.00	91.00	92.00
9	92.00	91.00	90.00	90.00	87.00	87.00	89.00	90.00	92.00	90.00	91.00	91.00
10	92.00	94.00	91.00	85.00	78.00	85.00	88.00	91.00	91.00	89.00	90.00	92.00
11	94.00	93.00	91.00	85.00	80.00	88.00	89.00	90.00	91.00	90.00	90.00	91.00
12	93.00	91.00	91.00	89.00	80.00	90.00	89.00	91.00	90.00	90.00	93.00	91.00
13	93.00	92.00	91.00	85.00	81.00	87.00	90.00	90.00	90.00	89.00	90.00	90.00
14	94.00	93.00	90.00	80.00	81.00	86.00	89.00	91.00	90.00	90.00	89.00	92.00
15	91.00	93.00	91.00	84.00	85.00	85.00	90.00	91.00	90.00	90.00	91.00	91.00
16	93.00	92.00	89.00	86.00	85.00	89.00	90.00	89.00	90.00	91.00	91.00	92.00
17	93.00	92.00	88.00	90.00	83.00	88.00	90.00	91.00	89.00	90.00	92.00	92.00
18	93.00	91.00	90.00	87.00	86.00	88.00	91.00	90.00	90.00	88.00	90.00	93.00
19	91.00	91.00	90.00	82.00	85.00	89.00	91.00	89.00	91.00	90.00	90.00	93.00
20	93.00	91.00	90.00	89.00	77.00	87.00	89.00	88.00	90.00	91.00	91.00	94.00
21	92.00	91.00	85.00	84.00	88.00	88.00	89.00	90.00	90.00	90.00	90.00	93.00
22	93.00	90.00	88.00	82.00	85.00	90.00	90.00	89.00	90.00	89.00	92.00	94.00
23	92.00	93.00	87.00	86.00	86.00	87.00	84.00	87.00	90.00	88.00	92.00	94.00
24	92.00	92.00	89.00	84.00	85.00	83.00	90.00	90.00	91.00	91.00	92.00	94.00
25	93.00	92.00	87.00	75.00	86.00	88.00	90.00	89.00	91.00	91.00	92.00	93.00
26	92.00	91.00	84.00	79.00	85.00	87.00	90.00	91.00	92.00	90.00	93.00	92.00
27	93.00	91.00	88.00	75.00	88.00	89.00	90.00	91.00	92.00	91.00	93.00	94.00
28	94.00	91.00	89.00	70.00	87.00	89.00	90.00	91.00	91.00	92.00	93.00	91.00
29	92.00		87.00	80.00	81.00	89.00	88.00	91.00	91.00	89.00	92.00	93.00
30	92.00		88.00	72.00	88.00	90.00	90.00	91.00	91.00	93.00	90.00	90.00
31	90.00		84.00		85.00		88.00	91.00		89.00		92.00
TOTAL	2866.00	2581.00	2769.00	2502.00	2588.00	2460.00	2745.00	2792.00	2713.00	2793.00	2731.00	2850.00
AVERAGE	92.45	92.16	89.32	81.40	81.46	86.00	89.14	90.04	90.43	90.10	91.03	91.84
MAXIMUM	94.00	94.00	92.00	90.00	89.00	90.00	91.00	92.00	92.00	93.00	93.00	95.00
MINIMUM	89.00	90.00	84.00	70.00	73.00	85.00	85.00	87.00	89.00	88.00	89.00	89.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
32590.00	89.29	95.00	70.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP HAM

YEAR : 1976

DATA	1	2	3	4	5	6	7	8	9	10	11	12
1	86.00	89.00	85.00	74.00	91.00	88.00	83.00	90.00	91.00	92.00	92.00	90.00
2	84.00	89.00	87.00	78.00	87.00	79.00	79.00	86.00	86.00	90.00	87.00	87.00
3	87.00	88.00	79.00	79.00	89.00	78.00	86.00	91.00	85.00	89.00	92.00	90.00
4	78.00	87.00	74.00	81.00	78.00	85.00	80.00	93.00	87.00	92.00	88.00	89.00
5	83.00	87.00	86.00	75.00	80.00	89.00	93.00	87.00	89.00	92.00	93.00	85.00
6	81.00	85.00	89.00	76.00	85.00	87.00	83.00	90.00	90.00	91.00	92.00	88.00
7	83.00	84.00	90.00	78.00	76.00	89.00	86.00	84.00	91.00	91.00	91.00	89.00
8	79.00	85.00	81.00	77.00	71.00	88.00	80.00	90.00	91.00	91.00	92.00	89.00
9	82.00	83.00	81.00	82.00	72.00	87.00	90.00	93.00	88.00	92.00	91.00	87.00
10	81.00	86.00	79.00	72.00	82.00	85.00	89.00	92.00	89.00	92.00	93.00	85.00
11	78.00	80.00	78.00	85.00	79.00	88.00	80.00	91.00	91.00	96.00	91.00	86.00
12	80.00	81.00	77.00	77.00	80.00	84.00	82.00	92.00	92.00	91.00	94.00	90.00
13	79.00	80.00	80.00	82.00	87.00	88.00	85.00	91.00	92.00	90.00	92.00	89.00
14	78.00	85.00	81.00	78.00	85.00	86.00	81.00	91.00	91.00	87.00	91.00	91.00
15	72.00	85.00	83.00	68.00	78.00	88.00	90.00	84.00	89.00	92.00	92.00	89.00
16	78.00	82.00	81.00	76.00	82.00	74.00	82.00	90.00	89.00	91.00	91.00	89.00
17	79.00	86.00	79.00	81.00	79.00	78.00	78.00	90.00	92.00	91.00	91.00	92.00
18	74.00	86.00	81.00	82.00	78.00	71.00	89.00	90.00	92.00	91.00	91.00	92.00
19	84.00	82.00	80.00	84.00	77.00	82.00	90.00	90.00	91.00	91.00	92.00	93.00
20	84.00	84.00	82.00	81.00	80.00	90.00	90.00	91.00	91.00	91.00	93.00	92.00
21	82.00	83.00	81.00	81.00	80.00	88.00	91.00	92.00	88.00	92.00	93.00	91.00
22	84.00	81.00	81.00	79.00	87.00	87.00	91.00	91.00	91.00	91.00	94.00	94.00
23	83.00	85.00	87.00	86.00	88.00	87.00	92.00	92.00	91.00	90.00	94.00	93.00
24	86.00	88.00	84.00	83.00	82.00	86.00	91.00	92.00	91.00	89.00	89.00	93.00
25	88.00	84.00	82.00	91.00	79.00	87.00	91.00	87.00	92.00	90.00	84.00	94.00
26	84.00	81.00	81.00	83.00	77.00	86.00	91.00	92.00	92.00	91.00	92.00	94.00
27	87.00	87.00	81.00	83.00	79.00	88.00	91.00	87.00	90.00	91.00	84.00	91.00
28	80.00	74.00	81.00	92.00	74.00	93.00	92.00	85.00	91.00	91.00	87.00	92.00
29	87.00	78.00	82.00	77.00	88.00	85.00	91.00	91.00	91.00	88.00	89.00	92.00
30	84.00	77.00	81.00	81.00	85.00	85.00	93.00	92.00	91.00	82.00	84.00	89.00
31	87.00	85.00	85.00	84.00	84.00	93.00	91.00	91.00	91.00	80.00	81.00	89.00
TOTAL	2558.00	2440.00	2338.00	2451.00	2551.00	2547.00	2744.00	2745.00	2704.00	2775.00	2730.00	2795.00
AVERAGE	82.52	84.14	81.81	80.03	81.08	84.09	88.88	90.16	90.13	89.52	91.00	90.16
MAXIMUM	89.00	89.00	90.00	92.00	91.00	93.00	93.00	93.00	92.00	92.00	96.00	96.00
MINIMUM	74.00	74.00	74.00	68.00	71.00	71.00	80.00	84.00	89.00	80.00	84.00	84.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
31563.00	85.18	96.00	68.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP HAM

YEAR : 1977

DATA	1	2	3	4	5	6	7	8	9	10	11	12
1	85.00	92.00	89.00	89.00	88.00	89.00	90.00	90.00	89.00	85.00	89.00	89.00
2	87.00	93.00	90.00	92.00	82.00	90.00	89.00	90.00	88.00	88.00	87.00	95.00
3	87.00	94.00	88.00	89.00	82.00	90.00	91.00	90.00	89.00	87.00	89.00	90.00
4	85.00	95.00	90.00	88.00	80.00	89.00	90.00	90.00	89.00	89.00	89.00	90.00
5	84.00	93.00	90.00	91.00	86.00	92.00	89.00	85.00	84.00	88.00	89.00	90.00
6	89.00	92.00	85.00	90.00	74.00	90.00	90.00	90.00	88.00	88.00	87.00	90.00
7	82.00	94.00	90.00	89.00	89.00	89.00	91.00	91.00	89.00	89.00	85.00	90.00
8	84.00	90.00	89.00	89.00	91.00	92.00	92.00	90.00	89.00	89.00	89.00	90.00
9	89.00	92.00	89.00	87.00	89.00	92.00	91.00	89.00	90.00	89.00	89.00	90.00
10	87.00	92.00	90.00	90.00	89.00	85.00	94.00	87.00	90.00	89.00	89.00	90.00
11	88.00	90.00	92.00	90.00	90.00	88.00	93.00	91.00	89.00	88.00	89.00	91.00
12	90.00	89.00	91.00	89.00	90.00	90.00	90.00	91.00	89.00	88.00	89.00	91.00
13	90.00	92.00	88.00	88.00	88.00	90.00	91.00	88.00	88.00	88.00	90.00	90.00
14	91.00	83.00	90.00	89.00	80.00	89.00	90.00	90.00	89.00	88.00	88.00	90.00
15	92.00	92.00	90.00	87.00	92.00	89.00	90.00	84.00	83.00	89.00	89.00	90.00
16	90.00	91.00	90.00	90.00	92.00	89.00	87.00	87.00	88.00	86.00	90.00	90.00
17	86.00	89.00	87.00	88.00	88.00	87.00	90.00	90.00	88.00	88.00	90.00	90.00
18	93.00	78.00	90.00	89.00	95.00	90.00	91.00	84.00	87.00	88.00	93.00	90.00
19	82.00	89.00	89.00	80.00	92.00	89.00	89.00	88.00	88.00	88.00	90.00	89.00
20	93.00	90.00	91.00	92.00	89.00	88.00	91.00	89.00	89.00	87.00	90.00	88.00
21	88.00	90.00	87.00	87.00	91.00	85.00	91.00	88.00	88.00	89.00	91.00	89.00
22	88.00	91.00	80.00	88.00	87.00	89.00	85.00	88.00	88.00	88.00	89.00	90.00
23	93.00	90.00	91.00	89.00	89.00	85.00	91.00	88.00	88.00	88.00	87.00	89.00
24	94.00	90.00	89.00	83.00	90.00	90.00	91.00	89.00	89.00	89.00	90.00	90.00
25	91.00	90.00	92.00	89.00	89.00	90.00	89.00	88.00	84.00	89.00	90.00	90.00
26	90.00	90.00	81.00	88.00	88.00	85.00	87.00	85.00	85.00	87.00	89.00	90.00
27	91.00	87.00	90.00	89.00	89.00	80.00	87.00	89.00	89.00	89.00	89.00	90.00
28	89.00	87.00	93.00	85.00	87.00	80.00	90.00	89.00	87.00	89.00	89.00	89.00
29	92.00	85.00	85.00	85.00	85.00	80.00	90.00	88.00	88.00	89.00	89.00	90.00
30	94.00	81.00	81.00	81.00	84.00	84.00	93.00	89.00	87.00	90.00	88.00	90.00
31	93.00	87.00	87.00	87.00	87.00	90.00	88.00	88.00	89.00	89.00	89.00	89.00
TOTAL	2761.00	2527.00	2754.00	2638.00	2701.00	2838.00	2791.00	2740.00	2874.00	2730.00	2874.00	2724.00
AVERAGE	88.71	80.23	88.84	87.93	87.13	87.87	90.03	88.33	87.87	88.33	89.13	89.81
MAXIMUM	94.00	95.00	93.00	92.00	92.00	92.00	93.00	91.00	90.00	90.00	91.00	91.00
MINIMUM	82.00	78.00	80.00	80.00	74.00	80.00	83.00	83.00	84.00	86.00	87.00	88.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
32346.00	85.67	93.00	74.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP NAN

YEAR : 1978

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	88.00	91.00	90.00	87.00	85.00	89.00	88.00	85.00	89.00	90.00	90.00	89.00
2	88.00	90.00	90.00	87.00	81.00	87.00	89.00	86.00	90.00	90.00	90.00	89.00
3	89.00	90.00	90.00	85.00	85.00	89.00	90.00	89.00	89.00	92.00	90.00	90.00
4	90.00	90.00	90.00	88.00	83.00	90.00	89.00	87.00	87.00	90.00	89.00	90.00
5	89.00	89.00	89.00	87.00	80.00	85.00	87.00	89.00	89.00	89.00	93.00	93.00
6	89.00	90.00	90.00	88.00	87.00	87.00	89.00	88.00	88.00	92.00	91.00	91.00
7	89.00	90.00	90.00	87.00	89.00	88.00	88.00	89.00	89.00	89.00	89.00	89.00
8	88.00	90.00	90.00	86.00	81.00	81.00	91.00	89.00	87.00	87.00	88.00	89.00
9	90.00	92.00	90.00	85.00	80.00	90.00	87.00	89.00	87.00	87.00	87.00	92.00
10	89.00	91.00	90.00	79.00	82.00	89.00	90.00	88.00	86.00	88.00	89.00	88.00
11	89.00	91.00	90.00	87.00	80.00	89.00	89.00	87.00	88.00	88.00	88.00	88.00
12	89.00	90.00	91.00	81.00	89.00	89.00	89.00	87.00	83.00	85.00	89.00	90.00
13	89.00	91.00	93.00	80.00	86.00	84.00	87.00	90.00	91.00	90.00	90.00	90.00
14	89.00	91.00	91.00	79.00	88.00	82.00	88.00	89.00	89.00	88.00	88.00	91.00
15	90.00	91.00	88.00	80.00	90.00	85.00	89.00	88.00	88.00	88.00	90.00	93.00
16	90.00	91.00	90.00	84.00	90.00	85.00	84.00	89.00	87.00	89.00	89.00	91.00
17	90.00	90.00	90.00	82.00	90.00	88.00	88.00	85.00	87.00	90.00	90.00	90.00
18	89.00	89.00	90.00	89.00	90.00	90.00	87.00	87.00	90.00	88.00	90.00	92.00
19	90.00	89.00	88.00	85.00	92.00	89.00	89.00	85.00	90.00	88.00	90.00	90.00
20	90.00	88.00	90.00	83.00	89.00	90.00	88.00	84.00	89.00	89.00	88.00	94.00
21	90.00	90.00	90.00	83.00	85.00	90.00	87.00	89.00	90.00	90.00	90.00	92.00
22	90.00	90.00	91.00	82.00	84.00	89.00	89.00	89.00	92.00	88.00	89.00	90.00
23	89.00	90.00	88.00	80.00	80.00	90.00	90.00	85.00	90.00	90.00	90.00	92.00
24	90.00	90.00	88.00	78.00	88.00	90.00	91.00	86.00	87.00	88.00	87.00	95.00
25	90.00	89.00	86.00	87.00	87.00	90.00	88.00	85.00	88.00	88.00	91.00	92.00
26	90.00	89.00	84.00	79.00	88.00	90.00	89.00	85.00	89.00	90.00	88.00	92.00
27	87.00	89.00	87.00	74.00	80.00	90.00	90.00	88.00	85.00	89.00	90.00	85.00
28	90.00	90.00	85.00	74.00	87.00	89.00	90.00	87.00	89.00	88.00	89.00	83.00
29	90.00		88.00	83.00	82.00	90.00	85.00	88.00	89.00	88.00	90.00	76.00
30	88.00		88.00	78.00	87.00	88.00	87.00	88.00	89.00	90.00	88.00	90.00
31	90.00		88.00		89.00		89.00	85.00		88.00		89.00
TOTAL	2789.00	2828.00	2785.00	2488.00	2652.00	2454.00	2739.00	2711.00	2653.00	2756.00	2680.00	2764.00
AVERAGE	89.32	90.07	89.19	82.93	85.55	88.47	88.35	87.45	88.43	89.90	89.33	89.16
MAXIMUM	90.00	92.00	93.00	89.00	92.00	91.00	91.00	90.00	92.00	92.00	93.00	95.00
MINIMUM	87.00	87.00	83.00	73.00	80.00	82.00	84.00	85.00	85.00	85.00	87.00	72.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
32152.00	88.00	95.00	72.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP NAN

YEAR : 1978

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	89.00	87.00	88.00	85.00	88.00	90.00	85.00	88.00	89.00	78.00	90.00	90.00
2	80.00	88.00	82.00	84.00	80.00	80.00	86.00	87.00	90.00	89.00	87.00	93.00
3	80.00	87.00	88.00	79.00	90.00	85.00	87.00	84.00	88.00	88.00	89.00	89.00
4	79.00	86.00	90.00	81.00	89.00	89.00	88.00	87.00	89.00	87.00	87.00	92.00
5	81.00	90.00	85.00	70.00	82.00	87.00	85.00	90.00	86.00	90.00	86.00	91.00
6	80.00	85.00	85.00	82.00	75.00	88.00	87.00	89.00	88.00	90.00	87.00	91.00
7	88.00	88.00	88.00	86.00	84.00	87.00	88.00	88.00	89.00	89.00	89.00	89.00
8	88.00	87.00	85.00	84.00	72.00	88.00	89.00	89.00	88.00	90.00	88.00	93.00
9	86.00	85.00	83.00	85.00	87.00	93.00	84.00	88.00	89.00	88.00	88.00	90.00
10	89.00	84.00	86.00	83.00	78.00	90.00	85.00	88.00	87.00	89.00	87.00	92.00
11	85.00	90.00	85.00	82.00	89.00	89.00	88.00	87.00	88.00	87.00	89.00	93.00
12	84.00	87.00	88.00	80.00	88.00	90.00	88.00	89.00	89.00	87.00	90.00	93.00
13	83.00	86.00	84.00	81.00	75.00	90.00	89.00	90.00	89.00	88.00	89.00	91.00
14	88.00	87.00	90.00	85.00	77.00	89.00	90.00	89.00	87.00	87.00	89.00	87.00
15	88.00	87.00	89.00	89.00	88.00	90.00	89.00	89.00	88.00	85.00	88.00	91.00
16	88.00	88.00	85.00	88.00	86.00	89.00	87.00	90.00	85.00	88.00	91.00	92.00
17	88.00	88.00	88.00	87.00	90.00	90.00	80.00	90.00	88.00	87.00	91.00	91.00
18	88.00	88.00	88.00	89.00	82.00	87.00	90.00	86.00	85.00	88.00	89.00	90.00
19	88.00	89.00	84.00	75.00	87.00	89.00	88.00	89.00	89.00	87.00	90.00	90.00
20	85.00	89.00	85.00	86.00	89.00	88.00	82.00	90.00	88.00	87.00	91.00	90.00
21	90.00	87.00	85.00	78.00	90.00	90.00	86.00	89.00	89.00	89.00	91.00	90.00
22	88.00	86.00	84.00	85.00	86.00	89.00	85.00	89.00	86.00	89.00	89.00	91.00
23	89.00	88.00	80.00	85.00	88.00	90.00	88.00	90.00	90.00	90.00	92.00	90.00
24	85.00	89.00	80.00	71.00	98.00	89.00	86.00	87.00	90.00	89.00	91.00	91.00
25	88.00	88.00	88.00	89.00	88.00	87.00	89.00	90.00	88.00	90.00	90.00	90.00
26	87.00	87.00	89.00	87.00	89.00	90.00	87.00	90.00	88.00	90.00	91.00	90.00
27	88.00	88.00	89.00	80.00	83.00	89.00	89.00	90.00	80.00	89.00	92.00	91.00
28	85.00	90.00	83.00	90.00	86.00	90.00	88.00	88.00	88.00	90.00	89.00	90.00
29	85.00		85.00	80.00	83.00	90.00	88.00	87.00	90.00	89.00	88.00	90.00
30	89.00		86.00	89.00	84.00	89.00	87.00	86.00	90.00	89.00	90.00	94.00
31	88.00		88.00		86.00		85.00	88.00		90.00		85.00
TOTAL	2675.00	2647.00	2688.00	2697.00	2937.00	2851.00	2694.00	2763.00	2638.00	2731.00	2677.00	2812.00
AVERAGE	86.29	87.39	86.06	83.23	85.06	88.37	84.90	88.46	87.60	84.10	89.23	90.71
MAXIMUM	90.00	90.00	90.00	90.00	98.00	90.00	90.00	90.00	90.00	90.00	92.00	94.00
MINIMUM	79.00	84.00	80.00	70.00	72.00	80.00	80.00	86.00	80.00	78.00	84.00	85.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
31866.00	87.30	98.00	70.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP MAN

YEAR : 1980

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	93.00	90.00	90.00	85.00	70.00	78.00	90.00	89.00	89.00	89.00	82.00	84.00
2	89.00	87.00	85.00	70.00	62.00	79.00	90.00	87.00	90.00	90.00	89.00	85.00
3	91.00	92.00	90.00	74.00	64.00	89.00	87.00	87.00	90.00	90.00	82.00	84.00
4	90.00	90.00	85.00	80.00	91.00	83.00	81.00	90.00	90.00	89.00	82.00	85.00
5	92.00	91.00	85.00	80.00	83.00	83.00	85.00	90.00	90.00	90.00	89.00	85.00
6	89.00	83.00	85.00	80.00	80.00	93.00	90.00	90.00	90.00	89.00	81.00	84.00
7	90.00	90.00	83.00	80.00	73.00	85.00	90.00	89.00	90.00	90.00	89.00	85.00
8	91.00	89.00	86.00	70.00	70.00	89.00	90.00	90.00	90.00	90.00	89.00	83.00
9	90.00	90.00	85.00	80.00	69.00	90.00	90.00	90.00	90.00	90.00	82.00	84.00
10	92.00	89.00	83.00	85.00	74.00	90.00	88.00	90.00	90.00	89.00	83.00	85.00
11	90.00	92.00	87.00	78.00	74.00	85.00	88.00	89.00	89.00	89.00	82.00	84.00
12	88.00	87.00	91.00	84.00	62.00	85.00	90.00	90.00	89.00	88.00	83.00	85.00
13	95.00	93.00	91.00	79.00	73.00	84.00	90.00	88.00	89.00	89.00	82.00	84.00
14	93.00	88.00	82.00	70.00	74.00	90.00	92.00	87.00	89.00	90.00	82.00	85.00
15	93.00	88.00	78.00	85.00	73.00	89.00	90.00	90.00	88.00	88.00	82.00	87.00
16	90.00	90.00	85.00	70.00	69.00	90.00	89.00	84.00	89.00	90.00	83.00	85.00
17	85.00	93.00	87.00	72.00	67.00	89.00	85.00	90.00	85.00	89.00	82.00	84.00
18	90.00	90.00	83.00	91.00	75.00	85.00	90.00	86.00	90.00	89.00	83.00	86.00
19	90.00	89.00	84.00	75.00	70.00	85.00	90.00	90.00	90.00	90.00	84.00	86.00
20	88.00	91.00	80.00	85.00	90.00	85.00	90.00	89.00	90.00	90.00	84.00	85.00
21	91.00	83.00	85.00	90.00	89.00	90.00	89.00	90.00	89.00	90.00	84.00	85.00
22	90.00	87.00	80.00	72.00	68.00	90.00	90.00	89.00	88.00	73.00	83.00	85.00
23	93.00	88.00	89.00	85.00	90.00	90.00	90.00	90.00	89.00	74.00	84.00	86.00
24	91.00	87.00	79.00	75.00	90.00	90.00	87.00	90.00	89.00	81.00	84.00	85.00
25	91.00	89.00	84.00	74.00	89.00	90.00	90.00	90.00	90.00	90.00	84.00	85.00
26	90.00	89.00	89.00	73.00	89.00	85.00	88.00	90.00	88.00	82.00	84.00	84.00
27	90.00	84.00	84.00	67.00	88.00	90.00	90.00	90.00	90.00	90.00	84.00	84.00
28	89.00	84.00	83.00	70.00	90.00	90.00	90.00	90.00	87.00	87.00	83.00	85.00
29	90.00	86.00	84.00	89.00	90.00	90.00	90.00	87.00	88.00	85.00	84.00	86.00
30	91.00	88.00	80.00	70.00	87.00	90.00	89.00	89.00	89.00	82.00	84.00	84.00
31	89.00	88.00	80.00	78.00	78.00	90.00	90.00	85.00	85.00	82.00	84.00	85.00
TOTAL	2805.00	2805.00	2838.00	2327.00	2466.00	2690.00	2783.00	2755.00	2678.00	2678.00	2438.00	2435.00
AVERAGE	90.48	89.16	85.10	77.57	79.55	86.47	89.13	88.87	89.27	89.97	82.93	85.00
MAXIMUM	95.00	93.00	91.00	91.00	93.00	90.00	92.00	90.00	90.00	90.00	84.00	87.00
MINIMUM	83.00	84.00	78.00	65.00	62.00	85.00	81.00	85.00	87.00	73.00	81.00	84.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
3143.00	85.62	93.00	62.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP MAN

YEAR : 1981

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	85.00	89.00	89.00	87.00	84.00	90.00	89.00	84.00	89.00	88.00	84.00	81.00
2	86.00	90.00	89.00	80.00	82.00	89.00	84.00	80.00	88.00	90.00	85.00	81.00
3	86.00	81.00	90.00	85.00	87.00	90.00	90.00	89.00	90.00	89.00	85.00	82.00
4	86.00	89.00	90.00	84.00	87.00	89.00	85.00	84.00	88.00	87.00	83.00	82.00
5	86.00	90.00	85.00	83.00	88.00	90.00	88.00	89.00	85.00	85.00	89.00	83.00
6	89.00	90.00	85.00	84.00	81.00	85.00	90.00	86.00	89.00	90.00	89.00	82.00
7	88.00	90.00	78.00	82.00	87.00	88.00	89.00	83.00	89.00	90.00	86.00	84.00
8	89.00	90.00	81.00	80.00	90.00	90.00	89.00	88.00	89.00	89.00	85.00	83.00
9	89.00	84.00	80.00	83.00	84.00	90.00	88.00	89.00	88.00	88.00	84.00	84.00
10	84.00	90.00	83.00	88.00	88.00	88.00	88.00	87.00	88.00	88.00	87.00	82.00
11	85.00	90.00	84.00	87.00	88.00	90.00	89.00	89.00	89.00	89.00	90.00	83.00
12	86.00	90.00	85.00	79.00	79.00	89.00	87.00	89.00	89.00	89.00	90.00	84.00
13	86.00	90.00	87.00	86.00	89.00	90.00	87.00	88.00	87.00	89.00	89.00	83.00
14	86.00	90.00	85.00	86.00	89.00	90.00	89.00	88.00	90.00	89.00	88.00	83.00
15	85.00	89.00	84.00	84.00	72.00	89.00	89.00	83.00	89.00	87.00	89.00	84.00
16	85.00	86.00	81.00	81.00	74.00	90.00	88.00	84.00	89.00	84.00	89.00	83.00
17	85.00	87.00	85.00	90.00	78.00	89.00	85.00	86.00	89.00	89.00	83.00	83.00
18	85.00	87.00	84.00	89.00	89.00	90.00	87.00	87.00	89.00	89.00	85.00	83.00
19	83.00	89.00	84.00	85.00	88.00	89.00	88.00	87.00	91.00	84.00	85.00	84.00
20	85.00	88.00	87.00	84.00	86.00	90.00	87.00	89.00	89.00	87.00	84.00	84.00
21	84.00	89.00	84.00	84.00	84.00	89.00	88.00	88.00	89.00	88.00	85.00	84.00
22	89.00	90.00	85.00	82.00	83.00	89.00	89.00	82.00	87.00	89.00	84.00	84.00
23	90.00	87.00	84.00	87.00	87.00	87.00	87.00	88.00	88.00	88.00	84.00	85.00
24	88.00	89.00	85.00	85.00	85.00	89.00	85.00	84.00	90.00	87.00	82.00	85.00
25	90.00	90.00	90.00	87.00	90.00	90.00	89.00	88.00	89.00	88.00	89.00	83.00
26	84.00	84.00	89.00	84.00	87.00	89.00	84.00	87.00	90.00	84.00	80.00	84.00
27	88.00	88.00	84.00	84.00	87.00	89.00	89.00	86.00	90.00	85.00	80.00	84.00
28	84.00	84.00	83.00	83.00	84.00	90.00	88.00	87.00	91.00	85.00	80.00	84.00
29	90.00	89.00	84.00	84.00	85.00	90.00	87.00	88.00	88.00	88.00	81.00	84.00
30	87.00	89.00	80.00	78.00	90.00	88.00	87.00	84.00	89.00	85.00	81.00	83.00
31	90.00	88.00	82.00	80.00	90.00	89.00	89.00	87.00	86.00	86.00	81.00	83.00
TOTAL	2888.00	2838.00	2849.00	2544.00	2906.00	2676.00	2723.00	2714.00	2842.00	2710.00	2571.00	2582.00
AVERAGE	89.71	89.29	89.43	81.23	84.16	84.37	84.14	83.41	84.73	83.68	81.79	83.27
MAXIMUM	90.00	90.00	90.00	91.00	90.00	90.00	90.00	91.00	90.00	90.00	84.00	85.00
MINIMUM	83.00	83.00	78.00	73.00	67.00	84.00	81.00	84.00	84.00	84.00	80.00	81.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
3189.00	84.48	91.00	67.00

DATA : DAILY RELATIVE HUMIDITY STATION : SDP HAN

YEAR : 1982

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	85.00	85.00	85.00	81.00	82.00	87.00	90.00	92.00	86.00	89.00	88.00	80.00
2	86.00	85.00	85.00	80.00	74.00	89.00	91.00	91.00	90.00	90.00	87.00	89.00
3	85.00	86.00	85.00	81.00	81.00	84.00	90.00	90.00	83.00	89.00	86.00	89.00
4	85.00	87.00	84.00	84.00	81.00	87.00	90.00	87.00	85.00	89.00	87.00	85.00
5	84.00	86.00	85.00	81.00	80.00	89.00	84.00	83.00	87.00	90.00	86.00	86.00
6	83.00	84.00	85.00	84.00	86.00	0.0	76.00	90.00	90.00	89.00	87.00	90.00
7	86.00	85.00	85.00	86.00	85.00	0.0	84.00	89.00	87.00	90.00	86.00	89.00
8	86.00	85.00	85.00	86.00	84.00	0.0	89.00	90.00	92.00	89.00	87.00	90.00
9	84.00	85.00	85.00	86.00	85.00	0.0	90.00	85.00	92.00	90.00	87.00	89.00
10	86.00	85.00	85.00	80.00	74.00	0.0	89.00	87.00	91.00	89.00	86.00	88.00
11	84.00	84.00	85.00	84.00	75.00	0.0	87.00	85.00	88.00	90.00	87.00	89.00
12	86.00	86.00	84.00	80.00	80.00	0.0	87.00	92.00	87.00	93.00	84.00	90.00
13	86.00	85.00	85.00	84.00	84.00	88.00	84.00	90.00	86.00	92.00	87.00	89.00
14	85.00	85.00	84.00	86.00	86.00	86.00	86.00	89.00	87.00	91.00	86.00	90.00
15	85.00	85.00	85.00	83.00	89.00	86.00	86.00	90.00	86.00	84.00	88.00	89.00
16	85.00	83.00	85.00	85.00	84.00	87.00	87.00	90.00	89.00	85.00	88.00	90.00
17	85.00	85.00	85.00	86.00	86.00	89.00	83.00	90.00	88.00	86.00	87.00	88.00
18	85.00	85.00	85.00	85.00	85.00	88.00	84.00	90.00	90.00	85.00	85.00	89.00
19	85.00	86.00	83.00	83.00	82.00	90.00	84.00	91.00	89.00	85.00	87.00	90.00
20	85.00	85.00	85.00	85.00	85.00	88.00	83.00	89.00	89.00	88.00	89.00	90.00
21	85.00	85.00	82.00	84.00	87.00	91.00	86.00	90.00	88.00	86.00	88.00	91.00
22	85.00	83.00	84.00	85.00	86.00	90.00	87.00	91.00	87.00	87.00	89.00	93.00
23	84.00	86.00	84.00	81.00	85.00	91.00	90.00	90.00	90.00	86.00	86.00	90.00
24	85.00	86.00	81.00	82.00	86.00	89.00	89.00	91.00	90.00	86.00	89.00	91.00
25	85.00	84.00	85.00	78.00	87.00	89.00	87.00	90.00	92.00	87.00	89.00	90.00
26	85.00	86.00	82.00	75.00	90.00	90.00	88.00	91.00	91.00	88.00	89.00	90.00
27	85.00	85.00	80.00	80.00	89.00	91.00	85.00	87.00	93.00	86.00	89.00	91.00
28	85.00	85.00	83.00	78.00	90.00	85.00	89.00	90.00	90.00	87.00	88.00	91.00
29	85.00		84.00	76.00	91.00	89.00	90.00	89.00	91.00	86.00	89.00	91.00
30	85.00		80.00	78.00	90.00	89.00	90.00	88.00	90.00	87.00	88.00	91.00
31	85.00		84.00		85.00		90.00	87.00		86.00		91.00
TOTAL	2623.00	2388.00	2404.00	2469.00	2604.00	2036.00	2697.00	2764.00	2667.00	2723.00	2626.00	2772.00
AVERAGE	84.61	85.29	84.00	82.30	84.04	67.87	87.00	89.16	88.90	87.84	87.53	89.42
MAXIMUM	85.00	87.00	85.00	86.00	91.00	91.00	91.00	92.00	93.00	93.00	89.00	91.00
MINIMUM	83.00	84.00	80.00	75.00	88.00	0.0	76.00	83.00	83.00	84.00	86.00	89.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
30975.00	84.56	93.00	0.0

DATA : DAILY RELATIVE HUMIDITY STATION : SDP HAN

YEAR : 1983

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	90.00	92.00	88.00	80.00	75.00	85.00	89.00	92.00	92.00	87.00	87.00	92.00
2	90.00	88.00	87.00	85.00	76.00	82.00	88.00	89.00	90.00	89.00	90.00	93.00
3	90.00	89.00	88.00	87.00	87.00	87.00	85.00	90.00	89.00	87.00	89.00	92.00
4	89.00	88.00	87.00	72.00	85.00	87.00	91.00	89.00	88.00	89.00	90.00	91.00
5	90.00	89.00	89.00	73.00	75.00	89.00	88.00	88.00	87.00	90.00	91.00	92.00
6	89.00	91.00	88.00	89.00	72.00	88.00	89.00	88.00	90.00	88.00	86.00	91.00
7	90.00	90.00	87.00	74.00	60.00	89.00	87.00	86.00	89.00	90.00	90.00	90.00
8	89.00	91.00	86.00	75.00	78.00	78.00	84.00	87.00	90.00	87.00	88.00	90.00
9	90.00	88.00	87.00	84.00	60.00	82.00	83.00	89.00	92.00	89.00	90.00	91.00
10	91.00	88.00	85.00	85.00	86.00	86.00	84.00	87.00	88.00	90.00	90.00	92.00
11	91.00	89.00	84.00	86.00	67.00	84.00	82.00	81.00	87.00	86.00	90.00	90.00
12	90.00	88.00	87.00	80.00	73.00	89.00	89.00	88.00	90.00	90.00	90.00	91.00
13	90.00	89.00	86.00	67.00	70.00	91.00	88.00	87.00	88.00	89.00	89.00	90.00
14	91.00	88.00	85.00	87.00	67.00	87.00	83.00	89.00	89.00	88.00	90.00	91.00
15	90.00	89.00	83.00	75.00	78.00	88.00	87.00	86.00	85.00	90.00	89.00	87.00
16	91.00	88.00	80.00	76.00	75.00	80.00	88.00	83.00	85.00	90.00	90.00	88.00
17	91.00	87.00	85.00	76.00	88.00	84.00	90.00	85.00	89.00	88.00	90.00	85.00
18	91.00	87.00	84.00	73.00	77.00	87.00	86.00	89.00	88.00	87.00	88.00	90.00
19	89.00	88.00	83.00	77.00	64.00	85.00	90.00	88.00	87.00	88.00	90.00	89.00
20	89.00	85.00	85.00	78.00	72.00	89.00	91.00	86.00	89.00	88.00	90.00	88.00
21	91.00	87.00	86.00	63.00	81.00	86.00	85.00	85.00	86.00	90.00	90.00	90.00
22	90.00	88.00	85.00	70.00	70.00	82.00	83.00	90.00	88.00	90.00	89.00	91.00
23	90.00	87.00	80.00	72.00	69.00	79.00	85.00	87.00	87.00	87.00	89.00	90.00
24	89.00	88.00	78.00	89.00	86.00	89.00	90.00	90.00	90.00	88.00	89.00	91.00
25	87.00	90.00	81.00	77.00	77.00	87.00	91.00	87.00	87.00	87.00	88.00	89.00
26	90.00	90.00	86.00	75.00	89.00	85.00	88.00	90.00	83.00	87.00	89.00	91.00
27	89.00	89.00	84.00	73.00	88.00	86.00	85.00	87.00	88.00	87.00	87.00	92.00
28	91.00	90.00	85.00	68.00	89.00	88.00	87.00	88.00	87.00	87.00	88.00	88.00
29	90.00		85.00	77.00	67.00	87.00	90.00	90.00	89.00	87.00	89.00	91.00
30	89.00		83.00	72.00	82.00	84.00	91.00	87.00	87.00	86.00	90.00	88.00
31	91.00		81.00		78.00		91.00	88.00		90.00		89.00
TOTAL	2788.00	2481.00	2632.00	2269.00	2319.00	2569.00	2713.00	2714.00	2637.00	2739.00	2674.00	2704.00
AVERAGE	89.94	88.61	84.90	75.63	74.81	85.63	87.52	87.55	87.90	88.35	89.13	90.13
MAXIMUM	91.00	92.00	89.00	87.00	89.00	91.00	91.00	92.00	92.00	90.00	91.00	93.00
MINIMUM	87.00	85.00	78.00	63.00	60.00	78.00	82.00	81.00	82.00	86.00	86.00	85.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
31328.00	85.83	93.00	60.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP MAN

YEAR : 1984

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	91.00	90.00	81.00	83.00	82.00	93.00	88.00	87.00	87.00	80.00	87.00	87.00
2	92.00	88.00	85.00	84.00	84.00	78.00	93.00	88.00	92.00	89.00	88.00	87.00
3	89.00	89.00	84.00	83.00	85.00	85.00	87.00	93.00	88.00	89.00	83.00	88.00
4	90.00	87.00	88.00	85.00	80.00	93.00	88.00	87.00	87.00	87.00	83.00	84.00
5	90.00	88.00	87.00	73.00	81.00	87.00	87.00	87.00	87.00	88.00	87.00	90.00
6	88.00	89.00	84.00	89.00	82.00	86.00	84.00	87.00	87.00	89.00	87.00	91.00
7	91.00	84.00	88.00	80.00	90.00	83.00	88.00	87.00	87.00	81.00	88.00	90.00
8	93.00	83.00	84.00	85.00	84.00	87.00	92.00	87.00	87.00	87.00	84.00	89.00
9	83.00	86.00	85.00	88.00	88.00	89.00	88.00	87.00	88.00	84.00	87.00	88.00
10	92.00	90.00	88.00	80.00	85.00	87.00	87.00	87.00	87.00	87.00	87.00	89.00
11	89.00	87.00	86.00	82.00	86.00	87.00	92.00	87.00	88.00	87.00	88.00	90.00
12	90.00	88.00	88.00	81.00	83.00	85.00	92.00	85.00	85.00	90.00	87.00	91.00
13	91.00	89.00	89.00	80.00	80.00	93.00	92.00	87.00	78.00	88.00	84.00	90.00
14	91.00	87.00	86.00	92.00	78.00	93.00	82.00	87.00	71.00	87.00	85.00	88.00
15	90.00	83.00	84.00	84.00	84.00	82.00	88.00	88.00	87.00	90.00	88.00	90.00
16	91.00	85.00	86.00	80.00	85.00	87.00	87.00	87.00	73.00	86.00	90.00	84.00
17	92.00	87.00	84.00	81.00	88.00	93.00	88.00	88.00	72.00	85.00	81.00	90.00
18	91.00	88.00	82.00	83.00	83.00	74.00	93.00	87.00	84.00	85.00	83.00	92.00
19	90.00	84.00	84.00	74.00	74.00	93.00	87.00	88.00	87.00	90.00	87.00	90.00
20	89.00	85.00	88.00	80.00	80.00	85.00	93.00	93.00	87.00	88.00	88.00	91.00
21	93.00	87.00	85.00	74.00	84.00	93.00	82.00	85.00	85.00	84.00	89.00	88.00
22	92.00	85.00	82.00	84.00	79.00	87.00	87.00	84.00	84.00	85.00	86.00	90.00
23	93.00	88.00	84.00	80.00	80.00	87.00	84.00	87.00	86.00	90.00	90.00	89.00
24	90.00	87.00	84.00	82.00	78.00	82.00	92.00	88.00	80.00	88.00	88.00	87.00
25	90.00	83.00	84.00	87.00	74.00	88.00	87.00	87.00	85.00	86.00	91.00	88.00
26	87.00	88.00	85.00	84.00	74.00	92.00	87.00	84.00	84.00	88.00	90.00	90.00
27	89.00	84.00	81.00	92.00	75.00	93.00	87.00	87.00	84.00	85.00	84.00	91.00
28	87.00	88.00	85.00	92.00	82.00	92.00	87.00	87.00	84.00	84.00	88.00	87.00
29	88.00	84.00	86.00	83.00	89.00	92.00	87.00	87.00	85.00	89.00	86.00	84.00
30	87.00	84.00	84.00	83.00	88.00	92.00	84.00	84.00	71.00	85.00	88.00	87.00
31	89.00	87.00	87.00	90.00	90.00	93.00	88.00	88.00	86.00	86.00	89.00	89.00
TOTAL	2782.00	2528.00	2457.00	2489.00	2340.00	2634.00	2725.00	2708.00	2500.00	2720.00	2422.00	2759.00
AVERAGE	89.74	81.55	77.94	77.38	75.48	82.71	85.26	84.45	80.00	84.00	77.26	85.77
MAXIMUM	93.00	90.00	88.00	92.00	90.00	93.00	93.00	93.00	88.00	90.00	91.00	92.00
MINIMUM	87.00	83.00	81.00	85.00	74.00	82.00	82.00	85.00	71.00	83.00	85.00	84.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
21895.00	84.60	93.00	83.00

DATA : DAILY RELATIVE HUMIDITY STATION : SOP MAN

YEAR : 1985

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	84.00	84.00	84.00	79.00	83.00	81.00	84.00	85.00	91.00	91.00	84.00	87.00
2	92.00	89.00	84.00	80.00	78.00	89.00	88.00	84.00	83.00	92.00	87.00	83.00
3	90.00	88.00	89.00	78.00	74.00	87.00	84.00	84.00	85.00	87.00	86.00	88.00
4	89.00	91.00	87.00	85.00	83.00	84.00	87.00	90.00	88.00	87.00	87.00	87.00
5	88.00	88.00	85.00	89.00	79.00	90.00	85.00	87.00	88.00	87.00	84.00	87.00
6	91.00	84.00	84.00	85.00	80.00	88.00	84.00	88.00	85.00	84.00	87.00	84.00
7	90.00	87.00	83.00	80.00	78.00	89.00	85.00	87.00	85.00	92.00	87.00	87.00
8	88.00	86.00	86.00	88.00	79.00	90.00	84.00	85.00	87.00	84.00	86.00	84.00
9	88.00	87.00	86.00	79.00	77.00	88.00	87.00	84.00	84.00	84.00	87.00	86.00
10	90.00	84.00	84.00	84.00	85.00	87.00	87.00	89.00	92.00	87.00	85.00	80.00
11	91.00	85.00	80.00	87.00	87.00	89.00	88.00	84.00	92.00	84.00	87.00	87.00
12	89.00	87.00	81.00	74.00	80.00	83.00	83.00	85.00	92.00	86.00	90.00	88.00
13	92.00	83.00	85.00	72.00	81.00	84.00	80.00	87.00	87.00	87.00	81.00	84.00
14	90.00	84.00	83.00	74.00	74.00	87.00	83.00	89.00	90.00	92.00	91.00	87.00
15	89.00	88.00	82.00	84.00	85.00	84.00	87.00	88.00	88.00	92.00	91.00	87.00
16	91.00	87.00	83.00	84.00	85.00	88.00	84.00	89.00	87.00	87.00	80.00	88.00
17	92.00	90.00	85.00	84.00	88.00	85.00	83.00	87.00	82.00	92.00	87.00	84.00
18	90.00	85.00	84.00	84.00	89.00	89.00	84.00	88.00	82.00	91.00	83.00	85.00
19	87.00	84.00	81.00	88.00	86.00	79.00	89.00	89.00	82.00	88.00	83.00	84.00
20	88.00	89.00	84.00	79.00	83.00	74.00	78.00	83.00	87.00	92.00	90.00	84.00
21	90.00	88.00	85.00	87.00	85.00	83.00	85.00	89.00	84.00	87.00	87.00	87.00
22	89.00	83.00	81.00	88.00	89.00	87.00	84.00	88.00	84.00	84.00	82.00	84.00
23	88.00	84.00	82.00	89.00	90.00	84.00	85.00	83.00	85.00	84.00	89.00	84.00
24	89.00	87.00	85.00	72.00	88.00	89.00	88.00	83.00	88.00	84.00	87.00	87.00
25	90.00	85.00	84.00	74.00	90.00	87.00	87.00	84.00	84.00	87.00	80.00	89.00
26	92.00	85.00	81.00	89.00	87.00	84.00	92.00	83.00	84.00	87.00	87.00	84.00
27	87.00	85.00	82.00	84.00	80.00	90.00	80.00	81.00	87.00	87.00	87.00	84.00
28	80.00	85.00	81.00	84.00	87.00	89.00	85.00	87.00	84.00	87.00	87.00	87.00
29	89.00	81.00	81.00	86.00	89.00	90.00	88.00	84.00	84.00	87.00	80.00	84.00
30	84.00	85.00	80.00	90.00	88.00	91.00	88.00	89.00	87.00	88.00	83.00	87.00
31	88.00	87.00	74.00	87.00	87.00	87.00	87.00	88.00	87.00	87.00	87.00	84.00
TOTAL	2768.00	2628.00	2528.00	2446.00	2592.00	2401.00	2469.00	2485.00	2589.00	2790.00	2612.00	2692.00
AVERAGE	89.29	84.77	81.55	78.90	83.16	77.77	80.47	82.13	84.72	87.00	84.67	84.57
MAXIMUM	92.00	91.00	88.00	90.00	90.00	91.00	92.00	90.00	92.00	92.00	92.00	90.00
MINIMUM	84.00	84.00	76.00	87.00	74.00	74.00	78.00	80.00	82.00	81.00	82.00	84.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
21182.00	83.42	92.00	87.00

1989/ 9/14 (THU) 15:42:17

DATA : DAILY RELATIVE HUMIDITY STATION : SOP HAN

YEAR : 1984

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	92.00	91.00	84.00	70.00	87.00	80.00	85.00	80.00	85.00	85.00	84.00	87.00
2	89.00	90.00	87.00	84.00	82.00	75.00	82.00	80.00	84.00	85.00	85.00	80.00
3	87.00	92.00	86.00	83.00	81.00	76.00	82.00	84.00	85.00	80.00	84.00	87.00
4	88.00	90.00	70.00	82.00	76.00	77.00	87.00	83.00	85.00	85.00	84.00	83.00
5	90.00	91.00	84.00	75.00	79.00	75.00	82.00	82.00	80.00	90.00	85.00	80.00
6	89.00	89.00	84.00	85.00	87.00	85.00	86.00	85.00	82.00	87.00	85.00	83.00
7	84.00	90.00	87.00	80.00	76.00	85.00	80.00	85.00	85.00	85.00	84.00	86.00
8	90.00	87.00	87.00	79.00	85.00	88.00	86.00	84.00	84.00	84.00	85.00	84.00
9	89.00	88.00	86.00	80.00	83.00	89.00	80.00	83.00	86.00	85.00	80.00	85.00
10	84.00	87.00	85.00	80.00	85.00	87.00	85.00	83.00	87.00	84.00	85.00	87.00
11	87.00	85.00	85.00	82.00	80.00	81.00	87.00	85.00	86.00	82.00	86.00	84.00
12	90.00	88.00	86.00	82.00	82.00	87.00	84.00	87.00	87.00	86.00	85.00	83.00
13	88.00	87.00	85.00	78.00	83.00	85.00	85.00	84.00	85.00	84.00	85.00	85.00
14	87.00	85.00	86.00	82.00	84.00	79.00	84.00	87.00	82.00	84.00	86.00	86.00
15	88.00	87.00	85.00	81.00	87.00	85.00	80.00	84.00	85.00	84.00	84.00	87.00
16	87.00	88.00	84.00	78.00	85.00	85.00	85.00	84.00	87.00	85.00	85.00	85.00
17	88.00	87.00	85.00	70.00	82.00	84.00	84.00	85.00	85.00	86.00	86.00	84.00
18	89.00	85.00	83.00	75.00	80.00	84.00	86.00	82.00	85.00	85.00	85.00	87.00
19	86.00	86.00	84.00	78.00	80.00	86.00	83.00	85.00	86.00	87.00	85.00	86.00
20	89.00	85.00	85.00	80.00	72.00	87.00	86.00	87.00	87.00	85.00	85.00	85.00
21	88.00	87.00	84.00	80.00	85.00	84.00	87.00	82.00	88.00	83.00	84.00	86.00
22	88.00	86.00	85.00	75.00	87.00	84.00	83.00	82.00	85.00	84.00	83.00	84.00
23	90.00	90.00	84.00	89.00	80.00	82.00	85.00	87.00	83.00	85.00	84.00	85.00
24	88.00	87.00	83.00	73.00	84.00	85.00	83.00	85.00	85.00	84.00	85.00	85.00
25	92.00	85.00	81.00	81.00	85.00	87.00	86.00	84.00	85.00	85.00	85.00	86.00
26	87.00	85.00	82.00	79.00	85.00	85.00	87.00	85.00	84.00	85.00	84.00	87.00
27	88.00	86.00	80.00	80.00	81.00	86.00	87.00	85.00	85.00	84.00	82.00	84.00
28	89.00	85.00	75.00	77.00	82.00	85.00	86.00	87.00	84.00	85.00	87.00	85.00
29	90.00	82.00	75.00	81.00	84.00	85.00	87.00	83.00	84.00	87.00	87.00	85.00
30	90.00	83.00	86.00	76.00	75.00	85.00	84.00	85.00	84.00	84.00	85.00	85.00
31	90.00	76.00	71.00	71.00	84.00	83.00	83.00	83.00	83.00	83.00	83.00	82.00
TOTAL	2744.00	2468.00	2589.00	2359.00	2315.00	2501.00	2634.00	2622.00	2543.00	2627.00	2349.00	2437.00
AVERAGE	88.52	87.43	85.52	78.63	81.13	83.37	84.97	84.58	84.77	84.74	84.97	85.13
MAXIMUM	92.00	92.00	87.00	86.00	85.00	89.00	88.00	88.00	88.00	90.00	87.00	88.00
MINIMUM	86.00	85.00	70.00	69.00	87.00	75.00	80.00	80.00	80.00	80.00	82.00	80.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
30772.00	84.31	92.00	67.00

1989/ 9/14 (THU) 15:42:17

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1971

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1								95.00	96.00	96.00	96.00	92.00
2								95.00	95.00	95.00	92.00	93.00
3								95.00	94.00	95.00	91.00	85.00
4								95.00	96.00	97.00	86.00	93.00
5								95.00	96.00	94.00	90.00	95.00
6												
7								95.00	96.00	92.00	88.00	94.00
8								95.00	95.00	91.00	93.00	90.00
9								97.00	95.00	92.00	96.00	94.00
10								96.00	94.00	92.00	95.00	92.00
11								96.00	90.00	88.00	93.00	94.00
12								93.00	89.00	98.00	90.00	94.00
13								95.00	90.00	92.00	88.00	93.00
14								96.00	85.00	88.00	84.00	90.00
15								95.00	90.00	90.00	95.00	94.00
16												
17								92.00	93.00	92.00	89.00	94.00
18								93.00	94.00	92.00	87.00	95.00
19								94.00	93.00	93.00	90.00	93.00
20								95.00	97.00	91.00	86.00	98.00
21								97.00	92.00	94.00	91.00	98.00
22								94.00	96.00	91.00	91.00	98.00
23								93.00	94.00	92.00	89.00	91.00
24								91.00	95.00	91.00	82.00	84.00
25								96.00	93.00	91.00	94.00	93.00
26								95.00	93.00	90.00	85.00	96.00
27												
28								93.00	94.00	89.00	85.00	95.00
29								97.00	92.00	95.00	85.00	98.00
30								94.00	95.00	95.00	87.00	90.00
31								93.00	94.00	90.00	83.00	90.00
TOTAL							1130.00	2928.00	2783.00	2625.00	2728.00	2896.00
AVERAGE							94.17	94.45	92.77	91.13	90.92	93.62
MAXIMUM							97.00	97.00	97.00	98.00	94.00	98.00
MINIMUM							91.00	92.00	85.00	82.00	82.00	84.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
15290.00	92.67	98.00	84.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1972

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	89.00	96.00	96.00	94.00	83.00	90.00	96.00	96.00	98.00	97.00	95.00	95.00
2	97.00	98.00	97.00	91.00	82.00	85.00	97.00	96.00	95.00	98.00	96.00	96.00
3	97.00	98.00	96.00	92.00	80.00	89.00	94.00	97.00	96.00	97.00	95.00	97.00
4	94.00	98.00	96.00	93.00	80.00	90.00	100.00	92.00	95.00	97.00	95.00	97.00
5	93.00	97.00	95.00	86.00	78.00	98.00	90.00	94.00	96.00	96.00	94.00	94.00
6	94.00	98.00	95.00	86.00	79.00	87.00	97.00	97.00	99.00	97.00	97.00	95.00
7	94.00	98.00	95.00	85.00	73.00	87.00	94.00	99.00	97.00	94.00	96.00	96.00
8	94.00	97.00	98.00	92.00	78.00	87.00	95.00	99.00	96.00	96.00	97.00	97.00
9	96.00	93.00	96.00	90.00	80.00	94.00	94.00	98.00	97.00	97.00	94.00	95.00
10	94.00	97.00	97.00	82.00	80.00	89.00	94.00	98.00	98.00	98.00	95.00	98.00
11	96.00	96.00	97.00	98.00	77.00	83.00	98.00	99.00	97.00	99.00	95.00	97.00
12	94.00	98.00	97.00	93.00	82.00	90.00	98.00	98.00	92.00	97.00	95.00	96.00
13	96.00	98.00	94.00	96.00	77.00	93.00	98.00	98.00	97.00	97.00	94.00	97.00
14	95.00	98.00	95.00	96.00	85.00	95.00	95.00	99.00	94.00	94.00	97.00	96.00
15	97.00	98.00	96.00	90.00	76.00	88.00	98.00	98.00	93.00	94.00	97.00	96.00
16	95.00	98.00	95.00	95.00	74.00	88.00	97.00	99.00	97.00	97.00	98.00	94.00
17	94.00	98.00	97.00	86.00	86.00	92.00	97.00	97.00	97.00	95.00	98.00	95.00
18	94.00	99.00	98.00	89.00	94.00	92.00	95.00	99.00	93.00	94.00	96.00	94.00
19	96.00	99.00	97.00	87.00	92.00	92.00	92.00	97.00	98.00	96.00	96.00	95.00
20	97.00	99.00	99.00	89.00	82.00	95.00	94.00	99.00	92.00	97.00	97.00	94.00
21	96.00	98.00	98.00	87.00	90.00	90.00	91.00	98.00	98.00	97.00	97.00	93.00
22	95.00	97.00	97.00	82.00	85.00	90.00	94.00	98.00	99.00	97.00	98.00	93.00
23	96.00	96.00	97.00	83.00	79.00	89.00	95.00	98.00	97.00	96.00	98.00	90.00
24	97.00	96.00	95.00	81.00	83.00	92.00	96.00	98.00	94.00	95.00	98.00	92.00
25	96.00	97.00	95.00	83.00	83.00	92.00	97.00	97.00	95.00	96.00	98.00	90.00
26	96.00	97.00	95.00	83.00	83.00	92.00	97.00	97.00	95.00	96.00	98.00	90.00
27	97.00	98.00	95.00	81.00	95.00	88.00	98.00	97.00	99.00	96.00	98.00	92.00
28	96.00	96.00	94.00	87.00	95.00	87.00	98.00	95.00	100.00	95.00	91.00	95.00
29	96.00	98.00	94.00	82.00	91.00	94.00	96.00	96.00	97.00	98.00	95.00	94.00
30	97.00	97.00	92.00	85.00	92.00	91.00	95.00	94.00	94.00	92.00	95.00	94.00
31	95.00	94.00	94.00	85.00	85.00	91.00	92.00	92.00	92.00	95.00	94.00	94.00
TOTAL	2957.00	2884.00	2973.00	2646.00	2388.00	2728.00	2961.00	3009.00	2885.00	2987.00	2893.00	2939.00
AVERAGE	95.39	93.35	95.90	88.20	83.48	90.93	95.52	97.05	96.17	96.35	94.43	94.81
MAXIMUM	98.00	99.00	99.00	98.00	95.00	98.00	100.00	99.00	100.00	99.00	98.00	98.00
MINIMUM	89.00	93.00	92.00	81.00	73.00	87.00	90.00	92.00	91.00	92.00	94.00	90.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
34390.00	95.96	100.00	73.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1973

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	95.00	99.00	99.00	90.00	88.00	92.00	94.00	94.00	96.00	99.00	95.00	94.00
2	97.00	99.00	98.00	94.00	85.00	99.00	94.00	96.00	93.00	98.00	96.00	96.00
3	89.00	99.00	99.00	94.00	94.00	93.00	92.00	94.00	92.00	95.00	97.00	94.00
4	95.00	100.00	100.00	92.00	79.00	92.00	94.00	92.00	94.00	92.00	95.00	94.00
5	93.00	100.00	100.00	99.00	99.00	92.00	92.00	94.00	94.00	90.00	95.00	94.00
6	95.00	100.00	99.00	92.00	100.00	88.00	92.00	97.00	95.00	89.00	97.00	93.00
7	95.00	100.00	98.00	95.00	97.00	92.00	94.00	95.00	96.00	91.00	98.00	94.00
8	96.00	98.00	100.00	92.00	94.00	97.00	96.00	94.00	95.00	90.00	98.00	95.00
9	94.00	100.00	98.00	96.00	94.00	97.00	94.00	96.00	92.00	98.00	98.00	95.00
10	94.00	99.00	100.00	87.00	89.00	99.00	96.00	96.00	90.00	95.00	99.00	94.00
11	96.00	99.00	99.00	82.00	92.00	99.00	94.00	93.00	96.00	91.00	99.00	98.00
12	95.00	99.00	98.00	90.00	97.00	94.00	92.00	96.00	92.00	98.00	96.00	98.00
13	94.00	100.00	98.00	87.00	89.00	97.00	92.00	96.00	97.00	97.00	96.00	99.00
14	94.00	99.00	94.00	94.00	97.00	99.00	96.00	96.00	96.00	97.00	95.00	95.00
15	97.00	99.00	98.00	87.00	94.00	100.00	95.00	97.00	90.00	96.00	95.00	91.00
16	96.00	99.00	100.00	90.00	92.00	99.00	96.00	96.00	90.00	98.00	98.00	95.00
17	97.00	100.00	98.00	93.00	94.00	99.00	98.00	97.00	94.00	97.00	95.00	93.00
18	95.00	98.00	97.00	92.00	97.00	99.00	98.00	96.00	97.00	98.00	97.00	92.00
19	94.00	98.00	99.00	83.00	97.00	95.00	97.00	96.00	96.00	98.00	97.00	90.00
20	94.00	97.00	98.00	95.00	97.00	92.00	99.00	96.00	97.00	98.00	97.00	91.00
21	94.00	98.00	97.00	89.00	97.00	97.00	97.00	96.00	96.00	97.00	96.00	92.00
22	94.00	97.00	96.00	84.00	90.00	94.00	95.00	96.00	97.00	97.00	97.00	92.00
23	94.00	95.00	99.00	87.00	92.00	94.00	96.00	97.00	97.00	96.00	98.00	93.00
24	96.00	95.00	97.00	87.00	87.00	89.00	97.00	97.00	96.00	97.00	94.00	92.00
25	94.00	100.00	100.00	87.00	92.00	90.00	94.00	98.00	97.00	95.00	97.00	92.00
26	95.00	99.00	95.00	85.00	100.00	94.00	98.00	98.00	96.00	98.00	97.00	95.00
27	95.00	99.00	90.00	88.00	98.00	91.00	97.00	96.00	92.00	98.00	97.00	94.00
28	95.00	98.00	96.00	81.00	96.00	92.00	91.00	95.00	94.00	100.00	95.00	91.00
29	95.00	97.00	98.00	85.00	98.00	94.00	92.00	94.00	96.00	98.00	98.00	89.00
30	99.00	97.00	100.00	85.00	94.00	96.00	96.00	92.00	92.00	97.00	94.00	92.00
31	98.00	96.00	96.00	94.00	94.00	92.00	94.00	94.00	94.00	96.00	94.00	95.00
TOTAL	2959.00	2764.00	3032.00	2689.00	2918.00	2844.00	2942.00	2956.00	2843.00	2977.00	2894.00	2909.00
AVERAGE	94.81	98.79	97.81	89.33	94.13	94.87	96.90	95.35	94.77	96.03	96.60	93.83
MAXIMUM	99.00	100.00	100.00	99.00	100.00	100.00	99.00	98.00	97.00	100.00	98.00	99.00
MINIMUM	89.00	93.00	90.00	81.00	85.00	88.00	91.00	92.00	90.00	89.00	94.00	89.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
34697.00	95.06	100.00	81.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1974

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	92.00	96.00	98.00	98.00	97.00	97.00	99.00	97.00	99.00	99.00	99.00	100.00
2	92.00	96.00	95.00	95.00	96.00	97.00	95.00	98.00	98.00	97.00	99.00	99.00
3	91.00	95.00	95.00	95.00	97.00	97.00	97.00	99.00	97.00	100.00	99.00	96.00
4	92.00	91.00	96.00	96.00	97.00	97.00	97.00	97.00	97.00	100.00	99.00	96.00
5	98.00	98.00	95.00	85.00	97.00	96.00	99.00	99.00	96.00	99.00	99.00	99.00
6	94.00	91.00	96.00	88.00	92.00	96.00	99.00	92.00	98.00	99.00	100.00	100.00
7	92.00	90.00	96.00	91.00	97.00	97.00	99.00	99.00	99.00	99.00	99.00	100.00
8	91.00	94.00	96.00	96.00	92.00	98.00	99.00	99.00	99.00	100.00	99.00	100.00
9	94.00	97.00	96.00	97.00	92.00	97.00	99.00	99.00	99.00	98.00	97.00	100.00
10	90.00	90.00	96.00	95.00	85.00	96.00	98.00	99.00	99.00	98.00	97.00	99.00
11	92.00	93.00	96.00	96.00	97.00	97.00	99.00	99.00	98.00	99.00	97.00	98.00
12	94.00	92.00	96.00	95.00	92.00	97.00	99.00	92.00	98.00	99.00	98.00	98.00
13	92.00	93.00	96.00	85.00	92.00	97.00	99.00	99.00	99.00	99.00	99.00	97.00
14	92.00	97.00	96.00	95.00	92.00	97.00	99.00	96.00	97.00	100.00	0.0	98.00
15	91.00	93.00	96.00	90.00	97.00	97.00	99.00	99.00	95.00	99.00	91.00	95.00
16	92.00	95.00	97.00	96.00	87.00	96.00	98.00	99.00	96.00	100.00	93.00	100.00
17	91.00	96.00	96.00	89.00	87.00	97.00	98.00	97.00	97.00	99.00	95.00	98.00
18	96.00	95.00	97.00	96.00	87.00	95.00	90.00	98.00	100.00	99.00	96.00	95.00
19	96.00	95.00	98.00	90.00	92.00	97.00	99.00	99.00	99.00	98.00	97.00	94.00
20	93.00	96.00	98.00	87.00	88.00	99.00	99.00	98.00	100.00	98.00	95.00	93.00
21	95.00	96.00	98.00	92.00	97.00	98.00	96.00	97.00	100.00	97.00	93.00	97.00
22	95.00	92.00	97.00	87.00	98.00	99.00	98.00	99.00	100.00	95.00	89.00	98.00
23	96.00	95.00	96.00	78.00	90.00	97.00	99.00	97.00	98.00	95.00	90.00	95.00
24	94.00	96.00	88.00	88.00	98.00	97.00	98.00	99.00	99.00	92.00	95.00	98.00
25	92.00	92.00	95.00	90.00	98.00	96.00	99.00	98.00	100.00	93.00	95.00	97.00
26	92.00	96.00	75.00	99.00	99.00	97.00	99.00	99.00	100.00	92.00	96.00	97.00
27	90.00	94.00	91.00	97.00	90.00	90.00	97.00	95.00	100.00	97.00	94.00	96.00
28	90.00	96.00	95.00	97.00	100.00	99.00	98.00	99.00	99.00	96.00	96.00	97.00
29	95.00		85.00	97.00	98.00	96.00	98.00	98.00	100.00	96.00	96.00	99.00
30	95.00		96.00	97.00	98.00	95.00	98.00	97.00	98.00	97.00	97.00	98.00
31	96.00		95.00		98.00		98.00	97.00		98.00		97.00
TOTAL	2876.00	2840.00	2938.00	2768.00	2888.00	2895.00	3044.00	3029.00	2949.00	3027.00	2790.00	3026.00
AVERAGE	92.77	94.29	94.77	92.27	93.18	96.50	98.19	97.71	98.30	97.85	93.00	97.63
MAXIMUM	98.00	98.00	98.00	99.00	100.00	99.00	99.00	99.00	100.00	100.00	100.00	100.00
MINIMUM	90.00	90.00	76.00	78.00	82.00	89.00	96.00	92.00	95.00	92.00	0.0	93.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
34870.00	95.53	100.00	0.0

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1975

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	97.00	98.00	98.00	98.00	99.00	98.00	99.00	99.00	99.00	99.00	99.00	99.00
2	98.00	98.00	99.00	99.00	98.00	98.00	98.00	98.00	98.00	98.00	99.00	99.00
3	98.00	99.00	98.00	98.00	99.00	98.00	98.00	98.00	99.00	99.00	97.00	96.00
4	97.00	99.00	99.00	99.00	98.00	99.00	99.00	98.00	99.00	98.00	99.00	96.00
5	97.00	99.00	98.00	98.00	98.00	98.00	98.00	99.00	99.00	99.00	98.00	93.00
6	95.00	99.00	98.00	99.00	95.00	98.00	99.00	99.00	99.00	99.00	99.00	95.00
7	97.00	98.00	98.00	98.00	99.00	98.00	99.00	99.00	98.00	99.00	99.00	93.00
8	96.00	98.00	98.00	98.00	99.00	98.00	98.00	99.00	99.00	99.00	99.00	90.00
9	95.00	98.00	98.00	98.00	98.00	98.00	99.00	99.00	99.00	98.00	99.00	92.00
10	95.00	98.00	98.00	99.00	99.00	98.00	99.00	99.00	99.00	98.00	98.00	93.00
11	98.00	98.00	98.00	98.00	98.00	98.00	98.00	99.00	99.00	98.00	99.00	94.00
12	98.00	98.00	99.00	99.00	97.00	99.00	99.00	99.00	99.00	98.00	98.00	96.00
13	98.00	98.00	98.00	98.00	95.00	99.00	98.00	98.00	99.00	99.00	99.00	91.00
14	98.00	97.00	98.00	97.00	99.00	99.00	98.00	99.00	98.00	99.00	97.00	96.00
15	94.00	96.00	98.00	99.00	99.00	98.00	99.00	99.00	99.00	99.00	99.00	94.00
16	94.00	97.00	99.00	99.00	98.00	98.00	99.00	99.00	99.00	98.00	95.00	91.00
17	95.00	96.00	99.00	99.00	97.00	99.00	99.00	99.00	99.00	98.00	96.00	95.00
18	97.00	97.00	99.00	99.00	99.00	99.00	99.00	99.00	99.00	98.00	95.00	92.00
19	98.00	97.00	98.00	98.00	99.00	99.00	98.00	98.00	98.00	98.00	97.00	94.00
20	98.00	97.00	98.00	98.00	97.00	98.00	99.00	98.00	98.00	98.00	94.00	94.00
21	97.00	97.00	98.00	99.00	98.00	99.00	97.00	99.00	99.00	99.00	98.00	97.00
22	96.00	97.00	99.00	98.00	99.00	99.00	98.00	98.00	98.00	98.00	96.00	95.00
23	98.00	99.00	98.00	98.00	98.00	99.00	99.00	98.00	99.00	98.00	93.00	98.00
24	96.00	97.00	98.00	98.00	98.00	98.00	99.00	98.00	99.00	99.00	95.00	96.00
25	97.00	98.00	99.00	97.00	99.00	99.00	98.00	98.00	98.00	93.00	98.00	96.00
26	98.00	97.00	98.00	98.00	99.00	98.00	99.00	98.00	99.00	99.00	92.00	96.00
27	98.00	97.00	98.00	98.00	99.00	99.00	98.00	99.00	99.00	98.00	95.00	94.00
28	98.00	98.00	98.00	98.00	98.00	99.00	98.00	98.00	99.00	98.00	90.00	94.00
29	99.00		98.00	99.00	99.00	98.00	99.00	98.00	98.00	99.00	91.00	98.00
30	98.00		99.00	98.00	99.00	98.00	99.00	99.00	99.00	98.00	93.00	95.00
31	98.00		99.00		98.00		99.00	98.00		99.00		98.00
TOTAL	3008.00	2735.00	3049.00	2949.00	3037.00	2955.00	3054.00	3059.00	2859.00	3053.00	2898.00	2930.00
AVERAGE	97.03	97.48	98.35	98.30	97.97	98.50	98.32	98.48	98.63	98.48	96.60	94.52
MAXIMUM	99.00	99.00	99.00	99.00	99.00	99.00	99.00	99.00	99.00	99.00	99.00	98.00
MINIMUM	94.00	96.00	98.00	97.00	95.00	98.00	96.00	98.00	98.00	98.00	90.00	90.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
35884.00	97.77	99.00	90.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1974

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	95.00	93.00	95.00	94.00	90.00	94.00	94.00	96.00	94.00	85.00	80.00	95.00
2	92.00	93.00	97.00	93.00	98.00	96.00	97.00	97.00	94.00	98.00	96.00	98.00
3	94.00	98.00	95.00	95.00	93.00	98.00	96.00	98.00	92.00	95.00	94.00	98.00
4	98.00	95.00	98.00	96.00	92.00	94.00	96.00	90.00	98.00	97.00	95.00	98.00
5	98.00	98.00	93.00	95.00	88.00	94.00	97.00	96.00	98.00	94.00	88.00	97.00
6	97.00	97.00	97.00	98.00	96.00	98.00	95.00	92.00	97.00	96.00	95.00	98.00
7	92.00	98.00	97.00	94.00	95.00	98.00	94.00	94.00	98.00	97.00	98.00	92.00
8	94.00	98.00	95.00	98.00	90.00	97.00	94.00	96.00	98.00	97.00	98.00	98.00
9	97.00	95.00	98.00	90.00	95.00	97.00	95.00	96.00	98.00	98.00	98.00	98.00
10	94.00	87.00	95.00	94.00	90.00	97.00	98.00	94.00	96.00	98.00	95.00	98.00
11	97.00	95.00	97.00	92.00	98.00	96.00	98.00	93.00	97.00	98.00	98.00	98.00
12	93.00	96.00	95.00	88.00	95.00	98.00	97.00	90.00	92.00	90.00	97.00	98.00
13	90.00	94.00	93.00	94.00	98.00	98.00	96.00	96.00	92.00	97.00	99.00	97.00
14	95.00	94.00	95.00	88.00	92.00	97.00	96.00	98.00	96.00	98.00	99.00	91.00
15	95.00	96.00	95.00	86.00	92.00	94.00	97.00	96.00	97.00	98.00	98.00	95.00
16	97.00	95.00	94.00	84.00	92.00	97.00	97.00	94.00	95.00	97.00	99.00	98.00
17	95.00	94.00	91.00	88.00	92.00	95.00	94.00	95.00	96.00	81.00	97.00	98.00
18	95.00	96.00	92.00	84.00	92.00	94.00	95.00	95.00	94.00	98.00	98.00	98.00
19	95.00	97.00	95.00	80.00	96.00	95.00	95.00	91.00	94.00	98.00	98.00	91.00
20	95.00	98.00	94.00	88.00	94.00	97.00	96.00	93.00	94.00	96.00	98.00	81.00
21	97.00	98.00	95.00	88.00	94.00	96.00	88.00	92.00	94.00	92.00	98.00	94.00
22	93.00	95.00	93.00	88.00	92.00	97.00	94.00	96.00	93.00	98.00	98.00	98.00
23	97.00	97.00	93.00	92.00	94.00	95.00	94.00	92.00	92.00	97.00	91.00	98.00
24	97.00	95.00	95.00	92.00	96.00	96.00	95.00	94.00	98.00	98.00	96.00	92.00
25	95.00	95.00	93.00	89.00	94.00	96.00	98.00	92.00	92.00	84.00	90.00	81.00
26	96.00	97.00	91.00	90.00	94.00	98.00	97.00	98.00	97.00	84.00	95.00	83.00
27	95.00	95.00	93.00	95.00	96.00	94.00	98.00	92.00	97.00	97.00	98.00	83.00
28	95.00	97.00	96.00	88.00	92.00	96.00	95.00	98.00	92.00	73.00	95.00	87.00
29	95.00	95.00	92.00	87.00	92.00	94.00	96.00	96.00	92.00	62.00	93.00	85.00
30	95.00	94.00	94.00	90.00	94.00	96.00	96.00	92.00	97.00	97.00	95.00	87.00
31	97.00	93.00	93.00	92.00	92.00	96.00	96.00	96.00	97.00	97.00	97.00	86.00
TOTAL	2948.00	2788.00	2928.00	2715.00	2905.00	2887.00	2977.00	2922.00	2856.00	2655.00	2840.00	2855.00
AVERAGE	95.10	93.48	94.45	90.63	93.71	90.23	94.08	94.76	95.20	92.10	95.33	92.13
MAXIMUM	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	99.00
MINIMUM	90.00	87.00	91.00	84.00	88.00	94.00	88.00	90.00	92.00	62.00	80.00	77.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
34475.00	94.19	99.00	62.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1977

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	91.00	87.00			97.00	98.00	95.00	94.00	92.00	89.00	88.00	90.00
2	98.00	93.00			94.00	95.00	94.00	96.00	92.00	90.00	89.00	96.00
3	97.00	88.00			95.00	95.00	98.00	93.00	93.00	88.00	88.00	96.00
4	97.00	97.00			95.00	95.00	96.00	93.00	91.00	85.00	88.00	97.00
5	97.00	79.00			95.00	95.00	93.00	96.00	90.00	89.00	89.00	97.00
6	97.00	95.00			94.00	95.00	94.00	94.00	89.00	89.00	89.00	98.00
7	94.00	89.00			88.00	95.00	93.00	94.00	89.00	89.00	89.00	90.00
8	95.00	95.00			95.00	95.00	92.00	96.00	89.00	86.00	87.00	97.00
9	93.00	93.00			95.00	95.00	92.00	94.00	89.00	88.00	89.00	97.00
10	98.00	95.00			92.00	95.00	92.00	98.00	89.00	89.00	89.00	98.00
11	94.00	90.00			94.00	95.00	92.00	94.00	88.00	89.00	88.00	97.00
12	90.00	95.00			95.00	95.00	95.00	92.00	89.00	85.00	85.00	98.00
13	92.00	94.00			94.00	95.00	93.00	93.00	89.00	85.00	88.00	98.00
14	97.00	97.00			96.00	95.00	91.00	96.00	88.00	88.00	88.00	90.00
15	89.00	98.00			95.00	95.00	89.00	96.00	88.00	85.00	90.00	90.00
16	98.00			96.00	94.00	95.00	93.00	94.00	88.00	89.00	88.00	98.00
17	94.00			95.00	95.00	96.00	92.00	94.00	88.00	88.00	90.00	98.00
18	98.00			94.00	96.00	97.00	91.00	93.00	88.00	89.00	91.00	90.00
19	98.00			92.00	96.00	93.00	92.00	92.00	88.00	90.00	86.00	97.00
20	93.00			98.00	96.00	95.00	93.00	93.00	89.00	88.00	89.00	90.00
21	91.00			92.00	98.00	95.00	93.00	94.00	88.00	89.00	90.00	97.00
22	98.00			91.00	98.00	95.00	91.00	93.00	88.00	89.00	89.00	98.00
23	97.00			96.00	94.00	94.00	91.00	94.00	88.00	87.00	87.00	98.00
24	97.00			96.00	95.00	95.00	89.00	94.00	88.00	88.00	90.00	98.00
25	98.00			92.00	95.00	95.00	93.00	94.00	88.00	83.00	91.00	96.00
26	95.00			98.00	95.00	95.00	93.00	94.00	87.00	88.00	89.00	94.00
27	96.00			95.00	95.00	95.00	91.00	94.00	89.00	89.00	91.00	98.00
28	89.00			91.00	95.00	95.00	88.00	94.00	88.00	90.00	89.00	96.00
29	91.00			95.00	95.00	94.00	89.00	88.00	86.00	89.00	91.00	94.00
30	93.00			94.00	95.00	95.00	93.00	86.00	88.00	95.00	97.00	92.00
31	97.00			95.00	95.00	95.00	93.00	88.00	97.00	97.00	97.00	94.00
TOTAL	2946.00	1390.00		1415.00	2939.00	2849.00	2861.00	2701.00	2649.00	2745.00	2677.00	2931.00
AVERAGE	94.97	92.67		94.33	94.61	94.97	92.29	91.58	88.97	89.10	89.23	94.55
MAXIMUM	98.00	98.00		98.00	97.00	97.00	96.00	96.00	93.00	93.00	97.00	98.00
MINIMUM	89.00	79.00		91.00	86.00	93.00	88.00	84.00	87.00	86.00	86.00	83.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
28338.00	92.61	98.00	86.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1978

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	92.00	91.00	81.00	80.00	81.00	94.00	85.00	94.00	97.00	95.00	94.00	88.00
2	90.00	97.00	93.00	80.00	88.00	88.00	89.00	95.00	95.00	97.00	91.00	94.00
3	86.00	96.00	86.00	84.00	86.00	90.00	89.00	97.00	97.00	97.00	85.00	86.00
4	89.00	91.00	93.00	89.00	82.00	90.00	85.00	95.00	95.00	95.00	96.00	92.00
5	90.00	95.00	96.00	86.00	87.00	92.00	91.00	98.00	97.00	97.00	96.00	95.00
6	95.00	96.00	96.00	88.00	90.00	86.00	90.00	95.00	95.00	97.00	93.00	94.00
7	90.00	93.00	95.00	83.00	83.00	85.00	90.00	94.00	97.00	97.00	87.00	96.00
8	89.00	95.00	95.00	81.00	86.00	88.00	90.00	98.00	94.00	94.00	87.00	95.00
9	86.00	94.00	95.00	83.00	88.00	90.00	92.00	97.00	95.00	97.00	94.00	97.00
10	84.00	97.00	91.00	84.00	87.00	93.00	90.00	96.00	87.00	87.00	94.00	93.00
11	84.00	93.00	95.00	84.00	93.00	92.00	92.00	97.00	95.00	97.00	95.00	96.00
12	88.00	84.00	97.00	84.00	90.00	92.00	89.00	95.00	93.00	80.00	93.00	98.00
13	90.00	84.00	97.00	89.00	90.00	91.00	91.00	97.00	96.00	92.00	89.00	92.00
14	91.00	85.00	95.00	86.00	97.00	88.00	88.00	90.00	99.00	95.00	83.00	96.00
15	97.00	88.00	96.00	85.00	94.00	88.00	90.00	97.00	95.00	92.00	95.00	92.00
16	92.00	89.00	95.00	79.00	97.00	86.00	90.00	96.00	90.00	94.00	94.00	91.00
17	98.00	85.00	96.00	74.00	92.00	82.00	90.00	97.00	94.00	94.00	94.00	94.00
18	97.00	88.00	95.00	80.00	98.00	82.00	90.00	94.00	94.00	95.00	87.00	92.00
19	94.00	88.00	93.00	83.00	95.00	88.00	89.00	94.00	97.00	93.00	87.00	92.00
20	98.00	89.00	93.00	80.00	94.00	84.00	88.00	94.00	95.00	92.00	85.00	94.00
21	96.00	81.00	93.00	86.00	90.00	84.00	86.00	97.00	94.00	95.00	93.00	93.00
22	96.00	87.00	93.00	88.00	86.00	93.00	90.00	96.00	95.00	95.00	98.00	93.00
23	85.00	90.00	93.00	76.00	90.00	86.00	92.00	94.00	95.00	92.00	89.00	92.00
24	97.00	93.00	95.00	84.00	93.00	82.00	93.00	93.00	94.00	92.00	90.00	95.00
25	97.00	92.00	95.00	76.00	90.00	86.00	91.00	95.00	95.00	94.00	90.00	94.00
26	96.00	92.00	93.00	76.00	94.00	94.00	98.00	96.00	95.00	95.00	90.00	90.00
27	93.00	91.00	90.00	82.00	90.00	90.00	90.00	95.00	92.00	92.00	94.00	93.00
28	96.00	92.00	93.00	77.00	96.00	92.00	92.00	95.00	92.00	95.00	95.00	93.00
29	85.00	92.00	93.00	79.00	91.00	86.00	92.00	95.00	97.00	92.00	94.00	93.00
30	87.00	86.00	79.00	90.00	92.00	94.00	94.00	95.00	97.00	94.00	89.00	93.00
31	90.00	92.00	90.00	90.00	90.00	92.00	92.00	97.00	97.00	97.00	95.00	95.00
TOTAL	2852.00	2540.00	2897.00	2467.00	2793.00	2652.00	2798.00	2958.00	2843.00	2934.00	2751.00	2893.00
AVERAGE	92.00	90.71	93.45	82.23	90.10	85.60	90.26	95.42	94.77	94.85	91.70	93.32
MAXIMUM	98.00	97.00	97.00	89.00	98.00	94.00	98.00	98.00	99.00	97.00	98.00	97.00
MINIMUM	84.00	81.00	86.00	74.00	81.00	82.00	85.00	90.00	87.00	86.00	83.00	88.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
33376.00	91.45	98.00	74.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1979

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	98.00	96.00	99.00	89.00	97.00	94.00	97.00	98.00	98.00	94.00	89.00	99.00
2	94.00	97.00	99.00	88.00	90.00	90.00	98.00	98.00	95.00	97.00	90.00	97.00
3	86.00	98.00	98.00	87.00	97.00	92.00	96.00	98.00	97.00	98.00	89.00	93.00
4	98.00	98.00	96.00	79.00	78.00	95.00	98.00	97.00	97.00	89.00	85.00	96.00
5	94.00	98.00	96.00	82.00	88.00	95.00	98.00	98.00	98.00	89.00	84.00	95.00
6	94.00	98.00	100.00	87.00	88.00	96.00	98.00	99.00	97.00	92.00	84.00	93.00
7	95.00	98.00	95.00	89.00	86.00	94.00	98.00	98.00	97.00	91.00	89.00	96.00
8	90.00	97.00	96.00	82.00	88.00	94.00	96.00	98.00	97.00	90.00	87.00	95.00
9	95.00	98.00	97.00	86.00	89.00	94.00	95.00	97.00	97.00	90.00	84.00	98.00
10	94.00	96.00	97.00	88.00	97.00	99.00	96.00	95.00	97.00	93.00	87.00	94.00
11	94.00	100.00	98.00	81.00	94.00	99.00	98.00	98.00	97.00	90.00	91.00	94.00
12	94.00	100.00	98.00	84.00	90.00	100.00	96.00	98.00	97.00	89.00	87.00	93.00
13	86.00	99.00	100.00	87.00	87.00	94.00	94.00	98.00	98.00	94.00	88.00	97.00
14	94.00	100.00	98.00	86.00	90.00	94.00	97.00	98.00	97.00	85.00	89.00	96.00
15	94.00	98.00	97.00	75.00	87.00	94.00	97.00	100.00	96.00	94.00	90.00	97.00
16	93.00	96.00	100.00	84.00	93.00	94.00	97.00	99.00	95.00	92.00	89.00	98.00
17	89.00	97.00	98.00	74.00	94.00	98.00	94.00	98.00	98.00	89.00	94.00	96.00
18	95.00	100.00	92.00	74.00	96.00	95.00	98.00	98.00	96.00	96.00	88.00	98.00
19	97.00	90.00	89.00	80.00	87.00	96.00	92.00	99.00	98.00	90.00	89.00	96.00
20	98.00	96.00	90.00	100.00	97.00	97.00	88.00	97.00	94.00	93.00	89.00	95.00
21	98.00	100.00	85.00	98.00	96.00	97.00	94.00	98.00	95.00	93.00	89.00	94.00
22	98.00	96.00	73.00	85.00	94.00	96.00	98.00	100.00	95.00	92.00	85.00	96.00
23	98.00	96.00	91.00	85.00	94.00	95.00	95.00	98.00	95.00	95.00	91.00	96.00
24	94.00	96.00	96.00	86.00	95.00	95.00	99.00	99.00	97.00	98.00	95.00	98.00
25	95.00	94.00	98.00	87.00	93.00	97.00	97.00	98.00	97.00	95.00	89.00	97.00
26	95.00	100.00	98.00	94.00	96.00	96.00	95.00	98.00	96.00	97.00	96.00	95.00
27	96.00	100.00	96.00	89.00	92.00	96.00	99.00	98.00	98.00	96.00	96.00	95.00
28	96.00	93.00	95.00	94.00	93.00	97.00	99.00	97.00	97.00	95.00	95.00	98.00
29	94.00	95.00	92.00	92.00	92.00	95.00	95.00	98.00	94.00	98.00	88.00	94.00
30	96.00	95.00	91.00	95.00	85.00	94.00	98.00	99.00	97.00	94.00	95.00	98.00
31	95.00	97.00	97.00	90.00	90.00	96.00	97.00	97.00	98.00	94.00	95.00	97.00
TOTAL	2931.00	2725.00	2946.00	2593.00	2845.00	2852.00	2986.00	3039.00	2897.00	2888.00	2681.00	2979.00
AVERAGE	94.55	97.32	95.10	86.43	91.77	95.40	94.32	98.03	96.57	93.16	89.37	96.10
MAXIMUM	98.00	100.00	100.00	100.00	97.00	100.00	99.00	100.00	98.00	98.00	94.00	99.00
MINIMUM	86.00	84.00	73.00	74.00	78.00	80.00	88.00	95.00	94.00	86.00	84.00	93.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
24374.00	94.18	100.00	73.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1980

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	98.00	90.00	98.00	78.00	92.00	97.00	96.00	94.00	94.00	94.00	98.00	93.00
2	94.00	98.00	98.00	84.00	97.00	95.00	97.00	95.00	97.00	94.00	95.00	98.00
3	94.00	94.00	96.00	82.00	74.00	92.00	95.00	95.00	97.00	96.00	94.00	98.00
4	94.00	95.00	95.00	86.00	90.00	94.00	92.00	95.00	98.00	97.00	94.00	98.00
5	98.00	95.00	96.00	90.00	92.00	95.00	98.00	95.00	93.00	94.00	98.00	93.00
6	96.00	93.00	91.00	86.00	90.00	97.00	95.00	97.00	94.00	95.00	93.00	98.00
7	96.00	96.00	98.00	95.00	93.00	98.00	98.00	97.00	95.00	98.00	94.00	92.00
8	96.00	96.00	98.00	74.00	90.00	94.00	94.00	97.00	95.00	98.00	94.00	98.00
9	94.00	98.00	98.00	86.00	92.00	94.00	97.00	95.00	96.00	97.00	94.00	98.00
10	96.00	89.00	87.00	79.00	92.00	92.00	97.00	97.00	95.00	98.00	93.00	95.00
11	90.00	89.00	98.00	92.00	86.00	94.00	97.00	98.00	92.00	92.00	98.00	95.00
12	94.00	98.00	93.00	95.00	90.00	94.00	95.00	92.00	97.00	94.00	92.00	97.00
13	98.00	95.00	96.00	96.00	85.00	90.00	97.00	95.00	97.00	97.00	96.00	94.00
14	98.00	98.00	95.00	86.00	78.00	97.00	95.00	97.00	98.00	95.00	97.00	89.00
15	93.00	97.00	91.00	90.00	80.00	93.00	95.00	95.00	97.00	98.00	93.00	94.00
16	98.00	98.00	96.00	90.00	78.00	92.00	97.00	97.00	96.00	95.00	91.00	97.00
17	95.00	98.00	97.00	87.00	79.00	94.00	94.00	94.00	98.00	98.00	96.00	93.00
18	93.00	98.00	97.00	85.00	78.00	94.00	94.00	97.00	95.00	98.00	94.00	98.00
19	98.00	98.00	92.00	92.00	92.00	92.00	96.00	98.00	98.00	98.00	93.00	96.00
20	94.00	97.00	91.00	94.00	92.00	94.00	97.00	95.00	98.00	95.00	93.00	93.00
21	96.00	94.00	93.00	92.00	94.00	97.00	97.00	94.00	98.00	97.00	98.00	96.00
22	98.00	98.00	90.00	79.00	97.00	97.00	96.00	93.00	96.00	98.00	94.00	98.00
23	94.00	98.00	92.00	92.00	97.00	98.00	94.00	97.00	97.00	96.00	98.00	94.00
24	95.00	98.00	89.00	84.00	93.00	97.00	98.00	97.00	97.00	97.00	93.00	98.00
25	94.00	97.00	84.00	83.00	94.00	98.00	94.00	98.00	98.00	98.00	97.00	98.00
26	97.00	96.00	92.00	82.00	97.00	97.00	95.00	98.00	94.00	96.00	93.00	92.00
27	94.00	94.00	94.00	80.00	96.00	92.00	95.00	97.00	94.00	94.00	95.00	94.00
28	99.00	96.00	92.00	92.00	96.00	94.00	95.00	96.00	95.00	95.00	89.00	94.00
29	98.00	96.00	92.00	80.00	94.00	98.00	95.00	98.00	97.00	94.00	98.00	94.00
30	94.00	96.00	84.00	92.00	92.00	97.00	97.00	96.00	93.00	98.00	97.00	93.00
31	95.00	94.00	94.00	94.00	94.00	94.00	98.00	96.00	96.00	98.00	98.00	93.00
TOTAL	2981.00	2783.00	2887.00	2601.00	2789.00	2845.00	2974.00	2980.00	2890.00	2982.00	2845.00	2951.00
AVERAGE	96.16	95.97	93.13	88.70	89.97	94.83	95.94	96.13	96.33	96.39	96.83	95.19
MAXIMUM	99.00	98.00	98.00	96.00	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
MINIMUM	90.00	89.00	84.00	74.00	78.00	90.00	92.00	92.00	92.00	92.00	89.00	89.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
34508.00	94.28	99.00	74.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1981

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	96.00	94.00	95.00	96.00	92.00	98.00	95.00	98.00	97.00	98.00	97.00	98.00
2	93.00	98.00	98.00	95.00	94.00	97.00	92.00	97.00	98.00	97.00	95.00	98.00
3	93.00	99.00	98.00	97.00	92.00	98.00	98.00	98.00	98.00	98.00	96.00	97.00
4	98.00	98.00	99.00	98.00	97.00	95.00	95.00	97.00	98.00	98.00	96.00	98.00
5	94.00	98.00	98.00	97.00	97.00	98.00	97.00	98.00	98.00	98.00	97.00	97.00
6	92.00	97.00	96.00	98.00	95.00	95.00	95.00	95.00	98.00	97.00	98.00	98.00
7	98.00	98.00	97.00	97.00	97.00	97.00	92.00	98.00	98.00	98.00	97.00	98.00
8	98.00	98.00	98.00	95.00	95.00	98.00	97.00	95.00	97.00	98.00	98.00	98.00
9	91.00	98.00	97.00	94.00	94.00	95.00	97.00	98.00	98.00	98.00	98.00	97.00
10	98.00	96.00	98.00	89.00	98.00	97.00	98.00	97.00	98.00	95.00	96.00	98.00
11	94.00	91.00	98.00	93.00	98.00	97.00	95.00	98.00	95.00	97.00	95.00	97.00
12	96.00	98.00	98.00	97.00	91.00	97.00	95.00	98.00	94.00	97.00	97.00	98.00
13	94.00	92.00	94.00	98.00	97.00	94.00	95.00	93.00	94.00	88.00	97.00	95.00
14	90.00	98.00	98.00	92.00	98.00	95.00	98.00	98.00	98.00	98.00	97.00	98.00
15	95.00	95.00	98.00	92.00	95.00	98.00	97.00	97.00	94.00	98.00	97.00	98.00
16	96.00	98.00	98.00	95.00	98.00	98.00	96.00	98.00	98.00	98.00	98.00	97.00
17	97.00	98.00	94.00	97.00	87.00	95.00	97.00	98.00	98.00	95.00	98.00	98.00
18	91.00	98.00	87.00	97.00	98.00	97.00	92.00	97.00	98.00	97.00	87.00	93.00
19	96.00	97.00	95.00	90.00	98.00	97.00	94.00	97.00	95.00	98.00	98.00	87.00
20	94.00	95.00	98.00	92.00	98.00	95.00	97.00	98.00	98.00	97.00	96.00	98.00
21	92.00	98.00	97.00	92.00	98.00	94.00	98.00	98.00	98.00	95.00	97.00	98.00
22	96.00	98.00	98.00	97.00	97.00	94.00	98.00	97.00	98.00	98.00	98.00	98.00
23	97.00	98.00	96.00	95.00	98.00	97.00	98.00	97.00	97.00	97.00	97.00	98.00
24	98.00	97.00	93.00	94.00	97.00	98.00	98.00	94.00	88.00	98.00	95.00	98.00
25	95.00	98.00	97.00	95.00	94.00	97.00	94.00	98.00	97.00	98.00	98.00	97.00
26	98.00	94.00	96.00	94.00	98.00	98.00	96.00	96.00	98.00	98.00	96.00	96.00
27	98.00	98.00	92.00	95.00	98.00	98.00	98.00	95.00	97.00	95.00	97.00	97.00
28	92.00	98.00	94.00	87.00	97.00	97.00	98.00	97.00	95.00	98.00	97.00	98.00
29	96.00	98.00	94.00	97.00	95.00	94.00	95.00	98.00	95.00	98.00	98.00	98.00
30	98.00	98.00	92.00	98.00	98.00	95.00	98.00	96.00	98.00	98.00	98.00	97.00
31	92.00	94.00	94.00	98.00	98.00	95.00	95.00	95.00	98.00	98.00	98.00	96.00
TOTAL	2949.00	2714.00	2995.00	2839.00	2982.00	2893.00	2974.00	3002.00	2880.00	2992.00	2914.00	3015.00
AVERAGE	95.13	94.43	96.64	94.63	96.19	96.43	96.00	96.84	96.00	96.52	97.20	97.26
MAXIMUM	98.00	99.00	99.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
MINIMUM	90.00	91.00	92.00	87.00	90.00	94.00	92.00	93.00	88.00	88.00	95.00	93.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
35153.00	96.31	99.00	88.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1982

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
2	98.00	97.00	98.00	98.00	98.00	97.00	98.00	97.00	97.00	97.00	98.00	98.00
3	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
4	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
5	99.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
6	98.00	99.00	98.00	98.00	98.00	97.00	98.00	97.00	98.00	98.00	98.00	98.00
7	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
8	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
9	97.00	99.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
10	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
11	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
12	98.00	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
13	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
14	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
15	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
16	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
17	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
18	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
19	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
20	99.00	99.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
21	98.00	97.00	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
22	97.00	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
23	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
24	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
25	98.00	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
26	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
27	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
28	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
29	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
30	97.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
31	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
TOTAL	3038.00	2738.00	2768.00	2828.00	2948.00	2913.00	2998.00	3015.00	2881.00	2984.00	2882.00	2994.00
AVERAGE	97.74	97.79	98.74	94.27	95.10	97.10	96.71	97.28	98.03	98.32	96.07	98.58
MAXIMUM	99.00	99.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
MINIMUM	97.00	95.00	91.00	88.00	87.00	94.00	92.00	95.00	87.00	90.00	87.00	92.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
35181.00	98.39	99.00	86.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1983

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	97.00	98.00	97.00	98.00	92.00	90.00	92.00	92.00	91.00	92.00	92.00	92.00
2	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
3	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
4	91.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00	98.00
5	98.00	95.00	93.00	83.00	88.00	90.00	90.00	93.00	92.00	92.00	92.00	91.00
6	97.00	86.00	93.00	90.00	90.00	80.00	91.00	92.00	92.00	90.00	91.00	91.00
7	96.00	95.00	93.00	82.00	83.00	85.00	91.00	91.00	91.00	91.00	90.00	87.00
8	93.00	98.00	86.00	90.00	90.00	90.00	91.00	91.00	91.00	91.00	92.00	90.00
9	98.00	95.00	93.00	90.00	90.00	90.00	92.00	91.00	92.00	92.00	92.00	91.00
10	95.00	84.00	94.00	92.00	90.00	90.00	90.00	92.00	92.00	92.00	92.00	92.00
11	94.00	95.00	95.00	87.00	90.00	92.00	91.00	91.00	91.00	92.00	92.00	92.00
12	95.00	98.00	95.00	93.00	90.00	88.00	92.00	92.00	92.00	92.00	92.00	88.00
13	98.00	95.00	95.00	91.00	90.00	90.00	92.00	92.00	91.00	91.00	93.00	93.00
14	97.00	95.00	94.00	86.00	90.00	89.00	92.00	91.00	91.00	91.00	93.00	93.00
15	95.00	90.00	93.00	92.00	90.00	87.00	90.00	92.00	91.00	91.00	92.00	86.00
16	95.00	88.00	96.00	90.00	90.00	85.00	90.00	92.00	92.00	92.00	92.00	91.00
17	92.00	95.00	93.00	92.00	90.00	82.00	90.00	92.00	92.00	90.00	92.00	94.00
18	90.00	95.00	92.00	95.00	90.00	94.00	92.00	90.00	91.00	90.00	92.00	92.00
19	92.00	95.00	89.00	90.00	90.00	90.00	91.00	90.00	91.00	92.00	89.00	90.00
20	95.00	95.00	84.00	94.00	90.00	86.00	91.00	91.00	91.00	90.00	86.00	87.00
21	95.00	98.00	92.00	89.00	90.00	84.00	90.00	91.00	91.00	92.00	93.00	87.00
22	97.00	95.00	89.00	92.00	90.00	88.00	90.00	92.00	92.00	93.00	89.00	83.00
23	95.00	90.00	89.00	86.00	90.00	86.00	90.00	92.00	91.00	92.00	85.00	89.00
24	94.00	90.00	91.00	94.00	90.00	91.00	90.00	92.00	92.00	93.00	90.00	88.00
25	97.00	93.00	97.00	90.00	90.00	90.00	92.00	91.00	92.00	89.00	89.00	89.00
26	98.00	90.00	94.00	92.00	90.00	96.00	90.00	91.00	92.00	88.00	94.00	89.00
27	95.00	95.00	84.00	82.00	90.00	87.00	92.00	92.00	90.00	92.00	94.00	93.00
28	95.00	97.00	83.00	92.00	90.00	86.00	91.00	92.00	92.00	93.00	88.00	92.00
29	98.00	90.00	93.00	90.00	90.00	90.00	91.00	91.00	92.00	93.00	90.00	93.00
30	99.00	95.00	96.00	90.00	90.00	90.00	92.00	91.00	92.00	93.00	90.00	95.00
31	98.00	90.00	84.00	90.00	90.00	84.00	92.00	91.00	93.00	93.00	93.00	93.00
TOTAL	2958.00	2619.00	2852.00	2711.00	421.00	1154.00	2760.00	2823.00	2746.00	2839.00	2733.00	2797.00
AVERAGE	95.42	93.54	92.00	90.37	86.71	88.92	89.03	91.06	91.53	91.58	91.10	90.23
MAXIMUM	99.00	98.00	97.00	98.00	92.00	94.00	92.00	92.00	93.00	93.00	94.00	94.00
MINIMUM	90.00	84.00	83.00	82.00	83.00	80.00	90.00	90.00	88.00	85.00	83.00	83.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
29615.00	91.40	99.00	80.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1984

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	92.00	85.00	92.00	90.00	87.00	95.00	90.00	90.00	90.00	90.00	91.00	89.00
2	92.00	85.00	92.00	89.00	86.00	93.00	90.00	91.00	89.00	90.00	90.00	87.00
3	87.00	92.00	91.00	86.00	85.00	88.00	88.00	91.00	91.00	90.00	90.00	87.00
4	88.00	92.00	91.00	80.00	88.00	84.00	84.00	91.00	91.00	90.00	90.00	87.00
5	90.00	90.00	91.00	82.00	88.00	85.00	90.00	90.00	91.00	90.00	90.00	87.00
6	90.00	90.00	93.00	84.00	88.00	87.00	88.00	90.00	91.00	87.00	90.00	88.00
7	92.00	92.00	92.00	86.00	87.00	87.00	90.00	90.00	87.00	87.00	91.00	92.00
8	91.00	92.00	92.00	85.00	87.00	90.00	91.00	91.00	90.00	85.00	90.00	92.00
9	91.00	90.00	91.00	90.00	86.00	88.00	90.00	91.00	90.00	88.00	85.00	92.00
10	91.00	94.00	90.00	91.00	87.00	88.00	90.00	90.00	86.00	88.00	87.00	88.00
11	92.00	93.00	92.00	82.00	88.00	87.00	92.00	91.00	88.00	87.00	90.00	91.00
12	86.00	93.00	92.00	82.00	89.00	87.00	92.00	89.00	90.00	90.00	85.00	87.00
13	87.00	90.00	91.00	85.00	87.00	84.00	95.00	87.00	88.00	88.00	84.00	87.00
14	90.00	92.00	93.00	87.00	89.00	91.00	90.00	92.00	87.00	91.00	85.00	85.00
15	85.00	91.00	89.00	88.00	88.00	87.00	91.00	91.00	87.00	91.00	91.00	87.00
16	88.00	91.00	90.00	85.00	85.00	87.00	90.00	91.00	88.00	92.00	88.00	81.00
17	88.00	92.00	89.00	82.00	90.00	86.00	90.00	91.00	87.00	89.00	91.00	81.00
18	93.00	92.00	89.00	82.00	80.00	91.00	89.00	90.00	88.00	88.00	90.00	82.00
19	93.00	91.00	83.00	89.00	82.00	91.00	90.00	90.00	90.00	91.00	92.00	85.00
20	83.00	91.00	90.00	80.00	83.00	91.00	86.00	87.00	90.00	91.00	82.00	88.00
21	87.00	90.00	90.00	85.00	85.00	91.00	88.00	87.00	90.00	91.00	92.00	81.00
22	88.00	91.00	90.00	77.00	84.00	91.00	88.00	89.00	91.00	89.00	86.00	80.00
23	95.00	91.00	92.00	85.00	78.00	85.00	88.00	91.00	88.00	91.00	83.00	89.00
24	92.00	92.00	92.00	88.00	87.00	90.00	91.00	91.00	91.00	90.00	88.00	91.00
25	94.00	91.00	93.00	87.00	87.00	90.00	81.00	91.00	89.00	84.00	89.00	90.00
26	82.00	91.00	93.00	88.00	85.00	88.00	92.00	91.00	88.00	90.00	89.00	89.00
27	82.00	90.00	91.00	83.00	84.00	90.00	88.00	91.00	88.00	89.00	84.00	91.00
28	83.00	91.00	85.00	89.00	86.00	90.00	90.00	92.00	85.00	92.00	85.00	91.00
29	87.00	92.00	80.00	88.00	80.00	87.00	92.00	90.00	87.00	87.00	85.00	91.00
30	86.00	87.00	90.00	87.00	90.00	88.00	89.00	90.00	85.00	91.00	88.00	91.00
31	85.00	86.00	86.00	92.00	92.00	91.00	91.00	91.00	91.00	91.00	92.00	92.00
TOTAL	2744.00	2427.00	2805.00	2572.00	2685.00	2377.00	2791.00	2802.00	2658.00	2772.00	2644.00	2705.00
AVERAGE	88.32	90.59	90.48	85.73	86.41	89.35	90.03	90.39	88.60	89.42	88.13	87.26
MAXIMUM	95.00	94.00	93.00	91.00	92.00	95.00	92.00	91.00	92.00	92.00	92.00	92.00
MINIMUM	82.00	82.00	85.00	77.00	78.00	85.00	81.00	87.00	85.00	85.00	82.00	80.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
31482.00	85.75	96.00	77.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1985

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	91.00	92.00	87.00	84.00	85.00	90.00	80.00	88.00	89.00	89.00	83.00	91.00
2	83.00	82.00	88.00	82.00	82.00	90.00	88.00	89.00	89.00	89.00	87.00	89.00
3	87.00	92.00	90.00	82.00	88.00	90.00	88.00	89.00	88.00	89.00	88.00	89.00
4	85.00	89.00	90.00	82.00	88.00	90.00	88.00	88.00	88.00	89.00	88.00	89.00
5	88.00	93.00	90.00	82.00	85.00	89.00	89.00	88.00	88.00	89.00	87.00	89.00
6	89.00	92.00	91.00	82.00	85.00	89.00	90.00	89.00	89.00	90.00	88.00	88.00
7	88.00	93.00	90.00	85.00	86.00	90.00	87.00	87.00	88.00	90.00	90.00	88.00
8	89.00	92.00	90.00	82.00	78.00	90.00	89.00	88.00	89.00	88.00	88.00	90.00
9	88.00	93.00	90.00	79.00	83.00	90.00	89.00	87.00	90.00	89.00	85.00	90.00
10	87.00	92.00	90.00	79.00	83.00	90.00	89.00	88.00	90.00	88.00	88.00	90.00
11	88.00	92.00	91.00	78.00	88.00	90.00	87.00	87.00	90.00	89.00	85.00	88.00
12	95.00	92.00	84.00	80.00	85.00	89.00	88.00	88.00	89.00	89.00	89.00	89.00
13	92.00	92.00	88.00	82.00	85.00	89.00	85.00	89.00	87.00	90.00	90.00	87.00
14	87.00	91.00	89.00	83.00	72.00	90.00	88.00	89.00	88.00	89.00	90.00	88.00
15	90.00	91.00	86.00	80.00	84.00	90.00	87.00	89.00	88.00	88.00	90.00	89.00
16	83.00	92.00	90.00	82.00	88.00	89.00	88.00	89.00	89.00	87.00	90.00	89.00
17	87.00	91.00	90.00	90.00	88.00	90.00	88.00	89.00	89.00	90.00	89.00	89.00
18	92.00	89.00	88.00	73.00	85.00	89.00	87.00	89.00	89.00	90.00	89.00	88.00
19	86.00	90.00	89.00	76.00	87.00	87.00	88.00	88.00	88.00	89.00	90.00	81.00
20	84.00	87.00	90.00	79.00	84.00	87.00	88.00	88.00	88.00	89.00	90.00	81.00
21	87.00	88.00	88.00	71.00	87.00	87.00	87.00	89.00	88.00	88.00	90.00	80.00
22	88.00	89.00	90.00	87.00	83.00	87.00	88.00	89.00	87.00	87.00	87.00	89.00
23	85.00	88.00	90.00	81.00	88.00	90.00	89.00	89.00	88.00	86.00	78.00	81.00
24	88.00	90.00	88.00	76.00	87.00	88.00	89.00	89.00	89.00	87.00	78.00	89.00
25	92.00	90.00	87.00	83.00	87.00	89.00	89.00	89.00	89.00	89.00	79.00	89.00
26	95.00	88.00	85.00	72.00	88.00	88.00	87.00	88.00	89.00	88.00	79.00	85.00
27	92.00	87.00	84.00	79.00	87.00	89.00	88.00	89.00	89.00	89.00	82.00	84.00
28	92.00	87.00	88.00	89.00	87.00	90.00	88.00	89.00	89.00	88.00	78.00	85.00
29	92.00	79.00	88.00	88.00	90.00	90.00	88.00	89.00	89.00	87.00	87.00	85.00
30	92.00	78.00	85.00	90.00	90.00	90.00	89.00	89.00	89.00	87.00	87.00	79.00
31	93.00	75.00	91.00	91.00	91.00	88.00	87.00	87.00	86.00	86.00	78.00	78.00
TOTAL	2785.00	2534.00	2708.00	2410.00	2444.00	2678.00	2733.00	2747.00	2651.00	2765.00	2581.00	2678.00
AVERAGE	89.19	90.50	87.35	80.33	85.29	89.20	88.16	88.61	88.37	89.42	86.03	86.23
MAXIMUM	95.00	93.00	91.00	90.00	91.00	90.00	90.00	90.00	90.00	90.00	90.00	91.00
MINIMUM	81.00	87.00	75.00	87.00	72.00	87.00	85.00	87.00	80.00	88.00	77.00	78.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
31865.00	87.30	95.00	87.00

DATA : DAILY RELATIVE HUMIDITY STATION : BAN THA RUA

YEAR : 1985

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	77.00	89.00	93.00	93.00	86.00	88.00	90.00	90.00	91.00	91.00	96.00	96.00
2	77.00	88.00	93.00	93.00	87.00	86.00	90.00	90.00	90.00	90.00	97.00	96.00
3	78.00	86.00	92.00	92.00	87.00	86.00	90.00	90.00	91.00	91.00	97.00	95.00
4	79.00	89.00	92.00	92.00	85.00	87.00	91.00	90.00	91.00	96.00	97.00	95.00
5	78.00	89.00	92.00	93.00	85.00	85.00	91.00	90.00	90.00	95.00	98.00	96.00
6	77.00	89.00	93.00	90.00	86.00	90.00	90.00	91.00	90.00	93.00	93.00	96.00
7	87.00	88.00	93.00	90.00	87.00	91.00	90.00	90.00	91.00	96.00	98.00	96.00
8	87.00	89.00	94.00	90.00	90.00	91.00	91.00	91.00	91.00	94.00	97.00	95.00
9	87.00	88.00	93.00	91.00	91.00	90.00	90.00	91.00	90.00	94.00	97.00	96.00
10	89.00	89.00	92.00	90.00	91.00	91.00	90.00	91.00	90.00	93.00	98.00	94.00
11	88.00	89.00	92.00	90.00	90.00	91.00	90.00	90.00	91.00	90.00	98.00	93.00
12	82.00	88.00	91.00	90.00	91.00	89.00	91.00	91.00	91.00	90.00	96.00	96.00
13	82.00	88.00	93.00	91.00	91.00	90.00	91.00	91.00	91.00	91.00	96.00	96.00
14	81.00	89.00	93.00	91.00	90.00	90.00	90.00	91.00	91.00	95.00	96.00	96.00
15	82.00	89.00	93.00	90.00	90.00	90.00	91.00	90.00	90.00	91.00	95.00	95.00
16	87.00	90.00	92.00	90.00	90.00	91.00	90.00	90.00	90.00	95.00	98.00	95.00
17	88.00	90.00	92.00	90.00	89.00	91.00	90.00	90.00	90.00	91.00	96.00	96.00
18	88.00	92.00	92.00	91.00	89.00	90.00	90.00	91.00	91.00	91.00	96.00	96.00
19	80.00	90.00	93.00	90.00	90.00	90.00	91.00	91.00	91.00	91.00	96.00	96.00
20	77.00	96.00	93.00	89.00	81.00	90.00	91.00	91.00	91.00	91.00	96.00	97.00
21	89.00	96.00	93.00	89.00	88.00	91.00	90.00	90.00	91.00	95.00	89.00	95.00
22	86.00	95.00	92.00	89.00	88.00	90.00	90.00	91.00	90.00	95.00	96.00	97.00
23	91.00	96.00	90.00	76.00	87.00	90.00	90.00	90.00	89.00	95.00	95.00	97.00
24	89.00	94.00	92.00	85.00	86.00	90.00	91.00	91.00	91.00	95.00	96.00	92.00
25	84.00	92.00	91.00	91.00	85.00	90.00	91.00	91.00	91.00	95.00	87.00	90.00
26	91.00	93.00	91.00	89.00	89.00	90.00	91.00	90.00	91.00	96.00	97.00	93.00
27	89.00	93.00	89.00	86.00	89.00	90.00	90.00	91.00	89.00	96.00	98.00	97.00
28	90.00	94.00	92.00	87.00	87.00	90.00	90.00	91.00	91.00	95.00	96.00	96.00
29	89.00		92.00	86.00	87.00	90.00	91.00	91.00	91.00	95.00	96.00	95.00
30	87.00		92.00	84.00	89.00	90.00	91.00	91.00	91.00	96.00	96.00	96.00
31	87.00		93.00		88.00		90.00	91.00		96.00		97.00
TOTAL	2823.00	2552.00	2858.00	2676.00	2705.00	2688.00	2803.00	2808.00	2706.00	2896.00	2880.00	2957.00
AVERAGE	84.61	91.14	92.19	89.20	87.26	89.60	90.42	90.58	90.20	93.42	96.00	95.39
MAXIMUM	91.00	99.00	94.00	93.00	91.00	91.00	91.00	91.00	91.00	96.00	98.00	97.00
MINIMUM	77.00	88.00	89.00	76.00	87.00	85.00	90.00	90.00	81.00	90.00	87.00	90.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
33152.00	90.83	99.00	87.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAHIN

YEAR : 1970

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1												
2												
3												
4												
5												
6												
7												
8												
9												93.00
10												93.00
11												95.00
12												93.00
13												93.00
14												93.00
15												96.00
16												90.00
17												90.00
18												88.00
19												88.00
20												88.00
21												89.00
22												91.00
23												94.00
24												91.00
25												85.00
26												88.00
27												91.00
28												94.00
29												96.00
30												92.00
31												98.00
TOTAL												2110.00
AVERAGE												91.74
MAXIMUM												96.00
MINIMUM												85.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
2110.00	91.74	96.00	85.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAWIN

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	93.00	93.00	95.00	95.00	83.00	85.00	92.00	95.00	92.00	93.00	87.00	91.00
2	91.00	93.00	94.00	94.00	82.00	92.00	90.00	91.00	93.00	94.00	87.00	85.00
3	87.00	92.00	95.00	95.00	81.00	92.00	88.00	88.00	94.00	92.00	90.00	92.00
4	88.00	92.00	95.00	92.00	83.00	95.00	88.00	94.00	94.00	94.00	90.00	95.00
5	87.00	90.00	95.00	91.00	83.00	91.00	91.00	89.00	94.00	92.00	91.00	92.00
6	85.00	92.00	95.00	91.00	91.00	92.00	87.00	94.00	91.00	91.00	91.00	88.00
7	92.00	94.00	95.00	91.00	89.00	92.00	85.00	87.00	89.00	96.00	94.00	85.00
8	92.00	92.00	96.00	80.00	91.00	90.00	82.00	92.00	92.00	90.00	94.00	90.00
9	92.00	93.00	98.00	77.00	89.00	91.00	90.00	96.00	92.00	92.00	92.00	90.00
10	88.00	94.00	94.00	78.00	91.00	89.00	86.00	89.00	92.00	97.00	89.00	90.00
11	93.00	93.00	91.00	81.00	86.00	87.00	87.00	94.00	92.00	86.00	91.00	88.00
12	94.00	95.00	92.00	78.00	88.00	90.00	85.00	92.00	92.00	90.00	91.00	94.00
13	92.00	97.00	91.00	78.00	89.00	84.00	85.00	91.00	92.00	87.00	95.00	89.00
14	93.00	95.00	93.00	77.00	89.00	85.00	92.00	86.00	90.00	91.00	94.00	86.00
15	93.00	97.00	92.00	77.00	89.00	90.00	91.00	92.00	92.00	94.00	89.00	87.00
16	93.00	94.00	95.00	74.00	88.00	82.00	87.00	97.00	92.00	88.00	95.00	85.00
17	93.00	93.00	93.00	74.00	78.00	92.00	91.00	92.00	93.00	94.00	89.00	89.00
18	94.00	93.00	93.00	74.00	78.00	83.00	92.00	88.00	92.00	88.00	88.00	87.00
19	94.00	92.00	94.00	77.00	82.00	85.00	90.00	94.00	92.00	93.00	93.00	79.00
20	92.00	95.00	96.00	65.00	83.00	88.00	89.00	92.00	92.00	89.00	94.00	89.00
21	95.00	95.00	97.00	81.00	83.00	90.00	87.00	92.00	97.00	92.00	85.00	90.00
22	88.00	92.00	95.00	81.00	83.00	88.00	89.00	90.00	96.00	91.00	85.00	88.00
23	95.00	92.00	97.00	77.00	86.00	90.00	89.00	87.00	89.00	89.00	89.00	89.00
24	94.00	94.00	91.00	78.00	92.00	90.00	91.00	92.00	92.00	91.00	87.00	90.00
25	95.00	92.00	87.00	82.00	89.00	91.00	87.00	88.00	85.00	91.00	85.00	94.00
26	95.00	93.00	93.00	84.00	92.00	89.00	92.00	92.00	87.00	86.00	89.00	91.00
27	92.00	90.00	88.00	87.00	91.00	85.00	96.00	95.00	93.00	93.00	92.00	91.00
28	90.00	93.00	91.00	76.00	93.00	83.00	91.00	92.00	93.00	92.00	90.00	94.00
29	93.00	92.00	92.00	94.00	92.00	91.00	92.00	89.00	96.00	91.00	88.00	93.00
30	89.00	93.00	93.00	89.00	92.00	91.00	91.00	95.00	95.00	89.00	90.00	90.00
31	94.00	95.00	95.00	83.00	83.00	90.00	97.00	97.00	95.00	95.00	90.00	90.00
TOTAL	2846.00	2610.00	2903.00	2468.00	2687.00	2464.00	2742.00	2854.00	2777.00	2836.00	2704.00	2775.00
AVERAGE	91.81	84.21	93.65	82.20	86.48	88.80	89.10	92.06	92.57	91.48	90.13	89.52
MAXIMUM	95.00	97.00	98.00	95.00	93.00	95.00	92.00	97.00	97.00	97.00	96.00	96.00
MINIMUM	85.00	90.00	87.00	65.00	76.00	82.00	82.00	86.00	87.00	86.00	85.00	79.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
32884.00	90.09	98.00	65.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAWIN

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	92.00	88.00	94.00	84.00	87.00	83.00	85.00	84.00	90.00	92.00	97.00	97.00
2	90.00	88.00	95.00	83.00	77.00	81.00	87.00	92.00	92.00	92.00	98.00	99.00
3	94.00	89.00	91.00	87.00	76.00	80.00	86.00	94.00	92.00	92.00	99.00	95.00
4	91.00	89.00	89.00	84.00	78.00	78.00	91.00	89.00	98.00	92.00	99.00	97.00
5	89.00	88.00	89.00	80.00	83.00	83.00	91.00	92.00	98.00	96.00	98.00	95.00
6	89.00	89.00	89.00	79.00	68.00	81.00	84.00	90.00	98.00	97.00	99.00	97.00
7	89.00	87.00	85.00	81.00	67.00	78.00	86.00	91.00	97.00	98.00	99.00	96.00
8	93.00	87.00	80.00	81.00	72.00	87.00	83.00	90.00	98.00	98.00	97.00	97.00
9	89.00	88.00	80.00	82.00	71.00	87.00	84.00	87.00	98.00	98.00	96.00	97.00
10	87.00	93.00	84.00	82.00	63.00	82.00	92.00	87.00	99.00	97.00	97.00	97.00
11	88.00	93.00	80.00	82.00	64.00	83.00	92.00	87.00	99.00	97.00	97.00	97.00
12	91.00	93.00	83.00	82.00	72.00	84.00	92.00	86.00	99.00	92.00	96.00	97.00
13	92.00	93.00	80.00	87.00	71.00	87.00	90.00	89.00	99.00	94.00	98.00	97.00
14	89.00	89.00	85.00	82.00	72.00	82.00	92.00	97.00	97.00	97.00	95.00	97.00
15	89.00	87.00	80.00	83.00	67.00	87.00	87.00	94.00	99.00	98.00	96.00	96.00
16	87.00	87.00	80.00	82.00	67.00	88.00	84.00	91.00	97.00	98.00	96.00	96.00
17	85.00	80.00	80.00	82.00	78.00	83.00	93.00	92.00	97.00	97.00	97.00	96.00
18	88.00	89.00	81.00	82.00	68.00	80.00	92.00	89.00	99.00	98.00	96.00	97.00
19	89.00	89.00	82.00	82.00	71.00	85.00	88.00	82.00	99.00	96.00	97.00	97.00
20	92.00	89.00	80.00	83.00	70.00	84.00	89.00	90.00	91.00	97.00	96.00	97.00
21	92.00	89.00	80.00	82.00	72.00	83.00	95.00	94.00	91.00	94.00	96.00	97.00
22	88.00	89.00	82.00	84.00	81.00	86.00	95.00	92.00	95.00	98.00	93.00	97.00
23	91.00	93.00	80.00	85.00	73.00	87.00	95.00	95.00	94.00	98.00	96.00	97.00
24	91.00	92.00	70.00	84.00	72.00	79.00	89.00	93.00	94.00	98.00	96.00	96.00
25	88.00	90.00	71.00	82.00	80.00	81.00	95.00	94.00	94.00	98.00	96.00	95.00
26	93.00	88.00	75.00	83.00	87.00	86.00	97.00	89.00	92.00	96.00	97.00	98.00
27	93.00	94.00	78.00	82.00	82.00	82.00	98.00	85.00	92.00	97.00	94.00	96.00
28	94.00	90.00	79.00	89.00	82.00	86.00	90.00	85.00	91.00	97.00	96.00	96.00
29	90.00	96.00	76.00	66.00	88.00	81.00	94.00	87.00	91.00	99.00	97.00	96.00
30	94.00	90.00	80.00	69.00	83.00	86.00	96.00	89.00	99.00	98.00	97.00	96.00
31	89.00	90.00	80.00	87.00	87.00	98.00	91.00	98.00	91.00	98.00	97.00	98.00
TOTAL	2793.00	2605.00	2538.00	2431.00	2309.00	2500.00	2810.00	2785.00	2851.00	2987.00	2904.00	2956.00
AVERAGE	90.10	84.03	81.67	81.03	74.48	81.33	90.85	89.94	95.03	96.35	94.73	94.65
MAXIMUM	96.00	96.00	95.00	87.00	88.00	88.00	98.00	97.00	99.00	99.00	99.00	99.00
MINIMUM	85.00	87.00	70.00	66.00	83.00	78.00	83.00	82.00	90.00	92.00	94.00	95.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
32510.00	88.83	99.00	65.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAMIN

YEAR : 1973

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	96.00	97.00	91.00	88.00	78.00	88.00	84.00	88.00	90.00	92.00	89.00	92.00
2	97.00	96.00	89.00	89.00	87.00	91.00	87.00	89.00	88.00	91.00	96.00	84.00
3	97.00	96.00	91.00	90.00	84.00	85.00	88.00	86.00	92.00	90.00	88.00	79.00
4	97.00	96.00	89.00	90.00	97.00	89.00	87.00	89.00	90.00	91.00	87.00	84.00
5	97.00	96.00	89.00	91.00	97.00	87.00	92.00	89.00	86.00	92.00	83.00	86.00
6	96.00	96.00	89.00	86.00	97.00	83.00	92.00	88.00	88.00	92.00	91.00	85.00
7	96.00	97.00	91.00	89.00	97.00	85.00	91.00	88.00	82.00	92.00	96.00	85.00
8	98.00	96.00	90.00	89.00	97.00	90.00	91.00	90.00	92.00	92.00	91.00	87.00
9	96.00	96.00	91.00	88.00	97.00	88.00	90.00	92.00	88.00	95.00	91.00	85.00
10	96.00	97.00	90.00	82.00	88.00	92.00	89.00	87.00	87.00	92.00	84.00	85.00
11	96.00	97.00	88.00	84.00	89.00	88.00	90.00	91.00	91.00	92.00	98.00	85.00
12	96.00	97.00	88.00	81.00	92.00	88.00	92.00	87.00	88.00	92.00	99.00	90.00
13	97.00	95.00	88.00	90.00	88.00	90.00	95.00	91.00	88.00	93.00	91.00	85.00
14	97.00	97.00	88.00	90.00	95.00	92.00	86.00	90.00	91.00	92.00	88.00	90.00
15	97.00	97.00	89.00	90.00	97.00	97.00	85.00	84.00	90.00	92.00	91.00	89.00
16	97.00	96.00	91.00	89.00	98.00	97.00	84.00	92.00	89.00	93.00	91.00	89.00
17	97.00	96.00	91.00	88.00	88.00	92.00	87.00	88.00	88.00	92.00	86.00	90.00
18	97.00	89.00	91.00	88.00	79.00	96.00	90.00	90.00	87.00	91.00	91.00	88.00
19	97.00	91.00	91.00	86.00	95.00	97.00	85.00	90.00	91.00	92.00	90.00	88.00
20	96.00	90.00	89.00	90.00	95.00	90.00	88.00	89.00	93.00	92.00	90.00	91.00
21	96.00	90.00	91.00	84.00	95.00	92.00	89.00	92.00	92.00	92.00	91.00	89.00
22	96.00	88.00	91.00	89.00	97.00	88.00	88.00	92.00	92.00	92.00	91.00	90.00
23	96.00	89.00	90.00	82.00	79.00	93.00	90.00	92.00	92.00	91.00	91.00	89.00
24	96.00	89.00	91.00	90.00	88.00	90.00	87.00	91.00	87.00	92.00	91.00	90.00
25	96.00	91.00	92.00	85.00	91.00	93.00	86.00	91.00	92.00	91.00	91.00	86.00
26	96.00	88.00	83.00	88.00	87.00	94.00	85.00	92.00	90.00	92.00	92.00	84.00
27	96.00	91.00	87.00	93.00	90.00	92.00	84.00	91.00	92.00	92.00	86.00	84.00
28	97.00	88.00	87.00	85.00	92.00	92.00	84.00	91.00	92.00	92.00	91.00	83.00
29	96.00	90.00	85.00	85.00	91.00	92.00	91.00	91.00	92.00	92.00	88.00	84.00
30	96.00	92.00	85.00	92.00	92.00	93.00	92.00	91.00	91.00	92.00	88.00	81.00
31	96.00	89.00	89.00	89.00	89.00	89.00	85.00	90.00	93.00	93.00	82.00	82.00
TOTAL	2988.00	2622.00	2777.00	2619.00	2826.00	2727.00	2739.00	2782.00	2691.00	2848.00	2702.00	2680.00
AVERAGE	96.39	93.64	89.58	87.30	91.16	90.90	88.35	89.76	89.70	91.87	90.07	88.45
MAXIMUM	97.00	97.00	92.00	93.00	98.00	97.00	95.00	92.00	93.00	93.00	99.00	92.00
MINIMUM	96.00	88.00	83.00	81.00	78.00	83.00	84.00	84.00	87.00	90.00	83.00	79.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
33001.00	90.41	99.00	78.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAMIN

YEAR : 1974

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	81.00	73.00	87.00	79.00	65.00	88.00	82.00	85.00	74.00	84.00	84.00	82.00
2	81.00	86.00	88.00	74.00	71.00	86.00	70.00	77.00	81.00	75.00	83.00	81.00
3	82.00	85.00	93.00	67.00	69.00	86.00	85.00	85.00	86.00	74.00	80.00	87.00
4	87.00	84.00	74.00	69.00	77.00	88.00	78.00	83.00	82.00	73.00	80.00	81.00
5	86.00	87.00	90.00	69.00	60.00	85.00	91.00	81.00	78.00	84.00	83.00	81.00
6	88.00	87.00	89.00	71.00	81.00	85.00	86.00	86.00	82.00	86.00	84.00	86.00
7	85.00	87.00	91.00	72.00	67.00	90.00	71.00	85.00	90.00	83.00	85.00	81.00
8	87.00	86.00	94.00	72.00	75.00	86.00	82.00	87.00	82.00	77.00	85.00	84.00
9	87.00	88.00	78.00	77.00	66.00	89.00	85.00	89.00	91.00	85.00	84.00	90.00
10	80.00	91.00	80.00	84.00	64.00	89.00	84.00	83.00	92.00	84.00	90.00	87.00
11	88.00	86.00	83.00	71.00	66.00	92.00	89.00	89.00	80.00	83.00	91.00	81.00
12	88.00	90.00	81.00	67.00	59.00	82.00	84.00	88.00	87.00	80.00	91.00	89.00
13	88.00	86.00	81.00	69.00	73.00	85.00	86.00	89.00	87.00	82.00	74.00	81.00
14	88.00	88.00	79.00	69.00	73.00	89.00	86.00	85.00	89.00	79.00	86.00	91.00
15	88.00	87.00	78.00	67.00	63.00	89.00	73.00	88.00	85.00	84.00	86.00	90.00
16	88.00	90.00	80.00	70.00	70.00	87.00	76.00	85.00	82.00	83.00	72.00	85.00
17	87.00	88.00	79.00	69.00	80.00	86.00	83.00	90.00	86.00	83.00	91.00	90.00
18	85.00	88.00	79.00	68.00	84.00	89.00	83.00	89.00	85.00	82.00	81.00	86.00
19	88.00	93.00	77.00	78.00	78.00	85.00	88.00	85.00	81.00	82.00	81.00	82.00
20	85.00	90.00	76.00	66.00	70.00	90.00	84.00	84.00	74.00	82.00	86.00	85.00
21	90.00	87.00	77.00	64.00	85.00	86.00	80.00	70.00	79.00	75.00	77.00	82.00
22	88.00	89.00	78.00	65.00	77.00	85.00	79.00	80.00	83.00	79.00	88.00	86.00
23	90.00	84.00	78.00	69.00	87.00	85.00	76.00	87.00	79.00	63.00	86.00	81.00
24	89.00	88.00	79.00	69.00	87.00	84.00	81.00	87.00	82.00	80.00	86.00	84.00
25	92.00	87.00	82.00	66.00	86.00	84.00	81.00	87.00	86.00	80.00	81.00	89.00
26	88.00	92.00	79.00	64.00	89.00	87.00	83.00	86.00	86.00	80.00	86.00	85.00
27	88.00	88.00	80.00	84.00	87.00	86.00	87.00	81.00	85.00	85.00	80.00	87.00
28	85.00	93.00	80.00	78.00	78.00	71.00	77.00	83.00	83.00	79.00	87.00	87.00
29	85.00	79.00	86.00	87.00	81.00	77.00	83.00	78.00	82.00	82.00	80.00	90.00
30	78.00	80.00	83.00	84.00	80.00	80.00	75.00	86.00	80.00	85.00	90.00	90.00
31	86.00	75.00	88.00	88.00	88.00	85.00	82.00	82.00	84.00	84.00	87.00	87.00
TOTAL	2680.00	2449.00	2526.00	2032.00	2253.00	2575.00	2529.00	2612.00	2495.00	2491.00	2520.00	2488.00
AVERAGE	86.45	87.46	81.48	72.57	75.10	85.83	81.56	81.24	83.17	80.35	84.00	85.42
MAXIMUM	92.00	93.00	94.00	86.00	89.00	92.00	91.00	90.00	92.00	86.00	91.00	91.00
MINIMUM	78.00	73.00	74.00	64.00	59.00	71.00	70.00	68.00	74.00	63.00	72.00	81.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
29810.00	87.35	94.00	59.00

1989/ 9/14 (THU) 15:42:17

YEAR : 1975

DATA : DAILY RELATIVE HUMIDITY STATION : SALAMIN

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	86.00	77.00	83.00	75.00	80.00	82.00	86.00	91.00	92.00	94.00	92.00	92.00
2	85.00	85.00	85.00	78.00	69.00	91.00	86.00	91.00	91.00	93.00	93.00	92.00
3	87.00	89.00	85.00	79.00	60.00	87.00	89.00	90.00	94.00	94.00	92.00	92.00
4	87.00	88.00	87.00	86.00	70.00	83.00	89.00	92.00	94.00	94.00	94.00	93.00
5	87.00	86.00	88.00	84.00	60.00	88.00	87.00	92.00	95.00	94.00	94.00	93.00
6	90.00	83.00	88.00	85.00	71.00	91.00	86.00	93.00	90.00	94.00	93.00	93.00
7	86.00	87.00	88.00	79.00	74.00	90.00	83.00	92.00	91.00	92.00	92.00	92.00
8	90.00	86.00	87.00	82.00	90.00	82.00	90.00	88.00	88.00	93.00	93.00	91.00
9	89.00	89.00	86.00	79.00	60.00	87.00	91.00	85.00	92.00	94.00	92.00	92.00
10	85.00	89.00	86.00	74.00	61.00	88.00	89.00	92.00	94.00	94.00	93.00	93.00
11	87.00	89.00	84.00	77.00	54.00	87.00	88.00	90.00	95.00	93.00	92.00	94.00
12	85.00	88.00	87.00	82.00	61.00	87.00	89.00	91.00	90.00	92.00	92.00	92.00
13	90.00	88.00	86.00	86.00	53.00	86.00	78.00	92.00	92.00	92.00	92.00	92.00
14	85.00	89.00	87.00	87.00	56.00	87.00	80.00	90.00	93.00	91.00	91.00	92.00
15	79.00	89.00	87.00	74.00	59.00	84.00	85.00	90.00	92.00	89.00	93.00	93.00
16	89.00	87.00	85.00	83.00	62.00	86.00	91.00	89.00	91.00	93.00	92.00	92.00
17	87.00	88.00	85.00	83.00	77.00	87.00	86.00	93.00	93.00	91.00	92.00	92.00
18	90.00	89.00	84.00	84.00	83.00	89.00	83.00	94.00	94.00	90.00	92.00	83.00
19	85.00	87.00	85.00	86.00	91.00	87.00	84.00	92.00	95.00	87.00	92.00	87.00
20	82.00	89.00	86.00	74.00	80.00	91.00	88.00	92.00	94.00	95.00	91.00	74.00
21	83.00	89.00	87.00	82.00	86.00	89.00	89.00	91.00	93.00	95.00	90.00	86.00
22	86.00	85.00	79.00	73.00	85.00	85.00	90.00	94.00	93.00	94.00	91.00	79.00
23	85.00	84.00	78.00	80.00	87.00	88.00	83.00	91.00	92.00	92.00	92.00	86.00
24	84.00	84.00	87.00	89.00	81.00	82.00	80.00	91.00	92.00	94.00	93.00	86.00
25	83.00	73.00	87.00	86.00	80.00	82.00	91.00	89.00	93.00	94.00	93.00	82.00
26	84.00	87.00	73.00	83.00	83.00	84.00	81.00	91.00	93.00	92.00	94.00	83.00
27	86.00	85.00	83.00	80.00	77.00	87.00	88.00	91.00	93.00	93.00	88.00	78.00
28	86.00	80.00	78.00	82.00	88.00	86.00	84.00	96.00	93.00	92.00	89.00	79.00
29	87.00	80.00	80.00	71.00	85.00	86.00	80.00	96.00	94.00	91.00	89.00	79.00
30	78.00	78.00	60.00	82.00	87.00	87.00	75.00	93.00	93.00	90.00	91.00	81.00
31	77.00	79.00	79.00	81.00	81.00	81.00	83.00	96.00	92.00	92.00	84.00	84.00
TOTAL	2628.00	2412.00	2811.00	2192.00	2251.00	2584.00	2666.00	2648.00	2781.00	2863.00	2750.00	2721.00
AVERAGE	84.77	86.14	84.23	73.07	73.90	86.20	86.00	91.87	92.70	92.35	91.87	87.77
MAXIMUM	90.00	89.00	88.00	87.00	91.00	91.00	91.00	97.00	96.00	95.00	94.00	94.00
MINIMUM	63.00	73.00	73.00	60.00	55.00	77.00	75.00	86.00	84.00	82.00	82.00	74.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
31355.00	85.90	97.00	55.00

1989/ 9/14 (THU) 15:42:17

YEAR : 1976

DATA : DAILY RELATIVE HUMIDITY STATION : SALAMIN

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	92.00	93.00	90.00	83.00	85.00	87.00	87.00	78.00	88.00	90.00	88.00	88.00
2	92.00	90.00	91.00	88.00	89.00	82.00	87.00	90.00	85.00	89.00	87.00	86.00
3	90.00	90.00	91.00	90.00	82.00	89.00	84.00	73.00	85.00	85.00	86.00	90.00
4	93.00	92.00	90.00	73.00	87.00	88.00	88.00	70.00	85.00	88.00	90.00	90.00
5	94.00	90.00	90.00	86.00	86.00	89.00	88.00	84.00	87.00	88.00	87.00	92.00
6	93.00	89.00	90.00	78.00	88.00	84.00	88.00	86.00	85.00	88.00	86.00	93.00
7	90.00	90.00	90.00	84.00	86.00	84.00	85.00	85.00	84.00	87.00	87.00	86.00
8	90.00	92.00	90.00	85.00	78.00	87.00	87.00	84.00	86.00	82.00	89.00	83.00
9	93.00	90.00	86.00	86.00	85.00	88.00	86.00	90.00	85.00	87.00	87.00	95.00
10	93.00	91.00	89.00	89.00	86.00	87.00	88.00	86.00	89.00	88.00	89.00	83.00
11	92.00	92.00	88.00	89.00	90.00	88.00	84.00	90.00	89.00	90.00	88.00	85.00
12	92.00	93.00	91.00	90.00	85.00	85.00	87.00	86.00	88.00	86.00	86.00	85.00
13	92.00	94.00	90.00	80.00	87.00	87.00	81.00	84.00	85.00	86.00	86.00	84.00
14	92.00	93.00	85.00	75.00	87.00	85.00	88.00	89.00	88.00	84.00	89.00	85.00
15	92.00	91.00	90.00	79.00	88.00	85.00	85.00	88.00	85.00	88.00	87.00	88.00
16	92.00	91.00	88.00	69.00	84.00	86.00	86.00	89.00	87.00	89.00	87.00	87.00
17	93.00	91.00	89.00	66.00	85.00	83.00	86.00	88.00	86.00	90.00	85.00	85.00
18	90.00	92.00	89.00	68.00	79.00	84.00	77.00	85.00	90.00	87.00	86.00	87.00
19	90.00	91.00	86.00	84.00	79.00	80.00	88.00	88.00	82.00	88.00	86.00	89.00
20	92.00	91.00	87.00	84.00	88.00	85.00	88.00	88.00	80.00	88.00	92.00	87.00
21	91.00	92.00	89.00	74.00	86.00	86.00	85.00	85.00	86.00	89.00	88.00	83.00
22	91.00	90.00	91.00	75.00	86.00	87.00	88.00	85.00	88.00	87.00	90.00	85.00
23	92.00	91.00	88.00	82.00	86.00	87.00	86.00	86.00	89.00	78.00	90.00	87.00
24	93.00	90.00	89.00	84.00	80.00	87.00	85.00	88.00	88.00	87.00	86.00	93.00
25	92.00	91.00	85.00	85.00	87.00	83.00	83.00	86.00	86.00	88.00	91.00	90.00
26	92.00	89.00	84.00	85.00	77.00	86.00	84.00	87.00	89.00	88.00	82.00	88.00
27	90.00	90.00	87.00	85.00	86.00	86.00	88.00	86.00	82.00	89.00	89.00	87.00
28	90.00	91.00	89.00	86.00	86.00	86.00	84.00	85.00	87.00	89.00	82.00	90.00
29	90.00	92.00	86.00	87.00	89.00	84.00	87.00	87.00	89.00	88.00	84.00	90.00
30	90.00	84.00	87.00	83.00	88.00	88.00	85.00	88.00	88.00	87.00	89.00	88.00
31	90.00	82.00	86.00	86.00	86.00	86.00	86.00	85.00	88.00	87.00	89.00	89.00
TOTAL	2838.00	2642.00	2736.00	2456.00	2665.00	2586.00	2664.00	2641.00	2594.00	2703.00	2625.00	2719.00
AVERAGE	91.55	91.10	88.26	81.87	85.32	86.20	85.94	85.19	86.47	87.19	87.53	87.71
MAXIMUM	94.00	94.00	91.00	90.00	90.00	89.00	88.00	90.00	90.00	90.00	92.00	95.00
MINIMUM	90.00	89.00	82.00	66.00	77.00	80.00	77.00	70.00	80.00	78.00	82.00	82.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
31850.00	87.02	95.00	66.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAHIN

YEAR : 1977

DAYs	1	2	3	4	5	6	7	8	9	10	11	12
1	90.00	89.00	89.00	89.00	89.00	91.00	92.00	91.00	92.00	93.00	95.00	84.00
2	90.00	89.00	89.00	90.00	89.00	89.00	91.00	91.00	90.00	92.00	92.00	83.00
3	89.00	90.00	89.00	91.00	87.00	90.00	91.00	91.00	92.00	92.00	93.00	84.00
4	89.00	90.00	89.00	91.00	87.00	90.00	91.00	91.00	92.00	94.00	90.00	85.00
5	89.00	89.00	89.00	89.00	89.00	91.00	92.00	91.00	92.00	90.00	97.00	84.00
6	88.00	88.00	89.00	89.00	85.00	91.00	91.00	91.00	92.00	92.00	91.00	83.00
7	89.00	88.00	88.00	89.00	85.00	91.00	91.00	92.00	92.00	91.00	92.00	85.00
8	90.00	90.00	90.00	91.00	91.00	91.00	91.00	87.00	92.00	91.00	92.00	85.00
9	88.00	89.00	90.00	88.00	91.00	89.00	91.00	92.00	94.00	92.00	91.00	84.00
10	87.00	90.00	90.00	89.00	91.00	88.00	92.00	90.00	93.00	93.00	91.00	83.00
11	88.00	92.00	91.00	91.00	91.00	92.00	92.00	92.00	91.00	93.00	93.00	83.00
12	90.00	89.00	89.00	90.00	90.00	91.00	92.00	92.00	93.00	95.00	92.00	83.00
13	90.00	90.00	91.00	90.00	91.00	89.00	90.00	91.00	92.00	92.00	90.00	83.00
14	89.00	91.00	88.00	90.00	90.00	91.00	92.00	92.00	88.00	92.00	90.00	84.00
15	91.00	89.00	91.00	90.00	91.00	91.00	90.00	92.00	87.00	92.00	87.00	84.00
16	91.00	90.00	90.00	89.00	89.00	91.00	92.00	90.00	89.00	83.00	91.00	84.00
17	89.00	90.00	90.00	89.00	91.00	91.00	89.00	90.00	89.00	91.00	89.00	84.00
18	89.00	89.00	89.00	88.00	88.00	88.00	94.00	90.00	92.00	95.00	88.00	85.00
19	90.00	90.00	90.00	88.00	90.00	90.00	92.00	91.00	92.00	92.00	89.00	85.00
20	90.00	91.00	91.00	89.00	91.00	90.00	92.00	92.00	90.00	94.00	90.00	85.00
21	91.00	92.00	91.00	92.00	88.00	91.00	92.00	87.00	92.00	94.00	90.00	85.00
22	92.00	90.00	90.00	89.00	87.00	91.00	90.00	90.00	92.00	92.00	91.00	86.00
23	91.00	90.00	91.00	90.00	89.00	92.00	94.00	90.00	93.00	93.00	92.00	86.00
24	89.00	89.00	91.00	90.00	92.00	89.00	94.00	91.00	88.00	95.00	91.00	85.00
25	91.00	91.00	90.00	90.00	91.00	92.00	94.00	93.00	89.00	95.00	91.00	85.00
26	91.00	89.00	91.00	91.00	85.00	92.00	91.00	93.00	89.00	91.00	81.00	85.00
27	90.00	90.00	91.00	90.00	88.00	92.00	92.00	93.00	91.00	95.00	84.00	85.00
28	91.00	91.00	90.00	91.00	89.00	92.00	93.00	91.00	91.00	92.00	85.00	85.00
29	90.00	91.00	88.00	89.00	91.00	89.00	93.00	93.00	91.00	95.00	85.00	87.00
30	89.00	90.00	90.00	89.00	91.00	90.00	91.00	91.00	91.00	95.00	83.00	86.00
31	91.00	91.00	89.00	91.00	91.00	93.00	92.00	93.00	92.00	93.00	91.00	84.00
TOTAL	2782.00	2515.00	2785.00	2891.00	2766.00	2710.00	2845.00	2822.00	2733.00	2876.00	2703.00	2622.00
AVERAGE	89.74	89.82	89.84	89.70	89.23	90.33	91.77	91.03	91.10	92.77	90.10	84.58
MAXIMUM	92.00	92.00	91.00	92.00	92.00	92.00	94.00	93.00	94.00	95.00	97.00	87.00
MINIMUM	87.00	88.00	88.00	88.00	85.00	86.00	89.00	87.00	87.00	90.00	81.00	83.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
32850.00	90.00	97.00	81.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAHIN

YEAR : 1978

DAYs	1	2	3	4	5	6	7	8	9	10	11	12
1	86.00	85.00	85.00	89.00	91.00	91.00	92.00	94.00	92.00	94.00	90.00	90.00
2	84.00	84.00	85.00	90.00	91.00	92.00	92.00	94.00	93.00	95.00	90.00	90.00
3	84.00	86.00	85.00	89.00	87.00	92.00	91.00	93.00	92.00	92.00	94.00	93.00
4	85.00	86.00	85.00	86.00	87.00	92.00	91.00	94.00	92.00	95.00	90.00	91.00
5	81.00	85.00	83.00	88.00	79.00	92.00	92.00	95.00	92.00	94.00	90.00	91.00
6	85.00	84.00	85.00	88.00	93.00	92.00	92.00	97.00	92.00	94.00	91.00	89.00
7	85.00	84.00	86.00	91.00	84.00	92.00	92.00	93.00	90.00	96.00	92.00	90.00
8	85.00	84.00	85.00	87.00	96.00	92.00	91.00	93.00	90.00	94.00	92.00	92.00
9	86.00	85.00	86.00	91.00	87.00	92.00	92.00	94.00	89.00	94.00	95.00	90.00
10	85.00	86.00	95.00	91.00	88.00	93.00	94.00	95.00	93.00	92.00	93.00	91.00
11	86.00	85.00	88.00	91.00	82.00	92.00	92.00	93.00	97.00	92.00	92.00	90.00
12	86.00	85.00	88.00	82.00	92.00	92.00	92.00	92.00	91.00	92.00	93.00	89.00
13	85.00	85.00	88.00	81.00	92.00	92.00	93.00	93.00	92.00	95.00	94.00	89.00
14	83.00	85.00	89.00	80.00	92.00	91.00	93.00	96.00	92.00	92.00	95.00	88.00
15	84.00	86.00	90.00	91.00	92.00	92.00	92.00	97.00	91.00	94.00	95.00	88.00
16	85.00	85.00	88.00	83.00	92.00	92.00	91.00	95.00	91.00	93.00	94.00	88.00
17	84.00	85.00	88.00	81.00	92.00	92.00	92.00	95.00	95.00	92.00	95.00	86.00
18	84.00	86.00	87.00	93.00	92.00	92.00	92.00	93.00	93.00	92.00	94.00	88.00
19	86.00	86.00	90.00	91.00	92.00	92.00	92.00	93.00	94.00	93.00	92.00	91.00
20	85.00	87.00	90.00	91.00	92.00	92.00	92.00	95.00	93.00	95.00	93.00	91.00
21	89.00	86.00	91.00	85.00	92.00	95.00	94.00	93.00	90.00	93.00	94.00	88.00
22	88.00	85.00	89.00	89.00	93.00	93.00	93.00	94.00	95.00	94.00	94.00	88.00
23	86.00	85.00	88.00	86.00	90.00	94.00	94.00	93.00	94.00	91.00	90.00	88.00
24	85.00	86.00	88.00	86.00	92.00	92.00	94.00	94.00	94.00	92.00	91.00	90.00
25	85.00	85.00	88.00	86.00	92.00	93.00	95.00	87.00	94.00	92.00	91.00	89.00
26	86.00	86.00	88.00	88.00	93.00	93.00	95.00	91.00	93.00	93.00	90.00	88.00
27	95.00	86.00	90.00	88.00	92.00	93.00	92.00	95.00	94.00	90.00	90.00	88.00
28	85.00	87.00	90.00	82.00	91.00	94.00	94.00	93.00	94.00	94.00	91.00	92.00
29	85.00	90.00	90.00	87.00	92.00	93.00	92.00	94.00	93.00	94.00	90.00	90.00
30	85.00	90.00	90.00	88.00	92.00	92.00	92.00	90.00	95.00	84.00	92.00	88.00
31	86.00	90.00	91.00	91.00	91.00	92.00	92.00	92.00	90.00	90.00	89.00	89.00
TOTAL	2647.00	2385.00	2726.00	2617.00	2803.00	2771.00	2869.00	2904.00	2775.00	2894.00	2770.00	2773.00
AVERAGE	85.39	85.18	87.87	87.23	90.42	92.37	92.55	93.68	92.50	93.35	92.33	89.43
MAXIMUM	95.00	87.00	95.00	93.00	96.00	95.00	95.00	97.00	95.00	97.00	96.00	93.00
MINIMUM	81.00	86.00	83.00	80.00	79.00	91.00	91.00	87.00	89.00	84.00	90.00	86.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
32932.00	90.22	97.00	79.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAMIN

YEAR : 1979

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	90.00	85.00	92.00	97.00	83.00	84.00	80.00	82.00		97.00	96.00	94.00
2	70.00	93.00	98.00	97.00	78.00	77.00	79.00	83.00		94.00	96.00	94.00
3	91.00	94.00	95.00	95.00	83.00	82.00	80.00	78.00		96.00	98.00	97.00
4	99.00	94.00	95.00	92.00	82.00	85.00	81.00	79.00		98.00	89.00	96.00
5	94.00	91.00	94.00	88.00	76.00	84.00	81.00	78.00		94.00	94.00	95.00
6	94.00	89.00	95.00	87.00	76.00	88.00	80.00	79.00		94.00	90.00	96.00
7	96.00	87.00	97.00	87.00	77.00	89.00	81.00	83.00		96.00	91.00	96.00
8	96.00	95.00	98.00	78.00	72.00	83.00	79.00	85.00		97.00	98.00	93.00
9	95.00	90.00	97.00	80.00	77.00	74.00	77.00	81.00		97.00	97.00	94.00
10	96.00	84.00	97.00	82.00	78.00	89.00	77.00	80.00		94.00	98.00	93.00
11	94.00	95.00	95.00	78.00	81.00	74.00	84.00	77.00		96.00	95.00	94.00
12	89.00	93.00	94.00	75.00	81.00	89.00	84.00	79.00		94.00	93.00	95.00
13	89.00	98.00	95.00	83.00	74.00	86.00	84.00	84.00		94.00	92.00	96.00
14	88.00	89.00	94.00	73.00	78.00	84.00	80.00	85.00		95.00	98.00	95.00
15	88.00	95.00	95.00	87.00	80.00	89.00	79.00	80.00		97.00	94.00	97.00
16	89.00	98.00	94.00	80.00	88.00	87.00	73.00	84.00		95.00	97.00	97.00
17	91.00	90.00	95.00	78.00	81.00	86.00	71.00	84.00		94.00	95.00	93.00
18	89.00	98.00	93.00	85.00	81.00	84.00	79.00	84.00		96.00	98.00	93.00
19	89.00	96.00	95.00	82.00	76.00	87.00	79.00	85.00	92.00	97.00	96.00	92.00
20	90.00	96.00	95.00	91.00	96.00	86.00	78.00	84.00	94.00	95.00	93.00	95.00
21	95.00	98.00	95.00	87.00	93.00	86.00	73.00	86.00	94.00	96.00	97.00	94.00
22	96.00	95.00	98.00	86.00	83.00	87.00	74.00	85.00	92.00	94.00	95.00	98.00
23	94.00	99.00	94.00	82.00	92.00	90.00	79.00	85.00	98.00	98.00	97.00	95.00
24	92.00	93.00	93.00	78.00	94.00	85.00	84.00	89.00	91.00	93.00	96.00	92.00
25	96.00	97.00	96.00	78.00	78.00	88.00	78.00	83.00	92.00	94.00	98.00	97.00
26	89.00	96.00	99.00	81.00	84.00	85.00	79.00	86.00	96.00	96.00	94.00	94.00
27	96.00	93.00	96.00	95.00	78.00	85.00	76.00	86.00	98.00	94.00	93.00	95.00
28	87.00	95.00	96.00	91.00	85.00	91.00	77.00	85.00	96.00	91.00	94.00	95.00
29	94.00		97.00	82.00	85.00	91.00	78.00	84.00	94.00	94.00	95.00	94.00
30	87.00		98.00	82.00	86.00	84.00	78.00	85.00	96.00	92.00	92.00	95.00
31	95.00		97.00		78.00		76.00	81.00		95.00		93.00
TOTAL	2862.00	2811.00	2965.00	2555.00	2534.00	2569.00	2440.00	2545.00	1133.00	2948.00	2854.00	2941.00
AVERAGE	92.32	90.35	95.65	86.50	81.74	85.63	78.71	82.74	94.42	95.10	95.20	94.87
MAXIMUM	99.00	98.00	99.00	97.00	96.00	91.00	84.00	85.00	98.00	98.00	98.00	98.00
MINIMUM	87.00	84.00	93.00	73.00	72.00	74.00	71.00	77.00	91.00	91.00	89.00	92.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
30959.00	89.22	99.00	71.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAMIN

YEAR : 1980

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	95.00	95.00	90.00	85.00	73.00	92.00	93.00	97.00	94.00	96.00	96.00	93.00
2	95.00	95.00	94.00	80.00	74.00	92.00	88.00	94.00	97.00	96.00	96.00	96.00
3	94.00	96.00	93.00	84.00	75.00	94.00	96.00	95.00	98.00	92.00	96.00	94.00
4	95.00	93.00	94.00	84.00	84.00	93.00	96.00	95.00	98.00	98.00	94.00	97.00
5	95.00	92.00	97.00	84.00	88.00	90.00	94.00	96.00	97.00	95.00	97.00	93.00
6	94.00	92.00	95.00	86.00	88.00	95.00	93.00	96.00	95.00	98.00	98.00	94.00
7	95.00	82.00	95.00	83.00	84.00	94.00	95.00	94.00	95.00	94.00	96.00	97.00
8	96.00	93.00	96.00	94.00	83.00	94.00	94.00	96.00	94.00	97.00	93.00	95.00
9	97.00	90.00	94.00	86.00	85.00	87.00	94.00	96.00	96.00	95.00	94.00	94.00
10	96.00	93.00	97.00	88.00	78.00	85.00	94.00	96.00	94.00	96.00	95.00	95.00
11												
12	97.00	92.00	94.00	88.00	70.00	92.00	94.00	96.00	95.00	92.00	96.00	95.00
13	97.00	91.00	94.00	90.00	68.00	94.00	97.00	96.00	94.00	94.00	94.00	94.00
14	95.00	90.00	92.00	82.00	71.00	91.00	94.00	95.00	96.00	92.00	95.00	93.00
15	98.00	92.00	83.00	79.00	74.00	94.00	92.00	78.00	95.00	94.00	91.00	96.00
16	95.00	92.00	89.00	82.00	76.00	94.00	92.00	95.00	98.00	94.00	96.00	94.00
17	94.00	90.00	94.00	78.00	78.00	94.00	88.00	95.00	98.00	97.00	98.00	95.00
18	97.00	95.00	90.00	84.00	74.00	88.00	90.00	96.00	98.00	94.00	97.00	94.00
19	97.00	94.00	89.00	84.00	81.00	84.00	96.00	94.00	93.00	96.00	93.00	94.00
20	92.00	95.00	91.00	74.00	92.00	90.00	94.00	96.00	97.00	94.00	90.00	94.00
21	95.00	93.00	91.00	76.00	76.00	94.00	90.00	98.00	96.00	96.00	94.00	93.00
22	95.00	92.00	84.00	79.00	76.00	94.00	93.00	97.00	96.00	96.00	93.00	95.00
23	95.00	93.00	89.00	76.00	94.00	96.00	94.00	98.00	94.00	96.00	92.00	96.00
24	95.00	94.00	83.00	77.00	98.00	92.00	92.00	97.00	96.00	96.00	92.00	93.00
25	97.00	97.00	80.00	77.00	98.00	92.00	96.00	98.00	93.00	94.00	94.00	97.00
26	94.00	93.00	87.00	83.00	95.00	92.00	96.00	97.00	94.00	96.00	89.00	95.00
27	94.00	90.00	86.00	75.00	92.00	83.00	92.00	98.00	94.00	98.00	94.00	93.00
28	95.00	95.00	90.00	75.00	94.00	96.00	93.00	94.00	92.00	93.00	92.00	95.00
29	95.00	93.00	84.00	78.00	92.00	97.00	94.00	94.00	76.00	91.00	89.00	95.00
30	95.00		88.00	76.00	83.00	94.00	96.00	92.00	97.00	96.00	89.00	98.00
31	93.00		81.00		94.00		94.00	94.00		98.00		97.00
TOTAL	2951.00	2695.00	2800.00	2458.00	2591.00	2771.00	2900.00	2985.00	2865.00	2952.00	2816.00	2942.00
AVERAGE	95.19	92.93	90.32	81.87	83.58	92.32	93.55	95.65	95.50	95.83	93.87	94.90
MAXIMUM	98.00	97.00	97.00	94.00	98.00	97.00	97.00	98.00	98.00	98.00	98.00	98.00
MINIMUM	92.00	90.00	80.00	74.00	68.00	84.00	88.00	92.00	92.00	91.00	89.00	93.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
33704.00	92.08	98.00	88.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAHIN

YEAR : 1981

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	96.00	95.00	91.00	89.00	84.00	75.00	94.00	94.00	95.00	92.00	94.00	93.00
2	95.00	95.00	93.00	92.00	92.00	93.00	92.00	96.00	97.00	92.00	96.00	93.00
3	97.00	97.00	91.00	89.00	78.00	96.00	86.00	92.00	94.00	96.00	95.00	86.00
4	96.00	97.00	90.00	87.00	86.00	78.00	94.00	92.00	95.00	92.00	94.00	92.00
5	97.00	98.00	92.00	87.00	74.00	92.00	92.00	93.00	92.00	94.00	94.00	94.00
6	97.00	97.00	95.00	88.00	74.00	94.00	98.00	94.00	92.00	94.00	93.00	95.00
7	98.00	97.00	94.00	89.00	90.00	94.00	94.00	94.00	90.00	94.00	94.00	96.00
8	98.00	97.00	94.00	85.00	87.00	93.00	92.00	93.00	93.00	95.00	95.00	91.00
9	98.00	97.00	93.00	87.00	78.00	93.00	94.00	92.00	96.00	97.00	96.00	95.00
10	96.00	95.00	90.00	83.00	81.00	92.00	98.00	94.00	92.00	94.00	91.00	94.00
11	95.00		95.00	78.00	78.00	92.00	95.00	91.00	95.00	98.00	93.00	94.00
12	96.00		95.00	89.00	84.00	95.00	94.00	94.00	95.00	95.00	96.00	98.00
13	98.00		93.00	87.00	84.00	94.00	92.00	98.00	91.00	94.00	92.00	98.00
14	96.00	96.00	91.00	90.00	91.00	98.00	92.00	92.00	94.00	95.00	97.00	96.00
15	95.00	97.00	93.00	88.00	85.00	94.00	98.00	92.00	92.00	96.00	96.00	95.00
16	96.00	95.00	90.00	86.00	85.00	98.00	93.00	93.00	94.00	96.00	94.00	89.00
17	97.00	96.00	91.00	84.00	82.00	94.00	93.00	92.00	91.00	96.00	90.00	93.00
18	94.00	95.00	88.00	91.00	92.00	92.00	95.00	92.00	94.00	96.00	95.00	94.00
19	96.00	95.00	91.00	84.00	94.00	93.00	92.00	92.00	92.00	96.00	93.00	93.00
20	95.00	90.00	91.00	88.00	92.00	93.00	88.00	92.00	92.00	98.00	96.00	94.00
21	97.00	95.00	60.00	83.00	92.00	95.00	93.00	94.00	93.00	97.00	95.00	89.00
22	98.00	95.00	91.00	86.00	92.00	92.00	96.00	95.00	94.00	94.00	94.00	95.00
23	93.00	93.00	90.00	88.00	91.00	94.00	94.00	96.00	88.00	92.00	96.00	91.00
24	98.00	95.00	84.00	87.00	98.00	94.00	94.00	96.00	95.00	96.00	98.00	96.00
25	93.00	95.00	87.00	84.00	92.00	94.00	96.00	94.00	89.00	92.00	98.00	93.00
26	95.00	91.00	91.00	83.00	95.00	94.00	92.00	94.00	92.00	93.00	97.00	94.00
27	94.00	90.00	84.00	87.00	92.00	97.00	96.00	92.00	94.00	88.00	93.00	98.00
28	91.00	94.00	87.00	84.00	88.00	98.00	96.00	95.00	92.00	94.00	95.00	99.00
29	95.00		88.00	84.00	94.00	97.00	97.00	96.00	93.00	94.00	95.00	92.00
30	94.00		89.00	84.00	95.00	94.00	96.00	97.00	92.00	94.00	92.00	97.00
31	90.00		85.00		92.00		97.00	94.00		93.00		96.00
TOTAL	2946.00	2977.00	2809.00	2581.00	2716.00	2832.00	2907.00	2804.00	2768.00	2925.00	2837.00	2917.00
AVERAGE	95.03	95.08	90.61	86.37	87.61	94.40	93.77	93.42	92.93	94.29	94.57	94.10
MAXIMUM	98.00	98.00	95.00	92.00	98.00	98.00	98.00	97.00	97.00	98.00	98.00	99.00
MINIMUM	90.00	90.00	84.00	78.00	76.00	92.00	86.00	88.00	88.00	88.00	90.00	86.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
33559.00	92.70	99.00	76.00

DATA : DAILY RELATIVE HUMIDITY STATION : SALAHIN

YEAR : 1985

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	96.00	98.00	93.00	94.00	97.00	98.00	99.00	96.00	93.00	87.00	94.00	0.0
2	96.00	95.00	92.00	91.00	85.00	98.00	98.00	98.00	92.00	91.00	96.00	0.0
3	96.00	98.00	91.00	89.00	86.00	96.00	98.00	92.00	93.00	98.00	96.00	0.0
4	98.00	93.00	92.00	88.00	96.00	94.00	99.00	97.00	90.00	97.00	94.00	0.0
5	96.00	90.00	91.00	92.00	90.00	99.00	98.00	98.00	97.00	88.00	93.00	0.0
6	98.00	91.00	95.00	94.00	94.00	94.00	96.00	98.00	93.00	88.00	92.00	0.0
7	97.00	90.00	91.00	91.00	96.00	96.00	98.00	98.00	95.00	94.00	98.00	0.0
8	95.00	97.00	96.00	85.00	85.00	97.00	97.00	99.00	93.00	91.00	92.00	0.0
9	97.00	95.00	93.00	92.00	87.00	96.00	98.00	96.00	94.00	92.00	92.00	0.0
10	97.00	92.00	93.00	94.00	96.00	96.00	99.00	98.00	97.00	90.00	92.00	0.0
11	96.00	91.00	89.00	98.00	90.00	97.00	97.00	96.00	92.00	90.00	93.00	0.0
12	95.00	98.00	96.00	95.00	94.00	96.00	98.00	99.00	92.00	92.00	94.00	0.0
13	99.00	95.00	93.00	94.00	89.00	97.00	97.00	94.00	92.00	94.00	92.00	0.0
14	98.00	92.00	95.00	95.00	85.00	98.00	96.00	98.00	92.00	99.00	92.00	0.0
15	97.00	95.00	90.00	80.00	85.00	98.00	99.00	98.00	92.00	99.00	91.00	0.0
16	96.00	92.00	90.00	88.00	93.00	96.00	99.00	93.00	98.00	96.00	94.00	0.0
17	95.00	97.00	95.00	94.00	85.00	97.00	95.00	97.00	96.00	99.00	92.00	0.0
18	98.00	98.00	93.00	87.00	90.00	94.00	97.00	98.00	89.00	98.00	96.00	0.0
19	95.00	95.00	93.00	92.00	98.00	94.00	95.00	98.00	92.00	92.00	90.00	0.0
20	96.00	99.00	93.00	89.00	90.00	98.00	95.00	98.00	98.00	92.00	92.00	0.0
21	98.00	96.00	93.00	92.00	85.00	98.00	97.00	98.00	92.00	92.00	93.00	0.0
22	95.00	95.00	95.00	92.00	98.00	96.00	97.00	98.00	90.00	92.00	90.00	97.00
23	99.00	90.00	96.00	81.00	94.00	98.00	99.00	97.00	93.00	97.00	0.0	94.00
24	93.00	96.00	96.00	87.00	95.00	95.00	98.00	97.00	94.00	97.00	0.0	91.00
25	93.00	93.00	96.00	86.00	94.00	98.00	99.00	98.00	92.00	96.00	0.0	96.00
26	96.00	91.00	96.00	88.00	98.00	98.00	98.00	99.00	92.00	92.00	0.0	90.00
27	95.00	94.00	86.00	91.00	98.00	99.00	94.00	92.00	96.00	93.00	0.0	93.00
28	96.00	92.00	92.00	93.00	94.00	96.00	99.00	91.00	90.00	90.00	0.0	91.00
29	95.00		93.00	90.00	94.00	99.00	99.00	98.00	89.00	94.00	0.0	93.00
30	96.00		95.00	95.00	96.00	99.00	98.00	95.00	92.00	98.00	0.0	92.00
31	95.00		91.00		98.00		99.00	92.00		90.00		93.00
TOTAL	2984.00	2638.00	2883.00	2707.00	2863.00	2905.00	3022.00	3000.00	2787.00	2900.00	2648.00	930.00
AVERAGE	96.26	94.21	95.00	90.23	92.35	96.93	97.48	96.77	92.90	93.55	88.27	30.00
MAXIMUM	99.00	99.00	96.00	96.00	98.00	99.00	99.00	99.00	98.00	99.00	98.00	97.00
MINIMUM	93.00	90.00	86.00	80.00	85.00	94.00	94.00	91.00	89.00	87.00	0.0	0.0

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
31479.00	85.77	99.00	0.0

A-1-(4) DAILY EVAPORATION

- a. Sop Han 1967 - 86
- b. Ban Tha Rua 1970 - 86

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1987

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.50	4.50	4.50	6.50	8.00	4.80	4.50	5.00	1.00	3.00	2.00	4.00
2	3.50	5.00	5.50	7.50	10.00	3.80	2.00	1.50	0.50	0.80	2.00	2.00
3	4.50	5.00	5.50	8.00	7.00	7.00	6.00	2.00	4.00	3.50	4.00	1.80
4	4.50	4.50	5.00	8.50	8.00	4.00	1.70	2.50	2.00	4.00	3.00	3.00
5	4.00	5.00	5.70	7.50	7.50	4.50	5.50	3.70	3.00	4.50	3.50	1.50
6	3.00	5.50	5.50	8.00	7.00	2.00	3.80	3.00	4.50	4.50	3.00	1.00
7	4.00	5.50	6.00	7.50	8.50	4.00	2.50	2.00	5.00	4.00	4.00	1.40
8	3.50	5.50	3.50	8.50	9.00	6.50	2.20	1.00	3.10	5.00	4.50	1.50
9	3.50	7.00	4.80	7.50	8.50	5.90	1.00	4.50	5.00	4.00	4.00	1.00
10	4.00	5.00	5.00	7.00	6.00	3.00	3.80	6.00	1.10	6.80	3.50	1.50
11	3.50	5.00	4.50	8.00	9.00	3.00	4.50	1.70	2.00	4.00	3.70	1.80
12	3.50	5.00	4.50	8.50	8.00	3.50	4.10	2.00	4.70	2.90	4.00	2.00
13	4.00	4.50	5.00	8.50	6.00	5.80	3.00	3.00	4.00	4.00	3.80	2.50
14	3.00	5.00	6.00	8.00	7.00	5.00	4.30	1.50	7.20	4.50	1.00	2.00
15	4.00	4.00	5.50	8.00	4.50	3.00	2.80	4.00	1.50	7.00	3.00	2.00
16	4.50	4.50	6.50	7.50	7.80	5.50	0.60	1.50	0.90	9.50	3.00	2.50
17	5.00	4.00	6.00	8.50	4.30	1.00	3.30	1.30	4.00	4.50	3.00	2.50
18	6.50	5.00	5.50	9.80	2.50	10.00	5.00	3.50	3.00	4.50	3.00	2.50
19	4.00	4.50	6.00	9.00	3.00	4.90	5.00	0.40	7.00	6.00	2.00	2.00
20	4.50	4.00	5.50	5.00	4.00	3.50	6.00	2.10	5.00	3.50	2.00	4.50
21	4.00	4.50	6.50	6.00	2.20	7.00	5.00	3.50	8.00	4.40	2.00	3.00
22	4.50	4.50	7.00	6.00	3.00	4.00	5.80	0.20	1.50	2.00	3.00	1.00
23	4.50	4.50	6.50	7.50	5.20	9.00	3.50	1.00	1.80	2.20	2.50	1.50
24	4.50	5.00	6.00	8.00	6.00	2.00	2.50	5.10	3.50	4.50	3.00	2.00
25	4.00	5.40	6.50	7.00	4.00	6.00	0.80	8.00	1.20	0.50	2.00	2.50
26	4.50	5.50	6.00	8.00	3.50	7.00	2.80	4.50	3.00	3.00	2.00	2.00
27	4.50	5.50	7.00	7.50	5.00	5.00	1.00	4.00	5.40	3.10	2.00	1.50
28	6.00	5.00	6.50	7.50	5.00	3.50	2.40	0.50	6.00	4.00	2.50	2.00
29	6.50	5.50	5.50	8.00	5.00	1.00	3.50	1.00	3.80	4.00	2.50	2.50
30	4.50	4.00	7.00	8.00	6.00	4.50	5.00	4.00	4.00	3.00	2.00	2.00
31	5.00	7.00	3.00	3.00	3.00	2.80	3.00	3.00	4.00	4.00	2.00	2.00
TOTAL	127.00	138.70	179.50	230.60	184.30	144.70	104.70	89.40	107.90	125.40	85.50	65.00
AVERAGE	4.10	4.48	5.79	7.44	5.95	4.67	3.38	2.88	3.48	4.05	2.76	2.10
MAXIMUM	5.00	7.00	7.00	9.80	10.00	10.00	6.00	8.00	8.00	9.50	4.50	4.50
MINIMUM	2.00	4.00	4.50	5.00	2.20	1.00	0.40	0.20	0.50	0.50	1.00	1.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1584.70	4.54	10.80	0.20

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1968

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	4.50	6.00	8.00	6.00	3.00	4.80	4.00	6.50	4.00	4.00	4.00
2	2.00	4.00	5.50	8.00	7.00	5.00	1.50	3.00	5.00	2.00	3.50	3.00
3	2.00	3.50	6.50	8.00	6.00	4.70	1.80	1.00	4.00	1.50	4.50	3.00
4	2.00	4.00	5.80	8.50	6.00	5.00	1.00	4.00	3.50	4.80	3.50	3.00
5	2.50	4.50	5.20	8.00	8.50	1.00	6.00	7.00	5.00	3.80	4.50	4.00
6	2.00	4.00	6.00	8.00	7.00	1.00	5.50	0.50	6.00	6.50	4.00	3.50
7	2.00	4.50	6.00	6.00	2.40	1.50	5.00	4.00	3.00	2.00	3.80	3.00
8	2.00	4.50	5.00	7.00	6.00	3.00	5.00	2.00	2.00	5.00	4.00	3.50
9	2.50	4.50	5.00	7.00	4.30	5.00	2.00	3.50	2.00	3.00	4.00	3.80
10	2.50	4.50	4.00	7.00	4.00	3.90	3.00	1.50	2.00	1.00	4.00	3.50
11	2.50	4.50	6.00	7.00	5.50	2.40	5.00	1.00	1.00	5.00	4.00	3.00
12	2.70	4.50	6.00	7.50	4.00	2.10	3.80	1.00	2.00	3.00	3.50	4.00
13	2.50	4.50	5.50	7.50	7.00	0.20	1.00	2.00	2.00	2.00	4.00	2.00
14	3.80	4.50	4.40	7.50	6.00	3.90	11.00	2.00	4.80	1.00	3.50	3.00
15	4.80	4.50	7.00	8.00	6.20	5.00	6.00	2.00	0.40	2.00	2.50	4.00
16	3.00	5.00	3.00	8.00	6.00	0.60	1.90	6.10	4.00	5.80	4.50	3.00
17	5.10	5.00	5.90	7.00	6.50	4.50	6.50	0.0	4.00	2.00	3.50	3.50
18	2.50	5.00	7.00	7.00	6.80	5.00	7.00	5.00	2.00	2.50	2.80	3.00
19	2.50	5.50	7.00	4.50	7.00	3.10	7.00	5.00	4.00	2.50	3.50	3.00
20	2.00	5.70	6.00	6.50	8.50	4.50	8.00	3.00	5.00	3.50	4.00	2.00
21	3.00	6.00	6.30	7.00	4.90	2.00	1.00	3.00	4.00	3.00	4.00	2.00
22	2.00	5.00	5.00	8.50	6.00	0.70	4.00	1.50	4.00	0.50	3.00	3.00
23	3.00	6.00	6.00	8.00	6.00	3.80	4.00	1.00	4.00	2.00	4.50	3.00
24	3.00	5.50	6.00	8.20	6.00	5.50	6.80	0.50	6.00	2.70	3.80	3.00
25	2.60	6.00	7.00	6.00	6.00	3.00	1.70	0.30	5.00	5.00	3.00	2.50
26	3.00	6.00	6.80	6.00	6.50	3.50	0.30	3.50	3.50	2.50	4.00	1.50
27	3.00	6.00	7.50	3.00	6.20	7.80	8.20	0.0	4.00	3.50	2.50	2.50
28	2.80	7.00	0.0	4.90	6.50	4.00	4.50	0.80	4.00	4.00	3.00	2.00
29	3.60	6.30	0.0	4.00	7.00	3.70	5.30	3.00	4.00	4.00	3.50	1.80
30	3.00	0.0	0.0	7.00	6.00	0.50	1.50	4.00	2.00	5.50	4.50	2.50
31	3.00	7.00	7.00	7.00	7.00	5.90	7.50	6.00	6.00	6.00	4.00	2.50
TOTAL	84.30	167.00	170.80	210.60	191.00	98.90	135.20	86.90	104.70	98.60	111.40	91.10
AVERAGE	2.72	5.39	5.51	7.02	6.16	3.30	4.36	2.80	3.49	3.18	3.71	2.94
MAXIMUM	5.10	7.00	7.50	8.50	8.50	7.80	11.00	7.50	6.50	5.80	4.50	4.00
MINIMUM	2.00	3.50	0.0	4.00	2.40	0.20	0.30	0.0	0.40	0.50	2.50	1.50

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1930.90	6.18	11.00	0.0

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1969

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.50	3.50	6.50	7.00	8.00	0.0	4.60	1.50	4.00	6.00	3.00	2.50
2	3.50	4.00	6.00	8.00	9.00	4.50	4.50	1.50	5.00	3.00	4.00	2.00
3	3.00	4.00	6.00	8.00	9.50	7.00	0.50	1.00	6.00	4.00	3.00	4.00
4	3.00	4.50	7.00	7.50	10.00	6.00	3.50	1.00	1.50	3.00	2.00	1.00
5	3.00	4.50	8.00	8.00	10.00	3.00	5.00	1.50	4.50	3.00	2.00	1.00
6	2.00	4.00	7.00	7.00	7.00	3.00	3.70	1.80	4.00	4.50	3.00	2.00
7	3.00	4.50	6.00	7.00	11.50	5.30	2.00	1.00	4.00	4.00	4.00	0.0
8	4.00	4.00	7.00	7.00	4.50	2.00	3.00	1.50	5.00	5.00	3.50	2.50
9	4.00	4.50	6.00	5.50	6.00	2.00	1.70	2.50	4.00	3.50	4.00	5.00
10	3.00	5.00	4.00	7.00	6.00	2.50	3.70	1.20	5.00	4.00	3.00	5.00
11	3.50	5.00	6.00	7.50	7.00	5.00	5.00	2.00	5.50	4.50	3.50	4.00
12	4.00	5.00	6.00	7.50	7.00	3.00	8.00	1.50	3.50	3.00	3.00	2.00
13	3.00	6.00	4.50	8.00	4.50	3.50	3.50	2.00	3.00	7.00	2.50	1.50
14	4.00	4.50	7.00	8.50	8.00	4.00	2.50	2.00	4.00	1.00	1.00	1.50
15	3.50	5.00	6.50	8.00	8.00	4.00	1.50	2.00	2.50	1.00	3.00	2.00
16	4.00	4.50	5.00	7.00	8.00	4.10	1.30	3.80	5.00	5.00	2.50	2.50
17	4.00	5.00	2.00	8.50	3.00	2.80	1.30	2.50	3.50	4.50	3.00	2.50
18	3.50	5.00	5.50	9.80	6.50	3.00	2.10	2.50	4.50	4.50	3.50	1.50
19	1.00	5.00	6.40	4.00	4.00	3.00	2.90	1.80	2.50	4.00	3.00	2.00
20	2.00	5.00	6.00	7.00	6.50	0.50	3.90	3.00	5.00	5.00	2.50	2.00
21	2.50	5.00	6.00	9.00	7.00	2.00	1.20	4.00	5.00	5.00	1.50	3.00
22	2.50	6.00	7.00	10.00	6.00	3.00	1.00	3.00	4.00	2.00	2.00	2.00
23	3.50	6.00	8.00	10.00	5.00	4.00	5.00	5.50	5.00	4.50	3.00	2.00
24	4.00	5.50	7.00	10.00	4.50	3.80	5.00	4.50	4.50	4.00	2.50	2.00
25	4.00	7.00	7.00	10.50	3.00	3.00	2.50	5.00	5.50	3.00	1.00	2.50
26	3.00	5.00	7.00	10.00	3.00	5.00	1.00	4.00	5.00	6.00	3.00	2.00
27	4.00	6.00	8.00	7.50	3.00	5.00	3.00	4.00	5.30	6.00	3.00	2.00
28	4.50	5.50	7.00	7.50	2.50	8.00	0.50	4.50	5.00	4.50	3.50	2.50
29	2.50	7.50	9.50	3.00	2.00	2.00	1.50	4.00	4.00	3.50	3.00	2.00
30	3.00	8.50	9.00	2.00	3.50	1.90	1.90	4.00	5.00	4.00	3.00	2.50
31	3.50	7.00	0.50	2.00	4.00	2.00	4.00	3.00	3.00	3.00	3.00	3.00
TOTAL	128.50	139.50	198.40	242.40	183.50	104.70	89.40	84.10	131.80	126.70	85.30	74.00
AVERAGE	3.35	4.98	6.40	8.09	5.92	3.58	2.74	2.71	4.39	4.09	2.85	2.39
MAXIMUM	4.50	7.00	8.00	10.50	11.50	7.00	6.60	5.50	6.00	7.00	6.00	5.00
MINIMUM	1.00	3.50	2.00	5.50	0.50	0.0	0.50	1.00	1.50	1.00	1.00	0.0

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1562.30	4.28	11.50	0.0

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1970

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.50	5.50	6.00	9.00	6.00	2.00	3.00	6.00	2.00	2.00	2.00
2	2.50	3.00	6.00	8.00	9.50	3.00	6.00	6.00	3.00	5.00	1.50	3.00
3	2.00	3.00	7.50	2.00	7.00	5.00	6.00	6.00	3.00	6.00	4.00	2.00
4	2.50	4.50	6.00	9.00	9.50	2.00	6.50	5.00	4.00	5.00	3.00	2.00
5	2.50	4.00	6.50	2.00	7.00	3.00	5.00	4.00	4.00	1.50	6.00	3.00
6	2.00	4.00	8.00	4.00	5.00	5.00	3.50	0.50	5.00	7.00	3.00	3.00
7	2.50	4.00	3.00	8.00	9.00	6.00	6.00	4.50	3.00	6.00	5.00	3.50
8	3.00	3.00	6.00	8.00	8.00	4.50	5.00	2.00	6.00	4.00	4.00	2.00
9	2.50	3.00	6.00	7.00	7.00	4.00	0.50	2.50	4.00	4.00	4.00	3.00
10	2.00	3.50	6.50	7.00	8.00	5.00	4.00	6.00	3.00	3.00	4.50	3.00
11	2.00	3.50	6.00	6.50	7.00	5.50	4.00	2.00	3.00	4.00	4.00	3.00
12	2.50	5.00	6.50	5.00	7.50	6.00	4.50	5.00	9.00	5.00	1.00	2.00
13	4.00	4.00	8.00	5.50	8.00	3.00	5.50	6.00	6.00	4.00	5.00	3.00
14	3.50	6.00	7.00	7.00	6.00	3.00	2.00	3.00	4.00	3.00	1.00	3.50
15	3.00	5.00	6.00	6.50	7.00	4.50	2.00	3.00	2.00	4.00	3.00	2.00
16	3.00	5.50	8.00	7.00	3.00	7.50	3.00	5.00	7.00	5.00	2.00	3.00
17	2.50	5.00	6.50	6.50	4.00	6.00	3.50	4.00	8.00	4.00	2.00	3.00
18	2.00	6.00	8.00	8.00	6.00	4.00	4.00	6.00	6.00	4.00	3.00	2.00
19	2.50	5.50	6.50	6.50	6.50	2.00	4.00	6.00	4.00	3.00	4.00	3.00
20	2.50	6.00	7.50	6.00	3.00	5.00	4.00	1.00	4.00	2.00	3.00	3.50
21	3.00	5.00	5.00	9.00	3.00	6.00	4.00	4.00	3.00	2.50	2.00	1.00
22	2.50	4.50	6.00	9.00	6.00	5.00	4.00	2.00	5.00	5.00	3.00	2.00
23	3.50	4.00	7.50	7.50	8.00	1.50	4.00	5.00	5.00	3.00	4.00	2.50
24	3.00	5.00	2.00	8.00	3.00	3.00	4.00	4.00	1.50	3.00	3.00	3.00
25	3.00	5.50	3.00	8.00	6.00	3.50	3.50	4.00	3.00	4.00	2.00	2.00
26	3.00	6.00	5.00	8.00	2.50	5.00	4.00	2.00	1.50	3.00	1.00	4.00
27	3.00	5.50	7.00	8.00	2.00	4.00	6.00	3.00	5.00	2.50	3.00	3.00
28	3.50	6.00	8.00	6.00	6.00	3.00	5.00	5.00	5.00	1.00	2.00	4.00
29	3.00	7.00	8.00	8.00	1.00	2.00	2.50	3.00	6.00	4.00	3.00	1.00
30	4.50	10.50	6.00	6.00	1.00	5.50	6.50	3.00	3.00	2.00	3.00	5.00
31	3.00	9.00	6.00	6.00	4.00	3.50	3.00	3.00	3.50	3.00	3.00	3.00
TOTAL	86.00	128.50	201.00	208.00	181.50	130.50	128.00	116.50	130.00	115.00	88.50	85.00
AVERAGE	2.77	4.59	6.48	6.93	5.85	4.35	4.13	3.74	4.33	3.71	2.95	2.68
MAXIMUM	4.50	6.00	10.50	9.00	9.50	8.00	6.50	6.00	9.00	7.00	3.00	4.00
MINIMUM	2.00	3.00	2.00	2.00	1.00	1.50	0.50	0.50	1.50	1.00	1.00	1.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1594.50	4.37	10.50	0.50

DATA : DAILY EVAPORATION STATION : SDP HAN

YEAR : 1971

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.00	4.00	7.00	7.00	1.30	4.00	1.00	5.00	2.00	2.00	2.00
2	3.00	3.00	4.00	6.00	7.00	4.50	3.60	1.00	3.00	3.50	3.00	3.00
3	4.00	4.00	6.00	5.00	6.00	4.40	4.00	3.50	2.50	1.50	1.00	1.00
4	3.00	5.00	5.00	6.00	7.00	4.00	2.80	3.00	3.60	2.00	2.00	2.00
5	3.00	4.00	5.00	5.00	7.00	2.50	1.80	3.00	3.50	2.00	3.00	1.00
6	3.00	3.00	5.50	5.00	5.00	3.00	6.00	3.50	4.00	2.00	3.00	3.00
7	2.00	3.00	4.00	5.50	6.00	3.50	5.70	4.00	4.00	3.00	3.00	2.00
8	3.00	4.00	6.00	8.00	5.00	4.00	4.30	4.00	3.00	4.00	2.00	2.00
9	2.00	3.00	7.00	6.00	5.00	5.00	3.60	4.30	4.00	3.00	2.00	2.00
10	3.00	4.00	5.00	5.00	6.50	3.00	3.00	3.40	3.00	4.00	2.00	3.00
11	3.00	3.00	6.00	4.00	6.00	3.00	4.00	2.00	5.00	3.00	2.00	2.00
12	2.00	3.00	5.00	3.00	6.00	6.00	3.50	1.50	4.00	4.00	3.00	3.00
13	3.00	4.00	9.00	6.00	7.00	2.50	5.00	3.00	6.00	3.00	4.00	2.00
14	3.00	3.00	2.00	5.00	6.00	4.00	4.00	3.50	5.00	3.00	2.00	2.00
15	3.00	4.00	3.00	7.00	6.50	7.00	2.00	2.00	7.00	3.00	3.00	3.00
16	2.00	4.50	5.00	6.00	7.00	5.00	3.60	5.00	2.70	4.00	2.00	2.00
17	2.50	3.00	4.00	7.00	8.00	4.50	2.80	3.50	3.50	3.00	2.00	2.00
18	3.00	6.00	4.00	6.00	7.00	6.00	3.00	5.50	3.00	3.00	3.00	2.00
19	2.00	4.50	3.00	7.00	8.00	6.50	2.60	5.00	4.00	3.00	2.00	2.00
20	3.00	4.00	4.00	6.00	4.00	3.00	4.40	6.00	6.50	5.00	3.00	2.00
21	2.00	4.50	5.00	4.00	6.00	2.50	2.40	4.00	4.00	3.00	3.00	1.00
22	3.00	3.00	6.00	6.00	7.00	5.00	2.90	3.00	3.00	4.00	3.00	2.00
23	3.00	3.50	6.00	6.00	5.00	3.50	2.30	4.20	4.00	3.00	4.00	2.00
24	3.50	5.00	5.00	5.00	4.00	4.60	2.40	4.00	3.50	2.00	3.00	3.00
25	2.50	4.00	5.00	6.00	7.00	5.00	1.70	3.00	5.00	4.00	2.00	1.50
26	3.00	5.00	5.00	6.00	3.00	6.00	3.00	4.00	2.00	1.00	2.00	2.00
27	2.00	4.00	4.00	6.50	8.00	5.00	3.00	3.50	5.00	4.00	1.00	3.00
28	3.00	3.00	6.00	7.00	7.00	5.00	2.60	3.00	4.00	3.00	2.00	5.00
29	3.00	5.00	7.00	3.00	7.50	1.80	2.00	5.00	1.00	2.00	2.00	2.00
30	3.00	6.00	6.00	5.50	3.00	2.60	4.50	1.50	6.00	3.00	2.00	2.00
31	2.00	5.50	7.00	4.00	7.00	4.00	6.00	4.00	2.00	2.00	3.00	3.00
TOTAL	84.50	107.00	155.00	177.00	189.50	128.80	102.40	110.30	119.30	94.00	74.00	68.50
AVERAGE	2.73	3.42	5.00	5.90	6.11	4.29	3.30	3.56	3.98	3.03	2.47	2.21
MAXIMUM	4.00	6.00	9.00	8.00	8.00	7.50	6.00	6.00	7.00	6.00	4.00	5.00
MINIMUM	2.00	3.00	2.00	4.00	3.00	1.50	1.70	1.00	1.50	1.00	1.00	1.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
1410.30	3.85	9.00	1.00

DATA : DAILY EVAPORATION STATION : SDP HAN

YEAR : 1972

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	4.00	6.00	7.00	7.50	6.00	2.00	3.60	2.70	4.40	3.00	4.00
2	3.00	4.00	6.00	7.00	7.00	3.00	4.00	1.00	2.20	5.70	2.60	2.00
3	2.50	4.50	5.00	7.00	7.00	5.00	3.00	1.50	3.00	3.00	3.00	2.00
4	2.00	4.00	6.00	7.00	7.00	5.10	3.00	1.20	5.00	2.80	3.00	2.00
5	3.00	5.00	6.00	7.00	7.00	5.00	3.00	2.10	5.20	3.00	2.80	3.00
6	3.50	4.00	8.00	7.00	8.00	3.50	3.00	2.00	4.40	4.00	2.50	3.00
7	5.00	5.00	7.00	4.00	4.00	6.00	4.50	4.50	3.80	3.00	1.40	1.00
8	4.00	6.00	5.00	8.00	6.00	2.80	4.00	2.00	2.80	4.00	3.00	1.00
9	3.00	6.00	5.00	7.00	7.00	3.00	4.00	2.00	4.60	5.00	4.00	0.10
10	3.00	5.00	5.00	4.00	6.00	4.00	2.50	6.40	6.00	4.80	3.00	3.00
11	3.00	4.00	8.00	3.50	8.00	3.00	3.40	5.60	4.00	4.00	3.00	2.00
12	3.00	5.00	6.00	8.00	8.00	4.00	2.30	4.50	5.60	3.00	2.00	3.00
13	3.50	4.50	4.00	4.00	8.00	2.00	3.60	2.50	4.00	4.00	3.00	0.50
14	4.00	5.00	6.00	5.00	8.00	4.20	1.30	7.00	6.00	4.00	2.00	3.00
15	2.00	5.00	6.00	6.00	8.00	5.00	1.50	4.40	5.00	5.00	4.00	3.00
16	4.00	4.50	6.00	7.00	8.00	4.50	2.30	4.70	5.00	6.00	2.00	3.00
17	3.00	6.00	7.00	7.00	5.80	3.00	1.30	5.00	4.00	5.00	2.00	3.00
18	3.00	6.00	6.00	7.00	2.00	3.00	7.00	7.00	2.90	3.00	2.20	1.00
19	4.00	6.00	5.00	7.00	4.00	4.00	5.10	5.50	3.80	4.00	3.20	1.00
20	4.00	6.00	6.00	7.00	6.00	4.50	0.10	6.00	3.50	4.20	1.00	2.00
21	3.00	6.00	5.00	7.00	8.00	5.00	0.90	5.50	2.00	3.00	2.40	2.00
22	3.50	6.00	6.50	7.00	6.00	4.00	2.90	2.00	3.30	4.00	3.20	2.00
23	3.00	5.00	4.00	7.00	2.00	5.00	1.50	3.00	4.50	3.00	3.00	2.00
24	3.00	5.00	5.50	7.00	3.00	2.00	2.50	6.00	3.50	3.00	2.40	2.00
25	3.50	6.00	6.00	2.00	3.00	5.50	3.00	4.00	3.00	4.00	3.90	3.00
26	2.00	5.00	6.00	7.00	2.00	7.00	1.60	1.30	4.40	5.00	2.20	2.00
27	2.00	6.00	4.00	7.00	8.00	2.00	0.50	4.00	4.00	3.00	1.00	1.00
28	3.00	6.00	6.00	7.00	2.00	5.50	1.20	3.00	4.70	3.00	3.00	3.00
29	2.00	6.00	6.00	6.50	3.00	2.60	4.40	4.00	4.40	3.00	3.00	1.00
30	2.00	7.00	7.00	8.00	6.00	0.20	4.00	4.00	4.00	3.00	2.00	2.00
31	4.00	6.50	7.00	6.50	4.50	2.20	4.00	4.00	3.00	3.00	2.00	1.00
TOTAL	96.50	150.50	182.50	193.00	185.80	127.20	83.80	119.30	123.10	158.90	78.80	63.60
AVERAGE	3.11	5.19	5.89	6.43	5.99	4.26	2.70	3.85	4.10	5.34	2.63	2.05
MAXIMUM	5.00	6.00	7.00	8.00	8.00	7.00	7.00	7.00	8.00	6.00	4.00	4.00
MINIMUM	2.00	4.00	5.00	2.00	2.00	2.00	0.10	1.00	2.00	2.80	1.00	0.10

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
1525.00	4.16	9.00	0.10

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1973

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	2.00	6.00	4.00	6.50	6.00	4.30		3.50	2.00	3.00	2.00
2	3.00	4.00	6.00	5.00	7.00	6.00	4.30		5.00	4.00	3.00	4.00
3	2.00	4.00	5.00	5.00	3.40	2.00	5.00		3.00	3.00	2.00	2.00
4	3.00	3.00	5.00	6.00	4.80	4.00	4.30		4.50	4.00	2.00	2.00
5	1.00	5.00	6.90	7.00	2.10	4.00	5.00		5.00	2.00	2.00	2.00
6	2.00	5.00	4.00	7.00	3.50	5.00	3.00		2.00	3.00	4.00	2.00
7	3.00	4.00	4.50	7.00	3.30	6.00	2.00		1.00	4.00	2.00	4.00
8	3.00	3.00	2.50	7.00	4.00	3.80	4.70		4.40	3.00	2.00	2.00
9	2.00	4.00	4.00	8.00	7.00	2.60	2.90		5.00	3.00	3.00	2.00
10	2.00	3.00	5.00	8.00	7.00	5.30	4.70		2.00	4.00	2.00	2.00
11	3.00	3.00	6.00	7.00	7.50	3.40	3.50		4.00	4.00	4.80	2.00
12	4.00	4.00	6.50	8.00	5.10	4.00			3.00	3.00	2.50	3.00
13	3.00	4.00	5.00	4.00	3.40	4.00			2.00	4.00	3.00	2.00
14	2.00	4.00	5.00	8.00	8.00	5.00	4.00		3.00	6.00	2.00	3.00
15	3.00	5.00	6.00	7.00	3.60	2.00			4.00	2.00	2.00	2.00
16	5.00	4.00	5.00	8.00	4.70	4.30			3.70	2.00	2.00	2.00
17	3.00	5.00	5.00	9.00	5.00	2.20			2.80	3.00	3.00	3.00
18	4.00	5.00	6.00	8.00	5.50	2.00			3.00	3.00	2.00	2.00
19	3.00	5.00	6.00	8.00	3.40	2.60			3.40	3.20	2.00	2.00
20	2.00	5.00	8.00	9.00	4.10	1.50			5.00	2.00	2.00	2.00
21	4.00	6.00	4.00	4.00	4.50	4.00			4.00	4.00	4.10	2.00
22	3.00	5.00	6.00	6.00	6.00	3.40			2.50	2.00	0.50	3.00
23	3.00	6.00	7.00	7.00	8.00	2.20			3.50	2.00	3.00	2.00
24	2.00	5.00	7.90	9.00	3.50	4.00			5.00	4.00	4.00	2.00
25	4.00	5.00	4.20	4.00	4.50	4.00			3.00	4.20	5.00	4.00
26	2.00	6.00	6.40	8.00	3.20	3.80			5.00	2.10	5.30	2.00
27	4.00	5.00	4.00	9.00	4.00	3.00			4.00	4.00	3.00	2.00
28	2.00	5.00	5.00	9.00	3.70	4.00			5.00	3.20	2.00	2.00
29	3.00		6.00	9.00	7.00	3.00			4.00	3.00	3.00	3.00
30	4.00		4.00	7.00	5.80	3.00			4.00	1.00	2.00	4.00
31	1.00		6.00		6.50				5.00	2.00		3.00
TOTAL	85.00	125.00	167.20	216.00	153.30	108.40	43.70	35.00	100.60	96.30	74.70	76.00
AVERAGE	2.74	4.06	5.39	7.00	4.95	3.42	1.37	1.13	3.25	3.11	2.56	2.45
MAXIMUM	4.00	6.00	8.00	9.00	8.00	6.00	5.00	6.40	6.00	6.00	6.00	6.00
MINIMUM	1.00	2.00	2.50	4.00	2.10	1.50	2.00	3.00	1.00	2.00	0.50	2.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1283.70	3.99	6.00	0.50

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1974

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	2.00	4.00	6.00	6.00	1.50	2.60	4.00	3.60	2.10	3.00	2.00
2	2.00	2.00	3.60	7.00	6.00	3.70	1.50	3.00	1.60	2.00	3.00	2.00
3	2.00	2.00	4.00	8.00	7.00	2.00	3.00	4.00	2.80	5.00	3.00	2.00
4	3.00	2.00	4.00	7.00	7.00	1.50	3.20	2.90	2.00	1.80	2.00	2.00
5	3.00	2.00	4.00	7.00	7.00	3.80	2.20	1.40	3.00	4.00	1.20	2.00
6	2.00	2.00	4.00	7.00	5.70	3.30	3.30	3.50	1.90	2.10	1.20	1.10
7	3.00	2.00	4.00	7.00	7.00	2.70	3.70	2.80	3.00	2.00	1.50	2.00
8	3.00	2.00	3.00	7.00	6.00	3.80	1.60	2.30	1.60	2.00	4.00	2.00
9	2.00	2.00	4.00	5.80	6.00	0.50	1.60	1.90	1.00	0.20	1.00	2.00
10	2.00	2.00	4.00	5.00	7.20	0.10	2.70	1.10	4.00	3.70	2.10	2.00
11	2.00	2.00	5.00	7.00	5.00	2.00	1.40	2.10	1.40	2.00	3.80	2.00
12	3.00	2.00	5.00	6.00	6.50	3.00	3.20	3.70	1.70	3.00	0.70	2.00
13	2.00	3.00	5.00	7.00	4.00	2.80	2.40	3.10	1.70	2.30	1.40	2.00
14	3.00	2.00	6.00	5.00	3.00	3.60	2.40	2.50	3.30	2.00	5.00	2.00
15	2.00	2.00	5.00	5.00	3.00	2.00	2.20	2.50	2.90	2.00	2.00	2.00
16	2.00	2.00	5.00	6.50	5.00	3.30	3.40	1.30	2.00	2.00	2.20	2.00
17	3.00	3.00	4.00	4.00	4.50	3.00	3.70	0.80	3.40	0.70	3.00	2.00
18	2.00	2.00	6.00	7.00	5.00	2.00	1.50	0.60	2.40	1.00	2.00	2.00
19	2.00	3.00	5.00	7.00	3.80	3.00	2.20	0.90	3.00	2.00	2.00	3.00
20	3.00	3.00	6.00	6.80	7.30	3.10	1.20	1.70	3.80	4.70	2.00	2.00
21	3.00	4.00	5.00	7.00	6.40	2.50	3.30	4.00	4.00	3.00	2.00	2.00
22	3.00	4.00	4.00	5.90	2.00	1.60	1.00	3.00	3.00	2.70	2.00	2.00
23	3.00	3.00	4.00	5.40	1.30	2.20	2.40	2.10	5.00	2.20	2.00	2.00
24	2.00	4.00	6.00	6.00	0.70	1.20	1.50	1.00	1.50	2.00	2.00	2.00
25	2.00	4.00	6.00	4.80	3.00	2.30	3.30	1.30	3.50	0.50	2.00	2.00
26	3.00	4.00	6.00	4.50	3.00	4.00	2.00	1.30	1.00	2.00	2.00	3.00
27	3.00	3.00	6.00	5.00	5.00	4.00	3.90	1.20	4.40	3.00	2.00	2.00
28	3.00	4.00	4.00	1.90	3.50	1.70	1.90	2.60	3.00	4.00	2.00	2.00
29	3.00		4.80	1.50	3.40	2.00	1.30	3.50	2.00	3.00	2.00	2.00
30	2.00		5.00	3.00	1.30	4.00	4.30	1.80	3.50	3.00	2.00	2.00
31	2.00		6.10		5.00		2.90	2.70		3.00		2.00
TOTAL	78.00	74.00	149.50	170.50	146.40	76.00	77.60	70.40	80.80	75.00	63.90	64.10
AVERAGE	2.52	2.44	4.82	5.67	4.72	2.53	2.50	2.28	2.64	2.42	2.13	2.07
MAXIMUM	3.00	4.00	6.10	7.00	6.50	4.00	4.30	4.00	5.00	5.00	6.00	3.00
MINIMUM	2.00	2.00	3.00	1.50	0.70	0.10	1.00	0.60	1.00	0.20	0.70	1.10

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1125.80	3.09	6.50	0.10

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1975

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.00	3.00	7.00	3.00	3.00	2.80	1.70	0.80	2.70	2.20	1.40
2	2.00	3.00	3.00	4.00	4.80	4.40	0.90	3.00	1.70	1.80	3.00	2.40
3	3.00	4.00	5.00	6.00	3.50	2.90	3.40	3.40	3.00	1.50	1.40	3.60
4	3.00	3.00	5.00	4.00	4.00	3.00	2.30	2.70	2.00	3.00	2.70	2.40
5	1.40	3.00	5.00	5.00	4.00	0.80	7.40	1.70	2.40	1.30	2.00	3.80
6	0.90	3.00	4.00	5.00	5.80	1.50	2.50	2.70	1.90	2.40	2.80	2.00
7	0.40	3.00	5.00	7.00	0.40	1.80	2.20	3.00	1.60	2.20	2.00	2.30
8	0.80	3.00	6.00	5.00	2.30	3.20	2.20	1.70	4.10	2.00	3.20	1.80
9	0.70	3.00	5.00	4.00	3.80	2.40	0.70	4.00	3.60	3.90	2.40	3.00
10	5.00	3.00	4.00	7.00	4.00	1.90	1.90	2.00	2.30	2.40	2.00	1.00
11	4.00	3.00	5.00	3.00	6.00	1.10	3.00	1.80	4.40	3.80	2.20	3.00
12	2.00	3.00	5.00	7.00	5.00	2.40	1.00	2.40	1.00	4.20	3.20	1.30
13	2.00	3.00	5.00	5.00	4.00	3.00	3.60	2.40	2.80	4.60	2.80	3.00
14	2.00	3.00	5.00	5.00	4.00	5.20	0.60	1.80	3.20	3.40	2.00	2.80
15	2.00	3.00	5.00	7.00	5.00	1.70	2.70	2.60	2.00	1.30	3.00	3.40
16	2.00	3.00	6.50	7.00	5.00	2.40	2.30	0.80	3.40	2.50	3.20	3.00
17	2.00	3.60	5.00	6.00	4.70	1.80	2.00	1.70	1.50	4.00	2.00	2.00
18	2.00	4.00	5.00	7.00	4.70	2.90	1.00	1.30	1.80	4.20	3.20	3.20
19	2.00	4.00	6.00	5.00	4.10	5.00	2.00	1.60	3.00	3.20	2.20	2.00
20	1.90	3.00	4.00	5.00	3.00	3.00	3.00	2.40	3.00	2.30	3.60	2.00
21	3.00	3.00	7.00	5.00	4.40	1.40	3.30	2.70	2.00	3.50	3.00	3.00
22	2.00	3.00	4.00	8.00	3.00	2.80	3.00	2.00	1.30	2.80	2.60	2.00
23	2.00	3.00	4.00	6.00	4.10	3.00	3.30	1.20	1.90	3.30	3.40	2.00
24	2.00	4.00	4.00	4.00	3.70	3.80	3.40	2.00	1.70	2.00	3.60	2.80
25	2.00	4.00	3.00	7.00	3.00	4.00	2.00	1.50	3.00	3.00	3.00	2.00
26	2.00	3.00	6.00	6.00	4.20	4.80	2.30	2.40	4.20	2.00	1.60	2.40
27	2.00	5.00	5.00	6.00	3.20	3.60	3.40	1.00	3.40	3.30	2.80	3.60
28	2.00	4.00	6.00	7.00	3.30	1.40	2.00	1.30	1.30	2.10	2.00	2.40
29	2.00	4.00	6.00	7.00	1.20	2.80	3.00	1.70	1.30	1.80	3.00	3.00
30	2.00	4.00	4.00	4.00	3.00	1.40	3.00	0.80	1.90	1.50	3.00	2.40
31	3.00	6.00	4.00	4.00	4.40	3.60	2.00	4.30	2.00	4.30	2.00	2.00
TOTAL	65.30	92.00	149.50	175.00	118.00	81.70	79.40	62.80	71.50	85.20	79.50	78.00
AVERAGE	2.11	3.29	4.82	5.83	3.81	2.72	2.57	2.03	2.38	2.75	2.65	2.52
MAXIMUM	5.00	5.00	7.00	8.00	6.00	5.20	7.40	4.00	6.40	4.60	3.60	3.80
MINIMUM	0.60	3.00	3.00	4.00	0.40	0.80	0.60	0.80	0.80	1.30	1.60	1.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
1138.30	3.12	8.00	0.40

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1976

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.20	6.00	6.20	4.20	5.00	4.20	2.80	3.70	3.00	2.60	1.60
2	2.20	3.40	5.60	6.40	1.00	3.30	3.50	1.20	4.70	3.00	3.00	2.40
3	2.00	3.30	5.40	6.70	3.40	3.20	2.90	1.70	3.80	2.10	2.80	2.60
4	1.40	2.60	4.60	6.20	3.60	1.60	3.50	1.40	4.60	3.00	3.00	3.00
5	2.00	2.50	5.20	7.00	3.60	5.40	1.80	1.80	4.20	2.60	2.80	3.20
6	2.60	2.70	5.00	7.20	1.20	2.30	1.80	1.70	3.30	3.00	2.40	2.60
7	2.00	3.20	5.40	7.00	5.30	2.80	1.80	2.20	1.60	3.80	3.50	3.00
8	2.70	3.20	5.70	7.40	5.70	3.50	2.60	1.70	4.40	3.00	2.20	2.00
9	3.00	3.70	6.00	4.30	3.20	3.30	1.50	2.60	2.30	2.60	3.00	1.50
10	2.50	3.60	6.30	6.70	3.30	1.90	1.80	1.20	3.90	3.40	2.50	1.80
11	2.20	3.20	5.80	7.00	6.00	1.90	2.90	2.80	2.00	6.20	2.10	1.90
12	3.20	4.00	6.40	7.40	3.50	3.60	3.60	2.30	1.70	4.00	2.00	2.30
13	3.00	4.30	5.00	7.00	4.60	2.20	4.00	2.30	4.00	4.80	2.60	2.60
14	2.00	4.00	6.60	6.00	4.10	3.00	3.60	2.30	3.60	4.60	3.00	1.70
15	2.20	4.60	6.00	8.00	5.00	2.80	5.30	1.40	3.80	3.40	2.40	2.30
16	3.00	3.70	6.20	7.40	3.50	3.50	5.00	1.00	3.30	3.00	2.30	3.00
17	2.20	4.70	6.00	7.00	5.00	5.30	3.40	3.00	4.10	2.30	3.00	3.40
18	3.00	4.40	5.80	7.60	4.00	5.30	4.00	3.40	3.00	1.80	2.00	3.80
19	2.30	4.80	5.80	8.00	3.30	5.00	3.20	5.60	1.40	2.70	2.50	3.40
20	3.20	4.20	6.70	7.00	4.30	5.30	1.70	2.30	3.00	2.40	3.00	3.50
21	3.70	5.00	3.70	5.00	4.20	4.90	3.70	4.00	4.10	2.30	3.20	3.00
22	3.20	5.30	5.70	7.00	5.50	5.30	3.70	3.10	2.50	2.00	2.60	3.00
23	3.60	5.70	6.40	6.50	4.10	4.10	3.60	2.00	3.60	3.60	3.00	3.20
24	3.00	5.40	6.80	6.00	6.60	2.10	3.00	2.70	2.10	3.00	3.20	3.40
25	3.00	5.70	6.20	4.20	4.20	3.60	1.30	2.90	1.40	2.60	2.00	3.00
26	2.70	6.00	6.40	4.50	3.50	3.20	1.00	3.90	4.30	0.70	3.00	3.00
27	2.60	6.00	6.70	7.00	4.00	4.00	1.40	3.40	1.90	1.60	2.60	3.50
28	3.00	5.80	7.00	6.30	3.40	4.00	3.00	3.20	2.40	2.60	2.60	3.20
29	2.40	5.70	7.30	5.70	4.00	4.20	3.60	3.40	2.50	1.00	2.00	3.70
30	3.20	6.00	2.70	3.50	3.20	3.00	2.50	3.50	2.00	2.00	2.00	3.50
31	3.00	6.00	3.50	3.50	1.60	3.00	3.00	2.00	2.00	2.00	1.70	1.70
TOTAL	82.10	123.90	183.70	194.40	126.50	109.00	91.00	79.00	95.70	88.10	78.70	86.40
AVERAGE	2.65	4.27	5.93	6.48	4.08	3.63	2.94	2.55	3.19	2.84	2.62	2.77
MAXIMUM	3.70	6.00	7.30	8.00	6.60	5.40	5.30	5.60	4.80	6.20	3.50	3.80
MINIMUM	1.40	2.50	3.70	2.70	1.00	1.60	1.00	1.00	1.40	0.70	2.00	1.50

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
1338.50	3.66	8.00	0.70

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1977

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	0.50	3.40	4.00	5.00	7.00	2.00	1.80	1.50	3.00	3.30	3.20	
2	1.00	3.20	4.10	4.00	7.20	1.60	1.90	2.20	4.40	3.00	3.60	
3	0.90	3.40	3.80	4.10	7.40	1.80	1.90	3.00	4.00	3.00	3.40	
4	1.50	3.30	3.80	6.70	7.50	2.80	2.80	1.80	3.40	3.40	3.30	
5	2.50	2.60	3.80	1.90	6.50	2.80	2.20	1.90	3.20	4.00	3.60	
6	2.50	3.00	3.00	4.20	7.30	5.00	2.60	2.30	0.90	3.40	3.00	
7	3.00	3.30	2.60	4.70	5.10	3.10	3.00	3.30	1.30	3.30	3.40	
8	2.70	3.00	3.60	4.60	6.00	3.80	1.00	3.20	0.80	2.60	3.20	
9	2.60	3.20	2.80	4.00	6.50	4.00	3.00	3.00	1.00	2.70	3.40	
10	2.80	3.00	3.50	5.30	5.30	4.00	3.80	1.40	1.60	4.00	3.70	
11	2.50	3.50	3.40	5.50	5.60	2.20	4.00	1.40	1.70	3.00	3.30	
12	2.30	3.00	4.00	4.10	7.00	1.50	4.30	3.20	2.70	3.20	4.00	
13	2.00	3.40	4.20	5.80	0.90	1.80	3.20	1.60	3.50	3.30	2.40	
14	2.40	3.50	4.00	5.60	2.30	2.90	2.30	2.50	1.50	3.40	3.00	
15	2.10	3.40	4.80	5.50	0.90	3.30	2.80	3.00	2.60	3.80	3.40	
16	2.00	3.50	5.20	6.00	1.20	3.00	2.00	1.40	3.00	4.00	2.30	
17	2.20	3.40	5.60	5.00	2.00	3.20	2.80	1.80	3.60	3.60	3.60	
18	2.20	3.60	6.00	4.80	4.10	3.60	4.50	2.90	3.00	3.50	3.60	
19	2.50	3.30	5.40	4.00	4.70	4.00	3.00	2.00	2.00	4.40	3.50	
20	2.00	3.20	5.00	5.80	5.70	4.00	4.10	2.50	3.00	2.80	4.00	
21	2.50	3.20	6.00	6.20	4.00	1.70	2.30	2.40	3.40	2.20	2.00	
22	2.00	3.50	6.00	7.00	6.20	3.70	3.10	2.30	2.30	3.60	2.00	
23	2.50	3.80	6.20	6.50	3.60	5.30	2.40	2.80	4.00	2.90		
24	3.00	3.60	4.00	6.80	1.80	3.10	3.40	1.40	4.00	1.80		
25	3.10	3.50	5.30	6.60	4.00	3.20	2.50	4.00	5.00	3.00		
26	2.40	3.60	5.10	7.00	5.60	2.20	3.20	1.60	3.40	3.00		
27	2.70	3.70	4.30	6.90	2.90	5.40	5.40	1.90	3.00	2.80		
28	3.00	3.80	4.00	7.20	1.10	1.70	1.60	2.30	4.30	3.00		0.30
29	3.00		5.50	4.80	1.10	3.20	0.90	2.10	2.70	3.80		0.60
30	2.90		4.70	6.80	4.30	3.10	0.90	1.50	4.40	3.70		0.90
31	3.20		5.20		2.40		1.20	2.40		3.00		0.0
TOTAL	72.50	94.10	140.80	164.70	137.40	85.60	81.30	70.50	87.10	100.70	70.70	2.20
AVERAGE	2.34	3.36	4.54	5.43	4.42	2.85	2.63	2.28	2.90	3.25	3.21	0.55
MAXIMUM	3.20	3.80	6.20	7.20	7.50	4.00	4.50	4.00	5.00	4.40	4.00	0.90
MINIMUM	0.50	2.80	2.60	1.90	0.90	1.50	0.90	1.40	0.80	1.80	2.00	0.0

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1107.90	3.36	7.50	0.0

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1978

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.00	4.60	5.80	7.00	4.00	3.60	1.50	2.10	2.20	5.30	3.70
2	2.20	3.00	5.20	5.80	6.40	4.30	1.80	2.20	1.30	1.70	3.00	3.30
3	1.60	0.50	5.30	5.80	7.20	2.50	1.40	2.50	1.00	2.00	4.30	3.70
4	1.30	2.80	5.30	6.40	6.10	3.40	2.80	4.10	1.50	1.50	4.00	2.60
5	1.50	3.00	5.20	6.80	4.80	3.60	2.00	2.20	1.60	2.70	4.40	3.00
6	1.20	3.30	5.40	6.50	4.00	5.00	1.20	2.00	4.00	3.00	4.80	3.40
7	1.70	3.40	5.30	6.50	6.80	2.20	2.80	0.80	3.70	2.00	4.50	2.80
8	2.70	3.50	5.80	6.60	6.00	1.70	2.80	1.30	3.00	3.70	3.80	2.70
9	2.20	3.00	5.70	6.80	6.00	3.00	1.50	0.40	3.50	1.70	4.60	3.00
10	1.70	3.30	5.40	6.30	6.40	2.70	3.20	2.30	3.70	1.80	3.40	3.20
11	2.50	3.30	5.80	6.00	6.10	4.50	0.70	2.00	2.10	3.10	3.20	3.60
12	1.60	3.50	6.00	5.80	3.60	4.80	2.00	3.00	4.20	2.70	3.00	2.80
13	1.80	3.80	5.80	2.30	3.20	4.60	2.00	1.50	4.70	3.20	4.20	2.00
14	2.20	4.00	5.80	4.20	2.70	5.30	0.70	0.20	4.60	4.80	4.80	3.20
15	2.70	4.00	5.80	5.40	1.00	3.60	2.30	1.40	2.30	3.70	3.90	5.00
16	2.20	4.00	6.00	6.00	0.80	4.10	3.20	1.30	3.20	4.60	3.40	3.40
17	2.40	4.50	6.30	4.50	1.40	3.30	2.30	1.90	5.20	4.20	3.60	3.50
18	1.90	3.80	6.30	5.40	2.90	3.40	2.10	2.60	2.20	3.00	3.20	3.20
19	2.00	4.00	6.00	6.00	2.00	3.50	1.70	4.00	1.80	2.40	3.60	3.40
20	2.10	4.00	6.00	6.40	4.00	1.50	2.40	3.00	3.50	4.40	4.00	3.40
21	2.00	4.20	6.00	6.60	4.20	1.70	2.50	1.80	3.70	4.60	3.30	3.30
22	2.00	4.50	6.40	6.70	4.00	2.70	1.00	2.80	2.10	4.00	4.00	2.40
23	2.30	4.30	6.40	6.60	4.60	1.50	2.00	3.40	2.20	4.20	3.00	2.80
24	2.80	4.00	6.30	7.40	3.30	1.80	2.00	4.30	3.50	3.50	4.20	2.00
25	2.80	4.00	6.20	6.80	3.40	2.30	2.00	4.00	2.80	3.00	6.60	2.40
26	2.90	3.80	4.30	7.60	1.70	4.00	1.00	3.10	5.00	3.80	4.80	3.00
27	3.00	1.50	6.20	7.00	2.20	0.70	1.30	1.80	3.10	4.60	3.00	2.30
28	2.80	4.20	6.30	7.20	4.20	0.60	1.80	3.30	3.00	4.20	3.80	2.00
29	3.00		6.50	7.00	5.20	2.20	1.70	3.00	2.60	4.00	4.00	2.50
30	3.10		6.20	7.30	4.80	3.30	3.70	0.80	2.40	4.80	3.20	3.00
31	3.00		6.00		3.80		1.90	3.20		4.80		2.40
TOTAL	68.10	97.10	181.80	185.50	131.60	92.00	63.20	71.30	88.30	104.90	115.50	92.30
AVERAGE	2.20	3.47	5.86	6.18	4.25	3.07	2.06	2.33	2.94	3.38	3.65	2.98
MAXIMUM	3.10	4.50	6.50	7.60	8.00	5.30	3.70	4.30	5.20	5.20	5.30	3.70
MINIMUM	1.20	0.50	4.60	2.30	0.80	0.60	0.70	0.20	1.00	1.50	3.00	2.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1291.80	3.54	8.00	0.20

DATA : DAILY EVAPORATION STATION : SDP HAN

YEAR : 1979

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	4.20	5.40	7.00	7.00	6.00	1.50	1.70	4.50	5.00	4.20	2.00
2	2.80	3.60	3.00	7.00	2.40	5.00	4.40	2.00	2.30	4.70	3.50	3.00
3	3.00	4.70	5.30	8.00	6.00	3.00	3.00	1.30	3.60	4.40	3.40	3.40
4	2.70	5.00	5.70	7.30	7.40	4.00	1.70	2.20	2.20	3.50	4.20	2.60
5	2.00	3.60	4.00	6.00	7.70	4.20	1.50	1.80	2.60	4.00	3.20	3.20
6	3.00	4.00	5.70	8.30	7.50	3.40	2.30	1.50	1.40	1.80	4.00	2.60
7	3.40	3.50	6.00	7.00	4.30	4.70	1.80	1.80	2.00	2.00	4.20	2.00
8	3.60	3.80	6.30	7.30	6.00	5.00	3.40	1.10	5.20	2.40	2.40	3.00
9	2.00	4.60	6.00	7.60	6.30	2.60	2.60	3.20	4.00	2.40	3.00	3.20
10	2.40	5.00	6.40	8.00	6.80	3.50	4.30	3.40	4.20	3.00	3.00	3.00
11	3.20	4.70	6.60	7.00	3.60	1.90	2.90	3.00	3.20	3.50	3.20	2.00
12	3.00	4.00	7.00	7.30	5.00	2.10	2.40	1.50	5.00	3.00	3.40	3.00
13	3.00	8.00	8.00	8.00	5.30	2.60	1.60	1.20	4.70	4.00	3.00	3.40
14	2.60	5.30	6.30	5.70	5.00	1.30	2.00	1.90	2.00	3.50	4.00	3.00
15	2.60	4.00	6.70	2.30	4.70	2.50	2.30	2.10	4.20	4.00	3.00	2.60
16	3.20	6.40	7.00	6.70	7.30	1.70	4.50	1.50	4.00	3.80	3.20	2.10
17	3.00	4.60	6.20	7.00	4.60	3.30	1.80	1.70	3.90	4.50	3.00	2.00
18	2.50	5.00	6.70	8.20	4.10	2.20	3.60	1.00	3.70	3.60	3.00	3.00
19	3.00	6.00	7.00	6.40	4.70	4.40	3.10	1.40	2.60	4.00	3.40	1.50
20	2.40	5.70	8.00	8.00	3.60	2.60	4.00	1.00	4.00	2.50	3.00	2.60
21	2.40	5.00	7.00	7.40	4.30	3.80	3.80	1.70	3.00	2.60	2.40	2.70
22	2.80	6.40	6.00	8.00	2.20	0.40	1.40	1.80	0.90	2.00	2.50	3.00
23	3.00	6.30	6.70	6.00	1.40	0.50	2.20	0.40	2.60	4.20	3.00	2.60
24	3.20	5.00	6.50	4.40	1.50	0.40	2.50	2.60	5.00	3.40	2.70	2.50
25	3.40	6.40	6.00	4.30	2.20	3.00	3.70	2.40	3.00	4.30	3.60	2.50
26	4.00	6.00	6.20	3.80	4.00	1.40	3.00	1.30	2.40	3.50	3.00	2.30
27	3.40	5.50	6.40	2.50	4.60	2.20	3.20	3.00	2.80	2.20	2.80	2.80
28	3.70	6.00	7.00	3.40	5.60	2.30	1.50	4.00	3.20	3.00	3.40	2.20
29	4.30	7.50	7.50	4.30	7.30	1.60	5.20	4.40	4.60	3.10	3.50	3.20
30	4.50	7.20	8.00	4.00	6.00	2.30	3.50	4.00	2.30	3.00	3.00	3.00
31	4.00	7.40			6.50		1.40	2.60		3.50		2.40
TOTAL	95.50	137.30	201.20	192.20	148.00	85.30	85.10	64.70	97.60	105.00	96.30	82.20
AVERAGE	3.08	4.40	6.49	6.11	4.77	2.84	2.75	2.09	3.25	3.39	3.21	2.65
MAXIMUM	4.50	6.40	8.00	8.30	7.70	6.00	4.40	4.60	5.20	5.00	4.20	3.40
MINIMUM	2.00	3.50	5.00	2.30	0.80	0.40	1.40	0.40	0.90	1.80	2.40	1.50

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1590.40	3.81	8.30	0.40

DATA : DAILY EVAPORATION STATION : SDP HAN

YEAR : 1980

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	4.00	7.00	7.00	7.70	4.00	2.40	2.80	1.60	2.00	3.60	2.60
2	2.80	4.00	6.60	6.00	6.20	1.60	3.40	3.60	2.20	1.90	3.00	3.00
3	2.50	4.00	7.00	6.20	4.30	3.40	2.50	3.00	1.00	1.70	4.00	3.00
4	3.00	4.00	4.30	6.00	5.50	0.60	2.70	2.90	2.60	3.60	3.60	3.40
5	3.20	4.60	6.00	8.00	7.00	2.70	1.80	2.50	3.00	3.90	4.00	3.40
6	3.10	4.00	5.00	7.00	6.40	2.20	3.40	1.40	3.50	2.00	4.70	3.00
7	3.00	4.30	6.40	4.30	7.50	4.00	1.60	2.50	0.90	0.60	3.30	3.30
8	3.20	4.00	6.30	5.60	7.30	3.40	2.30	1.80	1.50	2.00	1.60	3.00
9	3.00	5.00	5.00	7.00	7.00	5.10	2.40	3.00	2.20	4.00	2.00	2.40
10	3.60	5.00	5.60	8.00	7.00	4.00	3.70	2.60	2.80	4.30	3.40	3.00
11	3.00	6.00	5.20	7.00	7.20	4.70	1.30	2.20	5.20	2.40	4.00	3.20
12	2.00	4.30	4.60	7.20	6.00	4.00	2.90	2.00	2.60	3.00	3.00	3.50
13	2.40	4.40	4.00	7.50	8.30	3.00	2.40	3.00	1.30	4.00	4.00	3.00
14	3.70	4.00	5.00	8.00	6.00	2.00	1.40	2.30	2.00	3.00	3.30	2.40
15	2.60	3.60	5.30	7.20	7.70	4.10	1.50	3.00	2.30	2.90	4.60	3.00
16	3.00	4.00	6.00	8.50	8.20	2.90	1.30	3.40	5.80	2.20	3.00	3.20
17	3.40	3.80	7.00	7.00	8.50	1.60	1.50	1.50	1.50	2.00	4.20	3.60
18	4.00	4.60	6.00	7.20	5.10	4.60	1.80	5.20	1.20	3.70	4.00	3.40
19	3.00	5.00	5.50	7.00	3.50	4.00	1.10	2.30	2.10	3.00	1.40	3.50
20	2.00	5.00	6.00	5.80	3.30	1.40	1.60	2.60	2.60	5.30	3.20	3.80
21	3.20	5.30	6.00	7.00	4.70	1.80	1.70	1.20	2.00	3.00	2.00	3.20
22	2.60	5.00	5.00	6.00	1.00	1.40	1.30	1.60	3.60	4.20	3.00	3.40
23	2.00	6.00	8.00	7.20	0.40	2.90	2.00	1.20	4.00	4.00	3.60	2.60
24	2.00	6.20	5.00	7.00	1.10	3.50	1.50	0.40	3.60	4.60	2.30	2.90
25	3.00	6.00	5.70	8.70	4.00	4.70	1.40	1.00	4.00	4.30	3.00	3.00
26	2.70	6.00	5.40	8.00	2.30	2.50	1.50	1.40	2.90	4.70	3.00	2.40
27	3.50	6.30	5.00	7.30	3.20	1.10	2.00	1.50	3.00	4.00	3.00	3.00
28	3.00	7.00	6.20	7.50	1.80	1.80	1.80	1.60	2.00	4.60	3.50	4.30
29	3.60	6.00	6.00	8.00	4.20	2.90	2.60	4.00	1.20	4.00	3.00	2.50
30	3.00	7.80	8.30	2.30	2.50	2.40	2.60	3.40	2.00	3.00	3.00	2.50
31	3.00	8.00			1.50		1.20	2.40		1.40		4.20
TOTAL	80.90	139.40	181.70	215.00	160.20	88.70	42.80	72.50	76.60	98.70	96.40	97.70
AVERAGE	2.61	4.49	5.86	7.17	5.17	2.96	2.03	2.36	2.47	3.18	3.21	3.15
MAXIMUM	4.00	7.00	7.60	8.70	8.30	5.10	3.70	5.20	5.80	5.30	4.70	4.30
MINIMUM	2.00	3.60	4.00	4.30	0.40	0.40	1.10	0.40	0.90	0.60	1.40	2.40

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1378.60	3.77	8.70	0.40

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1984

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	2.90	2.70	3.60	4.00	4.60	1.20	1.60	1.20	2.55	1.90	2.60	3.00
2	2.00	3.00	4.00	4.70	4.40	1.10	1.80	3.60	1.20	2.40	2.80	3.20
3	2.40	3.20	4.20	7.20	5.70	0.90	0.70	2.50	1.50	2.30	2.60	1.80
4	1.60	3.30	4.60	7.60	6.20	3.70	0.80	0.80	1.40	3.20	2.00	2.60
5	1.90	3.40	4.80	7.70	7.30	5.30	2.20	1.70	1.30	3.00	1.80	1.70
6	2.20	3.60	5.20	7.40	1.20	0.90	3.20	2.90	4.70	3.60	2.00	2.80
7	2.00	3.80	5.40	6.70	4.60	3.30	1.20	0.80	1.00	3.70	3.70	3.00
8	1.70	0.90	5.60	8.00	0.40	4.60	1.30	0.90	1.10	1.90	4.20	2.00
9	1.80	1.30	5.30	8.20	4.30	3.70	2.60	1.30	1.80	1.90	4.00	1.90
10	2.00	2.40	5.40	7.00	4.00	1.30	0.80	1.40	2.30	2.60	3.20	2.50
11	2.20	2.80	5.70	7.20	4.60	4.80	0.70	1.40	4.40	1.50	3.30	2.40
12	1.90	3.20	5.20	7.40	4.70	0.90	0.40	2.60	4.00	1.60	3.50	2.00
13	2.00	2.60	5.00	5.40	5.00	0.70	0.80	1.40	3.40	2.20	3.80	1.80
14	2.20	3.00	5.30	4.30	3.50	3.20	0.80	1.70	4.30	1.30	3.20	2.20
15	2.10	3.20	5.00	6.20	3.20	1.30	1.30	0.90	2.30	3.00	3.60	2.00
16	2.00	3.80	6.00	6.00	3.40	0.40	0.90	0.90	4.00	3.60	3.90	2.10
17	2.20	4.00	7.30	6.50	3.00	1.20	3.20	3.00	3.40	3.40	2.20	2.30
18	2.40	5.30	6.80	7.00	4.80	0.90	4.00	1.20	3.20	1.90	2.70	1.80
19	2.60	5.70	7.00	7.30	5.00	1.90	3.40	1.20	2.60	1.80	3.60	2.00
20	2.00	5.80	7.20	7.40	4.30	1.00	3.80	4.10	4.00	2.10	2.70	2.30
21	2.10	6.00	6.70	2.70	4.80	1.20	2.30	1.60	4.20	3.60	3.70	2.50
22	2.20	6.20	6.40	3.00	4.80	1.20	0.80	2.50	3.00	1.70	2.30	3.00
23	2.30	5.40	7.00	1.60	5.60	1.10	3.30	1.30	1.40	5.40	3.20	1.80
24	2.20	5.70	6.80	4.40	7.30	1.40	1.20	3.10	3.20	4.80	2.70	1.70
25	2.70	3.80	7.00	4.60	7.00	1.40	1.50	1.60	5.00	3.00	3.00	2.40
26	2.50	4.60	6.40	0.90	3.60	1.10	2.90	0.70	5.20	2.30	2.40	3.00
27	2.50	1.00	6.00	6.30	1.20	2.80	4.50	1.50	3.60	4.20	2.20	2.80
28	2.90	2.00	6.20	6.50	0.90	0.90	0.90	2.60	3.70	2.40	2.00	2.40
29	3.00	3.40	5.70	6.00	1.40	0.90	0.90	1.60	1.30	2.20	2.20	2.60
30	2.70	6.00	7.50	1.20	1.20	1.20	2.50	1.50	1.20	4.70	2.00	2.00
31	2.60	6.60	1.20	1.20	1.20	2.00	3.30	4.40	2.50	2.50	2.50	2.50
TOTAL	70.43	105.63	179.80	182.90	123.00	53.70	55.90	56.40	86.79	87.30	87.80	72.30
AVERAGE	2.27	3.44	5.80	6.10	3.97	1.79	1.80	1.82	2.80	2.82	2.81	2.30
MAXIMUM	3.00	6.20	7.50	8.20	7.30	4.80	4.50	6.10	5.20	5.40	4.30	3.20
MINIMUM	1.70	0.90	3.80	0.90	0.40	0.40	0.80	0.70	1.10	1.20	1.60	1.70

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1161.20	3.17	6.20	0.40

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1985

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	2.20	2.80	5.70	6.00	3.10	1.20	1.70	3.80	2.80	1.90	2.40	1.80
2	3.00	3.00	4.80	6.40	6.00	1.20	1.30	3.60	1.80	3.70	3.40	3.00
3	3.20	2.80	4.90	6.70	5.30	1.90	1.50	1.10	3.70	1.80	2.50	2.70
4	2.60	2.40	4.50	7.00	5.20	0.90	2.60	1.50	1.90	2.50	2.30	3.00
5	3.50	3.40	4.30	6.90	6.00	1.20	1.10	1.50	4.20	2.40	3.00	2.80
6	3.20	3.00	5.00	7.00	5.60	2.30	1.20	1.60	4.00	4.20	2.60	2.60
7	2.60	3.20	5.30	7.20	5.80	1.00	1.90	3.20	1.20	4.80	2.80	2.30
8	3.00	3.00	5.20	8.00	6.00	1.10	1.10	3.00	2.50	3.60	3.00	2.50
9	2.40	3.30	5.00	7.30	3.40	0.80	1.20	3.40	5.00	3.20	2.80	1.90
10	2.50	3.60	5.40	7.00	2.90	0.80	1.20	2.90	1.10	3.30	3.00	2.00
11	2.60	3.70	5.30	7.20	4.40	0.70	2.20	3.20	1.20	3.00	3.70	2.00
12	2.90	3.90	5.00	7.60	5.40	3.20	1.30	1.20	1.40	3.40	1.70	2.40
13	2.70	4.00	5.60	7.80	5.70	0.70	3.60	1.30	3.70	1.10	1.50	1.50
14	3.00	3.80	6.00	6.60	5.60	1.20	2.30	2.60	1.60	1.60	1.50	2.00
15	3.40	3.70	6.20	7.70	5.40	0.90	3.80	1.60	3.40	3.60	2.10	2.20
16	3.00	3.60	6.10	7.20	2.20	1.10	4.20	2.40	1.20	3.20	3.50	2.00
17	2.80	4.80	6.00	6.80	3.20	1.60	1.20	1.50	1.50	1.30	3.40	2.30
18	3.00	4.40	6.30	6.90	3.50	3.00	1.20	1.30	1.30	2.40	3.00	1.70
19	2.70	4.50	6.00	5.30	3.70	3.40	3.20	1.20	1.70	1.80	1.20	2.60
20	2.40	4.00	5.80	6.70	4.10	1.20	1.10	1.10	5.50	4.90	1.60	3.00
21	2.80	4.50	5.60	7.00	4.30	0.80	1.80	1.00	4.00	1.90	3.00	2.00
22	2.60	5.00	5.40	7.60	1.80	1.50	3.00	1.40	5.40	4.00	3.20	2.20
23	3.00	4.80	5.00	8.00	1.80	1.20	1.90	2.50	3.20	2.30	2.30	2.00
24	2.70	5.00	6.20	8.30	1.90	1.20	3.80	3.70	1.60	4.20	2.00	2.00
25	5.00	4.70	6.40	8.70	2.40	1.10	1.20	1.10	2.00	3.00	2.40	2.30
26	3.20	4.00	6.30	8.40	5.30	1.10	1.20	3.80	1.60	3.20	2.60	2.00
27	3.00	4.20	6.50	4.00	2.60	0.80	3.10	1.20	3.60	3.00	2.20	2.20
28	2.80	5.00	6.20	6.00	2.10	1.10	3.30	1.10	2.30	2.70	2.80	2.30
29	2.40	6.30	5.20	2.00	2.00	0.90	1.30	1.20	1.80	1.90	2.30	2.00
30	2.80	6.00	4.40	3.30	1.00	1.20	1.10	1.60	3.00	3.00	4.10	1.80
31	2.70	6.20	1.40	1.40	1.40	1.00	0.80	2.60	2.60	2.60	2.60	2.50
TOTAL	86.90	108.30	174.60	206.30	120.70	40.30	61.70	61.70	73.60	85.50	78.10	69.30
AVERAGE	2.80	3.47	5.63	6.68	3.89	1.34	1.99	1.99	2.46	2.89	2.60	2.24
MAXIMUM	3.40	5.00	6.50	8.70	6.40	3.60	4.20	3.80	5.50	4.90	4.10	3.00
MINIMUM	2.20	2.40	4.50	3.20	1.00	0.70	1.00	0.80	1.00	1.10	1.20	1.50

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1171.00	3.21	6.70	0.70

DATA : DAILY EVAPORATION STATION : SOP HAN

YEAR : 1986

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	2.40	4.20	6.70	5.70	4.00	0.50	3.70	2.20	3.20	3.20	2.20
2	1.80	2.30	4.30	6.50	5.80	4.30	2.90	1.40	2.90	3.60	2.80	3.00
3	1.60	2.50	4.40	7.00	5.90	4.50	2.10	3.20	3.20	3.60	3.00	2.60
4	2.00	2.20	4.00	7.10	6.20	4.70	0.70	3.20	4.50	1.60	2.70	2.50
5	1.80	2.60	4.20	2.50	6.80	3.80	1.60	4.00	4.30	3.70	2.90	1.80
6	2.00	2.40	4.30	4.30	6.90	5.20	1.10	3.20	1.50	3.90	3.00	2.00
7	1.70	2.00	4.10	5.00	3.40	1.70	2.10	1.50	3.20	3.60	2.70	2.40
8	2.20	2.40	4.00	5.60	2.60	1.40	2.70	2.50	3.70	2.80	1.30	2.80
9	2.50	2.60	3.60	5.00	1.70	1.40	3.00	3.40	2.20	2.70	2.00	2.00
10	2.00	2.80	4.00	6.00	3.10	2.50	4.40	2.30	2.40	2.10	1.30	3.40
11	2.70	3.00	4.20	6.20	4.80	1.50	1.80	2.80	1.10	0.90	3.10	3.60
12	3.00	2.80	4.40	6.40	2.10	2.60	1.30	1.10	3.60	2.10	2.30	3.00
13	2.80	2.90	5.00	6.00	1.80	6.20	2.00	1.50	4.00	2.90	2.90	1.60
14	2.60	3.00	5.20	6.30	2.10	3.20	3.20	2.50	4.40	3.00	3.00	1.40
15	3.00	3.20	5.40	6.10	4.00	2.40	1.50	2.70	4.20	3.00	3.20	2.20
16	2.70	3.00	6.00	6.30	3.80	1.70	0.90	1.50	1.30	3.10	3.00	3.00
17	2.60	3.00	6.40	6.50	5.50	2.10	4.00	5.00	4.00	3.00	2.80	2.70
18	2.40	3.20	7.00	6.30	5.70	2.60	2.90	2.70	1.40	3.20	2.70	2.20
19	2.50	3.40	6.50	5.70	4.90	2.20	1.00	1.30	1.90	3.60	2.50	2.50
20	2.60	3.20	6.80	5.80	3.10	2.90	0.80	1.20	1.90	3.30	3.20	2.40
21	2.80	3.40	7.00	6.60	1.80	2.60	1.70	3.00	4.20	3.50	2.80	2.60
22	2.70	3.60	7.10	6.70	3.30	3.00	0.40	1.00	3.50	3.60	1.90	1.60
23	2.90	3.70	7.20	6.90	4.80	2.80	1.40	1.60	4.60	1.70	1.80	3.20
24	2.60	3.80	7.00	5.60	2.30	2.10	1.50	1.70	4.20	2.00	2.10	3.80
25	2.00	4.00	6.60	6.00	3.50	2.10	1.20	1.60	4.00	2.00	2.40	3.60
26	2.20	4.00	6.60	4.70	5.20	1.60	0.70	2.80	3.80	3.00	3.00	4.00
27	2.40	4.20	6.80	4.80	5.00	1.20	1.10	1.60	4.00	3.40	2.70	4.20
28	2.20	4.00	7.00	6.50	5.20	1.40	3.20	3.00	4.20	3.20	2.40	3.70
29	2.30	4.00	6.70	3.90	4.30	5.20	3.00	2.90	3.70	3.00	1.80	3.40
30	2.00	4.00	7.00	2.50	4.00	0.30	5.40	3.00	3.40	3.20	2.00	2.40
31	2.20	4.00	7.00	4.20	4.20	4.00	2.20	4.00	3.20	3.00	0.90	0.90
TOTAL	72.80	85.60	174.20	172.70	130.20	81.20	63.50	73.30	97.50	89.90	76.50	82.90
AVERAGE	2.35	3.06	5.62	5.76	4.20	2.71	2.05	2.36	3.25	2.90	2.55	2.67
MAXIMUM	3.00	4.20	7.20	7.10	6.90	5.20	5.40	4.00	4.60	3.90	3.20	4.20
MINIMUM	1.60	2.00	3.60	2.30	1.60	0.50	0.60	1.00	1.10	0.90	1.30	0.90

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1200.30	3.29	7.20	0.40

DATA : DAILY EVAPORATION STATION : BAN THA RUA

YEAR : 1970

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	4.00	4.00	4.00	5.00	4.00	3.00	1.00	3.00	3.00	2.00	2.20
2	3.00	4.00	3.00	3.00	7.00	2.70	4.00	3.00	3.40	4.00	4.00	0.70
3	3.00	3.00	4.00	4.00	6.00	2.70	1.00	2.00	2.00	4.00	4.00	2.00
4	3.00	5.00	4.00	5.50	5.00	3.00	2.00	2.00	3.00	4.00	4.00	2.00
5	2.00	3.00	4.00	5.00	3.00	2.20	2.50	1.40	2.00	4.00	2.00	2.00
6	3.00	2.00	4.00	5.00	4.00	4.00	1.60	2.30	3.00	4.00	2.00	2.00
7	3.00	4.00	4.00	5.00	5.00	1.60	2.00	1.30	2.50	4.00	2.00	2.00
8	2.00	3.00	4.00	4.00	3.00	2.50	2.00	2.80	4.00	5.00	4.00	3.00
9	3.00	3.00	4.00	5.00	6.00	2.60	4.70	1.50	1.30	5.00	5.00	4.00
10	3.00	3.00	5.00	5.00	6.00	2.20	1.50	2.00	1.30	4.00	2.00	4.00
11	2.00	4.00	5.00	5.00	6.00	2.20	2.20	2.50	1.30	5.00	3.00	5.00
12	2.00	4.00	5.00	5.00	3.00	2.50	2.00	3.00	2.30	5.00	2.00	5.00
13	3.00	3.00	5.00	5.00	3.00	1.80	1.00	3.00	3.00	5.00	2.00	4.00
14	2.00	3.00	5.00	6.00	5.00	2.90	1.00	2.50	4.00	5.50	3.00	3.00
15	2.00	3.00	5.00	5.00	2.00	2.30	1.30	1.60	3.00	3.00	3.00	6.00
16	2.00	3.00	5.00	5.00	2.40	3.00	1.00	1.50	0.30	3.20	2.00	4.00
17	2.00	3.00	5.00	5.00	1.30	3.00	1.00	3.10	3.50	4.00	2.00	4.00
18	3.00	4.00	5.00	5.00	1.00	2.00	1.20	4.60	0.70	4.00	3.00	4.00
19	3.00	4.00	5.00	6.00	2.70	3.50	1.20	4.00	5.00	5.00	3.00	4.00
20	3.00	3.00	4.00	6.00	2.50	2.60	3.00	4.00	5.00	1.40	3.00	4.00
21	3.00	3.00	5.00	6.00	2.00	2.00	1.20	4.00	2.00	4.00	4.00	3.00
22	2.00	4.00	6.00	6.00	3.00	2.30	1.00	4.00	1.30	1.40	3.00	3.00
23	3.00	4.00	2.00	6.00	4.40	2.00	2.50	5.50	3.00	4.00	3.00	5.00
24	3.00	4.00	3.40	6.00	2.50	4.00	1.30	1.40	2.00	3.00	3.00	5.00
25	3.00	3.00	4.00	6.00	3.50	4.00	1.30	1.00	1.00	4.00	2.00	4.00
26	3.00	4.00	5.00	5.50	4.00	2.50	1.00	1.30	6.20	0.70	2.00	5.00
27	3.00	3.00	6.00	4.50	4.00	2.30	1.80	1.80	4.20	1.00	3.00	3.00
28	3.00	2.00	6.00	6.00	4.00	3.40	3.00	1.70	3.50	2.00	3.00	3.00
29	3.00	6.00	6.00	6.00	3.00	3.00	0.90	1.90	4.00	2.00	0.30	4.00
30	3.00	5.00	5.00	4.00	4.00	2.00	4.00	2.30	1.00	2.00	0.80	4.00
31	3.00	5.00	5.00	3.40	3.40	3.00	3.00	3.00	1.00	1.00	1.00	4.00
TOTAL	84.00	93.00	169.40	155.50	118.70	81.90	60.20	77.00	83.80	107.20	81.10	111.90
AVERAGE	2.71	3.22	4.69	5.19	3.82	2.75	4.94	2.49	2.79	3.48	2.70	3.41
MAXIMUM	3.00	4.00	4.00	4.00	7.00	4.00	4.70	5.80	6.20	5.50	3.00	5.00
MINIMUM	2.00	2.00	2.00	3.00	1.00	1.60	0.90	1.00	0.30	0.70	0.30	0.70

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1199.70	3.28	7.00	0.30

1989/ 9/16 (THU) 15:42:52

DATA : DAILY EVAPORATION STATION : BAN THA RUA

YEAR : 1971

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	4.00	3.00	3.00	4.00				2.30	2.30	3.00	3.00	2.50
2	3.00	3.00	4.00	4.00				1.40	3.00	2.30	3.00	3.00
3	3.00	3.00	4.00	4.00				2.50	3.60	2.50	3.00	3.00
4	3.00	3.00	4.00	4.00				2.70	1.30	3.50	3.50	3.00
5	3.00	3.00	4.00	4.00				3.00	3.00	4.00	3.00	3.00
6	3.00	3.00	4.00	4.00				1.40	3.00	4.00	2.50	3.00
7	3.00	3.00	4.00	4.00				2.10	2.00	3.50	3.00	3.00
8	4.00	3.00	4.00	5.00				2.70	2.00	3.50	2.00	3.00
9	4.00	3.00	4.00	5.00				1.40	2.20	5.00	2.00	3.00
10	4.00	3.00	4.00	6.00				1.20	3.00	3.00	3.00	3.00
11	3.00	3.00	4.00	4.00				2.10	3.00	3.00	3.00	3.00
12	4.00	3.00	2.00	6.00				2.50	2.30	3.00	3.00	3.00
13	4.00	3.00	3.60	6.00				1.10	3.00	4.00	3.00	2.50
14	3.00	3.00	2.00	6.00				4.00	3.00	4.00	3.00	2.50
15	3.00	3.00	3.00	6.00				2.00	3.00	5.00	3.00	2.00
16	3.00	3.00	3.00	5.00				2.30	3.00	5.00	3.00	2.00
17	3.00	3.00	2.00	4.00				2.50	3.00	4.00	2.50	2.50
18	2.00	3.00	3.00	3.00				2.00	3.50	3.00	2.00	3.00
19	3.00	3.00	3.00	3.60			4.60	2.30	3.50	4.00	2.00	3.00
20	2.00	3.00	4.00	5.00				2.10	1.50	3.00	2.00	3.00
21	3.00	3.00	4.00	4.00			2.00	1.30	3.00	3.00	2.50	2.50
22	2.00	3.00	4.00	3.00			1.00	1.30	4.00	3.00	2.50	2.50
23	3.00	3.00	4.00	6.00			3.00	3.50	4.00	4.50	2.50	2.50
24	3.00	3.00	4.00	6.00			1.20	2.00	4.50	3.00	2.50	2.50
25	3.00	3.00	4.00	5.00			1.00	2.20	5.00	3.00	2.00	2.50
26	3.00	3.00	4.00	5.00			1.70	1.50	4.00	2.00	2.50	2.50
27	3.00	3.00	4.00	4.00			1.00	2.50	3.00	6.50	2.50	2.00
28	3.00	4.00	6.00	5.00			4.30	3.00	3.00	4.70	3.00	2.50
29	3.00		4.00	5.00			0.60	3.00	4.00	3.00	2.00	2.10
30	3.00		4.00				1.70	2.80	3.00	7.80	2.50	2.10
31	3.00		4.00				1.30	3.60		3.00		2.00
TOTAL	94.00	85.00	113.60	139.80			24.30	69.70	94.80	113.80	80.40	81.70
AVERAGE	3.10	3.04	3.68	4.52			2.02	2.25	3.14	3.67	2.69	2.64
MAXIMUM	4.00	4.00	4.00	6.00			4.60	4.00	6.00	7.80	3.30	3.00
MINIMUM	2.00	3.00	2.00	3.00			0.60	1.10	1.30	2.00	2.00	2.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
901.30	3.16	7.80	

1989/ 9/16 (THU) 15:42:52

DATA : DAILY EVAPORATION STATION : BAN THA RUA

YEAR : 1972

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	1.50	3.00	5.00	5.00	6.00	4.80	2.90	2.00	2.70	3.00	3.00	2.00
2	2.50	3.00	4.50	5.00	6.00	2.70	2.50	1.60	2.00	3.00	3.00	2.00
3	3.00	3.00	4.00	5.00	7.00	4.30	1.90	2.00	2.30	4.00	3.00	2.00
4	3.00	3.00	3.00	6.00	7.00	3.90	2.30	1.80	3.70	1.50	3.00	2.00
5	3.00	3.00	3.00	5.00	7.00	6.00	1.00	2.40	3.70	2.00	1.60	2.00
6	3.00	3.00	3.00	6.00	7.00	4.90	1.70	2.90	2.70	3.00	2.00	2.00
7	3.00	3.00	3.00	6.00	7.00	6.00	4.10	3.00	3.00	3.00	1.40	2.80
8	3.00	3.00	3.00	6.00	7.00	7.20	2.60	2.70	3.00	2.00	2.00	2.00
9	3.00	3.00	3.00	6.00	8.00	3.90	1.60	1.60	2.40	3.00	2.00	2.00
10	3.00	3.00	3.00	5.50	8.00	6.00	2.00	1.50	2.70	2.00	3.00	3.00
11	3.00	3.00	5.00	2.50	9.00	5.30	1.50	2.00	4.00	3.00	3.00	3.00
12	3.00	3.00	4.50	2.60	9.00	2.30	1.40	3.50	5.00	1.70	3.00	3.00
13	3.00	3.00	5.00	5.00	8.00	2.20	1.30	2.00	3.90	3.00	2.00	2.00
14	3.00	3.50	4.00	5.00	9.00	2.00	1.50	1.40	3.60	2.00	2.00	3.00
15	2.50	4.00	5.00	5.00	5.40	3.70	1.90	1.70	5.00	1.80	2.90	3.00
16	3.00	4.00	5.00	5.00	7.00	3.50	2.40	1.40	3.00	4.50	3.50	2.00
17	3.00	3.50	6.00	6.00	7.00	3.30	2.80	1.30	2.90	4.00	3.00	2.00
18	3.00	4.00	6.00	6.00	3.00	3.60	4.00	3.00	3.70	3.00	2.00	2.00
19	3.00	4.00	6.00	7.00	6.00	2.10	1.80	4.90	3.20	1.60	2.20	2.00
20	3.00	4.00	5.00	7.00	5.00	2.90	2.40	1.20	4.70	3.00	2.00	2.00
21	3.00	4.00	6.00	6.00	6.00	2.80	1.40	1.00	1.50	1.60	2.40	2.00
22	2.50	4.50	5.00	5.00	6.00	7.00	2.00	1.20	1.90	2.00	2.20	3.00
23	3.00	5.00	6.00	7.00	7.30	4.40	1.60	1.00	3.30	3.00	3.00	3.00
24	3.00	4.50	5.00	7.00	3.20	3.80	1.00	1.50	3.60	3.00	2.60	3.00
25	3.00	4.50	5.00	7.00	4.40	6.00	1.80	1.30	2.50	3.00	1.80	2.00
26	3.00	4.50	5.00	6.00	3.00	4.00	1.50	1.20	1.80	3.00	2.70	3.00
27	3.00	4.50	4.00	7.10	3.00	4.30	1.60	2.00	2.70	1.00	2.00	3.00
28	3.00	4.50	5.00	7.00	2.80	3.20	2.50	2.50	3.00	2.30	2.00	3.00
29	3.00	5.00	6.00	8.00	5.10	1.50	1.90	2.00	2.00	4.00	2.00	2.00
30	3.00		6.00	8.00	9.00	4.50	1.30	3.00	3.00	3.00	3.00	3.00
31	3.00		5.00		4.00		2.00	1.90		2.00		3.00
TOTAL	90.00	107.00	144.00	175.70	194.30	119.20	61.20	61.40	92.60	83.00	72.90	75.80
AVERAGE	2.90	3.49	4.65	5.66	6.27	3.97	1.97	1.98	3.09	2.68	2.43	2.45
MAXIMUM	3.00	5.00	6.00	8.00	9.00	8.00	4.30	3.50	5.00	4.50	3.80	3.00
MINIMUM	1.50	3.00	3.00	2.50	2.60	1.50	1.00	1.00	1.50	1.00	1.40	2.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1277.10	3.69	9.00	1.00

DATA | DAILY EVAPORATION STATION | BAN THA RUA

YEAR | 1973

DAYS	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.00	4.00	5.00	7.00	5.00	4.00	3.10	2.20	3.20	2.00	3.00
2	3.00	3.00	5.00	5.00	0.30	0.00	3.70	2.50	2.60	3.00	3.00	3.00
3	3.00	2.00	5.00	5.00	4.30	4.70	4.50	3.00	1.80	4.00	3.00	2.00
4	2.00	3.00	4.00	5.00	1.00	3.70	5.30	3.00	2.00	4.00	3.00	2.00
5	3.00	2.00	5.00	6.00	1.00	5.00	2.00	1.80	2.60	3.00	3.00	2.00
6	2.00	3.00	4.00	6.00	1.00	4.70	1.70	1.90	3.00	4.50	2.00	2.00
7	3.00	2.00	2.00	5.00	0.30	2.60	2.70	3.00	2.00	3.00	2.00	2.00
8	3.00	2.00	1.00	6.00	3.60	4.00	3.50	3.00	2.00	4.00	2.00	2.00
9	2.00	3.00	6.00	6.00	4.00	0.50	3.00	3.00	2.70	4.60	2.50	2.00
10	3.00	3.00	6.00	6.00	5.00	3.50	1.00	1.00	2.50	2.50	2.00	2.00
11	2.00	2.00	6.00	7.00	6.00	3.50	4.50	2.00	3.00	4.30	2.00	2.00
12	2.00	3.00	5.00	7.00	4.00	1.40	2.00	1.50	3.00	4.00	2.00	2.00
13	3.00	2.00	5.00	6.00	2.00	1.50	2.30	1.00	2.30	4.00	2.00	2.00
14	2.00	2.00	5.00	6.00	3.70	1.30	2.30	1.50	4.00	3.00	2.00	3.00
15	2.00	3.00	6.00	7.00	1.50	2.30	4.20	1.00	4.00	4.00	2.00	3.00
16	2.00	4.00	5.00	7.00	2.50	0.40	1.90	2.50	3.00	3.00	3.00	2.00
17	2.00	4.00	4.00	7.00	4.00	1.00	2.00	1.50	2.40	2.80	2.30	3.00
18	2.00	4.00	5.00	7.00	4.80	1.30	1.50	2.00	4.20	3.00	2.00	2.00
19	3.00	4.00	5.00	7.00	4.00	3.40	1.00	3.00	4.00	3.00	2.00	2.00
20	3.00	3.00	5.00	8.00	2.00	1.30	3.30	1.00	5.00	3.00	2.00	3.00
21	2.00	4.00	5.00	8.00	2.00	1.00	3.10	1.50	3.00	4.00	1.40	2.00
22	2.00	4.00	4.00	7.00	5.00	3.80	2.00	2.00	3.40	3.00	1.70	2.00
23	3.00	4.00	4.00	7.00	6.00	4.00	2.70	2.50	4.30	4.00	2.00	2.00
24	3.00	3.00	5.00	7.00	4.00	4.00	2.30	1.20	5.00	3.50	2.00	2.00
25	2.00	4.00	4.70	7.00	4.00	3.20	2.00	2.00	4.00	3.00	2.00	3.00
26	3.00	5.00	5.00	8.00	2.00	5.00	1.20	3.00	3.20	4.00	2.00	2.00
27	2.00	6.00	6.00	9.00	4.80	2.30	1.90	1.50	3.00	4.00	2.00	2.00
28	2.00	5.00	5.00	9.00	5.40	4.50	3.00	2.00	3.00	3.00	2.00	2.00
29	2.00		6.00	9.00	2.30	1.00	3.00	2.50	3.00	4.00	2.00	2.00
30	3.00		6.00	8.00	4.80	1.20	3.00	3.00	2.00	3.00	3.00	2.00
31	2.00		6.00		3.30		4.00	2.00		3.00		3.00
TOTAL	74.00	90.00	149.70	203.00	113.60	87.30	34.60	66.50	92.20	108.40	65.90	70.00
AVERAGE	2.39	2.90	4.83	6.55	3.66	2.81	2.73	2.15	3.07	3.50	2.12	2.26
MAXIMUM	3.00	5.00	6.00	9.00	7.00	6.00	5.30	3.10	5.00	4.60	3.00	3.00
MINIMUM	2.00	2.00	1.00	5.00	0.30	0.50	1.00	1.00	1.80	2.50	1.40	2.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1205.20	3.90	9.00	0.30

DATA | DAILY EVAPORATION STATION | BAN THA RUA

YEAR | 1974

DAYS	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	2.00	4.00	5.00	5.00	0.70	1.40	3.00	2.20	1.70	3.00	1.00
2	3.00	3.00	4.00	5.00	6.00	5.10	2.60	5.00	2.30	1.10	2.00	2.00
3	2.00	3.00	4.00	5.00	6.50	1.00	2.40	1.80	1.30	5.90	3.00	2.00
4	2.00	3.00	6.00	4.00	4.00	0.40	2.10	3.00	2.00	5.00	2.00	4.00
5	2.00	3.00	4.00	6.00	5.00	1.50	2.50	3.30	1.20	4.00	2.00	2.00
6	1.00	3.00	4.00	6.50	4.00	1.60	0.60	2.40	1.60	1.50	1.10	2.00
7	2.00	3.00	5.00	8.00	5.00	3.60	0.30	2.40	1.00	2.00	1.00	3.00
8	2.00	2.00	5.00	8.00	5.00	5.00	2.00	2.50	4.20	5.00	4.00	3.00
9	2.00	3.00	4.00	5.50	7.00	0.50	1.90	1.50	3.00	2.30	2.00	1.00
10	2.00	2.00	4.00	6.00	7.00	0.70	4.60	1.70	3.00	4.00	2.00	1.00
11	3.00	2.00	5.00	6.40	6.50	5.00	3.40	5.20	4.80	4.10	1.00	2.00
12	3.00	2.00	5.00	5.00	7.00	2.10	2.90	0.30	4.40	5.00	1.30	3.00
13	3.00	3.00	5.00	6.00	5.50	4.00	1.40	1.20	4.80	4.70	1.80	2.00
14	2.00	3.00	5.00	7.00	5.00	3.30	1.40	1.80	3.10	4.00	2.00	2.00
15	2.00	2.00	9.00	6.00	2.20	0.20	1.70	2.20	3.00	2.80	3.00	3.00
16	3.00	3.00	9.00	6.50	4.20	0.50	1.50	1.00	1.20	2.00	3.00	2.00
17	2.00	3.00	5.00	2.00	3.50	1.30	2.60	7.10	2.50	3.10	2.50	3.00
18	3.00	3.00	9.00	4.00	4.70	0.40	1.70	0.40	3.70	7.00	2.00	2.00
19	2.00	4.00	9.00	7.00	5.50	3.20	1.70	0.20	2.00	7.10	2.00	3.00
20	3.00	4.00	6.50	7.00	4.00	2.40	2.00	0.20	1.60	7.40	3.00	3.00
21	3.00	4.00	6.00	7.00	1.70	6.80	2.50	2.30	7.00	3.00	2.00	2.00
22	2.00	4.00	7.00	7.00	2.00	1.10	3.00	1.70	5.70	4.00	2.00	3.00
23	3.00	3.00	3.50	6.00	2.00	1.00	1.10	2.70	3.90	3.00	2.00	3.00
24	2.00	3.00	3.50	6.00	0.60	3.50	0.70	3.60	2.40	5.00	2.00	3.00
25	2.00	3.00	5.00	6.50	3.40	1.90	3.00	1.10	2.00	3.70	3.00	3.00
26	3.00	4.00	5.00	2.00	1.20	4.00	3.90	1.90	2.20	4.00	3.00	2.00
27	3.00	4.00	5.00	4.80	2.00	3.00	1.40	1.70	2.20	3.50	2.00	3.00
28	3.00	4.00	6.00	3.00	2.00	2.20	2.40	1.40	3.10	2.00	2.00	3.00
29	3.00		5.70	0.50	2.70	3.00	2.40	2.20	4.70	1.10	2.00	2.00
30	3.00		5.00	4.00	3.00	4.00	2.70	3.50	5.00	2.00	2.00	2.00
31	3.00		5.50		3.80		2.40	2.00		2.00		4.00
TOTAL	77.00	85.00	142.70	160.50	127.00	70.00	67.30	72.00	86.50	111.00	67.90	76.00
AVERAGE	2.48	2.74	4.61	5.18	4.10	2.26	2.17	2.32	2.82	3.58	2.19	2.45
MAXIMUM	3.00	4.00	9.00	7.00	7.00	6.60	7.10	7.00	7.40	7.00	4.00	4.00
MINIMUM	1.00	2.00	3.50	0.50	0.60	0.50	0.30	0.20	1.00	1.10	1.00	1.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1142.90	3.19	9.00	0.20

DATA : DAILY EVAPORATION STATION : BAN THA RUA

YEAR : 1975

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	2.00	4.00	5.00	6.00	1.00	3.00	1.20	3.00	3.00	3.00	2.00
2	3.00	3.00	5.00	5.00	5.00	3.50	3.00	2.70	2.60	4.80	3.00	3.00
3	2.00	2.00	4.00	5.00	3.50	4.00	2.00	3.50	3.00	4.50	4.00	3.00
4	2.00	3.00	4.00	4.00	4.00	2.50	3.00	4.00	4.00	2.00	4.00	2.00
5	1.00	3.00	4.00	5.00	3.00	2.50	3.00	3.50	2.60	2.10	3.00	3.00
6	2.50	3.00	4.00	6.00	3.20	1.50	2.50	4.00	2.00	3.00	3.00	3.00
7	2.00	3.00	4.00	6.00	2.50	1.00	3.00	1.00	2.00	4.20	4.00	3.00
8	2.00	3.00	5.00	5.00	5.00	2.50	3.50	1.00	3.00	2.00	3.00	2.00
9	5.00	3.00	6.00	5.00	1.00	2.60	2.50	1.00	2.00	3.00	3.00	2.00
10	2.00	3.00	5.00	5.00	6.00	2.50	2.00	3.00	3.00	4.00	3.00	3.00
11	1.00	3.00	3.00	5.00	4.00	3.00	1.00	3.60	3.00	3.00	4.00	3.30
12	2.00	3.00	5.00	6.00	4.00	1.50	1.50	2.80	3.00	4.00	3.00	2.00
13	3.00	3.00	6.00	6.00	5.20	2.00	3.50	2.00	2.00	4.20	3.00	3.00
14	3.00	3.00	6.00	6.00	3.70	3.00	1.50	2.50	2.00	4.70	3.00	3.00
15	3.00	4.00	6.00	5.00	4.00	4.00	1.70	2.00	2.00	4.00	3.00	3.00
16	2.00	3.00	5.00	7.00	6.00	4.00	2.30	2.30	2.50	4.00	4.00	3.00
17	2.00	4.00	4.00	7.00	3.40	3.00	4.00	2.50	3.20	4.00	4.00	2.00
18	3.00	3.00	5.00	6.00	3.50	3.00	1.50	2.60	3.00	4.00	3.10	3.00
19	2.00	3.00	5.00	6.00	5.30	2.50	3.00	5.00	4.00	3.00	3.00	2.00
20	2.00	3.00	5.00	6.00	4.20	3.00	5.00	5.00	2.10	4.00	3.00	2.00
21	2.00	3.00	6.00	6.00	3.20	3.00	6.00	3.80	2.00	4.00	3.00	3.00
22	3.00	4.00	5.00	7.00	2.50	2.00	4.00	4.00	2.50	2.80	3.00	2.00
23	3.00	3.00	4.00	6.00	1.60	4.00	5.80	3.70	3.00	3.40	3.00	2.00
24	3.00	3.00	3.00	7.00	2.80	2.00	5.00	2.60	3.10	3.00	2.00	2.00
25	3.00	4.00	4.00	7.00	2.50	2.00	3.50	2.20	3.00	3.00	2.00	2.00
26	2.00	4.00	5.00	8.00	4.00	2.00	3.00	1.20	4.00	3.00	3.00	2.00
27	2.00	4.00	5.00	7.00	3.00	3.00	4.00	1.20	3.80	3.00	3.00	2.00
28	3.00	3.00	5.00	7.00	4.00	2.00	4.00	2.30	4.00	3.00	2.00	2.00
29	3.00	3.00	5.00	7.00	2.50	3.00	5.00	2.40	4.00	2.90	3.00	2.00
30	2.00	3.00	5.00	6.00	3.20	2.00	4.70	2.00	4.00	2.00	3.00	2.00
31	3.00	3.00	5.00	1.00	1.00	4.00	3.00	3.00	3.00	3.00	3.00	2.00
TOTAL	75.50	88.00	151.00	121.00	112.30	77.60	101.60	82.10	87.10	104.10	92.10	75.30
AVERAGE	2.44	3.14	4.87	6.03	3.62	2.59	3.28	2.65	2.90	3.36	3.07	2.43
MAXIMUM	5.00	4.00	6.00	8.00	6.00	4.00	6.00	5.00	4.00	4.70	4.00	3.30
MINIMUM	1.00	2.00	3.00	4.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	2.00

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
1227.70	3.96	8.00	1.00

DATA : DAILY EVAPORATION STATION : BAN THA RUA

YEAR : 1976

DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.00	3.00	4.50	6.20	2.70	4.00	2.00	4.00	4.60	1.20	4.00	4.00
2	3.00	2.50	4.30	5.70	2.30	3.20	2.00	4.00	3.00	1.30	3.00	3.00
3	3.00	2.00	4.00	6.00	0.50	0.10	2.00	2.00	2.60	1.00	4.00	3.00
4	2.60	2.50	4.00	6.30	3.00	1.90	2.00	2.50	1.60	2.70	3.00	3.00
5	2.00	2.00	4.30	6.00	2.60	3.20	1.50	2.00	2.50	3.00	4.00	4.00
6	3.00	2.00	4.20	6.30	2.00	3.00	2.00	2.00	2.00	4.50	3.00	3.00
7	3.00	2.00	4.00	6.00	4.00	1.00	2.00	4.00	2.80	5.00	5.00	3.00
8	3.00	2.20	4.30	5.50	4.50	2.00	1.00	2.00	1.90	3.00	4.00	3.00
9	3.00	2.50	4.00	5.90	3.70	2.90	1.00	3.00	1.00	5.00	3.00	4.00
10	3.00	2.00	4.00	5.70	3.30	4.50	2.90	2.00	1.00	2.90	4.00	3.00
11	3.00	2.50	4.30	6.60	4.00	2.00	2.90	2.00	2.50	4.00	4.00	3.00
12	2.00	3.00	4.00	7.00	5.70	1.80	4.00	2.80	2.00	4.20	3.00	4.00
13	2.60	2.50	4.00	8.00	1.20	1.60	3.00	1.50	1.30	2.40	4.00	3.00
14	3.00	3.00	4.50	7.50	3.00	3.00	2.00	2.00	1.60	3.20	5.00	3.00
15	3.00	4.00	5.00	8.00	3.80	4.00	2.00	2.60	2.00	3.40	5.00	4.00
16	3.00	3.70	5.30	7.00	2.00	3.00	3.00	4.00	1.50	3.10	4.00	4.00
17	2.00	4.00	5.00	7.50	6.70	4.00	3.00	6.00	3.60	2.40	3.00	5.00
18	3.00	4.00	5.60	7.50	5.00	5.20	2.00	3.00	4.60	1.80	4.00	5.00
19	3.00	3.60	5.00	7.50	5.00	7.00	3.00	4.00	3.00	1.40	3.00	5.00
20	2.00	4.00	4.50	7.00	5.50	6.00	2.00	4.00	2.00	3.70	3.00	5.00
21	3.00	4.00	4.50	8.00	3.40	6.40	3.00	4.00	2.00	3.00	3.00	4.00
22	2.60	4.00	5.00	7.00	4.10	2.50	2.90	3.00	2.70	5.00	4.00	5.00
23	2.00	4.00	6.00	6.80	0.60	1.10	1.00	2.00	3.00	2.00	3.00	4.00
24	3.00	4.00	6.30	7.50	3.60	3.00	3.00	2.50	3.00	4.00	3.00	5.00
25	2.90	4.00	6.00	6.00	1.90	4.00	2.00	3.00	1.00	3.00	3.00	4.00
26	3.00	3.70	6.30	6.50	1.50	2.00	1.00	2.00	3.00	1.80	4.00	4.00
27	2.20	4.00	6.00	6.50	1.90	3.50	2.00	3.50	1.00	1.20	3.00	4.00
28	2.50	4.50	6.50	5.50	2.20	3.00	4.00	3.00	0.70	4.00	3.00	3.00
29	3.00	4.30	7.00	3.90	2.50	4.00	3.00	3.00	4.00	3.00	3.00	3.00
30	2.20	3.00	7.00	4.50	2.10	1.00	2.00	4.00	2.50	2.00	3.00	4.00
31	2.20	3.00	6.00	2.00	2.00	3.00	4.00	4.00	3.00	3.00	3.00	2.40
TOTAL	81.10	93.50	154.80	194.80	96.30	93.90	69.50	92.40	67.00	91.00	107.00	114.40
AVERAGE	2.62	3.02	4.99	6.15	3.11	3.03	2.24	3.01	2.19	2.94	3.57	3.75
MAXIMUM	3.00	4.50	7.00	8.00	6.70	7.00	4.00	4.00	4.60	5.00	5.00	5.00
MINIMUM	2.00	2.00	4.00	3.90	0.50	0.10	1.00	1.50	0.70	1.00	3.00	2.40

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
1258.70	5.44	8.00	0.10

DATA : DAILY EVAPORATION STATION : BAN THA RUA YEAR : 1977

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	3.20	4.00	4.00	4.30	4.30	2.10	1.50	1.70	2.50	3.20	3.20	2.80
2	4.00	3.50	4.00	4.50	6.00	2.00	1.60	3.50	5.00	4.50	3.00	2.50
3	3.20	3.00	2.50	1.70	7.00	1.20	1.40	2.40	3.00	3.80	3.40	2.00
4	3.90	4.00	4.70	5.40	6.20	3.30	1.10	2.00	1.30	4.50	3.00	2.50
5	4.00	3.60	4.80	3.00	7.50	2.60	2.30	2.00	0.70	5.70	3.30	2.00
6	5.00	3.80	4.20	5.50	7.00	5.00	2.00	2.00	0.50	3.20	4.00	2.00
7	5.00	3.00	4.00	5.00	6.90	2.70	4.20	1.00	1.90	2.40	3.50	3.00
8	4.00	3.00	4.50	5.30	8.50	3.00	1.40	3.00	2.48	3.50	3.00	2.50
9	5.00	5.60	4.60	4.10	8.00	4.00	4.00	2.00	1.20	1.70	2.50	2.60
10	6.00	5.80	4.00	4.60	8.00	3.00	3.00	3.00	1.50	3.00	3.20	2.50
11	5.00	3.00	4.50	5.00	8.30	5.20	6.00	3.50	1.00	3.50	2.80	2.80
12	5.00	2.40	4.50	5.80	4.30	3.40	6.00	3.50	2.00	4.20	3.00	2.50
13	5.00	3.00	4.90	5.10	5.00	3.20	5.00	2.20	2.50	4.20	3.00	2.00
14	6.00	3.00	4.00	5.00	8.10	2.50	6.00	2.50	1.50	4.30	3.20	3.00
15	6.00	3.00	4.30	6.10	5.10	5.60	5.50	3.00	1.60	4.00	3.00	2.50
16	3.00	3.00	4.60	5.40	1.80	2.50	4.00	1.00	2.50	3.80	3.50	2.80
17	3.00	3.00	4.50	5.40	5.50	3.30	5.00	1.60	2.00	2.00	3.50	2.50
18	2.00	3.00	4.80	6.00	6.00	2.90	5.70	2.70	3.30	3.50	3.00	3.00
19	3.00	4.00	5.00	5.30	6.00	3.10	5.60	3.30	1.00	4.20	3.00	2.30
20	4.00	4.00	4.00	6.00	5.50	2.20	6.60	3.70	2.00	4.00	4.00	2.60
21	3.00	4.00	5.00	6.00	7.00	4.40	3.10	3.40	2.30	3.90	4.00	3.00
22	3.00	4.40	5.00	6.00	6.00	3.00	3.90	2.80	5.70	3.20	3.50	2.50
23	5.00	4.00	4.00	5.90	2.50	5.50	4.10	3.60	2.30	1.20	3.00	2.50
24	4.00	4.80	2.00	4.00	3.50	1.60	4.20	4.00	1.00	1.70	3.20	3.00
25	3.00	4.60	3.50	7.00	2.00	1.00	5.20	2.00	5.50	4.50	3.50	2.50
26	4.00	4.30	4.00	5.80	3.30	2.00	4.90	3.00	4.00	5.00	3.50	3.00
27	4.00	4.50	5.50	7.00	3.30	3.20	5.20	2.00	3.00	5.00	3.00	2.60
28	4.00	4.50	6.00	4.20	2.90	2.00	3.20	2.70	4.20	2.60	2.80	1.60
29	3.00		5.80	7.00	2.80	2.80	2.70	2.80	2.90	3.50	3.50	1.80
30	4.00		3.90	7.00	1.20	1.80	2.40	1.50	4.60	4.50	2.50	1.00
31	3.00		4.10		0.80		2.60	1.50		2.80		2.00
TOTAL	125.30	102.00	136.40	162.80	159.10	69.90	121.60	78.90	74.90	111.10	97.00	75.90
AVERAGE	4.04	3.26	4.40	5.13	5.13	3.00	3.92	2.55	2.50	3.58	3.13	2.45
MAXIMUM	6.00	4.80	4.00	7.00	8.50	5.50	6.60	4.00	5.70	5.70	4.00	3.00
MINIMUM	2.00	2.40	2.00	1.70	0.80	1.00	1.10	1.00	0.50	1.20	2.50	1.00

ANNUAL

TOTAL	1334.90	3.46	8.50	0.50
-------	---------	------	------	------

DATA : DAILY EVAPORATION STATION : BAN THA RUA YEAR : 1978

#DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.50	2.50	3.50	5.00	6.00	1.50	2.00	1.70	2.60	2.00	2.00	2.40
2	3.50	3.00	3.00	5.50	6.00	2.50	1.50	2.30	2.00	1.10	2.00	2.00
3	3.00	1.10	2.50	5.00	5.50	2.00	1.50	2.00	1.20	2.00	2.00	2.50
4	3.50	3.00	3.00	4.50	6.00	1.80	1.40	1.50	1.70	1.70	2.50	2.20
5	3.00	3.20	3.00	5.00	3.70	1.60	2.00	0.50	0.80	2.20	2.00	2.00
6	2.50	3.00	3.50	4.50	5.00	2.30	2.30	1.00	3.00	2.80	2.00	2.00
7	3.00	3.00	3.50	4.50	5.00	2.60	2.50	0.50	3.40	4.00	2.00	2.30
8	3.50	2.50	3.00	5.00	2.80	3.50	1.70	1.00	1.90	4.00	3.00	2.50
9	3.40	3.00	3.50	5.50	6.00	4.00	2.00	1.00	3.00	5.00	2.50	2.00
10	2.00	2.50	4.00	6.00	3.30	2.80	1.70	2.00	3.50	1.80	2.00	2.20
11	1.70	2.30	4.00	5.00	2.70	3.00	2.00	2.00	3.50	2.40	2.50	2.40
12	2.40	2.50	3.50	5.50	4.50	3.40	1.50	0.30	3.30	1.90	2.50	2.50
13	3.00	2.50	4.00	4.50	2.80	3.30	2.00	0.50	2.00	3.50	3.00	2.50
14	2.50	2.50	4.00	5.00	1.80	3.80	2.10	0.20	2.50	3.00	2.00	2.20
15	2.50	2.00	4.50	6.00	1.20	4.20	2.50	0.50	3.00	3.50	2.50	2.50
16	2.50	2.50	4.50	3.80	1.20	3.50	1.80	1.00	3.00	4.00	2.00	2.40
17	2.50	2.50	4.20	2.50	1.50	4.00	2.90	2.20	3.50	4.00	2.00	2.40
18	2.00	2.20	5.00	5.00	1.40	3.20	3.00	2.00	1.50	4.00	2.00	2.30
19	2.50	2.50	4.00	6.00	3.30	3.60	3.00	2.20	1.90	4.50	2.00	2.50
20	3.00	3.00	3.50	6.00	4.50	4.50	2.50	2.50	3.80	4.00	3.10	2.50
21	3.00	2.50	4.00	5.50	4.50	4.40	2.60	1.30	5.00	3.00	2.50	2.00
22	2.50	2.50	5.00	6.00	5.00	3.90	1.20	2.30	1.00	3.00	2.50	2.20
23	2.50	2.50	5.00	5.50	1.60	3.00	2.20	4.00	2.00	4.00	2.30	2.00
24	3.00	3.00	5.20	5.00	1.30	3.30	2.40	4.00	3.20	4.50	2.00	2.20
25	2.50	2.50	5.50	8.00	1.90	4.10	3.00	2.00	4.00	2.50	2.20	2.40
26	2.50	2.50	5.00	5.00	1.30	3.80	2.50	2.00	4.50	3.00	2.20	2.00
27	3.00	3.00	5.50	6.00	2.00	3.50	2.00	2.00	3.70	3.50	2.30	1.80
28	3.00	3.00	5.00	5.50	2.60	3.30	0.60	2.50	2.00	4.50	2.10	1.90
29	2.50		5.20	6.00	2.80	3.70	1.40	1.00	1.00	4.50	2.20	2.00
30	3.00		4.50	5.50	3.00	2.20	3.50	0.60	1.50	5.00	2.20	1.80
31	3.00		4.50		2.00		3.90	3.00		3.00		1.50
TOTAL	85.60	72.80	128.10	155.80	102.20	94.50	67.20	52.00	79.20	100.90	68.10	88.20
AVERAGE	2.76	2.40	4.13	5.19	3.30	3.22	2.17	1.68	2.64	3.25	2.27	2.20
MAXIMUM	3.60	5.20	5.50	6.00	6.00	4.50	3.90	4.00	5.00	5.00	3.10	2.60
MINIMUM	1.70	1.10	2.50	2.50	1.20	1.50	0.60	0.20	0.80	1.10	2.00	1.50

ANNUAL

TOTAL	1076.60	2.95	6.00	0.20
-------	---------	------	------	------

DATA : DAILY EVAPORATION STATION : BAN THA RUA

YEAR : 1979

DAYs	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	2.00	4.50	6.50	7.00	4.50	3.10	1.30	3.00	3.70	2.50	2.30
2	2.00	3.00	4.00	6.00	6.80	4.20	3.20	1.40	3.20	4.40	3.00	2.60
3	1.50	3.20	4.70	7.40	6.00	3.50	4.00	1.40	4.20	4.00	2.70	2.40
4	2.20	3.00	4.50	6.40	4.50	2.00	3.70	1.50	3.50	4.30	3.20	2.60
5	2.40	3.10	4.50	6.90	7.00	4.50	3.60	1.40	2.30	3.20	2.80	2.80
6	2.00	2.90	5.00	7.00	4.00	3.20	1.20	1.50	3.30	3.00	3.40	2.70
7	2.30	2.70	5.20	6.50	6.60	4.50	3.50	2.00	2.90	3.40	3.20	3.00
8	2.20	2.80	4.50	7.00	6.00	4.50	2.50	1.90	3.00	3.00	2.80	3.20
9	2.00	2.50	4.00	7.00	6.00	4.00	3.50	2.80	4.00	3.40	3.70	2.60
10	2.50	3.00	6.00	6.50	6.50	4.00	4.20	3.00	5.00	4.00	3.00	2.10
11	2.20	3.50	6.20	6.20	4.20	2.00	3.20	2.20	4.20	4.00	3.20	2.70
12	2.00	3.80	6.00	7.00	5.00	4.50	2.50	1.10	4.00	3.50	4.00	2.80
13	2.00	3.90	6.50	7.00	3.80	5.00	3.20	1.00	4.30	4.00	3.70	2.50
14	2.20	3.60	6.00	7.20	5.00	3.60	3.10	1.00	3.80	4.00	3.50	3.20
15	2.00	3.00	6.20	6.60	4.10	3.60	2.30	1.60	4.40	4.30	4.00	3.00
16	2.00	3.20	5.00	7.00	4.40	4.20	2.70	1.40	4.30	4.00	3.50	2.10
17	2.20	3.50	6.00	7.00	5.00	3.00	2.50	1.00	0.80	3.80	4.00	2.20
18	2.50	4.00	6.00	6.50	4.50	4.90	2.90	0.50	4.30	4.00	3.00	2.40
19	2.00	4.00	7.00	5.90	4.50	4.20	3.40	1.10	3.90	3.50	2.60	1.50
20	1.80	3.50	6.70	7.00	5.00	3.00	4.20	1.70	4.00	4.00	2.80	2.50
21	1.70	4.00	6.00	6.00	2.00	2.50	3.00	1.90	3.50	3.80	3.40	2.60
22	2.00	4.00	4.60	7.00	2.00	2.40	3.50	1.10	4.00	3.60	4.00	2.70
23	2.50	4.30	6.00	6.20	1.50	3.10	3.00	2.20	4.00	3.90	3.50	3.10
24	3.00	4.30	5.00	4.50	3.20	3.80	4.50	3.00	4.20	3.00	3.00	3.00
25	2.80	4.80	6.00	3.80	2.70	3.50	4.00	2.80	3.80	3.80	2.70	2.50
26	3.00	4.30	5.20	6.40	3.80	3.30	3.00	2.90	3.30	3.00	2.40	3.20
27	2.20	4.50	6.40	7.20	4.00	3.40	3.00	1.20	1.90	3.30	3.00	3.10
28	2.50	4.30	6.00	4.00	3.40	3.20	3.00	4.40	3.30	2.60	3.10	2.80
29	2.40	7.10	3.70	5.20	3.40	3.40	3.20	4.20	2.70	3.00	3.00	3.10
30	2.30	6.20	3.70	5.40	3.50	4.20	3.80	3.60	3.60	2.30	2.20	3.20
31	2.50	7.00	4.00	4.00	1.30	3.60	3.60	2.80	2.80	2.80	3.00	3.00
TOTAL	69.10	98.50	176.20	190.40	148.60	108.60	98.20	62.20	106.70	150.30	94.70	84.50
AVERAGE	2.23	3.12	5.68	6.14	4.79	3.50	3.17	2.01	3.44	4.82	3.05	2.73
MAXIMUM	3.00	4.60	7.10	7.40	7.00	5.00	4.50	4.40	5.00	4.50	4.00	3.20
MINIMUM	1.50	2.00	4.00	3.70	1.50	2.00	1.20	0.50	0.80	2.30	2.20	2.10

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1346.00	3.69	7.40	0.50

DATA : DAILY EVAPORATION STATION : BAN THA RUA

YEAR : 1980

DAYs	1	2	3	4	5	6	7	8	9	10	11	12
1	2.80	3.00	5.20	5.40	8.00	2.80	3.00	2.00	2.00	2.60	2.10	3.20
2	2.50	2.50	5.40	6.00	8.00	2.10	2.00	3.00	1.80	3.00	3.00	3.20
3	3.00	3.30	5.40	6.00	9.00	2.30	2.30	3.20	1.50	2.50	3.20	3.00
4	2.50	3.50	5.00	6.00	6.40	1.90	2.30	3.00	1.60	2.50	2.70	2.80
5	2.60	3.50	5.50	6.00	6.60	2.70	3.10	1.80	2.70	3.00	3.60	3.00
6	2.90	3.80	5.50	6.00	5.80	2.20	1.00	2.30	2.80	3.30	3.00	2.40
7	2.80	3.80	5.60	6.30	7.00	2.70	1.30	1.80	2.00	2.00	4.00	3.00
8	2.30	3.70	6.50	5.90	6.60	5.50	2.40	2.40	3.10	2.00	2.00	3.10
9	3.00	3.90	6.40	5.90	7.20	4.00	2.00	2.00	2.00	3.00	2.00	2.50
10	2.50	3.50	6.50	6.00	8.00	4.00	2.00	2.00	5.00	3.50	3.00	2.00
11	3.00	3.90	6.00	6.00	8.50	3.50	1.40	3.10	3.00	3.50	3.40	3.50
12	2.90	4.00	5.00	6.00	6.00	3.10	1.50	2.40	2.40	3.30	3.00	2.20
13	2.80	4.00	5.00	6.50	8.00	3.70	1.70	4.00	2.60	2.70	3.30	3.20
14	2.50	3.80	5.60	6.50	8.50	4.00	1.00	3.00	2.10	2.80	3.10	3.00
15	2.60	3.40	4.50	7.00	7.50	3.50	1.80	4.20	2.20	2.00	3.00	2.60
16	2.70	3.20	5.30	7.50	7.90	3.30	2.40	4.40	2.30	2.80	3.50	2.60
17	2.80	3.00	6.70	6.30	8.00	2.30	3.10	3.00	2.70	1.30	3.00	4.00
18	2.50	3.20	7.00	7.00	6.10	4.00	2.40	3.00	2.00	3.20	3.10	3.00
19	3.00	3.60	6.10	7.30	4.10	3.00	2.10	3.00	1.00	3.00	3.20	3.10
20	2.70	3.60	6.00	7.50	4.20	2.40	2.00	2.80	2.10	2.30	3.10	3.00
21	3.10	3.70	6.90	7.30	2.00	2.10	4.10	1.20	2.40	2.50	2.30	3.00
22	3.00	3.80	6.20	7.50	2.50	2.80	3.50	1.00	3.30	4.00	3.10	2.50
23	2.00	4.00	6.00	7.00	0.30	2.80	2.60	0.80	2.00	3.40	2.20	2.00
24	2.40	5.00	6.00	8.00	1.00	2.60	1.40	1.10	2.80	3.40	2.60	3.20
25	2.20	4.50	5.70	8.50	3.00	2.70	2.90	0.40	3.80	3.90	2.50	2.40
26	2.80	4.60	6.80	8.00	3.70	2.70	1.80	1.30	5.00	4.20	2.70	3.00
27	3.10	4.60	6.50	8.00	2.00	2.10	2.00	2.30	3.10	2.80	3.30	3.00
28	3.20	5.00	6.00	8.00	3.10	1.70	2.20	2.90	3.20	3.40	3.00	3.40
29	3.00	5.20	6.00	6.20	3.40	1.60	2.00	3.70	2.50	3.00	5.10	3.20
30	3.20	5.90	6.00	6.00	3.80	2.20	1.30	2.50	3.60	2.00	5.00	2.00
31	3.00	5.30	2.80	2.80	1.20	3.70	3.70	3.00	3.00	3.00	2.40	2.40
TOTAL	85.60	111.20	181.70	207.80	172.60	86.30	64.00	78.10	77.60	89.00	87.50	87.50
AVERAGE	2.76	3.59	5.86	6.70	5.57	2.78	2.06	2.52	2.50	2.87	2.82	2.82
MAXIMUM	3.20	5.20	7.00	8.50	9.00	5.50	4.10	4.40	5.00	4.20	6.00	6.00
MINIMUM	2.00	2.50	4.50	6.00	0.30	1.60	1.00	0.40	1.00	1.30	2.00	2.00

ANNUAL

TOTAL	AVERAGE	MAXIMUM	MINIMUM
1528.90	3.63	9.00	0.30

DATA : DAILY EVAPORATION STATION : BAN THA RUA YEAR : 1984												
DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.00	3.00	3.50	7.20	7.00	4.00	2.50	4.50	3.80	2.50	3.50	2.50
2	2.00	3.00	3.70	7.00	7.20	2.50	2.70	3.20	3.10	2.50	3.70	2.50
3	2.20	3.20	3.20	7.50	6.80	2.00	3.00	2.70	2.30	2.70	3.20	2.20
4	2.20	3.50	3.00	7.20	7.00	3.00	2.50	2.70	1.60	3.20	3.50	2.50
5	2.50	3.50	3.50	6.80	6.00	3.00	3.00	3.20	2.30	3.50	4.00	2.00
6	2.50	3.50	3.50	7.00	5.50	3.80	2.80	3.00	2.80	3.50	4.20	2.00
7	2.70	3.00	3.70	7.50	3.50	4.00	2.00	3.00	1.20	2.70	3.60	2.20
8	2.50	4.00	3.00	7.20	6.00	4.00	2.20	2.00	1.50	2.50	3.00	2.20
9	2.20	1.60	3.20	6.80	5.80	4.00	2.50	3.00	2.50	2.50	3.00	2.50
10	2.00	2.80	5.00	7.50	5.50	4.50	2.00	2.30	2.50	3.00	2.80	2.50
11	2.50	3.00	5.50	6.00	5.00	3.00	1.50	3.40	2.20	3.20	3.10	2.30
12	2.50	3.00	5.20	7.00	5.50	2.00	2.00	3.40	2.50	1.50	2.80	2.20
13	2.20	3.00	5.50	7.50	5.80	3.00	1.50	4.40	2.70	2.30	3.00	2.20
14	2.50	3.00	4.80	6.50	5.70	5.00	4.30	1.00	2.50	1.30	3.20	2.80
15	2.50	4.00	4.50	7.00	5.00	1.20	3.50	1.30	3.10	3.50	3.50	2.50
16	2.00	3.80	4.70	6.70	4.80	4.00	4.50	1.80	3.80	4.00	3.00	2.50
17	2.00	3.00	5.00	6.50	3.00	3.50	4.30	3.30	2.90	1.90	4.00	2.80
18	3.00	3.00	5.50	6.20	4.50	2.00	5.00	4.20	4.80	1.30	3.00	2.70
19	3.00	3.20	5.40	8.00	5.70	1.00	4.00	2.70	4.20	1.60	3.50	2.50
20	3.00	4.00	5.40	6.00	5.20	1.50	2.50	1.30	2.20	3.00	3.20	2.50
21	3.00	4.00	4.50	9.80	5.50	1.70	1.50	1.80	5.30	2.90	2.80	2.80
22	3.00	4.20	5.20	5.30	5.60	2.00	5.20	1.80	2.00	2.40	2.50	2.50
23	3.00	3.80	5.50	7.00	6.40	0.80	3.50	2.20	4.60	3.70	2.50	3.00
24	2.20	3.50	5.70	3.00	6.80	2.80	2.00	1.60	1.30	4.00	2.20	2.00
25	3.50	4.00	5.50	5.60	5.70	3.00	3.80	1.50	4.00	3.40	2.00	2.00
26	3.00	5.20	6.00	6.00	5.50	3.00	3.00	2.50	1.50	3.00	2.30	2.50
27	3.00	4.00	6.50	4.50	3.00	2.00	3.50	1.50	3.00	2.50	2.00	2.20
28	2.80	3.30	5.50	5.80	5.50	3.60	2.50	1.70	2.00	3.50	2.20	2.20
29	2.80	3.20	5.50	3.30	2.50	3.50	3.00	2.20	2.00	3.00	2.50	2.50
30	2.70	5.00	7.00	3.00	2.50	4.00	1.60	3.20	3.50	2.70	2.60	2.60
31	2.80	7.00	4.50	4.50	4.50	2.50	2.00	2.00	3.50	2.70	2.70	2.70
TOTAL	79.80	99.10	148.70	198.40	165.70	86.10	92.80	76.80	83.60	88.60	90.70	75.30
AVERAGE	2.57	3.19	4.80	6.27	5.35	2.78	2.99	2.48	2.73	2.86	2.92	2.43
MAXIMUM	3.50	5.20	7.00	9.80	7.20	5.00	5.20	4.50	5.30	4.00	4.20	3.00
MINIMUM	2.00	1.60	3.00	3.00	2.50	0.80	1.50	1.00	1.20	1.30	2.00	2.00

ANNUAL				
TOTAL	AVERAGE	MAXIMUM	MINIMUM	
1285.60	3.51	9.80	0.80	

DATA : DAILY EVAPORATION STATION : BAN THA RUA YEAR : 1985												
DAY#	1	2	3	4	5	6	7	8	9	10	11	12
1	2.70	2.80	5.00	7.30	4.50	1.50	0.70	1.00	1.50	4.50	3.50	2.00
2	2.40	3.00	4.80	7.30	5.00	1.50	3.50	1.20	1.00	3.50	3.50	3.50
3	2.80	3.00	4.70	7.00	6.50	1.80	1.00	2.50	1.50	4.00	3.50	3.00
4	3.00	4.00	4.80	7.00	6.80	1.00	1.30	2.00	2.00	3.00	3.20	3.00
5	3.00	3.80	5.00	7.20	7.00	1.50	2.70	1.50	2.00	3.50	3.00	2.80
6	5.20	3.70	5.20	7.50	7.20	1.00	2.00	1.00	2.70	3.50	3.00	3.00
7	2.80	5.00	5.20	7.00	7.00	1.00	2.50	1.50	2.20	4.00	3.70	3.20
8	2.70	4.00	5.50	6.80	6.50	1.20	1.00	2.50	2.60	4.00	3.20	3.00
9	2.70	4.00	6.00	7.20	6.00	3.00	1.50	3.50	1.00	3.50	3.00	3.00
10	2.50	4.00	6.50	7.50	5.00	2.20	1.00	2.80	1.00	3.00	2.70	2.80
11	2.50	2.80	5.80	7.50	6.50	2.00	2.50	2.50	1.30	3.50	2.50	2.80
12	3.00	3.00	7.00	7.50	6.70	1.50	3.00	2.20	2.50	4.50	1.50	3.00
13	2.50	3.20	6.50	8.00	7.00	1.00	1.80	3.70	1.20	1.00	1.00	3.00
14	3.20	5.50	6.00	8.20	8.00	1.10	3.30	2.60	1.00	3.00	1.80	2.70
15	2.30	4.50	6.20	8.50	8.40	2.50	2.20	1.40	1.50	1.30	1.00	3.00
16	2.60	4.00	7.10	8.20	5.50	1.00	2.80	1.30	3.00	3.80	3.90	3.00
17	3.00	2.90	7.00	7.50	3.50	1.40	2.00	3.00	1.50	1.60	3.20	3.20
18	4.00	4.50	4.60	8.50	3.70	1.80	3.40	1.50	1.00	2.00	2.60	3.10
19	2.60	4.50	6.10	5.00	5.70	2.00	1.00	1.50	1.50	3.00	3.30	2.70
20	2.00	4.30	6.50	9.00	4.20	3.00	2.40	1.60	2.60	3.50	1.60	2.80
21	2.00	4.50	5.50	9.00	4.00	3.80	2.80	1.30	4.00	3.50	2.00	2.00
22	3.00	4.50	6.20	8.80	4.20	2.70	2.90	1.30	4.30	3.00	3.00	3.30
23	3.50	4.70	6.50	9.00	3.80	1.20	2.00	1.50	3.50	3.50	3.00	3.20
24	3.00	4.50	6.00	8.00	2.00	1.80	1.00	3.10	4.00	2.00	3.10	3.00
25	2.70	4.80	7.00	9.00	4.00	1.60	4.00	2.00	1.80	3.00	5.10	2.80
26	2.50	5.00	6.80	8.00	4.30	1.00	2.80	1.60	1.20	3.00	3.20	2.50
27	2.00	5.20	6.50	5.50	2.40	1.80	2.00	3.10	4.50	3.00	3.50	2.50
28	2.50	5.00	7.00	6.20	4.50	1.50	2.70	1.30	5.00	3.50	3.00	2.40
29	2.20	7.00	5.00	3.50	1.50	1.50	1.50	1.30	3.00	3.50	3.00	2.50
30	2.20	7.20	2.20	1.50	0.50	1.70	2.00	4.00	3.70	3.00	3.00	2.50
31	2.50	7.20	1.00	1.00	1.00	2.00	1.50	2.00	2.50	2.50	2.50	2.50
TOTAL	83.90	111.00	191.20	220.40	156.70	50.40	66.20	59.00	70.10	97.90	81.80	87.40
AVERAGE	2.71	3.58	6.17	7.11	5.05	1.63	2.14	1.90	2.34	3.16	2.83	2.83
MAXIMUM	4.00	5.20	7.20	9.00	8.40	3.80	4.00	3.50	5.00	4.50	3.90	3.30
MINIMUM	2.00	2.80	4.70	2.20	1.00	0.50	0.70	1.00	1.00	1.00	1.00	2.00

ANNUAL				
TOTAL	AVERAGE	MAXIMUM	MINIMUM	
1281.10	3.51	9.00	0.50	

DATA : DAILY EVAPORATION STATION : BAN THA HUA

YEAR : 1966

DAY	1	2	3	4	5	6	7	8	9	10	11	12
1	2.20	3.20	5.50	7.00	6.20	3.50	1.60	2.20	1.00	3.00	2.70	2.70
2	2.50	3.00	5.50	7.00	6.20	3.80	3.00	3.30	2.20	2.00	3.00	2.70
3	2.80	3.00	5.40	6.70	6.00	3.20	2.00	2.20	1.50	2.20	3.00	2.70
4	2.70	2.70	5.50	6.00	6.00	3.70	1.20	3.00	2.00	3.90	3.00	2.80
5	2.70	2.50	5.50	4.20	5.20	3.50	1.20	4.20	2.20	3.20	3.20	3.00
6	2.70	2.70	5.50	5.50	5.20	2.80	2.00	3.00	2.70	3.00	2.80	3.10
7	2.50	3.00	5.50	5.50	4.00	2.00	2.90	3.00	2.50	3.50	2.80	3.00
8	2.50	3.50	4.80	6.00	2.00	2.00	3.00	2.70	2.30	2.50	3.20	2.60
9	2.50	3.00	4.80	6.80	3.00	2.00	1.00	2.70	2.60	4.00	3.50	2.50
10	2.50	3.00	4.80	6.80	2.50	2.00	2.00	2.30	1.50	3.50	3.50	2.70
11	2.60	3.20	5.20	7.00	3.00	2.00	1.60	3.20	2.10	4.30	3.20	2.20
12	2.60	3.20	5.50	7.00	4.00	1.70	2.00	1.50	3.20	4.00	2.80	2.30
13	2.60	3.30	5.50	7.00	3.80	3.00	1.50	1.50	2.00	4.60	2.00	2.60
14	2.80	3.00	6.00	6.80	4.00	2.50	1.20	1.20	2.30	4.60	2.50	2.80
15	2.80	3.00	6.00	6.80	4.20	2.00	2.00	1.90	2.70	4.50	2.50	2.80
16	2.50	3.20	6.20	7.00	4.50	2.00	3.00	1.20	2.70	4.00	2.70	2.80
17	2.50	3.20	6.00	7.20	5.00	0.80	3.00	1.30	3.00	3.80	3.00	3.00
18	2.50	3.50	6.00	6.80	5.00	2.30	2.50	1.30	3.30	3.20	2.50	3.00
19	2.40	3.50	5.80	6.80	5.50	3.00	1.50	2.20	3.50	3.00	3.00	3.50
20	2.20	3.50	6.20	7.00	3.50	2.30	0.50	2.30	2.00	3.80	2.50	3.00
21	2.40	3.20	5.50	7.00	3.20	3.20	2.20	4.40	4.50	3.50	4.00	3.40
22	2.80	3.20	5.70	6.50	5.30	1.90	2.60	3.40	4.50	4.00	1.10	2.80
23	3.00	4.00	6.00	7.00	5.50	1.50	2.10	3.80	3.00	2.30	3.00	2.70
24	2.40	5.00	7.00	5.00	5.50	1.90	1.00	1.40	4.00	2.40	4.50	2.80
25	2.80	3.50	7.00	7.00	5.20	2.50	3.10	0.70	4.00	3.00	2.00	3.00
26	2.40	4.50	7.50	7.00	5.50	1.10	1.50	2.00	5.00	3.00	3.10	2.50
27	2.20	5.50	6.50	7.50	5.80	2.60	2.30	3.60	4.00	2.80	2.00	2.50
28	3.00	5.00	6.70	8.00	5.70	3.50	4.00	0.30	4.00	2.50	2.20	2.70
29	3.50		6.70	8.00	5.20	2.00	3.90	2.50	5.00	2.50	2.50	3.00
30	2.50		6.50	6.00	3.50	2.20	1.50	1.50	2.50	2.70	2.50	3.00
31	3.00		6.50		3.50		2.00	1.20		2.70		1.30
TOTAL	81.10	96.10	183.00	198.20	146.70	73.10	63.60	71.20	84.10	104.00	64.30	45.80
AVERAGE	2.62	3.43	5.90	6.61	4.73	2.44	2.03	2.30	2.87	3.29	2.81	2.77
MAXIMUM	3.50	5.50	7.50	8.00	6.20	3.80	4.00	4.40	5.00	4.60	4.50	3.50
MINIMUM	2.20	2.50	4.80	4.00	2.00	0.80	0.50	0.50	1.00	2.00	1.10	1.30

ANNUAL			
TOTAL	AVERAGE	MAXIMUM	MINIMUM
1270.60	3.48	8.00	0.30

A-1-(5) MONTHLY PRECIPITATION

- a. Mae Sariang 1951 - 86
- b. Mae Hong Son 1951 - 86

DATA : MONTHLY PRECIPITATION													STATION : MAE SARIANO
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1951	55.5	0.0	0.0	21.0	76.5	*****	*****	261.8	470.0	40.2	0.0	20.4	*****
1952	0.0	0.0	50.9	4.2	160.5	206.4	118.8	184.5	178.0	150.1	47.7	0.0	1081.7
1953	21.9	44.9	*****	*****	223.0	248.6	215.9	502.1	*****	170.0	71.5	0.0	*****
1954	0.0	0.3	0.5	10.8	100.6	125.2	128.5	159.2	187.7	114.2	15.8	0.0	899.6
1955	0.0	0.0	4.1	114.6	160.9	301.8	135.4	209.6	104.9	14.8	12.4	0.0	1051.5
1956	0.0	31.9	0.0	180.5	115.9	125.5	236.5	233.3	274.6	41.3	86.8	3.6	1308.0
1957	0.5	14.1	0.0	27.7	109.6	319.4	164.1	238.1	82.0	75.7	51.9	0.0	1085.1
1958	0.0	0.0	44.7	43.0	55.0	279.4	232.7	201.9	111.2	108.8	0.4	0.3	1077.6
1959	28.2	0.0	0.0	18.1	158.9	200.2	212.1	311.1	164.8	18.6	6.3	6.5	1124.8
1960	38.7	0.0	0.0	16.3	321.0	165.8	163.9	417.8	152.9	288.0	38.6	31.9	1634.9
1961	13.1	4.4	0.0	27.1	189.5	174.0	195.8	335.9	264.1	80.7	10.7	83.1	1379.0
1962	0.6	2.5	0.0	0.7	272.8	191.8	215.2	199.1	294.8	237.8	2.0	3.6	1420.9
1963	0.0	0.0	0.0	26.7	29.4	330.4	220.6	140.9	224.4	265.7	18.2	20.3	1274.6
1964	0.0	0.0	8.9	81.5	142.2	110.6	232.8	167.1	249.9	119.1	9.8	0.6	1222.3
1965	0.0	23.3	0.0	22.5	173.7	222.8	141.1	235.8	118.7	215.4	10.0	23.3	1186.6
1966	2.7	0.0	0.0	0.0	217.9	191.8	243.8	280.7	75.8	61.7	3.6	0.0	1078.0
1967	0.0	0.0	0.1	164.9	204.1	104.0	212.3	322.3	198.6	49.9	39.4	4.8	1172.3
1968	2.1	0.0	0.0	93.1	160.3	224.0	195.1	206.0	153.3	109.4	12.4	0.0	1155.9
1969	11.9	0.0	0.2	7.0	190.5	106.8	169.3	266.3	292.5	129.9	0.4	0.0	1243.6
1970	0.1	0.0	2.1	39.5	262.4	197.4	140.1	304.5	378.4	161.9	10.2	33.6	1530.0
1971	0.0	0.0	69.2	48.3	174.3	101.1	361.7	287.4	138.0	104.8	0.8	9.3	1354.9
1972	0.0	0.0	0.0	31.6	77.6	94.2	245.1	269.6	167.7	202.9	85.7	6.3	1180.7
1973	0.0	0.0	20.8	0.0	273.2	132.6	172.0	283.9	283.7	35.7	9.0	0.0	1212.9
1974	0.0	0.0	2.7	93.3	137.9	210.9	246.8	264.4	180.9	82.6	56.0	3.0	1278.5
1975	97.1	0.0	0.0	9.1	195.8	189.2	232.9	198.5	164.9	91.5	13.0	15.6	1207.6
1976	0.0	8.5	21.0	17.1	144.3	177.4	204.4	225.2	97.0	109.2	3.7	3.5	1014.6
1977	75.1	11.5	18.0	119.5	93.2	123.9	180.2	184.3	233.5	139.0	10.2	60.3	1248.7
1978	34.8	13.0	0.0	17.7	162.3	135.0	249.6	246.8	249.4	155.7	0.0	0.0	1264.7
1979	0.0	0.0	0.0	60.7	142.9	223.6	114.8	273.1	235.4	59.8	0.0	0.0	1110.3
1980	0.0	0.0	0.6	0.0	321.4	191.2	192.8	197.7	385.1	152.8	42.5	35.5	1519.6
1981	0.0	0.3	3.0	32.8	64.0	279.1	163.1	208.9	176.3	97.0	28.9	9.0	1064.4
1982	0.3	0.0	0.0	0.0	326.6	205.0	109.3	201.1	179.6	56.2	10.6	0.0	1116.6
1983	0.0	0.0	0.0	0.1	89.3	86.1	223.6	186.2	159.7	132.0	34.9	13.9	885.8
1984	0.0	69.0	0.0	75.5	107.0	266.2	184.2	208.6	235.0	103.6	0.0	0.0	1527.1
1985	0.0	0.0	0.0	41.3	171.0	239.6	179.9	199.4	226.5	193.3	69.3	10.9	1336.2
1986	0.0	0.0	0.0	35.7	135.9	159.4	193.8	123.9	91.5	29.0	16.6	6.8	792.6
TOTAL	382.6	203.7	246.8	1340.2	3995.2	6741.2	6925.5	8728.2	7183.5	4203.5	827.3	666.9	60757.8
MEAN	10.6	5.7	7.1	38.3	166.5	192.6	197.9	242.4	205.2	116.8	23.0	11.3	1192.2
MAX	97.1	49.0	69.2	160.5	326.6	330.4	361.7	502.1	470.8	288.0	85.7	83.1	1634.9
MIN	0.0	0.0	0.0	0.0	29.4	66.1	109.3	123.9	75.8	14.8	0.0	0.0	792.6

DATA : MONTHLY PRECIPITATION													STATION : MAE HONG SON
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1951	69.0	0.0	5.1	1.4	128.5	191.2	159.5	251.2	243.7	195.6	21.2	2.9	1269.3
1952	0.0	0.7	48.0	0.0	111.2	198.7	225.1	262.5	241.4	51.6	46.5	0.0	1123.7
1953	57.1	0.0	0.0	86.7	178.1	231.5	178.5	264.3	309.8	87.7	33.0	12.2	1430.1
1954	0.0	1.0	4.3	7.9	179.5	58.0	175.7	223.2	141.7	156.0	46.4	0.8	1003.5
1955	0.0	0.0	18.5	110.6	175.5	271.2	160.8	184.4	310.9	11.1	41.8	0.0	1306.8
1956	0.0	26.1	0.0	97.2	114.0	207.9	132.2	215.1	452.7	106.5	22.2	0.0	1373.9
1957	0.0	1.5	2.8	*****	150.4	219.7	261.4	336.2	194.1	45.2	7.4	0.0	*****
1958	37.7	0.0	47.3	28.7	164.8	231.9	188.8	162.0	105.0	176.2	3.2	0.0	1145.6
1959	23.5	2.1	0.0	64.6	167.4	127.7	433.6	346.9	314.9	29.7	0.5	0.0	1551.2
1960	44.0	0.0	6.4	23.5	170.1	170.1	222.9	261.9	166.3	58.5	21.1	10.1	1160.9
1961	0.5	1.1	7.6	94.6	233.9	185.5	219.7	278.9	324.5	71.2	2.9	41.5	1453.9
1962	0.3	0.0	0.0	32.9	205.4	128.0	188.8	103.7	115.0	61.6	0.0	0.0	835.7
1963	0.0	0.0	1.3	63.7	109.9	*****	*****	*****	*****	*****	47.7	7.1	*****
1964	0.0	0.0	4.3	79.8	132.6	214.1	249.9	226.4	249.8	178.8	28.9	6.5	1365.1
1965	0.0	17.0	5.2	28.2	159.6	213.6	241.3	189.7	170.2	288.8	5.2	15.9	1334.7
1966	0.0	0.0	0.0	1.0	247.3	138.7	190.9	364.4	184.1	49.4	32.4	0.8	1188.5
1967	7.9	0.0	2.0	37.1	149.3	198.3	185.7	513.7	304.1	75.0	44.8	0.8	1866.6
1968	19.1	0.0	0.0	70.5	234.5	213.5	204.5	244.6	101.6	100.4	5.9	0.0	1214.8
1969	0.2	0.0	0.0	37.7	251.7	176.2	180.8	339.9	186.8	158.0	22.1	10.4	1363.8
1970	4.1	0.0	0.1	41.1	235.4	245.8	177.0	234.8	203.7	36.6	5.4	43.3	1247.3
1971	0.4	0.0	22.2	31.6	234.7	216.3	199.6	343.3	212.7	110.9	20.1	8.9	1458.7
1972	5.6	0.0	0.1	121.8	121.3	194.1	193.2	243.4	214.8	178.7	177.5	16.9	1427.4
1973	0.0	0.0	32.6	5.8	184.3	312.0	281.3	601.2	230.6	52.7	17.5	0.0	1718.0
1974	0.0	0.0	18.1	37.2	252.4	146.4	229.0	198.4	238.6	31.9	58.0	0.0	1210.1
1975	37.4	0.0	0.0	0.1	149.8	204.3	135.5	334.1	285.9	80.4	0.2	49.1	1323.8
1976	0.0	4.1	0.2	27.5	133.3	78.0	228.4	244.8	317.2	101.4	25.7	9.5	1167.3
1977	49.9	0.3	13.6	83.2	154.4	134.7	223.1	244.4	328.7	237.4	3.3	62.9	1655.9
1978	62.4	13.1	3.2	2.5	131.9	158.9	304.3	215.7	187.4	112.3	0.2	9.0	1200.9
1979	0.0	0.0	0.0	27.3	109.9	133.4	109.1	157.5	226.4	86.6	0.0	0.0	850.2
1980	0.0	0.0	22.0	30.6	179.4	181.1	187.3	188.1	166.9	77.8	24.1	45.5	1102.8
1981	5.4	1.5	1.2	30.2	245.9	157.5	435.7	189.6	126.7	71.4	76.0	1.1	1342.2
1982	1.9	0.0	0.0	31.2	178.6	155.8	111.2	232.8	209.7	80.7	23.4	0.0	1625.3
1983	0.1	0.0	0.0	30.6	44.2	166.5	109.5	275.4	231.7	156.8	73.7	6.6	1697.1
1984	0.0	9.5	0.0	196.7	128.3	288.8	250.4	292.7	143.2	97.3	0.5	0.0	1407.4
1985	0.6	0.0	0.0	130.2	158.9	157.0	182.5	290.6	184.0	126.5	112.6	0.0	1542.5
1986	0.0	0.0	0.8	65.8	198.1	192.2	183.4	250.8	150.6	70.1	20.9	116.7	1254.4
TOTAL	444.8	78.0	266.9	1709.8	6116.5	6377.6	7433.4	9156.0	7964.4	3713.0	1122.3	681.1	43321.4
MEAN	12.9	2.2	7.4	51.4	169.8	182.2	212.4	241.6	221.9	106.1	31.2	13.4	1274.2
MAX	69.9	64.1	48.0	194.7	344.7	312.0	453.6	601.2	458.7	337.4	177.5	116.7	1718.0
MIN	0.0	0.0	0.0	0.0	44.2	48.0	109.1	103.7	101.6	11.1	0.0	0.0	835.7

A-1-(6) HOURLY PRECIPITATION

- a. Ban Mae Rit June - November/1988
- b. Ban Mae Ngao June - November/1988

DATA : HOURLY PRECIPITATION STATION : BAN MAE RTT YEAR/MONTH : 1988/JUNE																											
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN		
1	0.0	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5		
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
3	0.0	0.0	2.1	0.5	2.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.5	0.0	0.0	0.0	0.0	2.9	8.0	4.5	0.9		
4	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.5	2.2	4.2	2.2	0.0	4.0	5.4	0.0	0.0	0.0	0.0	0.0	0.0	1.0		
5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	1.4	0.0	0.0	3.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4		
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	1.8	1.0	0.6	5.8	0.0	0.0	0.0	0.4		
7	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5		
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.1		
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1		
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
13	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3		
14	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
18	0.0	0.0	0.0	0.0	0.0	1.2	1.5	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2		
19	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.3	0.0	0.0	0.1		
20	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2		
21	0.0	0.5	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	1.0	0.0	0.1		
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0		
25	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.6	0.0	0.0	0.0	0.0	0.2		
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.0	0.5	0.0	0.0	0.0	0.4		
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2		
28	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	25.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1		
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
MEAN	0.0	0.5	0.1	0.0	0.2	0.2	0.4	0.1	0.0	0.0	1.0	0.6	0.2	0.2	0.3	0.2	0.2	0.3	0.1	0.1	0.2	0.2	0.3	0.2	0.2		

DATA : HOURLY PRECIPITATION STATION : BAN MAE RTT YEAR/MONTH : 1988/JUL																											
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN		
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	4.0	3.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8		
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	7.0	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.2		
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.5	0.5	0.0	0.0	5.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4		
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
10	0.0	0.0	0.0	0.0	0.5	1.5	0.0	0.0	34.5	5.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9		
11	0.0	0.0	0.0	0.0	0.0	6.0	20.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	1.1			
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.1			
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
15	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.5	16.5	0.0	1.0	1.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9		
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	0.0	0.0	0.0	0.2			
17	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.0	0.0	0.0	0.5	7.0	2.5	0.0	0.0	0.0	0.0	0.5			
18	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.5	0.0	0.0	0.5	0.0	0.3		
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1			
22	0.0	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1			
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1			
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
26	0.0	0.0	0.0	0.0	0.0																						

A-1-(7) HOURLY TEMPERATURE

- a. Ban Mae Rit June - November/1988
- b. Ban Mae Ngao June - November/1988

		DATA : HOURLY TEMPERATURE STATION : BAN MAE RIT YEAR/MONTH : 1988/JUNE																							
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN
1	24.0	28.0	29.0	30.0	32.0	31.0	28.0	31.0	33.0	32.0	31.0	30.0	27.0	28.0	25.0	25.0	24.0	24.0	23.0	23.0	23.0	22.0	22.0	22.0	26.9
2	22.0	27.0	30.0	32.0	35.0	34.0	35.0	35.0	36.0	33.0	30.0	29.0	28.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	23.0	28.1
3	24.0	25.0	25.0	25.0	26.0	28.0	28.0	28.0	27.0	27.0	27.0	27.0	25.0	24.0	23.0	23.0	23.0	22.0	22.0	22.0	22.0	21.0	21.0	21.0	24.3
4	21.0	24.0	27.0	29.0	30.0	30.0	30.0	31.0	28.0	25.0	24.0	24.0	24.0	23.0	23.0	23.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	24.9
5	22.0	23.0	25.0	26.0	26.0	28.0	28.0	28.0	26.0	26.0	25.0	25.0	24.0	23.0	22.0	22.0	22.0	22.0	21.0	21.0	21.0	21.0	21.0	21.0	23.8
6	21.0	26.0	27.0	28.0	29.0	30.0	30.0	31.0	33.0	33.0	32.0	31.0	27.0	25.0	24.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	22.0	22.0	26.5
7	24.0	27.0	26.0	28.0	30.0	32.0	33.0	33.0	33.0	32.0	27.0	26.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	22.0	26.3
8	24.0	26.0	28.0	29.0	29.0	31.0	30.0	31.0	29.0	28.0	27.0	25.0	24.0	23.0	23.0	22.0	22.0	22.0	22.0	21.0	21.0	21.0	21.0	21.0	23.9
9	22.0	23.0	24.0	25.0	26.0	27.0	27.0	28.0	26.0	25.0	25.0	23.0	23.0	22.0	22.0	22.0	22.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	23.5
10	22.0	24.0	26.0	28.0	29.0	30.0	27.0	27.0	27.0	27.0	27.0	27.0	25.0	24.0	24.0	23.0	22.0	22.0	21.0	21.0	21.0	21.0	21.0	21.0	24.4
11	22.0	25.0	29.0	31.0	31.0	30.0	31.0	30.0	30.0	30.0	30.0	28.0	26.0	24.0	23.0	22.0	22.0	22.0	22.0	22.0	21.0	21.0	21.0	21.0	25.6
12	22.0	25.0	23.0	27.0	30.0	31.0	31.0	30.0	31.0	30.0	30.0	28.0	25.0	24.0	23.0	23.0	23.0	22.0	21.0	21.0	21.0	21.0	21.0	21.0	25.2
13	22.0	25.0	27.0	30.0	31.0	32.0	27.0	31.0	33.0	33.0	29.0	26.0	25.0	23.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	23.0	23.0	26.5
14	24.0	25.0	27.0	27.0	29.0	29.0	28.0	31.0	31.0	30.0	30.0	28.0	26.0	26.0	25.0	25.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	26.3
15	24.0	26.0	29.0	30.0	32.0	31.0	32.0	33.0	33.0	30.0	30.0	28.0	27.0	25.0	24.0	24.0	23.0	23.0	23.0	21.0	22.0	23.0	23.0	22.0	26.8
16	23.0	24.0	26.0	28.0	28.0	29.0	30.0	31.0	31.0	30.0	30.0	28.0	23.0	24.0	24.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	22.0	22.0	25.6
17	23.0	26.0	27.0	29.0	30.0	31.0	32.0	33.0	31.0	30.0	30.0	29.0	27.0	26.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.0
18	25.0	26.0	27.0	29.0	29.0	28.0	28.0	28.0	29.0	29.0	29.0	28.0	27.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	28.3
19	25.0	26.0	28.0	31.0	32.0	32.0	28.0	28.0	27.0	27.0	27.0	27.0	24.0	24.0	23.0	23.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	22.0	26.9
20	23.0	23.0	24.0	24.0	27.0	29.0	30.0	28.0	28.0	30.0	29.0	28.0	26.0	25.0	24.0	23.0	23.0	23.0	22.0	22.0	22.0	22.0	22.0	22.0	25.0
21	22.0	25.0	25.0	27.0	30.0	27.0	30.0	29.0	31.0	31.0	28.0	28.0	26.0	25.0	24.0	23.0	23.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	25.8
22	24.0	25.0	26.0	29.0	29.0	30.0	28.0	31.0	29.0	31.0	31.0	29.0	27.0	25.0	25.0	25.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	26.3
23	24.0	25.0	28.0	30.0	31.0	32.0	33.0	32.0	34.0	31.0	30.0	28.0	27.0	25.0	25.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	27.1
24	24.0	25.0	27.0	26.0	28.0	28.0	30.0	31.0	28.0	28.0	28.0	27.0	26.0	25.0	24.0	24.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	25.7
25	24.0	25.0	27.0	29.0	31.0	31.0	30.0	31.0	31.0	30.0	30.0	29.0	27.0	26.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.5
26	24.0	25.0	26.0	29.0	31.0	33.0	32.0	33.0	30.0	31.0	30.0	27.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	26.6
27	24.0	25.0	27.0	29.0	31.0	32.0	33.0	33.0	32.0	32.0	32.0	30.0	28.0	27.0	27.0	25.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	27.2
28	24.0	25.0	27.0	28.0	29.0	29.0	30.0	30.0	29.0	30.0	29.0	23.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	25.0
29	24.0	24.0	24.0	26.0	26.0	27.0	27.0	27.0	29.0	28.0	27.0	26.0	25.0	24.0	24.0	23.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	24.3
30	21.0	23.0	28.0	29.0	30.0	30.0	30.0	30.0	29.0	28.0	26.0	26.0	25.0	24.0	24.0	23.0	23.0	23.0	22.0	22.0	22.0	22.0	22.0	22.0	25.2
MEAN	23.1	25.1	26.7	28.2	29.5	29.9	29.8	30.3	30.2	29.8	28.8	27.3	25.6	24.7	24.1	23.7	23.4	23.2	22.7	22.7	22.6	22.5	22.4	22.2	25.8

		DATA : HOURLY TEMPERATURE STATION : BAN MAE RIT YEAR/MONTH : 1988/JUL																							
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN
1	22.0	24.0	26.0	27.0	27.0	27.0	29.0	29.0	28.0	28.0	26.0	25.0	24.0	24.0	24.0	24.0	23.0	23.0	22.0	22.0	22.0	22.0	22.0	22.0	24.7
2	23.0	25.0	26.0	27.0	31.0	31.0	31.0	30.0	28.0	27.0	26.0	26.0	25.0	24.0	24.0	24.0	24.0	23.0	23.0	23.0	22.0	22.0	22.0	22.0	25.4
3	23.0	24.0	28.0	32.0	33.0	34.0	34.0	34.0	34.0	33.0	33.0	31.0	28.0	26.0	25.0	24.0	25.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	26.0
4	24.0	24.0	24.0	27.0	29.0	30.0	30.0	30.0	31.0	31.0	29.0	28.0	27.0	25.0	24.0	24.0	23.0	23.0	22.0	22.0	21.0	21.0	21.0	21.0	25.5
5	22.0	26.0	27.0	29.0	28.0	29.0	30.0	30.0	30.0	29.0	29.0	28.0	26.0	25.0	25.0	22.0	22.0	22.0	21.0	21.0	21.0	21.0	21.0	21.0	25.2
6	21.0	22.0	25.0	28.0	31.0	31.0	31.0	32.0	34.0	32.0	31.0	25.0	25.0	24.0	24.0	24.0	23.0	23.0	22.0	22.0	22.0	22.0	22.0	22.0	25.8
7	24.0	24.0	28.0	31.0	30.0	31.0	32.0	31.0	33.0	30.0	29.0	27.0	26.0	25.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.4
8	23.0	29.0	24.0	31.0	30.0	32.0	33.0	31.0	31.0	31.0	30.0	28.0	26.0	24.0	23.0	23.0	22.0	22.0	22.0	21.0	21.0	21.0	21.0	21.0	25.8
9	22.0	23.0	28.0	31.0	32.0	33.0	34.0	34.0	34.0	34.0	32.0	32.0	28.0	26.0	25.0	25.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	27.4
10	24.0	25.0	31.0	31.0	32.0	31.0	30.0	32.0	35.0	32.0	27.0	26.0	24.0	24.0	24.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	26.2
11	23.0	24.0	26.0	29.0	31.0	32.0	26.0	24.0	30.0	31.0	30.0	28.0	26.0	25.0	25.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	25.8
12	23.0	23.0	26.0	28.0	30.0	32.0	33.0	32.0	32.0	27.0	26.0	26.0	26.0	25.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.0
13	23.0	23.0	26.0	30.0	32.0	32.0	32.0	32.0	30.0	30.0	31.0	30.0	28.0	26.0	25.0	25.0	24.0	24.0	23.0	23.0	22.0	22.0	22.0	22.0	26.5
14	22.0	22.0	26.0	30.0	31.0	31.0	33.0	33.0	33.0	33.0	34.0	32.0	29.0	27.0	25.0	24.0	24.0	23.0	23.0	23.0	22.0	22.0	22.0	22.0	25.6
15	22.0	23.0	27.0	27.0	28.0	31.0	32.0	33.0	28.0	28.0	25.0	26.0	24.0	23.0	23.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	24.8
16	22.0	23.0	26.0	28.0	31.0	32.0	33.0	33.0	32.0	32.0	28.0	27.0	26.0	25.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	28.2
17	23.0	23.0	24.0	26.0	28.0	28.0	30.0	31.0	30.0	29.0	29.0	25.0	24.0	23.0	23.0	23.0	22.0	22.0	22.0	21.0	21.0	21.0	21.0	21.0	24.7
18	21.0	22.0	24.0	26.0	27.0	27.0	27.0	28.0	30.0	30.0	30.0	27.0	26.0	25.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	25.2
19	22.0	24.0	28.0	31.0	33.0	33.0	33.0	34.0	33.0	31.0	30.0	29.0	27.0	26.0	26.0	24.0	25.0	25.							

		DATA : HOURLY TEMPERATURE STATION : BAN MAE RIT YEAR/MONTH : 1988/AUG																								
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN	
1	21.0	22.0	22.9	23.2	24.0	23.0	24.5	25.0	26.9	25.0	24.0	23.8	22.8	22.0	22.0	21.6	21.5	21.1	21.0	21.0	21.0	21.0	20.8	20.8	22.6	
2	21.0	22.2	23.0	23.7	24.0	25.0	26.0	27.0	27.2	27.0	25.5	25.0	23.8	23.0	22.9	22.5	22.2	22.0	21.8	21.7	21.2	21.1	21.1	21.0	24.1	
3	21.8	23.2	23.8	24.4	25.8	26.8	28.0	29.5	26.2	25.5	24.5	23.8	23.0	22.3	22.0	22.0	21.8	21.4	21.2	21.0	21.0	21.0	21.0	21.0	23.7	
4	21.2	21.9	24.2	25.2	27.1	28.0	29.8	29.9	30.0	30.8	29.5	25.2	24.3	23.5	23.2	23.0	22.5	22.2	22.1	21.9	21.8	21.5	21.2	21.0	24.6	
5	21.8	24.8	27.0	27.2	28.0	29.0	30.4	31.5	31.7	32.2	31.2	28.8	26.8	25.0	25.0	24.9	24.5	23.8	23.0	23.0	22.9	22.8	22.7	22.5	26.3	
6	23.2	25.0	27.0	27.2	28.0	29.0	30.4	31.5	31.7	32.2	31.2	28.8	26.8	25.0	25.0	24.9	24.5	23.8	23.0	23.0	22.9	22.8	22.7	22.5	26.3	
7	21.2	22.0	23.8	24.0	27.4	27.0	27.8	29.9	29.0	27.8	28.0	25.0	23.8	23.0	22.6	22.2	22.0	21.8	21.2	21.2	21.1	21.0	21.0	21.0	24.3	
8	21.4	22.0	25.0	26.0	26.0	27.1	27.5	27.6	28.0	28.0	25.2	24.5	23.8	23.0	22.6	22.2	22.2	22.0	21.9	21.5	21.2	21.2	21.0	21.0	24.3	
9	21.8	22.0	23.8	24.2	29.9	29.0	27.1	30.0	31.2	29.2	28.0	27.0	25.8	24.2	23.8	23.2	23.1	23.0	23.0	22.7	22.2	22.2	22.2	22.1	24.1	
10	22.5	23.2	27.0	29.8	30.2	31.8	30.8	30.0	30.0	27.0	20.2	20.5	25.0	24.2	23.8	23.1	22.9	22.6	22.2	22.2	22.0	21.9	21.5	21.2	21.0	24.1
11	22.0	22.8	24.0	24.0	27.2	28.0	30.1	29.0	30.8	31.0	31.1	29.5	26.8	25.0	24.2	24.0	23.8	23.5	23.0	23.0	22.9	22.8	22.6	22.5	25.4	
12	22.6	23.5	26.0	26.0	29.0	27.9	27.2	29.2	31.1	31.1	31.0	27.0	24.8	24.0	23.2	22.8	22.0	21.8	21.8	21.5	21.2	21.0	21.0	21.0	24.2	
13	22.0	23.0	25.2	26.9	28.0	27.5	29.0	30.2	30.5	27.2	24.8	24.0	23.2	22.8	22.0	21.8	21.8	21.5	21.2	21.0	21.0	21.0	21.0	21.0	25.5	
14	21.5	23.0	26.0	29.9	29.5	29.2	31.0	30.4	31.0	31.2	28.0	26.4	25.2	24.0	23.0	23.0	23.0	22.6	22.4	22.2	22.0	22.0	22.0	22.0	26.1	
15	22.0	23.0	26.0	27.5	28.0	29.0	29.0	28.9	29.0	28.9	28.0	27.5	26.6	25.8	25.2	25.0	25.0	25.0	24.9	24.8	24.5	24.2	24.0	24.0	26.6	
16	24.0	25.0	29.0	30.6	31.8	32.2	32.0	34.0	32.5	30.8	30.0	27.2	26.0	25.0	24.5	24.0	23.5	23.1	22.9	22.2	22.1	22.2	22.2	22.0	26.6	
17	22.0	23.8	24.2	25.0	31.0	31.0	33.0	32.0	32.0	29.0	27.0	27.2	25.8	24.9	24.1	23.9	23.5	23.2	23.0	22.8	22.5	22.5	22.5	22.2	26.2	
18	22.2	24.0	28.0	27.8	30.1	31.2	32.9	34.0	34.5	30.7	29.9	28.8	27.0	26.0	25.5	25.5	25.1	24.8	24.6	24.2	24.0	24.0	24.0	24.0	27.2	
19	24.0	25.2	28.0	30.2	32.0	33.5	33.8	31.0	28.2	26.0	23.9	23.9	25.2	25.0	24.8	24.5	24.3	24.0	24.0	24.0	23.9	23.9	23.9	23.9	26.8	
20	24.0	24.0	24.0	24.5	25.0	26.1	27.0	26.9	28.0	29.0	29.9	28.0	26.2	25.2	25.1	25.0	24.8	24.6	24.0	23.9	23.2	23.1	23.1	23.0	26.8	
21	23.5	24.0	25.0	26.0	28.5	31.0	31.0	31.0	31.8	33.0	32.0	29.1	26.9	25.1	24.8	24.5	24.2	24.1	24.0	23.8	23.2	23.0	22.8	22.6	26.5	
22	25.0	24.2	26.0	29.0	31.9	31.2	32.8	34.0	34.0	33.8	31.9	29.8	27.0	25.0	24.8	24.0	23.9	23.6	23.5	23.2	23.0	22.8	22.6	22.4	27.1	
23	23.2	24.2	28.5	31.0	32.2	32.8	35.0	34.0	35.5	34.0	33.0	30.4	27.8	26.2	25.2	25.0	24.8	24.5	24.2	24.0	23.8	23.5	23.2	23.0	27.6	
24	24.8	24.8	28.9	31.0	33.0	34.9	35.2	35.8	34.0	31.0	30.2	29.0	27.5	26.6	26.0	25.8	25.4	25.3	25.0	24.2	24.2	24.0	24.0	24.0	28.1	
25	24.8	25.4	28.5	31.2	32.9	33.0	34.0	35.0	34.0	31.0	30.2	29.0	27.5	26.6	26.0	25.8	25.4	25.3	25.0	24.2	24.2	24.0	24.0	24.0	28.1	
26	23.8	24.4	25.8	28.2	30.0	32.0	32.2	29.4	28.3	31.3	31.8	29.0	27.0	25.4	25.1	24.8	24.5	24.0	24.0	23.9	23.5	23.0	22.7	22.2	26.5	
27	23.0	24.9	28.0	30.0	32.6	33.9	34.2	35.0	35.7	35.5	33.0	28.7	26.8	26.0	25.8	25.5	25.2	24.9	24.8	24.6	24.6	24.6	24.6	24.6	28.2	
28	24.5	25.8	28.0	29.5	31.5	30.0	29.8	30.8	29.5	27.0	26.8	26.2	25.5	25.0	24.9	24.5	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	26.3	
29	24.0	25.0	26.4	27.9	29.4	32.0	31.5	32.4	33.2	29.0	28.9	26.0	25.0	24.8	24.2	24.0	23.8	23.5	23.0	23.0	23.0	23.2	23.5	23.5	26.2	
30	23.5	24.0	25.2	26.8	29.0	30.0	31.8	31.0	30.0	30.4	25.8	25.0	24.2	24.0	23.8	23.7	23.7	23.5	23.2	23.5	23.7	23.7	23.7	23.7	25.7	
31	24.0	26.0	26.0	26.0	26.8	26.0	26.2	27.8	26.0	24.7	24.6	23.6	22.4	21.9	21.6	21.0	21.0	20.9	20.8	20.5	20.2	20.2	20.2	20.0	23.3	
MEAN	22.7	24.0	26.0	27.6	29.2	29.6	30.4	30.8	30.8	29.8	28.5	26.9	25.4	24.5	24.0	23.7	23.5	23.2	23.0	22.8	22.6	22.5	22.5	22.4	25.7	

		DATA : HOURLY TEMPERATURE STATION : BAN MAE RIT YEAR/MONTH : 1988/SEP																								
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN	
1	20.5	22.0	27.2	30.0	31.4	32.0	32.5	32.8	32.0	31.0	30.8	29.0	26.2	25.5	24.9	24.1	23.9	23.2	23.0	22.8	22.7	22.4	22.1	22.0	26.4	
2	22.2	23.5	25.0	27.0	28.0	31.5	33.7	33.0	33.0	34.0	31.1	29.2	27.0	25.8	26.9	24.9	24.8	24.5	24.2	24.0	24.0	23.9	23.6	23.3	26.9	
3	23.4	25.0	27.0	29.4	31.5	33.0	34.8	35.1	34.5	33.2	31.0	29.0	26.5	26.0	25.4	24.9	24.8	24.2	24.0	24.0	23.9	23.6	23.3	23.0	27.5	
4	23.8	25.0	28.2	30.2	35.0	33.0	34.3	33.0	34.8	33.9	32.5	29.8	27.8	26.0	25.8	25.0	24.8	24.2	24.0	23.8	23.5	23.2	23.0	22.7	27.6	
5	24.0	25.0	27.9	29.2	31.0	34.0	33.9	30.0	29.5	29.0	28.9	28.0	27.0	25.0	25.2	25.2	25.0	24.0	23.9	23.8	23.8	23.8	23.8	23.8	26.9	
6	24.0	25.0	30.2	33.0	35.0	32.0	31.9	35.0	35.8	33.8	30.0	29.9	28.0	27.0	26.6	26.0	25.2	25.1	25.0	25.0	25.0	24.9	24.9	24.9	28.9	
7	25.4	26.0	25.8	29.2	32.0	34.0	34.2	34.0	33.0	31.8	29.0	27.2	26.0	25.1	25.0	24.5	24.0	23.2	23.0	22.5	22.1	22.0	21.8	21.8	27.2	
8	22.8	24.8	30.1	32.2	34.0	35.5	36.8	33.8	32.2	33.8	33.5	31.4	29.0	27.2	26.3	26.0	25.2	25.0	24.5	24.0	23.9	23.5	23.0	22.8	28.4	
9	24.0	25.0	29.0	31.2	33.0	34.8	35.5	36.0	36.1	34.9	34.7	31.8	28.8	27.1	26.5	25.9	25.2	25.0	24.8	24.3	24.1	24.0	24.0	24.0	28.7	
10	24.8	25.7	27.4	29.1	31.0	33.0	34.0	35.0	35.6	34.0	31.8	29.0	27.9	25.2	24.8	24.5	24.2	24.0	24.2	24.0	24.0	24.0	23.8	23.2	27.6	
11	23.8	25.0	27.1	30.4	31.9	33.6	34.0	34.0	32.5	31.0	31.0	27.8	26.0	25.2	24.8	24.8	24.8	24.2	24.0	23.9	23.9	23.9	23.9	23.9	27.2	
12	23.2	24.8	28.0	29.0	30.4	33.0	35.2	35.0	36.0	36.0	33.0	31.4	29.0	27.8	26.9	26.2	26.0	25.2	25.0	24.9	24.8	24.8	24.8	24.8	28.5	
13	24.9	25.0	27.2	30.5	32.2	30.2	33.0	33.8	33.2	34.9	32.8	30.0	28.0	26.8	26.2	26.0	25.5	25.2	25.0	24.8	24.4	24.0	24.0	24.0	28.1	
14	24.8	25.0	29.0	31.0	33.0	33.2	34.0	36.0	34.5	30.8	28.8	27.8	26.8	26.0	25.2	25.0	24.5	24.5	24.0	23.8	23.8	23.8	23.8	23.8	27.7	
15	24.8	26.0	27.7	30.0	32.0	32.0	32.0	25.5	25.0	25.0	25.0	25.0	24.1	24.0	23.3	23.2	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	25.9	
16	22.0	23.0	28.0	30.1	31.0	33.0	30.0	29.0	30.0	29.2	28.8	27.0	25.8	25.1	25.0	24.9	24.9	24.7	24.4	24.2	24.0	24.0	24.0	24.0	26.9	
17	24.4	25.0	24.8	28.2	31.0	32.8	35.0	34.9	34.0	32.8	28.8	28.8	26.8	25.9	25.8	25.4	25.2	25.0	24.9	24.6	24.2	24.0	24.0	24.0	27.7	
18	24.5	25.0	24.8	28.2	31.0	32.8	35.0	34.9	34.0	32.8	28.8	28.8	26.8	25.9	25.8	25.4	25.2	25.0	24.9	24.6	2					

DATA : HOURLY TEMPERATURE STATION : BAN MAE RIT YEAR/MONTH : 1988/OCT

DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN
1	23.8	24.5	27.0	29.0	31.2	34.0	35.0	35.5	34.0	31.8	30.0	29.0	27.0	26.8	26.0	25.9	25.5	25.5	25.3	25.2	25.1	25.0	24.8	24.0	26.0
2	24.0	25.0	25.6	26.6	31.0	32.8	33.8	34.0	34.2	32.0	29.9	28.0	26.1	25.2	25.0	24.9	24.5	24.5	24.1	24.0	24.0	23.8	23.5	23.0	27.1
3	23.2	25.0	27.0	29.0	32.2	34.0	34.0	35.2	35.0	33.0	31.2	29.0	27.0	26.2	26.0	25.5	25.0	24.8	24.2	24.0	24.0	24.0	24.0	24.0	27.8
4	23.9	24.5	26.8	28.2	31.0	31.8	33.6	33.0	34.0	30.9	29.0	27.0	25.0	26.0	25.2	25.2	25.0	24.9	24.6	24.5	24.2	24.0	23.9	23.6	27.2
5	23.8	24.7	27.0	29.1	31.0	32.0	30.0	28.4	26.2	27.4	26.8	25.8	25.0	25.0	24.4	24.0	23.8	23.6	23.5	23.4	23.2	23.0	23.1	23.0	25.7
6	23.0	23.8	25.0	28.0	30.2	33.0	33.0	31.9	32.0	32.8	31.0	28.1	26.8	26.0	25.0	25.0	24.2	24.0	23.8	23.5	23.2	23.0	23.0	22.9	26.8
7	22.9	23.8	26.8	30.0	32.8	34.0	34.0	28.2	29.5	29.5	30.0	28.0	26.0	25.1	24.8	24.2	24.0	23.2	22.8	22.0	21.9	21.6	21.7	21.9	24.2
8	22.0	22.8	25.0	27.0	29.0	31.0	31.0	32.2	29.0	25.0	26.2	25.1	24.2	24.0	24.0	24.0	24.0	23.5	23.5	23.0	22.8	22.2	22.1	22.2	26.2
9	22.2	23.0	27.0	29.0	31.0	31.8	33.0	34.0	34.4	31.0	28.5	26.0	25.0	24.0	23.8	23.5	23.4	23.2	23.0	23.0	22.9	22.9	22.9	22.2	25.1
10	22.4	25.0	25.0	27.0	29.4	32.8	32.9	32.0	32.0	33.0	31.0	28.9	27.0	25.5	25.0	24.0	23.0	23.0	23.0	23.0	23.0	22.9	22.5	22.2	26.5
11	22.4	25.0	25.0	27.0	29.4	32.8	32.9	32.0	32.0	33.0	31.0	28.9	27.0	25.5	25.0	24.0	23.0	23.0	23.0	23.0	23.0	22.9	22.5	22.2	26.5
12	22.6	23.0	25.0	24.0	26.2	26.9	29.0	29.1	30.2	30.0	29.5	27.1	25.9	25.0	24.2	24.0	23.8	23.2	23.0	22.9	22.9	22.8	22.6	22.5	25.9
13	22.5	22.9	23.7	24.4	24.2	28.1	28.0	28.0	28.0	26.8	26.0	24.9	24.0	23.5	23.0	23.0	23.0	22.5	22.1	22.0	21.8	21.5	21.2	21.2	24.0
14	21.2	22.2	23.0	30.0	32.1	32.6	32.9	33.1	32.9	32.0	28.6	27.2	25.9	25.0	24.5	24.0	23.5	23.2	23.0	22.9	22.6	22.5	22.5	22.5	26.4
15	22.8	23.4	27.2	29.0	29.0	31.0	32.0	32.8	32.0	31.0	28.8	26.8	25.0	24.0	23.6	23.5	23.2	23.1	23.0	22.9	22.8	22.5	22.2	22.2	26.0
16	22.5	23.0	26.5	27.8	28.8	31.0	31.5	31.2	30.0	30.0	29.7	27.5	26.0	25.1	25.0	24.9	24.5	24.5	24.2	24.0	24.0	24.0	24.0	24.0	24.4
17	24.0	24.2	24.0	25.0	26.0	28.0	29.4	29.9	29.0	27.8	26.0	24.9	24.0	23.5	23.0	23.0	22.6	22.1	22.0	22.0	22.0	22.0	21.9	21.9	24.5
18	21.9	22.2	24.0	24.0	23.9	23.6	24.0	26.0	26.0	26.0	24.8	23.9	23.0	23.0	22.8	22.2	22.0	22.0	22.0	21.4	21.0	20.8	20.5	20.5	23.1
19	20.8	21.2	24.8	25.0	26.8	27.0	26.8	27.0	27.0	26.8	27.0	25.8	25.0	24.0	23.4	23.5	23.5	23.5	23.5	23.5	23.1	23.0	23.0	23.0	24.5
20	23.2	24.0	23.0	27.8	30.0	32.0	32.0	32.0	32.0	33.0	31.0	28.9	27.0	25.5	25.0	24.0	23.0	23.0	23.0	23.0	22.9	22.5	22.2	22.6	26.2
21	22.4	23.0	25.0	24.9	28.0	31.8	33.2	34.8	34.6	34.0	31.0	28.5	27.0	26.0	25.4	25.0	24.4	24.0	23.8	23.1	23.0	22.8	22.5	23.0	26.8
22	23.9	24.0	28.1	29.2	31.2	32.5	34.0	35.9	35.0	34.0	31.4	28.9	27.0	26.0	25.4	25.0	24.8	24.1	23.8	23.5	23.2	23.5	23.8	23.8	27.7
23	24.0	25.0	28.0	29.2	32.0	34.0	35.0	35.1	36.0	35.0	32.8	30.0	28.2	27.2	26.0	24.6	24.0	23.5	23.5	23.0	22.8	22.2	22.2	22.2	27.7
24	22.8	23.2	28.0	32.2	33.9	35.0	36.0	37.0	37.8	33.5	29.0	28.0	27.0	25.5	25.0	24.8	24.5	24.5	24.5	24.7	24.7	24.6	24.5	24.5	28.2
25	24.8	24.5	25.0	26.2	28.8	31.2	33.0	34.0	35.0	30.2	27.8	26.1	25.0	24.0	23.8	23.2	23.1	23.0	23.0	23.0	23.0	22.5	22.2	22.2	26.1
26	22.2	23.0	25.0	25.0	29.0	31.0	32.9	34.2	34.4	34.0	30.5	26.1	25.1	24.9	24.1	24.0	24.0	23.7	23.2	23.0	22.2	22.0	22.0	21.8	26.2
27	21.6	23.0	26.0	27.5	29.9	32.0	33.0	34.9	35.0	36.0	29.0	27.2	25.5	24.0	23.1	22.5	21.9	21.1	20.8	20.1	20.0	20.0	19.9	20.0	25.5
28	20.9	21.0	22.8	26.0	27.9	31.0	32.7	33.1	34.0	32.0	29.6	26.8	24.9	23.5	22.8	21.6	21.0	20.2	20.0	19.5	19.0	18.8	18.6	19.1	24.4
29	19.9	20.2	22.0	25.9	28.5	30.5	32.0	33.2	34.0	31.9	28.0	25.0	23.0	21.9	21.0	20.2	19.9	19.2	19.0	18.5	18.1	18.0	17.9	18.0	23.6
30	18.2	19.5	21.5	24.0	28.0	31.0	33.0	33.0	33.0	31.0	27.0	24.0	22.0	21.0	20.5	20.0	19.2	19.0	18.0	18.7	18.0	18.0	18.0	18.0	23.3
31	18.0	19.0	21.0	21.2	24.9	27.2	30.0	30.2	31.0	30.0	27.0	23.1	22.0	19.4	18.8	18.0	17.5	17.4	17.6	17.4	17.0	17.0	17.0	17.0	21.6
MEAN	22.4	23.1	25.4	27.3	29.4	31.2	32.1	32.4	32.4	31.0	28.9	26.8	25.3	24.5	24.0	23.6	23.2	22.9	22.7	22.5	22.3	22.2	22.1	22.0	25.8

DATA : HOURLY TEMPERATURE STATION : BAN MAE RIT YEAR/MONTH : 1988/NOV

DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN
1	17.0	17.8	20.0	22.8	26.1	29.9	31.5	32.5	32.4	29.5	27.8	25.5	24.0	23.0	21.9	20.0	20.2	20.9	20.5	20.4	20.3	20.0	20.0	20.0	23.5
2	20.0	20.8	22.5	27.0	29.0	32.0	33.2	34.5	35.0	31.8	27.4	24.9	23.0	22.4	22.0	21.2	21.2	20.8	21.0	20.9	20.3	20.8	20.0	19.9	24.7
3	20.0	21.2	22.5	25.4	29.9	32.0	34.2	35.5	34.9	32.0	29.0	26.5	25.0	24.2	23.4	23.2	22.2	22.2	22.0	22.4	22.1	22.1	22.5	22.4	25.7
4	22.4	23.0	24.0	27.0	28.0	30.2	32.5	33.0	32.8	31.0	27.2	25.0	23.3	22.8	22.4	21.2	21.2	21.2	21.2	21.0	21.0	21.5	21.0	21.0	24.8
5	21.8	23.0	24.0	27.8	30.8	31.2	32.5	33.5	34.0	29.5	26.9	24.4	22.0	21.2	20.2	19.9	19.0	18.5	18.0	17.8	17.2	16.8	16.2	16.3	24.6
6	17.2	19.0	20.0	24.0	27.4	29.0	30.4	32.1	31.0	28.6	25.0	21.8	20.9	20.0	19.0	19.0	18.0	17.9	17.1	16.9	16.0	15.9	15.9	16.2	21.6
7	17.0	18.0	19.0	22.0	25.8	29.0	30.2	31.8	33.0	29.5	25.8	22.5	20.2	19.0	18.2	17.2	16.5	16.2	16.3	16.9	16.0	15.2	15.0	15.2	21.1
8	16.2	17.8	20.0	23.0	26.5	29.9	31.0	32.8	35.0	30.0	26.2	23.6	21.8	20.5	20.0	19.0	19.0	20.0	20.2	20.0	20.0	20.0	19.9	19.9	22.9
9	20.0	22.0	24.5	27.0	30.0	31.2	33.2	34.0	35.0	30.4	27.0	24.0	22.2	21.0	20.0	19.0	19.2	18.5	18.0	18.0	17.5	17.4	17.0	17.9	23.4
10	19.9	20.0	20.0	24.8	27.8	30.2	31.8	32.8	34.0	30.0	25.8	22.5	21.0	19.5	19.0	18.2	18.0	18.0	17.5	17.0	16.1	16.0	15.5	15.2	22.1
11	16.8	18.0	20.0	23.0	26.8	29.0	31.2	32.8	32.9	29.0	24.8	21.8	19.8	18.5	17.9	17.1	16.8	16.1	15.9	15.5	15.0	14.8	14.5	14.2	20.9
12	14.6	16.0	19.8	22.9	26.9	29.5	31.7	32.5	32.5	29.5	25.8	22.5	20.5	19.0	18.2	17.9	17.2	16.9	16.4	16.0	15.9	15.4	15.5	15.4	21.2
13	15.4	17.0	20.0	23.5	26.9	29.0	30.8	32.2	33.0	30.8	27.0	23.4	21.6	20.8	20.0	20.0	19.9	19.0	18.4	18.0	17.2	17.0	16.9	17.0	22.3
14	17.0	18.0	19.0	22.0	26.0	28.0	29.9	31.8	32.0	29.0	26.0	23.8	22.1	21.2	21.0	20.2	20.1	20.0	20.0	20.0	19.8	19.5	19.4	19.2	22.7
15	19.5	20.0	22.0	23.4	25.2	26.0	26.9	27.0	26.7	26.0	25.0	23.8	23.0	22.8	22.2	22.0	22.0	21.9	21.7	21.5	21.2	21.0	20.8	20.2	23.0
16	20.1	20.0	18.0	18.0	18.2	18.7	18.6	18.6	17.6	17.1	16.8	16.0	15.9	15.9	15.5	15.5	15.5	15.5	15.8	15.9	16.0	16.0	16.0	16.0	16.9
17	16.2	17.0	17.8	18.0	19.0	19.2	19.5	19.5	19.0	18.9	18.5	18.2	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.2
18	18.8	18.5	21.3	22.0	22.0	22.0	22.2	22.4	22.7	22.5	22.1	21.9	21.6	21.5	21.3	21.0	21.0	21.0	21.0	20.9	20.9				

		DATA : HOURLY TEMPERATURE																								STATION : BAN MAE NGAO		YEAR/MONTH : 1988/JUNE	
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN				
1	25.0	27.0	30.0	33.0	32.0	32.0	29.0	31.0	33.0	34.0	33.0	31.0	28.0	27.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	23.0	23.0	27.0				
2	25.0	26.0	28.0	32.0	32.0	31.0	33.0	31.0	30.0	31.0	29.0	28.0	27.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.0				
3	24.0	25.0	25.0	25.0	25.0	27.0	27.0	24.0	24.0	27.0	27.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	25.3				
4	24.0	24.0	24.0	27.0	28.0	29.0	29.0	28.0	29.0	30.0	28.0	25.0	24.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	25.2				
5	23.0	23.0	24.0	25.0	26.0	26.0	27.0	27.0	27.0	26.0	26.0	25.0	25.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.4				
6	22.0	24.0	25.0	27.0	28.0	31.0	30.0	30.0	29.0	30.0	32.0	30.0	27.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	26.3				
7	23.0	25.0	26.0	27.0	28.0	27.0	28.0	28.0	26.0	27.0	26.0	27.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	25.3				
8	24.0	25.0	27.0	29.0	30.0	30.0	29.0	30.0	30.0	30.0	28.0	27.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	25.3				
9	23.0	25.0	25.0	27.0	28.0	27.0	28.0	28.0	26.0	27.0	26.0	27.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	25.3				
10	24.0	25.0	25.0	27.0	27.0	27.0	27.0	28.0	26.0	27.0	28.0	28.0	26.0	26.0	25.0	25.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	25.3				
11	24.0	24.0	26.0	27.0	27.0	27.0	27.0	28.0	28.0	28.0	28.0	28.0	26.0	26.0	25.0	25.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	27.0				
12	25.0	26.0	27.0	27.0	32.0	33.0	31.0	31.0	33.0	33.0	33.0	27.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	26.6				
13	24.0	24.0	27.0	30.0	31.0	32.0	30.0	31.0	33.0	33.0	32.0	30.0	28.0	27.0	26.0	26.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	26.7				
14	24.0	26.0	26.0	27.0	28.0	28.0	29.0	30.0	31.0	32.0	32.0	32.0	30.0	28.0	27.0	26.0	25.0	25.0	24.0	24.0	23.0	23.0	23.0	23.0	27.3				
15	25.0	28.0	30.0	31.0	31.0	32.0	32.0	32.0	32.0	32.0	32.0	30.0	28.0	27.0	26.0	25.0	25.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	28.2				
16	23.0	23.0	25.0	27.0	28.0	29.0	29.0	31.0	32.0	30.0	28.0	25.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.7				
17	23.0	25.0	26.0	28.0	29.0	30.0	31.0	31.0	30.0	28.0	27.0	27.0	26.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	26.7				
18	25.0	25.0	26.0	27.0	26.0	28.0	30.0	27.0	26.0	26.0	27.0	27.0	26.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	26.7				
19	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.7				
20	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.7				
21	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.7				
22	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.7				
23	24.0	25.0	27.0	29.0	31.0	32.0	34.0	34.0	34.0	34.0	33.0	30.0	28.0	27.0	26.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.0				
24	24.0	25.0	27.0	29.0	31.0	32.0	34.0	34.0	34.0	34.0	33.0	30.0	28.0	27.0	26.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.0				
25	23.0	25.0	26.0	28.0	28.0	28.0	28.0	30.0	30.0	30.0	30.0	28.0	27.0	26.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	25.3				
26	25.0	26.0	28.0	31.0	31.0	29.0	32.0	33.0	32.0	31.0	31.0	27.0	26.0	25.0	25.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	26.3				
27	24.0	25.0	26.0	27.0	28.0	31.0	31.0	32.0	32.0	31.0	32.0	31.0	29.0	28.0	27.0	27.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.3				
28	24.0	25.0	26.0	28.0	29.0	30.0	28.0	30.0	30.0	29.0	30.0	29.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.3				
29	24.0	24.0	25.0	27.0	28.0	28.0	28.0	28.0	29.0	29.0	29.0	29.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	25.8				
30	23.0	24.0	26.0	27.0	27.0	29.0	28.0	29.0	28.0	29.0	27.0	26.0	25.0	24.0	24.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	25.2				
MEAN	23.9	25.0	26.4	27.9	26.7	29.5	29.6	30.0	29.7	26.7	28.7	27.3	26.0	25.3	24.7	24.3	24.1	23.8	23.7	23.6	23.6	23.4	23.3	23.3	26.2				

		DATA : HOURLY TEMPERATURE																								STATION : BAN MAE NGAO		YEAR/MONTH : 1988/JUL	
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN				
1	25.0	26.0	27.0	27.0	27.0	28.0	30.0	29.0	29.0	27.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	27.2				
2	24.0	25.0	25.0	27.0	25.0	31.0	32.0	32.0	33.0	33.0	27.0	27.0	24.0	24.0	25.0	25.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	26.4				
3	24.0	23.0	24.0	27.0	28.0	31.0	32.0	32.0	33.0	33.0	32.0	31.0	28.0	26.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	26.8				
4	23.0	25.0	25.0	27.0	30.0	32.0	32.0	32.0	32.0	33.0	31.0	30.0	29.0	28.0	27.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	27.4				
5	24.0	26.0	29.0	30.0	29.0	31.0	32.0	32.0	33.0	32.0	31.0	29.0	28.0	27.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.4				
6	24.0	25.0	26.0	27.0	29.0	31.0	32.0	32.0	34.0	33.0	32.0	27.0	26.0	26.0	25.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.0				
7	24.0	25.0	27.0	29.0	31.0	30.0	29.0	31.0	32.0	29.0	28.0	27.0	26.0	25.0	25.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	26.6				
8	24.0	26.0	28.0	29.0	31.0	32.0	33.0	33.0	33.0	33.0	27.0	27.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.0				
9	24.0	25.0	28.0	31.0	32.0	33.0	34.0	33.0	35.0	36.0	35.0	31.0	28.0	27.0	26.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	27.0				
10	25.0	28.0	29.0	31.0	31.0	31.0	32.0	32.0	28.0	27.0	27.0	27.0	26.0	26.0	26.0	26.0	26.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	27.0				
11	25.0	27.0	30.0	32.0	31.0	33.0	28.0	28.0	32.0	31.0	30.0	28.0	27.0	26.0	26.0	26.0	26.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	27.1				
12	25.0	27.0	28.0	31.0	32.0	34.0	33.0	28.0	27.0	27.0	27.0	27.0	26.0	26.0	26.0	26.0	26.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	27.9				
13	25.0	27.0	30.0	30.0	31.0	32.0	33.0	30.0	32.0	31.0	33.0	29.0	28.0	27.0	26.0	26.0	26.0	26.0	25.0	25.0	25.0	25.0	25.0	25.0	27.8				
14	25.0	25.0	28.0	31.0	32.0	33.0	33.0	35.0	35.0	36.0	32.0	29.0	28.0	27.0	26.0	26.0	26.0	26.0	25.0	25.0	25.0	25.0	25.0	25.0	28.5				
15	25.0	26.0	29.0	30.0	31.0	33.0	34.0	35.0	31.0	31.0	26.0	26.0	25.0	25.0	25.0	25.0	25.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	27.3				
16	24.0	25.0	27.0	29.0	32.0	33.0	34.0	35.0	33.0	30.0	28.0	27.0	26.0	26.0	26.0	26.0	26.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	27.6				
17	24.0	25.0	25.0	27.0	29.0	29.0	30.0	31.0	31.0	30.0	30.0	26.0	25.0	25.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	26.2				
18	24.0	24.0	25.0	28.0	29.0	29.0	29.0	32.0	33.0	32.0	32.0	29.0	28.0	27.0	26.0	26.0	26.0	26.0	25.0	25.0	25.0	25.0	25.0	25.0	27.2				
19	25.0	28.0	30.0	32.0	33.0	33.0	31.0	32.0	34.0	34.0																			

		DATA : HOURLY TEMPERATURE STATION : BAN MAE NGAO YEAR/MONTH : 1988/AUG																								
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN	
1	23.2	23.2	23.8	24.8	25.2	25.0	25.0	25.5	25.8	25.5	24.9	24.0	23.6	23.4	23.2	23.1	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.9	
2	23.2	23.6	25.0	26.5	27.8	28.9	30.1	29.0	28.8	26.9	28.0	28.0	25.8	25.2	25.0	24.0	24.7	24.4	24.1	24.0	24.0	24.0	24.0	24.0	25.8	
3	24.0	24.0	24.5	25.7	27.0	27.8	27.4	29.0	30.0	29.5	28.0	26.6	26.0	25.4	24.4	24.4	24.2	24.2	24.0	24.0	24.0	24.0	24.0	24.0	25.7	
4	23.8	24.1	25.0	26.1	28.4	29.4	29.8	30.8	31.0	30.0	29.0	26.8	26.0	25.8	25.2	25.0	24.6	24.4	24.0	23.7	23.5	23.4	23.2	23.0	26.1	
5	24.0	25.2	28.0	28.2	28.2	29.6	31.0	31.3	32.8	32.2	31.2	29.2	27.4	27.0	26.8	26.2	25.6	25.0	25.0	24.9	24.8	24.6	24.5	24.4	27.4	
6	25.0	26.4	27.0	28.2	29.0	29.2	30.2	29.6	29.0	26.2	29.8	26.8	25.5	25.0	25.0	24.8	24.5	24.4	24.2	24.0	24.0	24.0	24.0	24.0	26.3	
7	23.1	23.4	25.5	27.9	28.0	28.0	30.0	27.5	27.0	25.1	25.0	24.4	24.0	24.0	23.8	23.4	23.2	23.2	23.0	23.0	23.0	23.0	23.0	23.0	24.8	
8	23.2	23.8	25.8	26.8	26.0	27.0	29.4	29.0	29.6	28.2	27.0	26.8	26.0	25.5	25.4	25.0	25.0	24.8	24.5	24.1	24.1	24.1	24.1	24.1	25.8	
9	24.6	25.2	26.5	27.8	30.2	27.5	31.0	31.2	31.8	30.6	29.9	28.2	27.0	26.2	25.5	25.2	25.0	25.0	25.0	25.0	24.8	24.7	24.8	24.4	26.9	
10	24.4	24.6	26.0	28.4	30.0	31.6	31.6	31.0	31.9	29.5	28.0	26.0	27.8	26.6	25.0	25.4	25.0	25.0	24.6	24.4	24.4	24.4	24.4	24.4	27.0	
11	24.2	24.5	25.0	26.0	29.0	30.0	31.0	29.2	30.5	31.8	32.0	30.8	28.5	27.0	26.4	26.0	26.0	25.4	25.4	25.2	25.0	25.0	25.0	25.0	27.3	
12	25.0	25.4	27.0	29.0	30.4	30.4	31.0	32.0	32.2	32.4	34.0	29.5	26.8	25.8	25.2	25.2	25.1	25.0	25.0	25.0	24.9	24.9	24.9	24.9	27.6	
13	25.0	25.4	26.0	26.0	27.0	27.8	30.0	31.4	30.2	28.8	26.4	26.2	25.8	25.0	24.8	24.4	24.4	24.4	24.2	24.2	24.2	24.2	24.2	24.2	26.0	
14	24.0	24.2	25.5	27.8	29.8	29.2	31.6	31.8	30.4	30.2	27.4	26.5	25.4	25.2	25.0	25.0	25.0	24.9	24.8	24.8	24.6	24.4	24.4	24.4	26.5	
15	24.4	24.5	25.0	26.5	27.4	27.9	27.0	27.0	27.2	27.0	27.0	26.2	25.8	25.0	25.0	25.0	24.8	24.8	24.4	24.2	24.2	24.2	24.2	24.2	25.7	
16	23.8	26.8	28.6	30.5	33.0	32.4	32.9	35.8	32.0	33.6	31.0	27.0	26.5	26.0	25.8	25.4	25.0	25.0	24.8	24.8	24.6	24.6	24.6	24.6	27.8	
17	24.2	24.6	26.4	30.5	33.0	32.5	31.6	34.0	33.3	32.0	30.4	29.5	27.4	26.8	26.0	25.4	25.2	25.0	25.0	24.8	24.6	24.6	24.6	24.6	27.7	
18	24.8	26.0	27.0	28.4	30.2	31.8	32.0	34.0	31.2	32.0	30.5	29.2	27.8	26.8	26.0	26.0	25.8	25.2	25.0	25.0	24.6	24.4	24.2	24.2	27.6	
19	24.6	26.0	27.2	29.5	32.2	32.5	32.2	31.6	31.0	30.4	28.0	26.0	26.0	25.4	25.4	25.2	25.2	25.0	25.0	25.0	24.9	24.9	24.9	24.9	27.2	
20	24.5	24.4	24.2	24.5	24.8	25.6	26.5	27.0	27.2	27.2	27.0	26.0	25.4	25.0	24.8	24.2	24.2	24.2	24.0	24.0	24.0	24.0	24.0	24.0	25.1	
21	23.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	
22	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	
23	23.0	24.5	27.0	31.0	32.8	33.0	33.8	35.4	33.6	35.2	33.2	30.8	28.5	27.2	26.2	25.8	25.0	24.6	24.4	24.2	24.2	24.2	24.2	24.2	28.4	
24	24.5	25.0	27.0	31.0	33.8	34.9	35.8	36.0	32.5	32.4	28.8	28.4	27.0	26.4	25.4	25.4	25.4	25.4	25.0	24.8	24.6	24.4	24.4	24.4	28.0	
25	24.0	25.8	29.0	30.4	33.4	31.8	34.0	33.0	31.8	31.8	31.2	29.8	27.2	26.4	25.4	25.2	24.8	24.8	24.6	24.4	24.4	24.4	24.4	24.4	27.8	
26	24.4	25.3	26.0	26.0	30.0	31.4	32.0	30.2	29.0	32.4	34.0	30.0	28.0	26.0	25.4	25.0	24.8	24.6	24.6	24.6	24.6	24.6	24.6	24.6	27.2	
27	23.8	25.2	28.5	30.5	33.0	33.8	34.0	34.4	34.0	33.5	30.2	22.0	26.8	26.2	25.8	25.5	25.0	24.8	24.5	24.4	24.4	24.4	24.4	24.4	27.6	
28	24.2	26.0	23.4	30.8	29.0	27.5	29.5	28.5	26.0	26.5	26.6	25.8	25.0	24.8	24.5	24.4	24.2	24.0	24.0	23.8	23.8	23.8	23.8	23.8	25.5	
29	23.0	24.8	26.2	27.6	29.0	30.8	31.0	32.6	31.8	26.8	26.4	25.0	25.0	24.8	24.9	24.0	23.8	23.6	23.5	23.5	23.5	23.5	23.5	23.5	25.9	
30	23.2	26.2	26.4	26.6	26.8	27.5	30.8	30.8	30.2	27.6	24.8	24.4	23.8	23.7	23.6	23.6	23.5	23.4	23.4	23.4	23.2	23.2	23.2	23.2	25.4	
31	25.0	26.8	27.0	28.0	26.8	27.0	29.0	28.6	27.0	27.0	26.8	25.4	24.5	24.0	23.8	23.8	23.4	23.4	23.2	23.2	23.0	23.0	23.0	23.0	25.3	
MEAN	24.1	25.6	26.3	28.1	29.4	29.8	30.7	30.9	30.3	29.9	28.8	27.2	26.3	25.6	25.2	24.9	24.7	24.5	24.4	24.2	24.2	24.1	24.0	23.9	26.5	

		DATA : HOURLY TEMPERATURE STATION : BAN MAE NGAO YEAR/MONTH : 1988/SEP																								
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN	
1	24.6	27.8	28.1	27.6	29.6	29.5	31.2	30.4	30.0	28.5	26.5	25.0	24.5	24.0	23.3	22.8	22.4	22.0	21.9	21.9	21.9	21.8	21.5	21.4	25.3	
2	22.0	23.8	25.0	26.4	29.0	32.5	32.6	33.0	32.2	31.1	29.0	25.8	25.0	24.2	24.0	24.0	23.9	23.8	23.7	23.6	23.4	23.2	23.1	23.0	26.1	
3	23.1	23.4	26.5	27.5	30.6	32.9	33.4	34.4	35.0	34.2	31.3	29.6	27.0	26.2	25.8	25.1	24.9	24.8	24.4	24.1	24.0	23.8	23.5	23.1	27.4	
4	23.3	23.7	26.1	28.4	31.2	35.0	34.0	35.9	34.4	33.2	33.0	30.2	28.4	27.0	25.8	25.2	24.8	24.2	23.9	23.8	23.5	23.5	23.6	23.6	27.6	
5	24.0	24.8	26.4	28.8	31.8	33.9	34.0	35.9	35.8	30.3	29.7	27.3	26.1	25.8	25.1	25.0	23.8	23.6	23.6	23.5	23.5	23.5	23.5	23.4	27.6	
6	24.9	25.5	28.6	31.0	28.8	28.9	30.2	32.8	32.1	29.9	29.0	28.9	27.1	26.1	25.4	24.8	24.4	24.0	23.6	23.6	23.5	23.4	23.4	23.5	26.8	
7	23.5	24.4	25.9	28.7	32.2	32.8	33.4	33.0	32.9	33.1	30.4	28.4	26.5	25.7	25.1	24.9	24.6	24.5	23.6	23.1	23.0	22.9	22.7	22.5	27.0	
8	22.6	25.4	29.0	31.1	33.2	33.8	32.0	31.0	30.8	31.0	32.0	29.5	26.7	26.1	25.6	25.1	24.8	24.3	24.0	23.9	23.9	23.9	23.9	23.9	27.6	
9	24.0	24.8	29.6	31.4	33.0	33.8	34.5	35.0	35.8	35.1	32.0	29.8	27.5	26.1	25.3	24.9	24.6	24.1	23.9	23.8	23.8	23.9	24.0	24.0	28.1	
10	24.1	24.7	26.5	29.0	31.0	33.1	34.0	35.9	31.5	31.9	31.0	28.9	27.3	26.0	24.9	24.1	23.9	23.9	23.9	23.9	23.9	23.9	23.9	23.9	27.2	
11	23.6	24.0	25.4	29.3	31.0	32.9	33.8	33.1	32.0	30.0	28.5	26.2	25.1	25.0	24.9	24.8	24.3	24.0	23.6	23.3	23.3	23.3	23.3	23.3	26.5	
12	22.7	23.1	26.0	27.8	29.0	32.1	32.9	33.4	34.0	34.0	31.0	29.1	27.5	26.5	25.3	24.9	24.4	24.1	23.7	23.2	23.0	22.9	22.9	22.9	26.9	
13	23.3	24.9	25.4	29.0	30.4	33.3	29.6	32.8	34.0	34.1	32.0	29.5	28.2	26.8	25.9	25.1	25.0	24.9	24.8	24.6	24.2	24.0	23.7	23.7	27.5	
14	24.0	27.8	30.5	32.0	32.6	33.4	32.2	29.7	28.5	27.5	26.0	25.0	24.5	24.1	24.0	24.0	23.6	23.4	23.2	23.1	23.1	23.3	23.4	23.5	26.3	
15	25.0	29.0	32.0	33.5	34.8	35.1	26.0	26.0	26.1	26.5	26.8	25.8	25.0	25.0	24.9	24.7	24.2	24.2	24.3	24.3	24.3	24.3	24.0	24.0	26.7	
16	28.4	29.0	30.2	30.4	29.6	30.0	27.8	26.2	25.0	24.3	24.1	24.0	24.0	23.9	23.7	23.7	23.7	23.7	23.6	23.4	23.3	23.3	24.0	24.0	25.6	
17	23.5	24.0	27.6	28.0	28.3	28.9	31.0	28.8	30.2	30.3	31.3	28.5	26.0	25.5	24.8	24.3	24.3	24.4	24.5	24.6	24.1	24.1	24.1	24.1	26.5	
18	24.2	25.0	25.9	26.8	29.4	30.6	29.3	26.7	28.6	28.9	28.8	26.6	25.5	25.0	25.0	24.9										

DATA : HOURLY TEMPERATURE STATION : BAN MAE NGAO YEAR/MONTH : 1988/OCT																													
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN				
1	22.8	25.2	30.0	30.8	32.5	33.8	35.2	32.2	33.2	29.4	28.5	27.0	25.9	25.4	25.2	25.0	25.0	24.8	24.8	24.8	24.8	24.8	24.5	27.5					
2	24.5	24.0	25.0	28.0	31.5	32.0	33.0	32.2	34.8	32.5	30.0	27.9	26.6	26.0	25.8	25.0	25.0	25.0	24.6	24.6	24.6	24.4	24.4	27.4					
3	24.2	23.0	27.5	29.4	33.0	34.4	35.0	35.0	34.4	32.5	31.0	29.8	27.2	26.8	26.6	26.2	25.8	25.8	24.8	25.0	24.8	24.4	24.2	28.2					
4	24.5	24.8	25.3	29.4	31.6	31.8	33.0	34.0	33.0	30.0	28.0	26.8	26.0	26.0	25.6	25.4	25.2	25.0	25.0	24.6	24.6	24.6	24.4	27.3					
5	24.6	25.4	27.4	30.0	31.4	30.6	28.6	26.4	26.0	24.8	24.5	25.8	25.2	25.0	25.0	24.8	24.6	24.4	24.2	24.2	24.0	24.0	24.0	26.0					
6	23.8	24.1	26.0	30.8	32.4	31.4	31.2	30.0	31.0	29.8	29.4	27.8	26.4	25.8	24.9	24.8	24.6	24.6	24.0	23.5	23.2	23.0	23.0	26.5					
7	23.6	24.7	28.4	30.2	32.2	32.2	33.6	33.2	29.0	28.0	28.8	26.4	26.0	25.2	25.1	25.1	25.1	25.0	25.0	24.7	24.7	24.6	24.1	27.1					
8	24.1	24.1	25.2	28.2	30.9	32.0	31.0	30.4	27.0	28.4	26.8	26.0	25.4	25.2	25.0	25.0	25.0	25.0	24.8	24.8	24.8	24.8	24.7	26.4					
9	24.5	25.0	26.0	28.0	31.0	31.9	32.4	32.0	32.0	30.0	27.5	27.2	25.8	25.2	24.8	24.5	24.3	24.2	24.2	24.2	24.2	24.1	24.0	26.7					
10	24.0	24.1	24.5	28.0	29.0	31.0	32.6	31.8	32.2	32.5	30.2	29.0	27.2	26.0	25.4	25.1	24.7	24.2	24.0	24.0	23.9	23.9	23.9	27.0					
11	23.8	23.9	25.0	28.8	27.0	27.0	28.2	29.0	30.5	30.8	28.6	27.7	26.5	25.8	25.2	25.0	24.9	24.7	24.4	24.3	24.2	24.1	24.0	26.0					
12	24.0	24.4	26.4	27.0	27.4	29.0	28.0	27.0	27.0	26.9	26.2	25.2	25.0	24.9	24.8	24.7	24.6	24.6	23.8	23.8	23.8	23.4	23.4	26.4					
13	23.5	24.1	26.4	29.5	31.0	31.1	32.0	31.2	31.3	30.0	28.5	27.0	25.4	25.0	24.7	24.3	24.2	24.1	24.0	23.8	23.8	23.8	23.8	25.6					
14	24.0	25.2	27.4	27.4	30.0	29.0	29.2	29.0	29.5	29.0	27.1	26.4	25.0	24.3	24.0	24.0	24.0	23.9	23.6	23.5	23.3	23.2	23.2	25.9					
15	23.4	24.0	25.6	27.7	28.0	30.0	30.4	28.8	29.0	29.5	28.5	26.4	25.2	25.0	24.9	24.8	24.7	24.5	24.1	24.0	23.9	23.7	23.6	26.0					
16	23.7	24.6	25.6	26.5	28.8	29.0	28.4	28.8	28.0	26.9	26.0	25.0	24.9	24.8	24.2	24.1	24.0	23.9	23.5	23.7	23.7	23.7	23.7	26.4					
17	23.7	23.8	24.8	24.8	24.8	24.8	24.4	24.4	25.3	28.2	27.2	25.2	25.0	24.6	24.1	23.9	23.6	23.3	23.2	23.2	23.2	23.0	22.6	24.2					
18	22.4	22.6	23.0	23.2	25.0	26.7	27.0	28.0	27.9	27.4	26.8	25.6	24.4	23.9	23.4	23.3	23.3	23.3	23.2	23.2	23.0	22.4	22.4	24.3					
19	22.5	23.0	25.0	28.4	30.8	31.4	32.4	32.0	33.0	31.0	29.5	27.2	25.3	24.6	24.1	23.9	24.0	24.0	24.0	24.0	24.0	23.4	22.8	26.4					
20	23.0	25.5	26.8	27.2	28.5	30.5	32.0	33.0	32.8	29.7	28.7	27.2	25.5	24.9	24.2	24.0	24.0	24.0	24.0	24.0	24.0	23.9	23.6	26.4					
21	22.6	23.2	24.2	26.0	31.4	31.4	32.8	34.2	34.9	30.4	28.7	27.0	25.4	24.8	24.4	24.0	23.8	23.6	23.6	23.6	23.6	23.6	23.6	26.7					
22	24.0	24.4	30.0	31.0	32.0	33.0	34.8	34.5	34.0	30.8	30.4	28.8	27.4	26.5	24.0	24.0	23.6	23.4	23.0	23.0	22.9	22.4	22.5	27.5					
23	24.0	24.0	26.0	29.0	31.0	32.0	33.0	34.0	35.0	32.0	27.9	26.3	25.0	24.8	24.0	23.7	23.4	23.2	23.2	23.1	23.1	23.0	23.0	27.0					
24	22.8	22.8	23.2	25.0	28.0	29.0	30.6	32.0	33.4	27.4	25.0	24.2	23.6	23.2	22.9	22.8	22.7	22.6	22.5	22.3	22.3	22.3	22.4	24.8					
25	22.0	23.0	25.2	26.9	28.5	30.0	33.0	34.0	32.5	29.1	27.6	26.2	25.1	24.2	23.7	23.4	23.1	22.0	22.6	22.5	22.3	22.4	22.4	25.6					
26	22.2	22.2	26.0	28.0	28.0	29.0	31.0	32.4	34.0	32.0	28.5	26.9	25.1	24.3	23.4	22.1	21.5	21.0	20.4	20.0	20.0	20.0	20.0	24.9					
27	20.0	20.0	24.0	25.2	28.5	28.7	30.0	31.4	32.8	30.0	28.0	26.0	24.2	23.4	22.5	21.3	20.6	20.2	19.8	19.7	19.7	19.4	19.1	23.9					
28	19.0	20.0	24.0	24.9	26.5	28.0	30.0	31.4	32.9	29.1	26.0	24.0	23.0	20.9	20.0	19.5	19.1	18.6	18.9	19.0	19.0	19.0	18.3	22.9					
29	17.9	18.3	19.5	21.5	25.0	27.7	29.6	31.0	32.7	29.0	25.6	23.9	21.5	20.2	19.5	19.0	18.4	18.0	18.1	18.4	18.6	18.6	18.6	22.0					
30	18.4	18.7	20.0	23.5	24.9	26.1	28.0	29.2	31.0	29.0	25.6	24.0	21.4	20.0	19.2	18.5	17.9	17.9	17.9	17.9	17.9	17.9	17.9	21.7					
MEAN	23.0	23.6	25.7	27.6	29.3	30.2	31.1	31.1	31.4	29.7	28.0	26.5	25.3	24.5	24.1	23.8	23.5	23.5	23.2	23.1	23.0	23.0	22.8	22.7	25.8				

DATA : HOURLY TEMPERATURE STATION : BAN MAE NGAO YEAR/MONTH : 1988/NOV																													
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN				
1	17.8	18.1	19.8	21.2	25.0	24.8	28.8	29.4	28.8	27.8	25.8	24.0	22.0	20.8	19.8	19.0	18.4	18.0	18.2	18.4	18.8	18.8	18.9	21.8					
2	18.9	19.6	21.0	23.5	27.0	30.0	31.5	33.0	32.0	29.0	27.0	24.8	22.6	21.6	21.0	20.5	20.2	20.0	20.0	20.0	20.0	20.0	20.0	23.5					
3	22.0	20.4	24.0	24.8	28.2	29.5	32.0	33.0	33.0	30.0	28.5	26.4	24.5	23.8	22.5	22.0	21.6	21.4	21.4	21.4	21.5	21.7	22.0	24.9					
4	22.0	22.0	23.4	26.2	27.5	29.0	30.2	30.2	30.0	27.5	25.4	23.5	22.0	21.4	20.8	20.2	19.8	19.8	19.9	19.9	20.0	20.0	20.2	23.4					
5	20.0	20.8	24.5	27.4	30.4	31.2	32.1	31.8	30.6	24.4	24.5	21.8	20.0	19.0	18.2	17.4	17.2	16.8	14.9	17.0	14.9	16.9	17.0	22.2					
6	16.9	17.8	20.8	22.8	25.0	27.4	29.8	31.0	29.5	26.0	23.5	21.2	19.2	18.2	17.6	17.0	16.6	16.6	16.8	16.9	16.9	16.9	16.8	20.7					
7	16.8	17.0	20.0	22.5	25.5	27.8	30.0	29.0	24.0	22.4	20.0	18.8	17.8	17.2	16.8	14.9	17.1	17.2	17.0	16.6	16.4	16.4	16.4	20.0					
8	16.8	17.0	20.0	22.5	25.5	27.8	30.0	29.0	24.0	22.4	20.0	18.8	17.8	17.2	16.8	14.9	17.1	17.2	17.0	16.6	16.4	16.4	16.4	20.0					
9	16.8	17.0	20.0	22.5	25.5	27.8	30.0	29.0	24.0	22.4	20.0	18.8	17.8	17.2	16.8	14.9	17.1	17.2	17.0	16.6	16.4	16.4	16.4	20.0					
10	18.2	18.8	21.0	24.8	27.0	28.2	30.4	32.2	32.5	29.0	25.2	23.4	21.0	19.6	18.8	18.2	17.8	17.0	17.0	17.0	17.0	17.0	17.0	21.9					
11	16.8	17.2	19.0	23.4	25.2	28.0	31.6	32.8	32.8	29.5	25.5	23.0	20.4	19.2	18.2	18.0	17.2	16.8	16.2	16.5	16.9	17.0	17.0	21.3					
12	17.0	17.2	18.4	22.0	24.5	27.2	29.5	31.0	32.6	29.0	25.5	23.6	21.0	20.0	18.8	18.0	17.8	16.8	16.4	16.2	16.4	16.4	16.4	22.1					
13	17.8	18.4	22.5	25.2	27.4	29.2	31.0	32.0	29.2	26.0	23.5	22.0	20.8	20.2	19.8	19.5	19.0	18.8	18.3	18.2	18.0	18.0	18.0	22.1					
14	18.2	18.2	19.0	23.5	26.0	28.4	30.0	32.2	32.8	30.2	29.0	27.0	25.0	24.0	23.0	22.8	22.4	22.0	21.9	21.8	21.6	21.4	21.2	24.5					
15	21.0	21.0	21.5	22.6	24.5	25.8	26.2	24.5	24.0	25.4	24.8	23.4	22.6	22.2	22.0	22.0	22.0	21.6	21.4	21.4	21.4	21.4	21.4	28.0					
16	20.0	20.0	20.2	20.4	21.0	21.2	21.6	21.0	20.4	20.2	19.8	19.0	19.0	18.8	18.6	18.4	18.5	18.5	18.4	18.4	18.8	18.4	18.4	19.5					
17	18.8	19.0	19.6	19.8	21.2	21.2	21.2	21.2	21.0	20.7	20.4	20.0	20.0	20.0	19.9	20.0	20.0	19.8	19.8	19.8	19.8	19.8	19.8	20.1					
18	19.9	20.0	20.5	21.0	21.4	21.6	21.8	21.9	22.1	22.0	22.0	21.4	21.0	21.0	21.0	20.8	20.6	20.4	20.6	20.5	20.4	20.4	20.5	21.0					
19	20.8	21.0	21.5	22.5	23.4	25.0	26.5	28.4	28.0	26.7	25.2	24.2	23.0	22.4	22.0	21.8	21.4	21.5	21.2	21.0	21.0	21.0	21.0	23.0					
20	21.0	22.4	24.5	26.0	29.0	30.8	31.4	29.4	27.0	25.2	24.8	24.0	23.0	22.2	21.0	20.4	20.0	20.0	20.0	20.0	20.0	20.0	20.0	23.4					
21	20.0	20.0	20.5	21.4	26.0	28.2	30.0	31.0	30.0	27.6	25.7	23.8	22.0	21.2	20.5	20.4	20.2	20.0	20.0	20.0	20.0								

A-1-(8) HOURLY RELATIVE HUMIDITY

- a. Ban Mae Rit June - November/1988
- b. Ban Mae Ngao June - November/1988

		DATA : HOURLY RELATIVE HUMIDITY																								STATION : BAN MAE RIT		YEAR/MONTH : 1988/JUNE	
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN				
1	100	80	65	55	50	70	80	65	55	55	60	60	75	75	80	85	95	95	95	95	100	100	100	100	78				
2	100	80	70	55	50	50	55	45	40	45	60	65	70	90	95	95	95	95	95	95	100	100	100	100	76				
3	95	85	90	90	90	85	75	80	80	75	75	80	90	95	100	100	100	100	100	100	100	100	100	100	91				
4	100	95	80	75	60	60	65	65	60	75	90	95	95	100	100	100	100	100	100	100	100	100	100	100	85				
5	100	95	90	55	85	90	75	80	85	90	90	90	95	95	100	100	100	100	100	100	100	100	100	100	92				
6	100	95	85	75	70	60	60	75	50	50	50	50	65	75	90	95	95	100	100	100	100	100	100	100	81				
7	95	80	75	70	80	50	50	50	50	50	55	75	95	95	95	100	95	100	100	100	100	100	100	100	82				
8	100	85	65	65	65	60	60	45	70	70	75	90	95	95	100	100	100	100	100	100	100	100	100	100	85				
9	100	95	85	75	80	85	80	75	85	90	85	90	95	100	100	100	100	100	100	100	100	100	100	100	92				
10	100	95	80	80	75	70	80	80	80	80	75	85	90	95	95	100	100	100	100	100	100	100	100	100	90				
11	100	90	65	60	60	60	60	60	60	50	50	60	70	90	95	95	95	100	100	100	100	100	100	100	80				
12	95	90	70	75	60	55	55	55	55	65	60	70	90	95	95	95	95	100	100	100	100	100	100	100	83				
13	100	90	80	60	55	55	90	75	50	60	60	90	95	95	90	90	95	95	95	95	95	95	95	100	83				
14	95	90	75	70	70	65	80	65	60	60	65	70	80	80	80	80	85	85	85	90	95	95	95	100	79				
15	95	85	65	60	55	60	55	50	50	40	65	65	70	80	95	95	95	100	100	100	100	100	100	100	78				
16	95	95	80	70	70	65	60	55	55	55	55	65	80	90	90	85	90	95	95	95	100	100	100	100	80				
17	95	85	70	65	60	65	55	50	45	40	60	65	80	80	90	95	95	95	95	95	100	100	100	100	80				
18	95	90	85	70	70	70	80	90	80	75	70	85	95	100	95	100	100	100	100	100	100	100	100	100	89				
19	95	95	75	65	60	55	75	85	85	80	80	80	85	90	95	95	95	95	95	100	100	100	100	100	86				
20	95	95	90	80	75	70	60	90	75	65	70	85	90	95	95	100	100	100	100	100	100	100	100	100	88				
21	100	95	90	80	65	75	70	70	60	65	90	85	95	95	100	100	100	100	100	100	100	100	100	100	88				
22	100	95	90	80	70	65	65	65	70	60	65	70	80	95	95	95	95	95	100	100	100	100	100	100	86				
23	95	90	75	65	60	60	55	50	50	45	50	55	70	85	85	85	95	95	95	100	100	100	100	100	76				
24	100	95	85	85	75	80	70	65	70	70	70	75	80	90	95	100	100	95	100	100	100	100	100	100	87				
25	100	90	80	70	60	60	65	65	65	75	65	75	75	90	95	90	95	95	100	100	100	100	100	100	83				
26	100	95	95	75	60	50	55	55	60	65	70	85	100	100	100	100	95	95	100	100	100	100	100	100	86				
27	100	95	85	70	60	55	50	50	55	55	55	60	80	85	80	90	95	95	95	95	95	95	95	95	81				
28	95	90	80	75	65	70	70	70	70	65	70	85	95	95	95	95	95	95	95	95	95	95	95	95	83				
29	95	95	90	80	70	70	75	70	65	65	70	70	75	80	90	95	95	95	95	95	95	95	95	95	83				
30	95	85	70	65	60	60	55	40	70	75	75	80	90	90	95	95	95	95	100	100	95	95	95	100	82				
MEAN	97	90	80	70	65	64	66	65	64	65	68	76	85	90	93	94	96	96	98	98	98	98	99	99	84				

		DATA : HOURLY RELATIVE HUMIDITY																								STATION : BAN MAE RIT		YEAR/MONTH : 1988/JUL	
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN				
1	100	92	75	72	74	66	64	59	65	60	60	71	77	85	91	94	96	96	98	99	99	98	98	99	82				
2	97	96	82	82	60	55	65	65	64	66	78	82	85	85	92	94	96	96	97	97	98	98	99	99	86				
3	98	95	74	52	50	47	52	46	50	57	60	75	85	98	98	98	98	98	98	98	98	98	98	98	79				
4	98	97	86	66	58	56	58	54	45	52	58	68	84	92	94	95	96	93	95	92	92	92	93	97	79				
5	95	84	70	60	65	72	60	57	54	56	64	66	78	76	94	96	97	98	98	99	99	99	99	99	79				
6	99	95	85	65	60	56	60	50	47	52	56	90	93	92	96	96	95	94	95	97	97	97	97	98	81				
7	97	94	70	58	57	55	55	58	50	60	65	75	85	91	93	95	95	91	92	93	94	94	97	98	81				
8	98	85	65	56	56	52	52	76	66	70	65	72	87	94	96	97	99	98	100	98	99	100	100	100	82				
9	96	92	73	54	50	45	46	48	44	45	60	50	80	92	86	93	95	96	97	98	98	97	99	97	76				
10	96	85	65	62	60	72	80	65	64	95	97	98	98	98	98	98	98	97	98	98	98	99	99	99	80				
11	98	96	60	74	60	59	90	92	65	58	70	76	92	94	95	98	97	97	97	98	98	98	98	99	84				
12	99	95	85	70	60	55	55	61	75	88	87	82	91	93	96	97	97	97	98	98	98	99	99	98	80				
13	98	93	76	56	55	54	50	54	52	65	60	80	78	88	93	96	95	97	96	97	98	97	98	99	79				
14	99	94	75	60	55	55	50	55	45	46	56	60	80	91	94	95	95	97	96	98	98	98	98	98	78				
15	98	90	73	70	74	58	64	60	80	80	90	96	94	97	97	98	99	99	98	98	98	98	98	98	81				
16	98	89	75	70	58	50	46	52	58	50	76	84	88	92	95	96	96	96	93	92	96	96	98	98	87				
17	98	96	88	83	74	68	58	55	59	60	58	92	95	96	97	97	98	97	98	97	98	98	98	98	81				
18	98	94	86	72	67	70	71	65	55	56	60	64	84	93	95	95	86	86	86	95	97	97	98	99	82				
19	98	86	68	54	68	51	48	48	50	48	64	68	73	85	84	90	85	85	88	90	88	90	94	95	74				
20	95	82	70	65	63	55	54	50	55	54	56	62	76	87	87	93	95	96	98	98	99	98	98	98	78				
21	98	95	75	66	65	61	66	65	90	75	80	88	94	95	82	92	97	93	96	94	96	96	99	100	86				
22	99	98	92	85	85	85	74	80	86	85	80	92	96	96	97	97	96	98	99	100	100	100	100	97	92				
23	98	92	76	62	58	72	64	60	68	73	76	85	91	94	96	97	98	98	98	98	98	98	98	98	85				
24	99	95	78	66	70	56	56	56	51	82	83	85	95	96	97	97	98	98	98	98	99	99	100	100	85				
25	99	96	80	72	64	60	58	50	54	72	58	62	72	78	86	85	86	88	90	90	92	95	97	98	78				
26	97	90	78	64	58	50	48	45	46	48	48	58	62	90	92	95	96	96	92	95	96	97	99	98	77				
27	98	85	70	56	57	55	52	54	50	52	54	60	73	90	94	95	96	95	97	97	96	96	99	97	76				
28	95	88	70	60	55	55	52	52	68	90	89	89	89	92	93	94	93	95	94	95	94	95	97	98	82				
29	98	87	80	70	64	65	73	75	70	68	65	75	92	96	95	98	99	99	99	99	99	99	99	99	84				
30	99	95	90	80	87	86	76	82	70	75	84	88	96	98	97	98	98	98	98	99	99	99	99	99	91				
31	99	97	97	90	75	82	90	85	88	95	92	95	96	98	98														

DATA : HOURLY RELATIVE HUMIDITY STATION : BAN MAE RIT YEAR/MONTH : 1988/AUG

HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN
1	100	99	98	93	92	97	90	90	80	92	95	95	97	98	98	99	99	99	100	100	100	100	100	100	98
2	100	98	84	80	73	70	53	65	85	85	90	92	94	97	97	97	97	98	97	98	98	99	99	98	89
3	98	97	95	90	70	92	85	80	70	90	92	93	94	97	97	97	98	98	98	98	99	99	99	99	92
4	99	97	93	82	75	70	62	58	60	60	67	92	93	96	95	95	95	96	97	98	98	98	98	98	86
5	95	85	70	70	70	60	58	52	60	51	55	75	88	94	88	87	92	97	97	95	97	97	97	97	80
6	95	85	75	74	65	78	70	60	64	68	64	65	95	95	97	97	97	97	96	96	98	99	98	99	83
7	99	97	92	75	68	65	65	66	65	63	65	88	95	97	97	97	97	97	94	97	97	96	94	95	86
8	99	90	75	74	75	70	70	74	72	70	92	95	95	97	96	98	98	98	99	99	98	100	100	99	88
9	99	96	95	74	60	65	80	60	58	70	78	85	92	95	94	97	97	97	98	98	98	98	98	98	86
10	98	96	82	65	62	58	62	64	53	90	86	90	95	96	94	97	98	98	99	99	98	98	98	99	86
11	98	98	88	90	70	45	57	65	57	55	55	63	94	96	94	91	95	94	97	97	98	98	98	97	83
12	98	95	85	73	68	75	80	60	60	56	55	70	80	90	95	96	97	97	97	99	98	98	98	98	84
13	98	94	82	78	70	67	65	60	60	75	90	95	95	96	97	98	98	98	97	93	97	95	98	99	87
14	100	95	84	65	64	65	60	70	68	60	73	82	85	93	96	97	97	97	98	98	99	98	98	98	85
15	98	97	90	85	84	75	75	60	78	78	85	88	92	95	95	96	97	97	97	97	98	97	98	97	90
16	97	95	64	56	52	50	48	48	55	60	73	82	90	95	96	96	97	98	98	98	99	99	99	99	80
17	99	96	80	42	54	55	52	45	53	60	72	80	90	95	94	96	96	96	97	97	98	98	98	97	81
18	98	95	75	75	62	55	50	48	45	70	78	85	90	95	95	94	94	94	94	95	97	97	97	97	82
19	97	92	75	60	54	46	50	50	48	85	90	94	95	95	94	97	97	97	97	97	98	98	98	98	82
20	98	97	97	93	76	90	90	75	72	67	81	92	95	96	96	97	97	97	97	98	98	98	98	98	83
21	98	96	90	82	72	58	58	62	55	50	62	73	85	90	95	96	97	97	97	97	97	97	97	97	79
22	99	96	80	70	54	55	45	41	45	48	62	75	85	90	95	96	97	97	97	97	97	97	97	97	77
23	98	95	70	55	48	50	45	50	52	48	52	63	82	90	93	95	95	96	96	97	97	98	98	98	77
24	99	90	68	58	48	42	40	39	38	58	60	74	87	92	93	95	95	96	97	97	98	97	97	97	77
25	97	92	75	55	50	44	40	45	42	42	50	73	82	90	93	95	95	96	97	97	97	97	97	97	74
26	98	97	90	72	48	55	55	75	85	55	78	85	85	87	93	95	96	97	97	97	97	97	97	97	83
27	98	94	74	57	47	41	42	40	39	40	58	76	94	95	95	95	96	96	97	97	97	97	97	97	85
28	98	90	70	64	56	75	68	60	65	82	82	84	88	92	95	95	97	97	97	97	98	98	98	98	85
29	98	95	82	72	65	52	55	52	49	70	90	92	95	96	94	97	97	97	97	97	97	98	98	98	84
30	98	97	92	82	72	65	67	60	78	65	90	92	95	96	97	97	98	97	98	99	98	98	100	100	89
31	98	87	75	72	72	80	74	68	75	90	89	95	95	96	97	98	97	98	99	98	97	97	97	97	85
MEAN	98	94	82	72	65	64	61	60	61	66	73	83	91	94	95	95	96	96	97	97	97	97	97	97	85

DATA : HOURLY RELATIVE HUMIDITY STATION : BAN MAE RIT YEAR/MONTH : 1988/SEP

HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN
1	99	92	70	40	55	54	52	50	50	56	67	65	85	89	88	85	84	87	93	96	96	97	98	98	77
2	98	90	85	72	70	54	45	45	52	46	65	80	85	90	94	94	94	97	97	98	97	98	98	98	81
3	98	92	84	70	55	46	45	44	45	50	60	70	87	90	92	95	95	97	96	97	98	97	98	98	79
4	98	90	70	58	50	47	43	44	46	47	56	75	84	92	95	96	96	97	98	98	98	98	98	98	78
5	97	95	80	73	67	54	55	90	84	85	90	95	94	95	96	97	96	97	98	98	98	98	98	98	88
6	98	93	74	52	49	62	65	48	47	55	75	84	90	94	95	95	96	96	97	97	97	98	98	98	81
7	97	92	90	66	50	45	42	40	50	50	59	72	85	92	94	95	95	96	97	98	98	98	98	98	79
8	99	91	65	55	45	44	42	40	63	58	69	79	86	90	94	95	95	96	97	98	98	98	98	98	81
9	97	95	70	62	55	44	46	42	40	54	48	74	86	90	93	95	94	97	94	97	97	97	97	97	79
10	97	90	79	66	64	56	50	49	50	48	55	77	85	86	95	96	96	96	96	96	97	97	97	97	79
11	98	94	80	65	58	51	46	46	40	73	75	74	91	95	95	96	96	97	97	97	97	98	98	98	82
12	98	94	75	76	65	55	45	44	43	45	47	75	81	91	94	95	95	96	97	97	98	97	98	98	79
13	98	88	93	40	50	59	49	50	42	45	55	71	85	92	92	95	95	96	95	96	97	97	98	98	79
14	97	95	90	55	49	40	42	40	46	60	74	84	90	92	95	95	96	96	96	96	97	98	98	98	80
15	97	85	69	40	50	52	56	86	94	93	92	96	96	97	98	99	99	100	100	100	99	99	99	100	88
16	100	97	75	65	42	56	72	80	79	60	85	90	94	95	96	97	97	97	98	98	97	97	97	97	87
17	97	96	84	74	65	55	44	40	45	54	63	75	86	93	95	96	95	97	97	97	97	98	98	98	80
18	98	92	88	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
19	96	93	87	85	80	51	52	50	55	65	70	83	92	95	95	94	95	96	97	97	97	97	97	97	83
20	97	95	80	65	65	77	65	37	48	60	70	85	90	94	95	95	95	96	97	97	97	97	97	97	83
21	96	91	80	64	55	50	48	55	50	58	80	87	94	94	95	94	94	94	97	97	97	97	97	97	83
22	96	90	75	68	55	50	45	45	48	78	91	90	94	95	96	96	96	97	97	97	97	98	98	98	82
23	98	95	85	72	60	55	42	44	45	50	65	73	90	93	95	96	97	97	97	97	97	97	97	97	80
24	100	98	80	70	60	52	44	48	68	50	59	62	78	89	93	93	95	96	96	97	98	98	98	98	81
25	99	97	81	44	57	51	50	61	41	59	45	87	93	95	97	98	98	98	99	99	100	100	100	100	83
26	99	90	77	44	57	49	49	43	40	57	45	79	88	91	93	95	95	96	97	98	98	98	98	97	82
27	97	95	95	80	77	55	50	50	45	58	67	80	88	91	94	96	95	96	96	97	97	97	98	97	82
28	93	93	80	68	52	49	42	39	50	58	68	86	92	96	96	96	97	97	97	97	97	98	98	98	80
29	98	90	80	74	61	64	76	62	63	64	75	90	93	96	97	98	98	98	98	98	98	98	99	99	86
30	99	97	94	80	74	62	59	55	57	67	74	92	96	96	98	98	97	98	98	98	100	98	100	99	87
MEAN	97	92	80	67	58	53	50	51	53	59	68	80	89	92	94	95	95	96	96	97	97	97	97	98	81

		DATA : HOURLY RELATIVE HUMIDITY														STATION : BAN MAE RIT						YEAR/MONTH : 1988/OCT					
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN		
1	98	95	84	67	60	54	43	45	55	70	84	89	94	95	97	97	98	98	98	98	97	98	98	98	83		
2	99	98	90	75	60	52	50	52	50	65	84	89	90	95	98	97	97	98	99	98	98	98	98	98	84		
3	97	94	90	67	50	47	44	44	46	52	60	88	90	94	95	94	94	97	98	98	98	98	98	98	80		
4	98	93	89	80	60	58	55	54	50	62	65	80	88	89	92	93	95	96	94	94	96	97	97	97	82		
5	94	90	80	68	60	56	70	78	92	80	86	90	92	95	96	97	98	98	98	96	94	95	95	97	87		
6	97	95	88	74	62	51	55	60	56	54	60	73	86	88	90	92	94	97	97	96	98	98	98	99	81		
7	100	97	82	60	51	46	49	80	70	74	65	78	83	93	95	92	95	97	98	98	99	100	100	100	83		
8	100	93	75	65	52	50	48	50	54	78	64	92	95	98	97	98	98	98	99	99	99	99	99	100	84		
9	100	100	94	61	48	40	56	55	89	96	94	95	97	98	100	100	99	99	100	99	99	99	100	100	90		
10	100	98	82	65	62	56	55	50	46	88	86	92	95	97	98	98	98	98	98	98	98	98	98	98	84		
11	99	98	85	80	67	50	52	55	56	54	76	85	91	95	96	92	97	98	98	98	98	98	98	99	83		
12	99	96	90	80	80	79	65	61	60	65	67	85	92	96	96	97	98	98	98	98	98	98	98	99	83		
13	99	99	99	90	80	70	75	72	80	85	94	96	97	98	99	100	100	99	100	100	100	100	100	100	87		
14	100	97	78	61	52	53	52	50	50	50	65	84	91	94	95	98	97	97	97	98	99	99	100	100	92		
15	99	94	73	64	63	56	52	52	54	54	74	86	91	96	97	97	97	97	98	98	99	99	99	99	83		
16	99	97	88	81	75	65	65	64	70	60	77	88	94	97	97	98	99	98	98	99	99	99	99	99	87		
17	99	99	98	94	90	75	69	64	68	80	91	94	96	97	98	99	99	100	100	100	100	100	100	100	91		
18	100	100	96	95	96	96	92	85	70	87	94	96	97	98	98	99	99	99	100	97	95	99	100	100	95		
19	100	98	94	93	82	86	86	88	89	90	88	95	96	97	98	99	99	99	99	99	99	99	99	100	94		
20	99	96	91	79	66	58	59	65	58	55	76	85	94	95	97	99	98	98	98	99	100	100	100	99	85		
21	99	95	88	80	72	60	50	51	49	58	76	89	93	96	97	98	98	98	98	98	99	99	100	100	85		
22	98	93	74	68	61	59	57	46	45	54	72	85	92	95	96	97	97	98	98	98	98	98	98	98	82		
23	98	95	76	75	62	53	47	48	46	51	71	82	85	89	94	95	97	98	98	98	98	98	98	98	81		
24	100	98	89	82	55	48	45	45	40	53	88	85	91	96	97	97	98	98	98	98	98	98	98	98	80		
25	98	96	93	85	70	60	55	50	44	55	79	90	92	98	97	97	98	98	98	98	98	98	98	98	85		
26	100	95	85	80	68	62	54	48	45	50	60	64	72	95	96	97	97	97	98	98	98	98	98	98	83		
27	99	94	85	75	65	55	48	42	40	50	66	80	90	94	95	96	97	98	98	99	99	100	100	100	82		
28	98	97	92	70	64	59	42	40	38	50	71	83	90	94	95	96	97	98	98	98	98	98	100	100	82		
29	99	93	87	67	52	43	44	38	37	50	74	84	92	95	97	98	98	98	98	98	98	98	100	100	80		
30	100	98	94	78	57	48	42	38	43	52	74	85	92	95	96	97	98	98	98	98	98	100	99	99	82		
31	100	99	85	80	64	55	44	43	45	55	74	82	93	96	97	98	99	100	100	99	98	97	96	96	83		
MEAN	99	96	86	75	65	58	55	56	63	75	86	91	94	96	96	97	98	98	98	98	98	98	98	99	85		

		DATA : HOURLY RELATIVE HUMIDITY														STATION : BAN MAE RIT						YEAR/MONTH : 1988/NOV					
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN		
1	97	96	90	79	60	48	42	40	44	63	70	84	90	95	95	95	98	99	99	98	98	98	98	98	82		
2	97	96	85	61	52	45	43	36	40	47	72	84	92	95	96	98	97	97	98	98	98	98	98	98	80		
3	99	98	93	80	57	46	42	38	38	40	80	86	94	95	96	96	97	98	98	98	98	98	98	98	83		
4	97	97	91	78	66	61	55	44	43	50	74	87	92	93	94	97	98	98	98	97	97	97	97	97	85		
5	97	92	85	42	42	31	32	29	30	48	70	85	90	94	95	96	96	97	98	99	99	99	99	100	77		
6	100	99	90	67	53	45	40	35	35	43	72	87	93	96	96	97	98	98	99	99	100	100	100	100	80		
7	100	98	86	76	55	44	37	35	35	40	75	89	92	95	96	97	98	98	99	100	99	99	99	100	80		
8	100	98	88	74	60	45	35	34	35	52	75	88	92	94	95	96	97	98	97	97	96	96	96	96	80		
9	98	86	70	58	50	40	38	36	38	53	72	86	91	94	96	97	97	98	98	98	98	98	98	98	78		
10	98	94	92	85	50	39	35	34	34	44	67	82	90	95	95	97	97	98	98	98	99	99	99	100	79		
11	100	99	84	65	52	45	38	31	34	46	70	85	94	95	97	98	98	98	98	99	99	99	99	100	60		
12	100	98	90	73	48	40	35	32	35	55	72	85	91	95	95	97	98	98	98	99	99	99	100	99	60		
13	99	97	88	70	52	40	37	33	33	40	45	78	90	92	96	96	95	97	97	98	98	98	98	98	60		
14	100	98	88	69	52	43	40	36	35	60	75	86	91	95	96	97	98	98	98	98	98	98	98	98	77		
15	100	99	97	84	75	70	65	62	70	77	85	93	95	96	96	97	97	98	98	98	98	98	98	98	77		
16	100	100	100	98	97	95	96	95	95	95	96	97	98	99	99	100	100	99	99	99	99	98	98	98	77		
17	98	97	97	95	91	90	90	93	94	94	97	98	98	98	98	98	98	98	98	98	98	98	98	98	76		
18	98	100	98	95	94	93	93	94	93	95	95	97	98	98	98	98	98	98	99	99	99	99	100	100	97		
19	99	99	95	90	80	78	59	63	80	82	91	95	96	97	98	98	98	98	99	100	100	100	100	100	91		
20	99	98	86	76	68	50	45	49	45	48	61	86	93	95	96	97	97	98	98	98	98	98	98	98	82		
21	97	95	93	85	65	52	47	45	49	65	76	86	92	95	96	97	97	98	98	97	98	98	98	98	84		
22	98	97	93	71	59	55	45	42	45	54	76	86	91	94	95	95	97	98	97	96	96	97	97	97	82		
23	97	97	95	86	71	60	52	48	48	58	74	86	92	93	93	97	97	97	98	98	97	98	98	98	84		
24	98	97	94	85	76	58	50	47	52	65	75	88	93	96	97	97	98	98	100	98	98	98	98	98	86		
25	98	98	88	72	59	49	43	41	45	45	75	80	96	97	98	98	98	98	99	99	100	100	100	100	86		
26	99	97	90	72	59	54	49	45	60	73	82	91	93	95	96	96	97	98	98	98	98	98	98	98	84		
27	97	94	85	70	66	64	55	52	46	48	76	90	95	96	96	97	99	98	98	98	98	98	98	98	83		
28	97	96	94	80	65	41	42	43	52	68	78	88	94	95	96	97	98	98	98	98	97	98	98	97	83		
29	98	97	82	53	38	35	33	34	35	48	57	82	93	95	96	97	97	98	99	97	98	97	97	97	77		
30	97	95	92	76	54	50	43	40	40	44	70	86	94	95	96	97	98	98	100	100	99	99	99	99	81		
MEAN	98	96	89	75	62	53																					

		DATA : HOURLY RELATIVE HUMIDITY																								STATION : BAN HAE HOAO		YEAR/MONTH : 1988/JUNE	
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN				
1	95	75	62	60	64	68	80	72	44	61	40	70	80	82	94	97	97	100	100	100	100	100	100	100	82				
2	97	91	77	61	70	67	58	81	80	73	68	75	83	93	93	93	93	93	93	93	93	93	93	93	84				
3	95	91	92	91	92	83	73	84	82	78	82	84	93	95	98	93	95	73	94	96	96	96	96	96	89				
4	98	86	84	78	70	66	72	74	71	70	76	97	97	98	98	93	98	98	98	98	98	98	98	98	95				
5	98	94	83	80	90	88	86	88	91	95	93	98	98	98	98	98	98	98	98	98	98	98	98	98	87				
6	99	91	87	78	72	66	69	75	71	62	70	84	95	70	98	98	98	98	98	98	98	98	98	98	84				
7	96	86	83	85	83	52	60	62	65	67	77	94	94	91	95	95	94	94	94	94	94	94	94	94	84				
8	96	80	69	61	66	88	72	48	63	71	74	90	94	93	93	98	94	94	94	94	94	94	94	94	84				
9	95	87	83	77	81	84	78	87	80	83	89	91	95	95	94	94	94	94	94	94	94	94	94	94	90				
10	96	81	77	81	82	83	84	82	80	73	80	88	94	95	95	96	94	96	97	97	97	97	97	97	89				
11	97	80	72	72	85	71	64	55	60	52	70	80	94	94	94	96	96	97	97	97	97	97	97	97	84				
12	96	83	82	78	60	57	64	61	57	52	72	87	92	93	93	94	94	94	94	94	94	94	94	94	83				
13	93	81	71	71	63	88	48	60	40	62	90	93	93	95	94	93	94	94	94	94	94	94	94	94	84				
14	90	79	73	89	70	84	72	78	66	66	73	89	85	81	85	91	92	94	93	97	97	97	97	97	80				
15	90	68	65	61	63	60	55	63	66	62	65	77	36	90	92	92	95	95	97	97	97	97	97	97	83				
16	96	95	85	70	60	67	62	62	57	70	70	72	95	95	93	93	96	96	96	96	96	96	96	96	86				
17	99	87	78	69	67	65	57	65	60	68	74	87	86	95	95	95	96	96	96	96	96	96	96	96	85				
18	98	93	87	81	92	70	80	88	85	92	86	93	93	93	93	93	93	93	93	93	93	93	93	93	85				
19	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	85				
20	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	85				
21	95	91	86	81	72	70	83	78	73	78	84	89	93	94	94	95	95	93	96	96	96	96	96	96	88				
22	94	93	83	90	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	92				
23	95	89	75	73	65	55	52	48	47	55	57	70	73	77	80	91	94	94	94	94	94	94	94	94	78				
24	97	94	89	70	64	60	82	87	84	76	80	85	93	93	94	94	94	94	94	94	94	94	94	94	84				
25	98	90	78	75	69	70	65	71	71	69	84	91	91	93	95	95	95	95	95	95	95	95	95	95	84				
26	97	90	80	66	63	72	57	62	64	67	73	93	93	95	94	95	95	94	94	94	94	94	94	94	83				
27	97	96	92	78	74	63	63	62	58	67	60	74	84	92	92	93	95	94	95	94	94	94	94	94	83				
28	96	93	86	76	72	82	81	75	72	78	78	90	95	95	95	95	95	95	95	95	95	95	95	95	86				
29	96	95	91	80	74	73	74	74	73	72	74	80	85	89	94	94	95	95	95	95	95	95	95	95	86				
30	96	87	70	73	70	72	75	77	65	70	65	83	90	94	94	95	95	95	95	95	95	95	95	95	86				
MEAN	96	87	80	75	73	70	69	71	71	71	76	83	90	92	94	95	95	95	96	96	96	96	96	96	86				

		DATA : HOURLY RELATIVE HUMIDITY																								STATION : BAN HAE HOAO		YEAR/MONTH : 1988/JUL	
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN				
1	93	82	77	84	84	77	69	75	86	82	92	94	94	94	95	97	98	98	99	99	99	99	99	99	82				
2	98	97	94	83	78	63	44	76	65	91	88	70	74	93	96	97	98	98	98	98	98	98	98	98	84				
3	99	98	91	80	66	58	60	57	57	58	70	78	81	91	94	96	96	96	96	96	96	96	96	96	85				
4	98	93	83	79	70	62	63	63	57	70	79	78	89	88	90	98	98	98	98	98	98	98	98	98	85				
5	97	79	65	72	77	72	82	69	64	56	71	78	89	88	90	98	98	98	98	98	98	98	98	98	86				
6	98	91	80	76	68	63	63	61	57	69	80	76	96	96	96	97	97	97	97	97	97	97	97	97	86				
7	96	90	78	70	66	82	78	64	65	63	90	93	90	97	97	98	97	97	97	97	97	97	97	97	85				
8	95	84	77	72	64	64	60	66	59	60	93	96	96	95	95	97	97	98	98	98	98	98	98	98	85				
9	97	94	73	65	57	58	65	58	49	49	80	91	94	96	96	96	96	96	96	96	96	96	96	96	81				
10	96	79	73	62	70	70	67	69	95	96	96	96	97	97	97	97	97	97	97	97	97	97	97	97	88				
11	99	89	75	65	70	70	93	85	67	78	86	94	97	96	97	97	97	97	97	97	97	97	97	97	89				
12	95	85	72	63	61	60	65	92	93	93	94	93	96	96	97	97	97	97	97	97	97	97	97	97	88				
13	97	80	74	66	67	62	66	68	60	59	68	70	93	95	95	96	97	97	97	97	97	97	97	97	83				
14	98	93	77	68	63	70	62	79	60	73	75	94	96	96	98	97	97	98	98	98	98	98	98	98	86				
15	99	93	80	73	70	65	57	80	73	88	97	97	96	98	98	98	98	98	98	98	98	98	98	98	86				
16	98	94	83	77	63	58	60	73	57	73	61	93	94	95	96	96	96	97	97	97	97	97	97	97	86				
17	99	98	95	83	77	72	71	63	68	77	87	95	95	96	96	97	97	98	98	98	98	98	98	98	89				
18	99	95	88	75	70	72	65	56	88	74	75	90	94	96	95	93	92	95	96	97	97	97	97	97	81				
19	88	75	70	64	58	58	65	64	64	67	74	74	82	92	94	90	93	91	97	97	97	97	97	97	87				
20	88	78	62	70	85	78	82	82	74	80	80	91	94	98	98	99	99	99	98	97	98	98	98	98	91				
21	98	91	78	74	70	75	75	90	85	91	94	95	97	97	97	97	97	97	97	97	97	97	97	97	91				
22	99	94	92	80	82	90	80	91	90	91	94	95	97	98	97	98	98	98	98	98	98	98	98	98	94				
23	98	87	74	63	82	80	75	88	92	91	93	94	86	97	98	98	99	99	99	99	99	99	99	99	92				
24	98	83	73	72	63	65	62	77	75	81	93	94	95	96	98	98	98	98	98	98	98	98	98	98	87				
25	93	83	80	70	64	58	47	63	45	72	74	84	93	95	90	95	96	94	94	94	94	94	94	94	84				
26	95	77	67	54	53	54	63	53	56	65	75	87	92	93	94	93	94	94	94	94	94	94	94	94	81				
27	94	81	68	71	66	67	65	59	48	72	79	95	96	96	96	98	98	98	98	98	98	98	98	98	85				
28	95	80	66	68	65	61	75	92	91	94	97	98	98	98	98	98	98	98	98	98	98	98	98	98	85				
29	95	83	77	82	83	82	88	81	82	89	90	97	97	97	98	98	98	98	98	98	98	98	98	98	100				
30	100	99	98	98	96	96	97	78	73	80	93	91	96	96	98	98	98	98	98	98	98	98	98	98	94				
31	100	100	100	98	95	91	91	93	83	87	95	94	97	98	99	98	99	99	99	99	99	99	99	99	95				
MEAN	96	87	78	74	71	69	69	73	71	77	84	91	94	95	96	96	96	97											

DATA : HOURLY RELATIVE HUMIDITY STATION : BAN MAE NGAO YEAR/MONTH : 1988/AUG																											
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN		
1	97	97	96	93	90	90	94	87	84	89	93	94	95	95	96	97	97	97	97	97	97	97	97	97	94		
2	98	98	96	89	82	76	68	62	64	60	66	74	76	77	78	79	79	79	79	79	79	79	79	79	72		
3	100	100	98	93	84	87	91	82	70	83	95	95	96	96	96	97	98	98	98	98	98	98	98	98	93		
4	99	99	92	89	78	66	67	69	65	60	65	74	76	76	76	76	76	76	76	76	76	76	76	76	69		
5	98	86	72	76	82	70	64	69	56	73	77	70	73	82	84	85	84	87	87	87	87	87	87	87	85		
6	97	88	83	83	74	65	71	74	82	74	76	85	95	95	96	97	97	97	97	97	97	97	97	97	89		
7	98	98	90	72	73	78	64	81	77	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	89		
8	98	92	85	79	89	87	77	75	75	91	86	90	96	97	98	98	98	98	98	98	98	98	98	98	92		
9	98	91	90	83	75	92	69	44	64	85	85	98	94	96	97	97	98	98	98	98	98	98	98	98	90		
10	99	99	90	82	70	66	70	68	75	91	93	92	96	97	97	90	98	98	98	98	99	99	99	99	90		
11	99	98	92	92	75	68	75	78	69	64	67	84	92	95	96	96	94	94	94	94	94	94	94	94	88		
12	97	94	77	72	72	68	69	60	68	62	66	90	93	93	94	95	95	96	96	96	96	96	96	96	85		
13	94	93	92	92	85	85	70	68	71	84	92	92	93	94	95	96	96	96	96	96	96	96	96	96	80		
14	99	98	90	80	71	77	69	77	78	80	90	93	95	95	95	96	96	96	96	96	96	96	96	96	89		
15	98	98	95	90	86	83	92	92	91	92	92	93	96	95	96	96	97	96	96	96	96	96	96	96	93		
16	98	89	75	82	56	61	61	55	67	65	80	91	94	95	95	95	95	96	96	96	96	96	96	96	83		
17	98	97	80	64	57	59	54	43	59	74	84	85	92	85	94	94	95	95	95	95	95	95	95	95	83		
18	98	89	79	72	68	71	61	70	84	75	87	95	95	95	95	95	95	95	95	95	95	95	95	95	87		
19	98	90	84	65	55	68	77	65	75	60	94	95	95	95	96	96	96	96	96	96	96	96	96	96	87		
20	98	98	98	98	98	90	90	88	89	91	91	93	95	97	97	97	98	98	98	98	98	98	98	98	95		
21	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99		
22	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99		
23	99	85	63	61	59	61	54	65	71	67	69	85	92	93	95	95	95	95	96	96	97	97	97	97	82		
24	98	88	76	64	53	55	51	52	72	80	93	94	94	96	96	97	97	97	97	97	97	97	97	97	84		
25	98	91	74	72	57	44	63	61	74	78	79	91	94	95	95	96	96	96	96	97	97	97	97	97	85		
26	98	92	85	79	74	64	70	80	80	59	70	51	91	97	97	97	97	97	97	97	97	97	97	97	87		
27	98	84	69	60	47	53	50	50	57	44	77	81	91	92	92	92	92	92	92	92	92	92	92	92	87		
28	96	88	75	75	73	86	75	72	86	84	88	91	93	94	94	94	94	94	94	94	94	94	94	94	87		
29	94	90	83	79	74	63	64	61	75	90	88	92	95	95	95	95	95	95	95	95	95	95	95	95	87		
30	94	91	82	80	70	76	70	74	67	89	92	93	93	94	95	95	95	95	95	95	95	95	95	95	86		
31	93	81	75	79	87	84	74	75	86	84	90	94	94	92	96	94	94	94	94	94	94	94	94	94	86		
MEAN	97	92	86	77	72	73	70	71	74	79	85	91	94	94	95	95	96	96	96	96	96	96	96	96	88		

DATA : HOURLY RELATIVE HUMIDITY STATION : BAN MAE NGAO YEAR/MONTH : 1988/SEP																											
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN		
1	92	70	67	71	65	65	57	65	70	81	88	92	92	94	93	93	94	94	95	95	95	95	95	95	84		
2	98	90	83	78	65	55	56	60	64	74	84	92	93	94	94	95	95	95	95	95	95	95	95	95	84		
3	94	94	80	77	64	51	54	52	62	58	65	81	90	92	93	93	94	94	94	94	94	94	94	94	82		
4	98	93	80	68	54	53	53	54	59	60	70	82	89	91	93	93	94	94	94	94	94	94	94	94	81		
5	96	93	83	75	67	54	63	56	50	55	77	86	83	90	92	93	93	95	95	95	95	95	95	95	82		
6	98	93	88	82	72	78	64	58	64	73	82	85	91	92	94	94	94	94	94	94	94	94	94	94	82		
7	97	90	85	83	56	60	73	56	60	63	80	87	93	92	93	94	94	94	94	94	94	94	94	94	82		
8	97	83	67	59	49	51	64	75	75	77	74	88	92	92	95	94	94	94	94	94	94	94	94	94	82		
9	94	90	69	62	54	54	50	49	50	57	72	82	89	92	93	93	94	94	94	94	94	94	94	94	79		
10	93	92	81	70	66	57	57	55	69	68	74	87	91	79	92	95	95	95	95	95	95	95	95	95	82		
11	97	94	89	67	62	60	57	59	73	80	93	93	94	95	95	95	95	95	95	95	95	95	95	95	86		
12	96	92	75	72	65	56	54	55	58	55	75	87	91	92	94	94	94	94	94	94	94	94	94	94	82		
13	94	88	75	64	61	54	73	59	51	53	72	83	90	92	93	93	94	94	94	94	94	94	94	94	81		
14	96	69	58	52	52	60	57	68	80	80	90	91	92	93	93	93	93	94	94	94	94	94	94	94	82		
15	96	70	57	52	50	91	92	91	90	92	94	95	95	95	95	95	95	95	95	95	95	95	95	95	88		
16	95	83	59	75	61	61	68	67	72	86	90	92	93	94	94	94	94	94	94	94	94	94	94	94	85		
17	97	93	73	80	77	75	75	75	69	77	75	90	92	97	97	97	97	97	97	97	97	97	97	97	87		
18	93	87	83	79	68	58	74	74	79	76	85	92	94	95	95	95	95	95	95	95	95	95	95	95	86		
19	96	81	77	66	61	78	55	48	49	87	92	92	93	94	94	95	94	94	94	94	94	94	94	94	84		
20	95	82	73	64	60	57	54	60	61	69	82	89	93	93	94	94	95	95	95	95	95	95	95	95	82		
21	98	92	77	69	64	62	55	54	78	87	92	93	93	93	95	95	96	96	95	95	95	95	95	95	83		
22	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99		
23	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99		
24	95	90	69	63	61	60	55	67	77	71	82	88	93	93	93	94	96	96	96	96	96	96	96	96	84		
25	97	93	75	60	60	55	81	78	69	70	83	93	95	95	95	96	96	96	96	96	96	96	96	96	85		
26	92	85	70	61	56	53	53	48	69	64	82	92	92	93	94	95	95	95	95	95	95	95	95	95	81		
27	96	93	85	67	62	56	52	71	72	73	83	88	92	93	94	94	94	94	94	94	94	94	94	94	84		
28	97	92	75	65	50	46	50	74	78	73	84	94	94	95	95	95	95	95	95	95	95	95	95	95	83		
29	98	90	75	58	58	58	55	56	71	77	84	90	94	94	95	95	95	95	95	95	95	95	95	95	83		
30	96	96	69	76	73	66	55	58	79	82	87	83	93	96	96	96	96	96	96	96	96	96	96	96	86		
MEAN	95	88	75	66	61	59	61	61	67	72	82	88	92	92	93	94	94	94	94	95	95	95	95	95	83		

		DATA : HOURLY RELATIVE HUMIDITY STATION : BAN MAE NGAO YEAR/MONTH : 1988/OCT																							
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN
1	94	82	60	60	52	51	53	72	69	87	92	93	93	95	95	96	94	96	96	93	94	95	94	94	83
2	94	94	94	50	40	57	50	64	55	70	77	87	93	93	94	93	95	95	96	94	94	94	94	94	84
3	94	95	80	70	50	48	49	50	57	63	74	86	92	93	93	95	95	95	95	95	95	95	95	95	85
4	96	95	81	75	61	61	61	58	62	80	88	93	94	94	94	94	94	94	94	94	94	94	94	94	89
5	97	90	78	64	60	71	65	92	92	87	91	95	94	96	96	96	96	96	96	96	96	96	96	96	86
6	98	97	96	73	64	57	60	74	85	91	92	94	94	94	94	94	95	95	95	95	95	95	95	95	84
7	98	97	84	60	54	65	63	71	67	75	78	85	92	92	94	94	94	94	94	94	94	94	94	94	85
8	96	90	71	60	55	54	53	59	65	91	90	93	93	93	94	94	94	94	94	94	94	94	94	94	88
9	97	94	86	73	62	57	76	70	90	83	94	94	95	96	96	96	96	96	96	96	96	96	96	96	87
10	98	95	89	76	63	60	57	65	69	86	92	93	95	96	96	96	96	96	96	96	96	96	96	96	87
11	97	96	82	72	70	63	58	66	62	78	82	90	94	94	94	94	94	94	94	94	94	94	94	94	88
12	97	96	85	70	62	80	72	79	62	74	85	92	94	94	94	94	94	94	94	94	94	94	94	94	91
13	98	95	81	79	74	71	85	89	90	91	94	94	95	96	96	96	96	96	96	96	96	96	96	96	84
14	98	96	71	65	63	63	59	65	58	77	83	90	94	94	94	94	94	94	94	94	94	94	94	94	88
15	97	89	74	72	60	80	72	78	83	78	92	92	94	94	94	94	94	94	94	94	94	94	94	94	86
16	98	94	83	74	74	60	71	78	79	82	93	94	93	95	96	96	96	96	96	96	96	96	96	96	88
17	97	95	91	85	65	61	72	65	74	89	93	93	92	95	96	96	96	96	96	96	96	96	96	96	88
18	98	98	94	93	93	95	87	79	70	85	92	93	95	95	96	96	96	96	96	96	96	96	96	96	92
19	98	97	96	94	77	79	80	72	72	74	85	92	94	95	96	96	96	96	96	96	96	96	96	96	90
20	98	96	85	67	61	60	58	60	59	71	82	91	93	95	95	95	95	95	95	95	95	95	95	95	84
21	95	76	73	72	68	63	57	52	64	80	90	92	95	95	96	96	96	96	96	96	96	96	96	96	84
22	98	97	73	61	62	64	57	51	64	82	87	92	95	95	96	96	96	96	96	96	96	96	96	96	84
23	95	80	86	64	61	55	54	53	61	78	85	92	94	94	94	94	94	94	94	94	94	94	94	94	81
24	98	97	82	69	62	57	55	54	52	52	60	60	60	60	60	60	60	60	60	60	60	60	60	60	84
25	94	94	84	85	67	66	62	55	53	67	84	87	93	94	94	94	94	94	94	94	94	94	94	94	83
26	97	94	80	72	68	65	58	50	65	81	90	93	95	95	96	96	96	96	96	96	96	96	96	96	82
27	97	97	72	68	65	62	51	49	60	65	70	87	92	93	95	95	96	96	96	96	96	96	96	96	82
28	94	94	71	66	60	54	51	46	48	70	82	85	94	94	94	94	94	94	94	94	94	94	94	94	81
29	97	92	69	65	57	50	46	44	53	66	85	90	94	93	95	96	96	96	96	96	96	96	96	96	83
30	94	96	89	75	63	56	50	49	47	65	82	87	93	93	95	96	96	96	96	96	96	96	96	96	83
31	95	95	85	67	66	61	50	47	50	65	84	95	95	97	97	100	100	100	100	100	100	100	100	100	85
MEAN	97	93	81	72	64	62	61	63	66	76	85	90	93	94	95	95	95	96	96	96	96	95	95	95	85

		DATA : HOURLY RELATIVE HUMIDITY STATION : BAN MAE NGAO YEAR/MONTH : 1988/NOV																								
HOURLY DATE	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	MEAN	
1	95	95	85	77	60	52	45	46	61	72	84	88	93	95	96	97	97	97	100	100	100	100	100	100	86	
2	99	98	85	63	57	52	47	48	56	73	81	92	95	96	97	98	98	98	99	99	99	99	99	99	84	
3	99	97	73	64	57	59	49	48	57	75	90	94	96	96	98	98	98	98	99	99	99	99	99	99	86	
4	95	98	85	72	67	67	60	68	65	78	92	93	95	97	98	98	98	98	99	99	99	99	99	99	88	
5	95	90	67	54	44	34	38	41	45	75	83	92	95	96	94	97	97	97	98	98	99	98	97	98	81	
6	97	90	72	62	53	49	38	39	43	60	80	92	95	97	97	97	98	98	99	98	97	98	97	98	82	
7	98	99	71	58	45	43	40	48	68	83	89	94	94	96	94	97	98	98	97	96	97	96	97	97	82	
8	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	82
9	97	97	89	72	55	50	47	43	44	58	80	85	94	94	96	96	97	97	98	98	98	98	98	98	82	
10	98	94	75	64	51	46	46	34	43	50	70	85	91	96	96	97	98	98	98	99	99	99	99	99	80	
11	97	96	85	66	53	51	35	31	35	55	75	90	94	95	96	97	98	98	98	99	99	99	99	99	80	
12	98	96	85	67	55	47	42	41	45	59	77	90	95	95	96	96	98	98	98	99	99	99	99	99	78	
13	98	96	69	60	47	44	44	48	66	80	89	95	96	96	96	98	98	98	99	99	99	99	99	99	85	
14	99	99	94	70	57	52	48	44	47	64	80	86	92	96	97	97	97	97	98	98	98	98	98	98	82	
15	99	100	99	90	77	73	70	69	78	89	90	94	97	98	98	98	98	98	99	99	99	99	99	99	82	
16	99	100	99	98	93	91	93	92	94	95	97	98	98	98	98	98	98	98	99	99	99	99	99	99	82	
17	100	98	95	94	90	86	90	91	93	94	96	98	98	99	100	100	100	100	100	100	100	100	100	100	82	
18	100	100	96	97	96	94	94	94	94	94	94	97	98	98	98	98	98	98	99	99	99	99	99	99	82	
19	98	98	98	91	88	82	70	65	68	78	83	91	91	93	94	94	94	94	95	94	94	94	94	94	89	
20	98	99	88	67	60	57	59	58	80	86	86	90	95	96	96	97	98	98	98	98	97	97	97	97	87	
21	96	97	94	89	67	61	54	59	46	78	86	93	95	97	97	98	97	98	98	98	98	97	97	98	87	
22	98	98	90	70	60	57	58	57	60	70	85	93	94	97	97	98	98	98	98	98	98	98	98	98	86	
23	98	98	89	80	64	58	56	69	72	82	90	96	96	97	98	98	98	98	98	98	98	98	98	98	88	
24	97	95	85	76	67	68	69	76	87	87	86	96	96	97	98	98	98	98	98	98	98	97	97	97	89	
25	97	98	91	76	60	57	52	51	65	74	88	94	94	97	98	98	98	98	98	98	98	98	98	98	87	
26	97	98	85	68	58	52	50	68	79	82	91	94	95	98	98	99	99	99	99	99	99	99	99	99	87	
27	99	96	79	71	78	86	84	84	75	84	93	94	98	98	98	98	98	98	98	98	98	98	98	98	87	
28	98	97	89	61	61	57	75	61	74	83	92	96	96	98	98	98	98	98	98	98	98	98	98	98	87	
29	98	93	71	53	43	42	44	48	55	70	90	94	94	98	98	98	98	98	98	98	98	98	98	98	87	
30	97	97	96	75	63	54	45	48	55	75	86	92	97	98	98	98	98	98	99	99	99	98	98	98	85	
MEAN	97	96	85	73	62	58	55	56	64	76	85	92	95	96	97	97	98	98	98	98	98	98	98	98	86	