


L A S C U M B R E S




SEI


10 μ



Compo




Au




Ag

L A S C U M B R E S




SEI




Compo


10 μ




Ag



S



Fe




CALICANTO



SEI


10 μ




Compo




Ag




Sb




Zn




Ca




Cu



S




Fe




SEI


10 μ



Compo




Ag




S




Fe



Si



SAN ROBERTO




SEI




Compo


10 μ



Ag




As




Bi



S




Zn




Cu




Mn



Se




Fe




Si

SAN ROBERTO




SEI


10 μ




Compo




Au



Ag



S



S A N B E R N A B E



SE I




Compo

10 μ




Ag



Cu




S




Zn



K




Ca



Pb



Fe




LA PRIETA bacterial
leaching feed




SEI


10 μ




Compo




Ag




Cu




Fe




Zn




S



Ca




CASALE floatation tailing ①




SEI 10 μ




Compo




Ag




S




Si



Sb



Fe




CASALE floatation
tailings ②




SEI


10 μ



Compo




Ag




Fe



Si





CASALE cyanidation ①
tailing



SEI


Compo

10 μ




Ag


Sb




S



Pb




F



Ca


CASALE cyanidation ②
tailings



20 302 0031 0010,00

SEI

10 μ




20 302 0030 0010,00

Compo




Ag




20 302 0029 0010,00


Fe



Si



Ca




SANTA MARTA Zn floatatio
tailing ①




SEI


10 μ




Compo




Ag




Cu




Fe



S




Ca




Ti



Pb



Zn




SANTA MARTA Zn floatation tailing ②



SEI


Compo

10 μ




Ag


Cu




S




K




Fe




Si



Ca



V




Al

SANTA MARTA Zn floatation tailing ③




SEI


10 μ




Compo



Au



Cu





THE STUDY ON MODERNIZATION PLAN OF BENEFICIATION
PLANTS OF CFM IN THE UNITED MEXICAN STATES

FINAL REPORT

March, 1990

JAPAN INTERNATIONAL C

