III.5 Daily Rainfall Record at Kaisuge House (9035075)

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (1/32)

ID. Number: 9035075

Annu	al Rain:	1292				·			and the second section of		Ur	it : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec .
1	0.0	9.4	5.8	36.1	40.6	0.0	0.0	0.0	16.3	4.3	0.0	3.3
. 2	0.0	0.0	0.0	3.8	73.4	5.6	2.3	6.1	20.6	0.0	0.0	20.8
3	0.0	0.0	4.6	9.7	4.3	18.5	4.3	0.0	2.0	0.0	0.0	7.9
4	0.0	0.0	0.0	1.5	0.8	5.3	8.1	7.9	0.0	0.0	16.8	1.0
5	0.0	0.0	2.0	3.3	1.5	0.0	1.5	0.5	0.0	0.0	5.3	0.0
6	5.1	0.0	2.5	2.0	0.0	1.3	21.3	13.2	3.1	2.3	3.6	0.8
· 7	0.0	0.0	0.0	6.4	0.0	0.0	3.1	4.6	0.0	0.0	0.0	0.0
8	0.0	5.1	0.0	2.3	1.5	0.0	3.6	1.3	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	36.1	7.4	0.8	5.1	0.0	0.0	0.0	0.0	19.8	0.0
12	0.0	0.0	1.0	43,2	11.4	17.8	1.0	0.0	0,0	0.0	9.7	0.0
- 13	0.0	0.0	10.2	25.4	8.6	0.0	0.0	5.1	0.0	2.0	0.0	0.0
14	0.0	0.0	0.0	5.6	12.5	0.0	0.0	8.9	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	1.5	1.5	0.0	16.3	34.3	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	8.1	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	1.0	4.3	0.0	0.0	7.6	0.0	0.0	0.8	0.0
18	0.0	0.0	0.0	1.8	9.4	0.0	0.0	2.3	0.0	0.0	1.0	0.5
19	0.0	0.0	0.0	0.0	0.0	0.0	0,0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	16.0	2.3	0.0	15.0	10.4	39.9	0.0	0.0	0.0	1.3	0.0	7.1
22	0.8	3.6	0.0	17.0	0.0	1.3	0.0	0.0	0,0	2.5	0.0	13.7
23	0.8	0.0	0.0	6.1	0.0	17.3	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.5	5.1	7.4	25.7	3.6	0.5	8.6	0.0	12.5	0.0	0.0
25	0.3	0.0	4.1	9.1	0.0	0.0	0.0	16.3	0.0	1.0	4.6	0.0
26	0.0	0.0	2.0	5.1	2.5	0.0	2.5	1.5	0.0	0.0	0.0	2.0
27	0.0	0.0	5.1	6.9	31.2	0.0	0.0	11.7	0.0	0.5	0.0	6.9
28	21.8	7.1	20.1	36.3	47.8	0.0	0.0	4.1	0.0	8.9	0.0	46.5
29	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
- 30	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	· · · · · · · · · · · · · · · · · · ·	0.0		0.0	0.0	·	0.0	 	0.0
Total	44.8	28.0	98.6	262.0	294.6	115.7	64.5	134.0	42.0	35.3	61.6	110.5

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (2/32)

ID. Number: 9035075

A	. usu . . nio I la										: 11	nit : mm
Annua Date	al Rain : Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u> </u>	0.0	0.0	0.0	0.0	15.8	4.8	2.0	1.0	0.8	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	65.8	5.6	0.0	0.0	3.1	6.1	0.0	0.0
3	0.0	0.0	0.0	0.0	2.0	33.8	0.0	1.8	16.3	0.0	0.0	0.0
. 4	0.0	5.3	0.0	0.0	11.2	16.0	3.1	3.1	0.0	10.2	0.0	0.0
5	0.0	0.5	0.0	0.0	3.1	5.8	5.8	5.6	10.4	0.5	0.0	0.0
- 6	0.0	8.1	0.0	0.0	2.3	10.7	2.0	4.8	2.3	0.3	3.8	0.3
7	0.0	21.3	3.8	20.3	4.6	13.7	1.8	21.8	0.0	0.0	0.0	0.0
8	0.0	18.8	0.0	0.8	42.9	10.7	0.0	13.0	0.0	7.9	4.3	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	17.0	0.0	0.8	16.3	0.0	15.8	0.0	58.7	10.7	0.0	0.0
12	0.0	15.8	. 8.4	0.0	7.1	0.0	4.1	19.1	8.1	4.8	0.0	0.0
13	0.0	14.0	0.0	0.0	4.3	0.0	8.1	1.0	0.0	13.2	1.3	0.0
14	0.0	5.3	0.0	0.0	10.4	0.0	0.3	0.0	2.8	3.8	0.0	0.0
15	0.0	27.4	4.8	0.5	0.0	2.8	0.0	3.6	2.8	0.0	0.0	26.4
16	0.0	0.0	42.9	0.0	0.0	5.1	0.0	6.4	2.8	0.0	1.0	: 4.3
17	0.0	0.0	18.3	0.0	0.0	0.0	1.8	0.5	0.3	2.0	8.9	53.3
18	0.0	0.0	15.5	0.0	11.9	2.3	13.2	0.0	3.6	0.0	0.0	2.5
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0,0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	2.8	9.7	0.0	0.0	7.4	0.0	0.0	0.0	18.5
22	2.8	0.0	1.8	11.4	20.8	0.0		24.6	0.0	5.8	0.0	2.8
23	7.1	0.0	0.0	0.5	0.0	0.3	0.0	1.5	5.3	0.0	2.8	0.5
24	7.4	0.0	0.0	24.4	0.0	0.3	0.0	8.0	2.3	0.0	1.0	0.0
25	7.9	0.0	0.0	0.0	0.0	15.0	0.0	1.8	0.0	1.5	1.8	9.9
26	0.5	0.0	0.3	0.0	0.0	17.3	8.9	6.1	0.0	0.0	7.1	0.3
27	0.0	0.0	9.9	0.8	0.0	6.6	6.6	4.8	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	13.5	16.3	0.0	0.0	2.8	0.0	0.0	0.0	0.0
29	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0		0.0		0.0	0.0		0.0		0.0
Total	25.7_	133.5	105.7	75.8	244.5	150.8	74.0	131.5	119.6	66.8	32.0	118.8

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (3/32)

Ann	ual Rain :	1421	والمستوالة المستوالة المستوالة المستوالة والمستوالة وال					المسيدي بذراع المائد ال			U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	44.5	0.0	0.8	8.6	11.7	0.0	21.3	0.0	16.3	2.5
2	0.0	0.0	35.3	0.0	0.0	0.5	2.8	0.0	7.4	4.6	20.1	0.0
. 3	0.0	0.0	2.0	0.0	54.9	9.9	5.1	1.0	0.3	3.1	15.5	0.0
4	0.0	0.0	0.0	0.0	15.8	16.3	9.7	10.9	6.1	3.3	4.1	0.0
5	0.0	0.0	0.0	1.8	0.0	2.0	2.3	3.6	7.4	1.8	5.1	0.0
б	0.0	8.6	0.0	0.0	0.0	0.0	26.2	1.0	4.8	6.1	2.0	0.0
7	5.6	4.6	1.5	0.0	9.1	0.0	0.0	4.8	17.5	10.2	0.0	0.0
8	0.0	4.8	0.5	0.3	6.1	0.0	1.5	3.6	6.1	3.8	0.0	0.5
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	19.3	4.8	0.0	0.3	0.0	0.8	0.5	0.5	0.0
12	0.0	0.0	0.0	12.7	5.8	0.0	0.8	0.0	8.0	1.0	0.0	0.0
13	0.0	0.0	0.0	0.8	6.4	1.8	4.1	0.0	0.3	0.0	0.0	0.0
14	0.0	2.0	0.0	6.9	11.4	26.7	0.0	6.9	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	1.5	9.1	0.0	0.0	0.8	4.3	0.0	2.8	0.0
16	0.0	0.0	0.0	41.2	0.0	0.0	0.0	0.3	4.6	0.0	1.3	0.0
17	0.0	0.0	0.0	5.3	2.8	7.6	0.0	0.3	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	5.6	0.0	3.8	0.0	36.8	0.0	8.1	5.6	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	10.4	45.7	3.8	0.0	4.3	0.0	10.7	0.0	0.0
22	0.0	3.1	92.7	5.1	1.3	0.0	8.0	2.5	0.0	9.1	1.8	0.0
23	10.9	1.3	5.8	1.5	11.4	0.0	0.0	0.0	0.8	14.2	0.0	0.0
24	10.2	11.2	19.3	0.3	13.5	0.3	0.0	33.8	9.7	11.7	8.6	0.0
25	11.9	1.5	33.0	13.5	1.8	2.5	1.5	0.3	0.0	9.7	0.0	0.0
26	0.0	4.3	66.0	20.3	0.0	4.8	7.6	0.0	0.8	2.5	8.0	0.0
27	0.0	1.8	32.8	0.5	0.0	0.0	0.0	2.0	6.4	3.8	0.0	5.1
28	0.0	10.4	4.6	7.6	8.0	1.3	16.0	1.8	3.8	1.0	37.6	1.5
29	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0		0.0		0.0	0.0		0.0		0.0
Total	38.6	53.6	338.0	154.6	201.5	89.9	90.4	114.7	103.2	105.2	122.1	9,6

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (4/32)

Annual Rain: 1418	<u>Unit : mm</u>
Date Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov	Dec
1 2.8 1.3 8.1 15.0 3.1 2.8 2.0 0.0 0.8 0.5 2.3	0.0
2 0.8 15.2 5.6 14.7 3.6 0.0 4.8 0.0 0.3 0.8 20.1	0.0
3 0.0 0.0 5.6 6.6 2.0 0.0 11.4 0.0 18.3 2.3 3.6	0.0
4 0.0 0.0 0.0 6.6 20.6 0.0 11.4 3.1 3.6 1.5 1.8	0.0
5 0.0 0.0 0.0 7.6 7.4 0.0 24.4 13.5 6.4 9.7 2.8	0.0
6 0.0 0.0 2.3 21.3 9.1 0.0 3.3 9.4 10.7 24.1 9.7	0.0
7 0.0 0.0 1.0 0.0 0.0 8.1 1.8 0.0 3.3 1.0 0.0	0.0
8 0.0 0.0 6.6 0.0 2.5 3.1 3.1 4.3 0.0 19.1 0.0	0.0
9 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	0.0
10 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	0.0
11 0.0 0.0 0.0 19.1 6.4 3.8 0.0 4.1 4.1 0.0 3.8	0.0
12 90.2 0.0 0.0 3.6 0.0 4.8 0.0 3.3 25.2 1.0 0.8	0.0
13 5.1 0.0 0.0 10.2 0.0 0.0 7.4 5.8 5.8 0.0 14.0	0.0
14 1.0 2.5 4.0 25.2 6.4 1.0 0.3 1.3 1.3 0.0 0.8	0.0
15 0.0 0.3 4.1 7.9 3.6 0.0 0.0 0.0 18.0 0.0 7.1	0.0
16 39.1 6.6 0.0 8.1 15.5 17.0 0.0 4.6 30.5 0.0 29.5	0.0
17 5.1 9.9 0.3 2.3 0.0 0.0 5.6 13.7 3.6 3.6 3.6	0.0
18 0.0 16.8 2.0 0.5 26.7 3.1 0.5 15.2 0.8 9.1 0.0	11.4
19 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	0.0
20 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	0.0
21 1.8 0.0 0.0 0.0 3.8 0.0 0.0 0.3 0.0 0.0 0.0	1.0
22 0.0 0.0 0.0 0.0 3.6 1.3 0.0 17.3 0.0 0.0	0.0
23 2.8 17.3 7.1 7.9 5.1 0.0 0.0 1.3 0.0 0.0 18.3	0.5
24 0.3 11.2 0.0 1.0 4.8 0.0 0.0 38.1 0.0 0.0 0.0	0.0
25 26.4 21.3 9.7 3.1 2.0 0.8 0.0 0.8 0.0 1.3 0.0	0.0
26 0.0 0.0 35.1 0.5 26.4 10.2 0.0 0.5 0.0 6.6 2.5	0.0
27 0.0 2.3 25.9 14.7 5.1 2.3 19.6 0.0 0.5 0.3 1.5	0.0
28 0.0 0.3 3.6 11.4 17.3 3.3 2.5 1.3 0.3 0.0 9.9	0.0
29 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	
30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	
31 0.0 0.0 0.0 0.0 0.0 0.0	0.0
Total 175.4 105.0 118.0 187.3 175.0 61.6 98.1 137.9 133.5 80.9 132.1	12.9

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (5/32)

	Annua	l Rain :	1522							•		ĪĪ	nit : mm
D	ate	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-	1	0.0	0.0	1,3	13.0	4.6	6.1	1.3	0.0	1.3	0.0	19.6	0.0
	2	0.0	0.0	1.3	0.0	15.8	0.0	0.5	10.7	0.8	1.3	1.8	0.0
	3	0.0	0.3	0.0	0.0	7.1	11.7	7.9	23.6	16.8	5.6	0.0	0.0
•	4	0.0	20.8	0.0	0.0	15.8	10.7	2.0	9.4	5.8	27.2	0.0	0.0
	5	0.0	0.0	0.0	0.5	9.1	0.0	0.0	15.5	1.3	14.7	0.8	5.3
	6	0.0	2.8	0.0	2.3	3.8	11.4	0.0	6.1	0.0	20.1	1.8	9.4
	7	0.0	12.5	0.0	3.1	5.3	21.6	1.5	4.8	13.2	0.0	15.5	11.2
	8	1.0	0.0	0.0	26.7	18.0	1.0	1.8	2.5	5.1	1.0	39.1	0.5
	9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11	0.0	5.1	0.0	1.0	13.5	4.1	0.0	18.5	1.3	1.5	14.0	2.8
	12	0.0	0.0	0.0	0.5	50.6	9.9	2.3	4.3	9.1	6.9	14.7	10.9
	13	0.0	0.0	8.4	0.0	3.6	7.1	10.4	2.0	10.9	0.0	19.8	30.5
	14	0.0	0.0	4.8	5.1	0.3	0.3	9.7	3.1	1.3	5.8	0.8	5.6
	15	0.0	0.0	0.3	0.0	0.0	0.0	0.0	4.8	0.0	6.1	23.1	0.0
	16	0.0	0.0	10.9	45.5	0.0	7.9	0.0	0.0	7.6	8.1	4.3	0.0
	17	0.0	0.0	0.0	4.3	0.0	0.0	4.6	1.3	1.0	0.0	9.1	0.0
	18	0.0	0.0	2.5	16.3	2.5	5.8	9.7	13.5	10.7	10.7	19.1	0.0
. 1	19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	20 -	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	21	0.0	0.0	5.6	0.0	5.3	0.0	2.5	6.1	0.8	21.6	16.0	0.8
	22	0.0	0.0	0.5	0.0	0.0	1.8	9.4	0.8	0.0	0.3	1.5	0.0
	23	0.0	0.0	0.0	0.0	0.0	2.3	1.0	0.0	0.0	1.0	7.4	7.1
	24	0.0	0.0	0.0	0.0	1.5	0.0	36.3	11.2	14.7	6.4	0.5	0.0
	25	0.0	3.8	0.0	0.0	10.4	14.2	8.0	8.4	9.4	14.2	44.5	0.0
.2	26	0.0	4.1	0.0	0.0	8.6	0.5	7.9	5.1	5.6	0.0	45.0	14.7
2	27	0.0	0.0	0.0	17.5	2.0	6.6	0.0	8.4	1.3	0.0	22.6	7.6
	28	0.0	0.8	7.1	4.8	1.3	1.0	0.3	0.5	6.6	0.0	4.3	4.8
	29	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	30	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	31	0.0	<u> </u>	0.0	· .	0,0		0.0	0.0		0.0		0.0
Tot	al	1.0	50.2	42.7	140.6	179.1	124.0	109,9	160.6	124.6	152.5	325.3	111.2

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (6/32)

Ann	ual Rain:									14.4		
Date	Jan	Feb	Mar	Арг	May	Jun	Jul	Å	A			<u>lnit : mm</u>
1	2.3	0.0	0.8	0.0	10.9	3.8		Aug	Sep	Oct	Nov	Dec
2	0.5	0.0	20.6	8.9	3.3	1.3	2.0	5.1	9.7		0.0	0.0
3	2.8	0.0	0.0	0.0	3.3	0.0	0.8	2.8	18.0		0.0	15.8
4	11.9	0.0	0.0	0.0			0.0	3.1	0.0		0.0	3.8
5	0.0	0.0	0.0	12.2	10.2	7.6	9.7	16.8	6.4	2.5	8.4	0.0
6	3.3				6.4	37.6	7.6	0.0	2.3	6.4	0.0	5.1
7		0.0	0.0	68.3	15.0	2.0	2.5	0.0	0.0	7.4	2.5	1.0
	18.5	0.0	6.1	10.9	42.7	0.0	9.1	. 11.7	40.9	0.3	0.0	0.0
8	9,9	0.0	0.0	3.3	20.6	0.0	7.1	6.1	8.6		0.0	15.8
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0
11	0.3	0.0	2.8	11.9	3.1	0.0	9.7	11.9	1.8	36.8	0.0	0.0
12	0.0	0.0	0.0	15.0	14.7	0.0	19.6	0.0	0.3	7.4	0.0	0.0
13	0.0	0.0	6.4	20.1	0.5	0.0	1.0	1.3	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	4.1		0.0	30.7	2.0	4.3	3.8	12.2	0.0
15	1.5	0.0	2.0	0.0	0.5	17.8	0.0	43.9	A 1.8	38.6	0.0	0.0
16	2.8	0.0	5.6	0.5		20.1	0.0	5.8	0.0	5.3	0.0	0.0
17	10.4	0.0	2.3	0.0	14.5	26.2	11.4	8.6	5.3	6.6	0.0	1.3
-18	1.0	0.0	19.8	17.0	0.5	11.9	7.1	8.1	7.4	15.2	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.3	8.0	39.4	0.0	10.9	16.3	0.0	2.8	1.8	22.6	0.0	0.0
22	17.0	0.0	0.0	4.3	0.0	22.1	0.0	0.0	13.7	1.0	0.0	0.0
23	3.1	0.0	0.0	20.3	0.0	5.1	0.0	0.0	. 15.8	16.0	0.5	0.0
24	14.0	0.0	28.2	6.4	0.3	2.0	16.5	5.8	3.1	10.4	1.3	0.0
25	0.0	0.0	0.0	1.0	22.6	0.3	5.6	4.1	0.0	4.3	5.6	0.0
26	0.0	0.0	0.0	11.7	2.0	0.0	2.8	5.8	0.0	12.2	8.4	16.8
27	0.0	4.3	0.0	12.7	0.0	0.0	0.0	0.0	1.5	2.0	9.1	10.4
28	0.0	0.0	0.0	12.5	0.0	3.3	0.0	3.3	4.1	0.3	1.0	0.0
29	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0		0.0		0.0	0.0	:	0.0		0.0
Total	99.6	5.1	134.0	241.1	238.4	177.4	143.2	149.0	146.8	205.2	49.0	70.0

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (7/32)

ID. Number: 9035075

Annı	reat. ial Rain:										Uı	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec_
1	0.0	0.0	0.0	0.0	14.5	0.0	2.5	0.0	34.3	1.8	1.5	0.0
2	0.0	0.0	4.6	3.3	15.0	37.3	0.3	0.0	7.4	6.9	13.7	61.2
3	23.9	0.0	5.1	0.0	6.1	0.0	15.5	- 7.1	0.0	0.0	0.0	5.1
4	8.9	0.0	12.7	0.0	13.7	4.8	3.6	24.1	0.0	0.8	0.8	22,1
5	10.2	0.0	33.0	0.0	40.6	2.8	0.0	3.6	2.5	0.0	0.0	31.0
- 6	5.8	0.0	1.3	0.0	21.8	1.0	1.3	0.0	0.0	0.0	0.0	10.4
7	5.1	7.6	0.0	0.3	13.0	4.6	0.0	3.1	0.0	0.0	0.0	30.7
8	1.3	1.5	0.0	4.3	11.9	0.0	8.9	0.0	0.0	2.3	0.0	8.7
9	4.6	33.0	0.0	0.0	11.4	0.0	6.9	2.3	0.0	1.0	0.0	34.3
10	2.5	2.5	0.0	19.0	13.0	0.0	1.0	0.8	0.0	8.9	0.8	13.5
11	0.0	18.8	0.0	4.3	19.6	0.0	0.0	11.7	0.0	0.0	4.1	0.5
12	0.0	8.1	0.0	8.6	17.8	6.1	1.3	4.3	0.0	3.3	8.4	0.0
- 13	0.0	0.0	6.9	2.3	13.0	0.0	12.7	6.1	0.0	1.0	11.4	0.0
14	1.5	10.7	21.1	33.8	26.7	0.0	5.1	8.6	0.0	3.0	25.1	0.0
15	1.0	9.4	62.5	8.4	0.8	11.2	5.3	2.8	0.0	3.3	2.0	0.0
16	0.0	0.0	32.3	9.9	0.0	2.5	1.8	5.8	1.5	0.0	25.7	0.0
17	0.0	0.0	0.0	17.5	6.3	0.3	0.0	3.8	0.0	0.0	11.7	0.0
18	0.0	0.0	0.0	31.7	0.0	0.0	8.1	5.8	0.0	0.0	0.8	0.0
19	0.0	0.0	0.0	5.8	0.3	0.0	1.0	0.0	0.0	0.0	21.8	0.0
20	6.6	0.0	14.7	32.3	0.0	0.0	1.8	5.6	0.0	0.0	0.5	0.0
21	27.4	0.0	0.0	39.1	1.0	0.0	0.0	0.0	2.0	0.0	6.1	0.0
22	0.0	0.0	0.0	12.7	0.3	1.8	8.9	11.4	15.2	1.5	1.8	5.8
23	0.0	0.0	0.0	9.7	0.0	1.3	8.4	17.0	2.8	0.0	0.3	0.0
- 24	0.0	0.0	0.0	16.5	9.9	7.1	2.8	0.0	0.0	0.5	6.1	16.5
25	0.0	0.0	0.0	18.5	0.5	0.0	1.0	1.0	7.4	0.0	3.0	1.0
26	0.0	0.0	0.0	53.8	2.0	2.0	12.4	15.7	1.8	0.0	27.2	4.3
27	9.1	36.1	0.0	16.5	14.5	2.3	0.8	0.0	0.0	4.1	50.5	0.0
28	5.8	0.0	3.3	6.6	0.3	3.0	0.0	0.0	0.0	0.0	35.6	0.0
29	0.0		2.8	31.5	0.8	0.0	5.6	0.0	0.0	0.0	17.8	0.0
30	0.0		0.0	6.1	1.8	3.0	0.0	18.8	0.0	23.1	0.8	0.0
31	0,0		1.0		2.8	المنيور وحر حصادات	4.8	19.8		4.8		0.0
Total	113.7	127.7	201.3	392.5	279.4	91.1	121.8	179,2	74.9	66.3	277.5	245.1

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (8/32)

ID. Number: 9035075

Annu	al Rain:									<u> </u>	Jnit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct Nov	Dec
1	0.0	0.0	0.5	2.3	0.0	1.8	1.5	0.8	15.0	14.4 0.0	6.3
2	2.5	0.0	27.9	0.0	0.0	8.9	.6.3	1.0	0.0	0.0 0.0	0.0
3	0.0	4.3	6.6	0.0	0.0	3.6	9.4	1.3	22.4	7.6 4.3	0.0
4	0.0	7.9	15.2	0.0	2.8	4.8	4.8	3.6	57.9	5.1 1.5	0.8
.5	1.0	16.8	0.0	10.7	3.3	0.5	26.2	14.0	1.0	0.0	0.0
6	0.0	. 0.3	0.0	9.4	9.7	0.0	25,1	13.7	23.9	1.5 0.0	0.0
7	0.0	0.5	0.0	5.1	4.3	0.0	2.8	2.5	5.6	2.8 0.0	0.0
8	0.0	1.5	0.0	2.3	21.1	0.0	13.7	11.9	1.0	23.6 19.6	0.0
9	0.0	0.0	0.0	0.5	3.6	19.6	15.7	1.5	2.5	3.3 0.5	0.0
10	0.0	0.0	0.0	3.8	14.5	19.0	2.3	12.4	9.4	5.8 3.6	0.0
. 11	0.0	0.0	0.0	2.8	3.6	10.9	- 3,0	0.0	25.7	6.3 0.0	0.0
12	0.0	2.3	0.0	0.0	1.5	0.0	8.4	0.0	18.0	0.5 0.0	0.0
13	0.0	1.3	0.0	4.6	0.0	48.5	0.0	0.0	0.3	0.0	5.1
14	0.0	0.0	22.4	4.8	4.3	4.6	24.6	29.0	5.1	0.0	2.3
15	0.0	0.0	9.7	3.1	0.0	0.0	10.7	4.6	0.0	23.1 0.0	0.3
16	0.0	0.0	18.5	13.7	0.5	0.0	0.0	1.5	18.0	8.9 0.0	9.4
17	0.0	0.0	0.3	54.4	1.8	0.0	0.0	3.8	0.0	0.0 0.0	5.3
18	0.0	0.0	0.0	30.0	0.0	2.0	0.0	2.5	3.0	0.0 1.8	4.1
19	0.0	0.0	0.0	29.5	6.8	1.8	0.0	0.0	21.1	0.0 0.0	4.1
20	4.8	0.0	3.6	2.0	1.0	2.8	0.5	0.0	4.6	0.0	9.7
21	0.0	0.0	0.0	1.3	5.3	14.0	0.0	18.0	0.0	0.0 0.0	7.1
22	0.0	0.0	6.9	59.2	0.0	0.5	8.1	0.0	0.0	1.5 0.0	0.0
23	0.0	0.8	5.3	26.4	0.0	0.0	0.0	0.0	13.7	0.0 0.0	7.9
24	0.0	3.3	24.1	25.9	7.1	0.0	5.6	3.3	0.8	0.0 0.0	0.5
25	0.0	1.5	4.3	0.0	10.4	0.0	8.1	0.0	24.1	0.0 0.0	4.1
26	0.0	0.0	5.1	0.0	1.3	12.5	0.0	3.3	0.0	6.1 1.0	10.2
27	0.0	0.0	0.5	0.0	8.1	5.3	24.6	14.0	0.8	2.5 0.0	0.0
28	0.0	3.6	0.0	0.0	13.7	0.0	36.1	4.6	25.4	1.5 0.0	0.0
29	0.0	6.1	0.0	0.0	9.9	0.5	7.4	0.0	6.6	0.0 0.0	0.0
30	1.8		0.0	0.0	8.6	0.0	3.6	25.7	0.0	0.0 0.0	0.0
31	0.0		24.6		20.3		0.8	10.2		0.0	0.0
Total	10.1	50.2	175.5	291.8	163.5	161.6	249.3	183.2	305.9	115.6 32.3	77.2

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (9/32)

Ann	ual Rain :	1526	A-111-12-AG (A-111-1	·		 					U	nit : mm
Date		Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6.	0.3	7.6	3.3
2		0.0	34.3	17.0	10.9	0.0	0.0	0.0	0.0	1.0	10.7	1.3
3	0.0	0.0	13.7	4.1	0.5	0.0	3.8	2.8	3.6	1.5	4.6	2.5
4	21.8	0.0	10.9	0.0	0.0	7.4	23.6	8.9	0.0	0.0	8.6	1.0
5	0.8	0.0	26.9	0.5	5.3	0.0	0.3	13.2	0.0	0.0	21.8	0.0
6	0.0	5.1	0.0	0.0	16.5	0.0	0.0	0.0	0.0	7.9	8.1	0.0
7	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.5	2.5	0.0	11.7	1.3
8	3.8	0.0	0.0	0.0	4.3	0.0	3.8	16.3	0.8	5.1	7.1	0.0
9	0.0	0.0	0.0	0.0	4.3	0.0	0.0	12.9	6.6	1.3	0.5	0.0
10	0.0	5.8	0.0	0.0	2.5	0.0	0.0	0.0	0.0	3.6	42.4	2.5
11	10.2	0.0	0.0	0.0	2.8	0.0	1.0	7.9	0.0	2.5	3.6	12.7
12	19.6	0.0	0.0	1.5	0.8	3.8	4.6	0.0	0.0	0.0	0.0	2.3
-13	0.0	0.0	0.0	16.0	0.0	0.0	3.6	0.0	14.2	1.0	0.0	7.9
14	0.0	0.0	0.0	7.9	13.7	0.0	0.8	0.0	0.0	0.0	0.0	19.0
15	0.0	0.0	0.0	6.1	0.0	0.0	0.5	0.0	. 2.0	9.9	0.0	40.4
16	0.0	0.0	6.6	36.6	0.0	0.0	4.8	11.2	0.0	0.5	10.7	0.5
17	0.0	0.0	0.0	3.0	0.0	0.0	1.8	10.2	4.3	7.6	10.2	1.3
18	0.0	0.0	21.3	0.0	0.0	1.8	5.1	0.5	0.0	41.4	9.4	7.9
19	0.0	0.0	0.0	3.0	8.9	17.3	0.5	9.9	7.6	20.6	0.8	7.9
20	0.0	0.0	0.0	0.8	21.8	10.4	0.5	8.0	0.0	9.7	6.9	0.0
21	0.0	0.0	0.0	19.0	23.4	11.4	1.5	0.0	0.0	59.2	0.0	0.0
22	0.0	0.0	0.0	21.1	1.0	0.3	0.3	6.1	0.0	1.5	1.0	1.0
23	0.0	0.0	0.0	5.8	0.0	0.5	4.8	5.8	0.0	9.7	0.5	0.5
24	0.0	0.0	12.2	3.3	0.8	3.0	0.0	0.0	0.0	8.6	2.8	0.0
25	0.0	0.0	17.5	6.9	0.0	6.9	3.0	23.4	0.0	26.9	2.8	0.0
26	0.0	0.0	1.8	15.2	0.0	0.5	1.0	1.8	3.8	15.2	0.0	0.0
27	0.0	0.0	3.0	7.4	7.1	1.3	0.0	0.0	1.3	1.3	0.0	0.0
28	0.0	0.0	12.2	39.1	0.0	1.3	3.3	5.1	3.0	8.4	0.0	0.0
29	0.0		24.6	7.4	0.0	0.3	4.3	3.6	1.8	6.6	0.0	0.0
30	0.0	٠.	0.0	0.0	0.0	0.0	3.6	1.8	1.3	2.0	1.5	0.0
31_	0.0	·	0.0		0.0		0.0	7.1		1.0		0.0
Total	91.7	10.9	185.0	221.7	126.9	66.2	76.5	149.8	56.4	254.3	173.3	113.3

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (10/32)

ID. Number : 3035075 Year : 1966

Annu	ial Rain:										U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	2.0	0.0	1.0	19.0	0.8	0,0	4.8	0.8	2.8	0.0	0.0
2	0.0	2.8	10.2	0.0	12.7	0.0	1.0	3.8	8.4	0.0	0.0	0.0
3	0.0	0.0	0.5	0.8	0.3	0.0	0.0	0.0	22.6	0.0	9.9	0.0
4	0.0	0.0	2.8	0.0	8.6	0.0	0.0	0.0	8.1	0.0	12.4	3.0
5	0.0	2.3	0.0	0.0	1.0	0.0	5.3	5.1	24.4	1.0	0.5	3.3
6	0.0	21.8	0.0	0.0	1.0	0.8	1.3	1.8	1.5	8.0	6.1	0.0
7	0.0	1.8	0.0	1.0	0.0	0.0	4.3	2.3	24.6	1.8	3.0	0.0
8	0.8	13.2	0.0	0.8	0.0	0.0	11.2	17.8	14.0	3.8	21.8	0.0
9	0.0	10.2	22.4	0.0	2.3	11.4	4.8	6.9	0.8	10.4	0.0	0.0
10	0.0	17.5	0.8	0.0	0.0	14.0	4.3	.13.2	8.9	0.3	0.0	1.0
11	0.0	14.0	1.5	19.8	2.3	8.9	0.5	0.0	6.1	15.7	7.4	0.0
12	4.3	0.3	0.0	10.7	0.5	0.0	0.5	0.8	0.3	2.0	5.6	4.1
13	3.0	0.5	5.1	12.4	0.0	10.7	0.0	0.8	0.0	1.3	36.8	18.0
14	0.0	0.0	6.1	28.4	0.0	2.3	4.8	4.3	0.5	1.0	0.0	30.5
15	0.0	0.0	13.5	4.3	0.0	2.8	0.3	11,7	0.0	0.3	16.5	0.0
16	0.0	8.1	14.0	3.6	0.0	0.0	2.0	1.3	0.0	0.5	0.0	0.0
17	0.0	4.6	5.1	17.8	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0
18	0.0	0.0	2.5	34.5	18.5	2.3	30.5	3.6	0.0	6.3	0.0	0.0
19	0.0	0.0	0.0	2.5	0.0	0.0	18.5	14.2	10.7	1.5	0.0	0.0
20	0.0	0.0	5.6	13.2	1.5	3.0	5.3	13.7	4.8	6.3	0.0	0.0
21	0.0	6.1	13.0	8.6	0.0	0.0	1.0	4.3	0.0	4.8	6.1	0.0
22	29.2	3.8	14.0	7.4	0.0	14.7	1.0	0.3	0.0	17.5	1.0	0.0
23	0.0	7.1	0.8	9.4	17.0	10.7	0.5	0.8	0.0	14.7	1.5	0.0
24	0.3	33.8	20.8	31.5	7.1	0.0	0.0	2.3	2.0	0.3	0.0	0.0
25	2.3	1.8	1.5	10.2	14.2	0.0	13.2	33.8	3.8	0.0	4.1	0.0
26	0.5	8.1	0.3	11.7	1.5	0.0	0.3	16.3	1.5	3.6	0.0	0.0
27	0.0	. 0.8	0.5	1.3	1.3	0.0	1.0	10.2	0.0	7.4	0.0	0.3
28	0.0	0.0	13.5	0.3	1.0	0.0	0.0	0.8	3.0	0.3	0.0	0.0
29	9.4		5.6	0.0	0.0	0.0	0.0	2.5	1.0	0.0	0.0	0.0
30	0.0		0.3	0.0	3.3	5.1	15.2	22.4	0.0	0.0	0.0	0.0
31	10.7		3.8		10.4	.,	5.1	0.0		0.0		3.8
<u>Total</u>	60.5	160.6	164.2	231.2	123.5	87.5	131.9	202.3	147.8	104.4	132.7	64.0

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (11/32)

Annu	al Rain :	2119					·				Uı	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec -
1	0.0	0.0	8.9	2.5	0.0	12,4	35.6	3.0	12.4	2.5	0.0	6.1
2	0.0	0.0	1.0	2.5	4.6	0.0	0.0	3.6	2.8	3.6	0.0	17.5
3	0.0	0.0	2.3	2.5	17.3	2.3	0.8	15.7	0.0	4.6	0.0	4.1
4	0.0	0.0	2.0	8.4	16.5	0.0	15.0	30.2	27.9	0.0	7.4	0.0
5	0.0	3.6	0.0	8.1	16.3	0.0	14.2	17.8	12.4	0.0	0.0	11.4
6	0.0	3.0	26.7	0.0	17.0	22.1	1.8	0.5	6.1	0.0	0.0	2.5
.7	0.0	0.0	6.3	0.0	10.2	3.0	1.0	0.8	0.0	9.9	2.0	0.0
8	0.0	12.7	0.0	0.0	13.5	3.8	1.3	1.5	24.9	0.0	0.0	0.0
9	0.0	0.3	0.0	0.0	6.9	25.7	0.0	2.5	2.5	0.0	7.9	0.0
10	0.0	0.0	0.0	25.1	13.2	2.5	40.4	0.0	0.0	10.7	11.4	0.0
11	0.0	0.0	0.0	10.9	2.5	0.0	15.5	17.8	7.4	0.0	2.3	0.0
12	0.0	0.0	6.3	0.0	25.9	0.0	13.5	0.0	3.8	0.0	12.4	0.0
13	0.0	0.0	0.0	8.9	0.0	0.0	12,2	0.0	2.3	0.0	30.2	0.0
14	0.0	3.0	4.3	16.5	49.3	1.3	1.5	9.9	7.6	0.0	5.3	0.0
15	0.0	0.0	8.4	0.0	14.5	0.0	15.0	0.0	10.7	8.9	17.5	0.0
16	0.0	0.0	0.0	0.0	6.1	12.7	0.0	0.0	0.0	2.5	7.6	0.0
17	0.0	0.0	0.0	0.0	27.9	2.5	0.0	33.0	11.4	7.6	7.1	0.0
18	0.0	0.0	0.0	0.0	0.0	11.9	26.9	7.4	0.0	10.7	13.2	4.6
19	0.0	0.0	0.0	6.3	0.0	0.0	19.3	2.5	0.0	1.5	52.8	14.0
20	0.0	0.0	2.5	6.3	9.7	24.1	6.6	7.4	7.6	2.0	15.7	2.5
21	22.1	0.0	0.0	9.4	22.1	6.3	0.0	9.9	0.0	9.7	7.1	0.0
22	1.0	0.0	0.0	0.0	6.3	0.0	19.8	3.8	8.4	5.6	0.0	0.0
23	3.6	0.0	0.0	0.0	32.0	0.0	0.0	3.0	5.6	0.5	0.0	0.0
24	0.3	0.0	0.0	4.8	0.0	0.0	0.0	13.0	9.9	8.9	0.0	0.0
25	0.0	0.0	0.0	11.7	3.3	9.9	0.0	15.7	2.0	8.9	0.0	0.0
26	0.0	0.0	0.0	61.5	16.5	6.3	0.0	7.1	0.0	0.0	53.1	0.0
27	0.0	0.0	0.0	8.1	31.7	3.8	0.0	0.0	0.0	0.0	9.9	0.0
28	0.0	0.0	21.1	20.8	13.0	4.3	4.1	0.0	2.8	0.0	0.0	7.1
29	0.0		26.7	0.0	5.1	9.9	9.4	2.5	0.0	0.0	12.2	0.0
30	0.0		31.7	9.4	1.3	10.7	0.0	13.0	0.0	0.0	1.5	0.0
31	0.0	·	14.0		16.0		20.3	0.0		0.0		0.0
Total	27.0	22.6	162.2	223.7	398.7	175.5	274.2	221.6	168.5	98.1	276.6	69.8

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (12/32)

ID. Number: 9035075

Annu	al Rain:	1753		************							U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.5	2.8	0.0
2	0.0	32.8	8.9	0.0	0.0	9.4	0.0	0.0	0.0	0.0	14.0	8.4
3	0.0	0.0	0.0	24.1	7.6	19.8	0.5	5.3	0.0	- 1.5	0.0	10.7
4	0.0	0.0	0.0	27.9	0.0	6.3	0.0	0.0	0.0	0.0	2.0	19.3
5	0.0	0.0	12.4	27.2	0.0	4.8	7.9	4.8	2.0	0.0	0.0	0.8
6	0.0	0.0	25.4	0.0	0.0	2.8	5.3	49.0	7.9	2.5	0.0	0.0
7	0.0	0.0	7.9	0.0	0.0	2.3	2.3	5.6	1.3	. 1.3	0.0	0.0
. 8	0.0	0.0	0.0	0.0	0.0	3.6	3.6	5.6	0.0	4.8	0.0	0.0
9	0.0	12.4	16.5	1.5	12.2	10.2	7.6	0.0	0.0	0.0	0.0	15.5
10	0.0	0.5	0.0	0.0	5.8	7.1	4.8	28.4	0.0	0.0	0.0	0.0
- 11	0.0	0.0	7.9	0.0	5.6	13.0	18.8	0.0	3.3	0.0	0.0	0.0
12	0.0	0.0	15.5	9.9	13.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0
13	0.0	24.6	7.4	0.0	8.9	0.8	0.0	0.0	2.0	0.0	0.0	0.0
14	0.0	4.8	0.0	0.0	1.5	15.5	0.0	3.3	9.9	0.0	0.0	7.1
15	0.0	10.7	0.0	4.8	61.2	2.0	2.8	9.1	0.0	0.0	3.0	0.5
16	0.0	11.9	0.0	0.0	36.1	0.0	1.0	2.5	0.5	0.5	0.0	0.0
17	0.0	0.0	0.0	9.9	1.0	4.6	1.5	8.6	4.1	0.0	0.0	0.0
18	0.0	0.0	11.7	23.9	2.8	0.0	24.1	10.7	2.0	0.0	0.0	0.0
19	0.0	9.1	10.4	0.0	2.0	14.5	1.0	0.8	3.6	0.0	0.0	0.0
20	0.0	3.8	16.5	0.5	1.5	2.8	22.1	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	2.5	10.4	0.0	0.0	0.0	5.3	3.0	0.0
22	2.8	36.8	0.8	0.0	5.3	3.0	0.3	0.0	4.8	6.1	10.9	0.0
23	0.0	0.0	15.7	0.0	9.9	0.0	0.0	0.0	0.0	5.1	7.6	3.8
24	0.0	2.5	0.0	46.2	9.4	7.9	21.6	0.0	0.0	4.6	0.0	0.0
25	0.0	53.3	9.7	48.3	2.0	0.0	7.6	0.0	0.0	5.1	2.3	0.0
26	0.0	4.8	0.0	11.4	19.0	0.0	18.3	0.0	0.0	40.6	0.8	0.0
27	0.0	0.0	0.0	31.5	0.0	5.6	12.4	0.0	0.0	21.6	0.0	0.0
28	0.0	14.2	0.0	9.7	0.0	0.0	0.0	0.0	0.0	9.9	1.0	13.7
29	1.0	1.3	0.0	38.1	4.1	3.3	9.9	0.0	0.0	0.0	0.0	0.0
30	17.8		0.0	22.1	0.0	3.0	20.8	0.0	13.2	0.0	0.0	0.0
31	0.0		5.6		2.5		0.0	7,4		2.0		0.0
Total	21.6	223.5	172.3	337.0	213.9	152.7	194.2	142.4	55.4	112,4	47.4	79.8

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (13/32)

ID. Number: 9035075

	ual Rain :							·		_		nit:mm
Date	Jan	Feb	Mar	<u>Apr</u>	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	0.0	0.0	53.3	0.0	1.0	5.6	0.0	0.0	0.0	0.0
2	4.6	0.0	0.0	0.0	16.5	0.8	5.3	5.1	0.5	0.0	0.0	0.0
- 3	0.0	9.9	0.0	0.0	0.0	3.8	16.5	22.1	1.5	0.0	0.8	0.0
4	1.5	0.0	0.0	0.0	12.7	0.0	8.9	4.1	0.0	8.4	0.5	2.5
5	0.0	0.0	0.0	0.0	1.5	0.8	1.0	0.0	5.6	9.1	2.5	0.0
6	0.0	0.0	0.0	0.0	16.8	0.0	1.5	0.0	13.2	1.3	7.6	0.0
7	0.0		0.0	2.0	40.1	0.0	0.0	24.1	1.0	6.3	1.3	3.3
8	15.5	15.5	0.0	0.0	17.3	0.8	0.8	6.6	6.1	7.9	16.5	0.0
9	0.0	3.0	0.0	6.9	8.1	0.0	-	12.2	11.9	16.5	0.0	0.0
10	13.2	23.9	0.0	0.0	13.7	0.0	1.8	0.8	1.0	1.5	2.5	0.0
11	0.0	2.3	0.0	2.8	1.0	0.0	0.5	1.0	52.1	0.0	3.6	0.0
12	0.0	0.0	8.6	1.3	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	3.8	7.6	3.3	0.0	4.8	0.0	2.8	0.0
14	0.0	19.0	13.2	5.8	1.0	16.5	1.0	5.8	3.0	5.1	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	13.2	0.0	2.0	0.0	7.4	1.3	0.0
16	0.0	0.0	0.0	0.0	0.0	4.6	5.8	15.2	0.0	0.0	0.0	5.1
17	0.0	0.0	1.8	25.4	22.1	0.0	0.8	13.2	0.0	0.0	0.0	4.1
18	0.0	0.0	0.0	7.4	7.6	0.0	0.0	5.1	0.0	0.0	5.1	0.0
19	1.3	0.8	0.5	0.0	1.5	20.6	2.0	36.1	0.0	0.0	2.3	2.3
20	1.3	0.0	14.2	0.0	6.1	4.1	2.0	0.0	0.0	7.1	10.7	0.0
21	20.6	5.1	10.7	0.5	1.0	1.3	12.7	0.0	0.0	8.1	1.8	0.0
- 22	4.6	0.0	18.0	0.0	5.1	4.6	- 1.3	1.0	0.0	7.4	8.4	0.0
23	15.5	7.9	13.2	10.2	14.2	2.8	0.0	2.0	0.0	6.9	27.4	0.0
24	0.0	26.7	1.0	1.3	0.8	0.0	0.0	0.0	0.0	0.0	1.3	0.0
25	3.3	0.0	0.0	8.1	0.8	2.0	4.1	0.0	0.0	0.0	0.0	0.0
26	5.1	0.0	0.0	14.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0
27	0.0	0.5	0.0	2.8	0.0	18.3	1.8	0.0	0.0	6.3	0.0	0.0
28	0.5	0.0		0.0	0.0	0.0	16.3	22.9	0.0	0.0	0.0	0.0
29	32.0		0.0	14.0	0.0	0.0	4.8	0.0	0.0	3.8	0.0	0.0
30	7.1	; v	0.0	0.0	0.0	0.0	4.6	0.0	0.0	10.7	0.0	0.0
. 31	12.6	Selektion in the	8.1		25.0		10.2	18.5		11.3		1.7
Total	138.7	114.6	89.3	102.5	270.0	101.8	112.4	203.4	103.2	125.1	96.4	19.0

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (14/32)

Ann	ual Rain	: 2257		and the same of the same and a state of					· · · · · · · · · · · · · · · · · · ·		U	nit:mm
_ Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
- 1	0.0	0.0	9.1	4.8	1.3	3.0	0.0	1.3	10.9	0.0	0.8	4.1
2	0.0	0.0	4.1	7.6	0.0	7.4	8.1	19.0	0.0	0.0	8.9	0.0
. 3	3.0	0.0	0.0	27.9	1.0	5.6	11.4	11.4	0.0	1.0	5.1	0.0
4	6.6	0.0	0.0	0.0	10.4	0.0	0.0	4.1	12.4	0.8	8.4	0.0
5	21.6	0.0	0.0	0.0	10.2	2.5	2.0	0.8	0.8	7.6	0.0	0.0
6	10.9	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	2.5	0.0	0.0
7	1.0	24.1	0.0	0.0	5.6	5.1	0.0	12.7	7.6	3.8	3.8	0.0
8	17.0	40.6	0.0	2.0	14.7	1.3	0.0	2.3	0.0	0.8	0.0	0.0
· 9	0.0	0.0	8.1	15.2	0.8	0.0	3.0	0.8	2.5	15.7	0.0	0.0
10	0.0	0.0	88.4	6.1	6.1	0.0	3.0	2.5	3.8	0.0	0.0	13.7
11	18.0	2.5	2.3	18.5	0.8	0.0	0.5	9.1	6.3	0.0	0.0	8.9
12	8.4	13.0	4.8	0.0	5.6	5.8	1.8	3.3	14.0	1.3	19.0	4.1
13	3.0	0.0	1.8	0.0	9.9	0.0	28.4	36.8	2.5	13.0	3.3	0.0
14	0.0	0.0	26.7	0.0	0.0	28.7	0.0	5.1	0.8	1.3	4.6	35.3
15	18.3	0.0	13.7	0.0	3.8	5.1	4.3	10.9	1.3	13.0	2.8	0.0
16	4.3	0.0	6.3	17.3	0.0	20.3	0.0	18.3	0.0	15.2	0.0	0.0
17	0.0	27.4	0.0	22.9	1.8	30.5	0.0	0.0	0.0	2.5	0.0	0.0
18	8.6	0.5	0.0	1.3	0.0	8.9	0.0	0.0	12.2	2.3	0.0	0.0
19	4.1	1.5	0.0	4.6	5.1	0.5	14.0	26.4	8.4	12.2	0.0	0.0
20	2.0	2.0	0.8	2.3	5.6	0.0	0.0	33.0	5.1	0.0	12.2	0.0
21	11.2	2.5	0.0	. 13.7	12.7	5.3	5.1	17.8	7.6	0.0	0.0	0.0
22	0.0	0.0	16.5	49.5	0.8	1.3	5.8	24.4	0.0	0.5	2.3	0.0
23	10.2	0.0	16.5	10.2	0.5	3.0	0.0	14.0	6.3	5.6	9.1	0.0
24	0.0	0.0	1.0	0.0	15.2	0.0	8.9	2.0	25.1	12.7	0.8	0.0
25	0.0	1.3	0.0	4.8	5.3	0.0	25.4	5.1	14.0	12.2	0.0	0.0
26	21.8	0.0	20.3	0.0	0.0	0.0	2.3	20.3		1.3	7.6	3.8
27	10.7	3.8	14.0	25.4	4.6	0.0	0.0	2.5	0.0	0.0	0.0	3.0
28	6.1	0.0		9.4	3.6		12.2	16.0	0.0	0.0	0.0	11.7
29	61.5		19.0	7.6		25.4	0.0	9.1	19.0	2.5	0.0	6.1
30	0.0		2.0	0.0	0.0	0.0	20.3	3.0	0.0	0.0	0.0	0.0
31	24.8		25.5		14.7		15.6	31.5		12.9		9.0
Total	273.1	119.2	280.9	251.1	143.7	159.7	172,1	343.5	185.0	140.7	88.7	99.7

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (15/32)

Annu	ıal Rain :	1868								- Million	Ur	it : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	7.6	0.0	0.0	2.0	0.0	16.5	16.3	0.0	9.9	25.4	0.0	0.0
2	0.0	1.8	0.0	0.0	10.2	9.4	0.0	0.0	7.9	7.1	0.0	0.0
3	0.0	0.0	0.0	0.0	46.7	0.8	6.3	4.6	7.4	0.0	0.0	0.0
4	0.0	0.0	0.0	35.1	0.5	20.3	0.0	0.0	8.4	0.0	0.0	0.0
5	0.0	0.0	0.0	0.5	7.1	52.3	0.0	0.0	7.6	1.3	6.6	0.0
6	0.0	0.0	0.0	. 9.7	0.8	6.3	0.0	0.0	1.0	0.0	10.7	2.5
7	0.0	0.0	0.0	9.7	0.0	3.8	61.0	0.0	0.0	20.8	8.6	0.0
8	0.0	0.0	0.0	6.3	0.0	7.1	34.3	3.6	5.6	1.3	0.0	0.0
9	0.0	1.3	4.8	2.3	4.8	0.5	0.0	0.0	4.1	0.0	0.0	0.0
10	0.0	0.0	29.2	16.5	34.3	0.0	0.0	27.9	5.3	0.0	6.1	0.0
11	0.0	0.0	20.1	20.3	3.8	0.0	0.0	11.4	12.2	0.0	5.1	0.0
12	36.3	0.0	0.0	15.2	1.8	1.3	0.0	12.2	0.0	0.0	0.0	1.0
13	1.3	0.0	0.0	27.9	0.0	1.0	0.0	8.1	2.0	0.0	0.0	1.3
14	25.4	0.0	0.0	0.0	0.0	5.6	6.3	8.4	6.1	0.0	0.0	1.0
15	16.5	0.0	0.0	2.5	0.0	3.6	5.8	2.3	0.0	0.0	0.0	13.7
16	35.6	0.0	0.0	0.0	0.0	3.3	1.0	0.8	0.0	2.3	0.0	7.6
17	0.0	0.0	0.0	10.4	0.0	5.1	0.0	0.0	0.0	3.8	0.0	0.0
18	0.0	0.0	0.0	7.6	15.2	0.5	36.8	5.8	1.5	0.0	1.5	0.5
19	0.0	0.0	0.0	3.8	11.4	3.6	1.5	3.3	0.0	7.9	0.0	19.0
20	0.0	0.0	0.0	11.2	7.6	0.0	5.1	1.3	0.0	12.2	0.3	20.3
21	0.0	0.0	0.0	0.0	13.5	14.0	18.5	1.0	5.1	0.0	0.0	1.5
22	0.0	0.0	0.0	38.4	0.0	0.0	3.0	11.4	8.1	0.0	1.0	2.3
23	0.0	0.0	0.0	16.8	17.8	9.1	5.3	2.8	3.3	5.1	0.0	16.5
24	0.0	0.0	0.0	12.7	8.0	8.6	1.3	2.5	2.5	1.5	0.0	5.3
25	4.8	0.0	0.0	25.1	15.2	10.2	0.5	12.2	7.1	1.0	1.3	1.5
. 26	0.0	0.0	0.0	0.0	0.0	2.8	0.5	17.3	7.1	0.0	7.1	14.2
27	0.0	0.0	2.8	0.0	0.8	12.4	0.0	1.3	41.9	0.0	0.0	10.7
· 28	0.0	0.0	0.8	0.0	4.3	20.6	0.0	8.9	17.9	0.0	0.0	0.0
29	0.0	•	12.7	29.5	21.6	1.3	0.0	7.6	0.0	11.4	0.0	0.0
30	0.0		3.8	0.0	2.5	1.3	37.8	46.7	0.0	1.5	0.0	0.0
31	0.0		0.0	<u></u>	2.5		0.0	30.5		0.0	·	0.0
Total	127.5	3.1	74.2	303.5	223.2	221.3	241.3	231.9	172.0	102.6	48.3	118.9

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (16/32)

Annu	ial Rain :									· · · · · · · · · · · · · · · · · · ·		nit : mm
Date	Jan	Feb	Mar	<u>Арг</u>	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.8	0.0	0.0	11.7	10.7	4.5	0.0	0.0	0.0	0.0	0.0
2	0.0	21.6	0.0	0.0	13.7	0.0	12.7	1.1	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	1.3	7.6	1.6	0.0	0.0	0.0	8.9	0.0
4	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	4.5	3.5	10.5	1.7
5	0.0	0.0	0.0	0.0	3.0	0.0	3.8	0.0	0.0	5.8	0.0	0.0
6	0.0	14.7	0.0	0.0	6.6	0.0	1.0	0.0	0.0	18.3	3.6	0.0
7	45.7	2.5	0.0	0.0	24.1	.12.2	2.3	13.5	16.5	0.0	29.4	0.0
8	0.0	1.3	0.0	0.8	0.0	2.8	0.3	0.0	0.0	0.7	15.0	0.0
9	9.7	1.0	2.5	3.8	4.1	20.3	0.0	2.0	11.0	0.0	14.2	0.0
10	9.1	0.0	27.7	0.0	7.9	4.8	3.1	0.0	0.0	0.0	6.3	-13.1
11	0.0	0.0	25.1	5.1	0.0	7.4	22.1	0.0	0.0	0.0	20.2	6.5
12	0.0	0.0	0.0	11.4	1.8	0.0	8.7	0.0	6.3	0.0	17.5	0.0
13	0.0	0.0	0.8	0.0	21.3	0.0	20.1	0.0	17.2	3.0	0.0	0.0
14	0.0	56.6	1.8	0.0	0.0	24.1	14.0	4.6	0.0	14.2	0.0	0.0
15	0.0	0.0	9.9	1.3	0.0	29.7	0.0	0.0	0.0	10.4	0.0	0.0
16	0.0	0.0	0.0	7.6	2.0	0.0	13.7	15.0	5.1	22.0	0.0	6.3
17	0.0	0.0	0.0	2.3	18.8	0.0	0.0	0.0	0.0	14.0	1.4	25.5
18	0.0	0.0	1.8	3.8	3.0	0.0	5.8	1.4	0.0	0.0	8.3	0.0
19	5.3	0.0	0.0	1.0	8.1	0.0	3.5	10.1	4.2	0.0	10.0	0.0
20	0.0	0.0	0.0	2.0	10.2	0.0	6.2	7.2	0.0	11.4	0.0	0.0
21	0.0	21.6	5.3	3.0	14.2	0.0	0.0	0.0	0.0	6.8	0.0	0.0
22	0.0	0,0	0.0	1.3	0.0	0.0	6.0	0.0	0.0	45.5	0.0	0.0
23	0.0	0.0	0.0	22.9	10.7	32.8	0.0	6.4	4.5	12.5	0.0	0.0
24	0.0	0.0	0.0	2.5	15.7	18.5	0.0	0.0	0.0	15.2	14.0	0.0
25	0.0	0.0	26.9	0.0	8.1	8.6	2.7	11.0	7.0	0.2	1.8	0.0
26	0.0	0.0	0.0	2.0	0.0	26.2	1.1	2.4	12.0	11.4	0.4	0.0
27	0.0	1.3	0.0	0.0	2.3	16.5	0.0	0.0	5.6	5.7	0.0	0.0
28	0.0	7.6	0.0	16.0	7.4	23.1	2.4	3.0	0.0	0.2	0.0	0.0
29	0.0	7.6	0.0	0.0	4.1	18.3	1.8	0.0	0.0	3.4	0.0	0.0
30	9.4		0.0	10.9	3.8	7.4	13.0	0.0	0.0	1.9	0.0	7.7
31	34.3		0.0		14.2		4.2	0.0		0.0		0.0
Total		136.6	101.8	97.7	219.4	271.0	154.6	77.7	93,9	206.1	161.5	60.8

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (17/32)

Annı	ual Rain :	1576									Ui	it:mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	0.0	0.0	0.7	9.5	5.1	0.0	0.0	0.0	0.0	0.0
. 2	3.6	0.0	0.0	0.0	17.4	19.2	0.0	0.0	12.8	0.0	0.0	0.0
3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	7.6	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	1.1	2.8	0.0	13.0	1.0	0.0	1.7	0.0
5	0.0	0.0	0.0	0.0	8.0	37.3	0.0	0.0	1.7	0.0	11.5	0.0
6	10.2	0.0	0.0	0.0	2.3	19.0	0.0	18.0	21.5	0.0	1.8	0.0
· . 7	0.0	0.0	0.0	0.0	0.0	11.7	0.0	1.8	4.0	11.2	14.2	0.0
8	0.0	0.0	0.0	9.6	2.8	0.0	0.0	0.0	0.0	5.3	1.3	0.0
9	0.0	20.0	0.0	5.7	30.0	0.0	0.0	0.0	0.0	3.4	26.0	0.0
10	1.0	.30.0	0.0	11.3	1.1	0.0	0.0	0.0	4.9	1.0	2.8	0.0
11	14.1	14.1	0.0	0.0	6.7	0.0	0.0	17.7	0.0	5.2	0.0	0.0
. 12	11.5	41.0	0.0	0.0	3.0	1.4	2.8	22.2	3.2	10.8	0.0	0.0
13	11.1	6.1	0.0	0.0	2.6	7.2	0.0	0.0	0.0	11.5	0.0	0.0
14	10.1	28.1	0.0	0.0	27.0	5.2	0.0	10.5	0.0	1.2	0.0	0.0
15	44.3	60.1	0.0	0.0	1.9	2.1	0.0	5.2	0.0	0.0	0.0	0.0
16	15.0	2.0	0.0	2.2	8.0	31.7	0.0	1.2	9.7	0.0	0.0	0.0
17	21.8	0.0	0.0	6.6	1.5	2.1	10.7	0.0	9.7	0.0	2.7	0.0
18	17.0	0.0	5.0	0.0	0.0	6.4	19.6	8.9	3.3	0.0	0.0	0.0
19	0.0	0.0	2.0	1.4	0.0	0.0	0.0	2.4	18.7	4.8	19.0	1.2
20	0.0	2.1	0.0	0.0	0.0	13.2	0.0	1.8	0.0	0.0	0.0	4.0
21	0.0	2.0	0.0	1.0	21.6	10.9	0.0	14.6	0.0	0.0	0.0	0.0
22	0.0	3.1	0.0	5.3	10.4	10.8	18.0	1.5	22,2	0.0	0.0	0.0
23	0.0	10.0	0.0	0.6	0.0	1.3	5.1	3.6	1.8	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0
25	0.0	5.1	0.0	2.9	9.0	7.2	14.7	40.1	24.5	0.0	0.0	0.0
26	0.0	3.0	0.0	9.6	0.0	2.8	7.0	1.2	7.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	24.6	6.3	17.4	0.0	0.0	4.0	0.0	9.5
28	0.0	0.0	0.0	10.5	19.2	7.5	10.5	0.0	0.0	2.3	0.0	7.4
29	0.0		0.0	3.2	0.0	21.0	2.4	0.0	0.0	0.0	0.0	8.1
- 30	0.0		0.0	0.0	14.6	12.8	0.0	11.2	0.0	0.0	2.7	0.0
31	0.0		0.0	. • .	15.0		2.1	0.0	<u> </u>	10.0		4.0
Total	160.7	226.7	7.0	69.9	228.5	249.4	115.4	175.7	154.3	70.7	83.7	34.2

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (18/32)

Annı	ual Rain:									•	· ¥1	lnit
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	nit: mm Dec
1	0.0	0.0	30.9	22.1	16.0	22.1	3.2	0.0	0.0	14.8		0.0
2	0.0	0.0	63.3	12.6	4.5	15.9	11.7	0.0	0.0	3.1	5.0	0.0
3	0.0	0.0	1.2	18.4	0.0	27.2	3.3	15.6	0.0	9.5	4.4	0.0
4	0.0	0.0	0.0	2.3	0.0	3.1	15.6	0.0	0.0	0.0	0.0	1.7
5	1.1	0.0	3.7	11.5	0.0	13.6	26.9	0.0	8.9	0.0	0.0	0.0
6	9.9	0.0	0.0	3.3	5.7	0.0	29.1	1.8	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	2.0	8.5	0.0	43.9	2.2	6.1	0.0	0.0	0.0
8	3.7	0.0	0.0	71.3	0.0	0.0	9.3	0.0	2.7	0.0	1.8	0.0
9	0.0	0.0	0.0	9.7	7.4		4.4	0.0	2.5	0.0	1.5	2.5
10	0.0	0.0	0.0	7.0	16.5	0.0	0.0	6.6	11.4	0.0	6.4	0.0
11	0.0	0.0	0.0	0.5	10.7	0.0	3.0	6.2	3.4	10.6	0.0	8.4
12	0.0	0.8	0.0	0.0	9.3	0.0	7.2	2.8	0.0	0.0	0.0	0.0
13	4.6	0.0	1.0	7.5	18.3	0.0	26.1	8.2	10.0	1.4	0.0	0.0
14	6.6	0.0	0.0	20.1	30.6	0.0	4.7	0.0	2.4	0.0	0.0	0.0
15	0.0	0.3	0.0	6.7	1.8	0.0	0.0	0.0	8.0	5.4	6.3	0.0
16	0.0	0.0	0.0	15.3	8.6	0.0	0.0	0.0	1.4	11.0	0.0	0.0
17	0.0	0.0	0.0	3.3	36.1	0.0	0.0	0.0	3.5	2.8	0.0	0.0
18	0.0	0.0	18.2	2.2	9.0	0.0	0.0	0.0	16.4	12.8	0.0	0.0
19	2.0	0.0	5.8	12.2	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0
20	0.0	0.0	19.1	0.0	0.0	12.8	13.7	0.0	36.1	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	55.0	0.4	0.0	0.0	14.0	2.1	0.0	0.0
22	0.0	0.0	0.0	19,6	0.0	13.6	0.0	0.5	22.6	13.7	0.0	0.0
23	0.0	0.0	2.1	0.6	11.0	1.9	4.8	3.7	8.2	3.4	1.2	0.0
24	0.0	0.0	53.6	0.0	0.0	2.4	2.0	5.0	4.8	10.3	5.5	0.0
25	0.0	0.0	0.7	0.0	3.3	0.0	0.0	0.0	17.9	13.1	0.0	0.0
26	0.0	0.0	11.1	0.0	4.8	0.0	8.5	11.4	0.0	5.4	0.0	0.0
27	0.0	0.0	0.7	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0
28	0.0	0.0	28.0	28.2	27.0	12.2	0.0	2.5	0.0	1.9	0.0	10.5
29	0.0		6.7	0.0	40.0	0.5	5.1	13.4	0.0	0.0	0.0	2.7
30	0.0		6.7	10.1	0.0	8.3	0.8	65.3	23.5	0.0	0.0	0.0
31	0.0		25.2		7.9		0.0	3.7		6.4		0.0
Total	27.9	1.1	278.0	286.5	332.0	134.0	223.3	154.5	203,8	127.7	45.4	25.8

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (19/32)

Annu	al Rain:	1878									Un	it:mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	15.2	0.0	0.0	0.0	18,1	0.0	0.0	0.9	4.7	1,6	2.6
2	0.0	0.0	1.1	0.0	0.0	17.1	0.0	8.0	0.0	0.0	0.0	22.9
- 3	0.0	0.0	12.0	0.0	0.0	8.6	0.0	0.9	47.2	6.6	0.0	0.0
4	0.0	0.0	20.1	0.0	0.0	4.9	0.0	2.2	0.0	28.5	4.7	0.0
5	0.0	0.0	2.0	34.0	23.2	5.7	0.0	8.2	3.9	2.6	0.0	19.2
6	0.0	0.0	0.0	8.4	14.2	7.5	4.6	9.3	1.5	0.0	0.0	11.4
7	3.2	0.0	0.0	6.5	0.0	0.0	0.0	0.0	37.8	0.0	0.6	0.0
8	2.9	0.0	10.0	0.3	1.6	0.0	0.0	16.8	8.8	0.0	0.0	0.8
9	0.0	0.0	9.4	0.0	5.8	18.7	14.5	33.0	0.0	2.8	1.4	0.0
10	0.0	0.0	0.0	3.1	0.0	5.1	3.8	11.3	9.9	8.1	0.0	0.0
- 11	0.0	4.5	0.0	4.3	6.0	2.4	0.0	7.4	18.0	2.6	0.0	0.0
12	0.0	11.5	0.0	30.5	2.8	0.0	39.9	6.0	0.0	8.2	0.0	3.9
13	0.0	15.3	0.0	5.5	21.0	0.0	1.2	38.3	0.0	25.8	0.0	0.0
14	0.0	0.0	14.3	13.0	4.8	0.0	5.8	0.0	7.3	0.0	0.2	0.0
15	0.0	0.0	0.0	46.5	14.4	0.0	0.0	4.4	2.3	0.0	0.0	0.0
16	0.0	0.0	12.8	2.6	7.6	5.8	5.3	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	29.3	11.1	3.0	0.6	39.6	16.7	4.4	0.0	5.0	0.0
18	0.0	0.0	0.0	11.7	7.9	10.5	1.1	3.8	9.2	0.0	0.0	0.0
19	1.0	0.0	21.4	0.0	15.0	0.1	1.4	6.0	0.0	0.0	0.0	0.0
20	0.0	0.0	3.7	0.0	19.8	13.4	5.3	12.0	1.4	8.7	1.3	0.0
21	0.0	0.0	8.2	5.7	10.0	11.5	0.0	3.5	0.0	21.2	0.0	0.0
22	0.0	0.0	0.0	13.9	10.0	0.0	5.1	12,0	0.8	4.4	0.0	0.0
23	0.0	0.0	0.0	13.0	7.5	0.0	3.0	62.8	0.0	3.8	0.0	0.0
24	0.0	0.5	0.0	7.5	14.4	0.0	0.0	2.4	4.2	0.4	0.0	0.0
25	0.0	1.0	0.0	19.4	14.7	0.0	16.4	13.5	0.0	18.9	0.0	0.0
26	0.0	6.0	0.0	0.0	18.6	0.0	20.9	0.0	13.8	6.5	0.0	0.0
27	0.0	1.5	0.0	0.0	5.5	6.1	0.0	15.6	1.5	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	12.0	0.0	28.2	2.4	1.7	0.0	0.0	0.0
29	0.0		0.0	0.0	2.4	0.0	0.0	25.6	6.5	0.0	0.0	0.0
30	0.0		14.3	0.0	0.4	0.0	0.0	0.0	2.3	8.5	0.0	0.0
31	4.6		9.1		29.2		7.5	41.0		3.3		0.0
Total	11.7	<u>55.5</u>	167.7	237.0	271.8	136.1	203.6	363,1	183.4	165.6	14.8	68.0

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (20/32)

Annual Rain: 1353 Unit: mi Date Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec 1 0.0 0.0 0.0 0.0 3.8 10.9 1.4 0.0 1.4 0.0 1.3 1. 2 9.5 0.0 0.0 0.0 4.5 1.1 5.9 0.0 0.0 2.4 7.7 0.0 3 0.0 1.7 0.0 0.0 2.2 0.0 9.9 0.0 0.0 3.7 0.0 0.0 4 0.0 0.0 0.5 23.3 0.0 0.5 0.0 12.6 0.0 0.0 0.0 5 6.2 0.0 25.1 13.4 11.6 6.9 14.3 0.0 21.2 3.9 0.0 0.0 6 0.0 0.0 0.0 8.7 12.2 15.4 4.1 0.0 1
1 0.0 0.0 0.0 0.0 3.8 10.9 1.4 0.0 1.4 0.0 1.3 1. 2 9.5 0.0 0.0 0.0 4.5 1.1 5.9 0.0 0.0 2.4 7.7 0.0 3 0.0 1.7 0.0 0.0 2.2 0.0 9.9 0.0 0.0 3.7 0.0 0.0 4 0.0 0.0 0.0 0.5 23.3 0.0 0.5 0.0 12.6 0.0 0.0 0.0 5 6.2 0.0 25.1 13.4 11.6 6.9 14.3 0.0 21.2 3.9 0.0 0.0
2 9.5 0.0 0.0 0.0 4.5 1.1 5.9 0.0 0.0 2.4 7.7 0.0 3 0.0 1.7 0.0 0.0 2.2 0.0 9.9 0.0 0.0 3.7 0.0 0.0 4 0.0 0.0 0.0 0.5 23.3 0.0 0.5 0.0 12.6 0.0 0.0 0.0 5 6.2 0.0 25.1 13.4 11.6 6.9 14.3 0.0 21.2 3.9 0.0 0.0
3 0.0 1.7 0.0 0.0 2.2 0.0 9.9 0.0 0.0 3.7 0.0 0.0 4 0.0 0.0 0.0 0.5 23.3 0.0 0.5 0.0 12.6 0.0 0.0 0.0 5 6.2 0.0 25.1 13.4 11.6 6.9 14.3 0.0 21.2 3.9 0.0 0.5
4 0.0 0.0 0.0 0.5 23.3 0.0 0.5 0.0 12.6 0.0 0.0 0.0 5 6.2 0.0 25.1 13.4 11.6 6.9 14.3 0.0 21.2 3.9 0.0 0.0
5 6.2 0.0 25.1 13.4 11.6 6.9 14.3 0.0 21.2 3.9 0.0 0.8
,
6 NO OO OO NO
7 1.0 2.5 0.0 2.5 1.5 4.3 5.5 7.5 5.4 0.0 0.0 0.0
8 0.0 1.1 0.0 8.2 3.9 4.4 5.1 7.7 18.5 0.0 0.0 0.1
9 11.3 0.0 0.0 3.5 19.0 0.0 5.5 0.0 0.0 0.0 0.0 1.1
10 0.0 0.0 0.0 21.0 17.1 0.0 0.0 19.4 3.2 0.0 0.0 0.0
11 8.5 0.0 0.0 8.8 2.5 4.7 15.1 4.5 0.0 0.0 0.0 0.0
12 0.0 0.0 0.0 0.0 8.1 2.5 43.2 19.5 3.4 0.0 0.0 0.
13 0.0 0.0 0.0 0.0 2.7 0.0 0.9 8.6 7.2 0.0 0.0 0.
14 0.0 0.0 0.0 4.4 3.2 0.0 0.3 1.9 0.0 0.0 0.0 0.0
15 0.0 0.0 0.0 0.0 0.8 2.9 0.8 3.8 7.7 0.0 0.5 0.0
16 0.0 18.1 0.0 0.0 8.6 3.9 2.5 9.8 0.0 0.0 0.0 0.0
17 0.0 21,3 2.1 0.0 11.0 6.0 12.5 2.5 0.0 5.4 0.0 0.
18 0.0 0.0 0.0 0.0 16.2 1.3 2.3 5.5 0.0 0.8 0.0 0.
19 0.0 0.0 0.0 11.9 5.1 5.0 11.9 0.0 0.0 0.0 11.4 0.0
20 0.0 1.7 0.0 0.0 8.9 5.9 0.0 0.3 0.0 0.0 0.4 44.
21 0.0 0.0 0.0 0.5 12.9 4.1 1.8 0.0 0.0 0.0 0.0 1.
22 0.0 0.0 0.0 0.0 13.3 0.0 0.0 5.5 0.0 0.0 3.5 0.0
23 0.0 7.6 0.0 18.5 0.0 3.5 6.2 0.0 5.1 0.0 5.3 0.0
24 0.0 0.0 0.0 2.6 0.5 0.0 5.9 21.2 7.5 0.0 11.1 0.0
25 0.0 0.0 18.0 6.3 5.8 0.8 2.6 49.2 9.0 2.7 5.5 0.0
26 0.0 0.0 8.8 0.0 2.1 0.0 1.1 16.1 0.0 0.0 2.8 0.0
27 0.0 0.0 5.5 0.0 4.3 2.7 11.3 9.2 0.0 0.0 6.2 0.0
28 0.0 0.0 15.8 0.0 13.2 1.3 0.0 9.1 0.0 0.0 0.4 0.0
29 0.0 0.0 3.6 0.0 6.7 17.4 3.7 26.6 22.3 0.0 9.6 0.
30 0.0 0.0 0.0 0.0 1.0 0.9 5.2 0.0 0.0 25.3 0.0
31 0.0 0.0 0.0 5.9 2.2 0.8 9.
Total 36.5 54.0 78.9 110.8 225.0 106.0 181.1 235.3 141.3 19.7 106.4 58.9

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (21/32)

Ann	ual Rain :	2041							<u> </u>		U	nit : mm
Date	<u>Jan</u>	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	5.6	1.9	0.0	2.0	13.4	0.0	0.0	3.6	0.0	0.0	38.0	0.0
2	0.5	1.3	0.8	15.6	31.8	0.0	9.8	2.4	0.0	0.0	21.1	0.0
3	32.5	0.0	0.0	9.2	9,3	0.0	22.6	0.0	1.2	0.0	0.8	0.0
4	0.0	0.0	0.0	15.2	29.3	0.0	0.0	10.8	2.0	2.2	7.5	0.0
5	14.7	0.0	1.0	36.1	18.4	0.5	1.9	50.5	0.1	1.1	0.0	0.5
. 6	5.3	1.0	0.0	3.2	13.3	10.8	11.0	0.0	3.7	0.0	0.0	9.5
7	0.0	0.0	38.3	0.0	30.7	1.5	2.7	16.1	0.5	4.3	1.2	1.2
8	0.0	14.0	5.7	11.0	15.3	31.5	0.0	1.3	2.1	0.5	0.0	1.7
9	2.8	1.0	5.1	22.1	2.9	41.2	17.7	0.0	15.5	0.0	0.0	0.0
10	0.0	0.0	0.0	30.3	15.4	28.6	0.0	0.0	8.2	0.0	3.2	0.0
11	0.0	0.0	0.0	0.1	0.5	22.0	8.1	0.0	26.5	0.0	13.5	0.0
12	0.0	0.0	0.0	0.0	0.0	2.5	0.8	21.7	4.3	0.0	8.2	0.0
13	0.0	0.0	0.0	10.2	10.5	0.5	0.5	0.0	0.0	0.0	18.8	0.0
14	11.1	0.0	0.0	9.5	4.6	7.7	0.0	0.0	4.1	0.0	6.0	0.0
15	2.1	0.0	0.0	1.3	1.8	5.0	0.0	7.3	44.6	0.5	14,4	0.0
16	0.0	0.0	0.0	0.0	0.7	3.2	0.0	6.0	0.0	0.0	6.7	0.0
17	5.7	0.0	0.0	3.4	6.8	3.0	21.2	5.3	8.3	8.5	0.5	0.0
18	3.3	0.0	10.0	0.0	4.6	5.7	0.1	8.3	0.0	5.8	12.5	0.0
19	0.0	0.0	17.7	0.0	1.0	9.4	0.0	1.6	0.1	7.6	22.9	0.0
20	1.6	0.0	0.0	0.0	0.0	8.0	0.0	5.5	0.5	2.1	4.3	0.5
21	0.0	7.5	0.0	0.0	3.4	2.0	30.0	0.0	1.5	1.1	5.0	12.2
22	0.0	3.3	0.0	0.8	4.8	0.0	0.5	3.1	0.0	4.6	9.5	9.8
23	0.0	0.0	0.0	4.5	13.7	0.0	0.0	39.0	0.0	46.3	27.4	19.5
24	3.2	0.0	0.0	1.7	4.5	0.0	0.0	24.2	0.0	16.1	15.9	11.0
. 25	16.2	1.3	0.0	11.3	7.8	8.2	0.0	0.0	2.3	1.5	1.7	0.0
26	1.8	2.2	5.1	0.0	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	10.8	3.1	2.4	24.5	0.0	14.0	6.0	0.0	0.0	0.0	0.0
28	16.3	0.0	1.5	11.8	0.0	22.6	8.6	5.5	0.0	0.0	0.0	0.0
29	22.4		3.0	13.3	0.0	13.8	17.9	1.5	0.0	2.1	0.0	0.0
30	17.9		6.8	5.9	3.2	0.0	13.3	2.3	0.0	5.8	0.0	7.0
31	1.4		2.2	."	0.0		16.0	5.8		28.1		3.4
Total	164.4	44,3	100.3	220.9	279.4	227.7	196.7	227.8	125.5	138.2	239.1	76.3

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (22/32)

ID. Number: 9035075

Appu	al Rain:										Uı	nit : mm
Date	Jan	Feb	Mar	Арг	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	6.5	8.6	3.5	0.0	0.0	15.6	0.0	31.8	1.1	0.0
2	0.0	0.0	0.0	11.0	26.0	0.0	18.8	1.0	7.5	10.1	0.0	0.0
3	0.0	0.0	2.5	1.0	22.1	0.0	1.5	2.8	4.1	0.0	0.0	0.0
4	0.0	0.0	0.0	15.0	17.0	0.0	1.0	4.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.5	11.4	27.1	0.0	0.0	0.9	1.4	0.0	1.5	0.0
6	0.0	0.0	0.0	0.0	7.8	0.0	2.1	1.9	1.3	0.0	0.0	0.0
7	0.0	0.0	0.0	10.1	3.3	0.0	0.0	13.5	0.0	3.1	13.1	0.0
8	0.0	0.0	0.0	21.5	19.4	0.1	0.0	0.0	0.0	12.0	0.0	0.0
9	0.0	0.0	15.3	29.5	16.5	21.7	9.1	0.0	0.0	27.1	0.0	0.0
10	0.0	0.0	31.0	17.8	4.0	5,7	0.0	6.8	1.1	2.5	0.0	0.0
11	0.0	32.3	0.0	0.0	5.3	11.5	14.5	1,5	26.8	0.0	2.1	0.0
12	0.0	0.0	1.0	0.0	6.0	3.7	33.0	0.0	0.0	52.1	1.6	18.4
13	0.0	0.0	25.0	1.5	9.0	4.0	32.3	5.0	5.9	0.0	3.9	23.7
14	0.0	0.0	17.7	1.8	5.5	22.1	3.5	5.5	0.0	0.0	0.0	34.0
15	11.0	0.0	0.5	0.3	15.1	0.0	2.1	1.0	0.0	19.0	0.0	0.0
16	0.0	3.7	0.0	0.0	3,1	0.0	0.0	12.5	3.2	5.3	0.0	0.0
. 17	19.0	91.1	29.5	0.0	0.0	0.0	0.0	14.8	12.0	4.8	1.5	6.5
18	9.5	0.0	4.6	0.0	0.0	12.5	1.0	1.0	0.0	0.0	4.9	0.0
19	29.5	0.0	19.0	4.3	0.0	0.0	3.0	0.0	3.3	0.0	0.5	1.5
20	0.0	0.0	4.7	0.0	0.0	2.5	1.2	14.5	0.0	11.1	1.0	0.5
21	11.1	16.5	0.0	0.0	1.1	3.9	11.0	15.9	0.0	3.5	0.0	0.0
22	49.9	34.7	4.0	9.4	3.0	5.7	0.0	6.5	2.8	1.1	16.4	0.0
23	1.5	0.5	56.2	0.5	8.6	7.5	2.9	1.3	11.1	5.1	0.0	0.0
24	0.8	0.5	4.7	1.0	0.0	11.4	1.0	2.5	0.0	0.0	0.5	12.0
25	0.0	12.9	28.7	0.1	0.0	34.3	0.0	28.5	12.8	1.1	0.0	0.0
26	0.0	39.5	4.6	1.5	0.0	0.0	0.0	0.0	0.8	0.0	0.0	14.7
27	0.0	22.0	0.0	3.8	0.0	79.0	0.0	0.0	3.2	7,5	0.0	0.0
28	0.0	0.0	-0.0	8.0	1.2	5.0	0.0	15.1	8.5	2.5	0.0	0.0
29	0.0		7.5	17.7	0.0	7.7	6.5	20.6	1.9	14.0	0.0	0.0
30	0.0		0.0	0.0	0.0	13.3	3.3	21.3	0.0	5.6	0.0	0.0
31	0.0		0.0		0.0		33.8	7.8	 	0.0	0.0	0.0
Total	132.3	253.7	263.5	175.8	204.6	251.6	181.6	221.8	107.7	219.3	48.1	111.3

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (23/32)

ID. Number: 9035075

Ann	ual Rain	: 1571						···			U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	0.0	0,0	18.0	11.0	0.0	2.9	0.0	0.0	0.0	
2	0.0		0.0	4.0	2.1	3.4	6.2	3.3	0.0	0.0	0.0	
3	0.0	14.8	0.0	2.1	18.3	14,1	12.5	8.9	0.0	5.8	0.0	
4	0.0	2.5	0.0	3.6	3.0	4.0	12.0	2.8	0.0	7.0	12.5	
5	0.0		0.0	0.0	5.2	0.0	0.0	1.0	1.0	0.5	1.0	
6	0.0	7.5	0.0	6.5	4.0	11.0	0.0	0.0	0.0	2.7	14.3	
7	0.0	25.3	0.0	0.0	8.5	1.0	0.0	4.7	1.5	0.0	10.0	
. 8	0.0	10.0	0.0	14.0	12.5	14.7	7.0	0.0	0.0	0.0	15.6	
9	0.0	26.0	0.0	25.1	41.1	17.2	0.0	8.6	1.5	0.0	1.0	
. 10	0.0	0.0	0.0	1.0	34.0	9.1	0.0	33.1	0.0	0.0	0.0	
11	0.0	18.4	6.1	43.7	1.7	7.4	1.5	0.0	3.8	0.0	1.5	
12	0.0	4.5	17.2	9.0	0.0	2.5	0.0	5.9	4.0	0.0	5.0	
13	0.0	1.1		0.0	2.2	30.0	3.4	44.7	0.0	0.0	0.0	
14	0.0	36.7	4.5	0.0	15.5	9.3	0.0	13.5	0.0	0.0	0.0	
15	15.2	0.0	15.0	19.0	0.0	0.0	1.5	0.5	0.0	0.0	0.0	
16	6.5	1.3	11.7	0.0	0.0	0.0	2.4	0.0	1.7	0.0	2.8	
17	0.0			0.0	0.0	0.0	0.0	4.2	0.6	0.0	16.1	
18	0.0	1.5	1.8	0.0	0.0	8.5	0.0	0.0	2.3	0.0	0.0	
- 19	0.0	11.2	1.5	0.0	0.0	1.0	0.0	0.0	2.6	0.0	0.0	
20	2.6	21.8	0.0	0.0	13.5	0.0	0.0	2.7	0.6	0.0	0.0	
21	0.0	13.5	0.0	0.0	0.0	8.4	0.0	2.0	8.0	0.0	11.1	
- 22	0.5	0.0		5.8	0.0	6.6	0.0	0.0	0.6	0.0	6.5	
23	3.1	0.0	0.0	13.1	5.0	0.0	0.0	0.0	0.0	0.0	9.0	
. 24	15.2	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	1.6	4.8	
- 25	33.5	18.5	0.0	1.5	0.4	0.0	0.5	0.0	6.5	4.8	0.0	
26	6.5	0.0	0.0	0.0	0.0	9.5	9.3	5,8	7.5	3.0	0.0	
27	0.0	0.0	0.0	0.0	3.8	1.5	1.5	13.5	22.5	0.0	0.0	
28	3.6	0.0	0.0	0.0	25.0	52.6	23.2	0.0	0.0	1.5	0.0	
29	24.5		0.0	0.0	32.0	0.0	8.7	0.0	0.0	0.0	0.0	
30	3.1		16.8	0.0	3.5	0.0	6.0	0.0	2.8	0.0	0.0	
31	4,5		0.0		0,0		2.5	14.3		0.0		
<u>Total</u>	118.8	260.6	90.0	148.4	249.3	227.8	98.2	172.4	67.5	26.9	111,2	0.0

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (24/32)

		1044	1700										
	Ann	ual Rain :	1436									U	oit : mm
<u>D</u>	ate	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	1	0.0	0.0	17.1	0.0	25.0	.0.9	10.0	0.0	0.0	0.0	0.0	0.0
	2	0.0	0.0	15.1	0.0	10.5	0.0	13.1	2.1	0.0	0.0	0.0	0.0
	3	0.0	2.5	3.0	0.0	0.8	0.0	1.7	2.5	19.1	0.0	0.0	0.0
	4	0.0	0.0	9.1	0.0	15.0	0.0	2.5	0.0	1.5	0.0	1.5	0.0
	5	0.0	0.0	4.1	0.5	5.1	0.0	0.0	1.5	0.0	0.0	0.0	0.0
	6	0.0	0.0	0.0	2.5	13.1	7.0	32.4	3.2	0.0	0.0	6.1	5.8
	7	0.0	0.0	2.0	19.0	44.3	2.7	0.0	0.0	3.1	9.3	0.0	0.0
	8	0.0	0.0	5.5	22.0	36.1	0.8	0.0	2.8	21.5	0.0	0.0	21.0
	9	0.0	0.0	4.3	29.4	21.1	4.3	18.1	0.0	0.0	0.0	0.0	12.5
	10	0.0	0.0	0.0	7.0	18.6	0.0	5.0	1.5	0.0	0.0	· 2.1	0.0
	11	3.3	0.0	11.5	3.6	35.5	4.0	3.1	0.0	0.0	0.0	5.5	0.0
	12	0.0	0.0	12.0	0.0	26.6	2.1	0.0	0.0	5.0	2.1	0.0	0.0
	13	0.0	0.0	3.3	7.3	7.8	16.7	0.0	1.5	0.0	12.5	0.0	0.0
	14	0.0	0.5	0.0	19.3	2.5	2.2	0.0	12.7	0.0	16.1	0.0	0.0
	15	0.0	0.0	0.0	0.0	2.0	0.0	0.0	·: 3.1 .	1.0	0.0	0.0	0.0
	16	0.0	0.0	0.0	15.5	16.1	0.0	0.0	0.0	0.0	8.3	2.5	0.0
	17	0.0	0.0	0.0	8.5	0.0	0.0	5.1	0.0	0.0	0.0	1.0	0.0
	18	0.0	0.0	0.0	1.0	0.0	0.0	0.0	3.7	0.0	6.0	0.0	0.0
	19	0.0	0.0	0.0	37.0	0.0	2.0	0.0	20.5	0.0	0.2	0.0	0.0
	20	0.0	0.0	0.0	0.5	6.1	3.5	0.0	0.0	1.6	2.0	37.5	1.7
	21	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	13.5	0.0	19.7	0.0
	22	0.0	0.0	0.0	0.0	29.4	24.0	6.5	9.5	0.0	0.0	18.4	0.0
	23	0.0	0.0	0.0	0.0	4.5	0.0	12.8	1.2	1.5	0.0	0.0	0.0
;	24	,5.0	0.0	0.0	0.0	5.0	2.5	4.4	9.0	2.1	0.0	0.0	0.0
	25	20.5	0.0	0.0	. 0.0	0.0	9.5	0.0	5.1	0.0	0.0	0.0	0.0
:	26	0.0	0.0	12.5	0.0	0.0	7.0	0.0	. 1.5	17.3	0.0	0.0	0.0
	27	0.0	2.5	2.5	0.0	0.0	4.5	19.1	3.0	0.0	0.0	0.0	0.0
2	28	9.5	0.0	0.5	0.0	0.0	0.0	5.7	0.0	6.1	0.0	0.0	0.0
2	29	0.0	0.0	4.5	0.0	12.0	13.7	31.5	18.5	0.0	2.5	0.0	0.0
3	30	2.5		1.0	0.0	24.3	5.2	9.3	24.8	0.0	0.0	0.0	0.0
	31	18,0		0.0		19.1		0.0	0.0	:	0.0		0.0
Tot	al	58.8	5.5	108.0	173.1	382.5	112.6	180.3	127.7	93.3	59.0	94.3	41.0

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (25/32)

ID, Number: 9035075

Annu	al Rain:										Uı	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	0.0	17.8	0.0	0.0	1.0	0.0	18.5	9.1	0.0	0.0
. 2	7.5	0.0	0.0	0.0	14.0	0.0	11.5	0.0	10.1	17.5	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	9.5	19.6	0.0	0.0	0.0	0.0
4	1.0	0.0	0.0	0.0	11.0	2.0	1.1	1.1	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	4.5	20.4	3.5	0.0	9.5	1.3	7.5	0.0	1.3
6	1.0	0.0	3.5	40.5	8.0	0.0	0.0	2.2	1.1	9.7	0.0	0.0
. 7	0.0	0.0	0.0	0.0	42.0	0.0	5.1	5.5	0.0	6.8	0.0	0.5
8	0.0	0.0	0.0	7.5	5.8	0.0	0.0	12.5	1.0	0.0	1.8	0.0
9	0.0	0.0	3.1	0.0	10.1	5.1	1.4	7.5	7.9	4.5	11.5	0.0
10	0.0	14.5	0.4	8.7	7.2	0.0	2.0	18.5	2.1	0.2	3.1	0.0
11	0.0	2.1	18.2	60.8	6.6	6.5	20.0	0.0	0.0	4.1	0.0	0.0
12	0.0	1.7	2.3	51.5	13.4	0.0	2.1	28.2	3.2	6.7	0.0	0.0
13	0.0	0.0	12.3	4.3	17.3	0.0	8.7	35.7	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	11.5	19.0	1.5	1.0	22.5	9.7	0.0	0.4	0.5
15	0.0	9.4	0.6	58.9	22.3	0.0	13.5	0.0	0.0	0.0	7.5	0.0
16	0.0	17.5	0.5	10.6	5.4	7.1	0.0	7.1	21.5	7.5	2.1	3.5
17	0.5	2.1	15.0	8.4	7.0	0.0	6.1	6.5	17.4	4.8	0.0	7.3
18	0.0	6.5	0.2	2.0	0.0	0.0	4.4	2.3	1.0	0.0	4.1	2.0
19	0.0	0.0	44.4	17.9	0.0	0.0	0.0	12.5	9.9	0.0	0.0	0.0
20	. 0.0	0.0	12.3	0.0	0.0	0.0	0.0	0.0	26.5	0.0	5.4	0.0
21	0.0	0.0	7.7	5.4	0.0	16.2	3,4	9.5	2.1	0.0	8.3	0.0
22	4.5	0.0	7.2	31.1	0.0	1.5	4.5	8.3	9.2	0.0	1.1	0.0
23	0.0	0.0	- 1.1	28.5	0.0	24.7	0,0	0.0	4.5	0.0	0.0	0.0
24	0.0	0.0	29.4	5.8	0.0	22.1	0.0	2.2	0.0	3.6	0.0	0.0
25	0.0	0.0	26.5	18.0	0.0	0.0	23.0	0.0	13.3	0.0	0.0	0.0
26	0.0	0.0	8.2	0.0	0.0	0.0	15.4	0.0	8.0	0.0	0.0	0.0
27	0.0	0.0	21.2	0.0	5.0	0.0	10.5	15.4	55.0	13.8	0.0	0.0
28	0.0	0.0	0.7	0.0	7.0	5.5	6.5	6.5	6.5	1.5	0.0	0.0
29	0.0		0.0	0.0	7.3	1.7	3.3	3.4	3.8	9.1	0.0	0.0
30	0.0		48.2	0.0	0.0	6.2	7.8	1.0	16.9	0.0	0.0	0.0
31	0.0	·	1,1		1,4		5.5	23.3		0.4		0.0
Total	14,5	53.8	264.1	393.7	230,2	103.6	167.3	260,8	250.5	106.8	45.3	15.1

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (26/32)

Ann	ual Rain :	1855			Marcon 1881			ND-11-14-14-14-1-1			บ	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	9.0	0.0	2.8	1.3	0.0	0.0	27.2	0.0	0.0	9.1	18.0
. 2	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	25.2	25.5
3	0.0	1.1	0.0	0.0	0.2	0.3	1.6	16.0	0.5	0.5	2.0	2.6
4	0.0	0.0	0.0	4.4	19.6	6.4	2.6	3.2	8.8	0.0	6.2	19.3
5	18.3	0.0	0.0	6.1	3.5	0.0	0.9	0.0	0.0	0.0	30.0	0.0
6	0.0	0.0	0.0	2.0	10.6	0.0	3.2	2.5	0.0	1.0	2.8	0.0
7	0.0	0.0	2.7	6.9	14.1	0.0	0.0	5.0	0.0	1.2	13.5	0.0
8	0.0	0.0	0.0	0.5	13.8	5.3	0.0	3.1	0.0	0.2	8.0	0.0
9	0.4	0.5	27.6	0.0	14.1	7.5	0.0	0.0	0.0	1.4	6.6	0.0
10	0.0	0.0	0.0	0.4	34.5	0.0	9.8	9.2	0.0	7.5	2.0	0.0
11	0.0	0.0	0.0	1.2	11.7	0.0	0.0	1.2	13.0	3.2	10.0	0.0
12	0.0	0.0	0.0	0.0	5.6	2.3	0.0	5.0	0.0	4.8	1.5	17.3
13	0.0	5.2	0.0	12.1	11.2	1.5	0.0	0.4	0.0	4.5	7.0	0.0
14	5.1	17.1	0.0	4.5	21.0	3.6	1.7	2.0	5.4	4.0	2.6	0.0
15	0.0	10.6	0.0	47.9	14.7	6.9	1.5	5.5	7.9	8.5	0.0	0.2
16	1.8	4.7	0.0	12.8	38.1	0.7	2.4	4.6	0.0	10.8	6.5	1.4
17	13.4	9.4	0.0	5.2	20.5	1.8	0.0	0.2	0.0	0.6	0.0	0.4
- 18	0.8	0.5	0.0	7.3	19.9	6.1	9.0	0.4	0.0	18.5	0.0	0.0
19	0.0	0.0	11.4	50.7	5.2	1.1	0.0	3.0	16.5	33.9	0.0	0.0
20	0.0	0.0	0.0	8.0	2.8	7.8	0.0	5.4	4.7	8.5	0.0	5.2
21	0.4	0.0	34.2	1.4	1.6	0.0	0.0	0.0	1.2	0.7	2.5	10.3
22	0.0	0.0	0.0	0.0	8.4	5.0	2.6	7.8	10.7	0.0	18.1	4.5
23	0.0	0.0	0.0	4.8	7.5	0.0	7.4	0.9	2.6	0.0	52.0	0.0
24	0.0	0.0	0.0	6.8	10.6	7.9	2.2	0.0	0.0	0.0	41.9	0.0
25	0.0	0.0	0.0	8.2	20.0	0.3	0.0	0.0	4.9	0.0	29.0	0.0
- 26	0.0	10.7	0.0	43.7	15.2	32.2	8.5	0.0	0.5	1.1	11.5	0.0
27	0.0	0.0	0.0	0.3	40.8	1.2	1.1	0.8	0.0	4.0	37.6	0.0
28	0.0	0.0	9.0	14.9	19.9	0.5	0.0	1.4	0.0	13.3	25.8	0.0
29	0.0		9.4	4.2	10.4	1.8	10.8	0.0	0.0	0.0	30.6	0.0
30	0.9		3.9	0.0	0.0	0.0	0.4	0.0	10.1	0.0	5.9	0.0
31	1.5		8.5		0.0	····	0.0	0.0		1.5	<u> </u>	0.0
Total	42.6	68.8	106.7	257.1	400.0	100.2	65.7	104.8	86.8	129.7	387.9	104.7

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (27/32)

Annu	al Rain :	2095									Ur	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	1.2	0.0	0.0	12,7	0.0	0.3	6.5	1.5	10.1	2.9	0.0
2	0.0	5.3	0.0	0.0	3.4	2.4	0.5	4.0	2.7	2.7	0.0	0.0
3	0.0	0.0	0.0	3,8	0.0	7.0	0.0	0.0	3.0	4.4	0.0	2.0
4	0.0	0.0	0.0	0.0	7.0	8.9	0.0	0.0	9.5	1.5	8.8	4.0
5	3.4	0.0	0.0	8.9	9.6	19.2	1.3	12.2	20.5	16.5	0.0	0.4
6	10.8	0.0	0.0	10.6	14.5	0.0	0.0	0.0	0.5	13.3	6.5	0.0
7	0.0	0.0	0.0	10.3	22.0	0.5	0.3	0.0	3.6	0.7	12.5	0.3
8	0.0	0.0	0.0	10.1	27.2	6.2	0.0	0.0	6.8	42.2	0.4	0.0
9	0.0	0.0	0.0	3.0	19.5	0.0	0.0	13.1	9.0	19.5	0.0	0.0
10	0.0	0.0	0.0	1.5	44.3	0.0	1.5	52.3	12.5	3.0	0.0	0.0
11	0.0	0.0	3.1	2.1	42.2	2.4	0.0	23.4	3.5	6.5	0.0	0.0
. 12	0.0	1.8	2.1	0.0	0.0	27.6	3.2	2.5	1.0	4.0	0.0	2.6
13	0.0	0.0	0.4	0.0	0.0	0.0	13.2	12.8	7.1	4.6	0.1	0.0
14	2.8	0.0	0.0	0.2	0.0	26.2	2.5	1.0	0.0	5.0	11.4	0.0
- 15	0.0	0.0	3.2	3.0	0.0	0.0	6.2	1.5	16.0	3.8	2.5	0.0
. 16	0.0	0.9	1.1	12.1	19.0	0.0	16.7	9.3	5.4	0.0	5.8	0.0
17	0.0	0.5	0.0	14.3	6.4	0.6	2.6	7.0	8.8	1.0	0.0	1.6
18	0.0	3.6	0.0	1.4	0.8	25.0	6.8	30.0	28.5	10.8	5.0	3.3
19	10.0	10.0	0.0	10.5	7.5	35.3	16.8	4.0	8.5	4.9	13.2	10.8
20	0.0	0.0	0.0	3.7	1.1	. 3.1	4.4	4.9	0.0	5.8	25.3	3.2
21	0.0	2.4	0.0	13.5	29.1	27.0	0.0	0.0	3.0	38.9	6.3	5.7
22	2.9	0.0	0.0	41.4	3.4	10.3	4.3	0.0	0.5	3.5	0.0	4.3
23	3.8	0.0	0.0	1.6	5.5	0.0	27.3	12.2	0.0	4.0	0.0	17.1
24	2.5	0.0	0.0	1.8	4.8	0.0	0.0	12.4	0.0	2.5	6.8	2.0
25	0.0	0.0	0.0	1.8	7.0	9.8	0.0	6.8	0.0	14.8	16.7	1.7
26	15.2	0.0	0.2	87.8	5.6	0.0	0.0	0.0	0.0	21.5	1.5	0.0
27	0.0	0.0	0.0	0.5	6.0	6.7	37.5	22.8	11.7	0.6	0.0	0.0
28	0.0	0.0	0.0	7.0	3.1	3.8	17.1	. 12.5	14.0	0.0	0.0	0.0
29	0.0		0.0	0.0	61.8	0.7	14.0	0.0	16.0	14.0	0.0	0.0
30	0.0		21.7	2.2	4.3	6.5	5.0	17.6	4.0	1.0	0.0	0.0
31	3.4		2.9		5.3		4.8	20.5		5.0		0.0
Total	54,8	25.7	34.7	253.1	373.1	229.2	186.3	289,3	197.6	266,1	125.7	59.0

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (28/32)

	ioai.											
Ann	ual Rain :								·	1.0	U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	<u>Jul</u>	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	0.0	0.0	10.4	0.0	0.0	1.0	0.0	0.0	0.6	1.4
2	0.5	0.0	0.0	0.2	0.0	1.0	0.3	1.0	12.0	0.5	6.4	3.5
3	0.0	4.6	0.0	2.8	0.0	11.5	5.0	2.0	5.0	25.8	0.0	0.0
4	0.0	0.0	0.0	0.6	2.5	5.7	0.0	9.4	2.9	1.6	0.0	0.1
. 5	0.0	0.0	0.0	2.4	2.2	2.0	9.4	2.2	11.4	7.5	0.0	2.5
6	0.0	0.0	0.0	25.4	7.6	27.8	0.0	0.0	0.0	0.0	0.0	0.4
7	0.0	0.0	0.0	7.0	6.8	13.3	0.8	27.4	1.0	0.0	0.0	0.0
8	0.0	0.0	0.0	17.4	0.0	12.9	1.2	17.5	5.9	18.3	4.6	1.6
9	6.6	0.0	0.0	23.5	13.6	4.0	0.3	0.1	1.5	17.2	0.0	6.5
10	0.0	0.0	0.0	2.2	0.2	6.4	0.0	0.6	0.0	0.5	0.0	37.5
11	0.7	0.0	0.0	0.3	0.9	0.5	0.0	2.3	0.0	14.3	0.0	10.3
12	2.6	0.0	0.0	10.0	7.0	1.2	0.0	13.6	0.0	34.8	0.0	0.0
13	0.0	0.0	0.0	0.1	13.7	1.5	10.4	26.7	16.1	2.8	0.0	0.0
14	4.6	0.0	5.6	7.1	4.7	0.0	11.3	0.0	2.0	0.0	62.0	0.0
15	0.0	0.0	1.0	47.6	8.5	4.2	0.7	7.5	0.0	0.0	6.4	0.0
16	0.0	0.0	0.0	4.5	1.9	4.8	5.2	0.0	0.0	0.0	0.0	0.0
17	3.8	0.0	0.0	1.0	2.1	3.6	4.7	12.9	0.0	0.0	26.4	0.0
18	0.0	0.0	0.0	0.0	1.0	1.2	23.3	0.8	0.0	7.6	12.6	0.0
19	0.0	0.0	0.0	12.5	0.1	0.6	3.2	2.3	0.0	4.6	0.0	0.0
20	0.0	0.0	0.0	0.0	0.3	24.5	23.2	1.5	5.2	0.0	0.0	0.0
21	0.0	0.0	0.0	10.1	15.3	8.4	11.6	6.4	0.0	0.0	1.3	0.0
22	0.0	0.0	0.0	0.6	0.7	0.3	3.2	8.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	10.6	0.7	0.0	0.5	1.7	1.9	0.0	6.9	0.0
24	0.0	0.0	0.0	13.0	1.2	3.5	13.7	1.5	1.1	0.5	0.0	0.0
25	0.0	37.2	0.0	4.3	6.6	0.0	13.1	7.5	2.7	0.0	0.9	0.0
26	0.0	0.0	0.0	7.0	2.3	4.8	2.2	14.7	0.0	0.0	26.0	0.0
27	0.0	0.0	1.9	11.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	26.4	0.0	0.0	19.0	0.0	19.9	0.4	0.0	0.0	0.3	8.0
29	0.0	11.4	0.0	2.7	2.5	0.0	7.4	13.8	0.0	0.0	3.7	0.0
30	16.4		3.2	7.9	6.7	0.0	0.0	1.7	1.7	0.0	3.5	0.0
31	21.6		0.0		0.0		6.0	3.2		0.0		0.0
Total	56.8	79.6	11.7	232.6	139.2	143.7	176.6	187.7	70.4	136.0	161.6	71.8

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (29/32)

<u>Annu</u>	al Rain :	1692	-								U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
. 1	0.0	15.5	0.0	8.8	0.0	14.0	0.0	7.4	0.0	. 0.0	0.0	0.0
2	0.0	23.3	0.0	1.0	0.0	0.8	2,2	0.9	5.4	0.0	0.0	0.0
3	0.0	14.8	1.6	8.2	1.2	0.0	0.0	8.0	0.4	0.0	0.0	0.0
4	0.0	0.0	0.0	4.4	11.2	0.0	9.5	0.0	33.6	2.8	5.8	4.2
5	0.0	9.4	0.0	0.0	6.0	0.0	1.8	0.0	0.2	15.2	12.8	0.0
6	0.0	0.0	0.0	14.0	3.0	1.0	0.6	0.0	8.3	4.0	8.6	0.0
7	0.0	0.3	0.0	0.0	26.8	0.0	15.4	0.0	1.6	0.4	4.6	0.0
. 8	0.0	0,0	0.0	8.3	5.9	0.0	0.0	12.2	4.0	5.0	5.8	0.0
9	0.0	0.0	0.0	39.8	13.0	6.0	2.4	0.6	0.0	0.4	4.4	0.0
10	0.0	0.0	0.0	19.0	10.6	0.0	5.1	0.0	2.5	0.0	13.2	1.4
- 11	0.0	0.0	0.0	5.6	1.4	1.6	5.8	2.0	. 7.1	0.0	0.8	0.0
- 12	0.0	12.5	0.0	35.6	16.6	5.4	1.2	3.4	0.0	0.0	32.2	6.4
13	0.0	0.0	0.0	17.2	1.6	0.6	3.5	0.0	0.2	0.0	0.4	0.0
14	0.0	0.0	0.0	40.8	0.0	18.8	13.2	1.2	6.8	0.0	0.0	0.0
15	0.0	0.0	0.0	5.0	8.0	0.0	5.4	0.0	22.5	2.9	0.0	0.0
16	0.0	0.0	0.0	12.2	11.8	1.0	3.0	0.0	11.5	0.0	0.0	0.0
17	2.2	0.0	0.0	20.8	33.2	2.1	0.0	0.0	5.2	0.0	0.0	0.0
18	0.0	0.0	1.9	10.8	6.8	1.8	19.1	0.0	13.7	0.0	0.0	0.0
19	0.0	0.0	28.8	15.2	1.5	1.2	34.5	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	24.0	1.0	3.0	0.0	5.0	7.6	0.0	0.0	16.4	4.8
21	0.0	0.0	20.2	0.0	8.9	5.6	0.0	0.0	29.1	0.0	2.9	0.0
22	0.0	0.0	6.4	15.0	2.8	1.8	0.0	0.0	6.9	0.0	0.0	0.0
23	0.4	0.0	9.6	9.9	28.6	0.0	40.6	0.0	1.2	0.1	0.0	0.0
24	9.1	1.0	22.1	0.0	10.8	5.8	19.5	0.0	0.0	0.0	0.0	0.0
25	3.0	3.8	11.2	11.7	24.0	0.6	0.0	51.1	3.0	0.0	0.0	0.0
26	0.2	6.4	0.0	10.4	2.7	0.0	0.8	8.2	0.0	0.0	0.0	0.0
27	0.0	2.2	14.4	1.8	2.2	0.0	4.5	7.4	0.0	8.3	0.0	19.4
28	16.7	2.8	6.4	2.2	0.0	0.8	1.5	4.0	0.0	0.0	0.0	0.0
29	8.3		8.6	0.0	0.0	3.8	3.0	3.2	0.0	0.0	0.0	0.0
30	3.1		41.4	1.4	0.0	0.0	4.2	15.1	5.0	0.0	0.0	0.0
: 31	0.0		18,4		0.0		1.1	21.3		0.0		0.0
Total	43.0	92.0	215.0	320.1	241.6	72.7	202.9	153.6	168.2	39.1	107.9	36.2

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (30/32)

Annua	Rain:	1433		_							Un	<u>it : mm</u>
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	9.6	0.0	0.2	4.4	18.0	8.0	0.0	2.1	9.0	0.9	17.4	0.3
2	0.0	8.0	0.0	0.0	0.8	8.4	0.0	11.7	0.0	0.0	0.9	0.8
3	0.0	0.0	0.6	4.3	0.0	0.6	0.0	2.2	0.0	0.0	0.2	0.0
4	7.8	0.0	1.2	4.1	0.2	0.0	3.6	1.2	0.0	0.6	14.6	0.0
5	0.0	25.6	5.9	0.0	0.0	0.4	0.0	0.0	6.6	0.2	0.0	0.0
6	4.8	0.0	17.8	0.0	1.2	3.8	0.0	8.1	0.0	0.5	0.8	12.8
7	13.7	0.0	19.6	0.0	3.3	3.1	2.7	12.2	7.0	2.4	9.4	2.0
8	0.0	0.0	0.0	33.2	6.9	13.4	2.3	7.7	0.0	13.0	5.8	0.0
9	0.0	0.0	7.0	15.4	0.4	1.1	0.2	33.9	0.8	11.3	10.4	0.0
10	0.0	0.0	0.0	6.1	1.6	38.0	0.0	4.5	10.5	1.0	7.2	7.2
11	0.0	0.0	0.0	0.4	7.5	31.8	0.0	4.0	13.9	1.2	0.0	0.3
12	0.0	0.0	0.0	0.0	2.1	11.1	4.2	1.3	0.0	0.0	0.0	0.5
13	0.0	15.0	0.0	0.0	14.0	0.1	22.0	1.0	6.2	₹ 0.0	0.0	2.7
14	0.0	8.6	0.0	14.4	6.9	0.0	0.0	0.0	4.8	0.0	0.0	0.0
15	0.0	0.0	0.1	0.0	0.4	11.1	0.9	0.0	6.4	0.0	0.0	0.0
16	0.0	2.0	0.8	0.0	18.1	1.2	0.6	0.0	0.2	0.0	0.2	0.0
17	0.0	0.0	0.0	0.0	2.2	6.1	10.1	0.0	20.8	0.0	0.0	1.8
18	0.0	10.8	5.0	0.0	20.6	0.0	0.0	3.2	15.8	0.0	0.0	0.0
19	1.0	0.0	0.0	47.9	2.1	2,6	0.0	9.2	5.0	4.7	1.7	0.0
20	0.2	0.0	17.8	7.0	17.4	3.9	0.8	0.0	4.1	0.2	0.0	0.0
21	0.0	0.0	2.4	2.0	8.2	2.9	0.4	7.7	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	5.8	1.5	0.0	0.0	0.0	0.0	3.8	0.0	0.0
23	0.0	0.0	0.0	18.8	12.4	10.3	0.4	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	23.2	0.0	7.7	1.5	14.2	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	5.2	12.5	12.3	0.0	19.0	.0.0	2.1	5.1	0.0
26	0.0	1.4	0.0	16.0	7.0	1.6	0.0	0.0	1.5	15.0	0.0	0.0
27	0.0	0.0	0.0	0.0	6.5	0.0	45.7	0.0	0.0	2.5	0.0	0.0
28	0.0	5.0	10.0	23.0	0.0	0.0	1.2	4.9	9.5	0.0	0.1	0.0
29	0.0		0.0	45.0	8.6	0.0	4.6	10.2	10.6	0.1	0.0	0.0
30	0.0		0.0	0.0	17.0	0.3	0.4	0.8	4.9	0.0	0.0	0.0
31	0.0		0.0		6.2		2.3	9,0		0.0		0.0
Total	37.1	76.4	88.4	276.2	203.6	179.8	103.9	168.1	137.6	<u>59,5</u>	73.8	28.4

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (31/32)

Ann	ual Rain :	1942			**************************************					******	Ur	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	1.1	0.0	0.4	0.0	18.2	0.0	0.0	5.2	0.0	18.8	11.3	0.0
2	1.4	0.0	0.0	0.0	18.4	1.8	0.0	2.2	0.0	5.2	0.4	0.0
3	4.7	0.0	0.0	9.9	5.6	29.6	4.6	0.0	0.0	0.0	0.2	1.6
4	0.0	0.0	0.0	2.9	4.1	0.0	27.4	0.0	0.0	0.0	0.2	0.0
5		0.0	0.0	2.8	2.1	11.2	0.0	0.0	0.2	2.9	11.3	0.0
. 6	0.2	0.0	0.0	5.7	3.9	9.8	0.0	0.4	0.0	0.2	20.8	0.0
7	0.0	0.0	5.3	11.5	19.6	38.8	0.0	0.0	14.8	0.4	7.1	19.4
8		0.0	11.4	16.4	2.4	12.7	1.4	0.0	0.6	0.0	7.0	0.0
9	0.0	1.2	8.8	26.4	12.1	55.2	0.0	0.0	0.0	0.0	11.6	0.0
: 10	0.8	2.3	2.9	14.1	39.1	0.0	0.0	0.8	3.6	46.6	0.0	4.7
11	3.4	30.2	0.0	0.4	7.6	16.6	0.0	11.9	0.8	0.0	14.0	0.0
12	0.0	5.1	0.0	0.0	15.4	1.1	0.0	0.7	4.2	5.0	12.4	8.2
13	0.0	0.0	10.5	0.0	1.8	24.8	0.0	17.7	1.0	0.6	35.8	0.0
14	7.3	0.5	0.0	0.0	16.2	2.2	0.0	0.0	7.4	13.0	12.6	0.0
15	14.0	0.0	15.2	0.0	27.0	19.8	4.2	0.0	0.0	0.6	3.0	0.0
16	0.0	0.0	2.6	0.0	11.6	0.0	0.0	5.1	0.0	2.1	37.6	0.0
17	0.0	0.0	8.3	0.0	4.1	0.0	2.3	0.0	0.6	0.0	8.4	0.1
18	0.0	0.2	37.4	15.2	0.0	0.0	50.0	6.8	0.0	0.0	0.0	3.2
19	0.0	24.7	65.2	1.0	0.0	6.0	0.0	0.1	2.6	19.4	0.3	0.0
20	0.0	0.4	0.0	0.0	2.7	0.0	0.0	0.0	0.0	2.6	0.8	2.1
21	0.0	3.4	23.1	0.0	3.8	0.0	1.8	2.7	0.0	0.0	0.0	0.0
22	0.0	2.5	0.0	0.0	11.2	2.2	1.0	0.1	1.9	2.1	13.1	0.0
23	0.4	2.1	0.0	0.0	13.8	8.8	0.5	16.2	17.6	2.8	16.0	0.0
24	0.0	0.0	0.0	0.0	26.1	0.0	0.0	0.0	19.0	1.1	0.0	0.0
25	5.0	0.0	3.8	0.0	20.1	0.0	0.0	14.2	1.0	0.0	0.7	0.0
26	1.4	0.0	2.2	4.8	0.4	6.6	0.0	8.0	0.0	1.7	14.4	0.0
27	0.0	0.0	0.0	0.0	53.2	6.1	0.0	7.1	2.6	2.5	0.0	0.0
28	10.6	0.0	0.0	0.0	8.6	1.2	0.0	18.2	1.1	6.4	0.0	0.0
29	0.0		0.0	8.8	0.0	20.1	0.7	19.7	7.7	10.6	0.0	0.0
30	0.0		1.9	27.8	0.0	95.4	0.0	1.2	0.0	0.0	0.0	0.0
31	0.0		0.0		10.0		0.0	0.0		4,2		0.0
_ Total	55,1	72.6	199.0	147.7	359.1	370.0	93.9	131.1	86.7	148.8	239.0	39.3

Table 5 DAILY RAINFALL RECORD AT KAISUGE HOUSE (32/32)

ID. Number: 9035075

Annı	nal Rain :	2113								112	U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	16.6	35.8	0.0	0.0	32.6	2.8	2.5	13.7	0.0	3.2	13.9	0.0
2	0.0	0.0	0.0	0.0	26.9	0.0	0.5	7.8	0.0	4.8	0.2	0.0
3	0.0	0.0	0.0	25.3	0.0	22.2	0.9	39.2	5.6	5.6	0.3	0.0
4	0.0	0.0	2.0	0.0	13.4	16.8	3.9	12.1	12.4	0.0	1.1	0.0
5	2.0	0.0	15.0	10.0	6.4	0.0	2.6	9.0	7.3	9.0	0.0	0.0
6	0.0	0.0	11.8	47.5	14.7	3.0	0.0	14.8	10.1	1.4	0.0	0.2
7	2.2	0.0	0.0	1.0	18.2	0.0	1.6	17.1	0.0	1.0	0.0	0.0
8	21.1	0.0	0.0	14.2	0.0	2.6	1.3	3.9	0.0	0.0	8.9	2.6
9	5.3	0.0	1.0	11.4	2.0	0.3	8.2	16.8	0.0	0.0	6.3	0.3
10	2.6	2.8	3.1	2.6	0.0	8.2	1.1	0.0	0.6	0.0	-24.3	0.0
11	0.0	0.7	0.0	8.2	6.3	12.7	10.5	35.0	10.8	1.0	10.2	0.0
12	0.0	9.2	0.0	45.5	0.0	1.0	2.4	1.1	0.0	13.6	0.2	0.0
13	0.0	7.6	0.0	6.1	0.0	0.1	14.1	0.6	2.2	4.0	0.0	0.0
14	10.4	0.0	1.1	5.2	31.0	12.4	35.4	3.2	0.0	7.6	0.0	0.0
15	15.2	0.0	0.2	0.3	23.2	0.0	2.4	0.6	3.8	2.6	8.1	0.0
16	23.0	1.0	0.4	8.0	0.6	0.0	15.2	17.4	9.0	4.0	3.3	0.4
17	24.6	0.0	1.6	36.8	25.3	0.9	3.5	13.9	4.8	0.0	0.0	0.0
18	3.8	0.0	0.0	46.0	6.3	1.4	8.3	38.2	0.0	0.0	0.0	0.0
19	0.0	0.0	0.4	2.2	7.4	2.7	0.0	0.0	8.4	0.0	9.7	0.0
20	9.8	0.0	19.2	19.1	0.4	6.9	0.0	6.4	16.4	0.0	21.1	0.0
21	6.8	0.0	42.6	7.2	0.0	4.5	0.0	0.0	4.4	0.0	0.1	0.0
22	13.6	0.0	0.0	18.7	0.0	9.8	2.0	21.0	5.0	1.4	1.1	0.0
23	0.3	0.0	0.0	67.6	0.0	7.9	0.0	8.2	15.6	0.0	0.0	0.0
24	0.0	12.1	10.1	4.7	0.0	1.1	6.1	0.0	0.3	1.0	3.3	0.0
25	0.0	0.0	0.0	6.2	0.0	1.4	0.0	1.5	0.8	12.8	0.0	0.0
26	0.0	0.0	25.4	63.7	0.0	18.8	0.0	2.7	6.4	8.1	0.0	0.0
27	0.0	0.0	2.0	14.7	0.0	0.0	0.0	18.1	- 12.6	0.0	0.0	0.4
28	0.0	0.0	0.0	1.4	0.0	18.3	0.0	5.6	7.0	0.0	0.0	0.0
29	0.0		0.0	20.6	0.0	18.0	0.0	1.3	0.0	24.8	0.0	0.0
30	0.0		0.0	6.4	0.0	1.2	25.8	4.4	0.6	18.1	0.0	0.0
31	0.0		0.0		0.0		4.6	0.5		8.8		0.0
Total	157.3	69.2	135.9	500.6	214.7	175.0	152.9	314.1	144.1	132.8	112.1	3.9

III.6 Daily Rainfall Record at Kenwik Mission (9035079)

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (1/25)

ID. Number: 9035079

Annı	ual Rain :	9014				·····				· · · · · · · · · · · · · · · · · · ·	U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	76.0	51.0	25.0	5.0
2	0.0	25.0	0.0	0.0	56.0	23.0	23.0	89.0	0.0	64.0	0.0	13.0
3	0.0	89.0	0.0	0.0	201.0	0.0	13.0	0.0	191.0	8.0	36.0	18.0
4	0.0	165.0	20.0	0.0	81.0	13.0	0.0	71.0	0.0	61.0	0.0	0.0
5	0.0	13.0	107.0	0.0	66.0	0.0	0.0	0.0	0.0	69.0	51.0	28.0
6	0.0	51.0	147.0	5.0	0.0	0.0	0.0	0.0	38.0	0.0	18.0	5.0
. 7	0.0	33.0	0.0	8.0	0.0	15.0	0.0	0.0	0.0	5.0	0.0	20.0
8	0.0	25.0	0.0	0.0	8.0	23.0	102.0	0.0	102.0	0.0	25.0	25.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-11	0.0	5.0	0.0	213.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	53.0
12	0.0	13.0	0.0	58.0	25.0	0.0	0.0	79.0	0.0	323.0	0.0	69.0
13	0.0	5.0	0.0	53.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	104.0
14	0.0	3.0	0.0	46.0	0.0	0.0	0.0	0.0	99.0	191.0	0.0	25.0
15	3.0	0.0	0.0	0.0	0.0	0.0	0.0	183.0	84.0	25.0	51.0	51.0
16	15.0	0.0	0.0	0.0	0.0	102.0	112.0	56.0	0.0	0.0	43.0	89.0
17	0.0	0.0	0.0	0.0	0.0	0.0	51.0	5.0	15.0	142.0	0.0	246.0
18	33.0	0.0	0.0	66.0	0.0	0.0	89.0	0.8	36.0	0.0	0.0	71.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	15.0	15.0	5.0	132.0	0.0	0.0	130.0	20.0	41.0	0.0	91.0	31.0
22	3.0	13.0	86.0	79.0	102.0	0.0	58.0	0.0	386.0	0.0	0.0	0.0
23	0.0	38.0	43.0	20.0	135.0	104.0	343.0	3.0	48.0	0.0	0.0	0.0
24	0.0	104.0	0.0	5.0	0.0	0.0	0.0	36.0	0.0	0.0	0.0	74.0
25	5.0	99.0	5.0	33.0	64.0	0.0	0.0	0.0	0.0	25.0	0.0	79.0
26	0.0	13.0	99.0	137.0	0.0	0.0	31.0	25.0	79.0	79.0	38.0	5.0
27	0.0	0.0	51.0	76.0	86.0	5.0	5.0	61.0	36.0	201.0	0.0	0.0
28	0.0	13.0	0.0	0.0	0.0	8.0	8.0	0.0	112.0	0.0	0.0	0.0
29	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31_	0.0		0.0		0.0		0.0	0.0		0.0		0.0
_ Total	74.0	727.0	563.0	931.0	824.0	293.0	965.0	661.0	1343.0	1244.0	378.0	1011.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (2/25)

ID. Number: 9035079

Annı	al Rain :	10029				, i d'a Tamair, de la la c					U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
, 1	0.0	0.0	0.0	0.0	64.0	0.0	0.0	0.0	18.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	229.0	0.0	0.0	0.0	0.0	36.0	0.0	0.0
3	0.0	0.0	0.0	0.0	74.0	0.0	0.0	0.0	8.0	137.0	0.0	0.0
4	0.0	0.0	0.0	58.0	94.0	20.0	8.0	0.0	0.0	28.0	56.0	0.0
5	0.0	20.0	0.0	20.0	229.0	0.0	13.0	43.0	23.0	84.0	0.0	0.0
6	0.0	38.0	0.0	0.0	241.0	0.0	0.0	0.0	0.0	0.0	64.0	36.0
7	0.0	13.0	0.0	348.0	43.0	0.0	0.0	414.0	0.0	15.0	0.0	10.0
8	0.0	0.0	0.0	69.0	135.0	0.0	0.0	0.0	0.0	125.0	0.0	94.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	244.0	404.0	0.0	109.0	13.0	0.0	0.0	71.0	15.0	0.0	0.0	31.0
12	0.0	163.0	0.0	0.0	516.0	0.0	0.0	76.0	0.0	56.0	0.0	41.0
13	0.0	8.0	0.0	0.0	125.0	0.0	269.0	10.0	0.0	10.0	5.0	15.0
14	0.0	48.0	0.0	0.0	58.0	0.0	46.0	130.0	0.0	0.0	48.0	38.0
15	0.0	66.0	226.0	0.0	18.0	58.0	0.0	8.0	25.0	0.0	0.0	147.0
16	15.0	0.0	330.0	10.0	0.0	0.0	0.0	0.0	89.0	0.0	0.0	0.0
17	0.0	0.0	109.0	18.0	13.0	0.0	0.0	43.0	0.0	0.0	0.0	53.0
18	0.0	53.0	0.0	0.0	10.0	0.0	0.0	36.0	0.0	0.0	0.0	165.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	38.0	0.0	53.0	20.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	13.0
22	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	31.0	0.0	0.0	74.0	122.0	0.0	0.0	0.0	0.0	0.0	0.0	125.0
24	25.0	0.0	0.0	74.0	0.0	8.0	0.0	0.0	0.0	203.0	53.0	61.0
25	53.0	0.0	109.0	13.0	53.0	91.0	0.0	0.0	0.0	0.0	0.0	0.0
26	155.0	0.0	5.0	0.0	84.0	0.0	76.0	0.0	0.0	0.0	0.0	0.0
27	5.0	0.0	368.0	41.0	0.0	0.0	0.0	43.0	0.0	0.0	213.0	0.0
28	0.0	0.0	315.0	333.0	0.0	0.0	31.0	0.0	38.0	0.0	0.0	0.0
29	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0,0
30	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0		0.0		0.0	0.0		0.0		0.0
Total	566.0	813.0	1515.0	1187.0	2271.0	182.0	443.0	874.0	216.0	694.0	439.0	829.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (3/25)

ID. Number: 9035079

Annu	al Rain:									·	Ur	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec_
1	0.0	0.0	117.0	340.0	188.0	28.0	0.0	0.0	36.0	25.0	15.0	0.0
2	0.0	0.0	79.0	226.0	18.0	0.0	0.0	0.0	25.0	211.0	0.0	0.0
• 3	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.0	41.0	5.0
4	0.0	0.0	208.0	13.0	0.0	0.0	56.0	124.0	0.0	33.0	155.0	0.0
. 5	0.0	0.0	46.0	51.0	0.0	0.0	0.0	28.0	102.0	0.0	0.0	0.0
6	0.0	0.0	0.0	178.0	142.0	15.0	43.0	0.0	330.0	28.0	0.0	0.0
7	0.0	0.0	0.0	41.0	13.0	274.0	51.0	165.0	0.0	38.0	0.0	0.0
8	0.0	0.0	0.0	119.0	0.0	0.0	0.0	0.0	107.0	0.0	0.0	0.0
9	0.0	0.0	28.0	229.0	0.0	0.0	36.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	104.0	0.0	0.0	13.0	145.0	0.0	0.0	201.0	0.0
11	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	175.0	0.0	0.0	0.0	20.0	36.0	0.0	0.0	178.0	0.0	0.0	0.0
13	0.0	25.0	0.0	64.0	64.0	86.0	0.0	0.0	0.0	0.0	107.0	0.0
. 14	6.0	173.0	203.0	356.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0
15	0.0	25.0	56.0	145.0	0.0	0.0	0.0	0.0	0.0	0.0	99.0	0.0
16	76.0	0.0	135.0	43.0	0.0	0.0	0.0	0,0	0.0	38.0	53.0	0.0
17	0.0	0.0	46.0	328.0	0.0	58.0	56.0	86.0	0.0	13.0	51.0	0.0
18	23.0	79.0	36.0	23.0	20.0	0.0	0.0	0.0	0.0	0.0	114.0	155.0
19	0.0	0.0	41.0	300.0	25.0	0.0	0.8	0.0	89.0	0.0	0.0	94.0
20	0.0	0.0	163.0	191.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	104.0
- 21	0.0	0.0	58.0	64.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.0
22	0.0	0.0	0.0	8.0	84.0	0.0	0.0	0.0	0.0	0.0	5.0	15.0
23	145.0	0.0	25.0	3.0	102.0	0.0	0.0	89.0	0,0	97.0	0.0	0.0
24	38.0	0.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	112.0	51.0	46.0	201.0	0.0	0.0	0.0	38.0	43.0	193.0	3.0	0.0
26	0.0	79.0	91.0	48.0	94.0	0.0	0.0	64.0	0.0	0.0	0.0	0.0
27	0.0	71.0	358.0	38.0	76.0	10.0	0.0	0.0	0.0	0.0	58.0	0.0
28	0.0	130.0	5.0	56.0	38.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0
29	0.0	0.0	56.0	0.0	58.0	0.0	0.0	25.0	81.0	0.0	0.0	0.0
-30	0.0		216.0	109.0	0.0	0.0	0.0	0.0	272.0	0.0	8.0	0.0
31	0.0		0.0		41.0	···	0.0	94.0		137.0		0.0
Total	602.0	633.0	2038.0	3278.0	983.0	507.0	263.0	858.0	1268.0	930.0	931.0	409.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (4/25)

ID. Number: 9035079

Ann	ual Rain	: 17116										Jnit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	5.0	0.0	104.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	152.0
2	0.0	0.0	20.0	23.0	102.0	0.0	38.0	0.0	0.0	0.0	0.0	102.0
3	0.0	0.0	0.0	147.0	109.0	74.0	41.0	0.0	0.0	0.0	0.0	20.0
4	0.0	0.0	56.0	13.0	86.0	104.0	0.0	0.0	0.0	0.0	0.0	0.0
5	10.0	0.0	0.0	168.0	127.0	0.0	0.0	0.0	33.0	0.0	0.0	145.0
6	165.0	0.0	20.0	203.0	38.0	0.0	0.0	0.0	0.0	18.0	76.0	46.0
7	46.0	0.0	0.0	8.0	333,0	91.0	0.0	0.0	254.0	25.0	3.0	48.0
8	127.0	0.0	0.0	89.0	318.0	20.0	406.0	0.0	0.0	0.0	13.0	0.0
9	188.0	0.0	0.0	53.0	8.0	0.0	0.0	64.0	0.0	64.0	0.0	58.0
10	13.0	0.0	0.0	0.0	86.0	0.0	0.0	0.0	3.0	38.0	0.0	0.0
11	0.0	0.0	0.0	968.0	38.0	356.0	0.0	0.0	122.0	5.0	0.0	25.0
12	0.0	198.0	13.0	132.0	307.0	33.0	0.0	0.0	0.0	51.0	20.0	51.0
13	0.0	0.0	15.0	46.0	10.0	8.0	0.0	0.0	241.0	0.0	0.0	102.0
14	15.0	20.0	183.0	51.0	74.0	0.0	3.0	69.0	0.0	46.0	0.0	0.0
15	0.0	0.0	38.0	216.0	0.0	0.0	0.0	0.0	112.0	61.0	0.0	0.0
16	0.0	0.0	94.0	0.0	175.0	84.0	0.0	36.0	0.0	391.0	25.0	0.0
17	3.0	0.0	0.0	0.0	0.0	0.0	221.0	53.0	185.0	224.0	38.0	13.0
18	0.0	0.0	69.0	0.0	140.0	8.0	0.0	0.0	41.0	180.0	0.0	64.0
19	58.0	0.0	76.0	165.0	0.0	66.0	0.0	0.0	53.0	51.0	0.0	0.0
20	0.0	. 0.0	97.0	25.0	203.0	51.0	0.0	0.0	0.0	112.0	140.0	0.0
21	0.0	5.0	203.0	25.0	5.0	51.0	0.0	0.0	0.0	71.0	0.0	10.0
22	0.0	0.0	86.0	112.0	0.0	340.0	64.0	0.0	0.0	0.0	0.0	0.0
23	0.0	18.0	155.0	0.0	0.0	0.0	5.0	23.0	38.0	23.0	23.0	. 0.0
24	58.0	0.0	38.0	241.0	0.0	79.0	117.0	0.0	23.0	145.0	43.0	0.0
25	28.0	0.0	0.0	33.0	145.0	0.0	0.0	53.0	13.0	0.0	8.0	0.0
26	84.0	0.0	13.0	295.0	157.0	0.0	0.0	183.0	64.0	64.0	86.0	218.0
27	0.0	0.0	152.0	64.0	0.0	0.0	0.0	0.0	107.0	0.0	25.0	51.0
28	0.0	185.0	91.0	15.0	3.0	3.0	0.0	135.0	0.0	0.0	0.0	114.0
29	20.0		0.0	254.0	3.0	0.0	0.0	0.0	0.0	58.0	69.0	325.0
30	0.0		0.0	84.0	3.0	3.0	0.0	0.0	0.0	0.0	373.0	53.0
31	0.0	<u> </u>	0.0		0.0	·	0.0	0.0	41	0.0		107.0
Total	820.0	426.0	1523.0	3430.0	2470.0	1371.0	895.0	619.0	1289.0	1627.0	942,0	1704.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (5/25)

ID. Number: 9035079

Anni	nal Rain:	16358									U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	10.0	0.0	0.0	20.0	51.0	0.0	0.0	53.0	28.0	28.0
2	20.0	0.0	0.0	0.0	61.0	165.0	18.0	0.0	79.0	31.0	38.0	290.0
3	8.0	0.0	13.0	0.0	18.0	48.0	5.0	0.0	0.0	0.0	13.0	155.0
4	8.0	0.0	51.0	0.0	0.0	23.0	0.0	10.0	0.0	0.0	74.0	203.0
5	15.0	0.0	97.0	0.0	229.0	119.0	10.0	25.0	107.0	0.0	0.0	5.0
6	183.0	0.0	140.0	0.0	0.0	107.0	86.0	0.0	0.0	0.0	0.0	99.0
7	0.0	0.0	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	406.0
8	0.0	58.0	0.0	71.0	284.0	94.0	0.0	0.0	0.0	0.0	0.0	10.0
9	109.0	79.0	0.0	0.0	61.0	0.0	0.0	41.0	0.0	0.0	0.0	203.0
- 10	13.0	89.0	0.0	0.0	0.0	15.0	0.0	25.0	3.0	0.0	28.0	0.0
11	0.0	86.0	0.0	0.0	10.0	20.0	0.0	10.0	0.0	94.0	0.0	165.0
12	66.0	51.0	0.0	107.0	310.0	56.0	3.0	0.0	0.0	10.0	84.0	0.0
13	0.18	46.0	5.0	157.0	109.0	0.0	0.0	132.0	0.0	0.0	84.0	0.0
14	25.0	38.0	79.0	236.0	81.0	0.0	0.0	0.0	0.0	91.0	76.0	0.0
15	63.0	58.0	56.0	251.0	18.0	0.0	23.0	36.0	76.0	0.0	0.0	0.0
16	0.0	86.0	287.0	389.0	13.0	0.0	13.0	51.0	107.0	0.0	155.0	0.0
17	0.0	0.0	124.0	302.0	152.0	0.0	0.0	145.0	0.0	0.0	10.0	0.0
18	25.0	0.0	97.0	18.0	25.0	0.0	0.0	335.0	10.0	0.0	127.0	0.0
. 19	0.0	0.0	10.0	13.0	18.0	0.0	5.0	0.0	15.0	0.0	173.0	0.0
20	495.0	0.0	18.0	234.0	0.0	0.0	18.0	0.0	0.0	0.0	41.0	0.0
21	58.0	0.0	0.0	63.0	23.0	0.0	0,0	0.0	36.0	0.0	48.0	84.0
22	104.0	0.0	0.0	81.0	117.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0
23	66.0	5.0	0.0	58.0	58.0	51.0	0.0	36.0	0.0	69.0	20.0	0.0
24	0.0	71.0	0.0	0.0	211.0	0.0	0.0	51.0	0.0	0.0	25.0	38.0
25	165.0	5.0	36.0	198.0	58.0	0.0	0.0	63.0	0.0	0.0	15.0	63.0
26	239.0	10.0	38.0	183.0	5.0	0.0	0.0	0.0	0.0	0.0	188.0	147.0
27	33.0	117.0	0.0	340.0	38.0	0.0	127.0	0.0	0.0	71.0	178.0	198.0
28	0.0	25.0	31.0	127.0	38.0	10.0	254.0	0.0	0.0	56.0	343.0	3.0
29	0.0		56.0	81.0	15.0	3.0	0.0	28.0	0.0	76.0	114.0	0.0
30	0.0		25.0	0.0	5.0	0.0	0.0	0.0	25.0	38.0	18.0	188.0
31	0.0		0.0		0.0		0.0	61.0		0.0	·	91.0
Total	1776.0	824.0	1186.0	2909.0	1957.0	731.0	613.0	1049.0	458.0	589.0	1890.0	2376.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (6/25)

ID. Number: 9035079

Annu	al Rain :	11611									. [Jnit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	91.0	0.0	0.0	46.0	66.0	0.0	0.0	0.0	0.0	0.0	0.0	30.0
2	0.0	0.0	0.0	406.0	0.0	0.0	86.0	48.0	0.0	48.0	: 0.0	86.0
3	0.0	71.0	0.0	107.0	0.0	0.0	0.0	0.0	5.0	53.0	0.0	122.0
4	38.0	38.0	0.0	0.0	0.0	119.0	251.0	0.0	56.0	0.0	0.0	0.0
5	0.0	86.0	0.0	122.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	287.0	0.0	132.0	0.0	0.0	51.0	0.0	30.0	0.0	0.0	0.0
7	0.0	23.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	79.0	63.0	0.0	0.0	0.0	51.0	30.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	102.0	0.0	33.0	0.0	0.0	0.0	91.0	0.0	0.0
10	0.0	0.0	0.0	114.0	325.0	0.0	0.0	0.0	0.0	23.0	46.0	0.0
11	0.0	0.0	0.0	15.0	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	8.0	0.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	79.0	0.0
13	0.0	53.0	0.0	170.0	0.0	315.0	0.0	0.0	0.0	58.0	0.0	0.0
. 14	0.0	0.0	0.0	107.0	246.0	0.0	0.0	0.0	0.0	20.0	23.0	0.0
15	5.0	46.0	0.0	0.0	61.0	0.0	0.0	190.0	71.0	0.0	46.0	0.0
16	0.0	33.0	0.0	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	127.0	56.0	269.0	381.0	99.0	0.0	0.0	142.0	0.0	0.0	0.0	28.0
18	48.0	0.0	56.0	231.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61.0
·· 19	5.0	53.0	0.0	43.0	132.0	0.0	0.0	10.0	0.0	0.0	0.0	102.0
20	13.0	0.0	46.0	279.0	0.0	0.0	0.0	112.0	0.0	0.0	0.0	137.0
21	157.0	0.0	122.0	0.0	0.0	89.0	0.0	0.0	0.0	46.0	0.0	20.0
22	0.0	0.0	36.0	323.0	0.0	0.0	0.0	0.0	0.0	53.0	0.0	63.0
23	0.0	0.0	107.0	417.0	0.0	0.0	0.0	71.0	0.0	38.0	0.0	147.0
24	0.0	142.0	224.0	58.0	0.0	33.0	76.0	0.0	53.0	0.0	0.0	18.0
25	0.0	0.0	0.0	312.0	0.0	0.0	30.0	0.0	63.0	0.0	0.0	30.0
26	0.0	0.0	264.0	43.0	0.0	122.0	0.0	0.0	0.0	0.0	0.0	155.0
27	0.0	0.0	0.0	226.0	0.0	0.0	48.0	0.0	30.0	0.0	0.0	102.0
28	0.0	0.0	0.0	251.0	0.0	0.0	25.0	0.0	20.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	38.0		0.0	0.0	0.0	0.0	51.0	0.0	0.0	0.0	. 0.0	0.0
31	0.0		0,0		0.0		13.0	0.0		0.0		0.0
Total	601.0	959.0	1124.0	3921.0	957.0	762.0	661.0	573.0	328.0	430.0	194.0	1101.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (7/25)

ID. Number: 9035079

Ann	ual Rain :	15310							,		Ţ	Init : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	135.0	86.0	0.0	15.0	274.0	48.0	18.0	0.0	71.0	0.0	89.0	0.0
2	48.0	76.0	0.0	25.0	69.0	99.0	0.0	0.0	36.0	124.0	53.0	229.0
- 3	490.0	0.0	63.0	117.0	173.0	0.0	71.0	0.0	0.0	0.0	97.0	320.0
4	25.0	127.0	53.0	30.0	3.0	122.0	36.0	0.0	0.0	0.0	0.0	0.0
5	20.0	0.0	61.0	0.0	0.0	0.0	5.0	25.0	0.0	0.0	0.0	0.0
6	0.0	91.0	0.0	0.0	246.0	0.0	0.0	0.0	0.0	61.0	117.0	0.0
7	13.0	0.0	0.0	0.0	84.0	170.0	0.0	0.0	0.0	0.0	0.0	0.0
8	152.0	0.0	0.0	0.0	20.0	0.0	63.0	117.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	147.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	43.0	0.0	0.0	43.0	0.0	0.0
11	76.0	0.0	0.0	48.0	137.0	0.0	0.0	5.0	302.0	0.0	320.0	23.0
12	236.0	0.0	0.0	79.0	91.0	0.0	0.0	25.0	0.0	0.0	46.0	0.0
13	0.0	0.0	0.0	51.0	23.0	0.0	0.0	0.0	74.0	0.0	0.0	0.0
14	0.0	0.0	28.0	406.0	262.0	0.0	0.0	0.0	0.0	0.0	0.0	84.0
15	0.0	0.0	0.0	38.0	0.0	0.0	193.0	0.0	18.0	0.0	218.0	20.0
16	0.0	0.0	91.0	150.0	48.0	0.0	38.0	0.0	0.0	94.0	0.0	61.0
- 17	0.0	0.0	0.0	38.0	15.0	0.0	152.0	0.0	0.0	36.0	63.0	173.0
18	0.0	0.0	0.0	112.0	216.0	145.0	0.0	86.0	58.0	71.0	0.0	180.0
19	0.0	0.0	0.0	254.0	25.0	206.0	0.0	18.0	221.0	66.0	0.0	0.0
20	13.0	0.0	0.0	122.0	0.0	0.0	0.0	201.0	8.0	328.0	0.0	0.0
21	10.0	0.0	0.0	69.0	498.0	0.0	41.0	0.0	0.0	185.0	0.0	0.0
22	0.0	0.0	0.0	48.0	53.0	102.0	0.0	0.0	0.0	0.0	41.0	0.0
23	18.0	0.0	76.0	325.0	23.0	173.0	43.0	0.0	0.0	43.0	33.0	0.0
24	0.0	0.0	188.0	117.0	0.0	0.0	0.0	43.0	91.0	0.0	97.0	0.0
25	0.0	0.0	0.0	36.0	0.0	13.0	0.0	0.0	0.0	0.0	48.0	150.0
26	152.0	0.0	69.0	203.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	30.0
27	0.0	0.0	20.0	244.0	15.0	25.0	0.0	23.0	201.0	0.0	0.0	0.0
28	0.0	0.0	137.0	145.0	0.0	20.0	0.0	0.0	0.0	5.0	0.0	0.0
29	0.0		0.0	236.0	0.0	0.0	0.0	0.0	0.0	94.0	41.0	0.0
30	0.0		0.0	0.0	0.0	0.0	38.0	0.0	0.0	104.0	58.0	0.0
31	0.0		0.0		13.0		0.0	25.0	·.	46.0		0.0
<u>Total</u>	1388.0	380.0	786.0	2908.0	2288.0	1123.0	888.0	578.0	1080.0	1300.0	1321.0	1270.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (8/25)

Date Jan Feb Mar Apr May Jun Jul Aug Sep Oct New Dec		2 (461)						•					
1 0.0 300.0 0.0 41.0 0.0 0.0 0.0 140.0 0.0 2 0.0 229.0 10.0 0.0 284.0 0.0 0.0 0.0 185.0 0.0 109.0 0.0 3 0.0 15.0 0.0 0.0 18.0 13.0 112.0 0.0 206.0 0.0 0.0 0.0 4 0.0 0.0 170.0 0.0 0.0 0.0 0.0 102.0 0.0 102.0 0.0 147.0 43.0 5 0.0 0.0 166.0 0.0 119.0 0.0 81.0 0.0 141.0 56.0 58.0 6 0.0 15.0 25.0 0.0 10.0 0.0 71.0 0.0 99.0 84.0 61.0 0.0 0.0 0.0 15.0 25.0 0.0 0.0 0.0 0.0 574.0 0.0 30.0 0.0 0.0 15.0 25.0 <	Annu	al Rain	15676							A			
2 0.0 229.0 10.0 0.0 284.0 0.0 0.0 185.0 0.0 109.0 0.0 3 0.0 15.0 0.0 0.0 18.0 13.0 112.0 0.0 206.0 0.0 0.0 0.0 4 0.0 0.0 170.0 0.0 0.0 0.0 0.0 102.0 0.0 147.0 43.0 5 0.0 0.0 160.0 0.0 119.0 0.0 81.0 0.0 15.0 41.0 56.0 58.0 6 0.0 15.0 25.0 0.0 10.0 0.0 71.0 0.0 99.0 84.0 61.0 0.0 7 0.0 0.0 0.0 188.0 0.0 102.0 28.0 18.0 20.0 91.0 0.0 8 0.0 244.0 0.0 142.0 0.0 0.0 0.0 15.0 25.0 0.0 10 122.0 15	Date	Jan	Feb	Mar	Apr	May	Jun	Jul		Sep	Oct		
3 0.0 15.0 0.0 0.0 18.0 13.0 112.0 0.0 206.0 0.0 0.0 0.0 4 0.0 0.0 170.0 0.0 0.0 0.0 102.0 0.0 147.0 43.0 5 0.0 0.0 160.0 0.0 119.0 0.0 81.0 0.0 15.0 41.0 56.0 58.0 6 0.0 15.0 25.0 0.0 119.0 0.0 81.0 0.0 15.0 41.0 56.0 58.0 6 0.0 15.0 25.0 0.0 10.0 0.0 71.0 0.0 99.0 84.0 61.0 0.0 0.0 10.0 99.0 84.0 61.0 0.0 0.0 10.0 50.0 11.0 0.0 99.0 84.0 61.0 0.0 10.0 0.0 10.0 0.0 10.0 0.0 10.0 10.0 0.0 10.0 10.0 10.0 10.0 0.0 10.0 15.0 <td< td=""><td>1</td><td>0.0</td><td>300.0</td><td>0.0</td><td>0.0</td><td>41.0</td><td>0.0</td><td>0.0</td><td>0.0</td><td>0.0</td><td></td><td></td><td></td></td<>	1	0.0	300.0	0.0	0.0	41.0	0.0	0.0	0.0	0.0			
4 0.0 0.0 170.0 0.0 0.0 0.0 102.0 0.0 147.0 43.0 5 0.0 0.0 160.0 0.0 119.0 0.0 81.0 0.0 15.0 41.0 56.0 58.0 6 0.0 15.0 25.0 0.0 10.0 0.0 71.0 0.0 99.0 84.0 61.0 0.0 7 0.0 0.0 0.0 18.0 188.0 0.0 102.0 28.0 18.0 20.0 91.0 0.0 8 0.0 244.0 0.0 142.0 0.0 0.0 0.0 574.0 0.0 30.0 0.0 9 38.0 76.0 5.0 61.0 0.0 107.0 18.0 0.0 0.0 30.0 0.0 15.0 0.0 10.0 0.0 15.0 0.0 10.0 0.0 15.0 0.0 10.0 0.0 15.0 0.0 18.0 0.0	2	0.0	229.0	10.0	0.0	284.0	0.0	0.0	0.0				
5 0.0 0.0 160.0 0.0 119.0 0.0 81.0 0.0 15.0 41.0 56.0 58.0 6 0.0 15.0 25.0 0.0 10.0 0.0 71.0 0.0 99.0 84.0 61.0 0.0 7 0.0 0.0 0.0 18.0 188.0 0.0 102.0 28.0 18.0 20.0 91.0 0.0 8 0.0 244.0 0.0 142.0 0.0 0.0 0.0 574.0 0.0 30.0 0.0 9 38.0 76.0 5.0 61.0 0.0 107.0 18.0 0.0 0.0 30.0 0.0 10 122.0 150.0 61.0 13.0 0.0 0.0 0.0 15.0 41.0 0.0 0.0 11 0.0 86.0 0.0 625.0 0.0 0.0 13.0 41.0 15.0 38.0 0.0 0.0 13.0 <	3	0.0	15.0	0.0	0.0	18.0	13.0	112.0	0.0	206.0	0.0	0.0	0.0
6 0.0 15.0 25.0 0.0 10.0 0.0 71.0 0.0 99.0 84.0 61.0 0.0 7 0.0 0.0 0.0 18.0 188.0 0.0 102.0 28.0 18.0 20.0 91.0 0.0 8 0.0 244.0 0.0 142.0 0.0 0.0 0.0 574.0 0.0 30.0 0.0 9 38.0 76.0 5.0 61.0 0.0 107.0 18.0 0.0 0.0 15.0 25.0 0.0 10 122.0 150.0 61.0 13.0 0.0 0.0 0.0 15.0 41.0 0.0 0.0 11 0.0 86.0 0.0 625.0 0.0 0.0 13.0 41.0 150.0 0.0 0.0 18.0 0.0 18.0 0.0 18.0 0.0 0.0 18.0 0.0 0.0 0.0 18.0 0.0 18.0 0.0	4	0.0	0.0	170.0	0.0	0.0	0.0	0.0	0.0	102.0	0.0	147.0	43.0
7 0,0 0,0 18.0 188.0 0.0 102.0 28.0 18.0 20.0 91.0 0.0 8 0,0 244,0 0.0 142.0 0.0 0.0 0.0 574.0 0.0 30.0 0.0 9 38.0 76.0 5.0 61.0 0.0 107.0 18.0 0.0 0.0 15.0 25.0 0.0 10 122.0 150.0 61.0 13.0 0.0 0.0 0.0 15.0 41.0 0.0 0.0 11 0.0 86.0 0.0 625.0 0.0 0.0 13.0 41.0 150.0 38.0 0.0 0.0 12 0.0 63.0 46.0 145.0 0.0 104.0 23.0 0.0 51.0 0.0 18.0 0.0 13 36.0 0.0 15.0 0.0 10.0 0.0 0.0 10.0 0.0 18.0 0.0 0.0 0.0	5	0.0	0.0	160.0	0.0	119.0	0.0	81.0	0.0	15.0	41.0	56.0	58.0
8 0.0 244.0 0.0 142.0 0.0 0.0 0.0 574.0 0.0 30.0 0.0 9 38.0 76.0 5.0 61.0 0.0 107.0 18.0 0.0 0.0 15.0 25.0 0.0 10 122.0 150.0 61.0 13.0 0.0 0.0 0.0 15.0 41.0 0.0 0.0 11 0.0 86.0 0.0 625.0 0.0 0.0 13.0 41.0 150.0 38.0 0.0 0.0 12 0.0 63.0 46.0 145.0 0.0 104.0 23.0 0.0 51.0 0.0 18.0 0.0 13 36.0 0.0 155.0 0.0 10.0 0.0 0.0 10.0 0.0 10.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	6	0.0	15.0	25.0	0.0	10.0	÷: 0.0	71.0	0.0	99.0	84.0	61.0	0.0
9 38.0 76.0 5.0 61.0 0.0 107.0 18.0 0.0 0.0 15.0 25.0 0.0 10 122.0 150.0 61.0 13.0 0.0 0.0 0.0 15.0 41.0 0.0 0.0 11 0.0 86.0 0.0 625.0 0.0 0.0 13.0 41.0 150.0 38.0 0.0 0.0 12 0.0 63.0 46.0 145.0 0.0 104.0 23.0 0.0 51.0 0.0 18.0 0.0 13 36.0 0.0 15.0 0.0 0.0 0.0 0.0 10.0 0.0 <td>7</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>18.0</td> <td>188.0</td> <td>0.0</td> <td>102.0</td> <td>28.0</td> <td>18.0</td> <td>20.0</td> <td>91.0</td> <td>0.0</td>	7	0.0	0.0	0.0	18.0	188.0	0.0	102.0	28.0	18.0	20.0	91.0	0.0
10 122.0 150.0 61.0 13.0 0.0 0.0 0.0 15.0 41.0 0.0 0.0 0.0 11 0.0 86.0 0.0 625.0 0.0 0.0 13.0 41.0 150.0 38.0 0.0 0.0 0.0 12 0.0 63.0 46.0 145.0 0.0 104.0 23.0 0.0 51.0 0.0 18.0 0.0 13.3 36.0 0.0 15.0 0.0 0.0 0.0 0.0 10.0 0.	. 8	0.0	244.0	0.0	142.0	0.0	0.0	0.0	0.0	574.0	0.0	30.0	0.0
11 0.0 86.0 0.0 625.0 0.0 0.0 13.0 41.0 150.0 38.0 0.0 0.0 12 0.0 63.0 46.0 145.0 0.0 104.0 23.0 0.0 51.0 0.0 18.0 0.0 13 36.0 0.0 15.0 0.0 0.0 0.0 0.0 10.0 0.0 0.0 0.0 14 0.0 127.0 234.0 155.0 0.0 157.0 104.0 38.0 0.0 18.0 0.0 0.0 0.0 18.0 0.0 0.0 0.0 18.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0<	9	38.0	76.0	5.0	61.0	0.0	107.0	18.0	0.0	0.0	15.0	25.0	0.0
12 0.0 63.0 46.0 145.0 0.0 104.0 23.0 0.0 51.0 0.0 18.0 0.0 13 36.0 0.0 15.0 0.0 0.0 0.0 0.0 10.0 0.0 0.0 0.0 14 0.0 127.0 234.0 155.0 0.0 157.0 104.0 38.0 0.0 18.0 0.0 0.0 0.0 15.0 269.0 0.0 0.0 0.0 0.0 0.0 15.0 269.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 </td <td>10</td> <td>122.0</td> <td>150.0</td> <td>61.0</td> <td>13.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>15.0</td> <td>41.0</td> <td>0.0</td> <td>0.0</td>	10	122.0	150.0	61.0	13.0	0.0	0.0	0.0	0.0	15.0	41.0	0.0	0.0
13 36.0 0.0 15.0 0.0 0.0 0.0 0.0 10.0 0.0 </td <td>11</td> <td>0.0</td> <td>86.0</td> <td>0.0</td> <td>625.0</td> <td>0.0</td> <td>0.0</td> <td>13.0</td> <td>41.0</td> <td>150.0</td> <td>38.0</td> <td>0.0</td> <td>0.0</td>	11	0.0	86.0	0.0	625.0	0.0	0.0	13.0	41.0	150.0	38.0	0.0	0.0
14 0.0 127.0 234.0 155.0 0.0 157.0 104.0 38.0 0.0 <	12	0.0	63.0	46.0	145.0	0.0	104.0	23.0	0.0	51.0	0.0	18.0	0.0
15 0.0 0.0 188.0 41.0 0.0 38.0 0.0 0.0 0.0 175.0 0.0 16 0.0 53.0 163.0 107.0 0.0 63.0 0.0 18.0 0.0 0.0 0.0 0.0 17 0.0 33.0 130.0 196.0 0.0 0.0 15.0 269.0 0.0 0.0 0.0 0.0 18 0.0 216.0 0.0 0.0 81.0 0.0 0.0 15.0 269.0 0.0 0.0 0.0 0.0 19 0.0 216.0 0.0 0.0 81.0 0.0 0.0 15.0 0.0	13	36.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0
16 0.0 53.0 163.0 107.0 0.0 63.0 0.0 18.0 0.0 0.0 0.0 0.0 18.0 0.0	14	0.0	127.0	234.0	155.0	0.0	157.0	104.0	38.0	0.0	0.0	0.0	0.0
17 0.0 33.0 130.0 196.0 0.0 0.0 15.0 269.0 0.0 0.0 0.0 0.0 18 0.0 216.0 0.0 0.0 81.0 0.0 0.0 15.0 0.0 <	15	0.0	0.0	188.0	41.0	0.0	38.0	0.0	0.0	0.0	0.0	175.0	0.0
18 0.0 216.0 0.0 0.0 81.0 0.0 0.0 15.0 0.0 <t< td=""><td>16</td><td>0.0</td><td>53.0</td><td>163.0</td><td>107.0</td><td>0.0</td><td>63.0</td><td>0.0</td><td>18.0</td><td>0.0</td><td>0.0</td><td>0.0</td><td>0.0</td></t<>	16	0.0	53.0	163.0	107.0	0.0	63.0	0.0	18.0	0.0	0.0	0.0	0.0
19 0.0 0.0 163.0 38.0 0.0 <td< td=""><td>17</td><td>0.0</td><td>33.0</td><td>130.0</td><td>196.0</td><td>0.0</td><td>0.0</td><td>15.0</td><td>269.0</td><td>0.0</td><td>0.0</td><td>0.0</td><td>0.0</td></td<>	17	0.0	33.0	130.0	196.0	0.0	0.0	15.0	269.0	0.0	0.0	0.0	0.0
20 0.0 89.0 38.0 135.0 312.0 0.0 46.0 0.0 0.0 0.0 89.0 0.0 21 8.0 33.0 91.0 0.0 0.0 0.0 0.0 0.0 13.0 0.0 28.0 0.0 22 99.0 66.0 48.0 0.0 0.0 0.0 0.0 0.0 0.0 89.0 0.0 0.0 23 58.0 15.0 51.0 99.0 15.0 0.0 0.0 56.0 30.0 0.0 0.0 0.0 24 0.0 0.0 0.0 272.0 25.0 0.0 0.0 323.0 0.0 0.0 0.0 0.0 25 0.0 61.0 0.0 277.0 0.0 0.0 193.0 160.0 0.0 0.0 0.0 0.0 26 0.0 36.0 0.0 84.0 0.0 0.0 0.0 216.0 0.0 284.0 0.0 0.0 27 0.0 28.0 193.0 338.0 0.0 0	. 18	0.0	216.0	0.0	0.0	81.0	0.0	0.0	15.0	0.0	0.0	0.0	0.0
21 8.0 33.0 91.0 0.0 0.0 0.0 0.0 13.0 0.0 28.0 0.0 22 99.0 66.0 48.0 0.0 0.0 0.0 0.0 0.0 0.0 89.0 0.0 0.0 23 58.0 15.0 51.0 99.0 15.0 0.0 0.0 56.0 30.0 0.0 0.0 0.0 24 0.0 0.0 0.0 272.0 25.0 0.0 0.0 323.0 0.0 0.0 0.0 0.0 25 0.0 61.0 0.0 277.0 0.0 0.0 193.0 160.0 0.0 0.0 0.0 0.0 26 0.0 36.0 0.0 84.0 0.0 0.0 0.0 216.0 0.0 284.0 0.0 0.0 27 0.0 28.0 193.0 338.0 0.0 0.0 627.0 0.0 36.0 0.0 66.0	19	0.0	0.0	0.0	163.0	38.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22 99.0 66.0 48.0 0.0 0.0 0.0 0.0 0.0 0.0 89.0 0.0 0.0 23 58.0 15.0 51.0 99.0 15.0 0.0 0.0 56.0 30.0 0.0 0.0 0.0 24 0.0 0.0 0.0 272.0 25.0 0.0 0.0 323.0 0.0 0.0 0.0 0.0 25 0.0 61.0 0.0 277.0 0.0 0.0 193.0 160.0 0.0 0.0 0.0 0.0 26 0.0 36.0 0.0 84.0 0.0 0.0 216.0 0.0 284.0 0.0 0.0 27 0.0 28.0 193.0 338.0 0.0 0.0 627.0 0.0 36.0 0.0 66.0	20	0.0	89.0	38.0	135.0	312.0	0.0	46.0	0.0	0.0	0.0	89.0	0.0
23 58.0 15.0 51.0 99.0 15.0 0.0 0.0 56.0 30.0 0.0 0.0 0.0 24 0.0 0.0 0.0 272.0 25.0 0.0 0.0 323.0 0.0 0.0 0.0 0.0 25 0.0 61.0 0.0 277.0 0.0 0.0 193.0 160.0 0.0 0.0 0.0 0.0 26 0.0 36.0 0.0 84.0 0.0 0.0 216.0 0.0 284.0 0.0 0.0 27 0.0 28.0 193.0 338.0 0.0 0.0 627.0 0.0 36.0 0.0 66.0	21	8.0	33.0	91.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	28.0	0.0
24 0.0 0.0 0.0 272.0 25.0 0.0 0.0 323.0 0.0 0.0 0.0 0.0 25 0.0 61.0 0.0 277.0 0.0 0.0 193.0 160.0 0.0 0.0 0.0 0.0 26 0.0 36.0 0.0 84.0 0.0 0.0 0.0 216.0 0.0 284.0 0.0 0.0 27 0.0 28.0 193.0 338.0 0.0 0.0 627.0 0.0 36.0 0.0 66.0	22	99.0	66.0	48.0	0.0	0.0	0.0	0.0	0.0	0.0	89.0	0.0	0.0
25 0.0 61.0 0.0 277.0 0.0 0.0 193.0 160.0 0.0 0.0 0.0 0.0 26 0.0 36.0 0.0 84.0 0.0 0.0 0.0 216.0 0.0 284.0 0.0 0.0 27 0.0 28.0 193.0 338.0 0.0 0.0 627.0 0.0 36.0 0.0 66.0	23	58.0	15.0	51.0	99.0	15.0	0.0	0.0	56.0	30.0	0.0	0.0	0.0
26 0.0 36.0 0.0 84.0 0.0 0.0 0.0 216.0 0.0 284.0 0.0 0.0 27 0.0 28.0 193.0 338.0 0.0 0.0 627.0 0.0 36.0 0.0 66.0	24	0.0	0.0	0.0	272.0	25.0	0.0	0.0	323.0	0.0	0.0	0.0	0.0
27 0.0 28.0 193.0 338.0 0.0 0.0 627.0 0.0 36.0 0.0 66.0	25	0.0	61.0	0.0	277.0	0.0	0.0	193.0	160.0	0.0	0.0	0.0	0.0
	26	0.0	36.0	0.0	84.0	0.0	0.0	0.0	216.0	0.0	284.0	0.0	0,0
	27	0.0	28.0	193.0	338.0	0.0	0.0	0.0	627.0	0.0	36.0	0.0	66.0
28 0.0 38.0 20.0 541.0 0.0 0.0 0.0 10.0 0.0 0.0 0.0 0.0	28	0.0	38.0	20.0	541.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0
29 0.0 107.0 81.0 0.0 0.0 10.0 0.0 0.0 13.0 0.0				107.0	81.0	0.0	0.0	0.0	10.0	0.0	0.0	13.0	0.0
30 58.0 86.0 0.0 0.0 0.0 0.0 229.0 0.0 0.0 3.0								0.0	229.0	0.0	0.0	0.0	3.0
31 81.0 152.0 0.0 0.0 10.0 0.0 8.0						0.0		0.0	10.0		0.0		8.0
Total 500.0 1973.0 1993.0 3493.0 1131.0 482.0 778.0 2050.0 1468.0 648.0 982.0 178.0		***************************************	1973.0		3493.0	1131.0	482.0	778.0	2050.0	1468.0	648.0	982.0	178.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (9/25)

Annu	al Rain:	12667									U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	15.0	231.0	152.0	295.0	0.0	0.0	0.0	18.0	0.0	23.0
2	0.0	97.0	0.0	117.0	61.0	89.0	0.0	0.0	46.0	0.0	109.0	0.0
3	0.0	18.0	48.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	345.0
4	0.0	63.0	84.0	25.0	0.0	0.0	18.0	0.0	0.0	0.0	0.0	157.0
5	13.0	0.0	0.0	114.0	28.0	231.0	0.0	20.0	0.0	0.0	0.0	51.0
6	10.0	241.0	10.0	0.0	25.0	0.0	0.0	91.0	0.0	10.0	0.0	119.0
. 7	0.0	43.0	168.0	0.0	363.0	0.0	119.0	0.0	0.0	0.0	0.0	165.0
8	0.0	175.0	0.0	163.0	323.0	0.0	0.0	0.0	0.0	33.0	0.0	0.0
9	0.0	58.0	10.0	66.0	168.0	0.0	33.0	28.0	63.0	0.0	0.0	25.0
10	0.0	15.0	0.0	150.0	71.0	0.0	0.0	20.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	8.0	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0
14	0.0	3.0	0.0	127.0	0.0	0.0	0.0	0.0	84.0	0.0	84.0	0.0
· 15	0.0	0.0	66.0	0.0	0.0	0.0	0.0	0.0	28.0	124.0	58.0	0.0
16	0.0	0.0	36.0	0.0	23.0	28.0	0.0	0.0	18.0	30.0	0.0	0.0
17	0.0	0.0	0.0	363.0	10.0	84.0	61.0	67.0	18.0	0.0	112.0	0.0
: 18	0.0	0.0	0.0	38.0	211.0	0.0	38.0	42.0	0.0	43.0	0.0	56.0
19	0.0	0.0	0.0	18.0	0.0	30.0	38.0	5.0	0.0	0.0	142.0	0.0
20	0.0	0.0	0.0	91.0	76.0	0.0	0.0	0.0	117.0	0.0	99.0	15.0
21	0.0	0.0	0.0	0.0	15.0	13.0	150.0	23.0	51.0	0.0	74.0	0.0
22	0.0	114.0	0.0	211.0	58.0	76.0	0.0	3.0	48.0	127.0	86.0	0.0
23	10.0	0.0	56.0	0.0	0.0	0.0	0.0	0.0	0.0	94.0	0.0	0.0
24	0.0	0.0	79.0	51.0	0.0	0.0	333.0	0.0	91.0	41.0	94.0	0.0
25	0.0	0.0	310.0	109.0	147.0	0.0	0.0	0.0	0.0	112.0	43.0	56.0
26	0.0	0.0	0.0	140.0	43.0	114.0	20.0	0.0	99.0	13.0	152.0	0.0
27	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	0.0	23.0	84.0	0.0
28	0.0	0.0	76.0	0.0	10.0	15.0	0.0	0.0	0.0	246.0	170.0	0.0
29	0.0		150.0	0.0	0.0	41.0	0.0	0.0	76.0	69.0	102.0	25.0
30	0.0	4 M	109.0	147.0	0.0	25.0	0.0	0.0	5.0	13.0	63.0	0.0
31	0.0		74.0		15.0		0.0	0.0		0.0		0.0
Total	33,0	827.0	1299.0	2247.0	1799.0	1054.0	810.0	299.0	769.0	996.0	1497.0	1037.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (10/25)

	rear :	1900										
Ann	ual Rain	15394									U	Init : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	122.0	165.0	74.0	63.0	0.0	0.0	0.0	0.0	79.0	183.0
2	0.0	422.0	140.0	173.0	102.0	0.0	0.0	0.0	0.0	0.0	0.0	147.0
3	0.0	140.0	79.0	28.0	48.0	51.0	0.0	0.0	0.0	0.0	91.0	13.0
4	0.0	15.0	81.0	538.0	135.0	74.0	0.0	0.0	0.0	0.0	18.0	38.0
5	0.0	0.0	63.0	124.0	89.0	0.0	0.0	8.0	0.0	0.0	99.0	102.0
6	0.0	0.0	38.0	25.0	290.0	0.0	234.0	221.0	0.0	0.0	56.0	0.0
7	0.0	36.0	71.0	8.0	0.0	0.0	0.0	0.0	102.0	104.0	0.0	173.0
. 8	0.0	63.0	38.0	145.0	0.0	0.0	0.0	0.0	0.0	66.0	0.0	180.0
9	0.0	0.0	114.0	18.0	142.0	38.0	0.0	0.0	0.0	173.0	36.0	94.0
10	8.0	76.0	0.0	249.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	61.0
11	23.0	160.0	99.0	102.0	71.0	63.0	0.0	0.0	28.0	0.0	- 30.0	0.0
12	0.0	0.0	0.0	0.0	145.0	23.0	38.0	. 107.0	0.0	0.0	0.0	23.0
13	0.0	0.0	51.0	264.0	18.0	79.0	0.0	13.0	0.0	0.0	13.0	33.0
14	0.0	38.0	0.0	295.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	63.0	36.0	0.0	0.0	69.0	0.0	0.0	0.0	18.0
16	0.0	185.0	0.0	0.0	0.0	25.0	23.0	292.0	0.0	0.0	157.0	0.0
17	0.0	0.0	0.0	0.0	0.0	124.0	0.0	0.0	112.0	0.0	0.0	18.0
18	0.0	0.0	0.0	0.0	102.0	33.0	0.0	0.0	99.0	0.0	0.0	46.0
19	0.0	0.0	0.0	409.0	0.0	0.0	0.0	0.0	0.0	160.0	0.0	0.0
20	0.0	0.0	0.0	36.0	114.0	0.0	20.0	0.0	0.0	0.0	0.0	0.0
21	0.0	137.0	9.0	30.0	53.0	66.0	135.0	79.0	0.0	104.0	0.0	0.0
22	0.0	23.0	0.0	155.0	0.0	0.0	0.0	41.0	- 0.0	0.0	104.0	3.0
23	0.0	0.0	99.0	234.0	0.0	147.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	66.0	91.0	30.0	0.0	23.0	8.0	63.0	0.0	249.0	0.0
25	0.0	157.0	0.0	112.0	46.0	0.0	0.0	18.0	0.0	124.0	86.0	0.0
26	0.0	0.0	236.0	201.0	41.0	0.0	5.0	0.0	0.0	51.0	0.0	0.0
27	0.0	140.0	0.0	163.0	36.0	0.0	0.0	0.0	0.0	0.0	69.0	20.0
28	41.0	0.0	104.0	66.0	0.0	0,0	0.0	28.0	0.0	0.0	8.0	0.0
29	335.0		0.0	71.0	0.0	0.0	0.0	0.0	0.0	97.0	102.0	157.0
30	46.0		0.0	43.0	63.0	10.0	36.0	0.0	0.0	76.0	188.0	97.0
31	5.0		48.0		3.0	····	41.0	0.0		0.0	·	30.0
Total	458.0	1592.0	1458.0	3808.0	1638.0	796.0	555.0	904.0	404.0	955.0	1390.0	1436.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (11/25)

ID. Number: 9035079

Annı	ual Rain :	12779									U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	30.0	0.0	38.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0
. 2	0.0	0.0	0.0	0.0	99.0	0.0	0.0	0.0	23.0	0.0	0.0	0.0
3	0.0	15.0	201.0	0.0	0.0	0.0	41.0	0.0	48.0	0.0	0.0	0.0
4	10.0	0.0	33.0	0.0	104.0	0.0	. 0.0	0.0	53.0	0.0	0.0	48.0
5	89.0	0.0	66.0	51.0	5.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0
- 6	74.0	0.0	0.0	0.0	97.0	226.0	0.0	0.0	109.0	0.0	0.0	229.0
. 7	0.0	0.0	0.0	168.0	0.0	0.0	104.0	0.0	0.0	63.0	0.0	0.0
8	0.0	81.0	0.0	74.0	0.0	114.0	97.0	0.0	0.0	43.0	0.0	84.0
9	0.0	0.0	0.0	366.0	86.0	3.0	10.0	102.0	0.0	36.0	140.0	0.0
10	0.0	145.0	127.0	0.0	0.0	36.0	0.0	0.0	0.0	0.0	15.0	0.0
11	0.0	0.0	30.0	0.0	97.0	51.0	0.0	0.0	196.0	0.0	79.0	0.0
12	0.0	33.0	302.0	58.0	0.0	396.0	0.0	33.0	0.0	0.0	140.0	0.0
13	0.0	76.0	15.0	30.0	28.0	94.0	0.0	46.0	15.0	0.0	236.0	0.0
14	0.0	58.0	0.0	0.0	145.0	18.0	0.0	0.0	48.0	23.0	69.0	0.0
15	0.0	221.0	0.0	0.0	183.0	23.0	0.0	0.0	79.0	0.0	0.0	30.0
16	0.0	30.0	0.0	46.0	13.0	104.0	0.0	0.0	5.0	18.0	58.0	33.0
17	0.0	104.0	0.0	122.0	51.0	0.0	0.0	5.0	18.0	25.0	0.0	0.0
18	0.0	48.0	91.0	23.0	0.0	58.0	20.0	0.0	5.0	0.0	20.0	274.0
. 19	99.0	20.0	170.0	5.0	0.0	0.0	0.0	0.0	10.0	0.0	58.0	10.0
20	0.0	28.0	0.0	0.0	0.0	0.0	0.0	18.0	178.0	8.0	117.0	127.0
21	107.0	109.0	117.0	23.0	0.0	0.0	0.0	0.0	0.8	58.0	135.0	0.0
22	124.0	0.0	140.0	0.0	0.0	0.0	0.0	0.0	18.0	0.0	102.0	0.0
23	353.0	274.0	56.0	0.0	0.0	0.0	155.0	5.0	0.0	0.0	0.0	0.0
24	18.0	114.0	76.0	0.0	102.0	23.0	0.0	0.0	0.0	0.0	0.0	0.0
25	15.0	229.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.0	0.0
26	109.0	224.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	23.0	0.0
27	0.0	23.0	0.0	0.0	0.0	0.0	28.0	0.0	0.0	0.0	25.0	0.0
28	259.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0,0	0.0	25.0	0.0
29	28.0		38.0	10.0	0.0	0.0	0.0	28.0	0.0	46.0	28.0	0.0
30	224.0		0.0	0.0	0.0	0.0	0.0	43.0	0.0	0.0	0.0	74.0
31	150.0	: .	154.0		104.0		46.0	28.0		32.0		92.0
Total	1659.0	1832.0	1671.0	976.0	1152.0	1146.0	506.0	308.0	843.0	352.0	1333.0	1001.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (12/25)

	ı va											•
Anr	ual Rain					-					U	<u> Init : mm</u>
_ Date		Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1				36.0	41.0	119.0	0.0	61.0	0.0	10.0	0.0	0.0
2				76.0	114.0	137.0	0.0	15.0	0.0	0.0	97.0	76.0
3			0.0	79.0	0.0	28.0	89.0	41.0	36.0	0.0	122.0	0.0
4		0.0	0.0	30.0	351.0	20.0	51.0	53.0	0.0	8.0	28.0	0.0
5	157.0	0.0	0.0	30.0	63.0	0.0	43.0	13.0	15.0	30.0	0.0	0.0
6	251.0	0.0	107.0	23.0	8.0	0.0	36.0	33.0	69.0	0.0	0.0	0.0
7	30.0	10.0	23.0	5.0	74.0	0.0	0.0	94.0	0.0	0.0	0.0	0.0
8	305.0	76.0	511.0	56.0	124.0	0.0	0.0	48.0	0.0	0.0	0.0	0.0
9	69.0	173.0	84.0	0.0	345.0	0.0	0.0	61.0	226.0	0.0	0.0	0.0
10	10.0	3.0	0.0	15.0	76.0	0.0	0.0	165.0	86.0	0.0	0.0	0.0
11	295.0	23.0	104.0	282.0	0.0	0.0	30.0	137.0	33.0	218.0	0.0	0.0
12	0.0	0.0	122.0	30.0	3.0	28.0	13.0	132.0	0.0	165.0	0.0	0.0
13	48.0	0.0	206.0	36.0	366.0	0.0	36.0	165.0	28.0	0.0	0.0	0.0
14	0.0	157.0	63.0	25.0	0.0	13.0	0.0	107.0	173.0	30.0	41.0	0.0
15	0.0	18.0	94.0	36.0	0.0	51.0	15.0	135.0	63.0	124.0	74.0	0.0
16	0.0	5.0	0.0	272.0	0.0	254.0	0.0	91.0	0.0	0.0	0.0	0.0
. 17	122.0	38.0	241.0	170.0	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0
18	0.0	71.0	53.0	48.0	0.0	13.0	0.0	140.0	0.0	0.0	0.0	0.0
19	0.0	86.0	0.0	218.0	0.0	5.0	0.0	53.0	63.0	0.0	0.0	0.0
20	127.0	0.0	0.0	107.0	0.0	18.0	0.0	0.0	0.0	: 0.0	173.0	0.0
21	0.0	5.0	86.0	175.0	277.0	0.0	0.0	25.0	244.0	3.0	0.0	0.0
22	0.0	0.0	41.0	709.0	0.0	0.0	0.0	193.0	8.0	0.0	56.0	0.0
23	287.0	244.0	10.0	23.0	0.0	~ 0.0	0.0	53.0	234.0	15.0	0.0	0.0
24	20.0	170.0	102.0	119.0	163.0	0.0	0.0	292.0	53.0	43.0	25.0	0.0
25	15.0	0.0	81.0	46.0	0.0	0.0	0.0	213.0	317.0	0.0	0.0	38.0
26	0.0	76.0	66.0	0.0	66.0	0.0	0.0	86.0	0.0	0.0	0.0	0.0
27	0.0	25.0	231.0	15.0	356.0	8.0	0.0	376.0	0.0	0.0	0.0	0.0
28	51.0	0.0	91.0	30.0	28.0	0.0	145.0	18.0	0.0	0.0	0.0	56.0
29	0.0		381.0	38.0	102.0	0.0	0.0	0.0	94.0	0.0	0.0	5.0
30	84.0		160.0	0.0	203.0	0.0	0.0	0.0	0.0		0.0	0.0
31	193.0		285.0		290.0		51.0	286.0		64.0	<u> </u>	17.0
Total	2132.0	1203.0	3142.0	2729.0	3050.0	694.0	509.0	3116.0	1742.0	710.0	616.0	192.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (13/25)

ID. Number: 9035079

Anni	ncan, al Rain :										11	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	9.0	20.0			1.0	6.0	2.0	200.0	11.0	75.0	0.0	0.0
2	0.0	0.0			101.0	180.0	0.0	280.0	57.0	0.0	0.0	0.0
3	0.0	0.0	0.0		0.0	295.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0			59.0	305.0	0.0	107.0	95.0	63.0	0.0	0.0
5	0.0	0.0	347.0	0.0	20.0	1.0	0.0	100.0	137.0	105.0	0.0	92.0
6	0.0	35.0	1.0	92.0	95.0	3.0	3.0	187.0	137.0	0.0	24.0	107.0
7	24.0	0.0	0.0	1.0	97.0	3.0	30.0	85.0	6.0	25.0	80.0	0.0
8	8.0	25.0	19.0	0.0	0.0	0.0	64.0	55.0	90.0	0.0	0.0	0.0
9	342.0	0.0	29.0	19.0	20.0	0.0	134.0	129.0	84.0	0.0	0.0	0.0
10	0.0	0.0	9.0	20,0	0.0	5.0	10.0	89.0	21.0	11.0	26.0	0.0
11	5.0	14.0	0.0	40.0	0.0	0.0	100.0	42.0	70.0	16.0	0.0	0.0
12	0.0	24.0	0.0	0.0	0.0	0.0	100.0	192.0	37.0	0.0	0.0	0.0
13	0.0	2.0	0.0	330.0	3.0	0.0	49.0	104.0	55.0	75.0	5.0	0.0
14	0.0	0.0	26.0	261.0	266.0	20.0	39.0	104.0	50.0	0.0	0.0	0.0
15	0.0	0.0	117.0	270.0	40.0	58.0	222.0	104.0	52.0	0.0	31.0	0.0
16	0.0	0.0	721.0	296.0	91.0	45.0	68.0	104.0	51.0	0.0	0.0	0.0
17	0.0	0.0	23.0	70.0	0.0	96.0	170.0	104.0	105.0	0.0	58.0	0.0
18	0.0	0.0	173.0	140.0	72.0	0.0	170.0	110.0	5.0	0.0	0.0	0.0
19	7.0	0.0	91.0	80.0	36.0	70.0	70.0	110.0	5.0	0.0	20.0	0.0
20	1.0	0.0	81.0	137.0	11.0	17.0	5.0	110.0	14.0	105.0	0.0	0.0
. 21	161.0	0.0	49.0	48.0	1.0	115.0	61.0	110.0	14.0	78.0	0.0	0.0
22	26.0	0.0	36.0	484.0	0.0	18.0	68.0	240.0	0.0	0.0	0.0	0.0
23	0.0	0.0	9.0	136.0	0.0	0.0	94.0	44.0	0.0	25.0	0.0	0.0
24	0.0	35.0	3.0	402.0	0.0	1.0	100.0	137.0	98.0	0.0	0.0	0.0
25	0.0	68.0	0.0	283.0	35.0	3.0	25.0	211.0	72.0	0.0	0.0	0.0
26	0.0	5.0	0.0	0.0	229.0	97.0	25.0	50.0	55.0	123.0	0.0	0.0
27	0.0	75.0	44.0	0.0	75.0	10.0	36.0	9.0	41.0	93.0	0.0	0.0
28	0.0	0.0	0.0	14.0	25.0	9.0	0.0	40.0	90.0	23.0	0.0	0.0
29	0.0		0.0	31.0	39.0	0.0	5.0	156.0	0.0	0.0	0.0	0.0
30	0.0		270.0	230.0	0.0	0.0	17.0	21.0	17.0	198.0	0.0	0.0
31	0.0		16.0		0.0		0.0	11.0		58.0		0.0
Total	583.0	303.0	2176.0	3522.0	1316.0	1357.0	1667.0	3345,0	1469.0	1073.0	244.0	199.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (14/25)

ID. Number: 9035079

											4 4	
<u>Ann</u>	<u>ual Rain</u>	: 11376]	Unit : mm
<u>Date</u>	Jan	Feb			May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0				0.0	3.0	3.0	0.0	39.0	30.0	0.0	2.0
2	38.0			0.0	0.0	84.0	6.0	0.0	0.0	217.0	134.0	153.0
3	146.0		0.0	0.0	0.0	20.0	65.0	0.0	29.0	4.0	24.0	104.0
4	0.0		0.0	0.0	105.0	41.0	76.0	0.0	112.0	96.0	0.0	8.0
5	15.0		13.0	33.0	0.0	70.0	32.0	0.0	24.0	23.0	0.0	0.0
6	111.0	27.0	152.0	45.0	0.0	60.0	9.0	0.0	13.0	0.0	0.0	0.0
7	48.0		3.0	52.0	0.0	166.0	4.0	138.0	24.0	54.0	220.0	
8	28.0	0.0	0.0	50.0	0.0	1.0	20.0	170.0	0.0	0.0	0.0	
9	18.0	5.0	0.0	110.0	0.0	0.0	65.0	14.0	0.0	0.0	48.0	0.0
10	46.0	0.0	0.0	73.0	0.0	13.0	121.0	0.0	4.0	0.0	0.0	
11	13.0	0.0	0.0	200.0	0.0	20.0	53.0	0.0	0.0	0.0	0.0	0.0
12	14.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.0
13	0.0	0.0	0.0	0.0	0.0	0.0	25.0	24.0	31.0	29.0	0.0	4.0
,14	0.0	0.0	0.0	103.0	8.0	20.0	251.0	50.0	41.0	0.0	4.0	137.0
15	0.0	0.0	0.0	5.0	0.0	19.0	92.0	0.0	10.0	0.0	0.0	10.0
16	0.0	82.0	0.0	0.0	0.0	0.0	24.0	66.0	102.0	0.0	0.0	6.0
17	0.0	28.0	10.0	0.0	94.0	0.0	43.0	182.0	56.0	144.0	2.0	0.0
- 18	0.0	3.0	252.0	0.0	28.0	50.0	102.0	20.0	0.0	86.0	43.0	9.0
19	0.0	0.0	6.0	21.0	30.0	6.0	37.0	0.0	0.0	34.0	0.0	0.0
20	0.0	0.0	0.0	20.0	64.0	2.0	0.0	0.0	0.0	0.0	11.0	48.0
21	2.0	8.0	0.0	17.0	18.0	0.0	0.0	0.0	0.0	0.0	69.0	52.0
22	30.0	0.0	10.0	9.0	36.0	18.0	0.0	0.0	0.0	20.0	13.0	141.0
23	0.0	0.0	75.0	100.0	106.0	18.0	0,0	110.0	195.0	0.0	9.0	0.0
24	0.0	0.0	9.0	10.0	0.0	0.0	26.0	173.0	0.0	72.0	51.0	3.0
25	0.0	20.0	34.0	592.0	7.0	64.0	0.0	0.0	44.0	11.0	145.0	113.0
26	0.0	184.0	60.0	0.0	2.0	14.0	0.0	0.0	9.0		70.0	25.0
27	0.0	0.0	49.0	0.0	48.0	3.0	30.0	140.0	0.0	0.0	209.0	5.0
28	2.0	3.0	355.0	4.0	188.0	2.0	32.0	9.0	0.0	0.0	77.0	0.0
29	0.0	42.0	28.0	10.0	15.0	0.0	3.0	62.0	19.0	0.0	21.0	0.0
30	0.0		0.0	0.0	6.0	14.0	0.0	2.0	0.0	0.0	128.0	0.0
31	0.0		7.0	w_12i	3.0		0.0	52.0		6.0		245.0
Total	511.0	484.0	1106.0	1484.0	758.0	708.0	1119.0		752.0	826.0	1278.0	1138.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (15/25)

ID. Number: 9035079

Annı	ual Rain :	14293									U	nit:mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
. 1	129.0	171.0	7.0	153.0	80.0	0.0	30.0		36.0	0.0	233.0	0.0
2	209.0	0.0	0.0	43.0	218.0	0.0	66.0		0.0	0.0	242.0	0.0
3	244.0	0.0	8.0	42.0	55.0	0.0	168.0		0.0	0.0	58.0	0.0
. 4	14.0	33.0	0.0	150.0	0.0	21.0	0.0		0.0	0.0	84.0	0.0
5	38.0	0.0	73.0	230.0	8.0	0.0	47.0		0.0	0.0	0.0	21.0
6	14.0	11.0	15.0	25.0	147.0	0.0	146.0		18.0	0.0	26.0	0.0
7	64.0	0.0	108.0	46.0	273.0	10.0	17.0		0.0	0.0	51.0	0.0
8	266.0	21.0	45.0	163.0	73.0	59.0	15.0		4.0	0.0	0.0	71.0
9	0.0	0.0	84.0	204.0	94.0	0.0	64.0		0.0	0.0	124.0	34.0
10	0.0	0.0	0.0	207.0	15.0	14.0	195.0		0.0	0.0	102.0	0.0
11	0.0	0.0	0.0	· : 7.0	65.0	8.0	0.0		12.0	0.0	0.0	106.0
12	24.0	0.0	0.0	6.0	8.0	0.0	228.0		0.0	0.0	0.0	0.0
13	27.0	0.0	0.0	0.0	23.0	0.0	0.0		0.0	33.0	0.0	0.0
14	9.0	0.0	0.0	76.0	20.0	0.0	0.0		0.0	1.0	0.0	0.0
15	5.0	0.0	42.0	88.0	2.0	60.0	0.0		30.0	35.0	294.0	0.0
16	20.0	0.0	0.0	41.0	0.0	3.0	0.0		31.0	0.0	120.0	0.0
17	307.0	34.0	4.0	23.0	73.0	0.0	0.0		13.0	37.0	30.0	194.0
18	5.0	21.0	0.0	25.0	4.0	0.0	0.0		0.0	50.0	9.0	10.0
19	4.0	120.0	42.0	1.0	0.0	0.0	0.0		0.0	0.0	39.0	32.0
20	31.0	0.0	15.0	63.0	0.0	195.0	0.0		0.0	36.0	56.0	176.0
21	45.0	1.0	13.0	0.0	0.0	23.0	0.0		0.0	0.0	115.0	217.0
22	0.0	19.0	0.0	76.0	0.0	34.0	7.0		0.0	125.0	27.0	0.0
23	0.0	63.0	0.0	45.0	55.0	222.0	0.0		0.0	382.0	221.0	139.0
24	176.0	0.0	0.0	241.0	0.0	0.0	0.0		0.0	7.0	24.0	51.0
25	240.0	135.0	263.0	2.0	163.0	3.0	0.0		0.0	0.0	36.0	225.0
26	8.0	14.0	114.0	255.0	0.0	0.0	25.0		0.0	0.0	62.0	0.0
27	33.0	12.0	126.0	39.0	18.0	0.0	0.0		0.0	0.0	0.0	0.0
28	23.0	0.0	1.0	68.0	0.0	95.0	425.0		0.0	0.0	0.0	0.0
29	27.0		66.0	35.0	0.0	0.0	0.0		0.0	0.0	0.0	32.0
30	206.0		92.0	85.0	8.0	0.0	0.0		0.0	0.0	30.0	0.0
31	25.0		0.0		0.0	-1	0.0			0.0		165.0
Total	2193.0	655.0	1118.0	2439.0	1402.0	747.0	1433.0	0.0	144.0	706.0	1983.0	1473.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (16/25)

ID. Number: 9035079

Ann	ual Rain	: 16254									t	Jnit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0.0	53.0	312.0	365.0	0.0	0.0	368.0	146.0	102.0	52.0	4.0
2	0.0	0.0	57.0	191.0	273.0	0.0	5.0	16.0	0.0	56.0	0.0	0.0
3	0.0	0.0	147.0	90.0	87.0	0.0	51.0	2.0	0.0	32.0	0.0	4.0
4	0.0	0.0	130.0	127.0	201.0	0.0	0.0	17.0	0.0	0.0	34.0	131.0
5	45.0	0.0	6.0	264.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	19.0
6	0.0	0.0	25.0	46.0	3.0	0.0	0.0	0.0	0.0	0.0	39.0	0.0
7	0.0	0.0	58.0	16.0	0.0	0.0	0.0	12.0	0.0	118.0	5.0	70.0
8	0.0	0.0	22.0	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	178.0	135.0	0.0	11.0	0.0	0.0	2.0	0.0	0.0	22.0
10	2.0	189.0	47.0	145.0	0.0	0.0	38.0	0.0	20.0	41.0	0.0	0.0
11	0.0	226.0	0.0	195.0	201.0	0.0	11.0	0.0	60.0	0.0	0.0	52.0
12	0.0	98.0	401.0	0.0	50.0	28.0	0.0	23.0	6.0	46.0	145.0	22.0
13	0.0	0.0	54.0	83.0	36.0	12.0	0.0	36.0	0.0	0.0	178.0	126.0
14	0.0	51.0	238.0	2.0	38.0	0.0	197.0	0.0	11.0	0.0	5.0	172.0
15	160.0	0.0	153.0	0.0	102.0	0.0	14.0	0.0	16.0	11.0	154.0	0.0
16	13.0	0.0	77.0	96.0	29.0	0.0	0.0	0.0	0.0	194.0	0.0	46.0
17	481.0	0.0	37.0	37.0	0.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0
. 18	18.0	215.0	16.0	12.0	0.0	600.0	0.0	0.0	64.0	0.0	0.0	0.0
19	184.0	44.0	155.0	83.0	0.0	0.0	27.0	0.0	6.0	25.0	68.0	0.0
20	0.0	78.0	0.0	0.0	0.0	0.0	0.0	42.0	2.0	0.0	100.0	4.0
21	0.0	143.0	62.0	4.0	22.0	44.0	0.0	34.0	110.0	10.0	124.0	0.0
22	42.0	231.0	90.0	0.0	0.0	8.0	0.0	34.0	95.0	0.0	0.0	0.0
23	11.0	35.0	448.0	79.0	0.0	0.0	0.0	0.0	11.0	0.0	27.0	4.0
24	6.0	30.0	114.0	17.0	0.0	0.0	0.0	0.0	60.0	0.0	40.0	250.0
25	235.0	90.0	172.0	131.0	11.0	0.0	0.0	0.0	114.0	74.0	61.0	146.0
26	0.0	45.0	33.0	0.0	1.0	22.0	0.0	15.0	34.0	7.0	0.0	156.0
27	0.0	15.0	159.0	101.0	0.0	0.0	0.0	44.0	0.0	44.0	0.0	230.0
- 28	0.0	0.0	31.0	140.0	0.0	7.0	0.0	0.0	80.0	0.0	0.0	0.0
29	0.0		120.0	194.0	0.0	11.0	0.0	98.0	29.0	31.0	0.0	24.0
30	0.0		1.0	35.0	0.0	76.0	28.0	0.0	0.0	44.0	92.0	8.0
31	0.0		45.0		0.0		0.0	71.0		0.0		76.0
Total	1197.0	1490.0	3129.0	2577.0	1419.0	864.0	371.0	816.0	866.0	835.0	1124.0	1566.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (17/25)

ID, Number: 9035079

Annu	al Rain :	13838	· · · · · · · · · · · · · · · · · · ·								U ₁	nit : mm
Date	<u>Jan</u>	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	56.0	48.0	0.0	0.0	8.0	0.0	0.0	12.0	92.0	0.0	0.0	78.0
2	4.0	0.0	0.0	1.0	0.0	0.0	366.0	21.0	26.0	0.0	0.0	40.0
3	0.0	52.0	0.0	96.0	0.0	34.0	31.0	0.0	0.0	75.0	26.0	52.0
4	0.0	10.0	0.0	- 18.0	0.0	0.0	0.0	0.0	0.0	0.0	29.0	0.0
5	0.0	88.0	0.0	116.0	271.0	21.0	0.0	0.0	0.0	0.0	6.0	0.0
6	0.0	0.0	0.0	22.0	24.0	0.0	0.0	158.0	4.0	0.0	40.0	0.0
7	0.0	0.0	0.0	152.0	168.0	0.0	0.0	0.0	82.0	64.0	62.0	0.0
8	0.0	0.0	0.0	98.0	5.0	0.0	0.0	0.0	8.0	0.0	21.0	0.0
9	0.0	44.0	0.0	10.0	180.0	84.0	0.0	0.0	24.0	0.0	89.0	0.0
10	16.0	140.0	11.0	138.0	118.0	0.0	0.0	0.0	154.0	0.0	60.0	42.0
. 11	0.0	260.0	11.0	20.0	64.0	0.0	0.0	0.0	26.0	0.0	45.0	0.0
12	0.0	68.0	311.0	6.0	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	286.0	140.0	150.0	32.0	36.0	0.0	0.0	56.0	0.0	0.0	0.0
14	0.0	194.0	196.0	44.0	0.0	56.0	0.0	40.0	0.0	32.0	0.0	197.0
15	330.0	250.0	351.0	92.0	50.0	50.0	0.0	30.0	0.0	8.0	0.0	36.0
16	26.0	124.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	18.0
17	12.0	62.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	30.0	30.0
18	0.0	4.0	8.0	12.0	16.0	138.0	114.0	. 0.0	0.0	0.0	12.0	60.0
19	0.0	0.0	291.0	0.0	0.0	12.0	0.0	328.0	0.0	0.0	64.0	0.0
20	16.0	0.0	112.0	0.0	0.0	8.0	0.0	88.0	0.0	0.0	0.0	74.0
21	8.0	88.0	6.0	0.0	0.0	78.0	0.0	0.0	0.0	0.0	0.0	2.0
22	18.0	86.0	0.0	64.0	0.0	37.0	0.0	0.0	100.0	0.0	160.0	410.0
23	54.0	16.0	26.0	50.0	0.0	50.0	6.0	0.0	14.0	0.0	0.0	113.0
24	228.0	0.0	4.0	0.0	0.0	24.0	0.0	0.0	52.0	0.0	90.0	22.0
25	193.0	38.0	0.0	24.0	0.0	0.0	0.0	0.0	91.0	58.0	0.0	110.0
26	18.0	18.0	0.0	14.0	0.0	12.0	0.0	0.0	0.0	12.0	0.0	110.0
27	62.0	64.0	0.0	218.0	338.0	0.0	0.0	104.0	50.0	22.0	0.0	10.0
28	11.0	0.0	9.0	176.0	72.0	221.0	4.0	130.0	0.0	60.0	0.0	14.0
29	264.0		210.0	0.0	4.0	0.0	0.0	12.0	0.0	0.0	0.0	8.0
30	0.0		56.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	51.0		61.0		0.0		0.0	90.0		0.0		52.0
Total	1367.0	1940.0	1803.0	1539.0	1422.0	861.0	521.0	1063.0	779.0	331.0	734.0	1478.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (18/25)

ID. Number: 9035079

Ann	ual Rain :	12536									τ	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	4.0	38.0	0.0	88.0	1 1	0.0	0.0	3.0	0.0	68.0	0.0
2	0,0	0.0	12.0	0.0	16.0		26.0	0.0	0.0	0.0	32.0	0.0
3	0.0	0.0	106.0	0.0	18.0		0.0	18.0	4.0	0.0	57.0	0.0
4	0.0	150.0	214.0	0.0	136.0	:	0.0	2.0	0.0	0.0	38.0	0.0
5	0.0	0.0	112.0	282.0	92.0		26.0	0.0	63.0	0.0	8.0	0.0
6	0.0	0.0	96.0	14.0	358.0		0.0	25.0	34.0	0.0	240.0	0.0
. 7	0.0	0.0	74.0	94.0	322.0		0.0	15.0	65.0	1.0	53.0	60.0
. 8	0.0	0.0	62.0	60.0	0.0		0.0	0.0	0.0	59.0	120.0	110.0
9	0.0	0.0	0.0	98.0	82.0		160.0	0.0	46,0	0.0	98.0	6.0
. 10	0.0	58.0	2.0	150.0	0.0	: · ·	175.0	0.0	50.0	34.0	3.0	150.0
11	86.0	6.0	16.0	0.0	0.0		20.0	0.0	230.0	260.0	0.0	0.0
12	0.0	0.0	118.0	20.0	0.0	1. 1.	4.0	0.0	0.0	44.0	38.0	0.0
13	54.0	0.0	12.0	374.0	68.0		0.0	108.0	43.0	136.0	38.0	0.0
14	0.0	0.0	0.0	180.0	122.0		0.0	2.0	0.0	152.0	240.0	0.0
15	0.0	0.0	0.0	56.0	0.0		0.0	0.0	12.0	142.0	0.0	0.0
16	0.0	0.0	0.0	18.0	82.0		0.0	0.0	0.0	20.0	100.0	0.0
17	0.0	0.0	0.0	156.0	0.0		0.0	3.0	2.0	0.0	190.0	0.0
18	0.0	0.0	0.0	26.0	118.0		0.0	0.0	0.0	18.0	4.0	0.0
- 19	12.0	0.0	0.0	192.0	0.0		0.0	0.0	0.0	146.0	0.0	101.0
20	0.0	0.0	0.0	0.0	0.0		0.0	0.0	71.0	0.0	0.0	0.0
21	0.0	0.0	0.0	476.0	100.0		0.0	0.0	0.0	12.0	78.0	0.0
22	0.0	0.0	0.0	120.0	126.0		0.0	0.0	0.0	0.0	15.0	0.0
23	0.0	0.0	0.0	- 6.0	78.0		0.0	0.0	0.0	0.0	125.0	0.0
24	82.0	0.0	0.0	0.0	140.0		0.0	0.0	270.0	0.0	0.0	55.0
25	8.0	0.0	0.0	64.0	7.0		0.0	0.0	0.0	0.0	200.0	0.0
26	32.0	0.0	0.0	0.0	34.0		0.0	76.0	0.0	0.0	314.0	0.0
27	0.0	16.0	102.0	0.0	0.0		0.0	7.0	2.0	4.0	0.0	0.0
28	128.0	36.0	22.0	0.0	94.0	100	0.0	0.0	37.0	120.0	124.0	0.0
29	78.0	0.0	98.0	0.0	122.0		0.0	13.0	0.0	0.0	0.0	0.0
30	128.0		68.0	0.0	82.0		0.0	0.0	0.0	20.0	0.0	0.0
31	306.0		0.0		53.0		23.0	8.0		0.0		0.0
Total	914.0	270.0	1152.0	2386.0	2338.0	0.0	434,0	277,0	932.0	1168.0	2183.0	482.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (19/25)

Ann	ual Rain :	12835			· · · · · · · · · · · · · · · · · · ·						U	nit : mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
. 1	0.0	0.0	0.0	0.0		0.0	25.0	0.0	0.0	. 80.0	0.0	0.0
2	65.0	0.0	0.0	242.0		0.0	34.0	16.0	0.0	70.0	0.0	0.0
. 3	40.0	0.0	0.0	2.0		50.0	0.0	0.0	132.0	62.0	148.0	0.0
4	23.0	0.0	0.0	100.0		53.0	0.0	0.0	72.0	0.0	0.0	0.0
5	100.0	0.0	0.0	120.0		70.0	5.0	0.0	30.0	50.0	0.0	0.0
6	146.0	0.0	4.0	233.0		74.0	0.0	104.0	0.0	0.0	2.0	0.0
7	116.0	0.0	110.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	2.0
. 8	0.0	0.0	0.0	8.0		0.0	50.0	5.0	20.0	0.0	0.0	0.0
. 9	0.0	63.0	44.0	100.0		0.0	34.0	0.0	0.0	0.0	96.0	30.0
10	0.0	208.0	0.0	100.0		0.0	0.0	5.0	0.0	0.0	200.0	0.0
- 11	0.0	64.0	0.0	76.0		0.0	32.0	0.0	0.0	0.0	44.0	0.0
12	0.0	30.0	16.0	110.0	-	0.0	40.0	0.0	0.0	0.0	41.0	3.0
13	0.0	34.0	10.0	230.0		0.0	70.0	0.0	22.0	0.0	21.0	100.0
14	0.0	0.0	4.0	100.0		0.0	178.0	38.0	0.0	0.0	29.0	112.0
15	0.0	0.0	0.0	393.0		1.0	10.0	172.0	10.0	0.0	0.0	53.0
16	4.0	29.0	46.0	101.0		0.0	0.0	22.0	0.0	8.0	1.0	8.0
17	0.0	32.0	82.0	0.0		0.0	5.0	0.0	0.0	0.0	0.0	3.0
18	0.0	0.0	62.0	10.0		0.0	155.0	0.0	0.0	0.0	0.0	182.0
19	0.0	0.0	604.0	0.0		.0.0	62.0	100.0	0.0	0.0	0.0	0.0
20	0.0	0.0	328.0	0.0		0.0	362.0	0.0	0.0	0.0	63.0	50.0
21	0.0	0.0	72.0	0.0	•	28.0	40.0	0.0	0.0	0.0	0.0	253.0
22	3.0	0.0	106.0	0.0		0.0	50.0	0.0	0.0	76.0	0.0	0.0
23	41.0	0.0	10.0	0.0	1	54.0	0.0	68.0	1124.0	4.0	0.0	0.0
24	0.0	0.0	132.0	0.0	•	0.0	0.0	0.0	0.0	100.0	0.0	118.0
25	0.0	0.0	23.0	0.0		130.0	85.0	0.0	0.0	0.0	51.0	0.0
26	0.0	0.0	2.0	94.0		145.0	25.0	0.0	0.0	15.0	0.0	0.0
27	0.0	0.0	150.0	150.0		2.0	35.0	0.0	0.0	145.0	0.0	0.0
28	0.0	44.0	114.0	102.0		160.0	23.0	100.0	0.0	0.0	0.0	0.0
29	0.0		10.0	84.0		176.0	170.0	230.0	0.0	0.0	15.0	0.0
30	10.0		294.0	116.0		0.0	0.0	0.0	55.0	0.0	0.0	0.0
31	0.0		96.0				0.0	0.0		0.0	****	0.0
Total	548.0	504.0	2319.0	2471.0	0.0	943.0	1490.0	860.0	1465.0	610.0	711.0	914.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (20/25)

	roai.	1702										
<u>Ann</u>	ual Rain :	15626									J	Jnit : mm
Date	<u>Jan</u>	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	54.0	0.0	24.0	101.0	84.0	0.0	16.0	98.0	0.0	80.0	336.0
2	0.0	0.0	0.0	40.0	200.0	80.0	2.0	0.0	24.0	97.0	152.0	596.0
3	0.0	0.0	6.0	132.0	97.0	240.0	228.0	0.0	4.0	0.0	12.0	50.0
4	2.0	10.0	0.0	232.0	0.0	34.0	0.0	0.0	60.0	0.0	306.0	126.0
5	0.0	0.0	0.0	111.0	6.0	0.0	0.0	0.0	74.0	0.0	140.0	5.0
б	0.0	0.0	8.0	8.0	0.0	2.0	0.0	85.0	76.0	0.0	20.0	0.0
. 7	0.0	48.0	2.0	104.0	0.0	24.0	0.0	6.0	60.0	48.0	16.0	0.0
8	35.0	0.0	3.0	3.0	268.0	0.0	0.0	24.0	0.0	0.0	44.0	216.0
9	50.0	0.0	0.0	0.0	0.0	0.0	26.0	10.0	102.0	0.0	80.0	0.0
10	0.0	0.0	0.0	9.0	152.0	0.0	0.0	27.0	140.0	42.0	70.0	17.0
11	45.0	0.0	0.0	10.0	144.0	0.0	60.0	18.0	52.0	30.0	3.0	45.0
12	0.0	30.0	0.0	0.0	0.0	4.0	42.0	27.0	0.0	0.0	4.0	0.0
13	36.0	205.0	0.0	49.0	0.0	20.0	100.0	0.0	0.0	0.0	27.0	0.0
14	4.0	48.0	0.0	70.0	30.0	2.0	50.0	0.0	30.0	50.0	91,0	9.0
15	0.0	70.0	0.0	230.0	37.0	0.0	0.0	6.0	30.0	60.0	72.0	525.0
16	84.0	30.0	0.0	246.0	20.0	0.0	0.0	16.0	20.0	260.0	100.0	4.0
17	0.0	10.0	0.0	93.0	33.0	0.0	0.0	0.0	0.0	94.0	0.0	148.0
18	45.0	0.0	0.0	46.0	32.0	0.0	0.0	0.0	0.0	130.0	0.0	298.0
19	0.0	0.0	0.0	139.0	122.0	20.0	0.0	0.0	44.0	40.0	0.0	30.0
20	0.0	0.0	0.0	300.0	20.0	0.0	0.0	10.0	168.0	65.0	30.0	0.0
21	0.0	0.0	0.0	82.0	0.0	126.0	0.0	115.0	30.0	64.0	32.0	198.0
22	0.0	0.0	0.0	102.0	20.0	90.0	0.0	75.0	414.0	70.0	50.0	142.0
23	0.0	0.0	0.0	240.0	0.0	20.0	13.0	0.0	24.0	45.0	100.0	14.0
24	0.0	0.0	0.0	160.0	88.0	0.0	13.0	0.0	0.0	40.0	112.0	0.0
25	0.0	0.0	0.0	144.0	0.0	0.0	0.0	50.0	0.0	40.0	100.0	0.0
. 26	0.0	0.0	0.0	200.0	0.0	0.0	0.0	42.0	0.0	66.0	140.0	0.0
27	0.0	0.0	0.0	0.0	22.0	43.0	8.0	20.0	0.0	24.0	474.0	0.0
28	0.0	0.0	6.0	6.0	0.0	0,0	2.0	50.0	0.0	70.0	124.0	0.0
29	0.0		158.0	90.0	0.0	0.0	0.0	72.0	0.0	36.0	50.0	0.0
30	60.0		0.0	0.0	5.0	0.0	37.0	30.0	0.0	40.0	58.0	0.0
31	80.0		0.0		20.0	_ 	0.0	0.0		34.0		0.0
Total	441.0	505.0	183.0	2870.0	1417.0	789.0	581.0	699.0	1450.0	1445.0	2487.0	2759.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (21/25)

Ann	ual Rain :							· · · · · · · · · · · · · · · · · · ·			Un	it:mm
Date		Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1		302.0	0.0	16.0	14.0	0.0	0.0	0.0	40.0	202.0	0.0	0.0
2		0.0	0.0	0.0	40.0	0.0	0.0	0.0	60.0	160.0	82.0	13.0
3		0.0	0.0	0.0	21.0	0.0	0.0	2.0	47.0	4.0	6.0	0.0
4	6.0	80.0	64.0	92.0	0.0	0.0	0.0	0.0	100.0	50.0	16.0	0.0
5		70.0	0.0	34.0	20.0	6.0	0.0	0.0	200.0	104.0	0.0	465.0
6		0.0	0.0	0.0	40.0	0.0	0.0	2.0	45.0	182.0	76.0	0.0
7		62.0	0.0	2.0	54.0	0.0	0.0	0.0	0.0	182.0	189.0	0.0
8	0.0	73.0	0.0	0.0	72.0	0.0	0.0	0.0	96.0	80.0	35.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	100.0	88.0	38.0	0.0
10	0.0	120.0	0.0	0.0	24.0	162.0	94.0	0.0	210.0	11.0	0.0	2.0
11	0.0	150.0	0.0	0.0	21.0	0.0	104.0	48.0	100.0	3.0	0.0	0.0
12	0.0	95.0	18.0	6.0	0.0	0.0	0.0	0.0	0.0	80.0	0.0	0.0
- 13	0.0	115.0	0.0	29.0	0.0	50.0	32.0	0.0	0.0	70.0	0.0	12.0
14	100.0	66.0	0.0	14.0	0.0	0.0	0.0	35.0	0.0	20.0	0.0	0.0
15	0.0	0.0	62.0	90.0	42.0	0.0	21.0	75.0	0.0	104.0	2.0	0.0
16	10.0	0.0	502.0	20.0	0.0	0.0	0.0	10.0	0.0	0.0	114.0	0.0
17	0.0	0.0	6.0	700.0	24.0	0.0	0.0	20.0	40.0	60.0	47.0	50.0
18		0.0	0.0	94.0	18.0	0.0	0.0	10.0	0.0	41.0	29.0	171.0
19	0.0	0.0	0.0	100.0	0.0	45.0	0.0	40.0	0.0	0.0	10.0	294.0
20	-30.0	0.0	0.0	0.0	0.0	0.0	0.0	280.0	0.0	72.0	51.0	61.0
21	0.0	0.0	0.0	62.0	64.0	240.0	20.0	0.0	40.0	80.0	238.0	46.0
22	45.0	0.0	0.0	20.0	12.0	40.0	0.0	78.0	0.0	31.0	0.0	63.0
23	0.0	0.0	0.0	24.0	24.0	49.0	4.0	174.0	0.0	82.0	0.0	0.0
24	31.0	0.0	0.0	0.0	0.0	0.0	135.0	0.0	0.0	60.0	107.0	6.0
25	0.0	0.0	0.0	18.0	0.0	91.0	66.0	0.0	0.0	40.0	14.0	6.0
26	21.0	0.0	380.0	223.0	0.0	0.0	34.0	0.0	0.0	0.0	142.0	0.0
27		0.0	0.0	93.0	0.0	393.0	0.0	0.0	0.0	0.0	12.0	14.0
28		0.0	0.0	24.0	0.0	0.0	31.0	56.0	34.0	0.0	0.0	2.0
29			0.0	40.0	0.0	0.0	0.0	56.0	0.0	0.0	0.0	0.0
30			70.0	362.0	0.0	42.0	0.0	40.0	4.0	0.0	0.0	0.0
31		<u>:</u>	50.0	<u> </u>	4.0		0.0	20.0		0.0		0.0
Total		1133,0	1152.0	2063.0	494.0	1118.0	541.0	950.0	1116.0	1806,0	1208.0	1205.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (22/25)

ID. Number: 9035079

Ann	ual Rain :	12053									· L	Init: mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	2.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	163.0	13.0	0.0	13.0
2	0.0	34.0	1.0	15.0	0.0	0.0	0.0	141.0	66.0	155.0	1.0	0.0
3	276.0	0.0	0.0	0.0	0.0	48.0	0.0	20.0	45.0	30.0	29.0	8.0
4	0.0	10.0	0.0	0.0	66.0	20.0	113.0	4.0	57.0	14.0	10.0	73.0
5	0.0	118.0	0.0	133.0	0.0	60.0	0.0	284.0	72.0	0.0	48.0	61.0
6	0.0	45.0	0.0	47.0	0.0	0.0	121.0	0.0	93.0	42.0	0.0	99.0
7	0.0	0.0	0.0	13.0	15.0	0.0	0.0	27.0	0.0	255.0	135.0	80.0
8	9.0	0.0	0.0	6.0	1.0	3.0	0.0	49.0	0.0	42.0	14.0	154.0
9	72.0	0.0	0.0	242.0	122.0	0.0	0.0	1.0	0.0	21.0	0.0	230.0
10	47.0	0.0	0.0	2.0	17.0	88.0	13.0	1.0	6.0	82.0	30.0	125.0
11	10.0	0.0	0.0	156.0	17.0	0.0	0.0	44.0	0.0	30.0	0.0	195.0
12	2.0	0.0	0.0	235.0	148.0	53.0	0.0	3.0	0.0	25.0	24.0	4.0
13	14.0	0.0	23.0	54.0	0.0	0.0	. 0.0	20.0	0.0	0.0	48.0	132.0
14	0.0	0.0	68.0	239.0	0.0	0.0	0.0	127.0	9.0	3.0	170.0	10.0
15	0.0	0.0	55.0	168.0	0.0	18.0	6.0	147.0	75.0	0.0	38.0	0.0
16	0.0	0.0	3.0	119.0	5.0	17.0	0.0	102.0	0.0	0.0	21.0	0.0
17	0.0	0.0	0.0	239.0	0.0	64.0	7.0	184.0	0.0	0.0	5.0	0.0
18	0.0	0.0	0.0	182.0	0.0	0.0	18.0	20.0	0.0	0.0	4.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	38.0	29.0	33.0	0.8	32.0	0.0
20	0.0	0.0	0.0	1.0	8.0	0.0	193.0	16.0	195.0	2.0	0.0	11.0
21	0.0	0.0	0.0	0.0	3.0	0.0	156.0	44.0	0.0	0.0	85.0	0.0
22	101.0	0.0	0.0	0.0	0.0	0.0	181.0	18.0	0.0	1.0	19.0	0.0
23	0.0	0.0	0.0	40.0	15.0	0.0	31.0	0.0	14.0	93.0	0.0	0.0
24	0.0	0.0	0.0	178.0	0.0	. 0.0	7.0	77.0	0.0	66,0	37.0	0.0
25	27.0	83.0	0.0	71.0	0.0	0.0	0.0	39.0	0.0	154.0	40.0	0.0
26	0.0	23.0	0.0	68.0	0.0	0.0	10.0	0.0	0.0	3.0	61.0	0.0
27	0.0	1.0	0.0	429.0	12.0	4.0	3.0	34.0	18.0	0.0	0.0	2.0
28	0.0	111.0	0.0	0.0	2.0	15.0	3.0	146.0	0.0	0.0	15.0	34.0
29	30.0	2.0	11.0	0.0	0.0	1.0	0.0	51.0	63.0	0.0	15.0	26.0
30	240.0		8.0	0.0	0.0	0.0	11.0	161.0	71.0	4.0	19.0	0.0
31	224.0		0.0		0.0		49.0	9.0		0.0		0.0
Total	1054.0	432.0	170.0	2637.0	431.0	391.0	960.0	1798.0	980.0	1043.0	900.0	1257.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (23/25)

Ann	rear : ual Rain :										Un	it: mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	4.0	789.0	154.0	0.0	66.0	0.0	0.0	33.0	0.0	37.0	12.0
2	13.0	145.0	2.0	0.0	0.0	225.0	0.0	18,0	0.0	0.0	46.0	3.0
3	0.0	197.0	9.0	144.0	1.0	33.0	0.0	38.0	51.0	0.0	12.0	165.0
4	0.0	143.0	15.0	52.0	0.0	139.0	16.0	0.0	1.0	0.0	232.0	117.0
5	0.0	107.0	0.0	239.0	0.0	4.0	0.0	0.0	0.0	0.0	128.0	15.0
6	0.0	6.0	0.0	118.0	0.0	4.0	0.0	0.0	83.0	0.0	133.0	1.0
7	4.0	33.0	0.0	41.0	69.0	0.0	0.0	25.0	0.0	0,0	91.0	0.0
8	18.0	4.5	0.0	76.0	0.0	0.0	0.0	0.0	5.0	0.0	20.0	11.0
9	29.0	0.0	0.0	100.0	73.0	45.0	0.0	2.0	2.0	0.0	7.0	0.0
10		0.0	0.0	9.0	266.0	12.0	23.0	0.0	0.0	4.0	238.0	0.0
11	0.0	0.0	0.0	25.0	88.0	3.0	11.0	14.0	0.0	0.0	158.0	7.0
12		0.0	0.0	0.0	2.0	0.0	173.0	0.0	29.0	59.0	120.0	23.0
13	0.0	0.0	0.0	297.0	9.0	0.0	66.0	32.0	5.0	4.0	108.0	59.0
14	0.0	0.0	0.0	137.0	38.0	95.0	0.0	50.0	0.0	6.0	26.0	0.0
15		0.0	0.0	204.0	0.0	0.0	0.0	0.0	0.0	69.0	0.0	0.0
16		0.0	0.0	28.0	40.0	50.0	242.0	0.0	0.0	30.0	0.0	0.0
17		0.0	0.0	87.0	23.0	29.0	0.0	0.0	0.0	28.0	115.0	7.0
18		0.0	16.0	134.0	101.0	0.0	54.0	0.0	11.0	1.0	0.0	10.0
19		0.0	147.0	65.0	26.0	73.0	44.0	0.0	156.0	17.0	1.0	197.0
20		0.0	11.0	6.0	0.0	93.0	2.0	0.0	116.0	36.0	182.0	0.0
21		0.0	40.0	44.0	0.0	0.0	0.0	0.0	21.0	2.0	33.0	37.0
22		0.0	67.0	166.0	86.0	0.0	55.0	167.0	0.0	0.0	169.0	155.0
23		0.0	726.0	19.0	0.0	0.0	55.0	33.0	9.0	13.0	0.0	0.0
24		0.0	33.0	116.0	17.0	0.0	0.0	1.0	12.0	265.0	0.0	0.0
25		53.0	123.0	5.0	8.0	3.0	0.0	2.0	0.0	0.0	0.0	0.0
26		88.0	110.0	29.0	210.0	0.0	0.0	0.0	0.0	0.0	23.0	31.0
27		210.0	60.0	0.0	0.0	0.0	78.0	24.0	0.0	18.0	28.0	180.0
28		70.0	110.0	18.0	49.0	0.0	0.0	11.0	4.0	0.0	0.0	9.0
29			282.0	245.0	172.0	0.0	0.0	127.0	0.0	0.0	0.0	2.0
30			396.0	5.0	78.0	0.0	0.0	0.0	13.0	44.0	60.0	0.0
31			178.0		2.0		4.0	0.0		0.0		1.0
Total		1056.0		2563.0	1358.0	874.0	823.0	544.0	551.0	596.0	1967.0	1042.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (24/25)

ID. Number: 9035079

Anni	: al Rain							•			U	nit : mm
Date	Jan Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.0	0,0	0.0	54.0	87.0	0.0	0.0	1.0	140.0	0.0	169.0	50.0
2	5.0	0.0	0.0	0.0	156.0	0.0	0.0	30.0	231.0	0.0	36.0	306.0
3	10.0	0.0	0.0	0.0	0.0	23.0	21.0	0.0	3.0	0.0	283.0	57.0
4	4.0	0.0	2.0	0.0	42.0	5.0	20.0	0.0	22.0	20.0	95.0	102.0
5	0.0	114.0	60.0	71.0	83.0	70.0	0.0	0.0	1.0	80.0	135.0	5.0
. 6	10.0	14.0	65.0	71.0	37.0	14.0	7.0	0.0	9.0	0.0	176.0	42.0
. 7	10.0	46.0	204.0	12.0	120.0	35.0	0.0	1.0	14.0	0.0	63.0	70.0
8	0.0	31.0	0.0	101.0	0.0	0.0	111.0	16.0	0.0	108.0	95.0	44.0
9	0.0	0.0	7.0	196.0	6.0	57.0	61.0	0.0	0.0	129.0	8.0	37.0
10	61.0	0.0	0.0	24.0	184.0	1.0	10.0	0.0	0.0	46.0	22.0	31.0
11	452.0	0.0	0.0	200.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	189.0
12	0.0	0.0	0.0	0.0	61.0	0.0	80.0	63.0	0.0	39.0	53.0	11.0
13	0.0	47.0	0.0	10.0	202.0	2.0	111.0	124.0	0.0	9.0	59.0	124.0
14	0.0	∷ 46.0	0.0	23.0	368.0	0.0	0.0	115.0	0.0	0.0	0.0	7.0
15	0.0	0.0	0.0	17.0	0.0	0.0	0.0	0.0	11.0	0.0	11.0	25.0
16	0.0	0.0	7.0	0.0	0.0	0.0	0.0	4.0	8.0	0.0	8.0	1.0
17	0.0	2.0	12.0	123.0	0.0	0,0	2.0	0.0	0.0	0.0	0.0	90.0
18	51.0	53.0	0.0	1.0	0.0	9.0	0.0	27.0	1.0	0.0	0.0	74.0
19	17.0	0.0	0.0	0.0	0.0	0.0	5.0	81.0	0.0	109.0	21.0	50.0
20	102.0	0.0	174.0	90.0	0.0	0.0	0.0	0.08	0.0	2.0	0.0	22.0
21	34.0	0.0	31.0	171.0	0.0	133.0	0.0	0.0	119.0	0.0	47.0	24.0
22	6.0	0.0	0.0	107.0	277.0	157.0	4.0	0.0	14.0	90.0	38.0	5.0
23	153.0	0.0	0.0	0.0	0.0	0.0	17.0	0.0	5.0	129.0	1.0	1.0
24	0.0	0.0	13.0	1.0	17.0	0.0	0.0	0.0	0.0	14.0	0.0	136.0
25	0.0	0.0	0.0	46.0	0.0	17.0	0.0	0.0	0.0	8.0	13.0	1.0
26	0.0	0.0	0.0	157.0	0.0	67.0	11.0	0.0	0.0	104.0	46.0	0.0
27	0.0	0.0	0.0	0.0	0.0	1.0	0.0	5.0	0.0	0.0	0.0	0.0
28	4.0	0.0	0.0	14.0	0.0	0.0	142.0	1.0	0.0	61.0	114.0	0.0
29	39.0		0.0		0.0	7.0	9.0	49.0	0.0	38.0	33.0	0.0
30	0.0		15.0	4.0	0.0	0.0	4.0	19.0	0.0	0.0	26.0	0.0
31	0.0	<u> </u>	0.0		179.0		37.0	1.0		28.0		0.0
Total	958.0	353.0	590.0	1493.0	1819.0	598.0	652.0	617.0	587.0	1014.0	1552.0	1504.0

Table 6 DAILY RAINFALL RECORD AT KENWIL MISSION (25/25)

Annu	al Rain :	14845									Ur	it:mm
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	8.0	0.0	2.0	0.0	190.0	268.0	23.0	0.0	0.0	83.0	0.0	0.0
2	4.0	0.0	2.0	0.0	5.0	370.0	4.0	83.0	0.0	0.0	0.0	0.0
3	14.0	0.0	0.0	0.0	0.0	101.0	363.0	0.0	0.0	20.0	0.0	0.0
4	1.0	0.0	0.0	6.0	132.0	3.0	0.0	0.0	35.0	0.0	100.0	79.0
5	0.0	0.0	13.0	102.0	180.0	387.0	0.0	0.0	0.0	30.0	21.0	0.0
6	20.0	0.0	0.0	22.0	16.0	48.0	21.0	0.0	0.0	35.0	118.0	0.0
7	56.0	0.0	112.0	551.0	28.0	63.0	0.0	0.0	0.0	13.0	384.0	0.0
8	1.0	35.0	37.0	72.0	0.0	103.0	0.0	6.0	0.0	5.0	87.0	2.0
9	67.0	0.0	215.0	64.0	0.0	197.0	0.0	0.0	0.0	5.0	70.0	0.0
10	112.0	5.0	63.0	0.0	8.0	232.0	25.0	0.0	0.0	7.0	87.0	3.0
11	75.0	6.0	18.0	194.0	16.0	0.0	0.0	0.0	0.0	0.0	101.0	5.0
12	0.0	176.0	54.0	0.0	80.0	0.0	0.0	22.0	16.0	0.0	24.0	14.0
13	15.0	1.0	8.0	0.0	7.0	5.0	0.0	66.0	0.0	0.0	104.0	0.0
14	208.0	126.0	104.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0	8.0	0.0
15	15.0	1.0	256.0	0.0	0.0	0.0	0.0	10.0	43.0	0.0	6.0	0.0
16	2.0	0.0	8.0	0.0	0.0	0.0	0.0	0.0	80.0	0.0	278.0	0.0
17	1.0	0.0	1.0	17.0	5.0	58.0	0.0	24.0	38.0	104.0	0.0	21.0
18	6.0	0.0	53.0	29.0	0.0	37.0	5.0	0.0	76.0	5.0	0.0	20.0
19	37.0	366.0	178.0	0.0	0.0	0.0	56.0	0.0	6.0	35.0	2.0	0.0
20	0.0	1.0	14.0	4.0	0.0	4.0	5.0	0.0	150.0	96.0	69.0	0.0
21	0.0	204.0	0.0	2.0	0.0	89.0	6.0	0.0	0.0	4.0	4.0	58.0
22	4.0	243.0	0.0	10.0	46.0	0.0	56.0	0.0	0.0	9.0	0.0	0.0
23	2.0	69.0	0.0	29.0	193.0	0.0	0.0	76.0	64.0	49.0	228.0	0.0
24	70.0	129.0	134.0	174.0	16.0	0.0	6.0	83.0	12.0	0.0	8.0	0.0
25	38.0	0.0	120.0	8.0	0.0	7.0	0.0	0.0	4.0	0.0	6.0	0.0
. 26	8.0	0.0	60.0	110.0	282.0	11.0	0.0	118.0	133.0	2.0	129.0	0.0
27	5.0	14.0	0.0	124.0	840.0	8.0	41.0	152.0	0.0	2.0	17.0	0.0
28	1.0	2.0	0.0	50.0	6.0	164.0	0.0	0.0	0.0	34.0	260.0	0.0
29	30.0		70.0	3.0	0.0	26.0	0.0	0.0	168.0	4.0	0.0	0.0
30	55.0		22.0	82.0	9.0	4.0	60.0	0.0	48.0	0.0	0.0	0.0
31	1.0		0.0		80.0		1.0	0.0	71 ¹	0.0		0,0
Total	856.0	1378.0	1544.0	1653.0	2139.0	2185.0	672,0	640,0	923.0	542.0	2111.0	202,0

III.7 Daily Discharge Record at 1GD4 Station

Table 7 DAILY DISCHARGE RECORD AT 1GD4 STATION (1/5)

النقب عثدالا بسعد	Year: 19	984							Michigan Chamber and America		Uı	it : cm
Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec
1		4.29	3.22					7.22			2.54	
2		3.93	2.87	2.05	4.67			7.84		4.86	2.54	
3	6.02	4.11		4.67	4.29		3.39	7.02		4.48		4.48
4	5.62			5.05	3.75	5.24	3.22			4.11		4.11
5	5.24		2.54	4.86		4.29	3.22		7.84	3.93	2.37	3.93
6	5.05	3.93	2.54	5.43		3.57	3.04	6.41	9.55		2.70	3.73
7		3.75	2.37		3.39	3.39		6.21	6.61		2.54	3.39
8		3.57	2.37		3.93	3.22				4.86	2.37	
9	5.05	3.39	2.37	4.86	4.29		2.87	8.05		5.24	2.21	
10	5.24	3.22		4.67	3.93		2.70	7.64	6.82	5.05		7.4
11	5.24			4.48	3.75	3.39	2.70		6.21	5.62		9.9
12	5.24		2.21	4.86		3.75	2.54		5.24	6.21	2.37	
13	5.05	2.87	2.37	5.05		5.24	2.70	8.69	4.86		3.04	8.0
14		2.87	2.70		3.57	4.11		7.84	6.82		2.70	
15		2.70	2.87		3.75	4.11		9.33		4.48	4.67	
16	5.24	2.70	2.54	5.62	3.39		2.87	10.42		3.93	3.93	
17	5.05	2.54	1.	6.21	3.75		3.93	8.69	4.67	3.57		3.7
18	4.86			7.22	3.39	3.75 .	3.39		4.29	3.39		3.5
19	4.67		2.21	6.82		3.93	3.75		4.29	3.22	3.22	3.3
20	4.48	2.21	2.21			4.11	4.11	7.43	4.11		2.87	3.0
21		2.21	2.05		3.22	3.93		7.02	5.05		3.04	2.8
22		2.05	2.05		3.39	3.93	•	6.61		2.87	2.87	
23	4.29	2.05	-	e*	3.57		6.82	6.41		2.54	3.22	
24	4.11	2.37		10.86	3.39		7.43	6.02	3.39	2.54		2.7
25	4.11			9.33	3.39	3.93	6.61			2.37		
26	3.93		2.21	8.26		3.57	8.26			2.37	3.04	
27	3.93	2.54	2.37	6.61		3.57	7.64	5.24			9.33	2.3
28		2.87	2.21		3.04	3.39		5.43	3.39		8.26	2.3
29		3.57	2.21		2.87	3.39		6.21		2.87	7.02	
30	3.57	1.89	2.05	5,05	2.87		7,22	7.02		2.70	6.21	
31	3.57	1.89	1.89	1.89	2.87	1.89	6.82	8.47	1.89	2.54	1.89	2.2
lean	4.74	2.94	2.38	5.69	3.57	3.80	4.54	7.33	5.31	3.81	3.69	4.2
iin.	3.57	1.89	1.89	1.89	2.87	1.89	2.54	5.24	1.89	2.37	1.89	2.2
lax.	6.02	4.29	3.22	10.86	4.67	5.24	8.26	10.42	9.55	6.21	9.33	9.9

Table 7 DAILY DISCHARGE RECORD AT 1GD4 STATION (2/5)

	Year: 19		and the same of th		-						Jnit:cm
Day	Jan.	Feb.	Mar.	Apr. May	June	July	Aug.	Sep.	Oct.	Nov.	De
1		5.05	2.05						7.84		
2	2.21		2.05					13.13	7.64	4.67	•
3	2.05			,			•	14.06	7.22	4.48	
4	2.05	3.75	2.21			•		14.77	7.22	5.43	
5		3.22	2.21				•	15.48	7.43	5.24	
6		4.86	2.37					15.96		5.05	
7	2.05	4.29	2.37					15.24	7.22	4.86	
8	2.21	3.75	2.54						7.02		
9	2.21		2.54				;	13.83	8.90	4.67	
10	2.21							18.15	8.69	4.67	
11	2.37	2.87	. 2.70					17.66	8.47	4.48	
12		2,54	2.70					15.96	8.05	4.48	
13		2.37	2.87			-	•	16.93		4.48	
14	2.54	2.37	2.87				14.30	11.99	7.22	4.48	:
15	2.54	2.21	3.04				16.44		7.02		
16	2.54						16.93	10.42	6.61	4.11	
17	2.70						15.96	10.86	6.61	4.11	
18	2.70	2.21	•					11.99	7.02	4.11	
19	•	2.21					11.09	9.98	6.82	4.11	
20		2.05					10.64	9.98		4.11	
21	2.70	2.05					14.30	11.31	6.21	5.05	
22	2.54	2.21	3.39				16.68		6.41		
23	2.54			+1			15.96	10.86	6.02	4.48	
24	2.37						17.41	10.64	6.41	4.48	
25	2.37	2.37						9.55	6.02		
26		2.21					14.77	10.42	6.02		
27		2.21					14.06	9.33		4.11	
28	2.21	2.05					13.59	8.26	.5.62	4.48	
29	2.54	1.89					17.17		5.24		
30	8.05	1.89					15.96	7.64	5.05	4.11	
31	6.21	1.89	1.89				1.89	7.43	1.89	4.11	
fean	2.81	2.72	2.52				14.20	12.38	6.74	4.51	
lin.	2.05	1.89	1.89				1.89	7.43	1.89	4.11	
fax.	8.05	5.05	3.39				17.41	18.15	8.90	5.43	
	nnual Mea		6.55 (cms)	*Annual Min	, =	1.89 (c		Annual Ma		18.15 (c	ms)

Table 7 DAILY DISCHARGE RECORD AT 1GD4 STATION (3/5)

	Stream: N Year: 19	•									Uı	nit : cms
Day	Jan.	Feb.	Маг.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1		3.04	2.37	3.93			8.05		6.82	8.47		3.57
2	3.93			3.75	12.67		7.84		6.61	8.05		3.57
3	3.75	3.04	2.37	3.57	11.31	9.11	7.43		6.61	7.43	4.48	3.75
4	3.75	3.04	2.87	3.57		8.26	6.82		6.41		4.29	3.93
5		3.22	3.57	3.39	11.09	9.55			6.41		4.29	4.11
6	3.57	7.22	3.93		11.09	11.76		7.84		6.82	4.29	
. 7	4.67	5.43	3.93	3.39	10.64	12.21	6.02	7.84		6.82	4.67	
. 8	4.48	4.67	3.93	3.22	11.76		5.62	7.22	6.02	6.61	4.29	3.93
9	4.29			3.57	11.09	11.31	6.21		6.02	6.61		3.93
10	3.93	3.57	4.48	6.02	10.42		13.13		5.82	6.02	6.21	4.11
11	3.93	3.57	4.48	5.43		9.55	11.31	8.47	5.62		7.84	4.29
12		3.39	3.93	5.43	8.26	8.26		7.84	5.43		6.82	
13	4.11	3.22	3.57		8.05	10.42		7.84		5.43	4.11	
14	4.11	3.22	3.39	4.48	8.26		20.65	7.84		5.05	3.93	
15	3.93	3.22	3.93	4.29	8.90		15.96	7.43	7.02	4.86		3.57
16	3.93			5.43	8.47	10.86	14.53		7.43	4.67		3.57
17	3.75	3.93	4.11	4.86		12.90	12.67		7.43	4.67	3.93	3.57
18	3.75	3.57	3.75	4.67		13.59	10.42	8.05	8.47		3.75	3.39
19		3.39	3.75	5.05	12.90	11.76		8.05	9.33		3.75	3.39
20	3.75	3.57	3.57		14.06	12.44		8.90	10.20		3.57	
21	3.57	3.39	3.93	5.05	15.24		7.43	8.69		4.11	3.57	
22	3.57	3.39	3.93	4.86	12.67			8.26	9.55	3.93		3.22
23	3.39			7.22	11.31	9.11			8.90	3.93		3.22
24	3.39	3.04	3.75	5.43		8.47			8.69	3.93	3.39	2.87
25	3.22	2.70	3.75	9.98		8.47		7.64	8.26		3.39	
26		2.70	3.57	11.53	9.98	8.05		7.43	8.26		3.39	
27	3.04	2.54		100	9.11	8.26		7.22		5.05	3.04	
28	3.04	2.54		11.09	- 8.47			7.22	8.90	4.48	3.04	
29	3.04	1.89	3.57	10.20		٠.		7.22	8.26	4.86		2.54
. 30	3.22	1.89			8.47	8.05		8.05		4.67		2.37
31	3.22	1.89		1.89	1.89	1.89		1.89	1.89		1.89	2.37
Mean	3.70	3.34	3.67	5.43	10.27	9.73	10.27	7.55	7.27	5.55	4.18	3.46
Min.	3.04	1.89	2.37	1.89	1.89	1.89	5.62	1.89	1.89	3.93	1.89	2.37
Max.	4.67	7.22	4.48	11.53	15.24	13.59	20.65	8.90	10.20	8.47	7.84	4.29
*/	annual Mea	n - =	6.20 (ms) ¹	Annual Mir). =	1.89 (c	ms) *	Annual Max.	=	20.65 (c	ms)

Table 7 DAILY DISCHARGE RECORD AT 1GD4 STATION (4/5)

Stream	:	Nyando
--------	---	--------

	<u> Үсаг: 19</u>	87										Jnit : cm
Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec
i			•	3.93			7.84		4.11	3.57		5.43
2	2.37	2.54	3.93	4.11		9.11	8.47		3.93	3.57		5.0
3		2.54	3.93	4.11		9.55	7.84	3.93	4.11			5.0
4		2.70	4.11		6.21	9.55		3.75	3.93			4.8
5	2.54	2.87	4.11		6.02	8.47		3.57		3.93		
6	2.70	2.87	4.29	4.29	6.41		9.33	3.57		3.75		
7	2.54			4.11	6.41		10.64	3.75	4.86	3.75		4.8
8	2.54		:	4.29	6.21	20.14	9.76		4.86	4.11		4.8
9	2.37	2.54	6.02	5.05		18.89	8.69		4.67	4.11		4.6
10	•	2.37	6.41	4.67		19.39	8.26	4.11	4.29			4.4
11		2.37	6.61		8.47	19.14		4.11	4.29			4.4
12	2.54	2.37	7.02		9.55	18.89				4.48		
13	2.70	2.37	7.43	6.21	8.90		7.02	5.43		4.67		
14	2.70			5.62	8.90		6.41	6.41	4.48	4.29		4.2
15	2.87		•	5.24	8.26	17,66	5.82		4.86	4.11	2	4.1
16	2.70	2.21	8.26	4.86		19.89	6.02		4.48			3.9
17		2.21	11.09			18.40	5.82	6.02	4.48			3.9
18		2.37	11.76		8.47	17.90		5.62	4.29		-	3.9
19	3.57	2.37	8.69		12.21	12.67		5.62		3.93		
20	3.22	2.21	7.02		11.09		6.02	5.43		*. *		
21	3.04			5.05	10.42		5.62	5.43	4.11	3.75		3.5
22	3.04			4.67	10.42	10.64	5.62		4.11	3.57		3.5
23	2.87	2.70	5.43	4.67		8.47	4.86		3.93	3.57		3.5
- 24		2.70	5.24	4.48		7.64	4.67	5.05	3.93			3.3
25		2.54	4.86		10.64	7.43		4.67	3.57			
26	3.39	2.87	4.67		10.42	7.43	*	4.67	:	3.93		
27	3.04	3.22	4.29	6.82	9.98		4.67	5.24		3.57		
28	3.04			6.41	9.98		4.29	4.48	3.57	3.57		3.3
29	2.87	1.89		6.21	9.33	8,47	3.93		3.93	3.57	:	3.2
30	2.70	1.89	3.93			9.55	3.93		3.57			3.2
- 31	<u> </u>	1.89	1.89	1.89		1.89			1.89		· ———	
/lean	2.83	2.46	5.95	4.83	8.92	12.78	6.62	4.78	4.10	3.88		4.1
Ain.	2.37	1.89	1.89	1.89	6.02	1.89	3.93	3,57	1.89	3.57		3.2
/ſах	3.57	3.22	11.76	6.82	12.21	20.14	10.64	6.41	4.86	4.67		5.4

Table 7 DAILY DISCHARGE RECORD AT 1GD4 STATION (5/5)

	Year: 19										U	nit : cms
Day	Jan.	Feb.	Mar.	Арг.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1		4.11	2.70						16.44	15.48		6.02
2		3.93	2.54			8.47			20.14			5.82
3	•	4.11	2.54		16.44	8.47		18.89		14.06	9.55	6.21
4	3.22	3.93	2.70		16.93			19.39		23.99	9.55	6.02
5	3.22	3.93		4.48	17,66			17.66	23.21	20.90	11.76	5.62
6	3.39			4.67	18.15	8.05			23.47	18.89	9.55	5.82
. 7	3.57		2.70	5.05		7.84			21.92	17.66	9.55	5.62
8	3.57	4.29	2.54	4.48		7.43		20.65	19.39		9.55	5.62
9		4.11	2.54		16.44	7.43		21.41	17.41		8.26	5.62
10		3.93	2.37		15.24	7.43		20.40		18.15	8.26	5.62
11	4.11	3.75	2.37	6.41	20.40			21,41		16.93	11.76	5.82
12	3.75	3.75		6.02	20.14			21.92	19.39	16.44	10.20	5.62
13	3.93			6.02	18.89	7.84			17.66	15.48	9.55	5.43
14	3.93		2.70	5.43		7.43			15.96		10.20	5.43
15	4.11	3.75	2.54	7.43		7.43		23.99	14.53	14.77	10.20	5.43
16		3.93	2.37		18.40	6.82		23.99	15.00		9.98	5.43
. 17		3.57	2.37		17.41	6.41		20.14		15.00	8.26	5.24
18	4.48	3.57	2.70	22.69		•		18.89		15.00	8.05	5.43
19	6.02	3.75		19.39	16.44			18.89	14.06	13.59	7.84	5.43
20	6.41			20.14	16.44	6.61			14.06		7.84	5.24
21	5.82			17.66		6.61	•		15.00	12.90	9.98	5.24
22	5.62		3.22	17.66		6.02		17.66	15.24		8.26	5.24
23		3.39	3.57		11.76	5.62		19.89	14.30		7.84	5.05
24		3.22	4.48		11.31	5.43		18.89		11.76	11.76	5.05
25	6.41	3.22	5.43	16.44				23.47		11.09	9.55	5.05
26	6.02	2.87		20.65	9.55			21.41	13.36	11.09	7.64	5.05
27	5.05			22.43	9.55	5.43			13.13	10.20	7.43	5.43
28	4.11		12.90	21.41		5.82			13.59	9.55	6.21	5.43
29	3.93	2.70	8.26	17.66		5.82		17.66	14.06		6.21	5.24
30		1.89	7.43		10.64	5.62		16.44	14.53		6.21	5,43
31		1.89	1.89	1.89	10.42	1.89		15.72	1.89	9.55	1.89	5.24
Mean	4.53	3.53	3.77	12.40	15.38	6.63		19.94	15.99	14.88	8.72	5.48
Min.	3.22	1.89	1.89	1.89	9.55	1.89		15.72	1.89	9.55	1.89	5.05
Max.	6.41	4.29	12.90	22.69	20.40	8.47		23.99	23.47	23.99	11.76	6.21
* <i>E</i>	Annual Mea	n =	10.11 (ems)	*Annual Min.	. ==	1.89 (c	ms) *	Annual Ma	x. =	23.99 (ms)

		Na ara-Paul su dic		
	가 있는데 있는데 하는 것을 수 하는 것은 사람들이 가게 하는데 있는데			
사용하는 현실을 위한 사용하는 사용하는 사람이 있다. 현실을 하면 사용을 하는 선생님은 기계 기술을 가입니다.				
용한 시간 전상을 보고 있는 생각 전한 것이 되는 것이다. 그리고 전상을 받 살려 하고 있는 생생들이 보고 있는 것이 되었다. 그런 것이다.				
III.8	Daily Rainfall	Record at 1	JD3 Station	
			ting the second of the first of the second o	
rapide the first and the report of distribution of the section of	aw alian walling a niji bila .	musiki arven biliber (18. Pv.)	than en switter for the control of	or construction to the construction of

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (1/20)

nit : cm		~ .				Υ			M	Feb.	Jan.	Day
Dec	Nov.	Oct.	Sep.	Aug.	July	June	May	Apr.	<u>Маг.</u> 9.24	reo.		<u> 17ay</u> 1
5.8:	9.79	24.01	21.46	15.17	18.12	24.63	7.24	18.56				2
5.3	7.24	23.20	21.65	16.44	17.29	24.42	8.59	15.63	9.25		ų.	3
5.3	7.08	21.84	20.54	17.23	16.83	23.60	11.47	14.42	10.01 10.83			4
5.3	7.65	20.91	20.73	17.66	17.39	23.21	14.47	15.63				
5.0	6.70	20.18	20.73	16.83	18.18	22.23	11.15	12.73	10.85			5
4.6	6.50	18.10	22.05	16.39	16.39	22.23	18.73	13.10	10.55			6
5.13	6.34	20.18	25.68	15.58	17.70	22.42	11.54	12.73	10.29		*	7
5.03	6.97	20.54	24,02	16.00	16.79	21.47	16.19	14.07	10.58		•	8
5.03	6.70	15.63	23.40	18.79	17.39	20.54	13.80	17.66	11.13			9
5.40	5.50	16.00	23.61	19.99	16.44	20.54	14.86	15.53	13.41			10
4.50	7.30	18.10	23.61	22.82	20.36	21.09	22.23	12.38	14.45			11
4.12	6.31	20.36	23.80	22.23	18.60	16.91	21,47	13.04	16.07			12
4.50	6.87	13.41	35.68	23.01	17.66	20.54	22.84	12.69	17.23			13
4.3	7.45	14.79	41.26	23.01	15.96	21.29	23.83	13.10	18.10			14
4.00	6.75	10.39	45.63	24.08	15.58	19.69	24.43	12.53	10.55			15
3.5	5.97	9.52	47.97	24.01	14.80	20.54	26.99	12.69	10.55	,		16
3.80	6.33	10.05	47.59	23.20	13.41	21.28	27.65	10.58	8.80			17
3.83	5.65	13.70	44.98	22.61	14.07	19.03	27.43	9.79	8.66			18
3.80	5.80	11.81	49.29	23.20	13.70	17.23	29.03	10.63	8.94			19
3.9	5.33	10.33	49.62	25.20	13.73	18.18	29.99	12.05	9.25			20
5.33	5.80	10.28	48.60	24.03	13.36	18.60	28.33	10.63	9.79		•	21
4.00	6.87	10.83	43.92	23.60	14.07	17.21	28.33	11.29	9.14		:	22
3.4	6.67	11.43	37.77	22.08	13.73	15.96	29.03	9.79	17.03			23
3.70	6.13	9.52	35.83	23.40	12.38	18.12	27.65	9.52	15.96		•	24
3.10	8.55	10.85	33.19	22.62	12.69	22.31	26.23	9.94	21.66			25
3.66	7.60	9.76	31.43	22.23	11.43	19.05	28.33	9.35	21.85			26
3.2	5.82	7.45	29.97	21.28	12.73	19.05	27.65	9.00	21.28			27
4.49	5.67	8.10	28.56	22.42	11.75	18.79	27.43	8.80	21.47	-		28
3.3	5.27	7.53	26.11	22.04	13.70	20.18	25.68	9.23	20.06			29
3.10	5.67	8.80	24.01	22.04	13.73	18.12	25.46	6.48	18.56			-30
2.83		7.02		22.23	14.86		24.63		16.79		· · · · · · · · · · · · · · · · · · ·	31
4.29	6.61	14.02	32.42	21.01	15.32	20.28	22.02	12.12	13.62			/lean
2.82	5.27	7.02	20.54	15.17	11.43	15.96	7.24	6.48	8.66			/lin.
5.85	9.79	24.01	49.62	25.20	20.36	24.63	29.99	18.56	21.85			/lax.

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (2/20)

	Year: 1	970									ι	nit ; cms
Day	Jan.	Feb.	Маг.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	2.48	23.20	14.80	59.14	73.94	57.22	39.49	37.49	76.72	51.01	33.97	20.18
2	2.92	21.46	13.10	62.31	75.32	56.84	40.38	36.93	80.54	53.20	33.19	19.87
3	3.13	21.28	19.05	60.72	75.78	55.35	37.49	38.19	69.47	53.17	31.68	19.23
4	3.47	20.54	19.03	63.33	76.72	60.72	37.49	44.03	69.49	54.60	31.95	21.28
5	2.90	19.99	15.96	70.34	78.62	60.71	37.21	41.87	63.96	50.01	34.76	19.23
6	4.02	18.56	12.69	66.90	81.04	61.51	36.93	41.26	60.71	45.31	33.19	15.58
7	9.02	18.79	14.07	63.14	79.57	57.98	37.49	40.96	59.94	45.31	32.43	15.17
- 8	12.38	17.23	14.07	59.92	75.78	56.46	38.05	40.07	59.14	44.67	30.94	15.17
9	10.83	17.66	15.17	53.50	79.59	54.97	35.02	43.17	51.10	44.67	29.97	14.12
10	10.58	19.05	32.94	56.08	87.56	52.42	34.23	45.31	52.08	45.01	29.28	13.41
11	9.43	24.83	34.50	53.53	88.60	49.97	33.45	43.09	48.94	42.17	28.11	13.73
12	7.65	24.42	27.02	56.85	88.60	47.93	33.45	45.63	53.51	43.41	27.20	12.38
13	13.01	24.01	32.17	53.87	86.02	47.26	32.94	43.56	56.46	42.48	27.65	16.07
14	13.01	21.47	33.20	50.66	90.70	45.31	30.69	48.94	54.60	41.56	26.98	15.17
1: 15	11.13	20.36	33.19	46.61	92.30	49.62	31.44	56.47	54.63	40.67	26.99	16.00
16	9.25	19.05	35.87	46.28	86.53	48.26	32.43	62.31	52.42	41.56	26.98	16.37
17	6.91	17.21	41.26	46.28	83.00	47.60	31.43	62.33	63.41	43.41	26.54	12.35
18	6.67	14.86	41.56	45.63	81.04	45.95	31.43	65.61	53.92	41.56	25.69	11.72
19	6.31	19.05	42.48	44.03	75.32	45.95	32.17	66.88	52.07	40.96	25.49	12.81
20	7.05	20.18	45.07	45.63	70.78	34.08	30.94	65.67	51.71	41.56	24.01	9.52
21	9.00	17.66	40.96	44.35	67.30	44.98	30.69	71.68	52.07	42.79	23.60	10.55
22	8.53	16.79	41.26	45.96	66.88	44.99	30.69	67.30	50.31	41.87	23.01	9.74
23	15.39	19.69	42.17	48.27	62.72	46.31	30.94	68.17	49.97	41.26	23.00	10.89
24	11.72	16.54	40.37	55.44	61.99	44.03	29.98	73.58	49.97	40.66	24.01	9.23
- 25	15.56	15.72	41.27	58.40	54.97	46.93	28.56	79.16	49.97	39.49	23.81	, 8.14
26	13.01	14.86	10.38	57.69	53.55	44.03	28.56	75.32	51.74	41.57	22.61	9.25
27	17.57	14.07	41.00	66.46	54.60	42.48	29.97	87.80	49.64	40.39	21.47	7.90
28	16.36	15.17	50.33	66.88	52.78	40.67	31.19	86.02	47.94	38.62	21.46	9.25
29	20.36		51.72	73.94	60.77	39.20	31.18	55.26	52.14	37.21	21.09	8.08
30	20.36		56.84	73.03	58.75	39.20	32.95	89.70	53.50	36.10	20.18	9.35
31	23.20		62.37		57.22	38.91	35.04	79.09		35.57		9.25
Mean	10.43	19.06	32.77	56.51	73.49	48.64	33.35	58.16	56.40	43.28	27.04	13.26
Min.	2.48	14.07	10.38	44.03	52.78	34.08	28.56	36.93	47.94	35.57	20.18	7.90
Max.	23.20	24.83	62.37	73.94	92.30	61.51	40.38	89.70	80.54	54.60	34.76	21.28
	Annual Mea		39.37 (c		Annual Min			ms) *	Annual Ma		92.30 (c	

III . 172

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (3/20)

	Year: 19	71						-1			U	nit : cm:
Day	Jan.	Feb.	Mar.	Apr.	<u>May</u>	June	July	Aug.	Sep.	Oct.	Nov.	Dec
• 1	14.12	5.34	3.16	2.89	12.44	45.00	46.28	71.23	115.61	49.28	25.25	10.0
2	14.05	5.18	2.64	2.72	18.56	43.41	44.99	73.03	110.66	48.26	25.87	9.7
3	13.80	5.97	3.27	2.89	19.87	52.44	45.64	72.15	102.96	48.94	24.42	10.2
4	6.67	5.03	2.73	2.89	20.63	51.01	44.99	71.68	97.81	48.94	23.80	10.0
- 5	10.33	5.20	2.42	4.73	20.91	53.87	45.31	68.18	124.13	48.94	23.20	9.0
6	12.38	4.75	3.36	4.83	20.72	53.14	44.03	64.38	128.08	50.31	22.81	9.2
7	9.86	5.20	2.89	5.22	21.47	59.20	43.41	64.36	155.98	51.01	21.84	8.5
8	13.36	4.36	3.07	4.94	21.28	53.87	42.19	65.64	107.02	49.62	21.84	7.0
9	10.58	4.24	2.89	3.77	20.73	61.27	46.28	62.31	98.91	53.14	22.42	7.2
10	10.28	5.18	3.16	4.64	20.18	65.19	44.70	62.72	95.56	64.04	21.46	9.4
11	7.52	5.10	3.68	4.89	20.73	63.95	43.10	58.75	85.01	47.68	20.91	6.8
12	5.71	4.13	5.15	3.78	21.47	60.72	44.98	61.51	83.00	47.59	20.18	6.6
13	10.58	4.00	5.97	4.76	22.42	57,60	43.09	59.53	75.32	45.31	14.94	6.0
14	14.12	3.89	3.70	4.24	23.60	56.46	42.18	60.32	70.35	45.31	17.66	6.3
15.	13.04	3.77	3.08	7.20	22.42	56.78	40.96	59.53	65.19	35.33	18.12	6.6
16	13.04	3.77	2.65	7.44	23.60	49.97	41.57	59.54	63.95	33.45	14.45	6.1
17	9.64	3.80	3.07	6.13	25.68	49.29	40.96	70.79	50.40	34.50	13.36	5.9
18	8.39	3.77	2.81	6.00	26.76	49.64	40.37	72.61	48.60	35.57	15.53	6.3
-19	12.92	3.66	2.72	6.00	27.65	54.97	42.53	70.79	47.60	36.10	18.10	5.8
20	8.75	3.66	3.13	7.45	27.88	53.15	44.67	76.80	44.67	35.56	16.79	6.1
21	7.95	3.92	2.61	8.10	27.65	46.28	51.73	82.01	45.19	34.50	16.79	6.4
22	9.94	3.56	2.52	6.85	31.93	47.26	52.08	78.61	44.13	34.24	14.80	6.4
23	6.19	3.45	2.62	8.08	34.79	45.95	51.18	79.57	44.11	35.33	14.07	6.8
24	5.36	3.66	2.82	4.94	33.19	48.27	59.92	93.74	40.67	30.29	12.35	6.4
25	5.52	3.45	2.40	7.24	30.69	46.93	63.16	91.76	39.22	29.56	7.04	6.8
26	6.70	3.36	3.10	7.24	31.43	44.03	66.88	90.75	43.75	27.66	7.67	7.4
27	7.77	3.45	3.20	9.74	30.21	37.40	71.25	98.90	44.38	26.54	7.24	7.4
28	7.60	3.70	3.29	16.19	30.94	44.99	71.24	107.14	44.98	26.76	11.42	9.2
29	4.78		2.58	13.60	33.71	44.03	69.90	110.06	45.95	27.20	10.83	6.6
30	4.78		2.89	12.81	40.12	45.63	72.12	101.17	44.35	25.89	11.13	5.9
31			2.27		47 94		75.32	107.62				6.1
Viean	9.52	4.23	3.09	6.41	26.18	51.39	50.87	76.36	73.58	40.23	17.21	7.4
Min.	4.78	3.36	2.27	2.72	12.44	37.40	40.37	58.75	39.22	25.89	7.04	5.
Max.	14.12	5.97	5.97	16.19	47.94	65.19	75.32_	110.06	155.98	64.04	25.87	10.2

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (4/20)

Stream	:	Sondu	ı/	M	iriu
--------	---	-------	----	---	------

	Year: 19	72									U	nit : cms
Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec
1		49.97	5.90			26.76	36,94	36.11	38.34	19.51	31.18	44.35
2		51.01	6.62			27.20	41.63	34.76	34.25	17.23	32.17	43.41
3		49.62	5.90			28.56	45.71	33.71	32.68	17.66	33.71	41.27
4	•	49.97	5.71			31.93	44.03	30.21	31.19	14.07	35.83	37.77
5		51.01	4.89			33.46	45.13	30.21	35.92	14.42	36.93	36.66
6		49.97	4.50			31.93	44.35	28,33	38.11	13.01	36.66	35.29
7		52.78	4.62			30.69	43.09	28,33	36.95	13,41	40.67	34.49
8		51.36	4.89			30.95	41.26	28.80	34.76	13.10	39.78	34.70
9		52.43	5.20			29.26	39.49	30.21	32.18	12.81	40.08	34.49
10		52.07	4.76	•		28.79	39.49	29.03	29.74	13.10	42.79	33.19
11		53.50	5.53			28.80	39.20	30.21	27.43	13.34	50.34	32.69
12		52.78	4.38		4	30.21	38.34	29.03	24.42	12.69	53.23	32.4
13	, to 1	53.50	4.75			29.03	40.10	28.56	24.21	10.01	55.73	30.4
14		54.60	5.53			28.79	38.34	28.33	24.01	12.73	59.92	29.7
15		52.07	4.89			27.88	37.77	27.88	25.71	15.17	60.32	31.2
16		54.97	5.36			28.33	38.05	26.99	24.62	11.15	59.93	29.0
17		57.60	5.20			29,26	38.91	29.73	23.21	13.10	59.92	29.0
- 18		57.98	5.20	.*		27.88	39.49	30.69	22.23	16.83	61.11	29.7
19		59.53	5.53	:		28.33	37.77	29.99	21.09	37.12	63.95	30.6
20		61.11	5.20			31.21	38.05	32.93	21.09	21.09	63.54	30.7
21		62.72	5.20			30.69	38.05	36.11	21.28	21.85	69.03	28.7
22		64.36	4.16			30.21	36.38	36.94	20.18	23.20	61.52	28.5
23		69.04	4.05			31.43	37.77	34.54	18.56	23.41	58.75	26.7
24	-	70.39	4.02			32.18	35.83	40.68	17.23	24.42	57.60	26.3
25		65.61	4.24			32.17	35.84	41.38	20,36	27.00	57.60	26.7
26		62.77	4.26			36.65	33.19	44.67	21.28	26.55	57.60	25.2
27		64.77	3.96			34.23	32.68	46.95	20.36	27.88	54.99	25.5
28		64.78	3.78			32.94	31.43	43.10	20.91	28.79	53.15	22.8
29		62.35	3.96			31.88	31.68	44.67	20.36	22.42	49.28	21.8
30			4.05			38.06	30.45	44.35	20.18	24.22	47.60	22.4
_31			3.96				31.18	41.60				
Mean		57.06	4.85			30.66	38.12	34.16	26.09	18.71	50.83	31.2
Min.		49.62	3.78			26.76	30.45	26.99	17.23	10.01	31.18	21.8
Max.		70.39	6.62	<u>.</u>		38.06	45.71	46.95	38.34	37.12	69.03	44.3

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (5/20)

	Year: 1	ondu/Miriu 973										Init : cms
Day	Jan.	Feb.	Mar.	Арг.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec
1	22.42	23.60	23.20	5.18	7.24	51.37	36.93	22.62	52.07	44.99	22.81	19.51
2	22.03	23.40	22.61	5.18	6.67	53.50	36.10	23.60	50.66	44.67	22.42	20.36
. 3	21.46	23.00	22.61	6.31	6.87	50.66	35.83	24.83	49.28	43.41	21.85	19.03
4	21.28	22.81	22.42	6.48	6.48	50.32	34.52	26.11	47.93	42.79	22.42	17.66
5	20.91	22.62	21.65	7.04	7.04	51.36	32.79	26.11	47.60	42.79	22.23	17.66
6	20.91	21.85	21.28	6.85	8.08	52.42	31.43	27.65	46.94	42.17	22.42	18.07
7	20.91	21.09	20.91	6.13	8.53	53.14	29.74	29.26	45.95	41.87	23.00	16.37
8	21.09	21.28	20.72	5.64	8.77	52.78	29.27	31.16	44.99	41.26	23.20	16.79
9	20.91	15.53	20.18	5.50	8.76	54.23	28.79	32.95	43.72	41.27	24.01	14.42
10	20.18	19.41	18.10	6.83	10.04	54.23	27.88	34.76	43.09	40.08	25.04	15.69
11	19.03	18.10	18.10	7.04	15.56	55.71	28.33	36.38	42.28	39.78	25.68	15.56
12	20.18	20.72	16.79	8.53	15.58	56:09	27.43	38.06	42.28	39.20	26.54	14.79
13	19.23	23.22	16.37	8.76	17.23	55.34	27.65	40.08	41.27	38.62	27.20	13.70
14	21.86	24.01	16.37	10.01	17.29	53.15	27.20	42.48	40.08	37.77	27.43	12.69
15	16.01	23.40	15.58	9.49	19.69	50.32	27.65	44.99	40.07	37,24	27.88	12.35
16	23.81	21.09	14.07	9.52	22.81	48.94	26.98	43.72	39.50	38.34	28.33	11.72
17	33.19	28.81	14.07	9.49	23.20	47.59	26.54	46.60	40.38	40.97	26.76	11.13
18	34.78	31.92	12.35	10.28	25.46	46.61	25.89	48.94	40.37	40.66	26.54	11.43
19	31.93	30.21	12.69	10.01	26.76	46.60	25.89	51.72	40.96	42.17	26.54	10.55
20	32.69	27.88	12.69	10.04	26.89	44.36	24.63	47.63	42.48	42.17	26.11	9.74
21	31.47	26.76	13.01	5.77	27.88	38.91	24.62	47.60	42.79	41.56	25.46	10.28
22	28.34	25.68	12.09	7.67	30.69	38.34	24.01	44.99	42.79	38,34	24.83	9.49
23	29.26	24.42	10.39	7.67	32.43	38.91	23.40	44.03	44.35	39,20	24.01	9.00
24	29.03	26.12	10.87	9.25	36.10	39.20	23.40	42.48	44.99	39.49	23.20	9.00
25	28.10	24.85	9.74	8.35	37.77	38.34	22.03	42.48	45.95	38.35	22.42	9.00
26	27.88	24.21	9.00	9.00	40.96	38.34	21.66	43.75	46.29	36.94	21.84	8.30
27	27.65	23.80	8.53	10.01	45.01	37.77	21.28	49.68	46.60	34.52	21.28	8.30
28	26.98	23.60	7.86	9.49	48.60	37.77	21.47	53.15	45.95	31.43	20.91	7.86
29	27.20		6.85	8.53	49.97	37.22	20.72	51.37	44.35	27.88	20.18	7.44
30	26.11		6.66	80.8	50.66	36.10	21.09	51.36	44.67	25.89	19.03	7.24
31	25.05		6.00		52.07		21.65	50.66		23.01		7.24
Mean	24.90	23.69	14.96	7.94	23.91	46.99	26.99	40.04	44.35	38.67	24.05	12.66
Min.	16.01	15.53	6.00	5.18	6.48	36,10	20.72	22.62	39.50	23.01	19.03	7.24
Max.	34.78	31.92	23.20	10.28	52.07	56,09	36.93	53.15	52.07	44,99	28.33	20.36
*/	Annual Me	an ≔	27.43 (cms)	*Annual Min	=	5.18 (ems) *	Annual Ma	x. =	56.09 (cms)

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (6/20)

Stream	;	Sondu/Miriu	
--------	---	-------------	--

	Year: 19		•									nit : cm
Dan	Jan.	Peb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec
<u>Day</u> 1	Jan.	4.89	3.78	7.08	25.97	38.62	31.67	66.89	37.49	44,03	27.88	16.3
2		4.62	3.66	8.66	28.33	47.61	31.18	71.68	37,49	43.72	26.98	15.9
3	•	4.02	4.76	10.89	25,06	49.28	33.98	69.47	37.21	43.41	27.43	14.4
4		3.47	5.82	13.80	25.90	49.28	39.80	68.64	37.77	42.17	27.43	11.1
				16.07	25.89	48.27	41.26	54.97	36.94	41.56	26.32	11.7
5		2.82	6.31		24.62	47.93	46.61	47.26	36.66	40.37	25.25	11.4
6		3.90	5.82	18.55			51.01	51.36	36.11	39.78	24.42	8.5
7		4.36	5.18	18.92	24.21	45.31 43.72	63.19	44.03	36.11	37.77	23.40	8.5
8	* .	4.24	4.98	20.16	25.49			42.79	35.29		24.83	7.8
9		3.66	3.18	22.62	23.81	43.41	70.35			35.30		9.7
10		4.38	2.65	24.85	24.21	42.48	79.57	45.31	35.83	33.19 32.68	24.01 24.21	9.0
11		4.89	2.64	25.26	24.63	40.68	81.03	44.35	36.11			
12		4.62	2.01	26.56	25.47	38.05	82.01	44.35	36.66	31.65	24.01	8.5
13		4.66	1.94	28.83	26.32	37.21	86.56	40.97	35.29	31.93	49.16	8.1 5.7
14	-	4.89	2.07	32.93	27.20	38.05	93.38	38.05	34.76	32.17	22.23	
15	•	5.18	2.64	36.12	26.76	35.84	90.70	36.66	35.29	30.21	22.03	6.8
16		5.33	2.08	36.66	26.98	33.71	89.12	36.10	35.83	29.73	21.85	4.3
17		5.48	2.26	32.43	27.43	33.71	80.59	35.29	36.66	29.26	20.73	7.8
18	•	5.18	2.41	32.18	28.56	32.43	79.57	32.43	37.49	29.73	19.99	8.7
19		4.24	2.72	31.43	29.03	31.68	76.25	31.68	36.11	28.33	19.99	8.5
20		3.78	2.80	30.70	28.33	30.94	69.47	30.94	36.11	27.43	19.99	7.9
21		3.66	3.07	29.74	27.20	35.83	70.35	30.45	35.56	27.20	17.70	7.3
22		3.45	3.16	29.03	30.23	30.94	71.68	30.21	36.38	27.20	15.17	5.4
23		3.16	3.56	29.26	30.01	31.19	69.47	30.21	37.77	26.54	12.33	5.6
24		3.26	3.78	27.65	34.50	31.67	69.91	29.73	40.09	26.98	13,36	5.3
25	•	3.07	4.13	26.98	37.21	31.18	68.62	29.97	44.03	27.43	14.05	4.8
26		3.07	4.66	26.55	36.11	32.17	65.19	29.26	44.67	29.74	17.23	4.8
27		3.26	5.53	26.32	34.23	32.68	69.03	29.73	44.67	29.26	13.36	3.2
28		3.16	5.53	25.03	33.19	32.93	50.29	30.69	44.35	29.73	12.35	5.4
29			6.15	24.86	34.25	33.71	71.68	35.57	43.72	30.45	19.51	6.1
30			6.34	24.84	35.56	33.97	69.47	36.93	44.03	29.50	18.56	5.6
31			6.50		40.09		65.19	37.21		28.33		5.3
Mean		4.10	3.94	24.83	28.93	37.82	66.39	41.39	38.08	32.80	21.86	8,0
Min.		2.82	1.94	7.08	23.81	- 30.94	31.18	29.26	34.76	26.54	12.33	3.2
Max		5.48	6.50	36,66	40.09	49.28	93.38	71.68	44.67	44.03	49.16	16.3
•	*Annual Mea	n =	28.02 (c	ms) *	Annual Mir). =	1.94 (ms) · *	'Annual Ma	λ. =	93.38 (ms)

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (7/20)

	Stream : Son- Year : 197:										U	Init : cms
Day	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	5.65	3.90	2.98	2.64	24.42	41.28	33.71	45.31	108.22	91.76	54.23	20.18
2	5.04	3.58	2.81	2.72	23.01	43.11	34.23	46.28	109.43	90.70	53.15	21.28
3	5.50	3.89	2.73	2.81	23.40	45.31	33.71	46.60	129.90	85.51	52.44	20.91
4	5.48	3.68	3.07	3.07	19.97	46.60	30.69	50.32	128.78	82.01	54.24	21.65
5	5.18	3.56	3.26	3.56	18.79	45.95	28.79	49.28	118.81	83.50	52.43	22.62
. 6	4.64	3.45	3.77	3.27	16:79	44.67	27.20	48.60	113.11	80.06	50.66	22.42
7	4.78	3.56	3.66	2.65	18.97	44.99	25.68	47.59	111.87	76.25	43.10	22.81
8	4.52	3.36	3.45	3.27	17.29	44.35	24.21	46.60	113.11	75.23	39.80	23.01
9	4.66	3.16	3.26	3.08	15.58	44.04	22.81	52.44	96.88	74.40	39.49	21.85
10	5.65	3.68	3.16	3.18	15.56	41.56	24.01	53.88	103.49	75.79	38.91	20.36
11	5.20	3.89	3.07	3.66	14.45	41.57	24.42	56.48	96.66	73.94	37.77	14.80
12	4.64	4.00	3.35	7.53	15.28	40.37	24.83	59.15	111.34	72.57	36.11	11.45
13	4.50	4.24	3.16	8.29	18.56	39.20	25.68	87.71	111.27	65.20	35.83	17.23
14	4.24	4.49	3.36	8.80	16.79	38.05	25.68	92.08	106.42	64.78	38.07	13.49
15	4.00	3.45	3.40	10.55	14.80	38.91	25.25	73.03	105.83	61.91	38.62	15.28
16	3.89	3.89	3.36	19.05	18.56	34.76	26.32	63.54	103.49	60.34	35.03	18.10
17	3.66	3.77	3.36	20.54	20.36	34.76	28.33	61.11	108.45	58.75	32.43	14.45
18	3.89	3.45	4.49	19.05	20.54	33.71	28.79	64.01	105.25	57.22	29.97	11.13
19	4.00	3.66	5.18	21.85	20.18	33.45	29.74	73.91	106.45	54.24	28.10	12.35
20	4.24	3.36	5.82	20.73	22.23	33.71	31.43	79.57	102.33	52.79	27.20	13.73
21	4.00	3.45	5.24	- 19.51	22.42	33.97	34.25	78.14	95.56	53.87	26.32	10.33
22	3.90	3.56	8.31	22.42	23.61	35.65	35.29	79.57	94.46	56.46	26.76	11.81
23	3.90	3.36	6.54	24.21	25.46	35.03	36.94	80.07	89.12	53.15	26.11	10.96
24	3.89	3.45	4.32	26.12	26.77	35.29	39.49	102.44	86.05	54.24	24.42	7.65
25	3.56	3.56	3.77	28.33	29.97	34.76	40.38	102.44	81.52	57.22	24.84	8.31
26	4.12	4.12	3.27	29.74	32.43	33.45	44.67	107.65	79.57	58.75	23.80	8.10
27	3.36	3.02	2.56	29.27	35.30	33.45	46.94	110.06	80.54	56.84	22.81	7.45
. 28	3.89	3.07	3.07	28.33	36.11	34.50	45.31	109.42	82.51	57.22	22.62	8.53
29	3,66		2.50	26.32	36.66	34.49	. 44.99	111.87	84.50	54.97	21.47	8.08
30	3.56		2.81	24.83	38.05	32.93	44.35	113.11	91.23	55.71	21.28	9.00
31	3,36		2.56		41.29		44.67	105.27		53.50		8,77
Mean	4.34	3.63	3.73	14.31	23.34	38.46	32.67	74.11	101.87	66.09	35.27	14.78
Min.	3.36	3.02	2.50	2.64	14.45	32.93	22.81	45.31	79.57	52.79	21.28	7.45
Max.	5.65	4.49	8.31	29.74	41.29	46.60	46.94	113.11	129.90	91.76	54.24	23.01
*/	Annual Mean	=	34.38 (ms)	*Annual Min.	=	. 2.50 (cins) *	Annual Ma	x. ==	129.90 (cms)

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (8/20)

	Year: 197	16	Apper armedy subseque Property Co.			······································	S:				Į	Unit : cms
<u>Da</u>	y Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug	Sep.	Oct.	Nov.	Dec.
	1 9.07	4.91	5.11	4.91	3.20	41.87	38.05	44.67	63.54	31.18	18.56	9.49
	2 8.40	3.78	4,64	3.27	5.23	40.10	36.66	42.79	80.40	30.45	17.66	8.31
	3 7.30	4.91	4.44	3.36	4.66	40.08	37.21	40.97	77.69	31.19	12.69	9.76
	4 7.53	4.24	3.16	3.58	7.71	41.56	36.66	37.21	74.40	30.94	12.81	8.76
	5 6.85	4.24	2.98	4.05	9.14	41.87	37.77	36.93	77,20	30.94	11.43	7.65
	6 7.85	4.49	3.78	4.78	6.67	39.87	36.94	36.66	76.25	29.73	12.05	8.08
	7 8.59	4.40	3.90	4.02	6.67	38.62	38.92	35.84	71.68	28.56	12.38	80.8
	8 10.01	3.27	2.89	3.37	10.63	40.67	37.21	36.93	66.88	25.46	11.72	7.67
	9 7.96	5.50	4.02	6.87	7.03	40.37	37.77	35.84	66.88	24.83	11.13	5.97
1		4.91	3.29	5.36	8.77	39.50	39.50	35.83	65.19	24.42	10.28	5.18
- 1	1 8.53	4.30	2.41	10.01	8.55	39.78	37.77	35.03	62.72	24.01	9.00	5.04
1	2 5.58	4.19	2.56	7.05	9.52	35.78	40.08	33.71	60.75	24.01	10.55	5.33
1	3 5. 65	4.34	2.94	6.85	7.67	35.02	40.12	34.76	56.46	23.60	9.25	5.97
1	4 7.24	4.00	2.64	6.85	13.49	33.97	46.60	35.29	53.50	23.20	8.08	5.80
• 1	5 7.45	4.26	2.81	7.24	16.00	33.45	48.28	36.66	53.15	23.20	9.49	4.76
I	6 6.00	4.66	2.98	7.08	14.07	33.71	53.53	37.23	50.66	22.62	10.33	4.75
1	7 5.50	5.80	2.35	5.20	14.32	33.71	54.97	39.24	52.85	22.03	10.01	4.62
1	8 6.00	9.79	3.49	4.24	15.53	35.83	51.36	40.08	46.61	21.28	9.49	4.50
19	9 4.16	5.06	4.30	5.27	18.12	35.29	54.97	39.50	43.72	21.09	7.24	5.48
20	0 4.02	7.93	4.66	5.04	18.56	34.50	63.95	40.09	41.56	20.91	7.87	5.18
2	1 4.40	4.76	2.98	3.36	23.61	33.71	56.61	40.66	40.37	20.54	9.49	4.89
- 23	2 6.89	4.64	2.13	3.78	26.32	32.94	56.46	39.80	39.78	19.51	8.76	4.50
2	3 6.34	3.66	4.06	4.24	26.12	33.45	56.09	40.07	37.77	18.56	8.08	4.76
24	5.67	3.56	3.78	3.89	25.26	32.43	53.50	40.39	36.38	18.56	7.44	4.89
- 25	6.00	5.11	5.04	3.73	27.65	32.17	52.08	43.77	40.08	17.66	7.90	4.89
. 26	5 8.53	3.78	4.24	6.50	31.68	33.47	50,67	42.79	36.66	16.79	9.49	4.49
27	5 .97	5.20	3.78	6.00	32.17	35.03	48,60	46.96	34.76	15.58	10.01	4.62
28	5.82	4.49	3.16	6.13	31.67	36.65	47.60	50.22	33.16	15.17	11.13	4.12
29	7.71	3.08	4.30	6.31	36.93	36.38	44.99	55.34	32.17	14.42	11.72	4.62
30	6.66		4.66	5.65	41.87	38.05	42.48	61.51	30.94	13.01	13.01	4.76
31	8.34			· · · · · · · · · · · · · · · · · · ·	43.72		42.79	67.31		12.35	<u> </u>	5.34
Mean	6.98	4.73	3.58	5.27	17.82	36.66	45.81	41.42	53.47	22.45	10.64	5.88
Min.	4.02	3.08	2.13	3.27	3.20	32.17	36.66	33.71	30.94	12.35	7.24	4.12
Max.	10,33	9.79	5.11	10.01	43.72	41.87	63.95	67.31	80.40	31.19	18.56	9.76
	*Annual Mean	=	21.23 (c	ms) ⁴	Annual Min.	=	2.13	(cms)	*Annual Max	. = .	80.40 (c	ms)

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (9/20)

	Stream : S Year : 1		1								. [Jnit : cms
Day_	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	7.65	22.23	13,04	18.56	52.80	74.40	66.89	80.06	34.23	31.67	29.04	120.74
2	8.08	19.51	11,13	20.36	58.38	72.12	72.13	79.57	35.29	30.94	31.43	116.24
3	7.65	17.66	11.13	20.54	61,51	68.18	75.32	80.55	36.99	29.97	31.93	114.36
4	8.53	15.96	10.55	23.60	64.78	65.19	76.25	81.52	38.62	28.33	34.76	105.27
5	8.08	15.17	10.28	25.04	69.04	64.36	79.57	84.00	40.08	27.43	38.91	92.86
6	7.86	15.17	9.76	26.32	70.79	62.31	84.50	85.02	39.78	26.11	40.96	83.02
7	7.90	15.17	11.13	27.65	76.89	60.72	87.59	79.09	40.37	25.46	42.17	73.52
. 8	8.77	14.79	11.13	28.56	104.08	57.60	88.60	75.78	39.20	26.11	43.41	66.05
9	9.76	14.79	11.42	29.97	115.04	56.09	86.02	73.48	38.34	25.68	44.35	57.24
10	9.25	13.04	12.69	33.20	126.70	54.97	84.00	70.34	39.49	25.46	44.67	51.73
11	8.08	12.67	9.23	36.11	124.02	52.78	81.03	69.03	41.87	24.83	45.95	46.31
12	5.65	13.04	11.13	38.05	121.39	50.32	80.06	65.61	42.79	24.01	46.60	41.56
13	5.48	14.07	11.13	40.07	119.44	48.60	76.72	62.72	44.03	23.60	46.60	39.50
14	5.03	12.73	10.28	41.27	120.09	47.60	75.32	59.53	45.95	22.81	45.31	36.38
15	5.20	12.40	10.55	47.60	118.80	48.60	73.48	56.09	47.93	22.62	45.31	36.11
16	4.91	7.44	10.55	47,93	107.62	50.67	71.23	53.87	48.60	22.61	49.64	35.06
17	5.82	4.36	11.43	47.26	102.90	51.37	69.03	52.07	50.66	21.65	60.39	33.71
18	5.65	4.00	11.72	43.93	96.66	52.44	64.78	51.37	51.36	22.03	73.95	33.19
19	5.18	5.85	12.69	41.56	89.64	54.97	62.32	52.08	53.87	21.65	79.09	32.17
20	5.48	7.30	11.13	41.27	85.51	70.04	60.32	49.97	54.97	21.28	82.50	32.17
21	5.48	8.55	10.83	40.37	83.50	56.46	58.75	50.66	55.71	21.28	83.00	33.19
22	4.89	9.25	10.01	39.20	81.52	56.84	62.33	49.28	55.71	22.03	60.58	34.50
23	4.64	9.00	9.24	39.78	79.57	55.71	62.72	47.94	53.87	22.81	117.12	35.03
24	5.48	10.29	9.00	39.20	77.66	57.22	57.99	44.99	49.29	23.40	89.15	33.97
25	6.48	12.05	8.53	38.02	75.78	58.75	54.23	43.41	44.39	22.81	154.26	32.68
26	7.24	13.80	9.00	38.02	74.86	59.53	57.60	42.79	40.97	24.01	164.56	30.94
27	7.65	15.58	9.74	40.67	75.78	59.92	52.44	41.56	35.56	24.83	151.17	30.21
28	8.53	16.39	8.25	41.87	76.72	61.11	49.63	39.20	34.23	25.46	142.89	29.26
29	9.49		9.00	44.04	78.14	62.32	53.88	36.66	32.68	26.11	134.98	30.21
30	12.09		9.00	46.46	78.13	63.13	58.38	34.76	31.43	26.54	122.73	30.69
. 31	18.12		8.53		77.66		65.20	33.71		26,54		29.50
Mean	7.42	12.58	10.43	36.22	88.56	58.48	69.30	58.93	43,28	24.84	72.58	51.53
Min.	4.64	4.00	8.25	18.56	52.80	47.60	49.63	33.71	31.43	21.28	29.04	29.26
Max.	18.12	22.23	13.04	47.93	126,70	74.40	88.60	85.02	55.71	31.67	164.56	120.74
*	Annual Me	an =	44.51 (c	ms) *	Annual Mi	n. =	4.00 (ms) *	Annual Ma	ζ. ⊭ :	164.56 (cms)

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (10/20)

	Year:	1070										
D			***			-		Parison		************		Jnit : cms
<u>Day</u> 1	J _{an.} 28.79	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	<u> </u>
	27.65	18.12	37.21	133.57	60.32	51.72	46.94	35.29	51.37	61.12	35.56	28.11
2		20.18	37.77	131.48	61.12	48.94	48.60	35.56	55.72	62.73	33.20	26.32
	25.89	19.51	35.83	129.41	61.51	47.26	49.97	36.11	59.14	63.56		24.83
4	24.01	17.66	36.66	122.06	61.96	45.63	51.72	37,77	62.32	71.68	28.80	24.42
5	22.03	16.79	38.34	115.61	73.48	43.41	53.87	38.92	64.78	65.75	24.21	23.60
6	21.28	14.80	40.96	108.85	77.69	39.50	57.60	40.38	66.03	55.72	23.01	22.81
7	20.91	12.69	43.10	103,50	79.09	35.56	58.75	40.39	66.64	66.03	25.25	24.42
8	20.54	10.55	45.95	93.41	85.54	34.23	57.22	46.94	63.95	63.96	26.76	25.25
9	20.18	10.58	43.72	101.19	96.66	34.23	57.22	44.67	63.54	63.54	27.43	25.68
10	19.05	13.01	44.73	110.06	99.47	33.19	52.78	41.56	62.72	67.74	29.52	26.32
11	18.56	13.70	54.61	122.73	105.85	32.68	49.97	41.87	61.51	63.54	33.45	26.98
12	16.79	15.96	66.99	133.73	114.35	32.17	47.93	42.79	55.34	58.76	35.03	27.65
13	17.66	16.39	81.03	124.69	115.01	31.67	48.27	47.60	52.43	56.46	34.76	25.89
14	19.51	17.23	82.01	122.73	121.40	31.67	52.09	44.04	50.32	55.71	32.94	24.21
15	20.54	16,79	86.02	134.27	118.16	31.18	57.98	42.48	47.60	55.34	32.43	23.60
16	21.09	18.56	90.17	128.06	114.98	31.18	61.11	40.67	43.41	. 54.60	31.67	22.81
17	22.62	52.01	93.38	116.27	113.73	30.69	59.53	40.08	43.41	49.98	31.93	23.60
18	23.01	88.61	96.11	108.83	111.26	30.21	57.22	37.77	39.49	47.26	31.34	24.01
19	24.42	93.38	98.33	97.81	108.22	29.73	56.46	38.05	37.21	47.93	30.69	24.42
20	24.83	98.34	98.36	91.23	105.83	28.79	53.87	39.20	36.38	47.60	29.73	25.25
21	25.25	102.90	99.47	83.50	102.33	28.33	49.63	41.26	36.66	46.60	29.74	25.68
22	25.89	105.83	103.49	79.11	100.03	28.79	47.59	42.79	38.04	46.60	31.93	26.54
23	26.32	111.87	107.62	74.40	92.86	31.17	46.60	43.72	40.38	46.62	30.21	26.98
24	25.89	116.24	112.49	73.48	83.50	33.46	44.67	45.31	41.26	43.41	28.34	26.32
25	24.84	117.51	114.35	69.92	82.01	35.84	42.48	44.99	48.26	43.41	27.43	25.46
26	23.20	120.09	118.16	69.03	76.29	38.91	40.38	43.10	51.01	43.10	29.50	24.42
27	22.23	124.02	125.36	65.61	69.92	40.96	36.66	43.41	52.78	42.48	31.18	23.60
28	21.47	128.05	130.12	63.13	68.18	41.27	34.76	42.79	52.80	40.96	30.21	23.20
29	20.91		135.68	59.14	63.54	43.10	34.23	42.79	57.22	41.27	31.43	23.00
30	19.05		139.25	61.91	57.60	43.72	33.19		58.76	40.37	29.74	22.42
_ 31	18.56		137.10		54.97		34.23		1	38.06		22.23
Mean	22.35	53.98	83.04	100.96	88.29	36.31	49.15	41.46	52.02	53.29	30.27	24.84
Min.	16.79	10.55	35.83	59.14	54.97	28.33	33.19	35.29	36.38	38.06	23.01	22.23
Max.	28.79	128.05	139.25	134.27	121.40	51.72	61.11	47.60	66.64	71.68	35.56	28.11
	Annual Mea		53.00 (c		Annual Min.	<u></u>	10.55 (ci		onual Max	,,,,	139.25 (c	

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (11/20)

	Year: 19	979			,						· U	nit : cms
Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	21.28	24.84	31.68	23,60	28.56	49.28	57.22	32.43		46.60	8.53	5.65
2	21.28	26,76	30.21	23.60	29.03	48.94	55.35	33.97		44.99	7.65	4.78
3	20.36	28.80	29.26	23.60	29.50	47.60	55.71	36.11	-	43.41	7.24	5.18
4	20.18	30.94	28.79	23.60	31.69	46.99	56.84	35.66		43.10	6.84	4.62
5	19.51	32.69	27.88	23.60	32.43	51.02	55.71	35.03		42.48	6.13	4.89
6	16.79	35,07	26.98	23.60	31.67	50.66	55.34	33.45		41.27	5.65	4.62
7	15.96	36.94	27.43	24.01	32.68	47.63	53.15	34.23		39.20	5.97	4.38
8	14.42	39.20	27.65	26,56	35.89	50.67	53.15	35.83		36.66	6.48	4.89
9	13.01	41.56	28.33	29.97	43.41	50.66	52.43	36.66		34.23	8.31	5.18
10	12.35	43.72	28.33	33.49	45.31	53.14	51.36	37.21		33.45	8.08	4.89
11	11.13	43.41	28.79	36.38	47.30	53.51	50.32	38.05		32.68	7.65	4.75
12	9.49	46.99	28.10	35,83	52.07	53.15	50.31	39.49		31.43	7.24	4.89
13	8.08	53.92	28.11	37.21	51.72	58.75	50.32	45.99		30.69	8.08	5.03
14	6.85	52.78	27.65	36.66	53.14	61.92	50.32	55.01		29.73	7.87	4.89
15	6.48	52.07	28.33	36.65	54.97	45.90	46.28	62.73		29.50	7.24	4.89
16	5.65	52.07	30.71	35.83	54.60	60.72	44.99	68.18		28.79	6.48	4.62
17	5.97	52.07	31.93	36.93	53.87	59.92	44.03	72.58		28.11	6.13	5.33
18	6.48	52.07	32.19	36.66	54.60	29.97	42.79	73.03		27.88	6.48	5.80
19	6.85	50.32	29.27	35.56	52.07	60.32	40.37	77.19		27.20	6.85	6.13
20	6.85	47.95	27.88	35.02	54.60	60.71	41.27	74.86		27.65	6.48	5.48
21	7.65	43.10	27.20	33.71	54.23	62.32	40.37	71.68		29.03	6.13	5.18
22	80.8	40.08	26.54	32.43	53.50	62.72	39.20	66.89		28.79	6.13	4.62
23	9.00	38.34	26.11	31.93	53.51	65.19	36.11	65.61		27.20	6.31	4.72
24	8.77	38.05	25.05	32.93	51.36	64.37	35.56	64.37		26.11	5.96	4.62
25	10.01	36.93	24.63	31.67	31.37	63.95	35.02	61.51		25.25	6.13	4.36
26	11.75	36.38	24.62	30.45	50.32	56.09	35.02	55.75		25.25	5.80	4.24
27	14.80	34.76	24.42	29.73	51.01	57.22	33.97	54.97		24.83	6.48	4.62
28	17.23	33.16	23.80	28.79	50.32	56.84	33.45	52.07		24.42	6.48	4.12
29	18.56		24.01	28.33	49.63	51.72	34.25	50.66		24.01	6.13	4.12
30	19.51		23.40	28.33	49.28	56,46	34.23	49.62		23.40	5.80	3.89
31	22.23	المغيرة الواسطي	23.60		50.32		32.93	48.27				4.24
lean	12.79	40.89	27.51	30.89	45.61	54.61	45.08	51.58		31.91	6.76	4.83
/lin.	5.65	24.84	23.40	23.60	28.56	29.97	32.93	32.43		23.40	5.65	3.89
lax.	22.23	53.92	32.19	37.21	54.97	65.19	57,22	77.19		46.60	8.53	6.13

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (12/20)

Day 1 2	<u>Jan.</u> 4.12 4.36	Feb. 3,45	Mar.	Арг.	May	Y	× • •		O	Oct.	Nov.	Dec
2		3.45			WINY	June	July	Aug.	Sep.	Oct.	,,,, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	Dec
	4,36	3,43	3.26	2.26	6.48	38.62	39,80	32.68				
		3.45	3.16	2.61	6.85	38.05	43.72	31.67				
3	4.62	3.56	3.26	2.13	6.67	37.21	47,60	32.17				
4	4.62	3.35	3.92	2.13	7.65	35.29	50.66	31.92			•	
5	4,36	3.56	5.80	2.00	8.14	34.76	53.15	32.68				
6	4.12	3.45	7.67	2.00	12.44	33.45	54.23	33.19				
. 7	4.00	3.36	5.48	2.34	17.23	35.03	54.23	33.45				
8	3.66	3.68	5.65	2.64	22.23	34.23	53.50	32.17				
9	3.45	3.56	5.80	2.98	25.04	33.19	52.78	31.67	1.			
10	3.07	3.29	5.04	4,38	26.11	32.17	53.87	30.94	et .			
11	2.98	2.00	4.76	5.65	28.11	32.17	54.23	30.21				
12	2.72	1.75	4.89	6.31	30.71	31.93	54.23	30.21		٠.	-	
13	2.26	1.75	4.62	6.87	33.45	31.67	52.78	29.73				
14	2.26	1.94	4.62	7.24	34.23	31.18	49.28	29.26				
15	2.56	1.76	4.89	7.45	36.11	30.21	46.94	28.79				
16		1.65	5.48	8.08	36.38	30.21	45.31	28.10		٠.		
17	2.56	1.65	5.18	9.00	37.49	29.97	42.79	26.54		4		
18	2.48	1.76	4.62	9.00	37.77	29.26	41.56	25.68				
19	2.41	1.76	3.89	9.76	38.35	29.73	40.96	25.25		7 .		
20	2.48	1.88	3.45	10.01	37.49	29.73	38.91	24.83				. 4
21	2,56	1.82	3.07	7,90	37.21	29.26	36.93	24.42		•		
22	2.72	2.07	3.07	8.77	37.77	30.94	34.76	24.42		*		
23	2.56	2.13	3.07	8.53	38.62	32.68	34.23	25.04		1 1		
24	2.72	2.00	2.98	7.45	38.06	33.71	33.71	24.63				
25	2.98	1.88	2.81	6.85	38.06	34.23	33.71	26.76				
26		1.76	2.64	. 5.15	38.06	34.76	32.93	27.43		1.		
27	3.78	1.88	2.34	5.48	37.77	35.56	32.68	27.88	11.			
28	4.36	1.88	2.34	5.34	40.08	35.83	32.43	28.56				
29	4.62	1.88	2.41	5.48	39.49	35.83	31.92	29.26				
30	5.34		2.41	6.34	40.08	36.38	32.68	29.73				
31	6.00	<u>.</u>	2.26		40.97		33.16	29.73				
/lean	3.45	2.41	4.03	5.74	29.52	33.24	43.22	29.00				
Ain.	2.26	1.65	2.26	2.00	6.48	29.26	31.92	24.42				
Max.	6.00	3.68	7.67	10.01	40.97	38.62	54.23	33.45			<u> </u>	
	*Annual Mear	า =	18.83 (ms) '	Annual Mir	n. =	1.65 (cms) *	Annual M	ax. =	54.23	(cms)

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (13/20)

Day	Year; 19 Jan.	Feb.	Mar.	Арг.	May	June	July	Aug.	Sep.	0~	Nov.	nit : cm Dec
<u>12ay</u> 1	Jan	reox	ivial.	Apr.	NISY	June	July	Aug.	жр.	Oct.	NOV.	18.1
2	•										0.95	10.1
				÷							0.72	
3										0.18	0.54	
4										0.16	0.54	
5 6										0.13		
			**							0.13		
7 8										0.12		
										0.11		
9 10										U. 1 1		
11 -										0.14		
12	•									0.14 0.10		
13										0.10		
14												140
15										0.09		14.0 12.0
16									•	0.09		
17										0.00		12.6 9.7
				•						0.10		
18	•											9.2
19					•					0.13		, ,
20										0.43		6.6
21										0.33		5.6
22	1.2									0.28		5,9
23										0.47		4.2
24										0.41		4.0
25										0.41		
26										0.33		
27			•							0.26		•
28	٠									0.21		3.3
29										0.24		2.9
30										0.30	17.21	
31	·							·····	······································			2.4
lean	**		•	-		•		•		0.19	4.86	7.9
Ain.					•					0.08	0.54	2.4
/lax.		n =						~~~		0.47	17.21	18.1

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (14/20)

	Year: 19					_				·		nit : en
Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	De
1		0.01					0.72	0.28	8.30		2.19	
2		0.01				1.24		0.30	12.03		2.06	
3	*.	0.01				1.50		0.26		1.82	1.82	
4		0.01					0.51	0.35		1.50	1.41	
5		0.01					0.58	0.38	24.62	2.19		
6		0.01				1.01	0.67		26.76	2.80		
7		0.01				0.89	0.51		29.49	4.42	1.08	
8		0.01				0.72	0.44	0.47	27.20		0.89	
9		0.01				0.72		0.41	25.89		0.89	
10		0.01				0.63		0.54		3.77	0.72	
11					-		0.47	0.77		3.16	0.63	
12	•						0.38	0.58	24.21	2.64		
13						0.44			31.43	2.98	•	
14						0.33	0.30		29.97	2.64	0.47	
15						0.41	0.33	0.72	28.10		0.41	
16				•		0.38		0.77	25.89		0.38	
17						0.30		0.95		2.64	0.35	
18							0.28	1.16		2.19	0.30	
19							0.26	1.82	17.21	2.06		
20						0.47	0.22		9.24			
21						0.54	0.24		7.44	2.48	0.26	
22						0.72	0.24	2.33	4.75		0.28	
23						1.32		2.80	3.77		0.24	
24						0.95		4.75		4.24	0.21	•
25			•				0.35	4.49		3.35	0.18	
26							0.24	6.66	3,35	3.56		
27						0.83	0.22		2.33			
28						0.63	0.28		1.71	3.16		
29						4 ,0 2	0.30	7.44	1.94			
30						0.38						
31						0.50		5.33				
lean		.,,			<u></u>	0.72	0.38	1.98	16.46	2.87	0.78	
in.						0.30	0.22	0.26	1.71	1.50	0.18	
ax						1.50	0.72	7.44	31.43	4.42	2.19	

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (15/20)

	Oncam . 5	Oliuu) I Tii Iu										
**************	Year : 1	984		····				(************************************			Ū	nit : cms
Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
. 1	16.41	10.74	8.34	7.19	10.10	8.34	8.58	16.08	24.73	14.77	12.61	12.32
· 2	15.74	11.18	8.34	7.41	7.87	7.87	8.82	14.45	22.68	15.41	12.03	11.74
. 3	15.09	11.18	8.10	7.41	8.10	7.64	9.07	13.82	24.31	15.74	11.74	11.74
4	14.45	10.74	8.34	7.64	9.32	7.41	8.10	13.21	23.90	15.41	12.32	11.46
5	13.82	10.74	7.87	7.64	7.19	7.41	8.82	12.61	24.73	14.45	11.46	10.10
. 6	13.51	10.74	7.87	8.34	5.73	8.82	9.32	13.82	25.15	14.45	10.63	10.10
. 7	13.82	10.36	8.10	8.58	7.19	8.82	9.07	12.61	23.90	14.13	10.36-	9.84
8	12.61	10.74	7.64	8.82	8.58	8.82	8.82	17.44	23.09	12.91	10.74	10.63
9	13.21	10.63	7.87	9.32	9.58	8.82	8.82	19.23	19.60	14.45	10.10	9.84
10	13.82	9.84	7.87	9.58	10.36	9.32	9.58	18.15	21.50	14.45	10.74	9.58
11	12.91	9.32	. 7.41	9.84	10.36	10.10	9.58	19.23	21.89	16.08	10.36	9.58
12	13.82	9.07	7.19	10.10	10.36	10.36	9.07	16.41	18.15	17.10	9.58	9.32
. 13	14.13	9.32	7.41	9.84	10.10	9.84	9.07	19.60	19.98	16.41	10.10	15.41
- 14	13.82	7.87	7.19	10.36	9.58	9.84	9.58	18.87	22.68	14.77	10.36	10.10
15	12.91	8.82	6.97	10.74	8.82	10.36	10.36	18.51	21.50	13.82	9.84	9.84
16	13.51	8.58	6.97	11.18	8.82	9.07	- 10.10	21.50	19.98	13.82	9.58	9.32
17	12.61	8.58	6.97	11.18	8.10	7.87	9.84	19.98	19.98	13.82	9.32	8.82
18	12.03	8.82	6.75	12.03	.7.87	8.82	10.74	21.11	19.23	14.45	9.32	9.58
19	11.46	8.82	6.97	12.32	8.82	9.84	10.36	20.35	18.15	14.45	9.84	8.58
20	11.46	8.58	6.54	10.36	9.32	9.32	11.46	21.50	17.10	14.45	9.58	13.51
21	10.74	8.34	6.75	10.36	9.07	8.82	11.18	21.89	17.79	15.09	10.10	9.07
22	10.63	8.58	6.97	9.07	9.07	7.87	10.63	21.50	16.41	13.21	10.63	8.82
23	9.84	8.34	6.54	7.64	7.87	10.10	10.74	21.50	16.75	13.21	10.36	9.58
24	9.58	8.10	6.97	7.87	8.34	8.82	12.61	21.89	19.60	11.46	10.63	9.32
25	9.84	8.10	7.19	7.87	8.10	9.07	12.03	23.90	16.08	12.32	9.84	9.32
26	10.10	8.34	6.75	10.36	9.58	9.32	12.91	20.73	16.75	13.21	9.58	9.58
27	9.84	8.82	6.97	11.74	8.10	9.32	12.03	23.09	14.77	13.51	9.32	12.91
28	10.36	7.87	7.19	. 10.36	8.58	9.84	12.61	23.90	14.77	13.21	9.58	9.84
29	10.36	8.58	6.97	10.36	8.10	8.82	14.77	23.90	14.13	13.82	11.18	9.32
30	10.63		7.19	9.84	8.58	7.87	14.77	23.90	13.21	12.61	9.84	9.07
31	10.74	, 	7.19		9,58	<u> </u>	14,77	25.15		11.74		
Mean	12.38	9.30	7.34	9.51	8.75	8.95	10.59	19.35	19.75	14.15	10.39	10.27
Min.	9.58	7.87	6.54	7.19	5.73	7.41	8.10	12.61	13.21	11.46	9.32	8.58
Max.	16.41	11.18	8.34	12.32	10.36	10.36	14.77	25.15	25.15	17.10	12.61	15.41
*	Annual Mc	an ≃.	11.73 (cms) *	Annual M	iu. =	5.73 (* (ems	Annual Ma	x. =	25.15 (cras)
			•									

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (16/20)

Stream	;	Sondu/Miriu
--------	---	-------------

	Stream : S Year : 1	londu/Miriu 985)									Unit : cms
Day	Jan	Feb.	Mar.	Дрг.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	9.58	10.10	8.34	12.91	53.86	57.03	26.43	37.34	41.04	22.68	11.46	4.97
2	8.82	12.03	10.36	12.32	48.99	53.86	25.57	38.90	41.59	21.50	10.36	4.44
3	7.41	13.21	6.33	13.21	48.40	51.40	25.57	38.90	42.13	21.50	11.46	8.10
. 4	7.64	10.74	6.13	13,51	47.81	55.75	25.15	39.96	43.80	20.73	12.91	8.34
5	7.19	10.10	4.97	13.51	46.07	50.79	23.90	41.59	42.13	21.11	13.51	7.64
6	6.54	10.36	5.15	18,51	45.50	50.19	24.31	42.68	40.50	20.35	13.82	7.87
7	6.13	10.63	6.54	19.98	45.50	50.19	23.49	40.50	43.24	19.60	13.51	8.10
8	5.34	8.82	6.13	20.73	44.36	48.99	23.09	43.24	42.13	19.60	14.13	7.64
. 9	5.15	8.34	6.13	19.98	46.65	66.39	22.29	41.04	43.24	19.60	13.51	7.64
10	4.79	8.58	5.73	21.11	46.07	45.50	21.89	43.24	42.68	17.79	12.91	8.10
11	4.79	7.19	5.73	23.09	47.23	42.68	21.89	41.04	40.50	17.44	12.03	7.64
12	5.53	8.58	5.73	23.49	50.19	39.96	23.09	42.13	42.13	17.79	-12.91	8.82
13	5.34	6.54	5.93	28.19	47.81	38.38	23.49	41.59	40.50	18.15	12.03	8.82
14	5.73	7.19	5.53	35.30	41.59	36.82	22.29	47.23	39.96	18.87	12.32	9.07
. 15	5.93	7.41	4.79	42.13	46.07	36.31	23.90	47.23	39.96	16.08	12.32	9.58
16	6.97	7.41	5.15	47.81	50.79	36.82	26.43	45.50	39,43	15.41	12.03	8.82
17	7.64	6.75	5.15	49.59	48.99	36.82	25.15	41.04	38.90	15.74	12.32	10.10
18	6.97	6.13	5.53	50.79	54.49	35.30	26.00	42.13	37.34	15.41	12.91	9.58
19	7.19	6.33	5.15	48.99	55.12	35.80	26.43	39.43	38.90	15.41	12.32	9.84
20	7.41	5.73	6.13	54.49	57.67	34.30	28.19	38.90	37.85	15.09	12.61	10.10
21	7.19	6.54	7.41	52.62	64.32	34.30	30.93	39.96	36.31	14.45	14.45	9.32
22	7.87	6.13	8.34	48.99	68.49	32.84	32.84	39.96	33.81	13.82	15.09	9.84
23	7.41	5.93	8.58	51.40	66.39	30.93	33.32	38.90	31.88	13.21	13.21	10.10
24	7.64	5.93	8.34	49.59	68.49	30.93	35.30	41.04	30.93	12.61	12.61	9.32
25	7.64	6.54	9.32	53.86	75.73	31.88	33.32	39.96	30.93	12.91	12.61	9.32
26	6.97	7.41	8.34	52.62	78.74	30.00	35.80	37.85	30.93	12.91	11.74	9.58
27	7.41	7.64	8.58	53.86	78.74	28.19	35.30	36.31	28.63	12.91	12.32	9.84
28	9.07	8.34	9.32	55.12	75.73	28.63	32.84	39.96	27.30	12.91	11.74	10.36
29	8.82		10.10	54.49	74.25	27.74	33.81	42.68	25.57	12.61	9.32	9.32
30	10.36		10.10	55.12	69.20	26.86	34.80	39.43	23.90	12.32	8.82	10.10
31	10.10		11,46		60.95		33.81	38.90		12.32		9.07
Mean	7.18	8.09	7.11	36.58	56.59	40.19	27.76	40.92	37.27	16.54	12.44	8.75
Min.	4.79	5.73	4.79	12.32	41.59	26.86	21.89	36.31	23.90	12.32	8.82	4.44
Max.	10.36	13.21	11.46	55.12	78.74	66.39	35.80	47.23	43.80	22.68	15.09	10.36
*/	Annual Mea	n =	24.95 (c	ms) *.	Annual Min	ı. =	4.44 (ms) . * <i>i</i>	\nnual Ma	x. ≖	78.74 (cms)

Table 8 DAILY DISCHARGE RECORD AT 11D3 STATION (17/20)

	Year: 1	ondu/Miriu 986									U	Init : cms
Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct,	Nov.	Dec.
i	8.82	5.93	6.54	7.19	11.74	21.50	20.73	22.68	26.00	19.23	10.10	8.34
2	9.32	7.41	6.33	6.13	12.61	22.68	19.98	23.09	25.57	17.79	12.91	8.58
. 3	10.10	9.58	6.33	5.73	12.91	22.29	19,98	21.89	25.15	17.10	11.74	9.58
4	9.07	6.54	6.33	6.33	15.74	21.89	19.98	22.29	24.73	16.08	12.32	9.32
5	8.82	6.97	7.64	5.93	15.74	21.50	19.60	22.68	25.57	17.44	12.03	8.82
6	9.58	7.64	7.64	5.15	13.21	22.68	20.35	23.49	25.15	17.10	11.46	9.32
7	9.58	8.10	7.64	6.33	15.41	21.89	19.98	22.29	23.09	17.79	11.74	10.36
8	8.82	7.19	8.82	7.41	17.44	23.90	19.98	23.09	21.11	17.10	12.61	10.74
9	9.32	9.07	7.87	9.58	17.79	24.73	19.23	22.29	19.98	16.75	9.84	11.74
10	8.58	7.19	8.58	9.84	17.79	24.31	20.73	22.68	19.23	15.74	10.10	11.46
11	9.58	6.97	6.97	10.10	18.87	23.09	18.15	21.89	19.60	15.09	10.74	11.46
12	9.32	6.13	6.75	9.32	18.15	24.31	18.15	22.68	18.51	15.74	9.32	11.46
13	7.87	7.64	5.53	9.07	18.87	23.09	17.79	22.68	17.10	16.41	10.36	10.74
14	7.87	7.19	6.33	8.82	18.87	22.29	17.79	20.35	16.41	17.79	9.32	9.84
15	9.32	7.87	6.54	7.87	19.60	21.11	16.75	21.89	17.10	17.10	9.58	8.82
16	8.82	9.32	6.13	8.10	20.73	21.89	16.41	22.29	18.15	13.82	9.32	9.07
17	7.64	10.36	6.13	7.41	21.89	21.89	16.75	22.68	19.98	14.45	9.32	8.82
18	7.87	10.10	6.33	7.19	23.09	21.89	17.10	23.90	21.50	14.45	9.07	9.07
19	7.64	7.19	6.54	7.64	20.73	23.09	17.44	23.49	22.29	14.13	8.34	8.58
20	7.19	6.33	5.34	6:33	19.98	22.29	16.41	24.73	23.90	12.91	7.87	8.82
21	6.54	6.33	7.87	9.58	21.11	21.50	16.08	25.15	24.31	12.61	8.34	8.58
22	6.33	5.93	7.41	9.32	21.11	21.89	16.41	25.15	23.90	9.07	8.34	8.82
23	6.54	5.34	7.19	10.36	21.89	21.89	18.15	24.31	24.73	8.34	8.10	9.07
24	6.75	5.15	6.33	10.74	22.29	22.29	19.23	24.73	23.49	9.84	8.34	8.34
25	6.54	5.15	4.97	12.32	23.49	23.90	17.79	25.57	22.29	12.03	9.58	8.34
26	6.54	6.54	4.26	13.21	22.29	23.09	17.10	24.73	21.50	10.74	9.58	8.58
27	6.33	7.19	5.15	13.51	21.50	22.29	16.41	24.73	19.98	12.32	8.82	9.32
28	6.54	6.97	4.97	12.32	20.35	21.50	19.98	23.49	20.73	12.91	8.82	8.34
29	6.75		5.53	11.74	20.73	21.50	20.35	25.57	19.98	13.82	8.34	8.82
30	6.97	2	6.54	12.03	21.89	21.89	19.98	25.15	20.35	10.63	7.87	7.87
31	10.10		6.97		21.50		21.11	26.00		11.18	_ _	7.64
Mean	8.10	7.26	6.57	8.89	19.01	22.47	18.58	23.47	21.71	14.44	9.81	9.31
Min.	6.33	5.15	4.26	5.15	11.74	21.11	16.08	20.35	16.41	8.34	7.87	7.64
Max.	10.10	10.36	8,82	13.51	23.49	24.73	21.11	26.00	26.00	19.23	12.91	11.74

4.26 (cms)

26.00 (cms)

III . 187

14.13 (cms)

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (18/20)

	Year: 19		נ							. ***		Unit : cms
Day	Jan.	Feb.	Mar	Λpi	. May	June	July	Aug.	Sep.	Oct	Nov.	Dec
1	8.58	6.33	5.73					17.44		12.61	9.32	30.00
2	8.58	5.93	5.34			•		17.79		12.32	9.07	27.30
3	8.10	5.53	5.15					17.44		11.74	9.32	23.90
4	7.87	5.73	4.61					16.75		11.74	10.10	21.89
5	9.32	5.73	4.44					16.41		10.74	11.74	21.11
6	8.10	6.54	5.15					16.08		10.36	12.32	20.35
7	7.19	5.73	5.15					16.08		10.10	12.91	19.60
8	8.10	5.73	6.13					16.75		9.84	14.77	20.35
. 9	7.87	6.13	6.97		100			16.41		10.10	16.41	18.51
10	7.19	5.93	8.10					16.08	15.09	9.32	19.60	18.15
11	6.97	5.93	7.87					15.74	14.45	10.36	19.98	18.51
12	7.41	6.33	7.41					16.08	14.45	12.61	20.73	17.10
13	6.97	6.54	6.13					15.41	14.13	12.03	22.29	16.75
14	7.41	5.53	5.93					16.08	14.77	12.03	24.31	. 17.10
15	9.84	6.13	6.54					16.41	12.32	10.74	27.30	19.23
16	8.58	5.93	8.82					16.75	11.74	10.63	31.40	19.60
17	7.87	5.73	9.84					17.44	11.74	10.36	30.93	17.79
18	8.34	6.54	10.10					16.41	10.74	10.63	32.84	16.75
- 19	7,87	7.41	11.46					16.75	11.74	12.03	32.84	67.78
20	7.41	8.34	16.41					15.74	11.18	13.21	36.82	16.41
21	7.64	9.07	17.79					16.08	11.74	13.21	36.31	16.08
22	9.07	8.34	17.44					15.41	12.03	13.51	34.30	15.41
23	8.10	6.75	15.74					15.74	12.32	12.03	33.32	15.41
24	7.19	7.64	10.10					15.41	12.32	11.18	32.36	15.09
25	6.33	6.75	9.32					15.74	12.91	10.36	30.47	15.74
26	7.19	5.93	9.58					15.41	12.91	9.84	30.93	15.09
27	7.19	5.73	9.84					15.09	12.03	9.84	30.00	15.74
28	7.41	5.53	9.58					15.09	12.32	10.36	30.00	16.41
29	6.97		8.58					14.77	12.61	9.84	31.88	16.41
30	6.75		8.10					14.13	12.61	9.32	32.84	16.75
31	6.13		8.34					14.45		9.07	~	16.75
Mean	7.73	6.41	8.76					16.05	13.35	11.03	24.25	20.10
Min.	6.13	5.53	4.44					14.13	10.74	9.07	9.07	15.09
Max.	9.84	9.07	17.79					17.79	16.41	13.51	36.82	67.78
*/	Annual Mean	ı =	13.46 (cm	ıs)	*Annual Min.	. =	4.44	(cms)	*Annual Max	. =	67.78 (:ms)

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (19/20)

	Year: 1	988									1	Unit : cms
Day	Jan.	Feb.	Маг.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
- 1	16.75	12.61	11.74	30.47	67.78	74.25	58.32	52.62	19.60	4.79	31.40	20.73
2	17.79	13.21	12.03	29.54	68.49	73.52	58.97	53.24	17.79	4.61	30.93	20.35
3	16.75	12.03	12.91	30.93	69.20	72.06	59.63	53.86	16.41	5.53	30.47	17.44
4	17.10	11.74	13.51	33.81	72.79	69.91	57.67	55.12	15.09	6.54	30.93	15.41
5	16.41	10.63	14.13	35.30	74.25	68.49	56.39	53.86	14.45	5.34	27.30	12.61
6	15.09	10.74	14.77	36.31	75.73	68.49	57.67	55.12	13.82	8.34	24.73	12.32
7	12.03	12.03	15.74	37.34	77.98	69.20	56.39	57.03	12.03	8.82	23.90	11.74
8	12.32	12.32	16.08	38.38	77.98	67.78	55.12	54.49	11.46	9.84	26.00	11.46
9	11.18	13.51	17.79	40.50	77.98	55.12	56.39	56.39	9.84	8.34	25.15	11.74
10	9.84	11.74	18.15	40.50	81.80	65.69	54.49	55.75	8.82	9.32	23.90	11.18
11	9.58	8.82	20.73	41.04	81.03	66.39	53.86	57.03	8.58	10.36	27.30	12.03
12	9.32	9.07	21.89	42.68	83.35	66.39	53.24	57.67	8.58	12.91	26.86	11.18
13	9.07	8.82	22.29	43.24	87.30	67.08	53.86	57.67	9.07	10.63	26.86	10.74
14	9.32	9.84	23.90	44.93	89.72	66.39	55.12	58.97	8.34	8.10	28.63	10.63
15	9.58	9.58	26.00	46.07	89.72	65.69	57.67	59.63	7.87	8.34	28.63	9.58
16	11.18	9.84	25.57	44.93	88.91	65.01	56.39	59.63	7.41	8.34	27.30	9.07
17	12.61	9.32	26.86	46.07	88.91	65.69	54.49	64.32	7.41	8.58	25.57	8.58
18	13.51	9.58	27.30	47.81	87.30	65.01	53.86	65.69	5.93	8.58	24.31	8.82
19	10.74	9.32	27.74	49.59	87.30	65.69	53.24	67.08	4.61	7.41	23.49	9.32
20	10.74	9.84	30.47	51.40	85.71	62.96	52.62	67.78	4.26	6.13	23.49	9.32
21	10.63	8.82	30.00	53.24	85.71	63.64	54.49	76.48	4.26	4.61	23.09	10.74
22	11.74	9.58	28.19	55.12	83.35	61.62	51.40	81.80	4.79	3.77	23.49	10.74
23	12.32	10.74	28.63	57.67	84.14	60.95	48.99	60.29	4.26	3.77	23.49	10.74
24	12.61	11.18	28.19	58.32	81.80	59.63	51.40	80.26	4.44	4.26	22.68	10.74
25	13.51	11.74	29.54	57.03	81.03	58.97	48.99	74.99	5.34	3.77	21.11	11.18
26	13.51	12.32	30.47	60.29	79.50	58.32	47.81	67.78	5.15	2.88	21.50	11.46
27	12.61	11.18	28.19	61.62	77.23	58.32	49.59	67.08	5.73	2.75	20.73	10.74
28	11.46	11.74	27.30	62.29	77.98	57.03	48.99	75.73	5.73	2.36	21.11	10.63
29	10.63		29.09	65.01	75.73	56.39	51.40	81.80	6.13	2.61	20.73	10.36
30	10.36		30.00	66.39	75.73	57.03	50.19	79.50	5,53	2.36	20.73	9.58
31			30.47		74,25			80.26		2.61		9.58
Mean	12.34	10.78	23.21	46.93	80.31	64.42	53.96	64.16	8.76	6.34	25.19	11.64
Min.	9.07	8.82	11.74	29.54	67.78	55.12	47.81	52.62	4.26	2.36	20.73	8.58
Max.	17.79	13.51	30.47	66,39	89.72	74.25	59.63	81.80	19.60	12.91	31.40	20.73
* */	Annual Mea	n = .	34.00 (ms)	*Annual Min.	=	2.36 (c	ms)	*Annual Max	. =	89.72 (

Table 8 DAILY DISCHARGE RECORD AT 1JD3 STATION (20/20)

	Stream : S Year : 1	ondu/Miriu									U	nit : cms
Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct,	Nov.	Dec.
1	9,32	12.03	6.13	15.74	26,00	58.32	37.85			٠		
2	9.58	13.51	6.13	17.44	23.09	58.32	35.30					
3	9.32	13.82	5.34	17.79	25.57	57.67	35.80					
4	8.82	14.45	6.13	19.23	27.30	57.67	34.30	* 4	*		- *	
5	8.58	14.77	7.19	20.73	29.54	56.39	33,32					
6	9.07	15.41	6.75	21.50	30.47	54.49	33.81	-				
7	9.07	14.45	6.97	22.29	31.88	55.75	34.30					
8	9.07	14.77	7.41	21.50	33.81	57.67	33.81					:
9	8.58	14.45	7.41	23.09	35.80	55.75	35.80					
10	9.32	14.45	7.64	23.09	35.30	53.86	34.80					
11	9.07	14.13	8.10	22.29	37.85	52.62	33.32				.*	
12	8.58	12.32	8.34	23.90	38.38	51.40	31.88			1 4		
13	8.58	10.74	8.58	23.09	41.59	49.59	31.40					-
14	9.07	11.18	9.32	22.68	42.68	47.81	30.93					
15	8.58	11.46	9.84	22.68	42,13	50.19	30.47				-	
16	8.58	11.74	11,46	22.68	48.40	52.01	30.47					
17	8.34	12.32	11.46	22.29	48.40	52.01	31.40					. *
18	8.34	12.32	12.03	21.89	53.24	- 50.79	29.09					
19	8.82	11.74	11.74	23.09	55.75	47.81	29.54	** .				
20	9.32	11.18	12.03	23.90	55.12	46.65	30.47	100	٠	•		
21	8.34	10.63	12.32	23.09	55.75	44.36	30.00					
22	7.19	9.58	12.91	22.68	56.39	48.40	28.19		•			
23	6.33	9.32	13.51	23.09	58.97	42.13	29.09					1
24	6.13	8.34	14.45	22.68	59.63	41.04	27.74		•		•	
25	6.75	7.41	14.77	22.68	62.96	- 40.50	28.63	4.4				
26	7.41	6.97	15.41	25.57	63.64	38.90	29.09					
27	7.87	6.54	15.41	25.57	65.01	38.90	27.74	*.				
28	9.32	6.75	16.08	27.74	65.69	38.38	26.86					
29	10.10		15.74	28.63	62.96	37.85	28.19					
30	11.18		17.10	29.09	60.29	38.38	28.19					
31			16.41		58.97	·	<u> </u>					
Mean	8.62	11.67	10.78	22.72	46.21	49.19	31.39					
Min.	6.13	6.54	5.34	15.74	23.09	37.85	26.86		•			
Max.	11.18	15.41	17.10	29.09	65.69	58.32	37.85					<u> </u>

*Annual Max.

5.34 (cms)

65.69 (cms)

*Annual Mio.

25.80 (cms)

*Annual Mean =

발하고를 열었다. 이 보호 현실의 기술을 보고 있는데 다음						시간 기가 기를 하는 기가 기가 있다.
			용하게 다양하다. 원래 등 기업이 되었다.			
	III.9 Daily l	Dischrge	Record at	1JF1 Sta	ition	
		11 21 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				

Table 9 DAILY DISCHARGE RECORD AT 1JF1 STATION (1/11)

<u>lnit :</u>	,	<u> </u>	C	A	T	June	May	Apr.	Mar,	Feb.	Jan.	Day
	Nov.	Oct.	Sep.	Aug 3.55	July 7.73	12.33	39.69	7.17	411111		Z XIII	1
15	4.74	4.32	10.89	3.55	7.73	11.60	42.68	10.89				2
18	5.18	4.74	10.89			16.39	45.79	20.13			4,	3
20	5.18	5.18	10.21	3.55	7.73		38.24	17.29				4
20	5.64	5.18	9.55	3.55	7.17	22.16		14.69				5
19	5.64	5.64	8.92	3.92	7.17	24.31	31.46	12.33				6
19	5.64	5.18	8.31	3.92	6.64	26.58	25.43	11.60				7
18	6.13	5.18	7.73	3.92	6.64	27.76	21.13	31.46				8
18	6.13	4.74	6.64	4.32	6.64	24.31	19.15	63.30				9
19	6.64	5.18	6.64	4.32	6.64	21.13	17.29			,		10
19	6.64	5.64	6.64	4.74	6.64	18.21	15.53	88.74				11
20	8.31	5.64	6.64	5.18	6.13	15.53	13.88	86.43				12
23	10.21	6.13	6.64	5.64	6.13	13.09	12.33	84.15				13
26	11.60	6.64	6.64	6.13	5.64	13.88	11.60	84.15				14
28	11.60	6.64	5.64	6.64	5.18	14.69	10.21	63.30				-15
31	11.60	6.13	5.18	6.64	5.18	15.53	8.92	45.79				16
36	12.33	6.13	5.18	7.17	4.74	17.29	7.73	28.96	•			17
42	12.33	6.13	5.18	8.31	4.74	14.69	8.92	42.68		**		
47	14.69	6.64	4.74	9.55	4.32	12.33	10.89	59.54				18
52	17.29	6.64	4.74	10.21	3.92	11.60	12.33	88.74				19
55	20.13	7.17	4.74	10.89	3.55	10.89	10.89	88.74				20
- 59	18.21	7.17	4.32	11.60	3.55	10.21	9.55	88.74	1.29			21
63	16.39	6.64	4.32	11.60	3.92	9.55	8.31	88.74	1.51			22
63	14.69	6.64	4.32	11.60	3.92	9.55	7.73	88.74	1.51			23
65	13.09	6.13	4.32	12.33	3.92	8.31	7.73	88.74	1.51			24
65	13.09	6.13	4.32	12.33	4.32	7.73	7.73	88.74	1.51	•		25
65.	13.09	5.64	4.32	12.33	4.32	6.64	7.73	211.35	1.74			26
65.	13.09	5.64	4.32	12.33	4.32	7.17	10.21	398.06	1.74			27
67.	13.09	5.64	4.32	12.33	3.92	7.17	13.09	376.31	1.99			28
67.	13.09	5.64	4.32	11.60	3.55	7.73	17.29	113.79	2.12	•		29
67.	13.09	5.18	4.32	11.60	3.55	7.73	15.53	36.82	2.26	:		30 、
67.		5.18		11.60			13.88		4.32	***************************************		31
40.	10.95	5.82	6.16	7.97	5.32	14.20	16.87	84.34	1.95			ean
15.	4.74	4.32	4.32	3.55	3.55	6.64	7.73	7.17	1.29			lin.
67.	20.13	7.17	10.89	12.33	7.73	27.76	45.79	398.06	4.32			ax.

Table 9 DAILY DISCHARGE RECORD AT 11F1 STATION (2/11)

	Year: 19										Ţ	Jnit : cms
Day	Jan.	Feb.	Маг.	Арг	. May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	67.20	9.55			55,91	49.04	7.73	6.13	13.09	8.02	6.64	3.55
2	67.20	8.92			55.91	27.76	9.55	6.64	13.09	8.33	6.64	3.55
3	61.41	8.92			55.91	24.31	11.60	7.45	13.09	8.31	6.64	3.19
4	54.14	8.92			55.91	21.13	11.60	8.3 1	13.09	8.31	6.13	3.19
5	49.04	8.92			55.91	18.21	11.60	8.92	12.33	8.31	6.13	3.19
6	34.08	8.92			55.91	15.53	12.33	9.55	12.33	8.31	6.13	3.19
7	22.16	8.92	•		55.91	13.09	12.71	10.21	11.60	8.31	6.13	3.19
. 8	13.09	8.31			57.71	13.09	13.09	10.89	11.60	8.61	6.13	3.19
9	12.33	8.31			58.62	13.09	13.88	11.24	11.60	8.74	5.64	3.19
10	11.60	8.31			59.54	13.88	13.88	11.60	11.60	8.86	5.18	3.19
11	10.89	8.31		-	65.24	13.88	14.69	11.60	11.60	8.92	4.74	3.19
12	10.21	8.31			69.20	14.69	15.53	11.60	11.60	8.92	4.32	3.19
13	10.89	8.31			75.40	15.53	15.53	11.60	11.60	8.92	4.32	3.19
14	11.60	8.61			69.20	14.69	16.39	11.60	10.89	8.92	4.32	3.19
15	12.33	8.92			63.30	13.88	15.53	11.60	10.89	8.92	4.32	3.19
16	12.33	9.23			59.54	13.88	15.53	11.60	10.21	8.31	3.92	3.19
17	12.33	9.42			67.20	13.09	15.53	12.33	10.21	8.31	3.92	3.19
- 18	11.60	9.55			73.30	13.09	15.53	12.71	10.21	7.73	3.92	2.86
19	11.60	8.92			79.71	13.09	15.53	13.09	10.21	7.17	3.92	2.86
20	11.60	8.31			80.81	13.09	13.88	13.09	9.55	6.64	3.92	2.55
21	12.33	7.73	•		81.91	13.09	12.33	13.09	8.31	6.64	3.92	2.26
22	12.33	7.17			82.58	. 12.71	11.60	13.09	7.17	6.64	3.92	2.26
23	12.33	6.64	•		83.48	12.33	10.89	13.09	6.64	6.64	3.92	2.26
24	11.60	6.64			84.15	10.89	10.21	12.33	6.64	6.64	3.92	1.99
25	10.89	6.64			85.29	9.55	10.21	12.33	6.64	6.64	3.55	1.99
26	10.21	6.64		•	86.43	7.73	10.21	12.33	6.64	6.64	3.55	1.99
27	10.21	6.64			88.74	6.64	9.55	12.33	7.17	6.64	3.55	1.99
28	10.21	6.64			87.58	6.13	9.55	12.33	7.45	6.13	3.55	1.99
29	8.31	6.64			86.43	5.64	8.02	12.33	7.73	6.13	3.55	1.99
30	10.21				85.29	5.18	6.64	12.33	7.73	6.13	3.55	1.99
31	10.21				84.15		6.64	12.33	,	6.13		1.99
Mean	20.21	8.18			71.17	14.60	12.18	11.28	10.08	7.67	4.66	2.77
Min.	8.31	6.64			55.91	5.18	6.64	6.13	6,64	6.13	3.55	1.99
Max.	67.20	9,55			88.74_	49.04	16.39	13.09	13.09	8.92	6,64	3.55
*/	Annual Mea	n =	16.28 (cm	ıs)	*Annual Min). =	1.99 (cms)	Annual Max	_ =	88.74 (c	ms)

Table 9 DAILY DISCHARGE RECORD AT 1JF1 STATION (3/11)

it : cm					·						Year: 19	
Dec	Nov.	Oct,	Scp.	Aug.	July	June	<u>May</u>	<u>Apr.</u>	Mar.	Feb.	Jan.	Day
				3.19		4.32	3.55				1.89	1
4.7			1.99		4.74			1.10				2
	5.64	3.19								1.29	1.74	3
				1.99	4.74	4.32	3.55		1.10		•	4
4.7			1.74									5
	•									1.29	1.74	6
	5.64	0.92			4.32			1.10	1.10			7
4.33			1.74	1.99								8
							3.92	0.69				9
	5.64	3.55							1.10	1.10	1.51	10
4.33				1.99	4.32	4.74		1.51				- 11
			2.55				3.92	*				12
	5.64	3.55				5.18			1.10		1.29	13
	.*			1.99	4.32					1.10		14
4.32			2.55					1.51		•		15
							3.92					16
		4.74				4.32			0.92	1.10	1.29	17
	5.18			2.26	3.92			2.26				18
4.33			2.55				4.32					19
						4.32				1.10	1.29	20
	5.18	4.74						2.55	0.92			21
4.7	•			2.26	3.92							22
		5.18	2.55				4.32					23
	4.74					4.74				1.10	1.29	24
4.7					3.55			2.55	0.60			25
		5.18	3.19	1.99			4.32		0.92			26
	4.74					4.74						27
					3.55			3.19	0.92	1.10	1.29	28
4.3			3.19	1.99				1.99				29
	4.74	5.18				4.74	4.32	-				30
4.3									0.92		1.29	31
4.4	5.24	4.02	2.45	2.18	4.15	4.60	4.01	1.84	0.96	1.15	1.46	Mean
4.3	4.74	0.92	1.74	1.99	3.55	4.32	3.55	0.69	0.60	1.10	1.29	Min.
4.7	5.64	5.18	3.19	3.19	4.74	5.18	4.32	3.19	1.10	1.29	1.89	Мах.

Table 9 DAILY DISCHARGE RECORD AT 11F1 STATION (4/11)

Stream : Sondu/Mirit

	Year: 19		•									nit : cms
Day	Jan.	Feb.	Маг.	Λpr.	Мау	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
i	4.32	0.50	0.39	0.50	14.69	15.53	13.09	2.55	2,55	6.13	4.32	3.92
2	4.32	0.50	0.39	0.50	15.53	13.09	12.33	2.55	2.55	6.13	4.32	3.92
3	4.32	0.50	0.39	0.50	17.29	20.13	12.33	3.19	2.55	6.13	4.32	3.92
4	4.32	0.50	0.39	0.50	19.15	28.96	11.60	3.55	2.55	6.13	4.32	3.92
5	4.32	0.50	0.39	0.50	21.13	45.79	11.60	3.92	2.55	6.13	4.32	3.92
6	3.55	0.50	0.50	0.50	23.22	57.71	10.89	4.74	2.55	5.64	4.32	3.92
7	2.86	0.50	0.50	0.50	26.58	67.20	10.21	5.64	2.55	5.64	3.92	3.92
8	2.26	0.50	0.50	0.50	31,46	77.54	9.55	5.64	2.86	5.64	3.92	3.92
9	1.29	0.50	0.50	0.92	34.08	88.74	8.92	5.64	3.19	5.64	3.92	3.92
10	1.29	0.50	0.50	1.51	36.82	73.30	8.92	6.13	3.92	5.64	3.92	3.92
11	1.29	0.50	0.50	2.26	39.69	52.41	8.31	6.13	4.32	5.64	3.92	3.92
12	1.29	0.50	0.50	3.19	44.22	45.79	7.17	6.64	4.74	5.64	3.92	3.92
13	0.56	0.50	0.50	4.32	54.14	44.22	6.64	6.64	4.74	5.18	3.92	3.92
14	0.76	0.50	0.50	5.18	61.41	42.68	6.64	6.64	4.74	5.18	3.92	3.92
- 15	1.01	0.50	0.50	5.64	67.20	41.17	6.64	6.64	4,74	5.18	3.92	3.92
16	1.29	0.50	0.50	6,64	71.23	36.82	6.64	6.64	4.74	5.18	3.92	3.92
17	1.29	0.39	0.50	5.18	75.40	32.76	6.64	6.64	4.74	5.18	3.92	3.92
18	1.29	0.39	0.50	3.55	77.54	27.76	6.13	6.64	4.74	5.18	3.92	3.92
19	1.29	0.29	0.50	2.55	49.04	22.16	6.13	6.64	4.74	5.18	3.92	3.55
20	1.29	0.29	0.50	2.26	34.08	21.13	5.64	6.64	4.32	4.74	3.92	3.55
21	1.29	0.29	0.50	2.26	22.16	21.13	5.64	6.64	4.32	4.74	3.92	3.55
22	1.29	0.29	0.50	1.99	13.09	20.13	5.64	6.13	4.32	4.74	3,92	3.55
23	1.29	0.29	0.50	1.99	19.15	20.13	5.64	6.13	3.92	4.74	3.92	3.55
24	1.29	0.29	0.50	3.92	26.58	17.29	5.64	5.64	3.92	4.32	3.92	3.55
25	1.29	0.29	0.50	6.64	34.08	14.69	4.74	5.64	4.32	4.32	3.92	3.19
26	1.29	0.29	0.50	9.55	32.76	11.60	3.92	5.64	4.74	4.32	3.92	3.19
27	1.29	0.29	0.50	10.89	31.46	12.33	3.19	5.64	5.18	4.32	3.92	2.86
28	1.29	0.29	0.50	11.60	30.20	12.33	2.55	5.64	5.64	4.32	3.92	2.55
29	1.29		0.50	13.09	30.20	13.09	2.55	4.32	5.64	4.32	3.92	2.55
30 .	1.01		0.50	13.88	24.31	13.09	2.55	3.55	5.64	4.32	3.92	2.55
31	0.76		0.50		19.15		2.55	2,55		4.32		2,55
Mean	1.86	0.42	0.48	4.10	35.39	33.69	7.12	5.39	4.07	5.16	4.00	3.59
Min.	0.56	0.29	0.39	0.50	13.09	11.60	2.55	2.55	2.55	4.32	3.92	2.55
Max.	4.32	0.50	0.50	13.88	77.54	88.74	13.09	6.64	5.64	6.13	4.32	3.92
	Annual Mea		8.77 (c	ans) *	Annual Mir		0.29 (c	ms) *	\nnual Max.	=	88.74 (ms)

Table 9 DAILY DISCHARGE RECORD AT 11F1 STATION (5/11)

D	Year : 19 Jan.	Feb.	h/a-	A	M	ř	I1	A	Sep.	Oct.	Nov.	nit : cm De
Day 1	Jan.	reo.	Mar.	Apr.	Мау	June 3,19	July 2.55	Aug. 4.32	12.33	23.22	11.60	3.9
2						3.19	2.55	4.32	12.33	20.13	11.60	3.9
3						3.19	2.55	4.74	13.09	18.21	11.60	3.5
4						2.86	2.55	5.18	14.28	16.39	11.60	3.5
5						2.86	2.55	5.41	15.53	15.53	11.60	3.
6					•	2.86	2.55	5.64	14.69	13.88	10.89	2.
7	•					2.86	2.55	6.13	14.69	13.09	10.21	2.
8						2.86	2.55	7.17	13.88	11.60	9.55	3.
9						2.55	2.55	8.31	13.88	11.96	9.55	4.
10						2.55	2.55	9,55	13.09	12.33	10.21	5.
li						2.55	2.55	10.89	12.33	12.71	10.89	5.
12						2.55	2.55	10.89	12.33	13.09	10.89	6.
13			÷ †		•	2.55	2.86	10.89	11.60	13.09	10.89	6.
14						2.55	3.19	10.89	11.60	12.33	10.21	6.
15						2.86	3.55	11.60	10.89	12.33	10.21	6.
16						2.86	3.55	11.60	11.96	11.60	8.92	7.
17	•		•			2.86	3.55	11.60	13.09	11.60	8.31	8.
18						2.26	3.55	11.60	13.88	11.60	7.73	8.
19						1.74	3.92	11.60	15.53	11.60	6.64	8
20	•	•				1.23	3.92	11.60	17.29	11.60	6.13	8
21						1.19	3.92	13.09	15.53	11.60	5.64	8
22						1.16	4.32	14.69	13.88	11.60	5.18	7
23	-					1,14	4.32	16.39	12.33	10.89	4.95	7
24	•					1.29	4.32	17.29	22.16	10.89	4.74	7
25 .		,				1.51	4.32	16.39	24.31	10.89	4.52	. 7
26						1.74	4.32	15.53	26.58	10.89	4.32	7.
27						1.86	4.32	15.53	27.76	10.89	4.32	6
28	٠					1.99	4.32	14.69	26.58	10.89	4.32	6
29						2.26	4.32	13.88	26.58	10.89	4.32	8
30						2.55	4.32	13.09	26.58	10.89	4.32	10
31				<u> </u>				13.09		10.89		11
ean						2.32	3.38	10.89	16.35	12.87	8.19	6
in.						1.14	2.55	4.32	10.89	10,89	4.32	2
ax.						3.19	4.32	17.29	27.76	23.22	11.60	_ 11

Table 9 DAILY DISCHARGE RECORD AT 1JF1 STATION (6/11)

Stream	;	Sondu/Miriu
--------	---	-------------

	Year: 1	onau/Miriu 956				nia a branco na talen de maria	Daniel Spring St. 404 (D) 18	h-Salah Common on a dissociation dell'est				Jnit : cms
Day	Jan.	Feb.	Маг.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	5.64	11.60	4.32	6.64	19.15	13.09	13.88	8.74	17.29	21.13	9.55	8.31
. 2	5.64	12.33	3.92	7.17	21.13	13.09	13.09	8.80	18.21	20.63	9.23	8.02
3	7.73	12.33	3.92	8.31	23.22	13.09	13.09	8.86	18.68	20.13	8.92	8.02
4	9.55	12.33	3.55	8.31	25.43	13.09	13.09	8.92	19.15	19.15	8.31	7.73
5	11.60	12.33	3.19	8.92	24.31	13.09	13.09	8.98	20.13	18.21	7.73	7.45
6	11.60	11.60	3.19	9.55	23.22	13.88	13.09	9.11	27.76	17.29	7.17	7.17
7	11.60	11.60	3.19	9.55	22.16	14.69	13.09	9.23	27.16	17.74	6.64	6.90
8	12.33	11.60	3.19	9.55	23.22	14.69	12.33	9.30	26.58	18.21	6.90	6.64
9	12.33	10.89	2.86	9.55	23.77	14.69	11.60	9.42	26.00	18.68	7.17	6.38
10	13.09	10.21	2.86	9.55	24.31	14.69	10.89	9.49	25.43	19.15	7.45	6.13
11	14.69	9.55	2.86	9.88	24.87	14.69	10.55	9.55	24.87	19.44	7.73	5.88
12	15.53	8.92	2.55	10.21	25.43	15.53	10,21	9.88	24.76	19.74	8.02	5.64
13	17.29	8.31	2.55	10.89	25.77	15.53	9.88	10.21	24.54	20.13	8.31	5.41
14	17.29	8.31	2.55	11.60	26.12	15.53	9.55	10.89	24.42	19.15	8.61	5.18
15	17.29	8.31	2.55	11.60	26.58	15.53	9.23	11.24	24.31	18.21	8.92	4.74
16	17.29	7.73	2.55	11.60	26.00	15.53	8.92	11.60	23.77	17.29	9.23	4.52
17	17.29	7.17	2.55	11.60	25.66	15.53	8.61	11.96	23.22	16.39	9.55	4.32
18	17.29	6.64	2.86	11.60	25.43	16.39	8.49	12.18	22.69	15.53	9.42	4.12
19	17.29	6.64	3.19	11.60	24.31	16.39	8.37	12.33	22.16	14.69	9.23	3.92
20	17.29	6.13	3.55	12.33	22.16	16.39	8.25	12.48	21.64	14.28	9.04	3.73
21	15.53	5.64	3.55	13.09	21.13	16.39	8.14	12.71	21.13	13.88	8.92	3.55
22	15.53	5.64	3.55	13.88	20.13	16.39	8,02	12.86	20.13	13.09	8.61	3.37
23	16.39	5.64	3.55	14.69	19.15	15.53	7.90	12.94	21.13	12.71	8.31	3.19
24	15.53	5.64	3.92	15.53	18.21	15.53	7.79	13.09	23.22	12.33	7.73	3.02
25	14.69	5.64	3.92	16.39	17.29	15.53	7.73	13.88	24.31	12.11	7.73	2.86
26	13.09	5.64	3.92	16.84	16.39	14.69	7.90	14.28	23.77	11.82	7.73	2.70
27	12.33	5.64	4.32	17.29	15.53	14.69	8.08	14.69	23.22	11.60	7.73	2.55
28	12.33	5.18	4.32	18.21	14.28	14.69	8.31	15.10	22.69	11.24	7.73	2.55
29	11.60		4.74	17.74	13.09	13.88	8.43	15.53	22.16	10.89	7.73	2.55
30	11.60	•	5.18	17.29	13.09	13.88	8.55	15.96	21.64	10.55	7.73	2.55
31			5.64		13.09			16.39		10.21		2.55
Mean	13.61	8.54	3.50	. 12.03	21.41	14.88	10.01	11.63	22.87	15.99	8.24	4.89
Min.	5.64	5.18	2.55	6.64	13.09	13.09	7.73	8.74	17.29	10.21	6.64	2.55
Max.	17.29	12.33	5.64	18.21	26.58	16.39	13.88	16.39	27.76	21.13	9.55	8.31
*,	Annual Mea		12.30 (c		*Annual Min). =	2.55 (c	ems) *	Annual Ma	x. =	27.76 (cms)

Table 9 DAILY DISCHARGE RECORD AT 1JF1 STATION (7/11)

<u>it : сп</u>	Un						·			57	Year: 19	
De	Nov.	Oct.	Sep.	Aug.	July	June	May	Арг.	Mar.	Feb.	Jap.	Day
3.1	3.02	9.55	10.89	13.09	39.69	88.74	67.20	2.55	1.99	3.92	2.55	1
3.9	2.55	8.92	10.89	13.09	36.82	88.74	71.23	2.55	2.12	3.92	2.55	. 2
3.9	2.55	8.92	10.89	13.09	34.08	88.74	75.40	2.55	2.26	3.92	2.55	3
3.5	2.55	8.92	10.89	13.09	33.42	88.74	79.71	2.55	2.26	4.32	2.40	4
3.5	2.55	8.31	10.89	12.33	32.76	84.15	84.15	2.55	2.40	4.52	2.26	5
3.1	2.55	7.73	10.89	12.33	31.46	79.71	85.29	2.55	2.55	4.74	2.18	6
3.1	2.55	7.73	11.60	11.60	30.20	75.40	85.97	2.55	2.70	4.87	2.07	7
2.8	2.55	7.17	11.60	11.60	28.96	73.30	88.74	2.55	2.86	5.00	1.99	8
2.8	2.55	6.64	11.60	11.60	27.76	74.35	88.74	4.32	3.02	5.18	2.07	9
2.5	2.70	6.64	11.60	11.60	27.16	75.40	88.74	6.64	3.19	5.18	-2.12	10
2.5	2.86	6.64	11.60	11.60	26.58	76.47	88.74	13.09	3.30	5.18	2.18	11
2.	3.02	6.64	11.60	11.60	26.00	77.54	67.20	17.29	3.40	5.18	2.26	12
2.	3.19	6.64	11.60	11.60	25.43	78.62	49.04	25.43	3.55	5.18	2.26	13
2.	3.30	6.64	11.60	11.60	24.87	79.71	41.17	27.76	3.40	4.74	2.26	14
2.3	3.40	6.64	11.60	11.60	24.31	81.91	38.24	31.46	3.30	4.52	2.26	15
2.	3.55	6.64	11.60	11.60	23.22	80.81	38.96	28.96	3.19	4.32	2.26	16
2	3.44	6.64	10.21	10.89	22.16	78.62	39.69	26.58	3.19	3.55	2.55	-17
2.	3.37	6.64	10.21	10.89	21.64	77.54	41.17	24,31	3.19	2.86	2.55	18
2.5	3.30	6.13	10.21	10.89	21.64	73.30	44.22	22.16	3.19	2.55	2.55	19
2.:	3.19	6.13	10.21	11.60	21.13	69.20	47.40	34,08	3.19	2.55	2.70	20
2.	2.86	5.64	10.21	11.60	20.13	65.24	50.71	49.04	2.86	2.55	2.86	21
2.5	2.86	5.64	10.21	11.60	19.15	63.30	54.14	88.74	2.86	2.55	3.02	22
2	2.86	5.41	10.21	11.60	17.29	59.54	57.71	77.54	2.86	2.55	- 3.19	23
2.	2.55	5.18	10.21	11.60	15.53	55.91	61.41	67.20	2.86	2.26	3.30	24
2.	2.55	4.95	9.55	11.60	14.69	52.41	63.30	57.71	2.55	1.99	3.40	25
2.	2.55	4.74	9.55	11.60	13.88	49.04	67.20	49.04	2.55	1.99	3.55	26
2.	2.55	4.52	9.55	10.89	13.09	48.21	70.21	52.41	2,55	1.99	3.55	27
2.	2.55	4.32	9.55	10.89	13.09	47.40	73.30	55.91	2.55	1.99	3.55	28
2.	2.55	4.12	9.55	10.89	13.09	45.79	75.40	59.54	2.55		3.55	29
2.	2.55	3.92	9.55	10.89	13.09	42.68	77.54	63.30	2.55		3.55	30
2.		3.73		10.89		***************************************	81.91		2.55			31
2.	2.84	6.39	10.68	11.66	23.74	70.68	65.93	30.10	2.82	3.72	2.67	lean
2.	2.55	3.73	9.55	10.89	13.09	42.68	38.24	2.55	1.99	1.99	1.99	lin.
3.	3.55	9.55	11.60	13.09	39.69	88.74	88.74	88.74	3.55	5.18	3.55	Sax

Table 9 DAILY DISCHARGE RECORD AT 1JF1 STATION (8/11)

Stream : So	ndu/Minu
-------------	----------

Year: 19 Jan.											nit : cms
	Feb.	Mar.	Apr	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec
2.55	1.29	2.26	3.55	5,64	9.55	7.17	5.18	25.43	5.18	3.92	2.12
			3,19	7.73	9.23	6.64	5.41	23.22	4.95	3.55	2.12
				10.21		7.06	5.18	21.13	4.74	3.37	2.12
				10.89	8.14	6.90	4.74	20.13	5.18	3.19	2.12
			2.40	12.33	8.02	6.64	4.95	12.33	5.41	3.92	2.12
		1.86	2.26	13.09	7.73	6.90	5.18	11.60	5.88	3.73	1.86
		1.74	2.55	18.21	7.45	7.17	5.18	12.33	5.64	3.19	1.86
			3.19	22.16	7.34	7.45	5.18	13.09	5.64	3.02	1.86
				30.20	7.17	6.64	5.18	19.15	6.13	3.02	1.99
2.26	9.55	1.86	3.12	39.69	6.90	7.73	5.18	20.13	6.90	2.86	2.17
2.26	9.55	1.99	3.06	42.68	7.17	8.02	5.18	22.16	22.16	2.86	2.12
	9.55	1.74	3.02	45.79	6.64	6.90	5.18	20.63	13.09	3.02	1.99
	9.55	1.62	2.93	47.40	6.38	7.73	5.41	17.29	10.21	2.86	2.40
	9.55	1.51	2.86	44.22	6.13	8.92	5.41	15.53	9.55	2.70	2.20
1.99	9.55	1.40	2.55	41.92	6.64	. 9.55	5.64	12.33	9.55	2.86	2.20
1.86	9.55	1.74	2.26	37.53	6.13	10.89	5.88	12.71	8.31	2.86	2.5
1.74	9.55	2.55	1.62	27.76	6.13	10.21	4.74	11.60	6.64	3.02	3.19
1.67	7.73	3.37	1.19	26.58	6.38	10.55	3.92	9.88	6.13	2.86	3.92
1.62	6.13	4.32	2.55	25.43	6.13	10.21	5.18	9.55	5.88	2.70	3.9
1.57	4.74	4.74	2.55	24.31	6.13	8.92	6.13	9.23	5.64	2.55	4.17
1.51	3.92	5.64	2.55	22.16	6.13	7.73	7.17	8.92	5.18	2.55	4.7
1.51	3.55	4.52	2.26	21.64	6.13	6.90	6.64	8.31	5.41	2.40	5.8
1.51	3.19	4.12	2.26	21.13	6.13	6.64	9.23	7.73	5.64	2.26	6.3
1.51	2.86	3.92	3.19	20.13	6.13	6.13	7.73	7.45	6.38	2.26	5.13
1.51	2.55	3.55	3.92	20.43	6.64	6.38	6.38	6.64	5.18	2.12	4.74
1.51	2.55	2.55	4.52	20.73	8.31	6.13	6.64	6.38	4.95	2.04	4.5
1.51	2.55	2.86	3.92	21.13	10.89	6.13	6.38	6.13	4.74	2.09	4.33
1.29	2.55	3.19	4.74	18.21	10.21	6.13	11.60	6.13	4.52	2.12	4.12
1.29		4.74	5.64	13.09	9.55	6.38	12.33	5.64	4.32	2.26	3.93
1.29		3.92	6.38	10.89	8.92	6.38	25.43	4.74	4.12	2.07	3.73
		4.12		9.55			25.43		3.92		3.7
1.94	5.46	2.84	3.09	23.64	7.42	7.57	7.39	12.92	6.68	2.81	3.24
1.29	1.29	1.40	1.19	5.64	6.13	6.13	3.92	4.74	3.92	2.04	1.80
	9.55	5.64	6.38	47.40	10.89	10.89	25.43	25.43	22.16	3,92	6.39
_	2.26 2.26 2.26 2.12 1.99 1.86 1.74 1.67 1.62 1.57 1.51 1.51 1.51 1.51 1.51 1.52 1.29 1.29 1.29 1.29 1.29 2.55	2.55 1.99 2.55 2.55 2.55 3.19 2.55 3.92 2.26 4.74 2.26 6.64 2.26 8.31 2.26 9.55 2.26 9.55 2.26 9.55 2.26 9.55 2.12 9.55 1.99 9.55 1.86 9.55 1.74 9.55 1.67 7.73 1.62 6.13 1.57 4.74 1.51 3.92 1.51 3.55 1.51 3.19 1.51 2.86 1.51 2.55 1.52 2.55 1.29 2.55 1.29 1.29	2.55 1.99 2.07 2.55 2.55 1.99 2.55 3.19 1.91 2.55 3.92 1.86 2.26 4.74 1.74 2.26 6.64 2.09 2.26 8.31 2.07 2.26 9.55 1.86 2.26 9.55 1.74 2.26 9.55 1.62 2.12 9.55 1.62 2.12 9.55 1.40 1.86 9.55 1.74 1.74 9.55 2.55 1.67 7.73 3.37 1.62 6.13 4.32 1.57 4.74 4.74 1.51 3.92 5.64 1.51 3.92 5.64 1.51 2.86 3.92 1.51 2.55 2.55 1.51 2.55 3.55 1.51 2.55 3.19 1.29 4.74 1.29<	2.55 1.99 2.07 2.86 2.55 2.55 1.99 2.55 2.55 3.19 1.91 2.40 2.55 3.92 1.86 2.26 2.26 4.74 1.74 2.55 2.26 6.64 2.09 3.19 2.26 8.31 2.07 3.16 2.26 9.55 1.86 3.12 2.26 9.55 1.99 3.06 2.26 9.55 1.74 3.02 2.26 9.55 1.62 2.93 2.12 9.55 1.62 2.93 2.12 9.55 1.40 2.55 1.86 9.55 1.40 2.55 1.86 9.55 1.74 2.26 1.74 9.55 2.55 1.62 1.74 9.55 2.55 1.62 1.74 9.55 2.55 1.62 1.74 9.55 2.55 1.62	2.55 1.99 2.07 2.86 10.21 2.55 2.55 1.99 2.55 10.89 2.55 3.19 1.91 2.40 12.33 2.55 3.92 1.86 2.26 13.09 2.26 4.74 1.74 2.55 18.21 2.26 6.64 2.09 3.19 22.16 2.26 8.31 2.07 3.16 30.20 2.26 9.55 1.86 3.12 39.69 2.26 9.55 1.99 3.06 42.68 2.26 9.55 1.69 3.06 42.68 2.26 9.55 1.74 3.02 45.79 2.26 9.55 1.62 2.93 47.40 2.12 9.55 1.62 2.93 47.40 2.12 9.55 1.51 2.86 44.22 1.99 9.55 1.40 2.55 41.92 1.86 9.55 1.74 2.26 <td>2.55 1.99 2.07 2.86 10.21 8.31 2.55 2.55 1.99 2.55 10.89 8.14 2.55 3.19 1.91 2.40 12.33 8.02 2.55 3.92 1.86 2.26 13.09 7.73 2.26 4.74 1.74 2.55 18.21 7.45 2.26 6.64 2.09 3.19 22.16 7.34 2.26 8.31 2.07 3.16 30.20 7.17 2.26 9.55 1.86 3.12 39.69 6.90 2.26 9.55 1.86 3.12 39.69 6.90 2.26 9.55 1.87 3.02 45.79 6.64 2.26 9.55 1.62 2.93 47.40 6.38 2.12 9.55 1.62 2.93 47.40 6.38 2.12 9.55 1.40 2.55 41.92 6.64 1.86 9.55 1.7</td> <td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 2.55 2.55 1.99 2.55 10.89 8.14 6.90 2.55 3.19 1.91 2.40 12.33 8.02 6.64 2.55 3.92 1.86 2.26 13.09 7.73 6.90 2.26 4.74 1.74 2.55 18.21 7.45 7.17 2.26 6.64 2.09 3.19 22.16 7.34 7.45 2.26 8.31 2.07 3.16 30.20 7.17 6.64 2.26 9.55 1.86 3.12 39.69 6.90 7.73 2.26 9.55 1.99 3.06 42.68 7.17 8.02 2.26 9.55 1.62 2.93 47.40 6.38 7.73 2.12 9.55 1.62 2.93 47.40 6.38 7.73 2.12 9.55 1.51 2.86 44.22 <t< td=""><td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 2.26 8.31 2.07 3.16 30.20 7.17 6.64 5.18 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 1.99 9.55 1.40 <</td><td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 12.33 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 13.09 2.26 8.31 2.07 3.16 30.20 7.17 6.64 5.18 19.15 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 17.29 2.12 9.55 1.51<td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 4.74 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 5.18 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 5.41 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 5.88 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 13.09 5.64 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 13.09 5.64 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 6.90 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 17.29 10.21 2.26 9.55 1.62 2.93 47.40<</td><td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 4.74 3.37 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 5.18 3.19 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 5.41 3.92 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 5.88 3.73 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 11.60 5.88 3.73 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 11.60 5.84 3.02 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 6.90 2.86 2.26 9.55 1.99 3.06 42.68 7.17 8.02 5.18 22.16</td></td></t<></td>	2.55 1.99 2.07 2.86 10.21 8.31 2.55 2.55 1.99 2.55 10.89 8.14 2.55 3.19 1.91 2.40 12.33 8.02 2.55 3.92 1.86 2.26 13.09 7.73 2.26 4.74 1.74 2.55 18.21 7.45 2.26 6.64 2.09 3.19 22.16 7.34 2.26 8.31 2.07 3.16 30.20 7.17 2.26 9.55 1.86 3.12 39.69 6.90 2.26 9.55 1.86 3.12 39.69 6.90 2.26 9.55 1.87 3.02 45.79 6.64 2.26 9.55 1.62 2.93 47.40 6.38 2.12 9.55 1.62 2.93 47.40 6.38 2.12 9.55 1.40 2.55 41.92 6.64 1.86 9.55 1.7	2.55 1.99 2.07 2.86 10.21 8.31 7.06 2.55 2.55 1.99 2.55 10.89 8.14 6.90 2.55 3.19 1.91 2.40 12.33 8.02 6.64 2.55 3.92 1.86 2.26 13.09 7.73 6.90 2.26 4.74 1.74 2.55 18.21 7.45 7.17 2.26 6.64 2.09 3.19 22.16 7.34 7.45 2.26 8.31 2.07 3.16 30.20 7.17 6.64 2.26 9.55 1.86 3.12 39.69 6.90 7.73 2.26 9.55 1.99 3.06 42.68 7.17 8.02 2.26 9.55 1.62 2.93 47.40 6.38 7.73 2.12 9.55 1.62 2.93 47.40 6.38 7.73 2.12 9.55 1.51 2.86 44.22 <t< td=""><td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 2.26 8.31 2.07 3.16 30.20 7.17 6.64 5.18 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 1.99 9.55 1.40 <</td><td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 12.33 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 13.09 2.26 8.31 2.07 3.16 30.20 7.17 6.64 5.18 19.15 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 17.29 2.12 9.55 1.51<td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 4.74 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 5.18 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 5.41 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 5.88 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 13.09 5.64 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 13.09 5.64 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 6.90 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 17.29 10.21 2.26 9.55 1.62 2.93 47.40<</td><td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 4.74 3.37 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 5.18 3.19 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 5.41 3.92 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 5.88 3.73 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 11.60 5.88 3.73 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 11.60 5.84 3.02 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 6.90 2.86 2.26 9.55 1.99 3.06 42.68 7.17 8.02 5.18 22.16</td></td></t<>	2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 2.26 8.31 2.07 3.16 30.20 7.17 6.64 5.18 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 1.99 9.55 1.40 <	2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 12.33 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 13.09 2.26 8.31 2.07 3.16 30.20 7.17 6.64 5.18 19.15 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 17.29 2.12 9.55 1.51 <td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 4.74 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 5.18 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 5.41 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 5.88 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 13.09 5.64 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 13.09 5.64 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 6.90 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 17.29 10.21 2.26 9.55 1.62 2.93 47.40<</td> <td>2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 4.74 3.37 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 5.18 3.19 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 5.41 3.92 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 5.88 3.73 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 11.60 5.88 3.73 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 11.60 5.84 3.02 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 6.90 2.86 2.26 9.55 1.99 3.06 42.68 7.17 8.02 5.18 22.16</td>	2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 4.74 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 5.18 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 5.41 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 5.88 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 13.09 5.64 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 13.09 5.64 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 6.90 2.26 9.55 1.62 2.93 47.40 6.38 7.73 5.41 17.29 10.21 2.26 9.55 1.62 2.93 47.40<	2.55 1.99 2.07 2.86 10.21 8.31 7.06 5.18 21.13 4.74 3.37 2.55 2.55 1.99 2.55 10.89 8.14 6.90 4.74 20.13 5.18 3.19 2.55 3.19 1.91 2.40 12.33 8.02 6.64 4.95 12.33 5.41 3.92 2.55 3.92 1.86 2.26 13.09 7.73 6.90 5.18 11.60 5.88 3.73 2.26 4.74 1.74 2.55 18.21 7.45 7.17 5.18 11.60 5.88 3.73 2.26 6.64 2.09 3.19 22.16 7.34 7.45 5.18 11.60 5.84 3.02 2.26 9.55 1.86 3.12 39.69 6.90 7.73 5.18 20.13 6.90 2.86 2.26 9.55 1.99 3.06 42.68 7.17 8.02 5.18 22.16

Table 9 DAILY DISCHARGE RECORD AT 1JF1 STATION (9/11)

Proto-Completed someone	Year: 19:										υ	nit : cms
Day	Jan.	Feb.	Мат.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	3.37	1.74	2.26	21.13	21.13	20.13	3.19	2.26	2.86	3.92	3.55	6.64
2	3.19	1.51	2.55	10.89	21.13	18.21	3.19	2.26	3.19	3.92	3.19	7.73
3	2.70	1.40	2.86	8.31	20.13	15.53	3.19	2.26	3.55	3.92	3.55	6.13
4	2.86	1.29	3.37	6.64	20.13	13.09	3.19	2.55	3.55	3.92	3.55	4.74
5	2.55	1.29	3.92	6.64	20.13	12.33	3.19	2.55	3.55	3.92	3.55	4.32
6	2.40	1.40	2.55	6.43	19.15	11.60	3.02	2.70	3.55	3.73	3.92	4.32
7	2.26	1.86	2.26	6.13	18.21	9.55	3.19	2.70	3.55	5.18	4.32	4.32
8	2.26	1.74	2.26	7.73	18.21	8.31	3.19	2.86	3.73	5.18	4.74	3.92
9	2.26	2.12	2.40	6.64	17.74	8.31	3.19	2.86	3.55	5.18	5.18	3.92
10	2.26	2.55	2.40	6.90	17.29	8.31	3.19	2.86	4.32	5.88	4.74	3.55
11	2.26	2.55	2.12	7.17	17.29	7.73	3.19	2.55	4.74	5.88	4.74	3.55
12	2.12	2.55	1.86	7.73	17.29	7.17	3.19	2.55	5.18	5.88	3.92	3.55
13	2.12	2.26	1.86	8.31	16.84	6.64	3.02	2.55	5.64	6.13	3.19	3.55
. 14	1.99	1.40	1.51	8.92	16.39	6.13	2.86	2.55	6.64	6.13	3.92	3.19
. 15	1.99	1.40	1.51	6.64	16.39	6.13	2.86	2.55	9.55	7.17	3.55	3.19
- 16 ···	1.86	1.29	1.51	6.90	14.69	6.13	2.86	2.55	13.88	7.73	3.19	3.19
17	1.86	1.29	1.62	7.17	14.69	5.18	2.55	2.55	9.55	8.31	2.86	3.19
- 18	1.86	1.40	1.74	7.73	14.69	5.18	2.55	2.70	7.73	8.31	2.86	2.86
19	1.86	1.86	2.12	13.09	13.88	4.95	2.55	2.86	8.31	8.31	2.55	2.86
20	1.86	2.40	4.32	21.13	17.29	4.74	2.55	3.55	8.02	8.31	2.55	2.86
21	1.86	1.74	5.64	20.13	16.39	4.74	2.26	3.37	7.73	7.17	3.19	2.86
22	1.51	1.74	6.64	26.58	19.15	4.74	2.26	3.19	6.64	6.13	3.19	2.55
23	1.51	1.74	7.73	26.58	21.13	4.74	2.26	2.86	4.74	5.18	3.19	2.26
24	1.51	1.29	9.55	25.43	21.13	4.74	2.26	2.55	4.52	4.74	3.92	2.26
25	1.51	1.29	12.33	24.87	21.13	4.32	2.26	2.55	4.32	4.74	3.92	2.26
26	1.74	1.29	21.13	24.31	22.16	4.32	2.26	2.55	4.12	4.32	3.55	2.26
27	1.99	1.10	17.29	24.31	21.13	3.92	2.26	2.70	3.92	4.32	3.19	2.26
- : 28	2,40	1.86	10.89	24.31	20.13	3.55	2.26	2.55	3.92	4.12	3.92	2.26
29	2.55		9.55	22.16	17.29	3.55	2.26	2.55	3.92	3.92	4.74	2.26
30	2.26		8.92	22.16	16.39	3.19	2.26	2.55	3.92	3.55	5.64	2.26
31		···	14.69		18.21			2.55		3.19		2.26
Mean	2.16	1.69	5.53	14.10	18.29	7.57	2.75	2.67	5.41	5.43	3.74	3.46
Min.	1.51	1.10	1.51	6.13	13.88	3.19	2.26	2.26	2.86	3.19	2.55	2.26
Max.	3.37	2.55	21.13	26.58	22.16	20.13	3.19	3.55	13.88	8.31	5.64	7.73
*A	nnusi Mean	\$	6.07 (c	ms) *.	Annual Min	, =	1.10 (cr	ms) */	Innual Max	. =	26.58 (c	

Table 9 DAILY DISCHARGE RECORD AT 1JF1 STATION (10/11)

·	Year: 19	60		-			*************************************					<u>Unit : cm</u>
Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec
1	2.26	1.51	3.55	27.76	19.15	12.33	6.13	4.74	11.96	10.89	5.18	3.5
2	2.26	1.51	6.64	28.96	18.21	13.09	6.13	4.32	12.33	10.89	5.18	3,5
3	2.26	1.51	6.13	30.20	17.29	13.09	6.13	4.32	12.33	10.89	5.18	3.5
4	2.26	1.40	5.88	32.76	17.29	13.09	5.64	4.32	12.33	10.21	4.95	3.3
5	2.26	1.40	5.88	36.82	17.29	13.09	6.13	4.32	12.33	10.21	4.95	3.19
6	2.26	1.40	5.88	34.08	16.39	13.09	6.13	3.92	12.71	9.55	4.74	3.1
. 7	1.99	1.40	5.88	31.46	16.39	12.33	6.13	4.74	13.09	9.55	4.74	3.0
8	1.86	1.40	5.41	28.96	16.39	12.33	6.64	4.74	13.09	9.55	4.74	3.0
9	1.86	1.29	5.18	26.58	15.53	11.60	6.64	5.18	13.09	9.55	4.74	2.80
10	1.86	1.29	5.18	26.58	13.09	11.60	6.64	5.18	13.88	9.55	5.18	2.80
11	1.74	1.10	5.18	26.58	13.09	10.89	6.90	5.18	13.88	8.92	5.18	2.80
12	1.74	1.10	4.74	24.31	13.09	10.55	7.17	5.18	14.69	8.92	5.41	2.8
13	1.74	1.10	4.74	23.22	12.33	10.21	7.17	5.18	16.39	8.92	5.41	2.70
14	1.74	1.10	4.32	23.22	11.60	10.21	7.45	5.18	17.29	8.92	5.41	2.70
15	1.51	1.10	4.32	23.22	10.89	9.55	7.73	5.18	17.29	8.92	5.41	2.5
16	1.51	1.10	3.55	22.16	10.21	9,55	7.73	5.64	17.29	8.92	5.64	2.5
17	1.74	1.01	4.32	24.31	9.55	8,92	8.02	5.64	17.29	8.31	5.64	2.5
18	1.99	1.10	5.88	26.58	10.21	8.92	8.31	5.88	17.29	8.31	5.64	2.5
- 19	1.99	1.29	7.17	28.96	10.89	8.92	8.31	6.13	18.21	8.02	5.18	2.55
20	1.99	1.51	11.60	22.16	10.89	8.31	7.17	6.13	19.15	7.73	5.18	2.55
21	1.99	1.29	12.71	22.16	11.60	7.73	7.17	6.13	19.15	7.73	4.95	2.55
22	1.74	1.33	13.88	67.20	12.33	7.17	6.90	6.13	19.15	7.17	4.32	2.20
23	1.74	1.62	13.09	41.17	10.89	7.17	6.38	6.13	15.53	7.17	4.32	2.20
24	1.51	1.51	15.53	34.08	10.55	6.90	6.38	6.38	13.09	6.90	4.12	2.26
25	1.51	1.29	20.13	28.96	10.21	6.90	6.13	6.64	12.33	6.13	3.92	2.26
26	1.51	1.29	23.22	44.22	9.55	6.64	5.64	7.73	11.96	6.13	3.73	2.26
27	1.51	1.10	31.46	26.58	9.55	6.64	5.18	8.31	11.60	5.64	3.55	2.20
28	1.51	1.10	41.17	22.16	9.55	6.64	5.18	9.55	11.60	5.64	3.55	2.20
29	1.51		22.16	21.13	10.21	6.13	4.74	10.21	10.89	5.64	3.55	2.20
- 30	1.51		24.31	20.13	10.89	6.13	4.74	10.89	10.89	5.64	3.55	2.26
31			26.58		11.60			11.60		5.64		2.26
Mean	1.83	1.29	11.47	29.22	12.80	9.66	6.56	6.15	14.40	8.26	4.77	2.70
Min.	1.51	1.01	3.55	20.13	9.55	6.13	4.74	3.92	10.89	5.64	3.55	2,26
Max.	2.26	1.62	41.17	67.20	19.15	13.09	8.31	11.60	19.15	10.89	5.64	3.55

Table 9 DAILY DISCHARGE RECORD AT 1JF1 STATION (11/11)

	Stream : Son Year : 196										โ	Jnit : cms
Day		Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	2.26	1.10	0.76	1.51	4.32	4.74	2.26	1.40	4.74	4.74	17.29	105.89
2	2.26	1.10	0.84	1.62	4.32	4.74	2.26	1.29	5.18	4.74	22.16	113.79
3	2.26	1.10	0.92	1.62	5.18	4.74	2.26	1.51	5.88	5.18	17.29	108.49
4	2.26	1.10	0.92	1.62	5.18	4.32	2.26	1.62	6.64	5.64	17.29	100.81
5	2.26	1.10	0.92	1.74	5.41	4.32	1.99	1.74	6.64	6.38	18.21	77.54
6	1.99	1.01	0.92	1.74	5.64	4.32	1.99	1.99	6.13	6.13	19.15	57.71
7	1.99	1.01	0.92	1.86	5.64	3.92	1.99	2.55	5.88	6.38	20.13	41.17
8	1.99	1.01	1.01	1.86	5.88	3.55	1.99	2.55	6.13	6.64	22.16	41.17
9	1.74	1.01	1.01	1.99	6.13	3.37	1.74	2.70	5.64	6.64	22.16	49.04
10	1.74	1.01	1.10	4.32	9.55	3.37	1.74	2.55	5.64	6.64	88.74	52.41
11	1.51	0.92	1.10	4.74	13.09	3.19	1.74	2.26	5.64	6.64	77.54	57.71
12	1.51	0.92	1.10	5.18	27.76	2.86	1.62	2.26	5.18	6.64	77.54	67.20
13	1.29	0.92	1.10	8.92	34.08	2.86	1.51	2.86	5.18	6.64	77.54	77.54
14	1.29	0.92	1.10	12.33	30.20	2.70	1.51	3.55	4.74	6.64	88.74	88.74
15	1.29	0.92	1.29	13.09	27.76	2.70	1.74	3.92	4.74	6.64	77.54	88.74
16	1.29	0.92	1.29	11.60	22.16	2.55	1.74	3.73	5,18	6.64	100.81	93.46
17	1.29	0.92	1.29	10.89	21.13	2.55	1.74	3.73	4.95	6.13	77.54	100.81
18	1.19	0.84	1.29	9.55	21.13	2.55	1.74	3.92	4.74	6.13	57.71	113.79
19	1.19	0.84	1.29	4.32	21.13	2.55	1.62	3.92	4.32	6.13	61.41	100.81
20	1.19	0.84	1.29	3.55	20.13	2.55	1.51	3.92	4.32	6.13	61.41	67.20
21	1.19	0.84	1.29	3.55	20.13	2.55	1.51	4.32	4.74	5.64	63.30	67.20
22	1.19	0.84	1.29	3.37	20.13	2.55	1.29	4.52	4.74	5.64	65,24	67.20
23	1.10	0.76	1.29	3.37	13.09	2.55	1.51	4.74	4.95	5.64	67.20	67.20
24	1.10	0.76	1.51	3.19	13.09	2.40	1.74	4.74	5.18	5.18	71.23	67.20
25	1.10	0.76	1.51	2.86	12.33	2.40	1.62	4.74	5.18	6.13	75.40	67.20
26	1.10	0.76	1.51	2.70	11.96	2.40	1.51	4.32	5.18	6.64	79.71	67.20
27	1.10	0.76	1.51	2.55	11.60	2.40	1.51	4.32	5.18	6.64	84.15	67.20
28	1.10	0.76	1.51	2.26	9.55	2.34	1.74	4.32	5.18	6.64	88.74	67.20
29	1.10		1.51	2.86	8.31	2.32	1.74	4.32	5.18	7.73	93.46	67.20
30	1.10		1.51	3.55	7.17	2.29	1.51	4.32	5.18	9.55	100.81	67.20
. 31			1.51		6.64			4,32		11.53		67.20
Mean	1.50	0.92	1.21	4.48	13.87	3.09	1.75	3.32	5.27	6.46	60.39	75.59
Min.	1.10	0.76	0.76	1.51	4.32	2.29	1.29	1.29	4.32	4.74	17.29	41.17
Max.	2.26	1.10	1.51	13.09	34.08	4.74	2.26	4.74	6.64	11.53	100.81	113.79
	*Annual Mean	æ	14.82 (ms)	*Annual Min.	==	0.76 (c	ms) *	Annual Ma	x. =	113.79 ((cms)