STATION: AHERO MONTH: SEP. YEAR: 1977

Data	Tempe	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar   Radia-		Rain- fall
Date -	Max.	Min	Mean			ity		ration	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
							·		` <u>-</u>
1	30.0	13.5	21.8	65	7.8	4.15	534	5.3	***
2	30.5	14.5	22.5		7.8				
3	31.0	15.5	23.3		5.3				
4	31.1	15.0	23.1		3.7				
5	31.5	17.4	24.5		3.5				
6	31.5		22.8						
7	32.0		23.3						
8	30.5		23.0						
9	30.7	14.2	22.5						1.5
10	30.5	14.0	22.3	66	7.0			5.4	0.4
11	31.0		22.5					5.5	6.3
12	30.0		23.1	66				5.0	-
13	31.4		22.7				. 680	6.0	_
14	32.0		23.3				520	7.7	-
15	30.0		23.6		6.4	6.32	542	7.0	_
16	29.3		22.9			4.20	406	4.0	
17	29.0		23.2	59	2.2	3.98	3 400		
18	28.5		22.8	86	1.6	3.75			
19	31.8	13.5	22.7	70	7.2	4.77	7 636		
20	31.5	16.0	23.8	75	5.2	4.21			
21	31.0	13.5	22.3						
22	30.6	11.5	21.1	50	10.4	4.65			
23	32.5	14.3	23.4	46					
24	32.7	14.0	23.4						
25	32.5	14.5	23.5						
26	32.7		23.4						
27	33.7								
2	34.0	14.0	24.0						
29	35.0		24.3						
30	34.8	12.8	23.8	35	10.1	5.04	4 849	8.0	
Total	943.3	439.4	692.3	1777	217.6	138.6	l 18934	181.7	39.9
Mean	31.4	14.6	23.1	59	7.3	4.62	2 631	6.1	

STATION: AHERO MONTH: OCT. YEAR: 1977

 Date -	Tempe	rature	(C)		Sun-		Solar Radia-		Rain- fall
Date -	Max.	Min.	Mean		Hours			ration	
	(C)	(C)	(C)				(lang)	(mm)	(mm)
1	33.7	13.0	23.4	44	9.0	4.49	734	7.3	
2	33.4	14.0	23.7	44	8.8	4.93	789	7.0	<b>–</b>
3	33.0	14.0	23.5	49	9.5				<del>-</del>
4	34.0	14.5	24.3	36					
5	33.5	16.0	24.8		8.6				
6	34.0	14.6	24.3						
7	33.8	15.5	24.7	53					
8	32.5	16.5	24.5						
9	33.0	13.5	23.3						
10	33.0	16.0	24.5						
11	32.5	14.5	23.5						
12	32.5	13.8	23.2						
13	32.5	15.0	23.8						
14	33.5	14.5	24.0						
15	33.7	15.5	24.6						
16	31.5	16.0	23.8						
17	30.5	18.5	24.5						
18	30.5	16.5	23.5			5.4			
19	31.0	17.5	24.3						
20	32.4	17.1	24.8			4.4			
21	29.5	18.1	23.8						
22	26.5	17.5	22.0	78					
23	29.8	15.2	22.5						
24	29.0	17.6	23.3						
25	29.3	16.5	22.9						
26	29.5	17.0	23.3						_
27	32.0	15.5	23.8						, –
28	32.0	16.5	24.3						
29	31.5	16.0	23.8						
30	28.7	18.5	23.6						
31	29.8	17.1	23.5	64	5.8	5.0	6 604	4 8.2	2 17.1
Total	982.1	492.0	737.8	1799	237.3	153.2	8 1954	2 197.6	5 127.2
Mean	31.7	15.9	23.8	3 58	7.7	4.9	4 63	0 6.8	3

STATION: AHERO MONTH: NOV. YEAR: 1977

Date -	Tempe	rature	(C)	Rel. Humid-	Sun- shine	Wind Veloc-	_		Rain- fall
	Max. (C)	Min. (C)	Mean (C)	ity (%)	Hours (hrs)	ity (km/hr)		ration (mm)	(mm)
1	29.8	17.6	23.7	82	3.8	5.05	450	8.2	14.0
2	27.9	17.9	22.9	78	2.0	4.52			
3	27.0	17.5	22.3	82	2.5	4.07			
4	27.5	15.6	21.6		6.6	3.52			
5	28.6	14.0	21.3		11.2	3.55			
6	30.0	17.0	23.5		6.8	4.30			
7	28.5	15.5	22.0	77	2.9	4.07			
8	28.5	16.0	22.3			2.94			
9	29.8	14.5	22.2	60	6.5 8.0	3.93 3.45			
10	28.5	15.4 17.5	22.0 23.6		2.3	3.42 3.63			
11 12	29.6 28.8	16.1	22.5		5.6				
13	29.0	15.5	22.3		7.0				
14	30.0	16.0	23.0		6.9				
15	29.8	17.2	23.5		5.2	3.55			
16	27.0	17.0	22.0						
17	28.3	17.5	22.9						
18	29.2	16.5	22.9		1.7				
19	26.4	18.0	22.2		1.5	4.88	3 554	2.4	7.4
20	26.2	17.8	22.0	71	3.5				
21	26.5	16.8	21.7						
22	21.7	17.7	19.7						
23	28.0	17.5	22.8		7.4				
24	27.0	17.0	22.0						
25	29.3	16.5	22.9						
26	29.5	16.5	23.0						
27	28.2	17.5	22.9			2.92			
28		13.8	18.7						
29 30		13.6 13.8	21.1 20.9						
Total	1140.6	490.8	666.4	2197	168.2	118.13	3 18226	138.0	157.4
Mean	28.0	16.4	22.2	73	5.6	3.94	608	4.6	·

STATION: AHERO MONTH: DEC. YEAR: 1977

D-4-	Тетре	rature	(C.)	Rel.	Sun-	Wind	Solar Pa Radia- E		Rain-
Date -	Max. (C)	Min. (C)	Mean (C)		Hours	ity		ation	(mm)
1	30.5	14.2	22.4		10.5			6.4	
2	31.0	13.3	22.2	54	10.7	4.70		6.7	-
3	30.0	13.5	21.8	64 57	5.6	4.31		5.2	_
4	30.0	14.5	22.3	54 54	9.5 10.7			5.8 5.3	
5 6	31.0	13.8 17.2	22.4 24.1	78	3.4			7.9	
7	31.0 30.5	16.5	23.5	61	8.9			3.7	J.0
8	28.1	14.9	21.5	72	5.0			4.5	
9	28.9	15.2	22.1	70	9.1			5.4	
10	30.6	14.2	22.4	60				5.9	
11	30.1	12.8	21.5	59				6.0	
12	31.5	14.3	22.9					6.0	
13	31.0	15.8	23.4					5.8	
14	30.8	16.1	23.5					5.0	
15	29.3	14.5	21.9					5.0	
16	32.5	14.5	23.5		9.0	4.38	<b>7</b> 56	6.5	_
17	31.5	15.0	23.3					6.2	_
18	31.8	13.4	22.6	49	7.7	4.96	616	6.0	-
19	32.0	14.2	23.1				728	6.7	_
20	29.3	15.0	22.2					4.0	
21	28.1	18.3	23.2					3.1	
22	30.0	17.6	23.8		1.2	3.78		3.9	
23	31.0	16.9	24.0			3.50		4.1	
24	25.5	18.0	21.8					2.8	
25	30.0	17.5	23.8					5.0	
26	29.8	17.5	23.7					7.1	
27	31.0	15.5	23.3					6.0	
28	32.0	18.0	25.0					6.0	
29	31.2	13.8	22.5					6.0	
30	30.5	17.0	23.8					6.0	
31	30.5	15.4	23.0	53	8.9	5.31	l 744	7.2	3.4
Total	941.0	478.4	710.5	1968	220.2	129.7	7 20750	171.2	21.9
Mean	30.4	15.4	22.9	63	7.1	4.19	9 669	5.5	****

STATION: AHERO MONTH: JAN. YEAR: 1978

	-	rature	(C)	Rel.	Sun-		Solar Radia-	Pan Evapo-	 Rain- fall
Date -	Max. (C)	Min. (C)		ity (%)	Hours	ity	tion	ration (mm)	
	_				٥	2.66		5.0	
1	31.5	15.5	23.5	61	2.5	3.68			
2	32.0	13.0	22.5		10.6 11.0				
3	31.5	12.5	22.0		9.2				
4	32.0	11.5	21.8		10.9				
5	32.5	11.5	22.0 24.1		10.7				
6	32.5 32.8	15.6 14.6	23.7		11.0				
7 8	33.2	15.8	24.5		8.7				
9	33.3	13.0	23.2						
10	32.5	19.0	25.8						
11	30.6	15.2	22.9						
12	30.2	16.0	23.1						
13	32.6	15.5	24.1						
14	32.5	14.2	23.4						
15	31.5	16.9	24.2					9.0	23.4
16	29.0	16.5	22.8					4 -	34.0
17	28.4		22.3				2 420	3.2	
18	26.0		21.3			2.8	8 470		
19	27.6	16.8	22.2		5.5	5.6	5 610		
20	25.0		20.9		0.2	2.5			
21	29.0		22.3		8.4	5.2			
22	27.5		21.6		5.3	5.6			
23	28.0	19.0	23.5	66					
24	29.8	14.6	22.2						
25	29.0	15.0	22.0						
26	32.0	14.0	23.0			_			
27	32.5		21.1						
28	31.2	9.0							
29	32.0				9.4				
-30	32.8	11.0	21.9	42	11.1	4.2	4 81		
31	33.2	12.5	22.9	36	10.7	5.1	4 79	2 6.8	· -
Total	954.2	447.9	701.7	1832	241.7	147.2	2 1967	0 185.	5 125.6
Mean	30.8	14.4	22.6	5 59	7.8	3 4.7	5 63	5 6.3	2

STATION: AHERO MONTH: FEB. YEAR: 1978

Date -	Tempe	rature	(C)	Rel. Humid-		Wind Veloc-			Rain- fall
,400	Max.	Min.	Mean	ity	Hours			ration	
	(C)	(C)	(C)	(%)		(km/hr)	(lang)	(mm)	(mm)
1	32.5	14.5	23.5	47	10.4	7.02			
2	31.7	14.0	22.9	56	10.4	5.64			
3	32.5	12.6	22.6	55	10.6	4.54			
4	33.0	10.1	21.6	47	11.3	4.37			
5	33.5	9.5	21.5	41	9.5	3.93			
6	34.0	10.5	22.3	45	11.2	4.51			
7	34.5	13.0	23.8	39	10.5				
8	34.9	14.5	24.7		10.0	5.11			
9	30.0	18.0	24.0		4.6	4.62			
10	32.0	18.0	25.0		7.2				
11	30.5	14.3	22.4		7.5				
12	32.5	18.0	25.3		4.5	4.06			
13	32.5	16.4	24.5						
14 15	31.7 32.8	15.5 17.0	23.6						
16	25.8	17.0	24.9 21.6						
17	29.0	18.0	23.5						
18	31.0	17.8	24.4		8.0				
19	31.0	15.5	23.3		6.9				
20	31.0	15.5	23.3						
21	29.5	16.0	22.8						
22	28.4	18.0	23.2						
23	28.5	16.6	22.6						
24	29.2	16.6	22.9						
25	26.8		22.6						
26	27.0		22.1					4.8	8.4
27	29.0		22.9						
28	30.0	16.5	23.3						
 Total	864.8	435.8	651.1	1819	210.2	134.25	5 19151	172.9	134.9
Mean	30.9	15.6	23.3	65	7.5	4.79	684	6.2	

STATION: AHERO MONTH: MAR. YEAR: 1978

Date -			(C)	Rel.	Sun-	Wind Veloc-	Solar :		Rain- fall
pate -	Max. (C)	Min. (C)		ity	Hours		tion	ration	(mm)
1	27.6	16.5	22.1	78					
2	28.6	16.5	22.6						
3	28.5	16.5	22.5						
4	28.2	17.0	22.6			4.24			
5	29.0	17.3	23.2						
6	30.3	17.0	23.7						
7	30.0	15.8	22.9						
8	33.0	17.0	25.0						
9	32.0	17.2	24.6						
10	32.0		24.3 24.3						
11 12	32.0 28.8	13.5	21.2						
13	29.0	12.6	20.8						
14	29.0	18.2	23.6			3.94			
15	25.7	17.5	21.6						
16	27.9	15.6	21.8						
17	27.6	16.2	21.9						
18	28.7		23.3						
19	28.5	16.4	22.5						
20	29.3	18.7	24.0				690	5.0	-
21	30.0	17.1	23.6		7.0			5.1	. <b>-</b>
22	30.2	18.0	24.1	74	4.7	4.23			
23	30.0	18.0	24.0	80	3.6				
24	28.5	17.5	23.0	<b>7</b> 8					
25	27.2	17.7	22.5						
26	28.9	17.8	23.4						
27	29.9	17.5							
28	31.5	17.4	24.5						
29	28.3	17.0	22.7						
30	30.2	15.3	22 ک						
31	29.9	16.0	23.0	77	8.2	4.08	3 716	5.0	) –
Total	910.3	519.7	715.8	2389	179.8	130.08	3 19447	157.0	202.3
Mean	29.4	16.8	23.1	77	5.8	4.20	627	5.2	2

STATION: AHERO MONTH: APR. YEAR: 1978

ate -	Tempe	rature	(C)	Rel.	Sun- shine		Solar P Radia- E		ain- all
acc	Max. (C)	Min. (C)	Mean	ity (%)	Hours	ity	tion r (lang)	ation	
1	30.3	14.0	22.2	71	7.8	4.42	736	5.7	1.4
2	29.0	15.8	22.4	70	7.8	4.30		8.1	22.2
3	29.0	16.4	22.7	88	8.2	3.62		5.4	2.8
4	29.5	16.1	22.8	<b>i</b> 5	8.3	4.36	764	-	60.7
5	29.5	17.2	23.4	71	7.8	4.02		5.6	3.6
6	29.3	18.5	23.9	71	6.1	2.83		3.3	1.1
7	29.0	17.6	23.3		3.9			4.0	
8	28.7	15.5	22.1	73		4.33		6.2	31.6
9	26.8	17.5	22.2	82	3.5	3.50		3.6	5.4
10	28.4	17.9	23.2	82	7.1	3.94		4.8	12.3
11	29.7	15.8	22.8					5.3	-
12	28.8	15.7	22.3					4.5	-
13	29.7	15.1	22.4					5.2 4.0	_
14	29.2	18.4	23.8					2.3	6.3
15 16	26.7 29.8	19.0 15.6	22.9 22.7					4.7	_
17	29.8	15.8	22.6					4.7	_
18	30.0	16.1	23.1					6.0	3.0
19	30.2	14.5	22.4					4.7	_
20	29.7	15.5	22.6					5.0	_
21	29.7	15.7	22.7					3.4	5.1
22	29.7	16.0	22.9					4.6	-
23	29.0	15.5	22.3		6.8	3.35		5.2	-
24	29.3	16.5	22.9					3.1	1.6
25	29.0	16.7	22.9					5.5	25.3
26	29.0	15.5	22.3					3.0	1.8
27	28.9	16.7	22.8						1.3
28	30.0	15.5	22.8						
29	27.7								
30	27.5	17.2	22.4	86	6.0	3.3	3 566	4.4	_
Total	872.4	489.0	681.5	5 2246	199.6	108.1	9 17243	140.8	234.1
Mean	29.1	16.3	22.	7 7:	6.7	3.6	1 575	4.9	<b></b>

STATION: AHERO MONTH: MAY. YEAR: 1978

Date -	Tempe		(C)	Rel.	Sun-	Wind Veloc-	Solar F Radia- E	an Evapo-	Rain- fall
Date -	Max.	Min.		ity		ity		ation	
	(C)	(C)	(C)	(%)			(lang)		(mm)
1	27.1	17.5	22.3	85	3.7	3.36			
2	28.5	15.5	22.0					4.6	
3	28.5	16.0	22.3		3.4			3.1	
4	27.6	18.0	22.8		8.1	3.93		5.0	10.1
5	28.6	14.9	21.8					4.6	
6	29.5	15.4	22.5					4.1	
7	29.3	17.5	23.4					5.2	
8	27.9	17.6	22.8	75				4.6	
9	27.5	16.6	22.1	82				3.7	
10	29.5	15.5	22.5					4.2	
11	28.5	17.5	23.0					5.0	
12	27.0	17.3	22.2					3.4	
13	28.5	17.7	23.1					4.0	
14	28.5	17.5	23.0					4.3	
15	28.0	17.0	22.5					3.7	
16	29.0	16.5	22.8					4.0	
17	29.5	15.0	22.3	74	10.4			5.0	
18	29.6	14.6	22.1					4.5	
19	29.8	15.2	22.5					5.0	
20	29.6	15.0	22.3					6.0	
21	30.2	15.8	23.0					5.0	<b>–</b>
22	29.7	17.2	23.5	63				3.6	
23	29.5	16.0	22.8	70				4.4	6.0
24	29.2	15.0	22.1					-	-
25	29.0	15.0	22.0						
26	30.0	15.5	22.8						
27	31.3		23.2						
28	30.8		22.3						
29	31.5		22.0						
30	30.1	12.6	21.4					5.2	
31	30.2	13.0	21.6	68	11.0	4.2	5 760	5.2	! <del>-</del>
Total	903.5	489.1	697.0	2207	231.5	103.86	5 20052	138.8	62.1
Mean	29.1	15.8	22.5	71	7.5	3.3	5 647	4.6	)

STATION: AHERO MONTH: JUN. YEAR: 1978

Date -	Тетре	rature	(C)	Rel. Humid-	Sun-	Wind Veloc-	Solar Radia-		Rain-
2000	Max.	Min.	Mean	ity	Hours			ration	LULL
	(C)	(C)	(C)			(km/hr)			(mm)
1	31.5	14.3	22.9	58	10.8	3.53	740	5.3	. –
2	31.0	14.5	22.8						
3	30.4	14.6	22.5		8.9				
4	30.5	14.1	22.3	69	8.9	3.92			
5	31.0	14.5	22.8	60		3.87	656		
6	31.4	14.2	22.8					5.9	_
7	29.5	15.0	22.3				538		2.6
8	29.6	13.5	21.6						
9	29.6	14.0	21.8						
10	25.5	18.0	21.8						
11	28.6	15.6	22.1						
12	29.0	14.0	21.5		2.1				
13	29.5	13.1	21.3						
14	29.8	14.5	22.2		4.5	3.29			
15	29.5	14.5	22.0						
16	28.8	13.6	21.2						
17	28.0	16.5	22.3		4.8				
18	29.2	17.5	23.4						
19	28.5	15.6	22.1	83					
20	28.7	15.0	21.9						
21	27.8	17.2	22.5						
22	29.5	16.0	22.8						
23 24	29.5 30.5	17.0 15.0	23.3						
24 25	27.5	14.5	22.8 21.0						
26	29.2	16.0	22.6						
27	29.2	15.6	22.0						
28	25.5		21.3						
29	27.3		22.0		_				
30	28.4	17.0	22.7						
50	∠∪• <del>•</del>	17.0	44.1	ده	3,0	J. 34	300	5.2	10.6
Total	873.8	458.6	666.9	2208	180.0	112.56	17228	137.4	52.4
Mean	29.1	15.3	22.2	74	6.0	3.75	574	4.6	•

STATION: AHERO MONTH: JUL. YEAR: 1978

	Tempe	rature	(C)	Rel.	Sun-	Wind	Solar Radia-	Pan Evapo-	Rain- fall
ate -	Max. (C)	Min. (C)		ity	Hours	ity	tion	ration (mm)	
1	28.4	16.6	22.5	82	3.9				
2	28.5	15.4	22.0		2.2				
3	24.8	15.1	20.0		0.6				
4	28.0	15.6	21.8		7.2				
5	28.5	17.0	22.8		6.3				
6	27.4	17.5	22.5		2.1				
7	29.5	14.4	22.0						
8	27.6	16.5	22.1						
9	29.0	15.0	22.0						
10	29.0	12.5	20.8		6.9 6.8				
11	28.6	13.6 16.6	21.1 23.3						
12 13	30.0 29.0	17.5	23.3						) <u>-</u>
14	29.5	16.0	22.8						10.1
15	27.0	16.5	21.8						) –
16	28.9	17.6	23.3						
17	29.0	13.5	21.3						
18	29.0	13.4	21.2						
19	30.0	15.5	22.8						
20	30.0	16.5	23.3						
21	30.0	14.0	22.0					3 5.9	0.9
22	29.5	15.0	22.3				3 520		
23	30.5	13.6	22.1		6.9	5.1			
24	30.5	12.2	21.4	. 74					
25	29.8	14.0	21.9						
26	28.5	15.1	21.8						
27	26.7	16.5	21.6						
28	30.2	14.2	22.2						80.6
2 <sup>c</sup>	29.0	14.2	21.6						
30	29.4	15.0	22.2	70	7.9	4.8	5 59		
31	29.7	15.0	22.4	75	8.3	4.8	6 64	2 8.7	7 29.7
Total	895.5	471.1	684.2	2346	200.8	125.5	4 1677	2 138.4	4 151.3
Mean	28.9	15.2	22.1	. 76	6.5	4.0	5 54	1 4.6	<b></b> -

STATION: AHERO MONTH: AUG. YEAR: 1978

Date	Temper	rature	(C)	Rel. Humid-			Solar P Radia- E		lain- all
	Max.	Min.	Mean	ity	Hours	ity	tion r	ation	
	(C)	(C)	(C)	(%)	(hrs)	(km/nr)	(lang)	(mm) (	.mm)
1	25 5	17.0	21.3	89	1.6	3.72	328	4.0	7.1
1 2	25.5 29.0	12.5	20.8	77	8.4			3.2	-
3	27.5	15.9	21.7	78	4.7			3.2	
4	27.0	17.2	22.1	82	4.7			4.0	0.7
5	28.5	16.0	22.3	82	7.3	4.11	668	4.5	1.0
6	29.0	15.0	22.0	74	4.6	3.45	592	5.0	4.8
7	29.1	14.6	21.9	77	9.2	4.33	728	4.5	-
8	28.8	15.5	22.2	71	7.8	4.21		4.7	-
9	30.0	15.6	22.8	61	7.4			4.1	_
10	29.2	16.4	22.8	75	6.1			5.7	0.7
11	28.0	14.5	21.3					4.3	
12	29.0	16.0	22.5					5.4	_
13	29.0	15.0	22.0					5.0	
14	27.2	17.0	22.1					3.3	
15	28.0	16.7	22.4					3.9	
16	29.4	15.9	22.7					3.6	
17	29.7	17.5	23.6					10.6	
18	28.2	15.7	22.0					5.5	
19	29.9	17.0	23.5					5.3	
20	29.4	14.2	21.8						
21	30.2	14.4	22.3					4.6	
22	29.4	15.3	22.4						
23	29.5	15.5	22.5						
24	31.0	16.6	23.8						
25	29.5	14.3	21.9						
26	29.4	15.3	22.4						
27	29.2	15.0	22.1						
28	30.5	14.0	22.3						
29	30.0	18.0	24.0						
30	30.7	15.6	23.2		6 7	4.0		5.2	
31	29.4	10.0	42.5	כט ס	0.7	4.5	0 042	J• 2	
Total	900.2	484.7	693.2	2266	204.8	3 131.5	8 18058	153.3	75.6
Mean	29.0	15.6	22.4	73	6.6	4.2	4 583	4.9	

STATION: AHERO MONTH: SEP. YEAR: 1978

Date -	Tempe	rature	(C)	Rel.			Solar Radia-		Rain- fall
bate -	Max.	Min.	Mean	ity	Houre	ity	tion	ration	1011
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)		(mm)
1	28.4	16.3	22.4	71	4.6	4.97	410	3.1	5.1
2	27.0	16.7	21.9		5.8	4.68	514	4.4	0.4
3	29.7	16.0	22.9	68	6.0	4.57			
4	30.4	14.2	22.3	73	2.7	3.69			
5	30.4	12.8	21.6		4.8				
6	30.5	16.3	23.4		7.1				
7	30.0	15.0	22.5		7.9				) –
8	30.0	13.7	21.9		9.3				_
9	30.0	12.6	21.3		9.9				
10	30.5	13.6	22.1		6.4				
11	30.5	11.0	20.8		7.5				
12	30.0	13.5	21.8		6.6				
13	30.9	13.5	22.2		5.0				
14	30.5	13.8	22.2		7.9				
15	30.5	12.1	21.3						
16	30.7	13.0	21.9		7.8				
17	30.5	13.6	22.1		8.8 4.6				
18	28.5	14.0 12.5	22.0		7.9				
19 20	31.5 32.5	12.7	22.6		9.9				
21	31.7	13.5	22.6		9.9				
22	30.0	14.0	22.0		8.2				
23	30.8	13.1	22.0		8.2				
24	28.5	16.0	22.3		3.0				
25	28.8	16.0	22.4						
26	30.1	15.7	22.9						
27	31.8	15.2	23.5						
28	29.5	16.5	23.0						
29	30.5		22.8						
30	29.5	17.2	23.4			4.00		5.0	) -
Total	904.2	429.1	667.4	1995	204.9	141.4	7 17000	155.4	4 89.4
Mean	30.1	14.3	22.2	67	6 <b>.</b> ٤٠	4.7	2 567	7 5.4	4

STATION: AHERO MONTH: OCT. YEAR: 1978

	Temper	ature	(C)	Rel.	Sun-		Solar		lain-
Date -	Max.		Moan	Humid- ity	shine Hours			Evapo- f ration	all.
	(C)	(C)		(%)		(km/hr)			(mm)
1	29.3	16.6	23.0	78	7.9				4.5
2	29.2	16.3	22.8	69	6.3				4.5 17.6
3	29.6	16.5	23.1	67	6.7				5.0
4	29.5	15.0	22.3	62 56					-
5	30.6	14.4	22.5	56 64					_
6	29.2	14.5	21.9	60					1.3
7	31.0	15.1 14.5	23.1 22.1	83					4.9
8	29.6 29.8	17.9	23.9						_
9 10	29.8	16.9	23.4						_
11	30.5	17.5	24.0						
12	31.0	16.5	23.8						
13	30.9	13.9	22.4				-		
14	32.5	14.5	23.5						
15	31.6	12.9	22.3						
16	32.2	13.0	22.6					6.0	_
17	32.5	14.0	23.3				0 574	4 6.8	7.8
18	32.1	13.6	22.9			5.3	8 732	2 7.0	_
19	30.4	14.5	22.5		9.5	4.5	5 600	5.2	0.2
20	29.5	18.2	23.9	76	4.7	4.9	2 500	0 4.0	
21	32.2	17.5	24.9	60	5.8	3.3			
22	30.0	16.6	23.3	64	6.6	4.4			
23	31.0	15.5	23.3	64					
24	31.4	14.9	23.2	56					
25	30.5	16.9	23.7						
26	29.2	17.8	23.5						
27	28.0	17.0	22.5						
28	29.8	15.6	22.7						
29	28.3	17.0	22.7						
30	30.1	17.4	23.8						
31	29.8	16.0	22.9	72	2 6.	4.7	9 52	2 –	44.7
 Total	941.1	488.5	715.8	3 2064	226.5	5 133.4	2 1863	0 159.9	124.9
						3 4.3		1 5.3	

STATION: AHERO MONTH: NOV. YEAR: 1978

)ata	Tempe	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-	Pan Evapo-	Rain- fall
Jace -	Max.	Min	Moan	itu	Hours	itv	tion	ration	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
1	28.5	14.1	21.3						
2	29.5	16.5	23.0						
3	30.0	16.7	23.4		6.1				
4	29.5	16.2	22.9						
5	30.8	16.0	23.4						
6	31.0	15.5	23.3						
7	29.0		21.8						
8	31.0		23.3						
9	32.4	13.7	23.1						
10	31.0		22.5						
11	30.0		22.4		8.9				
12	29.0	15.5	22.3			4.6			
13	29.5		22.4						
14	30.0		22.0						
15	30.4	15.5							
16	30.2	15.5	22.9						
17	29.3	15.2 14.5	23.3						
18	32.0		24.7						
19	32.8	16.2	22.2						
20 21	28.2 28.4	16.5	22.5						
22	26.8	17.4	22.1			2.9			
23	29.4	13.7							
23	29.4	15.9	22.7						
25	29.7		23.6						
26	30.7	17.0							
27	27.7	13.3							
28	31.2	13.4							
29									
30	32.1								
Total	899.7	456.2	678.8	1923	227.3	3 123.2	8 1813	4 161.9	9 46.6
Mean	30.0	15.2	22.6	64	7.6	4.1	.1 604	4 5.0	6

STATION: AHERO MONTH: DEC. YEAR: 1978

 Date -	Tempe	rature					Solar Radia-		Rain-
Date -	Max.	Min.				ity		ration	1411
	(C)	(C)					(lang)		(mm)
1	32.0	14.8	23.4	70	7.5	2.67	7 520	6.0	_
2	30.5	15.2	22.9		8.7			8.0	_
3	30.9	16.0	23.5		5.4	3.47	7 386	6.7	10.7
4	29.8	17.2	23.5	86	5.0			_	_
5	27.6	14.9	21.3		5.6	2.94	322	3.0	_
6	30.4	16.0	23.2		9.8	5.62	2 554	7.0	
7	30.7	16.4	23.6	66					
8	31.2	15.5	23.4	79					
9	30.8	15.2	23.0						
10	32.1	15.8	24.0						
11	29.9	17.7	23.8						0.4
12	27.8	17.4	22.6						
13	26.7		21.9						6.6
14	27.5	17.5	22.5						60.5
15	27.6	15.8	21.7						_
16	28.6	17.1	22.9						_
17	29.9		23.9						
18	27.8		22.4						
19	29.6		23.4						
20	29.8		22.7						
21	30.5		23.5						
22	28.6		22.1						
23	29.2		22.6						
24	27.3		21.0						
25	27.2	17.1	22.2						
26	27.1	16.6	21.9						
27	28.3		21.4						
28	29.3		22.0						
29	29.5								
30	30.2	15.0	22.6						
31	30.2	13.3	21.8	57	9.6	4.7	2 604	7.1	8.1
Total	908.6	495.1	702.7	2155	226.4	146.6	7 16968	159.2	137.7
Mean	29.3	16.0	22.7	70	7.3	4.7	3 547	7 5.5	

STATION: AHERO MONTH: JAN. YEAR: 1979

Date -						Wind Veloc-	Solar Radia-		 Rain- fall
Date -	Max.	Min.		ity	Hours			ration	Idii .
	(C)	(C)	(C)			(km/hr)			(mm)
							<del></del>		~
1	30.9	13.1	22.0	65	8.9	3.78	590	6.0	_
2	31.8	16.0	23.9						
3	32.4	16.5	24.5	60		4.83			_
4	32.7	16.0	24.4	52					
5	32.3	14.0	23.2	52					
6	32.9	14.3	23.6	50					
7	31.6	13.6	22.6	59					
8	32.1	17.2	24.7						
9	31.2	13.5	22.4	70					
10 11	32.2 32.0	15.2 14.6	23.7 23.3	60 50		3.80 4.58			
12	31.9	14.6	23.3	67					
13	32.1	13.8	23.0	56					
14	32.0	14.3	23.2	60		5.91			
15	30.9	14.8	22.9						
16	28.0	17.7	22,9		2.4				
17	32.1	14.4	23.3	69					
18	32.8	13.6	23.2	75					
19	32.0	13.3	22.7	50	5.9	5.66			
20	31.7	14.2	23.0	56	7.6	5.96	532	6.0	-
21	33.1	17.0	25.1	<b>7</b> 0		4.52		8.6	21.6
22	30.8	18.3	24.6	60					
23	27.3	18.5	22.9	78		5.19			
24	28.0	18.2	23.1	<b>7</b> 5		6.51			
25	27.1	16.8	22.0	82	4.8	5.21			
26	29.3	17.8	23.6						
27	28.0	17.5	22.8						
28	26.2	18.0	22.1	88					
29	27.6	16.1	21.9						
30	29.0	17.4	23.2	82					
31	28.0	18.0	23.0	88	1.3	3.92	212	3.8	10.8
Total	950.0	488.3	720.1	2078	226.9	146.75	16528	187.9	78.7
Mean		15 <b>.</b> 8	23.2	67			·	6.1	
								•	

STATION: AHERO MONTH: FEB. YEAR: 1979

Date -						Wind Veloc-			Rain-
pate -	Max.					ity		ration	Lall
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
•	05 (	170	01 /	07	0.0	0.75	040		1 0
1 2	25.6 28.2	17.2 16.6	21.4		0.2 3.8	2.75 4.92			
3	28.5		23.0		3.6				
4	26.8		22.4	85	4.1				1.5
5	27.0		22.5						
6	28.6		22.6						
7	29.8	15.8	22.8		9.6				
8	29.9	15.6	22.8		8.2				
9	26.1	17.6	21.9	84	5.0	8.69	496	6.9	17.9
10	28.8		22.7						
11	29.0	16.9	23.0						
	26.5		21.6		5.5		620		
13	27.9		21.7			4.77			
14	26.5		21.5						
15	29.0		23.1						
16	29.0		22.5						
17	29.5		24.0						
18 19	27.5 29.0		21.3						
20	29.0		22.6 22.3						
21	27.3		22.9						
22	28.0		21.6						
23	30.1		22.9						
24	30.8		23.7						
25	27.7								
26	31.3		23.3						
27		14.0							
28	31.7		22.5						
Total	800.4	456.6	629.3	2093	200.4	148.99	16922	143.7	203.3
Mean	28.6	16.3	22.5	75	7.2	5.32	2 604	5.5	,

STATION: AHERO MONTH: MAR. YEAR: 1979

Max. Min. Mean ity (hrs) (hrs) (km/hr) (lang) (mm) (mm)  1 32.0 12.0 22.0 74 10.4 6.03 644 8.0 - 2 29.5 10.2 19.9 50 10.6 6.29 642 9.0 - 3 32.0 10.5 21.3 48 10.6 5.77 676 8.0 - 4 32.4 13.0 22.7 53 10.7 4.67 644 8.0 - 5 31.2 12.7 22.0 50 10.5 4.16 674 6.0 - 6 33.2 13.0 23.1 61 9.4 5.75 700 7.0 - 7 32.4 13.8 23.1 50 10.3 6.23 712 8.0 - 9 32.2 14.5 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 13 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 86 610.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.	Date -	Tempe	erature	(C)	Rel. Humid-	Sun-	Wind Veloc-	Solar Radia-		Rain- fall
1 32.0 12.0 22.0 74 10.4 6.03 644 8.0 - 2 29.5 10.2 19.9 50 10.6 6.29 642 9.0 - 3 32.0 10.5 21.3 48 10.6 5.77 676 8.0 - 4 32.4 13.0 22.7 53 10.7 4.67 644 8.0 - 5 31.2 12.7 22.0 50 10.5 4.16 674 6.0 - 6 33.2 13.0 23.1 61 9.4 5.75 700 7.0 - 7 32.4 13.8 23.1 50 10.3 6.23 712 8.0 - 8 32.0 14.2 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 31 14 28.6 16.5 22.6 84 6.8 5.03 532 52 11. 15 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 86 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7	Date -			Mean	ity	Hours	ity	tion	ration	
2 29.5 10.2 19.9 50 10.6 6.29 642 9.0 - 3 32.0 10.5 21.3 48 10.6 5.77 676 8.0 - 4 32.4 13.0 22.7 53 10.7 4.67 644 8.0 - 5 31.2 12.7 22.0 50 10.5 4.16 674 6.0 - 6 33.2 13.0 23.1 61 9.4 5.75 700 7.0 - 7 32.4 13.8 23.1 50 10.3 6.23 712 8.0 - 8 32.0 14.2 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.4 5.45 670 6.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.2 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.		(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
2 29.5 10.2 19.9 50 10.6 6.29 642 9.0 - 3 32.0 10.5 21.3 48 10.6 5.77 676 8.0 - 4 32.4 13.0 22.7 53 10.7 4.67 644 8.0 - 5 31.2 12.7 22.0 50 10.5 4.16 674 6.0 - 6 33.2 13.0 23.1 61 9.4 5.75 700 7.0 - 7 32.4 13.8 23.1 50 10.3 6.23 712 8.0 - 8 32.0 14.2 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.2 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.	1	22 0	12.0	2 <b>2</b> 0	74	10.4	6.03	) <i>(1.1.</i>	0 0	•
3 32.0 10.5 21.3 48 10.6 5.77 676 8.0 - 4 32.4 13.0 22.7 53 10.7 4.67 644 8.0 - 5 31.2 12.7 22.0 50 10.5 4.16 674 6.0 - 6 33.2 13.0 23.1 61 9.4 5.75 700 7.0 - 7 32.4 13.8 23.1 50 10.3 6.23 712 8.0 - 8 32.0 14.2 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 27 30.4 15.9 23.7 28 10.5 6.76 630 - 28. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.			10.0							
4 32.4 13.0 22.7 53 10.7 4.67 644 8.0 - 5 31.2 12.7 22.0 50 10.5 4.16 674 6.0 - 6 33.2 13.0 23.1 61 9.4 5.75 700 7.0 - 7 32.4 13.8 23.1 50 10.3 6.23 712 8.0 - 8 32.0 14.2 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 27 30.4 15.9 23.7 28 10.5 5.75 55.5 5.4 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
5 31.2 12.7 22.0 50 10.5 4.16 674 6.0 - 6 33.2 13.0 23.1 61 9.4 5.75 700 7.0 - 7 32.4 13.8 23.1 50 10.3 6.23 712 8.0 - 8 32.0 14.2 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.7 28 10.5 6.76 630 - 28. 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
6 33.2 13.0 23.1 61 9.4 5.75 700 7.0 - 7 32.4 13.8 23.1 50 10.3 6.23 712 8.0 - 8 32.0 14.2 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 27 30.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
7 32.4 13.8 23.1 50 10.3 6.23 712 8.0 - 8 32.0 14.2 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 27 30.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
8 32.0 14.2 23.1 52 9.9 6.34 700 8.0 - 9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
9 32.2 14.5 23.4 56 9.9 5.43 644 7.0 - 10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 13 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.	8	32.0			52					
10 30.4 14.4 22.4 63 6.7 5.55 522 6.0 - 11 28.1 16.5 22.3 62 5.6 7.59 424 6.4 16. 12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.	9	32.2	14.5	23.4	56					
12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.	10		14.4	22.4	63	6.7	5.55	522	6.0	ı <u>–</u>
12 28.8 17.2 23.0 74 8.7 6.29 600 7.3 13. 13 28.6 16.4 22.5 79 8.3 5.51 584 - 33. 14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.	11	28.1	16.5	22.3	62	5.6	7.59	424	6.4	16.4
14 28.6 16.5 22.6 84 6.8 5.03 532 5.2 11. 15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.		28.8			74	8.7	6.29			13.3
15 28.0 17.5 22.8 80 7.2 5.63 508 6.4 17. 16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.			16.4							33.1
16 28.0 17.5 22.8 86 2.1 4.13 416 3.1 4. 17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 - 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.			16.5			6.8				
17 28.0 17.5 22.8 82 5.9 5.32 682 9.0 38. 18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 — 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 — 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 — 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 — 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 — 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 — 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 — 26 30.4 18.0 24.2 75 8.3 4.60 598 — 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 — 28 31.4 15.9 23.7 28 10.5 6.76 630 — 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 — 31 29.6 16.6 23.1 77 7.6 4.88 592 — 41.			17.5			7.2				
18 28.5 17.5 23.0 82 6.4 4.10 732 5.0 — 19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 — 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 — 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 — 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 — 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 — 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 — 26 30.4 18.0 24.2 75 8.3 4.60 598 — 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 — 28 31.4 15.9 23.7 28 10.5 6.76 630 — 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 — 31 29.6 16.6 23.1 77 7.6 4.88 592 — 41.										
19 29.0 17.8 23.4 63 7.8 6.11 708 6.7 17. 20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 78 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 10.6 24.2 28 10.5 6.76 630 - 28 31.4 10.6 24.2										
20 29.2 17.9 23.6 85 5.1 4.27 702 5.0 - 21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 7 28 10.5 6.76 630 - 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.						6.4	4.10	732		
21 30.1 17.1 23.6 71 10.0 5.01 766 7.0 - 22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 32 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
22 30.5 15.6 23.1 57 10.8 5.32 760 7.0 - 23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
23 30.6 15.5 23.1 59 10.2 5.26 798 7.0 - 24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 - 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.						10.0				
24 31.0 16.5 23.8 64 10.2 6.11 740 7.0 25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 26 30.4 18.0 24.2 75 8.3 4.60 598 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
25 30.1 17.0 23.6 75 7.2 5.06 604 6.0 - 26 30.4 18.0 24.2 75 8.3 4.60 598 - 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
26 30.4 18.0 24.2 75 8.3 4.60 598 27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.										
27 30.4 15.9 23.2 28 10.4 5.45 670 6.0 - 28 31.4 15.9 23.7 28 10.5 6.76 630 - 28 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.						7.2				
28 31.4 15.9 23.7 28 10.5 6.76 630 - 28. 29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.  Total 934.3 482.7 709.3 2015 267.8 169.40 19748 180.6 224.										
29 29.8 15.7 22.8 66 10.0 5.37 552 5.5 4. 30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.  Total 934.3 482.7 709.3 2015 267.8 169.40 19748 180.6 224.										
30 28.3 18.3 23.3 81 9.7 5.38 592 6.0 - 31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.  Total 934.3 482.7 709.3 2015 267.8 169.40 19748 180.6 224.										
31 29.6 16.6 23.1 77 7.6 4.88 592 - 41.  Total 934.3 482.7 709.3 2015 267.8 169.40 19748 180.6 224.										
										41.1
	Total	934.3	482.7	709.3	2015	267.8	169,40	19748	180.6	224_8
- 11GGB	Mean		<u>-</u>				5.46			

STATION: AHERO MONTH: APR. YEAR: 1979

 Date -	Тетре	rature					Solar I Radia- I		Rain-
vale -	Max.	Min.		ity		ity		ration	Idil
	(C)	(C)	(C)				(lang)		(mm)
							· — — — — —		
1	29.5	16.2	22.9		6.9			6.5	
2	29.3	15.2	22.3		7.6			5.1	
3	29.8	16.6	23.2	72	7.9			5.0	
4	29.8	18.8	24.3		7.7			9.6	
5	29.4	18.0	23.7		4.5				
6	29.9	17.9	23.9		7.3			6.0	
7	28.2	17.5	22.9						
8	26.0	17.5	21.8						
9	27.5	17.4	22.5		4.8				
10	26.5	16.6	21.6		1.8				
11	26.8	17.4	22.1		1.6				
12	28.0	17.3	22.7		1.3				
13	27.6	16.7	22.2						
14	29.8	16.7	23.3						
15	30.5	17.1	23.8						
16	30.3	16.1	23.2						
17	30.4	15.3	22.9						
18	30.4	15.1	22.8						
19	30.8	15.1	23.0						
20	29.8	16.3	23.1						
21 22	31.3	16.0	23.7						
23	29.4 28.5	15.3 15.0	22.4			5.96			
23	29.9		21.8 22.3						
25	29.7	16.5	23.1						
26	30.6	15.7	23.2						
27	31.5		23.9						
28	30.4		23.5				5 532		
29	29.3		22.9						
30	28.0		22.6						
Total	878.9	494.3	687.6	2262	222.4	137.40	17336	159.0	100.6
Mean	29.3	16.5	22.9	75	7.4	4.5	8 578	5.3	

STATION: AHERO MONTH: MAY. YEAR: 1979

Date -	Tempe	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-		Rain- fall
pate -	Max. (C)	Min. (C)	Mean	ity	${\tt Hours}$	ity (km/hr)	tion	ration	(mm)
1	28.0	15.5	21.8	72	5.3	4.23	464	4.6	0.6
2	29.6		22.1	74	6.3				
3	31.2	13.0	22.1		11.1	4.27			-
4	27.9	16.0	22.0		7.1				38.0
5	28.7	15.6	22.2		7.5				
6	29.0	15.0	22.0		7.6				
7	25.5		20.2		3.4				
8	28.7		22.4		9.3				
9	29.5		22.8		6.6				
10	28.6	17.0	22.8		4.3				
11	28.1	16.0	22.1	77	9.0				
12	26.8		21.9		7.6				
13	27.6		22.1	80	3.7				
14	29.0		21.8		8.8				
15	30.1	15.5	22.8		10.1				
16	29.6	15.2	22.4		11.0				
17	29.6		22.2		10.8				
18	29.6		22.6		10.4 8.6				
19	29.4		22.8						
20	29.7		21.8						
21	29.2 31.1	13.8 13.9	21.5 22.5						
22 23	28.5		23.0		4.3				
23 24	29.3		22.1		9.7				
25	29.5		22.4						
26	29.4		21.4						
27	29.0		22.8						
28	27.2		22.8						
29			23.0		4.4				
30			22.5						
						4.50	_		
Total	897.4	480.6	689.6	2283	241.4	124.45	5 16524	125.6	5 153.9
Mean	28.9	15.5	22.2	74	7.8	4.0	L 533	4.7	7

STATION: AHERO MONTH: JUN. YEAR: 1979

Date	Tempe	rature	(C)				Solar F Radia- F		Rain- fall
Jace -	Max.	Min.	Mean	ity	Hours	ity	tion t	ation	
	(C)	(C)	(C)	(%)			(lang)		(mm)
1	29.5	13.4	21.5	72	9.9	3.39	600	5.0	_
2	27.0	16.6	21.8		3.5			4.0	_
3	28.5	16.0	22.3		9.7			5.0	-
4	27.8	17.3	22.6		5.7	3.11	496	3.0	
5	29.0	18.4	23.7		7.9	4.59		5.3	
6	29.9	15.0	22.5	71	9.0			5.0	
7	29.1	15.0	22.1	66	10.4				
8	28.4	15.9	22.2		6.6				
9	26.5	17.5	22.0		3.3				
10	27.8	16.0							
11	27.3	17.5	22.4						
12	28.1	18.0	23.1						
13	27.2	17.5	22.4						
14	26.5	17.5	22.0						
15	27.5	14.4	21.0						
16	27.2	15.2	21.2						
17		16.6	21.9						
18	27.6	16.6	22.1						
19	27.8	16.1	22.0						
20	28.4	16.6	22.5						
21	28.0	16.6 18.0	22.3						
22 23	28.0 28.2		22.5						
23	28.5		22.5						
25	28.5		22.6						
26	29.0		22.8						
27	29.0		23.6						
28	28.8		22.4						
29	29.5								
30	28.4	16.8	22.6						
Total	844.2	496.9	671.2	2336	204.4	114.2	2 15121	140.3	65.3
Mean	28.1	16.6	22.4	78	6.8	3.8	1 504	4.7	7

STATION: AHERO MONTH: JUL. YEAR: 1979

Date	Tempe	erature	(C)	Rel.	Sun-		Solar Radia-		Rain-
Date -	Max.					ity		ration	ıaıı
	(C)	(C)					(lang)		(mm)
1	28.2	18.0	23.1	69	7.6		516	5.0	)
2	28.2	14.5	21.4	78	5.5				
3	29.6	17.5	23.6	91	5.1	3.13	444	2.5	9.5
4	25.0		21.1	82	1.1	2.53			
5	27.4		22.0			3.13			
6	28.0		22.0		7.6	3.89			
7	28.6		22.6		5.5	3.74			
8	28.8		21.4	87	5.6	4.25			
9	28.9		20.6			3.99			
10	28.3		19,9						
11	28.3		21.2						
12	28.2		22.9		7.7				) <u> </u>
13	28.7		22.1	72	5.3	4.90			)
14	30.0	13.2	21.6						
15	29.5		22.7		8.5				
16	29.5	16.0	22.8	76	4.5	4.02			
17	29.5		21.3	67		5.09			
18	29.4		20.6			3.94			
19			21.9						
20	30.8		21.4	60				6.3	0.3
21	30.8		22.3	60	10.4	4.33		6.0	
22	30.9		21.7		9.5 7.6	4.57			
23	30.2	13.4	21.8		7.6	4.41			
24	29.3		21.7			5.98			
25	29.3		21.7	59	9.7	5.33			
26	27.0		21.6		2.2	3.98			
27	29.5		21.5			3.53			
28	29.6			70	5.8	4.79			
29	29.0		21.8	58	6.6	4.61	476		
30	29.3		22.5	8 <b>6</b>	8.1 8.1	4.73			
31	29.5	17.0	23.3	<b>7</b> 5	8.1	4.58	532	5.0	) <u> </u>
Total	898.7	456.2	678.2	2233	230.3	133.72	15702	152.7	53.7
Mean	29.0	14.7	21.9	72	7.4	4.31	507	4.9	)

STATION: AHERO MONTH: AUG. YEAR: 1979

Data	Tempe	erature				Wind			 Rain-
Date -	Max.	Min.				Veloc- ity		Evapo- ration	tall
	(C)	(C)				(km/hr)			(mm)
_									
1	29.5	15.1	22.3	73	7.6				
2	27.6 28.0	15.0 16.8	21.3	79	5.2				
4	29.5	16.5	22.4 23.0	86 72	4.2 10.2				
5	28.7	18.3	23.5	86	5.8				
6	29.5	17.0	23.3		8.2				
7	29.2	15.2	22.2	73	8.6				
8	28.7	17.2	23.0	89	1.4				
9	29.5	17.0	23.3	63	8.0				
10	29.2	17.5	23.4	76	4.9				
11	30.0	16.9	23.5	69					
12	29.0	17.8	23.4	67					
13	29.2	15.6	22.4	83	5.2				
14	28.5	17.0	22.8		5.3				
15	28.5	16.5	22.5	89					
16	29.2	16.2	22.7	68					
17	29.9	16.5	23.2	75	7.8				
18	31.3	14.4	22.9	64	_	4.77			
19	31.3	14.5	22.9	60	7.3	4.39	612	6.0	
20	30.7	9.6	20.2	64	8.6	5.03	558	6.0	-
21	30.0	13.7	21.9		8.0	5.24	570	6.0	-
22	31.2	12.5	21.9		10.2		574	6.0	-
23	31.5	14.0	22.8	59	11.2		604	6.0	-
24	31.5	13.0	22.3		9.2				-
25	32.0	13.5	22.8		10.6				
26	32.0	13.5	22.8		8.6				
27	30.7	13.0	21.9		8.1			_	
28	31.0	15.5	23.3						
29	31.6	13.5	22.6		9.6				
30	30.6	13.5	22.1	62					
31	30.5	15.4	23.0	64	5.5	5.63	448	4.4	2.4
Total	929.6	471.7	701.6	2157	219.7	149.14	16144	165.8	41.8
Mean	30.0	15.2	22.6	70	7.3	4.81	521	5.3	<u></u>

STATION: AHERO MONTH: SEP. YEAR: 1979

_	Tempe	rature	(C)	Rel.			Solar I		lain-
Date -							Radia- l		all
	Max.	Min.		ity	llours			ration ()	'\
	(C)	(C)	(C)	(%) 	(nrs)	(KM/Nr)	(lang)	(mm) (	
1	29.5	17.2	23.4	88	7.4			5.0	-
2	31.4	15.0	23.2	66	5.6	4.33		5.0	_
3	31.2	12.8	22.0		7.9			6.0	- ,
4	31.0	12.1	21.6	60	10.8	4.44		7.0	_
5	31.0	13.5	22.3	52	8.7	5.37		6.0	-
6	30.7	14.2	22.5	61	7.7	4.82		5.0	-
7	31.0	14.5	22.8						_
8	32.0	12.5	22.3		5.0				-
9	31.4	15.7	23.6	60					
10	31.0	13.8	22.4	54	8.8				8.2
11	30.0	13.3	21.7						1.1
12	31.1	13.3	22.2	60					•••
13	32.0	13.7	22.9						
14	30.5	15.0	22.8						0.8
15	32.2	14.1	23.2			5.43			-
16	33.0	13.2	23.1						-
17	32.3	16.5	24.4						-
18	32.0	15.3	23.7				568	6.0	
19	32.0	16.5	24.3		6.2	5.43			3.0
20	32.2	14.5	23.4						
21	31.5	16.5	24.0						
22	30.2	17.3	23.8						
23	31.4	15.1	23.3						
24	30.7	15.0	22.9						
25	30.5	15.8	23.2						
26	27.0	17.4	22.2						
27	29.1	16.4	22.8						
28	30.5	15.0	22.8						
29	31.0	15.0	23.0						
30	31.3	16.0	23.7	80	9.1	5.1.	5 670	6.0	7.0
Total	930.7	446.2	689.5	1926	227.9	151.4	3 16198	183.8	133.8
Mean	31.0	14.9	23.0	64	7.6	5.0	5 540	6.1	

STATION: AHERO MONTH: OCT. YEAR: 1979

Date -	Tempe	rature	(C)	Rel.	Sun-	Wind :	Solar Pa Radia- E	an R	ain- a11
vale -	Max.	Min.		ity			tion r		
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm) (1	nm)
1	31.3	15.2	23.3	62	9.4	5.16		6.4	1.4
2	31.0	18.0	24.5	70	9.2			8.0	1.0
3	28.0	18.0	23.0		0.3			2.0	-
4	32.5	17.0	24.8		5.6			5.8	2.8
5	31.0	16.5	23.8		7.2			7.5	0.5
6	32.0	14.5	23.3					5.6	0.6
7	32.3	15.8	24.1					6.0	-
8	33.0	14.3	23.7					6.0	-
9	33.2	13.8	23.5	55				6.0	-
10	33.0	13.5	23.3	62	9.4			8.0	-
11	33.0	13.2	23.1	58	8.9			8.0	
12	33.2	13.6	23.4	54	9.9	5.28	646	7.0	_
13	33.0	15.5	24.3	56	9.8	3.55		7.0	-
14	33.2	15.6	24.4		9.1	3.89	570	7.0	-
15	33.0	14.5	23.8		8.4	6.96	606	6.0	-
16	32.3	15.5	23.9		7.1	5.91	620	7.0	-
17	33.0	14.0	23.5	59	8.0	3.94	570	6.0	-
18	32.0	14.0	23.0		9.7			6.0	_
19	33.0		24.0			5.31	612	7.0	3.0
20	32.5	16.8	24.7		8.4	4.52	612	7.0	-
21	32.5	14.8	23.7		7.0	3.13	512	6.0	-
22	33.0	14.3	23.7	75	6.5	4.07	546	6.0	-
23	32.0		23.0				426	3.8	0.8
24	31.5	14.8	23.2			4.33	606	6.0	-
25	31.2	14.5	22.9		7.7	4.69	496	5.2	5.2
26	31.2	14.5	22.9					6.0	_
27	32.7	14.2					618	-	41.3
28	31.3	15.0						6.0	_
29	31.6	16.5	24.1					6.0	_
30	32.2	15.4	23.8					6.0	_
31			24.1	57	10.2	5.21	658	7.0	-
Total	997.9	467.3	733.5	1981	257.5	142.45	18080	187.3	56.6
Mean	32.2	15.1	23.7	64	8.3	4.60	583	6.2	

STATION: AHERO MONTH: NOV. YEAR: 1979

Data	Tempe	rature	(C)	Rel.	Sun-		Solar Radia-		Rain-
Date -	Max.	Min.				ity		ration	rarı
	(C)	(C)					(lang)		(mm)
			<del></del>		(111.2)				
1	30.5	16.0	23.3	60	6.9	2.86	5 460	4.3	1.3
1 2	31.9	13.3	22.6		7.4				
3	30.5	16.1	23.3		3.5				
4	28.6	15.3	22.0		5.9				
5	30.0	16.4	23.2		6.9				
6		16.6	23.1		3.1				
7	29.8	16.0	22.9		5.8				
8	29.8	17.4	23.6		4.1				
9	29.6	17.5	23.6		7.8			4.4	0.4
10	30.2	18.5	24.4	88	4.4	2.72	2 476		
11	29.0	17.0	23.0	78	4.3	3.33	3 464		
12	30.5	15.0	22.8	70	8.1				
13	30.5	15.0	22.8		8.3				
14	31.5	15.4	23.5						
15	31.6	14.9	23.3		8.6				
16	30.6		23.1						
17	31.3	15.7	23.5						
18	30.7	16.2	23.5		5.3				
19	30.5	14.9	22.7		8.6				
20	31.0	15.4	23.2		9.2				
21	30.5	16.3	23.4						
22	29.0	15.5	22.3						
23	28.3	17.4	22.9						
24	29.3		23.7						
25	29.3	14.5	21.9						
26	32.0	13.5	22.8						
27	33.0		23.3						
28	33.0		22.8						
29	32.5		22.5		9.1				
30	30.1	15.7	22.9	0.3	9.3	0.70	J	0.0	, –
Total	914.7	467.6	691.9	2051	217.6	126.3	7 16012	166.7	102.7
Mean	30.5	15.6	23.1	68	7.3	4.2	1 534	5.6	)

STATION: AHERO MONTH: DEC. YEAR: 1979

Oate -	Temper			Rel. Humid-	Sun- shine	Wind S Veloc-	Solar P Radia- E		ain- all
	Max. (C)	Min. (C)		ity (%)	Hours (hrs)	ity (km/hr)		ation (mm) (	mm)
•	07.0	12 1			 	4.25	286	3.5	5.5
1 2	27.0 30.6	17.1 16.0	22.1 23.3	75 84	2.1 8.5			<b>-</b>	33.6
3	29.6	14.5	22.1	71	8.6			5.0	_
4	31.3	14.0	22.7					6.0	_
5	32.0	13.0	22.5	48				6.0	
6	32.1	13.0	22.6					6.0	_
7	32.1	14.1	23.1					6.0	_
8	31.7	15.5	23.6					6.0	_
9	31.0	14.5	22.8					6.0	_
10	30.1	13.6	21.9				562	5.0	_
11	30.5	14.2	22.4			3.68	546	5.5	0.5
12	32.5	15.0	23.8		9.6	5.41	676	6.0	_
13	30.6	16.0	23.3					6.0	-
14	30.5	15.0	22.8	68				6.0	-
15	31.4	14.5	23.0		10.2				-
16	32.1	16.4	24.3			5.96			_
17	32.0	15.5	23.8						32.3
18	32.0	16.8	24.4						9.0
19	29.0	13.6	21.3						-
20	29.0	14.5	21.8						-
21	31.0	13.2	22.1						-
22	31.6	14.0	22.8						-
23	32.5	13.0	22.8						2.
24	29.2	15.0	22.1						-
25	28.7	16.3	22.5						- 1.
26	32.8	15.5	24.2						_
27	33.0	15.5	24.3						
28	30.5	14.3	22.4						
29		16.4 15.2	22.5						0.
30 31	28.5 28.0	17.3	22.7	7 79	8.8	5.94	4 560	6.0	2.
Total	951.4	462.5	707.9	2137	7 279.8	3 155 <b>.</b> 9	6 17814	174.1	104.
						5.0			

STATION: AHERO MONTH: JAN. YEAR: 1980

Date -	Тетре	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-	Pan Fyano-	Rain-
Date -						ity		ration	Idii
	(C)	(C)				(km/hr)			(mm)
	20.6	10.0			~ <i>-</i>	5 00		- ,	
1	30.6		24.3						
2	31.6		22.8						
3	31.7		21.9		9.4	5.46			
4	30.6		21.6	58	5.6 11.0	4.65 5.00			
5 6	32.5		22.5						
7	31.5 32.2		22.6 23.6			6.25			
8	30.5	16.0	23.3			6.85			
9	32.0		23.3						
10	32.0		23.4						
11	30.6		23.3				612		
12	31.4		24.7			4.74	468		
13	32.2		23.4						
14	33.0		24.2				628		
15	33.0		23.3				604		
16	34.0		24.0						
17	32.3		23.9						
18	32.5	13.6	23.1			5.61	612		
19	31.5	14.5					598		
20	32.0		23.0				7 612		
21	33.5		23.5	44		6.17	7 618		
22	33.5	12.2	22.9				3 670		
23	31.5	13.5	22.5	40		8.53	3 580	7.0	) –
24	28.2	15.0	21.6	59	7.2	6.70	) 460	5.7	7 1.7
25	29.0		21.8	70	4.8	5.10	452	3.0	) –
26	31.4	15.5				5.21	610		
27	30.6				4.1	4.04	438		
28	31.5					4.42	2 476		
29	31.5				6.0	5.99	<del>)</del> 470		
30						5.06			
31	29.5	16.6	23.1	76	4.1	5.80	) 45 <i>6</i>	<b>-</b>	35.2
Total	977.1	456.9	717.7	1839	266.8	177.64	17816	193.6	62.8
Mean	31.5	14.7	23,2	59	8.6	5.73	3 575	6.5	5

STATION: AHERO MONTH: FEB. YEAR: 1980

Date -	Tempe	rature			Sun- shine		Solar   Radia-		Rain- fall
Date -	Max.	Min.		ity		ity		ration	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
	•••					- 1-	500		10.5
1 2	30.0 30.5	14.0 15.5	22.0 23.0						
3	30.0	17.0	23.5		7.2				
4	31.0	17.0	24.0						
5	30.7	17.0	23.9						
6	32.5	15.0	23.8			4.65			
7	32.6	13.3	23.0		10.2	5.49	650	8.0	) <u> </u>
8	32.5	14.5	23.5	63					) <u> </u>
9	34.0	13.5	23.8						
10	35.0	15.0	25.0						
11	30.7	14.5	22.6						
12	32.0	14.4	23.2						
13	33.5	12.5	23.0						
14	31.0	12.5	21.8						
15 16	32.0 32.5	16.0 14.0	24.0 23.3						
17	34.0	12.5	23.3						
18	34.0	12.8	23.4						
19	34.0	13.5	23.8						
20	34.0	13.5	23.8						
21	34.0	14.0	24.0				628		
22	34.0	13.0	23.5						
23	33.6	14.0	23.8	63	5.1	4.79	9 494	8.0	) -
24	35.0	13.0	24.0						
25	34.0	12.5	23.3						
26	35.0	16.5	25.8						
27	31.8	17.0	24.4						
28	30.5		23.4						
29	32.6	17.0	24.8	61	6.4	6.3	4 496	7.0	) –
Total	947.0	421.3	684.7	1771	262.3	164.2	3 17406	210.9	30.9
Mean	32.7	14.5	23.6	61	9.0	5.6	6 600	7.3	3

STATION: AHERO MONTH: MAR. YEAR: 1980

Date -	_	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-	Pan Evano-	Rain-
Date -	Max.					ity		ration	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
	32.9	15.1	24.0	51	8.6	8.41	. 548	10.2	2 16.2
1 2	27.5		22.6						
3	29.2	16.7	23.0						
4	27.0		21.3						
5	30.1		23.6						
6	31.0		23,3						
7	31.0		23.8						
8	29.0		22.8	73	6.4	6.08	3 450	6.6	9.6
9	30.6	15.7	23.2	75	8.8	4.75			)
10	32.0	14.5	23.3	63					
11	33.2		23.9						
12	30.7		23.1						
13	31.0		24.4						_
14	29.5		22.5						
15	32.5	16.5	24.5						
16	29.2		22.1						
17	35.0		24.8						
18	35.0		23.0		9.0				
19	35.0		23.3						
20	34.5		23.3						
21	34.5		23.9						
22 23	35.0		23.8 24.3						
23 24	35.0 35.0		24.3						-
25	35.0		24.5						
26	33.8		24.4						_
27	32.5								
28	32.5						616		
29									
30									
31	31.0								
Total	990.7	471.5	732.1	1968	256.4	172.68	3 <b>1774</b>	219.6	5 96.6
Mean	32.0	15.2	23.6	63	8.3	5.5	7 572	7.	 l

STATION: AHERO MONTH: APR. YEAR: 1980

Data	Tempe	rature	(C)				Solar P Radia- E		ain- all
Date	Max. (C)	Min. (C)	Mean (C)	ity	Hours	ity	tion r	ation	
1	32.5	16.0	24.3					7.0	-
2	33.0	16.5	24.8		9.7			7.0	-
3	32.5	16.0	24.3		7.3			7.0	
4	33.0	14.5	23.8		9.3			8.0	-
5	31.8	16.0	23.9		10.3			7.0	-
6	30.0	14.5	22.3					8.0	- 2.0
7	32.5	19.7	26.1					6.0	25.3
8	30.8	17.0	23,9					6.3 6.0	34.0
9	29.5	17.0	23.3				514 568	5.7	4.7
10	29.7	17.5	23.6					6.0	<b>-</b> .
11	30.0	16.3	23.2					7.0	4.0
12	31.0	17.0	24.0					, <del>-</del>	36.0
13 14	29.0	17.0 16.0	23.0 21.9					6.0	16.0
15	27.8 28.0	17.5	22.8					3.0	2.0
16	30.0		23.8					5.0	3.0
17	28.4	16.8	22.6					6.4	14.4
18	28.5	16.6	22.6					6.0	
19	30.0	17.0	23.5					_	3.7
20	28.5	17.5	23.0					7.5	19.5
21	29.5	16.0	22.8					5.5	
22	28.6	16.0	22.3						
23	30.0	15.5	22.8					7.0	
24	31.2	16.5	23.9			4.4	618	7.0	_
25	31.5	15.0	23.3		9.9	4.80	598	7.0	9.0
26	29.5	17.0	23.3		3.5	4.48	8 380		
27	30.8	14.0	22.4						
28	31.5	14.0	22.8	63	10.8				
29	31.5	15.0	23.3						
30	31.5	16.0	23.8	62	10.7	5.8	4 618	7.0	-
Total	912.1	488.9	701.4	2122	243.7	162.4	0 16678	181.4	179.
Mean	30.4	16,3	23.4	71	8.1	5.4	1 556	6.5	

STATION: AHERO MONTH: MAY. YEAR: 1980

Date -	Tempe	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-	Pan I	Rain- fall
Date -	Max.					ity		ration	
	(C)						(lang)		(mm)
1	31.5	15.5	23.5		8.7				
2	31.3	18.0	24.7		5.2		452		
3	30.5	18.0	24.3		5.8				
4	29.0		22.8		3.5				
5	29.0		23.4						
6	29.0		23.0		5.0				
7	30.3	16.5	23.4		7.8				
8	28.6		22.8						
9	30.5		24.0	. 74	6.7	2.86			
10	30.0	18.1	24.1	<b>7</b> 9	7.4	3.19			
11	29.0		23.3	83	7.4 7.7 7.8	2.03			
12	28.0		22.3		2.0	2.00			
13	28.5		22.5						
14	28.4		23.0						
15	30.0	15.9	23.0	<b>7</b> 6					
16	28.5	16.7	22.6	82	5.0	3.32	2 554		
17	29.0	16.8	22.9	70	10.4	2.33			
18	28.7	17.2	23.0	75	4.4	2.65	5 482	6.0	1.0
19	29.5		23.4		8.6	1.83	586	6.0	_
20	29.2	15.5	22.4	69	9.9	1.88	3 554	6.0	_
21	28.0		22.3	77	8.7	3.3	L 554	6.2	15.2
22	29.0		23.3		3.4	2.02	2 420	4.0	_
23	29.0					2.59	586	6.0	-
24	29.0	16.5	22.8		5.4	2.43	L 468	4.7	6.7
25	28.8		23.3		4.3	1.63	2 382	5.0	_
26	29.2				8.1	2.68	3 516	6.0	2.0
27	28.6				7.3	2.28	3 500	5.0	
28	28.8				10.0	1.84	4 574	6.0	_
29	28.8		22.0			3.6	410	5.0	11.0
30					3.4	3.2			_
31	28.7		21.9						
Total	903.7	516.4	711.0	2388	196.1	89.7	2 15268	159.5	102.5
 Mean		16.7				2.8		5.1	

STATION: AHERO MONTH: JUN. YEAR: 1980

Date -	Тетре	rature		Rel.			Solar P Radia- E		 Rain- fall
pale -	Max.	Min.		ity				ation	1011
	(C)	(C)	(C)	(%)			(lang)		(mm)
_				7.	10.7		(0)		
1	28.3	15.1	21.7	76				6.0	
2	28.5	15.8	22.2	62	10.5			6.0	
3	28.6	13.8	21.2		11.1			5.3	
4	29.0	16.0	22.5		6.7			5.0	
5	29.0	14.5	21.8			2.70		5.0	
6	28.8	16.0	22.4					6.5	
7	25.0	17.5	21.3					2.0	
8	29.5	17.0	23.3					5.2	
9	28.5	16.3	22.4					5.0	
10	29.5	15.5	22.5					4.8	
11	28.8	14.4	21.6					4.2	
12	28.0	17.4	22.7					4.0	
13	28.5	16.3	22.4					4.0	
14	29.5	15.7	22.6					4.0	
15	29.5	15.0	22.3					5.0	
16	29.5	14.8	22.2					5.0	
- 17	30.0	14.5	22.3	70	9.7	3.11	. 566	6.0	_
18	29.5	15.0	22.3					5.0	-
19	30.0	15.0	22.5	70				5.0	_
20	28.0	16.0	22.0	76	4.2	3.73	3 400	4.0	_
21	28.0	15.7	21.9	71	5.0	4.22	2 400	4.5	0.5
22	27.3	15.0	21.2	70	8.7	4.76	5 532	5.0	_
23	29.5	15.0	22.3	70	7.4	4.02	2 542	5.0	_
24	27.5	16.3	21.9	67	2.2	4.13	3 264	4.0	-
25	28.8	14.5	21.7	79	6.8	4.84	462	7.0	42.0
26	25.2	17.0	21.1				262	2.3	0.3
27	28.2	15.0	21.6					5.0	
28	28.6	15.5	22.1					5.0	
29	29.0		22.5					6.2	
30	29.0	14.0	21.5					4.0	
Total	857.1	465.6	662.0	2212	213.2	98.08	3 14900	145.0	92.0
Mean	28.6	15.5	22.1	74	7.1	3.2	7 497	4.8	3

STATION: AHERO MONTH: JUL. YEAR: 1980

 Date -	Тепре	rature	(C)	Rel.	Sun-		Solar Radia-		Rain- fall
Date -	Max. (C)	Min. (C)	Mean (C)	ity (%)	Hours	ity		ration	(mm)
						0.00	1 = 6		
1	28.6	15.0	21.8		6.0 5.2				
2 3	27.6 27.6	14.0 17.0	20.8	81 83		3.09 3.22			
4	27.6	16.5	22.1	77		3.65			
5	25.5	17.6	21.6						
6	27.5	17.0	22.3			2.92			
7	27.5	16.5	22.0	86					
8	28.8	15.0	21.9						
9	28.5	14.8	21.7						
10	28.5		22.3			3.60	496	5.0	2.0
11	28.5	15.5	22.0	85					
12	29.0	15.0	22.0						
13	28.3	16.0	22.2						
14	28.5	13.0	20.8			2.93			
15	29.5	12.0	20.8						
16	30.0	12.2	21.1			2.38	572		
17	30.3	12.5	21.4						) -
18	30.5	13.6	22.1						
19	30.5	13.0	21.8						
20	30.5	12.5	21.5						
21	30.0 29.5	12.0 12.0	21.0 20.8						
22 23	29.5	13.0	21.3			4.59			
24	29.2	11.8	20.5						
25	29.0	12.5	20.8						
26	30.0	14.3	22.2						
27	30.0	15.2	22.6						
28	30.0		23.4						)
29		17.5	22.9						
30		16.7	23.4						) <b>–</b>
31	28.5	14.5	21.5	68	6.7	2.9	1 460	4.(	) -
Total	897.2	451.0	674.9	2269	236.3	96.2	1 15958	3 155.4	4 50.4
Mean	28.9	14.5	21.8	73	7.6	3.16	515	5.0	)

STATION: AHERO MONTH: AUG. YEAR: 1980

 Date	_		(C)	Rel.		Wind S Veloc-	Solar P Radia- E		Rain- Eall
Date -	Max. (C)		Mean	ity	Hours	ity (km/hr)	tion r	ation	
1	30.2	15.5	22.9	66	9.9	3.58	604	6.0	_
2	31.0	16.5	23.8	70	8.9	5.71		6.3	4.3
3	29.3	17.5	23.4		7.3			5.4	5.4
4	29.5		24.0					6.0	-
5	29.0		22.8		2.2			5.0	_
6	28.2		22.7		2.7			3.2	0.2
7	29.0		23.0					3.3	
8	29.7		21.9					4.7	
9	29.3		22.4					6.0	
10	31.4		21.8					4.8	
11	31.5		22.0					7.4	
12	31.8		22.4					6.0	
13	30.4		21.7					4.0 6.0	
14	31.0		22.3					4.2	
15 16	32.0 30.5			. 79				6.0	
17	29.5		21.3			The second secon		7.0	
18	30.5	16.5	23.5					5.0	
19	30.8	15.0	22.9					7.3	
20	30.0	14.3	22.2					6.0	
21	28.9	14.0	21.5					5.2	
22	30.5	13.0	21.8					6.0	
23	31.5	14.3	22.9				568	5.0	_
24	28.6	16.5	22.6		3.7	4.10	308	3.2	
25	28.5	16.2	22.4	92	2.0	3.37	386	3.3	5.3
26	29.0	16.5	22.8		5.4			5.0	
27	30.5	14.8	22.7						
28	30.2	15.0	22.6						
29	30.5	15.0	22.8						
30	30.2	14.0	22.1						
31	30.0	13.0	21.5	93	9.9	4.64	612	7.C	) –
Total	933.0	461.5	698.1	2457	233.9	125.42	2 16462	167.9	45.9
Mean	30.1	14.9	22.5	79	7.5	4.05	5 531	5.4	

STATION: AHERO MONTH: SEP. YEAR: 1980

late -	Tempe	rature	(C)	Rel. Humid-	Sun-	Wind Veloc-	Solar Radia-	Pan Evapo-	Rain- fall
Jace -	Max.	Min.	Mean	itv	Hours	ity	tion	ration	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
1	31.0	13.0	22.0						
2	32.0		22.8		8.9				
3	31.8		22.7						
4	31.5	14.4	23.0						
5	30.5		22.3						
6	31.5		23.3						
7	30.5		23.3		3.8	3.32	442		
8	29.5	16.0	22.8				500		
9	29.5		21.8						
10	30.0	16.5							
11	30.6	15.5	23.1			3.97			
12	31.0		22.9		7.1	3.67	7 538	5.0	
13	31.5	14.5				5.69		7.0	
14	31.0	16.0							
15	31.0	15.5					7 584		
16	31.0	13.5	22.3		9.0	4.3	5 584		
17	33.0	14.5	23.8			4.5	7 642		
18	31.0	14.5							
19	32.0		22.5		8.8	5.0			
20	30.5	15.0		64		2.3			
21	30.0	16.0			3.0	4.6			
22	31.0	17.0							
23	32.0	16.5	24.3	60					
24	30.0	16.0							8 0.8
25	30.0	15.0				4.6	8 58		
26	31.0	15.0							
27	30.5	15.0						4 5.	
28	30.5	15.0			7.2	5.0			
29					9.2				
30	31.5	15.0	23.3	8 62	10.7	4.3	3 58	4 7.	0 –
Total	925.4	446.3	686.8	3 2119	245.5	139.6	9 1687	2 183.	0 92.0
Mean	30.8	14.9	22.9	) 7]	8.2	4.6	6 56	2 6.	1

STATION: AHERO MONTH: OCT. YEAR: 1980

late	Tempe		(C)	Rel.	Sun- shine	Wind Veloc-	Solar P Radia- E	an I Vapo- f	Rain- Eall
ate	Max.		Mean	ity	Hours	ity	tion r	ation	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm) (	(mm)
1	31.2	12.0	21.6	54	10.6			7.0	-
2	32.5	12.5	22.5					7.0	
3	31.0	15.5	23.3					7.0	
4	31.5	14.5	23.0					6.0	
5	31.5	14.0	22.8					7.0	
6	29.5	17.5	23.5					5.0	
7	31.0	13.5	22.3					6.2	
8	32.5	13.5	23.0					8.2	
9	32.0	14.0	23.0					7.0 7.0	
10	32.0	14.0	23.0					6.0	
11	32.0	17.5	24.8					6.2	
12	32.3	15.5	23.9						
13	30.0	14.0	22.0						
14	31.0	17.0	24.0						
15 16		15.5 17.0	22.3 23.8			4.2			
17	30.5 31.5	15.0	23.3			5.1			
18	30.0	15.5	22.8						
19	30.5	16.5	23.5						
20	30.0	15.6	22.8						
21	32.0	14.0	23.0						
22	32.5	14.0	23.3						
23	32.5	14.5	23.5						
24	32.5	14.0	23.3						
25	33.6	14.5	24.1					7.1	0.1
26	33.0	14.0	23.5			4.9	2 572	7.0	· –
27	31.5	14.0	22.8	59	7.3	3.9	7 520		
28	33.0	14.5	23.8	3 62					
29	32.0		24.5						
30	32.3	12.5	22.4	¥ 50		3.2			
31	33.0	14.0	23.5	5 5:	8.7	7 3.6	6 558	5.5	0.5
Total	979.4	457.1	718.9	187	2 250.1	133.4	9 17600	200.3	25.3
Mean	31.6	14.7	23.	2 6	0 8.	4.3	568	6.5	)

STATION: AHERO MONTH: NOV. YEAR: 1980

Data -	Tempe	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-	Pan Evano-	Rain- fall
pale -	Max.			ity	Hours	ity	tion	ration	
	(C)		(C)	(%)	(hrs)	(km/hr)	(lang)		(mm)
			:						
1	33.0	15.0	24.0		7.0				
2	32.8	14.5	23.7		5.8	3.86			
3	32.8	14.2	23.5		5.5	3.79	460		
4	30.5	13.5	22.0						
5	31.5	17.0	24.3						
6	30.5		23.0						
7	30.5	14.0	22.3		8.3				
8	30.0	16.0	23.0	66		2.62			
9	31.0	14.0	22.5						
10	32.0	14.5	23.3						
11	31.0	15.0	23.0						
12	30.0	17.5	23.8						
13	30.5	15.5	23.0						
14	27.8	16.0	21.9						
15	29.0	16.0	22.5						
16	28.5	17.0	22.8	75					
17	27.0	17.5	22.3	<b>7</b> 8					6.0
18	27.8	17.5	22.7						-
19	30.0	17.5	23.8						
20	27.0	16.0	21.5						
21	27.0	17.0	22.0						
22	30.0		23.0						
23	29.7	14.0	21.9	68					
24	30.0	14.2	22.1						
25	31.0	14.0	22.5			3.81			
26	30.8	15.5	23.2						
27	30.0		23.2						
28	31.5	13.5	22.5						
29	32.0	13.5	22.8		9.5				
30	32.0	15.0	23.5	57	11.0	6.38	3 642	8.0	) -
Total	907.2	462.8	685.6	2001	187.4	125.16	5 14744	154.8	67.5
Mean	30.2	15.4	22.9	67	6.2	4.17	7 491	5.5	5

STATION: AHERO MONTH: DEC. YEAR: 1980

D.		Тепре	rature	(C)	Rel.		Wind Veloc-		Pan   Evapo-	Rain-
Da	ate -	Max.	Min.		ity		ity			
		(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
	1	33.0	13.5	23.3	51	10.9	3.94	665	7.0	_
	2	32.5	13.5	23.0		11.0		627	7 . 8.0	_
	3	32.5	14.5	23.5		10.4		3 595		
	4	31.5	13.5	22.5		5.0		5 517		
	5	29.8	16.0	22.9		6.5	3.93			
	6	28.5	19.0	23.8	87					
	7	29.2	19.2	24.2						
	8	28.0	18.7	23.4						
	9	30.5	15.5	23.0						
	10	29.0	16.0	22.5						
	11	29.5	14.5	22.0						
	12	30.0	15.0	22.5						
	13	30.8	15.0	22.9						
	14	30.6	16.5	23.6						
	15	32.0	16.5	24.3						
	16	31.5	11.5	21.5						
	17	30.5	12.5	21.5						
	18	29.0	18.5	23.8						
	19	30.0	15.0	22.5						
	20	29.0	15.0	22.0						
	21	29.5	14.0	21.8						
	22	30.0	13.5	21.8						
	23	29.5	12.5	21.0						
	24	29.5	13.0	21.3						
	25	30.5	12.5	21.5						
	26	31.0	15.5	23.3						
	27	30.5	15.0	22.8						
	28	30.5	13.0	21.8						
	29	32.0	13.0	22.5						
	30	32.1	13.0	22.6	56	11.0				
	31	30.5	12.5	21.5	64	/•9	4.8	o 53	4 6.0	, <u> </u>
1	otal	943.0	456.9	700.6	1954	265.8	140.3	4 1714	8 193.1	119.0
ŀ	lean	30.4	14.7	22.6	63	8.6	4.5	3 55	3 6.4	4

STATION: AHERO MONTH: JAN. YEAR: 1981

Doto -		rature	(C)	Rel.	Sun-	Wind	Solar P Radia- E	an Nano-	Rain- fall
Date -	Max.	Min.				ity		ation	1411
•	(C)	(C)	(C)				(lang)		(mm)
_						F 10	560	7 0	0.7
1	31.2	14.8	23.0	51	8.4			7.2	
2	31.0	17.1	24.1		5.3			5.5	
3	31.0	14.5	22.8		9.0			6.0	
4	30.5	13.3	21.9					5.5	
5	30.5	14.0	22.3					6.5	
6	28.0	14.0	21.0					6.0	
7	30.3		23.4					6.5	
8	31.7	14.0	22.9					6.0	
9	32.5		22.2		11.2			7.5	
10	32.5		21.5					8.5	
11	32.0		22.6					7.0	
12	33.0		23.3					8.0	
13	34.0		24.2					8.0	
14	32.0		23.0					6.5	
15	33.0		23.5					7.5	
16	33.0		23.8					9.0	
17	33.5		24.3					6.5	
18	33.0	15.0	24.0					8,0	
19	34.5		23.8					8.0	
20	34.0	13.2	23.6					8.0	
21	33.0		23.0					7.5	
22	30.5		24.3					6.3	
23	29.8		23.0					5.7	0.7
24	32.5		23.0						
25	35.0	12.5	23.8						
26	34.5	14.0	24.3						
27	34.0	15.5	24.8						
28	35.5	15.0	25.3						
29	33.5		23.0					8.5	
30	29.7	16.0	22.9	48					
31	30.5	14.5	22.5	61	8.5	5.38	3 502	6.0	) –
Total	999.7	440.7	721.1	1761	295.4	153.38	3 18296	222.2	7.7
Mean	32.2	14.2	23.3	<u></u> 57	9.5	4.9	5 590	7.2	2

STATION: AHERO MONTH: FEB. YEAR: 1981

 Date -	Tempe	rature	(C)			Wind Veloc-	Solar Radia-		Rain- fall
Date -	Max.	Min.		ity	Hours			ration	
	(C)	(C)	(C)	(%)		(km/hr)	(1ang)	(mm)	(mm)
1	34.0	13.0	23.5		9.4	6.19			
2	33.6	15.5	24.6	42	8.1	5.06			
3	35.0	13.0	24.0		10.6				
4	32.5	16.5	24.5		10.5				
5	34.2		23.6		10.7				
6	34.0	13.5	23.8						
7	33.5	15.0	24.3						
8	32.6	14.5	23.6				627		
9	33.0	16.6	24.8				3 613		
10	28.5	17.5	23.0						
11	28.0	15.5	21.8	66					
12	30.5	15.0	22.8						
13	32.4	15.0	23.7				5 604		
14	33.5	14.6	24.1						
15	29.3	17.4	23.4		4.4	6.5			
16	30.5	17.2	23.9	70	5.5				
17	24.6	16.8	20.7	95	_	2.83			
18	29.5	18.0	23.8	72	4.1	5.13	2 500	6.7	5.7
19	29.5	16.0	22.8	85	8.3	5.9	4 57:	7.5	3.5
20	32.0	14.5	23.3	82	11.0	5.4	8 603	7.5	; <u> </u>
21	34.5	13.5	24.0	46	11.0	7.0	5 659	8.9	5 -
22	34.0	13.0	23.5	33	9.6	5.6		8.5	
23	34.0	14.0	24.0		10.6	4.7	1 668	8.0	) –
24	35.0	14.5	24.8	51	9.8	6.1	3 610	8.5	5 -
25	36.0	13.0	24.5				5 68:	5 9.0	) <u> </u>
26	35.5		24.2					9.0	) -
27	33.5	14.0	23.8		10.5	6.5	4 648	8.0	) –
28	34.5		24.5		10.7	6.8	5 630	9.0	) -
Total	907.7	417.4	663.3	1514	241.5	166.4	8 1643	7 208.9	30.4
Mean	32.4	14.9	23.7	54	8.9	5.9	5 58	7 7.	 5

STATION: AHERO MONTH: MAR. YEAR: 1981

Date -		rature	(C)	Rel. Humid-	Sun- shine	Wind Veloc-	Solar Radia-		Rain- Eall
Date -	Max.	Min.		ity	Hours	ity	tion	ration	
	(C)	(C)	(C)	<b>(</b> %)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
1	36.0	15.5	25.8	35	10.6	5.07	653	8.5	_
2	36.5	14.5	25.5					7.0	_
3	31.0	17.0	24.0		7.5		520	6.5	
4	34.0	15.3	24.7		9.0	5.97			-
5	33.5	17.0	25.3			6.16			-
6	32.5	18.0	25.3						37.8
7	31.8	17.5	24.7			5.37			
8	32.8	14.5	23.7		10.2	7.21			
9	31.5	16.2	23.9		10.6	7.95			
10	31.0	16.5	23.8		7.6	5.02			
11	33.2	16.6	24.9		10.0	5.24			
12	33.3	15.2	24.3			5.58			
13	29.0	14.5	21.8						
14	30.0	14.3	22.2				4 444		
15	30.5	16.5	23.5				5 549		
16	30.0	17.0	23.5				1 398	3 4.6	
17	30.0	17.5	23.8			4.3	4 468		
18	30.0	16.0	23.0		8.5	5.6			
19	27.5	18.4	23.0		5.6	6.4	4 497		38.0
20	27.0	16.5	21.8		6.4	6.1	5 540		
21	29.6	17.7	23.7		7.2	3.8			
22	30.3	15.6	23.0		7.0	5.9			
23	30.8	16.5	23.7						
24	27.5	18.3	22.9		2.0	3.2	7 340		
25	25.7	17.5	21.6		2.0	3.4			
26	29.0	17.2	23.1		7.1	6.2			
27		17.2	21.3		3 1.5	5.1	4 24		19.0
28		16.5	20.8			2.1			
29		17.5					2 45	9 4.0	
30		18.0				2 4.9			
31						5 4.7	3 60	4 4.5	5 <del>-</del>
Total	933.2	513.0	724.	1 216	186.6	5 158.6	5 1579	3 166.	222.3
Mean	30.1	16.5	23.	4 7	6.0	5.1	2 50	9 5.	 7

STATION: AHERO MONTH: APR. YEAR: 1981

	Temper	ature	(C)	Rel.	Sun-		Solar Radia-	Pan R Evapo- f	ain- all
ate	Max. (C)	Min. (C)	Mean	ity (%)	Hours	ity.	tion	ration (mm) (	
		- <del></del>	- <del></del> -						
1	10 O	16.7	22.8	70	9.2	6.40	671	8.2	30.2
1 2	28.8 25.5	16.7	21.1	86					***
3	28.0	16.8	22.4						_
4	28.8	16.8	22.8						_
5	28.0	17.5	22.8					9.5	37.5
6	25.5	16.5	21.0			4.28	3 540		9.1
7	29.5	18.0	23.8						-
8	29.5	16.8	23.2			6.3			7.8
9	29.8	17.2	23.5		10.4				5.7
10	30.0	18.0	24.0		8.0				0.3
11	28.3	18.6	23.5		6.4				15.0
12	27.4	17.8	22.6		2.6	3.8			5.8
13	27.6	18.0	22.8	85			4 543		
14	27.4	17.6	22.5	<b>7</b> 8					0.9
15	29.1	17.5	23.3						
16	29.8	17.0	23.4						0.7
17	28.6	18.3	23.5						2.1
18	28.2	18.5	23.4						2.4
19	31.1	17.5	24.3						9.9
20	29.8	17.0	23.4						
21	29.0	16.1	22.6						
22	29.1	19.0	24.1						-
23	29.6	16.7	23.2						
24	30.8	15.4	23.1				9 63		
25	29.9	16.4	23.2	2 68	7.8	3 4.5			
26	28.4	16.0	22.2			3 4.6			
27	32.0	17.4							-
28		15.4							
29		15.2			2 10.4	+ 4.1			
30	28.8	17.6	23.	2 7	7.	1 2.6	ەد טر	T 4.3	-
Total	868.9	514.0	692.	1 228	9 215.	2 121.0	7 1718	7 153.3	167.3
Mean	29.0	17.1	23.	1 7	6 7.	2 4.0	04 57	3 5.3	

STATION: AHERO MONTH: MAY. YEAR: 1981

Date -	Tempe	erature	(C)	Rel.	Sun-	Wind Veloc-			Rain-
·	Max.	Min.	Mean		Hours			ration	ıdıı
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
1	29.8	16.7	23.3	72	9.8	4.50	630	7.5	19.0
2	31.2	16.0	23.6	75	7.5	3.14		10.9	30.9
3	28.9	16.2	22.6	67	7.5	3.11	558		8.0
4	28.5	16.4	22.5	76	7.1	3.19	491	4.5	
5	30.2		23.3	73	10.4	3.22			
6	28.5	16.9	22.7	82	7.1	2.76			
7	26.6	18.3	22.5	81	3.1	3.50			
8	27.5	17.4	22.5	79	.5.0	4.45			
9	27.8	18.0	22.9	84	4.4	4.22			
10	29.0	16.2	22.6	77		3.82		6.2	
11	29.3	17.0	23.2	73	8.7	3.38			
12	28.0	17.4	22.7	75	9.6	5.54			
13	27.2	16.2	21.7	79	6.4	4.42	560	3.7	0.7
14	27.0	18.5	22.8	76	5.8				
15	28.6	14.8	21.7	75	10.2	4.91			
16	26.5	17.5	22.0	82	2.7	3.55			
17	28.6	15.0	21.8	76	6.6	2.66			2.1
18	29.1	15.3	22.2	74	9.8	3.00			
19	29.5	15.0	22.3	66	9.8	2.89			-
- 20	29.0	17.5		85	6.8	3.12			
21	28.0	17.4	22.7	69	9.5	2.90			
22	28.9	16.0	22.5	67	9.2	2.39			
23	29.5	14.7	22.1	66	10.4	3.08			
24	28.9	15.0	22.0	74	8.8	3.78			-
25	29.4	15.8	22.6	68	9.5	4.41			
26	29.0	15.6	22.3	73	10.5	4.03			
27	29.3	15.9	22.6	70	9.7	4.98			32.0
28	28.4	14.9	21.7	83	9.9	4.08			
29	29.6	15.5	22.6	72	9.8	4.08			
30	29.5	15.0	22.3	70	9.7	3.90			
31	30.0	15.2	22.6	75	9.7	4.26	642	6.4	3.9
Total	891.3	503.6	698.2	2314	255.4	116.14	17451	162.5	155.0
Mean	28.8	16.2	22.5	75	8.2	3.75	582	5.4	

STATION: AHERO MONTH: JUN. YEAR: 1981

Date -	Tempe	erature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-	Pan Fyano-	Rain-
Ducc	Max.	Min.	Меал	itv	Hours	itv		ration	IdII
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
1	28.7	16.9	22.8	81	2.7	3.19	9 468	3.5	
2	29.5	16.2	22.9						
3	29.4	15.0	22.2						
4	29.5	15.3	22.4						
5	29.5	18.0	23.8	60	8.7	3 4/	5/40		
6	29.5		22.0		7.9	1.62	563		
7	30.2	17.5		78	7.1	1.12	2 552		
8	30.4	16.1	23.3	68	6.9		479		
9	30.4		24.4		10.2	0.92	630		
10	29.5	14.0	21.8	54	10.6				
11	31.5	11.4	21.5	82					
12	29.0		23.0		8.9	1.0			
13	29.0		21.0		10.8	1.56	5 542	5.0	
14	29.5	12.0	20.8	65	10.1		555	4.5	<b>,</b> –
15	29.5			84	8.8	1.76	5 558	6.0	; – ) –
16	29.4	11.5		72				5.5	; <u> </u>
17	30.2	17.2	23.7					5.5	; <u> </u>
18	30.5	15.5	23.0					5.5	· -
19	30.5	15.0	22.8						) _
20	30.5	15.5	23.0			2.72			0.8
21	29.0		23.0				514		) _
22	30.0	15.6	22.8	63					
23	30.4	15.0	22.7	63					
24	29.6	17.5	23.6						
25	26.5		21.8						
26	28.5		21.0						
27	25.9		20.7	82	2.8	3.25			
28	29.2		21.4		8.1	2.09			
29	29.0		22.5						
30	30.0	15.9	23.0	69	10.1	3.00	558	9.4	22.9
Total	884.3	458.6	672.3	2173	252.3	68.58	3 15663	159.0	50.5
Mean	29.5	15.3	22.4	72	8.4	2.29	522	5.3	,

STATION: AHERO MONTH: JUL. YEAR: 1981

Data -	Tempe	rature	(C)	Rel.	Sun- shine	Wind Veloc-	Solar Radia-	Pan Evapo-	Rain- fall
Date -	Max.	Min.	Mean	ity	llours	ity	tion	ration	
	(C)	(C)		(%)			(lang)		(mm)
1	28.2	14.5	21.4		6.3				
2	28.0	13.9	21.0		7.0				
3	29.6	13.7	21.7		9.2				
4	29.0	13.0	21.0		8.3				
5	29.4	12.5	21.0		8.6				
6	29.7	13.0	21.4		9.3				
7	29.8	13.6	21.7						
8	30.4	17.0	23.7						
9	29.0	15.9	22.5						
10	29.4	16.0	22.7						
11	23.4	17.4	20.4						
12	28.6	16.0	22.3	70					
13	26.0	17.4	21.7	88					
14	28.8	17.4	23.1	82	3.6	1.2			
15	29.5	16.0	22.8	75	8.0	1.8			
16	25.5	16.0	20.8	91	1.0				
17	27.5	16.5	22.0	83					
18	26.5	15.9	21.2	88					
19	28.1	14.0	21.1	78					
20	29.0	13.6	21.3	81					
21	23.0	16.4	19.7	87	5.2				
22	29.3	15.4	22.4	79	8.9	1.9	3 534	6.0	) –
23	29.2	12.8	21.0	69	8.0	1.7	1 508	3 5.0	) –
24	29.5	13.4	21.5	78	9.6	2.2	2 563	3 6.0	) -
25	29.0	14.1	21.6	77	5.2	2.2	5 450	4.5	
26	28.0		22.0		6.5	3.1	8 479	5.8	8.8
27	28.4		22.0	83	7.5	0.8	6 500		
28	26.8				0.2		0 314	4 2.5	
29	27.0				5.5	2.7			15.0
30	27.5		20.1						1.0
		15.6	21.8	<b>7</b> 8	7.5	1.8	0 51	7 4.5	5 -
Total	871.1	467.0	669.7	2431	184.7	55.6	3 1367	6 130.4	127.7
Mean	28.1	15.1	21.6	78	6.0	1.7	9 44	1 4.3	3

STATION: AHERO MONTH: AUG. YEAR: 1981

	•		(C)	Rel.	Sun- shine	Wind Veloc-	Solar Radia-		Rain- fall
ate	Max.	Min.	Mean	ity	Hours	ity	tion	ration	
	(C)	(C)		(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
1	28.9	15,5	22.2	<b>7</b> 5	9.7	1.38			
2	28.8	13.8	21.3		7.8				
3	28.0	17.4	22.7		3.2				
4	28.5	17.0	22.8		3.6 9.7				
5	29.0	16.0	22.5						
6	26.2	15.4	20,8						
7 8	29.4 29.4	16.2 16.3	22.8						
9	29.4	13.0	21.4						
10	30.5	14.6	22.6						
11	30.5	14.0	22.3						
12	30.5	13.3	21.9						) –
13	29.5	15.2	22.4						
14	29.0	16.2	22.6		6.9	3.1			
15	29.0	14.5	21.8	94	4.8				
16	28.8	12.8	20.8						
17	29.5	13.8	21.7						
18	29.0	13.0	21.0						
19	29.5	14.0	21.8						
20	29.4	13.0	21.2						
21	29.7	14.2	22.0						
22	30.2	13.0	21.6						
23	30.2	12.6	21.4						
24	29.0	12.7	20.9						
25	29.5	14.5 15.2	22.0						
26 27	29.0 29.8	13.0		_					
28	28.5	12.8	20.7						
29		13.0							
30	29.0	14.0	21.5	5 54	5.8	3 1.6	1 49	7 7.	3 25.3
31	28.5	16.0	22.	3 75	7.2	2 1.7	5 54	6 5.	0 7.5
Total	906.6	446.0	676.9	9 232	1 224.	1 59.4	7 1650	7 155.	3 98.3
Mean	29.2	14.4	21.	8 7	5 7.	2 1.9	2 53	32 5.	2

STATION: AHERO MONTH: SEP. YEAR: 1981

)	Tempe	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-	Pan Evano-	Rain- fall
Jate -	Max	Min	Mean	ity	llours	ity	tion	ration	1411
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)		(mm)
1	27.0	15.0	21.0						
2	29.3		21.4						
3	29.3	15.0	22.2		9.9			5.1	
4	28.5	13.4	21.0				S 555		
5	29.0		20.8						
6	29.0		21.0						
7	28.3		21.2			1.68			
8	28.5	13.5	21.0			2.63			
9	29.5		21.8						
10	30.0		21.0						
11	30.0		21.7						
12	29.5	13.5	21.5						
13	29.7								
14	29.3		21.7						
15	30.0								
16	29.9	15.0	22.5 23.0				526		
17	30.0 29.0	16.0 13.1	21.1				B 497		
18	30.2		22.0						
19 20	29.7	16.9							-
21	30.4	14.5							
22	29.7		22.3			2.9			
23	27.0		21.8						
24	28.0	17.0							
25	30.0	17.5	23.8						31.8
26	29.3	16.9							
27	25.9						9 308		
28	28.5	15.5			4.8				
29									
30									
Total	873.5	440.3	657.7	2124	212.6	57.9	9 1633	2 139.9	9 115.4
Mean	29.1	14.7	21.9	71	7.1	1.9	3 54	4 5.0	)

STATION: AHERO MONTH: OCT. YEAR: 1981

Date -	_	rature					Solar I Radia- I		Rain-
pate -	Max. (C)	Min. (C)	Mean	ity	${\tt Hours}$	ity		ration	
1	30.7	16.5	23.6	70	9.0	2.23	720	6.0	_
2	30.3	15.5	22.9		9.9				
3	30.5	14.3	22.4	64	10.0	1.67			-
4	30.7	14.5	22.6		8.1				
5	31.0	13.7			9.5				
6	30.6	14.0	22.3						
7	32.0	14.5	23.3		8.5				
8	32.5	12.0	22.3		9.1				
9	30.0	13.5	21.8						
10	29.9	14.5	22.2						
11	31.5	15.3	23.4						
12	30.5	14.9	22.7						
13	31.7	13.2	22.5						
14	31.4	13.8	22.6						
15	31.4	14.0	22.7						
16	31.5	14.1	22.8						
17 18	31.0 32.0	15.6 14.0	23.3 23.0						
19	30.5	16.0	23.3						
20	31.5	16.6	24.1						
21	30.5	16.0	23.3						
22	30.0	14.8	22.4						
23	30.5	13.7	22.1						
24	29.5	16.2	22.9						
25	29.5	15.0	22.3						
26	30.5	15.5	23.0						
27	31.4	17.0	24.2						
28	30.2		22.6		8.9				
29	31.5				8.1				
30	32.3		23.4		9.7	2.7	7 575	6.2	2 0.7
31	31.3	13.1	22.2	57	8.3	2.70	5 534	5.5	· -
Total	958.4	455.9	707.7	1913	261.1	70.9	9 17921	180.1	27.6
Mean	30.9	14.7	22.8	62	8.4	2.2	9 578	5.8	3

STATION: AHERO MONTH: NOV. YEAR: 1981

Date						Wind Veloc-	Solar Radia-		Rain-
Date	Max.		Mean	ity	llours			ration	Idii
	(C)		(C)	(%)			(lang)		(mm)
1	31.5	13.7	22.6	61	10.1	1.86	668	7.0	
2	31.5		23.5	58	8.1	2.62			
3	31.0		23.8	58 58	8.7	1.92			
4	30.7	14.6	22.7	59	9.7	2.29			
5	32.5		24.2	49					
6	31.8	14.8	23.3		9.4	1.77			
7	31.7	13.9	22.8						
8	30.9	15.5	23.2	71	9.0				
9	27.3	16.7	22.0	78	3.8	2.29			
10	27.7	16.2	22.0	78	7.2				
11	30.5	15.0	22.8	67	7.4	1.82	2 459	8.0	20.0
12	30.6	14.1	22.4	79	6.8	1.37	520	4.5	_
13	31.2	14.2	22.7	66	8.5				<b>-</b>
14	30.0		21.8		4.6				
- 15	30.2	13.9	22.1	71	2.5				
16	30.7	13.7	22.2	75	3.1	1.91			
17	31.0		22.6	50	6.7				
18	31.0		23.4	60	5.8				
19	31.8	16.3	24.1	53	6.2	3.64		5.0	
20	31.2	16.6	23.9	59	7.0	1.47			
21	31.3	14.6	23.0	66	8.5	2.35			
22	29.6		22.8	73	5.1	1.92			
23	28.6		21.6	67	7.8				
24	31.0		23.8	77	7.5				
25	31.8		24.1	69	9.6	3.41		7.0	
26	31.0		23.0	65	9.5	1.81			
27	31.8	14.5	23.2	59	10.7				
28	30.7		22.8	64 75	8.9	3.64		5.9	
29	28.9		22.4		6.8	3.64			
30	29.3	14.2	21.8	66	10.6	4.18	555	6.0	_
Total	918.8	452.7	686.6	1953	230.0	72.25	16248	174.5	76.0
Mean	30.6	15.1	22.9	65	7.7	2.41	542	5.8	

STATION: AHERO MONTH: DEC. YEAR: 1981

Date -	_	rature			Sun-	Wind Veloc-		 Pan Evano-	Rain-
Date -	Max.	Min.		ity	Hours			ration	IUII
	(C)	(C)	(C)			(km/hr)			(mm)
1	31.6	12.5	22.1	49	11.2	4.43	8 601	9.0	١
2	31.5	14.5	23.0	49	11.0	2.66			
3	31.5	11.4	21.5	- 56	9.8	1.93			
4	31.0	14.5	22.8		9.2				
5	32.5	14.6	23.6		9.2				
6	29.9	16.5	23.2	83	3.8				
7	29.7	12.5	21.1	75	10.3				
8	31.4	13.0	22.2						
9	31.4	12.5	22.0		7.4				
10	31.8	13.9	22.9		10.1	2.86			
11	30.9	14.2	22.6						
12	31.8	14.2	23.0						
13	30.9	14.7	22.8						
14	30.0	15.7	22.9		7.9				
15	30.6	15.5	23.1	64	7.4				
16	30.4	16.5	23.5	65	7.1	3.00	560	6.0	
17	28.3	17.6	23.0	64			4 265	2.3	3 2.8
18	29.3	18.0	23.7				L 444	5.0	
19	31.5	17.1	24.3						
20	30.3	16.3	23.3						
21	29.5	17.7	23.6						
22	31.5	15.6	23.6						
23	32.9	14.0	23.5						
24	31.2	15.3	23.3						
25	32.5	15.3	23.9						
26	33.6	15.0	24.3						
27	33.2	15.5	24.4						
28	31.5	14.6	23.1						
29	32.8		24.1						
30	32.1	15.1	23.6						
31	32.6	15.0	23.8	62	7.0	3.0	5 536	6.0	) <b>–</b>
Total	969.7	464.1	717.8	1850	256.0	77.7	4 17625	186.0	0.8
Mean	31.3	15.0	23.2	60	8.3	2.5	1 569	6.0	)

STATION: AHERO MONTH: JAN. YEAR: 1982

Date -	_	rature		Rel.		Wind Veloc-	Solar Radia-		Rain-
Date	Max.	Min.	Mean	ity	Hours			ration	1411
	(C)	(C)	(C)			(km/hr)			(mm)
								_	
1	32.0	16.5	24.3		9.8	3.95			·
2	32.4	17.4	24.9			4.30			
3	32.9	15.0	24.0		9.7				
4	30.5	16.6	23.6		5.3				
5	31.5	14.2	22.9			3.43			
6	31.8	14.0	22.9		8.7				
7	32.5		23.5		8.3				
8	33.5	14.6	24.1	48	10.1	3.14			
9	32.0	14.2	23.1	59	5.7				
10	32.3	14.3	23.3		8.3				
11	32.4	15.1	23.8		7.8				
12	31.0	15.3	23.2	82	8.1	3.08			
13	31.9	15.2	23.6		9.4 7.4		637		) –
14	30.8	16.0	23.4		2.9				
15	29.7	17.6 16.8	23.7 23.5	85 76		1.87 3.59			
16 17	30.2	17.1	23.2		7.2 6.0				
18	29.2 31.2	17.1	24.3		8.4				) <del>-</del>
19	32.2		23.9		8.7				
20	32.0	16.3	24.2		8.8				
21	31.4	15.8	23.6						
22	33.3	15.4	24.4		8.6				
23	33.8	15.0	24.4						
24	33.6	14.7	24.2		9.6				
25	34.0		24.8						
26	34.3				9.1		637		
27	33.7		24.3		9.2	3.52	553		
28	34.7		24.6						
29	34.5								
30	29.0								28.1
31	29.7		22.1	73					
Total	994.0	478.0	737.0	1965	256.5	95.04	18590	207.4	54.5
Mean	32.1	15.4	23.8	63	8.3	3.07	600	6.9	)

STATION: AHERO MONTH: FEB. YEAR: 1982

 Date -	Tempe	rature		Rel.			Solar Radia-	Pan F Evapo- f	Rain-
Date -	Max. (C)	Min. (C)		ity (%)	${\tt Hours}$	ity (km/hr)	tion	ration	(mm)
	20 5	16.0	00.7	60	7.	, ,,	500	11.0	01 7
1 2	30.5 29.3	16.2	23.4 22.0	63 74	7.6 10.2				21.7
3	30.7	14.6 16.7	23.7	74 70	9.5	3.15			8.2
4	31.6	16.3	24.0		7.0				-
5	32.3	16.2	24.3		9.3				_
6	32.1	14.4	23.3	52	9.5				_
7	31.8	14.5	23.2	45	6.6				_
8	30.2	16.4	23.3	65					_
9	29.8	18.0	23.9		4.5				_
10	30.8	16.6	23.7	69	6.9				_
11	31.7	15.2	23.5	76	7.8				-
12	30.5	14.5	22.5	57	8.6				_
13	29.0	17.8	23.4	64	8.3				_
14	29.7	18.5	24.1	<b>7</b> 0	7.3	4.48	3 536	· –	53.3
15	29.0	15.5	22.3	74	8.9		634	10.5	26.5
16	30.5	15.7	23.1	71	9.1				0.7
17	32.0	16,4	24.2	68					53.7
18	30.8	16.0	23.4						7.0
19	31.0	15.6	23.3						-
20	32.7	15.0	23.9						-
21	32.7	14.9	23.8		9.4				-
22	33.3	15.4	24.4						
23	34.7	14.2	24.5						
24	32.0	13.8	22.9						_
25	29.5		23.1						3.6
26	33.2	16.1	24.7						-
27	32.2	16.4	24.3						-
28	33.5	16.7	25.1	57	8.7	1.95	706	7.0	-
Total	877.1	444.2	661.3	1826	237.1	77.98	3 17121	183.2	174.7
Mean	31.3	15.9	23.6	65	8.5	2.78	611	7.0	

STATION: AHERO MONTH: MAR. YEAR: 1982

Date -	Tempe	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-		Rain-
Date -	Max.	Min	Moan	ity 3	Houre	1610C-		ration	rarr
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)		(mm)
1	31.0	15.5	23.3	54	10.3	4.57	625	8.0	_
2	31.0	15.2	23.1	52	9.4				
3	30.5	14.5	22.5	63	10.7	3.40			
4	32.5	15.0	23.8	62					
5	32.5	16.0	24.3						_
6	30.2		23.1	62					0.8
7	33.2	16.0	24.6	62	9.9				
8	33.0	15.5	24.3		9.8				
9	29.5	16.5	23.0		9.1	2.29			
10	33.0	14.7	23.9	67					
11	34.5	13.7	24.1	46					
12	34.2	14.0	24.1						
13	32.8	13.8	23.3		10.3	3.01	661	9.0	) · _
14	32.8	16.8	24.8	49	10.2	2.75	637	5.5	<b>-</b>
15	33.5	14.5	24.0	. 57	7.4	3.49	566	9.5	16.5
16	32.0	15.5	23.8	. 80	9.9	2.63	631	7.0	) <u> </u>
17	34.2	14.5	24.4			3.68			· -
18	33.3	13.6	23.5	58				9.0	) –
-19	33.0	16.6	24.8						
20	33.0	16.8	24.9	55			3 408	4.9	1.4
21	30.5	16.5	23.5						
22	30.5	15.5	23.0			1.98	617		
- 23	33.5	15.0	24.3						
24	35.0	13.5	24.3						<b>-</b>
25			25.0						
26			24.1						
27			22.8						
28	32.2		24.3		7.5	3.42			
29			22.6			1.50			
30						0.96			
31	29.0	15.6	22.3	87	5.9	1.76	488	5.6	0.6
Total	1001.3	472.8	737.8	1875	282.5	82.67	7 18894	212.8	50.8
 Mean	32.3	15.3	23.8	. 60	9.1	2.6	7 609	7.1	. <b></b>

STATION: AHERO MONTH: APR. YEAR: 1982

Date -	Tempe	rature		Rel.	Sun-	Wind Veloc-	Solar F		 Rain-
Date -	Max.	Min.		ity	Hours			cvapo cation	Lall
	(C)	(C)	(C)	(%)		(km/hr)			(mm)
				*					
1	28.0	16.5	22.3	84	2.5	0.95	346	3.2	0.7
1 2	29.5	16.8	23.2	76	2.5			4.6	0.7 0.1
3	31.8	18.5	25.2		6.9			7.2	13.2
4	31.0	17.0	24.0		6.8			5.5	-
5	29.2	15.5	22.4		7.0			5.7	2.7
6	30.0	16.2	23.1	78	11.0			6.5	
7	_	16.5		72	9.3			4.5	_
8	-	17.5		65	3.1	1.62		4.1	0.1
9	_	15.3	_	75	10.0			7.0	2.0
10	-	15.0	_	71	4.6			5.0	_
11		16.0	<b></b> .	69	8.3			5.0	_
12	_	17.5	_	62	5.4			5.5	
13	29.5	18.8	24.2	<b>7</b> 7	3.0			7.7	14.2
14	27.0	20.0	23.5		1.4			5.0	_
15	28.0	19.0	23.5	76	4.5	1.80		8.0	16.0
16	29.0	20.0	24.5	83	4.6	1.61	456	6.0	14.5
17	25.0	19.0	22.0	94	3.6	1.04	301	3.5	14.0
18	30.0	17.5	23.8	<b>7</b> 0	8.1	1.70	581	4.8	1.3
19	26.0	18.5	22.3	86	2.7	1.52	325	3.0	6.0
20	28.0	16.0	22.0	78	8.2		578	_	26.4
21	29.0	18.0	23.5	57	7.1			5.1	9.1
22	29.0	17.0	23.0		7.9			5.0	_
23	29.0	16.0	22.5		7.7			<b>5.</b> 5	
24	29.0	16.5	22.8		8.1			4.5	
25	28.0	18.5	23.3					3.6	
26	27.0	18.0	22.5		5.7			5.2	8.2
27	28.0	17.2	22.6					4.0	
28	30.0	17.5	23.8					5.0	
29	30.0	17.0	23.5					4.5	
30	28.7	17.5	23.1	76	10.0	1.15	587	5.0	-
Total	689.7	520.3	556.6	2229	183.9	37.97	15001	149.2	130.6
Mean	28.7	17.3	23.2	74	6.1	1.27	500	5.1	

STATION: AHERO MONTH: MAY. YEAR: 1982

Date -	Tempe	rature			Sun-	Wind Veloc-			Rain-
pate -	Max. (C)	Min. (C)	Mean	ity (%)	Hours		tion	ration	(mm)
1	30.6	17.1	23.9	80	8.7	1.51			
2	31.1	17.1	24.1	80	6.9				
3	31.2	16.5	23.9		7.3				
4	29.0	16.3	22.7	76	6.9				
5	29.2	17.5	23.4						
6	27.2	17.3	22.3		3.9				
7	28.5	15.5	22.0						
8	28.5	16.0	22.3	77					
9	29.0	18.0	23.5	84		0.65			
10	27.6	16.5	22.1						
11	27.0		22.4						
12	27.8	17.0	22.4						
13	28.3		23.0						
14	28.3	17.0	22.7		7.4				
15	27.7	17.2	22.5		7.5				
. 16	28.2	16.0	22.1	, 83	6.9				
17	27.5	17.5	22.5				429		
18	25.0	19.4	22.2				432		
19	29.5	16.5	23.0						
20	29.5	17.7	23.6						
21	29.5	12.5	21.0						
22	29.0	15.5	22.3						
23	28.0	15.0	21.5						
24	29.5	20.0	24.8						
25	30.0	17.5	23.8						
26			23.0						
27	28.5		23.3						
28	28.3	18.0	23.2						
29			22.3						
30			23.5						
31	28.3	17.1	22.7	74	7.1	3.65	491	4.2	2.7
Total	885.3	529.1	708.0	2418	195.2	53.27	16068	150.7	198.9
Mean	28.6	17.1	22.8	78	6.3	1.84	518	4.9	)

STATION: AHERO MONTH: JUN. YEAR: 1982

 Date -	Tempe	rature		Rel. Humid-			Solar I Radia- I		Rain-
Date	Max. (C)	Min. (C)	Mean (C)		${\tt Hours}$	ity		ration	(mm)
1	27.2	18.0	22.6	76	9.2	4.13	3 533	5.0	
1 2	28.9	16.3	22.6	73		3.93		5.5	_
3	28.5	15.0	21.8		8.7	3.73	563	5.4	11.9
4	27.0	15.0 17.5	22.3		4.5			4.0	_
5	28.6	15.5	22.1	74	10.4			5.5	_
6	28.0	16.5	22.3	72	6.7	3.60			_
7	29.0	14.9	22.0		8.8				2.0
8	28.9	15.2	22.1	75	9.4			4.5	-
9	28.8	17.7	23.3						_
10	29.8	16.6	23.2	65	6.4				_
11	29.1	15.5	22.3		6.6				_
12	29.4	15.0	22.2		6.9			4.5	-
13	29.0	16.3	22.7		6.6		3 438	3.7	0.2
14	28.9	17.0	23.0	77	8.8			10.1	24.1
15	29.2	13.8	21.5	78					_
16	29.2	15.4	22.3						-
17	29.3	16.0	22.7						17.3
18	28.7	16.0	22.4						-
19	29.7	17.4	23.6						30.4
20	27.5	16.8	22.2						21.4
21	28.0	16.3	22.2						_
22	28.5	15.5	22.0				9 578		
23	28.5	17.0	22.8						
24	28.6	16.0	22.3						2.2
25	28.5	15.5	22.0						
26	28.8	14.3	21.6						
27	28.5	13.1	20.8						
28	28.0	14.9	21.5						
29	28.5	14.2	21.4						
30	29.4	12.2	20.8	83	9.9	3.3	<b>7 62</b> 8	5.0	-
Total	860.0	471.4	666.6	2322	234.4	114.2	2 17221	146.5	162.4
Mean	28.7	15.7	22.2	77	7.8	3.8	1 574	5.1	

STATION: AHERO MONTH: JUL. YEAR: 1982

)ata	Temper	ature	(C)	Rel.	Sun- shine	Wind Veloc-	Solar Radia-		Rain- fall
ate -	Max.	Min.		ity	Hours	ity	tion	ration	
	(C)	(C)	(C)	_	(hrs)	(km/hr)	(lang)	(mm)	(mm)
								, <b>,</b>	
1	29.4	13.5	21.5	72	10.4	3.48	655	5 5.0	) -
2	29.0	13.2	21.1	68	9.8	3.34	667	7 5.0	) –
3	29.5	14.5	22.0	· <b>7</b> 5	5.8	4.83			
4	28.5	16.8	22.7	84	3.4	3.00			
5	29.3	16.8	23.1	74	8.2	3.63			
. 6	27.8	17.5	22.7	. 71	7.2	3.83	527	7 4.4	4 2.4
7	28.0	16.7	22.4		5.7	3.2			0 -
8	29.0	15.6	22.3		8.8	3.5	3 581	L 5.0	
9	28.2	14.3	21.3		6.5		5 527	7 5.1	0 -
10	29.0	13.5	21.3		8.7		578	3 5.0	
11	29.8	13.8	21.8		7.4	3.6	7 524	4 4.	3 1.3
12	29.5	14.0	21.8		9.5		3 583	1 4.	5 -
13	29.2	14.6	21.9				2 530	5.0	0 -
14	29.5	14.0	21.8			3.9	1 566	<b>5.</b>	
15	28.0	16.5	22.3		6.5	4.9	8 459	9 6.	4 21.4
16	27.5	16.0	21.8		7.5	3.5			
17	28.5	16.0	22.3		5.6	3.5	7 513		
18	28.6	14.5	21.6		7.1	4.0	3 54.		
19	29.2	16.0	22.6		8.7	3.9	5 610		
20	29.3	15.2	22.3		9.7	3.7			
21	28.6	13.2	20.9		6.7	3.1			
22	29.7	14.0	21.9		8.0	3.7			
23	27.7	17.0	22.4		2.4				
24	27.3	16.3	21.8		3.8	3.7			
25	28.2	14.2	21.2	. 88	6.0				
26	29.4	14.1	21.8		6.6				
27	30.1	13.5	21.8	3 77					
28	29.0	14.5	21.8	66					
29	29.5	15.0	22.3						
30	29.3	17.4	23.4						
31	29.0	16.4	22.	7 74	7.6	5.2	.8 52	1 5.	.5 -
 Total	894.6	468.6	682.6	2377	226.2	2 115.8	88 1633	5 149.	5 46.5
Mean	28,9	15.1	22.0	) 77	7.3	3 3.7	74 52	.7 4.	.8

STATION: AHERO MONTH: AUG. YEAR: 1982

) Date =	Tempe	rature	(C)	Rel.			Solar Radia-	Pan Evapo-	Rain- fall
Jace -	Max. (C)	Min. (C)		ity	Hours	ity (km/hr)	tion	ration	(mm)
1	29.0	14.5	21.8	76	7.1	4.86			
2	27.4	16.0	21.7		3.8				
3	26.5	16.6	21.6	84	1.4				
4	28.0	16.2	22.1	72	7.0				
5	27.7	13.8	20.8						
6	27.6	15.3	21.5		5.7				
7	29.3	13.0	21.2		4.2				
8	29.2	12.1	20.7						
9	27.6	17.3	22.5		5.6				
10	29.0	14.0	21.5		6.9				
11	29.6	14.5	22.1						
12	29.0	15.8	22.4						
13 14	27.0 27.5	16.0 17.0	21.5 22.3						
15	27.4	16.0	21.7						
16	27.4	16.7	22.1						
17	28.3	16.6	22.5						
18	28.2	16.0	22.1						
19	29.2	15.6	22.4						
20	29.5	15.5	22.5						
21	30.4	14.3	22.4					6.0	<b>–</b>
22	30.2	14.0	22.1				3 709	6.0	
23	29.0	14.5	21.8		5.6	4.5	0 554	10.1	49.6
24	26.8	16.7	21.8		4.1	4.2	7 417	7 3.5	-
25	28.8	15.5	22.2	70	7.1				
26	29.5	14.0	21.8	74					· -
27	30.0	13.5	21.8						-
28	30.3	14.4	22.4						_
29	30.3	14.0	22.2						
30	31.1	13.4	22.3						
31	31.8	13.3	22.6	5 73	10.2	4.0	5 712	2 5.5	4.5
Total	892.6	466.1	680.4	2424	204.2	129.4	6 1752:	2 148.4	166.9
Mean	28.8	15.0	21.9	78	6.6	4.1	8 56	5 5.	

STATION: AHERO MONTH: SEP. YEAR: 1982

Max. Min. Mean ity Hours ity tion ration (hrs) (km/hr) (lang) (mm) (mm) (mm)  1 29.9 14.5 22.2 69 6.8 4.59 548 5.0 - 2 30.8 15.8 23.3 62 9.7 4.63 691 7.0 - 3 30.7 13.6 22.2 64 9.4 4.62 628 5.5 - 4 30.2 15.4 22.8 71 7.5 6.05 593 5.0 2.5 31.3 15.3 23.3 71 7.6 4.26 548 4.5 - 6 30.2 14.5 22.4 73 7.1 3.87 533 5.0 - 7 31.8 13.5 22.7 67 9.9 4.34 643 6.0 - 8 31.8 12.4 22.1 60 9.7 4.11 655 5.5 - 9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0.10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 - 11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16.12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 11 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22.8 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 22 28.2 17.0 22.9 73 6.0 4.17 599 6.0 - 22 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 22 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 22 28.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 3.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0	N-+-	Tempe	rature	(C)	Rel.	Sun-		Solar I		Rain- fall
2 30.8 15.8 23.3 62 9.7 4.63 691 7.0 - 3 30.7 13.6 22.2 64 9.4 4.62 628 5.5 - 4 30.2 15.4 22.8 71 7.5 6.05 593 5.0 2. 5 31.3 15.3 23.3 71 7.6 4.26 548 4.5 6 30.2 14.5 22.4 73 7.1 3.87 533 5.0 - 7 31.8 13.5 22.7 67 9.9 4.34 643 6.0 - 8 31.8 12.4 22.1 60 9.7 4.11 655 5.5 - 9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0. 10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 - 11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16. 12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22. 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0	Date -			Mean	ity	Hours	ity'	tion :	ration	
2 30.8 15.8 23.3 62 9.7 4.63 691 7.0 - 3 30.7 13.6 22.2 64 9.4 4.62 628 5.5 - 4 30.2 15.4 22.8 71 7.5 6.05 593 5.0 2. 5 31.3 15.3 23.3 71 7.6 4.26 548 4.5 6 30.2 14.5 22.4 73 7.1 3.87 533 5.0 - 7 31.8 13.5 22.7 67 9.9 4.34 643 6.0 - 8 31.8 12.4 22.1 60 9.7 4.11 655 5.5 - 9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0. 10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 - 11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16. 12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22. 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0			1/ 5		40	6 0	. 50	5/8	5.0	۰ ـــ
3 30.7 13.6 22.2 64 9.4 4.62 628 5.5 - 4 30.2 15.4 22.8 71 7.5 6.05 593 5.0 2. 5 31.3 15.3 23.3 71 7.6 4.26 548 4.5 - 6 30.2 14.5 22.4 73 7.1 3.87 533 5.0 - 7 31.8 13.5 22.7 67 9.9 4.34 643 6.0 - 8 31.8 12.4 22.1 60 9.7 4.11 655 5.5 - 9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0. 10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 - 11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16. 12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22. 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
4 30.2 15.4 22.8 71 7.5 6.05 593 5.0 2.5 31.3 15.3 23.3 71 7.6 4.26 548 4.5 -6 30.2 14.5 22.4 73 7.1 3.87 533 5.0 -7 31.8 13.5 22.7 67 9.9 4.34 643 6.0 -8 31.8 12.4 22.1 60 9.7 4.11 655 5.5 -9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0.10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 -11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16.12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 -13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 -14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 -15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22.8 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 -17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 -18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 -19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 -21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 -22 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 -22 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 22 38 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
5 31.3 15.3 23.3 71 7.6 4.26 548 4.5 - 6 30.2 14.5 22.4 73 7.1 3.87 533 5.0 - 7 31.8 13.5 22.7 67 9.9 4.34 643 6.0 - 8 31.8 12.4 22.1 60 9.7 4.11 655 5.5 - 9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0. 10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 - 11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16. 12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22. 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
6 30.2 14.5 22.4 73 7.1 3.87 533 5.0 - 7 31.8 13.5 22.7 67 9.9 4.34 643 6.0 - 8 31.8 12.4 22.1 60 9.7 4.11 655 5.5 - 9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0. 10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 - 11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16. 12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22. 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0. 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0. 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
7 31.8 13.5 22.7 67 9.9 4.34 643 6.0 - 8 31.8 12.4 22.1 60 9.7 4.11 655 5.5 - 9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0. 10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 - 11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16. 12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22. 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
8 31.8 12.4 22.1 60 9.7 4.11 655 5.5 - 9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0. 10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 - 11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16. 12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
9 31.8 13.5 22.7 62 9.4 5.38 655 5.2 0.10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 -11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16.12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 -13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 -14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 -15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22.16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 -17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 -18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 -19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 -21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 -25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0									5.5	<b>-</b>
10 30.5 13.6 22.1 73 9.5 4.13 599 5.5 - 11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16. 12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0								8 655	5.2	0.2
11 31.2 15.5 23.4 62 7.0 4.37 500 8.1 16.12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0						9.5	4.13			
12 31.5 14.1 22.8 68 7.3 4.11 527 6.0 - 13 30.8 14.5 22.7 64 9.3 5.09 625 6.0 - 14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0				23.4	62					
14 30.0 15.7 22.9 72 6.0 5.04 518 5.0 - 15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0			14.1	22.8	68					
15 29.6 17.4 23.5 85 3.1 3.84 423 11.4 22 16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0	13	30.8	14.5	22.7						
16 28.5 17.0 22.8 71 3.8 3.72 450 4.0 - 17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0	14	30.0	15.7							
17 29.0 16.5 22.8 72 6.3 4.62 581 5.0 - 18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0	15									
18 30.7 15.2 23.0 68 6.6 4.37 578 5.5 - 19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
19 29.4 15.0 22.2 61 7.6 5.38 563 5.1 0 20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
20 30.5 15.5 23.0 74 8.0 4.17 599 6.0 - 21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
21 30.6 16.9 23.8 72 3.6 4.06 471 4.2 0 22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0			15.0							
22 28.2 17.0 22.6 79 2.2 5.06 396 3.4 10 23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
23 27.6 16.6 22.1 88 2.2 3.50 378 3.7 0 24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
24 30.3 15.5 22.9 73 7.2 3.92 581 6.0 - 25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0										
25 31.0 13.6 22.3 68 9.9 3.04 625 4.4 0 26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0  Total 910.7 451.4 681.7 2084 217.1 130.56 16856 164.7 56										
26 29.6 17.5 23.6 76 5.9 4.16 578 5.5 0 27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0  Total 910.7 451.4 681.7 2084 217.1 130.56 16856 164.7 56										
27 30.0 13.0 21.5 64 10.3 4.12 679 6.2 0 28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0  Total 910.7 451.4 681.7 2084 217.1 130.56 16856 164.7 56										
28 31.5 13.5 22.5 60 9.5 3.82 655 5.7 1 29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0 Total 910.7 451.4 681.7 2084 217.1 130.56 16856 164.7 56		_								
29 31.0 14.0 22.5 71 7.7 3.55 518 4.4 0 30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0  Total 910.7 451.4 681.7 2084 217.1 130.56 16856 164.7 56							3.8	2 655		
30 30.7 15.3 23.0 64 7.0 4.64 518 4.9 0  Total 910.7 451.4 681.7 2084 217.1 130.56 16856 164.7 56										
Mean 30.4 15.0 22.7 69 7.2 4.35 562 5.5	Total	910.7	451.4	681.7	2084	217.1	130.5	6 16856	5 164.	7 56.7
	Mean	30.4	15.0	22.7	69	7.2	4.3	5 562	2 5.	5

STATION: AHERO MONTH: OCT. YEAR: 1982

Date -	Tempe	rature	(C)	Rel.	Sun-		Solar F Radia- F		Rain-
Date -	Max.	Min.	Mean	ity	Hours	ity	tion r	ration	Idil
	(C)						(lang)		(mm)
1	30.9	13.8	22.4			4.04	625	5.6	0.6
2	30.5	14.9	22.7	62	8.1			5.6	
3	30.8	13.5	22.2		8.5			5.6	
4	31.0		22.4					5.5	
5	32.0	13.0	22.5		10.2			6.0	
6	29.6	14.0	21.8		7.3	3.56		4.4	
7	32.0	16.3	24.2		8.1			6.0	
8	30.5	14.5	22.5		6.7			4.1	
9	31.0	14.5	22.8					5.0	
10	31.6	13.5	22.6					6.5	
11	28.8		21.1					5.7	
12	28.5	16.7	22.6					4.0	
13	30.4	14.9	22.7		8.5	3.45		4.8	
14	29.2	18.0	23.6		6.3	4.50	512	4.5	
15	29.0	16.0	22.5					4.6	
16	28.5	14.5	21.5		5.6			3.5	
17 18	28.0 27.5	17.0	22.5			2.56	408	2.5	
19	27.5	18.0 17.0	22.8 22.3						
20	28.5							3.5	
21	28.0	16.0 17.5	22.3 22.8	76	5.9 3.0			4.5	
22	30.0	17.5	23.8		7.6	3.93		3.0	
23	28.0	15.5	21.8		5.9			4.8	
24	28.5	14.0	21.3					4.5 3.0	
25	30.4	13.5	22.0		8.2				
26	30.0	15.0	22.5						
27	29.5	16.5	23.0					4.5	
28	30.5	18.0	24.3	67	8 A	4 72	563	5.6	
29	28.5		22,8		4.5	4.34	489		
30	29.0		22.8	83	4.5	4.78	509		
31	29.0		22.3					4.0	
	-,,0	****	,	33	J. L	J, J.		7.0	1043
Total	917.2	479.8	699.4	2121	196.0	125.28	16221	144.7	72.7
Mean	29.6	15.5	22.6	68	6.3	4.04	523	4.7	

STATION: AHERO MONTH: NOV. YEAR: 1982

D-+-	Тетре	rature	(C)	Rel.	Sun-	Wind	Solar Radia-	Pan Evano-	Rain- fall
Date -			Moon	numiu-	Hours	ity	tion	ration	Idii
	Max. (C)		(C)	1LY (%)	(hre)	/km/hr	(lang)		(mm)
			<del></del>		(1113)				
1	27.5	17.0	22.3	90	3.6	4.17	7 465	4.6	19.6
2	25.5		21.3	89	3.6				
3	28.0	17.5	22.8						
4	28.0		22.0		7.8				
5	28.0		22.5						
6	28.0		22.0	77	7.9	3.84			
7	29.5		23.0	62	7.2				
8	30.0		23.5	72				3.8	0.3
9	29.5	16.0	22.8			5.50			
10	28.0		22.3	66	8.3				
11	30.0	16.5	23.3	69					· –
12	29.5	17.0	23.3		9.0	5.94			
13	28.5							3 4.2	
14	30.0								
15	29.5								
16	29.5								
17	31.0					3.6			
18	30.0	16.5	23.3	62					
19	29.5	14.0	21.8	55					
20	29.5		23.5						
21	29.0	14.5	21.8			3.9			
22	30.5	15.0				4.6	1 590		
23	29.0		22.3				3 646		
24	27.0					2.0	U 41/		
25	27.0								
26	25.0		21.3			5.8	8 349		
27	27.2	15.0					9 468		
28	23.5								
29	25.5				7.3				
30	25.0	17.5	21.3	<b>7</b> 8	2.6	5.1	2 369	3.4	0.4
Total	847.7	493.5	671.6	2148	182.4	144.6	9 15225	149.7	177.7
Mean	28.3	16.5	22.4	74	6.3	4.8	2 508	3 5.0	)

STATION: AHERO MONTH: DEC. YEAR: 1982

Data	Tempe	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar F Radia- F		Rain-
vale -	Max.					ity		ation	1411
	(C)	(C)					(lang)		(mm)
1	25.5	18.0	21.8		3.1			3.5	
2	25.5	17.5	21.5	86	3.0			4.2	
3	26.5	18.0	22.3		9.7			5.5	
4	28.0	16.0	22.0					4.3	
5	30.5	15.5	23.0					6.5	
	30.5	14.6	22.6	85				3.0	
7	27.6	14.5	21.1					4.3	
8	30.2	14.4	22.3					5.0	
9	30.5	13.5	22.0					5.5	
10	30.5	15.4	23.0					5.5	
11	29.2	15.3	22.3				533		
12	28.0		22.3						
13	26.5	16.7	21.6	85	5.2				
14	28.9	15.9	22.4					5.0	
15	28.6	15.3	22.0						1.3
16	29.0		23.0					5.5	-
17	29.7	16.5	23.1				593		
18	30.2	15.6	22.9			3.5			
19	28.5		21.9						
20	30.0	14.0	22.0					5.4	
21	28.8	17.2	23.0						
22	28.7	17.5	23.1						
23	29.8	14.5	22.2						) –
24	29.9	14.9	22.4						
25	30.4		22.2						<b>,</b> –
26	29.0	14.6	21.8						
27	30.0		22.5						
<b>2</b> 8	30.5	15.2	22.9						
29	32.0	11.5							
30	32.7		22.7						
31	32.5	12.4	22.5	46	10.1	5.5	2 631	6.5	5 <b>-</b>
Total	908.2	474.9	692.2	2225	234.8	147.5	0 17988	155.5	33.8
Mean	29.3	15.3	22.3	72	7.6	4.7	6 580	5.2	2

STATION: AHERO MONTH: JAN. YEAR: 1983

Date -	Tempe	rature	(C)	Rel.	Sun- shine		Solar F Radia- F		Rain- fall
Date -	Max.	Min.		ity	Hours		tion r	ration	
	(C)	(C)	(C)				(lang)		(mm)
1	32.0	14.6	23.3	62	10.8	4.70	655	6.5	_
2	32.0	16.7	24.4	51	10.3	5.33		6.5	-
3	32.3	14.8	23.6	48	10.1	6.19	651	6.5	
4	31.0	14.4	22.7	54	8.3	5.63	615	6.5	-
5	30.7	15.2	23.0		10.7	5.48	630	6.5	
6	29.9	17.0	23.5		6.4	6.77		6.3	
7	29.0	15.5	22.3	79	8.9	4.48		<b>5.</b> 5	
8	30.5	13.8	22.2	78	11.0			6.5	
9	30.5	14.3	22.4	57	10.2	6.47		7.0	
10	30.8	13.5	22.2	54	9.8			7.0	
11	32.5	14.2	23.4		10.4			7.0	
12	31.2	14.0	22.6		10.0				
13	31.0	14.8	22.9					7.0	
14	31.2	14.9	23.1	58	7.6				
15	31.2	16.5	23.9		6.1				
16	30.7	14.9	22.8		7.1				
17	30.2	15.3	22.8		8.5				
18	31.5	15.3							
19	31.4	16.8	24.1						
20	32.5	18.0	25.3						
21	31.2	17.4	24.3				615		
22	30.3	16.0	23.2						
23	29.8	17.0	23.4						
24	31.2	16.4	23.8						
25	29.7	16.8	23.3						
26	27.6		22.6						
27	32.2	15.0	23.6						
28	32.4	15.5	24.0						
29	32.8		24.4						
30	32.8		24.4						
31	31.5	15.9	23.7	52	7.0	6.66		4 ور	
Total	963.6	484.1	724.6	1970	277.5	176.96	5 18521	195.6	32.0
Mean	31.1	15.6	23,4	64	9.0	5.7	1 597	6.3	3

STATION: AHERO MONTH: FEB. YEAR: 1983

Date -	Tempe	rature	(C)	Rel. Humid-	Sun- shine	Wind Veloc-	Solar Radia-		Rain- fall
	Max.	Min.	Mean		Hours			ration	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
,	21 6	18.3	25.0	63	7 <b>.</b> 5	5.57	7 548	6.4	2.9
1 2	31.6 32.0	17.3	24.7	77	6.9	5.10			
3	33.5	19.5	26.5	<b>7</b> 9	7.2	4.73			
4	32.8	18.8	25.8	76	8.7	5.1			
5	33.2	17.0	25.1	65	8.4				
6	32.5	18.1	25.3		9.5				-
7	33.5	17.0	25.3	60	10.5			8.0	_
8	34.5	15.3	24.9	62	10.8	4.30	5 <b>7</b> 23		
9	34.5	14.0	24.3	48	10.6				
10	34.3	13.5	23.9	49	10.0				
11	30.0	17.0	23.5	61	4.3				
12	31.0	17.0	24.0	75	2.3				
13	31.4	14.0	22.7	57		6.7			
14	31.0	17.0	24.0						
15	32.0	18.6	25.3						
16	31.5	16.0	23.8						
17	28.5	18.0	23.3						
18	30.8	15.0	22.9						
19	30.5	17.6	24.1	76					
20	30.0	16.5	23.3						
21	31.0	14.0	22.5						
22	31.5	15.5	23.5						
23	33.0	15.0	24.0						
24	34.2	15.5	24.9 24.0						
25	34.0	14.0	23.1						
26 27	34.2 34.5	12.0 13.6	24.1						
28	35.0	18.0	26.5						
Total	906.5	453.1	680.3	1803	226.1	156.4	9 1681	7 183.	65.6
Nean	32.4	16.2	24.3	64	8.4	5.5	9 60	1 6.	5

STATION: AHERO MONTH: MAR. YEAR: 1983

Data	_	rature				Wind Veloc-	Solar		Rain-
Date -	Max.	Min.		ity	Hours		tion	ration	1411
	(C)	(C)	(C)			(km/hr)			(mm)
1	34.3	16.8	25.6	61	7.5	4.97	7 563	3 5 <b>.</b> 5	
1 2	34.4	18.5	26.5		8.9				
3	34.8	16.0	25.4						
4	33.1	17.0	25.1						
5	31.6	16.0	23.8						
6	33.0		24.4						
7	35.0							6.5	
8	34.3								
9	33.6	16.0	24.8			6.46			
10	34.0		25.0			6.89			
11	33.4		24.8		9.1	7.70		7.5	5 -
12	32.2	17.5	24.9	58	9.4			6.5	5 -
13	33.5	20.0	26.8	58	7.6	6.62	2 560	6.9	1.
14	27.8	20.0	23.9	88	2.5			4.5	5 -
15	32.0	18.5	25.3						
16	25.5	18.0	21.8	93					
17	29.0		23,6				542		
18	31.5		24.3						
19	33.5		25.0			5.94			
20	33,5		26.0				637		
21	33.8		25.4						
22	33.2		25.4						
23	34.0		25.3						
24	33.3		25.5						
25	32.0		24.9						
26	33.0		25.0						
27	33.2		26.2						
28	34.5		26.4						
29	34.3		26.9						
30	30.5		25.0						
31	30.9	17.5	24.2	71	5.2	4.96	5 462	2 5.0	) -
Totall	012.7	539.4	776.7	1986	249.9	187.3	18339	216.1	68.
Mean	32.7	17.4	25.1	64	8.1	6.04	4 592	7.0	)

STATION: AHERO MONTH: APR. YEAR: 1983

Date -				Rel.		Wind Veloc-	Solar I Radia- I		 Rain- Fall
Date -	Max.	Min.	Mean	itv	Hours			cation	
	(C)	(C)					(lang)		(mm)
1	33.0	16.5	24.8	76	8.5	5.33	3 575	6.4	0.4
2	31.5	15.0	23.3	58	6.6	6.21	492	6.0	· _
3	32.0	17.0	24.5		9.5	6.25	5 587	7.0	-
4	31.3	19.5	25.4	61	5.2	4.67	367	4.5	_
5	30.8	16.6	23.7	59	7.4	5.47		5.2	0.7
6	31.6	16.5	24.1	75	8.6	6.16	5 512	6.5	6.0
7	31.0	16.9	24.0	74	9.4	5.34	589	6.5	_
8	31.8	16.0	23.9	64	8.6	6.51		8.0	7.5
9	31.0	15.0	23.0	72				5.5	-
10	32.3	15.5	23.9	65			655	7.2	0.2
11	32.0	16.0	24.0	59	8.9	6.05	5 587	6.5	5.0
12	31.0	14.2	22.6	74	9.5	4.47		5.8	1.3
13	32.5	16.5	24.5					5.5	
14	31.0	17.5	24.3	79	7.6	6.67	7 518	-	44.8
15	30.5	16.5	23.5					7.5	
16	29.0	16.5	22.8					5.9	
17	28.0	16.5	22.3					3.8	
18	30.0	16.5	23.3					-	36.4
19	30.0	16.0	23.0					5.5	
20	31.3	15.5	23.4					5.0	
21	28.8	20.1	24.5					5.2	
22	26.5	18.5	22.5						
23	25.0		21.5						
24	29.5	17.5	23.5						
25	29.5	17.5	23.5						
26	28.5	18.5	23.5						
27	27.5	17.0	22.3						
28	29.0	18.5	23.8						
29	29.5	17.0	23.3						
30	29.2	17.0	23.1	71	8.1	4.9	6 527	5.5	-
Total	904.6	505.8	705.8	2185	231.0	156.0	0 15600	158.9	217.1
Nean	30.2	16.9	23.5	73	7.7	5.2	0 520	5.7	

STATION: AHERO MONTH: MAY. YEAR: 1983

Date -	Тетре	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar I Radia- I		Rain-
Date -	Max.			ity		ity		cation	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)		(mm)
1	28.0	18.0	23.0		6.8			4.2	
2	29.0	16.0	22.5		6.1	4.14		5.8	
3	31.0	18.0	24.5		9.4			4.5	
4	29.5	17.0	23.3					5.7	
5	29.5	17.0	23.3					4.5	
6	29.5	18.0	23.8					4.1	
7	29.2	17.0	23.1					5.0	
8	29.2	18.3	23.8					5.2	
9	29.3	18.3	23.8					4.3	
10	29.0	17.5	23.3				524		
11	28.5	17.5	23.0						
12	29.5	15.5	22.5					9.8	
13	29.5	15.0	22.3		10.0				
14	29.0	16.5	22.8			4.77			
15	29.5	16.0	22.8					10.0	
16	30.5	18.0	24.3					10.8	
17	30.0	17.0	23.5		8.3				
18	29.8	17.0	23.4	. 76					
19	28.5	16.5	22.5	76	7.6	3.93		7.6	
20	29.5	16.0	22.8	70				8.0	
21	29.5	16.5	23.0			4.30		8.7	
22	30.0	17.5	23.8						
23	27.4	16.5	22.0						
24	29.5	17.9	23.7	86					
25	29.8	17.5	23.7	68					
26	28.9	16.5	22.7	79	4.1	3.07		4.1	
27	29.6	14.5	22.1	71				10.3	
28	30.5		22.8						
29	30.5	17.0	23.8	64	9.5				
30	31.0	16.5	23.8	62					
31	29.5	14.5	22.0	71	8.7	4.68	3 563	8.7	6.0
Total	913.7	520.0	717.7	2243	251.7	134.14	4 17571	225.5	97.3
Mean	29.5	16.8	23.2	72	8.1	4.3	3 567	7.3	

STATION: AHERO MONTH: JUN. YEAR: 1983

Date -	Tempe	rature		Rel. Humid-			Solar Radia-		Rain- fall
	Max.	Min.	Mean	ity	Hours	ity	tion	ration	
	(C)	(C)	(C)	(%) 	(hrs) 	(km/hr) 	(lang)	(mm)	(mm)
1	30.3	15.0	22.7	64	9.7	3.83	s <b>57</b> 8	5.1	1.1
2	28.5	14.0	21.3	67					
3	29.5	13.6	21.6	70					0.5
4	28.7	14.5	21.6	69	6.9				
5	29.0	17.2	23.1	76					
6	29.5	14.0	21.8						
7	30.0	15.0	22.5						
8	30.0	13.5	21.8						
9	30.0	13.9	22.0		10.4				
10	29.5	15.6	22.6						
11	30.4	14.8	22.6						<b>–</b>
12	28.0	15.8	21.9						
13	30.0	14.5	22.3						
14	29.5	16.0	22.8						
15	30.0	16.0	23.0						
16	30.3	16.2	23.3						
17	29.0	16.5	22.8						
18	29.3 30.5	15.0	22.2 23.8						
19 20	30.5	17.0 18.0	24.3						
20	28.3	17.0	22.7						
22	27.0		21.8						
23	27.8	15.5	21.7						
24	29.4	15.5	22.5						
25	28.0	15.5	21.8						
26	27.0	16.0	21.5						
27	28.2	17.0	22.6						
28	28.2	16.0	22.1						
29	28.5		22.0						
30	26.7		22.4						
Total	871.6	468.5	671.1	2171	218.5	128.6	6 15229	139.3	3 57.8
Mean	29.1	15.6	22.4	72	7.3	4.2	9 508	3 4.6	 5

STATION: AHERO MONTH: JUL. YEAR: 1983

Date -	Temper	rature	(C)	Rel. Humid-	Sun- shine	Wind Veloc-	Solar Radia-	Pan l Evapo- :	Rain- fall
pate -	Max. (C)	Min. (C)	Mean (C)	ity (%)	Hours	ity (km/hr)	tion	ration	(mm)
						0.50	201	2 -	
1	26.7	17.0	21.9	87 57	1.5 8.0				
2	29.5	17.0 14.2	23.3 21.4		8.8				
3 4	28.5 30.2		21.8						
5	30.5		21.3						
6	30.5		21.4						
7	29.7	13.7	21.7				497		
8	29.5	12.0	20.8			4.10			
9	30.5	14.0	22.3						
10	30.8	15.5	23.2						
11	30.0	13.5	21.8						
12	30.0	13.5	21.8						
13	29.5	14.0	21.8						
14	30.0	13.5	21.8						
15	29.0	15.2	22.1						
16	29.0	17.5							
17	28.0	17.5	22.8						
18	28.0	17.5 16.3	22.8		4.9				
19 20	28.5 28.4	15.5							
21	28.5	17.6	23.1						
22	30.0	18.0	24.0						2.8
23	27.5	17.5	22.5				31:		
24	27.8	16.5	22.2						
25	28.5	14.3	21.4						
26	29.0	15.5	22.3						
27	30.0	15.5	22.8						
28		15.0	21.8						
29		16.0	22.8						
30		13.6	21.6						
31	29.0	14.5	21.8	3 75	5 6.6	6 4.1	/ 43	. • د	. 4.0
Total	904.6	469.1	688.0	229	5 203.2	2 125.0	1 1520	8 140.	3 70.3
Mean	29.2	15.1	22.	2 7	4 6.0	6 4.0	3 49	1 4.	5
			· · · · ·	· ·					

STATION: AHERO MONTH: AUG. YEAR: 1983

ate -	Temper			Humid-	Sun- shine	Veloc-	Radia- I	Evapo- f	ain- all
	Max. (C)	Min. (C)	Mean	ity (%)	Hours (hrs)	ity (km/hr)		cation (mm) (	mm)
	(0)	(C)							
		_							
1	29.0	15.5	22.3	71	8.0			4.5	-
2	29.7	15.3	22.5	81	8.4			4.5 6.0	_
3	30.8	15.5	23.2	60	10.4 8.7				0.6
4	30.5	14.5	22.5	66 77	5.6			4.2	0.2
5	30.0	13.6	21.8 22.4	70					-
6 7	31.0 31.0	13.8 13.5	22.3						_
8	30.5	14.0	22.3						_
9	30.0	13.2	21.6						1.5
10	28.3	17.0	22.7						49.0
11	27.0	14.5	20.8					4.0	-
12	28.5	16.0	22.3					4.5	-
13	26.7	17.0	21.9		3.4				-
14	25.0	17.1	21.1		0.8				0.3
15	29.0	15.5	22.3						-
16	28.0	16.5	22.3						-
17	23.9	16.5	20.2						-
18	29.5	15.0	22.3						17.0
19	27.0	16.0	21.5						22.0
20	28.5	15.3	21.9						32.0
21	25.2	16.3	20.8						_
22	28.7	15.4	22.1						12.4
23		17.1	22.9						0.6
24		14.9	20.1						-
25		16.8 16.5	22.7						
26 27		15.3	22.7						
28		17.5	23.2						
29 29		17.2	23.						
30	27 6	16.5	22 1	រ នា	4.(	4.5	7 483	3.5	_
31	28.5	16.3	22.4	4 80	6.6	3.7	8 616	5.0	-
Total	883.1	485.1	685.0	2388	3 200.	8 141.2	9 1583	7 133.9	131.9
Mean	28.5	15.6	22.	1 7	7 6.	5 4.5	6 51	4.5	

STATION: AHERO MONTH: SEP. YEAR: 1983

Date -	Tempe	rature	(C)	Rel.			Solar P Radia- E		Rain- fall
Date -	Max.			ity		ity		ation	
	(C)	(C)					(lang)		(mm)
1	28.5	16.6	22.6	67	8.0	4.40	640	5.0	0.5
2	29.3	14.0	21.7		6.6			5.7	9.7
3	28.5	15.5	22.0		6.8		551	4.5	_
4	29.9	15.3	22.6	73	7.8	4.40	604	5.5	
5	27.8	15.0	21.4	81	3.8			4.8	
6	29.5	13.4	21.5	73				4.5	
7	29.2	14.4	21.8					3.8	
8	28.6	14.6	21.6					4.5	
9	28.5	15.8	22.2					4.1	
10	28.5	15.5	22.0		6.8			6.0	
11	29.9	15.2	22.6					3.9	
12	30.2	14.6	22.4					6.0	
13	30.8	14.5	22.7					5.5	
14	30.4	13.7	22.1					6.0	
15	30.5	14.6	22.6					4.5	
16	30.4	16.2	23.3					5.5	
17	30.0	16.5	23.3					5.0	
18	30.0	14.2	22.1					5.5	
19	29.0	12.3	20.7					6.5	
20	29.6	15.0	22.3					5.0	
21	28.0	17.0	22.5					4.0	
22	30.5	14.5	22.5					5.5	
23	31.0	12.0	21.5					4.8	
24	31.0		21.5					5.5 6.0	
25	31.5	12.0	21.8					5.1	
26	28.5	17.0	22.8						
27	29.0								
28	29.3 29.5		21.8						
29 30	30.0	17.5	23.8					<b>⊶.</b> /	
30	30.0	1/*2	43.0	13	0,د	. ۵ و د	2 405	-	_
Total	887.4	448.0	668.4	2118	210.3	135.4	6 16364	149.1	38.6
Mean	29.6	14.9	22.3	71	7.0	4.5	2 545	5.1	

;

STATION: AHERO MONTH: OCT. YEAR: 1983

Date -				Rel.		Wind Veloc-	Solar Radia-		Rain-
Date	Max.	Min.	Mean	itv	Hours	itv	tion	ration	
	(C)		(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
1	31.2	17.5	24.4	5 <b>7</b>	9.5	5.54	646	, -	2.2
2	30.2	17.0	23.6		5.6				3.0
3	29.5	17.2	23.4	71	4.0	3.91	500	) –	1.3
4	29.0	17.8	23.4		6.3		3 491		27.8
5	27.8	17.1	22.5	81	3.5	4.34	435	6.5	18.0
6	27.4		22.1	89	5.7		456	5.9	33.4
7	27.4	16.5	22.0		2.3	3.57			
8	27.0	17.7	22.4		3.2				
9	29.0	16.6	22.8		4.1	3.96			
10	29.5	17.4	23.5	88	4.2				
11	29.4	18.0	23.7						
12	30.2	17.0	23.6						
13	29.3		22.4		5.9				
14	28.2	17.5	22.9		5.8				
15	28.0	16.6	22.3	83	6.5				
16	30.0	14.9	22.5		9.5				
17	28.5	16.0	22.3		3.5	5.14			
18	29.6	14.9	22.3						
19	29.1	15.7	22.4						
20	29.1		23.0		7.3				
21	28.5	17.5	23.0	65	6.3				
22	27.3	17.6	22.5		6.0				
23	28.0	17.1	22.6		4.4				
24	28.5	14.1	21.3						
25	29.5	14.4	22.0						
26	29.2	13.5	21.4						
27	30.0		22.8						
28	31.0		22.8						
29	29.5	13.5	21.5		8.4				
30	30.0	14.8	22.4						
31	31.0	17.0	24.0	72	9.0	4.57	7 637	6.0	) –
Total	901.9	504.0	703.8	2261	197.7	133.58	3 17832	2 138.4	152.7
Mean	29.1	16.3	22.7	73	6.4	4.3	1 575	5.1	

STATION: AHERO MONTH: NOV. YEAR: 1983

Date -	Tempe	erature		Rel.		Wind Veloc-	Solar Radia-		Rain-
pate -	Max.	Min.		ity				ration	Idii
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)			(mm)
1	31.0	15.6	23.3	62	7.2	4.25			
2	30.5	15.5	23.0	55	8.9	3.41			
3	30.5	13.2	21.9		6.7				
4	30.0	15.5	22.8	62	5.6	3.86			
5	33.0	15.0	24.0	65	8.0	2.89			
6	30.5		23.6		3.6				
7	28.5	18.2	23.4		4.0		459		
8	29.8		22.4		7.5				
9	31.6	16.5	24.1	64	7.8	4.57			
10	31.0		23.0						
11	31.5	14.5	23.0		9.8	3.97			
12	31.4		23.2	62	8.6	4.70			) -
13	30.0	14.5	22.3	57	6.6	4.53			
.14	28.8	16.5	22.7						
15	31.3		23.4	62	9.6				
16	31.0		23.0		9.6				
17	27.0		22.0	79	5.0				
18	27.0		21.7	91	5.5				
19	27.5		21.8			3.87			
20	28.0		22.1	73	5.4				
21	29.5		22.8	67	8.0	3.97	563		
22	29.8	14.0	21.9		8.8	4.11			
23	31.0		22.9						
24	30.5		22.3		8.4	3.68			
25	31.2		23.1	65	7.9				
26	30.5	15.0	22.8	69	6.8	3.52			
27	31.0	14.2	22.6		7.9	3.89			
28	30.0	14.5	22.3		8.8				
29	30.0		22.3						
30	31.5	13.5	22.5	72	11.0	3.22	2 634	6.0	) –
Total	904.9	458.0	682.2	1999	225.4	122.85	16778	156.3	36.8
Mean	30.2	15.3	22.7	67	7.5	4.10	559	5.2	<u> </u>

STATION: AMERO MONTH: DEC. YEAR: 1983

Date -	Tempe	rature				Wind Veloc-	Solar I Radia- F		Rain-
Date	Max.	Min.				ity		ation	1011
	(C)	(C)				(km/hr)			(mm)
1	31.5	12.0	21.8	56	10.3	4.04	634	6.0	_
2	31.0	13.0	22.0		10.5				
3	31.0	12.0	21.5	67	11.0			6.1	0.1
4	31.7	13.0	22.4	56	8.0	3.95	593	5.6	0.1
5	30.5	13.5	22.0		5.8			5.0	_
6	30.5	15.0	22.8					6.5	-
7	29.5	13.5	21.5		3.2			4.0	
8	31.0	12.0	21.5					6.0	
9	32.0	13.0	22.5					5.0	_
10	31.0	14.2	22.6					4.5	
11	32.5	17.0	24.8		5.1			6.0	
12	31.4	15.2	23.3					6.5	-
13	31.5	15.4	23.5	<b>5</b> 5				7.0	
14	30.5	15.5	23.0					5.5	-
15	31.0	14.5	22.8					5.5	
16	30.5	13.5	22.0					5.5	
17	29.0	13.0	21.0					5.5	
18	30.0	13.0	21.5					6.5	
19	28.0	15.0	21.5					4.0	
20	29.0	17.0	23.0		4.7	5.15		4.0	
21	29.5		22.8					4.3	
22	26.0		21.5		3.7			6.6	
23	26.0	16.5	21.3		1.7			2.0	
24	26.0		21.7					3.7	
25	24.8	16.8	20.8					1.8	
26	27.0		22.0					4.9	
27	27.5		22.1	86					
28	27.8		21.9						
29	29.0		21.5						
30	29.8		21.9			5.16		5.5	-
31	31.0	17.0	24.0	61	7.8	4.92	530	5.0	_
Total	917.5	458.5	688.5	2118	208.6	141.00	15637	158.1	60.6
Mean	29.6	14.8	22.2	68	6.7	4.55	504	5.1	

STATION: AHERO MONTH: JAN. YEAR: 1984

Date -			(C)	Rel. Humid-	Sun- shine	Wind Veloc-	Solar Radia-	Pan Evapo-	Rain- fall
Date -	Max.		Mean	itv	Hours	ity	tion	ration	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(1ang)	(mm)	(mm)
1	29.7	14.0	21.9	64	10.3				
2	31.0	13.3	22.2		10.6				
3	30.0	14.5	22.3		9.8				
4	30.0	16.6	23.3		10.1				
5	31.0	15.0	23.0		8.6				
6	30.5	13.5	22.0		9.7				
7	31.7	11.6	21.7	_					
8	30.9	13.0	22.0						
9	27.3	16.5	21.9						
10	29.5	15.0	22.3						
11	30.5	14.8 14.5	22.7 23.0						
12	31.5 29.0	14.5	21.8						
13 14	27.5	13.5	20.5						
15	29.5	13.3	21.4						
16	30.4	13.5	22.0					9 5.5	5 -
17	29.0	14.0	21.5			6.3			
18	28.5	15.0	21.8		5.6	5.3	2 49		
19	28.5	12.3	20.4	62			9 48		
20	29.0	13.0	21.0						
21	29.2	13.0	21.1						
22	28.0	13.0	20.5						
23	29.5	14.5	22.0						
24	30.3	13.5	21.9						
25	29.2	15.5	22.4						
26	30.5	14.5	22.5						
27	33.0	14.1	23.6						
28	32.0	13.2	22.6						
29		14.0		_					
30	28.3	14.5	21.4	65	7.2				7 14.7
31	29.5	17.2	23.4	+ )(	, U	3 5.7	U 40	J J.	, 4781
Total	927.1	438.4	683.4	4 1999	267.6	6 165.2	9 1781	1 180.	1 60.1
Mean	29.9	14.1	22.0	) 64	4 8.0	5 5.3	33 57	5 5.	8

STATION: AHERO MONTH: FEB. YEAR: 1984

 ate	Temper	ature	(C)	Rel. Humid-	Sun- shine		Solar Radia-		Rain- fall
ace	Max. (C)		Mean	itv	Hours	ity		ration	
1	30.0	16.1	23.1	80					
2	30.2	14.0	22.1	71					
3	30.0	16.0	23.0						
4	31.0	14.5	22.8						
5	29.0	13.5	21.3						
6	30.7	15.0	22.9		9.9				
7	30.3	14.0	22.2						
8	30.5	13.0	21.8						
9	30.9	13.5	22.2						
10	32.7		22.9						
11	31.5	13.0	22.3						
12	31.5	13.0	22.3						
13	32.5	11.5 13.5	22.0						
14	32.8 31.0	13.5	22.3						
15 16	31.0	15.5	23.3						
17	32.5	14.0	23.3						_
18	34.0	12.0							_
19	33.6	11.5							-
20	33.5		23.3						5 -
21	34.5	14.0						8 9.	0 -
22	35.4	13.5						0 9.	0 -
23	34.5	13.0					9 71	8 8.	5 <del>-</del>
24	33.0	12.0				3 7.8	32 76	2 8.	
25						8.5	61 66		
26					10.3				
27								7.	
28					8.1				7 4.
29			22.4	4 75	3.3	3 4.8	38 48	85 6.	0 15.0
Total	921.8	403.1	663.5	5 1618	3 279.0	178.0	3 1920	)5 186.	6 34.
Mean	31.8	13.9	22.	9 50	5 9.0	6 6.	16 66	52 7.	2

STATION: AHERO MONTH: MAR. YEAR: 1984

Date -	Тепре	rature		Rel.		Wind Veloc-	Solar Radia-		Rain- fall
Date -	Max. (C)	Min. (C)	Mean (C)		Hours		tion	ration	(mm)
							·		
1	31.3	15.5	23.4	76		4.61			
2	32.0	16.0	24.0			4.90			
3	32.5	16.0	24.3			5.65			
4	33.2	15.5	24.4			4.11			
5	33.8	15.0	24.4		8.0	5.02			
6	33.6	17.2	25.4	45					
7	33.0	15.0	24.0			5.75			
8	33.6	13.0	23.3		9.8	5.48			
9	33.5	13.8	23.7			5.88			
10	35.0	13.5	24.3						
11	35.0	16.0	25.5			5.79			
12	32.3	15.5	23.9			7.44			
13	28.5	17.7	23.1						
14	30.0	17.5	23.8						
15	30.6	18.0	24.3						
16	30.0	17.0	23.5			5.04 4.57			
17	33.0	17.0	25.0						
18	33.6	16.0	24.8 24.3						
19	34.0	14.6 13.9							
20 21	34.0	14.5	24.0 24.7						
22	34.8	11.5	23.1			5.43			
22	34.6 34.5	13.0	23.8						
23 24	35.8	12.0	23.9						
24 25	35.0		23.4	50 50					
26	33.5	15.0	24.3						
27	33.4	16.5	25.0						
28	30.8	16.8	23.8						
29 29	31.5		24.0						
30	32.2	17.4	24.8						
31	31.5	16.5	24.0						
Total	1020.1	475.1	748.2	1839	276.5	173.74	21458	225.2	2 54.2
Mean	32.9	15.3	24.1	59	8.9	5.60	692	7.3	3

STATION: AHERO MONTH: APR. YEAR: 1984

Data	Tempe	rature	(C)	Rel.		Wind Veloc-	Solar Radia-		Rain-
vale -	Max.	Min.		ity	Hours			ration	1411
	(C)					(km/hr)			(mm)
		<b></b>							
1	32.9	17.0	25,0				736		
2	32.0	16.7	24.4			7.29			29.5
3	30.5	14.8	22.7		9.9				
4	30.0	17.3	23.7	78	7.6				
5	30.6	17.5	24.1	73					
6	30.0	17.0	23.5						
7	30.5	16.0	23.3						
8	30.0	17.5	23.8						
9	29.0	17.5	23.3						
10	30.6	16.5	23.6						
11	30.5	18.5	24.5						
12	28.0	17.8	22.9						
13	27.0	17.0	22.0		2.4	4.4			
14	28.5		22.8			4.68			
15	30.0	16.3	23.2		. 7.9	5.40			
16	29.0	17.5	23.3						
17	30.6	15.5	23.1			5.6			
18	29.5	16.0	22.8						
19	30.5	16.6	23.6						
20	31.0	16.0	23.5						
21	30.0	16.0	23.0						
22	31.2	16.6	23.9						
23	29.5	17.0	23.3						
24	29.0	17.4	23.2						
25	27.0	17.0	22.0			4.4			
26	28.2	18.0	23.1						
27	29.0	17.0	23.0						
28	30.9	15.0	23.0						
29	30.5	17.6	24.1						<b>-</b>
30	30.0	15.5	22.8	5 55	9.1	4.5	9 676	5 4.5	3.0
Total	896.0	503.1	700.5	2144	251.7	155.0	9 19374	4 170.0	170.2
Hean	29.9	16.8	23.4	71	8.4	5.1	7 646	5 5.9	}

STATION: AHERO MONTH: MAY. YEAR: 1984

Date -	Temper	rature	(C)	Rel. Humid-	Sun- shine	Wind Veloc-	Solar Radia-		Rain- fall
Date -	Max.	Min.	Mean	ity	Hours	ity	tion	ration	
	(C)	(C)			(hrs)	(km/hr)	(1ang)	(mm)	(mm)
1	30.5	16.0	23.3	87	4.5	4.41	616	4.9	0.4
2	31.0	16.0	23.5	62	8.4				
3	30.3	13.5	21.9		10.6				
4	30.0	16.0	23.0						2.3
5	30.5		23.3				2 679	5.0	<b>–</b>
6	31.3	15.0	23.2					6.0	<b>–</b>
7	30.5	16.1	23.3						
8	28.3	16.7	22.5						
9	27.9	16.5	22.2		7.4	4.13			
10	28.9	16.9	22.9		7.8				
11	30.0	16.0	23.0		7.8				
12	27.5	17.0	22.3	75	4.3	4.68			
13	29.3	17.5	23.4			4.4			
14	29.5	15.0	22.3	68					
15	29.0	16.5	22.8	75					
16	29.0	16.5	22.8	78					
- 17	30.3	17.0	23.7						
18	31.0	16.0	23.5			3.8			
19	30.0	17.3	23.7						
20	29.8	16.8	23.3						
21	29.5	17.5	23.5						
22	29.5	17.5	23.5				8 646		
23	29.5	13.7	21.6						
24	29.5	15.5	22.5						
25	27.8	16.2	22.0						
26	29.0	15.9	22.5			4.0			5 -
27	30.0	15.0	22.5						
28	29.3	16.0	22.7			5.1			
29	31.0	14.0	22.5		9.4	3.8			
30	30.0	15.5							
31	28.0	17.2	22.6	62	10.6	5.6	5 709	9 8.9	9 19.4
Total	917.7	498.3	708.6	2162	258.5	139.8	8 1989	0 171.	8 80.2
Mean	29.6	16.1	22.9	70	8.3	3 4.5	1 64	2 5.	5

STATION: AHERO MONTH: JUN. YEAR: 1984

	Temper	ature	(C)		 Sun-				Rain-
ate -				Humid-		Veloc-		Evapo- i ration	fall
	Max. (C)	Min. (C)	Mean (C)	(%)	Hours (hrs)	(km/hr)			(mm)
	<del></del>	20 5	25 0	67	10.8	5.09	673	5.5	
1 2	29.5 29.0	20.5 14.0	25.0 21.5	71	9.6				
3	29.3	16.0	22.7	75	8.3				
4	29.3	16.5	22.9	68	7.4	4.30	557		
5	29.0	17.0	23.0	75	3.8				
6	28.5	17.0	22.8	68	8.6				
7	28.5	16.2	22.4	60					
8	28.0	18.0	23.0		6.6				
9	28.6	15.5	22.1	71	10.3				
10	28.5	15.5	22.0						
11	28.5	16.0	22.3						
12 13	29.0 30.5	16.9 14.5	23.0						
14	30.2	13.6	21.9						
15	29.5	15.5	22.5						
16	25.0	17.5	21.3					2.8	
17	27.7	16.5	22.1						
18	28.5	15.6	22.1						
19	29.0	14.0	21.5						
20	29.0	16.5	22.8						
21	29.5	15.0	22.3						
22	28.5	16.0	22.3						
23	28.5	14.5	21.5						
24	28.5	14.5	21.0						
25 26	28.0 28.5	14.0 13.5	21.0						
27		14.5	21.5						
28			21.8						
29									
30					9.7	7 3.6	1 67	0 4.	5 -
 Total	861.1	467.4	664.8	3 2069	227.	1 122.9	8 1907	5 155.	2 121.
Mean	28.7	15.6	22.	2 6	7.0	6 4.1	.0 63	6 5.	2

STATION: AHERO MONTH: JUL. YEAR: 1984

Da+a	Tempe:	rature	(C)	Rel.	Sun-	Wind Veloc-	Solar Radia-	Pan Evano-	Rain- fall
vale -	Max.	Min.	Mean	itv	Hours	itv	tion	ration	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(1ang)	(mm)	(mm)
								_	_
1	30.0	12.0	21.0	52	10.1	3.23			
2	30.0		24.0		4.5				
- 3	29.5	15.5	22.5						
4	29.0		22.5						
5	29.0	15.0	22.0						
6	29.0		21.3						
7	29.5	13.5	21.5						
8	29.5		21.8						
9	29.5	13.5	21.5		8.3				
10	29.5	12.3							
11	29.0	13.5							
12	28.5	14.0							
13	30.2	14.0				4.97			
14	28.8	14.4							
15	28.0	15.7	21.9						
16 17	29.0	14.5 16.2	22.9						
18	29.5 28.2	15.2							
19	27.7	14.5							
20	28.1	17.0	22.6						
21	27.8	14.6	21.2				69		
22	27.0	16.5				5.6	4 45		
23	26.7	14.0	20.4			4.4			
24	28.0	16.0	22.0			4.0			
25	28.2	14.5	21.4						
26	27.0	16.9							
27	29.0	14.0	21.5					9 5.	0 -
28	29.0	13.9	21.5			4.5			
29								94.	5 -
30									
31	29.8		21.9					7 5.	0 -
Total	893.3	458.7	676.7	2210	229.5	136.0	5 1903	7 150.	7 73.0
Mean	28.8	14.8	21.8	3 71	7.4	4.3	9 61	4 4.	9

STATION: AHERO MONTH: AUG. YEAR: 1984

)ate -		rature	(C)			Wind Veloc-			Rain- fall
Jace -	Max.	Min.	Mean	ity	Hours	ity	tion	ration	
	(C)	(C)	(C)	(%)	(hrs)	(km/hr)	(lang)	(mm)	(mm)
1	29.5	15.0	22.3	<b>5</b> 8	7.2				
2	29.3	13.0	21.2	70	8.5	4.48			
3	30.2	15.5	22.9		8.0				-
4	30.4	17.6	24.0		4.1	4.62			
5	29.2	15.6	22.4		7.5				
6 7	31.0	15.5	23.3 23.5		9.5 6.2	4.67 5.51			
8	30.5 28.0	16.5 16.5	22.3		7.7	4.97			
9	29.6	13.5	21.6		8.7				
10	30.0	15.1	22.6	75	8.9				
11	30.0	14.6	22.3		8.5				
12	31.0	15.0	23.0					7 7.C	16.5
13	30,0	15.0	22.5		7.2				
14	29.0	20.0	24.5		6.2	5.05			
15	29.3	15.1	22.2						
16	29.0	16.0	22.5						
17	29.5	14.5	22.0				5 575		
18	30.0	16.5	23.3						
19	29.5	15.5	22.5						
20	30.0	14.2	22.1						
21 22	29.0	16.0 14.5	22.5						,
23	30.5 31.0		23.8						3.6
24	28.5	14.0	21.3						
25	31.0	14.5	22.8						
26	30.8	19.5	25.2						
27	29.8	14.5	22.2						
28	27.5		21.5				2 57.		
29	28.5		22.5	74	6.9	3.8			
.30	30.0	15.5	22.8						
31	30.5	15.2	22.9	61	7.9	5.9	6 68	8 5.0	2.5
Total	922.1	482.4	703.0	2117	226.9	142.1	7 1933	7 155.	5 66.0
Mean	29.7	15.6	22.	7 68	7.3	3 4.5	9 62	4 5.	2

