


DATE: 15/Nov/1989 TIME: 10:35

AREA-NAME: EP-8

STATION : 12N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	8.90
	20.0	15.0	12.00
	40.0	30.0	14.50
HORIZONTAL	10.0	15.0	8.60
	20.0	30.0	10.50
	40.0	60.0	8.00



DATE: 14/Nov/1989 TIME: 14:40

AREA-NAME: EP-8


STATION : 11N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	5.60
	20.0	15.0	14.00
	40.0	30.0	21.00
HORIZONTAL	10.0	15.0	8.40
	20.0	30.0	20.00
	40.0	60.0	26.00

DATE: 14 / Nov / 1989 TIME: 14: 28

AREA-NAME: EP-8

STATION : 10N




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	7.00
	20.0	15.0	17.50
	40.0	30.0	26.00
HORIZONTAL	10.0	15.0	13.00
	20.0	30.0	27.50
	40.0	60.0	36.00


DATE: 14 / Nov / 1989 TIME: 14: 15

AREA-NAME: EP-8

STATION : 9N



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	13.50
	20.0	15.0	25.50
	40.0	30.0	38.00
HORIZONTAL	10.0	15.0	21.50
	20.0	30.0	38.00
	40.0	60.0	37.00




DATE: 14 / Nov / 1989 TIME: 14:05

AREA-NAME: EP-8

STATION : 8N

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	18.00
	20.0	15.0	34.00
	40.0	30.0	48.00
HORIZONTAL	10.0	15.0	25.20
	20.0	30.0	43.00
	40.0	80.0	47.00




DATE: 14 / Nov / 1989 TIME: 13:50

AREA-NAME: EP-8

STATION : 7N

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	47.00
	20.0	15.0	60.00
	40.0	30.0	58.00
HORIZONTAL	10.0	15.0	43.00
	20.0	30.0	41.00
	40.0	80.0	32.00




DATE: 14/Nov/1989 TIME: 12:10

AREA-NAME: EP-8

STATION : 6N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	24.50
	20.0	15.0	45.00
	40.0	30.0	52.00
HORIZONTAL	10.0	15.0	26.50
	20.0	30.0	49.00
	40.0	60.0	40.00



DATE: 14/Nov/1989 TIME: 11:55

AREA-NAME: EP-8


STATION : 5N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	16.50
	20.0	15.0	24.00
	40.0	30.0	31.00
HORIZONTAL	10.0	15.0	21.50
	20.0	30.0	24.50
	40.0	60.0	33.00

DATE: 15/Nov/1989 TIME: 11:45

AREA-NAME: EP-8

STATION : 4N




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	21.00
	20.0	15.0	27.00
	40.0	30.0	30.00
HORIZONTAL	10.0	15.0	20.50
	20.0	30.0	22.50
	40.0	60.0	21.00

DATE: 14/Nov/1989 TIME: 11:30

AREA-NAME: EP-8

STATION : 3N




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	12.00
	20.0	15.0	15.50
	40.0	30.0	17.00
HORIZONTAL	10.0	15.0	13.50
	20.0	30.0	14.50
	40.0	60.0	13.00

DATE: 14 / Nov / 1989 TIME: 11:20

AREA-NAME: EP-8

STATION : 2N




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	12.50
	20.0	15.0	14.00
	40.0	30.0	13.50
HORIZONTAL	10.0	15.0	14.00
	20.0	30.0	14.50
	40.0	60.0	14.00


DATE: 14 / Nov / 1989 TIME: 11:00

AREA-NAME: EP-8

STATION : 1N



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	17.50
	20.0	15.0	20.00
	40.0	30.0	17.00
HORIZONTAL	10.0	15.0	20.80
	20.0	30.0	17.00
	40.0	60.0	13.00




DATE: 14/Nov/1989 TIME: 9:05

AREA-NAME: EP-8

STATION : S-7

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	4.80
	20.0	15.0	7.20
	40.0	30.0	10.50
HORIZONTAL	10.0	15.0	5.90
	20.0	30.0	8.40
	40.0	80.0	8.60



DATE: 14/Nov/1989 TIME: 9:20

AREA-NAME: EP-8


STATION : 15

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	11.00
	20.0	15.0	10.50
	40.0	30.0	9.50
HORIZONTAL	10.0	15.0	8.10
	20.0	30.0	7.60
	40.0	80.0	7.80

DATE: 14/Nov/1989 TIME: 9:40

AREA-NAME: EP-8

STATION : 2S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	16.50
	20.0	15.0	18.50
	40.0	30.0	14.50
HORIZONTAL	10.0	15.0	17.50
	20.0	30.0	18.00
	40.0	80.0	12.50


DATE: 14/Nov/1989 TIME: 9:50

AREA-NAME: EP-8

STATION : 3S



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	14.50
	20.0	15.0	13.50
	40.0	30.0	14.50
HORIZONTAL	10.0	15.0	9.30
	20.0	30.0	12.50
	40.0	80.0	16.50




DATE: 14/Nov/1989 TIME: 10:03

AREA-NAME: EP-8

STATION : 45

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	31.00
	20.0	15.0	45.00
	40.0	30.0	44.00
HORIZONTAL	10.0	15.0	37.00
	20.0	30.0	44.00
	40.0	60.0	20.50



DATE: 14/Nov/1989 TIME: 10:17

AREA-NAME: EP-8


STATION : 55

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	77.00
	20.0	15.0	79.00
	40.0	30.0	60.00
HORIZONTAL	10.0	15.0	59.00
	20.0	30.0	40.00
	40.0	60.0	12.00

DATE: 14 / Nov / 1989 TIME: 10:30

AREA-NAME: EP-8

STATION : 6S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	45.00
	20.0	15.0	70.00
	40.0	30.0	72.00
HORIZONTAL	10.0	15.0	48.00
	20.0	30.0	63.00
	40.0	60.0	41.00


DATE: 14 / Nov / 1989 TIME: 10:45

AREA-NAME: EP-8

STATION : 7S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	44.00
	20.0	15.0	59.00
	40.0	30.0	63.00
HORIZONTAL	10.0	15.0	43.00
	20.0	30.0	47.00
	40.0	60.0	54.00



DATE: 15/Nov/1989 TIME: 9:28
 AREA-NAME: EP-8
 STATION : 8S

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	49.00
	20.0	15.0	57.00
	40.0	30.0	69.00
HORIZONTAL	10.0	15.0	45.00
	20.0	30.0	58.00
	40.0	80.0	64.00




DATE: 15/Nov/1989 TIME: 9:45
 AREA-NAME: EP-8
 STATION : 9S

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	24.20
	20.0	15.0	35.00
	40.0	30.0	40.00
HORIZONTAL	10.0	15.0	25.00
	20.0	30.0	36.00
	40.0	80.0	41.00


DATE: 15 / Nov / 1989 TIME: 10:05

AREA-NAME: EP-2

STATION : 10S



	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	16.00
	20.0	15.0	22.50
	40.0	30.0	30.00
HORIZONTAL	10.0	15.0	18.00
	20.0	30.0	24.50
	40.0	60.0	34.00




DATE: / / 1989 TIME: :

AREA-NAME:


STATION :

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	
	20.0	15.0	
	40.0	30.0	
HORIZONTAL	10.0	15.0	
	20.0	30.0	
	40.0	60.0	




DATE: 7 / Nov / 1989 TIME: 8 : 30
 AREA-NAME: EP-9
 STATION : 8N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.45
	20.0	15.0	1.10
	40.0	30.0	0.80
HORIZONTAL	10.0	15.0	1.55
	20.0	30.0	0.80
	40.0	80.0	-2.00




DATE: 6 / Nov / 1989 TIME: 14:00
 AREA-NAME: EP-9
 STATION : 7N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.80
	20.0	15.0	1.50
	40.0	30.0	1.00
HORIZONTAL	10.0	15.0	3.10
	20.0	30.0	1.30
	40.0	80.0	-3.20




DATE: 6 Nov / 1989 TIME: 13:45
 AREA-NAME: EP-9
 STATION : 6N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.90
	20.0	15.0	2.00
	40.0	30.0	1.10
HORIZONTAL	10.0	15.0	2.25
	20.0	30.0	1.00
	40.0	80.0	-3.00



DATE: 6 Nov / 1989 TIME: 11:30
 AREA-NAME: EP-9
 STATION : 5N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.25
	20.0	15.0	1.95
	40.0	30.0	1.50
HORIZONTAL	10.0	15.0	1.15
	20.0	30.0	-0.50
	40.0	80.0	-3.40




DATE: 6 / Nov / 1989 TIME: 11:10

AREA-NAME: EP-9

STATION : 4N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.60
	20.0	15.0	1.30
	40.0	30.0	0.80
HORIZONTAL	10.0	15.0	1.70
	20.0	30.0	0.60
	40.0	80.0	0.45



DATE: 6 / Nov / 1989 TIME: 10:45

AREA-NAME: EP-9


STATION : 3N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.15
	20.0	15.0	0.80
	40.0	30.0	0.50
HORIZONTAL	10.0	15.0	1.10
	20.0	30.0	0.45
	40.0	80.0	0.24

DATE: 6 / Nov / 1989 TIME: 10:20

AREA-NAME: EP-9

STATION : 2N




	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.85
	20.0	15.0	1.50
	40.0	30.0	1.00
HORIZONTAL	10.0	15.0	1.35
	20.0	30.0	0.50
	40.0	60.0	-3.20


DATE: 6 / Nov / 1989 TIME: 9:50

AREA-NAME: EP-9

STATION : 1N



	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.80
	20.0	15.0	1.60
	40.0	30.0	1.30
HORIZONTAL	10.0	15.0	2.15
	20.0	30.0	1.40
	40.0	60.0	-2.20




DATE: 7 / Nov / 1989 TIME: 8 : 00

AREA-NAME: EP-9

STATION : 0.5N

	COIL SPACING (n)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/n)
VERTICAL	10.0	7.5	6.30
	20.0	15.0	2.50
	40.0	30.0	3.00
HORIZONTAL	10.0	15.0	2.40
	20.0	30.0	3.00
	40.0	60.0	-0.50



DATE: 6 / Nov / 1989 TIME: 8 : 30

AREA-NAME: EP-9


STATION : S-3

	COIL SPACING (n)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/n)
VERTICAL	10.0	7.5	2.35
	20.0	15.0	1.95
	40.0	30.0	0.60
HORIZONTAL	10.0	15.0	1.60
	20.0	30.0	1.10
	40.0	60.0	-2.00

DATE: 6 / Nov / 1989 TIME: 8 : 53

AREA-NAME: EP-9

STATION : 1S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.15
	20.0	15.0	2.30
	40.0	30.0	1.50
HORIZONTAL	10.0	15.0	2.65
	20.0	30.0	2.00
	40.0	60.0	-0.80


DATE: 6 / Nov / 1989 TIME: 9 : 25

AREA-NAME: EP-9

STATION : 2S



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.90
	20.0	15.0	2.30
	40.0	30.0	1.50
HORIZONTAL	10.0	15.0	1.95
	20.0	30.0	1.30
	40.0	60.0	-1.20




DATE: 7 / Nov / 1989 TIME: 9 : 12

AREA-NAME: EP-9

STATION : 3S

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	2.30
	20.0	15.0	1.90
	40.0	30.0	0.80
HORIZONTAL	10.0	15.0	1.85
	20.0	30.0	0.65
	40.0	80.0	-2.50



DATE: 7 / Nov / 1989 TIME: 9 : 30

AREA-NAME: EP-9


STATION : 4S

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	2.25
	20.0	15.0	1.70
	40.0	30.0	1.40
HORIZONTAL	10.0	15.0	1.85
	20.0	30.0	1.50
	40.0	80.0	-1.00

DATE: 7/Nov/1989 TIME: 9:45

AREA-NAME: EP-9

STATION : 5S




	COIL SPACING (n)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/n)
VERTICAL	10.0	7.5	2.80
	20.0	15.0	2.00
	40.0	30.0	1.00
HORIZONTAL	10.0	15.0	1.20
	20.0	30.0	0.70
	40.0	60.0	-1.70


DATE: 7/Nov/1989 TIME: 10:05

AREA-NAME: EP-9

STATION : 6S



	COIL SPACING (n)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/n)
VERTICAL	10.0	7.5	2.20
	20.0	15.0	2.00
	40.0	30.0	1.00
HORIZONTAL	10.0	15.0	1.75
	20.0	30.0	1.10
	40.0	60.0	-2.20




DATE: 27/OCT/1989 TIME: 14:45

AREA-NAME: EP-10

STATION : EM-1

	COIL SPACING (n)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mahor/n)
VERTICAL	10.0	7.5	2.00
	20.0	15.0	3.20
	40.0	30.0	3.00
HORIZONTAL	10.0	15.0	3.60
	20.0	30.0	3.70
	40.0	80.0	1.00




DATE: 27/OCT/1989 TIME: 15:15

AREA-NAME: EP-10

STATION : EM-2

	COIL SPACING (n)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mahor/n)
VERTICAL	10.0	7.5	2.30
	20.0	15.0	3.00
	40.0	30.0	2.50
HORIZONTAL	10.0	15.0	3.10
	20.0	30.0	2.90
	40.0	80.0	1.00




DATE: 27/OCT/1989 TIME: 15:40

AREA-NAME: EP-10

STATION : EM-3

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.30
	20.0	15.0	2.50
	40.0	30.0	2.00
HORIZONTAL	10.0	15.0	1.25
	20.0	30.0	1.30
	40.0	60.0	1.00




DATE: 27/OCT/1989 TIME: 16:10

AREA-NAME: EP-10

STATION : EM-4

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	-1.50
	20.0	15.0	0.50
	40.0	30.0	1.00
HORIZONTAL	10.0	15.0	-0.20
	20.0	30.0	-0.20
	40.0	60.0	-3.00

can not analyze




DATE: 31/10/1989 TIME: 14:30

AREA-NAME: EP-11

STATION : EM-1

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	16.20
	20.0	15.0	15.00
	40.0	30.0	12.00
HORIZONTAL	10.0	15.0	14.00
	20.0	30.0	13.70
	40.0	60.0	5.00




DATE: 31/10/1989 TIME: 14:55

AREA-NAME: EP-11

STATION : EM-2

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.60
	20.0	15.0	3.60
	40.0	30.0	2.90
HORIZONTAL	10.0	15.0	3.20
	20.0	30.0	5.20
	40.0	60.0	2.00




DATE: 31/OCT/1989 TIME: 15:30

AREA-NAME: EP-11

STATION : EM-3

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	4.00
	20.0	15.0	4.30
	40.0	30.0	3.50
HORIZONTAL	10.0	15.0	3.00
	20.0	30.0	3.40
	40.0	80.0	0.40




DATE: 31/OCT/1989 TIME: 10:00

AREA-NAME: EP-11


STATION : S-3

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	4.20
	20.0	15.0	3.10
	40.0	30.0	1.50
HORIZONTAL	10.0	15.0	2.00
	20.0	30.0	1.75
	40.0	80.0	1.20



DATE: 16/Nov/1989 TIME: 13:45
 AREA-NAME: EP-13
 STATION : 5N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.90
	20.0	15.0	2.10
	40.0	30.0	1.50
HORIZONTAL	10.0	15.0	1.60
	20.0	30.0	0.85
	40.0	60.0	-1.20




DATE: 16/Nov/1989 TIME: 13:31
 AREA-NAME: EP-13
 STATION : 4N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.20
	20.0	15.0	1.80
	40.0	30.0	1.30
HORIZONTAL	10.0	15.0	1.50
	20.0	30.0	1.10
	40.0	60.0	-1.60

DATE: 16/Nov/1989 TIME: 13:12

AREA-NAME: EP-13

STATION : 3N




	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	2.70
	20.0	15.0	2.40
	40.0	30.0	1.50
HORIZONTAL	10.0	15.0	3.00
	20.0	30.0	1.00
	40.0	60.0	-1.50


DATE: 16/Nov/1989 TIME: 11:45

AREA-NAME: EP-13

STATION : 2N



	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	3.30
	20.0	15.0	3.40
	40.0	30.0	2.00
HORIZONTAL	10.0	15.0	3.50
	20.0	30.0	3.30
	40.0	60.0	-1.40




DATE: 16 / Nov / 1988 TIME: 11 : 26

AREA-NAME: EP-13

STATION : 1N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.50
	20.0	15.0	2.90
	40.0	30.0	1.90
HORIZONTAL	10.0	15.0	2.90
	20.0	30.0	1.50
	40.0	60.0	-1.80



DATE: 16 / Nov / 1988 TIME: 9 : 25

AREA-NAME: EP-13


STATION : S-1

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.80
	20.0	15.0	4.90
	40.0	30.0	4.80
HORIZONTAL	10.0	15.0	5.00
	20.0	30.0	4.20
	40.0	60.0	1.20

DATE: 16/Nov/1989 TIME: 9:32

AREA-NAME: EP-13

STATION : 1S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	8.40
	20.0	15.0	7.60
	40.0	30.0	5.00
HORIZONTAL	10.0	15.0	8.90
	20.0	30.0	6.40
	40.0	80.0	1.30

DATE: 16/Nov/1989 TIME: 9:46

AREA-NAME: EP-13

STATION : 2S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	10.00
	20.0	15.0	8.20
	40.0	30.0	6.00
HORIZONTAL	10.0	15.0	11.00
	20.0	30.0	6.10
	40.0	80.0	3.00

DATE: 16/Nov/1989 TIME: 9:55

AREA-NAME: EP-13

STATION : 3S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.30
	20.0	15.0	3.00
	40.0	30.0	2.40
HORIZONTAL	10.0	15.0	3.40
	20.0	30.0	2.00
	40.0	60.0	-1.00

DATE: 16/Nov/1989 TIME: 10:10

AREA-NAME: EP-13

STATION : 4S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.00
	20.0	15.0	2.80
	40.0	30.0	2.50
HORIZONTAL	10.0	15.0	3.60
	20.0	30.0	2.90
	40.0	60.0	2.50

DATE: 16/Nov/1989 TIME: 10:20

AREA-NAME: EP-13

STATION : 5S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.40
	20.0	15.0	2.80
	40.0	30.0	1.80
HORIZONTAL	10.0	15.0	3.20
	20.0	30.0	3.20
	40.0	60.0	1.00

DATE: 16/Nov/1989 TIME: 10:42

AREA-NAME: EP-13

STATION : 6S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.60
	20.0	15.0	3.90
	40.0	30.0	2.00
HORIZONTAL	10.0	15.0	4.30
	20.0	30.0	4.00
	40.0	60.0	1.00


DATE: 16/Nov/1989 TIME: 10:53

AREA-NAME: EP-13

STATION : 7S



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	4.90
	20.0	15.0	5.00
	40.0	30.0	2.20
HORIZONTAL	10.0	15.0	6.00
	20.0	30.0	4.60
	40.0	80.0	1.00



DATE: 17/Nov/1989 TIME: 11:30

AREA-NAME: EP-13


STATION : 8S

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	7.00
	20.0	15.0	7.80
	40.0	30.0	6.50
HORIZONTAL	10.0	15.0	8.70
	20.0	30.0	7.10
	40.0	80.0	2.00


DATE: 17 / Nov / 1989 TIME: 11:50

AREA-NAME: EP-13

STATION : 95



	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	15.50
	20.0	15.0	11.50
	40.0	30.0	8.50
HORIZONTAL	10.0	15.0	12.50
	20.0	30.0	9.80
	40.0	60.0	3.00



DATE: / / 1989 TIME: :

AREA-NAME:


STATION :

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	
	20.0	15.0	
	40.0	30.0	
HORIZONTAL	10.0	15.0	
	20.0	30.0	
	40.0	60.0	

DATE: 17 / Nov / 1989 TIME: 9:00

AREA-NAME: EP-13

STATION : 4 E




	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.80
	20.0	15.0	3.70
	40.0	30.0	3.50
HORIZONTAL	10.0	15.0	3.10
	20.0	30.0	3.20
	40.0	80.0	-2.00


DATE: 17 / Nov / 1989 TIME: 9:15

AREA-NAME: EP-13

STATION : 5 E



	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.70
	20.0	15.0	2.55
	40.0	30.0	1.80
HORIZONTAL	10.0	15.0	2.80
	20.0	30.0	2.15
	40.0	80.0	-0.80




DATE: 17/Nov/1989 TIME: 9:30

AREA-NAME: EP-13

STATION : 6E

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.30
	20.0	15.0	2.20
	40.0	30.0	1.60
HORIZONTAL	10.0	15.0	1.90
	20.0	30.0	0.30
	40.0	60.0	-1.50



DATE: 17/Nov/1989 TIME: 9:41

AREA-NAME: EP-13


STATION : 7E

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.70
	20.0	15.0	2.30
	40.0	30.0	1.80
HORIZONTAL	10.0	15.0	2.40
	20.0	30.0	2.10
	40.0	60.0	-0.30


DATE: 17/Nov/1989 TIME: 9:55

AREA-NAME: EP-13

STATION : 8E



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	4.00
	20.0	15.0	3.50
	40.0	30.0	2.30
HORIZONTAL	10.0	15.0	7.10
	20.0	30.0	7.20
	40.0	60.0	1.60



DATE: 17/Nov/1989 TIME: 10:05

AREA-NAME: EP-13


STATION : 9E

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	3.80
	20.0	15.0	4.20
	40.0	30.0	3.20
HORIZONTAL	10.0	15.0	5.20
	20.0	30.0	4.30
	40.0	60.0	3.00

DATE: 17/Nov/1988 TIME: 10:20

AREA-NAME: EP-13

STATION : 10E




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	4.60
	20.0	15.0	4.90
	40.0	30.0	2.90
HORIZONTAL	10.0	15.0	7.80
	20.0	30.0	6.70
	40.0	60.0	2.70

DATE: 17/Nov/1988 TIME: 10:30

AREA-NAME: EP-13

STATION : 11E




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	4.60
	20.0	15.0	3.80
	40.0	30.0	2.80
HORIZONTAL	10.0	15.0	7.20
	20.0	30.0	6.00
	40.0	60.0	3.00

DATE: 17/Nov/1989 TIME: 10:40

AREA-NAME: EP-13

STATION : 12E




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	5.20
	20.0	15.0	4.60
	40.0	30.0	3.20
HORIZONTAL	10.0	15.0	4.00
	20.0	30.0	3.20
	40.0	60.0	1.80


DATE: 17/Nov/1989 TIME: 10:56

AREA-NAME: EP-13

STATION : 13E



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	4.30
	20.0	15.0	4.30
	40.0	30.0	3.50
HORIZONTAL	10.0	15.0	5.60
	20.0	30.0	3.80
	40.0	60.0	2.00




DATE: 4 / Nov / 1989 TIME: 13:15

AREA-NAME: EP-15

STATION : EM-1

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.40
	20.0	15.0	1.00
	40.0	30.0	0.50
HORIZONTAL	10.0	15.0	0.60
	20.0	30.0	-1.00
	40.0	60.0	-3.00




DATE: 4 / Nov / 1989 TIME: 13:55

AREA-NAME: EP-15

STATION : EM-2

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.00
	20.0	15.0	3.30
	40.0	30.0	1.80
HORIZONTAL	10.0	15.0	2.60
	20.0	30.0	1.70
	40.0	60.0	0.50




DATE: 3 / Nov / 1989 TIME: 13:45

AREA-NAME: EP-16

STATION : EM-1

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	-0.30
	20.0	15.0	0.20
	40.0	30.0	-3.00
HORIZONTAL	10.0	15.0	-0.50
	20.0	30.0	-0.70
	40.0	80.0	-3.50

can not analyze




DATE: 3 / Nov / 1989 TIME: 11:50

AREA-NAME: EP-16


STATION : EM-2

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.70
	20.0	15.0	0.80
	40.0	30.0	0.60
HORIZONTAL	10.0	15.0	0.15
	20.0	30.0	-0.50
	40.0	80.0	-3.00




DATE: 3 / Nov / 1988 TIME: 11:25
 AREA-NAME: EP-16
 STATION : EM-3

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.50
	20.0	15.0	0.70
	40.0	30.0	0.40
HORIZONTAL	10.0	15.0	0.65
	20.0	30.0	0.15
	40.0	60.0	-3.00



DATE: 3 / Nov / 1988 TIME: 11:00
 AREA-NAME: EP-16
 STATION : EM-4

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.15
	20.0	15.0	1.35
	40.0	30.0	0.80
HORIZONTAL	10.0	15.0	-0.20
	20.0	30.0	-0.65
	40.0	60.0	-4.50




DATE: 3 / Nov / 1989 TIME: 9 : 15

AREA-NAME: EP-16

STATION : EM-5

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.80
	20.0	15.0	3.70
	40.0	30.0	2.70
HORIZONTAL	10.0	15.0	3.60
	20.0	30.0	2.40
	40.0	60.0	1.50




DATE: 3 / Nov / 1989 TIME: 9 : 35

AREA-NAME: EP-16

STATION : EM-6

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	4.10
	20.0	15.0	3.50
	40.0	30.0	0.80
HORIZONTAL	10.0	15.0	3.50
	20.0	30.0	1.10
	40.0	60.0	-3.00




DATE: 3 / Nov / 1989 TIME: 10:00

AREA-NAME: EP-16

STATION : EM-7

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.60
	20.0	15.0	0.85
	40.0	30.0	1.20
HORIZONTAL	10.0	15.0	-0.10
	20.0	30.0	0.15
	40.0	60.0	-2.00

distributed quartzite




DATE: 3 / Nov / 1989 TIME: 10:30

AREA-NAME: EP-16

STATION : EM-8

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	17.50
	20.0	15.0	13.80
	40.0	30.0	10.00
HORIZONTAL	10.0	15.0	12.50
	20.0	30.0	5.20
	40.0	60.0	-7.00




DATE: 4 / Nov / 1989 TIME: 14:20

AREA-NAME: EP-16

STATION : EM-9

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.40
	20.0	15.0	0.30
	40.0	30.0	0.20
HORIZONTAL	10.0	15.0	0.30
	20.0	30.0	0.10
	40.0	60.0	-3.00



DATE: / / 1989 TIME: :

AREA-NAME:


STATION :

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	
	20.0	15.0	
	40.0	30.0	
HORIZONTAL	10.0	15.0	
	20.0	30.0	
	40.0	60.0	


DATE: 1 / Nov / 1989 TIME: 9 : 5 /

AREA-NAME: EP-17

STATION : EM-1



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.70
	20.0	15.0	2.50
	40.0	30.0	1.90
HORIZONTAL	10.0	15.0	1.95
	20.0	30.0	2.20
	40.0	60.0	1.00



DATE: 1 / Nov / 1989 TIME: 10 : 20

AREA-NAME: EP-17


STATION : EM-2

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.50
	20.0	15.0	4.00
	40.0	30.0	2.60
HORIZONTAL	10.0	15.0	3.50
	20.0	30.0	3.00
	40.0	60.0	1.40


DATE: 1 / Nov / 1989 TIME: 10 : 45

AREA-NAME: EP-17

STATION : EM-3



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.50
	20.0	15.0	3.80
	40.0	30.0	6.00
HORIZONTAL	10.0	15.0	2.80
	20.0	30.0	6.80
	40.0	80.0	8.80



DATE: 1 / Nov / 1989 TIME: 13 : 55

AREA-NAME: EP-17


STATION : EM-4

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	5.00
	20.0	15.0	7.80
	40.0	30.0	9.50
HORIZONTAL	10.0	15.0	5.80
	20.0	30.0	10.50
	40.0	80.0	12.00

DATE: 1 / Nov / 1989 TIME: 11 : 40

AREA-NAME: EP-17

STATION : EM-5




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.35
	20.0	15.0	0.50
	40.0	30.0	0.30
HORIZONTAL	10.0	15.0	-0.25
	20.0	30.0	-0.40
	40.0	60.0	-3.00


DATE: 1 / Nov / 1989 TIME: 12 : 05

AREA-NAME: EP-17

STATION : EM-6



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.00
	20.0	15.0	0.65
	40.0	30.0	0.40
HORIZONTAL	10.0	15.0	-0.25
	20.0	30.0	-1.00
	40.0	60.0	-3.80




DATE: 1 / Nov / 1989 TIME: 11:10

AREA-NAME: EP-17

STATION : EM-7

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.10
	20.0	15.0	5.60
	40.0	30.0	7.20
HORIZONTAL	10.0	15.0	4.50
	20.0	30.0	8.50
	40.0	60.0	7.50




DATE: 2 / Nov / 1989 TIME: 8:50

AREA-NAME: EP-17


STATION : EM-8

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.90
	20.0	15.0	1.25
	40.0	30.0	0.80
HORIZONTAL	10.0	15.0	0.35
	20.0	30.0	0.10
	40.0	60.0	-2.30




DATE: 2 / Nov / 1989 TIME: 9 : 25
 AREA-NAME: EP-17
 STATION : EM-9

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.50
	20.0	15.0	2.00
	40.0	30.0	0.90
HORIZONTAL	10.0	15.0	0.10
	20.0	30.0	-0.15
	40.0	80.0	-3.00



DATE: 2 / Nov / 1989 TIME: 9 : 45
 AREA-NAME: EP-17
 STATION : EM-10

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.70
	20.0	15.0	3.80
	40.0	30.0	4.50
HORIZONTAL	10.0	15.0	4.10
	20.0	30.0	4.80
	40.0	80.0	4.80




DATE: 2 / Nov / 1989 TIME: 11 : 40

AREA-NAME: EP-17

STATION : (S-1) EM-11

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	17.00
	20.0	15.0	12.00
	40.0	30.0	7.00
HORIZONTAL	10.0	15.0	10.40
	20.0	30.0	4.30
	40.0	60.0	1.50




DATE: 2 / Nov / 1989 TIME: 10:00

AREA-NAME: EP-17

STATION : (S-2) EM-12

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	14.50
	20.0	15.0	13.00
	40.0	30.0	9.40
HORIZONTAL	10.0	15.0	13.70
	20.0	30.0	6.30
	40.0	60.0	1.00




DATE: 28 / OCT / 1989 TIME: 10:30

AREA-NAME: EP-18

STATION : EM-1

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.95
	20.0	15.0	0.80
	40.0	30.0	1.00
HORIZONTAL	10.0	15.0	-0.65
	20.0	30.0	-1.20
	40.0	60.0	-2.00



DATE: 28 / OCT / 1989 TIME: 9:00

AREA-NAME: EP-18


STATION : EM-2

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.70
	20.0	15.0	0.45
	40.0	30.0	0.25
HORIZONTAL	10.0	15.0	-0.10
	20.0	30.0	-0.35
	40.0	60.0	-3.00


DATE: 28 / OCT / 1989 TIME: 8 : 25

AREA-NAME: EP-18

STATION : EM-3



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.75
	20.0	15.0	0.50
	40.0	30.0	0.20
HORIZONTAL	10.0	15.0	-0.25
	20.0	30.0	-0.75
	40.0	80.0	-1.50



DATE: 28 / OCT / 1989 TIME: 11 : 05

AREA-NAME: EP-18


STATION : EM-4

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.55
	20.0	15.0	1.60
	40.0	30.0	1.20
HORIZONTAL	10.0	15.0	1.70
	20.0	30.0	0.95
	40.0	80.0	0.50

DATE: 28/0CT/1989 TIME: 11:25

AREA-NAME: EP-18

STATION : EM-5




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.90
	20.0	15.0	3.60
	40.0	30.0	2.30
HORIZONTAL	10.0	15.0	3.40
	20.0	30.0	2.35
	40.0	60.0	1.50

DATE: 28/0CT/1989 TIME: 13:50

AREA-NAME: EP-18

STATION : EM-6




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.40
	20.0	15.0	4.90
	40.0	30.0	3.80
HORIZONTAL	10.0	15.0	4.20
	20.0	30.0	4.00
	40.0	60.0	2.50

DATE: 28/10/1989 TIME: 14:15

AREA-NAME: EP-18

STATION : EM-7




	COIL SPACING (n)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/n)
VERTICAL	10.0	7.5	9.20
	20.0	15.0	10.00
	40.0	30.0	8.60
HORIZONTAL	10.0	15.0	12.00
	20.0	30.0	10.00
	40.0	60.0	3.00


DATE: 28/10/1989 TIME: 14:40

AREA-NAME: EP-18

STATION : EM-8



	COIL SPACING (n)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/n)
VERTICAL	10.0	7.5	6.60
	20.0	15.0	11.00
	40.0	30.0	8.50
HORIZONTAL	10.0	15.0	8.90
	20.0	30.0	9.90
	40.0	60.0	4.00




DATE: 28/007/1989 TIME: 9:40

AREA-NAME: EP-18

STATION : EM-9

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mahor/m)
VERTICAL	10.0	7.5	0.30
	20.0	15.0	0.50
	40.0	30.0	0.70
HORIZONTAL	10.0	15.0	-0.30
	20.0	30.0	-0.60
	40.0	60.0	-3.20




DATE: 1/Nov/1989 TIME: 9:00

AREA-NAME: EP-18


STATION : EM-10

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mahor/m)
VERTICAL	10.0	7.5	3.40
	20.0	15.0	3.90
	40.0	30.0	2.00
HORIZONTAL	10.0	15.0	4.00
	20.0	30.0	2.05
	40.0	60.0	1.00



DATE: 4 Nov 1989 TIME: 9:15
 AREA-NAME: EP-20
 STATION : EM-1

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.50
	20.0	15.0	0.85
	40.0	30.0	0.50
HORIZONTAL	10.0	15.0	0.50
	20.0	30.0	0.45
	40.0	60.0	0.40




DATE: 4 Nov 1989 TIME: 10:10
 AREA-NAME: EP-20
 STATION : EM-2

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.30
	20.0	15.0	3.30
	40.0	30.0	4.80
HORIZONTAL	10.0	15.0	3.00
	20.0	30.0	5.00
	40.0	60.0	5.20

DATE: 4 Nov 1989 TIME: 10:32

AREA-NAME: EP-20

STATION : EM-3




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.20
	20.0	15.0	0.80
	40.0	30.0	0.50
HORIZONTAL	10.0	15.0	0.75
	20.0	30.0	0.20
	40.0	80.0	-3.40


DATE: 4 Nov 1989 TIME: 10:55

AREA-NAME: EP-20

STATION : EM-4



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.40
	20.0	15.0	2.40
	40.0	30.0	2.00
HORIZONTAL	10.0	15.0	2.50
	20.0	30.0	2.35
	40.0	80.0	0.90




DATE: 4 / Nov / 1989 TIME: 11:15

AREA-NAME: EP-20

STATION : EM-5

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.30
	20.0	15.0	1.50
	40.0	30.0	1.70
HORIZONTAL	10.0	15.0	1.20
	20.0	30.0	1.20
	40.0	60.0	0.50




DATE: 4 / Nov / 1989 TIME: 8:50

AREA-NAME: EP-20


STATION : (S-1) EM-6

	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.90
	20.0	15.0	0.50
	40.0	30.0	0.30
HORIZONTAL	10.0	15.0	0.30
	20.0	30.0	-0.60
	40.0	60.0	-3.60




DATE: 4 Nov / 1989 TIME: 9:45
 AREA-NAME: EP-20
 STATION : (S-2) EM-7

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.40
	20.0	15.0	2.10
	40.0	30.0	1.60
HORIZONTAL	10.0	15.0	2.20
	20.0	30.0	1.55
	40.0	60.0	0.50



DATE: / / 1989 TIME: :
 AREA-NAME:
 STATION :

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	
	20.0	15.0	
	40.0	30.0	
HORIZONTAL	10.0	15.0	
	20.0	30.0	
	40.0	60.0	




DATE: 13/Nov/1989 TIME: 14:20

AREA-NAME: EP-21

STATION : S-4

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.80
	20.0	15.0	2.00
	40.0	30.0	2.50
HORIZONTAL	10.0	15.0	1.10
	20.0	30.0	1.30
	40.0	80.0	2.00




DATE: 13/Nov/1989 TIME: 14:10

AREA-NAME: EP-21

STATION : 14N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	0.85
	20.0	15.0	1.30
	40.0	30.0	2.00
HORIZONTAL	10.0	15.0	4.20
	20.0	30.0	3.40
	40.0	80.0	2.50




DATE: 13 / Nov / 1989 TIME: 13:50

AREA-NAME: EP-21

STATION : 13N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.30
	20.0	15.0	2.00
	40.0	30.0	1.00
HORIZONTAL	10.0	15.0	2.05
	20.0	30.0	1.60
	40.0	80.0	0.40




DATE: 13 / Nov / 1989 TIME: 13:30

AREA-NAME: EP-21


STATION : 12N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.80
	20.0	15.0	1.80
	40.0	30.0	1.00
HORIZONTAL	10.0	15.0	1.45
	20.0	30.0	0.75
	40.0	80.0	-1.50




DATE: 13 / Nov / 1989 TIME: 12:05
 AREA-NAME: EP-21
 STATION : 11N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.80
	20.0	15.0	0.90
	40.0	30.0	0.50
HORIZONTAL	10.0	15.0	0.80
	20.0	30.0	0.30
	40.0	80.0	-1.80



DATE: 13 / Nov / 1989 TIME: 11:50
 AREA-NAME: EP-21
 STATION : 10N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.50
	20.0	15.0	1.50
	40.0	30.0	0.70
HORIZONTAL	10.0	15.0	1.05
	20.0	30.0	0.40
	40.0	80.0	-2.90




DATE: 13 / Nov / 1989 TIME: 10 : 50

AREA-NAME: E P - 21

STATION : 9N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.85
	20.0	15.0	1.40
	40.0	30.0	0.80
HORIZONTAL	10.0	15.0	0.95
	20.0	30.0	0.30
	40.0	80.0	-3.00



DATE: 13 / Nov / 1989 TIME: 10 : 35

AREA-NAME: E P - 21


STATION : 8N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	1.70
	20.0	15.0	1.60
	40.0	30.0	0.70
HORIZONTAL	10.0	15.0	0.95
	20.0	30.0	0.30
	40.0	80.0	-2.50

DATE: 13 / Nov / 1989 TIME: 10:20

AREA-NAME: EP-21

STATION : 7N




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	2.80
	20.0	15.0	2.05
	40.0	30.0	1.00
HORIZONTAL	10.0	15.0	1.15
	20.0	30.0	0.60
	40.0	60.0	-3.20

DATE: 13 / Nov / 1989 TIME: 10:00

AREA-NAME: EP-21

STATION : 6N




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	2.70
	20.0	15.0	2.15
	40.0	30.0	1.50
HORIZONTAL	10.0	15.0	1.45
	20.0	30.0	0.30
	40.0	60.0	-3.00

DATE: 13/Nov/1989 TIME: 9:45

AREA-NAME: EP-21

STATION : 5N




	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.70
	20.0	15.0	3.70
	40.0	30.0	2.50
HORIZONTAL	10.0	15.0	4.30
	20.0	30.0	2.90
	40.0	60.0	1.00


DATE: 13/Nov/1989 TIME: 9:30

AREA-NAME: EP-21

STATION : 4N




	COIL SPACING (m)	EFFECTIVE PENET (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	4.70
	20.0	15.0	5.00
	40.0	30.0	4.00
HORIZONTAL	10.0	15.0	3.70
	20.0	30.0	4.50
	40.0	60.0	2.00




DATE: 13/Nov/1989 TIME: 9:10
 AREA-NAME: EP-21
 STATION : 3N

	COIL SPACING (n)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/n)
VERTICAL	10.0	7.5	4.20
	20.0	15.0	5.50
	40.0	30.0	5.00
HORIZONTAL	10.0	15.0	1.55
	20.0	30.0	2.70
	40.0	60.0	2.00



DATE: 11/Nov/1989 TIME: 10:20
 AREA-NAME: EP-21
 STATION : 2N

	COIL SPACING (n)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/n)
VERTICAL	10.0	7.5	5.60
	20.0	15.0	5.80
	40.0	30.0	6.00
HORIZONTAL	10.0	15.0	3.10
	20.0	30.0	4.30
	40.0	60.0	5.10




DATE: 11/Nov/1983 TIME: 10:05

AREA-NAME: EP-21

STATION : / N

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.40
	20.0	15.0	4.70
	40.0	30.0	5.30
HORIZONTAL	10.0	15.0	3.80
	20.0	30.0	5.40
	40.0	60.0	6.00



DATE: 10/Nov/1983 TIME: 8:30

AREA-NAME: EP-21


STATION : S-3

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	8.40
	20.0	15.0	9.20
	40.0	30.0	7.50
HORIZONTAL	10.0	15.0	7.30
	20.0	30.0	7.00
	40.0	60.0	6.00


DATE: 10 / Nov / 1989 TIME: 8 : 47

AREA-NAME: EP-21

STATION : 1S



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	6.70
	20.0	15.0	9.80
	40.0	30.0	10.00
HORIZONTAL	10.0	15.0	6.20
	20.0	30.0	11.50
	40.0	60.0	11.00




DATE: 10 / Nov / 1989 TIME: 8 : 55

AREA-NAME: EP-21


STATION : 2S

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	5.60
	20.0	15.0	8.10
	40.0	30.0	9.00
HORIZONTAL	10.0	15.0	5.80
	20.0	30.0	10.50
	40.0	60.0	10.50



DATE: 10 / Nov / 1989 TIME: 9 : 10
 AREA-NAME: EP-2/
 STATION : 3S

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	2.50
	20.0	15.0	3.60
	40.0	30.0	5.00
HORIZONTAL	10.0	15.0	3.60
	20.0	30.0	5.70
	40.0	60.0	7.00




DATE: 10 / Nov / 1989 TIME: 9 : 20
 AREA-NAME: EP-2/
 STATION : 4S

	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mmho/m)
VERTICAL	10.0	7.5	3.30
	20.0	15.0	4.50
	40.0	30.0	5.00
HORIZONTAL	10.0	15.0	3.90
	20.0	30.0	5.40
	40.0	60.0	5.40

DATE: 10 Nov 1989 TIME: 9:50

AREA-NAME: EP-21

STATION : 5S




	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	4.70
	20.0	15.0	7.20
	40.0	30.0	11.00
HORIZONTAL	10.0	15.0	7.50
	20.0	30.0	12.50
	40.0	60.0	16.50

DATE: 10 Nov 1989 TIME: 12:15

AREA-NAME: EP-21

STATION : 6S



	COIL SPACING (m)	EFFECTIVE PENET. (m)	APPARENT CONDUCTIVITY (mho/m)
VERTICAL	10.0	7.5	4.00
	20.0	15.0	8.00
	40.0	30.0	9.00
HORIZONTAL	10.0	15.0	5.70
	20.0	30.0	9.00
	40.0	60.0	10.00