

Table IMPLEMENTATION PLAN

No.	Exchange Name	Area	Sub System	Type	Capacity	Unit	Supply Volume	Implementation Schedule						Demand	Remarks
								1	2	3	4	5	6		
33	WANGON	201	LAND	BUILDING	M2	PNT-SF	(DLU)	240	162	162	162	162	162	M2	
					OLU	TRX	PNT-SH-1	340 LDU	TRX	TRX	TRX	TRX	TRX	340 LDU	TRX
					L.U.	TRX		L.U.	TRX	TRX	TRX	TRX	TRX	L.U.	TRX
					L.U.	TRX		L.U.	TRX	TRX	TRX	TRX	TRX	L.U.	TRX
					L.U.	TRX		L.U.	TRX	TRX	TRX	TRX	TRX	L.U.	TRX
					L.U.	TRX		L.U.	TRX	TRX	TRX	TRX	TRX	L.U.	TRX
					NS	TRX		TRX	TRX	TRX	TRX	TRX	TRX	TRX	TRX
					S.U.	CCT	PWT-TR-1	1 SVS	1 SVS	1 SVS	1 SVS	1 SVS	1 SVS	1 SVS	1 SVS
					S.U.	CCT		CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT
					JUNCTION	CCT		CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT
34	PURWAKERTO	201	LOCAL	CABLE	SSP	PNT-C		410 SSP	410 SSP	410 SSP	410 SSP	410 SSP	410 SSP	AIO SSP	
					SSP			SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP
					ASS	SUB	PNT-S	40 SUB	40 SUB	40 SUB	40 SUB	40 SUB	40 SUB	40 SUB	40 SUB
					SUB			SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB
					NS	TRX		TRX	TRX	TRX	TRX	TRX	TRX	TRX	TRX
					S.U.	CCT	PWT-TR-1	1 SVS	1 SVS	1 SVS	1 SVS	1 SVS	1 SVS	1 SVS	1 SVS
					S.U.	CCT		CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT
					JUNCTION	CCT		CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT
					LOCAL	CABLE	SSP	PNT-C	400 SSP						
					ASS	SUB	PNT-S	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Existing		Unit	Supply Volume	Implementation Schedule				End of PEPEUTA-VI	Demand	Remarks
				Type	Capacity			1994/95	1995/96	1996/97	1997/98			
35	CLACAP	282	LAND	M2		M2		1	2	3	4	1	2	3
			BUILDING	M2		M2		1	2	3	4	1	2	3
			TLS	ENODEA	2800 LU	CP-SW-A	-2800 LU	-66 TRK						M2
				LU	TRK	CP-SW-1	1980 LU	100 TRK						M2
				LU	TRK		LU	TRK						
				LU	TRK		LU	TRK						
				LU	TRK		LU	TRK						
				LU	TRK		LU	TRK						
				LU	TRK		LU	TRK						
				RS										
				SU	D-MNN	8 SNS	CP-TR-2	1 SNS						
					CCT	CP-TR-1		4 SNS						
					CCT			CCT						CCT
					CCT			CCT						CCT
					CCT			CCT						CCT
					CCT			CCT						CCT
					CCT			CCT						CCT
					CABLE	4,276 SSP	CP-CA	5,322 SSP						
					ON-GOING	800 SSP	N-2HD	1,500 SSP						
					RS	SUB	SUB	SUB						SUB
					SU	900	SUB	SUB						SUB
36	KRCHA	282	LAND	M2		M2		M2						M2
			BUILDING	M2		M2		M2						M2
			TLS	Ah112	200 LU	CP-SW-A	-200 LU	TRK						
				LU	TRK	CP-SW-1	480 LU	TRK						
				LU	TRK		LU	TRK						
				LU	TRK		LU	TRK						
				LU	TRK		LU	TRK						
				LU	TRK		LU	TRK						
				RS										
				SU	D-MNN	9 SNS	CP-TR-1	1 SNS						1 SNS
					CCT			CCT						CCT
					CCT			CCT						CCT
					CCT			CCT						CCT
					CCT			CCT						CCT
					CJUNCTION			CJUNCTION						
					LOCAL	CABLE	470 SSP	CP-CA	470 SSP					
						SSP	SUB	SUB	SSP					SSP
						RS	SUB	SUB	SUB					SUB
						SU	SUB	SUB	SUB					SUB

Table I IMPLEMENTATION PLAN

IMPLEMENTATION PLAN

FIGURE 1

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit	Supply Volume	Implementation Schedule						Demand	Remarks										
								End of REPELITA-VI																	
								1984/06	1985/06	1986/07	1987/08	1988/09	1989/10												
55	KELUMUNG	252	LAND	M2	M2	M2	M2	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4		
			BUILDING	M2	M2	M2	M2																		
			T/S	ABH-S1	50 LU	TRK	CP-SW-R	-50 LU									OLU	TRK							
					LU	TRK	CP-SW-1	-50 LU									50 LU	TRK							
					LU	TRK		LU									LU	TRK							
					LU	TRK		LU									LU	TRK							
					LU	TRK		LU									LU	TRK							
					LU	TRK		LU									LU	TRK							
					LU	TRK		LU									LU	TRK							
					NS	TRK											TRK								
						TRK											TRK								
					SUB	CCT	CP-TR-1										1 STS								
						CCT											CCT								
						CCT											CCT								
						CCT											CCT								
						CCT											CCT								
						CCT											CCT								
						JUNCTION											CCT								
																	CCT								
						LOCAL	CABLE	500 SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	500 SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP
							PSS	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	
60	SIDAREJA	252	LAND	M2	M2	CP-SF	CP-SF	20 M2	20 M2																
			BUILDING	M2	M2	CP-SF	CP-SF	50 LU	50 LU								50 LU	50 LU							
			T/S		OLU	TRK	CP-SW-1	300 LU									LU	LU	LU	LU	LU	LU	LU	LU	
					LU	TRK		LU								LU	LU	LU	LU	LU	LU	LU	LU		
					LU	TRK		LU								LU	LU	LU	LU	LU	LU	LU	LU		
					LU	TRK		LU								LU	LU	LU	LU	LU	LU	LU	LU		
					LU	TRK		LU								LU	LU	LU	LU	LU	LU	LU	LU		
					NS	TRK		TRK								TRK									
					SUB	CCT	CP-TR-1									1 STS									
						CCT										CCT									
						CCT										CCT									
						CCT										CCT									
						CCT										CCT									
						JUNCTION										CCT									
						LOCAL	CABLE	500 SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	500 SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	
						RSS	SUB	CP-RS	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	22 SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	

Table

IMPLEMENTATION PLAN

卷之三

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule					Demand
								1584/96	1585/98	1586/97	1887/98	1888/98	
SI	TEGAL SELATAN	289	LAND	M2	M2	M2		1	2	3	4	1	M2
			BULDING	M2	M2	M2		1	2	3	4	1	M2
	T.S	NEAK	10,000 LU	222 TRK	TG-SW-2	8,000 LU	210 TRK						
				TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	
				TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	
				TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	
				TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	
				TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	
				TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	
				TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	
	S.U	D-MHW	18 SYS	TG-TR-1		8 SYS							TRK
		PA~3	16 SYS	TG-TR-2		2~8 SYS							TRK
			CCT			CCT							48 SYS
			CCT			CCT							CCT
			CCT			CCT							CCT
			CCT			CCT							CCT
			CCT			CCT							CCT
			CCT			CCT							CCT
			CABLE	SSP	TG-CA		12,130 SSP						SSP
			SSP			SSP							SSP
			RSS		SUB		SUB						SUB
					SUB		SUB						SUB
						M2	M2						M2
SI	ADWEERA	289	LAND	M2	M2	M2							M2
			BULDING	M2	M2	M2							M2
	T.S	AB-2011	370 LU	TRK	TG-SW-A	-970 LU	TRK						
				TRK	LU	1,040 LU	TRK						
				TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	
				TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	
				TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	
				TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	
	S.U	TG-TR-1				2 SYS							2 SYS
		CCT				CCT							CCT
		CCT				CCT							CCT
		CCT				CCT							CCT
		CCT				CCT							CCT
			JUNCTION										
			LOCAL	CABLE	SSP	TG-CA		1000 SSP					1,400 SSP
			RSS	SUB	SUB		SUB						SUB
				SUB	SUB		SUB						SUB

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit	Supply Volume	Implementation Schedule				Capacity	Demand	Remarks						
								No.	1984/85	1985/86	1986/87	1987/88								
52	BALIULANG	280	LAND	NO2		NO2			1.2	3	4	1	2	3	4	1	2	3	4	
			BUILDING	NO2		TRK	TG-SW-R	-150 LU		TRK			0 LU							
			TLS	AB2011	150 LU	LU	TRK	TG-SW-1	450 LU	TRK	LU	LU	450 LU							
						LU	TRK			TRK	LU	LU	LU							
						LU	TRK			TRK	LU	LU	LU							
						LU	TRK			TRK	LU	LU	LU							
						LU	TRK			TRK	LU	LU	LU							
						LU	TRK			TRK	LU	LU	LU							
						MS				TRK										
						SU				TRK										
			JUNCTION			CCT	TG-TR-1		1 SRS							1 SRS				
						CCT				CCT							CCT			
						CCT				CCT							CCT			
						CCT				CCT							CCT			
						CCT				CCT							CCT			
						CCT				CCT							CCT			
						CCT				CCT							CCT			
						CCT				CCT							CCT			
			LOCAL	CABLE	150 SSP	TG-CA	450 SSP			SSP			50 SSP					SSP		
						SSP				SSP			SSP					SSP		
						RSS	SUB	TG-SB	4 SUB								4 SUB			
						SUB				SUB			SUB				SUB			
						SU				SUB			SUB				SUB			
						MS				MS			MS				MS			
64	BREBES	289	LAND	NO2		NO2														
			BUILDING	NO2		TRK	TG-SW-R	-1,000 LU		TRK			0 LU					TRK		
			TLS	ENDSTY	1,000 LU	LU	TRK	TG-SW-1	1,000 LU	TRK	LU	LU	1,000 LU					TRK		
						LU	TRK			TRK	LU	LU	LU					TRK		
						LU	TRK			TRK	LU	LU	LU					TRK		
						LU	TRK			TRK	LU	LU	LU					TRK		
						LU	TRK			TRK	LU	LU	LU					TRK		
						MS				TRK			TRK				TRK			
						D-NW	4 SRS			CCT			4 SRS							
						SU				CCT			CCT				CCT			
			JUNCTION			CCT				CCT			CCT				CCT			
						CCT				CCT			CCT				CCT			
						CCT				CCT			CCT				CCT			
						CCT				CCT			CCT				CCT			
			LOCAL	CABLE	1,200 SSP	TG-CA	1,300 SSP			SSP			SSP				2,500 SSP			
						SUB				SUB			SUB				SUB			
						SU				SUB			SUB				SUB			

IMPLEMENTATION PLAN

IMPLEMENTATION PLAN

FLE: 1PJC-33.WK3

IMPLEMENTATION PLAN

Table

IMPLEMENTATION PLAN

四三

十一

No.	Exchange Name	Area Code	Existing			Installation			Implementation Schedule			End of REPELTA-M	
			Sub System	Type	Capacity	Unit No.	Supply Volume	1984/95	1985/96	1986/97	1987/88	1988/89	Demand
288	TARUNG	288	LAND	M2	140	TG-SW-R	-40 LU	TRE	0 LU	0 LU	0 LU	0 LU	N2
				M2	380	TG-SW-1	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	TRE
			LAND	M2	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	TRE
				M2	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	TRE
			LAND	M2	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	TRE
				M2	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	TRE
			NS	M2	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	TRE
				M2	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	TRE
			SUB	0 SYS	140	TG-TR-2	-2 SNS	TRE	0 SNS	0 SNS	0 SNS	0 SNS	0 SNS
				CCT	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	CCT
			JUNCTION	CCT	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	CCT
			LOCAL	CCT	140	TG-CA	380 SSP	SSP	380 SSP	380 SSP	380 SSP	380 SSP	510 SSP
				SSP	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	SSP
			SUB	SSP	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	SSP
			LAND	SSP	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	SSP
			BUILDING	M2	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	M2
				M2	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	M2
			LAND	M2	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	TRE
				M2	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	TRE
			BUILDING	M2	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	TRE
				M2	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	TRE
			TJ.S	M2	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	TRE
				M2	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	TRE
			NS	M2	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	TRE
			SUB	M2	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	TRE
				M2	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	TRE
			JUNCTION	CCT	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	CCT
				CCT	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	CCT
			LOCAL	CCT	140	TRE	140 LU	TRE	140 LU	140 LU	140 LU	140 LU	CCT
				SSP	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	SSP
			SUB	SSP	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	SSP
			SUB	SSP	380	TRE	380 LU	TRE	380 LU	380 LU	380 LU	380 LU	SSP

IMPLEMENTATION PLAN

Table

F2.5 : १०३६ - ३८. वाचः

Table

IMPLEMENTATION PLAN

FILE : POS-37-WK1

No.	Exchange Name	Area Code	Sub System	Existing		Supply Volume	Implementation Schedule					Capacity	Demand	Remarks
				Type	Capacity		1/2/3/4/1	2/3/4/1	2/3/4/1	2/3/4/1	2/3/4/1			
73	PEDALOGAN	285	LAND		M2									M2
			BUILDING		M2									M2
			TLS	PEAK	10,000 LU	PK-SW-2	630 LU	170 TRK						
							LU	TRK	LU	TRK	LU	TRK	LU	
							LU	TRK	LU	TRK	LU	TRK	LU	
							LU	TRK	LU	TRK	LU	TRK	LU	
							LU	TRK	LU	TRK	LU	TRK	LU	
							LU	TRK	LU	TRK	LU	TRK	LU	
							LU	TRK	LU	TRK	LU	TRK	LU	
			SUS				TRK		TRK		TRK		TRK	
								TRK		TRK		TRK		
									TRK		TRK		TRK	
			SUJ	O-MW	20 SNS	PK-TR-2	-2-5 SNS							26 SNS
					8 SNS	PK-TR-1		4 SNS						CCT
						CCT		CCT						CCT
							CCT	CCT						CCT
							CCT	CCT						CCT
							CCT	CCT						CCT
							CCT	CCT						CCT
							CABLE	4,850 SSP	PK-CA	10,810 SSP				15,460 SSP
							ON-GOING	4,500 SSP		SSP				4,500 SSP
							RES	SUB		SUB				SUB
								SUB		SUB				SUB
									M2	M2				M2
74	BANDAR SEDAYU	285	LAND		M2									M2
			BUILDING		M2									M2
			TLS	ABH	60 LU	PK-SW-2	-80 LU	TRK			0 LU	TRK		
					LU	TRK	200 LU	TRK			280 LU	TRK		
						LU	TRK	LU	TRK		LU	TRK		
							LU	TRK	LU	TRK		LU	TRK	
							LU	TRK	LU	TRK		LU	TRK	
								TRK		TRK		TRK		
			MS											
			SUJ	OCT	PK-TR-1		1 SNS							1 SNS
							CCT		CCT					CCT
							CCT		CCT					CCT
							CCT		CCT					CCT
							CCT		CCT					CCT
							JUNCTION							
			LOCAL	CABLE	60 SSP	PK-CA	260 SSP							60 SSP
					SSP		SSP							SSP
				RES	SUB	PK-RS	15 SUB							15 SUB
							SUB							SUB

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Existing		Unit No.	Supply Volume	Implementation Schedule				End of REPELITA-VI	Capacity	Demand	Remarks	
				Type	Capacity			1/2,3	4	1/2,3	4					
				TRX	800 LU			TRX	PK-SW-R	-800 LU	TRX					
75	BATANG	285	LAND	TRX	M2											
			BUILDING	EMDFA	800 LU	TRX	PK-SW-R	-800 LU	TRX			OLU	TRX		I2	
				LU	TRX	PK-SW-1	1,360 LU	TRX				1,360 LU	TRX		I2	
				LU	TRX		LU	TRX				LU	TRX		I2	
				LU	TRX		LU	TRX				LU	TRX		I2	
				LU	TRX		LU	TRX				LU	TRX		I2	
				LU	TRX		LU	TRX				LU	TRX		I2	
				4 SWS		CCT						LU	TRX		I2	
						CCT							TRX			
						CCT							TRX			
						CCT							TRX			
			JUNCTION			CCT							TRX			
			LOCAL	CABLE		SPP		SPP		SPP		SPP		SPP		
				RSS		SUB		SUB		SUB		SUB		SUB		
						SUB		SUB		SUB		SUB		SUB		
						SUB		SUB		SUB		SUB		SUB		
76	NEDONGMANI	285	LAND	TRX	M2											
			BUILDING	ABH	200 LU	TRX	PK-SW-R	-200 LU	TRX			0 LU	TRX		M2	
				LU	TRX	PK-SW-1	560 LU	TRX				560 LU	TRX		M2	
				LU	TRX		LU	TRX				LU	TRX		M2	
				LU	TRX		LU	TRX				LU	TRX		M2	
				LU	TRX		LU	TRX				LU	TRX		M2	
				LU	TRX		LU	TRX				LU	TRX		M2	
				4 SWS		PK-TR-2		-1 ENB					3 ENB			
						CCT							CCT			
						CCT							CCT			
			JUNCTION			CCT							CCT			
			LOCAL	CABLE		CCT		CCT		CCT		CCT		CCT		
				ON GOING	1,200 SPP								SPP		1,200 SPP	
				RSS	SUB	PK-RS						80 SUB		80 SUB		50 SUB
						SUB		SUB		SUB		SUB		SUB		50 SUB

IMPLEMENTATION PLAN

FILE : 1994-29.WK1

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit	Supply Volume	Implementation Schedule					Demand	Remarks
								No.	10/04/95	10/05/95	10/06/95	10/07/95		
79	WIRGESA	205	LAND	NS	PK-SF	LU	240	M2						
			BUILDING	NS	PK-SF	LU	NS							
			TLS	GLU	PK-SW-1	280 LU	TRK							
				LU	TRK	LU	TRK							H2
				LU	TRK	LU	TRK							TRK
				LU	TRK	LU	TRK							LU
				LU	TRK	LU	TRK							TRK
				LU	TRK	LU	TRK							LU
				LU	TRK	LU	TRK							TRK
				NS										
			SAL	CCT	PK-TK-1	1 SWS								1 SWS
				CCT										CCT
				CCT										CCT
				CCT										CCT
				CCT										CCT
				CCT										CCT
			LOCAL	CABLE	SSP	PK-CA	360 SSP							360 SSP
				SSP										SSP
			RSS	SUB			SSB							SUB
				SUB			SUB							SUB
				NS										
80	COMAL	205	LAND	NS			NS							
			BUILDING	NS			NS							
			TLS	APK2022	280 LU	PK-SW-R	-280 LU	TRK						
				LU	TRK	550 LU	TRK							550 LU
				LU	TRK	LU	TRK							LU
				LU	TRK	LU	TRK							TRK
				LU	TRK	LU	TRK							LU
				LU	TRK	LU	TRK							TRK
				NS			TRK							TRK
			SAL	PK-3	4 SWS	PK-TK-2	-1 SWS							3 SWS
				CCT										CCT
				CCT										CCT
				CCT										CCT
			JUNCTION	CCT										CCT
			LOCAL	CABLE	500 SSP	PK-CA	400 SSP							500 SSP
				RSS	SUB		SUB							SUB
				SUB			SUB							SUB

IMPLEMENTATION PLAN

IMPLEMENTATION PLAN

Table

FLG : 1906-42 VVK:

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule				Capacity	Demand	Remarks	
								186495	186558	186697	186758				
63	PASAKAN	285	LAND	M2	M2	M2	M2	1	2	3	4	1	2	3	
	BUILDING			M2	TRK	WS-SW-R	-800 LU	TRK				34	1	2	
TLS	AS206	080 LU		LU	TRK	WS-SW-1	1,780 LU	TRK				34	1	2	
				LU	TRK			LU	TRK				34	1	2
				LU	TRK			LU	TRK				34	1	2
				LU	TRK			LU	TRK				34	1	2
				LU	TRK			LU	TRK				34	1	2
				LU	TRK			LU	TRK				34	1	2
NS				TRK				TRK					TRK		
SUJ	PO	8	SYS	CCT	CCT	CCT	CCT						TRK		
				CCT	CCT	CCT	CCT						SYS		
				CCT	CCT	CCT	CCT						CCT		
				CCT	CCT	CCT	CCT						CCT		
				CCT	CCT	CCT	CCT						CCT		
				CCT	CCT	CCT	CCT						CCT		
LOCAL	CABLE	(16) SSP	WS-CA	1,310 SSP											
ON-GOING		750 SSP			SSP										
RSS		SUB	WS-FS	281 SUB											
			SUB			SUB									
	LAND	M2		M2									M2		
	BUILDING	M2		M2									M2		
TLS		LU	TRK	LU	TRK	LU	TRK						TRK		
		LU	TRK	LU	TRK	LU	TRK						TRK		
		LU	TRK	LU	TRK	LU	TRK						TRK		
		LU	TRK	LU	TRK	LU	TRK						TRK		
		LU	TRK	LU	TRK	LU	TRK						TRK		
NS			TRK				TRK						TRK		
SUJ			TRK				TRK						TRK		
			CCT				CCT						CCT		
			CCT				CCT						CCT		
			CCT				CCT						CCT		
JUNCTION			CCT				CCT						CCT		
LOCAL	CABLE	(16) SSP			SSP								CCT		
			SSP				SSP						SSP		
	RSS	SUB			SUB								SUB		
			SUB			SUB							SUB		

IMPLEMENTATION PLAN

FILE : POS-43WK

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule					Demand								
								1	2	3	4	1									
55	KEBUMEN	287	LAND		M2			1	2	3	4	1	2	3	4	1	2	3	4		
			BUILDING		M2																
			T/S	ENDERA	1,000 LU	TRK	KM-SW-R	-1,000 LU	-16 TRK			0 LU	0 TRK								
			AER208	40 LU	TRK	KM-SW-R	-40 LU	-40 LU	TRK			0 LU	0 TRK								
					LU	TRK	KM-SW-1	2,630 LU	118 TRK			2,630 LU	118 TRK								
					LU	TRK		LU	TRK			LU	TRK								
					LU	TRK		LU	TRK			LU	TRK								
					LU	TRK		LU	TRK			LU	TRK								
					IS	TRK		IS	TRK			IS	TRK								
	SUJ		C-MW		4 SPS	KM-TR-1	5 SPS					17 SPS									
			PA-3		8 SPS			CCT				CCT									
			JUNCTION		CCT			CCT				CCT									
			LOCAL CABLE		900 SSP	KM-CA	2,370 SSP					3,270 SSP									
					SSP	TY-1st	1,800 SSP					1,800 SSP									
			RES		SUB	KM-PS	11 SUB					11 SUB									
					SUB		919					919									
56	ZOMBONG	287	LAND		M2																
			BUILDING		M2																
			T/S	AER208	600 LU	TRK	KM-SW-R	-600 LU	TRK			0 LU	0 TRK								
					LU	TRK	KM-SW-1	1,500 LU	TRK			1,500 LU	TRK								
					LU	TRK		LU	TRK			LU	TRK								
					LU	TRK		LU	TRK			LU	TRK								
					LU	TRK		LU	TRK			LU	TRK								
					IS	TRK		IS	TRK			IS	TRK								
	SUJ		JUNCTION		CCT	KM-TR-1	3 SPS					3 SPS									
			ON-GOING		CCT			CCT				CCT									
			LOCAL CABLE		(AT) SSP	KM-CA	1,320 SSP					1,320 SSP									
			ON-GOING		1,040 SSP			SSP				1,040 SSP									
			RES		SUB	KM-BS	18 SUB					18 SUB									
					SUB																

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit	Supply Volume	Instillation No.	Implementation Schedule					End of REPELITA-VI	Remarks											
									1984/85	1985/86	1986/87	1987/88	Capacity													
87	KARANGANAR	287	LAND	M2					1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4		
			BULDING	M2					M2				M2				M2									
			TLS	ABK200	200 LU	TRK	KM-SW-R	-	200 LU		TRK							0 LU		TRK						
					LU	TRK	KM-SW-1		80 LU		TRK							80 LU		TRK						
					LU	TRK			LU		TRK							LU		TRK						
					LU	TRK			LU		TRK							LU		TRK						
					LU	TRK			LU		TRK							LU		TRK						
					LU	TRK			LU		TRK							LU		TRK						
					LU	TRK			LU		TRK							LU		TRK						
					MS																					
					SUM																					
88	KUTOMNANGAN	287	LAND	M2					M2				M2				M2									
			BULDING	M2					M2				M2				M2									
			TLS	ABK200	200 LU	TRK	KM-SW-R	-	200 LU		TRK							0 LU		TRK						
					LU	TRK	KM-SW-1		570 LU		TRK							570 LU		TRK						
					LU	TRK			LU		TRK							LU		TRK						
					LU	TRK			LU		TRK							LU		TRK						
					LU	TRK			LU		TRK							LU		TRK						
					LU	TRK			LU		TRK							LU		TRK						
					MS																					
					SUM																					

Table : IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit	Supply Volume No.	Implementation Schedule				Capacity	Demand	Remarks
								1984/05	1985/06	1986/07	1987/06			
88	KEDUS	281	LAND		M2		M2					M2		
			BUILDING		M2		M2					M2		
		TLS	ENDESA	3,200 LU	102 TRK	KS-SW-R	-200 LU	-102 TRK				0 LU	0 TRK	
			ABISCO	22 LU	TRK	KS-SW-R	-25 LU	TRK				0 LU	TRK	
				LU	TRK	KS-SW-1	7,115 LU	248 TRK				7,115 LU	248 TRK	
				LU	TRK		1 LU	TRK				1 LU	TRK	
				LU	TRK		1 LU	TRK				1 LU	TRK	
				LU	TRK		1 LU	TRK				1 LU	TRK	
				TRK				TRK				TRK		
		SUJ	C-HW	20 SNS	KS-TR-1		2 SNS					44 SNS		
			PA-J	8 SNS	KS-TR-2		8 SNS					CCF		
				CCT				CCT				CCF		
				CCT				CCT				CCF		
				CCT				CCT				CCF		
				CCT				CCT				CCF		
			JUNCTION											
			LOCAL	CABLE	6,020 SSP	KS-CA	5,630 SSP					11,860 SSP		
				ON-GOING	3,600 SSP		SSP					3,600 SSP		
			RSS	SUB	SUB		SUB					SUB		
			SUJ	SUB	SUB		SUB					SUB		
89	BANGSAI	281	LAND		M2		M2					M2		
			BUILDING		M2		M2					M2		
		TLS	ABISCO	200 LU	TRK	KS-SW-R	-200 LU	TRK				200 LU	TRK	
				LU	TRK	KS-SW-1	670 LU	TRK				470 LU	TRK	
				LU	TRK		1 LU	TRK				1 LU	TRK	
				LU	TRK		1 LU	TRK				1 LU	TRK	
				LU	TRK		1 LU	TRK				1 LU	TRK	
				LU	TRK		1 LU	TRK				1 LU	TRK	
				TRK				TRK				TRK		
			SUJ	CCT	KS-TR-1		1 SNS					1 SNS		
				CCT				CCT				CCF		
				CCT				CCT				CCF		
			JUNCTION					CCT				CCF		
			LOCAL	CABLE	200 SSP	KS-CA	400 SSP					500 SSP		
				RSS	SUB		SUB					SUB		
				SUJ	SUB		SUB					SUB		

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit	Supply Volume	Implementation Schedule				Capacity	Demand	Remarks		
								1994/05	1995/05	1996/05	1997/05					
61	DEMACK	291	LAND		M2			1	2	3	4	1	2	3	4	2,3,4
			BUILDING		M2							0LU				M2
	TAS		ASH	10 LU	TRK	NS-SW-R	-10 LU					0LU				M2
			EMOPA	1,000 LU	TRK	NS-SW-R	-1,000 LU					0LU				TRK
					LU	TRK	NS-SW-1	3,60 LU				3,60 LU				TRK
					LU	TRK		LU				LU				TRK
					LU	TRK		LU				LU				TRK
					LU	TRK		LU				LU				TRK
	MS				TRK											TRK
	SLU		D-MW	1 SYS	NS-TR-2		5 SYS					5 SYS				5 SYS
					CCT							CCT				CCT
					CCT							CCT				CCT
					CCT							CCT				CCT
			JUNCTION		CCT							CCT				CCT
			LOCAL	CABLE	716 SSP	KS-C4		2010 SSP				3,60 SSP				3,60 SSP
					SSP			SSP				SSP				SSP
				HSS	SUB	KS-HS		160 SUB				160 SUB				160 SUB
					SUB			SUB				SUB				SUB
62	JEPPARA	291	LAND		M2							0LU				M2
			BUILDING		M2							2,36 LU				M2
	TLS		ENSO-K	886 LU	TRK	NS-SW-R	-886 LU					0LU				TRK
					LU	TRK	NS-SW-1	2,36 LU				2,36 LU				TRK
			ASH200	10 LU	TRK	NS-SW-R	-10 LU					0LU				TRK
					LU	TRK		LU				LU				TRK
					LU	TRK		LU				LU				TRK
					LU	TRK		LU				LU				TRK
				MS	TRK											TRK
				SLU	D-MW	3 SYS	NS-TR-2		1 SYS			4 SYS				4 SYS
					CCT							CCT				CCT
					CCT							CCT				CCT
			JUNCTION		CCT							CCT				CCT
			LOCAL	CABLE	1,60 SSP	KS-C4		2,70 SSP				3,70 SSP				3,70 SSP
					SSP							SSP				SSP
				HSS	SUB							SUB				SUB
					SUB							SUB				SUB

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule						Demand	Remarks
								1984/95	1985/96	1986/97	1987/98	1988/99	1989/00		
98 KEELING	201	LAND	M2	TRK	K5-SW-R	-100 LU	TRK					0 LU	TRK	M2	M2
		BUILDING	M2	TRK	K5-SW-1	100 LU	TRK					100 LU	TRK	M2	M2
		TLS	AEN/620	100 LU	TRK		TRK						TRK	M2	M2
				LU	TRK		TRK						TRK	M2	M2
				LU	TRK		TRK						TRK	M2	M2
				LU	TRK		TRK						TRK	M2	M2
				LU	TRK		TRK						TRK	M2	M2
				LU	TRK		TRK						TRK	M2	M2
				LU	TRK		TRK						TRK	M2	M2
		MS		TRK			TRK						TRK	M2	M2
99 SAL	201	CCT	AS-TR-1			1 SYS							1 SYS		
		CCT					CCT						CCT		
		CCT					CCT						CCT		
		CCT					CCT						CCT		
		CCT					CCT						CCT		
		CCT					CCT						CCT		
		CCT					CCT						CCT		
		CCT					CCT						CCT		
		CCT					CCT						CCT		
		CCT					CCT						CCT		
100 JUNTION	201	LOCAL CABLE	SP SSP	KS-CA		150 SSP							150 SSP		
			SSP			SSP							SSP		
			SUB			SUB							SUB		
			SUB			SUB							SUB		
			SUB			SUB							SUB		
			SUB			SUB							SUB		
			SUB			SUB							SUB		
			SUB			SUB							SUB		
			SUB			SUB							SUB		
			SUB			SUB							SUB		
101 PEKANGMAN	201	LAND	M2	TRK			TRK						TRK	M2	M2
		BUILDING	M2	TRK	K5-SW-R	-200 LU	TRK					0 LU	TRK	M2	M2
		TLS	AEN/620	200 LU	TRK	K5-SW-1	540 LU	TRK				540 LU	TRK	M2	M2
			LU	TRK			LU	TRK				LU	TRK	M2	M2
			LU	TRK			LU	TRK				LU	TRK	M2	M2
			LU	TRK			LU	TRK				LU	TRK	M2	M2
			LU	TRK			LU	TRK				LU	TRK	M2	M2
			LU	TRK			LU	TRK				LU	TRK	M2	M2
			LU	TRK			LU	TRK				LU	TRK	M2	M2
		AS					TRK						TRK		
102 PA-3	201		TRK				TRK						TRK		
			B-SFB				CCT						B-SFB		
			CCT				CCT						CCT		
			CCT				CCT						CCT		
			CCT				CCT						CCT		
103 RSS	201	CABLE	300 SSP	KS-CA											
			SSP										SSP		
			SUB										SUB		
			SUB										SUB		
			SUB										SUB		

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Existing	Installation	Implementation Schedule							Demand	Remarks		
								Supply Volume	No.	1984/05	1985/05	1986/05	1987/05	1988/05	1989/05			
SE PURWOADI GROBogan	202	LAND				M2		M2								M2		
		BUILDING				M2		M2								M2		
		TLS	ENUTSA	800 LU	30 TRK	PWD-SW-R	-800 LU	-38 TRK							0 LU	0 TRK		
				LU	TRK	PWD-SW-1	3180 LU	131 TRK							3180 LU	130 TRK		
				LU	TRK		LU	TRK							LU	TRK		
				LU	TRK		LU	TRK							LU	TRK		
				LU	TRK		LU	TRK							LU	TRK		
				LU	TRK		LU	TRK							LU	TRK		
		MS														TRK		
																TRK		
SLU DI-KW RA-3	202	LOCAL	CABLE	4 SVS	PWD-TR-2		1 SVS									SVS	SVS	
				8 SVS	PWD-TR-1		4 SVS									CCT	CCT	
							CCT									CCT	CCT	
							CCT									CCT	CCT	
							CCT									CCT	CCT	
			JUNCTION				CCT									CCT	CCT	
							CCT									CCT	CCT	
							CCT									CCT	CCT	
							CCT									CCT	CCT	
							CCT									CCT	CCT	
SE GOGONG	202	LOCAL	CABLE	600 SSP	PWD-C4		3,570 SSP									4,370 SSP	4,370 SSP	
					SSP		SSP									SSP	SSP	
			RSS		SUB		SUB								SUB	SUB		
							SUB									SUB	SUB	
							SUB									SUB	SUB	
							SUB									SUB	SUB	
							SUB									SUB	SUB	
							SUB									SUB	SUB	
							SUB									SUB	SUB	
							SUB									SUB	SUB	
SLU DI-KW RA-3	202	LAND				M2		M2								M2	M2	
		BUILDING				M2		M2								M2	M2	
		TLS	AB-620	150 LU	TRK	PWD-SW-R	-150 LU	-TRK							0 LU	TRK		
				LU	TRK	PWD-SW-1	350 LU	TRK							350 LU	TRK		
				LU	TRK		LU	TRK							LU	TRK		
				LU	TRK		LU	TRK							LU	TRK		
				LU	TRK		LU	TRK							LU	TRK		
				LU	TRK		LU	TRK							LU	TRK		
				LU	TRK		LU	TRK							LU	TRK		
				LU	TRK		LU	TRK							LU	TRK		
SLU DI-KW RA-3	202	MS														TRK	TRK	
																TRK	TRK	
																TRK	TRK	
																TRK	TRK	
																TRK	TRK	
																TRK	TRK	
																TRK	TRK	
																TRK	TRK	
																TRK	TRK	
																TRK	TRK	
SLU DI-KW RA-3	202	LOCAL	CABLE	120 SSP	PWD-C4		360 SSP									600 SSP	600 SSP	
					SSP		SSP									SSP	SSP	
			RSS		SUB		SUB								SUB	SUB		
					SUB		SUB									SUB	SUB	
																	SUB	

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area	Sub System	Existing		Supply Volume	Implementation Schedule						End of REPELTA-VI	Demand	Remarks	
				Type	Capacity		1	2	3	4	5	6	7			
57	GUBUNG	282	LAND	AC	100											M2
			BUILDING	AC	100											M2
			TLS	TRK	PWD-SW-A	200 LU	TRK									
				LU	TRK	PWD-SW-1	-200 LU	TRK								
				LU	TRK		70 LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LS	TRK		LU	TRK								
				SLU	TRK		LU	TRK								
				SLU	PA-3	8 SSP	CCT									
					CCT		CCT									
					CCT		CCT									
					CCT		CCT									
					CCT		CCT									
					JUNCTION											
					LOCAL	CABLE	160 SSP	PWD-QA	150 SSP	150 SSP	150 SSP	M2				
						ESP		ESP	ESP	ESP	ESP	ESP	ESP	ESP	ESP	
						ASS		SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	
						ASS		SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	
58	WINDSARI	282	LAND	AC	100											M2
			BUILDING	AC	100											M2
			TLS	TRK	PWD-SW-A	200 LU	TRK									
				LU	TRK	PWD-SW-1	-200 LU	TRK								
				LU	TRK		550 LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LU	TRK		LU	TRK								
				LS	TRK		LU	TRK								
				SLU	TRK		LU	TRK								
				SLU	PA-3	200 SSP	CCT									
					CCT		CCT									
					CCT		CCT									
					CCT		CCT									
					CCT		CCT									
					CCT		CCT									
					CCT		CCT									
					CABLE	200 SSP	PWD-QA	200 SSP	200 SSP	200 SSP	M2					
					ASS		SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	

IMPLEMENTATION PLAN

FILE : 1P38-50.WX.1

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Existing		Implementation		Schedule		Demand	Remarks
						Unit No.	Supply Volume	1884/96	1885/96	1886/97	1887/98		
50	MAGEELANG	230	LAND		MG			1	2	3	4	1	MG
			BUILDING		MG			2	3	4	1	2	MG
			T.S.	ENDESA	3,000 LU	102 TRK	MG-SW-R	-3,000 LU	-102 TRK			0 LU,	0 TRK
					LU	TRK	MG-SW-1	3,020 LU	304 TRK			3,020 LU	304 TRK
					LU	TRK		LU	TRK			LU	TRK
					LU	TRK		LU	TRK			LU	TRK
					LU	TRK		LU	TRK			LU	TRK
					LU	TRK		LU	TRK			LU	TRK
					NS	TRK		TRK					TRK
					TRK			TRK					TRK
				DIGITAL	22 SYS	MG-TR-2	8 SIS					36 SIS	
					CCT	MG-TR-1		7 SIS					CCT
					CCT			CCT					CCT
					CCT			CCT					CCT
				JUNCTION	CCT	MG-JC-1	5 SYS					5 SIS	
					CCT			CCT					CCT
			LOCAL	CABLE	600 SSP			SSP				6,000 SSP	
			ON-GOING		1,450 SSP	N-2HC		1,000 SSP				3,000 SSP	
			RSS	SUB	MG-RS			208 SUB				208 SUB	
					SUB			SUB				SUB	
					LAND	MG-SF		800 MG					MG
					BUILDING	MG-SF		210 MG					MG
					T.S.	0 LU	MG-SW-1	3,030 LU	TRK			3,030 LU	TRK
						LU	TRK		LU	TRK		LU	TRK
						LU	TRK		LU	TRK		LU	TRK
						LU	TRK		LU	TRK		LU	TRK
						LU	TRK		LU	TRK		LU	TRK
						LU	TRK		LU	TRK		LU	TRK
						TRK			TRK				TRK
						TRK			TRK				TRK
						CC	MG-TR-1	6 SIS				6 SIS	
						CC			CC				CC
						CC			CC				CC
				JUNCTION		MG-JC-1						5 SIS	
						CC			CC				CC
			LOCAL	CABLE		SSP	MG-JA		5,860 SSP			5,860 SSP	
				RSS	SUB		SUB		SUB			SUB	SUB

Table

IMPLEMENTATION PLAN

FREQUENCY - 25 VMS

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule	End of REPUELA-VI				Remarks
									1	2	3	4	
101	MANESO	260	LAND BUILDING	M2		M2		1984/36	1985/36	1986/07	1997/06	1998/09	FREQUENCIES
				M2		M2							
				TLS	EMDEA	200(LU)	TBK	MG-SW-R	-200(LU)	TBK		0(LU)	
				M2		M2		MG-SW-I	970(LU)	TBK		970(LU)	
				M2		M2				TBK		LU	
				M2		M2				TBK		LU	
				M2		M2				TBK		LU	
				M2		M2				TBK		LU	
102	MUNILAN	280	LAND	M2		M2				TBK		LU	FREQUENCIES
				M2		M2				TBK		LU	
				M2	4 MVN	4 SNS	CCT			CCT		4 SNS	
				M2		M2	CCT			CCT		SUB	
				M2		M2	CCT			CCT		SUB	
				M2		M2	CCT			CCT		SUB	
				M2		M2	CCT			CCT		SUB	
				M2		M2	CCT			CCT		SUB	
103	ARAYAT	290	LAND	M2		M2		ON-GOING	200(SSP)	MG-CB	1,180 SSP	1,380 SSP	FREQUENCIES
				M2	RSS	SSUB			608			SUB	
				M2	RSS	SSUB			308			SUB	
				M2		M2				M2		M2	
				M2	AIR206	800(LU)	TBK	MG-SW-R	-600(LU)	TBK		0(LU)	
				M2	LU	TBK	MG-SW-I	1,710(LU)	TBK		1,710(LU)	TBK	
				M2	LU	TBK			LU	TBK		LU	
				M2	LU	TBK			LU	TBK		LU	
104	LICAN	300	CABLE	M2		M2				TBK		LU	FREQUENCIES
				M2	4 MVN	4 SNS	CCT			CCT		4 SNS	
				M2		M2	CCT			CCT		SUB	
				M2		M2	CCT			CCT		SUB	
				M2		M2	CCT			CCT		SUB	
				M2		M2	CCT			CCT		SUB	
				M2		M2	CCT			CCT		SUB	
				M2		M2	CCT			CCT		SUB	
105	TALIBON	310	CABLE	M2		M2		ON-GOING	240(SSP)	MG-CB	1,670 SSP	2,200 SSP	FREQUENCIES
				M2	RSS	SSUB							
				M2	RSS	SSUB							
				M2		M2							
				M2		M2							
				M2		M2							
				M2		M2							
				M2		M2							
106	TALIBON	320	CABLE	M2		M2		ON-GOING	240(SSP)	MG-CB	1,670 SSP	2,200 SSP	FREQUENCIES
				M2	RSS	SSUB							
				M2	RSS	SSUB							
				M2		M2							
				M2		M2							
				M2		M2							
				M2		M2							
				M2		M2							

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Existing		Unit No.	Supply Volume	Implementation Schedule				Capacity	Demand	Remarks
				Type	Capacity			1994/26	1995/30	1996/07	1997/08			
103	TEHANGGUNG	252	LAND	MG	MG	MG	MG	1234	1234	1234	1234	1234	1234	M2
			BULDING	MG	MG	MG	MG	MG	MG	MG	MG	MG	MG	M2
			TLS	ENSO	1,46 LU	TRK	MG-SW-2	3,850 LU	TRK	TRK	TRK	TRK	TRK	TRK
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				MG	MG	MG	MG	MG	MG	MG	MG	MG	MG	M2
				TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	M2
			SUB	DIGITAL	MG-TR-2	SYS	MG-TR-2	4 SBS	CCT	CCT	CCT	CCT	CCT	CCT
									CCT	CCT	CCT	CCT	CCT	CCT
			JUNCTION						CCT	CCT	CCT	CCT	CCT	CCT
									CCT	CCT	CCT	CCT	CCT	CCT
			LOCAL	CABLE	2,000 SSP	MG-C4	MG-C4	5,720 SSP	SPP	SPP	SPP	SPP	SPP	SPP
						SSP	TV-1st	800 SSP	SPP	SPP	SPP	SPP	SPP	SPP
			RSS		SUB	MG-RS	MG-RS	20 9 UB	SUB	SUB	SUB	SUB	SUB	SUB
						SUB	SUB	9 UB	SUB	SUB	SUB	SUB	SUB	SUB
104	TEMPURAN	253	LAND	MG	MG	MG	MG	240 M2	MG-SF	MG-SF	MG-SF	MG-SF	MG-SF	M2
			BULDING	MG	MG	MG	MG	MG	MG	MG	MG	MG	MG	M2
			TLS	MG	MG	MG	MG	MG	MG	MG	MG	MG	MG	M2
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU
				MG	MG	MG	MG	MG	MG	MG	MG	MG	MG	M2
			SUB		MG	MG	MG	MG	MG	MG	MG	MG	MG	M2
					MG	MG	MG	MG	MG	MG	MG	MG	MG	M2
			JUNCTION											
			LOCAL	CABLE	MG	MG	MG	MG	MG	MG	MG	MG	MG	M2
					SSP	MG-TR-1	MG-TR-1	1 SBS	MG-TR-1	MG-TR-1	MG-TR-1	MG-TR-1	MG-TR-1	MG-TR-1
			RSS		SUB	MG-RS	MG-RS	22 SUB	SUB	SUB	SUB	SUB	SUB	SUB
						SUB	SUB	22 SUB	SUB	SUB	SUB	SUB	SUB	SUB

P10-52

IMPLEMENTATION PLAN

四庫全書

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule				Remarks	
								End of REPELTA-VI					
								1864/95	1865/96	1866/97	1867/98		
107	SUKOREJO	294	LAND	W2			102	1	2	3	4	1 2 3 4 1 2 3 4 1 2 3 4	
			BUILDING	W2			102					M2	
			TLS	AB2025	200 LU	TRK	KL-SW-R	-200 LU	TRK			R2	
				L2		TRK	KL-SW-1	800 LU	TRK				
				L2		TRK	L2	TRK				OLU TRK	
				L2		TRK	L2	TRK				800LU TRK	
				L2		TRK	L2	TRK				L2 TRK	
				L2		TRK	L2	TRK				L2 TRK	
				L2		TRK	L2	TRK				L2 TRK	
				L2		TRK	L2	TRK				L2 TRK	
			MS			TRK		TRK				TRK	
						TRK		TRK				TRK	
			SLU	CCT	KL-TR-1		2 SSP					2 SSP	
				CCT								CCT	
			JUNCTION	CCT								CCT	
			LOCAL	CABLE	370 SSP	KL-CA	600 SSP					CCT	
				SSP			SSP					CCT	
			RS	SUB			SUB					SST	
				SUB			SUB					SST	
			108	WELEI	294	LAND	W2					SSP	
				BUILDING	W2		102					SUB	
				TLS	AB2025	410 LU	TRK	KL-SW-R	410 LU	TRK		M2	
				L2		TRK	KL-SW-1	1500 LU	TRK			M2	
				L2		TRK	L2	TRK				1500 LU TRK	
				L2		TRK	L2	TRK				L2 TRK	
				L2		TRK	L2	TRK				L2 TRK	
				L2		TRK	L2	TRK				L2 TRK	
				L2		TRK	L2	TRK				L2 TRK	
				SLU	O-NWW	4 SSP						4 SSP	
				ON-GND	CCT							CCT	
				RS	SUB		SUB					CCT	
				RS	SUB		SUB					CCT	
												1300 SSP (REMOVAL)	
												800 SSP	
												SUB	
												SUB	

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule					Demand Capacity	Remarks								
								1	2	3	4	1	2	3	4	1	2	3	4	5	6	
109	PATT	205	LAND			M2																
TLS	EMDPSA	1,200 LU	PT-SW-R	TRK	82	PT-SW-R	-1,000 LU	-62	TRK								DLU	0 TRK				
AB-HD20		10 LU	PT-SW-R	TRK		PT-SW-R	-10 LU	-10	TRK								DLU	0 TRK				
LS		LU	PT-SW-1	TRK		PT-SW-1	2,000 LU	104	TRK								3,000 LU	194 TRK				
SU	DIGITAL		TRK			TRK			TRK								LU	TRK				
RA-2		10 STS	PT-TR-2				-8+15 STS										21 STS	CCT				
		16 STS	PT-TR-1				2 STS											CCT				
JUNCTION			CCT						CCT									CCT				
LOCAL	CABLE	2,000 SSP	PT-CA				1050 SSP										5,000 SSP					
		SSP						SSP									SSP					
RSS		SUB	PT-RN				147 SUB										147 SUB					
110	JWANA	205	LAND			M2			M2								SUB	SUB				
TLS	BUILDING		PT-SW-R	TRK	300 LU	PT-SW-R	-300 LU	-300	TRK								DLU	TRK				
AB-HD20		LU	PT-SW-1	TRK		PT-SW-1	2,000 LU	TRK									2,000 LU	TRK				
AS		LU	TRK			TRK			LU	TRK							LU	TRK				
LS		LU	TRK			TRK			LU	TRK							LU	TRK				
D-NPN		8 SSP							LU	TRK							LU	TRK				
JUNCTION			CCT						CCT								9 SSP	CCT				
LOCAL	CABLE	300 SSP	PT-CA					200 SSP									3,120 SSP	CCT				
		SSP							SSP									SSP				
RSS		SUB	PT-RN						SUB									22 SSP				
		SUB																	SUB			

IMPLEMENTATION PLAN

Table

FIG E : 1208-55 WK 1

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule				Demand
								1984/95	1985/86	1986/87	1987/88	
End of PEPEITA-VI												
Existing	Installation							1	2	3	4	
								1	2	3	4	
								1	2	3	4	
								1	2	3	4	
111	LASEM	205	LAND		M2		M2					M2
	BUILDING				M2		M2					M2
TLS	AB2222	300 LU	TRX	PT-SW-R	-300 LU		TRX				0 LU	TRX
		LU	TRX	PT-SW-1	800 LU		TRX				800 LU	TRX
		LU	TRX				LU	TRX			LU	TRX
		LU	TRX				LU	TRX			LU	TRX
		LU	TRX				LU	TRX			LU	TRX
		LU	TRX				LU	TRX			LU	TRX
AS			TRX				TRX					TRX
		TRX					TRX					TRX
SU	PA-3	6 SYS	PT-13-2				-2+2 SWB				8 SS	
		CCT					CCT				CCT	
		CCT					CCT				CCT	
		CCT					CCT				CCT	
		CCT					CCT				CCT	
JUNCTION			CCF				CCF				CCF	
LOCAL	CABLE	200 SSP	PT-CA				700 SSP				1,000 SSP	
		SSP					SSP				SSP	
	RSS		PT-RS				112 SIS				112 SIS	
		SUB					SUB				SUB	
		M2					M2				M2	
112	PEMBANG	205	LAND		M2		M2					M2
	BUILDING				M2		M2					M2
	EMD/NV	1,000 LU	TRX	PT-SW-R	-1,000 LU		TRX				0 LU	TRX
	EMD/O	1,500 LU	TRX	PT-SW-2	2,000 LU		TRX				3,500 LU	TRX
		LU	TRX				LU	TRX			LU	TRX
		LU	TRX				LU	TRX			LU	TRX
		LU	TRX				LU	TRX			LU	TRX
		LU	TRX				LU	TRX			LU	TRX
AS		TRX					TRX					TRX
SU	O-MW	2 SIS	PT-13-2				-2+2 SIS				12 SS	
	PA-3	6 SIS					CCT				CCT	
		CCT					CCT				CCT	
		CCT					CCT				CCT	
JUNCTION			CCF				CCF				CCF	
LOCAL	CABLE	740 SSP	PT-CA				1,440 SSP				SSP	
		SSP					SSP				SSP	
	RSS	SUB	PT-RS				64 SIS				64 SIS	
		SUB					SUB				SUB	

IMPLEMENTATION PLAN

४८

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Existing			Installation			Implementation Schedule			End of PEPELTIA-VI		
				Capacity	Type	No.	Supply Volume	Unit No.	1984/85	1985/86	1986/87	1987/88	Capacity	Demand	Remarks
115	BLORA	285	LAND	NO	NO	NO	NO	NO	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
			BUILDING	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
TLS			EWSO	800 LU	42 TRK	BLA-SW-2	1,720 LU	74 TRK					2140 LU	116 TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
IS				NO	TRK		NO	TRK					TRK	TRK	
				NO	TRK		NO	TRK					TRK	TRK	
SLU	D-MAN			3 SYS	BLA-TR-2		4 SYS						10 SPS	10 SPS	
				CCT	BLA-TR-1		CCT						CCT	CCT	
				CCT			CCT						CCT	CCT	
				CCT			CCT						CCT	CCT	
JUNCTION				CCT			CCT						CCT	CCT	
LOCAL	CABLE		2200 SSP	BLA-CA	2,530 SSP		2,530 SSP						4,730 SSP	4,730 SSP	
			SSP		SSP		SSP						SSP	SSP	
RSS			SUB	BLA-RS	27 SPS		27 SPS						27 SPS	27 SPS	
			SUB				SUB						SUB	SUB	
116	SEFU	286	LAND	NO	NO	NO	NO	NO					NO	NO	
			BUILDING	NO	NO	NO	NO	NO					NO	NO	
TLS			ADRS1	800 LU	TRK	BLA-SW-R	-800 LU	TRK					2440 LU	2440 LU	
				LU	TRK	BLA-SW-1	2,440 LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
IS				NO	TRK		NO	TRK					TRK	TRK	
SLU	D-MAN		7 SYS	BLA-TR-2	1 SPS		1 SPS						8 SPS	8 SPS	
			CCT		CCT		CCT						CCT	CCT	
			CCT		CCT		CCT						CCT	CCT	
JUNCTION			CCT		CCT		CCT						CCT	CCT	
LOCAL	CABLE		1416 SSP	BLA-CA	2,220 SSP		2,220 SSP						4,036 SSP	4,036 SSP	
			SSP	SUB	BLA-RS		SUB						SUB	SUB	
			SUB				SUB						SUB	SUB	

Table

IMPLEMENTATION PLAN

FILE: I/P00-SCW41

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Existing		Installation		Implementation Schedule				Demand	Remarks		
						No.	Unit No.	Supply Volume	Unit No.	Supply Volume	1995/96	1996/97	1997/98	1998/99			
117	NGAWEN	206	LAND		N2	N2	N2	100 LU	TRK	BLA-SW-R	-100 LU	TRK	—	—	N2		
			BUILDING		N2	N2	N2	TRK	BLA-SW-1	200 LU	TRK	—	—	0 LU	TRK		
					LU	LU	LU	TRK	—	LU	TRK	—	—	200 LU	TRK		
					LU	LU	LU	TRK	—	LU	TRK	—	—	LU	TRK		
					LU	LU	LU	TRK	—	LU	TRK	—	—	LU	TRK		
					LU	LU	LU	TRK	—	LU	TRK	—	—	LU	TRK		
					LS	LS	LS	TRK	—	LU	TRK	—	—	LU	TRK		
					TRK	TRK	TRK	TRK	—	TRK	TRK	—	—	TRK	TRK		
					CCT	CCT	CCT	CCT	BLA-TR-1	1 SYS	—	—	—	1 SYS			
					CCT	CCT	CCT	CCT	—	—	—	—	—	CCT	CCT		
					CCT	CCT	CCT	CCT	—	—	—	—	—	CCT	CCT		
					CCT	CCT	CCT	CCT	—	—	—	—	—	CCT	CCT		
					CCT	CCT	CCT	CCT	—	—	—	—	—	CCT	CCT		
					CCT	CCT	CCT	CCT	—	—	—	—	—	CCT	CCT		
					CABLE	100 SSP	BLA-Ca	270 SSP	—	—	—	—	—	370 SSP	SSP		
					SSP	SSP	SSP	SSP	—	—	—	—	—	SSP	SSP		
					ISS	SUB	BLA-RS	31 SUB	—	—	—	—	—	31 SUB	SSB		
					SUB	SUB	SUB	SUB	—	—	—	—	—	SUB	SUB		
					LS	LS	LS	LS	—	—	—	—	—	LS	LS		
					LAND	N2	N2	N2	—	—	—	—	—	N2	N2		
					BUILDING	N2	N2	N2	TRK	BLA-SW-R	-200 LU	TRK	—	—	0 LU	TRK	
					LU	LU	LU	TRK	BLA-SW-1	400 LU	TRK	—	—	400 LU	TRK		
					LU	LU	LU	TRK	—	LU	TRK	—	—	LU	TRK		
					LU	LU	LU	TRK	—	LU	TRK	—	—	LU	TRK		
					LU	LU	LU	TRK	—	LU	TRK	—	—	LU	TRK		
					LU	LU	LU	TRK	—	LU	TRK	—	—	LU	TRK		
					TRK	TRK	TRK	TRK	—	TRK	TRK	—	—	TRK	TRK		
					TRK	TRK	TRK	TRK	—	TRK	TRK	—	—	TRK	TRK		
					CCT	CCT	CCT	CCT	BLA-TR-1	1 SYS	—	—	—	1 SYS			
					CCT	CCT	CCT	CCT	—	—	—	—	—	CCT	CCT		
					CCT	CCT	CCT	CCT	—	—	—	—	—	CCT	CCT		
					CCT	CCT	CCT	CCT	—	—	—	—	—	CCT	CCT		
					CCT	CCT	CCT	CCT	—	—	—	—	—	CCT	CCT		
					CASE	200 SSP	BLA-Ca	200 SSP	—	—	—	—	—	350 SSP	SSP		
					SSP	SSP	SSP	SSP	—	—	—	—	—	SSP	SSP		
					SUB	SUB	BLA-RS	200 SUB	—	—	—	—	—	200 SUB	SUB		
					SUB	SUB	SUB	SUB	—	—	—	—	—	SUB	SUB		

IMPLEMENTATION PLAN

FILE: IRP-AD-HC1

No.	Exchange Name	Area	Sub System	Type	Capacity	Existing	Installation	Implementation Schedule					End of REPELTA-VI	Demand	Remarks					
								Unit	No.	Supply Volume	1984/95	1985/96	1986/97	1987/98	1988/99					
119	SALATGA	288	LAND	NE	NE			1	2	3	4	1	2	3	4	1	2	3	4	
			BUILDING	NE	NE			NE								NE				
			LINE	40 LU	TRK	SA-SW-R	-40 LU	TRK		0 LU						TRK				
			ENDFA	1,200 LU	TRK	SA-SW-R	-1,200 LU	TRK		0 LU						0 TRK				
				LU	TRK	SA-SW-1	8,340 LU	TRK		8,340 LU						8,340 LU	16 TRK			
				LU	TRK		LU	TRK		LU					LU		TRK			
				LU	TRK		LU	TRK		LU					LU		TRK			
				LU	TRK		LU	TRK		LU					LU		TRK			
				TRK				TRK							TRK					
			SLU	D-MW	9 SYS	SA-TR-2		TRK		2 SYS						TRK				
					CCT			CCT								11 SYS				
					CCT			CCT								CCT				
					CCT			CCT								CCT				
					CCT			CCT								CCT				
					CCT			CCT								CCT				
					CCT			CCT								CCT				
			LOCAL	CABLE	2,600 SSP	SA-CA	9,000 SSP									11,650 SSP				
			ON-GOING	3,400 SSP			SSP									3,400 SSP				
			ROSS	SUB	SUB		SUB									SSB				
					SLU		SLU									SLB				
120	AKBARAWA	288	LAND	NE	NE											NE				
			BUILDING	NE	NE											NE				
			TLAS	EWHD-K	470 LU	TRK	SA-SW-R	-470 LU	TRK		1,350 LU					0 LU				
				LU	TRK	SA-SW-1	1,350 LU	TRK								1,350 LU				
				LU	TRK		LU	TRK		LU					LU		TRK			
				LU	TRK		LU	TRK		LU					LU		TRK			
				LU	TRK		LU	TRK		LU					LU		TRK			
				MS				TRK							TRK					
			SLU	D-MW	4 SYS			CCT								4 SYS				
					CCT			CCT								CCT				
					CCT			CCT								CCT				
					CCT			CCT								CCT				
			JUNCTION																	
			LOCAL	CABLE	(SA) SSP	SA-CA										1,610 SSP				
			ON-GOING	1,100 SSP												1,100 SSP				
			ROSS	SSB												SSB				
				SLB												SSB				

PART 11

IMPLEMENTATION PROGRAM FOR

WITEL VII

Table
IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Existing		Unit No.	Supply Volume	Implementation Schedule				Capacity	Demand	Remarks	
				Type	Capacity			1/2/3/4/5	1/2/3/4/5	1/2/3/4/5	1/2/3/4/5				
1 SSY. KAPASAN	TLS	31	LAND BUILDING	M2		M2		1/2/3/4/5	1/2/3/4/5	1/2/3/4/5	1/2/3/4/5	1/2/3/4/5	1/2/3/4/5	FILE: IOT-01-WK1	
			EMDFA	10,000 LU	TRK	SB-SW-R	-9,000 LU	TRK					0 LU	TRK	
			ENSD	6,000 LU	TRK	SB-SW-2	31,910 LU	TRK					37,910 LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
SSY. KARANGPLANG	TLS	31	LAND BUILDING	M2		M2		1/2/3/4/5	1/2/3/4/5	1/2/3/4/5	1/2/3/4/5	1/2/3/4/5	1/2/3/4/5	FILE: IOT-01-WK1	
			ENSD	3,000 LU	TRK	SB-SW-2	3,000 LU	TRK					6,000 LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				LU	TRK		LU	TRK					LU	TRK	
				MS	TRK		MS	TRK					MS	TRK	
					TRK			TRK					TRK	TRK	
JUNCTION	FO	31	CABLE	SSP	SB-Ca		SSP	SB-Ca	24,650 SSP				42,944 SSP	SSP	FILE: IOT-01-WK1
			RSS	SUB	SUB		SUB	SUB	SUB				SUB	SUB	
				SUB	SUB		SUB	SUB	SUB				SUB	SUB	
LOCAL	RA-3	139 SVS	CASE	16,194 SSP	SB-Ca		SSP	SB-Ca	24,650 SSP				42,944 SSP	SSP	FILE: IOT-01-WK1
				RSS	SUB		SUB	SUB	SUB				SUB	SUB	
JUNCTION	FO	46 SVS	SSY. KARANGPLANG	LAND	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	FILE: IOT-01-WK1
				BUILDING	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	
				ENSD	3,000 LU	TRK	SB-SW-2	3,000 LU	TRK				6,000 LU	TRK	
					LU	TRK		LU	TRK				LU	TRK	
					LU	TRK		LU	TRK				LU	TRK	
JUNCTION	FO	46 SVS	SSY. KARANGPLANG	LAND	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	FILE: IOT-01-WK1
				BUILDING	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	
				ENSD	3,000 LU	TRK	SB-SW-2	3,000 LU	TRK				6,000 LU	TRK	
					LU	TRK		LU	TRK				LU	TRK	
					LU	TRK		LU	TRK				LU	TRK	
LOCAL	RA-3	46 SVS	SSY. KARANGPLANG	CABLE	SSP	SB-Ca	SSP	SB-Ca	24,650 SSP				42,944 SSP	SSP	FILE: IOT-01-WK1
				RSS	SUB	SUB	SUB	SUB	SUB				SUB	SUB	

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule				End of REPEUTA-VI		Remarks	
								1984/95	1985/96	1986/97	1987/98	1988/99	Capacity	Demand	
3	SEY. KEBALEN	31	LAND	M2	M2	M2	M2	1,2	3	4	1	2	3	4	REPEUTA-VI
			BUILDING	M2	M2	M2	M2	1,2	3	4	1	2	3	4	
			TLS	MCDC	10,000 LU	TRK	SB-SW-R	-10,000 LU	TRK	LU	TRK	LU	TRK	LU	
			EWSD	7,000 LU	TRK	SB-SW-2	15,400 LU	TRK	LU	TRK	20,450 LU	TRK	LU	TRK	
				LU	TRK	SB-SW-1	10,000 LU	TRK	LU	TRK	10,000 LU	TRK	LU	TRK	
			MCDC	LU	4,258 TRK	SB-SC-9	LU	-4,268 TRK	LU	TRK	0	TRK	LU	TRK	
			EWSD	LU	5,130 TRK	SB-SC-2	LU	4,670 TRK	LU	TRK	10,000 TRK	TRK	LU	TRK	
				LU	TRK	SB-SC-1	LU	2,750 TRK	LU	TRK	2,200 TRK	TRK	LU	TRK	
			HS	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	
			SU	DIGITAL	236 SIS	TEL-V	12 SIS	347 SIS	12 SIS	347 SIS	307 SIS	307 SIS	307 SIS	307 SIS	
4	SEY. BAHSEC	31	LAND	CCT	BACKBONE	CCT	347 SIS	347 SIS	347 SIS	347 SIS	CCT	CCT	CCT	CCT	REPEUTA-VI
			TLS	CCT	SB-TR-12	CCT	-2+11 SIS	-2+11 SIS	-2+11 SIS	-2+11 SIS	CCT	CCT	CCT	CCT	
			LOCAL CABLE	136 CCT	SATELLITE	136 CCT	57 CCT	57 CCT	57 CCT	57 CCT	233 CCT	233 CCT	233 CCT	233 CCT	
			EWNSPC	702 CCT	CCT	CCT	CCT	CCT	CCT	CCT	702 CCT	702 CCT	702 CCT	702 CCT	
			JUNCTION	FONDBLE	223 SIS	TEL-V	126 SIS	126 SIS	126 SIS	126 SIS	1,021 SIS	1,021 SIS	1,021 SIS	1,021 SIS	
			PA-3	310 SIS	SB-JC-12	310 SIS	302 SIS	302 SIS	302 SIS	302 SIS	CCT	CCT	CCT	CCT	
			LOCAL CABLE	21,300 SSP	SB-CA	21,300 SSP	32,800 SSP	32,800 SSP	32,800 SSP	32,800 SSP	54,100 SSP	54,100 SSP	54,100 SSP	54,100 SSP	
			HS	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	
			SU	SSB	SSB	SSB	SSB	SSB	SSB	SSB	SSB	SSB	SSB	SSB	
			LAND	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	
5	SEY. BAHSEC	31	BUILDING	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	REPEUTA-VI
			TLS	EWSD	1,000 LU	TRK	SB-SW-2	1,270 LU	TRK	LU	TRK	2,270 LU	TRK	LU	TRK
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	
				LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	
			HS	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	
			SU	CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	
			JUNCTION	CABLE	7 SIS	36 SIS	36 SIS	36 SIS	36 SIS	36 SIS	43 SIS	43 SIS	43 SIS	43 SIS	
			PA-3	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	
6	SEY. BAHSEC	31	LOCAL CABLE	SSB	SSB	SSB	SSB	SSB	SSB	SSB	SSB	SSB	SSB	SSB	REPEUTA-VI

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Existing		Unit No.	Supply Volume	Implementation Schedule				Capacity	Demand	Remarks
				Type	Capacity			1984/85	1985/86	1986/87	1987/88			
5	SEY. DARMO	31	LAND	M2		M2		1.2	3.4	1.2	3.4	1.2	3.4	M2
			BUILDING	M2		M2								M2
	TLS	ENSD	25,000 LU	TRK	0 LU	TRK				25,000 LU		TRK		
			LU	TRK	SB-SW-1	16,360 LU	TRK			19,360 LU		TRK		
			LU	TRK		LU	TRK			LU		TRK		
			LU	TRK		LU	TRK			LU		TRK		
			LU	TRK		LU	TRK			LU		TRK		
			LU	TRK		LU	TRK			LU		TRK		
	MS			TRK		TRK						TRK		
			SLU	CCT		CCT						CCT		
			SLU	CCT		CCT						CCT		
			SLU	CCT		CCT						CCT		
			SLU	CCT		CCT						CCT		
			SLU	CCT		CCT						CCT		
	JUNCTION	ZO		111 SYS	SB-JC-2	34 SYS						214 SYS		
		RA-3		69 SYS		CCT						CCT		
	LOCAL	CABLE	53,400 SEP	SB-C4	28,360 SSP							62,760 SSP		
			SSP		SSP							SSP		
		FSS	SUB	SUB	SUB							SUB		
			SUB	SUB	SUB							SUB		
	6	SEY. INOKO	31	LAND	M2	M2	M2					M2		
			BUILDING	M2		M2						M2		
	TLS	ENSD	4,000 LU	TRK	SB-SW-2	9,000 LU	TRK				12,010 LU		TRK	
			LU	TRK		LU	TRK				LU		TRK	
			LU	TRK		LU	TRK				LU		TRK	
			LU	TRK		LU	TRK				LU		TRK	
			LU	TRK		LU	TRK				LU		TRK	
			LU	TRK		LU	TRK				LU		TRK	
			MS	TRK		TRK						TRK		
			SLU	CCT		CCT						CCT		
			SLU	CCT		CCT						CCT		
	JUNCTION	ZO		42 SYS		CCT						CCT		
		AA-3		22 SYS		CCT						CCT		
	LOCAL	CABLE	SSP	SB-C4	12,000 SSP							SSP		
			SSP		SSP							SSP		
		FSS	SUB	SUB	SUB							SUB		
			SUB	SUB	SUB							SUB		

三一三

IMPLEMENTATION PLAN

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area	Sub System	Type	Capacity	Unit	Supply Volume	Implementation Schedule						Demand	Remarks	
								No.	1	2	3	4	1	2		
9	SSY KENLERAN	SI	LAND	M2	M2	M2	M2	150456	199536	199617	199798	199899	199999	21,000 LU	TRX	
		BUILDING	M2	M2	M2	M2	M2								M2	
	TLS	ENSD	9,500 LU	TRX	SB-SM-2	11,500 LU	TRX	LU	TRX	LU	TRX	LU	TRX	LU	TRX	
				LU	TRX			LU	TRX	LU	TRX	LU	TRX	LU	TRX	
				LU	TRX			LU	TRX	LU	TRX	LU	TRX	LU	TRX	
				LU	TRX			LU	TRX	LU	TRX	LU	TRX	LU	TRX	
				LU	TRX			LU	TRX	LU	TRX	LU	TRX	LU	TRX	
				LU	TRX			LU	TRX	LU	TRX	LU	TRX	LU	TRX	
		MS		TRX			TRX		TRX		TRX		TRX		TRX	
		SLU		CCT			CCT		CCT		CCT		CCT		CCT	
				CCT			CCT		CCT		CCT		CCT		CCT	
				CCT			CCT		CCT		CCT		CCT		CCT	
				CCT			CCT		CCT		CCT		CCT		CCT	
		JUNCTION	F0	51 SS	53 SS	53 SS	53 SS	CCF	CCF	CCF	CCF	CCF	CCF	CCF	CCF	
				R-A-3	CABLE	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	
		LOCAL	ON GOING		14,000 SSP	SB-C4		17,500 SSP								SSP
			RSS		SUB		SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	
10	SSY MANTAR	SI	LAND	M2	M2	M2	M2								M2	
		BUILDING	M2	M2	M2	M2	M2								M2	
	TLS	PRX	3,072 LU	TRX	SB-SM-A	-3,072 LU	TRX					0 LU	TRX			
			LU	TRX	SB-SM-1	23,022 LU	TRX					23,022 LU	TRX			
				LU	TRX			LU	TRX				LU	TRX		
				LU	TRX			LU	TRX				LU	TRX		
				LU	TRX			LU	TRX				LU	TRX		
				LU	TRX			LU	TRX				LU	TRX		
		MS		TRX			TRX		TRX		TRX		TRX		TRX	
		SLU		CCT			CCT		CCT		CCT		CCT		CCT	
				CCT			CCT		CCT		CCT		CCT		CCT	
				CCT			CCT		CCT		CCT		CCT		CCT	
		JUNCTION	F0	81 SS	81 SS	81 SS	81 SS	CCF	CCF	CCF	CCF	CCF	CCF	CCF	CCF	
				R-A-3	CABLE	4,300 SSP	SB-C4	31,200 SSP	SB-C4	35,640 SSP	SB-C4	35,640 SSP	SB-C4	35,640 SSP	SB-C4	
		LOCAL	RSS		SUB		SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	SUB	

IMPLEMENTATION PLAN
Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Existing	Installation	Implementation Schedule					End of REPELITA-VI	Demand	Remarks	
								No.	Unit	Supply Volume	1984/85	1985/86	1986/87	1987/88	1988/89	
11	SBY. MERGOSO	31	LAND	M2	M2			1	LU	1,234	1,234	1,234	1,234	1,234		
			BUILDING	EMSD	14,900 LU	TRK	0 LU	TRK								
				EMSD	25,000 LU	TRK	0 LU	TRK								
				EMSD	25,000 LU	TRK	0 LU	TRK								
				NO. 5ESS	5,000 LU	TRK	SB-SW-2	TRK								
						LU	TRK	LU	TRK							
						LU	TRK	LU	TRK							
				MS	EVSD	544 TRK		1,687 TRK							2,181 TRK	
						TRK		TRK							TRK	
					SUB	CCT		CCT							CCT	
						CCT		CCT							CCT	
						CCT		CCT							CCT	
						CCT		CCT							CCT	
						CCT		CCT							CCT	
						CCT		CCT							CCT	
						FO	162 SYS								465 SSP	
						RA-3	282 SYS								CCT	
						LOCAL CABLE	32,007 SSP	SB-CA	46,760 SSP						72,757 SSP	
						ON-GOING	35,500 SSP		SSP						25,500 SSP	
						RES	SUB	SUB	SUB						SUB	
							SUB	SUB	SUB						SUB	
							SUB	SUB	SUB						SUB	
12	SBY. RUNGKUT I	31	LAND	M2	M2			1	LU	1,234	1,234	1,234	1,234	1,234		
			BUILDING	MOTOC	10,000 LU	TRK	SB-SW-R	-10,000 LU	TRK						0 LU	TRK
				EVSD	5,000 LU	TRK	SB-SW-2	28,400 LU	TRK						28,400 LU	TRK
					SUB	LU	TRK		LU	TRK					LU	TRK
						LU	TRK		LU	TRK					LU	TRK
						LU	TRK		LU	TRK					LU	TRK
						LU	TRK		LU	TRK					LU	TRK
				MS	EMSD	2,944 TRK			2,960 TRK						5,024 TRK	
						TRK			TRK						TRK	
						CCT			CCT						CCT	
						CCT			CCT						CCT	
						CCT			CCT						CCT	
						CCT			CCT						CCT	
						JUNCTION FO	101 SYS	SB-IC-2	269 SSP						460 SSP	
						RA-3	121 SYS	SB-CA	33,610 SSP						52,860 SSP	
						LOCAL CABLE	SB-CA SSP								SB-CA SSP	
						RES	SUB								SUB	
							SUB								SUB	

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Existing		Unit	Supply Volume	Implementation Schedule					End of REPELTA-W	Demand	Remarks	
				Type	Capacity			1	2	3	4	5	6			
13	SBY RANGSUT II	31	LAND	M2		M2		M2		M2		M2		M2		
			BUILDING	M2		M2		M2		M2		M2		M2		
14-S			EWBD (LU)	3,000 LU	TRK	SB-SW-2	4,000 LU	TRK							7,000 LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				TRK		TRK		TRK								TRK
S.U.				CCT		CCT		CCT								CCT
				CCT		CCT		CCT								CCT
				CCT		CCT		CCT								CCT
				CCT		CCT		CCT								CCT
				CCT		CCT		CCT								CCT
JUNCTION				CCT		SB-JC-1	34 SYS	SSP							34 SYS	SSP
				CCT		CCT		CCT								CCT
LOCAL			CABLE	SSP	SB-CA		6,000 SSP	SSP								SSP
				SSP		SSP		SSP								SSP
				SUB		SUB		SUB								SUB
				SUB		SUB		SUB								SUB
14	SBY TANES	31	LAND	M2		M2		M2		M2		M2		M2		M2
			BUILDING	M2		M2		M2		M2		M2		M2		M2
14-S			EWBD	14,000 LU	TRK		0.14	TRK							14,000 LU	TRK
			NO-SESS	6,000 LU	TRK	SB-SW-2	15,170 LU	TRK							21,170 LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				LU	TRK	LU	LU	TRK							LU	TRK
				TRK		TRK		TRK								TRK
				EWBD	2,665 TRK		2,665 TRK								5,334 TRK	
S.U.				CCT		CCT		CCT								CCT
				CCT		CCT		CCT								CCT
				CCT		CCT		CCT								CCT
JUNCTION	FO		25 SYS	SB-JC-2		316 SYS		SSP							450 SYS	
			SA-2	106 SYS		CCT		CCT								CCT
LOCAL			CABLE	21,300 SSP	SB-CA		22,750 SSP	SSP							44,650 SSP	
				SUB		SUB		SUB								SSP
				SUB		SUB		SUB								SUB

IMPLEMENTATION PLAN

Table

ELE:1P07-06-WK:

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule				Demand	Remarks
								1984/95	1985/96	1986/97	1987/98		
15	SEY TU PEAK	91	LAND		102			1,2	3,4	1,2	3,4	1,2	3,4
			BUILDING		M2			M2					M2
			TLS	EWSD	1,000 LU	TRK	SB-SW-2	2,740 LU	TRK	LU	TRK	LU	TRK
					LU	TRK		LU	TRK	LU	TRK	LU	TRK
					LU	TRK		LU	TRK	LU	TRK	LU	TRK
					LU	TRK		LU	TRK	LU	TRK	LU	TRK
					LU	TRK		LU	TRK	LU	TRK	LU	TRK
					LU	TRK		LU	TRK	LU	TRK	LU	TRK
					NS								
						TRK		TRK		TRK		TRK	
						TRK		TRK		TRK		TRK	
					SU	CCT		CCT		CCT		CCT	
						CCT		CCT		CCT		CCT	
						CCT		CCT		CCT		CCT	
					JUNCTION	FO	10 SYS						
						RA-3	44 SYS						
								CCT					CCT
					LOCAL	CABLE	(3,072) SSP	SB-CA	4,110 SSP				4,110 SSP
						ON-GOING	7,400 SSP		SSP				7,400 SSP
						RSS	SUB	SUB	SUB	SUB	SUB	SUB	
							SUB	SUB	SUB	SUB	SUB	SUB	
					16	SEY. WARU I	31	LAND	M2	M2	M2	M2	M2
						BUILDING							
						TLS	EWSD	7,000 LU	TRK	SB-SW-2	10,220 LU	TRK	
							LU	TRK	LU	TRK	LU	TRK	
							LU	TRK	LU	TRK	LU	TRK	
							LU	TRK	LU	TRK	LU	TRK	
							LU	TRK	LU	TRK	LU	TRK	
							LU	TRK	LU	TRK	LU	TRK	
							NS	TRK	LU	TRK	LU	TRK	
								TRK		TRK		TRK	
								CCT		CCT		CCT	
								CCT		CCT		CCT	
								CCT		CCT		CCT	
						JUNCTION	FO	20 SYS	SB-NC-2	4 SYS			84 SYS
							RA-3	22 SYS	SB-CA	CCT			CCT
							LOCAL	CABLE		18,800 SSP			16,800 SSP
							ON-GOING	4,600 SSP	N-260	4,440 SSP			9,200 SSP
							RSS	SUB		SUB			SUB
										SUB			SUB

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit	Supply Volume	Implementation Schedule					End of REPELITA-VI	Demand	Remarks				
								No.	1	2	3	4	1	2	3	4	1	2	3
17	SBV. KAWU II	31	LAND	BUILDING	T-4S	EWED	600 LU	TRK	SB-SW-2	10,220 LU	TRK	LU	LU	LU	LU	LU	LU	LU	LU
18	SBV. SEPANJANG	31	LAND	BUILDING	T-5	EWED	600 LU	TRK	SB-SW-R	-640 LU	TRK	LU	LU	LU	LU	LU	LU	LU	
19	JUNCTION	FO	CABLE	ON-GOING	RSS	27 SIS	6,000 SSP	IV-210	5,000 SSP	16,320 SSP	SSP	SUB	SUB	SUB	SUB	SUB	SUB	SUB	
20	JUNCTION	FO	CABLE	RSS	PA-5	26 SIS	600 SSP	SB-CB	6,220 SSP	SSP	SUB	SUB	SUB	SUB	SUB	SUB	SUB		

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area	Sub System	Type	Capacity	Unit	Supply Volume	Implementation Schedule				Capacity	Demand	Remarks
								No.	1	2	3	4		
19	KRMAN	SI	LAND	M2				M2					M2	
	BUILDING	M2						M2					M2	
TLS	NO-SESS	2,000 LU	TRK	SB-SW-2	4,200 LU	TRK								
		LU	TRK		LU	TRK								
		LU	TRK		LU	TRK								
		LU	TRK		LU	TRK								
		LU	TRK		LU	TRK								
		LU	TRK		LU	TRK								
US			TRK										TRK	
			TRK										TRK	
			CCT										CCT	
			CCT										CCT	
JUNCTION			CCT										CCT	
			CCT	SB-IC-2				27 SIS						
	LOCAL	CABLE	(300) SSP	SB-C4	5,400 SSP									
	ON-GONG		2,000 SSP					SSP						
	RSS		SUB					SUB					SUB	
20	SEORARO	SI	LAND	M2				SUB					SUB	
	BUILDING	M2						M2					M2	
TLS	SESS	20 LU	TRK	SB-SW-A	-20 LU	TRK								
	NO-SESS	5,000 LU	TRK	SB-SW-2	11,600 LU	TRK								
		LU	TRK		LU	TRK								
		LU	TRK		LU	TRK								
		LU	TRK		LU	TRK								
		LU	TRK		LU	TRK								
		LU	TRK		LU	TRK								
		TRK											TRK	
		CCT											TRK	
JUNCTION			CCT	TEL-IV				RE SIS						
			CCT					CCT						
	LOCAL	CABLE	4,700 SSP	SB-C4	17,400 SSP									
	RSS		SUB	N-2ND	6,000 SSP			SUB						
			SUB					SUB					SUB	

IMPLEMENTATION PLAN

IMPLEMENTATION PLAN

卷之三

No.	Exchange Name	Area	Sub System	Type	Capacity	Existing	Installation	Implementation Schedule					Demand	Remarks	
								No.	Unit	Supply Volume	1984/95	1985/86	1986/87		
21	EDWARD GEDDON	SI	LAND		M2			1	2	3	4	1	2	3	4
			BUILDING		M2			2	2	2	2	2	2	2	2
TAS	NO-3555	3,000 LU	TRK	SB-SH-2	19,360 LU	TRK	TRK					21,660 LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
MS			TRK			TRK	TRK					TRK		TRK	
			TRK			TRK	TRK					TRK		TRK	
SU			CCT			CCT	CCT					CCT		CCT	
			CCT			CCT	CCT					CCT		CCT	
JUNCTION			CCT	SB-JC-1				3	SYS			8 SYS			
			CCT			CCT	CCT					CCT		CCT	
LOCAL	CABLE	SSP	SSP	SB-C4		26,040 SSP	SSP					30,240 SSP			
		SSP	IV-21D			22,020 SSP	SSP					22,020 SSP			
		SSP	SB	SB		SB	SB					SB		SB	
			SB			SB	SB					SB		SB	
LAND			M2		M2			4	2	2	2	2	2	2	2
TAS	ENSO	8,385 LU	TRK	SB-SH-2	21,660 LU	TRK	TRK					29,660 LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
		LU	TRK		LU	TRK	TRK					LU		TRK	
MS			TRK			TRK	TRK					TRK		TRK	
SU			CCT			CCT	CCT					CCT		CCT	
JUNCTION	D-NW	C SYS	TEL-IV					5	SYS			105 SYS			
		CCT	SB-JC-2						SYS			CCT		CCT	
LOCAL	CABLE	5,980 SSP	SB-C4					6	SYS			37,740 SSP			
		SSP							SYS			SSP		SSP	
ASS		SUB	SB-RS					7	SUB			340 SUB		340 SUB	
		SUB							SUB			SUB		SUB	

IMPLEMENTATION PLAN

FIGURE: 12.44X;

IMPLEMENTATION PLAN

IMPLEMENTATION PLAN

IMPLEMENTATION PLAN

FILE: 1P07-123456

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Existing			Installation			Implementation Schedule						Demand	Remarks		
				Capacity	Type	Unit No.	Supply Volume	1984/95			1985/86			1986/87					
								1	2	3	4	1	2	3	4	1	2	3	4
27	JOHOR BAHRU	221	LAND	M2	TRK	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	
			BUILDING	M2	TRK	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	
TLS			ABK2021	0 LU	TRK	MRI-SW-8	-20 LU	TRK				0 LU							
ENOKA				1,480 LU	TRK	MRI-SW-1	-1,480 LU	TRK				0 LU							
EWSD				2,500 LU	TRK	MRI-SW-2	5,480 LU	TRK				7,980 LU							
				LU	TRK		LU	TRK				LU							
				LU	TRK		LU	TRK				LU							
				LU	TRK		LU	TRK				LU							
NS					TRK														
SUL	FO			4 SYIS	TEL-LV		15 SYIS												
				CCT			CCT												
				CCT			CCT												
				CCT			CCT												
				CCT			CCT												
JUNCTION				CCT			CCT												
				CCT			CCT												
LOCAL	CABLE			1,700 SSP		MRI-CA		5,810 SSP				7,570 SSP							
				SSP				SSP				SSP							
				SSP		MRI-NS		108 SUB				108 SUB							
				SUB			SUB												
				SUB			SUB												
				SUB			SUB												
28	MOODJUNG	221	LAND	M2	TRK	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	M2	
			BUILDING	ABK2021	240 LU	TRK	MRI-SW-8	-240 LU	TRK			0 LU							
TLS				LU	TRK	MRI-SW-1	1,880 LU	TRK				1,880 LU							
				LU	TRK		LU	TRK				LU							
				LU	TRK		LU	TRK				LU							
				LU	TRK		LU	TRK				LU							
				LU	TRK		LU	TRK				LU							
NS					TRK														
SUL				CCT		MRI-TR-1		3 SYIS				3 SYIS							
				CCT															
				CCT															
JUNCTION				CCT															
				CCT															
LOCAL	CABLE			SSP SSP		MRI-CA		1,980 SSP				2,480 SSP							
				SSP				SSP				SSP							
				SUB		MRI-NS		35 SUB				35 SUB							
				SUB			SUB					SUB							

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Existing		Unit No.	Supply Volume	Implementation Schedule						Capacity	Demand	Remarks	
				Type	Capacity			1	2	3	4	1	2	3			
29	MOOSARI	21	LAND		N2			M2									
			BUILDING		N2			M2									M2
			T.S.	AB6221	310 LU	TRK	D-VTFB	-310 LU	TRK				0 LU	TRK			
					LU	TRK	D-VTFB	2000 LU	TRK				2000 LU	TRK			
					LU	TRK	MR-SW-2	7040 LU	TRK				7040 LU	TRK			
					LU	TRK		LU	TRK				LU	TRK			
					LU	TRK		LU	TRK				LU	TRK			
					LU	TRK		LU	TRK				LU	TRK			
					MS	TRK		TRK					TRK				
						TRK		TRK					TRK				
S.U				CCT	MR-TR-1			11 SWS						11 SWS			
				CCT				CCT						CCT			
				CCT				CCT						CCT			
				CCT				CCT						CCT			
				CCT				CCT						CCT			
JUNCTION				CCT				CCT						CCT			
				CCT				CCT						CCT			
				CCT				CCT						CCT			
				CABLE	(225) SSP	MR-CA		13,000 SSP						13,000 SSP			
				ON-GOING	1,400 SSP			SSP						1,400 SSP			
30	PL030	20	ASS	SUB	MR-PB			19 SUB						19 SUB			
				SUB				SUB						SUB			
				LAND		M2			M2					M2			
				BUILDING		J2			M2					M2			
			T.S.	AB6221	140 LU	TRK	MR-SW-1A	-140 LU	TRK				0 LU	TRK			
					LU	TRK	MR-SW-1	440 LU	TRK				440 LU	TRK			
					LU	TRK		LU	TRK				LU	TRK			
					LU	TRK		LU	TRK				LU	TRK			
					LU	TRK		LU	TRK				LU	TRK			
					LU	TRK		LU	TRK				LU	TRK			
S.U				MS					TRK					TRK			
				CCT	MR-TR-1			1 SWS						1 SWS			
				CCT				CCT						CCT			
				CCT				CCT						CCT			
				CCT				CCT						CCT			
JUNCTION				CCT				CCT						CCT			
				CCT				CCT						CCT			
				CABLE	140 SSP	MR-CA		290 SSP						400 SSP			
				SSP				SSP						SSP			
				ASS	SUB	MR-PB		81 SUB						81 SUB			
S.U				SUB				SUB						SUB			

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit	Supply Volume	Instalation No.	Implementation Schedule					End of REPELTA-VI	Demand	Remarks	
									189426	198596	189027	198798	199899				
31	LAWONGAN	322	LAND	M2		M2		M2	1	2	3	4	1	2	3	4	M2
			BULDING	M2		M2		M2									M2
			TLS	ABK2021	20 LU	TRK	LAG-SW-R	-20 LU									M2
				ENSD	1,000 LU	28 TRK	LAG-SW-2	2910 LU	80 TRK								
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
			MS			TRK											
						TRK											
			SLU	D-MW	4 SVS	CCT											
						CCT											CCT
						CCT											CCT
						CCT											CCT
				JUNCTION		CCT											CCT
						CCT											CCT
				LOCAL	CABLE	60 SSP	LAG-CA	3,600 SSP	SSP								CCT
						SSP											CCT
					ESS	SUB	LHG-RS	351 SUB	SUB								4 SVS
						SUB											
									SUB								
										SUB							
											SUB						
												SUB					
													SUB				
														SUB			
															SUB		
																SUB	
32			LAND	M2		M2		M2									M2
			BULDING	M2		M2		M2									M2
			TLS	ABK2021	LU	TRK	LU	TRK									TRK
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
						LU	TRK	LU	TRK								TRK
			MS			TRK											
				SLU	D-MW	4 SVS	CCT										
						CCT											CCT
						CCT											CCT
					JUNCTION												CCT
						CCT											CCT
					LOCAL	CABLE			SSP								REMOVAL
						ESS			SUB								SSP
						ESS			SUB								
										SUB							
											SUB						
												SUB					
													SUB				
														SUB			

Table IMPLEMENTATION PLAN

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule				Capacity	Demand	Remarks	
								1	2	3	4				
33	SAMPANG	223	LAND		M2				1,2	3,4	1,2	3,4	1,2	3,4	
			BUILDING		M2										M2
		TLS	EWED	SMR-SW-LU	TRK	SMR-SW-2	3,260 LU		TRK						
			ABK2021	30 LU	TRK		-30 LU		TRK						
				LU	TRK			LU		TRK					
				LU	TRK			LU		TRK					
				LU	TRK			LU		TRK					
				LU	TRK			LU		TRK					
				LU	TRK			LU		TRK					
				NS	TRK					TRK					
				TRK						TRK					
				TRK						TRK					
				SLU	D-NW	4 SNS	SMR-TH-2		1 SYS						11 SYS
					CCT	SMR-TH-1		6 SYS							CCT
					CCT					CCT					CCT
					CCT					CCT					CCT
					CCT					CCT					CCT
					CCT					CCT					CCT
					CCT					CCT					CCT
					CCT					CCT					CCT
					CABLE	900 SSP	SMP-CA		4,560 SSP						5,140 SSP
					SSP				SSP						SSP
					SUB	SMP-RS		138 SUB							138 SUB
					SUB	SUB		SUB							SUB
34	KUAL	223	LAND		M2										M2
			BUILDING		M2										M2
		TLS	ABK2021	40 LU	TRK	SMR-SW-R	-40 LU		TRK						
			EVSD-K	380 LU	TRK	SMR-SW-B	-380 LU		TRK						
				LU	TRK	SMR-SW-I	3,166 LU		TRK						
				LU	TRK			LU		TRK					
				LU	TRK			LU		TRK					
				LU	TRK			LU		TRK					
				AS	TRK					TRK					
					TRK					TRK					
				SLU	O-NW	4 SNS	SMR-TR-1		6 STG						10 SNS
					CCT					CCT					CCT
					CCT					CCT					CCT
					CCT					CCT					CCT
					CCT					CCT					CCT
					CABLE	360 SSP	SMP-CA		1,050 SSP						1,450 SSP
					SSP				SSP						SSP
					SUB	SMP-RS		27 SUB							27 SUB
					SUB	SUB		SUB							SUB

IMPLEMENTATION PLAN

Table

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule					Demand	Remarks						
								End of REPEAT-A-VI												
								1984/95	1985/96	1986/97	1987/98	1988/99								
35	PUREKASAN	224	LAND		162			1	2	3	4	1	2	3	4	1	2	3	4	M2
			BUILDING		162			162												M2
			TLS	EWSD	2,500 LU	66 TRK	PLU-SW-2	7,450 LU	194	TRK										
				SIEF36	150 LU	TRK	PLU-SW-R	-130 LU		TRK										
						LU	TRK	LU		TRK										
						LU	TRK	LU		TRK										
						LU	TRK	LU		TRK										
						LU	TRK	LU		TRK										
						LU	TRK	LU		TRK										
						MS	TRK	TRK		TRK										
						SLU	D-NW	* SVS	PLU-TR-1	SVS										
							CCT		SVS											
							CCT		CCT											
							COT		COT											
							COT		COT											
							COT		COT											
							JUNCTION		COT											
								COT		COT										
								COT		COT										
							LOCAL CABLE	1,720 SSP	PLU-DA	10,720 SSP								12,420 SSP		
								SSP	SSP	SSP								SSP		
							ESS	SVS	PLU-EG	158 SSP								158 SSP		
								SVS	SVS	SVS								SVS		
							LAND		162									SVS		
							BUILDING		162									SVS		
							TLS		LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	M2
									LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	M2
									LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	M2
									LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	M2
									LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	TRK	LU	M2
									MS	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	TRK	
									SLU	CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	
										CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	CCT	
										JUNCTION	COT	COT	COT	COT	COT	COT	COT	COT	COT	
										LOCAL CABLE	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	SSP	
											ESS	SVS	SVS	SVS	SVS	SVS	SVS	SVS	SVS	

Table

IMPLEMENTATION PLAN

No.	Exchange Name	Area	Sub System	Code	Existing		Installation		Implementation Schedule				Capacity	Demand	Remarks						
					Type	Capacity	Unit	No.	Supply Volume	1994/95	1995/96	1996/97	1997/98	1998/99							
37 SUMENEP																					
328	LAND		BUILDING		M2		M2	M2		1	2	3	4	1	2	3	4	1	2	3	4
TLS	N-223	1,000	LUU	TRK	SMN-SW-R	-1,000	LUU	TRK						0	LU		TRK				
ABN165	40	LUU	TRK	SMN-SW-R	-40	LUU	TRK						0	LU		TRK					
			LUU	TRK	SMN-SW-1	3,770	LUU	TRK					3,770	LUU		TRK					
			LUU	TRK			LUU	TRK						LU		TRK					
			LUU	TRK			LUU	TRK						LU		TRK					
			LUU	TRK			LUU	TRK						LU		TRK					
			NS	TRK			TRK							TRK		TRK					
SLU	D-MW	3 SYs	SMN-TR-1							6 SSP						9 SSP					
		CCT								CCT						CCT					
		CCT								CCT						CCT					
		CCT								CCT						CCT					
JUNCTION										CCT						CCT					
LOCAL	CABLE	3,200	SSP	SMN-CA					1,350	SSP					4,500	SSP					
		SSP							SSP						SSP						
	RSS	SUB	SMN-RS						219	SUB						219 SUB					
		SUB							SUB						SUB						
328	LAND		BUILDING		M2	PN-SF			570	M2						H2					
					AC	PN-SF	(LUU-GS-1)		140	M2						M2					
TLS	9 LUU		TRK	PN-SW-1		890	LUU		TRK						890 LUU		TRK				
		LUU	TRK				LUU	TRK						LUU		TRK					
		LUU	TRK				LUU	TRK						LUU		TRK					
		LUU	TRK				LUU	TRK						LUU		TRK					
		LUU	TRK				LUU	TRK						LUU		TRK					
		LUU	TRK				LUU	TRK						LUU		TRK					
		NS	TRK				TRK							TRK							
SLU		TRK					TRK							TRK							
JUNCTION		CCT	SMN-TR-1						2	S18						2 S18					
LOCAL	CABLE	CCT	PN-CA						CCT						CCT						
		CCT	SSP						CCT						CCT						
	RSS	SUB	SMN-RS						SUB						SSP						
		SUB							SUB						SUB						
		SUB							SUB						SUB						

IMPLEMENTATION PLAN

Table

FILE:1907-20-VK:

No.	Exchange Name	Area Code	Sub System	Type	Capacity	Unit No.	Supply Volume	Implementation Schedule				Demand
								1984/05	1985/04	1986/03	1987/02	
38 LEMSER												
	LAND		M2			M2		1	2	3	4	
	BUILDING		M2			M2						M2
TLS	EMORGA	3,460 LU	138 TRK	JR-SW-R	-3,460 LU	-138 TRK						
	EWSD	2,300 LU	TRK	JR-SW-2	11,668 LU	TRK						
ABG1610	18 LU	TRK	JR-SW-R	-18 LU	TRK							
		LU	TRK	JR-SC-1	LU	1,348 TRK						
		LU	TRK		LU	TRK						
		LU	TRK		LU	TRK						
VS			TRK			TRK						
			TRK			TRK						
S-LU	D-MVN	61 SVS	TEL-N		24 SVS							
		CCT	J-B MAN EXP		50 SVS							CCT
		CCT	SC AREA		-4+9 SVS							CCT
		CCT	J-B-TR-12		-8+9 SVS							CCT
		CCT				CCT						CCT
	JUNCTION					CCT						CCT
		CCT				CCT						CCT
	LOCAL	CABLE				SSP						SSP
		SSP				SSP						SSP
		SSP				SSP						SSP
	S-LU		SSB		SSB							
		SSB				SSB						SSB
		SSB				SSB						SSB
40 AMBU-LU	LAND		M2			M2						
	BUILDING		M2			M2						
TLS	ABG1607	200 LU	TRK	JR-SW-R	-200 LU	TRK						
		LU	TRK	JR-SW-1	870 LU	TRK						
		LU	TRK		LU	TRK						
		LU	TRK		LU	TRK						
		LU	TRK		LU	TRK						
		LU	TRK		LU	TRK						
		LU	TRK		LU	TRK						
	VS		TRK			TRK						
S-LU		CCT	J-B-TR-1		2 SVS							2 SVS
		CCT				CCT						CCT
		CCT				CCT						CCT
	JUNCTION					CCT						CCT
	LOCAL	CABLE				SSP						SSP
		SSP				SSP						SSP
		SSP				SSB						SSB
		SSB				SSB						SSB

P11-20