

## SUBJECT INDEX

### Table of Subjects with Abbreviations

- General for citrus greening disease and its vectors (A)
- Citrus greening disease (B)
- General (BA)
- Epidemic features and losses due to the infection (BB)
- General (BBg)
- Respective countries and regions (BBa)
- Symptoms and related subjects (BC)
- General (BCg)
- Symptoms (BCs)
- Diagnosis and indexing (BCn)
- Host range (BCh)
- Influences of other kinds of pathogens on the expression of greening symptoms (BCi)
- Etiology (BD)
- General (BDg)
- Electron microscopy (BDe)
- Cytochemical checks (BDc)
- Responses of the greening pathogen to antibiotics (BDr)
- Attempts to isolate and culture the greening pathogen (BDa)
- Forms or strains of the greening pathogen (BDf)
- Transmission (transmission by vectors → CF) (BE)
- General (BEg)
- Transmission by grafting (BEf)
- Mechanical transmission (BEm)
- Transmission via *Cuscuta* spp. (dodder) (BEc)
- Checks for seed transmission (BEp)
- Susceptibility of citrus (BF)
- General (BFg)
- Varietal reactions (BFv)
- Checks for rootstock influence (BFc)
- Countermeasures (BG)
- General (BGg)
- Chemotherapy (BGc)
- Thermotherapy (BGt)
- Trials for cross protection (BGr)
- Establishment of disease-free foundation stocks and propagation of certified budwoods (BGe)
- Preventive and rehabilitation strategies including plant quarantine (BGp)
- Vectors (C)
- General (CA)
- General for *Diaphorina citri* and *Trioza erytrae* (CAg)
- General for *D. citri* (CAd)
- General for *T. erytrae* (CAt)
- Geographical distribution (CB)
- General for *D. citri* and/or *T. erytrae* (CBg)
- D. citri* and *T. erytrae* in respective countries and regions (CBb)
- D. citri* in respective countries and regions (CBc)
- T. erytrae* in respective countries and regions (CBe)
- Taxonomy and morphology (CC)
- Taxonomy of *D. citri* (CCt)
- Taxonomy of *T. erytrae* (CCx)
- Morphology of *D. citri* (CCm)
- Morphology of *T. erytrae* (CCr)
- Biology (CD)

- General for *D. citri* and/or *T. erytrae* (CDg)
- Life history of *D. citri* (see also CEs) (CDI)
- Life history of *T. erytrae* (see also CEn) (CDi)
- Development and reproduction of *D. citri* (CDv)
- Development and reproduction of *T. erytrae* (CDp)
- Behavior of *D. citri* (CDB)
- Behavior of *T. erytrae* (CDe)
- Host range in *D. citri* (CDh)
- Host range in *T. erytrae* (CDs)
- Infestation and population processes (CE)
- General for *D. citri* and/or *T. erytrae* (CEg)
- Infestation of *D. citri* and resultant damage (CEi)
- Infestation of *T. erytrae* and resultant damage (CEf)
- Seasonal fluctuations in *D. citri* populations (CEs)
- Seasonal fluctuations in *T. erytrae* populations (CEn)
- Influences of biotic and abiotic factors on *D. citri* populations (CEI)
- Influences of biotic and abiotic factors on *T. erytrae* populations (CEu)
- Spatial distribution and dispersal in *D. citri* (CEp)
- Spatial distribution and dispersal in *T. erytrae* (CEb)
- Monitoring *D. citri* populations, including techniques for population estimation (CEm)
- Monitoring *T. erytrae* populations, including techniques for population estimation (CEr)
- Mass rearing of *D. citri* (CEa)
- Mass rearing of *T. erytrae* (CEe)
- Transmission of the greening pathogen by the vectors (CF)
- General for *D. citri* and/or *T. erytrae* (CFg)
- Acquisition of the pathogen by *D. citri* and the following incubation of the pathogen (CFa)
- Acquisition of the pathogen by *T. erytrae* and the following incubation of the pathogen (CFq)
- Transfer of the pathogen by *D. citri* to plants (CFs)
- Transfer of the pathogen by *T. erytrae* to plants (CFf)
- Retention of the pathogen by *D. citri* (CFr)
- Retention of the pathogen by *T. erytrae* (CFn)
- Establishment of greening-free colonies of *D. citri* (CFe)
- Establishment of greening-free colonies of *T. erytrae* (CFb)
- Checking other insect species that were suspected of greening transmissibility (CFo)
- Natural enemies (see also CHb and CHl) (CG)
- General for *D. citri* and/or *T. erytrae* (CGg)
- Primary parasitoids of *D. citri* (CGp)
- Primary parasitoids of *T. erytrae* (CGs)
- Hyperparasitoids associated with *D. citri* (CGh)
- Hyperparasitoids associated with *T. erytrae* (CGy)
- Predators of *D. citri* (CGr)
- Predators of *T. erytrae* (CGe)
- Microorganisms parasitic to *D. citri* (CGm)
- Microorganisms parasitic to *T. erytrae* (CGc)
- Control (CH)
- General for *D. citri* and/or *T. erytrae*

|   |  |
|---|--|
| (CHg)   | Diseases with similarities to greening disease (DA)              |
| Chemical control of <i>D. citri</i> (CHc)   | Citrus dieback in Australia (DAi)                                |
| Chemical control of <i>T. erytrae</i> (CHh)   | Citrus decline in Brazil (DAc)                                   |
| Biological control of <i>D. citri</i> (CHb)   | Other diseases (DAo)   |
| Biological control of <i>T. erytrae</i> (CHI)   | Psylloidea other than <i>D. citri</i> and <i>T. erytrae</i> (DB) |
| Trials or proposals of new methods for controlling <i>D. citri</i> (CHr)                                  | General (DBg)  |
| Trials or proposals of new methods for controlling <i>T. erytrae</i> (CHa)                                | Species indirectly related to greening disease incidence (DBs)   |
| Integrated control and control techniques adopted in preventive strategies against greening disease (CHi) | Other species (DBo)  |
| Plant quarantine for preventing the invasion of the vectors (CHp)   | Countries and regions where research activities took place (DC)  |
| Miscellaneous information (D)   | General (DCg)  |
|   | Respective countries and regions (DCs)                           |

---

Reference number in the bibliography of Part I is given below. Symbol <sup>c</sup> means an article that neither greening disease nor vectors of the disease is dealt with but citation is made in the review article of Part III. Symbol <sup>r</sup>, an article indirectly cited from a review journal.

|  |   |
|--|---|
| A: General for citrus greening disease and its vectors 36 42 44-1 78 148-1 169 319 <sup>r</sup> 337 399 400 410 422 <sup>r</sup> 448 484 532 540 554 | BBa: Epidemic features and losses due to the infection in: Asia (BBaas) 38 224<br>Japan (BBajp) 330 331<br>Mainland China (BBach) 40 74 78 115 <sup>r</sup> 188 189 215 236 274 <sup>r</sup> 275 <sup>r</sup> 554 555<br>Taiwan (BBatw) 284 329 478<br>Southeast Asia (BBase) 74 255<br>the Philippines (BBaph) 16 99 138 139 188 300 302 <sup>r</sup> 305 404 <sup>r</sup> 423 |
| B: Citrus greening disease   |   |
| BA: General 87 113 <sup>r</sup> 135 <sup>r</sup> 154 236 398 <sup>r</sup> 448 450 454 <sup>r</sup> 478   |   |
| BBg: Epidemic features and losses due to the infection, general 36 37 104 262 450 525  |   |

424 526  
 Thailand (BBatl) 59 96 454<sup>r</sup> 455  
 456  
 Malaysia (BBaml) 259  
 Indonesia (BBain) 44 223 425<sup>r</sup>  
 493 494 531  
 Bangladesh (BBabn) 111  
 Nepal (BBanp) 24 97 136 225 255  
 256 257 370 406  
 India (BBaid) 13 155 157 181 192  
 201 288<sup>r</sup> 355 357 358 362<sup>r</sup> 403<sup>r</sup>  
 405<sup>r</sup>  
 Indonesia (BBain) 44 223 425<sup>r</sup>  
 493 494 531  
 Bangladesh (BBabn) 111  
 Nepal (BBanp) 24 97 136 225 255  
 256 257 370 406  
 India (BBaid) 13 155 157 181 192  
 201 288<sup>r</sup> 355 357 358 362<sup>r</sup> 403<sup>r</sup>  
 405<sup>r</sup>  
 Pakistan (BBapk) 116 137 254  
 Afghanistan (BBaag) 171  
 the Arabian peninsula (BBaap)  
 67 70  
 the Yemen Arab Republic (BBaya)  
 144  
 Africa south of the Sahara (BBaar)  
 43  
 Ethiopia (BBaep) 497  
 Kenya (BBakn) 5<sup>r</sup> 462  
 Malawi (BBamw) 32 376<sup>r</sup>  
 Cameroon (BBaca) 33  
 Southern Africa (BBasn) 190  
 Zimbabwe (BBazb) 4<sup>r</sup>

Swaziland (BBasw) 110 457  
 South Africa (BBasf) 2<sup>r</sup> 52<sup>r</sup> 87  
 314 317 337 369 435 440 442 457  
 459  
 Comores (BBacm) 31  
 Mauritius (BBamu) 347 475<sup>r</sup>  
 Reunion (BBaru) 109 187 189  
 BCg: Symptoms and related subjects,  
 general 169 450  
 BCs: Symptoms 2<sup>r</sup> 9<sup>r</sup> 29<sup>r</sup> 33 36 40  
 59 69 74 87 92 99 104 110 111  
 143<sup>r</sup> 149 155 157 182 235 236  
 238 253 255 266 274<sup>r</sup> 275<sup>r</sup> 276<sup>r</sup>  
 291<sup>r</sup> 296<sup>r</sup> 303 305 306<sup>r</sup> 309 310  
 311 314 316 328 329 340 357 369  
 385 401 423 424 435 436 437 440  
 444 446 447 448 452 453 455 456  
 481 484 493 494 514 522 525 527  
 529 542 554 555  
 BCn: Diagnosis and indexing 21 33  
 36 43 44 67 87 88 90 111 118  
 134 139 149 150 159 167 168 186  
 191 192 212 224 230 231 232<sup>r</sup>  
 255 256 257 258 260<sup>r</sup> 264 266  
 285 287<sup>r</sup> 300 310 312 317 326  
 328 330 339 348 354 356 385 408  
 439 440 441 442 444 445 446 448  
 455 460 466 473 475<sup>r</sup> 488 497  
 517<sup>r</sup> 521<sup>r</sup> 525 535 536 537 538  
 539 540  
 BCh: Host range 90 177 209 373<sup>r</sup>  
 374<sup>r</sup> 443 474  
 BCi: Influences of other kinds of  
 pathogens on the expression of

- greening symptoms 11 56 98 113<sup>r</sup>  
 124 155 213 255 278<sup>r</sup> 279<sup>r</sup> 288<sup>r</sup>  
 293 294<sup>r</sup> 295<sup>r</sup> 300 303 305 328  
 361 397 398<sup>r</sup> 399 401 402 403<sup>r</sup>  
 469 473 480 556
- BDg: Etiology, general 28 66 68 74  
 178 217 433 485 525 554
- BDe: Electron microscopy 29<sup>r</sup> 71 123  
 161 162 163 164 165 166 176<sup>r</sup>  
 213 223 235 236 240 245 267 268  
 269 329 330 339 340 341 351 419  
 476 479 484 486 487 488 523 540  
 541<sup>r</sup>
- BDc: Cytochemical checks 165 176<sup>r</sup>
- BDr: Responses of the greening  
 pathogen to antibiotics 68 162  
 165 268 297<sup>r</sup> 298<sup>r</sup> 299 327 359  
 479
- BDa: Attempts to isolate and culture  
 the greening pathogen 120<sup>r</sup> 179  
 180 243 354 400 471<sup>r</sup> 472
- Bdf: Forms or strains of the greening  
 pathogen 34 43 67 69 70 88 120<sup>r</sup>  
 163 169 224 231 271 307 310 408  
 448 449 450 453
- BEg: Transmission, general 169 450
- BEf: Transmission by grafting 74  
 92 163 182 242 246 275<sup>r</sup> 290<sup>r</sup>  
 291<sup>r</sup> 292 296<sup>r</sup> 305 306<sup>r</sup> 309 311  
 312 314 316 317 423 424 447 484  
 494 525 527 529 554
- BEm: Mechanical transmission 92  
 290<sup>r</sup> 305 306<sup>r</sup> 317 443 447
- BEc: Transmission via *Cuscuta* spp.  
 (dodder) 74 163 164 165 177  
 236 244 245 246 285 400 474
- BEp: Checks for seed transmission  
 74 242 306<sup>r</sup> 474  
 (As for the transmission by vectors,  
 refer to CF)
- BFG: Susceptibility of citrus, general  
 None
- BFv: Varietal reactions 9<sup>r</sup> 67 70  
 74 78 80 87 140<sup>r</sup> 142<sup>r</sup> 143<sup>r</sup> 155  
 156 157 170 185 192 236 274<sup>r</sup>  
 305 328 352 360 363<sup>r</sup> 364<sup>r</sup> 369  
 423 425<sup>r</sup> 450 455 480 484 513  
 514 515<sup>r</sup>
- BFc: Checks for rootstock influence  
 122<sup>r</sup> 133<sup>r</sup> 156 157 201 234<sup>r</sup> 276<sup>r</sup>  
 310 311 352 423 519<sup>r</sup>
- BGg: Countermeasures, general 169
- BGc: Chemotherapy 12 28 29<sup>r</sup> 30  
 36 41 42 59 67 80 82 93 94 121<sup>r</sup>  
 129 130<sup>r</sup> 233<sup>r</sup> 235 241 268 297<sup>r</sup>  
 298<sup>r</sup> 300 323<sup>r</sup> 324<sup>r</sup> 327 336 340  
 341 352 353 354 451 458 461 476  
 477 488 492 516<sup>r</sup> 520
- BGt: Thermo-therapy 40 117<sup>r</sup> 211  
 235 241 276<sup>r</sup> 277 280<sup>r</sup> 300 352  
 354 368 409 453 476 477 479 540
- BGr: Trials for cross protection 278<sup>r</sup>  
 300 305 350<sup>r</sup>
- BGe: Establishment of disease-free  
 foundation stocks and propagation  
 of certified budwoods 37 39 40  
 52<sup>r</sup> 78 88 139 154 170 183 184  
 224 228<sup>r</sup> 236 239 255 282 283

- 352 391 401 409 478-1 531 554
- BGp : Preventive and rehabilitation strategies including plant quarantine 16 23 24 32 37 39 40 52<sup>r</sup> 74 78 80 97 99 136 154 184 224 225 236 255 262 263 317 340 352 387 391 405<sup>r</sup> 440 456 462 478 493 525 531 554
- C : Vectors
- CAG : General for *Diaphorina citri* and *Trioza erytrae* 34 325
- CAd : General for *D. citri* 160 221 320
- CAt : General for *T. erytrae* 200 507 512<sup>r</sup>
- CBg : Geographical distribution, general for *D. citri* and/or *T. erytrae* 34 36 73 104 204 205 221 229 308 325 553
- CBb : Geographical distribution of *D. citri* and *T. erytrae* in :  
the Arabian peninsula (CBbap) 67 70  
Saudi Arabia (CBbsb) 533  
Reunion (CBbru) 45 46 47 109 147 273<sup>r</sup>
- CBc : Geographical distribution of *D. citri* in :  
Asia and the Pacific region (CBcac) 153  
Japan (CBcjp) 325 326 332 333 483  
Mainland China (CBcch) 74 115<sup>r</sup> 207<sup>r</sup> 215 546 554 555
- Hong Kong (CBchk) 95
- Southeast Asia (CBcse) 74
- the Philippines (CBcph) 99 138 334
- Thailand (CBctl) 96 455 456
- Singapore (CBcsg) 349
- Indonesia (CBcin) 22<sup>r</sup> 44 223 420
- Bangladesh (CBcbn) 111
- Nepal (CBcnp) 23 24 97 136 272 370 396
- India (CBcid) 1<sup>r</sup> 13 386<sup>r</sup>
- Pakistan (CBcpk) 137 152<sup>r</sup>
- Afghanistan (CBcag) 152<sup>r</sup>
- Brazil (CBcbr) 35 206
- CBe : Geographical distribution of *T. erytrae* in :  
the Yemen Arab Republic (CBeya) 144  
the Afrotropical Region (CBeat) 208  
Africa south of the Sahara (CBear) 43  
Ethiopia (CBeep) 10 434 497  
Kenya (CBekn) 5<sup>r</sup> 462  
Tanzania (CBetz) 194<sup>r</sup>  
Malawi (CBemw) 32  
Cameroon (CBeca) 33  
Southern Africa (CBesn) 190  
Swaziland (CBesw) 110 457  
South Africa (CBesf) 89 198<sup>r</sup> 369 440 442 457
- CCt : Taxonomy of *D. citri* 73 221 265 308 335 553
- CCx : Taxonomy of *T. erytrae* 89

- 208 377<sup>r</sup>
- CCm: Morphology of *D. citri* 99 221  
553
- CCr: Morphology of *T. erytrae*  
64 65<sup>r</sup> 208 345
- CDg: Biology, general for *D. citri* and/  
or *T. erytrae* 99 198<sup>r</sup> 203 289<sup>r</sup>  
502 508
- CDl: Life history of *D. citri* (see  
also CEs) 25<sup>r</sup> 151<sup>r</sup> 218<sup>r</sup> 219<sup>r</sup> 221  
371 386<sup>r</sup> 464 467<sup>r</sup> 552
- CDi: Life history of *T. erytrae* (see  
also CEn) 27 65<sup>r</sup> 108 145 195<sup>r</sup>
- CDv: Development and reproduction  
of *D. citri* 104 220<sup>r</sup> 221 371 464  
489<sup>r</sup> 552
- CDp: Development and reproduction  
of *T. erytrae* 20 53<sup>r</sup> 107 108  
344 511<sup>r</sup>
- CDb: Behavior of *D. citri* 221 371  
496<sup>r</sup>
- CDe: Behavior of *T. erytrae* 107  
108 345 346 426
- CDh: Host range in *D. citri* 34 36  
39 40 45 46 114 119 172 173<sup>r</sup>  
205 221 308 332 333 334 372<sup>r</sup>  
552 553
- CDs: Host range in *T. erytrae* 10  
33 34 36 43 45 46 108 208 342  
343 497 511<sup>r</sup>
- CEg: Infestation and population  
processes, general for *D. citri* and/  
or *T. erytrae* 34
- CEi: Infestation of *D. citri* and  
resultant damage 14 35 58<sup>r</sup> 78  
99 132<sup>r</sup> 219<sup>r</sup> 221 222<sup>r</sup> 226<sup>r</sup> 236  
325 370 395<sup>r</sup> 531
- CEf: Infestation of *T. erytrae* and  
resultant damage 15<sup>r</sup> 19 20 193<sup>r</sup>  
195<sup>r</sup> 470<sup>r</sup> 511<sup>r</sup> 524<sup>r</sup> 533
- CEs: Seasonal fluctuations in *D. citri*  
populations 22<sup>r</sup> 25<sup>r</sup> 60<sup>r</sup> 74 207<sup>r</sup>  
218<sup>r</sup> 221 248<sup>r</sup> 261 270 289<sup>r</sup> 372<sup>r</sup>  
406 417<sup>r</sup> 496<sup>r</sup> 543 544
- CEn: Seasonal fluctuations in *T.*  
*erytrae* populations 100 102 106  
107 427 428
- CEl: Influences of biotic and abiotic  
factors on *D. citri* populations  
22<sup>r</sup> 23 25<sup>r</sup> 37 60<sup>r</sup> 61<sup>r</sup> 98 99 104  
107 114 126 218<sup>r</sup> 248<sup>r</sup> 270 367  
406 496<sup>r</sup> 543 544 546 555
- CEu: Influences of biotic and abiotic  
factors on *T. erytrae* populations  
10 27 33 36 37 43 45 46 100  
101 102 103 105 106 107 109 112  
190 317 427 428 430 452 499 500  
508 510<sup>r</sup>
- CEp: Spatial distribution and  
dispersion in *D. citri* 38 44 67  
187 189 528
- CEb: Spatial distribution and  
dispersion in *T. erytrae* 108 110  
426 428 430 505
- CEm: Monitoring *D. citri* populations,  
including techniques for population  
estimation 23 24 45 46 47 104  
172 367 393 543

- CEr : Monitoring *T. erytraea* populations, including techniques for population estimation 45 46 47 393 426 427 428 431
- CEa : Mass rearing of *D. citri* 172 489<sup>r</sup>
- CEe : Mass rearing of *T. erytraea* None
- CFg : Transmission of the greening pathogen by the vectors, general 229 341 438 482 493
- CFa : Acquisition of the pathogen by *D. citri* and the following incubation of the pathogen 92 125 210 237 361 486 487 548 549 550 551
- CFq : Acquisition of the pathogen by *T. erytraea* and the following incubation of the pathogen 9<sup>r</sup> 338 340 508
- CFs : Transfer of the pathogen by *D. citri* to plants 16 38 40 91 92 115<sup>r</sup> 169 182 214 246 271 301 303 304<sup>r</sup> 305 306<sup>r</sup> 325 361 402 484 494 525 527 540 548 549 550 551
- CFf : Transfer of the pathogen by *T. erytraea* to plants 9<sup>r</sup> 110 169 307 313 315 316 325 369 484 509 518<sup>r</sup> 525
- CFr : Retention of the pathogen by *D. citri* 92 361 550
- CFn : Retention of the pathogen by *T. erytraea* None
- CFe : Establishment of greening-free colonies of *D. citri* 285
- CFb : Establishment of greening-free colonies of *T. erytraea* 51<sup>r</sup>
- CFo : Checking other insect species that were suspected of greening transmissibility 87 92 110 148<sup>r</sup> 303 305 309 310 311 315 423 424 494 527
- CGg : Natural enemies, general for *D. citri* and/or *T. erytraea* (see also CHb and CHl) 34 36 74 99 198<sup>r</sup>
- CGp : Primary parasitoids of *D. citri* 35 44 67 104 107 109 127 128 128-1 146 172 196 203 218<sup>r</sup> 219<sup>r</sup> 220<sup>r</sup> 221 227 281 366 367 381 392 468 496<sup>r</sup> 530 531 543 544
- CGs : Primary parasitoids of *T. erytraea* 10 20 27 32 33 43 67 101 107 109 141 174 175 203 318 379 380 381 382 383 407<sup>r</sup> 470<sup>r</sup> 501 508 511<sup>r</sup> 512<sup>r</sup>
- CGh : Hyperparasitoids associated with *D. citri* 67 104 127 128 128-1 172 197 220<sup>r</sup> 221 392 468
- CGy : Hyperparasitoids associated with *T. erytraea* 10 18 27 43 101 318 380 381 382
- CGr : Predators of *D. citri* 104 107 126 146 221 418<sup>r</sup> 465 543 544
- CGe : Predators of *T. erytraea* 10 27 103 107 145 146 203 503 506 508 511<sup>r</sup> 512<sup>r</sup>

- CGm: Microorganisms parasitic to *D. citri* 172 545<sup>r</sup> 547
- CGc: Microorganisms parasitic to *T. erytrae* 429
- CHg: Control, general for *D. citri* and/or *T. erytrae* 70 169 262
- CHc: Chemical control of *D. citri* 14 26<sup>r</sup> 40 48 57<sup>r</sup> 58<sup>r</sup> 62 63<sup>r</sup> 98 104 115<sup>r</sup> 126 154 218<sup>r</sup> 219<sup>r</sup> 221 235 247<sup>r</sup> 249<sup>r</sup> 250<sup>r</sup> 251 252 255 261 289<sup>r</sup> 325 353 354 367 388<sup>r</sup> 389 403<sup>r</sup> 421 432<sup>r</sup> 451 456 463 464 490<sup>r</sup> 491<sup>r</sup>
- CHh: Chemical control of *T. erytrae* 67 72<sup>r</sup> 79<sup>r</sup> 80 81<sup>r</sup> 83<sup>r</sup> 84<sup>r</sup> 85<sup>r</sup> 86 195<sup>r</sup> 198<sup>r</sup> 216<sup>r</sup> 321<sup>r</sup> 322<sup>r</sup> 323<sup>r</sup> 324<sup>r</sup> 325 340 341 390<sup>r</sup> 426 451 458 462 504<sup>r</sup> 508 511<sup>r</sup> 518<sup>r</sup> 525 534<sup>r</sup>
- CHb: Biological control of *D. citri* 6<sup>r</sup> 7<sup>r</sup> 8<sup>r</sup> 36 38 42 45 46 127 128 128-1 131<sup>r</sup> 146 147 172 224 272 393 394 468
- CHl: Biological control of *T. erytrae* 6<sup>r</sup> 36 42 45 46 145 146 147 318 393 394 429 498<sup>r</sup>
- CHr: Trials or proposals of new methods for controlling *D. citri* 540
- CHa: Trials or proposals of new methods for controlling *T. erytrae* 426 430
- CHi: Integrated control and control techniques adopted in preventive strategies against greening disease 9<sup>r</sup> 16 34 37 39 49<sup>r</sup> 50 52<sup>r</sup> 74 78 80 86 99 138 184 263 286<sup>r</sup> 352 390<sup>r</sup> 510<sup>r</sup> 531 554
- CHp: Plant quarantine for preventing the invasion of the vectors 422<sup>r</sup> 462
- D: Miscellaneous information
- DAi: Citrus dieback in Australia, a disease similar to greening disease 3<sup>r</sup> 75 76 77
- DAc: Citrus decline in Brazil, a disease similar to greening disease 54<sup>r</sup> 55 378<sup>r</sup> 411 412 413 414 415 416
- DAo: Other diseases with similarities to greening disease 253 375<sup>r</sup> 483
- DBg: Psylloidea other than *D. citri* and *T. erytrae*, general 203
- DBs: Psyllid species indirectly related to greening disease incidence 45 46
- DBo: Other psyllid species 17<sup>c</sup> 158<sup>c</sup> 199<sup>c</sup> 202<sup>c</sup> 495<sup>c</sup>
- DCg: Countries and regions where research activities took place, general 34 36 37 42 44-1 66 69 87 88 104 107 149 150 169 170 178 200 202<sup>c</sup> 203 204 205 217 227 229 230 231 253 308 319<sup>r</sup> 320 325 365<sup>c</sup> 368 408 409 410 422<sup>r</sup> 448 450 451 484 492 495<sup>c</sup> 507 525 530 532
- DCs: Research activities took place

in :

Asia and the Pacific region (DCsac)  
153

Asia (DCsas) 38 39 224

Japan (DCsjp) 123 124 125 209  
265 326 327 328 329 330 331 332  
333 335 483 485 486 487 488

Mainland China (DCsch) 74 78  
115<sup>r</sup> 126 135<sup>r</sup> 148<sup>r</sup> 148-1 188 189  
207<sup>r</sup> 210 215 228<sup>r</sup> 235 236 237  
238 239 240 241 242 243 244 245  
246 274<sup>r</sup> 275<sup>r</sup> 276<sup>r</sup> 277 278<sup>r</sup> 279<sup>r</sup>  
280<sup>r</sup> 282 283 286<sup>r</sup> 391 392 523  
529 535 536 537 538 539 540 541<sup>r</sup>  
542 543 544 545<sup>r</sup> 546 548 549  
550 551 552 554 555 556

Taiwan (DCstw) 127 128 128-1  
129 130<sup>r</sup> 131<sup>r</sup> 197 211 212 213  
214 281 284 309 310 311 329 433  
467<sup>r</sup> 468 476 477 478 478-1 479  
480 489<sup>r</sup> 490<sup>r</sup> 491<sup>r</sup> 496<sup>r</sup> 528 553

Hong Kong (DCshk) 95

Southeast Asia (DCsse) 40 74 148-1  
183 255

the Philippines (DCsph) 16 61<sup>r</sup>  
73 99 138 139 172 182 184 185  
188 285 291<sup>r</sup> 292 293 294<sup>r</sup> 295<sup>r</sup>  
296<sup>r</sup> 297<sup>r</sup> 298<sup>r</sup> 299 300 301 302<sup>r</sup>  
303 304<sup>r</sup> 305 306<sup>r</sup> 334 404<sup>r</sup> 423  
424 526 527

Thailand (DCstl) 59 96 385 454<sup>r</sup>  
455 456

Malaysia (DCsml) 258 259

Singapore (DCssg) 349

Indonesia (DCsin) 22<sup>r</sup> 44 223 348  
366 367 387 420 425<sup>r</sup> 473 474  
493 494 531

Bangladesh (DCsbn) 111

Nepal (DCsnp) 23 24 97 136 225  
255 256 257 272 370 396 406 421

India (DCsid) 1<sup>r</sup> 11 12 13 25<sup>r</sup>  
26<sup>r</sup> 48 56 57<sup>r</sup> 58<sup>r</sup> 60<sup>r</sup> 62 63<sup>r</sup> 90  
91 92 93 94 98 113<sup>r</sup> 114 117<sup>r</sup>  
118 119 120<sup>r</sup> 121<sup>r</sup> 122<sup>r</sup> 132<sup>r</sup> 133<sup>r</sup>  
134 142<sup>r</sup> 151<sup>r</sup> 154 155 156 157  
160 173<sup>r</sup> 176<sup>r</sup> 179 180 181 186  
192 196 201 218<sup>r</sup> 219<sup>r</sup> 220<sup>r</sup> 221  
222<sup>r</sup> 226<sup>r</sup> 232<sup>r</sup> 233<sup>r</sup> 234<sup>r</sup> 247<sup>r</sup> 248<sup>r</sup>  
249<sup>r</sup> 250<sup>r</sup> 251 252 261 264 270  
287<sup>r</sup> 288<sup>r</sup> 289<sup>r</sup> 350<sup>r</sup> 351 352 353  
354 355 356 357 358 359 360 361  
362<sup>r</sup> 363<sup>r</sup> 371 372<sup>r</sup> 373<sup>r</sup> 374<sup>r</sup> 386<sup>r</sup>  
388<sup>r</sup> 389 395<sup>r</sup> 397 398<sup>r</sup> 399 400  
401 402 403<sup>r</sup> 405<sup>r</sup> 417<sup>r</sup> 418<sup>r</sup> 432<sup>r</sup>  
463 465 466 469 471<sup>r</sup> 472 481  
521<sup>r</sup> 522

Pakistan (DCspk) 14 116 137 152<sup>r</sup>  
191 254 464

Afghanistan (DCsag) 152<sup>r</sup> 171

the Arabian peninsula (DCsap)  
67 70

Saudi Arabia (DCssb) 533

the Yemen Arab Republic (DCsya)  
144

Cyprus (DCscy) 375<sup>r</sup>

Australia (DCsau) 3<sup>r</sup> 75 76 77

the Afrotropical region (DCsat)  
18 208 381 383

|  |  |
|--|--|
| Africa south of the Sahara (DCsar)   | 429 430 431 435 436 437 438 439  |
| 43 175   | 440 441 442 443 444 445 446 447  |
| Ethiopia (DCsep) 10 65 <sup>r</sup> 434 497  | 449 452 453 457 458 459 460 461  |
| Kenya (DCskn) 5 <sup>r</sup> 407 <sup>r</sup> 462  | 482 498 <sup>r</sup> 499 500 501 502 503   |
| Uganda (DCsug) 193 <sup>r</sup>  | 504 <sup>r</sup> 505 506 508 509 510 <sup>r</sup> 511 <sup>r</sup>                           |
| Tanzania (Dcstz) 194 <sup>r</sup> 195 <sup>r</sup>   | 512 <sup>r</sup> 513 514 515 <sup>r</sup> 516 <sup>r</sup> 517 <sup>r</sup> 518 <sup>r</sup> |
| Malawi (DCsmw) 32 376 <sup>r</sup> 470 <sup>r</sup>  | 519 <sup>r</sup> 520 534 <sup>r</sup>  |
| Cameroon (DCsca) 33  | Comores (DCscm) 31   |
| Congo (DCsco) 174  | the Mascarene Islands (DCsms) 27   |
| Southern Africa (DCssn) 190 380  | Mauritius (DCsmu) 143 <sup>r</sup> 347 475 <sup>r</sup>                                      |
| Zimbabwe (DCszb) 4 <sup>r</sup> 15 <sup>r</sup> 141 318  | Reunion (DCsru) 6 <sup>r</sup> 7 <sup>r</sup> 8 <sup>r</sup> 28 29 <sup>r</sup>              |
| 390 <sup>r</sup>   | 30 41 42 45 46 47 109 145 146  |
| Swaziland (DCssw) 100 101 102  | 147 187 189 273 <sup>r</sup> 393 394   |
| 103 105 106 108 110 112 457  | St. Helena (DCssh) 524 <sup>r</sup> 547  |
| South Africa (DCssf) 2 <sup>r</sup> 9 <sup>r</sup> 19 20   | France (DCsfr) 68 71 111 159 161   |
| 21 49 <sup>r</sup> 50 51 <sup>r</sup> 52 <sup>r</sup> 53 <sup>r</sup> 64 72 <sup>r</sup> 79 <sup>r</sup> | 162 163 164 165 166 167 168 177  |
| 80 81 <sup>r</sup> 82 83 <sup>r</sup> 84 <sup>r</sup> 85 <sup>r</sup> 86 89 100                          | 199 <sup>c</sup> 267 268 269 271 307 419   |
| 101 102 103 105 106 108 112 140 <sup>r</sup>   | Canada (DCscd) 17 <sup>c</sup>   |
| 198 <sup>r</sup> 216 <sup>r</sup> 260 <sup>r</sup> 262 263 266 290 <sup>r</sup>                          | the United States of America (DCsus)   |
| 312 313 314 315 316 317 321 <sup>r</sup>   | 158 <sup>c</sup> 384 <sup>c</sup>  |
| 322 <sup>r</sup> 323 <sup>r</sup> 324 <sup>r</sup> 336 337 338 339                                       | the Neotropical region (DCsnt) 206   |
| 340 341 342 343 344 345 346 364 <sup>r</sup>   | Brazil (DCsbr) 35 54 <sup>r</sup> 55 378 <sup>r</sup> 411                                    |
| 369 377 <sup>r</sup> 379 382 426 427 428   | 412 413 414 415 416  |



## INDEX FOR SCIENTIFIC AND COMMON NAMES OF ORGANISMS

Reference number of each article in the bibliography of Part I is given below. Symbol <sup>c</sup> means an article that neither greening disease nor vector of the disease is dealt with but citation is made in the review article of Part III. Symbol <sup>r</sup>, an article indirectly cited from a review journal.

### 1. Synonyms of greening disease and the greening pathogen

|   |                        |   |                                   |
|---|------------------------|---|-----------------------------------|
| bacterium-like organism                               | 168 246 339            | disease   | 38 40 78 115 <sup>r</sup> 169 211 |
| 351   |                        | 236 239 241 243 244 245 246 309                       |                                   |
| blotchy-mottle disease of citrus                      | 316                    | 392 523 543 544 546 547 549 550                       |                                   |
| citrus decline in Southeast Asia                      | 255                    | 551 552 554   |                                   |
| citrus decline in India                               | 69 98 113 <sup>r</sup> | citrus leaf mottling ; citrus leaf                    |                                   |
| 192 268 307 450                                       |                        | mottling disease                                      | 16 40 61 <sup>r</sup> 69          |
| citrus dieback in India                               | 104 154 155            | 74 96 99 104 138 139 150 169                          |                                   |
| 157 201 288 <sup>r</sup> 325 397 398 <sup>r</sup> 399 |                        | 172 182 184 185 268 292 293 300                       |                                   |
| 400 401 469 481 484 492 525                           |                        | 301 302 <sup>r</sup> 303 304 <sup>r</sup> 305 325 423 |                                   |
| citrus dieback complex in India ; citrus              |                        | 424 450 484 486 487 525 527                           |                                   |
| die-back disease complex in India                     |                        | citrus leaf-mottle-yellows disease →                  |                                   |
| 352 361   |                        | citrus leaf mottling                                  |                                   |
| citrus dieback syndrome in India                      |                        | citrus likubin ; citrus Likubin ; citrus              |                                   |
| 402   |                        | likubin disease                                       | 87 104 123 124                    |
| citrus dieback in Nepal                               | 255                    | 125 127 129 130 <sup>r</sup> 166 169 209              |                                   |
| citrus greening bacterium                             | 144                    | 211 212 213 214 268 284 309 310                       |                                   |
| citrus greening disease                               | See SUBJECT            | 311 325 327 328 329 433 450 476                       |                                   |
| INDEX   |                        | 477 478 478-1 479 480 484 485                         |                                   |
| citrus huanglungbin ; citrus Huang-                   |                        | 486 487 488 496 <sup>r</sup> 525                      |                                   |
| lungbin ; citrus huanglungbin                         |                        | citrus vein phloem degeneration                       |                                   |

(CVPD) 22<sup>r</sup> 40 44 74 87 104  
 169 223 367 387 425<sup>r</sup> 450 473  
 474 493 494 525 531  
 citrus yellow shoot ; citrus yellow  
 shoot disease 38 74 78 87 104  
 115<sup>r</sup> 135<sup>r</sup> 210 228<sup>r</sup> 235 237 238  
 240 242 268 274<sup>r</sup> 275<sup>r</sup> 276<sup>r</sup> 278<sup>r</sup>  
 279<sup>r</sup> 280<sup>r</sup> 283 368 450 484 523  
 529 535 536 537 538 539 540 541<sup>r</sup>  
 542 548 549 550 554 555 556  
 CVPD → citrus vein phloem de-  
 generation  
 endocellular bacterium 43  
 fastidious, phloem-limited, endocellular  
 bacterium 40 169  
 gracilicute-like bacterium 68  
 Gram-negative bacterium 164  
 huanglungbin ; Huanglungbin ;  
 huanglungbing ; huanglongbing ;  
 huanglungpin ; huanglungping ; huang-  
 lung ping → citrus huanglungbin  
 Indian citrus decline → citrus decline  
 in India  
 leaf-mottle-yellows ; leaf-mottle-yellows  
 disease → citrus leaf mottling  
 likubin ; Likubin ; likubin disease  
 → citrus likubin  
 Schizomycetes 162  
 true bacterium of the Gram-negative  
 type 165  
 vein phloem degeneration → citrus  
 vein phloem degeneration  
 wang lung bing → citrus huanglungbin  
 yellow mottle leaf → citrus leaf  
 mottling  
 yellow shoot ; yellow shoot disease  
 → citrus yellow shoot

2. Microorganisms influencing the expression of greening symptoms

citrus seedling yellows tristeza virus  
 328 *Colletotrichum gloeosporioides*, a  
 fungus 361 401 402 469  
 citrus seedling yellows virus 293 294<sup>r</sup>  
 295<sup>r</sup> 300 303 *Curvularia tuberculata*, a fungus 401  
 402  
 citrus stem pitting virus 473 *Diplodia natalensis*, a fungus 401 402  
 469  
 citrus tristeza virus 56 124 155 213  
 255 300 303 305 401 480 556 *Fusarium* spp., fungi 279<sup>r</sup> 401 469

3. Host plants of greening disease and the vectors

acid lime → *Citrus aurantifolia*  
 Adajamir → *Citrus assumensis*  
 anis → *Clausena anisum-olens*  
*Atalantia buxifolia* [Rutaceae] 552

- Atalantia missionis* [Rutaceae] 474  
*Atalantia* sp. [Rutaceae] 78  
 Bingtangcheng → *Citrus sinensis*  
 blood red sweet orange → *Citrus sinensis*  
 Calamondin → *Citrus madurensis*  
*Calodendrum capense* [Rutaceae] 342  
 343  
*Catharanthus roseus* (periwinkle)  
 [Apocynaceae] 74 159 163 164  
 165 168 236 243 244 245 246 285  
 374<sup>r</sup> 474  
 Cheokan → *Citrus tankan*  
 China rose → *Hibiscus rosa-sinensis*  
*Citrullus vulgaris* [Cucurbitaceae]  
 90  
*Citrullus vulgaris* cv. *fistulosus*  
 [Cucurbitaceae] 92  
*Citrus assumensis* (Adajamir)  
 [Rutaceae] 360  
*Citrus aurantifolia* (limes) [Rutaceae]  
 37 59 93 107 173<sup>r</sup> 240 315  
 (acid) 91 385  
 (Kagzi) 56 356 357 402 469 521<sup>r</sup>  
 522  
 (Key) 172  
 (Manao) 455 456  
 (Mexican) 45 46 67 70 168 214  
 271  
 (West Indian) 67 514  
*Citrus depressa* (Shiikuwasha)  
 [Rutaceae] 331  
*Citrus grandis* (pummelos; Som O)  
 [Rutaceae] 59 182 385 455 456  
 (Watson) 360  
*Citrus jambhiri* (rough lemon)  
 [Rutaceae] 43 45 46 122<sup>r</sup> 138  
 155 157 183 201 342 343 345 462  
*Citrus latifolia* (Tahiti lime)  
 [Rutaceae] 37 140<sup>r</sup> 513  
*Citrus limetta* (sweet lime) [Rutaceae]  
 352 481  
*Citrus limettioides* (sweet lime)  
 [Rutaceae] 360  
*Citrus limon* (lemons) [Rutaceae]  
 9<sup>r</sup> 49<sup>r</sup> 107 111 191 346 372<sup>r</sup> 445  
 499 500  
 (Eureka) 146 240 266 406  
*Citrus limonia* (Rangpur lime)  
 [Rutaceae] 157 172 211  
*Citrus madurensis* (Calamondin)  
 [Rutaceae] 16 300 334  
*Citrus medica* [Rutaceae] 173<sup>r</sup> 372<sup>r</sup>  
*Citrus mitis* (Calamondin) → *C. madurensis*  
*Citrus nobilis* (Siam mandarin)  
 [Rutaceae] 44  
*Citrus paradisi* (grapefruits)  
 [Rutaceae] 37 91 105 121<sup>r</sup> 353  
 430 445 497 499 500 536 538  
 (Duncan) 120<sup>r</sup>  
*Citrus paradisi* × *C. reticulata* (Orlando tangelo) [Rutaceae] 120<sup>r</sup> 231  
 328  
*Citrus paradisi* × *C. tangerina* (tangelo) [Rutaceae] 37 88 444  
 445  
*Citrus ponki* [Rutaceae] 124 280<sup>r</sup>

- Citrus poonensis* (Ponkan) [Rutaceae]  
242 300
- Citrus reticulata* (common mandarins;  
Ponkan mandarins) [Rutaceae]  
13 59 123 129 182 209 211 212  
214 231 235 241 243 276<sup>r</sup> 285  
292 293 303 309 327 328 329  
385 476 478 479 483 486 529 536  
549 550 (see also mandarins)  
(Darjeeling) 12  
(Ellendale) 3<sup>r</sup>  
(Fewtrell's Early) 256 257  
(Khasi) 417<sup>r</sup>  
(Keprock) 44  
(Kinnow) 256  
(Ladu) 292 293  
(Nagpuri Santara) 481  
(Natal tightskin naartje) 438  
(Ortanique) 430  
(Som Keowan) 455  
(Suntala) 225  
(Szinkom) 139 285 292 293 299  
486  
(Sziwuikom) 299
- Citrus sinensis* (sweet oranges)  
[Rutaceae] 16 37 41 59 62 63<sup>r</sup>  
67 69 70 88 91 92 107 111 134  
155 157 177 180 182 186 191 231  
240 241 256 267 271 283 288<sup>r</sup>  
309 312 314 315 316 322<sup>r</sup> 338  
351 359 363<sup>r</sup> 369 385 402 428  
436 437 441 442 443 444 445 446  
456 462 466 471<sup>r</sup> 472 477 497  
516<sup>r</sup> 518<sup>r</sup> 521<sup>r</sup> 529 536 538
- (Bingtangcheng) 242  
(blood red) 118  
(Eloff) 269 438  
(Hamlin) 68 142<sup>r</sup> 166 168 307  
(Jaff) 463  
(Luchen) 183  
(Madam Vinous) 68 138 163 164  
291<sup>r</sup> 292 296<sup>r</sup> 348  
(Malta) 12 481  
(Mosambi) 12 94 118 287<sup>r</sup> 353 469  
(navel) 49<sup>r</sup> 82 105 426 430 459  
499 500 510<sup>r</sup>  
(pineapple) 120<sup>r</sup> 449 453  
(Som Kleang) 455  
(Valencia) 105 129 187 290<sup>r</sup> 324<sup>r</sup>  
426 430 439 447 449 453 458 459  
461 499 500 503  
(Washington navel) 449 453
- Citrus sunki* (Sunki) [Rutaceae]  
309
- Citrus taiwanica* [Rutaceae] 146
- Citrus tankan* (Tankans) [Rutaceae]  
124 129 211 242 283 309 477 479  
536 538 550  
(Cheokan) 277
- Citrus unshiu* (Satsuma mandarin)  
[Rutaceae] 300 326 330 331 555
- citrus species and varieties 14 32  
33 36 74 76 78 87 104 133<sup>r</sup> 140<sup>r</sup>  
142<sup>r</sup> 143<sup>r</sup> 154 155 156 160 169  
171 184 185 188 192 205 208 213  
221 232<sup>r</sup> 234<sup>r</sup> 236 246 254 257  
258 272 282 284 285 294<sup>r</sup> 300  
301 303 305 308 310 311 316 328

- 333 347 352 355 358 369 372<sup>r</sup>  
401 423 424 425<sup>r</sup> 441 460 474  
478-1 480 483 484 488 494 513  
515<sup>r</sup> 519<sup>r</sup> 527 532 533 553
- Clausena anisata* [Rutaceae] 10 33  
37 43 108 169 208 342 343 346  
497 503 506
- Clausena anisum - olens* ( anis )  
[Rutaceae] 172
- Clausena lansium* [Rutaceae] 40 74  
78 207<sup>r</sup> 552
- common jasmine orange → *Murraya  
paniculata*
- common mandarin → *Citrus reticulata*
- cucumber → *Cucumis sativus*
- Cucumis melo* (melon) [Cucurbitaceae]  
90 92
- Cucumis sativus* ( cucumber )  
[Cucurbitaceae] 90 92 443
- curry leaf plant → *Murraya koenigii*
- Cuscuta campestris* ( dodder )  
[Convolvulaceae] 163 177 236  
243 244 245 246 285
- Cuscuta japonica* See 6. Miscellaneous
- Cuscuta reflexa* ( dodder )  
[Convolvulaceae] 400
- Cuscuta subinclusa* ( dodder )  
[Convolvulaceae] 177
- Cuscuta* spp. [Convolvulaceae] 74  
159 164 165 474
- Darjeeling → *Citrus reticulata*
- dodder → *Cuscuta*
- Duncan grapefruit → *Citrus paradisi*
- Ellendale mandarin → *Citrus reticulata*
- Eloff sweet orange → *Citrus sinensis*
- Eureka lemon → *Citrus limon*
- Fagara capensis* [Rutaceae] 208 342  
343 346
- Fewtrell's Early → *Citrus reticulata*
- Ficus sycomorus* [Moraceae] 10
- Fortunella crassifolia* [Rutaceae]  
209
- Fortunella* sp. (kumquat) [Rutaceae]  
331
- Fuji (*Citrus reticulata*) [Rutaceae]  
550
- Fuji (*Citrus tangerina*) [Rutaceae]  
242
- gekkitzu → *Murraya paniculata*
- grapefruit → *Citrus paradisi*
- Hamlin sweet orange → *Citrus sinensis*
- Hibiscus rosa-sinensis* (China rose)  
[Malvaceae] 373<sup>r</sup>
- Jaff sweet orange → *Citrus sinensis*
- jasmine orange → *Murraya paniculata*
- Junar orange [Rutaceae] 24 136 225  
370
- Kagzi lime → *Citrus aurantifolia*
- kamuning → *Murraya exotica* ; *M.  
paniculata*
- Keprock mandarin → *Citrus reticulata*
- Key lime → *Citrus aurantifolia*
- Khasi mandarin → *Citrus reticulata*
- Kinnow mandarin → *Citrus reticulata*
- kumquat → *Fortunella*
- Ladu mandarin → *Citrus reticulata*
- lemon → *Citrus limon*
- lime → *Citrus aurantifolia*