



RICANU CHART NO. 10-01
X-Ray Diffractometer

Sample No.	J-8 31.05
Target	Cu
Filter	
Voltage	40 KV
Current	150 mA
Full Scale Range	4000 CPS
Time Constant	0.5 Sec
Scanning Speed	4 °/min
Chart Speed	4 °/min
Divergency	1 °
Receiving Slit	0.15 mm
Detector	S.C.
Date	Feb. 1961




RICANU CHART NO. 10-01
X-Ray Diffractometer

Sample No.	J-8 68.45
Target	Cu
Filter	
Voltage	40 KV
Current	150 mA
Full Scale Range	4000 CPS
Time Constant	0.5 Sec
Scanning Speed	4 °/min
Chart Speed	4 °/min
Divergency	1 °
Receiving Slit	0.15 mm
Detector	S.C.
Date	Feb. 1961




RT 40 100-01
 ② 100000 COUNT NO. 100-01
 X-Ray Diffractometer



Sample No.	J-13 18.25
Target	Cu
Filter	
Voltage	40 KV
Current	150 ma
Full Scale Range	4000 CPS
Time Constant	0.5 Sec
Scanning Speed	4 °/min
Chart Speed	4 1/2"/min
Divergency	1 °
Receiving Slit	0.15 mm
Detector	S.C
Date	Feb. 1961





② 100000 COUNT NO. 100-01
 X-Ray Diffractometer

Sample No.	RT2101
Target	Cu
Filter	
Voltage	40 KV
Current	150 ma
Full Scale Range	4000 CPS
Time Constant	0.5 Sec
Scanning Speed	4 °/min
Chart Speed	4 1/2"/min
Divergency	1 °
Receiving Slit	0.15 mm
Detector	S.C
Date	Feb. 1961









RICAMU CHART NO. UC-01
X-Ray Diffractometer



Sample No.	R80105
Target	Cu
Filter	
Voltage	40 KV
Current	150 mA
Full Scale Range	4000 CPS
Time Constant	0.5 Sec
Scanning Speed	4 $^{\circ}$ /min
Chart Speed	4 $^{\circ}$ /min
Divergency	1 $^{\circ}$
Receiving Slit	0.15 mm
Detector	S.C.
Date	Feb. 1981







RICAMU CHART NO. UC-01
X-Ray Diffractometer



Sample No.	R80201
Target	Cu
Filter	
Voltage	40 KV
Current	150 mA
Full Scale Range	4000 CPS
Time Constant	0.5 Sec
Scanning Speed	4 $^{\circ}$ /min
Chart Speed	4 $^{\circ}$ /min
Divergency	1 $^{\circ}$
Receiving Slit	0.15 mm
Detector	S.C.
Date	Feb. 1981
















X-Ray Diffractometer

Sample No.	T101
Target	Cu
Filter	
Voltage	40 KV
Current	150 mA
Full Scale Range	4000 CPS
Time Constant	0.5 Sec
Scanning Speed	4 °/min
Chart Speed	4 cm/min
Divergency	1 °
Receiving Slit	0.5 mm
Detector	S.C
Date	Feb. 1981



X-Ray Diffractometer

Sample No.	T112
Target	Cu
Filter	
Voltage	40 KV
Current	150 mA
Full Scale Range	4000 CPS
Time Constant	0.5 Sec
Scanning Speed	4 °/min
Chart Speed	4 cm/min
Divergency	1 °
Receiving Slit	0.5 mm
Detector	S.C
Date	Feb. 1981

