

Station : Arismendi

Period : 1971~1990




Fig. 6.4.8 Water Balance in Module

THE REPUBLIC OF VENEZUELA
COMPREHENSIVE IMPROVEMENT
OF THE APURE RIVER BASIN
JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 6.4.9 Alternative Flood Management Plans for Area "A"

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 6.4.10 Alternative Flood Management Plans for Area "B"

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 6.4.11 Alternative Flood Management Plans for Area "C"

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 6.4.12 Alternative Flood Management Plans for Area "D"




Fig. 6.4.13 Profiles along Dikes for Portuguesa and Guanare Rivers




Fig. 6.4.14 Profiles along Dikes for Apure River

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY





Fig. 6.4.15 Maximum Inundation (Present condition -10-yr Return Period)

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 6.4.16 Maximum Inundation (Plan A1 - 10-yr Return Period)

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 6.4.17 Maximum Inundation (Plan B1 - 10-yr Return Period)

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY





Fig. 6.4.18 Maximum Inundation (Plan C1 - 10-yr Return Period)

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 6.4.19 Profile of Water Level of Apure River for Plans C1 and C2 (10- year Return Period)

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 6.4.20 Profile of Diversion Channel

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 6.4.21 Proposed Flood Management Plan

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY





Fig. 6.4.22 Maximum Inundation for Proposed Management Plan (10-yr Return Period)

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY





Fig. 6.4.23 Inundation Change by Proposed Flood Management Plan (10-yr Return Period)

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY



Dike for Apure Module

Fig. 6.4.24 Typical Cross Sections of Dikes

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY





Fig. 6.4.25 Typical Arrangement of Dike, Borrow Pit and Sluiceway

THE REPUBLIC OF VENEZUELA
 COMPREHENSIVE IMPROVEMENT
 OF THE APURE RIVER BASIN
 JAPAN INTERNATIONAL COOPERATION AGENCY




Fig. 7.4.1 Tentative Implementation Schedule

111111