

文 献

ナイジェリアの寄生虫に関する文献 (1985年以後を中心に)

1. 寄生虫総論に関する文献

Akinyanju O.O. (1989): A profile of sickle cell disease in Nigeria. *Annals New York Academy of Sciences*, 565, P126-136,

Akogun O.B.(1992): The effect of selected health education schemes on knowledge and attitude of the Kanuri towards certain parasitic diseases. *Journal of Royal Society of Health*, P280-285,

Ekeh H.E. and J.D.Adeniji (1986): Targeting school children for tropical diseases control: preliminary findings from a socio-behaviour research in Nigeria. *Journal of Tropical Medicine and Hygiene*. 89, P1-6,

Igun U.A. (1987): Why we seek treatment here: Retail pharmacy and clinical practice in Maiduguri, Nigeria. *Soc. Sci. Med.*, 24, P689-695,

Ransome-Kuti O.(1986): Child health in Nigeria: past, present, and future. *Archives of Disease in Childhood*, 61, P198-204

Salako L.A.(): Drug supply in Nigeria. P15s-19s,

2. メジナ虫症に関する文献

Abeyeba O.A., (1985): Hyperproteinaemia in dracunculiasis., *International Journal of Zoonoses*, 12, 2, p.150-151.

Adeyeba O.A., (1986): Intestinal helminthiasis and haemoparasitism in an area of endemic dracunculiasis in Oyo State of Nigeria., *International Journal of Zoonoses*, 13, 1, p.6-10.

Adeyeba O.A., (et al.), (1991): Epidemiology of dracunculiasis and its socio-economic impact in a village in south-west Nigeria., *West Africa Journal of Medicine*, 10, 3-4, p.208-215.

Braide E.I., (et al.), (1989): Prevalence and geographical distribution of dracunculiasis (guineaworm) in Cross River State, Nigeria., *Tropical Geographic Medicine*, 41, 4, p.289-293.

Brieger W.R., (et al.), (1991): Guineaworm control case study: planning a multi-strategy approach., *Social Science Medicine*, 32, 12, p.1319-1326.

Weekly Epidemiol Record, (1991): Dracunculiasis., 66, 21, p.149-151.

Edungbola L.D., (1984): Dracunculiasis in Igbon, Oyo State, Nigeria, *Journal of Tropical Medicine*, 87, p.153-158.

- Edungbola L.D., (et al.), (1985): Epidemiological assessment of the distribution and endemicity of Guinea worm infection in Asa, Kwara State, Nigeria, *Tropical Geographic Medicine*, 37, 1, p.22-28.
- Edungbola L.D., (et al.), (1986): A method of rapid assessment of the distribution and endemicity of dracunculiasis in Nigeria., *Social Science Medicine*, 23, 6, p.555-558.
- Edungbola L.D., (et al.), (1988): The distribution of dracunculiasis in Nigeria: a preliminary study., *International Journal of Epidemiology*, 17, 2, p.428-433.
- Edungbola L.D., (et al.), (1988): The impact of a unicef-assisted rural water project on the prevalence of Guinea worm disease in Asa, Kwara state,Nigeria., *American Journal of Tropical Medicine Hygiene*, 39, 1, p.79-85.
- Edungbola L.D., (et al.), (1990): The elimination of dracunculiasis in Igbon, Oyo State, Nigeria; the success of self-help activities., *Journal of Tropical Medicine and Hygiene*, 93, 1, p.1-6.
- Edungbola L.D., (et al.), (1992): Mobilization strategy for Guinea worm eradication in Nigeria., *American Journal of Tropical Hygiene*, 47, 5, p.529-538.
- Hopkins D.R., (et al.), (1990): Dracunculiasis eradication: target 1995., *American Journal of Tropical Medicine Hygiene*, 43, 3, p.296-300.
- Hopkins D.R., (et al.), (1991): Strategies for dracunculiasis eradication., *Bull World Health Organization*, 69, 5, p.533-540.
- Hopkins D.R., (et al.), (1992): Surveillance for dracunculiasis, 1981-1991., *MMWR CDC Surveillance Summary*, 41, 1, p.1-13.
- Huttly S.R.A., (et al.), (1990):The Imo state (Nigeria) drinking water supply and sanitation project, 2. Impact on dracunculiasis, diarrhoea and nutritional status., *Transaction of the Royal Society of Tropical Medicine and Hygiene*, 84, p.316-321.
- Ilegbodu V.A., (et al.), (1991): Clinical manifestations, disability and use of folk medicine in dracunculus infection in Nigeria., *Journal of Tropical Medicine and Hygiene*, 94, 1, p.35-41.
- Imtiaz R., (et al.), (1990): Permanent disability from dracunculiasis [letter]., *Lancet*, 336, 8715, p.630.
- MMWR Morb Mortal Weekly Report, (1991): Update: dracunculiasis eradication--Ghana and Nigeria, 1990., 40, 15, p.245-247.
- MMWR Morb Mortal Weekly Report, (1992): Update: dracunculiasis eradication--Ghana and Nigeria, 1991., 41, 22, p.397-399.

Noji E.K., (1985): Aseptic knee effusion associated with calcified guinea worms., *Annual Emerg Medicine*, 14, 11, p.1119-1121.

Nwoke B.E., (1992): Behavioural aspects and their possible uses in the control of dracontiasis (guinea-worm) in Igwun river basin area of Imo State, Nigeria., *Angew Parasitology*, 33, 4, p.205-210.

Ofoezie I.E., (et al.), (1990): The prevalence and endemicity of dracunculiasis in Akowide village, Oyo State, Nigeria., *Annals of Tropical Medicine and Parasitology*, 84, 2, p.163-169.

Ogunniyi T.A., (et al.), (1990): Socio-cultural problems in the execution of a Guinea worm control programme. A case report., *Tropical Geographic Medicine*, 42, 4, p.377-379.

Ogunniyi T.A., (et al.), (1992): Prevalence of dracunculiasis among Nigerian school children as an index of prevalence in their communities of origin., *Annual Tropical Medicine and Parasitology*, 86, 4, p.407-412.

Ranque P., (et al.), (1991): Current status of the global campaign to eradicate dracunculiasis (guinea worm disease)., *Annual Parasitology of Human Composition*, 66, 1, p.37-40.

Smith G.S., (et al.), (1989): Disability from dracunculiasis: effect on mobility., *Annual Tropical Medicine Parasitology*, 83, 2, p.151-158.

Watts S.J., (1984): Population mobility, urban development and dracunculiasis in Kwara State, Nigeria., *Social Science Medicine*, 19, 4, p.471-473.

Watts S.J., (1986): Human Behaviour and the Transmission of Dracunculiasis: A case of Study from the Ilorin Area of Nigeria., *International Journal of Epidemiology*, 15, 2, p.252-256.

Watts S.J., (1987): Population mobility and disease transmission: the example of guinea worm., *Social Science Medicine*, 25, 10, p.1073-1081.

Watts S.J., (et al.), (1989): Guinea worm: an in-depth study of what happens to mother, families and communities., *Social Science Medicine*, 29, 9, p.1043-1049.

Weekly Epidemiol Record, (1990): Dracunculiasis., 65, 50, p.385-387.

Weekly Epidemiol Record, (1992): Update: dracunculiasis eradication--Ghana and Nigeria, 1991., 67, 31, p.230-231.

3. マラリアに関する文献

Abdurrahman M.B., (et al.), (1990): Clinicopathological features of childhood nephrotic syndrome in northern Nigeria., *Q Journal of Medicine*, 75, p.563-576.

Adedu O.O., (et al.), (1990): Clinical and laboratory features associated with persistent gross splenomegaly in Nigerian children with sickle cell anaemia., *Acta Paediatr Scand*, 79, p.686-690.

Adedoyin M.A., (et al.), (1989): child health and child care in Okelele: an indigenous area of the city of Ilorin, Nigeria., *Social Science Medicin*, 29, p.1333-1341.

Adelofu-John E.O., (1988): A study of vital and health statistics of the Kainji Lake Area of Nigeria., *African Journal of Medicine and Medical Science*, 17, p.149-156.

Adekile A.D., (et al.), (1988): Persistent gross splenomegaly in Nigerian patients with sickle cell anaemia: relationship to malaria., *Annals of Tropical Paediatr*.

Adeyeba O.A., (1986): Intestinal helminthiasis and haemoparasitism in an area of endemic dracunculiasis in Oyo State of Nigeria., *International Journal of Zoonose*, 13, p.6-10.

Adeyemi D., (1989): Neonatal intestinal obstruction in a developing tropical country: patterns, problems, and prognosis., *Journal of Tropical Paediatr*, 35, p.66-70.

Aguiar J.C., (et al.), (1992): Agglutination of *Plasmodium falciparum*-infected erythrocytes from east and west African isolated by human sera from distant geographic regions., *American Journal of Tropical Medicine and Hygiene*, 47, p.621-632.

Akenzua G.I., (et al.), (1985): Anaemia in children: a survey in (Obadan) a rural community in the rain forest zone of Nigeria., *Journal of Tropical Paediatr*, 31, p.20-24.

Akenzua G.I., (et al.), (1985): Haemopoietic response of Nigerian village children to iron, folate supplementation and malaria prophylaxis., *Journal of Tropical Paediatr*, 31, p.59-62.

Akinsola A., (et al.), (1985): The role of auto-immune antibody mechanisms in primary glomerulonephritis in Nigerians., *East Africa Medical Journal*, 62, p.48-53.

Akinwolere O.A., (et al.), (1988): Immunity in malaria: depression of delayed hypersensitivity reaction in acute *Plasmodium falciparum* infection., *African Journal of Medicine and Medical Science*, 17, 47-52.

Akinboye D.O., (et al.), (1987): Malaria and loiasis among blood donors at Ibadan, Nigeria., *Transaction of the Royal Society of Tropical Medicine and Hygiene*, 81, p.398-399.

Akinwolere O.A., (et al.), (1989): Immunity in malaria: 2. Heterophile and malarial antibodies in acute *Plasmodium falciparum* infection., *African Journal of Medicine and Medical Science*, 18, p.235-240.

Akinyanju O.O., (1989): A profile of sickle cell disease in Nigeria., *Annals of New York Academic Science*, 565, p.126-136.

Alogun O.B., (et al.), (1992): The effect of selected health education schemes on knowledge and attitude of the Kanuri towards certain parasitic diseases., *Journal Records of Social Health*, 112, p.280-285.

Bladley-Moore A.M., (et al.), (1985): Malaria chemoprophylaxis with chloroquine in young Nigerian children. 1. Its effect of mortality, morbidity and the prevalence of malaria., *Annals of Tropical Medicine and Hygiene*, 79, p.549-562.

Bondi F.S., (1991): Childhood cerebral malaria in Ibadan.[letter], *Journal of Tropical Pediatrics*, 37, p.92-93.

Bondi F.S., (1992): The incidence and outcome of neurological abnormalities in childhood cerebral malaria: a long-term follow-up of 62 survivors., *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 86, p.17-19.

Bondi F.S., (1991): Childhood coma in Ibadan. Relationship to socio-economic factors., *Tropical Geographic Medicine*, 43, p.288-292.

Bradley A.K., (et al.), (1984): Malumfashi Endemic Diseases Research Project, 21. Pointers to causes of death in the Malumfashi area, northern Nigeria., *Annals of Tropical Medicine and Parasitology*, 78, p.265-271.

Bradley-Moore A.M., (et al.), (1985): Malaria chemoprophylaxis with chloroquine in young Nigerian children. 2. Effects of the immune response to vaccination., *Annals of Tropical Medicine and Parasitology*, 79, p.563-573.

Bladley-Moore A.M., (et al.), (1985): Malaria chemoprophylaxis with chloroquine in young Nigerian children. 3. Its effects of nutrition., *Annals of the Tropical Medicine and Parasitology*, 79, p.575-584.

Bladley-Moore A.M., (et al.), (1985): Malaria chemoprophylaxis with chloroquine in young Nigerian children. 4. Its effects of haematological measurements.3., *Annals of the Tropical Medicine and Parasitology*, 79, p.585-595.

Phillips-Howard P.A., (et al.), (1990): Risk of malaria in British residents returning from malarious areas., *BMJ*, 300, p.499-503.

Bruce-Chwatt L.J., (1984): Malaria chemoprophylaxis in expatriates in Africa.[letter], *Lancet*, 2, p.1046.

Contreras C.E., (et al.), (1988): RESA-IEF assay in *Plasmodium falciparum* malaria, observations on relationship between serum antibody titers, immunity, and antigenic diversity., *Journal of Parasitology*

tology, 74, p.124-139.

Daniel H.I., (et al.), (1989): Efficacy of chloroquine in the treatment of malaria in children under five years in Baissa (Gongola State, Nigeria)., *Annals of Tropical Medicine and Parasitology*, 83, p.331-338.

de Grancisco Serpa L.A., (et al.), (1988): In vitro drug sensitivity of *Plasmodium falciparum* malaria from Nigeria., *Transactions Records of Social Tropical Medicine and Hygiene*, 82, p.403-404.

Denesi M.A., (1985): Classification of the epilepsies: an investigation of 945 patients in a developing country., *Epilepsia*, 26, p.131-136.

du Toit M.L., (1984): A mission doctor's experiences in West Africa., *South Africa Medical Journal*, 66, p.775-778.

Ekanem O.J., (1985): *Plasmodium falciparum* infection not responding to chloroquine in Nigeria.[letter], *Transactions Records of Social Tropical Medicine and Hygiene*, 79, p.141-142.

Ekanem O.J., (et al.), (1990): Sensitivity of *Plasmodium falciparum* to chloroquine and sulfadoxine/pyrimethamine in Nigerian children., *Bull World Health Organization*, 68, p.45-52.

Ekeh H.E., (et al.), (1988): Health Education strategies for tropical for tropical disease control in school children., *Journal of Tropical Medicine and Hygiene*, 91, p.55-59.

Elueze E.I., (et al.), (1990): Sensitivity to chloroquine in vivo and in vitro of *Plasmodium falciparum* in Sokoto, Nigeria., *Transactions Records of Social Tropical Medicine and Hygiene*, 84, p.45

Ejezie G.C., (et al.), (1987): Ijankin: a study of environmental health in a rural Nigerian community., *Journal of Hygiene, Epidemiology, Microbiology and Immunology*, 31, p.163-172.

Emeribe A.O., (et al.), (1989): Haemoparasites of blood donors in Calabar., *Tropical Geographic Medicine*, 41, p.61-65.

Erinoso A.O., (et al.), (1988): Sickness absenteeism in a Nigerian polytechnic., *African Journal of Medicine and Medical Science*, 17, p.57-61.

Essien E.E., (et al.), (1984): Residual chloroquine and metabolites in man as a sequel of previous chloroquine medications: a urinary excretion study and its significance., *Journal of Tropical Medicine and Hygiene*, 87, p.131-136.

Ezeoke A.C., (et al.), (1985): Congenital malaria at University of Calabar Teaching hospital with reference to haemoglobin and immunoglobulin., *Central African Journal of Medicine*, 31, p.241-247.

Ejezie G.C., (et al.), (1990): Malaria and its treatment in rural villages of Aboh Nbaise, Imo State, Nigeria., *Acta Tropical*, 48, p.17-24.

Ejezie G.C., (et al.), (1992): Human ecology and parasitic infections. 1. The effect of occupation on the prevalence of parasitic infections in Calabar, Nigeria., *Journal of Hygiene, Epidemiology, Microbiology and Immunology*, 36, p.161-167.

Ejezie G.C., (et al.), (1992): Malaria parasite density and body temperature in children under 10 years of age of Calabar, Nigeria., *Tropical Geographic Medicine*, 44, p.97-101.

Ezedinachi E.N., (et al.), (1990): A retrospective study of malaria and malnutrition in the University of Calabar Teaching Hospital, Calabar, Nigeria., *Tropical Geographic Medicine*, 42, p.207-211.

Ezedinachi E.N., (et al.), (1991): New trends in chloroquine efficacy in the treatment of malaria: chloroquine-resistant *Plasmodium falciparum* in Anambra and Benue States of Nigeria., *Central African Journal of Medicine*, 37, p.180-186.

Ezedinachi E.N., (et al.), (1991): Problems of chloroquine-resistant *P. falciparum* in Nigeria: one antimalaria drugs' utilisation in metropolitan Calabar., *Central African Journal of Medicine*, 37, p.16-20.

Fadeke A.A., (et al.), (1988): Comparison of the susceptibility of *falciparum* malaria to mefloquine-sulphadoxine-pyrimethamine and chloroquine in Nigeria., *African Journal of Medicine and Medical Science*, 17, p.195-200.

Fleming A.F., (et al.), (1986): The prevention of anaemia in pregnancy in primigravidae in the guinea savanna of Nigeria., *Annual of Tropical Medicine and Parasitology*, 80, p.211-233.

Fleming A.F., (1990): Antimalarial prophylaxis in pregnant Nigerian women.[letter, comment], *Lancet*, 335, p.45.

Goyea H.S., (1988): The low income preschools in Benin City: some health aspects of the children., *Tropical Geographic Medicine*, 40, p.369-372.

Greenwood B.M., (et al.), (1986): The immune response to vaccination in undernourished and well-nourished Nigerian children., *Annals of Tropical Medicine and Parasitology*, 80, p.537-544.

Greenwood B.M., (et al.), (1987): Ethnic differences in the prevalence of splenomegaly and malaria in The Gambia., *Annals of Tropical Medicine and Parasitology*, 81, p.345-354.

Ibhanesebhor S.E., (et al.), (1992): Malaria parasitaemia in neonates with predisposing risk factors for neonatal sepsis: report of six cases., *Annals of Tropical Medicine and Parasitology*, 12, p.297-302.

Igun U.A., (1987): Why we seek treatment here: retail pharmacy and clinical practice in Maiduguri, Nigeria., *Social Science Medicine*, 24, p.689-695.

Ikpat N.W., (et al.), (1990): Preliminary observations on cerebral malaria in Nigerian children., *East Africa Medical Journal*, 67, p.341-347.

Isah H.S., (et al.), (1985): Anaemia and iron status of pregnant and non-pregnant in the guinea savanna of Nigeria., *Annals of Tropical Medicine and Parasitology*, 79, p.485-493.

Jarikre L.N., (et al.), (1986): Acute pulmonary oedema (toxic alveolitis) associated with traditional fever therapy., *East Africa Medical Journal*, 63, p.656-659.

King M., (1991): Malaria control and the demographic trap.[letter; comment], *Lancet*, 338, p.124.

Kollaritsch H., (et al.), (1988): Tolerability of long-term malaria prophylaxis with the combination mefloquine + sulfadoxine + pyrimethamine (Fansimef): results of a double blind field trial versus chloroquine in Nigeria.,

Transactions Records of social Tropical Medicine and Hygiene, 82, p.524-529.

Korochkin I.M., (et al.), (1990): Morbidity among Soviet engineers in the tropics., *Soviet Medicine*, p.50-53.

Kulkarni A.G., (et al.), (1985): Some red cell antigens in the Hausa population of northern Nigeria., *Hum Hered*, 35, p.283-287.

Ladipo O.A., (et al.), (1990): Family planning in traditional markets in Nigeria., *Study of Family Planning*, 21, p.311-321.

Leads from MMWR, (1987): Chloroquine-resistant *Plasmodium falciparum* malaria in west Africa., *JAMA*, 36, p.256-259.

Leads from the MMWR, (1987): Chloroquine-resistant *Plasmodium falciparum* malaria in West Africa., *JAMA*, 257, p.2556-2559.

Lege-Oguntoye L., (et al.), (1990): Resistance of *Plasmodium falciparum* to sulfadoxine-pyrimethamine combination in semi-immune children in Zaria, northern Nigeria., *Transactions Records of Social Medicine and Hygiene*, 84, p.505-506.

Lege-Oguntoye L., (et al.), (1991): Chloroquine-resistant *Plasmodium falciparum* with reduced sensitivity in vitro to mefloquine and quine in Zaria, northern Nigeria., *Journal of Tropical Medicine and Hygiene*, 94, p.73-75.

Lege-Oguntoye L., (et al.), (1989): Chloroquine resistance of *Plasmodium falciparum* in semi-immune children in Zaria, northern Nigeria., *Transactions Records of Tropical Medicine and Hygiene*, 83, p. 599-601.

Lloyd A., (et al.), (1988): Long-standing fevers in a young pregnant woman. [clinical conference], *Medical Journal of Aust*, 149, p.382-386.

Midala T.A., (et al.), (1988): In-vivo sensitivity of *Plasmodium falciparum* to chloroquine in Zaria, Nigeria., *Journal of Tropical Medicine and Hygiene*, 91, p.9-11.

Mobogunje O.A., (1990): Conservation of the ruptured spleen in children: an African series., *Annals of Tropical Paediatric*, 10, p.387-393.

Molta N.B., (et al.), (efficacies of chloroquine, pyrimethamine/sulphadoxine and pyrimethamine/sulpyalene against *P. falciparum* in northeastern Nigeria., *Journal of Tropical Medicine and Hygiene*, 95, p.253-259.

Morgan D., (1987): Malaria in foreign visitors to Britain., *Journal of Tropical Medicine and Hygiene*, 90, p.319-323.

Mount D.L., (et al.), (1989): Adaptations of the Saker-Solomons test: simple, reliable colorimetric field assays for chloroquine and its metabolites in urine., *Bull World Health Organization*, 67, p.295-300.

Nadelman J., (1988): The prevalence of malaria in Garki, Nigeria: Double sampling with a fallible expert., *Biometrics*, 44, p.635-655.

Nahlen B.L., (et al.), (1989): Lack of efficacy of pyrimethamine prophylaxis in pregnant Nigerian women., *Lancet*, 2, p.830-834.

Nedelman J., (1985): Estimation for a model of multiple malaria infections., *Biometrics*, 41, p.447-453.

Newsome F., (1987): Fatal *P. falciparum* malaria mimicking *Babesia* infection., *Tropical Doctor*, 17, p.141-142.

Nnatu S., (et al.), (1987): Malaria parasitaemia at delivery in Nigerians., *East Africa Medical Journal*, 64, p.44-48.

Nwankwoala R.P., (et al.), (1986): Gastrointestinal toxicity of conquer mixture in rats., *Scandinavia Journal of Gastroenterol Suppl*, 124, P.95-99.

小花 光夫, (et al.), (1989): Semi-micro technique による in vitro 感受性試験でクロロキン耐性を確認したナイジェリアからの熱帯性マラリア症例、*感染症学雑誌*、63, p.83-88.

Obiako M.N., (et al.), (1985): Chloroquine ototoxicity: an iatrogenic problem., *Mater Medical Pol*, 17, p.195-197.

Obikili A.G., (1990): A type of macular degeneration on adult Nigerians; a possible role of chloroquine., *East Africa Medical Journal*, 67, p.614-621.

Oduola A.M.J., (et al.), (1992): Innate resistance to new antimalarial drugs in *Plasmodium falciparum* from Nigeria., *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 86, 123-126.

Ogunwande S.A., (1991): Study of malarial chemoprophylaxis and pregnancy gingivitis in Nigerian women., *Clin Prev Dent* , 13, p.25-30.

Okapara R.A., (et al.), (1988): HTLV-I antibodies in blood donors, patients with leukaemia, acute malaria and multiple bleed transfusion recipients in the Cross Tiver State of Nigeria., *East Africa Medical Journal*, 65, p.495-502.

Okany C.C., (et al.), (1989): Chronoc leukaemia: an African experience., *Medical Oncol Tumor Pharmacother*, 6, p.189-194.

Okeahialam B.N., (et al.), (1989): Chloroquine-resistant malaria in Jos, Nigeria., *Journal of Tropical Medicine and Hygiene*, 92, p.365-366.

Okonofua F.E., (et al.), (1990): Maternal sickle cell trait is not a cause of low birthweight in Nigerian neonates., *International Journal of Gynaecol Obstet*, 32, p.331-333.

Okuonghae H.O., (et al.), (1992): Malaria parasitaemia in febrile children with sickle cell anaemia., *Journal of Tropical Pediatrics*, 38, p.83-85.

Okonofua F.E., (et al.), (1992): Influence of socioeconomic factors of the treatment and prevention of malaria in pregnant and non-pregnant adolescent girls in Nigeria., *Journal of Tropical Medicine and Hygiene*, 95, p.309-315.

Okor R.S., (1990): Responsiveness of chloroquine-induced pruritus to antihistamine therapy--a clinical survey., *Journal of Clin Pharm Ther*, 15, p.147-150.

Onuigbo M.A., (1990), Diagnosis of rhyphoid fever in Nigeria: misuse of the Widal test., *Transactions Records of Social Tropical Medicine and Hygiene*, 84, p.129-131.

Onuigbo M.A., (et al.), (1992): Tropical splenomegaly syndrome in Nigerian adults., *West African Journal of Medicine* , 11, p.72-78.

Onuba O., (1991): Medical problems in off-shore oil frilling in Nigeria., *Journal of Social Occup Medicine*, 41, p.77-79.

Orajaka L.J., (et al.), (1991): Prevalence of malaria parasites in turkeys of the Nsukka area in the Anambra State, Nigeria., *Rev Elev Med Vet Pays Trop*, 44, p.283-286.

Orajaka L.J., (et al.), (1991): Prevalence of blood protozoan parasites of avian species in Nsukka area of Anambra State, Nigeria., *Beitr Trop Landwirtsch Veterinarmed*, 29, p.91-95.

Osinusi K., (et al.), (1990): Safety and efficacy of yellow fever vaccine in children less than one-year-old., *West African Journal of Medicine*, 9, p.200-203.

Osuntokun B.O., (et al.), (1987): Neurological disorders in Nigerian Africans: a community-based study., *Acta Neurol Scand*, 75, p.13-21.

Ransome-Kuti O., (1986): Child health in Nigeria: past, present, and future., *Arch Dis Child*, 61, p.198-204.

Reutskii I.A., (et al.), (1988): Tropicheskaia malaria in European children temporarily living in Nigeria., *Pediatrics*, p.88-90.

Reutskii I.A., (et al.), (1988): Experience in treating tropical malaria in Europeans temporarily living in tropical Africa., *Ter Arkh*, 60, p.127-128.

Salako L.A., (et al.), (1988): Evaluation of the sensitivity in vivo and in vitro of *Plasmodium falciparum* malaria to quine in an area of full sensitivity to chloroquine., *Transactions Records of Social Medicine and Hygiene*, 82, p.366-368.

Salako L.A., (et al.), (1988): Sensitivity of *Plasmodium falciparum* to mefloquine-sulphadoxine-pyrimethamine (Fansimef) in vivo and to mefloquine alone in vitro in Nigeria., *Annals of Tropical Medicine and Parasitology*, 82, p.325-330.

Salako L.A., (et al.), (1990): Parenteral sulphadoxine-pyrimethamine (Fansidar): an effective and safe but under-used method of anti-malarial treatment., *Transactions Records of Social Tropical Medicine and Hygiene*, 84, p.641-643.

Salako L.A., (et al.), (1990): Evaluation of the Clinical efficacy and safety of halofantrine in *falciparum* malaria in Ibadan, Nigeria., *Transactions*

Records of Social Tropical Medicine and Hygiene, 84, p.644-647.

Salako L.A., (et al.), (1990): Malaria in Nigeria: a revisit., *Annals of Tropical Medicine and Parasitology*, 84, p.435-445.

Simooya O.O., (et al.), (1988): Sensitivity of *Plasmodium falciparum* to chloroquine, amodiaquine and mefloquine in Ibadan, Nigeria., *African Journal of Medicine and Medical Science*, 17, p.3-7.

Singer R., (et al.), (1987): Decreased semen quality in a male infected with malaria., *International Journal of Androl*, 10, p.685-689.

Sixl W., (et al.), (1987): Serological testing of human blood samples for infectious diseases in the Abejota and the Minna Hospitals/Nigeria., *Journal of Hygiene, Epidemiology, Microbiology and Immunology*, 31, p.490-492.

Smith D.B., (et al.), (1988): Decreased plasma gelsolin levels in patients with *Plasmodium falciparum* malaria: a consequence of hemolysis?, *Blood*, 72, p.214-218.

Sodeinde O., (et al.), (1990): Continuous in-vitro cultivation of *Plasmodium falciparum* in Ibadan: Solutions to scientific and logistical problems., *African Journal of Medicine and Medical Science*, 19, p.71-76.

Sowunmi A., (et al.), (1990): Clinical efficacy of mefloquine in children suffering from chloroquine-resistant *Plasmodium falciparum* malaria in Nigeria., *Transaction Records of Social Tropical Medicine and Hygiene*, 84, p.761-764.

Sowunmi A., (et al.), (1992): Evaluation of the relative efficacy of various antimalarial drugs in Nigerian children under five years of age acute uncomplicated *falciparum* malaria., *Annals of Tropical Medicine and Parasitology*, 86, p.1-8.

Stemberger H., (et al.), (1984): Tolerability of long-term prophylaxis with fansidar: a randomized double-blind study in Nigeria., *Acta Tropical*, 41, p.391-399.

Trowers E.A., (et al.), (1992): A Nigerian man with fever and abdominal pain., *Hospital Practice*, 27, p.149-150.

Udezue E.O., (1985): Persistence of malarial antibody in Nigerian children born in the UK and its clinical relevance., *Transactions Records of Social Tropical Medicine and Hygiene*, 79, p.427-429.

Udezue E.O., (1989): Malarial antibody in Nigerian children born abroad after their return home., *Transactions Records of Social Tropical Medicine and Hygiene*, 83, p.63-65.

Ukejiofo E.O., (et al.), (1987): Chronic lymphocytic leukaemia with raised serum IgM levels., *African Journal of Medicine and Medical Science*, 16, p.113-118.

Umotong A.B., (et al.), (1991): Correlation between *in vivo* and *in vitro* response of chloroquine-resistant *Plasmodium falciparum* in Calabar, south-eastern Nigeria., *Acta Tropical*, 49, p.119-125.

Usanga E.A., (et al.), (1990): Efficacies of chloroquine and pyrimethamine-sulphadoxine in a Nigerian population with chloroquine resistant *P. falciparum* malaria., *East Africa Medical Journal*, 67, p.295-301.

Usanga E.A., (et al.), (1991): Depressed erythropoietic activity of Nigerian pregnant women., East Africa Medical Journal, 68, p.484-489.

Walker O., (et al.), (1984): The sensitivity of Plasmodium falciparum to chloroquine and amodiaquine in Ibadan, Nigeria., Transactions Records of Social Tropical Medicine and Hygiene, 78, p.782-784.

Willocks L., (et al.), (1992): Changing patterns of malaria in south-east Scotland: implications for practitioner awareness and prophylactic advice., Postgrad Medical Journal, 68, p.22-25.

Winstanley P.A., (et al.), (1990): The disposition of amodiaquine in Zambians and Nigerians and Nigerians with malaria., British Journal of Clinical Pharmacology, 29, p.695-701.

4. フィラリア症, オンコセルカ症に関する文献

Abayomi I.O., (et al.), (1986): Survey of onchocerciasis within the Federal Capital Territory of Nigeria between 1981 and 1982, Journal of Tropical Pediatrics, 32, 3, p.104-106.

Akogun O.B., (et al.), (1991): Hyperendemic onchocerciasis in the Taraba river valley of Gongola state (Old Adamawa province), Nigeria, Annual Parasitology Human Comp, 66, 1, p.22-26.

Akogun O.B., (1992): Filariasis in Gongola State Nigeria. I: Clinical and parasitological studies in Mutum-Biyu District, Angew Parasitology, 33, 3, p.125-131.

Akogun O.B., (1992): Eye lesions, blindness and visual impairment in the Taraba river valley, Nigeria and their relation to onchocercal microfilariae in skin, Acta Tropica, 51, p.143-149.

Brieger W.R., (et al.), (1986): Improving recognition of onchocerciasis in primary care--2: Learning from a cultural perspective, Tropical Doctor, 16, 1, p.9-13.

Brieger W.R., (et al.), (1987): Onchocerciasis and pregnancy. Traditional beliefs of Yoruba women in Nigeria, Tropical Doctor, 17, 4, p.171-174.

Chijioko C.P., (et al.), (1992): Adverse events following mass ivermectin therapy for onchocerciasis, Transaction of the Royal Society of Tropical Medicine and Hygiene, 86, p.284-286.

Edungbola L.D., (et al.), (1984): Parasitologic survey of onchocerciasis (river blindness) in Babana District, Kwara State, Nigeria, American Journal of Medicine and Hygiene, 33, 6, p.1147-1154.

Edungbola L.D., (et al.), (1986): The status of human onchocerciasis in the Kainji reservoir basin areas 20 years after the impoundment of the lake, Tropical Journal of Medicine, 38, 3, p.226-232.

Edungbola L.D., (et al.), (1987): Edemicity and striking manifestations of onchocerciasis in Shao, Kwara, African Journal of Medicine and Medical Science, 16, 3, p.147-156.

Edungbola L.D.(et al.), (1987): 'Leopard skin' as a rapid diagnostic index for estimating the endemicity of African onchocerciasis, International Journal of Epidemiology, 16, 4, p.590-594

Ekeh H.E., (et al.), (1986): Targeting school children for tropical diseases control: preliminary findings from a socio-behaviour research in Nigeria, Journal of Tropical Medicine and Hygiene, 89, 1, p.1-6.

Ekeh H.E., (et al.), (1988): Health education strategies for tropical disease control in school children, Journal of Tropical Medicine and Hygiene, 91, 2, p.55-59.

Mimori T., (et al.), (1986): A biometric study of *Onchocerca volvulus* microfilariae from Nigeria using the nuclear counting method, Z Parasitenkd, 72, 6, p.835-836.

Nduka N., (1985): Serum aspartate and alanine aminotransferase in filariasis, Clinical Chim Acta, 149, 1, p.75-79.

Nwoke B.E., (et al.), (1992): Onchocerciasis in Plateau State; Nigeria: ecological background, local disease perception & treatment; and vector/parasite dynamics, Journal of Hygiene Epidemiol Microbiol Immunol, 36, 2, p.153-160.

Ogunba E.O., (et al.), (1992): Preliminary observation on the distribution of ivermectin in Nigeria for control of river blindness, Annals of Tropical Medicine and Parasitology, 86, 6, P.649-655.

Ogunrinade A.F., (et al.), (1992): Use of a recombinant antigen (OC 3.6 cDNA) for the serological diagnosis of onchocerciasis in exposed Nigerian children, Journal of Tropical Pediatr, 38, 3, p.103-105.

Ogunrinade A.F., (et al.), (1992): Field evaluation of IgG4 serology for the diagnosis of onchocerciasis in children, Tropical Medicine Parasitology, 43, 1, p.59-61.

Okonkwo P., (et al.), (1991): Studies on onchocerciasis in the forest-savannah mosaic areas of Nigeria. I. Investigation in Gbaragu, Oji River, Annals of Tropical Medicine and Parasitology, 85, 6, p.617-623.

Onwuliri C.O.E.(et al.), (1987): Onchocerciasis in Plateau State of Nigeria. 2. The prevalence among residents around the Assob River area, Annals of Tropical Medicine and Parasitology, 81, 1, p.49-52.

Pearson C.A., (1988): A major cause of third world rheumatism largely overlooked--onchocerciasis, British Journal of Rheumatol, 27, 5, p.414-416.

- Pearson C.A., (1991): Infertility and onchocerciasis [letter], *Tropical Doctor*, 21, 2, p.81-82.
- Udonsi J.K., (1986): The status of human filariasis in relation to clinical sings in endemic areas of the Nigeria Delta, *Annals of Tropical Medicine and Parasitology*, 80, 4, P.425-432.
- Udonsi J.K., (1988): Filariasis in the Igwun River Basin, Nigeria: an epidemiological and clinical study with a note on the vectors, *Annals of Tropical Medicine and Parasitology*, 82, 1, p.75-82.
- Ufomadu G.O.(et al), (1988): Evaluation of skin biopsies from different body regions of onchocerciasis patients in Central Nigeria, *Acta Tropical*, 45,p.257-261.
- Ufomadu G.U., (et al.), (1990): Possible transplacental transmission of *Onchocerca volvulus*, *Tropical Geographic Medicine*, 42, 1, p.69-71.
- Ufomadu G.O., (et al.), (1992): Human onchocerciasis in the lower Jos Plateau, Central Nigeria: the prevalence, geographical distribution and epidemiology in Akwanga and Lafia Local Government Areas, *Annals of Tropical Medicine and Parasitology*, 86, 6, p.637-647.
- Williams H.K., (et al.), (1986): Onchocerciasis of the face and mouth, *Oral Surg, Oral Medicine and Oral Pathology*, 62, 5, p.560-563.

5. 住血吸虫症に関する文献

- Adewunmi C.O., (et al.), (1990): Endemicity and seasonality of transmission of human schistosomiasis in Ile-Ife, south western Nigeria., *Tropical Medical Parasitology*, 41, 443-444.
- Adewunmi C.O., (et al.), (1991): Endemicity, seasonality and focality of transmission of human schistosomiasis in 3 communities in southwestern Nigeria., *Tropical Medical Parasitology*, 42, p.332-334.
- Adewunmi C.O., (1991): Plant molluscicides: potential of aridan, tetrapleura tetraptera, for schistosomiasis control in Nigeria., *The Science of the Total Environment*, 102, p.21-33.
- Aghaji A.E., (et al.), (1989): Bladder Tumours in Enugu, Nigeria., *British Journal of Urology*, 64, p.399-402.
- Akogun O.D., (1990): Water demand and schistosomiasis among the Gumau people of Bauchi State, Nigeria., *Transaction of the Royal Society of Tropical Medicine and Hygine*, 84, p.548-550.
- Akogun O.B., (1991): Urinary schistosomiasis and the coming of age in Nigeria., *Parasitology Today*, 7, p.62.
- Arene F.O.I., (et al.), (1986): Studies of Schistosomiasis in the Niger Delta: Prevalence of *Schistosoma haematobium* among inhabitants of Ahoada district., *Public Health*, 100, p.302-308.

- Audu I.O., (1988): Schistosomiasis. Its prevalence in Kaduna Polytechnic, Nigeria., *Tropical Doctor*, 18, p.46-47.
- Bello A.B., (et al.), (1992): Schistoma haematobium: a neglected common parasitic disease of childhood in Nigeria. Incidence and intensity of infection., *Acta Paediatr*, 81, p.601-604.
- Betterton C., (et al.), (1988): Schistosomiasis in Kano State, Nigeria. 1. Human infections near dam sites and the distribution and habitat preferences of potential snail intermediate hosts., *Annals of Tropical Medicine and Parasitology*, 82, p.561-570.
- Chikwem J.O., (et al.), (1987): A retrospective study of nine years' hospital records of schistosomiasis in north-eastern Nigeria., *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 81, p.383-384.
- Chugh K.S., (et al.), (1986): Urinary schistosomiasis in Maiduguri, North east Nigeria., *Annals of Tropical Medicine and Parasitology*, 80, p.593-599.
- Ejezie G.C., (et al.), (1987): Chemotherapy in the control of urinary schistosomiasis in Nigeria., *Journal of Tropical Medicine and Hygiene*, 90, p.149-151.
- Ejezie G.C., (et al.), (1989): The schistosomiasis problem in Nigeria., *Journal of Hygiene, Epidemiology, Microbiology and Immunology*, 33, p.169-179.
- Ejezie G.C., (et al.), (1991): Schistosomiasis in cross river state, Nigeria: 1. Prevalence and intensity of infection in Adim, Akamkpa local government area, *Journal of Hygiene, Epidemiology, Microbiology and Immunology*, 35, p.141-148.
- Mbonu O.O., (et al.), (1991): Gross haematuria in a Negro population: An analysis of 100 adult cases., *International Urology and Nephrology*, 23, p.261-263.
- Obafunwa J.O., (1991): Histopathological study of vesical carcinoma in Plateau State, Nigeria., *European Journal of Surgical Oncology*, 17, p.489-491.
- Oyeyi T.I., (et al.), (1990): A note of the post-aestivation biology of *Bulinus rohlfsi*(Clessin), an intermediate host of *Schistosoma haematobium*(Bilharz) in Northern Nigeria., *Annals of Tropical Medicine and Parasitology*, 84, p.535-536.
- Ozumba N.A., (et al.), (1989): Endemicity, focality and seasonality of transmission of human schistosomiasis in Amagunze Village, eastern Nigeria., *Journal of Helminthology*, 63, p.206-212.

6. トリパノソーマ文献

Anene B.M., et al.,(1991): Comparative study of clinical signs, haematology and prevalence of trypanosomiasis in Holstein Friesian and White Fulane Zibu cattle exposed to natural infection in a rain forest zone of Nigeria., *Angew. Parasitol.*, 32, p.99-104.

Anene B.M., et al.,(1991): The production performance of imported Friesian cattle under heavy *Trypanosoma* challenge in a rain forest zone of Nigeria., *Br. Vet. J.*, 147, p.275-282.

Dina O.A., et al.,(1988): The response of the Nigerian indigenous chicken (*Gallus domesticus*) to trypanosomes., *Rev. Elev. Med. Vet. Pays. Trop.*, 41, p.365-366.

Dnah D.N., et al.,(1991): Porcine cerebral *Trypanosoma brucei* trypanosomiasis., *Trop. Anim. Health. Prod.*, 23, p.39-44.

Edeghere H., et al.,(1989): Human African trypanosomiasis (sleeping sickness): new endemic foci in Bendil State, Nigeria., *Trop. Med. Parasitol.*, 40, p.16-20.

Edeghere H., et al.,(1985): Field evaluation of Cellognost indirect haemagglutination test in the diagnosis of human trypanosomiasis (sleeping sickness) in Kura local government area of Kano State, Nigeria., *Acta. Trop.*, 42, p.189-194.

Emeribe A.O., et al.,(1991): Haematology of experimental *Trypanosoma brucei gambiense* infection., *Rev. Elev. Med. Vet. Pays. Trop.*, 44, p.53-57.

Esievo K.A., et al.,(1984): Depleted serum haptoglobin in acute bovine trypanosomiasis., *Vet. Parasitol.*, 15, p.181-185.

Godfrey D.G., et al.,(1987): Enzyme polymorphism and the identity of *Trypanosoma brucei gambiense*., *Parasitology*, 94, p.337-347.

Igbokwe I.O.,(1989): Dyserythropoiesis in animal trypanosomosis., *Rev. Elev. Med. Vet. Pays. Trop.*, 42, p.423-429.

Joshua R.A.,(1989): Occurrence of human serum-resistant *Trypanosoma congolense* in goats and sheep in Nigeria., *Vet. Parasitol.*, 31, p.107-113.

Kalu A.U.,(1991): An outbreak of trypanosomosis of the Jos Plateau, Nigeria., *Trop. Anim. Health. Prod.*, 23, p.215-216.

Moloo S.K., et al.,(1992): Vector competence of *Glossine pallidipes* and *G.morsitans centralis* for *Trypanosoma vivax*, *T.congolense* and *T.b.brucei*., *Acta. Tropical.*, 51, p.271-280.

- Nantulya V.M., et al.,(1986): Apparent exhaustion of the variable antigen repertoires of Trypanosoma vivax in infected cattle., *Infec. Immun.*, 54, p.444-447.
- Nawathe D.R., et al.,(1988): Acute bovine trypanosomiasis in a tsetse-free zone of Nigeria., *Trop. Anim. Health Prod.*, 20, p.141-142.
- Nwanyanwu O.C., et al.,(1985): The public health significance of trypanosomiasis (sleeping sickness) in Nigeria., *Int. J. zoonoses*, 12, p.28-34.
- Ochole R.A., et al.,(1988): Mixed outbreak of trypanosomeasis and babesiosis in pigs in Nigeria., *Trop. Anim. Health Prod.*, 20, p.140.
- Okanla E.O., et al.,(1990): Trypanocidal effects of an aquenus extract of Acalypha hispida leaves., *J. Ethnopharmacol.*, 29, p.233-237.
- Omeke B.C., et al.,(1991): Pig trypanosomiasis: comparative anaemia and histopathology of lymphoid organs., *Rev. Elev. Medical Vet. Pays Trop.*, 44, p.267-272.
- Omoogun G.A., et al.,(1991): The decline of a Glossina moristans submorsitans belt in the Egbe area of the derived savanna zone, Kwara State, Nigeria., *Med. Vet. Entomol.*, 5, p.43-50.
- Onah D.N.,(1991): Porcine trypanosomosis in Nigeria: infections in local and exotic pigs in the Nsukka area of Anambra State., *Trop. Anim. Health Prod.*, 23, p.141-146.
- Opasina B.A., et al.,(1987): Trypanosomiasis in Nigerian trade cattle., *Trop. Anim. Health Prod.*, 19, p.251-252.
- Otesile E.B., et al.,(1991): Pathogenicity of Trypanosoma brucei in experimentally infected pigs., *Rev. Elev. Medical Vet. Pays Trop.*, 44, p.279-282.
- Otesile E.B., et al.,(1991): The effect of Trypanosoma brucei infection of serum biochemical parameters in boars of different planes of dietary energy., *Vet. Parasitol.*, 40, p.207-216.
- Peregrine A.S., et al.,(1987): Therapeutic and prophylactic activity of isometamidium chloride in boran cattle against Trypanosoma vivax transmitted by Glossina morisitans centralis., *Res. Vet. Sci.*, 43, p.268-270.
- Scott J.A., et al.,(1991): Diagnosing multiple parasitic infections: trypanosomiasis, loiasis and schistosomiasis in a single case., *Scand. J. Infect. and Dis.*, 23, p.777-780.
- Sumberg J.E., et al.,(1985): Village production of West African Dwarf goats and sheep in Nigeria., *Trop. Anim. Health. Prod.*, 17, p.135-140.
- Thomson K.D.,(1989): Tryparsamide [letter], *Lancet*, 2, p.573.

Weir A.B., et al.,(1985): Hyperendemic West African trypanosomiasis in a rural hospital setting., J. Trop. Med. Hyg., 88, p.307-311.

Wosu L.O., et al.,(1990): Incidence and seasonality of reproductive disease conditions in small ruminants in Nsukka area, Nigeria., Beitr. Trop. Landwirtschaft. Veterinarmed., 28, p.185-189.

Wosu L.O., et al.,(1992): Incidental of trypanosomes and productivity of settled Fulani cattle in Anambra State, southern Nigeria., Beitr. Trop. Landwirtschaft. Veterinarmed., 30, p.193-197.

7. 腸管内寄生虫に関する文献

Adedoyin M.A., et al.: Prevalence of intestinal parasitoses in relationship to diarrhoea among children in Ilorin., West. Afr. J. Med., 9, p.83-88.

Akinboade O.A., et al.,(1986): Human amoebiasis: epidemiological studies at two hospitals in Ibadan, Nigeria., Int. J. Zoonoses., 13, p.202-205.

Akogun O.B., (1989): Some social aspects of helminthiasis among the people of Guman District, Bauchi State, Nigeria., J. Trop. Med. Hyg., 92, p.193-196.

Alakija W.,(1986): Prevalence of intestinal parasitic agents in stools of people in a rural area of Nigeria., Ann. Trop. Med. Parasitol., 80, p.545-547.

Arene F.O. and Akabogu O.A.,(1986): Intestinal parasitic infections in pre-school children in the Niger Delta., J. Hyg. Epidemiol. Microbiol. Immunol., 30, p.99-102.

Asaolu S.O., et al.,(1991): Community control of Ascaris lumbricoides in rural Oyo State, Nigeria: mass, targeted and selective treatment with levamisole., Parasitology, 103, p.291-298.

Asaolu S.O., et al.,(1992): The prevalence and intensity of soil-transmitted helminthiasis in rural communities in southern Nigeria., Ann. Trop. Med. Parasitol., 86, p.279-282.

Crompton D.W.H.,(1990): Action for the control of soil-transmitted helminthiasis in Nigeria., Parasitology Today, 6, p.313-315.

Develoux M., et al.,(1987): Hepatic amebiasis at Niamey Hospital (Nigeria), Bull. Soc. Pathol. Exot. Filiales., 80, p.792-796.

Ejezie G.C. and Otigbuo I.N.,(1987): The stabilising factors of parasitic infections in Nigeria., J. Hyg. Epidemiol. Microbiol. Immunol., 31, p.45-51.

Ejezie G.C. and Akpan I.F.,(1992): Human ecology and parasitic infections 1.The effect of occupation of the prevalence of parasitic infections in Calabar, Nigeria., Journal of Hygiene, Epidemiol-

ogy, Microbiology, and Immunology, 36, p.161-168.

Fashuyi S.A., (1988): An observation of the dynamics of intestinal helminth infections in two isolate communities in south-western Nigeria., Trop. Geogr. Med, 40, p.226-232.

Fashuyi S.A.,(1992): The pattern of human intestinal helminth infections in farming communities in different parts of Ondo State, Nigeria., West Afr. J. Med., 11, p.13-17.

Holland C.V., et al.,(1989): The epidemiology of Ascaris lumbricoides and other soil-transmitted helminths in primary school children from Ile-Ife, Nigeria., Parasitology, 99, p.275-285.

Holland C.V. and Asaolu S.O.,(1990): Ascariasis in Nigeria., Parasitology Today, 6, p.143-147

Holland C.V., et al.,(1992): A possible genetic factor influencing protection from infection with Ascaris lumbricoides in Nigeria children., J. Parasitol., 78, p.915-916.

Hopkins D.R.,(1992): Homing in on helminths., Am. J. Trop. Med. Hyg., 46, p.636-634.

Ogunba E.O. and Adedeji S.O.,(1986): Infectivity with human ascariasis in Ibadan Oyo State, Nigeria., Afr. J. Med. Med. Sci., 15, p.79-83.

Oyerinde J.P., et al.,(1989): Investigation of Cryptosporidium in relation to other intestinal parasites at the Lagos University Teaching Hospital, Lagos., West Afr. J. Med., 8, p. 264-269.

Reinthal F.F., et al.,(1988): A survey of gastrointestinal parasites in Ogun State, southwest Nigeria., Ann. Trop. Med. Parasitol., 82, p.181-184.

8. その他の寄生虫疾患

Arene F.O.,(1984): Prevalence of toxocariasis and echinococcosis among dogs in the Niger Delta., J. Trop. Med. Hyg., 87, p.207-209.

Chiejina S.N. and Ekwe T.O.,(1986): Canine toxocariasis and the associated environmental contamination of urban areas in eastern Niageria., 22, p.157-161.

Onadoko M.O., et al.,(1992): The prevalence of toxoplasma infection among pregnant women in Ibadan, Nigeria., Journal of Tropical Medicine and Hygiene, 95, p.143-145.

Okolo M.I.,(1986): Dumb (paralytic) rabies in dogs in Nigeria., Int. J. Zoonoses, 13, p.11-18.

Akinboye D.O. and Ogurinde A.F.,(1987): Malaria and loaisis among blood donors at Ibadan, Nigeria., Trans R. Soc. Trop. Med. Hyg., 81, p.398-399.

JICA