


200  
190  
180  
170  
160  
150  
140




1:500

1:1000


Stone No. 6.  
178,52

splay

splay







1:500  
1:1000

Station No.	Distance	Total Distance	Ground Level
21	0	0	165.4
	0.25	0.25	163.0
22	0	0.710	156.0
	0.4	0.204	150.8
23	0	0.350	151.3
	0.4	0.396	151.0
24	0	0.300	151.9
	0.17	0.317	152.0
	0.15	0.432	151.6
	0	0.800	151.7
25	0	1.000	152.0
	0	1.235	152.2
	0	1.315	155.2
	0.9	1.364	154.6
26	0	1.500	153.5
	0	1.640	155.0
	0	1.748	152.6
	0	1.882	153.4
27	0	1.950	154.8
	0	2.000	156.8
	0	2.030	155.6
	0	2.282	172.4
	0	2.335	176.4
	0	2.325	176.4
	0	2.3895	179.4
	0	2.4495	180.4
28	0	2.500	180.8

**LEGEND:**

Stone No 5 : basic point  
165.62 : top of stone.

25. 20.0 1400 152.0

23.5 1422.5 152.2  
8.0 1431.5 155.2  
4.9 1436.4 156.6

26. 13.6 1450.0 153.5

14.0 1464.0 155.0  
10.8 1474.8 152.6

14.4 1489.2 153.4  
5.8 1495.0 154.8  
5.0 1500.0 156.6  
3.0 1503.0 155.6


27.

25.2 2482 172.4  
0.6 2488 173.6  
4.5 2492.5 176.4  
6.0 2499.5 179.4  
6.0 2449.5 180.4  
5.05 2450.0 180.8

28.



Altitude above the Balti sea



„PYRUS” Environmental Services Ltd.

H-1117 Bogdányfű u. 2., Budapest

T: +36-1-185-0126; Fax: +36-1-185-0240

Principal:

J. I. C. A.

6-2

Subject: Geodetic examination of the Dunakeszi sand quarry (Hungary)

Drawing No:

5

Length section No: 2

Scale:

↑ 1:500  
→ 1:1000

Man. Director:

Vice Manager:

Designer:

Date:

Egerszegi

Járomi

Sóos

1992.06.

200  
190  
180  
170  
160  
150  
140

Stone No. 1  
183,62


splay


deposit place

splay

road

Stone No. 2  
157,08





splay

road

Stone No. 2  
157,08





deposit place

splay


splay

splay


Stone No. 3

155,95










9.	15.6	3+500	158.0
	24.7	3+74.7	157.4
10.	25.3	4+0.00	155.8
	6.0	4+06.0	155.0
	7.5	4+13.5	152.2
	16.7	4+30.2	150.6
11.	19.8	4+50.0	149.8
	24.4	4+74.4	149.4
12.	25.6	5+0.00	148.9
	29.6	5+29.6	148.4
13.	20.4	5+50.0	148.4
	24.2	5+74.2	148.5
	3.8	5+78.0	148.5
	3.2	5+81.2	150.0
	5.6	5+86.8	148.6
14.	19.2	6+0.00	148.9
	12.3	6+12.3	149.2
15.	17.7	6+30.0	149.8
	13.8	6+43.8	149.1
16.	6.2	6+50.0	146.5
	1.5	6+51.5	145.6
	25.9	6+77.4	145.8
17.	22.6	7+0.00	145.3
18.	23.0	7+23.0	144.8
	3.0	7+26.0	145.0
	8.5	7+34.5	148.9
	8.7	7+43.2	150.6
	4.0	7+47.2	152.6
	2.8	7+50.0	152.6
19.	3.2	7+53.2	152.6
	4.0	7+57.2	155.7
20.	7.2	7+58.4	155.7

1:500  
1:1000

Station No.	Distance	Total Distance	Ground Level
1.	0	0	183.6
	1.5	0+1.5	183.8
	10.7	0+12.2	175.0
2.	5.9	0+18.1	173.0
	67	0+24.8	172.1
	16.2	0+41.0	171.5
3.	5.3	0+46.3	172.9
	5.3	0+51.6	170.8
	0.5	0+52.1	170.7
4.	31.7	0+81.7	168.9
	18.3	1+00.0	169.7
	20.0	1+20.0	168.9
5.	13.0	1+33.0	162.2
	17.0	1+50.0	162.1
	26.0	1+76.0	160.3
6.	24.0	2+00.0	158.8
	28.1	2+28.1	157.2
	21.9	2+50.0	156.6
7.	7.6	2+57.6	157.0
	13.8	2+71.4	158.3
	6.7	2+78.1	159.6
8.	6.1	2+84.2	158.8
	15.8	3+00.0	158.9
	12.2	3+12.2	158.8
9.	1.8	3+14.0	160.5
	4.2	3+18.2	158.9
	16.2	3+34.4	158.6
10.	15.6	3+50.0	158.0
	24.7	3+74.7	157.4

LEGEND:







4. 18.3 1+0.00 168.7  
 20.0 1+20.0 169.9  
 19.0 1+30.0 162.2  
 17.0 1+50.0 162.1  
 26.0 1+76.0 160.3  
 24.0 2+0.00 158.8  
 28.1 2+28.1 157.2  
 21.9 2+50.0 156.6  
 7.6 2+57.6 157.0  
 13.8 2+71.5 158.5  
 6.7 2+78.1 159.6  
 6.1 2+84.2 158.8  
 15.8 3+0.00 158.9  
 12.2 3+12.2 158.8  
 7.8 3+14.0 160.5  
 4.2 3+18.2 158.9  
 16.2 3+34.4 158.6  
 15.6 3+50.0 158.0  
 24.7 3+74.7 157.4  
 25.3 4+0.00 155.8  
 6.0 4+06.0 155.0  
 7.5 4+13.5 152.2  
 16.7 4+30.2 150.6  
 19.8 4+50.0 149.8  
 24.4 4+74.4 149.4  
 25.6 5+0.00 148.9  
 20.4 5+50.0 148.4



9.	15,6	3+500	150,0
	24,7	3+74,7	157,4
10.	25,3	4+0,00	155,8
	6,0	4+06,0	155,0
	7,5	4+35	152,2
	16,7	4+30,2	150,6
11.	19,8	4+50,0	149,8
	24,4	4+74,4	148,4
12.	25,6	5+0,00	148,9
	29,6	5+29,6	148,4
13.	20,4	5+50,0	148,4
	24,2	5+74,2	148,5
	3,8	5+78,0	148,5
	3,2	5+81,2	150,0
	5,6	5+86,8	148,6
14.	13,2	6+0,00	148,9
	12,3	6+12,3	149,2
15.	17,7	6+30,0	149,8
	13,8	6+43,8	149,1
	6,3	6+50,0	146,5
	1,5	6+51,5	145,8
17.	25,9	6+77,4	145,8
17.	22,6	7+0,00	145,3
18.	23,0	7+23,0	144,8
	3,0	7+26,0	145,0
	8,5	7+34,5	143,9
	8,7	7+43,2	150,6
	4,0	7+47,2	152,6
	2,8	7+50,0	152,6
	3,2	7+53,2	152,6
	4,0	7+57,2	155,7
19.	1,2	7+58,4	155,7
20.			

Altitude above the Balti sea

	"PYRUS" Environmental Services Ltd.	
	H-1117 Bogdánfy u. 2., Budapest T: +36-1-185-0126, Fax: +36-1-185-0240	
Principal:	J.I.C.A.	6-3
Subject:	Geodetic examination of the Dunakeszi sand quarry (Hungary)	Drawing No: 4
	Length section No. 1	Scale: ↑ 1:500 → 1:1000
Man. Director Egerszegi 	Vice Manager Járomi 	Designer: Sóos 
		Date: 1992.06

190  
180  
170  
160  
150

No. 25  
G.L.: 152,0  
No. 21+100,0

splay

190  
180  
170  
150

No. 26  
G.L.: 153,5  
No. 21+150,0

splay

deposit place

splay




spla

190  
180

No. 27  
G.L.: 154,6  
No. 21+200,0







190  
180  
170  
150  
190  
180  
170  
160  
150  
200  
190

No. 26.  
G.L. : 153.5  
No. 21+150.0

splay

deposit place

splay

splay


No. 27.  
G.L. : 154.6  
No. 21+200.0

splay

deposit place

No. 28.  
G.L. : 180.8  
No. 21+250.0

splay



No. 26.  
G.L.: 153.5  
No. 21+150.0

deposit place

splay

splay

splay

splay

No. 27  
G.L.: 154.6  
No. 21+200.0

splay

deposit place

splay

No. 28  
G.L.: 180.8  
No. 21+250.0

splay

splay

