

DONNEE 4

APERCU DE L'ETAT D'INONDATION

TABLE C.1.4 (1) SUMMARY OF FLOOD CONDITION (1)

			1989 Flood					
			Flood Area (ha)	Nos. Houses	Max. Flood Depth (cm)	Ave. Flood Depth (cm)	Max. Duration of Inundation	Ave. Duration of Inundation
1	Lansaar	R-L	17.7	140	170	56	210	112.5
2	Diamaguene Diaksao	R-L/C	12.8	115	80	50	90	39.9
			2.7	30	80	60	90	67.5
			10.1	85	40	33	3	3.0
3	Wakhinane	R-L	-	-	-	-	-	
4	Medina Gounass, Mousdalifa, 3 Mbars	R-L	8.7	580	130	93	180	160.0
5	Darou Rahmane, Guedlawayo	R-L	8.6	100	100	82	90	61.0
			2.4	30	100	100	90	90.0
			6.2	70	45	45	3	3.0
6	Djida 2, Pikine	R-L	7.6	510	85	58	180	60.5
			1.5	100	85	83	180	135.0
			6.1	410	50	35	7	4.0
7	Thiarooye sur Mer	R-L	52.0	485	90	56	30	13.6
8	Ganaw-Rail, Wakhinane	R-L	4.7	150	80	68	90	55.5
			1.1	35	80	80	90	90.0
			3.6	115	55	55	21	21.0
9	Nass Foulah	R-L	5.5	20	80	-	120	-
10	Thiarooye SOTRAC	R-L	5.6	15	100	80	180	130.0
11	Citee Pepliere Pikine	R-L/C	4.6	75	80	80	14	14.0
12	Dilior	R-L	-	-	-	-	-	-
13	Entree Tally Boubess	R-L/C	14.2	150	80	49	10	4.5
14	Traversiere	R-L	-	-	-	-	-	-
15	Pikine Rue 10	R-L	10.3	85	60	41	7	4.6
16	Rond Point Maison du Parti, Rue 13, Rocade Fann Bel Air, Colobane Autor	C	Road	small shop	50	29	5	3.5
17	Rue 10, ENAM, Zone B, Rue G	R-H	Road	-	-	-	-	-
18	Rue 11	R-L/C	0.8	30	55	48	30	15.0
19	Sicap Amilie 1, Rue 10	R-M	0.6	20	25	25	3	3.0
20	Ave. Bourguiba + Rue 9, Rue 9 bis	R-M&H	-	-	-	-	-	-
21	Route de Ouakam + Bourguiba + Lycee	R-H	-	-	-	-	-	-
22	Mermoz Terrain Basket	R-H&M	1.3	35	30	30	3	3.0
23	Comiche Ouest + Route de 10, Pyrotechn	R-H&M	Road	-	45	45	90	90.0
24	Sicap Baobab, Buo Diyar	R-M&H	Road	-	-	-	1	1.0
25	Sucac Baibabs + Rue 12	R-H&M	-	-	-	-	-	-
26	Rue 13 + Avenue de la Liberte	C	1.9	Bus Terminal	30	30	3	3.0
27	Derkle	R-M	-	-	-	-	-	-
28	Route de front de Terre + Bourguiba	R	Road	-	-	-	-	-
29	Station de pompage Castors, Sodja, Bourguiba	R/C	1.0	5	35	35	6	6.0
30	Bopp Rue D, Rue de Mboul, Rue 2	R-M	5.3	55	30	28	6	6.0
31	HLM 6 Terrain	R-H&M/C	4.5	soccer field / small shop	15	15	14	7.7
32	Point E Boulevard Sud + Rue 3	R-H	1.6	15	50	50	-	-
33	Point E Rue 4 + Rue C	R-H	2.3	20	40	40	90	90.0
34	Route de Ouakam, Ecole Manguiers	R	-	-	-	-	-	-
35	Fass Rue 22b, Fass cola Canal 4	R-L	7.1	150	45	35	14	9.3
36	Bd. Gueule Tapee + Rue 34 & Rue 10	R-M	Road	-	35	35	3	3.0
37	Gendarmerie Colobane	R-L, M&H	7.9	100	30	30	6	6.0
38	Place de Bakou, Rocade Fann Bel Air	R/C	Road	-	50	50	10	10.0
39	Gueule Tapee Rue 54	R-M&L	Road	-	20	20	6	6.0
40	Bd. Gr. de Gaulle, Rue 11, Route de Champ de Courses P1	C	-	-	-	-	-	-
41	Ecole El Hadji Malick Sy	R-C	Road	-	30	30	5	5.0
42	Ouakam	R-L&M	12.4	95	40	30	7	5.8
43	Ngor	R-H&M / C	5.0	40	100	66	180	81.3
44	Grand Yoff	R-M&L	5.8	165	140	100	30	16.4
45	Yoff	R-L&M	-	-	-	-	-	-
46	Medine	R-L&M	7.6	280	50	30	3	3.0
47	Sud-Est de Medine	R-L&M	1.7	110	50	45	8	7.5
48	Medina Gounass	R-L	2.2	150	50	45	360	190

Pikine
Dakar

R-L : Residential Low
R-H : Residential High
R-M : Residential Middle
C : Commercial

TABLE C.1.4 (2) SUMMARY OF FLOOD CONDITION (2)

		Annual Flood							Remarks
		Flood Area (ha)	Nos. Houses	Frequency of Inundation	Max. Flood Depth (cm)	Ave. Flood Depth (cm)	Max. Duration of Inundation	Ave. Duration of Inundation	
1	Lansaar	10.8	55	E.R	20	10	2	1.5	
2	Diamaguene Diaksao	0.6	small shop	E.R	30	25	4	3.3	
3	Wakhinane	-	-	-	-	-	-	-	
4	Medina Gounass, Mousdalifa, 3 Mbars	6.2	415	E.R	40	35	4	4.0	
5	Darou Rahmane, Guedlawaye	2.4	30	E.R	45	40	10	7.0	
6	Djida 2, Pikine	4.0	265	E.R	25	20	2	1.3	
7	Thiarooye sur Mer	13.4	235	1 or 2	35	20	3	2.3	
8	Ganaw-Rall, Wakhinane	1.2	40	E.R	20	10	1	1.0	
9	Nass Roulah	2.4	-	E.R	50	-	30	-	
10	Thiaroye SOTRAC	5.6	15	E.R	40	30	60	31.0	SOTRAC BUS GARAGE
11	Citee Papiniere Pikine	2.3	155	E.R	30	20	4	3.5	
12	Dilifort	-	-	-	-	-	-	-	
13	Entree Tally Boubess	6.4	80	E.R	55	40	6	2.3	
14	Traversiere	-	-	-	-	-	-	-	
15	Pikine Rue 10	6.7	55	1 or 2	40	27.5	1	1.0	
16	Rond Point Maison du Parli, Rue 13, Rocade Fann Bel Air, Colobane Autor	Road	small shop	E.R	30	18	6	2.7	
17	Rue 10, ENAM, Zone B, Rue G	Road	-	-	-	-	-	-	
18	Rue 11	Road	-	E.R	20	20	5	3.7	
19	Sicap Amitie 1, Rue 10	0.2	10	E.R	10	5	1	1.0	
20	Ave. Bourguiba + Rue 9, Rue 9 bis	-	-	-	-	-	-	-	
21	Roule de Ouakam + Bourguiba + Lycée	Road	-	10	10	10	3	3.0	
22	Mermoz Terrain Basket	1.3	35	E.R	15	15	1	1.0	
23	Comche Ouest + Roule de 10, Pyrotechn	Road	-	-	-	-	-	-	
24	Sicap Baobab, Rue Diyar	-	-	-	-	-	-	-	
25	Sucro Balbabs + Rue 12	-	-	-	-	-	-	-	
26	Rue 13 + Avenue de la Liberte	0.9	Bus Terminal	E.R	10	10	1	1.0	
27	Derkle	-	-	-	-	-	-	-	
28	Roule de front de Terre + Bourguiba	Road	-	-	-	-	-	-	
29	Stallon de pontage Castors, Sodja, Bourguiba	-	-	-	-	-	-	-	
30	Dopp Rue D, Rue de Mboul, Rue 2	1.5	10	E.R	15	15	2	1.5	
31	HLM 6 Terrain	4.5	soccer field / small shop	E.R	10	10	2	1.5	
32	Point E Boulevard Sud + Rue 3	0.6	5	2	10	10	1	1.0	
33	Point E Rue 4 + Rue C	1.1	10	10	40	20	60	60	
34	Roule de Ouakam, Ecole Mangulers	-	-	-	-	-	-	-	
35	Fass Rue 22b, Fass cote Canal 4	2.8	60	E.R	25	15	8	4.5	
36	Bd. Gueule Tapee + Rue 34 & Rue 10	-	-	-	-	-	-	-	
37	Gendarmerie Colobane	-	-	-	-	-	-	-	
38	Place de Bakou, Rocade Fann Bel Air	Road	-	-	-	-	1	1.0	
39	Gueule Tapee Rue 54	-	-	-	-	-	-	-	
40	Bd. Gr. de Gaulle, Rue 11, Route de Champ de Courses P1	-	-	-	-	-	-	-	
41	Ecole El Hadji Malck Sy	-	-	-	-	-	-	-	
42	Ouakam	3.6	Road / soccer field	1 or 2	10	10	1	1.0	
43	Ngor	3.8	25	E.R	30	22	10	4.3	
44	Grand Yoff	1.6	45	E.R	40	35	15	11.7	
45	Yoff	-	-	-	-	-	-	-	
46	Medine	5.1	140	E.R	50	15	7	1.0	
47	Sud-Est de Medine	1.0	55	E.R	50	25	8	7.0	
48	Medina Gounass	1.5	50	E.R	45	30	7	3.5	

Note: E.R: Every Big Rain





FIGURE C.1.6 (1) FLOOD AREAS IN AUGUST 1989 (1)

Commune de Dakar
Zones d'inondation 1989
(secteur Nord)
Fig. A6.11.2.



Source : Strategy Plan

FIGURE C.1.6 (2) FLOOD AREAS IN AUGUST 1989 (2)




FIGURE C.1.6 (3) FLOOD AREAS IN AUGUST 1989 (3)




FIGURE C.1.7 FLOOD AFFECTED AREA IDENTIFIED IN THE SURVEY

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW

AREA NAME Lanssar

AREA No. 1

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	170	7 MONTHS	Before Canal	Y			2	After Canal completed(91
2	Y	110	6 MONTHS	"	Y			1	
3	N			On the road	N				
4	Y	35	1 MONTH		N				
5	Y	80	1 MONTH		N				
6									
7									
8									
9									Canal 加出来 2017. 8. 1 17:00
10									2017. 8. 1 17:00
11									Annual 0 17:00
12									2017. 8. 1 17:00
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES ~~140~~ / 140

TOTAL NOS. OF HOUSES 10, 77

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

55

FLOOD CONDITION SURVEY SHEET

AREA No.2

AREA NAME Diamaguène, Diaksao

RESIDENTIAL LOW

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX. FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX. FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	35	2 MONTHS		Y	Every Rain			
2	Y	45	2 MONTHS		Y	"		3 DAYS	
3	Y	30	3 DAYS		N				
4	N				N				
5	N				N				
6	Y	30	3 DAYS		N				
7	Y	?	?	CAN CATCH FISHES	N				
8	Y	40	3 DAYS		Y	Every Rain	20	4 DAYS	
9	Y	60	2 MONTHS	IN THE MARKET	Y	"	30	3 DAYS	
10	N				N				
11	Y	80	3 MONTHS	OUTSIDE HOUSES	N				
12	Y	80	ALWAYS		N				
13									
14									
15									
16									
17									
18									
19									
20									

80% of the area is flooded every year. The water is very muddy and contains many fish. The water is very hot and the fish are very small. The water is very dirty and the fish are very small. The water is very hot and the fish are very small.

115

TOTAL NOS. OF HOUSES
TOTAL AREAS OF CULTIVATED LAND

0.60 TOTAL NOS. OF HOUSES
TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 3(See N°2)

AREA NAME Wakhinane(See Diaksao)

RESIDENTIAL LOW

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW

AREA NAME Darou Rahmane, Guédiawaye

AREA No.5

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	100	3 MONTHS	First lowest Point	Y		45	10 DAYS	
2	Y	45	3 DAYS	From District's Chief	Y		30	1 DAYS	
3	Y	100	3 MONTHS	Second lowest Point	Y		45	10 DAYS	
4									
5									
6				IB Swamp Area					
7				Lowest point (Fibit)					
8				KP Fibit					
9				23-11-11					
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

8.44 ha TOTAL NOS OF HOUSES 100

2.41 TOTAL NOS. OF HOUSES 30

TOTAL AREAS OF CULTIVATED LAND VEGETABLES

TOTAL AREAS OF CULTIVATED LAND

Handwritten notes in French:
 2.41 ha TOTAL NOS OF HOUSES 30
 TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW

AREA NAME Thiaroye sur Mer

AREA No.7

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	N				N				
2	N				N				
3	Y	25	15 DAYS		Y		10	2 DAYS	
4	Y	60	30 DAYS		Y				
5	Y	70	15 DAYS	Before Pumping	Y	1 or 2	23	2 DAYS	(Bout)
6	Y	90	15 DAYS	While Pumping	Y		35	3 DAYS	
7	Y	10	1 DAYS		N				
8	Y	80	16 DAYS	While Pumping	Y		10	2 DAYS	
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

12.5 ha TOTAL NOS. OF HOUSES ~~83~~ 485

17.4 ha TOTAL NOS. OF HOUSES 235

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW

AREA NAME Ganaw-rail, Wakhinane

AREA No.8

POINT No.	1989 FLOOD			ANNUAL FLOOD			REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	N			N			
2	Y	55	21 DAYS	Y		1 DAY	
3	Y	80	3 MONTHS	Y		1 DAY	
4							
5							
6							
7							Marketと世の橋の間に所に通る。 Annualの被害有。
8							
9							
10							10~10cm 被害あり。 45~50cm 被害あり。 50cm以上 被害あり。
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

4.07 TOTAL NOS. OF HOUSES 150

1.2 TOTAL NOS. OF HOUSES 40

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW

AREA NAME Nass Roulah

AREA No.9

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y	80	Until Next Rainy Season		Y	Annual 17 及 6 月 手 程 度 (50 cm?)			
2						19 年 1 月 17 日 水 位 1.0 米 左右			
3						(12 月 位)			
4						12 月 17 日 水 位 1.0 米 左右 築 造 船 隻 位			
5						1 月 11 日			
6						1 月 17 日 水 位 1.0 米 左右 (1 月 17 日 水 位) 1 月			
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Handwritten notes and signatures in the bottom right corner, including a signature and some illegible text.

TOTAL NOS. OF HOUSES 6
 TOTAL AREAS OF CULTIVATED LAND

TOTAL NOS. OF HOUSES 2,15
 TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No.10

AREA NAME Thiaroye SOTRAC

RESIDENTIAL LOW

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y	40	3 MONTHS	BUS COMPANY	Y	Every Rain	40	2 MONTHS	
2	Y	100	6 MONTHS	Behind Bus Company	Y	"	30	2 DAYS	Soft Sand
3	Y	100	4 MONTHS	Left of Bus Company	Y	"	20	During all Rainy Season	
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES

15

5.6 TOTAL NOS. OF HOUSES

15

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW

AREA NAME Cité Pépinière Pikine

AREA No.11

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	80	14 DAYS	Block Factory	Y	Every Rain	10	3 DAYS	
2	Y				N				
3	Y	80	14 DAYS	最近部 (最近の部)	Y	Every Rain	30	4 DAYS	
4			記憶無		Y	"			
5	N				N				
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

4,604 TOTAL NOS. OF HOUSES 17

2,3 TOTAL NOS. OF HOUSES 155

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No.12

AREA NAME Dalifort

RESIDENTIAL LOW

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

AREA No.13

AREA NAME EntréeTally Boubess

RESIDENTIAL LOW&COMMERCIAL

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	80	3 DAYS		Y	Every Rain	30	1 DAY	
2	Y	60	3 "		Y	"	40	1 "	
3	Y	45	10 "		N				
4	Y	40	3 "		Y	Every Rain			
5	N				N				
6	N				N				
7	N				N				
8	Y	10	1 DAY		N				
9	Y				Y	Every Rain	35	1 DAY	
10	Y	60	7 DAYS	Small Factory	Y	"	55	6 DAYS	
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

14.20 HA TOTAL NOS. OF HOUSES 156

14.20 TOTAL NOS. OF HOUSES 156

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW

AREA NAME Traversière

AREA No. 14 (See 15)

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

16.25 nos. TOTAL NOS. OF HOUSES 25

TOTAL NOS. OF HOUSES

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 15

AREA NAME Pikine Rue 10

RESIDENTIAL LOW

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	40	7 DAYS		Y	Every Rain	20	1 DAY	家の中心 1,2回程度
2	Y	40	2 "	- 70 cm (Road)	Y	"	30	1 DAY	
3	Y	40	3 "	- 50 cm (Road)	Y	"			
4	Y	20	30 7 DAYS		N				
5	Y	60	7 DAYS		Y		40	1 DAY	
6	Y	45	4 DAYS	- 30 cm (Road)	Y		20	1 DAY	
7				4					
8									
9				直営川家の敷地内					
10				併し					
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

15.78 TOTAL NOS. OF HOUSES 87
TOTAL AREAS OF CULTIVATED LAND

67 TOTAL NOS. OF HOUSES 55
TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA NAME Rond Point Maison du Parti, Rue 13, Rocade Fann Bel Air, Colobane Autor RESIDENTIAL COMMERCIAL

AREA No. 16

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	50	3 DAYS	NEAR SHOP	Y		30	1 DAY	
2	Y	20	5 "		Y		10	1 DAY	
3	Y	15	4 "		N				
4	Y	30	2 "	IN THE SHOP	Y		15	6 DAYS	
5					N				
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

(Handwritten note in a circle: 11/10/51)

small shop

Road

TOTAL NOS. OF HOUSES
TOTAL AREAS OF CULTIVATED LAND

TOTAL NOS. OF HOUSES
TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 17

AREA NAME Rue 10, ENAM, Zone B, Rue G

RESIDENTIAL MIDDLE & HIGH

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1				進行洪水					
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

AREA No.18

AREA NAME Rue 11

RESIDENTIAL HIGH / COMMERCIAL

POINT No.	1989 FLOOD			ANNUAL FLOOD			REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	
1	Y	40	12 DAYS	Y			2 DAYS ON THE ROAD ONLY
2	Y		3 DAYS	Y			4 DAYS "
3	Y	55	1 MONTH	Y	BIG RAIN	20	5 DAYS "
4	N			N			
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

(下水処理場が原因か不明?)
 洪水は市水行悪臭を発生させた

TOTAL NOS. OF HOUSES / SHEETS 20

TOTAL AREAS OF CULTIVATED LAND

TOTAL NOS. OF HOUSES

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET R HON.

AREA No. 19

AREA NAME Sicap Amitié 1, Rue 10

RESIDENTIAL HIGH&MIDDLE

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y	25	3 DAYS	高さ 25 cm.	Y	BIG RAIN		1 DAY	
2									
3									道路が水に浸る
4									道路が水に浸る
5									道路が水に浸る
6									道路が水に浸る
7									道路が水に浸る
8									道路が水に浸る
9									道路が水に浸る
10									道路が水に浸る
11									道路が水に浸る
12									道路が水に浸る
13									道路が水に浸る
14									道路が水に浸る
15									道路が水に浸る
16									道路が水に浸る
17									道路が水に浸る
18									道路が水に浸る
19									道路が水に浸る
20									道路が水に浸る

6.7 TOTAL NOS. OF HOUSES 24

6.2 TOTAL NOS. OF HOUSES 15

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL MIDDLE&HIGH

AREA NAME Ave. Bourguiba+Rue9, Rue9 bis

AREA No.20

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	N			地形	N				道路の一部に
2									水がたまる
3									程度の所
4									
5									直(に)排水路は有.
6									能力不足が原因か!
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES

TOTAL NOS. OF HOUSES

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA NAME Route de Ouakam+Bourguiba+Lycée RESIDENTIAL HIGH

AREA No.21

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1				記憶中	Y	10	10	3 DAYS	記憶中
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES 1272

TOTAL NOS. OF HOUSES

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL HIGH&MIDDLE

AREA NAME Memmoz Terrain Basket

AREA No.22

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX. FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX. FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y	30	3		Y	every Rain	15	1	
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

1.3 TOTAL NOS. OF HOUSES 35

1.3 TOTAL NOS. OF HOUSES 35

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 23

AREA NAME Cormiche Ouest + Route de 10, Pyrotechn RESIDENTIAL HIGH & MIDDLE

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	45 (in)	3 MONTHS	ROAD ONLY	Y				重なる水
2	N				N				
3				家の敷地内に入らず					
4				家の中(17番)					用事の時常に道路中
5									短水して113.
6									
7									水(17)の海T107.
8									排水不良か原因か?
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL MIDDLE & HIGH

AREA NAME Sicap Baobab, Rue Biyar

AREA No. 24

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	N				N				
2	Y		1 DAY	89年当時毛筆で付いた 計、89年に出水の 記録は有。記録レ 録水深、14P. 目録	N				
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

AREA No. 25

AREA NAME Sicap Baobabs + Rue 12

RESIDENTIAL HIGH & MIDDLE

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	N				N				
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

AREA No. 26

AREA NAME Rue13+Avenue de la Liberté

RESIDENTIAL COMMERCIAL

BUS TERMINAL

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	N				N				
2	Y	30	3 DAYS	Bus parking	Y	Every Rain		1 DAY	大雨が降ると 駐車場の1部が水浸し 水浸し 羊飼いの
3				1991年 駐車不可					
4				以降 土が入り込					
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

1.9 TOTAL NOS. OF HOUSES BUS TERMINAL

TOTAL NOS. OF HOUSES
TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL MIDDLE

AREA No. 27

AREA NAME Derkié

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	## Y			Route de Forest Terr de Sere 5 km 12	N				
2				良く浪水は、最近10年ほど					
3				89年11月位、市場に水が来たが、					
4				浪水範囲、浪水深等、不明					
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

AREA No. 28

AREA NAME Route de Front de Terre + Bourguiba

RESIDENTIAL (ROAD)

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX. FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	N			なし	N				
2				SONEES の LAV の 前の 道路が、雨が降ると水が通り、道路が					
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES

TOTAL NOS. OF HOUSES

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No.29

AREA NAME Station de pompage Castors, Sodida, Bourguiba

RESIDENTIAL COMMERCIAL

POINT No.	1989 FLOOD					ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	
1	Y	35	6 DAYS	Bag Factory.	N					
2	Y									
3										
4				バッグ工場 (当時) 作業者中.		3 日 回				
5				工場は現在閉鎖して倉庫にしている。						
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										

TOTAL NOS. OF HOUSES 5
TOTAL AREAS OF CULTIVATED LAND

TOTAL NOS. OF HOUSES 48
TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 30

AREA NAME Bopp Rue D, Rue de Mboul, Rue 2

RESIDENTIAL MIDDLE

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	25	6 DAYS	水	Y	Every Rain	15	2 DAYS	
2	Y				Y				
3	Y	30	6 DAYS		Y	Every Rain		1 DAY	
4									
5				牧野の公園は水か					
6				Shimoda 公園					
7				下水が雨と共に流入し、雨季は常時水圧利。					
8				下水が含毒水であり、臭いと汚れている。					
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

5.3

TOTAL NOS. OF HOUSES 55

TOTAL AREAS OF CULTIVATED LAND

1.5

TOTAL NOS. OF HOUSES 10

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 31

AREA NAME HLM 6 Terrain

RESIDENTIAL HIGH&COMMERCIAL

POINT No.	1989 FLOOD			ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	15	14 DAYS	Y	E.P	?	2 DAYS	
2	Y	15	6 DAYS	N				
3	Y	15	3 DAYS	Y	E.P	10	1 DAY	
4								
5								
6								
7								Market 附近排水路加有(有蓋)
8								排水路入口前 = ② 附近因修路排水路工程 =
9								
10								排水路入口前 = ② 附近因修路排水路工程 =
11								
12								
13								
14								
15								
16								
17								Market.
18								
19								
20								

4, 47 TOTAL NOS. OF HOUSES 45 TOTAL NOS. OF HOUSES study house field

TOTAL AREAS OF CULTIVATED LAND TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 32

AREA NAME Point E Boulevard Sud + Rue 3

RESIDENTIAL HIGH

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y	90-1.50			Y	2	20-30	1 DAY	On the Road
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

1.6 TOTAL NOS. OF HOUSES 14

TOTAL AREAS OF CULTIVATED LAND

6.6 TOTAL NOS. OF HOUSES 5

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 33

AREA NAME Point E Rue 4 + Rue C

RESIDENTIAL HIGH

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y	40	3 MONTHS	17 2 B1E	Y	10	40	10 2 1/2 A	
2	Y				Y				
3	Y				Y				
4	N				N				
5	N				N				
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

2.3 TOTAL NOS. OF HOUSES 20
 TOTAL AREAS OF CULTIVATED LAND

1.1 TOTAL NOS. OF HOUSES 10
 TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 34

AREA NAME Route de Ouakam, Ecole Manguiers

RESIDENTIAL (ROAD)

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	N				N				
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

AREA No. 35

AREA NAME Fass Rue 22b, Fass coté Canal 4

RESIDENTIAL LOW

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	30	8 DAYS		Y			1 DAY	
2	Y	30	6 DAYS		N				
3	Y	45	14 DAYS		Y	Every Rain	25	8 DAYS	
4	N				N				
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Handwritten notes in Chinese:
 1989年当年...
 当时...
 当时...
 当时...
 当时...

150 亩地?

7.1 TOTAL NOS. OF HOUSES

2.8 TOTAL NOS. OF HOUSES

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA No. 36

AREA NAME Bd Gueule Tapée+Rue 34 & Rue 10

RESIDENTIAL MIDDLE

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	35	3 DAYS		N				
2	N				N				
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW, MIDDLE&HIGH

AREA NAME Gendarmerie Colobane

AREA No. 37

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y	30	1 DAY	IN THE HOUSES	N				
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

AREA No.38

AREA NAME Place de Bakou, Rocade Fann Bel Air RESIDENTIAL COMMERCIAL

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX. FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	N				N				
2									
3	Y	50	10 DAYS	← 1 2 3	Y			1 DAY	
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL MIDDLE&LOW

AREA NAME Gueule Tapée Rue 54

AREA No.39

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y	20	6 DAYS		N				
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

AREA No.40 AREA NAME Bd Gr de Gaulle, Rue 11, Route de Champ de courses, Pl. RESIDENTIAL-HIGH&COMMERCIAL

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	N			SENEGAL RADIO, TV	N				
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Handwritten notes in Chinese characters, including a circled note: "此處有工廠" (There is a factory here).

TOTAL NOS. OF HOUSES _____ TOTAL NOS. OF HOUSES _____
 TOTAL AREAS OF CULTIVATED LAND _____ TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL COMMERCIAL

AREA NAME Ecole El hadji Malick Sy

AREA No. 41

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1					N			MALIK SY FRONT	
2	Y	30	5	Before Completing Road	Y		5-10 ft	NEW ROAD 1	(Road)
3	N			Improving	N				
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW&MIDDLE

AREA NAME Ouakam

AREA No. 42

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	40	7 DAYS		Y	1-2	10	1 DAY	Road
2	N				N				
3	Y	30	5 DAYS		N				
4	N			School / Soccer Field	N				
5	Y	30	6 DAYS		N				ON THE ROAD
6	Y	20	5 DAYS		N				"
7	N				N				
8	N				N				
9	N				N				
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

12.44 TOTAL NOS. OF HOUSES 93

36 TOTAL NOS. OF HOUSES

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

Road / field

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW&MIDDLE

AREA NAME Ngor

AREA No. 43

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1	Y	80	90 DAYS	AFTER PUMPING	Y	Every Rain	25	4 DAYS	
2	N				N				
3	N				N				
4	N				N				
5	Y	100	180 DAYS		Y	Every Rain	30	10 DAYS	
6	Y	40	40 DAYS		Y	"	10	2 DAYS	
7	Y	45	15 DAYS		Y	"		1 DAY	
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

4.97 ha TOTAL NOS. OF HOUSES 38 / MARKET
 TOTAL AREAS OF CULTIVATED LAND _____

397 . TOTAL NOS. OF HOUSES 25 / MARKET
 TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL MIDDLE&LOW

AREA NAME Grand Yoff

AREA No.44

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y	110	21 DAYS	AFTER PUMPING	Y	Every Rain	40	15 DAYS	非常严重.
2	Y	105	7 DAYS	IN THE HOUSE	Y	"	30	14 DAYS	道路经常积水 1985年17 某国水险水波 319号
3	N				N				
4	Y	65	6 DAYS	IN THE HOUSE					60cm 泥土
5	Y	140	18 DAYS	IN THE HOUSE					
6	N				N				
7	N				N				
8	Y	80	30 DAYS		Y	Every Rain		6 DAYS	ON THE ROAD 60cm 泥土
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

5.7969 TOTAL NOS. OF HOUSES ~~165~~ 165

1.6 TOTAL NOS. OF HOUSES 45

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW&MIDDLE

AREA No.45

AREA NAME Yoff

POINT No.	1989 FLOOD				ANNUAL FLOOD				REMARKS
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	
1					N				
2	N				N				
3	Y	50	7 DAYS		Y	Every Big Rain	10	2 DAYS	
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES

TOTAL NOS. OF HOUSES

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

AREA NO: PIKINE1 46 AREA NAME : MEDINE

RESIDENTIAL LOW

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS
1	Y				Y	every rain	50	3	in house
2	N				N	every rain			
3	Y	20	3		N	"			
4	Y	20			N	"			
5	Y	50		1N HOUSE	Y	"	20	1	in house
6	Y				Y	"		7	on road
7					Y	"	30	3	on road
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL

AREA NO: PIKINE 2 47 AREA NAME :

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION DAYS	REMARKS
1	Y	50	8		Y	every rain	50	8	
2	Y	35	7	In the garden	Y	every rain		3	
3	Y	40	7		Y	"	20	2	on the road
4	Y				N	"	20	10	on the market
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES

TOTAL NOS. OF HOUSES

TOTAL AREAS OF CULTIVATED LAND

TOTAL AREAS OF CULTIVATED LAND

FLOOD CONDITION SURVEY SHEET

RESIDENTIAL LOW

AREA NAME : MEDINA GOUNASS

48

AREA NO: PIKINE 3

POINT No.	1989 FLOOD				ANNUAL FLOOD				
	INUNDATION (YES/NO)	MAX FLOOD DEPTH (cm)	DURATION (DAYS / HOURS)	REMARKS	INUNDATION (YES/NO)	FREQUENCY PER YEAR	MAX FLOOD DEPTH (cm)	DURATION (DAYS)	REMARKS
1	Y	45	6 months		Y	—	—	2	
2	Y	45			Y				
3	Y	50	1 year and half		Y				
4	Y	100	"		Y				
5	Y	40	1 month						
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NOS. OF HOUSES _____

TOTAL NOS. OF HOUSES _____

TOTAL AREAS OF CULTIVATED LAND _____

TOTAL AREAS OF CULTIVATED LAND _____

DONNEE 5

APERCU DE LA QUALITE D'EAU

1. Wastewater/Pollution Load Survey

(1) Contents and Purpose of Survey

Wastewater/Pollution Load Survey contents are as follows;

- Domestic Wastewater Survey
- Commercial/Institutional Wastewater Survey
- Industrial Wastewater Survey
- Urban Drainage survey (dry and rain season)
- Septic Tank survey

These surveys were carried out in order;

- to evaluate the actual pollution condition and pollutant load.
- to determine the design pollutant load.

Contents of Survey are shown in Table 1.

(2) The Date of Conduct

These surveys were carried out from 20th July to 7th. September 1993 and the date of survey conduct are shown in Table 2.

(3) Results of Survey

1) Domestic Wastewater Survey

The survey was made for the following types of pollutant Loads

- Wastewater from detached houses
- Wastewater from the houses in the planned residential area
- Wastewater from the houses in the spontaneous and regular residential area
- Wastewater from flats

The locations of sampling point for above wastewater are shown in Fig. 1. The results of survey and water quality analysis are shown in Table 3, 4 and 5. The results of Survey and water quality analysis are summarized as follows;

- | | | | |
|------------------------|---------------|---------------|-----------------|
| - Wastewater quality : | BOD 660 mg/l | (min. : 480 | - max. : 840) |
| | COD 1150 mg/l | (min. : 910 | - max. : 1620) |
| | SS 260 mg/l | (min. : 180 | - max. : 320) |
| - Water consumption | 80 lpcd | (min. : 50 | - max. : 140) |
| - Pollutant Load | BOD 47.1 gpcd | (min. : 38.4 | - max. : 67.2) |
| | COD 83,2 gpcd | (min. : 60.0 | - max. : 127.4) |
| | SS 19.0 gpcd | (min. : 10.8 | - max. : 30.8) |

2) Commercial/Institutional Wastewater Survey

The survey was made for the following types of pollutant Loads

- Wastewater from restaurant
- Wastewater from local market
- Wastewater from super market
- Wastewater from Hotel
- Wastewater from office
- Wastewater from mosque

The locations of sampling point for above wastewater are shown in Fig. 2. The results of questionnaire survey and water quality analysis are shown in Table 6. The results of Survey and water quality analysis are summarized as follows;

- The average water quality of Commercial/Institutional Wastewater is 380 mg/l (BOD). The maximum pollution level obtained is 550 mg/l (BOD) from wastewater of restaurant, and the minimum pollution level obtained is 210 mg/l (BOD) from wastewater of supermarket.
- Unit pollutant load are as follows;

Restaurant	2.8	g-BOD/sq.m/day
Hotel	3.0	g-BOD/sq.m/day
Super market	1.9	g-BOD/sq.m/day
Office	1.3	g-BOD/sq.m/day
Mosque	0.2	g-BOD/sq.m/day

3) Industrial Wastewater Survey

The locations of sampling point for industrial wastewater are shown in Fig. 3.

The reason for selection of factories as sampling points are ;

- These are major factories.
- Wastewater contained high organic pollutant or Hazardous substance.

The results of questionnaire survey and water quality analysis are shown in Table 7, and 8. The results of Survey and water quality analysis are summarized as follows;

Wastewater Quality	BOD	240 mg/l
(Average)	COD	800 mg/l

SS 320 mg/l
 Unit Water Consumption 62.0 cu.m/lot area her/day

4) Urban Drainage Survey>

Canal 4, Canal 6 and Canal Guele Tapee, the major canal for urban drainage, were selected as sampling points for Urban Drainage Survey. The locations of sampling point and the catchment areas are shown in Fig. 4. The results of survey and water quality analysis are shown in Table 9, 10, 11 and 12. The results of Survey and water quality analysis are summarized as follows;

Dry Season (Average)

	Flow (cu.m/sec)	BOD (mg/l)	Load (g-BOD/sec)
Canal 4	0.066	140	9.4
Canal 6	0.335	490	164.2
Canal Guele Tapee	0.120	710	85.2

Rainy Season (Survey - 1)

	Flow (cu.m/sec)	BOD (mg/l)	Load (g-BOD/sec)
Canal 4	0.090	480	43.2(4.6)
Canal 6	0.385	850	327.3(2.0)
Canal Guele Tapee	0.148	820	121.4(1.4)

Rainy Season (Survey - 2)

	Flow (cu.m/sec)	BOD (mg/l)	Load (g-BOD/sec)
Canal 4	0.344	60	2.1(0.2)
Canal 6	0.447	145	64.8(0.4)
Canal Guele Tapee	0.295	370	109.2(1.3)

() : Ratio = rainy season Load/dry season Load

5) Septic Tank Survey

Five (5) sampling points were selected in Bene Tali, Dakar. The results of survey and water quality analysis are shown in Table 13, and 14. The results of Survey and water quality analysis are summarized as follows;

wastewater Quality

BOD: 550 mg/l (min. : 150 -max. : 950)
 COD: 1020 mg/l (min. : 270 -max. : 1790)
 SS : 1430 mg/l (min. : 100 -max. : 4670)

Sludge Quality

Moisture Content 96.7 % (min. : 95.0 -max. : 99.2)
 Ignition Loss 42 % (min. : 36 -max. : 56)

2. Treatment Plant Function Survey in Camberene WWTP

The Function Survey was carried out in order to evaluate the existing wastewater treatment plant. Contents of survey are as follows;

Sampling point Inflow of Primary sedimentation
 Effluence of Primary Sedimentation
 Effluence of Final Sedimentation

Sampling Times 12 times (every 2 hours for 24 hours)
 Analysis sample was composed of 3 samples.

Analyzed Parameters Water : pH, BOD, COD, SS, EC, Coliform group
 (total and fecal)
 Sludge : MLSS, MLVSS, RSSS, SV, MLDO

The Survey was scheduled to begin at 6 a.m. on August 18th and end at 6 a.m. on August 19th.

The results of survey and water quality analysis are shown in Table 15, and 16. The results of Survey and water quality analysis are summarized as follows;

Water Quality

Raw Sewage	480 mg/l (BOD)	810 mg/l (SS)
Effluent	17 mg/l (BOD)	11 mg/l (SS)
Reduction	96.5 %	98.6 %

Operation Indicators

Surface Loading	Primary Sedimentation Tank	13.6
(cu.m/sq.m/day)	Final Sedimentation Tank	8.2
BOD Loading (kg.BOD/kg.MLSS)		0.12

Detention Time	Primary Sedimentation Tank	4.7
(hr)	Aeration Tank	24.2
	Final Sedimentation Tank	2.6
MLSS (mg/l)		4200
Sludge Age (day)		5.1
SVI		226

Table. 1 Contents of Wastewater/Pollutant load Survey

Items	Domestic wastewater Survey	Commercial / Institutional wastewater Survey	Industrial wastewater Survey	Urban Drainage Survey (Dry season)	Urban Drainage Survey (Rainy day)	Septic tank Survey
Number of survey	2	1	1	1	2	1
Sampling points	6 points	20 points	20 points	3 points	3 points	5 points
Sampling times	12 times (every 2 hours for 24 hours) 4 samples were composited one	3 times (during business hour) 3 samples were mixed one	once (during work hour)	12 times (every 2 hours for 24 hours) 4 samples were composited one	once (during rain)	once
Number of samples to be analyzed	12 (6 X 2)	20	20	3	6 (3 X 2)	5 water & 5 sludge samples
Parameters to be analyzed	pH, BOD, COD, SS, Coliform group, Conductivity	pH, BOD, COD, SS, Coliform group, Conductivity	pH, BOD, COD, SS, Coliform group, Conductivity, Others*	pH, BOD, COD, SS, Coliform group, Conductivity	pH, BOD, COD, SS, Coliform group, Conductivity	pH, BOD, COD, SS, Coliform group, Conductivity <sludge> Moisture Content, Ignitionloss
Others	Wastewater quantity was measured by reading of watermeters. Questionnaire survey for background was conducted.	Questionnaire survey for background was conducted.	Questionnaire survey for background was conducted.	Flowrate was measured by velocity and cross section (flow area).	Flowrate was measured by velocity and cross section (flow area).	Questionnaire survey for background was conducted.

* : In addition to these items, Cu, Zn, T-Cr, F, Cd, Org-P, Pb, As, TCE/PCE were analyzed in Japan.

Table. 2 Date of Survey Conduct

Items	Date of Survey
Domestic Wastewater Survey	27. Jul. 1993 - 28. Jul. 1993
	3. Aug. 1993 - 4. Aug. 1993
	17. Aug. 1993 - 18. Aug. 1993
	24. Aug. 1993 - 25. Aug. 1993
Commercial/Institutional Wastewater Survey	20. Jul. 1993
	29. Jul. 1993
	3. Aug. 1993
	12. Aug. 1993
Industrial Wastewater Survey	23. Aug. 1993
	30. Aug. 1993
	7. Sep. 1993
Urban Drainage Survey (Dry day)	9. Aug. 1993 - 10. Aug. 1993
Urban Drainage Survey (Rainy day - 1)	16. Aug. 1993
Urban Drainage Survey (Rainy day - 2)	3. Sep. 1993
Septic Tank Survey	18. Aug. 1993

data table-3

Table. 3 Results of Questionnaire Survey (Unit Water Consumption)

Sampling Area	Number of Houses	Number of Family (person)	Unit Water Consumption (lpcd)
Point E	4	4.3 (3 - 6)	140 (130 - 150)
SICAP Dieupeul	14	7.2 (2- 11)	60 (40 - 170)
SICAP Baobabs	8	7.4 (4 - 11)	60 (30 - 100)
Bentali	6	14.8 (10 - 25)	50 (30 - 100)
Pikine	3	7.0 (2 - 11)	60 (30 - 70)
Fass	5	2.7 (2 - 3)	70 (50 - 80)
Average	6.7	7.2 (2 - 25)	70 (30 - 170)

Table 4 Results of Wastewater/Pollutant Load Survey (Domestic Wastewater)

Survey Point	Housing Type	Survey Times	pH	Conductivity (micro-mho/cm)	BOD (mg/l)	COD (mg/l)	SS (mg/l)	Coliform group (n/ml)	
								Total	Fecal
Point E	Detached (Large) houses	1	8.0	2770	420	750	190	6.2*10 ⁵	2.1*10 ⁵
		2	8.6	3410	540	1070	250	2.4*10 ⁵	1.5*10 ⁵
		average	8.3	3090	480	910	220	4.3*10 ⁵	1.8*10 ⁵
SICAP Dieupeul	Planned	1	7.3	1640	500	950	150	8.2*10 ⁶	2.7*10 ⁶
		2	7.1	1360	780	1050	210	8.3*10 ⁵	5.1*10 ⁵
		average	7.2	1500	640	1000	180	4.5*10 ⁶	1.6*10 ⁶
SICAP Baobabs	Planned	1	7.4	1200	540	820	290	9.8*10 ⁵	4.8*10 ⁵
		2	7.0	1900	820	1320	380	3.4*10 ⁶	9.2*10 ⁵
		average	7.2	1550	680	1070	320	2.2*10 ⁶	7.0*10 ⁵
Bentali	Spontaneous, regular	1	7.5	1220	780	1450	220	1.1*10 ⁷	7.6*10 ⁶
		2	7.3	1960	900	1790	380	9.0*10 ⁶	3.6*10 ⁶
		average	7.4	1590	840	1620	300	1.0*10 ⁷	5.6*10 ⁶
Pikine	Spontaneous, regular	1	7.5	1190	180	230	100	3.1*10 ⁵	1.7*10 ⁵
		2	7.1	990	220	310	140	9.0*10 ⁴	4.9*10 ⁴
		average	7.3	1090	200	270	120	2.0*10 ⁵	1.1*10 ⁵
Fass	Flats	1	7.6	930	240	750	230	4.2*10 ⁷	2.7*10 ⁷
		2	7.0	850	400	970	310	1.6*10 ⁷	8.7*10 ⁶
		average	7.3	890	320	860	270	2.9*10 ⁷	3.0*10 ⁶
Average			7.5	1620	530	960	240	7.7*10 ⁶	1.9*10 ⁶

Table. 5 Results of Unit Domestic Pollution Load Analysis

Sampling Area	Housing Type	Per Capita Water Consumption (lpcd)	Concentration (mg/l)			Unit Pollutant Load (gpcd)		
			BOD	COD	SS	BOD	COD	SS
Point E	Detached House	140	480	910	220	67.2	127.4	30.8
SICAP Dieupeul	Planned	60	640	1000	180	38.4	60	10.8
SICAP Baobabs	Planned	60	680	1070	320	40.8	64.2	19.2
Bentali	Spontaneous, regular	50	840	1620	300	42	81	15
Pikine	Spontaneous, regular	60	200	270	120	12	16.2	7.2
Fass	Flats	70	320	860	270	22.4	60.2	18.9
Average (whole)		70	530	960	240	37.1	68.2	17
Average *		80	660	1150	260	47.1	83.2	19

Note ; * : Average of 4 areas (Point E, SICAP Dieupeul, SICAP Baobabs, and Bentali) is considered to be representative, because figures for 2 areas (Pikine and Fass) are too low.

Table. 6 Results of Unit Pollution Load (Commercial/Institutional Wastewater)

Items	Unit Water Consumption (cu.m/d/sq.m)	Water Quality (mg/l)			Unit Pollutant Load (g/d.sq.m)		
		BOD	COD	SS	BOD	COD	SS
Restaurant	0.005	550	1000	540	2.8	5.0	2.7
Hotel	0.006	500	570	310	3.0	3.4	1.9
Local Market	-	310	1330	800	-	-	-
Super Market	0.009	210	500	350	1.9	4.5	3.2
Office	0.004	330	170	80	1.3	0.7	0.3
Mosque	0.002	380	650	360	0.8	1.3	0.7
Average	0.005	380	700	410	2.0	3.0	1.8

Table. 8 Results of Industrial Wastewater Characteristic Analysis

Name of Factory	pH	Conductivity (micro-mho/cm)	BOD (mg/l)	COD (mg/l)	SS (mg/l)	Coli. group(n/ml)		Cd mg/l	Org.-P mg/l	Pb mg/l	As mg/l	Cu mg/l	Zn mg/l	Cr mg/l	F mg/l
						(Total)	(Fecal)								
S.N.C.D.S.	6.8	648	280	190	8	4.2*10 ⁵	1.5*10 ⁵	<0.005	<0.1	<0.05	<0.01	0.01	0.35	0.23	<0.5
AFRICA AZOTE	6.6	52000	250	-	800	-	-	<0.005	<0.1	<0.05	<0.01	0.04	0.25	0.04	1.05
NESTLE SENEGAL	8.2	670	280	450	130	6.8*10 ³	2.1*10 ³	<0.005	<0.1	<0.05	<0.01	0.01	0.15	0.03	0.55
SAPROLAIT	8.3	1980	230	1930	22	-	-	<0.005	<0.1	<0.05	<0.01	<0.01	0.18	0.05	<0.5
SOBOA	10.1	673	150	67	1	-	-	<0.005	<0.1	<0.05	<0.01	<0.01	0.01	0.02	<0.5
SENEGAL PROTEINES	6.9	3500	190	350	65	6.8*10 ⁴	2.3*10 ⁴	0.086	<0.1	<0.05	0.07	0.43	0.60	0.24	<0.5
SOFRAVIN	7.5	720	130	190	40	-	-	<0.005	<0.1	<0.05	<0.01	<0.01	0.03	<0.01	7.11
MTOA	8.5	820	280	720	250	1.5*10 ³	8.0*10 ²	<0.005	<0.1	<0.05	<0.01	0.03	0.25	0.12	<0.5
BLANCHISSERIE DU CYGNE	8.9	1720	350	340	290	1.0*10 ³	3.0*10 ²	<0.005	<0.1	<0.05	<0.01	<0.01	0.02	0.01	<0.5
LA ROCHETTE DAKAR	5.8	1800	220	1250	350	3.6*10 ⁴	6.5*10 ³	<0.005	<0.5	0.36	<0.01	0.60	5.08	0.33	0.92
SAR	7.0	2830	30	220	12	1.3*10 ³	6.0*10 ²	<0.005	<0.1	<0.05	<0.01	0.01	0.44	1.24	0.79
PARKE DAVIS AFRIQUE OUEST	6.5	800	70	150	80	4.2*10 ³	8.5*10 ²	<0.005	<0.1	<0.05	<0.01	<0.01	1.50	<0.01	1.45
SIPOA	6.2	604	125	210	820	8.0*10 ⁴	7.7*10 ³	0.005	<0.1	<0.05	<0.01	0.04	0.21	0.02	<0.5
NSOA	8.8	1200	650	2200	420	-	-	<0.005	<0.1	<0.05	<0.01	<0.01	0.01	<0.01	<0.5
S.A.F.	10.5	1650	900	3850	1270	-	-	-	-	-	-	-	-	-	-
I.C.S.	1.2	52000	250	-	1300	-	-	0.550	<0.1	<0.05	0.01	0.33	4.80	0.75	51.40
SEGNEURIE AFRIC. DAKAR MARINE	-	-	-	-	-	-	-	<0.005	<0.1	2.06	<0.01	0.30	0.05	0.61	0.74
Q - FONDS	6.9	1600	150	440	100	1.5*10 ⁵	8.2*10 ⁴	<0.005	<0.1	<0.05	<0.01	<0.01	0.01	0.01	0.94
SENELEC	6.2	750	40	90	140	2.4*10 ³	7.2*10 ²	0.041	<0.1	<0.05	<0.01	<0.01	0.19	0.02	3.31
Average (19 factories)	6.7	55000	40	-	10	-	-	<0.005	<0.1	<0.05	<0.01	<0.01	0.01	<0.01	<0.5
ABATTOIRS DE DAKAR (SERAS)	7.2	9500	240	800	320	7.0*10 ⁴	2.5*10 ⁴	-	-	-	-	-	-	-	-
	6.4	2960	6000	6070	120	2.3*10 ⁷	2.0*10 ⁶	<0.005	<0.1	<0.05	<0.01	0.09	0.43	0.14	0.95

Table 9 Results of Urban Drainage Survey (Dry - Flowrate)

< Canal 4 >

Time	Temp.	Flow Current (m/sec.)	Depth (m)	Flowrate (cu.m/sec.)	Average Flowrate (cu.m/sec.)
12:00	32	0.084	0.06	0.013	0.009
14:00	28	0.056	0.05	0.007	
16:00	34	0.052	0.05	0.006	
18:00	30	0.064	0.05	0.008	
20:00	29	0.071	0.06	0.011	0.009
22:00	28	0.069	0.06	0.010	
24:00	29	0.063	0.05	0.008	
2:00	28	0.064	0.05	0.008	
4:00	28	0.064	0.05	0.008	0.010
6:00	26	0.057	0.06	0.009	
8:00	28	0.081	0.06	0.012	
10:00	31	0.065	0.06	0.010	
Average	29	0.066	0.05	0.009	0.009

< Canal 6 >

Time	Temp.	Flow Current (m/sec.)	Depth (m)	Flowrate (cu.m/sec.)	Average Flowrate (cu.m/sec.)
12:00	30	0.374	0.11	0.120	0.117
14:00	32	0.373	0.11	0.119	
16:00	31	0.369	0.11	0.118	
18:00	30	0.348	0.11	0.111	
20:00	29	0.423	0.11	0.135	0.093
22:00	29	0.239	0.11	0.076	
24:00	24	0.332	0.11	0.106	
2:00	24	0.315	0.07	0.054	
4:00	23	0.295	0.12	0.106	0.094
6:00	23	0.192	0.06	0.027	
8:00	22	0.375	0.08	0.079	
10:00	25	0.387	0.14	0.163	
Average	27	0.335	0.10	0.101	0.101

< Canal Guele Tapee >

Time	Temp.	Flow Current (m/sec.)	Depth (m)	Flowrate (cu.m/sec.)	Average Flowrate (cu.m/sec.)
12:00	32	0.117	0.13	0.082	0.084
14:00	32	0.110	0.13	0.078	
16:00	31	0.110	0.12	0.072	
18:00	31	0.145	0.13	0.102	
20:00	30	0.118	0.11	0.070	0.081
22:00	30	0.122	0.13	0.086	
24:00	28	0.121	0.15	0.098	
2:00	30	0.100	0.13	0.070	
4:00	30	0.096	0.10	0.052	0.062
6:00	30	0.112	0.05	0.030	
8:00	30	0.128	0.11	0.076	
10:00	31	0.164	0.10	0.089	
Average	30	0.120	0.12	0.075	0.075

Table. 10 Results of Urban Drainage Survey (Dry day)

Sampling Point	Sample No.	pH	Conductivity (micro.mho/cm)	BOD (mg/l)	COD (mg/l)	SS (mg/l)	Coliform group (n/ml)	
							Total	Fecal
Canal 4	A	7.4	1260	200	180	180	-	-
	B	7.6	890	180	330	690	-	-
	C	7.6	750	25	67	100	-	-
	Av.	7.5	970	140	190	320	$7.6 \cdot 10^6$	$6.2 \cdot 10^6$
Canal 6	A	7.3	1910	830	1200	2230	-	-
	B	7.6	950	380	550	600	-	-
	C	7.7	800	250	520	20	-	-
	Av.	7.5	1220	490	760	950	$5.2 \cdot 10^6$	$4.0 \cdot 10^4$
Canal Guele Tapee	A	7.3	2630	880	1100	2490	-	-
	B	7.4	940	700	830	1260	-	-
	C	7.7	1030	550	960	390	-	-
	Av.	7.5	1530	710	960	1380	$1.2 \cdot 10^7$	$9.6 \cdot 10^6$

Composited Sample A : 12:00 - 18:00

Composited Sample B : 20:00 - 2:00

Composited Sample C : 4:00 - 10:00

data table-11

Table. 11 Results of Urban Drainage Survey (Rainy - Flowrate)

Date	Sampling Point	Flow Current (m/sec.)	Depth (m)	Flowrate (cu.m/sec.)
16. Aug. 1993	Canal 4	0.09	0.1	0.023
	Canal 6	0.385	0.13	0.15
	Canal Guele Tapee	0.148	0.17	0.136
3. Sep. 1993	Canal 4	0.344	1.18	2.749
	Canal 6	0.447	1.26	1.913
	Canal Guele Tapee	0.295	0.67	1.071

Table. 12 Results of Urban Drainage Survey (Rainy)

Items	Sampling Point	pH	Conductivity (micro.mho/cm)	BOD (mg/l)	COD (mg/l)	SS (mg/l)	Colliform group (n/ml)	
							Total	Fecal
Rainy Survey - 1	Canal 4	7.7	2000	480	710	180	$1.3 \cdot 10^6$	$7.0 \cdot 10^5$
	Canal 6	7.9	2150	850	1730	430	$1.1 \cdot 10^6$	$4.0 \cdot 10^5$
	Canal Guele Tapee	7.7	1830	820	1250	400	$6.5 \cdot 10^6$	$2.9 \cdot 10^6$
Rainy Survey - 2	Canal 4	7.4	800	60	150	45	$4.3 \cdot 10^3$	$9.2 \cdot 10^2$
	Canal 6	7.3	750	145	280	165	$7.0 \cdot 10^2$	$4.5 \cdot 10^2$
	Canal Guele Tapee	7.8	960	370	720	250	$1.7 \cdot 10^6$	$8.1 \cdot 10^5$

Table. 13 Results of Septic Tank Survey

No.	Classification of Establishment	Number of User (person)	Kinds of Wastewater	Form of Septic Tank (m)		
				Length	Width	Depth
ST - 1	Residence	50	kitchen, washing and toilet wastewater	9.00	1.80	-
ST - 2	Marche	-	bath and toilet wastewater	8.30	4.30	1.75
ST - 3	Residence	35	kitchen, bath, washing and toilet wastewater	3.90	1.70	2.50
ST - 4	Residence	25	bath, washing and toilet wastewater	2.00	2.00	2.50
ST - 5	Residence	25	bath and toilet wastewater	2.35	2.20	2.20

Table. 14 Results of Septic Tank Survey

Items		ST - 1	ST - 2	ST - 3	ST - 4	ST - 5
Wastewater	pH	7.1	7.4	7.5	7.4	7.8
	Conductivity (micro.mho/cm)	1920	2930	3730	5800	7050
	BOD (mg/l)	150	250	900	950	500
	COD (mg/l)	270	440	1650	1790	970
	SS (mg/l)	100	190	790	4670	1400
	Coll. group	Total	$9.0 \cdot 10^3$	$7.0 \cdot 10^5$	$3.8 \cdot 10^4$	$6.3 \cdot 10^5$
	Fecal	$5.0 \cdot 10^3$	$4.0 \cdot 10^5$	$7.0 \cdot 10^3$	$3.5 \cdot 10^5$	$2.2 \cdot 10^4$
Sludge	Moisture Content (%)	99.2	98.6	95.2	95.5	95.0
	Ignition Loss (%)	40	41	56	36	37

Table. 15 Results of Water Quality Survey of Camberene WWTP
(from 18. Aug. to 19. Aug. 1993)

No.	Items TIME	Wastewater Quantity					
		Inflow (cu.m)	Desludging from Primary Sedimentation				
			(cu.m)	(kg)			
1	6:00 - 8:00	336	1512	12.1	68.7	243	1377
	8:00 - 10:00	420		20.2		405	
	10:00 - 12:00	756		36.4		729	
2	12:00 - 14:00	589	1514	28.9	74.2	577	1484
	14:00 - 16:00	420		20.6		412	
	16:00 - 18:00	505		24.7		495	
3	18:00 - 20:00	336	1093	16.4	53.5	329	1071
	20:00 - 22:00	420		20.6		412	
	22:00 - 24:00	337		16.5		330	
4	24:00 - 2:00	252	588	12.1	28.3	243	568
	2:00 - 4:00	84		4.1		82	
	4:00 - 6:00	252		12.1		243	
Total			4707		224.7		4500

Table. 16 Results of Water Quality Survey of Camberene WWTP (from 18. Aug. to 19. Aug. 1993)

No.	Sampling Point	Tem.	Water Quality							Sludge & Aeration Tank					
			pH	BOD mg/l	COD mg/l	SS mg/l	EC mg/l	Coll. group (n/ml)		MLSS mg/l	MLVSS mg/l	RSSS mg/l	SV ml	MLDO (mg/l)	
								Total	Fecal					(1)	(2)
1	A	28	7.8	500	1250	964	1567	1.7*10 ⁶	4.0*10 ⁵	4204	3004	6774	950	3.6	0.0
	B	28	7.8	180	417	228	984	1.1*10 ⁶	2.0*10 ⁵						
	C	28	7.8	10	151	6	954	6.1*10 ³	1.6*10 ²						
2	A	29	7.8	530	1264	980	1428	5.1*10 ⁶	1.0*10 ⁵	4204	3004	6774	950	4.0	0.0
	B	30	7.8	190	473	142	926	1.4*10 ⁶	6.0*10 ⁵						
	C	30	7.8	10	151	8	910	3.5*10 ³	3.0*10 ²						
3	A	29	7.9	480	1023	626	1424	3.6*10 ⁶	6.0*10 ⁵	4204	3004	6774	950		
	B	29	7.8	230	568	88	962	2.6*10 ⁶	3.2*10 ⁵						
	C	29	7.7	5	114	15	926	4.1*10 ³	3.0*10 ²						
4	A	28	7.9	300	644	322	1321	2.1*10 ⁶	5.0*10 ⁵	4204	3004	6774	950		
	B	28	7.8	200	492	142	951	1.5*10 ⁶	1.1*10 ⁵						
	C	28	7.6	75	189	24	902	2.1*10 ³	2.0*10 ²						

Analysis sample (composite sample) : a composite sample was composed of four (4) samples.

Sample No. 1 : from 8:00 to 12:00


Sample No. 3 : from 20:00 to 24:00

Sample No. 2 : from 14:00 to 18:00

Sample No. 4 : from 2:00 to 6:00


sampling point : A : Inflow of Primary Sedimentation
 B : Effluence of Primary Sedimentation
 C : Effluence of the Final Sedimentation


Measurement of MLDO (1) on-aeration
 (2) After aeration (stop aeration after five (5) minuts)



No.	Area Name
D-1	Dakar Point E
D-2	Dakar S.I.C.A.P. Dieuseul
D-3	Dakar S.I.C.A.P. Baobabs
D-4	Dakar Bene Tali
D-5	Pikine
D-6	Fass







No.	Name of Factory	No.	Name of Factory
1	SNCDS	12	BLANCHISSERIE CYGNE
2	AFRIC AZOTE	13	LA ROCLETTE DAKAR
3	NESTLE SENEGAL	14	SAR
4	SOBOA	15	PARKE DAVIS AFRIQUE OUEST
5	SERAS	16	SIPOA
6	SAPROLAIT	17	N S O A
7	SENEGAL PROTEINES	18	I. C. S.
8	ABATTOIRS (SERAS)	19	S. A. F.
9	SIMAVIN	20	SEGNEURIE AFRIQ.
10	MTOA	21	DAKAR MARINE
11	SENELEC (Bel Air)		

Gorée

Ile de Gorée

Pointe de Dakar

Anse Bernard


Pointe Bernard

Anse des Madeiraies

Pointe national de l'Ile des Madeiraies (Ile aux Serpents)

Ile Lougne

Pointe de Fann



No.	Name of Canal
U - 1	Canal 4
U - 2	Canal 6
U - 3	Canal Guele Tapee

LEGEND

- Sampling Point
- ▨ Boundary of Catchment area

Cap Manuel

JICA