

R_MOUTH.DOC [Application Documentation for System: R_MOUTH.PRG]

Application Author: K.Sasabe, National River Mouths Study
Copyright Notice.: Japan International Cooperation Agency (JICA)
dBASE Version.....: dBASE IV Ver.1.5E

Display Application Sign-On Banner: Yes

```

Screen Image:
 0          10          20          30          40          50          60          70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:
08:
09:
10:
11:
12:
13:
14:
15:
16:
17:
18:
19:
20:
21:
22:
23:
24:
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....

```

Welcome to
RIVER MOUTH INFORMATION MANAGEMENT SYSTEM
(RMOUTH)
DID-JICA
dBASE IV V1.5

Main Menu to Open after Sign-On: R_M_BAT.BCH

Sets for Application:

```

-----
Bell          ON
Carry         OFF
Centry       OFF
Confirm      OFF
Delimiters   OFF
Display Size 25 lines
Drive        F:
Escape       OFF
Path         \DBTEST
Safety       OFF

```

Starting Colors for Application:

```

-----
Color Settings:
Text          : W+/B
Heading       : W/B
Highlight     : GR+/BG
Box           : GR+/BG
Messages      : GR+/N
Information   : B/W
Fields        : N/BG

```

```

Database/View: RESEAR_1.DBF
Index File(s): RESEAR_1.MDX
Index Order: SERIAL

```

Menu/Picklist definitions follow:

Multiple Action Summary for Batch Object: R_M_BAT

```

Screen Image:
 0          10          20          30          40          50          60          70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:

```



```
SET DEVICE TO SCREEN
DEACTIVATE WINDOW main
ACTIVATE WINDOW main
ENDIF
```

Batch Action: 3
Prompt: Additional Setting
Action: Insert the following dBASE code:

Batch Action: 4
Prompt: Start Main Menu
Action: Open a Bar Menu Named: MAIN

Batch Action: 5
Prompt: End Session
Action: Insert the following dBASE code:

```
DEACTIVATE WINDOW main
RELEASE WINDOW main
RELEASE ALL
SET DELETED OFF
SET EXACT OFF
SET CONFIRM OFF
SET SAFETY ON
SET STATUS ON
SET SCOREBOARD ON
SET TALK ON
```

Layout Report for Horizontal Bar Menu: MAIN

Screen Image:

0	10	20	30	40	50	60	70
>
00:	Process Card view Browse view Maintenance End						
01:							
02:							
03:							
04:							
05:							
06:							
07:							
08:							
09:							
10:							
11:							
12:							
13:							
14:							
15:							
16:							
17:							
18:							
19:							
20:							
21:							
22:							
23:							
24:							
>

Setup for MAIN follows:

Description: Main Menu for River Mouth Information Management System
Use database/view and index file(s) in effect at run time.

Colors for Menu/Picklist:

Color Settings:
Text : W+/B
Heading : W/B
Highlight : GR+/BG
Box : GR+/BG
Messages : GR+/N
Information : B/W

Fields : N/BG

Bar actions for Menu MAIN follow:

Bar: 1

Prompt: Process

Action: Open a Popup Menu Named: PROCESS

Before dBASE Code for this item:

```
mhit=.F.  
DO PASSWORD WITH mhit  
IF mhit=.F.  
  RETURN  
ENDIF  
ACTIVATE WINDOW main
```

Bar: 2

Prompt: Card view

Action: Open a Popup Menu Named: CARDVIEW

Before dBASE Code for this item:

```
mok="N"  
serialno=0  
mhit=.F.  
mdo=.T.  
DO WHILE mhit=.F.  
  DO SERIALCK WITH mhit,serialno,mdo  
  IF mdo=.F.  
    DEACTIVATE WINDOW name  
    ACTIVATE WINDOW main  
    RETURN  
  ENDIF  
  LOOP  
ENDDO  
CLEAR TYPEAHEAD  
ACTIVATE WINDOW main
```

After dBASE Code for this item:

```
DEACTIVATE WINDOW name
```

Bar: 3

Prompt: Browse view

Action: Open a Popup Menu Named: BROWVIEW

Bar: 4

Prompt: Maintenance

Action: Open a Popup Menu Named: MAINTE

Bar: 5

Prompt: End

Action: Open a Popup Menu Named: END

Layout Report for Popup Menu: PROCESS

Screen Image:

```
0 10 20 30 40 50 60 70  
>.....+.....+.....+.....+.....+.....+.....+.....+.....+.....+  
00:  
01:  
02: 

|                  |
|------------------|
| Process Sub-menu |
|------------------|

  
03: 

|       |
|-------|
| ----- |
|-------|

  
04: 

|            |
|------------|
| Amend data |
|------------|

  
05: 

|                 |
|-----------------|
| Add new records |
|-----------------|

  
06:  
07:  
08:  
09:  
10:  
11:  
12:  
13:  
14:  
15:  
16:
```

17:
18:
19:
20:
21:
22:
23:
24:

>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....

Setup for PROCESS follows:

Description: Processing data.

Colors for Menu/Picklist:

Color Settings:
Text : W+/B
Heading : W/B
Highlight : GR+/BG
Box : GR+/BG
Messages : GR+/N
Information : B/W
Fields : N/BG

Bar actions for Menu PROCESS follow:

Bar: 1
Prompt: Process Sub-menu
Action: Text only defined for this option - NO ACTION

Bar: 2
Prompt: =====
Action: Text only defined for this option - NO ACTION

Bar: 3
Prompt: Amend data
Action: Open a Popup Menu Named: AMEND

Before dBASE Code for this item:

SAVE WINDOW main TO main.win

After dBASE Code for this item:

ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win

Bar: 4
Prompt: Add new records
Action: Open a Popup Menu Named: ADD

Before dBASE Code for this item:

SAVE WINDOW main TO main.win

After dBASE Code for this item:

ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win

Layout Report for Popup Menu: CARDVIEW

Screen Image:

0 10 20 30 40 50 60 70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....

00:
01:
02:
03:
04:
05:
06:
07:
08:
09:
10:

River mouth name and state
Map/photo data
River features
River mouth features...
Navigation and fishery
Socioeconomic condition...
Present problems
Researcher's comments

Bar: 3
Prompt: River features
Action: EDIT
Command Options:
FOR SERIAL=serialno NOFOLLOW NOAPPEND NOMENU NODELETE NOEDIT
Format File: c river.fmt
New Database/VTew: C_RIVER.QBE

Before dBASE Code for this item:

SAVE WINDOW main TO main.win
SAVE WINDOW name TO name.win
SET STATUS OFF
ACTIVATE WINDOW print
@ 10,32 SAY "Please wait..."

After dBASE Code for this item:

DEACTIVATE WINDOW print
RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win

Bar: 4
Prompt: River mouth features...
Action: Open a Popup Menu Named: C_MOUTH

Before dBASE Code for this item:

SAVE WINDOW main TO main.win
SAVE WINDOW name TO name.win

After dBASE Code for this item:

RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win

Bar: 5
Prompt: Navigation and fishery
Action: EDIT
Command Options:
FOR SERIAL=serialno NOFOLLOW NOAPPEND NOMENU NODELETE NOEDIT
Format File: c navi.fmt
New Database/VTew: C_NAVI.QBE

Before dBASE Code for this item:

SAVE WINDOW main TO main.win
SAVE WINDOW name TO name.win
SET STATUS OFF
ACTIVATE WINDOW print
@ 10,32 SAY "Please wait..."

After dBASE Code for this item:

DEACTIVATE WINDOW print
RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win

Bar: 6
Prompt: Socioeconomic condition...
Action: Open a Popup Menu Named: C_SOCIO

Before dBASE Code for this item:

SAVE WINDOW main TO main.win
SAVE WINDOW name TO name.win

After dBASE Code for this item:

RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win

Bar: 7
Prompt: Present problems
Action: EDIT
Command Options:
FOR SERIAL=serialno NOFOLLOW NOAPPEND NOMENU NODELETE NOEDIT


```
DO P SET WITH mok,pl,pitch
ACTIVATE WINDOW print
```

After dBASE Code for this item:

```
-----
DO P RESET WITH mok
DEACTIVATE WINDOW print
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win
-----
```

Bar: 3

Prompt: River mouth features...
Action: Open a Popup Menu Named: B_MOUTH

Before dBASE Code for this item:

```
-----
SAVE WINDOW main TO main.win
SET STATUS OFF
-----
```

After dBASE Code for this item:

```
-----
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win
-----
```

Bar: 4

Prompt: Navigation and fishery
Action: Run Report Form B_NAVI.frm
Command Options:

NOEJECT
Print Mode: Ask User at Runtime
New Database/View: C_NAVI.QBE

Before dBASE Code for this item:

```
-----
SAVE WINDOW main TO main.win
ACTIVATE WINDOW alarm
mok="Y"
@ 0,0 SAY "Printer ready? (Y/N):" GET mok
READ
DEACTIVATE WINDOW alarm
pl=67
pitch="&17C"
DO P SET WITH mok,pl,pitch
ACTIVATE WINDOW print
-----
```

After dBASE Code for this item:

```
-----
DO P RESET WITH mok
DEACTIVATE WINDOW print
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win
-----
```

Bar: 5

Prompt: Socioeconomic conditions...
Action: Open a Popup Menu Named: B_SOCIO

Before dBASE Code for this item:

```
-----
SAVE WINDOW main TO main.win
SET STATUS OFF
-----
```

After dBASE Code for this item:

```
-----
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win
-----
```

Bar: 6

Prompt: Present problems
Action: Run Report Form B_PROB.frm
Command Options:

NOEJECT
Print Mode: Ask User at Runtime
New Database/View: C_PROB.QBE

Before dBASE Code for this item:

```
-----
SAVE WINDOW main TO main.win
ACTIVATE WINDOW alarm
-----
```

```

mok="Y"
@ 0,0 SAY "Printer ready? (Y/N):" GET mok
READ
DEACTIVATE WINDOW alarm
pl=65
pitch="&17.32C"
DO P SET WITH mok,pl,pitch
ACTIVATE WINDOW print

```

After dBASE Code for this item:

```

-----
DO P RESET WITH mok
DEACTIVATE WINDOW print
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win
-----

```

Bar: 7

Prompt: Categorization and countermeasure
Action: Run Report Form B_CATEGO.frm
Command Options:

```

NOEJECT
Print Mode: Ask User at Runtime
New Database/View: C_CATEGO.QBE

```

Before dBASE Code for this item:

```

-----
SAVE WINDOW main TO main.win
ACTIVATE WINDOW alarm
mok="Y"
@ 0,0 SAY "Printer ready? (Y/N):" GET mok
READ
DEACTIVATE WINDOW alarm
pl=63
pitch="&17.56C"
DO P SET WITH mok,pl,pitch
ACTIVATE WINDOW print

```

After dBASE Code for this item:

```

-----
DO P RESET WITH mok
DEACTIVATE WINDOW print
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main.win
-----

```

Layout Report for Popup Menu: MAINTE

Screen Image:

```

0          10         20         30         40         50         60         70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:
08:
09:
10:
11:
12:
13:
14:
15:
16:
17:
18:
19:
20:
21:
22:
23:
24:
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....

```

Change password Back up file to floppy Restore file from floppy

Setup for MAINTE follows:

Description: Maintenance of Information System.

Colors for Menu/Picklist:

Color Settings:
Text : W+/B
Heading : W/B
Highlight : GR+/BG
Box : GR+/BG
Messages : GR+/N
Information : B/W
Fields : N/BG

Bar actions for Menu MAINTe follow:

Bar: 1
Prompt: Change password
Action: Insert the following dBASE code:

DO PASSNEW

Before dBASE Code for this item:

SAVE WINDOW main TO main2
SET STATUS OFF

After dBASE Code for this item:

ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2

Bar: 2
Prompt: Back up file to floppy
Action: Run Dos Program - BACKUP E:\COPY*. * A: /S

Before dBASE Code for this item:

SAVE WINDOW main TO main
mok="N"
ACTIVATE WINDOW alarm
@ 0,0 SAY "Are you sure to backup files? (Y/N):" GET mok
READ
DEACTIVATE WINDOW alarm
IF mok="N"
RETURN
ENDIF
ACTIVATE WINDOW print

After dBASE Code for this item:

DEACTIVATE WINDOW print
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main

Bar: 3
Prompt: Restore file from floppy
Action: Run Dos Program - RESTORE A: E:\COPY*. * /S

Before dBASE Code for this item:

SAVE WINDOW main TO main
mok="N"
ACTIVATE WINDOW alarm
@ 0,0 SAY "Are you sure to restore files? (Y/N):" GET mok
READ
DEACTIVATE WINDOW alarm
IF mok="N"
RETURN
ENDIF
ACTIVATE WINDOW print

After dBASE Code for this item:

DEACTIVATE WINDOW print

ACTIVATE WINDOW main
RESTORE WINDOW main FROM main

Layout Report for Popup Menu: END

```

Screen Image:
  0          10         20         30         40         50         60         70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:
08:
09:
10:
11:
12:
13:
14:
15:
16:
17:
18:
19:
20:
21:
22:
23:
24:
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....

```

```

=====
End Sub-menu
=====
End session
Quit to DOS
=====

```

Setup for END follows:

Description: End Session Menu

Colors for Menu/Picklist:

```

Color Settings:
Text           : W+/B
Heading        : W/B
Highlight      : GR+/BG
Box            : GR+/BG
Messages       : GR+/N
Information    : B/W
Fields         : N/BG

```

Bar actions for Menu END follow:

```

Bar: 1
Prompt: End Sub-menu
Action: Text only defined for this option - NO ACTION

```

```

Bar: 2
Prompt: =====
Action: Text only defined for this option - NO ACTION

```

```

Bar: 3
Prompt: End session
Action: Return to calling program

```

```

Bar: 4
Prompt: Quit to DOS
Action: Quit to DOS:

```

Layout Report for Popup Menu: AMEND

```

Screen Image:
  0          10         20         30         40         50         60         70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:
08:

```

```

=====
RESEAR 1
RES_1_F1
=====

```

```
09: RES 1 F2
10: RES 1 F3
11: RES 1 F4
12: RES 1 F5
13: RES 1 F6
14: RESEAR 2
15: RESEAR 3
16: ADD INFO
17: MAPPHOTO
18:
19:
20:
21:
22:
23:
24:
```

```
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
```

Setup for AMEND follows:

Colors for Menu/Picklist:

Color Settings:

```
Text      : W+/B
Heading   : W/B
Highlight : GR+/BG
Box       : GR+/BG
Messages  : GR+/N
Information : B/W
Fields    : N/BG
```

Bar actions for Menu AMEND follow:

Bar: 1

```
Prompt: RESEAR 1
Action: Open a Popup Menu Named: RESEAR_1
```

Before dBASE Code for this item:

```
SAVE WINDOW main TO main2
```

After dBASE Code for this item:

```
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2.WIN
```

Bar: 2

```
Prompt: RES 1 F1
Action: EDIT
Command Options:
NOFOLLOW NOAPPEND NODELETE
Format File: res_1 f1.fmt
New Database/View: RES_1_F1.QBE
```

Before dBASE Code for this item:

```
SAVE WINDOW main TO main2
SET STATUS ON
ACTIVATE WINDOW print
```

After dBASE Code for this item:

```
DEACTIVATE WINDOW print
SET STATUS OFF
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2
```

Bar: 3

```
Prompt: RES 1 F2
Action: EDIT
Command Options:
NOFOLLOW NOAPPEND NODELETE
Format File: res_1 f2.fmt
New Database/View: RES_1_F2.QBE
```

Before dBASE Code for this item:

```
SAVE WINDOW main TO main2
SET STATUS ON
ACTIVATE WINDOW print
```

After dBASE Code for this item:

```
-----  
DEACTIVATE WINDOW print  
SET STATUS OFF  
ACTIVATE WINDOW main  
RESTORE WINDOW main FROM main2  
-----
```

Bar: 4

```
Prompt: RES_1_F3  
Action: EDIT  
Command Options:  
  NOFOLLOW NOAPPEND NODELETE  
Format File: res_1_f3.fmt
```

New Database/View: RES_1_F3.QBE

Before dBASE Code for this item:

```
-----  
SAVE WINDOW main TO main2  
SET STATUS ON  
ACTIVATE WINDOW print  
-----
```

After dBASE Code for this item:

```
-----  
DEACTIVATE WINDOW print  
SET STATUS OFF  
ACTIVATE WINDOW main  
RESTORE WINDOW main FROM main2  
-----
```

Bar: 5

```
Prompt: RES_1_F4  
Action: EDIT  
Command Options:  
  NOFOLLOW NOAPPEND NODELETE  
Format File: res_1_f4.fmt  
New Database/View: RES_1_F4.QBE
```

Before dBASE Code for this item:

```
-----  
SAVE WINDOW main TO main2  
SET STATUS ON  
ACTIVATE WINDOW print  
-----
```

After dBASE Code for this item:

```
-----  
DEACTIVATE WINDOW print  
SET STATUS OFF  
ACTIVATE WINDOW main  
RESTORE WINDOW main FROM main2  
-----
```

Bar: 6

```
Prompt: RES_1_F5  
Action: EDIT  
Command Options:  
  NOFOLLOW NOAPPEND NODELETE  
Format File: res_1_f5.fmt  
New Database/View: RES_1_F5.QBE
```

Before dBASE Code for this item:

```
-----  
SAVE WINDOW main TO main2  
SET STATUS OFF  
ACTIVATE WINDOW print  
-----
```

After dBASE Code for this item:

```
-----  
DEACTIVATE WINDOW print  
SET STATUS OFF  
ACTIVATE WINDOW main  
RESTORE WINDOW main FROM main2  
-----
```

Bar: 7

```
Prompt: RES_1_F6  
Action: EDIT  
Command Options:  
  NOFOLLOW NOAPPEND NODELETE  
Format File: res_1_f6.fmt  
New Database/View: RES_1_F6.QBE
```

Before dBASE Code for this item:

SAVE WINDOW main TO main2
SET STATUS ON
ACTIVATE WINDOW print

After dBASE Code for this item:

DEACTIVATE WINDOW print
SET STATUS OFF
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2

Bar: 8
Prompt: RESEAR_2
Action: Open a Popup Menu Named: RESEAR_2

Before dBASE Code for this item:

SAVE WINDOW main TO main2

After dBASE Code for this item:

ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2

Bar: 9
Prompt: RESEAR_3
Action: Open a Popup Menu Named: RESEAR_3

Before dBASE Code for this item:

SAVE WINDOW main TO main2

After dBASE Code for this item:

ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2

Bar: 10
Prompt: ADD INFO
Action: EDIT
Command Options:
NOFOLLOW NOAPPEND NODELETE

Format File: add info.fmt
New Database/View: ADD_INFO.QBE

Before dBASE Code for this item:

SAVE WINDOW main TO main2
SET STATUS ON
ACTIVATE WINDOW print

After dBASE Code for this item:

DEACTIVATE WINDOW print
SET STATUS OFF
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2

Bar: 11
Prompt: MAPPHOTO
Action: EDIT
Command Options:
NOFOLLOW NOAPPEND NODELETE
Format File: mapphoto.fmt
New Database/View: MAPPHOTO.QBE

Before dBASE Code for this item:

SAVE WINDOW main TO main2
SET STATUS ON
ACTIVATE WINDOW print

After dBASE Code for this item:

DEACTIVATE WINDOW print
SET STATUS OFF
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2

Layout Report for Popup Menu: ADD

Screen Image:
0 10 20 30 40 50 60 70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:
08: MAPPHOTO
09:
10:
11:
12:
13:
14:
15:
16:
17:
18:
19:
20:
21:
22:
23:
24:
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....

Setup for ADD follows:

Colors for Menu/Picklist:

Color Settings:
Text : W+/B
Heading : W/B
Highlight : GR+/BG
Box : GR+/BG
Messages : GR+/N
Information : B/W
Fields : N/BG

Bar actions for Menu ADD follow:

Bar: 1
Prompt: MAPPHOTO
Action: APPEND
Format File: mapphot2.fmt
New Database/View: MAPPHOTO.DBF

Before dBASE Code for this item:

SAVE WINDOW main TO main2
ACTIVATE WINDOW print
SET STATUS ON

After dBASE Code for this item:

DEACTIVATE WINDOW print
SET STATUS OFF
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2

Layout Report for Popup Menu: C_MOUTH

Screen Image:
0 10 20 30 40 50 60 70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:


```
DEACTIVATE WINDOW print
RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2.win
```

Bar: 2

```
Prompt: Land use, vegetation & urban centers
Action: EDIT
Command Options:
  FOR SERIAL=serialno NOFOLLOW NOAPPEND NOMENU NODELETE NOEDIT
Format File: c s luse.fmt
New Database/View: C_S_LUSE.QBE
```

Before dBASE Code for this item:

```
SAVE WINDOW main TO main2
SET STATUS OFF
SET ORDER TO serial
GOTO TOP
IF .NOT. SEEK(serialno)
  ACTIVATE WINDOW alarm
  DO BELL1000
  @ 0,0 SAY "No objective information."
  mnkey=INKEY(3)
  DO BELL1000
  DEACTIVATE WINDOW alarm
  RETURN
ENDIF
ACTIVATE WINDOW print
@ 10,32 SAY "Please wait..."
```

After dBASE Code for this item:

```
DEACTIVATE WINDOW print
RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2
```

Bar: 3

```
Prompt: Development plans
Action: EDIT
Command Options:
  FOR SERIAL=serialno NOFOLLOW NOAPPEND NOMENU NODELETE NOEDIT
Format File: c s dlop.fmt
New Database/View: C_S_DLOP.QBE
```

Before dBASE Code for this item:

```
SAVE WINDOW main TO main2
SET STATUS OFF
SET ORDER TO serial
GOTO TOP
IF .NOT. SEEK(serialno)
  ACTIVATE WINDOW alarm
  DO BELL1000
  @ 0,0 SAY "No objective information."
  mnkey=INKEY(3)
  DO BELL1000
  DEACTIVATE WINDOW alarm
  RETURN
ENDIF
ACTIVATE WINDOW print
@ 10,32 SAY "Please wait..."
```

After dBASE Code for this item:

```
DEACTIVATE WINDOW print
RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2.win
```

Bar: 4

```
Prompt: Fauna/flora
Action: EDIT
Command Options:
  FOR SERIAL=serialno NOFOLLOW NOAPPEND NOMENU NODELETE NOEDIT
Format File: c s flor.fmt
New Database/View: C_S_FLOR.QBE
```

Before dBASE Code for this item:

```
SAVE WINDOW main TO main2
```

```

SET ORDER TO serial
GOTO TOP
IF .NOT. SEEK(serailno)
  ACTIVATE WINDOW alarm
  DO BELL1000
  @ 0,0 SAY "No objective information."
  mnkey=INKEY(3)
  DO BELL1000
  DEACTIVATE WINDOW alarm
  RETURN
ENDIF
SET STATUS OFF
ACTIVATE WINDOW print
@ 10,32 SAY "Please wait..."

```

After dBASE Code for this item:

```

-----
DEACTIVATE WINDOW print

RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2.win
-----

```

Bar: 5

```

Prompt: Activities and others
Action: EDIT
Command Options:
FOR SERIAL=serialno NOFOLLOW NOAPPEND NOMENU NODELETE NOEDIT
Format File: c_s act.fmt
New Database/View: C_S_ACT.QBE

```

Before dBASE Code for this item:

```

-----
SAVE WINDOW main TO main2
SET STATUS OFF
ACTIVATE WINDOW print
@ 10,32 SAY "Please wait..."

```

After dBASE Code for this item:

```

-----
DEACTIVATE WINDOW print
RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2.win
-----

```

Layout Report for Popup Menu: B_MOUTH

Screen Image:

```

   0          10          20          30          40          50          60          70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:
08:
09:
10:
11:
12:
13:
14:
15:
16:
17:
18:
19:
20:
21:
22:
23:
24:
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....

```

Geomorphology Classification Oceanographical data Structures

Setup for B_MOUTH follows:

Description: Sub-menu for River Mouth Features in BROWVIEW

Colors for Menu/Picklist:

Color Settings:

Text : W+/B
Heading : W/B
Highlight : GR+/BG
Box : GR+/BG
Messages : GR+/N
Information : B/W
Fields : N/BG

Bar actions for Menu B_MOUTH follow:

Bar: 1

Prompt: Geomorphology
Action: Run Report Form B_M_GEO.frm
Command Options:

NOEJECT
Print Mode: Ask User at Runtime
New Database/View: C_M_GEO.QBE

Before dBASE Code for this item:

SAVE WINDOW main TO main2.win
ACTIVATE WINDOW alarm
mok="Y"
@ 0,0 SAY "Printer ready? (Y/N):" GET mok
READ
DEACTIVATE WINDOW alarm
pl=68
pitch="&17C" && 7*1/72 increments
DO P SET WITH mok,pl,pitch
ACTIVATE WINDOW print

After dBASE Code for this item:

DO P RESET WITH mok
DEACTIVATE WINDOW print
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2.win

Bar: 2

Prompt: Classification
Action: Run Report Form B_MCLASS.frm
Command Options:

NOEJECT
Print Mode: Ask User at Runtime
New Database/View: ADD_INFO.QBE

Before dBASE Code for this item:

SAVE WINDOW main TO main2.win
ACTIVATE WINDOW alarm
mok="Y"
@ 0,0 SAY "Printer ready? (Y/N):" GET mok
READ
DEACTIVATE WINDOW alarm
pl=75
pitch="&16.52C"
DO P SET WITH mok,pl,pitch
ACTIVATE WINDOW print

After dBASE Code for this item:

DO P RESET WITH mok
DEACTIVATE WINDOW print
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2.win

Bar: 3

Prompt: Oceanographical data
Action: Run Report Form B_M_OCEA.frm
Command Options:

NOEJECT
Print Mode: Ask User at Runtime
New Database/View: C_M_OCEA.QBE

Before dBASE Code for this item:

```

SAVE WINDOW main TO main2.win
ACTIVATE WINDOW alarm
mok="Y"
@ 0,0 SAY "Printer ready? (Y/N):" GET mok
READ
DEACTIVATE WINDOW alarm
pl=63
pitch="&17.56C"
DO P SET WITH mok,pl,pitch
ACTIVATE WINDOW print

```

After dBASE Code for this item:

```

-----
DO P RESET WITH mok
DEACTIVATE WINDOW print
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2.win
-----

```

Bar: 4
 Prompt: Structures
 Action: Run Report Form B_M_STR.frm
 Command Options:

NOEJECT
 Print Mode: Ask User at Runtime
 New Database/View: C_M_STR1.QBE

Before dBASE Code for this item:

```

-----
SAVE WINDOW main TO main2.win
ACTIVATE WINDOW alarm
mok="Y"
@ 0,0 SAY "Printer ready? (Y/N):" GET mok
READ
DEACTIVATE WINDOW alarm
pl=66
pitch="&17.2C"
DO P SET WITH mok,pl,pitch
ACTIVATE WINDOW print

```

After dBASE Code for this item:

```

-----
DO P RESET WITH mok
DEACTIVATE WINDOW print
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main2.win
-----

```

Layout Report for Popup Menu: B_SOCIO

```

Screen Image:
 0          10          20          30          40          50          60          70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:
08:
09:
10:
11:
12:
13:
14:
15:
16:
17:
18:
19:
20:
21:
22:
23:
24:
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....

```

Land Use Major Urban Centers

Setup for B_SOCIO follows:

03:
04:
05:
06:
07:
08:
09:
10:
11:
12:
13:
14:
15:
16:
17:
18:
19:
20:
21:
22:
23:
24:

Part 1/3
Part 2/3
Part 3/3

>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
Setup for RESEAR_1 follows:

Colors for Menu/Picklist:

Color Settings:

Text : W+/B
Heading : W/B
Highlight : GR+/BG
Box : GR+/BG
Messages : GR+/N
Information : B/W
Fields : N/BG

Bar actions for Menu RESEAR_1 follow:

Bar: 1

Prompt: Part 1/3
Action: EDIT
Command Options:
NOFOLLOW NOAPPEND NODELETE
Format File: res_1_1.fmt

Before dBASE Code for this item:

SAVE WINDOW main TO main3
SET STATUS ON
ACTIVATE WINDOW print

After dBASE Code for this item:

DEACTIVATE WINDOW print
SET STATUS OFF
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main3

Bar: 2

Prompt: Part 2/3
Action: EDIT
Command Options:
NOFOLLOW NOAPPEND NODELETE
Format File: res_1_2.fmt

Before dBASE Code for this item:

SAVE WINDOW main TO main3
SET STATUS ON
ACTIVATE WINDOW print

After dBASE Code for this item:

DEACTIVATE WINDOW print
SET STATUS OFF
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main3

Bar: 3

Prompt: Part 3/3
Action: EDIT
Command Options:
NOFOLLOW NOAPPEND NODELETE
Format File: res_1_3.fmt

Before dBASE Code for this item:

SAVE WINDOW main TO main3
SET STATUS ON
ACTIVATE WINDOW print

After dBASE Code for this item:

DEACTIVATE WINDOW print
SET STATUS OFF
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main3

Layout Report for Popup Menu: RESEAR_2

Screen Image:

```
0          10         20         30         40         50         60         70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:
08:
09:
10:
11:
12:
13:
14:
15:
16:  

|          |
|----------|
| Part 1/3 |
| Part 2/3 |
| Part 3/3 |


17:
18:
19:
20:
21:
22:
23:
24:
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
```

Setup for RESEAR_2 follows:

Colors for Menu/Picklist:

Color Settings:
Text : W+/B
Heading : W/B
Highlight : GR+/BG
Box : GR+/BG
Messages : GR+/N
Information : B/W
Fields : N/BG

Bar actions for Menu RESEAR_2 follow:

Bar: 1
Prompt: Part 1/3
Action: EDIT
Command Options:
NOFOLLOW NOAPPEND NODELETE
Format File: res_2_1.fmt

New Database/View: RESEAR_2.QBE

Before dBASE Code for this item:

SAVE WINDOW main TO main3
SET STATUS ON
ACTIVATE WINDOW print

After dBASE Code for this item:

```
-----  
DEACTIVATE WINDOW print  
SET STATUS OFF  
ACTIVATE WINDOW main  
RESTORE WINDOW main FROM main3  
-----
```

Bar: 2

```
Prompt: Part 2/3  
Action: EDIT  
Command Options:  
NOFOLLOW NOAPPEND NODELETE  
Format File: res 2 2.fmt  
New Database/View: RESEAR_2.QBE
```

Before dBASE Code for this item:

```
-----  
SAVE WINDOW main TO main3  
SET STATUS ON  
ACTIVATE WINDOW print  
-----
```

After dBASE Code for this item:

```
-----  
DEACTIVATE WINDOW print  
SET STATUS OFF  
ACTIVATE WINDOW main  
RESTORE WINDOW main FROM main3  
-----
```

Bar: 3

```
Prompt: Part 3/3  
Action: EDIT  
Command Options:  
NOFOLLOW NOAPPEND NODELETE  
Format File: res 2 3.fmt  
New Database/View: RESEAR_2.QBE
```

Before dBASE Code for this item:

```
-----  
SAVE WINDOW main TO main3  
SET STATUS ON  
ACTIVATE WINDOW print  
-----
```

After dBASE Code for this item:

```
-----  
DEACTIVATE WINDOW print  
SET STATUS OFF  
ACTIVATE WINDOW main  
  
RESTORE WINDOW main FROM main3  
-----
```

Layout Report for Popup Menu: RESEAR_3

Screen Image:

```
0 10 20 30 40 50 60 70  
>.....+.....+.....+.....+.....+.....+.....+.....+.....+.....+  
00:  
01:  
02:  
03:  
04:  
05:  
06:  
07:  
08:  
09:  
10:  
11:  
12:  
13:  
14:  
15:  
16:  
17: 

|          |
|----------|
| Part 1/4 |
| Part 2/4 |
| Part 3/4 |
| Part 4/4 |

  
18:  
19:  
20:  
21:  
22:  
23:  
24:
```


Bar: 4
 Prompt: Part 4/4
 Action: EDIT
 Command Options:
 NOFOLLOW NOAPPEND NODELETE
 Format File: res_3_4.fmt
 New Database/View: RESEAR_3.QBE

Before dBASE Code for this item:

```
-----
SAVE WINDOW main TO main3
SET STATUS ON
ACTIVATE WINDOW print
```

After dBASE Code for this item:

```
-----
DEACTIVATE WINDOW print
SET STATUS OFF
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main3
-----
```

Layout Report for Popup Menu: C_M_STR

Screen Image:

```

0          10         20         30         40         50         60         70
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....
00:
01:
02:
03:
04:
05:
06:
07:
08:
09:
10:
11:
12:
13:
14:
15:
16:
17:
18:
19:
20:
21:
22:
23:
24:
>.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....|.....+.....

```

General information Details

Setup for C_M_STR follows:

Colors for Menu/Picklist:

```
-----
Color Settings:
Text           : W+/B
Heading        : W/B
Highlight      : GR+/BG
Box            : GR+/BG
Messages       : GR+/N
Information    : B/W
Fields         : N/BG
```

Bar actions for Menu C_M_STR follow:

```
-----
Bar: 1
Prompt: General information
Action: EDIT
Command Options:
FOR SERIAL=serialno NOFOLLOW NOAPPEND NOMENU NODELETE NOEDIT
Format File: c_m_str1.fmt
```

New Database/View: C_M_STR1.QBE

Before dBASE Code for this item:

```
SAVE WINDOW main TO main3.win
SET STATUS OFF
ACTIVATE WINDOW print
@ 10,32 SAY "Please wait..."
```

After dBASE Code for this item:

```
-----
DEACTIVATE WINDOW print
RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main3.win
-----
```

Bar: 2

```
Prompt: Details
Action: EDIT
Command Options:
FOR SERIAL=serialno NOFOLLOW NOAPPEND NOMENU NODELETE NOEDIT
Format File: c m str2.fmt
New Database/View: C_M_STR2.QBE
```

Before dBASE Code for this item:

```
-----
SAVE WINDOW main TO main3
SET ORDER TO serial
GOTO TOP
IF .NOT. SEEK(serialno)
  ACTIVATE WINDOW alarm
  DO BELL1000
  @ 0,0 SAY "No objective information."
  mnkey=INKEY(3)
  DO BELL1000
  DEACTIVATE WINDOW alarm
  RETURN
ENDIF
ACTIVATE WINDOW print
@ 10,32 SAY "Please wait..."
```

After dBASE Code for this item:

```
-----
DEACTIVATE WINDOW print
RESTORE WINDOW name FROM name.win
ACTIVATE WINDOW main
RESTORE WINDOW main FROM main3.win
-----
```

End of Application Documentation

JICA