

Well Name	ESMERALDA 12		Coordinate	Lat.	
Map Name	PICA			Long	
Code No.	BNA	01700149-3	UTM (km)	N=	
	DGA	226		E=	
	CORFO (1975)	20206920 D-6	Elevation	1153.91	
	CORFO (1969)	20006900 C-20	Date of Construction	57/12	

POSSESSION	Owner		CORFO		
	Constructed for		RIEGO		
	Use for		RESEARCH		
	Extraction Rate		m3/year		
	Remarks				
WELL SPECIFICATION	Drilling Depth		150.00 m		
	Total Cased Depth		150.00 m		
	Casing Pipe Data			Screen Pipe Data	
	Size	Inch to	Inch	Size	Inch to
					Inch
	Position			Position	
		m	m	m	m
		m	m	m	m
		m	m	m	m
		m	m	m	m
		m	m	m	m
		m	m	m	m
PUMPING TEST DATA	Static Water Level		6.40 mBGL 1147.51 mMSL		
	Pumping Test Data				
	Pumping Rate	7.00		l/sec	
	Drawdown	m			
	Specific Capacity	m3/day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
Transmissivity (T)	cm2/sec				
Strativity (S)					
WATER QUALITY	Sampling Date				
	Health		Significance		
	As	mg/l	N-NO2	mg/l	
	N-NO3	mg/l	N-NH3	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
	Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l		
		B	mg/l		

Well Name	ESTACION PINTA.1		Coordinate	Lat.	203752
Map Name	POZO ALMONTE			Long	693426
Code No.	BNA	01700150-7	UTM (km)	N=	7718.535
	DGA	263		E=	440.205
	CORFO (1975)	20306930 D-6	Elevation		987.61
	CORFO (1969)	20306930 B-2	Date of Construction		


POSSESSION	Owner	CO.AG.JEHOVA	
	Constructed for	RIEGO	
	Use for	IRRIGATION-ABANDONED	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth		172.00		m	
	Total Cased Depth				m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level		4.90	mBGL	982.71	mMSL
	Pumping Test Data					
	Pumping Rate		22.00		l/sec	
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Strativity (S)						

WATER QUALITY	Sampling Date					
	Health			Significance		
	As	mg/l	N-NO2	mg/l		
	N-NO3	mg/l	N-NH3	mg/l		
	Aesthetic Quality			Others		
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
Cl	mg/l	HCO3	mg/l			
So4	mg/l	CO3	mg/l			
		B	mg/l			

Well Name	SALAR PINTADOS		Coordinate	Lat.	203846
Map Name	OF. VICTORIA			Long	693703
Code No.	BNA	01700151-5	UTM (km)	N _x	7716.884
	DGA	265		E _x	435.655
	CORFO (1975)	20306930 C-6	Elevation		976.73
	CORFO (1969)	20306900 B-37	Date of Construction		65/11



POSSESSION	Owner	CORFO-P8					
	Constructed for	CORFO-551					
	Use for	OBSERVATION WELL					
	Extraction Rate	m ³ /year					
	Remarks						
WELL SPECIFICATION	Drilling Depth	15.00	m				
	Total Cased Depth	15.00	m				
	Casing Pipe Data			Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch	
	Position			Position			
		0.00	m	11.00	m	11.00	m
		13.60	m	15.00	m		m
			m		m		m
			m		m		m
			m		m		m
PUMPING TEST DATA	Static Water Level		9.00	mBGL	967.73	mMSL	
	Pumping Test Data						
	Pumping Rate					l/sec	
	Drawdown					m	
	Specific Capacity					m ³ /day/m	
	Aquifer Constants						
Permeability (K)					cm/sec		
Transmissivity (T)					cm ² /sec		
Strativity (S)							
WATER QUALITY	Sampling Date						
	Health			Significance			
	As	mg/l	N-NO ₂	mg/l			
	N-NO ₃	mg/l	N-NH ₃	mg/l			
	Aesthetic Quality			Others			
	PH		T				
	Fe	mg/l	EC				
	Cu	mg/l	Mg	mg/l			
	P	mg/l	K	mg/l			
	Na	mg/l	Ca	mg/l			
Cl	mg/l	HCO ₃	mg/l				
So ₄	mg/l	CO ₃	mg/l				
		B	mg/l				

Well Name	SALAR BELLAVISTA		Coordinate	Lat.	
Map Name	POZO ALMONTE			Long	
Code No.	BNA	01700152-3	UTM (km)	N=	
	DGA	283		E=	
	CORFO (1975)	20406930 C-2	Elevation	949.40	
	CORFO (1969)	20306930 D-10	Date of Construction	66/04	

POSSESSION	Owner	CORFO-SB15	
	Constructed for	CORFO-621	
	Use for	OBSERVATION WELL	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth		8.00		m	
	Total Cased Depth		8.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	4.20	m	
			m		m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level		2.10	mBGL	947.30	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Stratvity (S)						

WATER QUALITY	Sampling Date					
	Health			Significance		
	As	0.481	mg/l	N-NO2	mg/l	
	N-NO3	mg/l		N-NH3	mg/l	
	Aesthetic Quality			Others		
	PH	7.55		T		
	Fe	1.46	mg/l	EC		
	Cu	0.02	mg/l	Mg	245.00	mg/l
	P	mg/l		K	662.00	mg/l
	Na	2935.00	mg/l	Ca	856.00	mg/l
Cl	5820.00	mg/l	HCO3	74.00	mg/l	
So4	1768.00	mg/l	CO3	0.00	mg/l	
			B	12.20	mg/l	

Well Name	SALAR SUR VIEJO		Coordinate	Lat.	
Map Name	POZO ALMONTE			Long	
Code No.	BNA	01700153-1	UTM (km)	N=	
	DGA	296		E=	
	CORFO (1975)	20506930 A-1	Elevation	923.82	
	CORFO (1969)	20306930 D-20	Date of Construction	66/10	

POSSESSION	Owner	CORFO-SV3	
	Constructed for	CORFO-621	
	Use for	OBSERVATION WELL	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth	16.00		m					
	Total Cased Depth	16.00		m					
	Casing Pipe Data		Screen Pipe Data						
	Size	Inch to	Inch	Size	Inch to	Inch			
	Position			Position					
		0.00	m	14.02	m	14.02	m	16.02	m
		16.02	m	16.42	m		m		m
			m		m		m		m
			m		m		m		m
			m		m		m		m

PUMPING TEST DATA	Static Water Level	13.10	mBGL	910.72	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m3/day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm2/sec			
Stratvity (S)					

WATER QUALITY	Sampling Date				
	Heath		Significance		
	As	mg/l	N-NO2	mg/l	
	N-NO3	mg/l	N-NH3	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l		
		B	mg/l		

Well Name	SALAR SUR VIEJO		Coordinate	Lat.	
Map Name	POZO ALMONTE			Long	
Code No.	BNA	01700154-K	UTM (km)	N _z	
	DGA	295		E _z	
	CORFO (1975)	20506930 B-5	Elevation	930.87	
	CORFO (1969)	20306930 D-19	Date of Construction	66/10	

POSSESSION	Owner	CORFO-SV2							
	Constructed for	CORFO-621							
	Use for	OBSERVATION WELL							
	Extraction Rate	m ³ /year							
	Remarks								
WELL SPECIFICATION	Drilling Depth	22.00		m					
	Total Cased Depth	22.00		m					
	Casing Pipe Data				Screen Pipe Data				
	Size	Inch to	Inch	Size	Inch to	Inch			
	Position				Position				
		0.00	m	18.06	m	18.06	m	20.06	m
		20.06	m	20.46	m		m		m
			m		m		m		m
			m		m		m		m
			m		m		m		m
			m		m		m		m
	PUMPING TEST DATA	Static Water Level	19.40	mBGL	911.47	mMSL			
Pumping Test Data									
Pumping Rate								l/sec	
Drawdown								m	
Specific Capacity								m ³ /day/m	
Aquifer Constants									
Permeability (K)								cm/sec	
Transmissivity (T)							cm ² /sec		
Strativity (S)									
WATER QUALITY	Sampling Date								
	Health				Significance				
	As	mg/l		N-NO ₂			mg/l		
	N-NO ₃	mg/l		N-NH ₃			mg/l		
	Aesthetic Quality				Others				
	PH			T					
	Fe	mg/l		EC					
	Cu	mg/l		Mg			mg/l		
	P	mg/l		K			mg/l		
	Na	mg/l		Ca			mg/l		
	Cl	mg/l		HCO ₃			mg/l		
So ₄	mg/l		CO ₃			mg/l			
			B			mg/l			


Well Name	SALAR BELLAVISTA		Coordinate	Lat.	205050
Map Name	POZO ALMONTE			Long	693239
Code No.	BNA	01700155-8	UTM (km)	N=	7694.655
	DGA	294		E=	443.367
	CORFO (1975)	20506930 B-4	Elevation		945.73
	CORFO (1969)	20306930 D-18	Date of Construction		66/06

POSSESSION	Owner		CORFO-SB23			
	Constructed for		CORFO-621			
	Use for		OBSERVATION WELL			
	Extraction Rate		m3/year			
	Remarks					
WELL SPECIFICATION	Drilling Depth		31.00		m	
	Total Cased Depth		31.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	27.15	m	
			m		27.15	m
			m		30.35	m
			m			m
			m			m
			m			m
			m			m
			m			m
PUMPING TEST DATA	Static Water Level		26.90	mBGL	918.83	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Strathvity (S)						
WATER QUALITY	Sampling Date					
	Heath			Significance		
	As	0.024	mg/l	N-NO2	mg/l	
	N-NO3	mg/l		N-NH3	mg/l	
	Aesthetic Quality			Others		
	PH	10.95		T		
	Fe	3.27	mg/l	EC		
	Cu	0.10	mg/l	Mg	27.00	mg/l
	P	mg/l		K	72.00	mg/l
	Na	561.00	mg/l	Ca	405.00	mg/l
	Cl	709.00	mg/l	HCO3	0.00	mg/l
	So4	1321.00	mg/l	CO3	21.30	mg/l
				B	6.30	mg/l

Well Name	CHALLACOLLO 1		Coordinate	Lat.	
Map Name	POZO ALMONTE			Long	
Code No.	BNA	01700156-6	UTM (km)	Na	
	DGA	293		Es	
	CORFO (1975)	20506930 B-2	Elevation	945.35	
	CORFO (1969)	20306930 D-4	Date of Construction	67/07	

POSSESSION	Owner		CORFO									
	Constructed for		CORFO-675									
	Use for		RESEARCH									
	Extraction Rate		m3/year									
	Remarks											
WELL SPECIFICATION	Drilling Depth		68.00		m							
	Total Cased Depth		68.00		m							
	Casing Pipe Data			Screen Pipe Data								
	Size	3	Inch to	Inch	Size	3	Inch to	Inch				
	Position				Position							
		0.00	m	17.70	m	17.70	m	20.70	m			
		20.70	m	38.70	m	38.70	m	41.70	m			
		41.70	m	53.70	m	53.70	m	59.70	m			
		59.70	m	60.70	m		m		m			
			m		m		m		m			
			m		m		m		m			
			m		m		m		m			
		m		m		m		m				
PUMPING TEST DATA	Static Water Level		36.50		mBGL		908.85		mMSL			
	Pumping Test Data											
	Pumping Rate										l/sec	
	Drawdown										m	
	Specific Capacity										m3/day/m	
	Aquifer Constants											
	Permeability (K)										cm/sec	
	Transmissivity (T)										cm2/sec	
Strativity (S)												
WATER QUALITY	Sampling Date											
	Health				Significance							
	As	0.307	mg/l	N-NO2	mg/l							
	N-NO3	mg/l		N-NH3	mg/l							
	Aesthetic Quality				Others							
	PH	6.75			T							
	Fe	1.98	mg/l	EC								
	Cu	0.05	mg/l	Mg	11.00	mg/l						
	P	mg/l		K	7.40	mg/l						
	Na	269.00	mg/l	Ca	63.00	mg/l						
	Cl	323.00	mg/l	HCO3	164.00	mg/l						
	So4	220.00	mg/l	CO3	0.00	mg/l						
			B	6.30	mg/l							

Well Name	SALAR BELAVISTA		Coordinate	Lat.	204331	
Map Name	POZO ALMONTE			Long	693517	
Code No.	BNA	01700157-4	UTM (km)	N _x	7708.126	
	DGA	276		E _x	438.760	
	CORFO (1975)		20406930 A-7	Elevation		974.35
	CORFO (1969)		20306930 B-47	Date of Construction		66/04



POSSESSION	Owner	CORFO-SB10				
	Constructed for	CORFO-621				
	Use for	OBSERVATION WELL				
	Extraction Rate	m ³ /year				
Remarks						
WELL SPECIFICATION	Drilling Depth		20.00		m	
	Total Cased Depth		20.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	8.35	m	
			m		m	
			m		m	
			m		m	
			m		m	
			m		m	
			m		m	
PUMPING TEST DATA	Static Water Level		16.00	mBGL	958.35	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m ³ /day/m			
	Aquifer Constants					
Permeability (K)		cm/sec				
Transmissivity (T)		cm ² /sec				
Strativity (S)						
WATER QUALITY	Sampling Date					
	Health			Significance		
	As	0.667	mg/l	N-NO ₂	mg/l	
	N-NO ₃		mg/l	N-NH ₃	mg/l	
	Aesthetic Quality			Others		
	PH	7.85		T		
	Fe	2.47	mg/l	EC		
	Cu	0.17	mg/l	Mg	2.68	mg/l
	P		mg/l	K	14.90	mg/l
	Na	140.00	mg/l	Ca	15.80	mg/l
	Cl	78.00	mg/l	HCO ₃	173.00	mg/l
	So ₄	110.00	mg/l	CO ₃	0.00	mg/l
			B	5.60	mg/l	

Well Name	PTA. AP HISPANIA		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700158-2	UTM (km)	N _z	
	DGA	144		E _z	
	CORFO (1975)	20206930 C-6	Elevation	988.70	
	CORFO (1969)	20006930 D-18	Date of Construction		

POSSESSION	Owner	D.O.S.-290
	Constructed for	SONDA
	Use for	POTABLE-SU
	Extraction Rate	m ³ /year
	Remarks	

WELL SPECIFICATION	Drilling Depth	106.00	m			
	Total Cased Depth	106.00	m			
	Casing Pipe Data		Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level	5.50	mBGL	983.2	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m ³ /day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm ² /sec			
	Stratvity (S)				

WATER QUALITY	Sampling Date			
	Heath		Significance	
	As	mg/l	N-NO ₂	mg/l
	N-NO ₃	mg/l	N-NH ₃	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
	Cl	mg/l	HCO ₃	mg/l
So ₄	mg/l	CO ₃	mg/l	
		B	mg/l	

Well Name	SALAR SUR VIEJO		Coordinate	Lat.	
Map Name	POZO ALMONTE			Long	
Code No.	BNA	01700159-0	UTM (km)	N=	
	DGA	297		E=	
	CORFO (1975)	20506930 B-6	Elevation	931.40	
	CORFO (1969)	20306930 D-21	Date of Construction	66/10	


POSSESSION	Owner	CORFO-SV5
	Constructed for	CORFO-621
	Use for	OBSERVATION WELL
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth		24.00	m		
	Total Cased Depth		24.00	m		
	Casing Pipe Data		Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	20.80	m	
		22.80	m	23.20	m	
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level		18.70	mBGL	912.70	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Strativity (S)						


WATER QUALITY	Sampling Date				
	Health		Significance		
	As	mg/l	N-NO2	mg/l	
	N-NO3	mg/l	N-NH3	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l		
		B	mg/l		

Well Name	SALAR SUR VIEJO		Coordinate	Lat.	
Map Name	POZO ALMONTE			Long	
Code No.	BNA	01700160-4	UTM (km)	N _z	
	DGA	299		E _z	
	CORFO (1975)	20506930 D-1	Elevation	923.21	
	CORFO (1969)	20306930 D-23	Date of Construction	66/10	



POSSESSION	Owner	CORFO-SV7							
	Constructed for	CORFO-621							
	Use for	OBSERVATION WELL							
	Extraction Rate	m ³ /year							
Remarks									
WELL SPECIFICATION	Drilling Depth	19.00					m		
	Total Cased Depth	19.00					m		
	Casing Pipe Data			Screen Pipe Data					
	Size	Inch to	Inch	Size	Inch to	Inch			
	Position			Position					
		0.00	m	16.30	m	16.30	m	18.30	m
		18.30	m	18.70	m		m		m
			m		m		m		m
			m		m		m		m
			m		m		m		m
PUMPING TEST DATA	Static Water Level	13.90		mBGL	909.31		mMSL		
	Pumping Test Data								
	Pumping Rate	l/sec							
	Drawdown	m							
	Specific Capacity	m ³ /day/m							
	Aquifer Constants								
Permeability (K)	cm/sec								
Transmissivity (T)	cm ² /sec								
Strativity (S)									
WATER QUALITY	Sampling Date								
	Heath			Significance					
	As		mg/l	N-NO ₂		mg/l			
	N-NO ₃		mg/l	N-NH ₃		mg/l			
	Aesthetic Quality			Others					
	PH			T					
	Fe		mg/l	EC					
	Cu		mg/l	Mg		mg/l			
	P		mg/l	K		mg/l			
	Na		mg/l	Ca		mg/l			
Cl		mg/l	HCO ₃		mg/l				
So ₄		mg/l	CO ₃		mg/l				
			B		mg/l				

Well Name	SALAR ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700161-2	UTM (km)	N=	
	DGA	5		E=	
	CORFO (1975)	19306950 C-1	Elevation	1128.69	
	CORFO (1969)	19306930 A-14	Date of Construction	67/05	



POSSESSION	Owner	CORFO - B2
	Constructed for	CORFO - 658
	Use for	OBSERVATION WELL
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	22.00	m			
	Total Cased Depth	21.00	m			
	Casing Pipe Data		Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	18.40	m	
		20.40	m	21.00	m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level	17.64	mBGL	1111.05	mMSL
	Pumping Test Data				
	Pumping Rate				l/sec
	Drawdown				m
	Specific Capacity				m3/day/m
	Aquifer Constants				
	Permeability (K)				cm/sec
	Transmissivity (T)				cm2/sec
	Strativity (S)				

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	SALAR ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700162-0	UTM (km)	N=	
	DGA	6		E=	
	CORFO (1975)	19306950 C-2	Elevation	1125.45	
	CORFO (1969)	19306930 A-15	Date of Construction	67/05	

POSSESSION	Owner	CORFO B-3
	Constructed for	CORFO 658
	Use for	OBSERVATION WELL
	Extraction Rate	m ³ /year
	Remarks	

WELL SPECIFICATION	Drilling Depth	14.00	m			
	Total Cased Depth	12.00	m			
	Casing Pipe Data		Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	9.40	m	
		11.40	m	11.80	m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level	10.00	mBGL	1115.45	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m ³ /day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm ² /sec			
Strativity (S)					

WATER QUALITY	Sampling Date				
	Health		Significance		
	As	mg/l	N-NO ₂	mg/l	
	N-NO ₃	mg/l	N-NH ₃	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
Cl	mg/l	HCO ₃	mg/l		
So ₄	mg/l	CO ₃	mg/l		
		B	mg/l		

Well Name	SALAR SUR VIEJO		Coordinate	Lat.	
Map Name	POZO ALMONTE			Long	
Code No.	BNA	01700163-9	UTM (km)	N=	
	DGA	300		E=	
	CORFO (1975)	20506930 D-2	Elevation	927.11	
CORFO (1969)	20306930 D-24	Date of Construction	66/10		

POSSESSION	Owner	CORFO-SV11
	Constructed for	CORFO-621
	Use for	OBSERVATION WELL
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	24.00		m		
	Total Cased Depth	24.00		m		
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	20.46	m	
		22.46	m	2.86	m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level	19.10	mBGL	908.01	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m3/day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
Transmissivity (T)	cm2/sec				
Stratvity (S)					

WATER QUALITY	Sampling Date				
	Health		Significance		
	As	mg/l	N-NO2	mg/l	
	N-NO3	mg/l	N-NH3	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l		
		B	mg/l		

Well Name	SALAR ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700164-7	UTM (km)	N=	7,819,340
	DGA	21		E=	416,181
	CORFO (1975)	19406940 A-1	Elevation	1144.30	
	CORFO (1969)	19306930 A-21	Date of Construction	67/07	

POSSESSION	Owner	CORFO D-7
	Constructed for	CORFO-658
	Use for	OBSERVATION WELL
	Extraction Rate	m ³ /year
	Remarks	

WELL SPECIFICATION	Drilling Depth		20.00		m	
	Total Cased Depth		19.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	17.00	m	
		19.00	m	19.40	m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level	15.58	mBGL	1128.72	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m ³ /day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm ² /sec			
Strativity (S)					

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO ₂	mg/l
	N-NO ₃	mg/l	N-NH ₃	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO ₃	mg/l	
So ₄	mg/l	CO ₃	mg/l	
		B	mg/l	

Well Name	SALAR ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700165-5	UTM (km)	N=	7,816,382
	DGA	23		E=	417,437
	CORFO (1975)	19406940 A-2	Elevation	1145.26	
	CORFO (1969)	19306930 A-22	Date of Construction	67/07	

POSSESSION	Owner	CORFO-D8	
	Constructed for	CORFO-658	
	Use for	OBSERVATION WELL	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth	23.00		m		
	Total Cased Depth	20.00		m		
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	17.10	m	
		19.10	m	19.50	m	
			m		m	
			m		m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level	16.65	mBGL	1128.61	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m3/day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm2/sec			
Strativity (S)					

WATER QUALITY	Sampling Date				
	Health		Significance		
	As	mg/l	N-NO2	mg/l	
	N-NO3	mg/l	N-NH3	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
	Cl	mg/l	HCO3	mg/l	
	So4	mg/l	CO3	mg/l	
		B	mg/l		

Well Name	SALAR ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700166-3	UTM (km)	N=	7,814,850
	DGA	26		E=	414,400
	CORFO (1975)	19406940 C-1	Elevation		1145.70
	CORFO (1969)	19306930 C-5	Date of Construction		67/05

POSSESSION	Owner		CORFO-C-8			
	Constructed for		CORFO-658			
	Use for		OBSERVATION WELL			
	Extraction Rate		m3/year			
	Remarks					
WELL SPECIFICATION	Drilling Depth		14.00 m			
	Total Cased Depth		13.00 m			
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00 m	10.80 m		10.80 m	12.80 m
		12.80 m	13.40 m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
PUMPING TEST DATA	Static Water Level		10.23 mBGL	1.227 mMSL		
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
Transmissivity (T)		cm2/sec				
Strathvity (S)						
WATER QUALITY	Sampling Date					
	Heath			Significance		
	As	mg/l	N-NO2	mg/l		
	N-NO3	mg/l	N-NH3	mg/l		
	Aesthetic Quality			Others		
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
	Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l			
		B	mg/l			

Well Name	SALAR ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700167-1	UTM (km)	N=	7,811,150
	DGA	29		E=	416,325
	CORFO (1975)	19406940 C-2	Elevation	1132.05	
	CORFO (1969)	19306930 C-8	Date of Construction	67/07	

POSSESSION	Owner	CORFO C-9
	Constructed for	CORFO-658
	Use for	
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	24.00		m		
	Total Cased Depth	23.00		m		
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	19.75	m	
		22.05	m	22.65	m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level	19.50	mBGL	1112.55	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m3/day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm2/sec			
Strativity (S)					

WATER QUALITY	Sampling Date				
	Health		Significance		
	As	mg/l	N-NO2	mg/l	
	N-NO3	mg/l	N-NH3	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l		
		B	mg/l		

Well Name	PTA. AP DOLORES 1		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700168-K	UTM (km)	N=	
	DGA	16		E=	
	CORFO (1975)	19406950 A-1	Elevation	1119.18	
	CORFO (1969)	19306930 A-2	Date of Construction		

POSSESSION	Owner	D.O.S
	Constructed for	D.O.S.
	Use for	POTABLE
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth		32.00		m	
	Total Cased Depth		32.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	4.00	m	
		7.00	m	9.00	m	
		15.00	m	22.00	m	
		25.00	m	36.00	m	
		m	m		m	m

PUMPING TEST DATA	Static Water Level		5.20	mBGL	1114.60	mMSL
	Pumping Test Data					
	Pumping Rate		9.00	l/sec		
	Drawdown		14.60	m		
	Specific Capacity		53.30	m3/day/m		
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Strathvity (S)						

WATER QUALITY	Sampling Date					
	Health			Significance		
	As	mg/l	N-NO2	mg/l		
	N-NO3	mg/l	N-NH3	mg/l		
	Aesthetic Quality			Others		
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
Cl	mg/l	HCO3	mg/l			
So4	mg/l	CO3	mg/l			
		B	mg/l			

Well Name	PTA. AP DOLORES 2		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700169-8	UTM (km)	N=	
	DGA	15		E=	
	CORFO (1975)	19406950 A-2	Elevation	1119.18	
	CORFO (1969)	19306930 A-3	Date of Construction	63/05	

POSSESSION	Owner	D.O.S.
	Constructed for	D.O.S.
	Use for	POTABLE-ABANDONED
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	32.00	m			
	Total Cased Depth		m			
	Casing Pipe Data		Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level	mBGL	mMSL
	Pumping Test Data		
	Pumping Rate	2.00	l/sec
	Drawdown		m
	Specific Capacity		m3/day/m
	Aquifer Constants		
	Permeability (K)		cm/sec
	Transmissivity (T)		cm2/sec
Strativity (S)			

WATER QUALITY	Sampling Date			
	Heath		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	PTA. AP DOLORES 3		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700170-1	UTM (km)	N=	
	DGA	10		E=	
	CORFO (1975)	19406950 A-3	Elevation	1119.88	
	CORFO (1969)	19306930 A-4	Date of Construction		


POSSESSION	Owner	D.O.S.
	Constructed for	D.O.S.
	Use for	POTABLE
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	45.00		m		
	Total Cased Depth	33.00		m		
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	9.00	m	
		13.00	m	21.00	m	
		24.00	m	31.00	m	
		33.00	m	39.00	m	
		m	m		m	m

PUMPING TEST DATA	Static Water Level	5.50	mBGL	1114.38	mMSL
	Pumping Test Data				
	Pumping Rate	4.00		l/sec	
	Drawdown	13.00		m	
	Specific Capacity	26.60		m3/day/m	
	Aquifer Constants				
	Permeability (K)			cm/sec	
	Transmissivity (T)			cm2/sec	

WATER QUALITY	Sampling Date				
	Health			Significance	
	As	0.128	mg/l	N-NO2	mg/l
	N-NO3		mg/l	N-NH3	mg/l
	Aesthetic Quality			Others	
	PH	7.35		T	
	Fe	0.01	mg/l	EC	
	Cu	0.02	mg/l	Mg	15.00 mg/l
	P		mg/l	K	34.00 mg/l
	Na	147.00	mg/l	Ca	83.00 mg/l

Well Name	PTA. AP DOLORES 5		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700172-8	UTM (km)	N=	
	DGA	12		E=	
	CORFO (1975)	19406950 A-5	Elevation	1119.88	
	CORFO (1969)	19306930 A-6	Date of Construction	64/04	




POSSESSION	Owner	D.O.S.
	Constructed for	D.O.S.
	Use for	POTABLE
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth		40.00		m	
	Total Cased Depth		40.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	24.00	m	
		28.00	m	30.00	m	
		32.00	m	37.20	m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level		4.90	mBGL	1114.98	mMSL
	Pumping Test Data					
	Pumping Rate	4.00		l/sec		
	Drawdown	10.70		m		
	Specific Capacity	40.40		m3/day/m		
	Aquifer Constants					
	Permeability (K)			cm/sec		
Transmissivity (T)			cm2/sec			
Strativity (S)						

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	PTA. AP DOLORES 6		Coordinate	Lat.	1940 28.2
Map Name	ZAPIGA			Long	6956 15.8
Code No.	BNA	01700173-6	UTM (km)	N _s	7,824,623
	DGA	13		E _s	402,212
	CORFO (1975)	19406950 A-6	Elevation	1120.90	
	CORFO (1969)	19306930 A-7	Date of Construction		




POSSESSION	Owner	D.O.S.				
	Constructed for	D.O.S.				
	Use for	POTABLE				
	Extraction Rate	m ³ /year				
	Remarks					
WELL SPECIFICATION	Drilling Depth	49.00		m		
	Total Cased Depth	49.00		m		
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00 m	11.00 m		11.00 m	16.00 m
		16.00 m	30.00 m		30.00 m	31.00 m
		31.00 m	46.10 m		m	m
		m	m		m	m
		m	m		m	m
PUMPING TEST DATA	Static Water Level	4.50 mBGL	1116.4 mMSL			
	Pumping Test Data					
	Pumping Rate	7.00		l/sec		
	Drawdown	7.60		m		
	Specific Capacity	79.60		m ³ /day/m		
	Aquifer Constants					
Permeability (K)					cm/sec	
Transmissivity (T)					cm ² /sec	
Strativity (S)						
WATER QUALITY	Sampling Date					
	Health			Significance		
	As	mg/l	N-NO ₂	mg/l		
	N-NO ₃	mg/l	N-NH ₃	mg/l		
	Aesthetic Quality			Others		
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
Cl	mg/l	HCO ₃	mg/l			
So ₄	mg/l	CO ₃	mg/l			
		B	mg/l			

Well Name	PTA. AP DOLORES 7		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700174-4	UTM (km)	N=	
	DGA	14		E=	
	CORFO (1975)	19406950 A-7	Elevation	1120.36	
	CORFO (1969)	19306930 A-8	Date of Construction		

POSSESSION	Owner	D.O.S.				
	Constructed for	D.O.S.				
	Use for	POTABLE				
	Extraction Rate	m3/year				
	Remarks					
WELL SPECIFICATION	Drilling Depth	46.00				m
	Total Cased Depth	46.00				m
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
PUMPING TEST DATA	Static Water Level	5.63	mBGL	1114.73	mMSL	
	Pumping Test Data					
	Pumping Rate	7.50	l/sec			
	Drawdown	7.60	m			
	Specific Capacity	85.30	m3/day/m			
	Aquifer Constants					
	Permeability (K)					cm/sec
Transmissivity (T)					cm2/sec	
Strativity (S)						
WATER QUALITY	Sampling Date					
	Health			Significance		
	As	mg/l	N-NO2	mg/l		
	N-NO3	mg/l	N-NH3	mg/l		
	Aesthetic Quality			Others		
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
	Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l			
		B	mg/l			

Well Name	SALAR EL OBISPO		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700175-2	UTM (km)	N=	
	DGA	8		E=	
	CORFO (1975)	19406950 A-8	Elevation	1121.79	
	CORFO (1969)		Date of Construction	67/05	



POSSESSION	Owner	CORFO
	Constructed for	CORFO-658
	Use for	OBSERVATION WELL
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	16.00	m						
	Total Cased Depth	16.00	m						
	Casing Pipe Data		Screen Pipe Data						
	Size	Inch to	Inch	Size	Inch to	Inch			
	Position			Position					
		0.00	m	13.22	m	13.22	m	15.22	m
		15.22	m	15.82	m		m		m
			m		m		m		m
			m		m		m		m
			m		m		m		m

PUMPING TEST DATA	Static Water Level	10.50	mBGL	1111.29	mMSL
	Pumping Test Data				
	Pumping Rate				l/sec
	Drawdown				m
	Specific Capacity				m3/day/m
	Aquifer Constants				
	Permeability (K)				cm/sec
Transmissivity (T)				cm2/sec	
Strativity (S)					

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	SALAR DE ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700176-0	UTM (km)	N=	7,824,724
	DGA	9		E=	404,444
	CORFO (1975)	19406950 B-1	Elevation	1127.00	
	CORFO (1969)	19306930 A-9	Date of Construction	67/05	

POSSESSION	Owner	ENAP B-4
	Constructed for	ENAP
	Use for	POTABLE-ABANDONED
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth		88.00	m		
	Total Cased Depth		24.00	m		
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level	8.00 mBGL	1119 mMSL
	Pumping Test Data		
	Pumping Rate	l/sec	
	Drawdown	m	
	Specific Capacity	m3/day/m	
	Aquifer Constants		
	Permeability (K)	cm/sec	
	Transmissivity (T)	cm2/sec	
Strativity (S)			

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	SALAR DE ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700177-9	UTM (km)	N=	7,823,568
	DGA	17		E=	409,293
	CORFO (1975)	19406950 B-2	Elevation	1127.40	
	CORFO (1969)	19306930 A-17	Date of Construction	67/07	

POSSESSION	Owner	CORFO C-5
	Constructed for	CORFO-658
	Use for	POTABLE
	Extraction Rate	m ³ /year
	Remarks	

WELL SPECIFICATION	Drilling Depth	20.00		m		
	Total Cased Depth	18.00		m		
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	13.40	m	
		15.50	m	15.90	m	
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level	14.17	mBGL	1113.23	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m ³ /day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm ² /sec			
Strativity (S)					

WATER QUALITY	Sampling Date				
	Health		Significance		
	As	mg/l	N-NO ₂	mg/l	
	N-NO ₃	mg/l	N-NH ₃	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
Cl	mg/l	HCO ₃	mg/l		
So ₄	mg/l	CO ₃	mg/l		
		B	mg/l		

Well Name	SALAR DE ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700178-7	UTM (km)	N=	7,820,452
	DGA	19		E=	411,106
	CORFO (1975)	19406950 B-4	Elevation	1145.67	
	CORFO (1969)	19306930 A-19	Date of Construction	67/05	

POSSESSION	Owner	CORFO-C6
	Constructed for	CORFO-658
	Use for	POTABLE
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	17.00	m			
	Total Cased Depth	16.00	m			
	Casing Pipe Data		Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	13.05	m	
		15.05	m	15.65	m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level	12.15	mBGL	1132.52	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m3/day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm2/sec			
Strativity (S)					

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	SALAR DE ZAPIGA		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700179-5	UTM (km)	N=	7818.400
	DGA	20		E=	407.260
	CORFO (1975)	19406950 B-5	Elevation	1133.48	
	CORFO (1969)	19306930 A-20	Date of Construction	67/05	

POSSESSION	Owner	CORFO-B6			
	Constructed for	CORFO-658			
	Use for	OBSERVATION WELL			
	Extraction Rate	m3/year			
	Remarks				

WELL SPECIFICATION	Drilling Depth		12.00		m	
	Total Cased Depth		11.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	8.00	m	
		10.00	m	10.60	m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level		7.95	mBGL	1125.53	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Strativity (S)						

WATER QUALITY	Sampling Date					
	Health			Significance		
	As	0.086	mg/l	N-NO2	mg/l	
	N-NO3	mg/l		N-NH3	mg/l	
	Aesthetic Quality			Others		
	PH	8.45		T		
	Fe	0.83	mg/l	EC		
	Cu	0.06	mg/l	Mg	2.68	mg/l
	P	mg/l		K	34.00	mg/l
	Na	164.00	mg/l	Ca	20.40	mg/l
Cl	137.00	mg/l	HCO3	74.00	mg/l	
So4	147.00	mg/l	CO3	24.00	mg/l	
			B	6.40	mg/l	

Well Name	DOLORES E-1		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700180-9	UTM (km)	N=	
	DGA	7		E=	
	CORFO (1975)	19406950 B-7	Elevation	1127.00	
	CORFO (1969)	19306930	Date of Construction		

POSSESSION	Owner	ENAP
	Constructed for	ENAP
	Use for	RESEARCH-ABANDONED
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth				m	
	Total Cased Depth				m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level		mBGL	mMSL
	Pumping Test Data			
	Pumping Rate	l/sec		
	Drawdown	m		
	Specific Capacity	m3/day/m		
	Aquifer Constants			
	Permeability (K)	cm/sec		
	Transmissivity (T)	cm2/sec		
Strativity (S)				

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	SALAR EL OBISPO		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700181-7	UTM (km)	N=	7,815,830
	DGA	24		E=	402,495
	CORFO (1975)	19406950 C-1	Elevation	1134.15	
	CORFO (1969)	19306930 C-4	Date of Construction	67/05	

POSSESSION	Owner	CORFO-AA5
	Constructed for	CORFO-658
	Use for	OBSERVATION WELL
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	8.00		m		
	Total Cased Depth	8.00		m		
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	5.10	m	
		7.10	m	7.70	m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level	5.44	mBGL	1128.71	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m3/day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm2/sec			
Strativity (S)					

WATER QUALITY	Sampling Date				
	Health		Significance		
	As	mg/l	N-NO2	mg/l	
	N-NO3	mg/l	N-NH3	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l		
		B	mg/l		

Well Name	SALAR EL OBISPO		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700182-5	UTM (km)	N=	7814.100
	DGA	27		E=	405.000
	CORI O (1975)	19406950 D-3	Elevation		1133.69
	CORFO (1969)	19306930 C-7	Date of Construction		67/05

POSSESSION	Owner	CORFO-AA6
	Constructed for	CORFO-658
	Use for	
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth		8.00		m	
	Total Cased Depth		8.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	4.95	m	
		6.95	m	7.55	m	
			m		m	
			m		m	
			m		m	

PUMPING TEST DATA	Static Water Level		4.65	mBGL	1129.04	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Strativity (S)						

WATER QUALITY	Sampling Date				
	Health		Significance		
	As	mg/l	N-NO2	mg/l	
	N-NO3	mg/l	N-NH3	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l		
		B	mg/l		

Well Name	HUARA 2		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700183-3	UTM (km)	N _x	7789.075
	DGA	38		E _x	432.975
	CORFO (1975)	19506930 C-1	Elevation	1135.24	
	CORFO (1969)	19306930 D-3	Date of Construction	69/10	


POSSESSION	Owner	CORFO	
	Constructed for	CORFO-729	
	Use for	OBSERVATION WELL	
	Extraction Rate	m ³ /year	
	Remarks		

WELL SPECIFICATION	Drilling Depth		150.00		m				
	Total Cased Depth		150.00		m				
	Casing Pipe Data			Screen Pipe Data					
	Size	3	Inch to	Inch	Size	Inch to	Inch		
	Position			Position					
		0.00	m	73.00	m	73.00	m	79.00	m
		79.00	m	100.00	m	100.00	m	103.00	m
		103.00	m	115.00	m	115.00	m	118.00	m
		118.00	m	130.00	m	130.00	m	134.00	m
		134.00	m	136.00	m	136.00	m	139.00	m
	139.00	m	144.00	m	144.00	m	147.00	m	
	147.00	m	149.00	m		m		m	
		m		m		m		m	

PUMPING TEST DATA	Static Water Level	54.38	mBGL	1080.86	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m ³ /day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm ² /sec			
Strativity (S)					

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO ₂	mg/l
	N-NO ₃	mg/l	N-NH ₃	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO ₃	mg/l	
So ₄	mg/l	CO ₃	mg/l	
		B	mg/l	

Well Name	QBDA. AROMA 1		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700184-K	UTM (km)	N₂	7,801,490
	DGA	34		E₂	418,825
	CORFO (1975)	19506940 A-1	Elevation	1150.46	
	CORFO (1969)	19306930 C-2	Date of Construction	68/04	



POSSESSION	Owner	CORFO
	Constructed for	CORFO-733
	Use for	OBSERVATION WELL
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	43.00	m		
	Total Cased Depth	36.00	m		
	Casing Pipe Data		Screen Pipe Data		
	Size	3	Inch to	Inch	
	Position		Position		
		0.00	m	1.37	m
		5.37	m	7.47	m
		9.47	m	11.00	m
		13.00	m	32.30	m
		33.30	m	36.00	m

PUMPING TEST DATA	Static Water Level	33.48	mBGL	1116.98	mMSL
	Pumping Test Data				
	Pumping Rate			l/sec	
	Drawdown			m	
	Specific Capacity			m3/day/m	
	Aquifer Constants				
	Permeability (K)			cm/sec	
	Transmissivity (T)			cm2/sec	

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	QBDA. AROMA 2		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700185-K	UTM (km)	N=	7803.400
	DGA	33		E=	423.925
	CORFO (1975)	19506940 B-1	Elevation	1120.14	
	CORFO (1969)	19306930 D-4	Date of Construction	68/05	



POSSESSION	Owner	CORFO
	Constructed for	CORFO-737
	Use for	
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	12.00		m		
	Total Cased Depth	No Casing Pipe Installed			m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level	mBGL	mMSL
	Pumping Test Data		
	Pumping Rate	l/sec	
	Drawdown	m	
	Specific Capacity	m3/day/m	
	Aquifer Constants		
	Permeability (K)	cm/sec	
	Transmissivity (T)	cm2/sec	
Strativity (S)			

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	QBDA. AROMA 3		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700186-8	UTM (km)	N=	7803.295
	DGA	33A		E=	
	CORFO (1975)	19506940 B-2	Elevation		
	CORFO (1969)	19306930 D-5	Date of Construction		68/05

G.L. 	Stratigraphic Column 	Casing Design 	S.W.L. 	POSSESSION	Owner	CORFO				
					Constructed for	CORFO-740				
					Use for					
					Extraction Rate	m3/year				
					Remarks					
				WELL SPECIFICATION	Drilling Depth	12.00 m				
					Total Cased Depth	No casing Pipe Installed m				
					Casing Pipe Data			Screen Pipe Data		
					Size	Inch to	Inch	Size	Inch to	Inch
					Position			Position		
						m	m		m	m
						m	m		m	m
						m	m		m	m
						m	m		m	m
						m	m		m	m
						m	m		m	m
						m	m		m	m
				PUMPING TEST DATA	Static Water Level	mBGL		mMSL		
					Pumping Test Data					
					Pumping Rate	l/sec				
					Drawdown	m				
					Specific Capacity	m3/day/m				
					Aquifer Constants					
				Permeability (K)	cm/sec					
				Transmissivity (T)	cm2/sec					
				Strativity (S)						
				WATER QUALITY	Sampling Date					
					Health			Significance		
As	mg/l	N-NO2	mg/l							
N-NO3	mg/l	N-NH3	mg/l							
Aesthetic Quality			Others							
PH		T								
Fe	mg/l	EC								
Cu	mg/l	Mg	mg/l							
P	mg/l	K	mg/l							
Na	mg/l	Ca	mg/l							
Cl	mg/l	HCO3	mg/l							
So4	mg/l	CO3	mg/l							
		B	mg/l							

Well Name	HUARA 1		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700187-6	UTM (km)	N=	7,790,000
	DGA	36		E=	420,000
	CORFO (1975)	19506940 C-1	Elevation	1106.71	
	CORFO (1969)	19306930 C-1	Date of Construction		

POSSESSION	Owner	D.O.S.
	Constructed for	D.O.S.
	Use for	POTABLE-ABANDONED
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth		25.00		m	
	Total Cased Depth				m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level		mBGL	mMSL
	Pumping Test Data			
	Pumping Rate	l/sec		
	Drawdown	m		
	Specific Capacity	m3/day/m		
	Aquifer Constants			
	Permeability (K)	cm/sec		
	Transmissivity (T)	cm2/sec		
Strativity (S)				

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	HUARA-PACHICA 2		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700188-4	UTM (km)	N=	7,790,400
	DGA	35		E=	421,975
	CORFO (1975)	19506940 D-1	Elevation	1108.04	
	CORFO (1969)	19306930 D-1	Date of Construction		


POSSESSION	Owner	D.O.S.
	Constructed for	D.O.S.
	Use for	POTABLE-ABANDONED
	Extraction Rate	m ³ /year
	Remarks	

WELL SPECIFICATION	Drilling Depth		176.00		m	
	Total Cased Depth		87.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level		mBGL	mMSL
	Pumping Test Data			
	Pumping Rate	l/sec		
	Drawdown	m		
	Specific Capacity	m ³ /day/m		
	Aquifer Constants			
	Permeability (K)	cm/sec		
	Transmissivity (T)	cm ² /sec		
Strathvity (S)				

WATER QUALITY	Sampling Date			
	Meth		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	HUARA 1		Coordinate	Lat.	
Map Name	ZAPIGA			Long	
Code No.	BNA	01700189-2	UTM (km)	Nx	7,789,500
	DGA	37		Ex	426,725
	CORFO (1975)	19506940 D-2	Elevation	1018.2	
	CORFO (1969)	19306930 D-2	Date of Construction	68/03	



POSSESSION	Owner	CORFO							
	Constructed for	CORFO-727							
	Use for	OBSERVATION WELL							
	Extraction Rate	m3/year							
	Remarks								
WELL SPECIFICATION	Drilling Depth	161.00		m					
	Total Cased Depth	131.00		m					
	Casing Pipe Data			Screen Pipe Data					
	Size	3	Inch to	Inch	Size	Inch to	Inch		
	Position			Position					
		0.00	m	48.00	m	48.00	m	50.00	m
		50.00	m	57.00	m	57.00	m	60.00	m
		60.00	m	67.00	m	67.00	m	70.00	m
		70.00	m	77.00	m	77.00	m	78.00	m
		78.00	m	81.00	m	81.00	m	82.50	m
		82.50	m	84.00	m		m		m
			m		m		m		m
		m		m		m		m	
PUMPING TEST DATA	Static Water Level	60.60	mBGL	1043.71	mMSL				
	Pumping Test Data								
	Pumping Rate				l/sec				
	Drawdown				m				
	Specific Capacity				m3/day/m				
	Aquifer Constants								
	Permeability (K)				cm/sec				
Transmissivity (T)				cm2/sec					
Stratvity (S)									
WATER QUALITY	Sampling Date								
	Health			Significance					
	As	mg/l	N-NO2	mg/l					
	N-NO3	mg/l	N-NH3	mg/l					
	Aesthetic Quality			Others					
	PH		T						
	Fe	mg/l	EC						
	Cu	mg/l	Mg	mg/l					
	P	mg/l	K	mg/l					
	Na	mg/l	Ca	mg/l					
	Cl	mg/l	HCO3	mg/l					
	So4	mg/l	CO3	mg/l					
		B	mg/l						

Well Name	BAQUEDANO 2		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700190-6	UTM (km)	N=	
	DGA	49-A		E=	
	CORFO (1975)	20006930 A-1	Elevation		
	CORFO (1969)	20006930	Date of Construction	74/09	

POSSESSION	Owner	EJERCITO DE CHILE	
	Constructed for	CORFO-1320	
	Use for	POTABLE	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth		175.00		m	
	Total Cased Depth		175.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	12 Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		0.00	m	82.00	m	
			m		82.00	m
			m		175.00	m
			m			m
			m			m

PUMPING TEST DATA	Static Water Level		79.20	mBGL	mMSL
	Pumping Test Data				
	Pumping Rate		l/sec		
	Drawdown		m		
	Specific Capacity		m3/day/m		
	Aquifer Constants				
	Permeability (K)		cm/sec		
	Transmissivity (T)		1440	cm2/sec	
Stratvity (S)					

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	BAQUEDANO 4		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700191-4	UTM (km)	Na	
	DGA	45		Es	
	CORFO (1975)	20006930 C-1	Elevation	1071.00	
	CORFO (1969)	20006930 B-5	Date of Construction		


POSSESSION	Owner	CORFO
	Constructed for	RIEGO
	Use for	IRRIGATION-ABANDONED
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth		360.00		m	
	Total Cased Depth		152.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level		56.00	mBGL	1015.00	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Strativity (S)						

WATER QUALITY	Sampling Date					
	Health			Significance		
	As	0.032	mg/l	N-NO2	mg/l	
	N-NO3		mg/l	N-NH3	mg/l	
	Aesthetic Quality			Others		
	PH	16.65		T		
	Fe	0.00	mg/l	EC		
	Cu	0.00	mg/l	Mg	22.00	mg/l
	P		mg/l	K	30.00	mg/l
	Na	198.00	mg/l	Ca	176.00	mg/l
Cl	254.00	mg/l	HCO3	142.00	mg/l	
So4	514.00	mg/l	CO3	0.00	mg/l	
			B	7.90	mg/l	

Well Name	BAQUEDANO 5		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700192-2	UTM (km)	N=	
	DGA	45-A		E=	
	CORFO (1975)	20006930 C-2	Elevation	1074.00	
	CORFO (1969)	20006930 B-6	Date of Construction	51/06	



POSSESSION	Owner	CORFO				
	Constructed for	RIEGO				
	Use for	IRRIGATION-SU				
	Extraction Rate	m3/year				
Remarks						
WELL SPECIFICATION	Drilling Depth	242.00				m
	Total Cased Depth					m
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
PUMPING TEST DATA	Static Water Level	59.50	mBGL	1014.50	mMSL	
	Pumping Test Data					
	Pumping Rate					l/sec
	Drawdown					m
	Specific Capacity					m3/day/m
	Aquifer Constants					
Permeability (K)					cm/sec	
Transmissivity (T)					cm2/sec	
Strativity (S)						
WATER QUALITY	Sampling Date					
	Health		Significance			
	As	mg/l	N-NO2	mg/l		
	N-NO3	mg/l	N-NH3	mg/l		
	Aesthetic Quality		Others			
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
Cl	mg/l	HCO3	mg/l			
So4	mg/l	CO3	mg/l			
		B	mg/l			

Well Name	BAQUEDANO 5		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700192-2	UTM (km)	N _z	
	DGA	45-A		E _z	
	CORFO (1975)	20006930 C-2	Elevation	1074.00	
	CORFO (1969)	20006930 B-6	Date of Construction	51/06	

G.L. 200m	Stratigraphic Column	Casing Design	S.W.L.	POSESSION	Owner	CORFO				
					Constructed for	RIEGO				
					Use for	IRRIGATION-SU				
					Extraction Rate	m ³ /year				
250				WELL SPECIFICATION	Remarks					
					Drilling Depth	242.00	m			
					Total Cased Depth		m			
					Casing Pipe Data			Screen Pipe Data		
					Size	Inch to	Inch	Size	Inch to	Inch
					Position			Position		
						m	m		m	m
						m	m		m	m
						m	m		m	m
						m	m		m	m
						m	m		m	m
						m	m		m	m
300m				PUMPING TEST DATA	Static Water Level	59.50 mBGL	1014.50 mMSL			
					Pumping Test Data					
					Pumping Rate		l/sec			
					Drawdown		m			
					Specific Capacity		m ³ /day/m			
					Aquifer Constants					
Permeability (K)		cm/sec								
Transmissivity (T)		cm ² /sec								
Strativity (S)										
350m				WATER QUALITY	Sampling Date					
					Health		Significance			
					As	mg/l	N-NO ₂	mg/l		
					N-NO ₃	mg/l	N-NH ₃	mg/l		
					Aesthetic Quality		Others			
					PH		T			
					Fe	mg/l	EC			
					Cu	mg/l	Mg	mg/l		
					P	mg/l	K	mg/l		
					Na	mg/l	Ca	mg/l		
Cl	mg/l	HCO ₃	mg/l							
So ₄	mg/l	CO ₃	mg/l							
		B	mg/l							
400m										

Well Name	MAPOCHO		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700193-0	UTM (km)	N=	
	DGA	42		E=	
	CORFO (1975)	20006940 B-1	Elevation	1078.60	
	CORFO (1969)	20006930 B-1	Date of Construction	57/04	

POSSESSION	Owner	RIEGO	
	Constructed for	RIEGO	
	Use for	IRRIGATION-ABANDONED	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth		60.00		m	
	Total Cased Depth		60.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level		51.94	mBGL	1026.66	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Strativity (S)						

WATER QUALITY	Sampling Date					
	Health			Significance		
	As	mg/l	N-NO2	mg/l		
	N-NO3	mg/l	N-NH3	mg/l		
	Aesthetic Quality			Others		
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
Cl	mg/l	HCO3	mg/l			
So4	mg/l	CO3	mg/l			
		B	mg/l			

Well Name	BAQUEDANO 1		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700194-9	UTM (km)	N _z	
	DGA	48		E _z	
	CORFO (1975)	20006940 D-1	Elevation	1055.81	
	CORFO (1969)	20006930 B-2	Date of Construction		

POSSESSION	Owner	CORFO				
	Constructed for	RIEGO				
	Use for	IRRIGATION-ABANDONED				
	Extraction Rate	m3/year				
	Remarks					
WELL SPECIFICATION	Drilling Depth					m
	Total Cased Depth					m
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
	PUMPING TEST DATA	Static Water Level	mBGL		mMSL	
Pumping Test Data						
Pumping Rate						l/sec
Drawdown						m
Specific Capacity						m3/day/m
Aquifer Constants						
Permeability (K)						cm/sec
Transmissivity (T)						cm2/sec
Strativity (S)						
WATER QUALITY	Sampling Date					
	Health			Significance		
	As	mg/l	N-NO2	mg/l		
	N-NO3	mg/l	N-NH3	mg/l		
	Aesthetic Quality			Others		
	PH			T		
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
	Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l			
		B	mg/l			

Well Name	BAQUEDANO 2		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700195-7	UTM (km)	N=	
	DGA	49		E=	
	CORFO (1975)	20006940 D-2	Elevation	1057.00	
	CORFO (1969)	20006930 B-3	Date of Construction		

POSSESSION	Owner		CORFO			
	Constructed for		RIEGO			
	Use for		IRRIGATION-ABANDONED			
	Extraction Rate		m3/year			
	Remarks					
WELL SPECIFICATION	Drilling Depth		m			
	Total Cased Depth		m			
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
PUMPING TEST DATA	Static Water Level		mBGL	mMSL		
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Stratvity (S)						
WATER QUALITY	Sampling Date					
	Heath		Significance			
	As	mg/l	N-NO2	mg/l		
	N-NO3	mg/l	N-NH3	mg/l		
	Aesthetic Quality			Others		
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
	Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l			
		B	mg/l			

Well Name	BAQUEDANO 3		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700196-5	UTM (km)	N _z	
	DGA	46		E _z	
	CORFO (1975)	20006940 D-3	Elevation	1068.92	
	CORFO (1969)	20006930 B-4	Date of Construction	50/08	

POSSESSION	Owner	CORFO			
	Constructed for	RIEGO			
	Use for	IRRIGATION-SU			
	Extraction Rate	m ³ /year			
	Remarks				

WELL SPECIFICATION	Drilling Depth		105.00		m	
	Total Cased Depth		102.00		m	
	Casing Pipe Data			Screen Pipe Data		
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level		51.60	mBGL	1017.32	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m ³ /day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm ² /sec			
Strativity (S)						

WATER QUALITY	Sampling Date					
	Health			Significance		
	As	mg/l	N-NO ₂	mg/l		
	N-NO ₃	mg/l	N-NH ₃	mg/l		
	Aesthetic Quality			Others		
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
Cl	mg/l	HCO ₃	mg/l			
So ₄	mg/l	CO ₃	mg/l			
		B	mg/l			

Well Name	BAQUEDANO 6		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700197-3	UTM (km)	N=	
	DGA	43		E=	
	CORFO (1975)	20006940 D-4	Elevation	1071.06	
	CORFO (1969)	20006930 B-7	Date of Construction	51/10	

POSSESSION	Owner	RIEGO	
	Constructed for	RIEGO	
	Use for	IRRIGATION-ABANDONED	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth	134.00		m		
	Total Cased Depth			m		
	Casing Pipe Data		Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level	54.00	mBGL	1017.06	mMSL
	Pumping Test Data				
	Pumping Rate	l/sec			
	Drawdown	m			
	Specific Capacity	m3/day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm2/sec			
Stratlvity (S)					

WATER QUALITY	Sampling Date				
	Heith		Significance		
	As	mg/l	N-NO2	mg/l	
	N-NO3	mg/l	N-NH3	mg/l	
	Aesthetic Quality		Others		
	PH		T		
	Fe	mg/l	EC		
	Cu	mg/l	Mg	mg/l	
	P	mg/l	K	mg/l	
	Na	mg/l	Ca	mg/l	
Cl	mg/l	HCO3	mg/l		
So4	mg/l	CO3	mg/l		
		B	mg/l		

Well Name	BAQUEDANO 7		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700198-1	UTM (km)	N _z	
	DGA	44		E _z	
	CORFO (1975)	20006940 D-5	Elevation	1070.00	
	CORFO (1969)	20006930 B-8	Date of Construction	51/12	

POSSESSION	Owner	RIEGO	
	Constructed for	RIEGO	
	Use for	IRRIGATION-ABANDONED	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth		92.00		m				
	Total Cased Depth		75.00		m				
	Casing Pipe Data			Screen Pipe Data					
	Size	14	Inch to	Inch	Size	12	Inch to	Inch	
	Position			Position					
		0.00	m	58.50	m	58.50	m	61.80	m
		61.80	m	65.00	m	65.00	m	71.90	m
		71.90	m	74.90	m		m		m
			m		m		m		m
			m		m		m		m

PUMPING TEST DATA	Static Water Level		53.18	mBGL	1016.82	mMSL
	Pumping Test Data					
	Pumping Rate	60.00		l/sec		
	Drawdown	m				
	Specific Capacity	m3/day/m				
	Aquifer Constants					
	Permeability (K)	cm/sec				
	Transmissivity (T)	cm2/sec				
Strativity (S)						

WATER QUALITY	Sampling Date					
	Health			Significance		
	As	mg/l	N-NO2	mg/l		
	N-NO3	mg/l	N-NH3	mg/l		
	Aesthetic Quality			Others		
	PH		T			
	Fe	mg/l	EC			
	Cu	mg/l	Mg	mg/l		
	P	mg/l	K	mg/l		
	Na	mg/l	Ca	mg/l		
Cl	mg/l	HCO3	mg/l			
So4	mg/l	CO3	mg/l			
		B	mg/l			

Well Name	BAQUEDANO 8		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700199-K	UTM (km)	N=	
	DGA	47		E=	
	CORFO (1975)	20006940 D-6	Elevation	1065.00	
	CORFO (1969)	20006930 B-9	Date of Construction	52/06	

POSSESSION	Owner	RIEGO	
	Constructed for	RIEGO	
	Use for	IRRIGATION - ABANDONED	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth	81.00		m						
	Total Cased Depth	81.00		m						
	Casing Pipe Data		Screen Pipe Data							
	Size	14	Inch to	Inch	Size	10	Inch to	Inch		
	Position				Position					
		0.00	m	52.50	m		52.50	m	56.00	m
		56.00	m	72.85	m		78.85	m	80.00	m
			m		m			m		m
			m		m			m		m
			m		m			m		m

PUMPING TEST DATA	Static Water Level	49.50	mBGL	1015.50	mMSL
	Pumping Test Data				
	Pumping Rate	35.00		l/sec	
	Drawdown	m			
	Specific Capacity	m3/day/m			
	Aquifer Constants				
	Permeability (K)	cm/sec			
	Transmissivity (T)	cm2/sec			
Strativity (S)					

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	BAQUEDANO 1		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700200-7	UTM (km)	N _x	
	DGA	48-A		E _x	
	CORFO (1975)	20006940 D-7	Elevation		
	CORFO (1969)	20006900	Date of Construction		74/04

POSSESSION	Owner	EJERCITO DE CHILE	
	Constructed for	CORFO-1282	
	Use for	RESEARCH - ABANDONED	
	Extraction Rate	m ³ /year	
	Remarks		

WELL SPECIFICATION	Drilling Depth		130.00		m				
	Total Cased Depth		130.00		m				
	Casing Pipe Data			Screen Pipe Data					
	Size	10	Inch to	Inch	Size	Inch to	Inch		
	Position			Position					
		0.00	m	46.10	m	46.10	m	72.00	m
		72.00	m	75.63	m	75.63	m	91.00	m
			m		m		m		m
			m		m		m		m
			m		m		m		m

PUMPING TEST DATA	Static Water Level		47.80	mBGL	mMSL
	Pumping Test Data				
	Pumping Rate	6.00		l/sec	
	Drawdown	51.80		m	
	Specific Capacity	10.00		m ³ /day/m	
	Aquifer Constants				
	Permeability (K)			cm/sec	
	Transmissivity (T)			cm ² /sec	
Strativity (S)					

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO ₂	mg/l
	N-NO ₃	mg/l	N-NH ₃	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO ₃	mg/l	
So ₄	mg/l	CO ₃	mg/l	
		B	mg/l	

Well Name	QBDA. J. MORALES		Coordinate	Lat.	
Map Name	MAMINA			Long	
Code No.	BNA	01700201-5	UTM (km)	N=	
	DGA	169		E=	
	CORFO (1975)	20106920 A-1	Elevation	1275.90	
	CORFO (1969)	20006930 A-1	Date of Construction		


POSSESSION	Owner	RIEGO
	Constructed for	RIEGO
	Use for	RESEARCH
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	462.00	m			
	Total Cased Depth		m			
	Casing Pipe Data		Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level	56.60	mBGL	1219.30	mMSL
	Pumping Test Data				
	Pumping Rate				l/sec
	Drawdown				m
	Specific Capacity				m3/day/m
	Aquifer Constants				
	Permeability (K)				cm/sec
	Transmissivity (T)				cm2/sec
Strativity (S)					

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	PORVENIR		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700202-3	UTM (km)	N=	7,761,925
	DGA	53		E=	434,100
	CORFO (1975)	20106930 A-1	Elevation	1036.52	
	CORFO (1969)	20006930 B13	Date of Construction	63/04	




POSSESSION	Owner	RIEGO
	Constructed for	RIEGO
	Use for	RESEARCH
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	202.00	m			
	Total Cased Depth	202.00	m			
	Casing Pipe Data		Screen Pipe Data			
	Size	12 Inch to	Inch	Size	16 Inch to	Inch
	Position			Position		
		0.00 m	13.00 m		13.00 m	16.60 m
		16.60 m	23.00 m		23.00 m	28.00 m
		28.00 m	38.00 m		38.00 m	51.00 m
		51.00 m	84.40 m			
		m	m		m	m

PUMPING TEST DATA	Static Water Level	33.40 mBGL	1003.12 mMSL
	Pumping Test Data		
	Pumping Rate	64.00	l/sec
	Drawdown	6.00	m
	Specific Capacity	921.60	m3/day/m
	Aquifer Constants		
	Permeability (K)		cm/sec
	Transmissivity (T)		cm2/sec
Strativity (S)			

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
	Cl	mg/l	HCO3	mg/l
	So4	mg/l	CO3	mg/l
		B	mg/l	

Well Name	LA TIRANA 2		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700203-1	UTM (km)	Na	
	DGA	58		E=	
	CORFO (1975)	20106930 C-2	Elevation		
	CORFO (1969)	20006930 D-35	Date of Construction	67/04	




POSSESSION	Owner	CORFO
	Constructed for	CORFO-645
	Use for	OBSERVATION WELL
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	412.00	m			
	Total Cased Depth	182.00	m			
	Casing Pipe Data		Screen Pipe Data			
	Size	6 Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level	19.90	mBGL	mMSL
	Pumping Test Data			
	Pumping Rate		l/sec	
	Drawdown		m	
	Specific Capacity		m3/day/m	
	Aquifer Constants			
	Permeability (K)		cm/sec	
Transmissivity (T)		cm2/sec		
Strativity (S)				

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	LA TIRANA 2		Coordinate	Lat.	
Map Name	P. ALMONTE		Long		
Code No.	BNA	01700203-1	UTM (km)	N=	
	DGA	58		E=	
	CORFO (1975)		20106930 C-2	Elevation	
	CORFO (1989)		20006930 D-35	Date of Construction	
				67/04	



POSSESSION	Owner	CORFO
	Constructed for	CORFO-645
	Use for	OBSERVATION WELL
	Extraction Rate	m3/year
Remarks		

WELL SPECIFICATION	Drilling Depth		412.00		m		
	Total Cased Depth		182.00		m		
	Casing Pipe Data			Screen Pipe Data			
	Size	6	Inch to	Inch	Size	Inch to	Inch
	Position			Position			
		m		m		m	m
		m		m		m	m
		m		m		m	m
		m		m		m	m
		m		m		m	m


PUMPING TEST DATA	Static Water Level	19.90	mBGL	mMSL
	Pumping Test Data			
	Pumping Rate			l/sec
	Drawdown			m
	Specific Capacity			m3/day/m
	Aquifer Constants			
	Permeability (K)			cm/sec
Transmissivity (T)			cm2/sec	
Strativity (S)				

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	LA TIRANA 2		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700203-1	UTM (km)	N=	
	DGA	58		E=	
	CORFO (1975)	20106930 C-2	Elevation		
	CORFO (1969)	20006930 D-35	Date of Construction	67/04	

G.L. 400m 450m 500m 550m 600m	Stratigraphic Column	Casing Design	S.W.L	POSSESSION	Owner	CORFO			
						Constructed for	CORFO-645		
						Use for	OBSERVATION WELL		
						Extraction Rate	m3/year		
				Remarks					
				Drilling Depth		412.00	m		
				Total Cased Depth		182.00	m		
	WELL SPECIFICATION	Casing Pipe Data		Screen Pipe Data					
		Size	6 Inch to	Inch	Size	Inch to	Inch		
		Position			Position				
		m	m		m	m			
		m	m		m	m			
		m	m		m	m			
		m	m		m	m			
		m	m		m	m			
		m	m		m	m			
		m	m		m	m			
PUMPING TEST DATA	Static Water Level		19.90	mBGL	mMSL				
	Pumping Test Data								
	Pumping Rate		l/sec						
	Drawdown		m						
	Specific Capacity		m3/day/m						
	Aquifer Constants								
	Permeability (K)		cm/sec						
Transmissivity (T)		cm2/sec							
Strativity (S)									
WATER QUALITY	Sampling Date								
	Health			Significance					
	As	mg/l	N-NO2	mg/l					
	N-NO3	mg/l	N-NH3	mg/l					
	Aesthetic Quality			Others					
	PH		T						
	Fe	mg/l	EC						
	Cu	mg/l	Mg	mg/l					
	P	mg/l	K	mg/l					
	Na	mg/l	Ca	mg/l					
Cl	mg/l	HCO3	mg/l						
So4	mg/l	CO3	mg/l						
		B	mg/l						

Well Name	EL CARMELO 1		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700204-K	UTM (km)	N=	
	DGA	59		E=	
	CORFO (1975)	20106930 C-3	Elevation	1022.79	
	CORFO (1969)	20006930 D-36	Date of Construction	66/07	



POSSESSION	Owner	CORFO
	Constructed for	CORFO-572
	Use for	RESEARCH - ABANDONED
	Extraction Rate	m3/year
	Remarks	

WELL SPECIFICATION	Drilling Depth	62.00	m			
	Total Cased Depth		m			
	Casing Pipe Data		Screen Pipe Data			
	Size	Inch to	Inch	Size	Inch to	Inch
	Position			Position		
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m
		m	m		m	m

PUMPING TEST DATA	Static Water Level	22.12	mBGL	mMSL
	Pumping Test Data			
	Pumping Rate			l/sec
	Drawdown			m
	Specific Capacity			m3/day/m
	Aquifer Constants			
	Permeability (K)			cm/sec
	Transmissivity (T)			cm2/sec
Stratvity (S)				

WATER QUALITY	Sampling Date			
	Heath		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
Cl	mg/l	HCO3	mg/l	
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	EL CARMELO 3		Coordinate	Lat.	
Map Name	P. ALMONTE			Long	
Code No.	BNA	01700205-8	UTM (km)	N=	
	DGA	61		E=	
	CORFO (1975)	20106930 C-5	Elevation	1022.79	
	CORFO (1969)	20006930 D-38	Date of Construction	69/01	


POSSESSION	Owner	CORFO	
	Constructed for	CORFO-628	
	Use for	OBSERVATION WELL	
	Extraction Rate	m3/year	
	Remarks		

WELL SPECIFICATION	Drilling Depth		211.00		m				
	Total Cased Depth		180.00		m				
	Casing Pipe Data			Screen Pipe Data					
	Size	6	Inch to	inch	Size	6	Inch to	inch	
	Position				Position				
		0.00	m	29.20	m	29.20	m	31.60	m
		31.60	m	38.00	m	38.00	m	39.00	m
		39.00	m	50.84	m	50.84	m	51.84	m
		51.84	m	65.54	m	65.54	m	66.04	m
		66.04	m	106.04	m	106.04	m	107.04	m
		107.04	m	129.44	m	129.44	m	136.03	m
		136.03	m	160.00	m	160.00	m	166.00	m
		166.00	m	175.00	m	175.00	m	177.00	m
	177.00	m	180.00	m		m		m	

PUMPING TEST DATA	Static Water Level		23.10	mBGL	999.69	mMSL
	Pumping Test Data					
	Pumping Rate		l/sec			
	Drawdown		m			
	Specific Capacity		m3/day/m			
	Aquifer Constants					
	Permeability (K)		cm/sec			
	Transmissivity (T)		cm2/sec			
Strativity (S)						

WATER QUALITY	Sampling Date			
	Health		Significance	
	As	mg/l	N-NO2	mg/l
	N-NO3	mg/l	N-NH3	mg/l
	Aesthetic Quality		Others	
	PH		T	
	Fe	mg/l	EC	
	Cu	mg/l	Mg	mg/l
	P	mg/l	K	mg/l
	Na	mg/l	Ca	mg/l
	Cl	mg/l	HCO3	mg/l
So4	mg/l	CO3	mg/l	
		B	mg/l	

Well Name	EL CARMELO 4		Coordinate	Lat.
Map Name	P. ALMONTE			Long
Code No.	BNA	01700206-6	UTM (km)	Nz
	DGA	62		Ex
	CORFO (1975)	20106930 C-6	Elevation	
	CORFO (1969)	20006930 D-39	Date of Construction	69/04



POSSESSION	Owner	CORFO								
	Constructed for	CORFO-754								
	Use for	RESEARCH - ABANDONED								
	Extraction Rate	m3/year								
Remarks										
WELL SPECIFICATION	Drilling Depth	176.00 m								
	Total Cased Depth	173.00 m								
	Casing Pipe Data			Screen Pipe Data						
	Size	Inch to	Inch	Size	Inch to	Inch				
	Position			Position						
	14	0.00	m	115.93	m	12	115.93	m	119.32	m
	10	143.95	m	160.28	m	10	119.32	m	132.26	m
		168.50	m	172.80	m	8	132.26	m	143.95	m
					160.28		m	168.50	m	
PUMPING TEST DATA	Static Water Level	23.40 mBGL		mMSL						
	Pumping Test Data									
	Pumping Rate	25.00				l/sec				
	Drawdown	12.00				m				
	Specific Capacity	180.00				m3/day/m				
	Aquifer Constants									
Permeability (K)					cm/sec					
Transmissivity (T)					cm2/sec					
Strathvity (S)										
WATER QUALITY	Sampling Date									
	Health			Significance						
	As	mg/l	N-NO2	mg/l						
	N-NO3	mg/l	N-NH3	mg/l						
	Aesthetic Quality			Others						
	PH		T							
	Fe	mg/l	EC							
	Cu	mg/l	Mg	mg/l						
	P	mg/l	K	mg/l						
	Na	mg/l	Ca	mg/l						
Cl	mg/l	HCO3	mg/l							
So4	mg/l	CO3	mg/l							
		B	mg/l							