I. Proceeding Winks I. P. M. A. M. J. Z. A. S. O. N. D. J. F. M. S. M. J. Z. S. O. N. D. J. F. M. S. M. J. Z. S. O. N. D. J. F. M. S. M. J. Z. S. O. N. D. J. F. M. S. M. J. Z. S. O. N. D. J. F. M. S. M. J. Z. S. O. N. D. J. F. M. S. M. J. Z. S. O. N. D. J. S. M. D. J. F. M. S. M. J. Z. S. O. N. D. J. F. M. S. M. J. Z. S. O. N. D. J. F. M. S. M. J. Z. S. O. N. D. J. F. M. S. M. J. Z. S. O. N. D. J. S. M. D. J. F. M. S. M. J. Z. S. O. N. D. J. S. M. D. J. F. M. S. M. J. Z. S. O. N. D. J. S. M. D. J. S. M. D. J. S. M. D. J. J. M. J.	Description	Unit	Quantity	-			Lat Y	ear			-					2	Ind Ye	kr			· .					Jrd	Year									4ıh	i Ye
Image: Note: a constrained and set of the set				1	F I	M A	м	1			0		D	J F	М	A	MJ	Ĵ	A	S	0	ND	1	F	м /	М	1)	<u>x</u>	s o	N	D		F	MA	м	T
	Pre-ransingtion Works			· · · · · · · · · · · · · · · · · · ·				<u> </u>			3		3	• • •			10 11	12		н		14 17		Ū?	<u>x)</u> x	I N	11	74	21	26 27	28	27	x	11	12 11	×	Ţ
Like Accuration and Carry Like A				10000	in the second		Livin .																+									- i	┝─┼				-
						and and a second	f <i>unn</i> t	andi				aineride				-			منسبه							- 		<u> </u>	4				-			_	-ŀ
							<u> </u>	<u> </u>	-1-	<u> </u>	P		<u></u>		4	-		122															 			_i	_
	Mubilization of Main Civil Contractor			╉╌╢		_ <u> </u>		- 6		2. 						┟╧╢		-	22							_			÷-			I	I			·	_ _
Image: Proceed as a set of	Installations and Offices			╉┯┽	÷ -						È					<u>ŀ</u> ŀ-		188			-		·			_	-				4	I				_	4
	Installations and Offices	<u></u>		╉╍┊┡	 						<u> </u>		and a second	i i i i i i i i i i i i i i i i i i i	8	┠		35	S.c		<u></u>	_	-			- <u> </u>	·	20,13	<u>, </u>		1	Ц	니		<u></u>	<u>.</u>	1
In Surge Control on an analysis of the second se								- ~		<u> </u>		r T	7865			┣━━━┤-	~ .	- 22				_		·				<u></u>	<u></u>								
Md Star Contract N3 N3<										÷.		┝╌┟	-					• <u>• • • • •</u>				_				- I			<u> </u>		cofi	er dan	m			_	
Control Control <t< td=""><td>and Stage Conclusion</td><td></td><td></td><td></td><td></td><td></td><td> </td><td> 44</td><td></td><td><u> </u></td><td>ļ</td><td></td><td></td><td></td><td></td><td>·</td><td></td><td>-</td><td></td><td>щ</td><td>Щ.</td><td></td><td></td><td></td><td></td><td></td><td>.</td><td></td><td>×L.</td><td></td><td>1</td><td><u>to</u></td><td></td><td></td><td></td><td></td><td></td></t<>	and Stage Conclusion							44		<u> </u>	ļ					·		-		щ	Щ.						.		×L.		1	<u>to</u>					
Centrem Exercing (a Liff hand, m) 15,500 Image: Control Score (a life) Image: Co	Concerts & Dash GU Dar		006,66	4			 		ЦĿ,	24						ļ		- 23					·	·						II	ήD	$ u\rangle$	TIL			·	L
Neek Lacearding for Lathons mit Loo mit Loo mit Loo mit Loo mit Loo mit Loo Loo <thloo< th=""> <thloo< t<="" td=""><td>Concrete at Rockini Diam</td><td></td><td></td><td>1</td><td></td><td></td><td> </td><td></td><td>20</td><td></td><td> </td><td> </td><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td><td>가운 문</td><td><u>_</u></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td>T</td></thloo<></thloo<>	Concrete at Rockini Diam			1					20			 			-											_		가운 문	<u>_</u>	_							T
Robit Revenue in Dia n1 B0.000 Dia Dia <thdia< th=""> <thdia< th=""> <thdia< th=""></thdia<></thdia<></thdia<>	Common Excavation for Left bank									<u> </u>						111	ЩŢ			<u> </u>		_						\mathbb{R}_{2}	<u> </u>								Т
						_			_	<u> </u>			·					1 250	\$XXQ	000					·	_		<u> (</u> 2 🖄	<u>8</u>]					· T	T
Converte form nd 32,560 nd 22,500 nd 1,500 nd			10,000	<u>'</u>					کاند	<u>_</u>								140.0		L.		××		<u> </u>	<u> </u>	· .		2.613	1				80	0			Т
Resultion n3 13,560 n				1					-		1							\sim	<u> </u>		- L	_ =	15					14. 18			1			8		1	T
Initiation of Subcrygroup LS Common Presentation of Subcrygroup Common Presentation of Subcrygroup </td <td></td> <td></td> <td></td> <td></td> <td><u> </u></td> <td></td> <td></td> <td></td> <td>- 3</td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>5</td> <td>T</td>					<u> </u>				- 3																	_										5	T
International Subservices LS. LS. <t< td=""><td>Rockfill Dam</td><td></td><td>13,600</td><td></td><td></td><td></td><td></td><td></td><td></td><td>5) </td><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td>20 J.</td><td></td><td></td><td>ŧ.,</td><td></td><td></td><td></td><td>-</td><td></td><td>- 30 S</td><td>9</td><td></td><td>1</td><td></td><td></td><td></td><td></td><td>ĪII</td><td>đ</td></t<>	Rockfill Dam		13,600							5) 			1						20 J.			ŧ.,				-		- 30 S	9		1					ĪII	đ
Control Excavation n1 140,000 All Print Citration All Print Citration Control		L.S.		J						<u>.</u>								$\langle A_{ij} \rangle$			1							- 19 A	<u> </u>			11		_		· · ·	Ŧ
Reds Locavian m1 10.000 m1 m						1.1		1	<u>_</u>	ŝ.,									<u> </u>										<u> </u>			1					1
Concele m1 62,356 m1 62,356 m2 m3		n3 -			-	5 (A. S.				3	<u> </u>	111	TIA	m				1.00	S			1.1						S. 80	ी		1	1				-	+
Concrete m1 62,00 1 0 <										6				1	XXX	00000	200000	00000	xxx	00000	XXX	88,88	6000	XXX			1.1		18	-1	1		r-+			-	1
Iterking Curver 8/a 0		m3	62,300	1-1	- 1-				<u> </u>	~			• F					1000	T		T	-1		····· 1		_	1		<u>اتت.</u>	<u> </u>	- <u>1</u>	til	t en L		<u>_</u>	-1	<u>-</u>
IteAses Coherent Rivancia m 19.00 m <t< td=""><td>Installation of Gates & Screen</td><td>L.S.</td><td></td><td></td><td></td><td>_</td><td></td><td>- K.</td><td>ा है</td><td><u>i</u></td><td></td><td></td><td></td><td>···</td><td></td><td></td><td></td><td>No. Contraction</td><td>300</td><td></td><td></td><td></td><td>1-1</td><td></td><td></td><td>-</td><td></td><td>1.00</td><td></td><td></td><td>· · · ·</td><td>F</td><td>F=F</td><td></td><td></td><td>干</td><td>Ŧ</td></t<>	Installation of Gates & Screen	L.S.				_		- K.	ा है	<u>i</u>				···				No. Contraction	300				1-1			-		1.00			· · · ·	F	F=F			干	Ŧ
Index Cutren No.1 model model <td>Headrace Culvert & Tunnel</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>Ť.</td> <td><u>.</u></td> <td></td> <td>h</td> <td>1</td> <td></td> <td>1 </td> <td> ·</td> <td></td> <td>1.5</td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td>xx 🗄</td> <td>٦F</td> <td></td> <td>7</td> <td><u></u>+−-†</td> <td>┢</td> <td></td> <td></td> <td>+</td> <td>+</td>	Headrace Culvert & Tunnel					-			Ť.	<u>.</u>		h	1		1	·		1.5			-					-		xx 🗄	٦F		7	<u></u> +−-†	┢			+	+
Common factoristics nd 1900 All	Headrace Culvert No.1			† †		••• []		- b	्रि	<u>*</u> †	t—				1			1000	<u></u>				1-1				<u> </u>		1-		1	t1	1				╀
Hote Recretion ml 4.500 ml 5.500 ml 5.500 ml		m3	19.000	t f			├ŀ	[::	1	\$ 1	<u> </u>	 -			+			-	51				4	7	-t		<u> </u>	<u> </u>	<u>-</u>		1-	┢╍┊	<u>⊢</u> - <u></u> -		-+	- <u> </u>	+
Steel Lining & Concrete m 443 643									100	á –		┝━━╍┝╸		_	+ - 1	+		1.000				<u></u>					f	100				} ∤	<i>{</i> −−− <u></u> }−		- <u>+</u>	- 	╋
Heating Chorento mm Stop mm Stop mm mm stop mm mm<					<u>.</u> -		┝┣		-1-	ة ا					<u> </u>			1	×4				 ₽	<u>- xx</u>			├ -	<u> </u>			·	┣Ң		<u></u>		+	╧
Common fiscaration n3 6.5000 2022/20 202/20 202/20				1			$ \cdots $							÷				<u> 22</u>					┥╧┥		÷	<u>.</u>	{	<u>in in a</u>	- 45			↓ ľ				4	Ŧ
Rock Excavation m3 500 2 2 0 00000 2 2 0 00000 0 </td <td></td> <td></td> <td>65 000</td> <td>{—+</td> <td><u> </u></td> <td></td> <td></td> <td></td> <td></td> <td><u></u></td> <td><u> </u></td> <td></td> <td>-</td> <td>- </td> <td><u>-</u></td> <td></td> <td></td> <td>1200</td> <td>24</td> <td></td> <td></td> <td></td> <td>╉╍╌┨</td> <td></td> <td><u> </u></td> <td></td> <td>₽ </td> <td></td> <td><u> </u></td> <td></td> <td>-f</td> <td>ł</td> <td>l</td> <td></td> <td><u> </u></td> <td>i</td> <td>4-</td>			65 000	{—+	<u> </u>					<u></u>	<u> </u>		-	- 	<u>-</u>			1200	24				╉╍╌┨		<u> </u>		₽		<u> </u>		-f	ł	l		<u> </u>	i	4-
Steer Lining & Concrete m 50 20<								_	_	<u></u>		-44						_	<u></u>		-+		 				<u> </u>	<u> 22 P</u>	<u></u>				-			Ľ	⊥
Excession Tuncel No.1 (492m) m3 14.000 m 200 m m 200 m m 200 m m m 200 m <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>┝╍╍┝</td><td> [</td><td>بنطنه</td><td>a</td><td> i</td><td>-+</td><td></td><td><u>aqaaa</u></td><td>¥</td><td></td><td>- I</td><td>1.00</td><td>200</td><td></td><td></td><td></td><td></td><td></td><td>_</td><td>-<u> </u></td><td></td><td><u></u></td><td></td><td>_</td><td></td><td></td><td>\vdash</td><td></td><td>_</td><td></td><td></td></t<>							┝╍╍┝	[بنطنه	a	i	-+		<u>aqaaa</u>	¥		- I	1.00	200						_	- <u> </u>		<u></u>		_			\vdash		_		
Excession Tuner (No.2 (2,270m) m3 79,100 mstemator state and the sta							┣──┼			<u></u>						 			222			- <u> </u>	\square				L	<u> </u>	<u> 8</u>	_	J		I		1		1.
Work Adli No.1 m 220 Solution Model Solution Solu	Excertion (uisict (40.1 (492m)					-			4	<u></u>				_			.	1999	201						10.90		200.00						<u> </u>				Ŀ
Exercation Tuncel No.2 (2446m) m3 71,100 m3 82,000 m3 m3 82,000 m3 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td><u>_ []</u></td><td><u> </u></td><td>8</td><td> </td><td></td><td></td><td>__</td><td>2530.5</td><td></td><td>96.8777.3</td><td>1000</td><td>892 Ş</td><td>1000</td><td>niĝin.</td><td><u>ander sin s</u></td><td>1000</td><td>anti da</td><td><u> </u></td><td></td><td>102.00</td><td>3400 (NY</td><td>X \$ \$</td><td></td><td>4000</td><td>\$1889\$</td><td>1688-1686</td><td>1000</td><td>STATES OF</td><td>đ</td><td></td></th<>								<u>_ []</u>	<u> </u>	8				_ _	2530.5		96.8777.3	1000	892 Ş	1000	niĝin.	<u>ander sin s</u>	1000	anti da	<u> </u>		102.00	3400 (NY	X \$ \$		4000	\$1889\$	1688-168 6	1000	STATES OF	đ	
Shutcret Ling (505m) n0 5200 Line Line <thline< th=""> <thline< th=""> Line<td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td><u> </u></td><td>14 a.)</td><td><u> </u></td><td>· .</td><td></td><td></td><td>2000</td><td>10000</td><td></td><td></td><td>10.33</td><td>335</td><td><u> </u></td><td></td><td></td><td></td><td></td><td><u></u></td><td></td><td></td><td></td><td>8 J.</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>T</td></thline<></thline<>						-		<u> </u>	14 a.)	<u> </u>	· .			2000	10000			10.33	335	<u> </u>					<u></u>				8 J.								T
Concrete Lining (600m) n3 4,650 A<	Excevation Junnel No.2 (2,446m)					_	أستنجأ		<u> </u>	<u> </u>						¥	99 (MAR)	\$26XX	****	<u> </u>	848	uduuu	\$166.S\$	ennin e	status se	6 4 033	1992	1111111	882	an in the second se	1000	i anna a'	<u>ann</u> ée		88(Г
Invest concrete (3558m) m3 5500 m3 5500 m3 5500 m3 m3 5500 m3	Shoterete Linung (5,058m)		8,200							8																									_		
Surge Tark mil 70.60 mil 70.60 Rotk Exteration mil 29.700 20.00			4,600						ं ि	8			·				1.1	1.1			Π.	-												-	E		1.
Common Excervation nd 70,000 700		ጠን	5,500							S.				1				100	<u> </u>			1.				1	1					transki					
Rock Extervation m3 29,000 Rock Extervation Rock Ex																		100			T	_	1 T			1		96. X	1		1						T
Note Excertion m3 129,700 120,000 100,000										8 				1				125.8	777	min	, 1					-		- See - S	1						-1-	-	t
Extervation pito shaft (22m) nJ 170 200<	Rock Excavation								1.1										1			adaax	<u> </u>	1.22		-		30 G			1				+		t
Externation m3 12,330 m3 12,500 m3	Excavation pilot shaft (42m)					1				8								100	2.62		-					83 8 5		1.3	×1-		†	hh			+	+	+
Concrete Lining (42m) ml 2,600 P Pratuck Truncil F	Excavation Enlargement	ເໝີ	12,330						10	2 -					1	·		100	200				1	-				CALL STATE				r f				+	t
Excersion work adit No.2 m 350 III Excersion horisonial (unnel (394m) m3 12,800 IIII Excersion plois shaf (172m) m3 4,000 IIIII Orierce Lining, vertical (172m) m3 6,800 IIIIII Steel Lining, britonial (10m) m3 6,800 IIIIII Powenbuse & Switch Yard IIIIII IIIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		ու	2,600					- 1-	1 10									1.00	<u> </u>			-	1-1			-		1.	1	-	1=	⊢_t:	<u> </u>	=		·	+
Externation work addr No.2 m 350 Image: Construct of State (172m) m3 700 Image: Construct of State (172m) m3 860 Image: Construct of State (172m) Image: Construct of State (172m	Penstock Tunnel			[t-			\rightarrow		-						† †	[<u> </u>			┋──┝						- M			FFF			+	Plug	1
Excavation horizonial tunnel (34m) m3 12,800 m3 700 Excavation horizonial tunnel (72m) m3 700 m3 700 m3 700 Excavation filar genomic of shaft m3 700 m3 m3 m3	Excavation work adit No.2	m	350							2 24					t	-	ST/26075		<u></u>					· ··	- <u></u>				×1								
Excavation pilos staft (172m) m3 700 m3 700 Excavation Enlargement of staft m3 4,000 m3 6,000 m3	Excavation horisontal tunnel (394m)	m3.	12,800	!}-			··· [- 53		<u></u>					1	f		T			a lai		لمتنبط		÷	+			8		····	i}					₽
Bacavation Enlargement of shaft mJ 4,000 August and the stand and		m3								3					 	·		1				203200	Ĩ	2,252	- - -				<u>.</u>		1	L	-+-			ا ب	≁
Concrete Lining, vertical (172m) m3 1,600																					4			┉┿┈				12000 Mag				L.		-			╋
Concrete Ining, horizontal (70m) m3 860 Seel Lining, & Brekfill concrete (335m) m3 6,800 Powerhouse & Switch Yard m3 14,000 Tailrace Collectan m3 14,000 Conventor Excavation m3 248,000 Rock Excavation m3 35,600 Substructure and Tailrace Channel m3 15,600 Substructure and Tailrace Channel m3 19,300 Conventor Switchyard m3 200 Cherenting Equipment L.S. End Switchyar Equipment L.S. End Metal Works End End Out End End Metal Works End End Out End End Metal Works End End Out End End Manufacturing End End									-			-	_					1		·		-	-				├ ──┟		81-		200000	0000000	3800052		<u> </u>	1	L
Sitel Lining & Backfill concrete (335m) m3 6,800 IIII IIII IIII IIIII IIIII IIIIII IIIIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII							—- <u></u>	-+						<u>-</u>				1	4			_							<u>8</u> –	· · ·		<u> </u>	L			3=	Ŧ
Powershouse & Switch Yard Image: Control of System Image: Control of System Tellrace collection m3 14,000 Image: Control of System Convnon Excavation m3 248,000 Image: Control of System Rock Excavation m3 35,600 Image: Control of System Substructure and Tellrace Channel m3 19,100 Image: Control of System Superstructure m3 7,000 Image: Control of System Outdoor Switchyard m3 210 Image: Control of System Test L.S. Image: Control of System Image: Control of System Switchyare Equipment L.S. Image: Control of System Image: Control of System Metal Works Image: Control of System Image: Control of System Image: Control of System Outdoor Switchyard L.S. Image: Control of System Image: Control of System Test L.S. Image: Control of System Image: Control of System Metal Works Image: Control of System Image: Control of System Usite L.S. Image: Control of System Image: Control of System Test L.S. Image: Control of System Image: Control of System Outdoor L.S. Image: Control of System Image: Control of System <td></td> <td> </td> <td></td> <td>÷ [</td> <td>188</td> <td><u> </u></td> <td></td> <td>_</td> <td></td> <td> -</td> <td></td> <td>-</td> <td>- [</td> <td>· · · · ·</td> <td>SS 123</td> <td><u> </u></td> <td></td> <td></td> <td><i>i</i></td> <td></td> <td>—∓==</td> <td>`==================================</td> <td>:<u> </u></td> <td>+</td>															 		÷ [188	<u> </u>		_		 -		-	- [· · · · ·	SS 123	<u> </u>			<i>i</i>		— ∓==	` ==================================	: <u> </u>	+
Tailrace collection m3 14,000 Convision Excavation m3 248,000 Rock Excavation m3 248,000 Substructure and Tailrace Channel m3 35,600 Substructure and Tailrace Channel m3 19,000 Substructure m3 210 Outdoor Switchyard m3 210 Switchyar Equipment, Erection L.S. Switchyar Equipment L.S. Metail Works Substructure Outdoor Substructure Metail Works Substructure Outdoor Substructure	Powerbouse & Switch Yard									<u>-</u>		-			┠┅╍┠	╧╍╍┠╌				- <u> </u> -			Ⅰ		- 1					_		<u> </u>	<u> </u>		_	4	1
Contrion Excavation m3 248,000 Contribution m3 35,600 Contribution m3 35,600 Contribution m3 35,600 Contribution m3 35,600 Contribution m3 19,300 Contribution m3 19,300 Contribution		mt	14 000	<u> </u>					4	÷			÷rl÷		┟┈┼				-		1-		⊢∔						8 i -		<u> </u>	⊢⊢		-	+		+-
Rock Excavation m3 33,600 3 30,000				╏──┼─						÷ – –				1	J		-	+	÷			1	┨┣-					- 	읽			<u> </u>					
Substructure and Tailrace Channel m3 19,300 Superstructure m3 7,000 Outdoor Switchyard m3 210 Generating Equipment, Exection L.S. Test L.S. Switchyar Loginment L.S. Manufacturine Manufacturine Outdoor Switchyard Manufacturine				┟──┼─			—ł	<u> </u>		- 1		<u>uu</u>	<u> </u>	4111	μ	<u> </u>						- 	↓ ↓						ĕ 		<u> </u>	i—∔		_ _	<u> </u>	 	+
Superstructure m3 7,000 m3 210 Outdoor Switchyard m3 210 m3 210 Generating Equipment, Erection LS. Bid Manufacturine Switchyar Equipment LS. Manufacturine Manufacturine Outdoor Switchyard Instructure Manufacturine Manufacturine			000,00			-}∤						╧┼					_ 000	$\phi \phi \phi \phi$	XXX					<u> </u>	<u> </u>	1		<u></u>	<u></u>	_ 	<u>l</u>	i			<u> </u>		1_
Outdoor Switchyard m3 210 Generating Equipment LS. Switchyar Equipment LS. Manufacturine Manufacturine Outdoor Switchyard Manufacturine				┝╍┟╸		┥╾╸┥			تسابد	<u> </u>			_ _]		-	2	ିମ		-						r				F						1_
Generating Equipment, Erection L.S. Bid Manufacturing Switchyse Equipment L.S. Bid Manufacturing Switchyse Equipment L.S.									-	4	·		_ _	_				1970	<u>></u> .	1	• • •	<u> </u>					F				L					3	r.
Test LS. Switchyse Equipment LS. Metal Works Image: State of the state of t			210					_								. I.	_ 1 :	98 -	2	19				1	1			$\sim \sim$	2								л:
Switchyse Equipment L.S. Metal Works Use L.S. Bid Manufacturing Manufacturing									_	Bid			.)4.	_		Manuf	schrin	e			-											<u>and</u>	Sector.				÷.
Metal Works Getc L.S. Bid Metal Works Getc Manufacturing Getc Manufacturing Getc Manufacturing	, ics							_																					4								Г
Cleic I.S. But Annuacturing	Switchyle Equipment	L.S.											_			· .					—					1		. C. L.	2	1					1		Г
	Metal Works	_										-					1	1000					:				T										T
	URIC								1.1					4					<u> </u>	Ianufa	icturi	1g				<u> </u>											ŀ
	Steel Lining	L.S.			1								4	110								T		<u> </u>	*	1				-1							t
Common Excavation	, Test Switchyse Equipment 2. Metal Works Usio	L.S. L.S. L.S.						Commo	n Exc				4	. Ind																						-	
			·			****	e	XCEVAL	lon R	locik		Ē		Го	undati	on	e a											•									
Excevation Rock Foundation			•				l ^{i R}	ACAYAI	lon 'f	նուզլ		Į		թե	igging																						
Excevation Rock Foundation Excevation Found Excevation Found Foundation Foundation								oncret	• 17-1					Out						· .	m												-	, ,			g


- F10 -

• • •

.

Metal work

1.2.5



Construction Time Schedule

CENTRAIS REÉTRICAS DE SANTA CATARINA S. A., BRAZEL

SALTO PHÃO HYDROKLECTRIC POWER DEVELOPMENT PROJECT

ruction Time Schedule

÷



The second se

Helenan Senten artist Galeries and Antonio Senten artist Senten artist Senten artist Senten artist

. Isili