

Table APP 4.4-1(1) Results of Deoxidation Constant(k_1) of Water in the Reactor

Phase 2 Date: Nov. 4 - 13 1992					
St. 20		St. 21		St. 22	
Day	BOD (mg/l)	Day	BOD (mg/l)	Day	BOD (mg/l)
0	0.0	0	0.0	0	0.0
1	0.4	1	0.4	1	0.8
2	0.8	2	0.8	2	0.8
3	0.6	3	0.8	3	0.4
4	1.0	4	1.0	4	1.2
5	1.2	5	1.0	5	1.2
6	1.2	6	1.0	6	1.6
7	1.6	7	1.0	7	1.6
$k_1=0.099$ (/day)		$k_1=0.209$ (/day)		$k_1=0.125$ (/day)	
$L= 1.749$ (mg/l)		$L= 1.139$ (mg/l)		$L= 1.654$ (mg/l)	

Note:

1. k_1 = Deoxidation Constant
2. L = Ultimate BOD
3. Reference: Thomas. H. A.; Graphical Determination of B.O.D. Curve Constants. Water & Sewage Works, 97, 123(1950)

Table APP 4.4-1(2) Results of Deoxidation Constant(k_1) of Water in the Reactor

Phase 3 Date: May. 5 - 12 1993					
St. 35		St. 36		St. 37	
Day	BOD (mg/l)	Day	BOD (mg/l)	Day	BOD (mg/l)
0	0.0	0	0.0	0	0.0
1	0.2	1	0.4	1	1.0
2	0.4	2	0.6	2	1.4
3	0.8	3	0.8	3	1.6
4	0.8	4	0.8	4	1.8
5	0.8	5	0.8	5	1.8
6	1.0	6	1.0	6	2.0
7	1.0	7	1.0	7	2.2
$k_1=0.065$ (/day)		$k_1=0.187$ (/day)		$k_1=0.277$ (/day)	
$L= 1.656$ (mg/l)		$L= 1.064$ (mg/l)		$L= 2.113$ (mg/l)	

Note:

1. k_1 = Deoxidation Constant
2. L = Ultimate BOD
3. Reference: Thomas. H. A.; Graphical Determination of B.O.D. Curve Constants. Water & Sewage Works, 97, 123(1950)

Table APP 4.4-2(1) Oxygen Consumption by Sediment

Date: October.31 - November.6 1992
 St: St.20
 Surface Area of sediment: 0.0384(m²)
 Water Volume: 7.37(l)
 Flow rate: 6.22(l/day)
 Retention Time: 1.18(day)
 Water Temp.: 23.7°C

Date	Time (Day)	InfluentDO (mg/l)	EffluentDO (mg/l)	ΔDO (mg/l)	Oxygen Consumption Rate (O ₂ g/m ² /day)
Oct.3	0	7.1	5.5	1.6	
Nov.2	2	6.9	2.7	4.2	0.883
Nov.2	2	6.6	2.7	3.9	0.846
Nov.2	2	6.5	2.6	3.9	0.862
Nov.3	3	6.9	2.8	4.1	0.861
Nov.3	3	7.1	2.7	4.4	0.939
Nov.3	3	6.9	2.8	4.1	0.918
Nov.4	4	6.8	2.9	3.9	0.840
Nov.4	4	6.9	2.9	4.0	0.889
Nov.5	5	7.4	3.1	4.3	0.933
Nov.5	5	6.9	3.2	3.7	0.885
Nov.6	6	6.8	2.9	3.9	0.865
MEAN		6.9	3.1	3.8	0.884

Table APP 4.4-2(2) Oxygen Consumption by Sediment

Date: October.31 - November.6 1992
 St: St.21
 Surface Area of sediment: 0.0384(m²)
 Water Volume: 7.56(l)
 Flow rate: 5.13(l/day)
 Retention Time: 1.47(day)
 Water Temp.: 23.3°C

Date	Time (Day)	InfluentDO (mg/l)	EffluentDO (mg/l)	ΔDO (mg/l)	Oxygen Consumption Rate (O ₂ g/m ² /day)
Oct.3	0	7.1	5.5	1.6	
Nov.2	2	6.9	3.6	3.3	0.683
Nov.2	2	6.6	3.6	3.0	0.698
Nov.2	2	6.5	2.5	4.0	0.715
Nov.3	3	6.9	2.0	4.9	0.744
Nov.3	3	7.1	2.3	4.8	0.745
Nov.3	3	6.9	2.3	4.6	0.734
Nov.4	4	6.8	2.1	4.7	0.710
Nov.4	4	6.9	2.1	4.8	0.724
Nov.5	5	7.4	2.1	5.3	0.781
Nov.5	5	6.9	1.9	5.0	0.741
Nov.6	6	6.8	1.5	5.3	0.736
MEAN		6.9	2.6	4.3	0.728

Table APP 4.4-2(3) Oxygen Consumption by Sediment

Date: October.31 - November.6 1992
 St: St.22
 Surface Area of sediment: 0.0384(m²)
 Water Volume: 9.40(l)
 Flow rate: 2.70(l/day)
 Retention Time: 3.48(day)
 Water Temp.: 23.3°C

Date	Time (Day)	Influent DO (mg/l)	Effluent DO (mg/l)	ΔDO (mg/l)	Oxygen Consumption Rate (O ₂ g/m ² /day)
Oct.3	0	7.1	4.8	2.4	
Nov.2	2	6.9	3.8	3.1	0.355
Nov.2	2	6.6	3.3	3.3	0.351
Nov.2	2	6.5	3.6	3.0	0.326
Nov.3	3	6.9	3.2	3.7	0.363
Nov.3	3	7.1	3.6	3.5	0.368
Nov.3	3	6.9	3.1	3.8	0.372
Nov.4	4	6.8	3.4	3.4	0.340
Nov.4	4	6.9	3.6	3.4	0.355
Nov.5	5	7.4	3.7	3.7	0.387
Nov.5	5	6.9	3.8	3.1	0.357
Nov.6	6	6.8	4.5	2.3	0.332
MEAN		6.9	3.7	3.2	0.355

Table APP 4.4-2(4) Oxygen Consumption by Sediment

Date: April.10 - May.5 1993
 St: St.35
 Surface Area of Sediment(m²) 0.0384
 Water Volume(l) 6.72
 Water Depth(m) 0.175
 Sediment Thickness(m) 0.19

Date	Time (Day)	Interval Time(day)	Flow rate (l/day)	Retention Time(day)	Influent		Effluent		ΔDO (mg/l)	O ₂ Consumption Rate (O ₂ g/m ² /day)
					Temp. °C	DO(mg/l)	Temp. °C	DO(mg/l)		
Apr. 8	20:00	0.00	-	-	-	-	-	-	-	-
Apr. 9	12:30	0.69	0.69	2.85	2.36	-	7.30	21.5	3.20	4.1
Apr. 10	10:30	1.60	0.91	5.33	1.26	21.6	7.60	-	4.50	3.1 0.734
Apr. 11	8:30	2.52	0.92	5.47	1.23	-	7.25	-	3.55	3.7 0.823
Apr. 11	18:30	2.94	0.42	7.63	0.88	-	7.45	-	0.10	7.4 1.454
Apr. 12	10:30	3.60	0.66	7.78	0.86	22.0	7.20	20.3	1.70	5.5 0.847
Apr. 13	9:00	4.54	0.94	7.63	0.88	21.5	7.50	20.2	3.10	4.4 0.975
Apr. 13	18:00	4.92	0.38	7.34	0.92	21.5	7.00	19.9	0.90	6.1 1.247
Apr. 14	10:00	5.58	0.66	7.42	0.91	21.8	6.90	20.0	3.80	3.1 0.543
Apr. 14	17:30	5.90	0.32	7.42	0.91	22.5	7.10	20.8	0.80	5.3 1.301
Apr. 15	10:00	6.58	0.69	8.06	0.83	24.0	6.70	22.8	2.90	3.8 0.720
Apr. 16	13:30	7.73	1.15	7.50	0.90	-	6.60	-	2.20	4.4 0.989
Apr. 17	10:00	8.58	0.85	7.63	0.88	24.2	6.70	23.4	2.30	4.4 0.999
Apr. 19	10:30	10.60	2.02	7.34	0.92	-	6.70	-	3.90	2.8 0.610
Apr. 20	15:00	11.79	1.19	6.91	0.97	24.3	6.80	23.0	4.30	2.5 0.787
Apr. 21	8:30	12.52	0.73	7.06	0.95	-	6.70	23.2	4.30	2.4 0.901
Apr. 22	10:00	13.58	1.06	5.83	1.15	24.9	6.60	22.9	4.40	2.2 0.695
Apr. 23	11:30	14.65	1.07	5.47	1.23	24.5	6.60	23.3	4.90	1.7 0.633
Apr. 24	15:30	15.81	1.16	5.47	1.23	24.5	6.90	23.0	3.50	3.4 0.766
Apr. 25	15:30	16.81	1.00	3.69	1.73	-	7.10	-	0.70	6.4 0.671
Apr. 28	10:00	19.58	2.77	2.59	2.59	-	6.98	-	0.60	6.4 0.407
Apr. 30	15:30	21.81	2.23	3.89	1.73	-	6.98	-	0.40	6.6 0.643
May. 4	15:30	26.81	5.00	4.03	1.67	-	6.98	-	0.80	6.2 0.627
May. 5	11:00	27.63	0.82	4.32	1.56	-	6.98	-	1.10	5.9 0.626
May. 7	14:00	29.75	2.12	4.18	1.61	-	6.98	-	1.20	5.8 0.614
MEAN				5.96		23.1	6.98	21.9	2.46	4.5 0.712

Note: Because of lack of data, the mean DO were used

Table APP 4.4-2(5) Oxygen Consumption by Sediment

Date: April.10 - May.5 1993
 St: St.36
 Surface Area of Sediment(m²) 0.0384
 Water Volume(l) 6.34
 Water Depth(m) 0.165
 Sediment Thickness(m) 0.2

Date	Time Interval (Day)	Interval Time(day)	Flow rate (l/day)	Retention Time(day)	Influent		Effluent		ΔDO (mg/l)	O2 Consumption Rate (O2 g/m ² /day)
					Temp. °C	DO(mg/l)	Temp. °C	DO(mg/l)		
Apr. 8	20:00	0.00	-	-	-	-	-	-	-	-
Apr. 9	12:30	0.69	0.69	2.66	2.39	-	7.30	-	0.80	6.5
Apr. 10	10:30	1.60	0.91	4.90	1.29	21.6	7.60	-	1.40	6.2
Apr. 11	8:30	2.52	0.92	5.18	1.22	-	7.25	-	0.10	7.2
Apr. 11	18:30	2.94	0.42	7.06	0.90	-	7.45	-	0.20	7.3
Apr. 12	10:30	3.60	0.66	7.42	0.85	22.0	7.20	20.4	0.10	7.1
Apr. 13	9:00	4.54	0.94	7.34	0.86	21.5	7.50	20.2	1.00	6.5
Apr. 13	18:00	4.92	0.38	6.91	0.92	21.5	7.00	19.8	0.10	6.9
Apr. 14	10:00	5.58	0.66	6.91	0.92	21.8	6.90	20.1	0.30	6.6
Apr. 14	17:30	5.90	0.32	6.91	0.92	22.5	7.10	20.8	0.00	7.1
Apr. 15	10:00	6.58	0.68	7.42	0.85	24.0	6.70	22.7	0.20	6.5
Apr. 16	13:30	7.73	1.15	6.77	0.94	-	6.60	-	0.10	6.5
Apr. 17	10:00	8.58	0.85	7.50	0.85	24.2	6.70	23.4	0.00	6.7
Apr. 19	10:30	10.60	2.02	7.34	0.86	-	6.70	-	0.60	6.1
Apr. 20	15:00	11.79	1.19	6.62	0.96	24.3	6.80	22.9	2.20	4.6
Apr. 21	8:30	12.52	0.73	6.91	0.92	-	6.70	23.1	1.90	4.8
Apr. 22	10:00	13.58	1.06	6.91	0.92	24.9	6.60	23.1	2.30	4.3
Apr. 23	11:30	14.65	1.07	7.13	0.89	24.5	6.60	23.1	2.30	4.3
Apr. 24	15:30	15.81	1.16	7.13	0.89	24.5	6.90	22.9	1.90	5.0
Apr. 25	15:30	16.81	1.00	5.33	1.19	-	7.10	-	0.10	7.0
Apr. 28	10:00	19.58	2.77	5.62	1.13	-	6.98	-	0.20	6.8
Apr. 30	15:30	21.81	2.23	4.46	1.42	-	6.98	-	0.10	6.9
May. 4	15:30	26.81	5.00	4.32	1.47	-	6.98	-	0.20	6.8
May. 5	11:00	27.63	0.82	4.18	1.52	-	6.98	-	0.10	6.9
May. 7	14:00	29.75	2.12	4.18	1.52	-	6.98	-	0.10	6.9
MEAN				6.13		23.1	6.98	21.9	0.68	6.3

Note: Because of lack of data, the mean DO were used

Table APP 4.4-2(6) Oxygen Consumption by Sediment

Date: April.10 - May.5 1993
 St: St.37
 Surface Area of Sediment(m²) 0.0384
 Water Volume(l) 6.53
 Water Depth(m) 0.17
 Sediment Thickness(m) 0.195

Date	Time Interval (Day)	Interval Time(day)	Flow rate (l/day)	Retention Time(day)	Influent		Effluent		ΔDO (mg/l)	O2 Consumption Rate (O2 g/m ² /day)
					Temp. °C	DO(mg/l)	Temp. °C	DO(mg/l)		
Apr. 8	20:00	0.00	-	-	-	-	-	-	-	-
Apr. 9	12:30	0.69	0.69	2.81	2.32	-	7.30	-	4.90	2.4
Apr. 10	10:30	1.60	0.91	5.18	1.26	21.6	7.60	-	5.80	1.8
Apr. 11	8:30	2.52	0.92	5.04	1.30	-	7.25	-	5.80	1.5
Apr. 11	18:30	2.94	0.42	7.34	0.89	-	7.45	-	4.20	3.3
Apr. 12	10:30	3.60	0.66	7.63	0.86	22.0	7.20	20.5	5.10	2.1
Apr. 13	9:00	4.54	0.94	6.62	0.93	21.5	7.50	20.2	5.40	2.1
Apr. 13	18:00	4.92	0.38	7.20	0.91	21.5	7.00	20.4	4.10	2.9
Apr. 14	10:00	5.58	0.66	7.27	0.90	21.8	6.90	20.4	4.90	2.0
Apr. 14	17:30	5.90	0.32	7.27	0.90	22.5	7.10	21.1	4.00	3.1
Apr. 15	10:00	6.58	0.68	6.91	0.95	24.0	6.70	22.8	5.80	0.9
Apr. 16	13:30	7.73	1.15	9.14	0.71	-	6.60	-	6.10	0.5
Apr. 17	10:00	8.58	0.85	7.92	0.82	24.2	6.70	23.2	5.50	1.2
Apr. 19	10:30	10.60	2.02	6.91	0.95	-	6.70	-	4.70	2.0
Apr. 20	15:00	11.79	1.19	5.98	1.03	24.3	6.80	23.3	4.90	1.9
Apr. 21	8:30	12.52	0.73	7.06	0.92	-	6.70	23.3	4.90	1.8
Apr. 22	10:00	13.58	1.06	7.20	0.91	24.9	6.60	23.3	5.00	1.6
Apr. 23	11:30	14.65	1.07	7.49	0.87	24.5	6.80	23.1	4.90	1.7
Apr. 24	15:30	15.81	1.16	7.49	0.87	24.5	6.90	23.3	5.90	1.0
Apr. 25	15:30	16.81	1.00	5.33	1.23	-	7.10	-	3.30	3.8
Apr. 28	10:00	19.58	2.77	5.18	1.26	-	6.98	-	3.90	3.1
Apr. 30	15:30	21.81	2.23	4.18	1.56	-	6.98	-	3.40	3.8
May. 4	15:30	26.81	5.00	4.32	1.51	-	6.98	-	3.20	3.8
May. 5	11:00	27.63	0.82	4.18	1.56	-	6.98	-	2.80	4.2
May. 7	14:00	29.75	2.12	4.03	1.62	-	6.98	-	3.10	3.9
MEAN				6.24		23.1	6.98	22.1	4.65	2.3

Note: Because of lack of data, the mean DO were used

APPENDIX 5

NUTRIENT SUPPLY AND ITS CYCLE IN THE BAY

Table APP 5.6-1(1) Mean Release Rate and the Total Released Amount in Sub-areas (Dry Season)

Area	Area (x 10 ⁶ m ²)	NH ₄ -N (g/m ² /day) (ton/day)	P04-P (g/m ² /day) (ton/day)	COD (Mn) (g/m ² /day) (ton/day)
Jurujuba	7.000	0.026 0.182	0.016 0.112	0.167 1.169
Eastern	10.800	0.026 0.281	0.016 0.1728	0.167 1.804
North eastern	102.600	0.047 4.822	0.021 2.1546	0.167 17.134
North western	86.900	0.044 3.824	0.020 1.738	0.167 14.512
Western	49.800	0.210 10.458	0.015 0.747	0.167 8.317
Central	110.800	0.015 1.662	0.014 1.5512	0.167 18.504
Botafogo	5.800	0.015 0.087	0.013 0.0754	0.167 0.969
Mean rate		0.055	0.016	0.167
Total (ton/day-Bay)		21.316	6.551	62.408

Area of the Bay bottom: (365 x 10⁶ m²)

Table 5.6-1(2) Mean Release Rate and the Total Released Amount in Sub-areas (Wet Season)

Area	Area (x 10 ⁶ m ²)	NH ₄ -N (g/m ² /day) (ton/day)	P04-P (g/m ² /day) (ton/day)	COD (Mn) (g/m ² /day) (ton/day)
Jurujuba	7.25	0.026 0.189	0.016 0.116	0.167 1.211
Eastern	10.8	0.026 0.281	0.016 0.1728	0.167 1.804
North eastern	90.6	0.046 4.168	0.021 1.903	0.167 15.13
North western	92.0	0.045 4.140	0.020 1.840	0.167 15.364
Western	48.3	0.019 0.918	0.014 0.676	0.167 8.066
Central	100.9	0.017 1.715	0.014 1.413	0.167 16.850
Botafogo	3.5	0.015 0.053	0.013 0.046	0.167 0.919
Mean rate		0.028	0.016	0.167
Total (ton/day-Bay)		11.462	6.166	59.344

Area of the bay bottom: (355 x 10⁶ m²)

Table APP 5.6-2(1) Mean Settling Rate of the Particles and the Total Settled Amount in Sub-areas (Dry Season)

Sub-area	Area (x 10 ⁶ m ²)	TP		TKN		COD (Mn)	
		(m/day)	*(Mean conc.) (ton/day)	(m/day)	*(Mean conc.) (ton/day)	(m/day)	*(Mean conc.) (ton/day)
Jurujuba	7.0	0.152	0.178 0.189	0.152	1.440 1.532	0.084	4.000 2.352
Eastern	10.8	0.151	0.164 0.267	0.100	0.934 1.009	0.063	2.782 1.893
North eastern	102.6	0.156	0.073 1.168	0.087	0.667 5.954	0.041	2.463 10.361
North western	86.9	0.084	0.240 1.752	0.039	1.528 5.179	0.047	6.450 26.344
Western	49.8	0.060	0.26 0.777	0.038	1.723 3.261	0.081	2.164 8.729
Central	110.8	0.174	0.116 2.236	0.180	0.894 17.830	0.075	1.803 14.983
Botafogo	5.8	0.152	0.199 0.175	0.152	1.031 0.909	0.084	2.329 1.135
Mean rate		0.132		0.679		0.107	
Total in the upper layer (ton/day/Bay)			6.566		35.673		65.796

*mean conc. = g/m³ in the upper layer

Table APP 5.6-2(2) Mean Settling Rate of the Particles and the Total Settled Amount in Sub-areas (Wet Season)

Sub-area	Area (x 10 ⁶ m ²)	TP		TKN		COD (Mn)	
		(m/day)	*(Mean conc.) (ton/day)	(m/day)	*(Mean conc.) (ton/day)	(m/day)	*(Mean conc.) (ton/day)
Jurujuba	7.25	0.152	0.176 0.194	0.152	1.287 1.418	0.084	4.000 2.436
Eastern	10.8	0.151	0.160 0.261	0.100	1.359 1.468	0.063	6.061 4.124
North eastern	90.6	0.156	0.226 3.194	0.087	1.621 12.777	0.041	7.587 28.183
North western	92.0	0.084	0.167 1.291	0.039	1.321 4.740	0.047	3.38 14.615
Western	48.3	0.060	0.283 0.820	0.038	1.781 3.269	0.081	4.461 17.453
Central	100.9	0.174	0.111 1.949	0.180	0.823 14.947	0.075	3.454 26.138
Botafogo	3.5	0.152	0.083 0.044	0.152	0.83 0.442	0.084	2.390 0.703
Mean velocity		0.132		0.679		0.107	
Total (ton/day/Bay)			7.753		39.061		93.651

APPENDIX 7

AQUATIC ORGANISMS IN AND AROUND THE BAY

APPENDIX 7. 1-1

PHYTOPLANKTON COMMUNITY

TABLE APP.7.1-1

Results of classification and quantification
of phytoplankton samples collected during
first phase simultaneous survey.

(May / 1992)

Table

Phytoplankton Population Counting

Station 1 - Surface
Date: 18th/May/1992 - 09:15 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

<u>NOSTOCOPHYCEAE</u>		
Filamentosas		
<i>Oscillatoria sp₃</i>	4,188	
<u>BACILLARIOPHYCEAE (diatomaceas)</u>		
Centricae		
<i>Leptocylindrus minimus</i>	8,376	
<i>Rhizosolenia alata</i>	4,188	
<i>Rhizosolenia setigera</i>	4,188	
Pennatae		
<i>Nitzschia closterium</i>	8,376	
<i>Nitzschia longissima</i>	8,376	
<i>Nitzschia pungens</i>	20,940	
<i>Nitzschia sigma</i>	16,752	
<i>Synedra sp</i>	25,128	
<u>PRASINOPHYCEAE (presinoficeas)</u>		
<i>Pyramimonas sp</i>	8,376	
<u>DINOPHYCEAE (dinoflagelados)</u>		
<i>Dinophysis ovum</i>	8,376	
<i>Prorocentrum balticum</i>	8,376	
<i>Prorocentrum compressum</i>	12,564	
<i>Prorocentrum trochoideum</i>		
Total:...	138,204	

Table

Phytoplankton Population Counting

Station 1 - 5m.
Date: 18th/May/1992 - 09:15 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

<u>NOSTOCOPHYCEAE</u>		
Filamentosas		
<i>Oscillatoria limnetica</i>	2,871	
<i>Oscillatoria sp₃</i>	1,914	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
<i>Cyclotella sp</i>	957	
<i>Hemiaulus sinensis</i>	957	
<i>Leptocylindrus danicus</i>	2,871	
<i>Leptocylindrus minimus</i>	1,914	
<i>Rhizosolenia alata</i>	1,914	
<i>Rhizosolenia delicatula</i>	957	
<i>Rhizosolenia fragilissima</i>	5,742	
<i>Thalassiosira sp</i>	957	
Pennatae		
<i>Navicula sp</i>	957	
<i>Nitzschia closterium</i>	6,692	
<i>Nitzschia longissima</i>	2,871	
<i>Nitzschia lorenziana var. subtilis</i>	3,828	
<i>Nitzschia seriata</i>	6,699	
<i>Nitzschia sigma</i>	21,054	
<i>Synedra sp</i>	4,785	
<u>PRASINOPHYCEAE</u>		
<i>Pyramimonas sp</i>	957	
<u>EUGLENOPHYCEAE</u>		
<i>Eutreptiella marina</i>	957	
<u>SILICOFLAGELADOS</u>		
<i>Dictyocha fibula</i>	957	
<u>CRYPTOPHYCEAE</u>		
<i>Cryptomonas sp₁</i>	957	
<u>DINOPHYCEAE</u>		
<i>Dinophysis ovum</i>	957	
<i>Oxytoxum reticulatum</i>	957	
<i>Prorocentrum balticum</i>	3,828	
<i>Prorocentrum means</i>	1,914	
<i>Prorocentrum compressum</i>	957	
<i>Prorocentrum trochoideum</i>	13,398	
<i>Prorocentrum sp₁</i>	957	
<i>Prorocentrum sp₂</i>	957	
Total:.....	95,700	

Table

Phytoplankton Population Counting

Station 2 - Surface
Date: 18th/May/1992 - 11.05 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	11,892,855
<i>Oscillatoria</i> sp ₂	2,445,573
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros affinis</i>	33,501
<i>Chaetoceros danicus</i>	234,507
<i>Coscinodiscus</i> cf. <i>radiatus</i>	100,503
<i>Gunnardia flaccida</i>	33,501
<i>Leptocylinthus danicus</i>	469,014
<i>Leptocylinthus minimus</i>	134,004
<i>Nitzschia fragilissima</i>	33,501
<i>Nitzschia</i> sp. <i>terrestris</i>	33,501
<i>Skeletonema costatum</i>	268,008
<i>Thalassiosira rotula</i>	67,002
<i>Thalassiosira</i> sp.....	1,407,042
Pennatae	
<i>Nitzschia longissima</i>	100,503
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	2,077,062
<i>Pleurosigma balticum</i>	33,501
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	569,517
<i>Tetraselmis</i> sp.....	5,929,677
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptiella marina</i>	33,501
Non identified.....	33,501
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	435,513
<i>Cryptomonas</i> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<i>Ceratium furca</i>	33,501
<i>Ceratium tripos</i>	33,501
<i>Prorocentrum balticum</i>	33,501
<i>Prorocentrum triestinum</i>	33,501
<i>Protoperidinium trochoideum</i>	335,010
<i>Protoperidinium</i> sp ₂	234,507
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	33,501
Total:.....	27,135,810

Table

Phytoplankton Population Counting

Station 2 - 5m.
Date: 18th/May/1992 - 11.05 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	2,077,062
<i>Oscillatoria</i> sp ₂	122,837
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros danicus</i>	33,501
<i>Coscinodiscus</i> cf. <i>radiatus</i>	55,835
<i>Leptocylinthus danicus</i>	145,171
<i>Skeletonema costatum</i>	44,668
<i>Thalassiosira</i> sp.....	33,501
Pennatae	
<i>Cocconeis</i> sp.....	11,167
<i>Nitzschia longissima</i>	33,501
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	256,241
<i>Nitzschia seriata</i>	33,501
<i>Pleurosigma balticum</i>	11,167
<i>Synedra</i> sp.....	11,167
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	44,668
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	22,334
<i>Tetraselmis</i> sp.....	156,338
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	89,336
<i>Cryptomonas</i> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<i>Oxytoxum sceptrum</i>	11,167
<i>Prorocentrum balticum</i>	11,167
<i>Protoperidinium trochoideum</i>	44,668
<i>Protoperidinium</i> sp ₂	33,501
Total:.....	3,316,599

Table

Phytoplankton Population Counting

Station 3 - Surface
Date: 18th/May/1992 - 11:55 H.
Tide: high

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	12,395,370
<i>Oscillatoria sp2</i>	703,521
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Biddulphia mobilensis</i>	33,501
<i>Chaetoceros danicus</i>	33,501
<i>Coscinodiscus cf. radiatus</i>	67,002
<i>Leptocylindrus danicus</i>	335,010
<i>Leptocylindrus minimus</i>	134,004
<i>Skettonema costatum</i>	402,012
<i>Thalassiosira rotula</i>	33,501
<i>Thalassiosira sp</i>	368,511
Pennatae	
<i>Nitzschia longissima</i>	67,002
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	1,273,038
<i>Nitzschia serrata</i>	33,501
<u>CHRYSOPHYCEAE</u>	
<i>Raphyrion sp</i>	100,503
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas sp</i>	134,004
<i>Tetraselmis sp</i>	1,005,030
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas sp1</i>	268,008
<i>Cryptomonas sp2</i>	67,002
<u>DINOPHYCEAE</u>	
<i>Ceratium furca</i>	33,501
<i>Ceratium tripos</i>	33,501
<i>Oxytoxum reticulatum</i>	234,507
<i>Prorocentrum balticum</i>	33,501
<i>Prorocentrum brassicatum</i>	134,004
<i>Protoperidinium divergens</i>	33,501
<i>Protoperidinium trochoideum</i>	435,513
<i>Protoperidinium sp1</i>	134,004
<i>Protoperidinium sp2</i>	67,002
<u>EUGLENOPHYCEAE</u>	
Não identificados.....	33,501
Total.....	18,626,556

Table

Phytoplankton Population Counting

Station 3 - 5m.
Date: 18th/May/1992 - 11:55 H.
Tide: high

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	6,867,705
<i>Oscillatoria sp2</i>	1,809,054
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros danicus</i>	67,002
<i>Coscinodiscus cf. radiatus</i>	100,503
<i>Leptocylindrus danicus</i>	301,509
<i>Skettonema costatum</i>	167,505
<i>Thalassiosira rotula</i>	33,501
<i>Thalassiosira sp</i>	234,507
Pennatae	
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	569,517
<i>Pleurosigma balticum</i>	33,501
<u>PRASINOPHYCEAE</u>	
<i>Tetraselmis sp</i>	536,016
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas sp1</i>	167,505
<u>DINOPHYCEAE</u>	
<i>Oxytoxum sp</i>	67,002
<i>Prorocentrum nicans</i>	33,501
<i>Protoperidinium trochoideum</i>	67,002
<i>Protoperidinium sp1</i>	100,503
Total.....	11,155,833

Table

Phytoplankton Population Counting

Station 5 - Surface
Date: 18th/May/1992 - 13:35 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	2.881.000
<i>Oscillatoria</i> sp ₁	184.250
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros danicus</i>	50.250
<i>Coscinodiscus</i> cf. <i>centralis</i>	16.750
<i>Coscinodiscus</i> cf. <i>marginatus</i>	16.750
<i>Coscinodiscus</i> cf. <i>radiatus</i>	16.750
<i>Cyclotella</i> sp.....	117.250
<i>Remiaulus sinensis</i>	16.750
<i>Leptocylinthus danicus</i>	67.000
<i>Leptocylinthus minimus</i>	134.000
<i>Rhizosolenia fragilissima</i>	16.750
<i>Rhizosolenia alata</i>	33.500
<i>Schroederella Schroederi</i>	16.750
<i>Skeletonema costatum</i>	100.500
<i>Thalassiosira rotula</i>	16.750
<i>Thalassiosira</i> sp.....	201.000
Pennatae	
<i>Nitzschia longissima</i>	16.750
<i>Nitzschia lorenziani</i> var. <i>subtilis</i>	435.000
<i>Nitzschia serjata</i>	16.750
<i>Nitzschia</i> sp.....	16.750
<i>Pleurosigma balticum</i>	16.750
<i>Thalassionema nitzschioides</i>	16.750
<i>Thalassothrix Trautweinii</i>	16.750
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	117.250
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	50.250
<i>Tetraselmis</i> sp.....	251.250
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	134.000
<i>Cryptomonas</i> sp ₂	33.500

(continua)

Table

Phytoplankton Population Counting

Station 5 - Surface
Date: 18th/May/1992 - 13:35 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

(Continuação)

Phytoplankton Group	Numb.Org./L.
<u>DINOPHYCEAE</u>	
<i>Ceratium furca</i>	16.750
<i>Ceratium trichoeros</i>	16.750
<i>Ceratium tripos</i>	16.750
<i>Oxytoxum</i> sp.....	16.750
<i>Protoperidinium trochoideum</i>	67.000
<i>Protoperidinium</i> sp ₁	50.250
<i>Protoperidinium</i> sp ₃	50.250
<i>Pyrophacus horologium</i>	16.750
<u>SILICOFAGELADOS</u>	
<i>Ebria tripartita</i>	16.750
Total:.....	5.276.250

Table

Phytoplankton Population Counting

Station 4 - Surface
Date: 18th/May/1992 - 13:00 H.
Tide: high

Phytoplankton Group

Numb. Org./L.

<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	10,988,328
<i>Oscillatoria</i> sp2	1,239,537
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros danicus</i>	134,004
<i>Leptocylinthus danicus</i>	569,517
<i>Leptocylinthus minimus</i>	201,006
<i>Rhizosolenia staltzeri</i>	33,501
<i>Skeletonema costatum</i>	402,012
<i>Thalassiosira</i> sp	871,026
Pennatae	
<i>Navicula</i> sp	67,002
<i>Nitzschia longissima</i>	67,002
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	1,373,541
<i>Pleurosigma balticum</i>	
<i>Kephyron</i> sp	134,004
<u>CHRYSOPHYCEAE</u>	
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	368,511
<i>Tetraselmis</i> sp	1,440,543
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	33,501
<i>Naos identificados</i>	33,501
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp1	904,527
<i>Cryptomonas</i> sp2	100,503
<u>DINOPHYCEAE</u>	
<i>Ceratium tripos</i>	33,501
<i>Gymnodinium</i> sp	33,501
<i>Oxytoxum</i> sp	100,503
<i>Proocentrum balticum</i>	100,503
<i>Protoperdinium divergens</i>	100,503
<i>Protoperdinium trochoideum</i>	201,006
<i>Protoperdinium</i> sp1	67,002
<i>Protoperdinium</i> sp2	167,505
<i>Protoperdinium</i> sp3	134,004
Total:.....	19,899,594

Table

Phytoplankton Population Counting

Station 4 - 3m.
Date: 18th/May/1992 - 13:00 H.
Tide: high

Phytoplankton Group

Numb. Org./L.

<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	6,599,500
<i>Oscillatoria</i> sp2	33,500
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Coscinodiscus</i> cf. <i>centralis</i>	16,750
<i>Cyclotella</i> sp	16,750
<i>Leptocylinthus danicus</i>	67,000
<i>Leptocylinthus minimus</i>	16,750
<i>Rhizosolenia fragilissima</i>	16,750
<i>Rhizosolenia staltzeri</i>	16,750
<i>Skeletonema costatum</i>	134,000
<i>Thalassiosira</i> sp	167,500
Pennatae	
<i>Nitzschia longissima</i>	67,000
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	569,500
<i>Pleurosigma balticum</i>	16,750
<i>Kephyron</i> sp	50,250
<u>CHRYSOPHYCEAE</u>	
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	50,250
<i>Tetraselmis</i> sp	284,750
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptiella marina</i>	83,750
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp1	268,000
<i>Cryptomonas</i> sp2	33,500
<u>DINOPHYCEAE</u>	
<i>Oxytoxum</i> sp	16,750
<i>Proocentrum balticum</i>	33,500
<i>Proocentrum balticum</i>	33,500
<i>Protoperdinium divergens</i>	33,500
<i>Protoperdinium trochoideum</i>	184,250
<i>Protoperdinium</i> sp1	16,750
<i>Protoperdinium</i> sp2	50,250
<i>Protoperdinium</i> sp3	16,750
<i>Pyrocystis</i> sp	16,750
Total:.....	8,911,000

Table

Phytoplankton Population Counting

Station 5 - 5m.
Date: 18th/May/1992 - 13:35 H.
Tide: high

Phytoplankton Group

Numb. Org./L.

<u>NOSTOCOPHYCEAE</u>		
Filamentosae		
<u>Oscillatoria limnetica</u>	6,532,695	
<u>Oscillatoria sp.</u>	804,024	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
<u>Chaetoceros danicus</u>	67,002	
<u>Coscinodiscus cf. radiatus</u>	33,501	
<u>Leptocylindrus danicus</u>	134,004	
<u>Leptocylindrus minimus</u>	234,507	
<u>Skeletonema costatum</u>	33,501	
<u>Thalassiosira sp.</u>	435,513	
Pennatae		
<u>Nitzschia closterium</u>	33,501	
<u>Nitzschia longissima</u>	67,002	
<u>Nitzschia lorenziana var. subtilis</u>	402,012	
<u>CHRYSOPHYCEAE</u>		
<u>Kephyrion sp.</u>	167,505	
<u>PRASINOPHYCEAE</u>		
<u>Pyramimonas sp.</u>	67,002	
<u>Tetraselmis sp.</u>	804,024	
<u>EUGLENOPHYCEAE</u>		
<u>Eutreptiella marina</u>	33,501	
<u>CRYPTOPHYCEAE</u>		
<u>Cryptomonas sp.</u>	335,010	
<u>Cryptomonas sp.</u>	33,501	
<u>DINOPHYCEAE</u>		
<u>Prorocentrum balticum</u>	33,501	
<u>Protoperidinium divergens</u>	33,501	
<u>Protoperidinium trochoideum</u>	100,503	
<u>Protoperidinium sp.</u>	67,002	
<u>Protoperidinium sp.</u>	33,501	
Total:.....	10,485,813	

Table

Phytoplankton Population Counting

Station 6 - Surface
Date: 18th/May/1992 - 11:50 H.
Tide: high

Phytoplankton Group

Numb. Org./L.

<u>NOSTOCOPHYCEAE</u>		
Filamentosae		
<u>Oscillatoria limnetica</u>	16,750,500	
<u>Oscillatoria sp.</u>	1,842,555	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
<u>Coscinodiscus cf. radiatus</u>	100,503	
<u>Lycotetella sp.</u>	100,503	
<u>Leptocylindrus danicus</u>	335,010	
<u>Leptocylindrus minimus</u>	134,004	
<u>Rhizosolenia setigera</u>	33,501	
<u>Skeletonema costatum</u>	134,004	
<u>Thalassiosira sp.</u>	67,002	
Pennatae		
<u>Nitzschia longissima</u>	268,008	
<u>Nitzschia lorenziana var. subtilis</u>	1,943,058	
<u>CHRYSOPHYCEAE</u>		
<u>Kephyrion sp.</u>	301,509	
<u>PRASINOPHYCEAE</u>		
<u>Pyramimonas sp.</u>	134,004	
<u>Tetraselmis sp.</u>	2,981,589	
<u>EUGLENOPHYCEAE</u>		
<u>Eutreptia sp.</u>	134,004	
<u>CRYPTOPHYCEAE</u>		
<u>Cryptomonas sp.</u>	737,022	
<u>Cryptomonas sp.</u>	33,501	
<u>DINOPHYCEAE</u>		
<u>Ceratium tripos</u>	33,501	
<u>Oxytoxum sceptrum</u>	67,002	
<u>Prorocentrum balticum</u>	167,505	
<u>Prorocentrum micans</u>	33,501	
<u>Protoperidinium divergens</u>	33,501	
<u>Protoperidinium cf. steinii</u>	33,501	
<u>Protoperidinium trochoideum</u>	402,012	
<u>Protoperidinium sp.</u>	368,511	
<u>Protoperidinium sp.</u>	67,002	
Total:.....	27,236,313	

Table

Phytoplankton Population Counting

Station 6 - 5m.
Date: 18th/May/1992 - 11:50 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	9.212.775
<i>Oscillatoria</i> sp ₁	469.014
<i>Oscillatoria</i> sp ₂	100.503
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Coscinodiscus cf. radiatus</i>	33.501
<i>Cyclotella</i> sp	301.509
<i>Leptocylindrus minimus</i>	100.503
<i>Skeletonema costatum</i>	100.503
<i>Thalassiosira</i> sp	33.501
Pennatae	
<i>Leptocylindrus danicus</i>	134.004
<i>Nitzschia longissima</i>	67.002
<i>Nitzschia sigma</i>	435.513
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp	167.505
<u>PRASINOPHYCEAE</u>	
<i>Tetraselmis</i> sp	268.008
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₂	33.501
<u>DINOPHYCEAE</u>	
<i>Oxytoxum scepstrum</i>	33.501
<i>Prorocentrum balticum</i>	33.501
Total:.....	11.524.344

Table

Phytoplankton Population Counting

Station 7 - Surface
Date: 18th/May/1992 - 11:15 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	12.596.376
<i>Oscillatoria</i> sp ₁	167.505
<i>Oscillatoria</i> sp ₂	1.842.555
Não filamentosae	
<i>Synechocystis</i> sp	8.408.751
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros danicus</i>	33.501
<i>Cyclotella</i> sp	33.501
<i>Leptocylindrus danicus</i>	435.513
<i>Leptocylindrus minimus</i>	167.505
<i>Skeletonema costatum</i>	335.010
<i>Thalassiosira</i> sp	3.852.615
Pennatae	
<i>Nitzschia longissima</i>	67.002
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	569.517
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp	502.515
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	301.509
<i>Tetraselmis</i> sp	2.512.575
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp	33.501
<i>Eutreptiella marina</i>	67.002
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	1.206.036
<i>Cryptomonas</i> sp ₂	469.014
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	67.002
<i>Oxytoxum scepstrum</i>	33.501
<i>Oxytoxum</i> sp	33.501
<i>Prorocentrum balticum</i>	33.501
<i>Prorocentrum triestinum</i>	335.010
<i>Protoperidinium trochoideum</i>	234.507
<i>Protoperidinium</i> sp ₁	201.006
<i>Protoperidinium</i> sp ₂	33.501
Total:.....	34.573.032

Table

Phytoplankton Population Counting

Station 7 - 3m.
Date: 18th/May/1992 - 11:15 H.
Tide: high

Phytoplankton Group Numb.Org./L.

<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosas</u>	
Oscillatoria limnetica.....	6,887,705
Oscillatoria sp1.....	435,513
Oscillatoria sp2.....	402,012
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
Chaetoceros danicus.....	67,002
Coscinodiscus cf. lineatus.....	100,503
Coscinodiscus cf. nitidus.....	33,501
Coscinodiscus cf. radiatus.....	33,501
Lycotella sp.....	67,002
Leptocylindrus danicus.....	268,008
Leptocylindrus minimus.....	234,507
Rhizosolenia delicatula.....	33,501
Skeletonema costatum.....	402,012
Thalassiosira sp.....	335,010
<u>Pennatae</u>	
Nitzschia longissima.....	33,501
Nitzschia lorenziana var. subtilis.....	335,010
Nitzschia sigma.....	33,501
Synechra sp.....	33,501
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp.....	301,509
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp.....	33,501
Eutreptella marina.....	33,501
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp.....	33,501
Tetraselmis sp.....	335,010
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1.....	301,509
Cryptomonas sp2.....	100,503
<u>DINOPHYCEAE</u>	
Oxytoxum reticulatum.....	67,002
Oxytoxum sceptrum.....	33,501
Prorocentrum micans.....	67,002
Prorocentrum sp1.....	33,501
Prorocentrum sp2.....	33,501
Prorocentrum sp3.....	33,501
Total:.....	11,088,831

Table

Phytoplankton Population Counting

Station 8 - Surface
Date: 18th/May/1992 - 10:30 H.
Tide: high

Phytoplankton Group Numb.Org./L.

<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosas</u>	
Oscillatoria limnetica.....	9,715,290
Oscillatoria sp1.....	603,018
Oscillatoria sp2.....	3,484,104
<u>Não filamentosas</u>	
Synechocystis sp.....	16,649,997
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
Leptocylindrus danicus.....	100,503
Leptocylindrus minimus.....	33,501
Skeletonema costatum.....	33,501
Thalassiosira sp.....	6,599,697
<u>Pennatae</u>	
Nitzschia closterium.....	33,501
Nitzschia lorenziana var. subtilis.....	201,006
Nitzschia seriatata.....	33,501
Nitzschia sigma.....	33,501
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp.....	1,373,541
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp.....	167,505
Eutreptella marina.....	33,501
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp.....	804,024
Tetraselmis sp.....	1,038,531
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1.....	1,909,557
Cryptomonas sp2.....	335,010
<u>DINOPHYCEAE</u>	
Oxytoxum sceptrum.....	33,501
Oxytoxum sp.....	33,501
Prorocentrum micans.....	33,501
Prorocentrum trochoideum.....	569,517
Total:.....	43,852,809

Table

Phytoplankton Population Counting		
Station 8 - 2m.		
Date: 18th/May/1992 - 11:15 H.		
Tide: High		
Phytoplankton Group	Numb. Org./L.	
<u>NOSTOCOPHYCEAE</u>		
Filamentosae		
<i>Oscillatoria limnetica</i>	7,169,214	
<i>Oscillatoria</i> sp ₁	134,004	
<i>Oscillatoria</i> sp ₂	1,675,050	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
<i>Coscinodiscus</i> cf. <i>centralis</i>	33,501	
<i>Coscinodiscus</i> cf. <i>radiatus</i>	33,501	
<i>Cyclotella</i> sp.....	234,507	
<i>Leptocylinthus danicus</i>	368,511	
<i>Skeletonema costatum</i>	201,006	
<i>Thalassiosira</i> sp.....	1,340,040	
Pennatae		
<i>Nitzschia longissima</i>	134,004	
<i>Nitzschia loranziana</i> var. <i>subtilis</i>	33,501	
<i>Nitzschia semata</i>	33,501	
<i>Nitzschia sigma</i>	33,501	
<u>CHRYSOPHYCEAE</u>		
<i>Kephyrion</i> sp.....	1,440,543	
<u>PRASINOPHYCEAE</u>		
<i>Pyramimonas</i> sp.....	67,002	
<i>Tetraselmis</i> sp.....	100,503	
<u>EUGLENOPHYCEAE</u>		
<i>Eutreptia lanowii</i>	100,503	
<u>CRYPTOPHYCEAE</u>		
<i>Cryptomonas</i> sp ₁	703,521	
<i>Cryptomonas</i> sp ₂	1,306,539	
<u>DINOPHYCEAE</u>		
<i>Oxytoxum reticulatum</i>	33,501	
<i>Protoperdinium trochoideum</i>	268,008	
<i>Protoperdinium</i> sp ₁	33,501	
Total:.....	15,477,462	

Table

Phytoplankton Population Counting		
Station 9 - Surface		
Date: 18th/May/1992 - 09:40 H.		
Tide: High		
Phytoplankton Group	Numb. Org./L.	
<u>NOSTOCOPHYCEAE</u>		
Filamentosae		
<i>Oscillatoria limnetica</i>	11,122,332	
<i>Oscillatoria</i> sp ₁	234,507	
<i>Oscillatoria</i> sp ₂	2,043,561	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
<i>Coscinodiscus</i> cf. <i>radiatus</i>	33,501	
<i>Cyclotella</i> sp.....	134,004	
<i>Leptocylinthus danicus</i>	67,002	
<i>Leptocylinthus minimus</i>	201,006	
<i>Nitzschia delicatula</i>	33,501	
<i>Skeletonema costatum</i>	33,501	
<i>Thalassiosira</i> sp.....	3,953,118	
Pennatae		
<i>Nitzschia longissima</i>	67,002	
<i>Nitzschia loranziana</i> var. <i>subtilis</i>	301,509	
<i>Nitzschia semata</i>	33,501	
<i>Nitzschia sigma</i>	33,501	
<u>CHRYSOPHYCEAE</u>		
<i>Kephyrion</i> sp.....	1,172,535	
<u>PRASINOPHYCEAE</u>		
<i>Pyramimonas</i> sp.....	1,742,052	
<i>Tetraselmis</i> sp.....	3,584,607	
<u>CHLOROPHYCEAE</u>		
Flagelladas		
<i>Chlamydomonas</i> sp.....	33,501	
<u>EUGLENOPHYCEAE</u>		
<i>Eutreptia lanowii</i>	234,507	
<i>Eutreptiella marina</i>	167,505	
<u>CRYPTOPHYCEAE</u>		
<i>Cryptomonas</i> sp ₁	2,010,060	
<i>Cryptomonas</i> sp ₂	1,742,052	
<u>DINOPHYCEAE</u>		
<i>Prorocentrum micans</i>	33,501	
<i>Protoperdinium trochoideum</i>	33,501	
<i>Protoperdinium</i> sp ₁	368,511	
<i>Protoperdinium</i> sp ₂	134,004	
<i>Mao tentaculosus</i>	33,501	
Total:.....	29,581,383	

Table

Phytoplankton Population Counting

Station 9 - Bottom
Date: 18th/May/1992 - 09:40 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica	7,269,500
Oscillatoria sp1	100,500
Oscillatoria sp2	1,926,250
Não filamentosae	
Synechocystis sp	4,589,500
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Chaetoceros danicus	16,750
Lycoteilia sp	50,250
Leptocylindrus danicus	636,500
Leptocylindrus minimus	16,750
Skeletonema costatum	234,500
Inalassiosira sp	469,000
Pennatae	
Nitzschia longissima	83,750
Nitzschia lorenziana var. subtilis	268,000
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp	770,500
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	16,750
Tetraselmis sp	83,750
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp	33,500
Eutreptella marina	16,750
<u>CHLOROPHYCEAE</u>	
Flagelladas	
Chlamydomonas sp	16,750
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	100,500
Cryptomonas sp2	787,250
<u>DINOPHYCEAE</u>	
Oxytoxum reticulatum	16,750
Oxytoxum szepterum	16,750
Prorocentrum balticum	16,750
Prorocentrum stentii	16,750
Protoperidinium trochoideum	33,500
Protoperidinium sp1	67,000

Total: 17,551,500

Table

Phytoplankton Population Counting

Station 10 - Surface
Date: 18th/May/1992 - 08:30 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica	14,003,418
Oscillatoria sp1	938,028
Oscillatoria sp2	335,010
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Chaetoceros danicus	268,008
Lycoteilia sp	234,507
Leptocylindrus danicus	469,014
Skeletonema costatum	100,503
Inalassiosira rotula	33,501
Inalassiosira sp	402,012
Pennatae	
Nitzschia longissima	335,010
Nitzschia lorenziana var. subtilis	2,244,567
Nitzschia seriata	33,501
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp	134,004
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	134,004
Tetraselmis sp	2,512,575
<u>EUGLENOPHYCEAE</u>	
Eutreptia lanowi	67,002
Eutreptia sp	33,501
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	770,523
<u>DINOPHYCEAE</u>	
Ceratium tripos	33,501
Dinodivsis acuminata	33,501
Oxytoxum sp	67,002
Prorocentrum balticum	100,503
Prorocentrum micans	33,501
Prorocentrum triestinum	33,501
Protoperidinium divergens	33,501
Protoperidinium trochoideum	234,507
Protoperidinium sp1	33,501
Protoperidinium sp2	33,501

Total: 23,685,207

Table

Phytoplankton Population Counting

Station 10 - 5m.
Date: 18th/May/1992 - 08:30 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

<u>NOSTOCOPHYCEAE</u>		
Filamentosae		
Oscillatoria limnetica.....	1,675,000	
Oscillatoria sp ₁	134,000	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
Chaetoceros danicus.....	16,750	
Chaetoceros decipiens.....	33,500	
Coscinodiscus cf. nitidus.....	16,750	
Coscinodiscus cf. radiatus.....	16,750	
Coscinodiscus sp.....	16,750	
Cyclotella sp.....	67,000	
Leptocylinthus danicus.....	150,750	
Leptocylinthus minimus.....	83,750	
Rhizosolenia alata.....	16,750	
Skeletonema costatum.....	100,500	
Pennatae		
Gyrodinium balticum.....	33,500	
Nitzschia longissima.....	16,750	
Nitzschia lorenziana var. subtilis.....	301,500	
Nitzschia serena.....	50,250	
Nitzschia sigma.....	33,500	
<u>EUGLENOPHYCEAE</u>		
Euglena sp.....	16,750	
<u>CRYPTOPHYCEAE</u>		
Cryptomonas sp ₁	16,750	
Cryptomonas sp ₂	33,500	
<u>CHRYSOPHYCEAE</u>		
Kephyrion sp.....	217,750	
<u>PRASINOPHYCEAE</u>		
Tetraselmis sp.....	16,750	
<u>DINOPHYCEAE</u>		
Oxytoxum reticulatum.....	16,750	
Oxytoxum scepstrum.....	67,000	
Protoperdinium trochoideum.....	16,750	
Protoperdinium sp ₁	83,750	
Total:.....	3,249,500	

Table

Phytoplankton Population Counting

Station 11 - Surface
Date: 18th/May/1992 - 09:05 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

<u>NOSTOCOPHYCEAE</u>		
Filamentosae		
Oscillatoria limnetica.....	17,152,512	
Oscillatoria sp ₁	703,521	
Oscillatoria sp ₂	268,008	
Não filamentosae		
Synectocystis sp.....	12,696,879	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
Chaetoceros danicus.....	134,004	
Coscinodiscus cf. radiatus.....	67,002	
Cyclotella sp.....	234,507	
Leptocylinthus danicus.....	402,012	
Leptocylinthus minimus.....	134,004	
Rhizosolenia delicatula.....	33,501	
Rhizosolenia fragilissima.....	67,002	
Skeletonema costatum.....	335,010	
Thalassiosira sp.....	335,010	
Pennatae		
Nitzschia longissima.....	67,002	
Nitzschia lorenziana var. subtilis.....	1,675,050	
<u>CHRYSOPHYCEAE</u>		
Kephyrion sp.....	1,072,032	
<u>PRASINOPHYCEAE</u>		
Pyramimonas sp.....	636,519	
Tetraselmis sp.....	1,373,541	
<u>EUGLENOPHYCEAE</u>		
Eutreptia sp.....	33,501	
<u>CRYPTOPHYCEAE</u>		
Cryptomonas sp ₁	636,519	
Cryptomonas sp ₂	33,501	
<u>DINOPHYCEAE</u>		
Oxytoxum reticulatum.....	33,501	
Oxytoxum scepstrum.....	67,002	
Protoperdinium trochoideum.....	67,002	
Protoperdinium trochoideum.....	335,010	
Protoperdinium sp ₁	268,008	
Protoperdinium sp ₂	536,016	
Protoperdinium sp ₃	134,004	
Protoperdinium sp ₄	33,501	
Total:.....	39,564,681	

Table

Phytoplankton Population Counting

Station 11 - Bottom
Date: 18th/May/1992 - 09:05 H.
Tide: high

Phytoplankton Group	Numb. Org./L.
<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosas</u>	
<u>Oscillatoria limnetica</u>	29,112,369
<u>Oscillatoria</u> sp ₁	1,172,535
<u>Oscillatoria</u> sp ₂	871,026
<u>Não filamentosas</u>	
<u>Synechocystis</u> sp.....	1,206,036
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
<u>Chaetoceros danicus</u>	235,507
<u>Coscinodiscus</u> cf. <u>centralis</u>	167,505
<u>Coscinodiscus</u> cf. <u>nitidus</u>	33,501
<u>Coscinodiscus</u> cf. <u>radiatus</u>	67,002
<u>Cyclotella</u> sp.....	502,515
<u>Leptocylinthus danicus</u>	1,239,537
<u>Leptocylinthus minimus</u>	402,012
<u>Rhizosolenia delicatula</u>	33,501
<u>Schroederia schroederi</u>	67,002
<u>Skeletonema costatum</u>	1,005,030
<u>Inhalassiosira rotunda</u>	67,002
<u>Inhalassiosira</u> sp.....	670,020
<u>Pennatae</u>	
<u>Nitzschia longissima</u>	167,505
<u>Nitzschia lorenziana</u> var. <u>subtilis</u>	3,048,591
<u>Nitzschia seriata</u>	33,501
<u>Pleurosigma normani</u>	33,501
<u>Kephyrion</u> sp.....	569,517
<u>CHRYSDOPHYCEAE</u>	
<u>PRASINOPHYCEAE</u>	
<u>Pyramimonas</u> sp.....	67,002
<u>Tetraselmis</u> sp.....	335,010
<u>EUGLENOPHYCEAE</u>	
<u>Eutreptia lanowii</u>	33,501
<u>CHLOROPHYCEAE</u>	
<u>Flagelladas</u>	
<u>Chlamydomonas</u> sp.....	33,501
<u>CRYPTOPHYCEAE</u>	
<u>Cryptomonas</u> sp ₁	502,515
<u>Cryptomonas</u> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<u>Dinophysis acuminata</u>	33,501
<u>Oxytoxum sceptrum</u>	33,501
<u>Prorocentrum balticum</u>	33,501
<u>Prorocentrum imesstrum</u>	33,501
<u>Prorocentrum trochoideum</u>	33,501
<u>Protoperidinium</u> sp ₁	100,503
<u>Protoperidinium</u> sp ₂	435,513

Table

Phytoplankton Population Counting

Station 12 - Surface
Date: 18th/May/1992 - 10:40 H.
Tide: high

Phytoplankton Group	Numb. Org./L.
<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosas</u>	
<u>Oscillatoria limnetica</u>	29,648,385
<u>Oscillatoria</u> sp ₁	3,819,114
<u>Oscillatoria</u> sp ₂	301,509
<u>Não filamentosas</u>	
<u>Synechocystis</u> sp.....	469,014
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
<u>Chaetoceros danicus</u>	100,503
<u>Coscinodiscus</u> cf. <u>radiatus</u>	100,503
<u>Cyclotella</u> sp.....	804,024
<u>Leptocylinthus danicus</u>	234,507
<u>Leptocylinthus minimus</u>	33,501
<u>Skeletonema costatum</u>	435,513
<u>Inhalassiosira</u> sp.....	603,018
<u>Pennatae</u>	
<u>Cocconeis scutellum</u>	33,501
<u>Nitzschia closterium</u>	234,507
<u>Nitzschia longissima</u>	167,505
<u>Nitzschia lorenziana</u> var. <u>subtilis</u>	3,718,611
<u>Nitzschia seriata</u>	33,501
<u>Kephyrion</u> sp.....	268,008
<u>PRASINOPHYCEAE</u>	
<u>Pyramimonas</u> sp.....	301,509
<u>Tetraselmis</u> sp.....	7,604,727
<u>EUGLENOPHYCEAE</u>	
<u>Eutreptia lanowii</u>	33,501
<u>Eutreptella marina</u>	67,002
<u>CRYPTOPHYCEAE</u>	
<u>Cryptomonas</u> sp ₁	1,139,034
<u>Cryptomonas</u> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<u>Gonyaulax</u> sp.....	33,501
<u>Oxytoxum sceptrum</u>	33,501
<u>Prorocentrum balticum</u>	33,501
<u>Prorocentrum micans</u>	134,004
<u>Prorocentrum triestinum</u>	67,002
<u>Protoperidinium trochoideum</u>	134,004
<u>Protoperidinium</u> sp ₁	435,513
<u>Protoperidinium</u> sp ₂	402,012
<u>Protoperidinium</u> sp ₃	134,004
Total:.....	57,591,540

Table

Phytoplankton Population Counting

Station 13 - Surface
Date: 18th/May/1992 - 11:55 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	13,802,412
<i>Oscillatoria</i> sp ₁	737,022
<i>Oscillatoria</i> sp ₂	904,527
Nōo filamentosae	
<i>Synechocystis</i> sp.....	29,179,371
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Cyclotella</i> sp.....	201,006
<i>Leptocylindrus danicus</i>	100,503
<i>Leptocylindrus minimus</i>	100,503
<i>Rhizosolenia stolterfothii</i>	33,501
<i>Skeletonema costatum</i>	33,501
<i>Thalassiosira</i> sp.....	13,735,410
Pennatae	
<i>Navicula lyra</i>	33,501
<i>Nitzschia longissima</i>	201,006
<i>Nitzschia longissima</i> var. <i>subtilis</i>	435,513
<i>Nitzschia seriata</i>	67,002
<i>Nitzschia sigma</i>	100,503
<u>CHRYSIOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	1,775,553
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	502,515
<i>Eutreptia</i> sp.....	201,006
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	1,206,036
<i>Tetraselmis</i> sp.....	435,513
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	2,646,579
<i>Cryptomonas</i> sp ₂	12,328,368
<u>DINOPHYCEAE</u>	
<i>Prorocentrum balticum</i>	33,501
<i>Prorocentrum micans</i>	33,501
<i>Prorocentrum trochoideum</i>	1,038,531
<i>Prorocentrum</i> sp ₂	67,002
Total:.....	79,933,386

Table

Phytoplankton Population Counting

Station 12 - 5m.
Date: 18th/May/1992 - 10:40 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	11,457,342
<i>Oscillatoria</i> sp ₁	201,006
<i>Oscillatoria</i> sp ₂	569,517
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Ceratulina bergonii</i>	33,501
<i>Chaetoceros danicus</i>	301,509
<i>Coscinodiscus</i> cf. <i>centralis</i>	33,501
<i>Cyclotella</i> sp.....	368,511
<i>Leptocylindrus danicus</i>	837,525
<i>Leptocylindrus minimus</i>	134,004
<i>Skeletonema costatum</i>	603,018
<i>Thalassiosira rotula</i>	33,501
<i>Thalassiosira</i> sp.....	301,509
Pennatae	
<i>Nitzschia closterium</i>	67,002
<i>Nitzschia longissima</i>	100,503
<i>Nitzschia torrenziana</i> var. <i>subtilis</i>	1,876,056
<i>Pleurosigma balticum</i>	67,002
<u>CHRYSIOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	201,006
<u>PRASINOPHYCEAE</u>	
<i>Tetraselmis</i> sp.....	134,004
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<i>Prorocentrum triestinum</i>	33,501
<i>Prorocentrum</i> cf. <i>steinii</i>	33,501
<i>Prorocentrum trochoideum</i>	67,002
<i>Prorocentrum</i> sp ₁	368,511
Total:.....	17,856,033

Table

Phytoplankton Population Counting

Station 13 - Bottom
Date: 18th/May/1992 - 11:55 H.
Tide: high

Phytoplankton Group	Numb. Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	13,132,392
<i>Oscillatoria</i> sp ₁	904,527
<i>Oscillatoria</i> sp ₂	5,159,154
Não filamentosas	
<i>Synechocystis</i> sp.....	21,574,644
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Cyclotella</i> sp.....	33,501
<i>Leptocylinndrus danicus</i>	33,501
<i>Leptocylinndrus minimus</i>	33,501
<i>Skeletonema costatum</i>	67,002
<i>Thalassiosira</i> sp.....	11,524,344
Pennatae	
<i>Navicula lyra</i>	33,501
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	402,012
<i>Nitzschia sigma</i>	67,002
<i>Nitzschia seriata</i>	33,501
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	1,206,036
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	1,072,032
<i>Tetraselmis</i> sp.....	33,501
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowi</i>	100,503
<i>Eutreptia marina</i>	67,002
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	3,819,114
<i>Cryptomonas</i> sp ₂	9,045,270
<u>DINOPHYCEAE</u>	
<i>Prorocentrum balticum</i>	33,501
<i>Protoperdinium trochoideum</i>	435,513
<i>Protoperdinium</i> sp ₂	33,501
<i>Protoperdinium</i> sp ₃	33,501
Total:.....	68,878,056

Table

Phytoplankton Population Counting

Station 14 - Surface
Date: 18th/May/1992 - 11:04 H.
Tide: high

Phytoplankton Group	Numb. Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	41,005,530
<i>Oscillatoria</i> sp ₁	2,546,095
<i>Oscillatoria</i> sp ₂	1,340,090
Não filamentosas	
<i>Synechocystis</i> sp.....	11,926,445
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Cyclotella</i> sp.....	134,005
<i>Leptocylinndrus danicus</i>	268,010
<i>Skeletonema costatum</i>	134,005
<i>Thalassiosira</i> sp.....	8,040,300
Pennatae	
<i>Nitzschia longissima</i>	402,015
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	1,474,955
<i>Nitzschia sigma</i>	268,010
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	1,072,040
<u>CHLOROPHYCEAE</u>	
Flageleladas	
Volvocales.....	
402,015	
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	938,035
<i>Tetraselmis</i> sp.....	4,958,185
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	4,824,180
<i>Cryptomonas</i> sp ₂	2,412,090
<u>DINOPHYCEAE</u>	
<i>Prorocentrum micans</i>	134,005
<i>Protoperdinium trochoideum</i>	2,546,095
<i>Protoperdinium</i> sp ₁	134,005
<i>Protoperdinium</i> sp ₃	134,005
Total:.....	85,093,175

Table

Phytoplankton Population Counting

Station 14 - 3m.
Date: 18th/May/1992 - 11:04 H.
Tide: high

Phytoplankton Group

Numb. Org./L.

<u>NOSTOCOPHYCEAE</u>		
Filamentosae		
<i>Oscillatoria limnetica</i>	20,502,612	
<i>Oscillatoria</i> sp1	1,675,060	
<i>Oscillatoria</i> sp2	337,525	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
<i>Coscinodiscus</i> cf. <i>radiatus</i>	67,002	
<i>Cyclotella</i> sp	335,010	
<i>Leptocylindrus danicus</i>	134,004	
<i>Leptocylindrus minimus</i>	33,501	
<i>Skeletonema costatum</i>	100,503	
<i>Thalassiosira rotula</i>	100,503	
<i>Thalassiosira</i> sp	1,842,555	
Pennatae		
<i>Nitzschia closterium</i>	33,501	
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	938,028	
<i>Nitzschia longissima</i>	435,513	
<i>Nitzschia seriata</i>	134,004	
<u>PRASINOPHYCEAE</u>		
<i>Pyramimonas</i> sp	67,002	
<i>Tetraselmis</i> sp	67,002	
<u>CHRYSOPHYCEAE</u>		
<i>Kephyrion</i> sp	1,407,042	
<u>CRYPTOPHYCEAE</u>		
<i>Cryptomonas</i> sp1	402,012	
<i>Cryptomonas</i> sp2	301,509	
<u>DINOPHYCEAE</u>		
<i>Oxytoxum</i> sp	33,501	
<i>Protoperidinium</i> cf. <i>steinii</i>	100,503	
<i>Protoperidinium</i> sp1	1,038,531	
<i>Protoperidinium</i> sp3	33,501	
<u>EUGLENOPHYCEAE</u>		
<i>Eutreptia</i> sp	100,503	
<i>Eutreptiella marina</i>	67,002	
Total:.....	31,189,431	

Table

Phytoplankton Population Counting

Station 15 - Surface
Date: 18th/May/1992 - 11:45 H.
Tide: high

Phytoplankton Group

Numb. Org./L.

<u>NOSTOCOPHYCEAE</u>		
Filamentosae		
<i>Oscillatoria limnetica</i>	19,598,085	
<i>Oscillatoria</i> sp1	1,775,553	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
<i>Chaetoceros danicus</i>	134,004	
<i>Coscinodiscus</i> cf. <i>radiatus</i>	67,002	
<i>Cyclotella</i> sp	167,505	
<i>Leptocylindrus danicus</i>	1,172,535	
<i>Leptocylindrus minimus</i>	770,523	
<i>Skeletonema costatum</i>	1,340,040	
<i>Thalassiosira</i> sp	402,012	
Pennatae		
<i>Nitzschia closterium</i>	33,501	
<i>Nitzschia longissima</i>	67,002	
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	1,474,044	
<i>Nitzschia seriata</i>	67,002	
<u>PRASINOPHYCEAE</u>		
<i>Pyramimonas</i> sp	67,002	
<i>Tetraselmis</i> sp	1,105,533	
<u>CHRYSOPHYCEAE</u>		
<i>Kephyrion</i> sp	502,515	
<u>CRYPTOPHYCEAE</u>		
<i>Cryptomonas</i> sp1	258,008	
<i>Cryptomonas</i> sp2	33,501	
<u>DINOPHYCEAE</u>		
<i>Protoperidinium trochoideum</i>	67,002	
<i>Protoperidinium</i> sp2	100,503	
Total:.....	29,179,371	

Table

Phytoplankton Population Counting

Station 15 - 3m.
Date: 18th/May/1992 - 11:45 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica	17,387.019
Oscillatoria sp1	435.513
Oscillatoria sp2	201.006
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Coscinodiscus cf. radiatus	33.501
Cyclotella sp	936.016
Leptocylinndrus danicus	402.012
Leptocylinndrus minutus	234.507
Rhizosolenia delicatula	33.501
Rhizosolenia stolterfochii	33.501
Skeletonema costatum	268.008
Thalassiosira sp	268.008
Pennatae	
Nitzschia closterium	100.503
Nitzschia longissima	167.505
Nitzschia tornoziana var. subtilis	971.529
Nitzschia stigma	33.501
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	301.509
Cryptomonas sp2	67.002
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	67.002
Tetraselimis sp	67.002
<u>DINOPHYCEAE</u>	
Oxytoxum reticulatum	33.501
Prorocentrum trisetinum	33.501
Protoperidinium trochoideum	301.509
Protoperidinium sp2	100.503
Protoperidinium sp3	33.501
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp	1,172.535
Total:	23,216.193

Table

Phytoplankton Population Counting

Station 16 - Surface
Date: 18th/May/1992 - 13:00 H.
Tide: high

Phytoplankton Group

Numb.Org./L.

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica	26,934.804
Oscillatoria sp1	2,747.082
Oscillatoria sp2	402.012
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Chaetoceros danicus	100.503
Cyclotella sp	670.020
Leptocylinndrus danicus	603.018
Leptocylinndrus minutus	368.511
Rhizosolenia stolterfochii	67.002
Skeletonema costatum	603.018
Thalassiosira rotula	33.501
Thalassiosira sp	670.020
Pennatae	
Nitzschia closterium	33.501
Nitzschia longissima	33.501
Nitzschia tornoziana var. subtilis	268.008
Synosigma balticum	33.501
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp	871.026
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	167.505
Tetraselimis sp	33.501
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	268.008
Cryptomonas sp2	100.503
<u>DINOPHYCEAE</u>	
Gymnodinium sp	33.501
Oxytoxum sceptrum	100.503
Prorocentrum balticum	33.501
Protoperidinium cf. setinii	67.002
Protoperidinium trochoideum	402.012
Protoperidinium sp1	435.513
Protoperidinium sp2	33.501
Total:	36,114.078

Table

Phytoplankton Population Counting

Station 16 - Bottom
Date: 18th/May/1992 - 13:00 H.
Tide: high

Phytoplankton Group	Numb. Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	20,569,614
<i>Oscillatoria</i> sp ₁	1,507,545
<i>Oscillatoria</i> sp ₂	569,517
Não filamentosae	
<i>Synechocystis</i> sp.....	24,187,722
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros danicus</i>	33,501
<i>Cyclotella</i> sp.....	670,020
<i>Leptocylinthus danicus</i>	837,525
<i>Leptocylinthus minimus</i>	201,006
<i>Rhizosolenia stohletschii</i>	33,501
<i>Skeletonema costatum</i>	569,517
<i>Thalassiosira costata</i>	502,515
<i>Thalassiosira</i> sp.....	
Pennatae	
<i>Nitzschia closterium</i>	67,002
<i>Nitzschia longissima</i>	100,503
<i>Nitzschia longissima</i> var. <i>subtilis</i>	1,675,050
<i>Nitzschia seriata</i>	67,002
<i>Navicula</i> sp.....	33,501
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	268,008
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	368,511
<u>DINOPHYCEAE</u>	
<i>Dinophysis</i> cf. <i>acuminata</i>	33,501
<i>Gymnodinium</i> sp.....	167,505
<i>Oxytoxum reticulatum</i>	100,503
<i>Oxytoxum sceptrum</i>	33,501
<i>Oxytoxum</i> sp ₂	33,501
<i>Prorocentrum micans</i>	33,501
<i>Protoperidinium trochoideum</i>	201,006
<i>Protoperidinium</i> sp ₁	67,002
<i>Protoperidinium</i> sp ₂	201,006
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp.....	67,002
Total:.....	53,199,588

Table

Phytoplankton Population Counting

Station 17 - Surface
Date: 18th/May/1992 - 09:24 H.
Tide: high

Phytoplankton Group	Numb. Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	21,909,654
<i>Oscillatoria</i> sp ₁	1,440,943
<i>Oscillatoria</i> sp ₂	335,010
Não filamentosae	
<i>Synechocystis</i> sp.....	17,990,037
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros danicus</i>	134,004
<i>Cyclotella</i> sp.....	536,016
<i>Leptocylinthus danicus</i>	1,273,038
<i>Leptocylinthus minimus</i>	502,515
<i>Rhizosolenia delicatula</i>	33,501
<i>Skeletonema costatum</i>	703,521
<i>Thalassiosira tortula</i>	33,501
<i>Thalassiosira</i> sp.....	435,513
Pennatae	
<i>Cocconeis</i> sp.....	33,501
<i>Nitzschia closterium</i>	67,002
<i>Nitzschia longissima</i>	100,503
<i>Nitzschia torenziana</i> var. <i>subtilis</i>	4,221,126
<i>Nitzschia sigma</i>	134,004
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	459,014
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	134,004
<i>Tetraselmis</i> sp.....	100,503
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp.....	67,002
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	636,519
<u>DINOPHYCEAE</u>	
<i>Oxytoxum sceptrum</i>	33,501
<i>Oxytoxum</i> sp.....	33,501
<i>Prorocentrum micans</i>	33,501
<i>Prorocentrum triestinum</i>	67,002
<i>Protoperidinium trochoideum</i>	167,505
<i>Protoperidinium</i> sp ₁	335,010
<i>Protoperidinium</i> sp ₂	33,501
Total:.....	51,993,552

Table

Phytoplankton Population Counting

Station 17 - Bottom
Date: 18th/May/1992 - 09:24 H.
Tide: high

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	10,452,312
<i>Oscillatoria</i> sp ₁	301,509
<i>Oscillatoria</i> sp ₂	368,511
Non filamentosae	
<i>Synechocystis</i> sp.....	3,986,619
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros danicus</i>	167,505
<i>Cyclotella</i> sp.....	335,010
<i>Lepidocylindrus danicus</i>	502,515
<i>Nitzschia stouteri</i>	67,002
<i>Skeletonema costatum</i>	167,505
<i>Thalassiosira rotula</i>	33,501
<i>Thalassiosira</i> sp.....	268,008
Pennatae	
<i>Navicula</i> sp.....	33,501
<i>Nitzschia closterium</i>	33,501
<i>Nitzschia longissima</i>	134,004
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	1,105,533
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	167,505
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp.....	33,501
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	67,002
<i>Cryptomonas</i> sp ₂	67,002
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	33,501
<i>Prorocentrum trochoideum</i>	33,501
<i>Prorocentrum</i> sp ₂	67,002
Total:.....	
	18,425,550

Table

Phytoplankton Population Counting

Station 18 - Surface
Date: 18th/May/1992 - 10:20 H.
Tide: high

Phytoplankton Group	Numb.Org./L.
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	22,445,670
<i>Oscillatoria</i> sp ₁	804,024
<i>Oscillatoria</i> sp ₂	335,010
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros danicus</i>	201,006
<i>Cyclotella</i> sp.....	134,004
<i>Lepidocylindrus danicus</i>	134,004
<i>Skeletonema costatum</i>	670,020
<i>Thalassiosira</i> sp.....	134,004
Pennatae	
<i>Nitzschia longissima</i>	201,006
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	1,407,042
<i>Nitzschia seriata</i>	67,002
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	335,010
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	67,002
<i>Eutreptia</i> sp.....	469,014
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	335,010
<i>Cryptomonas</i> sp ₂	201,006
<u>DINOPHYCEAE</u>	
<i>Gymnodinium</i> sp.....	134,004
<i>Oxytoxum reticulatum</i>	67,002
<i>Prorocentrum bairdii</i>	737,022
<i>Prorocentrum micans</i>	1,005,030
<i>Prorocentrum triestinum</i>	335,010
<i>Prorocentrum trochoideum</i>	30,016,896
<i>Prorocentrum</i> sp ₂	1,005,030
<i>Prorocentrum</i> sp ₃	268,008
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	67,002
<i>Tetraselmis</i> sp.....	30,686,916
Total:.....	
	92,261,754

Table

Phytoplankton Population Counting

Station 18 - Bottom

Date: 18th/May/1992 - 10:20 H.

Tide: high

Phytoplankton Group Numb. Org. /L.

<u>NOSTOCOPHYCEAE</u>		
Filamentosae		
<i>Oscillatoria bimetrica</i>		13,266,396
<i>Oscillatoria</i> sp ₁		770,523
<i>Oscillatoria</i> sp ₂		1,608,048
<u>BACILLARIOPHYCEAE</u>		
Centricae		
<i>Chaetoceros danicus</i>		100,503
<i>Coscinodiscus</i> cf. <i>radiatus</i>		33,501
<i>Cyclotella</i> sp.....		100,503
<i>Leptocylinthus danicus</i>		201,006
<i>Leptocylinthus minimus</i>		134,004
<i>Steletonema costatum</i>		100,503
<i>Thalassiosira</i> sp.....		100,503
Pennatae		
<i>Cocconeis scutellum</i>		33,501
<i>Navicula</i> sp.....		33,501
<i>Nitzschia longissima</i>		234,507
<i>Nitzschia lorenzana</i> var. <i>subtilis</i>		1,340,040
<i>Nitzschia sigma</i>		33,501
<u>CHRYSOPHYCEAE</u>		
<i>Kephyrion</i> sp.....		435,513
<u>EUGLENOPHYCEAE</u>		
<i>Eutreptiella marina</i>		67,002
<u>CRYPTOPHYCEAE</u>		
<i>Cryptomonas</i> sp ₁		134,004
<u>DINOPHYCEAE</u>		
<i>Oxytoxum scepterum</i>		33,501
<i>Prorocentrum balticum</i>		100,503
<i>Prorocentrum micans</i>		100,503
<i>Prorocentrum triestinum</i>		33,501
<i>Protoperidinium</i> cf. <i>steinii</i>		33,501
<i>Protoperidinium trichoides</i>		167,505
<i>Protoperidinium</i> sp ₁		2,680,080
<i>Protoperidinium</i> sp ₂		402,012
<u>PRASINOPHYCEAE</u>		
<i>Tetraselmis</i> sp.....		4,455,633
Total:.....		26,733,798

APPENDIX 7. 1-2

PHYTOPLANKTON COMMUNITY

TABLE APP.7.1-2

Results of classification and quantification
of phytoplankton samples collected during
first phase simultaneous survey.

(June / 1992)

Table

Phytoplankton Population Counting

Station 18 - 4m.
Date: 8th June 1992 - 08:55 hs
Tide: high

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	1,155,750
<i>Oscillatoria</i> sp ₂	117,250
Não filamentosae	
<i>Synechocystis</i> sp.....	2,428,750
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros simplex</i>	16,750
<i>Leptocylindrus danicus</i>	16,750
<i>Leptocylindrus minimus</i>	16,750
<i>Rhizosolenia delicatula</i>	67,000
<i>Rhizosolenia fragilissima</i>	33,500
<i>Skeletonema costatum</i>	16,750
<i>Thalassiosira</i> sp.....	134,000
Pennatae	
<i>Cocconeis</i> sp.....	16,750
<i>Nitzschia seriata</i>	33,500
<i>Nitzschia closterium</i>	3,634,750
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	150,750
<u>PRASINOPHYCEAE</u>	
<i>Tetraselmis</i> sp.....	150,750
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	16,750
<i>Eutreptia</i> sp.....	100,500
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	16,750
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	134,000
<i>Oxytoxum sceptrum</i>	16,750
<i>Oxytoxum</i> sp.....	50,250
<i>Prorocentrum micans</i>	16,750
<i>Prorocentrum triestinum</i>	16,750
<i>Protoperidinium trochoideum</i>	83,750
<i>Protoperidinium</i> sp ₁	385,250
<i>Protoperidinium</i> sp ₃	16,750
Total:.....	6,844,000

Table

Phytoplankton Population Counting

Station 18 - Surface
Date: 8th June 1992 - 08:55 hs
Tide: high

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	2,244,567
<i>Oscillatoria</i> sp ₂	67,002
Não filamentosae	
<i>Synechocystis</i> sp.....	8,306,248
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Leptocylindrus danicus</i>	100,503
<i>Leptocylindrus minimus</i>	33,501
<i>Rhizosolenia delicatula</i>	33,501
<i>Rhizosolenia fragilissima</i>	167,505
<i>Thalassiosira</i> sp.....	3,450,603
Pennatae	
<i>Nitzschia closterium</i>	6,499,194
<i>Nitzschia longissima</i>	67,002
<u>PRASINOPHYCEAE</u>	
<i>Tetraselmis</i> sp.....	2,347,585
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	368,511
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp.....	402,012
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	201,006
<i>Oxytoxum</i> sp.....	33,501
<i>Prorocentrum balticum</i>	33,501
<i>Prorocentrum micans</i>	100,503
<i>Protoperidinium trochoideum</i>	1,139,034
<i>Protoperidinium</i> sp ₁	536,016
<i>Protoperidinium</i> sp ₂	100,503
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	67,002
<i>Cryptomonas</i> sp ₂	100,503
Total:.....	26,901,303

Table

Phytoplankton Population Counting

Station 17 - 5m.
Date: 8th June 1992 - 08:10 hs
Tide: high

Phytoplankton Group

	Numb. Org. /L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
Oscillatoria limnetica.....	670.020
Oscillatoria sp ₁	134.004
Oscillatoria sp ₂	201.006
<u>BACILLARIOPHYCEAE</u>	
<u>Pennatae</u>	
Nitzschia closterium.....	17.487.522
Centri cae	
Skeletonema costatum.....	33.501
<u>CHRYSOPHYCEAE</u>	
<u>Pennatae</u>	
Kephyrion sp.....	134.004
<u>DINOPHYCEAE</u>	
Oxytoxum reticulatum.....	100.503
Oxytoxum sp.....	33.501
Protoperidinium trochoideum.....	134.004
Protoperidinium sp ₁	234.507
Prorocentrum baiticum.....	67.002
Prorocentrum micans.....	33.501
Prorocentrum triestinum.....	33.501
Total:.....	19.295.576

Table

Phytoplankton Population Counting

Station 17 - Surface
Date: 8th June 1992 - 08:10 hs
Tide: high

Phytoplankton Group

	Numb. Org. /L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
Oscillatoria limnetica.....	2.512.575
Oscillatoria sp ₁	33.501
Oscillatoria sp ₂	368.511
Não filamentosas	
Synechocystis sp.....	1.574.567
<u>BACILLARIOPHYCEAE</u>	
Centri cae	
Rhizosolenia delicatula.....	33.501
Skeletonema costatum.....	167.505
Thalassiosira sp.....	234.507
Pennatae	
Nitzschia closterium.....	29.547.882
<u>CHRYSOPHYCEAE</u>	
<u>Pennatae</u>	
Kephyrion sp.....	134.004
<u>CHLOROPHYCEAE</u>	
<u>Volvocales</u>	
<u>PRASINOPHYCEAE</u>	
<u>Pyraminonas</u>	
Pyraminonas sp.....	67.002
<u>CRYPTOPHYCEAE</u>	
<u>Cryptomonas</u>	
Cryptomonas sp ₁	134.004
<u>DIROPHYCEAE</u>	
<u>Oxytoxum</u>	
Oxytoxum reticulatum.....	100.503
Oxytoxum sp.....	67.002
Protoperidinium trochoideum.....	134.004
Protoperidinium sp ₁	167.505
<u>EUGLENOPHYCEAE</u>	
<u>Eutreptia</u>	
Eutreptia sp.....	33.501
Total:.....	35.343.555

Table

Phytoplankton Population Counting

Station 16 - 3, 5m.
Date: 8th June 1992 - 10:05 hs
Tide: high

Phytoplankton Group

Numb.Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosas	904,527
<i>Oscillatoria limnetica</i>	100,503
<i>Oscillatoria</i> sp ₂	
<u>BACILLARIOPHYCEAE</u>	
Centricae Pennatae	33,501
<i>Navicula</i> sp	12,395,370
<i>Nitzschia closterium</i>	33,501
<i>Nitzschia longissima</i>	
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp	134,004
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	33,501
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	234,507
<i>Cryptomonas</i> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	201,006
<i>Oxytoxum sceptorum</i>	33,501
<i>Prorocentrum balticum</i>	67,002
<i>Protoperidinium trochoideum</i>	167,005
Total:	14,371,429

Table

Phytoplankton Population Counting

Station 16 - Surface
Date: 8th June 1992 - 10:05 hs
Tide: high

Phytoplankton Group

Numb.Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosas	1,440,543
<i>Oscillatoria limnetica</i>	33,501
<i>Oscillatoria</i> sp ₁	
Não filamentosas	8,408,751
<i>Synechocystis</i> sp	
<u>BACILLARIOPHYCEAE</u>	
Centricae	67,002
<i>Leptocylinthus danicus</i>	
Pennatae	14,070,420
<i>Nitzschia closterium</i>	
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp	268,008
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	402,012
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp	33,501
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	603,018
<i>Cryptomonas</i> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<i>Prorocentrum balticum</i>	33,501
<i>Protoperidinium cf. steinii</i>	33,501
<i>Protoperidinium trochoideum</i>	268,511
<i>Protoperidinium</i> sp ₁	67,002
<i>Protoperidinium</i> sp ₂	33,501
Total:	25,898,273

Table

Phytoplankton Population Counting

Station 15 - 7M.
Date: 8th June 1992 - 09:30 hs
Tide: high

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	1,189,250
<i>Oscillatoria</i> sp ₁	50,250
<i>Oscillatoria</i> sp ₂	16,750
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Skeletonema costatum</i>	16,750
Pennatae	
<i>Cocconeis</i> sp	16,750
<i>Nitzschia closterium</i>	8,308,000
<i>Nitzschia longissima</i>	16,750
<i>Nitzschia sigma</i>	16,750
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp	167,500
<u>DINOPHYCEAE</u>	
<i>Oxytoxum sceptrum</i>	33,500
<i>Oxytoxum</i> sp	16,750
<i>Protoperidinium</i> sp ₂	33,500
Total:.....	9,382,500

Table

Phytoplankton Population Counting

Station 15 - Surface
Date: 8th June 1992 - 09:30 hs
Tide: high

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	4,958,148
<i>Oscillatoria</i> sp ₁	268,008
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Leptocylindrus minimus</i>	33,501
Pennatae	
<i>Nitzschia closterium</i>	16,180,983
<i>Nitzschia longissima</i>	67,002
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	167,505
<i>Tetraselmis</i> sp	871,026
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptiella marina</i>	33,501
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp	268,008
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	33,501
<i>Proocentrum balticum</i>	33,501
<i>Proocentrum micans</i>	100,503
<i>Protoperidinium divergens</i>	33,501
<i>Protoperidinium trochoideum</i>	1,105,533
<i>Protoperidinium</i> sp ₁	402,012
Total:.....	25,192,752

Table

Phytoplankton Population Counting

Station 14 - 2.5m.
Date: 8th June 1992 - 09:30 hs
Tide: high

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosae</u>	
<i>Oscillatoria limnetica</i>	1,842,555
<i>Oscillatoria</i> sp ₁	67,002
<i>Oscillatoria</i> sp ₂	33,501
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
<i>Rhizosolenia stolterfothii</i>	33,501
<i>Rhizosolenia delicatula</i>	234,507
<i>Skeletonema costatum</i>	67,002
<i>Thalassiosira</i> sp.....	134,004
Pennatae	
<i>Nitzschia closterium</i>	7,638,228
<u>CHRYSOPHYCEAE</u>	
<u>Kephyrion</u>	
<i>Kephyrion</i> sp.....	167,505
Pennatae	
<i>Pyramimonas</i> sp.....	134,004
<i>Tetraselmis</i> sp.....	1,306,539
<u>EUGLEROPHYCEAE</u>	
<i>Eutreptia</i> sp.....	33,501
<i>Eutreptiella marina</i>	134,004
<u>DINOPHYCEAE</u>	
<i>Gymnodinium</i> sp.....	67,002
<i>Oxytoxum reticulatum</i>	268,008
<i>Oxytoxum scepstrum</i>	33,501
<i>Oxytoxum</i> sp.....	100,503
<i>Prorocentrum micans</i>	33,501
<i>Prorocentrum balticum</i>	67,002
<i>Prorocentrum triestinum</i>	33,501
<i>Prorocentrum trochoideum</i>	335,010
<i>Prorocentrum</i> sp.....	435,513
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	167,505
Total:.....	
	13,534,404

Table

Phytoplankton Population Counting

Station 14 - Surface
Date: 8th June 1992 - 09:30 hs
Tide: high

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosae</u>	
<i>Oscillatoria limnetica</i>	2,378,571
<i>Oscillatoria</i> sp ₂	67,002
<u>Non filamentosae</u>	
<i>Synechocystis</i> sp.....	35,712,066
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
<i>Cyclotella</i> sp.....	33,501
<i>Leptocylindrus danicus</i>	469,014
<i>Leptocylindrus minimus</i>	33,501
<i>Rhizosolenia delicatula</i>	234,507
<i>Rhizosolenia fragilissima</i>	536,016
<i>Rhizosolenia stolterfothii</i>	33,501
<i>Skeletonema costatum</i>	33,501
<i>Thalassiosira</i> sp.....	134,004
Pennatae	
<i>Navicula</i> sp.....	33,501
<i>Nitzschia closterium</i>	1,072,032
<i>Nitzschia longissima</i>	33,501
<i>Nitzschia sigma</i>	67,002
<u>CHRYSOPHYCEAE</u>	
<u>Kephyrion</u>	
<i>Kephyrion</i> sp.....	469,014
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia Janowi</i>	67,002
<i>Eutreptia</i> sp.....	67,002
<i>Eutreptiella marina</i>	770,523
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	435,513
<i>Tetraselmis</i> sp.....	6,767,202
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	703,521
<i>Cryptomonas</i> sp ₂	134,004
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	167,505
<i>Oxytoxum</i> sp.....	67,002
<i>Prorocentrum balticum</i>	100,503
<i>Prorocentrum micans</i>	301,509
<i>Prorocentrum trochoideum</i>	435,513
<i>Prorocentrum</i> sp ₁	1,407,042
<i>Prorocentrum</i> sp ₂	167,505
<i>Prorocentrum cf. divergens</i>	33,501
<i>Prorocentrum triestinum</i>	33,501
Total:.....	
	52,990,502

Table

Phytoplankton Population Counting

Station 13 - 1.5 m
Date: 8th June 1992 - 10:10 hs
Tide: high

Phytoplankton Group	Numb. Org. /L
<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosas</u>	
Oscillatoria limnetica.....	1,708,551
Oscillatoria sp1	33,501
Oscillatoria sp2	134,004
Nao filamentosas	
Synecocystis sp	26,934,804
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
Cyclotella sp	234,507
Rhizosolenia delicatula.....	368,511
Rhizosolenia fragilissima.....	301,509
Rhizosolenia stuartii.....	33,501
Leptocylinthus danicus.....	502,515
Gunnardia flaccida.....	33,501
Coscinodiscus cf. radiatus.....	100,503
Thalassiosira sp	33,501
Pennatae	
Cocconeis scutellum.....	33,501
Nitzschia sigma.....	33,501
Nitzschia closterium.....	167,505
Navicula sp	33,501
Navicula lyra.....	33,501
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp	1,036,531
<u>PRASINOPHYCEAE</u>	
Tetraselmis sp	3,819,114
Pyramimonas sp	536,016
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp	201,005
Eutreptella marina.....	1,440,543
<u>DINOPHYCEAE</u>	
Prorocentrum micans.....	33,501
Prorocentrum balticum.....	167,505
Prorocentrum triestinum.....	33,501
Protoperdinium trochoideum.....	134,004
Protoperdinium sp1	536,016
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	1,206,036
Cryptomonas sp2	301,509
Total:.....	40,167,692

Table

Phytoplankton Population Counting

Station 13 - Surface
Date: 8th June 1992 - 10:10 hs
Tide: high

Phytoplankton Group	Numb. Org. /L
<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosas</u>	
Oscillatoria limnetica.....	938,028
Oscillatoria sp2	167,505
Nao filamentosas	
Synecocystis sp	15,912,975
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
Cyclotella sp	402,012
Leptocylinthus danicus.....	469,014
Rhizosolenia delicatula.....	670,020
Rhizosolenia fragilissima.....	234,507
Thalassiosira sp	402,012
Pennatae	
Nitzschia sigma.....	67,002
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp	1,273,038
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	971,529
Tetraselmis sp	3,551,106
<u>EUGLENOPHYCEAE</u>	
Eutreptia lanowi.....	402,012
Eutreptia marina.....	804,024
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	2,412,072
Cryptomonas sp2	904,527
<u>DINOPHYCEAE</u>	
Prorocentrum balticum.....	256,005
Prorocentrum micans.....	67,002
Prorocentrum triestinum.....	33,501
Protoperdinium trochoideum.....	134,004
Protoperdinium sp1	737,022
Protoperdinium sp2	201,006
Total:.....	31,021,926

Table

Phytoplankton Population Counting

Station 12 - 5m
Date: 8th\June\1992 - 08:40 hs
Tide: high

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosas</u>	
<u>Oscillatoria limnetica</u>	4,221,126
<u>Oscillatoria</u> sp ₁	100,503
<u>Oscillatoria</u> sp ₂	100,503
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
<u>Cyclotella</u> sp.....	33,501
<u>Rhizosolenia alata</u>	33,501
<u>Rhizosolenia fragilissima</u>	67,002
<u>Rhizosolenia stoeberloehii</u>	33,501
<u>Thalassiosira</u> sp.....	33,501
<u>Pennatae</u>	
<u>Nitzschia closterium</u>	17,119,011
<u>Nitzschia longissima</u>	67,002
<u>Nitzschia seriata</u>	33,501
<u>Nitzschia sigma</u>	33,501
<u>CHRYSOPHYCEAE</u>	
<u>Kephyrion</u> sp.....	201,006
<u>CHLOROPHYCEAE</u>	
<u>Flagelladas</u>	
<u>Volvocales</u>	67,002
<u>PRASINOPHYCEAE</u>	
<u>Tetraselmis</u> sp.....	67,002
<u>EUGLENOPHYCEAE</u>	
<u>Eutreptia</u> sp.....	33,501
<u>Eutreptella marina</u>	33,501
<u>CRYPTOPHYCEAE</u>	
<u>Cryptomonas</u> sp ₁	100,503
<u>Cryptomonas</u> sp ₂	67,002
<u>DINOPHYCEAE</u>	
<u>Oxytoxum reticulatum</u>	435,513
<u>Oxytoxum septrum</u>	33,501
<u>Oxytoxum</u> sp.....	67,002
<u>Proocentrum balticum</u>	368,511
<u>Proocentrum micans</u>	67,002
<u>Proocentrum triestinum</u>	100,503
<u>Prooperidinium cf. steinii</u>	67,002
<u>Prooperidinium trochoidesum</u>	368,511
<u>Prooperidinium</u> sp ₁	268,006
<u>Prooperidinium</u> sp ₂	33,501
<u>Prooperidinium</u> sp ₃	67,002
	<u>24,521,726</u>

Table

Phytoplankton Population Counting

Station 12 - Surface
Date: 8th\June\1992 - 08:40 hs
Tide: high

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosas</u>	
<u>Oscillatoria limnetica</u>	2,043,561
<u>Oscillatoria</u> sp ₁	234,507
<u>Oscillatoria</u> sp ₂	33,501
<u>Não filamentosas</u>	
<u>Synechocystis</u> sp.....	3,182,595
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
<u>Thalassiosira</u> sp.....	33,501
<u>Pennatae</u>	
<u>Nitzschia closterium</u>	10,095,570
<u>Nitzschia longissima</u>	33,501
<u>CHRYSOPHYCEAE</u>	
<u>Kephyrion</u> sp.....	100,503
<u>PRASINOPHYCEAE</u>	
<u>Pyramimonas</u> sp.....	67,002
<u>Tetraselmis</u> sp.....	134,004
<u>CRYPTOPHYCEAE</u>	
<u>Cryptomonas</u> sp ₁	435,513
<u>Cryptomonas</u> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<u>Oxytoxum reticulatum</u>	201,006
<u>Proocentrum balticum</u>	167,505
<u>Prooperidinium</u> sp ₁	569,517
	<u>15,251,396</u>

Table

Phytoplankton Population Counting

Station 11 - 2.5m
Date: 8th June 1992 - 07:50 hs
Tide: high

Phytoplankton Group Numb. Org. /L

<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	100.503
<i>Oscillatoria</i> sp ₂	435.513
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Cyclotella</i> sp.....	33.501
Pennatae	
<i>Nitzschia closterium</i>	12.093.861
<i>Nitzschia longissima</i>	67.002
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	201.006
<u>DINOPHYCEAE</u>	
<i>Prorocentrum balticum</i>	67.002
Total:.....	12.998.388

Table

Phytoplankton Population Counting

Station 11 - Surface
Date: 8th June 1992 - 07:50 hs
Tide: high

Phytoplankton Group Numb. Org. /L

<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	6.231.186
<i>Oscillatoria</i> sp ₁	402.012
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Leptocylindrus danicus</i>	335.010
<i>Leptocylindrus minimus</i>	402.012
<i>Skeltonema costatum</i>	67.000
<i>Thalassiosira</i> sp.....	1.708.551
Pennatae	
<i>Navicula</i> sp.....	33.501
<i>Nitzschia closterium</i>	15.611.466
<i>Nitzschia longissima</i>	33.501
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	335.010
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	83.750
<i>Tetraselimis</i> sp.....	402.012
<u>DINOPHYCEAE</u>	
<i>Gymnodinium</i> sp.....	33.501
<i>Oxytoxum reticulatum</i>	268.008
<i>Prorocentrum balticum</i>	67.002
<i>Prorocentrum triestinum</i>	33.501
<i>Protoperidinium cf. divergens</i>	67.002
<i>Protoperidinium</i> sp ₁	469.014
<i>Protoperidinium</i> sp ₂	67.000
<i>Protoperidinium</i> sp ₃	100.503
<i>Protoperidinium trochoideum</i>	1.273.036
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp.....	33.501
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	402.012
<i>Cryptomonas</i> sp ₂	33.501
Total:.....	28.710.357

Table

Phytoplankton Population Counting

Station 10 - 5M
Date: 8th June 1992 - 10:05 hs
Tide: high

Phytoplankton Group

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	556.100
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Cyclotella</i> sp.....	13.400
<i>Leptocylinthus danicus</i>	46.900
<i>Leptocylinthus minimus</i>	6.700
<i>Rhizosolenia delicatula</i>	13.400
<i>Rhizosolenia fragilissima</i>	13.400
<i>Skeletonema costatum</i>	6.700
Pennatae	
<i>Nitzschia closterium</i>	2.885.700
<i>Nitzschia longissima</i>	6.700
<i>Nitzschia pungens</i>	20.100
<i>Nitzschia seriata</i>	13.400
<i>Synechra</i> sp.....	6.700
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	67.000
<u>PRASINOPHYCEAE</u>	
<i>Tetraselmis</i> sp.....	33.500
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	13.400
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	6.700
<i>Oxytoxum sceptrum</i>	6.700
<i>Oxytoxum</i> sp.....	6.700
<i>Prorocentrum balticum</i>	13.400
<i>Prorocentrum micans</i>	13.400
<i>Protoperidinium trochoideum</i>	13.400
<i>Protoperidinium</i> sp ₁	33.500
Total:.....	3.396.500

Table

Phytoplankton Population Counting

Station 10 - Surface
Date: 8th June 1992 - 10:05 hs
Tide: high

Phytoplankton Group

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	1.340.040
<i>Oscillatoria</i> sp ₁	33.501
<i>Oscillatoria</i> sp ₂	67.002
<i>Synechocystis</i> sp.....	3.718.611
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Cyclotella</i> sp.....	167.505
<i>Leptocylinthus minimus</i>	33.501
<i>Rhizosolenia delicatula</i>	33.501
<i>Rhizosolenia fragilissima</i>	67.002
<i>Rhizosolenia silietorochii</i>	33.501
<i>Thalassiosira</i> sp.....	167.505
Pennatae	
<i>Nitzschia closterium</i>	10.619.817
<i>Nitzschia longissima</i>	33.501
<i>Nitzschia seriata</i>	536.016
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	67.002
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	335.010
<i>Tetraselmis</i> sp.....	1.708.551
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp.....	100.503
<i>Eutreptiella marina</i>	33.501
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	335.010
<i>Cryptomonas</i> sp ₂	100.503
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	33.501
<i>Prorocentrum balticum</i>	737.022
<i>Prorocentrum triestinum</i>	100.503
<i>Prorocentrum micans</i>	402.012
<i>Protoperidinium trochoideum</i>	536.016
<i>Protoperidinium</i> sp ₁	335.010
<i>Protoperidinium</i> sp ₂	134.004
Total:.....	21.876.153

Table

Phytoplankton Population Counting

Station 9 - 5m
Date: 8th\June\1992 - 09:30 hs
Tide: high

Phytoplankton Group

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica.....	938.028
Oscillatoria sp ₂	134.004
Não filamentosae	
Synecocystis sp.....	2.278.068
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Chaetoceros simplex.....	100.503
Coscinodiscus cf. radiatus.....	67.002
Leptocylinthus danicus.....	1.407.042
Leptocylinthus minimus.....	536.016
Rhizosolenia delicatula.....	67.002
Rhizosolenia fragillissima.....	201.006
Rhizosolenia stohlerii.....	100.503
Thalassiosira sp.....	67.002
Pennatae	
Nitzschia closterium.....	33.501
Nitzschia longissima.....	100.503
Nitzschia torenziana var. subtilis.....	301.509
Nitzschia seriata.....	1.842.555
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp.....	67.002
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp.....	33.501
Tetraselmis sp.....	703.521
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp.....	67.002
Eutreptiella marina.....	33.501
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp ₁	134.004
Cryptomonas sp ₂	201.006
<u>DINOPHYCEAE</u>	
Oxytoxum reticulatum.....	67.002
Oxytoxum szeptium.....	67.002
Oxytoxum sp.....	33.501
Prorocentrum micans.....	33.501
Prorocentrum triestinum.....	67.002
Prorocentrum cf. divergens.....	33.501
Protoperidinium trochoideum.....	67.002
Protoperidinium sp ₁	402.012
Protoperidinium sp ₂	134.004
Total:.....	10.318.308

Table

Phytoplankton Population Counting

Station 9 - Surface
Date: 8th\June\1992 - 09:30 hs
Tide: high

Phytoplankton Group

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica.....	603.018
Oscillatoria sp ₂	234.507
Não filamentosae	
Synecocystis sp.....	19.598.085
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Chaetoceros danicus.....	33.501
Coscinodiscus cf. radiatus.....	33.501
Lycotelella sp.....	167.805
Leptocylinthus danicus.....	737.022
Leptocylinthus minimus.....	268.008
Rhizosolenia delicatula.....	167.505
Rhizosolenia fragillissima.....	435.513
Thalassiosira sp.....	234.507
Pennatae	
Nitzschia closterium.....	67.002
Nitzschia torenziana var. subtilis.....	134.004
Nitzschia seriata.....	737.022
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp.....	100.503
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp.....	33.501
Eutreptiella marina.....	402.012
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp.....	603.018
Tetraselmis sp.....	9.112.272
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp ₁	504.527
Cryptomonas sp ₂	167.505
<u>DINOPHYCEAE</u>	
Protoperidinium trochoideum.....	67.002
Protoperidinium sp ₁	167.505
Protoperidinium sp ₂	33.501
Total:.....	35.042.046

Table

Phytoplankton Population Counting

Station 8 - 2m
Date: 8th June 1992 - 09:05 hs
Tide: high

Phytoplankton Group

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	234,507
Não filamentosae	
<i>Synechocystis</i> sp	12,897,885
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Coscinodiscus</i> cf. <i>radiatus</i>	33,501
<i>Cyclotella</i> sp	67,002
<i>Leptocylindrus danicus</i>	1,541,046
<i>Leptocylindrus minimus</i>	134,004
<i>Rhizosolenia delicatula</i>	167,505
<i>Rhizosolenia fragilissima</i>	201,006
<i>Rhizosolenia stollertsenii</i>	100,503
<i>Skeletonema costatum</i>	33,501
Pennatae	
<i>Nitzschia closterium</i>	100,503
<i>Nitzschia longissima</i>	167,505
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	100,503
<i>Nitzschia seriata</i>	938,028
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp	100,503
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	167,505
<i>Tetraselmis</i> sp	569,517
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	33,501
<i>Eutreptia</i> sp	33,501
<i>Eutreptia marina</i>	33,501
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	234,507
<i>Cryptomonas</i> sp ₂	67,002
<u>DIROPHYCEAE</u>	
<i>Prorocentrum balticum</i>	201,006
<i>Prorocentrum micans</i>	134,004
<i>Prorocentrum triestinum</i>	100,503
<i>Protoperidinium trochoideum</i>	167,505
<i>Protoperidinium</i> sp ₁	67,002
Total:.....	16,794,061

Table

Phytoplankton Population Counting

Station 8 - Surface
Date: 8th June 1992 - 09:05 hs
Tide: high

Phytoplankton Group

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	184,250
<i>Oscillatoria</i> sp ₂	67,000
Não filamentosae	
<i>Synechocystis</i> sp	12,981,715
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Cyclotella</i> sp	33,500
<i>Leptocylindrus danicus</i>	234,500
<i>Leptocylindrus minimus</i>	16,750
<i>Rhizosolenia delicatula</i>	67,000
<i>Rhizosolenia fragilissima</i>	83,750
<i>Thalassiosira</i> sp	33,500
Pennatae	
<i>Nitzschia longissima</i>	50,250
<i>Nitzschia lorenziana</i> var. <i>subtilis</i>	16,750
<i>Nitzschia seriata</i>	318,250
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp	50,250
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	100,500
<i>Tetraselmis</i> sp	284,750
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp	50,250
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	184,250
<i>Cryptomonas</i> sp ₂	83,750
<u>DIROPHYCEAE</u>	
<i>Oxytoxum</i> sp	67,000
<i>Prorocentrum balticum</i>	67,000
<i>Prorocentrum micans</i>	83,750
<i>Protoperidinium trochoideum</i>	33,500
<i>Protoperidinium</i> sp ₁	83,750
Total:.....	15,175,265

Table

Phytoplankton Population Counting

Station 7 - 3m
Date: 8th June 1992 - 08:05 hs
Tide: high

Phytoplankton Group

Numb. Org./L

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
Oscillatoria limnetica	1,775,553
Oscillatoria sp ₁	67,002
Não filamentosas	
Synechocystis sp	2,512,575
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Coscinodiscus nitidus	100,503
Coscinodiscus cf. radiatus	100,503
Cyclotella sp	67,002
Chaetoceros simplex	67,002
Leptocylinthus danicus	1,105,533
Leptocylinthus minimus	167,505
Rhizosolenia dilatata	167,505
Rhizosolenia fragilissima	100,503
Rhizosolenia staltzeri	100,503
Skeletonema costatum	33,501
Pennatae	
Nitzschia closterium	2,948,088
Nitzschia longissima	234,507
Nitzschia seriata	636,519
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp	234,507
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	33,501
Tetraselmis sp	469,014
<u>EUGLENIOPHYCEAE</u>	
Eutreptia sp	100,503
Eutreptella marina	33,501
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp ₁	167,505
<u>DINOPHYCEAE</u>	
Gymnodinium sp	33,501
Oxytoxum reticulatum	100,503
Prorocentrum micans	67,002
Prorocentrum triestinum	100,503
Protoperidinium trochoideum	33,501
Protoperidinium sp ₁	234,507
Protoperidinium sp ₂	167,505
Total: 11,969,857	

Table

Phytoplankton Population Counting

Station 7 - Surface
Date: 8th June 1992 - 08:05 hs
Tide: high

Phytoplankton Group

Numb. Org./L

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
Oscillatoria limnetica	636,519
Oscillatoria sp ₁	33,501
Oscillatoria sp ₂	67,002
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Cyclotella sp	134,004
Leptocylinthus danicus	1,407,042
Leptocylinthus minimus	134,004
Rhizosolenia dilatata	33,501
Rhizosolenia fragilissima	167,505
Rhizosolenia staltzeri	33,501
Skeletonema costatum	33,501
Thalassiosira sp	100,503
Pennatae	
Nitzschia closterium	368,511
Nitzschia longissima	33,501
Nitzschia seriata	636,519
Nitzschia sigma	134,004
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp	100,503
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	201,006
Tetraselmis sp	2,010,060
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp ₁	134,004
Cryptomonas sp ₂	67,002
<u>DINOPHYCEAE</u>	
Gymnodinium sp	33,501
Prorocentrum balticum	636,519
Prorocentrum micans	134,004
Prorocentrum triestinum	67,002
Protoperidinium trochoideum	100,503
Protoperidinium sp ₁	469,014
Protoperidinium sp ₂	167,505
Oxytoxum reticulatum	67,002
Oxytoxum sp	33,501
<u>EUGLENIOPHYCEAE</u>	
Eutreptia sp	167,505
Total: 8,301,740	

Table

Phytoplankton Population Counting

Station 6 - 5m
Date: 8th\June\1992 - 07:10 hs
Tide: high

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica.....	385.250
Oscillatoria sp.....	50.250
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Cyclotella sp.....	33.500
Leptocylindrus danicus.....	67.000
Leptocylindrus minimus.....	50.250
Rhizosolenia fragilissima.....	16.750
Rhizosolenia stohlerii.....	16.750
Skeletonema costatum.....	16.750
Thalassiosira sp.....	16.750
Pennatae	
Navicula sp.....	1.323.250
Nitzschia closterium.....	50.250
Nitzschia longissima.....	50.250
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp.....	134.000
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp.....	16.750
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp.....	16.750
Tetraselmis sp.....	67.000
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp ₂	50.250
<u>DINOPHYCEAE</u>	
Gymnodinium acuminata.....	16.750
Gymnodinium sp.....	16.750
Oxytoxum reticulatum.....	50.250
Oxytoxum sceptrum.....	33.500
Prorocentrum triestinum.....	16.750
Protoperidinium sp ₁	67.000
Total:.....	2.512.500

Table

Phytoplankton Population Counting

Station 6 - Surface
Date: 8th\June\1992 - 07:10 hs
Tide: high

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica.....	1.507.545
Oscillatoria sp.....	167.505
Oscillatoria sp ₂	33.501
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Chaetoceros simplex.....	33.501
Leptocylindrus minimus.....	400.503
Leptocylindrus danicus.....	402.012
Rhizosolenia fragilissima.....	33.501
Rhizosolenia stohlerii.....	100.503
Skeletonema costatum.....	100.503
Pennatae	
Navicula sp.....	33.501
Nitzschia longissima.....	67.002
Nitzschia closterium.....	10.418.811
Nitzschia serrata.....	134.004
<u>CHLOROPHYCEAE</u>	
Flagelladas	
Tetraselmis sp.....	502.515
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp.....	167.505
<u>CHRYSOPHYCEAE</u>	
Kephyrion sp.....	33.501
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp.....	33.501
<u>DINOPHYCEAE</u>	
Prorocentrum micans.....	33.501
Protoperidinium sp ₁	201.006
Protoperidinium balticum.....	201.006
Protoperidinium trochoideum.....	67.002
Oxytoxum reticulatum.....	100.503
Oxytoxum sp.....	33.501
Total:.....	14.505.933

Table

Phytoplankton Population Counting

Station 5 - 5m
Date: 8th/June/1992 - 07:50 hs
Tide: high

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosae</u>	
<i>Oscillatoria limnetica</i>	971,500
<i>Oscillatoria</i> sp1.....	67,000
<i>Oscillatoria</i> sp2.....	16,750
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
<i>Cerataulina bergonii</i>	16,750
<i>Thalassiosira</i> sp.....	16,750
<i>Leptocylindrus minimus</i>	33,500
<i>Leptocylindrus danicus</i>	16,750
<u>Pennatae</u>	
<i>Nitzschia closterium</i>	2,060,250
<i>Nitzschia longissima</i>	33,500
<i>Nitzschia longissima</i>	16,750
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp.....	16,750
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	83,750
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp2.....	33,500
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	100,500
<i>Prorocentrum balticum</i>	117,250
<i>Prorocentrum micans</i>	50,250
<i>Prorocentrum trochoideum</i>	134,000
<i>Prorocentrum micans</i> sp1.....	217,750
<i>Prorocentrum micans</i> sp2.....	67,000
Total:.....	4,422,000

Table

Phytoplankton Population Counting

Station 5 - Surface
Date: 8th/June/1992 - 07:50 hs
Tide: high

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosae</u>	
<i>Oscillatoria limnetica</i>	1,306,500
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
<i>Coscinodiscus cf. centralis</i>	16,750
<i>Cyclotella</i> sp.....	33,500
<i>Leptocylindrus danicus</i>	50,250
<i>Nitzschia longissima</i>	16,750
<i>Nitzschia longissima</i>	67,000
<u>Pennatae</u>	
<i>Nitzschia closterium</i>	2,177,500
<i>Nitzschia longissima</i>	16,750
<i>Nitzschia seriata</i>	100,500
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	67,000
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	33,500
<i>Tetraselmis</i> sp.....	586,250
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp1.....	50,250
<i>Cryptomonas</i> sp2.....	100,500
<u>DINOPHYCEAE</u>	
<i>Gymnodinium</i> sp.....	16,750
<i>Oxytoxum reticulatum</i>	16,750
<i>Prorocentrum balticum</i>	368,500
<i>Prorocentrum micans</i>	16,750
<i>Prorocentrum trochoideum</i>	234,500
<i>Prorocentrum micans</i> sp1.....	318,250
Total:.....	5,594,500

Table

Phytoplankton Population Counting

Station 4 - 3m
Date: 8th\June\1992 - 08:20 hs
Tide: high

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	1,172,500
<i>Oscillatoria</i> sp.	33,500
<i>Oscillatoria</i> sp2	50,250
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros</i> sp.	167,500
<i>Lycoteila</i> sp	16,750
<i>Skeletonema costatum</i>	67,000
<i>Lepocylindrus danicus</i>	67,000
<i>Lepocylindrus minimus</i>	33,500
<i>Rhizosolenia delicatula</i>	33,500
Pennatae	
<i>Cocconeis</i> sp	16,750
<i>Nitzschia closterium</i>	653,250
<i>Nitzschia sigma</i>	50,250
<i>Nitzschia serrata</i>	100,500
<i>Nitzschia longissima</i>	16,750
<i>Synedra</i> sp	16,750
<u>PRASINOPHYCEAE</u>	
<i>Kephyrion</i> sp	16,750
<i>tetraselmis</i> sp	117,250
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp	50,250
<i>Eutreptella marina</i>	16,750
<u>DINOPHYCEAE</u>	
<i>Prorocentrum balticum</i>	201,000
<i>Protoperdinium trochoideum</i>	117,250
<i>Prorocentrum triestinum</i>	167,500
<i>Prorocentrum micans</i>	167,500
<i>Protoperdinium cf. steinii</i>	16,750
<i>Protoperdinium</i> sp	351,750
<i>Oxytoxum reticulatum</i>	117,250
<i>Oxytoxum scepentum</i>	16,750
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp1	16,750
<i>Cryptomonas</i> sp2	16,750
Total:.....	3,065,000

Table

Phytoplankton Population Counting

Station 4 - Surface
Date: 8th\June\1992 - 08:00 hs
Tide: high

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	636,519
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros affinis</i>	33,501
<i>Chaetoceros simplex</i>	134,004
<i>Lycoteila</i> sp	67,002
<i>Lepocylindrus danicus</i>	134,004
<i>Rhizosolenia delicatula</i>	33,501
<i>Rhizosolenia stoefferothii</i>	33,501
<i>Skeletonema costatum</i>	33,501
Pennatae	
<i>Nitzschia longissima</i>	67,002
<i>Nitzschia closterium</i>	301,509
<i>Nitzschia serrata</i>	100,503
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	33,501
<i>Tetraselmis</i> sp	2,043,561
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp	67,002
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp1	67,002
<i>Cryptomonas</i> sp2	100,503
<u>DINOPHYCEAE</u>	
<i>Gymnodinium</i> sp	67,002
<i>Oxytoxum reticulatum</i>	67,002
<i>Prorocentrum balticum</i>	770,523
<i>Prorocentrum triestinum</i>	368,511
<i>Protoperdinium trochoideum</i>	670,020
<i>Protoperdinium</i> sp1	100,503
<i>Protoperdinium</i> sp2	33,501
Total:.....	5,963,176

Table

Phytoplankton Population Counting

Station 3 - 5m
Date: 8th June 1992 - 09:20 hs
Tide: high

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica	658.853
Oscillatoria sp1	22.334
Oscillatoria sp2	44.668
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Chaetoceros danicus	11.167
Coscinodiscus granii	11.167
Cyclotella sp	44.668
Leptocylinthus minimus	22.334
Leptocylinthus danicus	11.167
Rhizosolenia delicatula	22.334
Rhizosolenia stouteri	11.167
Pennatae	
Nitzschia seriata	55.835
Nitzschia lorenziana var. subtilis	11.167
Nitzschia sigma	44.668
Nitzschia pungens	11.167
Nitzschia closterium	402.012
Nitzschia longissima	22.334
<u>CHLOROPHYCEAE</u>	
Flagelladas	
Chlamydomonas sp	22.334
Tetraselmis sp	234.507
<u>PRASINOPHYCEAE</u>	
Kephyrion sp	44.668
<u>DINOPHYCEAE</u>	
Prorocentrum balticum	111.670
Prorocentrum triestinum	11.167
Prorocentrum balticum	111.670
Prorocentrum micans	11.167
Prorocentrum steinii	33.501
Prorocentrum sp1	100.503
Prorocentrum sp2	11.167
Oxytoxum reticulatum	55.835
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp2	44.668
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp	11.167
Total:.....	
	2.110.563

Table

Phytoplankton Population Counting

Station 3 - Surface
Date: 8th June 1992 - 09:20 hs
Tide: high

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica	1.507.545
Oscillatoria sp1	33.501
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Cyclotella sp	67.002
Chaetoceros danicus	33.501
Leptocylinthus minimus	100.503
Leptocylinthus danicus	67.002
Rhizosolenia delicatula	33.501
Rhizosolenia fragillissima	33.501
Rhizosolenia stouteri	33.501
Skeletonema costatum	33.501
Thalassiosira sp	33.501
Pennatae	
Nitzschia longissima	67.002
Nitzschia seriata	167.505
Nitzschia closterium	4.120.623
Pleurosigma normanii	33.501
<u>CHRYSTOPHYCEAE</u>	
Kephyrion sp	268.008
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	134.004
Tetraselmis sp	1.072.032
<u>EUGLENOPHYCEAE</u>	
Eutreptia marina	67.002
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	335.010
Cryptomonas sp2	33.501
<u>DINOPHYCEAE</u>	
Oxytoxum sceptrum	33.501
Oxytoxum reticulatum	33.501
Prorocentrum trochoideum	100.503
Prorocentrum sp1	134.004
Prorocentrum sp2	33.501
Prorocentrum sp3	100.503
Prorocentrum balticum	234.507
Total:.....	
	8.944.767

Table

Phytoplankton Population Counting

Station 2 - 5m
Date: 8th June 1992 - 10:00 hs
Tide: high

Phytoplankton Group

Numb. Org./L

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<u>Oscillatoria limnetica</u>	214,400
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Chaetoceros sp	10,050
Cerataulina bergonii	6,700
Guinardia flaccida	13,400
Hemidius haeckli	3,350
Leptocylindrus danicus	3,350
Leptocylindrus minimus	6,700
Malassiosira sp	3,350
Rhizosolenia delicatula	6,700
Skeletonema costatum	16,750
Rhizosolenia setigera	3,350
Pennatae	
Coconeis sp	3,350
Nitzschia longissima	23,450
Nitzschia closterium	144,050
Nitzschia lorenziana var. subtilis	3,350
Nitzschia seriata	30,150
Synedra sp	6,700
<u>PRASINOPHYCEAE</u>	
Tetraselmis sp	56,950
Pyramimonas sp	6,700
<u>CHRYSTOPHYCEAE</u>	
Kephyrion sp	23,450
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp ₁	33,500
Cryptomonas sp ₂	10,050
<u>DINOPHYCEAE</u>	
Gymnodinium sp	3,350
Oxytoxum reticulatum	6,700
Oxytoxum sp	3,350
Protoperdinium trochoideum	50,250
Protoperdinium sp ₁	20,100
Proocentrum trestatum	3,350
Proocentrum micans	3,350
Proocentrum balticum	50,250
Proocentrum compressum	3,350
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp	3,350
Total:	777,200

Table

Phytoplankton Population Counting

Station 2 ~ Surface
Date: 8th June 1992 - 10:00 hs
Tide: high

Phytoplankton Group

Numb. Org./L

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<u>Oscillatoria limnetica</u>	207,700
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Biddulphia mobilensis	20,100
Chaetoceros danicus	26,800
Cyclotella sp	6,700
Cerataulina bergonii	6,700
Leptocylindrus danicus	20,100
Leptocylindrus minimus	6,700
Rhizosolenia setigera	6,700
Rhizosolenia stouterforhii	26,800
Rhizosolenia fragilissima	40,200
Rhizosolenia delicatula	6,700
Pennatae	
Nitzschia longissima	13,400
Nitzschia seriata	6,700
Nitzschia closterium	121,100
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	13,400
Tetraselmis sp	140,700
<u>CHRYSTOPHYCEAE</u>	
Kephyrion sp	6,700
<u>DINOPHYCEAE</u>	
Gymnodinium sp	6,700
Proocentrum balticum	46,900
Protoperdinium sp ₁	93,800
Protoperdinium sp ₂	6,700
Oxytoxum reticulatum	6,700
Total:	567,900

Table

Phytoplankton Population Counting

Station 1 - 5m
Date: 8th/June/1992 - 11:05 hs
Tide: high

Phytoplankton Group

Numb.Org./L

<u>DINOPHYCEAE</u>	
Dinophysis acuminata.....	3,350
Oxytoxum sp.....	3,350
Prorocentrum balticum.....	16,750
Prorocentrum micans.....	3,350
Prorocentrum rostratum.....	3,350
Protoperidinium cf. steinii.....	3,350
Protoperidinium trochoideum.....	6,700
Protoperidinium sp.....	6,700
Protoperidinium sp ₃	3,350
<u>SILICOFLAGELADOS</u>	
Dictyocha fibula.....	6,700
Total.....	773,850

Table

Phytoplankton Population Counting

Station 1 - 5m
Date: 8th/June/1992 - 11:05 hs
Tide: high

Phytoplankton Group

Numb.Org./L

<u>NOSTOCOPHYCEAE</u>	
<u>Filamentosae</u>	
Oscillatoria limnetica.....	120,600
<u>BACILLARIOPHYCEAE</u>	
<u>Centricae</u>	
Bacteriastrium hyalinum.....	3,350
Brodiphia mobilensis.....	16,750
Lerautina bergonii.....	10,050
Chaetoceros brevis.....	13,400
Chaetoceros compressus.....	3,350
Chaetoceros curvisetus.....	3,350
Chaetoceros decipiens.....	3,350
Chaetoceros lorenzianus.....	80,400
Guinardia flaccida.....	3,350
Hemiaulus hauckii.....	3,350
Hemiaulus stinensis.....	77,050
Leptocylindrus danicus.....	20,100
Leptocylindrus minimus.....	3,350
Rhizosolenia alata.....	46,900
Rhizosolenia delicatula.....	3,350
Rhizosolenia fragilissima.....	46,900
Rhizosolenia setigera.....	36,850
Rhizosolenia stouteri.....	13,400
Skeletonema costatum.....	3,350
Thalassiosira rotula.....	3,350
Thalassiosira subtilis.....	3,350
<u>Pennatae</u>	
Amphora marina.....	3,350
Asterionella japonica.....	10,050
Navicula sp.....	3,350
Nitzschia closterium.....	20,100
Nitzschia delicatissima.....	33,500
Nitzschia longissima.....	10,050
Nitzschia pungens.....	43,550
Nitzschia seriata.....	43,550
Pleurosigma normanii.....	3,350
Synedra sp.....	10,050
Thalassionema nitzschoides.....	6,700
Thalassiosira frauenfeldii.....	10,050

Phytoplankton Population Counting

Station 1 - Surface
Date: 8th/June/1992 - 11:05 hs
Tide: high

Phytoplankton Group	Numb. Org. / L
<u>NOSTOPOHYCEAE (Cyanoficeas)</u>	
Filamentosas	
Oscillatoria limnetica.....	87,100
<u>BACILLARIOPHYCEAE (Diatomáceas)</u>	
Centricae	
Siddulphia mobilensis.....	6,700
Lerataulina bergonii.....	26,800
Chaetoceros brevis.....	33,500
Chaetoceros compressus.....	26,800
Chaetoceros curvisetus.....	6,700
Chaetoceros danicus.....	26,800
Chaetoceros lorenzianus.....	33,500
Chaetoceros peruvianus.....	6,700
Loretinon criophyllum.....	13,400
Lyclozella sp.....	6,700
Pematulus hauckii.....	26,800
Pematulus sinensis.....	6,700
Leptocylindrus danicus.....	160,800
Leptocylindrus minimus.....	20,100
Rhizosolenia alata f. indica.....	6,700
Rhizosolenia delicatula.....	13,400
Rhizosolenia fragillissima.....	26,800
Rhizosolenia setigera.....	134,000
Rhizosolenia sirubolei.....	6,700
Rhizosolenia stouteri f. thii.....	26,800
Skeletonema costatum.....	33,500
<u>Pennatae</u>	
Amphora marina.....	6,700
Asterionella japonica.....	6,700
Havicula sp.....	6,700
Kitschka closterium.....	6,700
Kitschka delicatissima.....	33,500
Kitschka purgens.....	73,700
Kitschka seriata.....	40,200
Kitschka sigma.....	13,400
Thalassiosira frauenfeldii.....	13,400
<u>CHLOROPHYCEAE</u>	
Flagelladas	
Chlamydomonas sp.....	6,700
<u>DINOPHYCEAE (Dinoflagelados)</u>	
Gymnodinium sp.....	6,700
Prorocentrum sp.....	13,400
Total:.....	964,300

APPENDIX 7. 1-3

PHYTOPLANKTON COMMUNITY

TABLE APP.7.1-3

Results of classification and quantification
of phytoplankton samples collected during
second phase simultaneous survey.

(November / 1992)

Table

Phytoplankton Population Counting

Station 1 - Surface
Date: 10th \ november \ 1992 - 08:30 hs
Tide: low

Phytoplankton Group

Numb. Org./L

NOSTOCOPHYCEAE	
Filamentosas	
<u>Trichodesmium</u> sp	1.675
Não filamentosas	
<u>Synechocystis</u> sp	1.557.750
PRASINOPHYCEAE	
<u>Pyramimonas</u> sp	8.375
BACILLARIOPHYCEAE	
Pennatae	
<u>Navicula</u> sp	1.675
<u>Nitzschia closterium</u>	21.775
<u>Syneora</u> sp	1.675
Centricae	
<u>Thalassiosira</u> sp	1.675
DINOPHYCEAE	
<u>Prorocentrum balticum</u>	36.850
<u>Prorocentrum micans</u>	18.425
<u>Prorocentrum triestinum</u>	23.450
<u>Protoperidinium trochoideum</u>	5.025
<u>Protoperidinium</u> sp ₁	18.425
<u>Protoperidinium</u> sp ₃	1.675
Total:.....	1.698.450

Table

Phytoplankton Population Counting

Station 1 - 5m
Date: 10th \ november \ 1992 - 08:30 hs
Tide: low

Phytoplankton Group

Numb. Org./L

NOSTOCOPHYCEAE	
Filamentosas	
<u>Oscillatoria</u> sp ₃	1.116
Não filamentosas	
<u>Synechocystis</u> sp	2.036.750
BACILLARIOPHYCEAE	
Centricae	
<u>Rhizosolenia stouterfothii</u>	1.116
<u>Leptocylinthus danicus</u>	1.116
<u>Chaetoceros peruvianus</u>	1.116
Pennatae	
<u>Não identificados</u>	1.116
<u>Nitzschia closterium</u>	1.116
<u>NITZSCHIE LONGISSIMA</u>	1.116
SILICOFLAGELADOS	
<u>Dictyocha fibula</u>	1.116
PRASINOPHYCEAE	
<u>Pyramimonas</u> sp	7.812
DINOPHYCEAE	
<u>Oxytoxum</u> sp	1.116
<u>Prorocentrum balticum</u>	29.016
<u>Prorocentrum micans</u>	4.464
<u>Prorocentrum triestinum</u>	14.508
<u>Protoperidinium trochoideum</u>	2.232
<u>Protoperidinium</u> sp ₁	4.464
<u>Protoperidinium</u> sp ₂	1.116
CRYPTOPHYCEAE	
<u>Cryptomonas</u> sp ₁	3.348
<u>Cryptomonas</u> sp ₂	1.116
Total:.....	2.104.870

Table

Phytoplankton Population Counting

Station 2 - Surface
Date: 10th November \ 1992 - 10:00 hs
Tide: low

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
Oscillatoria limnetica	6,566,196
Oscillatoria sp1	201,006
Oscillatoria sp2	1,507,545
Não filamentosas	
Synechocystis sp	6,968,208
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Skeletonema costatum	234,507
Thalassiosira sp	402,012
<u>EUGLENOPHYCEAE</u>	
Eutreptia lanowii	100,503
Eutreptia sp	100,503
Eutreptiella marina	536,519
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	502,515
Tetraselmis sp	871,026
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	2,110,563
<u>DINOPHYCEAE</u>	
Prorocentrum balticum	33,501
Protoperidinium sp1	33,501
Total:	20,258,105

Table

Phytoplankton Population Counting

Station 2 - 5m
Date: 10th November \ 1992 - 10:00 hs
Tide: low

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
Oscillatoria limnetica	1,356,750
Oscillatoria sp1	67,000
Oscillatoria sp2	402,000
Não filamentosas	
Synechocystis sp	4,438,750
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Cyclotella sp	16,750
Skeletonema costatum	33,500
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	100,500
Tetraselmis sp	83,750
<u>CRYPTOPHYCEAE</u>	
Kephyrion sp	33,500
<u>EUGLENOPHYCEAE</u>	
Eutreptia lanowii	16,750
Eutreptiella marina	83,750
<u>DINOPHYCEAE</u>	
Protoperidinium trochoideum	33,500
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	1,055,250
Total:	7,721,750

Table

Phytoplankton Population Counting

Station 3 - Surface
Date: 10th \ november \ 1992 - 11:00 hs
Tide: low

Phytoplankton Group

Phytoplankton Group

Numb.Org./L

NOSTOCOPHYCEAE

Filamentosas	8.710.260
<i>Oscillatoria limnetica</i>	301.509
<i>Oscillatoria</i> sp ₁	1.909.557
<i>Oscillatoria</i> sp ₂	
Não filamentosas	11.926.356
<i>Synechocystis</i> sp.....	

BACILLARIOPHYCEAE

Centricae	9.246.276
<i>Thalassiosira</i> sp.....	268.008
<i>Skeletonema costatum</i>	

PRASINOPHYCEAE

<i>Pyramimonas</i> sp.....	904.527
<i>Tetraselmis</i> sp.....	3.953.118

EUGLENOPHYCEAE

<i>Eutreptia lanowii</i>	435.513
<i>Eutreptia</i> sp.....	100.503
<i>Eutreptiella marina</i>	569.517

DINOPHYCEAE

<i>Oxytoxum reticulatum</i>	201.006
<i>Prorocentrum balticum</i>	100.503
<i>Prorocentrum micans</i>	100.503
<i>Protoperidinium diversens</i>	33.501
<i>Protoperidinium trochoideum</i>	301.509
<i>Protoperidinium</i> sp ₁	33.501
<i>Protoperidinium</i> sp ₂	268.008

CRYPTOPHYCEAE

<i>Cryptomonas</i> sp ₁	6.164.184
<i>Cryptomonas</i> sp ₂	33.501
Total:.....	45.561.360

Table

Phytoplankton Population Counting

Station 3 - 5m
Date: 10th \ november \ 1992 - 11:00 hs
Tide: low

Phytoplankton Group

Phytoplankton Group

Numb.Org./L

NOSTOCOPHYCEAE

Filamentosas	4.824.144
<i>Oscillatoria</i> sp.....	938.028
<i>Oscillatoria</i> sp ₂	
Não filamentosas	5.795.673
<i>Synechocystis</i> sp.....	

BACILLARIOPHYCEAE

Centricae	33.501
<i>Coscinodiscus radiatus</i>	167.505
<i>Skeletonema costatum</i>	
<i>Thalassiosira</i> sp.....	301.509

Pennatae

<i>Synedra</i> sp.....	33.501
------------------------	--------

EUGLENOPHYCEAE

<i>Eutreptiella marina</i>	100.503
----------------------------------	---------

PRASINOPHYCEAE

<i>Pyramimonas</i> sp.....	167.505
<i>Tetraselmis</i> sp.....	33.501

CHRYSOPHYCEAE

<i>Kephyrion</i> sp.....	33.501
--------------------------	--------

DINOPHYCEAE

<i>Protoperidinium</i> sp ₁	33.501
<i>Protoperidinium trochoideum</i>	33.501

CRYPTOPHYCEAE

<i>Cryptomonas</i> sp ₁	1.005.030
<i>Cryptomonas</i> sp ₂	33.501

13 534 674

Table

Phytoplankton Population Counting

Station 4 - Surface
Date: 10th \ november \ 1992 - 11:00 hs
Tide: low

Phytoplankton Group

Numb.Org./L

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	8.040.240
<i>Oscillatoria</i> sp ₁	201.006
<i>Oscillatoria</i> sp ₂	938.028
Não filamentosas	
<i>Synechocystis</i> sp	8.408.751
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Leptocylinthus minimus</i>	33.501
<i>Skeletonema costatum</i>	167.505
<i>Thalassiosira</i> sp	2.814.084
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	1.474.044
<i>Tetraselimis</i> sp	5.594.667
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	167.505
<i>Eutreptiella marina</i>	1.239.537
<i>Eutreptia</i> sp	134.004
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	201.006
<i>Proocentrum balticum</i>	33.501
<i>Proocentrum micans</i>	100.503
<i>Protoperiadinium trochoideum</i>	100.503
<i>Protoperiadinium</i> sp ₂	234.507
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	5.460.663
<i>Cryptomonas</i> sp ₂	33.501

Table

Phytoplankton Population Counting

Station 4 - 3m
Date: 10th \ november \ 1992 - 11:00 hs
Tide: low

Phytoplankton Group

Numb.Org./L

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	5.695.170
<i>Oscillatoria</i> sp ₁	100.503
<i>Oscillatoria</i> sp ₂	1.507.545
Não filamentosas	
<i>Synechocystis</i> sp	12.261.366
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Skeletonema costatum</i>	134.004
<i>Thalassiosira</i> sp	368.511
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	33.501
<i>Eutreptia</i> sp	67.002
<i>Eutreptiella marina</i>	134.004
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	201.006
<i>Tetraselimis</i> sp	603.018
<u>CHLOROPHYCEAE</u>	
<i>Chlamydomonas</i> sp	201.006
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	1.909.557
<i>Cryptomonas</i> sp ₂	33.501
<u>DINOPHYCEAE</u>	
<i>Proocentrum micans</i>	33.501
<i>Protoperiadinium trochoideum</i>	33.501
<i>Protoperiadinium</i> sp ₁	134.004
<i>Protoperiadinium</i> sp ₂	33.501

Table

Phytoplankton Population Counting

Station 5 - Surface
Date: 10th November 1992 - 11:45 hs
Tide: low

Phytoplankton Group

Numb.Org./L

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	9,045,270
<i>Oscillatoria</i> sp ₁	234,507
<i>Oscillatoria</i> sp ₂	1,105,533
Não filamentosas	
<i>Synechocystis</i> sp	10,418,811
<u>BACILLARIOPHYCEAE</u>	
Centri cae	
<i>Cyclotella</i> sp	33,501
<i>Leptocylindrus danicus</i>	33,501
<i>Skeletonema costatum</i>	234,507
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	33,501
<i>Eutreptia</i> sp	33,501
<i>Eutreptiella marina</i>	368,511
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	435,513
<i>Tetraselmis</i> sp	804,024
<u>CHLOROPHYCEAE</u>	
<i>Chlamydomonas</i> sp	301,509
<u>DINOPHYCEAE</u>	
<i>Prorocentrum balticum</i>	33,501
<i>Prorocentrum triestinum</i>	67,002
<i>Protoperidinium trochoideum</i>	167,505
<i>Protoperidinium</i> sp ₁	234,507
<i>Protoperidinium</i> sp ₂	33,501
<i>Protoperidinium</i> sp ₃	33,501
<i>Oxytoxum reticulatum</i>	100,503
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	3,852,615
<i>Cryptomonas</i> sp	134,004

Table

Phytoplankton Population Counting

Station 5 - 5m
Date: 10th November 1992 - 11:45 hs
Tide: low

Phytoplankton Group

Numb.Org./L

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	8,710,260
<i>Oscillatoria</i> sp ₁	33,501
<i>Oscillatoria</i> sp ₂	1,775,533
Não filamentosas	
<i>Synechocystis</i> sp	17,822,532
<u>BACILLARIOPHYCEAE</u>	
Centri cae	
<i>Skeletonema costatum</i>	167,505
Pennatae	
<i>Coconeis</i> sp	33,501
<i>Nitzschia closterium</i>	33,501
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptiella marina</i>	134,004
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	33,501
<i>Tetraselmis</i> sp	67,002
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	1,440,543
<i>Cryptomonas</i> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	33,501
<i>Protoperidinium trochoideum</i>	33,501
<i>Protoperidinium</i> sp ₁	201,006
<u>CHLOROPHYCEAE</u>	
<i>Chlamydomonas</i> sp	234,507
Total:.....	30,787,419

Table

Phytoplankton Population Counting

Station 6 - Surface
Date: 10th November \ 1992 - 08:10 hs
Tide: low

Phytoplankton Group

Numb.Org./L

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	15.466.295
<i>Oscillatoria</i> sp ₁	55.835
<i>Oscillatoria</i> sp ₂	167.505
Não filamentosas	
<i>Synechocystis</i> sp	10.441.145
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Skeletonema costatum</i>	502.515
<i>Thalassiosira</i> sp	2.735.915
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowi</i>	446.680
<i>Eutreptia</i> sp	223.340
<i>Eutreptiella marina</i>	1.507.545
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	670.020
<i>Tetraselmis</i> sp	25.349.090
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	725.855
<i>Protoperidinium trochoideum</i>	1.005.030
<i>Protoperidinium</i> sp ₂	55.835
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	3.852.615
Total:.....	63.205.220

Table

Phytoplankton Population Counting

Station 6 - 5m
Date: 10th November \ 1992 - 08:10 hs
Tide: low

Phytoplankton Group

Numb.Org./L

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	8.509.254
<i>Oscillatoria</i> sp ₁	33.501
<i>Oscillatoria</i> sp ₂	2.278.068
Não filamentosas	
<i>Synechocystis</i> sp	8.475.753
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Chaetoceros decipiens</i>	33.501
<i>Leptocylinidrus danicus</i>	33.501
<i>Skeletonema costatum</i>	301.509
<i>Thalassiosira</i> sp	134.004
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptiella marina</i>	301.509
<u>CHLOROPHYCEAE</u>	
<i>Chlamydomonas</i> sp	703.521
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	134.004
<i>Tetraselmis</i> sp	435.513
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	703.521
<i>Cryptomonas</i> sp ₂	33.501
<u>DINOPHYCEAE</u>	
<i>Oxytoxum scepstrum</i>	67.002
<i>Oxytoxum reticulatum</i>	67.002
<i>Oxytoxum</i> sp	33.501
<i>Proocentrum micans</i>	100.503
<i>Protoperidinium trochoideum</i>	167.505
<i>Protoperidinium</i> sp ₁	402.012
<i>Protoperidinium</i> sp ₂	67.002

Table

Phytoplankton Population Counting

Station 6 - 5m
Date: 10th \ november \ 1992 - 14:30 hs
Tide: low

Phytoplankton Group

Numb. Org. /L

Phytoplankton Group	Numb. Org. /L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	7.370.220
<i>Oscillatoria limnetica</i>	33.501
<i>Oscillatoria</i> sp ₁	1.541.046
<i>Oscillatoria</i> sp ₂	
Não filamentosas	3.752.112
<i>Synechocystis</i> sp.....	
<u>BACILLARIOPHYCEAE</u>	
Centricae	268.008
<i>Skeletonema costatum</i>	703.521
<i>Thalassiosira</i> sp.....	
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptiella marina</i>	402.012
<i>Eutreptia</i> sp.....	33.501
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	33.501
<i>Tetraselelmis</i> sp.....	770.523
<u>CHLOROPHYCEAE</u>	
<i>Chlamydomonas</i> sp.....	368.511
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	1.239.537
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	100.503
<i>Protoperidinium trochoideum</i>	33.501
<i>Protoperidinium</i> sp ₁	134.004
<i>Protoperidinium</i> sp ₂	100.503
<i>Proocentrum balticum</i>	67.002
Total:.....	16.951.506

Table

Phytoplankton Population Counting

Station 7 - Surface
Date: 10th \ november \ 1992 - 09:50 hs
Tide: low

Phytoplankton Group

Numb. Org. /L

Phytoplankton Group	Numb. Org. /L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	6.365.190
<i>Oscillatoria limnetica</i>	949.195
<i>Oscillatoria</i> sp ₂	
Não filamentosas	13.958.750
<i>Synechocystis</i> sp.....	
<u>CHRYSOPHYCEAE</u>	
<i>Kephyrion</i> sp.....	55.835
<u>BACILLARIOPHYCEAE</u>	
Centricae	111.670
<i>Skeletonema costatum</i>	279.175
<i>Thalassiosira</i> sp.....	
<u>PRASINOPHYCEAE</u>	
<i>Tetraselelmis</i> sp.....	9.882.795
<i>Pyramimonas</i> sp.....	614.185
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowi</i>	4.890.140
<i>Eutreptia</i> sp.....	1.005.030
<i>Eutreptiella marina</i>	11.111.165
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	3.629.275
<i>Cryptomonas</i> sp ₂	111.670
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	111.670
<i>Protoperidinium trochoideum</i>	335.010
<i>Protoperidinium</i> cf. <i>steinii</i>	55.835
<i>Protoperidinium</i> sp ₁	1.228.370
<i>Protoperidinium</i> sp ₂	1.451.710
<i>Proocentrum balticum</i>	167.505
<i>Proocentrum micans</i>	614.185
<i>Proocentrum triestinum</i>	55.835

Table

Phytoplankton Population Counting

Station 7 - 3m
Date: 10th November 1992 - 09:50 hs
Tide: low

Phytoplankton Group

Numb. Org. /L

NOSTOCOPHYCEAE	
Filamentosas	
<i>Oscillatoria limnetica</i>	5,092,152
<i>Oscillatoria</i> sp ₁	33,501
<i>Oscillatoria</i> sp ₂	1,306,539
Não filamentosas	
<i>Synechocystis</i> sp.....	11,068,831
BACILLARIOPHYCEAE	
Centricae	
<i>Leptocylindrus danicus</i>	33,501
<i>Skeletonema costatum</i>	134,004
<i>Thalassiosira</i> sp.....	134,004
EUGLENOPHYCEAE	
<i>Eutreptia lanowii</i>	234,507
<i>Eutreptiella marina</i>	1,474,044
PRASINOPHYCEAE	
<i>Pyramimonas</i> sp.....	201,006
<i>Tetraselmis</i> sp.....	368,511
CRYPTOPHYCEAE	
<i>Cryptomonas</i> sp ₁	770,523
<i>Cryptomonas</i> sp ₂	201,006
DINOPHYCEAE	
<i>Oxytoxum reticulatum</i>	201,006
<i>Oxytoxum</i> sp.....	167,505
<i>Prorocentrum balticum</i>	33,501
<i>Prorocentrum micans</i>	134,004
<i>Protoperidinium trochoideum</i>	335,010
<i>Protoperidinium</i> sp ₁	636,519
<i>Protoperidinium</i> sp ₂	134,004
Total:.....	22,713,678

Table

Phytoplankton Population Counting

Station 7 - 3m
Date: 10th November 1992 - 16:50 hs
Tide: low

Phytoplankton Group

Numb. Org. /L

NOSTOCOPHYCEAE	
Filamentosas	
<i>Oscillatoria limnetica</i>	4,790,643
<i>Oscillatoria</i> sp ₂	2,110,563
Não filamentosas	
<i>Synechocystis</i> sp.....	4,656,639
BACILLARIOPHYCEAE	
Centricae	
<i>Skeletonema costatum</i>	301,509
<i>Thalassiosira</i> sp.....	100,503
EUGLENOPHYCEAE	
<i>Eutreptia lanowii</i>	268,008
<i>Eutreptiella marina</i>	1,105,533
PRASINOPHYCEAE	
<i>Pyramimonas</i> sp.....	335,010
<i>Tetraselmis</i> sp.....	167,505
CRYPTOPHYCEAE	
<i>Cryptomonas</i> sp ₁	268,008
<i>Cryptomonas</i> sp ₂	100,503
DINOPHYCEAE	
<i>Prorocentrum balticum</i>	67,002
<i>Prorocentrum micans</i>	134,004
<i>Prorocentrum triestinum</i>	67,002
<i>Protoperidinium cf. steinii</i>	33,501
<i>Protoperidinium</i> sp ₁	201,006
<i>Protoperidinium</i> sp ₂	201,006
<i>Protoperidinium</i> sp ₃	33,501
Total:.....	14,941,446

Table

Phytoplankton Population Counting

Station 8 - Surface
Date: 10th November \ 1992 - 11:00 hs
Tide: low

Phytoplankton Group

Numb. Org./L

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	737.022
<i>Oscillatoria</i> sp ₂	3.383.601
Não filamentosas	
<i>Synechocystis</i> sp.....	12.495.873
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Cyclotella</i> sp.....	67.002
<i>Thalassiosira</i> sp.....	469.014
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	2.981.569
<i>Eutreptia</i> sp.....	167.505
<i>Eutreptiella marina</i>	5.996.679
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	1.407.042
<i>Tetraselmis</i> sp.....	502.515
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	14.539.434
<i>Cryptomonas</i> sp ₂	1.440.543
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	268.008
<i>Proocentrum balticum</i>	301.509
<i>Proocentrum micans</i>	268.008
<i>Protoperidinium trochoideum</i>	402.012
<i>Protoperidinium</i> sp ₁	1.005.030
<i>Protoperidinium</i> sp ₂	234.507
<i>Protoperidinium</i> sp ₃	33.501
Total:.....	46.700.394

Table

Phytoplankton Population Counting

Station 8 - 2m
Date: 10th November \ 1992 - 11:00 hs
Tide: low

Phytoplankton Group

Numb. Org./L

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	1.451.710
<i>Oscillatoria</i> sp ₁	111.670
<i>Oscillatoria</i> sp ₂	3.964.285
Não filamentosas	
<i>Synechocystis</i> sp.....	27.024.140
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Thalassiosira cf. rotula</i>	55.835
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	1.116.700
<i>Eutreptiella marina</i>	3.070.925
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	502.515
<i>Tetraselmis</i> sp.....	335.010
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	12.953.720
<i>Cryptomonas</i> sp ₂	837.525
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	55.835
<i>Oxytoxum</i> sp.....	111.670
<i>Proocentrum balticum</i>	55.835
<i>Protoperidinium trochoideum</i>	279.175
<i>Protoperidinium</i> sp ₁	1.116.700
<i>Protoperidinium</i> sp ₂	55.335
Total:.....	53.099.085

Table

Phytoplankton Population Counting

Station 8 - 2m
Date: 10th \ november \ 1992 - 16:00 hs
Tide: low

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	1.273.038
<i>Oscillatoria</i> sp ₂	5.192.655
Não filamentosas	
<i>Synechocystis</i> sp.....	15.376.959
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Skeletonema costatum</i>	100.503
<i>Thalassiosira</i> sp.....	589.517
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowi</i>	502.515
<i>Eutreptia</i> sp.....	167.505
<i>Eutreptiella marina</i>	2.311.569
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	435.513
<i>Tetraselemais</i> sp.....	234.507
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	5.192.655
<i>Cryptomonas</i> sp ₂	134.004
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	234.507
<i>Proocentrum balticum</i>	33.501
<i>Proocentrum micans</i>	33.501
<i>Protoperidinium trochoideum</i>	234.507
<i>Protoperidinium</i> sp ₁	603.013
<i>Protoperidinium</i> sp ₂	301.509
<i>Protoperidinium</i> sp ₃	33.501
Total:.....	32.964.984

Table

Phytoplankton Population Counting

Station 9 - Surface
Date: 10th \ november \ 1992 - 10:35 hs
Tide: low

Phytoplankton Group	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	1.474.044
<i>Oscillatoria</i> sp ₁	134.004
<i>Oscillatoria</i> sp ₂	2.311.569
Não filamentosas	
<i>Synechocystis</i> sp.....	10.217.805
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Thalassiosira</i> sp.....	703.521
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia lanowi</i>	3.149.094
<i>Eutreptia</i> sp.....	134.004
<i>Eutreptiella marina</i>	12.763.881
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	1.876.055
<i>Tetraselemais</i> sp.....	402.012
<u>CHLOROPHYCEAE</u>	
Flageladas	
<i>Chlamydomonas</i> sp.....	134.004
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	12.596.376
<i>Cryptomonas</i> sp ₂	904.527
<u>DINOPHYCEAE</u>	
<i>Proocentrum balticum</i>	201.006
<i>Proocentrum micans</i>	502.515
<i>Protoperidinium trochoideum</i>	368.511
<i>Protoperidinium</i> sp ₁	1.507.545
<i>Protoperidinium</i> sp ₂	368.511
Total:.....	49.648.482

Phytoplankton Population Counting

Station 9 - 2.5m
Date: 10th / november / 1992 - 10:35 hs
Tide: low

Phytoplankton Group

Numb. Org./L

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	1,608,048
<i>Oscillatoria</i> sp ₁	100,503
<i>Oscillatoria</i> sp ₂	4,891,146
NÃO filamentosae	
<i>Synechocystis</i> sp	10,921,326
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Leptocylindrus minimus</i>	33,501
<i>Thalassiosira</i> sp	33,501
<u>EULENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	636,519
<i>Eutreptia</i> sp	33,501
<i>Eutreptiella marina</i>	2,512,575
<u>CHLOROPHYCEAE</u>	
Flagelladas	
<i>Chlamydomonas</i> sp	67,002
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp	335,010
<i>Tetraselmis</i> sp	67,002
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	4,221,126
<i>Cryptomonas</i> sp ₂	268,008
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	33,501
<i>Prorocentrum micans</i>	67,002
<i>Protoperidinium</i> cf. <i>steinii</i>	33,501
<i>Protoperidinium trochoideum</i>	201,006
<i>Protoperidinium balticum</i>	33,501
<i>Protoperidinium</i> sp ₁	301,509
<i>Protoperidinium</i> sp ₂	67,002
Total:	26,465,790

Phytoplankton Population Counting

Station 10 - 5m
Date: 10th / november / 1992 - 15:00 hs
Tide: low

Phytoplankton Group

Numb. Org./L

Phytoplankton Group	Numb. Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	4,767,142
<i>Oscillatoria</i> sp ₂	770,523
NÃO filamentosae	
<i>Synechocystis</i> sp	8,978,268
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Skelletonema costatum</i>	402,012
<i>Thalassiosira</i> sp	33,501
<u>CHLOROPHYCEAE</u>	
Flagelladas	
<i>Chlamydomonas</i> sp	33,501
<u>EULENOPHYCEAE</u>	
<i>Eutreptiella marina</i>	134,004
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	201,006
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	33,501
<i>Prorocentrum micans</i>	33,501
<i>Protoperidinium trochoideum</i>	33,501
<i>Protoperidinium</i> sp ₁	234,507
Total:	15,644,967

Phytoplankton Population Counting

Station 11 - Surface
Date: 10th November \ 1992 - 09:00 hs
Tide: low

Phytoplankton Group

Phytoplankton Group

Numb.Org./L

	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	14,405.430
<i>Oscillatoria</i> sp ₁	167.505
<i>Oscillatoria</i> sp ₂	781.690
Não filamentosas	
<i>Synechocystis</i> sp.....	20,603.115
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Leptocylindrus danicus</i>	111.670
<i>Skeletonema costatum</i>	111.670
<i>Thalassiosira</i> sp.....	1,005.030
<u>EULENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	111.670
<i>Eutreptia</i> sp.....	949.195
<i>Eutreptiella marina</i>	4,522.635
<u>CHLOROPHYCEAE</u>	
Flageladas	
<i>Chlamydomonas</i> sp.....	837.525
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	335.010
<i>Tetraselmis</i> sp.....	725.855
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	3,405.935
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	390.845
<i>Prorocentrum balticum</i>	725.855
<i>Prorocentrum micans</i>	111.670
<i>Protoperdinium trochoideum</i>	1,507.545
<i>Protoperdinium</i> sp ₁	670.020
<i>Protoperdinium</i> sp ₂	219.175
Total:.....	51,759.045

Phytoplankton Population Counting

Station 12 - Surface
Date: 10th November \ 1992 - 10:00 hs
Tide: low

Phytoplankton Group

Numb.Org./L

	Numb.Org./L
<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<i>Oscillatoria limnetica</i>	18,392.049
<i>Oscillatoria</i> sp ₁	201.006
<i>Oscillatoria</i> sp ₂	703.521
<i>Trichodesmium</i> sp.....	33.501
Não filamentosas	
<i>Synechocystis</i> sp.....	12,763.881
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Leptocylindrus danicus</i>	33.501
<i>Leptocylindrus minimus</i>	33.501
<i>Skeletonema costatum</i>	167.505
<i>Thalassiosira</i> sp.....	100.503
<u>EULENOPHYCEAE</u>	
<i>Eutreptia lanowii</i>	335.010
<i>Eutreptia</i> sp.....	234.507
<i>Eutreptiella marina</i>	1,608.048
<u>CHLOROPHYCEAE</u>	
Flageladas	
<i>Chlamydomonas</i> sp.....	33.501
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	569.517
<i>Tetraselmis</i> sp.....	2,613.078
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	7,772.232
<i>Cryptomonas</i> sp ₂	67.002
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	268.008
<i>Prorocentrum micans</i>	368.511
<i>Prorocentrum triestinum</i>	167.505
<i>Prorocentrum balticum</i>	100.503
<i>Protoperdinium trochoideum</i>	1,608.048
<i>Protoperdinium</i> sp ₁	1,373.541
<i>Protoperdinium</i> sp ₂	469.014
Total:.....	50,016.993

Phytoplankton Population Counting

Station 12 - 5m
Date: 10th \ november \ 1992 - 10:00 hs
Tide: low

Phytoplankton Group Numb. Org. / L

<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<u>Oscillatoria limnetica</u>	3.718.611
<u>Oscillatoria sp2</u>	636.519
Não filamentosas	
<u>Synechocystis sp</u>	3.048.691
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<u>Skeletonema costatum</u>	837.525
Flageladas	
<u>Chlamydomonas sp</u>	234.507
<u>EUGLEROPHYCEAE</u>	
<u>Eutreptia sp</u>	33.501
<u>Eutreptiella marina</u>	33.501
<u>PRASINOPHYCEAE</u>	
<u>Tetraselmis sp</u>	33.501
<u>CRYPTOPHYCEAE</u>	
<u>Cryptomonas sp1</u>	100.503
<u>DINOPHYCEAE</u>	
<u>Prorocentrum trochoideum</u>	33.501
<u>Prorocentrum sp1</u>	167.505
Total:.....	8.877.765

Phytoplankton Population Counting

Station 13 - Surface
Date: 10th \ november \ 1992 - 10:00 hs
Tide: low

Phytoplankton Group Numb. Org. / L

<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
<u>Oscillatoria limnetica</u>	804.024
<u>Oscillatoria sp1</u>	100.503
<u>Oscillatoria sp2</u>	6.398.691
Não filamentosas	
<u>Synechocystis sp</u>	17.085.612
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<u>Cyclotella sp</u>	33.501
<u>Thalassiosira cf. rotula</u>	33.501
<u>Thalassiosira sp</u>	201.006
<u>EUGLENOPHYCEAE</u>	
<u>Eutreptiella marina</u>	335.010
<u>PRASINOPHYCEAE</u>	
<u>Pyramimonas sp</u>	770.523
<u>Tetraselmis sp</u>	201.006
<u>CRYPTOPHYCEAE</u>	
<u>Cryptomonas sp1</u>	7.772.232
<u>Cryptomonas sp2</u>	3.350.100
<u>DINOPHYCEAE</u>	
<u>Prorocentrum balticum</u>	201.006
<u>Prorocentrum micans</u>	33.501
<u>Prorocentrum triestinum</u>	33.501
<u>Prorocentrum sp</u>	33.501
<u>Protoperidinium trochoideum</u>	100.503
<u>Protoperidinium sp1</u>	435.513
<u>Protoperidinium sp2</u>	33.501
Total:.....	37.956.735

Phytoplankton Population Counting

Station 14 - Surface
Date: 10th \ november \ 1992 - 10:40 hs
Tide: low

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>		
Filamentosas		
Oscillatoria limnetica	10,999,495	
Oscillatoria sp ₁	167,505	
Oscillatoria sp ₂	1,005,030	
Não filamentosas		
Synechocystis sp	22,110,660	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
Leptocylindrus danicus	55,835	
Leptocylindrus minimus	55,835	
Thalassiosira sp	949,195	
<u>EUGLENOPHYCEAE</u>		
Eutreptiella marina	111,670	
<u>PRASINOPHYCEAE</u>		
Pyramimonas sp	446,680	
Tetraselmis sp	558,350	
<u>CRYPTOPHYCEAE</u>		
Cryptomonas sp ₁	6,979,375	
Cryptomonas sp ₂	502,515	
<u>DINOPHYCEAE</u>		
Oxytoxum reticulatum	223,340	
Proocentrum balticum	55,835	
Proocentrum micans	55,835	
Proocentrum triestinum	725,855	
Protoperidinium trochoideum	1,619,215	
Protoperidinium cf. steinii	55,835	
Protoperidinium sp ₁	4,020,120	
Protoperidinium sp ₂	111,670	
Total	50,809,850	

Phytoplankton Population Counting

Station 14 - 3m
Date: 10th \ november \ 1992 - 10:40 hs
Tide: low

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>		
Filamentosas		
Oscillatoria limnetica	9,983,298	
Oscillatoria sp ₁	67,002	
Oscillatoria sp ₂	1,909,557	
Trichodesmium sp	33,501	
Não filamentosas		
Synechocystis sp	17,588,025	
<u>BACILLARIOPHYCEAE</u>		
Centricae		
Leptocylindrus danicus	33,501	
Skletonema costatum	234,507	
Thalassiosira sp	1,675,090	
Pennatae		
Cocconeis scutellum	33,501	
<u>CHLOROPHYCEAE</u>		
Flageladas		
Chlamydomonas sp	301,509	
<u>PRASINOPHYCEAE</u>		
Pyramimonas sp	268,008	
Tetraselmis sp	368,511	
<u>EUGLENOPHYCEAE</u>		
Eutreptia lanowii	33,501	
Eutreptiella marina	100,503	
<u>CRYPTOPHYCEAE</u>		
Cryptomonas sp ₁	6,700,200	
Cryptomonas sp ₂	469,014	
<u>DINOPHYCEAE</u>		
Oxytoxum reticulatum	33,501	
Proocentrum micans	134,004	
Proocentrum triestinum	167,505	
Protoperidinium trochoideum	737,022	
Protoperidinium sp ₁	1,675,050	
Protoperidinium sp ₂	402,012	
Total	42,948,722	

Phytoplankton Population Counting

Station 15 - Surface
Date: 10th \ november \ 1992 - 10:30 hs
Tide: low

Phytoplankton Group

Numb.Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
Oscillatoria limnetica.....	4.221.126
Oscillatoria sp1	33.501
Oscillatoria sp2	268.008
Nao filamentosas	
Synechocystis sp	11.691.849
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Cyclotella sp	33.501
Leptocylindrus danicus.....	33.501
Thalassiosira sp	536.016
<u>EUGLENOPHYCEAE</u>	
Eutreptia lanowi.....	67.002
Eutreptiella marina.....	67.002
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	134.004
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	1.206.036
Cryptomonas sp2	234.507
<u>DINOPHYCEAE</u>	
Prorocentrum balticum.....	134.004
Prorocentrum micans.....	33.501
Prorocentrum trochoideum.....	134.004
Protoperidinium sp1	33.501
Protoperidinium sp2	100.503
Total:.....	18.961.566

Phytoplankton Population Counting

Station 15 - 3m
Date: 10th \ november \ 1992 - 10:30 hs
Tide: low

Phytoplankton Group

Numb.Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosas	
Oscillatoria limnetica.....	9.949.797
Oscillatoria sp1	100.503
Oscillatoria sp2	335.010
Nao filamentosas	
Synechocystis sp	100.503
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Leptocylindrus danicus.....	33.501
Skeletonema costatum.....	2.613.078
Thalassiosira sp	201.006
<u>CHLOROPHYCEAE</u>	
Flageladas	
Chlamydomonas sp	268.008
<u>PRASINOPHYCEAE</u>	
Tetraselimis sp	33.501
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	100.503
Cryptomonas sp2	67.002
<u>DINOPHYCEAE</u>	
Oxytoxum reticulatum.....	33.501
Oxytoxum sceptrum.....	33.501
Prorocentrum micans.....	33.501
Protoperidinium cf. steinii.....	33.501
Protoperidinium sp1	100.503
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp	100.503
Total:.....	14.137.422

Phytoplankton Population Counting

Station 16 - Surface
Date: 10th November \ 1992 - 11:30 hs
Tide: low

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica.....	4,422,000
Oscillatoria sp2	234,500
Neo filamentosae	
Synechocystis sp	10,686,819
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Cyclotella sp	16,750
Skeletonema costatum.....	83,750
Thalassiosira sp	318,250
Pennatae	
Cocconeis sp	16,750
<u>EUGLENOPHYCEAE</u>	
Eutreptia sp	16,750
Eutreptiella marina.....	67,000
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	33,500
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	268,000
Cryptomonis sp2	485,750
<u>DINOPHYCEAE</u>	
Gymnodinium sp	134,000
Prorocentrum sp	16,750
Prorocentrum trochoideum.....	33,500
Prorocentrum sp1	16,750
Prorocentrum sp2	67,000
Total.....	16,917,819

Phytoplankton Population Counting

Station 17 - Surface
Date: 10th November \ 1992 - 09:00 hs
Tide: low

Phytoplankton Group

Numb. Org./L

<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
Oscillatoria limnetica.....	15,276,456
Oscillatoria sp1	368,511
Oscillatoria sp2	1,206,036
Trichodesmium sp	33,501
Neo filamentosae	
Synechocystis sp	18,191,043
<u>BACILLARIOPHYCEAE</u>	
Centricae	
Leptocylindrus danicus.....	201,006
Leptocylindrus minimus.....	67,002
Skeletonema costatum.....	167,505
Thalassiosira sp	503,018
<u>CHLOROPHYCEAE</u>	
Flagelladas	
Chlamydomonas sp	67,002
<u>PRASINOPHYCEAE</u>	
Pyramimonas sp	368,511
Tetraselmis sp	4,891,146
<u>EUGLENOPHYCEAE</u>	
Eutreptia lanowii.....	67,002
Eutreptia sp	636,519
Eutreptiella marina.....	2,445,573
<u>CRYPTOPHYCEAE</u>	
Cryptomonas sp1	3,283,098
Cryptomonas sp2	67,002
<u>DINOPHYCEAE</u>	
Oxytoxum reticulatum.....	268,008
Prorocentrum salicidum.....	201,006
Prorocentrum micans.....	134,004
Prorocentrum triestinum.....	134,004
Prorocentrum trochoideum.....	1,105,533
Prorocentrum sp1	469,014
Prorocentrum sp2	368,511
Total.....	51,524,536

Phytoplankton Population Counting

Station 17 - 3.5m
Date: 10th \ november \ 1992 - 09:00 hs
Tide: low

Phytoplankton Group

Numb. Org. /L

Phytoplankton Group	Numb. Org. /L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	17,924,344
<i>Oscillatoria</i> sp ₁	167,505
<i>Oscillatoria</i> sp ₂	871,026
<i>Trichodesmium</i> sp.....	67,002
Não filamentosae	
<i>Synechocystis</i> sp.....	13,266,396
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Leptocylindrus danicus</i>	100,503
<i>Leptocylindrus minimus</i>	67,002
<i>Sketonema costatum</i>	1,976,559
<i>Thalassostira</i> sp.....	361,509
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptiella marina</i>	234,507
<i>Eutreptiella lanowi</i>	33,501
<u>CHLOROPHYCEAE</u>	
Flageladas	
<i>Chlamydomonas</i> sp.....	1,072,032
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	100,503
<i>Tetraselmis</i> sp.....	234,507
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	1,373,541
<i>Cryptomonas</i> sp ₂	33,501
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	33,501
<i>Oxytoxum</i> sp.....	33,501
<i>Prorocentrum balticum</i>	67,002
<i>Prorocentrum micans</i>	33,501
<i>Prorocentrum triestinum</i>	100,503
<i>Protoperidinium trochoideum</i>	134,004
<i>Protoperidinium</i> sp ₁	804,024
<i>Protoperidinium</i> sp ₂	134,004
Total:.....	32,763,978

Phytoplankton Population Counting

Station 18 - Surface
Date: 10th \ november \ 1992 - 10:00 hs
Tide: low

Phytoplankton Group

Numb. Org. /L

Phytoplankton Group	Numb. Org. /L
<u>NOSTOCOPHYCEAE</u>	
Filamentosae	
<i>Oscillatoria limnetica</i>	13,835,913
<i>Oscillatoria</i> sp ₁	268,008
<i>Oscillatoria</i> sp ₂	603,018
<i>Trichodesmium</i> sp.....	33,501
Não filamentosae	
<i>Synechocystis</i> sp.....	14,405,430
<u>BACILLARIOPHYCEAE</u>	
Centricae	
<i>Leptocylindrus minimus</i>	67,002
<i>Sketonema costatum</i>	201,006
<i>Thalassostira</i> sp.....	603,018
Pennatae	
<i>Navicula lyra</i>	33,501
<u>EUGLENOPHYCEAE</u>	
<i>Eutreptia</i> sp.....	201,006
<i>Eutreptiella marina</i>	1,340,040
<u>PRASINOPHYCEAE</u>	
<i>Pyramimonas</i> sp.....	335,010
<i>Tetraselmis</i> sp.....	636,519
<u>CRYPTOPHYCEAE</u>	
<i>Cryptomonas</i> sp ₁	6,164,184
<i>Cryptomonas</i> sp ₂	167,505
<u>DINOPHYCEAE</u>	
<i>Oxytoxum reticulatum</i>	502,515
<i>Oxytoxum</i> sp.....	100,503
<i>Prorocentrum balticum</i>	234,507
<i>Prorocentrum micans</i>	489,014
<i>Prorocentrum triestinum</i>	1,306,539
<i>Protoperidinium cf. steinii</i>	67,002
<i>Protoperidinium trochoideum</i>	2,546,076
<i>Protoperidinium</i> sp ₁	10,452,312
<i>Protoperidinium</i> sp ₂	502,515
Total:.....	55,075,644

APPENDIX 7. 2-1

BENTHIC COMMUNITY

TABLE APP.7.2-1

Results of benthic community survey performed
during first phase study in the bay.

(June / 1992)

Table

Benthos community distribution

Station: 2
Sampling date: 4th/June/1992

Organism	Numb.Org./Samp.
<u>Cnidaria</u>	
Antozoa (coral)	13
<u>Annelida</u>	
Polychaeta	10
Errantia	
Sedentaria	
Serpulidae (sobregonchas mortas)	7
<u>Mollusca</u>	
Gastropoda	
Trochidae	
Haliastylus columna	305
Olividae	
Olivella minuta	2
Epitonidae	
Epitonium sp	1
Calyptidae	
Crepidula sp (jovem)	1
Bivalvia	
Glycymeridae	
Glycymeris sp (jovem)	3
Veneridae	
Gouldia cerina	1
Mesodermatidae	
Ervilia nitens	1
Crassatellidae	
Crassinella martinicensis	3
Condylocardiidae	
Americuna besnardi	2
Carditidae	
Carditamera floridana	1
<u>Crustacea</u>	
Amphipoda	
Gammaridae	1
Total:	351

Table

Benthos community distribution

Station: 3
Sampling date: 4th/June/1992

Organism	Numb.Org./Samp.
<u>Annelida</u>	
Polychaeta	
Errantia	10
Sedentaria	124
<u>Mollusca</u>	
Gastropoda	
Calyptidae	
Calyptrea centralis	1
Olividae	
Olivella deflorei	8
Bivalvia	
Nuculidae	
Nucula ouelcha	4
Mesodermatidae	
Ervilia nitens	3
Mytilidae	
Musculus lateralis	1
Carditidae	
Carditamera floridana	3
Semeiidae	
Abra aequalis	4
<u>Crustacea</u>	
Amphipoda	
Gammaridae	7
Decapoda	
Palaemonidae	1
Anomura	
Peguridae	9
<u>Echinodermata</u>	
Stelleriidae	
Ophiuroidea	
Ophiolepididae	
Ophioplocus januarii	1
Amphiumidae	
Ophiactis sp	1
<u>Chordata</u>	
Cephalochordata	
Branchiostoma sp	5
Total:	182

Table

Benthos community distribution

Station: 4
 Sampling date: 4th/June/1992
 Organism

Organism	Numb.Org./Samp.
<u>ANNELIDA</u>	
Polychaeta	
Errantia.....	1
<u>MOLLUSCA</u>	
Bivalvia	
Semeiidae	
<u>Abra Aequalis (Jovem)</u>	2
Total:.....	3

Table

Benthos community distribution

Station: 5
 Sampling date: 4th/June/1992
 Organism

Organism	Numb.Org./Samp.
<u>CNIDARIA</u>	
Antozoa (coral).....	1
<u>ANNELIDA</u>	
Polychaeta	
Errantia.....	54
<u>MOLLUSCA</u>	
Gastropoda	
Columbellidae	
<u>Parvanachis isabellei</u>	4
Bivalvia	
Nuculidae	
Nucula puelcha.....	4
Crassatellidae	
<u>Crassinella martinicensis</u>	1
Semeiidae	
<u>Abra aequalis</u>	9
Corbuliidae	
<u>Corbula caribaea</u>	1
<u>CRUSTACEA</u>	
Amphipoda	
Gammaridae.....	4
Ostracoda	
Cladocopa.....	1
Total:.....	79

Table

Benthos community distribution
 Station: 6
 Sampling date: 4th/June/1992
 Organism

Organism	Numb.Org./Samp.
<u>ANNELIDA</u>	
Polychaeta	
Errantia.....	47
<u>MOLLUSCA</u>	
Bivalvia	
Corbulidae	
<u>Corbula catribea</u>	1
<u>CRUSTACEA</u>	
Amphipoda	
Gammaridae.....	1
Total:.....	49

Table

Benthos community distribution
 Station: 7
 Sampling date: 4th/June/1992
 Organism

Organism	Numb.Org./Samp.
Amphipoda	
Gammaridae.....	1
Total:.....	1

Obs: Organisms were not found in the sampling.

Table

Benthos community distribution

Station: 8
 Sampling date: 4th/June/1992

Organism

Numb.Org./Samp.

<u>ANNELIDA</u>	
Polychaeta	
Errantia.....	38
<u>MOLLUSCA</u>	
Gastropoda	
Hydrobiidae	
Littoridina australis.....	2.672
Total:.....	2.970

Table

Benthos community distribution

Station: 9
 Sampling date: 4th/June/1992

Organism

Numb.Org./Samp.

<u>ANNELIDA</u>	
Polychaeta	
Errantia.....	19
Sedentaria.....	9
<u>MOLLUSCA</u>	
Gastropoda	
Hydrobiidae	
Littoridina australis.....	454
Nassariidae	
Nassarius Aff. Albus.....	1
Columbellidae	
Parvanachis isabellei.....	1
Bivalvia	
Nuculidae	
Nucula puelcha.....	1
<u>CRUSTACEA</u>	
Decapoda	
Anomura	
Paguridea.....	1
Isopoda	
Anthuridea.....	4
Total:.....	490

Table

Benthos community distribution
 Station: 12
 Sampling date: 4th/June/1992
 Organism Numb.Org./Samp.

<u>ANNELIDA</u>	
Polychaeta	
Errantia.....	1
<u>MOLLUSCA</u>	
Sivalvia	
Tellinidae	
<u>Tellina punicea</u>	1
	2

Benthos community distribution
 Station: 11
 Sampling date: 4th/June/1992
 Organism Numb.Org./Samp.

<u>ANNELIDA</u>	
Polychaeta	
Errantia.....	1
<u>MOLLUSCA</u>	
Gastropoda	
Columbellidae	
<u>Parvanachis isabellei</u>	2
Hydrobiidae	
<u>Littoridina australis</u>	26
Total:.....	29

Table

Benthos community distribution

Station: 13
 Sampling date: 4th/June/1992

Organism

Numb.Org./Samp.

Table

Benthos community distribution

Station: 14
 Sampling date: 4th/June/1992

Organism

Numb.Org./Samp.

MOLLUSCA

Gastropoda

Columbellidae

Parvanachis isabellei.....

1

Total:.....

1

Obs: Any organisms not found

Table

Benthos community distribution

Station: 15
 Sampling date: 4th/June/1992

Organism

Numb.Org./Samp.

MOLLUSCA

Gastropoda

Hydrobiidae

Littoridina australis..... 1

Total:..... 1

Obs: Any organisms not found

Table

Benthos community distribution
 Station: 17
 Sampling date: 4th/June/1992

Organism

Numb.Org./Samp.

<u>ANNELIDA</u>	
Polychaeta	
Errantia.....	2
<u>MOLLUSCA</u>	
Gastropoda	
Columbellidae	
Parvanachis isabellei.....	2
Total:.....	4

Table

Benthos community distribution
 Station: 18
 Sampling date: 4th/June/1992

Organism

Numb.Org./Samp.

Obs: Any organisms not found

APPENDIX 7. 2-2

BENTHIC COMMUNITY

TABLE APP.7.2-2

Results of benthic community survey performed
during second pase study in the bay.

(October / 1992)

INTERESADO Projeto Brasil-Japão Nº 12580

MUNICÍPIO Rio de Janeiro MANANCIAL/ORGEM Bate de Guanabara

LOCAL DA COLETA ST-2 DATA E HORA DE COLETA 29/10/92

PARÂMETRO BENTOS MÉTODO Quantitativo DATA DE ENVIO AO LABORATÓRIO 29/10/92

COLETOR Fernando Batalha ANALISTA Fernando Batalha

Nº Org./Amostra

- CHIDARIA
- Anthozoa (coral)..... 10
- ANNELIDA
- Polychaeta
 - Errantia..... 25
 - Sedentaria..... 5
- MOLLUSCA
- Gastropoda
 - Trochidae
 - Halystilus columna..... 10
 - Olividae
 - Olivella minuta..... 2
 - Caecidae
 - Caecum antillarum..... 1
 - Bivalvia
 - Glycymerididae
 - Glycymeris sp. (jovem)..... 5
 - Condylocardiidae
 - Americuna bernaerdi..... 5
 - Crassatellidae
 - Crassinella martinicensis..... 11
 - Crassinella sp. (jovem)..... 1
 - Limidae
 - Limatula sp. (jovem)..... 1
 - Muculidae
 - Mucula sp. (jovem)..... 2

(continua)...

INTERESADO Projeto Brasil-Japão Nº 12580

MUNICÍPIO Rio de Janeiro MANANCIAL/ORGEM Bate de Guanabara

LOCAL DA COLETA ST-2 DATA E HORA DE COLETA 29/10/92

PARÂMETRO BENTOS MÉTODO Quantitativo DATA DE ENVIO AO LABORATÓRIO 29/10/92

COLETOR Fernando Batalha ANALISTA Fernando Batalha

(continuação)

Nº Org./Amostra

- CRUSTACEA
- Amphipoda..... 1
 - Cumacea..... 1
 - Isopoda..... 2
 - BRACHIOPODA..... 4
- Total:..... 8

OBS.: Presença de Nematoda.

RESULTADO DE ANÁLISE BIOLÓGICA

Nº PAG 12582

INTERESSADO: Projeto Brasil-Japão
 MUNICÍPIO: Rio de Janeiro
 MARANHÃO/ORIZEM: Sata de Guanabara
 LOCAL DA COLETA: Sata de Guanabara
 DATA E HORA DA COLETA: 29 / 10 / 92
 PARÂMETRO: BENTOS
 MÉTODO: Quantitativo
 COLETA: Fernando Batalha
 ANÁLISE: Fernando Batalha

Nº Org./Amostra

ANNELIDA

- Polychaeta
- Errantia..... 1
- Sedentaria..... 2

CRUSTACEA

- Tanaidacea..... 2
- Total:..... 5

OBS.: Presença de Nematoda.

RESULTADO DE ANÁLISE BIOLÓGICA

Nº PAG 12581

INTERESSADO: Projeto Brasil-Japão
 MUNICÍPIO: Rio de Janeiro
 MARANHÃO/ORIZEM: Sata de Guanabara
 LOCAL DA COLETA: Sata de Guanabara
 DATA E HORA DA COLETA: 29 / 10 / 92
 PARÂMETRO: BENTOS
 MÉTODO: Quantitativo
 COLETA: Fernando Batalha
 ANÁLISE: Fernando Batalha

Nº Org./Amostra

ANNELIDA

- Polychaeta
- Errantia..... 17
- Sedentaria..... 1

MOLLUSCA

- Bivalvia
- Corbulidae
- Corbula caribaea..... 4
- Nuculidae
- Nucula puelcha..... 1
- Tellinidae
- Tellina sp. (jovem)..... 3
- Lucinidae
- Codakia orbiculata..... 1

CRUSTACEA

- Cumacea..... 1
- Decapoda
- Anomura
- Paguridea..... 2
- Penidea
- Luciferinae..... 1
- Total:..... 30

OBS.: Presença de Nematoda.
 Presença de Srizozoa, Bugula sp. (encontrado somente em substrato duro).

Feema RESULTADO DE ANÁLISE BIOLÓGICA

Nº 12582

INTERESSADO: Projeto Brasil-Japão Nº 12582
 MUNICÍPIO: Rio de Janeiro Baía de Guanabara
 LOCAL DA COLETA: ST-12 DATA E HORA DA COLETA: 30 / 10 / 92
 PARÂMETRO: Bentos MÉTODO: Quantitativo DATA DE ENTRADA NO LABORATÓRIO: 30 / 10 / 92
 COLETA: Fernando Batalha ANALISTA: Fernando Batalha

Nº Org./Amostra

CHIDARIA	
Anthozoa (Anêmona).....	1
Anthozoa (Coral).....	5
ANNELIDA	
Polychaeta	
Errantia.....	54
Sedentaria.....	38
MOLLUSCA	
Polyplacophora	
Ischnochitonidae	
Chaetocolera cf. <u>asperima</u>	1
Gastropoda	
Calyptraeidae	
<u>Calyptraea centralis</u>	2
Caecidae	
Caecum <u>antillarum</u>	2
Pyramidellidae	
<u>Turbonilla interrupta</u>	1
Bivalvia	
Corbulidae	
<u>Corbula caribaea</u>	40
<u>Corbula lyoni</u>	5
Veneridae	
<u>Pitar fulminatus</u>	2
<u>Gouldia cerina</u>	54
Semellidae	
<u>Abra lioica</u>	1
Limidae	
<u>Lima scabra</u>	1
Myidae	
<u>Sphenia antillensis</u>	1
Carditidae	
<u>Carditamera floridana</u>	1

Feema RESULTADO DE ANÁLISE BIOLÓGICA

Nº 12582

INTERESSADO: Projeto Brasil-Japão Nº 12582
 MUNICÍPIO: Rio de Janeiro Baía de Guanabara
 LOCAL DA COLETA: ST-12 DATA E HORA DA COLETA: 30 / 10 / 92
 PARÂMETRO: Bentos MÉTODO: Quantitativo DATA DE ENTRADA NO LABORATÓRIO: 30 / 10 / 92
 COLETA: Fernando Batalha ANALISTA: Fernando Batalha

(continuação)

Nº Org./Amostra

Nuculidae	
<u>Nucula puelchia</u>	3
Lucinidae	
<u>Codakia orbiculata</u>	3
Crassatellidae	
<u>Crassinella martinicensis</u>	216
CRUSTACEA	
Ostracoda.....	2
Cumacea.....	1
Amphipoda.....	5
Decapoda	
Anomura	
Paguridea.....	1
Brachyura.....	3
ECHINODERMATA	
Ophiuroidea	
Amphipruridae	
<u>Ophiactis sp.</u>	1
CHORDATA	
Cephalochordata	
<u>Branchiostoma sp.</u>	2
Total:.....	447

OBS.: Presença de Nematoda.
 Presença de Briozoa, Bugula sp. (encontrado somente em substrato duro).
 Substrato constituído de conchas.

Feema RESULTADO DE ANÁLISE BIOLÓGICA NF 242

INTERESSADO: Projeto Brasil-Japão NF 0241: 12586

MUNICÍPIO	Rio de Janeiro	MANTENÇÃO/ORGÃO	Baía de Guanabara
LOCAL DA COLETA	ST-13	DATA E HORA DA COLETA	30 / 10 / 92
PARÂMETRO	Bentos	MÉTODO	Quantitativo
COLÉTOR	Fernando Batalha	MUNICÍPIO	Fernando Batalha

ANNELEIDA	119 Org./Amostra
Polychaeta	
Errantia.....	1
MOLLUSCA	
Gastropoda	
Hydrobiidae	
Littoridinina australis.....	8
CRUSTACEA	
Tanaidacea.....	2
Total:.....	11

OBS.: Presença de Hematóda.

Feema RESULTADO DE ANÁLISE BIOLÓGICA NF 242

INTERESSADO: Projeto Brasil-Japão NF 0241: 12587

MUNICÍPIO	Rio de Janeiro	MANTENÇÃO/ORGÃO	Baía de Guanabara
LOCAL DA COLETA	ST-15	DATA E HORA DA COLETA	30 / 10 / 92
PARÂMETRO	Bentos	MÉTODO	Quantitativo
COLÉTOR	Fernando Batalha	MUNICÍPIO	Fernando Batalha

OBS.: Não foram encontrados organismos na amostra.

feema		RESULTADO DE ANÁLISE BIOLÓGICA		12588
INTERESSADO	Projeto Brasil-Japão	MUNICÍPIO	Rio de Janeiro	NO. SÉRIAL
LOCAL DA COLETA	ST-17	MUNICÍPIO/UF/CEM	Bata de Guanabara	12588
PARÂMETRO	Bactos	DATA E HORA DA COLETA	30 / 10 / 92	
COLETOR	Fernando Batalha	MÉTODO	Quantitativo	DATA DE ENTRADA NO LABORATÓRIO
			ANALISTA	30 / 10 / 92
			Fernando Batalha	

OBS.: Não foram encontrados organismos na amostra.

feema		RESULTADO DE ANÁLISE BIOLÓGICA		12589
INTERESSADO	Projeto Brasil-Japão	MUNICÍPIO	Rio de Janeiro	NO. SÉRIAL
LOCAL DA COLETA	ST-18	MUNICÍPIO/UF/CEM	Bata de Guanabara	12589
PARÂMETRO	Bactos	DATA E HORA DA COLETA	30 / 10 / 92	
COLETOR	Fernando Batalha	MÉTODO	Quantitativo	DATA DE ENTRADA NO LABORATÓRIO
			ANALISTA	30 / 10 / 92
			Fernando Batalha	

OBS.: Não foram encontrados organismos na amostra.

APPENDIX 7. 3-1

FOULING COMMUNITY

TABLE APP.7.3-1

Results of distribution of zoobenthic population obtained by fouling organisms survey performed during first phase study.

(June / 1992)

ZOOBENTHOS DISTRIBUTION IN THE GUANABARA BAY

ORGANISMS	STATION 1		STATION 2			STATION 3		STATION 4		STATION 5		STATION 6		STATION 7		STATION 8	
	M.S	I.S	M.S	M.I	I.S	M.S	M.I	M.S	M.I	M.S	M.S	I.S	M.S	M.I	M.S	M.I	
CNIDARIA																	
HIDROZOA																	
CAMPANULARIA SP.				x		x	x	x	x								
ANTHOZOA																	
ACTINIARIA	2			18	6	7	3	3	4	2			44	15	3	122	
ASQUELMINTES																	
NEMATODA	80	53	1957	80	29			15				5	81				
MOLLUSCA																	
GASTROPODA																	
Parvariachis obesa	67		10														
Mitreia argus	2																
Cortanachis sertularium	2	2											2				
Parvanachis isabelli		1															
Mitreia ocellata												1	4		2		1
Thais haesnatoma													2				
Fissurella sp											5	3	17	5			
Crepidula oculata													1				
BIVALVIA																	
Hiatella arctica				4					4		1			7			
Acicea andersoni													1				
Perna perna			2					38	25	30			268		895	1610	
Musculus lateralis				2								2					
Moberbo castaneus				4													
SUB TOTAL	71	3	12	10	0	0	0	38	29	30	4	4	294	12	897	1611	

ZOOBENTHOS DISTRIBUTION IN THE GUANABARA BAY(Cont.)

ORGANISMS	STATION 1		STATION 2			STATION 3		STATION 4		STATION 5		STATION 6		STATION 7		STATION 8	
	M.S	I.S	M.S	M.I	I.S	M.S	M.I	M.S	M.I	M.S	M.S	I.S	M.S	M.I	M.S	M.I	
ANNELIDA																	
POLYCHAETA																	
sp1	17	23		12					2				31				
sp2	53	28	173	115	18	50	63	9	14		12	9	5	1	6	24	
sp3	13	3								11							
sp4	11	8		6			4	2	2	6			8				
sp5	10	5	43			11						5		9			
sp6	11	41	56		25	10	21	65	38	6	4	5	71	72			
sp7						2	4	4	6				3	2			
sp8						283	202	141		4	167		32	262			
sp9			22	9		1					3		7				
SUB TOTAL	115	108	294	142	43	357	294	221	62	27	126	19	162	345	6	24	
CHELICHERATA																	
PYNOSONIDA		7						1									
CRUSTACEA																	
BRACHYURA																	
sp1	8		20	12	2	24	20	41	20		2		2		2		
sp2						54	11	12	9								
sp3						7	4	18	16								
sp4						2							2	2			
SUB TOTAL	8	0	20	12	2	87	35	71	45	0	2	0	4	2	2	0	0
CIRRIPEIDIA																	
Balanus sp1	8	1	23	4	3	59	26	34	81		8						
Balanus sp2	2		1	4	3	34	15	116	126	2	6		16	12			
SUB TOTAL	10	1	24	8	6	93	41	150	207	2	14	0	16	12	0	0	0

ZOOBENTHOS DISTRIBUTION IN THE GUANABARA BAY(Cont.)

STATION	1		2			3		4		5		6		7		8	
	M.S	I.S	M.S	M.I	I.S	M.S	M.I	M.S	M.I	M.S	M.S	I.S	M.S	M.I	M.S	M.I	
SIPUNCULIDA							5						5	6		2	
ECHINODERMA																	
ECHINOIDEA														4			
<i>Paracentrotus gaimardi</i>														2			
UROCHORDATA																	
ASCIDEACEA																	
<i>Styella plicata</i>	2		2	3	7	8	7	55	38	2		2	4				
TOTAL	288	165	2389	273	93	552	380	553	377	68	151	25	605	386	908	1157	
ECTOPROCTA																	
<i>Bugula Meritima</i>		X			X	X		X	X								
<i>Grassimarginatella leucocydia</i>		X		X		X		X	X				X				
<i>Zoobotryon pellucidum</i>			X				X	X	X		X						
<i>Didemnum Candidum</i>						X	X	X	X	X							

APPENDIX 7. 4

FISH PRODUCTION

TABLE APP.7.4

(August / 1992)

Table 16-6 Results of Fishery Survey

Inventory No. 1									
Location : STH-1 : Inner part of bay / front of Maua									
Method of Fishery : Bamboo Screen									
Date : 23th / June / 1992									
Name of Fish	Total Weight of Fish	Number of Fish	Min.	Max.	Length (cm)	Mean	Mean Weight (g)		
Tainha	52.0 kg	88	22	68	40.0		765		
Gorvina	15.5	27	12	48	35.7		574		
Bagra	22.0	28	12	70	41.4		786		
Total	89.5 kg	123					728		

Inventory No. 2									
Location : STH-2 : Inner part of bay / front of Apa Guapimirim									
Method of Fishery : Set Net									
Date : 23th / June / 1992									
Name of Fish	Total Weight of Fish	Number of Fish	Min.	Max.	Length (cm)	Mean	Mean Weight (g)		
Parati	7.0 kg	20	12	40	29.0		350		
Gorvina	6.0	10	23	38	32.3		600		
Bagra	6.0	09	21	40	32.7		667		
Anchova	3.5	05	25	34	30.3		700		
Pescadinha	2.5	07	12	32	20.1		357		
Total	25.0 kg	51					490		

Inventory No. 3									
Location : STH-3 : Near petrobras Oil Reservoir									
Method of Fishery : Set Net									
Date : 25th / June / 1992									
Name of Fish	Total Weight of Fish	Number of Fish	Min.	Max.	Length (cm)	Mean	Mean Weight (g)		
Gorvina	20.0 kg	5	30	40	34		400		
pirauna	3.5	1	--	--	55		3500		
Linguado	2.3	1	--	--	53		2300		
Total	25.0 kg	7	--	--	--		---		

Inventory No. 4									
Location : STH-4 : Near Fiscal Island									
Method of Fishery : Set Net									
Date : 24th / June / 1992									
Name of Fish	Total Weight of Fish	Number of Fish	Min.	Max.	Length (cm)	Mean	Mean Weight (g)		
Cocoroca	8.5 kg	30	25	29	26.5		283		
Bagre	1.5	2			36.0		750		
Corvina	2.0	4	32	40	33.0		500		
Sargo	3.0	1	--	--	47.0		3000		
Enchada	2.0	1	--	--	35.0		2000		
Pataterra	0.5	1	--	--	35.0		500		
Porco	0.2	1	--	--	20.0		200		
Total	17.7 kg	40	--	--	--		---		

Inventory No. 5									
Location : STH-5 : Front of Enseada de Jurujuba bay									
Method of Fishery : Set Net									
Date : 30th / June / 1992									
Name of Fish	Total Weight of Fish	Number of Fish	Length (cm)		Mean Weight (g)				
			Min.	Max.					
Parati	10.5 kg	28	28.5	38	33.0	375			
Cocoroca	9.1	35	18.0	27	22.3	260			
Corninhota	2.0	7	27.5	40	30.0	286			
Enxoveta	2.5	10	22.0	35.5	29.0	250			
Tainha	2.9	3	44.0	53.0	47.0	987			
Carapeva	0.3	3	15.0	24.0	20.0	300			
Marimba	0.8	7	16.0	18.0	17.0	600			
Total	27.9 kg	93	--	--	--	---			

Table 16-7 Fish Production Inventory at Maua Fish Colony (1990)

Fish Name	Month												Total
	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Agu.	Sep.	Oct.	Nov.	Dec.	
Bagre	3,750	5,275	7,142	7,532	3,754	3,669	5,121	4,710	2,133	2,820	2,761	2,560	51,227
Camarao rosa	222	428	213		25		75	961	1,058	1,035	763	756	5,536
Corvina	9,243	12,337	7,690	2,357	2,499	1,682	3,381	6,236	5,443	7,044	25,109	12,465	95,526
Anchova	67	1,090			505		280	3,421				110	5,473
Espada	3,463				188	993						235	4,879
Parati	213			50		50			80		25	765	1,183
Pescada Amar.	88	110	15								116	50	379
Pescada Perna de moça	10												10
Pescadinha	-	-	-	-	-	-	-	-	-	-	-	-	-
Rala										35			35
Robalo	42	-	665	986	427	-	-	-	30	-	100	155	2,405
Sardinha boca torta	6,348	8,050	9,520	7,990	5,360	7,520	5,900	6,750	3,480	3,260	3,370	680	68,298
Sardinha Lage	330	2,020	-	-	-	-	1,240	-	-	640	-	6,420	10,650
Sardinha verdadeira	-	-	-	-	190	-	50	-	-	-	-	-	240
Tainha	7,870	14,103	20,957	20,725	17,791	10,385	5,676	7,703	6,986	9,391	16,391	18,496	156,474
Xareu	-	-	-	-	-	-	-	-	-	-	-	85	85
Xerelete	-	-	-	-	-	80	-	-	-	-	-	50	130
Outros	5,567	5,324	7,681	8,489	8,927	9,289	6,488	6,107	5,886	4,113	4,903	4,885	77,659
Total	37,213	48,737	53,883	48,129	39,666	33,738	28,191	35,948	25,096	28,338	53,538	47,712	480,189

Table 16-8 Fish Production Inventory at Maua Fish Colony (1991)

Fish Name	Month												Total
	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Agu.	Sep.	Oct.	Nov.	Dec.	
Bagre	9,284	7,714	6,351	3,865	1,520	1,307	1,780	2,737	2,785	2,469	7,783	4,910	52,505
Camarao rosa	567	-	-	-	-	520	1,495	3,039	6,144	5,613	-	1,485	18,863
Corvina	8,279	4,720	5,902	5,242	6,531	5,331	2,580	6,418	6,435	7,050	6,310	11,791	76,589
Anchova	215	519	565	-	67	-	-	-	-	-	433	2,221	4,020
Espada	135	-	-	40	250	475	1,340	3,657	1,809	177	45	70	7,998
Parati	285	2,977	5,623	6,083	14,711	14,414	2,680	2,065	3,155	1,912	2,962	130	56,997
Pescada Amar.	122	245	72	-	-	-	-	-	-	-	146	90	675
Pescada perna de moça	-	-	-	-	-	-	-	-	-	-	-	-	-
Pescadinha	-	-	-	-	-	-	-	-	-	-	-	-	-
Rala	-	-	-	-	-	-	-	-	-	-	-	-	-
Robalo	285	365	85	592	15	100	-	-	33	-	245	30	1,750
Sardinha boca torta	2,910	6,220	3,850	3,060	1,200	-	350	420	1,030	1,840	4,337	4,590	29,807
Sardinha Lage	3,290	-	720	-	-	-	-	-	-	-	-	-	4,010
Sardinha verdadeira	120	2,100	1,055	500	15,411	8,727	11,850	7,175	1,380	210	-	730	49,258
Tainha	19,600	15,944	20,450	21,401	8,711	6,934	3,834	4,545	4,837	7,092	18,665	18,485	150,558
Xareu	-	-	-	-	-	-	-	-	-	-	-	150	150
Xerelete	-	-	-	-	-	-	-	-	-	-	-	-	-
Caio	-	-	-	-	-	-	-	-	-	-	410	-	410
Badejo	-	-	-	20	30	-	-	-	-	-	-	-	50
Outros	6,952	6,709	6,934	5,310	4,766	4,174	3,182	1,864	2,237	1,602	6,865	2,484	53,079
Total	52,044	47,513	51,607	46,113	53,272	41,982	29,091	31,920	29,845	27,965	48,201	47,166	506,719

Table 16-9 Fish Production Inventory
at Ramos Fish Colony
(yearly production)

Fish Name	unit : kg	
	1 9 9 0	1 9 9 1
Bagre	680	228
Camarao Rosa		
Corvina	7,929	9,932
Anchova	775	748
Espada	2,474	
Parati	2,640	1,762
Pescada Amar		
Pescada Perna de moca		
Pescadinha	390	246
Raia		
Robalo	99	49
Sardinha boca torta		
Sardinha boca torta		
Sardinha verdadeira	500	5,380
Tainha	5,741	3,797
Xareu		
Xerelete		
Outros	3,213	223
Total	24,441	22,365

Table 16-10 Fish Production Inventory at Niteroi Market (July 1992)

Date Fish Name	unit : kg															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Corvina	50	120	318	70				89	40	30	600			10		
Xerelete	15	36	320		60				1600						150	
Tainha		702	400	582	56		109			110	20			116		120
Bagre	85		60	95	40			14	15	150				5		
Espada																
Anchova	60	48	220	336		8	4	108	25	75	452			195	160	
Anchoveta											60				26	25
Sardinha Boca Torta					430	300	400			35	635			36	86	500
Parati	72	315	65	371	120	6	63	37			90			222	50	130
Galo															60	
Cocoroca		68			10	20	6	12		10	30			20		
Cascadora																
Carapicu															23	
Savelha				274	240				130	40	80			150		
Manjuba		35		85												193
Camarao	50	32		46	98			38						99	38	
Siri	45	81		202	147			25								
Sardinha Lage	120	160						440	60	120				46		
Others		460	235	251	560		7					110		131		
Total	497	2057	1618	2312	1761	334	652	700	1870	570	2077			1198	570	968

Date Fish Name	unit : kg															
	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
Corvina												450				1,777
Xerelete																2,181
Tainha	200				126			230	66			54	25	70		2,986
Bagre	80				22							320		10		896
Espada	15				30											45
Anchova	30	10			30	17						45	4			1,827
Anchoveta	15							117								243
Sardinha Boca Torta		270						120				240	200			3,252
Parati	143	25			46	32		115	56			65	18	17		2,058
Galo																60
Cocoroca	8					16	13						6			219
Cascadora						60										60
Carapicu						15										38
Savelha							3200	75								4,189
Manjuba	200							190	30			185	100	437	107	1,562
Camarao								40	28	40			42		25	576
Siri								56		73			75		43	747
Sardinha Lage		250														1,196
Others	25															1,779
Total	716	555			254	140	3429	755	265			185	1391	690	272	25,836

APPENDIX 7. 5-1

SALTMARSH AND MANGROVE SURVEYS

TABLE APP.7.5-1

Results of the Study on
Aquatic Organisms.

(June / 1992)

Table 16-1 Chlorophyll-a and Pheophytine Concentrations ($\mu\text{g/l}$) in High Tide (May 18, 1992)

Station	1		2		3		4		5		6		7		8		9	
Depth(m)																		
Parameter	0.1	5.0	0.1	5.0	0.1	5.0	0.1	3.0	0.1	5.0	0.1	5.0	0.1	3.0	0.1	2.0	0.1	5.0
Chlorophyll-a	-	-	5.35	12.03	8.02	12.70	5.04	2.04	0.89	1.12	28.30	19.60	41.43	--	43.66	44.91	58.99	13.66
Pheophytine	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	--	<0.10	<0.10	<0.10	<0.10
Sampling time	15:20		16:00		16:50		17:20		16:50		16:00		15:50		15:25			

Station	10		11		12		13		14		15		16		17		18	
Depth																		
Parameter	0.1	5.0	0.1	4.0	0.1	5.0	0.1	3.0	0.1	3.0	0.1	3.0	0.1	3.3	0.1	3.5	0.1	3.5
Chlorophyll-a	27.40	15.37	34.21	23.52	34.75	17.37	50.79	102.91	73.51	16.04	--	20.49	40.01	37.86	77.52	40.01	38.76	62.82
Pheophytine	<0.10	0.07	<0.10	0.43	14.84	<0.10	<0.10	<0.10	<0.10	6.42	--	0.09	20.60	<0.10	<0.10	<0.10	<0.10	<0.10
Sampling time	14:30		17:25		16:40		-		15:28		15:30		14:30		16:56		16:12	

Table 16-2 Chlorophyll-a and Pheophytine Concentrations ($\mu\text{g/l}$) in Low Tide (May 18, 1992)

Station	1		2		3		4		5		6		7		8		9	
Depth(m)																		
Parameter	0.1	0.5	0.1	5.0	0.1	5.0	0.1	3.0	0.1	5.0	0.1	5.0	0.1	3.0	0.1	2.0	0.1	4.0
Chlorophyll-a	0.46	-	35.04	11.76	14.97	15.55	70.26	14.15	27.49	6.68	11.95	3.55	71.64	22.80	61.22	33.73	56.49	16.15
Pheophytine	0.50	-	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	12.07	52.72	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sampling time	9:15		11:05		11:55		13:00		13:55		11:50		11:15		10:20		9:40	

Station	10		11		12		13		14		15		16		17		18	
Depth																		
Parameter	0.1	5.0	0.1	2.3	0.1	5.0	0.1	3.0	0.1	3.0	0.1	3.0	0.1	3.3	0.1	3.0	0.1	3.0
Chlorophyll-a	6.87	10.69	136.08	41.70	38.40	22.49	74.84	82.85	88.21	62.82	32.08	22.72	44.91	13.30	42.08	20.31	224.53	72.70
Pheophytine	16.92	1.78	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sampling time	8:30		9:05		10:40		11:55		11:04		11:45		13:00		9:24		10:20	

Table 16-3 Chlorophyll-a and Pheophytine Concentrations ($\mu\text{g/l}$) in High Tide (June 8, 1992)

Station	1		2		3		4		5		6		7		8		9	
Depth(m)	0.1	5.0	0.1	5.0	0.1	5.0	0.1	3.0	0.1	5.0	0.1	5.0	0.1	3.0	0.1	2.0	0.1	5.0
Chlorophyll-a	1.44	1.78	2.67	1.78	2.47	3.56	21.39	14.64	4.90	3.28	23.52	4.31	33.41	9.36	10.69	3.17	46.33	12.47
Pheophytine	0.80	3.21	0.54	4.76	<0.10	3.67	11.58	8.06	2.90	5.35	21.38	4.14	17.11	11.23	17.38	13.72	32.25	8.73
Sampling time																		

Station	10		11		12		13		14		15		16		17		18	
Depth(m)	0.1	5.0	0.1	2.5	0.1	5.0	0.1	3.0	0.1	2.5	0.1	3.0	0.1	3.5	0.1	5.0	0.1	4.0
Chlorophyll-a	21.38	3.56	28.07	11.58	9.80	6.24	--	38.76	70.84	10.63	11.58	3.02	12.83	8.91	16.04	13.37	42.77	8.02
Pheophytine	21.53	6.05	18.71	20.35	5.29	6.86	--	34.21	39.56	1.47	10.25	7.57	7.38	7.31	3.61	0.67	29.27	1.34
Sampling time																		

Table 16-4 Chlorophyll-a and Pheophytine Concentrations ($\mu\text{g/l}$) in Low Tide (June 8, 1992)

Station	1		2		3		4		5		6		7		8		9	
Depth	0.1	5.0	0.1	5.0	0.1	5.0	0.1	3.0	0.1	5.0	0.1	5.0	0.1	3.0	0.1	2.0	0.1	5.0
Chlorophyll-a	-	-	5.35	3.10	31.19	4.00	138.10	6.01	61.10	8.26	30.23	14.26	53.46	--	53.46	31.68	19.60	11.58
Pheophytine	-	-	12.74	10.38	16.52	4.10	66.08	2.41	39.87	10.79	14.61	13.19	23.57	--	38.20	34.35	10.96	4.01
Sampling time																		

Station	10		11		12		13		14		15		16		17		18	
Depth	0.1	5.0	0.1	2.5	0.1	5.0	0.1	3.0	0.1	5.0	0.1	3.0	0.1	3.5	0.1	5.0	0.1	4.0
Chlorophyll-a	61.48	3.56	13.37	17.38	12.03	8.02	53.45	45.44	97.57	9.36	10.69	7.48	14.37	6.24	81.53	14.70	12.03	3.36
Pheophytine	37.69	4.54	11.90	19.01	7.75	10.07	41.63	35.95	54.00	4.68	9.27	4.49	15.72	6.24	53.19	4.01	2.01	4.68
Sampling time																		

Table 16-5 Summary of Crab Production

unit: No. of barrow/m²

S p e c i e s	No. of sampling square				
	1	2	3	4	5
Goniopsis cruentata		5			
UCA (Minuca) rapax	25	30	20	40	
UCA (Minuca) mordax			10	10	10
UCA (Boboruca) thayeri	15	20			
Cardizoma guanhumi					3

S p e c i e s	No. of sampling square				
	1	2	3	4	5
Goniopsis cruentata		2			
Chasmagnatus granulata			6	10	2
UCA (Minuca) rapax			6		6
UCA (Boboruca) thayeri			10		18
Ucides cordatus			4		6

S p e c i e s	No. of sampling square				
	1	2	3	4	5
Goniopsis cruentata		4			
Chasmagnatus granulata		12	4	12	2
UCA (Minuca) rapax	60		30		
Ucides cordatus			2	2	6

S p e c i e s	No. of sampling square				
	1	2	3	4	5
Goniopsis cruentata		4			
Chasmagnatus granulata			2	6	10
UCA (Minuca) rapax			30		
UCA (Boboruca) thayeri		20		12	
Ucides cordatus		2		4	8

S p e c i e s	No. of sampling square				
	1	2	3	4	5
Goniopsis cruentata		2	2		12
Chasmagnatus granulata		2			
UCA (Minuca) rapax	20		30		
UCA (Boboruca) mordax		20			
UCA (Boboruca) thayeri		10			
Ucides cordatus				6	6

S p e c i e s	No. of sampling square				
	1	2	3	4	5
Goniopsis cruentata		4			
Chasmagnatus granulata		6		5	2
UCA (Minuca) rapax		20		19	20
UCA (Minuca) mordax			16		20
Ucides cordatus		4	7	4	6

STM-10

unit: No. of barrow/m²

S p e c i e s	No. of sampling square				
	1	2	3	4	5
Goniopsis cruentata	4	2			
Chasmagnathus granulata	4	7	3	6	4
UCA (Minuca) rapax	16			16	
UCA (Minuca) mordax		10			
UCA (Bobruca) thayeri			12		30
Ucides cordatus		3	4	5	6

Table 16-11 Zooplankton Population in the Guanabara Bay
(Net Mesh : 200 μ m)

Station	Groups (No. of Org. in Sample Bottle)										Total Org./m ³	
	Hydrom.	Sipho.	Cirrri.	Dec.	Copep.	Clad.	Ostr.	Appen.	Chaet.	Eggs		
2 S	1	3	10	8	54	41	4	9	0	0	130	867
3 S	0	14	35	5	39	27	2	1	1	1	439	2,927
4 S	2	1	17	3	239	13	3	1	0	5	284	1,843
5 S	0	0	13	1	56	15	2	0	0	0	91	607
6 S	0	0	0	0	5	0	1	0	0	0	6	40
7 S	0	0	0	0	19	3	1	5	0	0	31	207
8 S	0	0	0	0	0	0	0	0	0	0	0	0
9 S	0	0	0	0	0	0	0	0	0	0	0	0
11 S	0	0	0	0	0	0	2	0	0	0	2	13
12 S	0	0	1	0	1	0	0	0	0	0	2	13
13 S	0	0	4	0	0	0	0	0	0	0	4	27
14 S	0	0	0	1	1	0	0	0	0	0	2	13
15 S	0	0	1	0	2	0	0	0	1	0	4	27
16 S	0	0	1	0	0	0	0	0	0	0	1	7
17 S	0	0	1	0	0	0	0	0	0	0	1	7
18 S	0	0	0	0	0	0	0	0	0	0	0	0
Total	19	14	123	25	750	270	43	86	2	6	1,338	

Station	Groups (No. of Org. in Sample Bottle)										Total Org./m ³	
	Hydrom.	Sipho.	Cirrri.	Dec.	Copep.	Clad.	Ostr.	Appen.	Chaet.	Eggs		
2 S	1	0	10	6	596	4	0	94	0	0	711	4,740
3 S	0	0	8	0	154	0	0	71	0	0	233	1,532
4 S	0	0	3	0	202	7	0	81	0	0	296	1,987
5 S	0	1	4	3	33	5	1	30	0	0	77	513
6 S	0	0	0	0	45	2	0	15	0	0	94	627
7 S	0	0	3	0	37	8	0	64	0	0	111	740
8 S	3	0	0	0	9	0	0	23	0	0	68	453
9 S	0	0	5	0	132	0	0	15	0	0	27	180
11 S	0	0	2	0	11	0	0	0	0	0	135	900
12 S	0	0	9	0	8	0	0	10	0	0	26	173
13 S	0	0	4	6	14	0	0	12	0	0	22	147
14 S	0	2	5	0	93	2	0	32	0	0	53	353
15 S	0	0	19	0	12	1	0	28	0	0	52	347
16 S	1	0	1	0	82	0	0	0	0	0	102	680
17 S	0	0	4	0	54	0	0	0	0	0	32	213
18 S	0	0	3	0	9	0	0	3	0	0	87	580
Total	5	3	110	15	2024	39	1	585	0	0	2782	

[Note] S : Surface Layer
M : Middle Layer

[Legend]
Hydrom. : Hydromedusae
Sipho. : Siphonophora
L. Virit. : Larvaceans
Copep. : Copepoda
Clad. : Cladocera
Ostr. : Ostracoda
Appen. : Appendicularia
Chaet. : Chaetognatha

[Note] S : Surface Layer
M : Middle Layer

[Legend]
Hydrom. : Hydromedusae
Sipho. : Siphonophora
L. Dec. : Decapoda Larva
Copep. : Copepoda
Clad. : Cladocera
Ostr. : Ostracoda
Appen. : Appendicularia
Chaet. : Chaetognatha

APPENDIX 7. 5-2

SALTMARSH AND MANGROVE SURVEYS

TABLE APP.7.5-2

**Results of crab community survey performed on
saltmarsh and mangrove in the Guanabara bay.**

(November / 1992)

Table Crab community survey

Station Date
 Rio Iguacu st.1
 16th \ november \ 1992

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	20	30	30		20
Chasmagnathus granulata	4	2	5	16	3
Ucides cordatus	4	6	4	4	3
Genero Uca	10	20	20	10	15
Chasmagnathus granulata	6	10	16	3	16
Ucides cordatus	4	3	3	3	4
Genero Uca	30	20	40	60	30
Chasmagnathus granulata	2	6	4	10	16
Ucides cordatus	3	2	6	4	4
Species	Point			Station 1	
	1	2	3		
Genero Uca	20,0	15,0	36,0	23,6	
Chasmagnathus granulata	6,0	10,2	4,4	6,6	
Ucides cordatus	4,2	4,0	3,8	4,0	

Table Crab community survey

Station Date
 Rio Iguacu st.2
 16th \ november \ 1992

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	30	40	20	10	25
Chasmagnathus granulata	3	6	6	10	10
Ucides cordatus	4	3	6	2	2
Genero Uca	40	30	50	40	20
Chasmagnathus granulata	2	3	10	3	3
Ucides cordatus	20	30	30	50	30
Genero Uca	10	10	10	10	8
Chasmagnathus granulata	4	2	2	5	4
Ucides cordatus					
Species	Point			Station 2	
	1	2	3		
Genero Uca	25,0	36,0	32,0	31,0	
Chasmagnathus granulata	5,2	3,0	7,6	5,2	
Ucides cordatus	3,4	1,6	3,4	2,8	

Table Crab community survey

Station Date	Rio Estrela 11th \ november \ 1992	st.1	Sampling station				
			1	2	3	4	5
		Species	Numb. of burrow / m2				
		Genero Uca	30	30	40	30	16
		Chasmagnathus granulata	20	10	12		12
		Ucides cordatus	6	3	2		
		Goniopsis cruentata		1	3		
		Genero Uca	30	40	18	20	20
		Chasmagnathus granulata	10	6	4		10
		Ucides cordatus	3	3	2		6
		Goniopsis cruentata	2		3		3
		Genero Uca	20	30	30	35	40
		Chasmagnathus granulata	3	2		8	
		Ucides cordatus	2	8		7	4
		Goniopsis cruentata	2				1
		Mean		Point	Station 1		
			1	2	3		
		Genero Uca	25,6	26,0	31,0		27,5
		Chasmagnathus granulata	10,6	2,8	2,6		6,4
		Ucides cordatus	3,8	2,8	4,2		3,6
		Goniopsis cruentata	0,8	1,6	0,6		1,0

Table Crab community survey

Station Date	Rio Iguacu 16th \ november \ 1992	st.3	Sampling station				
			1	2	3	4	5
		Species	Numb. of burrow / m2				
		Genero Uca	30	20	10	25	40
		Chasmagnathus granulata	12	17	20	15	22
		Ucides cordatus		1		1	
		Mean		Point	Station 3		
			1				
		Genero Uca	25,0				25,0
		Chasmagnathus granulata	17,2				17,2
		Ucides cordatus	0,4				0,4

Table Crab community survey

Station Date Rio Estrela St.2
11th \ november \ 1992

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	80	60	70	80	60
Chasmagnathus granulata	10	10	10	10	10
Ucides cordatus	3		2		2
Goniopsis cruentata	2				
	Point 1:				
	80	60	70	80	60
	10	10	10	10	10
	3		2		2
	2				
	Mean				
	70,0	8,0	70,0	8,0	70,0
	1,4	1,4	1,4	1,4	1,4
	0,4	0,4	0,4	0,4	0,4

Table Crab community survey

Station Date Rio Estrela St.3
11th \ november \ 1992

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	80	60	30	40	50
Chasmagnathus granulata	10	10	12	10	15
Ucides cordatus	1			2	
Goniopsis cruentata	2		1		
	Point 1:				
	80	60	30	40	50
	10	10	12	10	15
	1			2	
	2		1		
	Mean				
	52,0	10,0	10,0	10,0	52,0
	1,0	1,0	1,0	1,0	1,0
	0,6	0,6	0,6	0,6	0,6

Table Crab community survey

Station Rio Guapimirim st.1
Date 12th \ november \ 1992

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	20	10	20	16	10
Chasmagnathus granulata	4	6			6
Ucides cordatus	3	2	4	3	2
Genero Uca	10	20	10	20	15
Chasmagnathus granulata	4			7	10
Ucides cordatus	3	3	3	2	3
Genero Uca	20	10	30	20	10
Chasmagnathus granulata	6	6	5		
Ucides cordatus	2	1	4	3	3
Genero Uca	20	10	10	10	20
Chasmagnathus granulata	2			2	4
Ucides cordatus	3	3	4	1	4
Genero Uca	20	20	20	30	10
Chasmagnathus granulata	3			6	8
Ucides cordatus	6	4	2	2	2
Species	Point		Station 1		
	1	2	3	4	5
Mean	15,2	15,0	18,0	18,0	22,0
Genero Uca	3,2	4,2	2,2	1,6	3,4
Chasmagnathus granulata	3,2	2,8	2,6	4,0	3,2
Ucides cordatus					

Table Crab community survey

Station Rio Guapimirim st.2
Date 12th \ november \ 1992

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	20	30	10	20	16
Chasmagnathus granulata	2	4	10	3	4
Ucides cordatus	4	6	4	2	3
Genero Uca	16	20	18	22	16
Chasmagnathus granulata	6	3	2	3	4
Ucides cordatus	3	4	1	3	4
Genero Uca	20	16	15	26	18
Chasmagnathus granulata	14	8	6	8	3
Ucides cordatus	3	4	3	4	5
Goniopsis cruentata	2				1
Species	Point		Station 2		
	1	2	3		
Mean	19,2	18,4	19,0	11,3	
Genero Uca	4,6	3,6	7,8	5,3	
Chasmagnathus granulata	3,8	7,8	3,8	3,5	
Ucides cordatus					

Table Crab community survey

Station
Date

Station
Date

Table Crab community survey

Station
Date

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	10	20	30	15	20
Chasmagnathus granulata	8	6	7	4	8
Ucides cordatus	3	2	6	2	1
Goniopsis cruentata	3	2		3	3
Genero Uca	10	20	30	15	20
Chasmagnathus granulata	6	4		8	
Ucides cordatus	2	3	2	4	2
Goniopsis cruentata	1	2			2
Genero Uca	20	16	22	18	10
Chasmagnathus granulata	2	8	4	5	2
Ucides cordatus	2	3	2	4	2
Genero Uca	20	15	10	20	16
Chasmagnathus granulata	4	4	4	3	3
Ucides cordatus	4	2	3	6	4
Genero Uca	16	26	18	20	16
Chasmagnathus granulata	4	4	4	3	3
Ucides cordatus	4	2	3	6	4
	Point				
	1	2	3	4	5
	15,2	19,0	17,2	16,2	19,2
	6,6	3,6	3,4	3,2	3,0
	6,6	2,6	3,2	4,0	3,6
	2,2	1,0			0,6

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	10	26	26	26	16
Chasmagnathus granulata	20	10	30	10	30
Genero Uca	10	20	30	26	16
Chasmagnathus granulata	20	30	16	20	30
Genero Uca	20	10	16	16	26
Chasmagnathus granulata	20	20	20	10	16
Ucides cordatus					2
	Point				
	1	2	3	Station 1	
	20,8	16,4	19,2	22,6	
	206,0	23,2	17,2	20,1	
			0,4	0,1	

Table Crab community survey

Station Date Rio Cacerebu st.3
13th \ november \ 1992

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	10	20	20	30	40
Chasmagnathus granulata	10	16		16	14
Ucides cordatus	4	6	4	4	3
Goniopsis cruentata	4	8	2		1
Genero Uca	30	10	10	10	30
Chasmagnathus granulata	3	4	14	20	20
Ucides cordatus	2	2	2	4	2
Goniopsis cruentata					2
Genero Uca	10	20	20	30	40
Chasmagnathus granulata	10	15	4	4	6
Ucides cordatus	2	4	3	6	10
Goniopsis cruentata					
Genero Uca	30	20	20	30	30
Chasmagnathus granulata	4	3	2	16	16
Ucides cordatus				4	3
Goniopsis cruentata				4	
Genero Uca	30	20	20	25	30
Chasmagnathus granulata	6	10	10	14	10
Ucides cordatus	3	2	6	6	2
Goniopsis cruentata	4	4	3	3	
Mean	1	2	3	4	5
Species	Station 3				
Genero Uca	24,0	18,0	24,0	26,0	25,0
Chasmagnathus granulata	11,2	12,2	6,6	6,4	10,0
Ucides cordatus	3,2	2,4	4,2	3,2	3,8
Goniopsis cruentata	3,0	0,6	2,0	2,4	2,0

Table Crab community survey

Station Date Rio Cacerebu st.2
13th \ november \ 1992

Species	Sampling station				
	1	2	3	4	5
	Numb. of burrow / m2				
Genero Uca	30	20	20	30	25
Chasmagnathus granulata	16	16	10	10	16
Ucides cordatus	3	2	5	4	4
Genero Uca	30	20	30	16	30
Chasmagnathus granulata	18	16	20	30	20
Ucides cordatus	6	2	3	2	2
Genero Uca	20	30	10	30	20
Chasmagnathus granulata	16	20	10	15	10
Ucides cordatus	6	2		4	2
Genero Uca	20	20	10	10	16
Chasmagnathus granulata	10	10	20	14	14
Ucides cordatus	2	3		3	4
Genero Uca	30	14	20	10	10
Chasmagnathus granulata	16	10	10	6	10
Ucides cordatus	4		4	4	4
Mean	1	2	3	4	5
Species	Station 2				
Genero Uca	25,0	25,2	22,0	15,2	16,8
Chasmagnathus granulata	10,4	20,8	14,2	8,8	2,4
Ucides cordatus	4,4	3,0	2,8	2,4	3,8

PART V

**NUMERICAL POLLUTION SIMULATION
ON GUANABARA BAY**

CONTENTS

	page
LIST OF TABLES	iii
LIST OF FIGURES	iv
CHAPTER 1 NUMERICAL MODELING OF TIDAL CURRENT AND WATER QUALITY	
1.1 Structure of the Numerical Simulation Model	1-1
1.2 Hydrodynamic Model	1-3
1.2.1 Governing Equation of Tidal Current	1-3
1.2.2 Governing Equation of Tidal Current in Two-level Model	1-4
1.2.3 Finite Difference Equation	1-11
1.3 Diffusion Model	1-21
1.3.1 Governing Equation	1-21
1.3.2 Finite Difference Equation	1-23
1.4 Eutrophication Model	1-24
1.4.1 Governing Equation	1-25
1.4.2 Finite Difference Equation	1-31
CHAPTER 2 RESULTS OF VERIFICATION TESTS	
2.1 Review of Field Surveys and Laboratory Tests on Water Quality	2-1
2.2 Calculation Indices	2-8
2.3 Calculation Conditions	2-10
2.3.1 Hydrodynamic Model	2-10
2.3.2 Diffusion Model	2-17
2.3.3 Eutrophication Model	2-20
2.4 Verification Test of the Hydrodynamic Model	2-34
2.4.1 Results of Calculation	2-34
2.4.2 Verification of the Hydrodynamic Model	2-46
2.5 Verification Test of the Diffusion Model	2-49
2.5.1 Results of Calculation	2-49
2.5.2 Verification of the Diffusion Model	2-49
2.6 Verification Test of the Eutrophication Model	2-53
2.6.1 Results of Calculation	2-53
2.6.2 Verification of the Eutrophication Model	2-72

CHAPTER 3 WATER POLLUTION MECHANISM IN THE BAY
BY NUMERICAL SIMULATION

3.1	Inflowing Load on Dry Season and Rainy Season	3-1
3.2	Water Quality on High Tide and Low Tide	3-5
3.3	Contribution Rate of Primary Production to BOD Concentration	3-10
3.4	Contribution Rate of External Loads	3-13
3.4.1	Method of Calculation	3-13
3.4.2	Results of Calculation	3-15
3.4.3	Target Reduction Load	3-33
3.5	Exchange of Bay Water by Simulation Models	3-42
3.5.1	Analysis by attydrodynamic Model	3-42
3.5.2	Analysis by a Marker and Cell Method	3-46
3.5.3	Analysis by a Diffusion Simulation Model	3-52
3.5.4	Analysis by an Eutrophication Submission Model	3-57

CHAPTER 4 PREDICTION OF FUTURE WATER QUALITY
WITHOUT MEASURES

4.1	Case of Calculation	4-1
4.2	Conditions of Calculation	4-1
4.3	Results of Calculation	4-5
4.4	Evaluation of Calculation Results	4-30

CHAPTER 5 EFFICIENCY EVALUATION OF SEVERAL MEASURES

5.1	Case of Calculation	5-1
5.2	Conditions of Calculation	5-2
5.3	Results of Calculation	5-11
5.4	Evaluation of Calculation Results	5-80
5.4.1	IDB/OECF Program on the Year of 2000	5-80
5.4.2	IDB/OECF Program on the Year of 2010	5-87
5.4.3	Ocean Outfall System	5-94
5.4.4	High-Grade Sewage Treatment	5-101
5.4.5	Dredging of Polluted Sediments	5-106
5.4.6	Deepening and Widening of Channels	5-111

LIST OF TABLES

	Page
Table 2.3-1	Calculation condition for Hydrodynamic Model 2-10
Table 2.3-2	Tidal Harmonic Constants for Simulation Model 2-12
Table 2.3-3	Calculation Condition for Diffusion Model 2-17
Table 2.3-4(1)	Calculation Condition for Eutrophication Model 2-20
Table 2.3-4(2)	Calculation Condition for Eutrophication Model 2-21
Table 2.3-5(1)	External Load used for Simulation in Dry Season in Present 2-29
Table 2.3-5(2)	External Load used for Simulation in Rainy Season is Present 2-30
Table 2.3-5(3)	External Load used for Simulation in Present Annual Mean 2-31
Table 3.1-1	Load used in Numerical Simulation used for Simulation in Present Case 3-4
Table 3.5-1	Relationship between volume and Amount of Flow 3-43
Table 3.5-2	Calculation Cases for Markers 3-46
Table 3.5-3	Calculation Cases 3-52
Table 3.5-4	Mass Balance in the Bay 3-58
Table 4.1-1	Calculation Case without Measures 4-1
Table 4.2-1(1)	External Load used for simulation in 2000 4-2
Table 4.2-1(2)	External Load used for simulation in 2010 (scenario-1) 4-3
Table 4.2-1(3)	External Load used for simulation in 2010 (scenario-2) 4-4
Table 4.4-1	External Load from Sub-Basin Groups 4-31
Table 5.2-1(1)	External Load used for simulation in Case 1-1 5-3
Table 5.2-1(2)	External Load used for simulation in Case 1-2 5-4
Table 5.2-1(3)	External Load used for simulation in Case 2 5-5
Table 5.2-1(4)	External Load used for simulation in Case 3-1 5-6
Table 5.2-1(5)	External Load used for simulation in Case 3-2 5-7
Table 5.2-1(6)	External Load used for simulation in Case 3-3 5-8
Table 5.2-1(7)	External Load used for simulation in Case 3-4 5-9
Table 5.2-2	External Load from Sub-Basin Group 5-10

LIST OF FIGURES

	Page
Fig. 1.1-1	Numerical Simulation of Water Quality Analysis 1-2
Fig. 1.2-1	Definition of Calculation Points 1-11
Fig. 1.4-1	Nutrient Cycle Model 1-25
Fig. 2.1-1	Observed Water Quality Distribution (DO) 2-2
Fig. 2.1-2	Observed Water Quality Distribution (T-P) 2-3
Fig. 2.1-3	Observed Water Quality Distribution (PO ₄ -P) 2-4
Fig. 2.1-4	Observed Water Quality Distribution (O-P) 2-5
Fig. 2.1-5	Observed Water Quality Distribution (COD _{Min}) 2-6
Fig. 2.1-6	Observed Water Quality Distribution (BOD) 2-7
Fig. 2.2-1	N and P Ratio in Water and in Seston 2-9
Fig. 2.3-1	Simulation Lattice Map and River Inflow Points 2-13
Fig. 2.3-2	Water Depths used for simulation Model 2-13
Fig. 2.3-3(1)	Vertical Distribution of Sigma-t(1) 2-14
Fig. 2.3-3(2)	Vertical Distribution of Sigma-t(2) 2-15
Fig. 2.3-4	Observed Water Quality Distribution (transparency) 2-16
Fig. 2.3-5	Dispersion Coefficient used for Simulation 2-19
Fig. 2.3-7	Correlation between T-P and Transparency through the Observation 2-23
Fig. 2.3-8	Release Rate and DO Consumption Rate by sediment used for Simulation .. 2-25
Fig. 2.3-9	Correlation between BOD, O-P and Chl-a in Upper Layer through the Observation 2-26
Fig. 2.3-10	Correlation between COD, O-P and Chl-a in Upper Layer through the Observation 2-27
Fig. 2.3-11	Correlation between T-P and PO ₄ -P in River 2-32
Fig. 2.4-1(1)	Calculated Tidal Current (Dry Season:Flood Stream) 2-35
Fig. 2.4-1(2)	Calculated Tidal Current (Dry Season:Ebb Stream) 2-36
Fig. 2.4-1(3)	Calculated Tidal Current (Rainy Season:Flood Stream) 2-37
Fig. 2.4-1(4)	Calculated Tidal Current (Rainy Season:Ebb Stream) 2-38
Fig. 2.4-1(5)	Calculated Tidal Current (Annual Mean:Flood Stream) 2-39
Fig. 2.4-1(6)	Calculated Tidal Current (Annual Mean:Ebb Stream) 2-40
Fig. 2.4-2(1)	Calculated Residual Current (Dry Season) 2-41
Fig. 2.4-2(2)	Calculated Residual Current (Rainy Season) 2-42
Fig. 2.4-2(3)	Calculated Residual Current (Annual Mean) 2-43
Fig. 2.4-3(1)	Calculated Vertical Velocity Averaged for a Tidal 2-44
Fig. 2.4-3(2)	Calculated Vertical Velocity Averaged for a Tidal 2-45
Fig. 2.4-5	Comparison of Observed and Calculated Velocity by Tidal Current Ellipses (M ₂ +S ₂) 2-47
Fig. 2.4-6	Comparison of Tidal Curves 2-48
Fig. 2.5-1(1)	Calculated Water Quality Distribution in Dry Season (Salinity) 2-50
Fig. 2.5-1(2)	Calculated Water Quality Distribution in Rainy Season (Salinity) 2-51
Fig. 2.5-2	Comparison of Observed and Calculated Salinity 2-52
Fig. 2.6-1(1)	Calculated Water Quality Distribution in Dry Season (BOD) 2-54
Fig. 2.6-1(2)	Calculated Water Quality Distribution in Dry Season (COD) 2-55
Fig. 2.6-1(3)	Calculated Water Quality Distribution in Dry Season (Po ₄ -P) 2-56
Fig. 2.6-1(4)	Calculated Water Quality Distribution in Dry Season (O-P) 2-57
Fig. 2.6-1(5)	Calculated Water Quality Distribution in Dry Season (T-P) 2-58
Fig. 2.6-1(6)	Calculated Water Quality Distribution in Dry Season (DO) 2-59
Fig. 2.6-2(1)	Calculated Water Quality Distribution in Rainy Season (BDO) 2-60
Fig. 2.6-2(2)	Calculated Water Quality Distribution in Rainy Season (COD) 2-61

Fig. 2.6-2(3)	Calculated Water Quality Distribution in Rainy Season (PO ₄ -P)	2-62
Fig. 2.6-2(4)	Calculated Water Quality Distribution in Rainy Season (O-P)	2-63
Fig. 2.6-2(5)	Calculated Water Quality Distribution in Rainy Season (T-P)	2-64
Fig. 2.6-2(6)	Calculated Water Quality Distribution in Rainy Season (DO)	2-65
Fig. 2.6-3(1)	Calculated Water Quality Distribution of Annual Mean in 1991 (BDO)	2-66
Fig. 2.6-3(2)	Calculated Water Quality Distribution of Annual Mean in 1991 (COD)	2-67
Fig. 2.6-3(3)	Calculated Water Quality Distribution of Annual Mean in 1991 (PO ₄ -P)	2-68
Fig. 2.6-3(4)	Calculated Water Quality Distribution of Annual Mean in 1991 (O-P)	2-69
Fig. 2.6-3(5)	Calculated Water Quality Distribution of Annual Mean in 1991 (T-P)	2-70
Fig. 2.6-3(6)	Calculated Water Quality Distribution of Annual Mean in 1991 (DO)	2-71
Fig. 2.5-4(1)	Comparison of Observed and Calculated BOD	2-73
Fig. 2.6-4(2)	Comparison of Observed and Calculated COD	2-74
Fig. 2.6-4(3)	Comparison of Observed and Calculated PO ₄ -P	2-75
Fig. 2.6-4(4)	Comparison of Observed and Calculated O-P	2-76
Fig. 2.6-4(5)	Comparison of Observed and Calculated T-P	2-77
Fig. 2.6-4(6)	Comparison of Observed and Calculated DO	2-78
Fig. 3.1-1(1)	BOD External Load used for Simulation in Present Cases	3-2
Fig. 3.1-1(2)	COD External Load used for Simulation in Present Cases	3-2
Fig. 3.1-1(3)	O-P External Load used for Simulation in Present Cases	3-3
Fig. 3.1-1(4)	PO ₄ -P External Load used for Simulation in Present Cases	3-3
Fig. 3.1-1(5)	River Discharge used for Simulation in Present Cases	3-4
Fig. 3.2-1(1)	Calculated BOD Distribution in High Tide in 1991	3-6
Fig. 3.2-1(2)	Calculated BOD Distribution in the time of Ebb Stream in 1991	3-7
Fig. 3.2-1(3)	Calculated BOD Distribution in Low Tide in 1991	3-8
Fig. 3.2-1(4)	Calculated BOD Distribution in the time of Flood Stream in 1991	3-9
Fig. 3.3-1	Calculated BOD Distribution contributed Production of Phytoplankton in 1991	3-11
Fig. 3.3-2	Transparency Distribution converted by Calculated T-P in 1991	3-11
Fig. 3.3-3	Itemization of Calculated BOD Concentration in 1991	3-12
Fig. 3.4-1	Area Division of sub-Basin Group and Water Area	3-14
Fig. 3.4-2(1)	Calculated BOD Distribution in the Hypothetical Case (BOD Effluent Load from Eastern Basin Group is Zero)	3-16
Fig. 3.4-2(2)	Calculated BOD Distribution in the Hypothetical Case (BOD Effluent Load from Northeastern Basin Group is Zero)	3-17
Fig. 3.4-2(3)	Calculated BOD Distribution in the Hypothetical Case (BOD Effluent Load from Northwestern Basin Group is Zero)	3-18
Fig. 3.4-2(4)	Calculated BOD Distribution in the Hypothetical Case (BOD Effluent Load from Western Basin Group is Zero)	3-19
Fig. 3.4-3(1)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block A is Zero)	3-20
Fig. 3.4-2(2)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block B is Zero)	3-21
Fig. 3.4-3(3)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block C is Zero)	3-22
Fig. 3.4-3(4)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block D is Zero)	3-23
Fig. 3.4-3(5)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block E1 is Zero)	3-24
Fig. 3.4-3(6)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block E2 is Zero)	3-25
Fig. 3.4-3(7)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block F is Zero)	3-26

Fig. 3.4-3(8)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block G is Zero)	3-27
Fig. 3.4-3(9)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block H is Zero)	3-28
Fig. 3.4-3(10)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block I1 is Zero)	3-29
Fig. 3.4-3(11)	Calculated BOD Distribution in the Hypothetical Case (BOD Release Load from Block I2 is Zero)	3-30
Fig. 3.4-4	Contribution Rate of Each Sub-Basin Group to the Water Quality in the Bay	3-31
Fig. 3.4-5	Effluent Load from each Sub-Basin Group and Release Load from each Area	3-32
Fig. 3.4-6(1)	Relation between Reducing Rate of Effluent Load and Water Quality Variation in BOD	3-34
Fig. 3.4-6(2)	Relation between Reducing Rate of Effluent Load and Water Quality Variation in BOD	3-35
Fig. 3.4-7	Calculated BOD Distribution in the Hypothetical Case (Case 1)	3-36
Fig. 3.4-8	Calculated BOD Distribution in the Hypothetical Case (Case 2)	3-37
Fig. 3.4-9	Water Quality Change in each block	3-38
Fig. 3.4-10(1)	BOD Concentration and Variation in each Block	3-39
Fig. 3.4-10(2)	DO Concentration and Variation in each Block	3-40
Fig. 3.4-10(3)	T-P Concentration and Variation in each Block	3-41
Fig. 3.5-1	Block division in the Bay for analyses of Bay Water	3-43
Fig. 3.5-2	Exchange of Water calculated by the Tidal Current Simulation	3-44
Fig. 3.5-3	Exchange of Water only caused by River-Flow	3-45
Fig. 3.5-4(1)	Distribution of Markers at High Tides and Low Tides (Case 1(1)) (Dry Season)	3-48
Fig. 3.5-4(2)	Distribution of Markers at High Tides and Low Tides (Case 1(2)) (Rainy Season)	3-49
Fig. 3.5-5(1)	Distribution of Markers from the Meriti, Iguacu and Guapimirim Rivers (Case 2(1)) (Dry Season)	3-50
Fig. 3.5-5(2)	Distribution of Markers from the Meriti, Iguacu and Guapimirim Rivers (Case 2(2)) (Rainy Season)	3-51
Fig. 3.5-6(1)	Concentration Change of Conservative Matters Accompanied by Water Exchange in the Bay (Case1-4) (Dry Season)	3-54
Fig. 3.5-6(2)	Concentration Change of Conservative Matters Accompanied by Water Exchange in the Bay (Case1-4) (Rainy Season)	3-55
Fig. 3.5-7	Concentration Change of Conservative Matters by Water Exchange in the Bay (Case 5)	3-56
Fig. 4.3-1(1)	Calculated Water Quality in 2000 without Measure (BOD)	4-6
Fig. 4.3-1(2)	Calculated Water Quality in 2000 without Measure (PO ₄ -P)	4-7
Fig. 4.3-1(3)	Calculated Water Quality in 2000 without Measure (O-P)	4-8
Fig. 4.3-1(4)	Calculated Water Quality in 2000 without Measure (T-P)	4-9
Fig. 4.3-1(5)	Calculated Water Quality in 2000 without Measure (DO)	4-10
Fig. 4.3-2(1)	Calculated Water Quality in 2010 without Measure (sinario-1) (BOD)	4-11
Fig. 4.3-2(2)	Calculated Water Quality in 2010 without Measure (sinario-1)(PO ₄ -P)	4-12
Fig. 4.3-2(3)	Calculated Water Quality in 2010 without Measure (sinario-1)(O-P)	4-13
Fig. 4.3-2(4)	Calculated Water Quality in 2010 without Measure (sinario-1)(T-P)	4-14
Fig. 4.3-2(5)	Calculated Water Quality in 2010 without Measure (sinario-1)(DO)	4-15
Fig. 4.3-3(1)	Calculated Water Quality in 2010 without Measure (sinario-2) (BOD)	4-16
Fig. 4.3-3(2)	Calculated Water Quality in 2010 without Measure (sinario-2)(PO ₄ -P)	4-17
Fig. 4.3-3(3)	Calculated Water Quality in 2010 without Measure (sinario-2)(O-P)	4-18

Fig. 4.3-3(4)	Calculated Water Quality in 2010 without Measure (sinarío-2)(T-P)	4-19
Fig. 4.3-3(5)	Calculated Water Quality in 2010 without Measure (sinarío-2)(DO)	4-20
Fig. 4.3-4(1)	Water Quality Variation from 1991 to 2000 without Measure (BOD)	4-21
Fig. 4.3-4(2)	Water Quality Variation from 1991 to 2000 without Measure (T-P)	4-22
Fig. 4.3-4(3)	Water Quality Variation from 1991 to 2000 without Measure (DO)	4-23
Fig. 4.3-5(1)	Water Quality Variation from 1991 to 2010 (scenario-1) without Measure (BOD)	4-24
Fig. 4.3-5(2)	Water Quality Variation from 1991 to 2010 (scenario-1) without Measure (T-P)	4-25
Fig. 4.3-5(3)	Water Quality Variation from 1991 to 2010 (scenario-1) without Measure (DO)	4-26
Fig. 4.3-6(1)	Water Quality Variation from 1991 to 2010 (scenario-2) without Measure (BOD)	4-27
Fig. 4.3-6(2)	Water Quality Variation from 1991 to 2010 (scenario-2) without Measure (T-P)	4-28
Fig. 4.3-6(3)	Water Quality Variation from 1991 to 2010 (scenario-2) without Measure (DO)	4-29
Fig. 4.4-1(1)	External Load from Sub-Basin Groups	4-32
Fig. 4.4-1(2)	External Load from Sub-Basin Groups	4-33
Fig. 4.4-2	Water Quality Change in each block	4-34
Fig. 4.4-3(1)	BOD Concentration and Variation in each Block	4-35
Fig. 4.4-3(2)	T-P Concentration and Variation in each Block	4-36
Fig. 4.4-3(3)	DO Concentration and Variation in each Block	4-37
Fig. 5.3-1(1)	Calculated Water Quality in Case 1-1 (IDB/OECF Project in 2000)(BOD)	5-12
Fig. 5.3-1(2)	Calculated Water Quality in Case 1-1 (IDB/OECF Project in 2000)(T-P)	5-13
Fig. 5.3-1(3)	Calculated Water Quality in Case 1-1 (IDB/OECF Project in 2000)(DO)	5-14
Fig. 5.3-1(4)	Calculated Water Quality in Case 1-1 (IDB/OECF Project in 2000)(PO ₄ -P)	5-15
Fig. 5.3-1(5)	Calculated Water Quality in Case 1-1 (IDB/OECF Project in 2000)(O-P)	5-16
Fig. 5.3-2(1)	Calculated Water Quality in Case 1-2 (IDB/OECF Project in 2010)(BOD)	5-17
Fig. 5.3-2(2)	Calculated Water Quality in Case 1-2 (IDB/OECF Project in 2010)(DO)	5-18
Fig. 5.3-2(3)	Calculated Water Quality in Case 1-2 (IDB/OECF Project in 2010)(T-P)	5-19
Fig. 5.3-2(4)	Calculated Water Quality in Case 1-2 (IDB/OECF Project in 2010)(PO ₄ -P)	5-20
Fig. 5.3-2(5)	Calculated Water Quality in Case 1-2 (IDB/OECF Project in 2010)(O-P)	5-21
Fig. 5.3-3(1)	Calculated Water Quality in Case 2 (IDB/OECF Project and Optional Sewage Treatment in 2010)(BOD)	5-22
Fig. 5.3-3(2)	Calculated Water Quality in Case 2 (IDB/OECF Project and Optional Sewage Treatment in 2010)(DO)	5-23
Fig. 5.3-3(3)	Calculated Water Quality in Case 2 (IDB/OECF Project and Optional Sewage Treatment in 2010)(T-P)	5-24
Fig. 5.3-3(4)	Calculated Water Quality in Case 2 (IDB/OECF Project and Optional Sewage Treatment in 2010)(PO ₄ -P)	5-25
Fig. 5.3-3(5)	Calculated Water Quality in Case 2 (IDB/OECF Project and Optional Sewage Treatment in 2010)(O-P)	5-26
Fig. 5.3-4(1)	Calculated Water Quality in Case 3-1(Bypass Plan 1 in 2010)(BOD)	5-27
Fig. 5.3-4(2)	Calculated Water Quality in Case 3-1(Bypass Plan 1 in 2010)(DO)	5-28
Fig. 5.3-4(3)	Calculated Water Quality in Case 3-1(Bypass Plan 1 in 2010)(T-P)	5-29
Fig. 5.3-4(4)	Calculated Water Quality in Case 3-1(Bypass Plan 1 in 2010)(PO ₄ -P)	5-30
Fig. 5.3-4(5)	Calculated Water Quality in Case 3-1(Bypass Plan 1 in 2010)(O-P)	5-31
Fig. 5.3-5(1)	Calculated Water Quality in Case 3-2(Bypass Plan 2 in 2010)(BOD)	5-32
Fig. 5.3-5(2)	Calculated Water Quality in Case 3-2(Bypass Plan 2 in 2010)(DO)	5-33
Fig. 5.3-5(3)	Calculated Water Quality in Case 3-2(Bypass Plan 2 in 2010)(T-P)	5-34
Fig. 5.3-5(4)	Calculated Water Quality in Case 3-2(Bypass Plan 2 in 2010)(PO ₄ -P)	5-35

Fig. 5.3-5(5)	Calculated Water Quality in Case 3-2(Bypass Plan 2 in 2010)(O-P)	5-36
Fig. 5.3-6(1)	Calculated Water Quality in Case 3-3(Bypass Plan 3 in 2010)(BOD)	5-37
Fig. 5.3-6(2)	Calculated Water Quality in Case 3-3(Bypass Plan 3 in 2010)(DO)	5-38
Fig. 5.3-6(3)	Calculated Water Quality in Case 3-3(Bypass Plan 3 in 2010)(T-P)	5-39
Fig. 5.3-6(4)	Calculated Water Quality in Case 3-3(Bypass Plan 3 in 2010)(PO ₄ -P)	5-40
Fig. 5.3-6(5)	Calculated Water Quality in Case 3-3(Bypass Plan 3 in 2010)(O-P)	5-41
Fig. 5.3-7(1)	Calculated Water Quality in Case 3-4(Bypass Plan 4 in 2010)(BOD)	5-42
Fig. 5.3-7(2)	Calculated Water Quality in Case 3-4(Bypass Plan 4 in 2010)(DO)	5-43
Fig. 5.3-7(3)	Calculated Water Quality in Case 3-4(Bypass Plan 4 in 2010)(T-P)	5-44
Fig. 5.3-7(4)	Calculated Water Quality in Case 3-4(Bypass Plan 4 in 2010)(PO ₄ -P)	5-45
Fig. 5.3-7(5)	Calculated Water Quality in Case 3-4(Bypass Plan 4 in 2010)(O-P)	5-46
Fig. 5.3-8(1)	Calculated Water Quality in Case 4-1(BOD)(20% Reducing T-P load from the object rivers of IDB/OECF program in 2010)	5-47
Fig. 5.3-8(2)	Calculated Water Quality in Case 4-1(T-P)(20% Reducing T-P load from the object rivers of IDB/OECF program in 2010)	5-48
Fig. 5.3-8(3)	Calculated Water Quality in Case 4-1(DO)(20% Reducing T-P load from the object rivers of IDB/OECF program in 2010)	5-49
Fig. 5.3-9(1)	Calculated Water Quality in Case 4-2(BOD)(40% Reducing T-P load from the object rivers of IDB/OECF program in 2010)	5-50
Fig. 5.3-9(2)	Calculated Water Quality in Case 4-2(T-P)(40% Reducing T-P load from the object rivers of IDB/OECF program in 2010)	5-51
Fig. 5.3-9(3)	Calculated Water Quality in Case 4-2(DO)(40% Reducing T-P load from the object rivers of IDB/OECF program in 2010)	5-52
Fig. 5.3-10(1)	Calculated Water Quality in Case 4-3(BOD)(80% Reducing T-P load from the object rivers of IDB/OECF program in 2010)	5-53
Fig. 5.3-10(2)	Calculated Water Quality in Case 4-3(T-P)(80% Reducing T-P load from the object rivers of IDB/OECF program in 2010)	5-54
Fig. 5.3-10(3)	Calculated Water Quality in Case 4-3(DO)(80% Reducing T-P load from the object rivers of IDB/OECF program in 2010)	5-55
Fig. 5.3-11(1)	Calculated Water Quality in Case 5-1(Dredging the Sediment in Block C in 2010)(BOD)	5-56
Fig. 5.3-11(2)	Calculated Water Quality in Case 5-1(Dredging the Sediment in Block C in 2010)(DO)	5-57
Fig. 5.3-11(3)	Calculated Water Quality in Case 5-1(Dredging the Sediment in Block C in 2010)(T-P)	5-58
Fig. 5.3-12(1)	Calculated Water Quality in Case 5-2(Dredging the Sediment in Block D in 2010)(BOD)	5-59
Fig. 5.3-12(2)	Calculated Water Quality in Case 5-2(Dredging the Sediment in Block D in 2010)(DO)	5-60
Fig. 5.3-12(3)	Calculated Water Quality in Case 5-2(Dredging the Sediment in Block D in 2010)(T-P)	5-61
Fig. 5.3-13(1)	Calculated Water Quality in Case 5-3(Dredging the Sediment in Block E1 in 2010)(BOD)	5-62
Fig. 5.3-13(2)	Calculated Water Quality in Case 5-3(Dredging the Sediment in Block E1 in 2010)(DO)	5-63
Fig. 5.3-13(3)	Calculated Water Quality in Case 5-3(Dredging the Sediment in Block E1 in 2010)(T-P)	5-64
Fig. 5.3-14(1)	Calculated Water Quality in Case 5-4(Dredging the Sediment in Block E2 in 2010)(BOD)	5-65
Fig. 5.3-14(2)	Calculated Water Quality in Case 5-4(Dredging the Sediment in Block E2 in 2010)(DO)	5-66
Fig. 5.3-14(3)	Calculated Water Quality in Case 5-4(Dredging the Sediment in Block E2 in 2010)(T-P)	5-67